

BISMUTH

(Data in metric tons of bismuth content unless otherwise noted)

Domestic Production and Use: The United States ceased production of primary refined bismuth in 1997 and is thus highly import dependent for its supply. A small amount of bismuth is recycled by some domestic firms. Bismuth is contained in some lead ores mined domestically, but the bismuth-containing residues are not processed domestically and may be exported. The value of bismuth consumed was approximately \$20 million. About 46% of the bismuth was used in fusible alloys, solders, and ammunition cartridges; 29% in metallurgical additives; 24% in pharmaceuticals and chemicals; and 1% in other uses.

The Safe Drinking Water Act Amendment of 1996 required that all new and repaired fixtures and pipes for potable water supply be lead-free after August 1998. Bismuth use in water meters and fixtures is one particular application that has increased in recent years. An application with major growth potential is the use of zinc-bismuth alloys to achieve thinner and more uniform galvanization. Bismuth was also used domestically in the manufacture of ceramic glazes, crystal ware, and pigments; as an additive to free-machining steels; and as an additive to malleable iron castings.

Salient Statistics—United States:	<u>2001</u>	<u>2002</u>	<u>2003</u>	<u>2004</u>	<u>2005^e</u>
Production, refinery	—	—	—	—	—
Imports for consumption, metal	2,220	1,930	2,320	1,980	2,150
Exports, metal, alloys, and scrap	541	131	108	109	100
Consumption, reported	2,200	2,320	2,120	2,420	2,370
Price, average, domestic dealer, dollars per pound	3.74	3.14	2.87	3.22	3.83
Stocks, yearend, consumer	95	111	279	117	110
Net import reliance ¹ as a percentage of apparent consumption	95	95	95	95	95

Recycling: All types of bismuth-containing alloy scrap were recycled and contributed about 10% of U.S. bismuth consumption, or 240 tons.

Import Sources (2001-04): Belgium, 31%; Mexico, 26%; China, 23%; United Kingdom, 9%; and other, 11%.

Tariff: Item	Number	Normal Trade Relations
Bismuth and articles thereof, including waste and scrap	8106.00.0000	<u>12-31-05</u> Free.

Depletion Allowance: 22% (Domestic), 14% (Foreign).

Government Stockpile: None.

BISMUTH

Events, Trends, and Issues: Owing to its unique properties, bismuth has a wide variety of applications including use in free-machining steels, brass, pigments, and solders, as nontoxic replacements for lead; in pharmaceuticals including bismuth subsalicylate, the active ingredient in over-the-counter stomach remedies; in the foundry industry, as an additive to enhance metallurgical quality; in the construction field, as a triggering mechanism for fire sprinklers; and in holding devices for grinding optical lenses. Currently, researchers in the European Union, Japan, and the United States are investigating possibilities for bismuth in lead-free solders. Researchers are looking at liquid lead-bismuth coolants for use in nuclear reactors. Work is proceeding toward developing a bismuth-containing metal polymer bullet.

The price of bismuth remained relatively stable in the \$3.40 to \$3.65 per pound range through July before rising to the \$4.10 to \$4.40 per pound range by the end of September owing to increased demand. The estimated average annual bismuth price for 2005 rose about 19% above that for 2004.

Around the world, there were several bismuth exploration activities that seemed promising: in Canada, an exploration firm announced that its cobalt-gold-bismuth deposit in the Northwest Territories was undergoing a feasibility study and that an agreement was reached to sell all of its eventual bismuth production to an undisclosed firm; another Canadian exploration firm announced increased expenditures to develop its property in Vietnam that contains bismuth, fluorspar, and tungsten.

World Mine Production, Reserves, and Reserve Base:

	Mine production		Reserves ²	Reserve base ²
	2004	2005 ^e		
United States	W	W	9,000	14,000
Bolivia	60	60	10,000	20,000
Canada	145	200	5,000	30,000
China	2,500	2,500	240,000	470,000
Kazakhstan	150	150	5,000	10,000
Mexico	1,100	1,100	10,000	20,000
Peru	1,000	1,000	11,000	42,000
Other countries	160	160	39,000	74,000
World total (rounded)	5,100	5,200	330,000	680,000

World Resources: Bismuth, at an estimated 8 parts per billion by weight, is the 69th element in order of abundance in the Earth's crust and is about twice as abundant as gold. World reserves of bismuth are usually based on bismuth content of lead resources because bismuth production is most often a byproduct of processing lead ores; in China, bismuth production is a byproduct of tungsten and other metal ore processing. Bismuth minerals rarely occur in sufficient quantities to be mined as principal products; the Tasna Mine in Bolivia and a mine in China are the only mines that produced bismuth from a bismuth ore. The Tasna Mine has been on standby status since the mid-1990s awaiting a significant rise in the metal price. Several bismuth-containing deposits are in varying stages of mining feasibility review. These polymetallic deposits include NICO in Canada, Nui Phao in Vietnam, and Bonfim in Brazil.

Substitutes: Bismuth can be replaced in pharmaceutical applications by alumina, antibiotics, and magnesia. Titanium dioxide-coated mica flakes and fish scale extracts are substitutes in pigment uses. Indium can replace bismuth in low-temperature solders. Resins can replace bismuth alloys for holding metal shapes during machining, and glycerine-filled glass bulbs can replace bismuth alloys in triggering devices for fire sprinklers. Free-machining alloys can contain lead, selenium, or tellurium as a replacement for bismuth.

Bismuth, on the other hand, is an environmentally friendly substitute for lead in plumbing and many other applications, including fishing weights, hunting ammunition, lubricating greases, and soldering alloys.

^eEstimated. W Withheld to avoid disclosing company proprietary data. — Zero.

¹Defined as imports – exports + adjustments for Government and industry stock changes.

²See Appendix C for definitions.