USDA COMMODITY REQUIREMENTS

KCPBAGS 311 BAGS AND TWINE FOR USE IN EXPORT PROGRAMS

Effective Date: 05/19/08

USDA COMMODITIY REQUIREMENTS KCPBAGS 311 BAGS AND TWINE FOR USE IN EXPORT PROGRAMS

Table of Contents

Part 1 Co	ONTAINER AND PACKAGING REQUIREMENTS	1
Section 1.		
Section 1.		
Section 1.	3 50-KILOGRAM WOVEN POLYPROPYLENE BAGS	1
Section 1.	4 SEWING OF BAG SEAMS	2
Section 1.	5 BAG SIZE REQUIREMENTS	2
Section 1.	6 BALING REQUIREMENTS	2
Section 1.		
Section 1.	8 PERFORMANCE TEST PROCEDURES	3
Section 1.	9 TEST FREQUENCY	
	ARKING REQUIREMENTS	
Section 2.		
Section 2.		
Section 2.		
Section 2.	4 BAG MANUFACTURERS' IDENTIFICATION	8
Section 2.	5 VERIFICATION OF MARKINGS	8
Section 2.		
Exhibit A		10
Exhibits S	SMR-1 through SMR4 and LMR1 through LMR8	11

Part 1 CONTAINER AND PACKAGING REQUIREMENTS

Section 1.1 GENERAL

This part provides the packaging and container requirements, and marking specifications for containers and packaging materials acquired under this contract.

Section 1.2 CONTAINERS AND MATERIALS

A. All containers and packaging materials shall be manufactured and assembled in the United States. The components that make up the fabricating materials of the containers and packaging materials shall be of U.S. origin to the extent that they are commercially available. Questions concerning the availability of a material should be directed to:

USDA/FSA/DACO Room 5755 - South Bldg., Stop 0551 1400 Independence Avenue SW Washington, DC 20250-0551 ATTN: Packaging

- B. (1) All containers and packaging materials shall be constructed to meet the requirements of the FDA for safe contact with the packaged product.
 - (2) In addition, all containers and packaging materials shall be constructed to comply with the sum concentration levels of lead, cadmium, mercury, and hexavalent chromium addressed by the Coalition of Northeast Governors (CONEG) model legislation. The sum of the concentration levels of lead, cadmium, mercury and/or hexavalent chromium present in any package or packaging component shall not exceed 100 parts per million. Concentration levels shall be determined using American Standard of Testing Materials test methods, as revised, or U.S. Environmental Protection Agency test methods for evaluating solid waste, S-W 846, as revised.
- C. The contractor shall obtain and maintain documentation from the container or packaging material manufacturer to verify that the containers and packaging materials used in this contract were in compliance with the Government's requirements

Section 1.3 50-KILOGRAM WOVEN POLYPROPYLENE BAGS

Woven polypropylene fabric and circular-woven style bags.

- A. The color of the fabric shall be white, unless otherwise specified. At the contractor's discretion, it may use fabric containing marker yarns as a means of identifying the manufacturer of the fabric.
- B. The polymer in the fabric shall be 100 percent virgin polypropylene with no

- recycled material. Rework product will be limited to excess material produced during the initial extrusion process and will be limited to the amount produced during normal continuous operation. A system to identify and document this process shall be in place for review by the Government's audit personnel.
- C. The fabric in an unstressed state shall permit a minimum air flow of 3 cubic feet per minute per square foot and a maximum of 30 cubic feet per minute per square foot, when tested in accordance with ASTM Test Method D737, as amended.
- D. The fabric shall be finished by coating or other suitable method to prevent slippage. Individual test results shall be 28 degrees or greater, when tested in accordance with TAPPI Test Method T-503-OM-84. The fabric shall accept and retain printing ink that will not rub or flake off to a degree where legibility is impaired.
- E. The fabric shall be capable of resisting ultraviolet deterioration for a minimum of 200 hours of exposure in a weatherometer, when tested in accordance with Test Method 5804-Federal Standard 191, as amended. The fabric shall retain 70 percent of its original minimum tensile strength in each direction, after 200 hours exposure, when tested in accordance with Test Method ASTM D 5034 (Grab Test), as amended.
- F. Bags may be flat tube or gusseted.

Section 1.4 SEWING OF BAG SEAMS

- A. All bag seams shall be sewn in a manner which prevents the product from leaking through the seams during handling, storage, and distribution.
- B. The color of the sewing thread shall be natural or white. The tensile strength of the sewn seams shall not be less than the tensile strength of the fabric in the body of the bag.
- C. The top and bottom of the bag shall be heat cut or otherwise finished to prevent fraying or unraveling of the fabric during distribution. The bottom seam shall be constructed in accordance with Federal Standard 751a, SSn-1 Single Turnover, as amended. A minimum of 4 stitches per inch is required.

Section 1.5 BAG SIZE REQUIREMENTS

Circular woven polypropylene bags shall have the finished bag size of 23 inches by 39 inches, unless otherwise specified by the contracting officer.

Section 1.6 BALING REQUIREMENTS

- A. Bags shall be baled with 1,000 polypropylene bags to the base.
- B. Bags designed to be top loaded with bulk grain shall be baled for export with a minimum 14 gauge steel wire, or a minimum of 3/8 inch wide by 0.015 inch thick

steel strapping, or minimum 1/2 inch polypropylene strap of sufficient strength to withstand export distribution. The wire or straps shall be positioned as follows:

Five (5) girth wires approximately equal distance apart. The bags shall be baled in a manner that would protect the finished product during storage and shipment.

C. Required dimensions and counts shall be verified by in-plant quality control processes.

Section 1.7 TWINE SPECIFICATIONS

- A. Hand sewing twine shall meet the following minimum requirements:
 - (1) 10 or 12 ply cotton sail twine,
 - (2) 2,100 ft./lb. polypropylene twine with an average tensile strength of 55 pounds,
 - (3) Twine in 50 pound many-end rolls.
- B. Machine sewing, high speed twine, on 8-ounce cones shall meet the following minimum requirements:
 - (1) 0.97 pound, 13/4 ply polyester per 1,000 bags, or
 - (2) 1.12 pound, 12/4 ply polyester-cotton per 1,000 bags.

Section 1.8 PERFORMANCE TEST PROCEDURES

- A. All bags shall be capable of withstanding the following performance test for impact resistance.
 - (1) Ten filled and sealed bags shall each survive a single drop test on the butt and side on a shock machine that produces for each test a velocity change of 195 inches per second using a shock duration of .002 seconds without loss of product.
 - (2) Testing shall be conducted under standard temperature (73.4 °F plus or minus 1.8 °F) and relative humidity (50 % plus or minus 2%) conditions.
 - (3) Filled bags shall be placed in the conditioned atmosphere for sufficient time before the tests are conducted for the bag materials to come to equilibrium.
 - (4) Bags submitted under this performance specification shall conform to all other applicable material, construction, and performance specifications.

B. Test Laboratories

The contractor may use any independent or private laboratory that is capable of conducting the performance test for impact resistance described in Section 1.9. However, the Government is aware of only the following domestically located independent or private laboratories that have such capability:

Lansmont Corporation Rutgers University Packaging Science and 1287 Reamwood Sunnyvale, CA 94089 Engineering Dept. P.O. Box 909 (408) 734-9724 Piscataway, NJ 08854 (201) 932-3679 **Lansmont Corporation** 6539 Westland Way, Suite 24 Lansing, MI 48917 (888) 526-7666 www.lansmont.com Michigan State University Ten-E Packaging Services, Inc. School of Packaging 1666 County Road 74 East Lansing, MI 48824-1223 Newport, MN 55055 (517) 355-9580 (651) 459-0671 http://packaging.msu.edu/ www.ten-e.com

Section 1.9 TEST FREQUENCY

- A. All testing specified shall be performed and documented.
- B. The air permeability and ultraviolet resistance tests shall, as a minimum, be performed annually and when a change in the formulation/design of the fabric is being made.
- C. The performance test for impact resistance shall be performed when a change in the formulation/design of the fabric is being made.
- D. The slide angle test shall, as a minimum, be performed in-house for every 10,000 lineal meters of fabric production. Testing performed in-house is not required to be performed under the specified temperature and humidity requirements. In addition, the slide angle test shall, as a minimum, be performed annually by an outside testing facility and when a change in the formulation/design of the fabric is being made. This testing shall be performed in accordance with all contract requirements, including the specified temperature and humidity.
- E. All supporting test and quality control documentation shall be retained and made available for review by the Government for a minimum of three years after final payment under the contract.

Part 2 MARKING REQUIREMENTS

Section 2.1 MARKINGS

A. The bag shall be marked in the color specified in the markings exhibits. Any

- markings not shown on the exhibits shall be printed in blue. When printed on the bag, the colors blue and red shall match the Pantone Matching System (PMS) chart numbers 280 and 200, respectively, to the extent practicable.
- B. All dimensions are approximate. Unless otherwise specified, all characters shall be in normal block print.
- C. The US Flag shall be 7 inches high and 12 3/4 inches in total width on the front and back of the applicable bag, see exhibits.
- D. The letters USA shall be Univers black (75) oblique, or Helvetica extra bold with 70% scaling and -70 tracking or equivalent to match the style as shown in the exhibits. The letters USA shall be 6 1/2 inches high and 12 1/2 inches in total width. The three stripes adjacent USA shall be 1 1/4 inches high and printed as close to the edges of the bag as possible, not to exceed 1 1/2 inches from any edge.
- E. The USAID vertical identity, including the logo, brandname, and tagline, shall be printed in the same style as shown in the markings exhibits, sized approximately 7 1/2 inches high and 9 3/8 inches in total width. The USAID logo shall be 4 1/4 inches in diameter. The USAID brandname shall be 2 inches in height. The tagline "FROM THE AMERICAN PEOPLE" shall be 1/2 inch in height. The USAID vertical logo is available to download at http://www.usaid.gov/branding/downloadsweb.html.
- F. The USDA logo shall be 5 1/2 inches high and 7 3/4 inches in total width. See exhibits.
- G. The commodity name shall be 1 1/2 inch print. Immediately below the commodity name on the front and back panels insert additional commodity description in 5/8 inch print, if applicable. See Exhibit A for appropriate commodity name/additional commodity description that shall be printed on each bag.
- H. The net weight, contract number and the statement "NOT TO BE SOLD OR EXCHANGED" shall be 3/4 inch print. The bag dimensions and Standard Marking Requirement (SMR) or Language Marking Requirement (LMR) number shall be 1/2 inch print. The contract number, net weight, and SMR or LMR number shall be at the bottom of the bag, centered. See exhibits
- I. The symbol indicating "USE NO HOOKS" shall be 2 3/4 inches in height. See exhibits.
- J. The letters or symbols used in the language markings for LMR-1, LMR-3, LMR-4, LMR-5, LMR-7, and LMR-8 should be sized approximately 1 5/8 inches. The language markings for LMR-2 and LMR-6 should be sized to fit as shown in the

exhibits.

K. Lot numbers, production codes or any other means of identification required to meet traceability requirements shall be as small as possible, yet legible.

Section 2.2 MARKING DESCRIPTIONS

The Government shall furnish required markings within two business days after the date of the contract. The procurement of containers should be deferred for at least two business days after the date of the contract.

The following standard marking requirements may be requested under the contract:

Standard Marking Requirement #1 (SMR-1)

USAID – Distribution

Front: US Flag, the commodity name, the words "NOT TO BE SOLD OR EXCHANGED," USAID logo, contract number, net weight, dimensions, "SMR-1," and use no hooks symbol. See exhibit SMR-1, front.

Back: Identical to front. See exhibit SMR-1, back.

Standard Marking Requirement #2 (SMR-2)

FAS - Distribution

Front: USA with stripes, the commodity name, the words "NOT TO BE SOLD OR EXCHANGED," USDA logo, contract number, net weight, dimensions, "SMR-2", and use no hooks symbol. See exhibit SMR-2, front.

Back: Identical. See exhibit SMR-2, back.

Standard Marking Requirement #3 (SMR-3)

USAID – Monetization

Front: US Flag, the commodity name, USAID logo, contract number, net weight, dimensions, "SMR-3," and use no hooks symbol. See exhibit SMR-3, front.

Back: Identical to front. See exhibit SMR-3, back.

Standard Marking Requirement #4 (SMR-4)

FAS or USAID - Monetization

Front: USA with stripes, the commodity name, contract number, net weight, dimensions, "SMR-4," and use no hooks symbol. See exhibit SMR-4, front.

Back: Identical. See exhibit SMR-4, back.

<u>Language Marking Requirement #1 (LMR-1)</u>

USAID – Distribution for North Korea

Front: US Flag, the commodity name, the words "NOT TO BE SOLD OR EXCHANGED," USAID logo, contract number, net weight, dimensions, and "LMR-1" and use no hooks symbol. See exhibit LMR-1, front.

Back: US Flag, the commodity name, North Korean language panel, and "LMR-1" only. See exhibit LMR-1, back.

Language Marking Requirement #2 (LMR-2)

USAID - Distribution for Afghanistan, with Pashtu and Dari

Front: US Flag, the commodity name, the words "NOT TO BE SOLD OR

EXCHANGED," USAID logo, contract number, net weight, dimensions, and "LMR-2" and use no hooks symbol. See exhibit LMR-2, front.

Back: US Flag, the commodity name, Pashtu and Dari language panel, and "LMR-2" only. See exhibit LMR-2, back.

Language Marking Requirement #3 (LMR-3)

USAID – Distribution for South Africa Region

Front: US Flag, the commodity name, the words "NOT TO BE SOLD OR

EXCHANGED," USAID logo, contract number, net weight, dimensions, and "LMR-3" and use no hooks symbol. See exhibit LMR-3, front.

Back: US Flag, the commodity name, English language panel, and "LMR-3" only. See exhibit LMR-3, back.

Language Marking Requirement #4 (LMR-4)

USAID – Distribution for Iraq with Arabic

Front: US Flag, the commodity name, the words "NOT TO BE SOLD OR

EXCHANGED," USAID logo, contract number, net weight, dimensions, and "LMR-4" and use no hooks symbol. See exhibit LMR-4, front.

Back: US Flag, the commodity name, Arabic language panel, and "LMR-4" only. See exhibit LMR-4, back.

Language Marking Requirement #5 (LMR-5)

FAS - Distribution for North Korea

Front: USA with stripes, the commodity name, the words "NOT TO BE SOLD OR EXCHANGED," USDA logo, contract number, net weight, dimensions, and "LMR-5" and use no hooks symbol. See exhibit LMR-5, front.

Back: USA with stripes, the commodity name, North Korean language panel, and "LMR-5" only. See exhibit LMR-5, back.

Language Marking Requirement #6 (LMR-6)

FAS - Distribution for Afghanistan, with Pashtu and Dari

Front: USA with stripes, the commodity name, the words "NOT TO BE SOLD OR EXCHANGED," USDA logo, contract number, net weight, dimensions, and "LMR-6" and use no hooks symbol. See exhibit LMR-6, front.

Back: USA with stripes, the commodity name, Pashtu and Dari language panel, and "LMR-6" only. See exhibit LMR-6, back.

Language Marking Requirement #7 (LMR-7)

FAS – Distribution for South Africa Region

Front: USA with stripes, the commodity name, the words "NOT TO BE SOLD OR EXCHANGED," USDA logo, contract number, net weight, dimensions, and "LMR-7" and use no hooks symbol. See exhibit LMR-7, front.

Back: USA with stripes, the commodity name, English language panel, and "LMR-7"

only. See exhibit LMR-7, back.

Language Marking Requirement #8 (LMR-8)

FAS – Distribution for Iraq with Arabic

Front: USA with stripes, the commodity name, the words "NOT TO BE SOLD OR EXCHANGED," USDA logo, contract number, net weight, dimensions, and "LMR-8" and use no hooks symbol. See exhibit LMR-8, front.

Back: USA with stripes, the commodity name, Arabic language panel, and "LMR-8" only. See exhibit LMR-8, back.

Section 2.3 EMPTY BAG DIMENSIONS

A. All bags shall be marked with the empty dimensions as follows:

Gusseted Bags	Face Width X Gusseted Width X Finished Length
Flat Tube Bags	Face Width X Finished Length

B. The dimensions shall be printed at the bottom of the bag, centered, see exhibits.

Section 2.4 BAG MANUFACTURERS' IDENTIFICATION

Bag maker's name, identifying symbol, code or trade name may appear on each bag as small as possible, yet legible. If identifying symbols, code or trade names are used, they shall be placed on record with:

Textile Bag and Packaging Association

Attn: Connie McCuan-Kirsch

P.O. Box 286

Harrison, OH 45030

and

USDA/FSA/DACO

Room 5755 South Bldg., Stop 0551

1400 Independence Avenue SW

Washington, D.C. 20250-0551

Attn: Packaging

Section 2.5 VERIFICATION OF MARKINGS

The contractor shall supply the Government with one sample bag from each contract purchased hereunder for bag marking specifications. Mail bag to:

Kansas City Commodity Office

Bulk Commodities Division/IMB, Stop 8748

6501 Beacon Drive

Kansas City, MO 64133-4676

Section 2.6 CONTAINERS WITH INCORRECT MARKINGS

A. Any labels, bags, cans, can lids, cases, or any other type of packaging (hereinafter referred to as "containers") displaying incorrect markings may be used under a

Government contract provided that the incorrect markings are obliterated and correct markings are applied in a permanent manner with approval of the contracting officer.


B. The appearance of containers in commercial or other channels either filled or unfilled bearing markings identifying the containers as part of a Government contract may cause the Government expense in determining whether commodities have been diverted from authorized use and in answering inquiries.

The contractor shall take all necessary action to prevent the appearance in commercial or other channels of containers and container materials bearing any markings required under a Government contract, including those held by the contractor or others; e.g., overruns, misprints, etc. The contractor shall ensure that any container from a Government contract that appears in commercial or other channels shall have all markings required under this contract permanently obliterated.

List of Commodity Names Printed on 50 Kilogram Woven Polypropylene Bags

Commodity Requirements	Commodity Name	Commodity	Commodity Name
	DIN CUD	Requirements	DI ACK DE ANG
Bulgur / Soy-	BULGUR	Dry Edible	BLACK BEANS
Fortified Bulgur (BWSF)	SOY-FORTIIFIED BULGUR	Beans (DEB)	BLACKEYE BEANS
Buckwheat (BWP)	BUCKWHEAT GROATS		DARK RED KIDNEY BEANS
	BUCKWHEAT GRITS		LIGHT RED KIDNEY BEANS
	BUCKWHEAT FLOUR		GARBANZO BEANS
Bagged Grain (KCBG)	WHEAT HARD RED WINTER		GREAT NORTHERN BEANS
(Rebo)	WHEAT SOFT WHITE		PEA BEANS
	WHEAT HARD RED SPRING		PINK BEANS
	WHEAT NORTHERN SPRING		PINTO BEANS
	SORGHUM		SMALL RED BEANS
	YELLOW CORN		SMALL WHITE BEANS
	YELLOW CORN		
	YELLOW SOYBEANS		
Milled Rice (MR)	MILLED RICE LONG GRAIN	Peas and Lentils (PL)	LENTILS
	MILLED RICE MEDIUM GRAIN	Lenuis (FL)	SPLIT GREEN PEAS
	MILLED RICE SHORT GRAIN		SPLIT YELLOW PEAS
	MILLED RICE PARBOILED		SMOOTH GREEN DRY PEAS
Wheat Flour/	FLOUR		SMOOTH YELLOW DRY PEAS
Bread Flour	ALL PURPOSE		
(WFBF)	BREAD FLOUR		
50 KG	WHEAT		
Polypropylene	CORN		
Bags (KCPBAGS)	SORGHUM		
	SOYBEANS		
	SOYBEAN MEAL		

SMR-1 **FRONT** SMR-1 **BACK**



COMMODITY NAME

NOT TO BE SOLD OR EXCHANGED





CONTRACT ABCD01234

NET WEIGHT: 50 kg, 110.23 lb.

23 x 39

SMR-1



COMMODITY NAME

NOT TO BE SOLD OR EXCHANGED





CONTRACT ABCD01234

NET WEIGHT: 50 kg, 110.23 lb.

23 x 39

SMR-1

SMR-2 FRONT SMR-2 BACK



COMMODITY NAME

NOT TO BE SOLD OR EXCHANGED





CONTRACT ABCD01234

NET WEIGHT: 50 kg, 110.23 lb. 23 x 39 SMR-2



COMMODITY NAME

NOT TO BE SOLD OR EXCHANGED





CONTRACT ABCD01234

NET WEIGHT: 50 kg, 110.23 lb. 23 x 39 SMR-2

SMR-3 **FRONT** SMR-3 BACK



COMMODITY NAME





CONTRACT ABCD01234

NET WEIGHT: 50 kg, 110.23 lb. 23 x 39

SMR-3



COMMODITY NAME





CONTRACT ABCD01234

NET WEIGHT: 50 kg, 110.23 lb.

23 x 39

SMR-3

SMR-4 FRONT SMR-4



COMMODITY NAME



CONTRACT ABCD01234

NET WEIGHT: 50 kg, 110.23 lb. 23 x 39

SMR-4



BACK

COMMODITY NAME



CONTRACT ABCD01234

NET WEIGHT: 50 kg, 110.23 lb.

23 x 39

SMR-4



COMMODITY NAME

NOT TO BE SOLD OR EXCHANGED






CONTRACT ABCD01234

NET WEIGHT: 50 kg, 110.23 lb.

23 x 39



LMR-2 FRONT LMR-2 BACK



COMMODITY NAME

NOT TO BE SOLD OR EXCHANGED





CONTRACT ABCD01234

NET WEIGHT: 50 kg, 110.23 lb. 23 x 39

23 X 38

LMR-2



COMMODITY NAME

د امریکا د متحده ایالاتو د خلکو سوغات

تحفهء مردم ایالات متحده امریکا

LMR-3 FRONT LMR-3 BACK



COMMODITY NAME


NOT TO BE SOLD OR EXCHANGED





CONTRACT ABCD01234

NET WEIGHT: 50 kg, 110.23 lb. 23 x 39 LMR-3




COMMODITY NAME

Gift of the People of the United States of America

LMR-3

LMR-4 FRONT LMR-4 BACK



COMMODITY NAME

NOT TO BE SOLD OR EXCHANGED





CONTRACT ABCD01234

NET WEIGHT: 50 kg, 110.23 lb.

23 x 39



LMR-5 FRONT LMR-5 BACK



COMMODITY NAME

NOT TO BE SOLD OR EXCHANGED



CONTRACT ABCD01234

NET WEIGHT: 50 kg, 110.23 lb.

23 x 39

LMR-5



COMMODITY NAME

미국에서

보내온 선물

LMR-6 FRONT LMR-6 BACK



COMMODITY NAME

NOT TO BE SOLD OR EXCHANGED





CONTRACT ABCD01234

NET WEIGHT: 50 kg, 110.23 lb.

23 x 39

LMR-6



COMMODITY NAME

د امریکا د متحده ایالاتو د خلکو سوغات

تحفه، مردم ایالات متحده امریکا

LMR-7 FRONT LMR-7 BACK



COMMODITY NAME

NOT TO BE SOLD OR EXCHANGED





CONTRACT ABCD01234

NET WEIGHT: 50 kg, 110.23 lb. 23 x 39 LMR-7



COMMODITY NAME

Gift of the People of the United States of America

LMR-7

LMR-8 FRONT LMR-8 BACK



COMMODITY NAME

NOT TO BE SOLD OR EXCHANGED





CONTRACT ABCD01234

NET WEIGHT: 50 kg, 110.23 lb.

23 x 39

LMR-8



COMMODITY NAME



LMR-8