

Recent Improvements to the Database for the Evaluation of the Neutron Cross Section Standards Including Recent Work at NIST

**Allan D. Carlson
Ionizing Radiation Division
National Institute of Standards & Technology**

**Presented at
The CSEWG meeting
Brookhaven National Laboratory
November 2, 2004**



National Institute of Standards and Technology • Technology Administration • U.S. Department of Commerce

STANDARDS TO BE EVALUATED


Reaction	Energy Range
H(n,n)	1 keV to 200 MeV
$^3\text{He}(n,p)$	thermal to 50 keV
$^6\text{Li}(n,t)$	thermal to 1 MeV
$^{10}\text{B}(n,\alpha)$	thermal to 1 MeV
$^{10}\text{B}(n,\alpha_1\gamma)$	thermal to 1 MeV
$^{197}\text{Au}(n,\gamma)$	thermal, 0.2 to 2.5 MeV
$^{235}\text{U}(n,f)$	thermal, 0.15 to 200 MeV
$^{238}\text{U}(n,f)$	2 to 200 MeV*

H(n,n)H Recent Work

- NIST Coherent Scattering Length data
 - $b_{np} = -3.7384 \pm 0.0020$ fm
- Ohio University-NIST-LANL
15 MeV angular distribution experiment
- Uppsala angular distribution data
- Indiana University angular distribution data
- PSI angular distribution data



National Institute of Standards and Technology • Technology Administration • U.S. Department of Commerce



Measurements of the hydrogen scattering cross section by the Indiana (labeled Present exp't) and Uppsala groups compared with PWA calculations.

^3He (n,p) Recent data

- NIST-Indiana University-LANL
total cross section data
- NIST Coherent Scattering Length data
 - $b = 5.872 \pm 0.0072 \text{ fm}$




National Institute of Standards and Technology • Technology Administration • U.S. Department of Commerce

${}^6\text{Li}(\text{n},\text{t})$ Recent data

- NIST thermal measurement
 - Agrees excellently with CRP results
 - 937.86 GMA database
 - 938.02 EDA
 - 938.38 RAC
 - 940.98 ENDF/B-VI
 - Macklin used in R-matrix work
 - Zhang data withdrawn, "Particle Leaking" ++



National Institute of Standards and Technology • Technology Administration • U.S. Department of Commerce




The ${}^6\text{Li}(n,t)$ cross section of Macklin compared to recent CRP evaluations.

$^{10}\text{B}(\text{n},\alpha)^7\text{Li}$ Recent data



- IRMM Hamsch Branching ratio
- IRMM Hamsch angular distributions
- NIST Wasson total cross section
- IRMM Georganis cross sections
- Zhang data withdrawn, "Particle Leaking" ++



National Institute of Standards and Technology • Technology Administration • U.S. Department of Commerce




$^{10}\text{B}(n,a)$ angular distribution




(n,a0)

(n,a1)


^{10}B total cross section



Comparison of ^{10}B total cross section measurements
of Wasson et al. at two different flight paths



^{10}B total cross section measurements of Wasson et al. and a calculation with the RAC code shown as ratios to the ENDF/B-VI evaluation



The $^{10}\text{B}(\text{n},\alpha)$ cross section in the neutron energy region above 1 MeV. The present measurements are the data of Giorginis and Khriatchkov.

$^{238}\text{U}(\text{n},\gamma)$ Recent data

- Thermal evaluated value of Poenitz replaced with Trkov evaluation
 - 2.685 ± 0.011 barns




National Institute of Standards and Technology • Technology Administration • U.S. Department of Commerce

$^{235}\text{U}(\text{n},\text{f})$ Recent data

- Use of Arif Coherent Scattering data to improve K1 value ($K_1 = v\sigma_f - \sigma_a$)
 - Caused an increase in K1 of 0.8 b
- Further improvement in K1 using Gwin v with reported (smaller) uncertainty
 - Caused an increase of 1.9 b so $K_1 = 721.6$ b
 - Hardy K1 value = 722.7 ± 3.9 b
 - Nolte data are finalized



National Institute of Standards and Technology • Technology Administration • U.S. Department of Commerce




Measurements of the $^{235}\text{U}(\text{n},\text{f})$ cross section above 10 MeV
compared with the GMA calculation by the CRP.

$^{238}\text{U}(\text{n},\text{f})$ Recent data

- Nolte data are finalized
- Discrepancies at high energies persist



National Institute of Standards and Technology • Technology Administration • U.S. Department of Commerce



Measurements of the $^{238}\text{U}(\text{n},\text{f})$ cross section at high neutron energies


$^{239}\text{Pu}(\text{n},\text{f})$ Recent data

- Discrepancies at high energies persist
- LANL is considering a precise measurement in the MeV region



National Institute of Standards and Technology • Technology Administration • U.S. Department of Commerce

Ratio of the $^{239}\text{Pu}(\text{n},\text{f})$ to $^{235}\text{U}(\text{n},\text{f})$ Cross Sections



Conclusions and Recommendations

The work on the database is necessarily essentially finished. The immediate focus is on producing the standards for the new ENDF/B-VII library..

Important discrepancies still exist in the standards database. Particular concern is noted for $^{235}\text{U}(\text{n},\text{f})$, $^{238}\text{U}(\text{n},\text{f})$ and $^{239}\text{Pu}(\text{n},\text{f})$ cross section data and their ratios at energies above about 20 MeV. New measurements are required that are understood very well. Such work should be done through an international collaboration, such as a WPEC Subgroup.



National Institute of Standards and Technology • Technology Administration • U.S. Department of Commerce