## § 464.25

### **NSPS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/62.3 million Sm <sup>3</sup> (pounds pobillion SCF) of air scrubbed	
Copper (T)	1.81 1.25 1.79 2.02	0.988 0.612 0.673 0.706
Oil and grease	70.6	23.5
TSS	35.3	28.2
pH	(1)	(1)

Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual average <sup>1</sup>
	(mg/l) <sup>2</sup>	(mg/l) <sup>2</sup>	
Copper (T)	0.77	0.42	0.4
Lead (T)	0.53	0.26	0.353
Zinc (T)	0.76	0.29	0.424
Total phenols	0.86	0.3	0.471
Oil and grease	30	10	11.8
TSS	15	12	6.12
pH	(3)	(3)	(3)

¹ kg/62.3 Sm³ (pounds per billion SCF) of air scrubbed.
² These concentrations must be multiplied by the ratio of (0.282/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 SCF of air scrubbed) for a specific plant.
³ Within the range of 7.0 to 10.0 at all times.

# (g) Mold Cooling Operations.

#### **NSPS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg million pounds)	(pounds per of metal poured
Copper (T)	0.392 0.27 0.387 15.3 7.63	0.214 0.132 0.148 5.09 6.11

 $<sup>^{\</sup>mbox{\tiny I}}$  Within the range of 7.0 to 10.0 at all times.

	Maximum	Maximum	Annual
	for any 1	for monthly	aver-
	day	average	age 1
Copper (T)	(mg/1) <sup>2</sup> 0.77 0.53 0.76 30 15 (3)	(mg/1) <sup>2</sup> 0.42 0.26 0.29 10 12 (3)	0.0865 0.0763 0.0916 2.54 1.32 (3)

¹kg/1,000 kkg (pounds per million pound) of metal poured.
²These concentrations must be multiplied by the ratio of (61/x) where x is the actual normalized process waste-water flow (in gallons per 1,000 pounds of metal poured) for a specific plant.
³Within the range of 7.0 to 10.0 at all times.

[50 FR 45247, Oct. 30, 1985; 51 FR 21761, June 16, 1986]

### §464.25 Pretreatment standards for existing sources.

Except as provided in 40 CFR 403.7 and 403.13, any existing source subject to this subpart which introduces pollutants into a publicly owned treatment works must comply with 40 CFR part 403 and achieve the following pretreatment standards for existing

## (a) Casting Quench Operations.

### **PSES**

Pollutant or pollutant property	Maximum for any 1 day  Maximum for monthly av age	
	kg/1000 kkg (pounds per m lion pounds) of met poured	
Copper (T) Lead (T)	0.0307 0.0211	0.0168 0.0104
Zinc (T)	0.0303	0.0116
TTO	0.0335	0.0109
Oil and grease (for alternate monitoring)	1.2	0.399

## (b) Direct Chill Casting Operations.

## **PSES**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per million pounds) of metal poured	
Copper (T) Lead (T) Zinc (T)	0.928 0.639 0.916	0.506 0.314 0.35

# (c) Dust Collection Scrubber Operations.

### **PSES**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/62.3 million S billion SCF) o	
Copper (T)	0.552 0.38 0.545 0.617 1.65	0.301 0.187 0.208 0.215 0.54
nate monitoring)	21.5	7.18

- (d) Grinding Scrubber Operations. No discharge of process wastewater pollutants to a POTW.
  - (e) Investment Casting.

# **Environmental Protection Agency**

## **PSES**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg million pounds)	
Copper (T)	8.48 5.84 8.37 25.4	4.63 2.86 3.19 8.29
monitoring)	330	110

# (f) Melting Furnace Scrubber Operations.

## **PSES**

Maximum for any 1 day	Maximum for monthly aver- age
kg/62.3 million S billion SCF) o	
1.81	0.988
1.25	0.612
1.79	0.673
2.02	0.706
5.41	1.77
70.6	23.5
	any 1 day kg/62.3 million S billion SCF) o 1.81 1.25 1.79 2.02 5.41

# (g) Mold Cooling Operations.

## **PSES**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
		(pounds per of metal poured
Copper (T)	0.392 0.27 0.387 0.428	0.214 0.132 0.148 0.14 5.09

# § 464.26 Pretreatment standards for new sources.

Except as provided in 40 CFR 403.7, any new source subject to this subpart which introduces pollutants into publicly owned treatment works must comply with 40 CFR part 403 and achieve the following pretreatment standards for new sources.

## (a) Casting Quench Operations.

## **PSNS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
		oounds per mil- s) of metal
Copper (T)	0.0307	0.0168
Lead (T)	0.0211	0.0104
Zinc (T)	0.0303	0.0116
TTO	0.0335	0.0109
Oil and grease (for alternate monitoring)	1.2	0.399

### (b) Direct Chill Casting Operations.

### **PSNS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per million pounds) of metal poured	
Cannas (T)	0.928	0.500
Copper (T)	0.928	0.506
Lead (T)	0.639	0.314
Zinc (T)	0.916	0.35

## (c) Dust Collection Scrubber Operations.

# **PSNS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/62.3 Million Sm³ (pounds per billion SCF) of air scrubbed	
Copper (T)	0.552 0.38 0.545 0.617 1.65	0.301 0.187 0.208 0.215 0.54
nate monitoring	21.5	7.18

- (d) *Grinding Scrubber Operations.* No discharge of process wastewater pollutants to a POTW.
  - (e) Investment Casting.