

# ERRATA

**Page 118, Table 3 should read:**

Table 3.—Load carrying capacities for mine roof bolts

Roof Bolt Material	Minimum Yield kN (lbs)	Minimum Ultimate Tensile, kN (lbs)
A 5/8 Grade 55 .....	55 (12,400)	85 (19,200)
B 5/8 Grade 75 .....	76 (17,000)	101 (22,600)
C 3/4 Grade 75 .....	112 (25,100)	149 (33,400)
D #6 Rebar Grade 40 .....	78 (17,600)	137 (30,800)
E #6 Rebar Grade 60 .....	117 (26,400)	176 (39,600)
F #7 Rebar Grade 40 .....	107 (24,000)	187 (42,000)
G #7 Rebar Grade 60 .....	160 (36,000)	240 (54,000)
H #5 Rebar Grade 60 .....	83 (18,400)	124 (27,600)

**Page 118, Equation (4) should read:**

$$B_L = \left(\frac{S}{2}\right) \left(\frac{100 - \text{RMR}}{100}\right) \quad [\text{Unal 1984}] \quad (4)$$

**Page 126, Equation (10a) should read:**

$$\text{PRSUP} = \frac{\text{Lb} * \text{Nb} * \text{C}}{14.5 * \text{Sb} * \text{We}} \quad (10a)$$