UNITED STATES DEPARTMENT OF COMMERCE NATIONAL BUREAU OF STANDARDS WASHINGTON 25, D. C.

National Bureau of Standards Certificate

Standard Sample Number 599
HYDROCARBON BLEND NUMBER 8

This standard is one of eight mixtures of pure hydrocarbons representative of those occurring in hydrocarbon fuels and blending stocks. These blends are primarily for use in the calibration of mass spectrometers. However, they may be useful in other spectrometric instruments or gas chromatographic techniques.

The hydrocarbons used to prepare this sample are several C_8 cycloparaffins found in catalytically cracked naphthas. The composition of this blend is given in the following table:

Compound	S.S. Number ¹	Amount of impurity, 2 mole %	Volume ³ %
Ethylcyclohexane	258	0.13 ± 0.08	17 ± 0.1
1, trans-2-Dimethylcyclohexane	261	.08 ± .07	7 ± .01
1,cis-3-Dimethylcyclohexane	263	.09 ± .05	19 ± .1
1, trans-4-Dimethylcyclohexane	265	.14 ± ₀08	14 ± .1
1-Methyl-cis-2-			
ethylcyclopentane	275	.48 ± .24	20 ± .1
1,1,3-Trimethylcyclopentane	280	.48 ± .32	4 ± .01
1, trans-2, cis-3-	•		
Trimethylcyclopentane	292a	.14 ± .04	6 ± .01
1,trans-2,cis-4- Trimethylcyclopentane	295	.24 ± .10	13 ± .1

Notes: 1 S. S. Number refers to NBS Standard Samples of Hydrocarbons

- Amounts of impurity were evaluated from measurement of freezing points by the procedure described in J. Res. NBS 35, 355 (1945) RP 1676. The indicated uncertainties are estimated limits of error.
- ³ The indicated uncertainties are estimated from the limits of error of the transfer apparatus used.

A. V. Astin, Director

Washington 25, D. C., April 1, 1961