TEXAS DEPARTMENT OF INSURANCE

Engineering Services / MC 103-3A 333 Guadalupe Street P.O. Box 149104 Austin, Texas 78714-9104 Phone No. (512) 322-2212 Fax No. (512) 463-6693 TDI website: www.tdi.state.tx.us

Proposed Change to Windstorm Building Requirements or Procedures in the Texas Windstorm Insurance Association Plan of Operation

vame: <u>Engineering Stail</u>		Da	te: <u>June 15, ∠</u>	2006	
Organization/Company: Texas Depai	rtment of Insuran	<u>ice</u> Tel	ephone: <u>(512</u>	<u>2) 322-2212</u>	
Address: <u>333 Guadalupe</u>		Fax	x No.: <u>(512) </u>	163-6693	
City, State, Zip: Austin, TX 78714					
,					
Please complete the following for	each proposed	change:			
A separate form must be submitted			.)		
		3	,		
I. Proposed change to the follow	ina buildina rec	uirement or p	rocedure:		
3	3				
Refer to attached pages.					
no.o. to allaooa pagoo.					
The proposed change is to add an	additional requ	irement for to	esting of asi	nhalt shingles	to ASTN
D 6381 and UL 2390, or ASTM D					
Code as an optional method of det					Joidellilla
Sode as an optional method of det	termining perior	mance for ce	tain types o	n sililigies.	
2. Proposed change is to:				_	
	ocument 2006 In				
	ection <u>R905.2.4.</u>				<u>.3</u>
	able <u>New Table I</u>				
Fi	gure				
Ap	ppendix				
Please use the following format	t to present the	proposed cha	nge:		
LINE THROUGH LANGUAGE TO) BE DELETED	UNDERLINE	<u>NEW LANGL</u>	<u>JAGE TO BE A</u>	DDED
4. Proposed Change. Please spec	cify change. Att	ach additiona	I sheets if ne	eeded.	
Refer to attached pages.					
5. Reason for Change. Please st	ate purpose and	d reason for c	:hange. Atta	ach additional	sheets if
needed.					
Refer to attached pages.					

Item Number:	
BCAC Form 100-99 Amended January 1, 2005	5

6. Attach supporting written or printed information, including, but not limited to, test data, structural calculations, and/or documentation that the proposed change complies with the minimum wind load criteria and design standards specified in the building requirements adopted by the Texas Department of Insurance. Attach supporting written or printed information relating to the proposed changes to the building requirements or procedures contained in the Texas Windstorm Insurance Association Plan of Operation.

Pursuant to Article 21.49, §6C of the Insurance Code, this proposal form must be complete and submitted to the address specified above not later than the 30th day before the date of a scheduled advisory committee meeting for the proposal to be considered at that meeting.

Proposed Change to Windstorm Building Requirements or Procedures in the Texas Windstorm Insurance Association Plan of Operation

Modify section:

R905.2.4.1 Wind resistance of asphalt shingles.

Asphalt shingles shall be installed in accordance with Section R905.2.6. For roofs located where the basic wind speed in accordance with Figure R301.2(4) is 110 mph or greater (applicable to the Inland II, Inland I, and Seaward Zones), asphalt shingles shall be tested in accordance with ASTM D 3161, Class F (minimum 110 mph). Wrappers of shingle bundles that have been qualified using this method shall be labeled with ASTM D 3161, Class F. As an alternative, load and wind resistance of asphalt shingle roof coverings shall be determined in accordance with Section R905.2.4.1.1. Shingles classified using ASTM D 3161 are acceptable for use in wind zones less than 110 mph (49 m/s). Shingles classified using ASTM D 3161, Class F, are acceptable for use in all cases where special fastening is required.

Insert new section:

R905.2.4.1.1 Alternative test methods. The wind-induced uplift force on the shingle shall be determined using the method in UL 2390. The resistance of the shingle to the uplift force shall be determined using ASTM D 6381. As an alternative, testing shall be conducted in accordance with ASTM D 7158, which references both ASTM D 6381 and UL 2390. Shingles passing these test criteria shall be considered suitable for roofs located as stated in Table 905.2.4.1.

Classification requires that the resistance of the shingle to wind uplift, measured using the method in ASTM D 6381, equal or exceed the calculated load imposed by wind in the applicable zone as determined using UL 2390.

Classification by this method applies to with Wind Exposures B and C only in an Occupancy Category of I or II. Wrappers of shingle bundles that have been qualified using this alternative method shall be labeled with the tested wind classification specified in Table 905.2.4.1 and reference UL 2390/ASTM D 6381 or ASTM D 7158.

TABLE 905.2.4.1 ROOF COVERING CLASSIFICATION USING ALTERNATIVE TEST METHODS

TDI Construction	ASTM D 6381/UL 2390 or ASTM D 7158	
<u>Zone</u>	Wind Classification 1	
<u>Inland II</u>	Class G or Class H	
<u>Inland I</u>	Class G or Class H	
<u>Seaward</u>	<u>Class H</u>	

Note: 1 Class G is 120 mph. Class H is 150 mph

Modify section:

R905.2.6 Attachment. Asphalt shingles shall have the minimum number of fasteners required by the manufacturer, but not less than four fasteners per strip shingle. For normal application, asphalt shingles shall be secured to the roof with not less than four fasteners per strip shingle or two fasteners per individual shingle. Where the roof slope exceeds 20–21 units vertical in 12 units horizontal (167–175 percent slope), special methods of fastening are required. asphalt shingles shall be installed in accordance with the manufacturer's printed installation instructions for steep slope applications. For roofs located where the basic wind speed per Figure R301.2(4) is 110 mph (49 m/s) or higher, special methods of fastening are required. Special fastening methods shall be tested in accordance with ASTM D 3161, Class F. Asphalt shingles wrappers shall bear a label indicating compliance with ASTM D 3161, Class F.

Add text as follows:

CHAPTER 43 REFERENCED STANDARDS

<u>ASTM</u>

D 6381-03b	Standard Test Method for Measurement of Asphalt Shingle Mechanical Uplift
	ResistanceR905.2.4.1.1
D 7158-05	Standard Test Method for Wind Resistance of Sealed Asphalt Shingles (Uplift
	Force/Uplift Resistance Method)R905.2.4.1.1

UL

2390 (May 30, 2003) Standard for Tests for Wind Resistant Asphalt Shingles with Sealed TabsR905.2.4.1.1

Reason for Texas Revision:

The proposal accomplishes several objectives. First, in Section R905.2.4.1, the proposal clarifies that shingles tested in accordance with ASTM D 3161 Class F, which is 110 mph requirement, are applicable to installations in the Inland II, Inland I, and Seaward Zone. Also in Section R905.2.4.1, the proposal requires that shingle wrappers state that the product was tested to ASTM D 3161 with a Class F rating. Note: The Class F designation, which is a 110 mph requirement, is specified in ASTM D 3161. Second, in Section R905.2.4.1.1, the proposal provides for alternative test methods. This section was not included in the 2006 International Residential Code. The proposed alternative test methods include testing the shingles to ASTM D 6381 and UL 2390, or testing to ASTM D 7158 which references both ASTM D 6381 and UL 2390. The option to test to either criteria is specified to provide options to the asphalt shingle manufacturers who may chose to label compliance with either ASTM D 3161/UL 2390 or simply ASTM D 7158. The alternative test method section references Table 905.2.4.1. The new table references the three construction zones that are a part of the TDI windstorm program and indicates the wind classification (either Class G. which is 120 mph or Class H. which is 150 mph) that the shingles must be tested to in order to be used in each construction zone. Note: The Class G and Class H designations are specified in ASTM D 7158 and in the UL Online Certifications Directory (TGAH.GuideInfo "Prepared Roof Covering Materials, Asphalt Shingle Wind Resistance"; See attached sheet). Section R905.2.6 was modified to achieve consensus with the Asphalt Roofing Manufacturers Association (ARMA) guidelines, where roof slopes exceeding 21 units vertical in 12 units horizontal (175 percent slope) shall be installed as required by the manufacturer.