



**NIJ**

Special

**REPORT**

Test Results for Hardware Write Block Device:  
Tableau T5 Forensic IDE Bridge (FireWire Interface)

[www.ojp.usdoj.gov/nij](http://www.ojp.usdoj.gov/nij)

**U.S. Department of Justice  
Office of Justice Programs**

810 Seventh Street N.W.  
Washington, DC 20531

**Alberto R. Gonzales**  
*Attorney General*

**Regina B. Schofield**  
*Assistant Attorney General*

**David W. Hagy**  
*Deputy Assistant Attorney General, Office of Justice Programs  
and Acting Principal Deputy Director, National Institute of Justice*

This and other publications and products of the National Institute  
of Justice can be found at:

**National Institute of Justice**  
[www.ojp.usdoj.gov/nij](http://www.ojp.usdoj.gov/nij)

**Office of Justice Programs**  
Innovation • Partnerships • Safer Neighborhoods  
[www.ojp.usdoj.gov](http://www.ojp.usdoj.gov)

**JUNE 07**

**Test Results for Hardware Write Block  
Device: Tableau T5 Forensic IDE Bridge  
(FireWire Interface)**



**David W. Hagy**

*Deputy Assistant Attorney General, Office of Justice Programs  
and Acting Principal Deputy Director, National Institute of Justice*

This report was prepared for the National Institute of Justice, U.S. Department of Justice, by the Office of Law Enforcement Standards of the National Institute of Standards and Technology under Interagency Agreement 2003-IJ-R-029.

The National Institute of Justice is a component of the Office of Justice Programs, which also includes the Bureau of Justice Assistance; the Bureau of Justice Statistics; the Community Capacity Development Office; the Office for Victims of Crime; the Office of Juvenile Justice and Delinquency Prevention; and the Office of Sex Offender Sentencing, Monitoring, Apprehending, Registering, and Tracking (SMART).

**Test Results for Hardware Write Block Device:  
Tableau T5 Forensic IDE Bridge (FireWire Interface)**

**June 2007**

**NIST**

**National Institute of Standards and Technology**  
Technology Administration, U.S. Department of Commerce

## Contents

<b>Introduction</b> .....	<b>3</b>
<b>Test Results for Hardware Write Block Devices</b> .....	<b>4</b>
1 Results Summary by Requirements .....	4
2 Test Case Selection .....	4
3 Testing Environment.....	5
3.1 Test Computers .....	5
3.2 Protocol Analyzer .....	5
3.3 Hard Disk Drives .....	6
3.4 Support Software .....	7
4 Test Results .....	7
4.1 Test Results Report Key .....	7
4.2 Test Details .....	9
4.2.1 HWB-01 .....	9
4.2.2 HWB-03-file .....	12
4.2.3 HWB-03-img .....	13
4.2.4 HWB-05 .....	14
4.2.5 HWB-06 .....	15
4.2.6 HWB-08 .....	16
4.2.7 HWB-09 .....	17

## Introduction

The Computer Forensics Tool Testing (CFTT) program is a joint project of the National Institute of Justice (NIJ), the research and development organization of the U.S. Department of Justice, and the National Institute of Standards and Technology's (NIST's) Office of Law Enforcement Standards (OLES) and Information Technology Laboratory (ITL). CFTT is supported by other organizations, including the Federal Bureau of Investigation, the U.S. Department of Defense Cyber Crime Center, the Internal Revenue Service Criminal Investigation Division's Electronic Crimes Program, and the U.S. Department of Homeland Security's Bureau of U.S. Immigration and Customs Enforcement and U.S. Secret Service. The objective of the CFTT project is to provide measurable assurance to practitioners, researchers, and other applicable users that the tools used in computer forensics investigations provide accurate results. Accomplishing this requires the development of specifications and test methods for computer forensics tools and subsequent testing of specific tools against those specifications.

Test results provide the information necessary for developers to improve tools, users to make informed choices, and the legal community and others to understand the tools' capabilities. This approach for testing computer forensic tools is based on well-recognized methodologies for conformance and quality testing. The specifications and test methods are posted on the CFTT Web site (<http://www.cftt.nist.gov/>) for review and comment by the computer forensics community.

This document reports the results from testing the **Tableau T5 Forensic IDE Bridge (FireWire Interface)** write blocker against the *Hardware Write Blocker (HWB) Assertions and Test Plan Version 1.0*, available on the CFTT web site (<http://www.cftt.nist.gov/HWB-ATP-19.pdf>). This specification identifies the following top-level tool requirements:

- A hardware write block (HWB) device shall not transmit a command to a protected storage device that modifies the data on the storage device.
- An HWB shall return the data requested by a read operation.
- An HWB shall return without modification any access-significant information requested from the drive.
- Any error condition reported by the storage device to the HWB shall be reported to the host.

Test results from other software packages and the CFTT tool methodology can be found on NIJ's computer forensics tool testing Web page, <http://www.ojp.usdoj.gov/nij/topics/ecrime/cftt.htm>.

# Test Results for Hardware Write Block Devices

Device Tested: Tableau T5 Forensic IDE Bridge\*  
Model: T5  
Serial No: U004B009296,000ecc01000540e5  
Firmware: Oct 4 2004 15:28:51

Host to Blocker Interface: FireWire  
Blocker to Drive Interface: ATA

Supplier: Tableau, LLC

Address: N8 W22195 Johnson Drive, Suite 100  
Waukesha, WI 53186  
<http://www.tableau.com/>

## 1 Results Summary by Requirements

**An HWB device shall not transmit a command to a protected storage device that modifies the data on the storage device.**

For all test cases run, the device always blocked any commands that would have changed user or operating system data stored on a protected drive.

**An HWB device shall return the data requested by a read operation.**

For all test cases run, the device always allowed commands to read the protected drive.

**An HWB device shall return without modification any access-significant information requested from the drive.**

For all test cases run, the device always returned access-significant information from the protected drive without modification.

**Any error condition reported by the storage device to the HWB device shall be reported to the host.**

For all test cases run, the device always returned error codes from the protected drive without modification.

## 2 Test Case Selection

Since a protocol analyzer was available for the interface between the blocker and the protected drive, the following test cases were appropriate: HWB-01, HWB-03, HWB-05, HWB-06, HWB-08, and HWB-09.

---

\*Tableau produces this write block device for resale under various partner labels. See <http://www.tableau.com> for information on resellers.



For test case HWB-03, two variations were selected: file (attempt to use operating system commands to create and delete files and directories from a protected drive) and image (use an imaging tool to attempt to write to a protected drive).

### 3 Testing Environment

The tests were run in the NIST CFTT lab. This section describes the hardware (test computers and hard drives) available for testing.

#### 3.1 Test Computers

Two test computers were used: **DixonHill** and **Charlie**.

**Charlie** has the following configuration:

Asus P4P8T Intel® (865G/ICH 5 chipsets, FSB 800/533/400MHz) Motherboard  
AMIBIOS® American Megatrends Asus P4P8T-SP ACPI BIOS revision 1003  
Intel Pentium® 4 CPU, 3GHz  
1 GB RAM  
Plextor DVDR PX-716A, ATAPI CD/DVD-ROM drive  
WDC WD800JB-00JJC0, 80 GB ATA disk drive  
Five IEEE 1394 ports  
Six USB ports  
Memory Card reader

**DixonHill** has the following configuration:

Intel® D865PERL Motherboard  
Intel Pentium® 4 CPU 2.4GHz  
BE7X 1.08.00.048 BIOS  
FE7X 1.05.00.063 Firmware  
2048 MB RAM  
ABIT R9200SE-T AGP graphics adapter  
LSI MegaRAID SATA 150-4D SER523 REV B2 RAID controller  
Lite-On DVDRW SOHW-1234 Drive  
Floppy Drive  
4 USB ports  
1 IEEE 1394 FireWire port  
4 slots for SATA RAID drives

#### 3.2 Protocol Analyzer

A Data Transit bus protocol analyzer (Bus Doctor Rx) was used to monitor and record commands sent from the host to the write blocker. Two identical protocol analyzers were available for monitoring commands.

One of two Dell laptop computers (either Chip or Dale) was connected to each protocol analyzer to record commands observed by the protocol analyzer.

### 3.3 Hard Disk Drives

The hard disk drives that were used were selected from the ATA drives listed below. These hard drives were mounted in removable storage modules. The drives were set up in a variety of ways with the common partition types (FAT and NTFS) represented. The setup of each drive is documented below.

<pre> Drive label: 8B Partition table Drive /dev/sda 00011/254/63 (max cyl/hd values) 00012/255/63 (number of cyl/hd) 201600 total number of sectors Non-IDE disk Model (0EB-00CSF0      ) serial # (WD-WTAAV4044563) N   Start LBA Length      Start C/H/S End C/H/S   boot Partition type 1 P 000000063 000096327 0000/001/01 0005/254/63   0B Fat32 2 X 000096390 000096390 0006/000/01 0011/254/63   05 extended 3 S 000000063 000096327 0006/001/01 0011/254/63   07 NTFS 4 S 000000000 000000000 0000/000/00 0000/000/00   00 empty entry 5 P 000000000 000000000 0000/000/00 0000/000/00   00 empty entry 6 P 000000000 000000000 0000/000/00 0000/000/00   00 empty entry </pre>							
<pre> Drive label: A8 Partition table Drive /dev/sda 00011/254/63 (max cyl/hd values) 00012/255/63 (number of cyl/hd) 201600 total number of sectors Non-IDE disk Model (0BB-00AUA1      ) serial # (WD-WMA6Y3401179) N   Start LBA Length      Start C/H/S End C/H/S   boot Partition type 1 P 000000063 000096327 0000/001/01 0005/254/63   0B Fat32 2 X 000096390 000096390 0006/000/01 0011/254/63   05 extended 3 S 000000063 000096327 0006/001/01 0011/254/63   07 NTFS 4 S 000000000 000000000 0000/000/00 0000/000/00   00 empty entry 5 P 000000000 000000000 0000/000/00 0000/000/00   00 empty entry 6 P 000000000 000000000 0000/000/00 0000/000/00   00 empty entry </pre>							
<pre> Drive label: BE Partition table Drive /dev/sda 24320/254/63 (max cyl/hd values) 24321/255/63 (number of cyl/hd) 390721968 total number of sectors Non-IDE disk Model (00JB-00KFA0     ) serial # (      WD-WMAMR10220) N   Start LBA Length      Start C/H/S End C/H/S   boot Partition type 1 P 000000063 039070017 0000/001/01 1023/254/63   0C Fat32X 2 X 039070080 351646785 1023/000/01 1023/254/63   0F extended 3 S 000000063 307194867 1023/001/01 1023/254/63   07 NTFS 4 x 307194930 000016065 1023/000/01 1023/254/63   05 extended 5 S 000000063 000016002 1023/001/01 1023/254/63   01 Fat12 6 x 307210995 004096575 1023/000/01 1023/254/63   05 extended 7 S 000000063 004096512 1023/001/01 1023/254/63   06 Fat16 8 S 000000000 000000000 0000/000/00 0000/000/00   00 empty entry </pre>							

9	P	000000000	000000000	0000/000/00	0000/000/00	00	empty	entry
10	P	000000000	000000000	0000/000/00	0000/000/00	00	empty	entry

- P primary partition (1–4)
- S secondary (sub) partition
- X primary extended partition (1–4)
- x secondary extended partition

### 3.4 Support Software

The software in the following table was used to send commands to the protected drive. One widely used imaging tool, IXimager, was used to generate disk activity (reads and writes) consistent with a realistic scenario of an accidental modification of an unprotected hard drive during a forensic examination. This does not imply an endorsement of the imaging tool.

Program	Description
sendSCSI	A tool to send SCSI commands wrapped in the USB or IEEE 1394 (FireWire) protocols to a drive.
FS-TST	Software from the FS-TST tools was used to generate errors from the hard drive by trying to read beyond the end of the drive. The FS-TST software was also used to setup the hard drives and print partition tables and drive size.
IXimager	An imaging tool (ILook IXimager version 1.0, August 25, 2004) for test case 04- img.

## 4 Test Results

The main item of interest for interpreting the test results is determining the conformance of the device with the test assertions. Conformance with each assertion tested by a given test case is evaluated by examining the Blocker Input and Blocker Output boxes of the test report summary.

### 4.1 Test Results Report Key

A summary of the actual test results is presented in this report. The following table presents a description of each section of the test report summary.

Heading	Description
First Line	Test case ID; name, model, and interface of device tested.
Case Summary	Test case summary from <i>Hardware Write Blocker (HWB) Assertions and Test Plan Version 1.0</i> .
Assertions Tested	The test assertions applicable to the test case, selected from <i>Hardware Write Blocker (HWB) Assertions and Test Plan</i>

Heading	Description
	<i>Version 1.0.</i>
Tester Name	Name or initials of person executing test procedure.
Test Date	Time and date that test was started and completed.
Test Configuration	<p>Identification of the following:</p> <ol style="list-style-type: none"> <li>1. Host computer for executing the test case.</li> <li>2. Laptop attached to each protocol analyzer.</li> <li>3. Protocol analyzers monitoring each interface.</li> <li>4. Interface between host and blocker.</li> <li>5. Interface between blocker and protected drive.</li> <li>6. Execution environment for tool sending commands from the host.</li> </ol>
Hard Drives Used	Description of the protected hard drive.
Blocker Input	<p>A list of commands sent from the host to the blocker.</p> <p>For test case HWB-01, a list of each command code observed on the bus between the blocker and the protected drive and a count of the number of times the command was observed is provided.</p> <p>For test cases HWB-03 and HWB-06, a list of each command sent and the number of times the command was sent.</p> <p>For test case HWB-05, a string of known data from a given location is provided for reference.</p>
Blocker Output	<p>A list of commands observed by the protocol analyzer on the bus from the blocker to the protected drive.</p> <p>For test case HWB-01, a list of each command code observed on the bus between the blocker and the protected drive and a count of the number of times the command was observed is provided. Also, a count of the number of unique commands sent (from the Blocker Input box) and a count of the number of unique commands observed on the bus between the blocker and the protected drive.</p> <p>For test cases HWB-03 and HWB-06, a list of each command sent and the number of times the command was sent.</p> <p>For test case HWB-05, a string read from a given location is provided for comparison to known data.</p> <p>For test case HWB-08, the number of sectors determined for the protected drive and the partition table are provided.</p>

Heading	Description
	For test case HWB-09, any error return obtained by trying to access a nonexistent sector of the drive is provided.
Results	Expected and actual results for each assertion tested.
Analysis	Whether or not the expected results were achieved.

## 4.2 Test Details

### 4.2.1 HWB-01

Test Case HWB-01 Variation hwb-01 Tableau T5 Forensic IDE Bridge (FW)																																																															
Case Summary:	HWB-01 Identify commands blocked by the HWB.																																																														
Assertions Tested:	HWB-AM-01 The HWB shall not transmit any modifying category operation to the protected storage device. HWB-AM-05 The action that a HWB device takes for any commands not assigned to the modifying, read or information categories is defined by the vendor.																																																														
Tester Name:	kbr																																																														
Test Date:	run start Tue Sep 26 10:12:19 2006 run finish Tue Sep 26 10:16:13 2006																																																														
Test Configuration:	HOST: dixon hill HostToBlocker Monitor: chip HostToBlocker PA: aa00155 HostToBlocker Interface: fw BlockerToDrive Monitor: dale BlockerToDrive PA: aa00111 BlockerToDrive Interface: ide Run Environment: helix1.7																																																														
Drives:	Protected drive: BE BE is a WDC WD2000JB-00KFA0 with 390721968 sectors (200 GB)																																																														
Blocker Input:	Commands Sent to Blocker <table border="1" data-bbox="418 1129 896 1913"> <thead> <tr> <th>Count</th> <th>Commands</th> </tr> </thead> <tbody> <tr><td>1</td><td>AC MANAGE</td></tr> <tr><td>1</td><td>ASYNCHRONOUS CONNECTION</td></tr> <tr><td>1</td><td>BLANK</td></tr> <tr><td>1</td><td>CHANNEL USAGE</td></tr> <tr><td>1</td><td>CHG DEFINITN</td></tr> <tr><td>1</td><td>CLOS SESSION</td></tr> <tr><td>1</td><td>COMPARE</td></tr> <tr><td>1</td><td>CONNECT</td></tr> <tr><td>1</td><td>CONNECT AV</td></tr> <tr><td>1</td><td>CONNECTIONS</td></tr> <tr><td>1</td><td>COPY</td></tr> <tr><td>1</td><td>COPY/VERIFY</td></tr> <tr><td>1</td><td>CREATE DESCRIPTOR</td></tr> <tr><td>1</td><td>DIGITAL INPUT</td></tr> <tr><td>1</td><td>DIGITAL OUTPUT</td></tr> <tr><td>1</td><td>DISCONNECT</td></tr> <tr><td>1</td><td>DISCONNECT AV</td></tr> <tr><td>1</td><td>ERASE</td></tr> <tr><td>1</td><td>ERASE(10)</td></tr> <tr><td>1</td><td>FORMAT UNIT</td></tr> <tr><td>1</td><td>GET CONFIG</td></tr> <tr><td>1</td><td>GET EVNT/STS</td></tr> <tr><td>1</td><td>GET PERFRMNC</td></tr> <tr><td>1</td><td>INPUT PLUG SIGNAL FORMAT</td></tr> <tr><td>1</td><td>INPUT SELECT</td></tr> <tr><td>1</td><td>INQUIRY</td></tr> <tr><td>1</td><td>LK/UNLK CACH</td></tr> <tr><td>1</td><td>LOAD/UNLOAD</td></tr> <tr><td>1</td><td>LOG SELECT</td></tr> <tr><td>1</td><td>LOG SENSE</td></tr> </tbody> </table>	Count	Commands	1	AC MANAGE	1	ASYNCHRONOUS CONNECTION	1	BLANK	1	CHANNEL USAGE	1	CHG DEFINITN	1	CLOS SESSION	1	COMPARE	1	CONNECT	1	CONNECT AV	1	CONNECTIONS	1	COPY	1	COPY/VERIFY	1	CREATE DESCRIPTOR	1	DIGITAL INPUT	1	DIGITAL OUTPUT	1	DISCONNECT	1	DISCONNECT AV	1	ERASE	1	ERASE(10)	1	FORMAT UNIT	1	GET CONFIG	1	GET EVNT/STS	1	GET PERFRMNC	1	INPUT PLUG SIGNAL FORMAT	1	INPUT SELECT	1	INQUIRY	1	LK/UNLK CACH	1	LOAD/UNLOAD	1	LOG SELECT	1	LOG SENSE
Count	Commands																																																														
1	AC MANAGE																																																														
1	ASYNCHRONOUS CONNECTION																																																														
1	BLANK																																																														
1	CHANNEL USAGE																																																														
1	CHG DEFINITN																																																														
1	CLOS SESSION																																																														
1	COMPARE																																																														
1	CONNECT																																																														
1	CONNECT AV																																																														
1	CONNECTIONS																																																														
1	COPY																																																														
1	COPY/VERIFY																																																														
1	CREATE DESCRIPTOR																																																														
1	DIGITAL INPUT																																																														
1	DIGITAL OUTPUT																																																														
1	DISCONNECT																																																														
1	DISCONNECT AV																																																														
1	ERASE																																																														
1	ERASE(10)																																																														
1	FORMAT UNIT																																																														
1	GET CONFIG																																																														
1	GET EVNT/STS																																																														
1	GET PERFRMNC																																																														
1	INPUT PLUG SIGNAL FORMAT																																																														
1	INPUT SELECT																																																														
1	INQUIRY																																																														
1	LK/UNLK CACH																																																														
1	LOAD/UNLOAD																																																														
1	LOG SELECT																																																														
1	LOG SENSE																																																														

Test Case HWB-01 Variation hwb-01 Tableau T5 Forensic IDE Bridge (FW)		
1	MECH STATUS	
1	MEDIUM SCAN	
2	MODE SELECT	
2	MODE SENSE(10)	
1	OBJECT NUMBER SELECT	
1	OPEN DESCRIPTOR	
1	OPEN INFO BLOCK	
1	OUTPUT PLUG SIGNAL FORMAT	
1	OUTPUT PRESET	
1	PAUSE/RESUME	
1	PERSISTENT RESERVE IN	
1	PERSISTENT RESERVE OUT	
1	PLAY AUD IDX	
1	PLAY AUD MSF	
2	PLAY AUDIO	
1	PLAY CD	
1	PLUG INFO	
1	PLY TRK RLTV	
1	PLY TRK RLTV(12)	
1	PRE-FETCH	
1	PREVENT/ALLOW MEDIUM REMOVAL	
1	RD BUF CPCTY	
1	RD GENERATN	
1	RD MSTR CUE	
1	RD STRUCTURE	
1	RD SUB-CHNL	
1	RD TOC/PMA	
1	RD UPDATED BLK	
1	READ BUFFER	
1	READ BULK LIMITS	
1	READ CAPACITY	
1	READ CD	
1	READ CD MSF	
2	READ DEFECT	
1	READ DESCRIPTOR	
1	READ ELEMENT STATUS	
1	READ FORMAT CAPACITY	
1	READ HEADER	
1	READ INFO BLOCK	
1	READ LONG	
1	READ REVERSE	
1	READ STATUS ATTACHED	
548	READ(10)	
1	READ(12)	
1	REASSIGN BLK	
1	RECEIVE DIAGNOSTIC RESULTS	
1	RECOVER BUFF DATA	
1	RELEASE(10)	
1	RELEASE(6)	
1	REPAIR RZONE	
4	REPORT KEY	
1	REPORT LUNS	
1	REQ VOL ADDR	
1	RESERVE	
1	RESERVE(10)	
1	RESERVE(6)	
34	RESERVED	
1	REWIND/REZERO	
1	SCAN	
1	SEARCH DESCRIPTOR	
1	SECURITY	
1	SEEK(10)	
1	SEEK(6)	
1	SEND CUE SHT	
1	SEND DIAGNOSTIC	
1	SEND EVENT	
6	SEND KEY	
1	SET CD SPEED	

Test Case HWB-01 Variation hwb-01 Tableau T5 Forensic IDE Bridge (FW)																																																																								
	<table border="1"> <tr><td>1</td><td>SET LIMITS</td></tr> <tr><td>1</td><td>SET RD AHEAD</td></tr> <tr><td>1</td><td>SET STREAMNG</td></tr> <tr><td>1</td><td>SIGNAL SOURCE</td></tr> <tr><td>1</td><td>SND OPC INFO</td></tr> <tr><td>1</td><td>SND STRUCTUR</td></tr> <tr><td>1</td><td>SPACE</td></tr> <tr><td>2</td><td>SRCH DATA EQ</td></tr> <tr><td>1</td><td>SRCH DATA HI</td></tr> <tr><td>2</td><td>SRCH DATA LO</td></tr> <tr><td>1</td><td>SRCH DATAHI</td></tr> <tr><td>1</td><td>START/STOP</td></tr> <tr><td>1</td><td>STOP PLY/SCN</td></tr> <tr><td>1</td><td>SUBUNIT INFO</td></tr> <tr><td>1</td><td>SYNCH CACHE</td></tr> <tr><td>2</td><td>TEST UNIT READY</td></tr> <tr><td>1</td><td>UNIT INFO</td></tr> <tr><td>1</td><td>UPDATE BLOCK</td></tr> <tr><td>1</td><td>VENDOR-DEPENDENT</td></tr> <tr><td>1</td><td>VERIFY(10)</td></tr> <tr><td>1</td><td>VERIFY(12)</td></tr> <tr><td>1</td><td>VERIFY(6)</td></tr> <tr><td>1</td><td>WRITE BUFFER</td></tr> <tr><td>1</td><td>WRITE DESCRIPTOR</td></tr> <tr><td>1</td><td>WRITE FILEMARK</td></tr> <tr><td>1</td><td>WRITE INFO BLOCK</td></tr> <tr><td>1</td><td>WRITE LONG</td></tr> <tr><td>1</td><td>WRITE SAME</td></tr> <tr><td>2</td><td>WRITE(10)</td></tr> <tr><td>1</td><td>WRITE(12)</td></tr> <tr><td>2</td><td>WRITE/VERIFY</td></tr> <tr><td>1</td><td>XDREAD(10)</td></tr> <tr><td>1</td><td>XDWRITE(10)</td></tr> <tr><td>1</td><td>XDWRITEREAD(10)</td></tr> <tr><td>1</td><td>XPWRITE(10)</td></tr> </table>	1	SET LIMITS	1	SET RD AHEAD	1	SET STREAMNG	1	SIGNAL SOURCE	1	SND OPC INFO	1	SND STRUCTUR	1	SPACE	2	SRCH DATA EQ	1	SRCH DATA HI	2	SRCH DATA LO	1	SRCH DATAHI	1	START/STOP	1	STOP PLY/SCN	1	SUBUNIT INFO	1	SYNCH CACHE	2	TEST UNIT READY	1	UNIT INFO	1	UPDATE BLOCK	1	VENDOR-DEPENDENT	1	VERIFY(10)	1	VERIFY(12)	1	VERIFY(6)	1	WRITE BUFFER	1	WRITE DESCRIPTOR	1	WRITE FILEMARK	1	WRITE INFO BLOCK	1	WRITE LONG	1	WRITE SAME	2	WRITE(10)	1	WRITE(12)	2	WRITE/VERIFY	1	XDREAD(10)	1	XDWRITE(10)	1	XDWRITEREAD(10)	1	XPWRITE(10)	
1	SET LIMITS																																																																							
1	SET RD AHEAD																																																																							
1	SET STREAMNG																																																																							
1	SIGNAL SOURCE																																																																							
1	SND OPC INFO																																																																							
1	SND STRUCTUR																																																																							
1	SPACE																																																																							
2	SRCH DATA EQ																																																																							
1	SRCH DATA HI																																																																							
2	SRCH DATA LO																																																																							
1	SRCH DATAHI																																																																							
1	START/STOP																																																																							
1	STOP PLY/SCN																																																																							
1	SUBUNIT INFO																																																																							
1	SYNCH CACHE																																																																							
2	TEST UNIT READY																																																																							
1	UNIT INFO																																																																							
1	UPDATE BLOCK																																																																							
1	VENDOR-DEPENDENT																																																																							
1	VERIFY(10)																																																																							
1	VERIFY(12)																																																																							
1	VERIFY(6)																																																																							
1	WRITE BUFFER																																																																							
1	WRITE DESCRIPTOR																																																																							
1	WRITE FILEMARK																																																																							
1	WRITE INFO BLOCK																																																																							
1	WRITE LONG																																																																							
1	WRITE SAME																																																																							
2	WRITE(10)																																																																							
1	WRITE(12)																																																																							
2	WRITE/VERIFY																																																																							
1	XDREAD(10)																																																																							
1	XDWRITE(10)																																																																							
1	XDWRITEREAD(10)																																																																							
1	XPWRITE(10)																																																																							
	133 commands sent																																																																							
Blocker Output:	<p>Commands Allowed by Blocker</p> <table border="1"> <thead> <tr> <th>Count</th> <th>Commands</th> </tr> </thead> <tbody> <tr> <td>548</td> <td>25=READ DMA EXT</td> </tr> <tr> <td>1</td> <td>42=READ/V W/ EXT</td> </tr> <tr> <td>3</td> <td>70=SEEK</td> </tr> <tr> <td>1</td> <td>E7=FLUSH CACHE</td> </tr> <tr> <td>2</td> <td>EC=IDENTIFY DRIVE</td> </tr> </tbody> </table>	Count	Commands	548	25=READ DMA EXT	1	42=READ/V W/ EXT	3	70=SEEK	1	E7=FLUSH CACHE	2	EC=IDENTIFY DRIVE																																																											
Count	Commands																																																																							
548	25=READ DMA EXT																																																																							
1	42=READ/V W/ EXT																																																																							
3	70=SEEK																																																																							
1	E7=FLUSH CACHE																																																																							
2	EC=IDENTIFY DRIVE																																																																							
	133 commands sent, 5 commands allowed																																																																							
Results:	<table border="1"> <thead> <tr> <th>Assertion &amp; Expected Result</th> <th>Actual Result</th> </tr> </thead> <tbody> <tr> <td>AM-01 Modifying commands blocked</td> <td>Modifying commands blocked</td> </tr> <tr> <td>AM-05 HWB behavior recorded</td> <td>HWB behavior recorded</td> </tr> </tbody> </table>	Assertion & Expected Result	Actual Result	AM-01 Modifying commands blocked	Modifying commands blocked	AM-05 HWB behavior recorded	HWB behavior recorded																																																																	
Assertion & Expected Result	Actual Result																																																																							
AM-01 Modifying commands blocked	Modifying commands blocked																																																																							
AM-05 HWB behavior recorded	HWB behavior recorded																																																																							
Analysis:	Expected results achieved																																																																							

## 4.2.2 HWB-03-file

Test Case HWB-03 Variation hwb-03-file Tableau T5 Forensic IDE Bridge (FW)									
Case Summary:	HWB-03 Identify commands blocked by the HWB while attempting to modify a protected drive with forensic tools.								
Assertions Tested:	HWB-AM-01 The HWB shall not transmit any modifying category operation to the protected storage device. HWB-AM-05 The action that a HWB device takes for any commands not assigned to the modifying, read or information categories is defined by the vendor.								
Tester Name:	kbr								
Test Date:	run start Tue Sep 26 15:22:49 2006 run finish Tue Sep 26 15:38:40 2006								
Test Configuration:	HOST: charlie HostToBlocker Monitor: chip HostToBlocker PA: aa00155 HostToBlocker Interface: fw BlockerToDrive Monitor: dale BlockerToDrive PA: aa00111 BlockerToDrive Interface: ide Run Environment: WXP								
Drives:	Protected drive: BE BE is a WDC WD2000JB-00KFA0 with 390721968 sectors (200 GB)								
Blocker Input:	Commands Sent to Blocker <table border="1"> <thead> <tr> <th>Count</th> <th>Commands</th> </tr> </thead> <tbody> <tr> <td>14</td> <td>READ CAPACITY</td> </tr> <tr> <td>51</td> <td>READ(10)</td> </tr> <tr> <td>7</td> <td>TEST UNIT READY</td> </tr> </tbody> </table>	Count	Commands	14	READ CAPACITY	51	READ(10)	7	TEST UNIT READY
Count	Commands								
14	READ CAPACITY								
51	READ(10)								
7	TEST UNIT READY								
Blocker Output:	Commands Allowed by Blocker <table border="1"> <thead> <tr> <th>Count</th> <th>Commands</th> </tr> </thead> <tbody> <tr> <td>51</td> <td>25=READ DMA EXT</td> </tr> <tr> <td>7</td> <td>70=SEEK</td> </tr> </tbody> </table>	Count	Commands	51	25=READ DMA EXT	7	70=SEEK		
Count	Commands								
51	25=READ DMA EXT								
7	70=SEEK								
Results:	<table border="1"> <thead> <tr> <th>Assertion &amp; Expected Result</th> <th>Actual Result</th> </tr> </thead> <tbody> <tr> <td>AM-01 Modifying commands blocked</td> <td>Modifying commands blocked</td> </tr> <tr> <td>AM-05 HWB behavior recorded</td> <td>HWB behavior recorded</td> </tr> </tbody> </table>	Assertion & Expected Result	Actual Result	AM-01 Modifying commands blocked	Modifying commands blocked	AM-05 HWB behavior recorded	HWB behavior recorded		
Assertion & Expected Result	Actual Result								
AM-01 Modifying commands blocked	Modifying commands blocked								
AM-05 HWB behavior recorded	HWB behavior recorded								
Analysis:	Expected results achieved								



## 4.2.3 HWB-03-img

Test Case HWB-03 Variation hwb-03-img Tableau T5 Forensic IDE Bridge (FW)							
Case Summary:	HWB-03 Identify commands blocked by the HWB while attempting to modify a protected drive with forensic tools.						
Assertions Tested:	HWB-AM-01 The HWB shall not transmit any modifying category operation to the protected storage device. HWB-AM-05 The action that a HWB device takes for any commands not assigned to the modifying, read or information categories is defined by the vendor.						
Tester Name:	kbr						
Test Date:	run start Tue Sep 26 16:30:20 2006 run finish Tue Sep 26 16:56:38 2006						
Test Configuration:	HOST: dixon hill HostToBlocker Monitor: chip HostToBlocker PA: aa00155 HostToBlocker Interface: fw BlockerToDrive Monitor: dale BlockerToDrive PA: aa00111 BlockerToDrive Interface: ide Run Environment: IXimager						
Drives:	Protected drive: BE BE is a WDC WD2000JB-00KFA0 with 390721968 sectors (200 GB)						
Blocker Input:	Commands Sent to Blocker <table border="1"> <thead> <tr> <th>Count</th> <th>Commands</th> </tr> </thead> <tbody> <tr> <td>288</td> <td>READ(10)</td> </tr> <tr> <td>1317</td> <td>WRITE(10)</td> </tr> </tbody> </table>	Count	Commands	288	READ(10)	1317	WRITE(10)
Count	Commands						
288	READ(10)						
1317	WRITE(10)						
Blocker Output:	Commands Allowed by Blocker <table border="1"> <thead> <tr> <th>Count</th> <th>Commands</th> </tr> </thead> <tbody> <tr> <td>288</td> <td>25=READ DMA EXT</td> </tr> </tbody> </table>	Count	Commands	288	25=READ DMA EXT		
Count	Commands						
288	25=READ DMA EXT						
Results:	<table border="1"> <thead> <tr> <th>Assertion &amp; Expected Result</th> <th>Actual Result</th> </tr> </thead> <tbody> <tr> <td>AM-01 Modifying commands blocked</td> <td>Modifying commands blocked</td> </tr> <tr> <td>AM-05 HWB behavior recorded</td> <td>HWB behavior recorded</td> </tr> </tbody> </table>	Assertion & Expected Result	Actual Result	AM-01 Modifying commands blocked	Modifying commands blocked	AM-05 HWB behavior recorded	HWB behavior recorded
Assertion & Expected Result	Actual Result						
AM-01 Modifying commands blocked	Modifying commands blocked						
AM-05 HWB behavior recorded	HWB behavior recorded						
Analysis:	Expected results achieved						

## 4.2.4 HWB-05

Test Case HWB-05 Variation hwb-05 Tableau T5 Forensic IDE Bridge (FW)					
Case Summary:	HWB-05 Identify read commands allowed by the HWB.				
Assertions Tested:	HWB-AM-02 If the host sends a read category operation to the HWB and no error is returned from the protected storage device to the HWB, then the data addressed by the original read operation is returned to the host.				
Tester Name:	kbr				
Test Date:	run start Tue Sep 26 10:48:21 2006 run finish Tue Sep 26 10:49:51 2006				
Test Configuration:	HOST: dixon hill HostToBlocker Monitor: chip HostToBlocker PA: aa00155 HostToBlocker Interface: fw BlockerToDrive Monitor: none BlockerToDrive PA: none BlockerToDrive Interface: ide Run Environment: Helix1.7				
Drives:	Protected drive: A8 A8 is a WDC WD200BB-00AUA1 configured to report 201600 sectors (103 MB)				
Blocker Input:	Commands Sent to Blocker Read sector 32767 for the string: 00002/010/08 000000032767				
Blocker Output:	00002/010/08 000000032767				
Results:	<table border="1"> <thead> <tr> <th>Assertion &amp; Expected Result</th> <th>Actual Result</th> </tr> </thead> <tbody> <tr> <td>AM-02 Read commands allowed</td> <td>Read commands allowed</td> </tr> </tbody> </table>	Assertion & Expected Result	Actual Result	AM-02 Read commands allowed	Read commands allowed
Assertion & Expected Result	Actual Result				
AM-02 Read commands allowed	Read commands allowed				
Analysis:	Expected results achieved				

## 4.2.5 HWB-06

Test Case HWB-06 Variation hwb-06 Tableau T5 Forensic IDE Bridge (FW)									
Case Summary:	HWB-06 Identify read and information commands used by forensic tools and allowed by the HWB.								
Assertions Tested:	<p>HWB-AM-02 If the host sends a read category operation to the HWB and no error is returned from the protected storage device to the HWB, then the data addressed by the original read operation is returned to the host.</p> <p>HWB-AM-03 If the host sends an information category operation to the HWB and if there is no error on the protected storage device, then any returned access-significant information is returned to the host without modification.</p> <p>HWB-AM-05 The action that a HWB device takes for any commands not assigned to the modifying, read or information categories is defined by the vendor.</p>								
Tester Name:	kbr								
Test Date:	<p>run start Tue Sep 26 17:00:12 2006</p> <p>run finish Tue Sep 26 17:24:04 2006</p>								
Test Configuration:	<p>HOST: dixon hill</p> <p>HostToBlocker Monitor: chip</p> <p>HostToBlocker PA: aa00155</p> <p>HostToBlocker Interface: fw</p> <p>BlockerToDrive Monitor: dale</p> <p>BlockerToDrive PA: aa00111</p> <p>BlockerToDrive Interface: ide</p> <p>Run Environment: IXimager</p>								
Drives:	<p>Protected drive: 8B</p> <p>8B is a WDC WD200EB-00CSF0 configured to report 201600 sectors (103 MB)</p>								
Blocker Input:	<p>Commands Sent to Blocker</p> <table border="1"> <thead> <tr> <th>Count</th> <th>Commands</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>LK/UNLK CACH</td> </tr> <tr> <td>778</td> <td>READ(10)</td> </tr> </tbody> </table> <p>2 commands sent</p>	Count	Commands	1	LK/UNLK CACH	778	READ(10)		
Count	Commands								
1	LK/UNLK CACH								
778	READ(10)								
Blocker Output:	<p>Commands Allowed by Blocker</p> <table border="1"> <thead> <tr> <th>Count</th> <th>Commands</th> </tr> </thead> <tbody> <tr> <td>778</td> <td>C8=Read DMA</td> </tr> </tbody> </table> <p>2 commands sent, 1 commands allowed</p>	Count	Commands	778	C8=Read DMA				
Count	Commands								
778	C8=Read DMA								
Results:	<table border="1"> <thead> <tr> <th>Assertion &amp; Expected Result</th> <th>Actual Result</th> </tr> </thead> <tbody> <tr> <td>AM-02 Read commands allowed</td> <td>Read commands allowed</td> </tr> <tr> <td>AM-03 Access Significant Information unaltered</td> <td>Access Significant Information unaltered</td> </tr> <tr> <td>AM-05 HWB behavior recorded</td> <td>HWB behavior recorded</td> </tr> </tbody> </table>	Assertion & Expected Result	Actual Result	AM-02 Read commands allowed	Read commands allowed	AM-03 Access Significant Information unaltered	Access Significant Information unaltered	AM-05 HWB behavior recorded	HWB behavior recorded
Assertion & Expected Result	Actual Result								
AM-02 Read commands allowed	Read commands allowed								
AM-03 Access Significant Information unaltered	Access Significant Information unaltered								
AM-05 HWB behavior recorded	HWB behavior recorded								
Analysis:	Expected results achieved								

## 4.2.6 HWB-08

Test Case HWB-08 Variation hwb-08 Tableau T5 Forensic IDE Bridge (FW)		
Case Summary:	HWB-08 Identify access significant information unmodified by the HWB.	
Assertions Tested:	HWB-AM-03 If the host sends an information category operation to the HWB and if there is no error on the protected storage device, then any returned access-significant information is returned to the host without modification.	
Tester Name:	kbr	
Test Date:	run start Tue Sep 26 10:20:32 2006 run finish Tue Sep 26 10:21:29 2006	
Test Configuration:	HOST: dixon hill HostToBlocker Monitor: none HostToBlocker PA: none HostToBlocker Interface: fw BlockerToDrive Monitor: none BlockerToDrive PA: none BlockerToDrive Interface: ide Run Environment: Helix1.7	
Drives:	Protected drive: BE BE is a WDC WD2000JB-00KFA0 with 390721968 sectors (200 GB)	
Blocker Output:	cmd: /home/knoppix/partab hwb-08 dixon hill kbr /dev/sdb be -all 390721968 total number of sectors	
Results:	<b>Assertion &amp; Expected Result</b>	<b>Actual Result</b>
	AM-03 Access Significant Information unaltered	Access Significant Information unaltered
Analysis:	Expected results achieved	

## 4.2.7 HWB-09

Test Case HWB-09 Variation hwb-09 Tableau T5 Forensic IDE Bridge (FW)					
Case Summary:	HWB-09 Determine if an error on the protected drive is returned to the host.				
Assertions Tested:	HWB-AM-04 If the host sends an operation to the HWB and if the operation results in an unresolved error on the protected storage device, then the HWB shall return an error status code to the host.				
Tester Name:	kbr				
Test Date:	run start Tue Sep 26 10:22:04 2006 run finish Tue Sep 26 10:24:33 2006				
Test Configuration:	HOST: dixon hill HostToBlocker Monitor: none HostToBlocker PA: none HostToBlocker Interface: fw BlockerToDrive Monitor: none BlockerToDrive PA: none BlockerToDrive Interface: ide Run Environment: Helix1.7				
Drives:	Protected drive: BE BE is a WDC WD2000JB-00KFA0 with 390721968 sectors (200 GB)				
Blocker Output:	24320/254/63 (max cyl/hd values) 24321/255/63 (number of cyl/hd) 390721968 total number of sectors cmd: /home/knoppix/diskchg hwb-09 dixon hill kbr /dev/sdb -read 490721968 0 1 Disk addr lba 490721968 C/H/S 30546/7/38 offset 0 Disk read error 0xFFFFFFFF at sector 30546/7/38				
Results:	<table border="1"> <thead> <tr> <th>Assertion &amp; Expected Result</th> <th>Actual Result</th> </tr> </thead> <tbody> <tr> <td>AM-04 Error code returned</td> <td>Error code returned</td> </tr> </tbody> </table>	Assertion & Expected Result	Actual Result	AM-04 Error code returned	Error code returned
Assertion & Expected Result	Actual Result				
AM-04 Error code returned	Error code returned				
Analysis:	Expected results achieved				

## About the National Institute of Justice

NIJ is the research, development, and evaluation agency of the U.S. Department of Justice. NIJ's mission is to advance scientific research, development, and evaluation to enhance the administration of justice and public safety. NIJ's principal authorities are derived from the Omnibus Crime Control and Safe Streets Act of 1968, as amended (see 42 U.S.C. §§ 3721–3723).

The NIJ Director is appointed by the President and confirmed by the Senate. The Director establishes the Institute's objectives, guided by the priorities of the Office of Justice Programs, the U.S. Department of Justice, and the needs of the field. The Institute actively solicits the views of criminal justice and other professionals and researchers to inform its search for the knowledge and tools to guide policy and practice.

### Strategic Goals

NIJ has seven strategic goals grouped into three categories:

#### Creating relevant knowledge and tools

1. Partner with State and local practitioners and policymakers to identify social science research and technology needs.
2. Create scientific, relevant, and reliable knowledge—with a particular emphasis on terrorism, violent crime, drugs and crime, cost-effectiveness, and community-based efforts—to enhance the administration of justice and public safety.
3. Develop affordable and effective tools and technologies to enhance the administration of justice and public safety.

#### Dissemination

4. Disseminate relevant knowledge and information to practitioners and policymakers in an understandable, timely, and concise manner.
5. Act as an honest broker to identify the information, tools, and technologies that respond to the needs of stakeholders.

#### Agency management

6. Practice fairness and openness in the research and development process.
7. Ensure professionalism, excellence, accountability, cost-effectiveness, and integrity in the management and conduct of NIJ activities and programs.

### Program Areas

In addressing these strategic challenges, the Institute is involved in the following program areas: crime control and prevention, including policing; drugs and crime; justice systems and offender behavior, including corrections; violence and victimization; communications and information technologies; critical incident response; investigative and forensic sciences, including DNA; less-than-lethal technologies; officer protection; education and training technologies; testing and standards; technology assistance to law enforcement and corrections agencies; field testing of promising programs; and international crime control.

In addition to sponsoring research and development and technology assistance, NIJ evaluates programs, policies, and technologies. NIJ communicates its research and evaluation findings through conferences and print and electronic media.

To find out more about the National Institute of Justice, please visit:

<http://www.ojp.usdoj.gov/nij>

or contact:

National Criminal Justice  
Reference Service  
P.O. Box 6000  
Rockville, MD 20849–6000  
800–851–3420  
e-mail: [askncjrs@ncjrs.org](mailto:askncjrs@ncjrs.org)