



Defense Contract Management Agency

March 2014

FOREWORD

This Booklet has not been officially adopted by DoD. It is prepared as an informational guide for familiarization purposes only and is not intended to take the place of contractual requirements, specifications or regulations. The information contained herein is derived from current government packaging documents, pamphlets and technical manuals and is used for instructional purposes only.

March 2014

Originally Compiled by Ted Hollanders, DCMA Packaging Specialist (Retired) Revised & Updated by the DCMAO-LSP Packaging Group Packaging.Inbox@dcma.mil

DISTRIBUTION UNLIMITED CREDITS: SOME PACKAGING & PRESERVATION ILLUSTRATIONS COURTESY OF STU CRYSEL, AMCPSCC, TOBYHANNA PA

Locations of Packaging Requirements in Solicitations & Contracts

Section A - Solicitation / Contract Form Section B - Supplies & Services Section C - Description/Specs/Statement of Work Section D - Packaging & Marking Section E - Inspection & Acceptance Section F - Deliveries or Performance Section I - Contract Clauses Section J - Attachments



- CID's (Commercial Item Descriptions)
- Military or Federal Specifications
- Aperture Cards & Drawings
- Special Packaging Instructions
- DLA Master Solicitations
- FAR & DFARS clauses
- Product Specifications
- Military Standard Drawings (MS)
- Industry Standards (ASTM's)
- Packaging Requirement Codes

* Review entire contract/solicitation

HAZARDOUS MATERIALS



In addition to Contractual Requirements -MUST be Packaged in accordance with the appropriate Modal Regulation:

- Title 49 CFR for Land
- IMO/IMDG for Water
- ICAO/ IATA for Commercial Air
- AFMAN 24-204_IP* for Military Air

*INTERSERVICE: DLAI 4145.3 / TM 38-250 / NAVSUP PUB 505 / MCO P4030.19J

Must be marked and labeled in accordance with the appropriate Modal Regulations and when specified, MIL-STD-129.

In case of conflicting information, the appropriate Modal Regulations take precedence.

ASTM D-3951

Standard Practice for Commercial Packaging (Latest Revision is ASTM D3951-10)


Some items which packaging IAW ASTM D-3951 may be appropriate include but are not limited to:

Items Intended for Immediate Use

Items for fulfilment of Not-Mission Capable Supply

Items Intended for Depot Consumption

Shipped small parcel post (CONUS only), Not for Stock



For shipments to DoD, the marking shall be IAW MIL-STD-129 (ASTM D3951-10)

The decision to utilize commercial packaging is made by packaging technical personnel at the Procuring (buying) activity prior to RFQ or solicitation.

MIL-STD-2073-1E

w/CHANGE 1

(7 January 2011)

Standard Practice for Military Packaging

Applies to items for which military packaging is required to meet operational demands. These items include, but are not limited to items:

(a) Delivered during wartime for deployment with or sustainment to operational units.

(b) Requiring reusable containers.

(c) Intended for delivery-at-sea.

(d) Intended to enter the Defense Transportation and Distribution System and when storage is expected to exceed 6 months.

APPENDICES

- APPENDIX A DEVELOPMENT OF MILITARY PACKAGING REQUIREMENTS
- APPENDIX B FACTORS & FORMULAE ESTABLISHING MILITARY PACKAGING QUP & ICQ
- APPENDIX C CONTAINERS
- APPENDIX D DEVELOPMENT OF MILITARY PACKAGING REQUIREMENTS FOR KITS (PARTS & MODIFICATION)
- APPENDIX E MILITARY PACKAGING DATA FORMS
- APPENDIX F MILITARY PACKAGING DESIGN VALIDATION PROVISIONS
- APPENDIX G QUALITY ASSURANCE PROVISIONS
- APPENDIX H PROCEDURES FOR COMPLIANCE WITH CONTAINER DESIGN RETRIEVAL SYSTEM (CDRS) REQUIREMENTS.
- APPENDIX J MILITARY PACKAGING REQUIREMENT CODES


(Some contracts cite MIL-STD-2073-1D)

Military Packaging

Military Packaging. A means of specifying the military **preservation** and **packing** that a given item requires to ensure that it is not degraded during shipment and storage.

Military Preservation. Application of materials and/or methods designed to protect an item during shipment, handling, indeterminate storage and distribution to consignees worldwide.

Military Packing. Application of any exterior protective methods, materials, or devices to assure the integrity of the preserved item as follows: (next slide)



Military Packing


Military Packing. Application of any exterior protective methods, materials, or devices to assure the integrity of the preserved item as follows:

LEVEL A

Protection required to meet the most severe worldwide shipment, handling and storage conditions.

A Level A pack must, in tandem with the applied method of preservation, be capable of protecting material from the effects of direct exposure to extremes of climate, terrain, and operational and transportation environments.

Examples of containers used for Level A packing requirements include, but are not limited to, overseas type wood boxes, and plastic and metal reusable containers.




LEVEL B

Protection required to meet moderate worldwide shipment, handling and storage conditions..

A Level B pack must, in tandem with the applied preservation, to be capable of protecting material not directly exposed to extremes off climate, terrain, and operational and transportation environments.

Examples of containers used for Level B packing requirements include, but are not limited to, domestic wood crates, weather-resistant fiberboard containers, fast pack containers, weather-resistant fiber drums, and weather-resistant paper and multi-wall shipping sacks.

Minimal packing requirements. When anticipated logistics paths indicate that items requiring military preservation, as outlined in this standard, will not be exposed to shipping environments more severe than those normally encountered in the commercial distribution system, military packing requirements need not be implemented. Acceptable minimal packing requirements for shipments of this nature are listed in table J-IXb.



FIVE BASIC METHODS OF MILITARY PRESERVATION


- Method 10 Physical protection
- Method 20 Preservative coating only
- Method 30 Waterproof protection
- Method 40 Watervaporproof protection
- Method 50 Watervaporproof protection with desiccant
- Protection from physical damage and mechanical malfunction is required for all methods of preservation
- When methods require chipboard or fiberboard containers within the bag, the corners and edges of the containers shall be blunted
- When a transparent unit pack is specified, the preliminary wrapping shall also be transparent
- Preliminary wrapping materials in contact with any item coated with a preservative shall be greaseproof
- When flexible bags are used, the volume of trapped air within the bag shall be kept to a minimum by compressing the bag around the contents, or by carefully drawing a vacuum inside the bag
- When specific methods require using a bag or container, preliminary wrapping, cushioning or other dunnage material shall be applied as necessary to protect the item, the bag, and the container from all projections or sharp edges of the item as well as to restrict movement of the item within the unit pack.

Method 50 requires desiccant, humidity indicator and Method 50 Label(s)


Method 10 Physical Protection


Types of items to be preserved Method 10:








Unpreserved items shall be provided protection from physical damage and mechanical malfunction. Cushioning materials, dunnage, blocking and bracing shall be applied as required to protect the items and the enclosing media and restrict the movement of the item within the container.





























Sample Worksheet

				73-1E Worksheet	
PURPOSE:	To translate packag	ing requirements fro	m Orders or (Contracts which specify Packaging Requirements Codes in accordance	
with MIL-STD-2073-1E Contractor:			Contract Nur	nber:	
Procuring Office:			Item Description:		
HEADING	DETAIL	TABLE	CODE	REQUIREMENT	
QUP	Quantity per Unit Pack	Page 142 Para. J.4.3			
ICQ	Intermediate Container Quantity	Page 143 Para J.4.11			
МОР	Method Preservation	J.I or J.Ia			
CD	Cleaning and Drying	J.II			
РМ	Preservative Material	J.III			
WM	Wrap Material	J.IV			
CUD	Cushioning / Dunnage Material	J.V			
СТ	Cushioning Thickness	J.VI			
UC	Unit Pack Container	J.VII			
IC	Intermediate Container	J.VII			
UCL	Unit Container Level	J.VIII			
OPI	Optional Procedure Indicator	J.VIIIa			
PACK	Level A Military Packing	J.IX			
PACK	Level B Military Packing	J.IXa			
PACK	Minimal Packing	J.IXb			
SP MK	Special Marking	J.X			

MIL-STD-20731E(1) **PACKAGING REQUIREMENT CODES** (PRC)

QUP (QUANTITY PER UNIT PACK)

States the quantity per unit pack in the clear up to 999. BLK will be used for Bulk and ZZZ for Special Requirements listed in supplemental data or drawings

ICQ (INTERMEDIATE CONTAINER QUANTITY)

When intermediate containers are used, the number of unit packs per intermediate containers up to 100 will be listed in the clear. Other codes may be AAA, XXX or ZZZ.

PRESERVATION

Method of Preservation will be a two (2) digit code derived from the tables. Table J.I information is for the preservation methods and submethods established by Para. 5.2.3 Table J.Ia codes are for packaging procedures which are regularly used and require a more detailed description than allowed by the basic code and yet do not require the use of special packaging instructions.

CLEANING & DRYING PROCEDURES

This is a one (1) digit code sometimes shown as CLN/DRY or C/D.

PRESERVATIVE MATERIAL

A two (2) digit code. Refers to the type of material to be used to coat the item. Table J-III lists contact preservative material in alphanumeric order.

WRAPS

A two (2) digit code. This is a listing of what the item will be wrapped in after it has been properly preserved.

Para. J.4.3

Table J.I, & J.Ia

Para J.4.11

Table J.II

Table J.III

Table J.IV

CUSHIONING AND DUNNAGE

A two (2) digit code. Codes listing the cushioning and dunnage material that will be utilized after the item has been wrapped. This material will usually be placed between the wrapped item and the inside of the unit container

CUSHIONING THICKNESS

One (1) digit code listing the minimum thickness that is required between the unit and the unit container in any one direction.

UNIT CONTAINER

Two (2) digit code listing the type of container into which the item will be placed.

INTERMEDIATE CONTAINER

Two (2) digit code listing the type of container that is to be used if an intermediate container is necessary.

UNIT CONTAINER LEVEL

One (1) digit:

"O" - Denotes the unit container is not an acceptable shipping container.

"A" or "B" - Denotes if the container is an acceptable shipping container and what the highest level of protection will be afforded by this container.

"Z" - Indicates that the container requires special considerations (air only, inside storage only, etc.)

OPI (Optional Procedure Indicator)

"A" is indicated if packaging is in accordance with a specification or a special packaging instruction.

"M" indicates that all packaging data is mandatory for compliance and no substitutions are permitted.

"O" indicates that options can be exercised as to specific method of preservation or DoD approved packaging materials to be used. However, basic preservation method shall be retained and unit package dimensions shall not be increased by more than one inch. Equal or better protection shall be given the item and there shall be no increase in the package cost.

Table J.VIII

Table J.VIIIa

Table J.VI

Table J.VII

Table J.VII

Table J.V

MILITARY PACKING

One (1) digit code. Indicates the type of shipping container for MILITARY packing.

MINIMAL PACKING

One (1) digit code. Indicates the type of shipping container for Minimal packing.

SPECIAL MARKINGS

Two (2) digit code. If more than one code or a combination of codes not included in the table must be specified, "ZZ" will be annotated which indicates that supplemental data is listed elsewhere.

Some contracts will show the following information:

UNIT PACK WEIGHT

Five (5) digit numerical code. It shows the actual unit pack weight in the clear to the nearest on tenth of a pound. The decimal point does not show.

UNIT PACK SIZE

LGTH WDTH DPTH

Four (4) digit numerical code. This code shows the outside dimensions in the clear to the nearest tenth of an inch in the order of length, width and depth (or height). The decimal points do not show. (Example: 0035 = 3 1/2")

UNIT PACK CUBE WH CUB 1000th

Four (4) digits for the whole cube and three (3) digits in the 1000th column. These seven (7) numbers indicate the actual cube of the unit pack to the nearest one thousandth of a cubic foot up to 9,999.999 cubic feet.

Packaging Code Lookup Tool https://camphill.leidos.com/code_lookup.nsf/codecheck

Table J.IX & IXa

Table J.X

Table J.IXb

MIL-STD-2073-1E(1)

Paragraph 5.7 <u>Quality Assurance Provisions</u>. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all quality assurance requirements as specified in Appendix G

Quality Assurance Provisions

Appendix G

G.4 Preservation Inspections

G.4.1 Visual Preservation Examinations

G.4.2 Leakage Test (Method 5009 *)

- Vacuum Retention Technique
- Submersion or Immersion Technique
- Pneumatic Pressure Technique
- Hot Water Technique
- Squeeze Technique

G.4.3 <u>Heat-Sealed Seam Test</u> (Method 2024*)

G.5 Packing Inspections

G.5.1 <u>Examination procedures</u> (Refer to MIL-STD-2073-1E(1) for complete list)

* See MIL-STD-3010 for additional information on test methods and documentation format.

26

Inspection Provisions

Table G-I. <u>Preservation Inspection Provisions.</u>

* Some of the included visual inspections are:

- Item contaminated by handling after cleaning.
- Contaminated wiping cloths or compressed air used.
- Preservative not as specified.
- Excessive Preservative.
- Wrap not as specified.
- Cushioning material or thickness not as specified.
- Interior unit container corners not blunted.
- Excessive looseness in unit container.
- Weight & cube of unit pack exceeds maximum allowable.
- Incorrect QUP
- Marking omitted, incorrect or illegible 2/3/4/

2/ For methods 42 and 52, unit pack marking of MIL-STD-129 shall be applied to the barrier bag as well as the outer container.

3/ When a box or container is used to effect the unit pack of methods 31, 33, 41 and 51, unit pack markings of MIL-STD-129 shall be applied to the barrier bag as well as the box specified to effect the unit pack.

4/ When the unit pack is also used as the shipping container, then the markings applicable for shipment shall be applied to the exterior container in accordance with MIL-STD-129.

Table G-II.Leakage and heat-sealed seamtestprovisions.

Table provides method/submethod and required leak and or heatsealed seam test.

* See MIL-STD-2073-1, Table G.I for complete list.

Package Markings

There are four types of Basic Markings

1. Identification Marking

NSN - (National Stock Number) CAGE Code PN - (Part #) Nomenclature (Not always required on exterior containers) Quantity and unit of issue Contract number Military Method and date of unit preservation Gross Weight (Exterior containers) Shelf Life Information (if applicable) Serial Numbers (if applicable)

2. Identification Bar Code Markings

NSN (& Serial Number) for unit and intermediate packs NSN, Contract number, CAGE, CLIN, Shipment Number (& Serial Number) on exterior shipping containers

3. Address Markings

Uses Military Shipping Label (MSL).

Transportation Control Number (TCN), DODAAC of Ultimate Consignee, and Piece Number must be bar coded when shipment is destined into the Defense Transportation System 2D Bar Coding of MSL Information, TCMD data and line item supply data.

4. Special Markings

Hazardous Material Set Marking, Project Code Warranty, Manufactured, Cured or Assembled Date Expiration, Inspection or Pack Date Arrows, Fragile, Special Handling, etc. UID and RFID

Unit & Intermediate Container Label Example




2910-00-456-7416 CAGE 57685 PN 341 CARBURETOR 1 EA DAA625-03-C-1056 M41 02/08

MFD DATE 01/08 EXP DATE 01/09 SER NO 1157





*MFD and EXP Date for Shelf Life Items and Serial Numbers only if Applicable.

ID DATA INCLUDES UII(s)



*Application of the linear bar codes is not required when the 2D (PDF417) identification symbol is used. 29









ID DATA INCLUDES UII(s)



*Application of the linear bar codes is not required when the 2D (PDF417) identification symbol is used. 31







The label contains Address Markings

The 2D Bar Code contains Address Markings and Inventory Control Information

DTR Part II Appendix L Paragraph O provides information on the construct of a TCN when there is no TCN and no Requisition Document Number (MILSTRIP/DLMS) identified in the contract/purchase order/delivery order.

Special Markings

- Shelf-life
- Project Code
- Fragile/ Delicate
- Method 50
- Expedited Handling
- Hazardous Materials



Special Markings


Shelf-life

Shown below identification data on unit, intermediate and exterior containers

• <u>TYPE I (non-extendable):</u> MFD DATE 10/01 EXP DATE 10/06

• <u>TYPE II (extendable):</u> ASSEMBLED DATE 10/01 INSP/TEST DATE 10/04

> **RUBBER or ELASTOMER (TYPE I OR II):** CURED DATE 4Q01 INSP/TEST DATE 4Q05



Electrostatic Discharge (ESD) Sensitive



Unit Pack



and Exterior Pack 36

Special Markings

Expedited Handling





NSN 7540-00-139-4835 5084-102

OPTIONAL FORM 84 (REV. 2–84) PREVIOUS EDITION NOT USABLE

Special Markings

DOT Hazardous Materials


- Proper Shipping Name
- **UN Number**
- Hazard Labels



Cargo Aircraft Only Label




Package Orientation Marking



UN Performance Specification


Example of a Single or Combination Marking: ç def g 2 'n Ŀ.



(h) Symbol of Manufacturer/Certifier

HEAT TREATED Wood Packaging Material

Required for all Wood Packaging Material (WPM). WPM is defined as wood pallets, skids, load boards, pallet collars, wooden boxes, reels, dunnage, crates, frames, and cleats.




- (a) Trademark Symbol, logo or name of the accredited agency
- (b) Facility product manufacturer name, brand or assigned mill number
- (c) Heat Treated Mark (HT or DH-when dielectric heating is used)
- (d) Country Code The two letter ISO country abbreviation
- (e) Approved International Symbol for compliant wood packing material.
- (f) Indication for use as dunnage (DUN or DUNNAGE).

MIL-STD-147 Palletization


Standard Pallet Loads on a 40" x 48" pallet

- 43 Inches in Length (1.5 inch overhang on each side)
- 52 Inches in Width (2 inch overhang on each side)
- 54 Inches in Height (includes pallet)
- 3000 Lbs. Max Gross Weight
- Provides bonding methods and load patterns



* **MIL-STD-147 1E1** (23 DEC 13) - WPM to include dunnage, shall comply and be marked IAW ISPM 15 requirements.

Radio Frequency Identification RFID (Passive)



- DFARS Clause 252.211-7006 (Sep 2011)
- Tags that meet the EPCglobal[™] Class 1 Generation 2 standard and are globally unique.
- Applied at case and palletized-unit-load levels
- WAWF used to submit advance shipment notice (ASN) with RFID tag IDs
- Affixed at appropriate locations IAW MIL-STD-129 tag placement specifications

Official Website

http://www.acq.osd.mil/log/sci/ait.html Contains List of "Ship to" Locations and Supplier Guide

Useful Websites

RFID

http://www.acq.osd.mil/log/sci/ait.html Packaging Code Look-up https://camphill.leidos.com/code_lookup.nsf/codecheck Defense and Federal Specifications http://quicksearch.dla.mil/ DLA Land and Maritime Packaging http://www.landandmaritime.dla.mil/offices/packaging/pkgsitemap.asp American Lumber Standard Committee (WPM) http://www.alsc.org/WPM_summary_mod.htm

Key Specifications

- MIL-STD-2073-1E **Standard Practice for Military Packaging** MIL-STD-2073-1D Standard Practice for Military Packaging MIL-STD-129 Military Marking for Shipments and Storage MIL-STD-147 Palletized Unit Loads MIL-DTL-117 **Bags**, Heat-Sealable MIL-DTL-6060 Bags, Watervaporproof, Heat-Sealable, Complex Test Procedures for Packaging Materials MIL-STD-3010 Standard Practice for Commercial Packaging ASTM D3951
- ASTM D1974 Standard Practice for Methods of Closing, Sealing, and Reinforcing Fiberboard Boxes
- ASTM D5168 Standard Practice for Fabrication and Closure of Triple Wall Corrugated Fiberboard Containers

* Refer to contract/solicitation for appropriate revision (and change number) of specification