

An Inventory of Coastal Wetlands, Potential Restoration Sites, Wetland Buffers, and Hardened Shorelines for the Narragansett Bay Estuary

Ralph W. Tiner¹, Irene J. Huber², Todd Nuerminger², and Aimee L. Mandeville³

¹U.S. Fish & Wildlife Service National Wetlands Inventory Program Northeast Region 300 Westgate Center Drive Hadley, MA 01035

²Natural Resources Assessment Group Department of Plant and Soil Sciences University of Massachusetts Stockbridge Hall Amherst, MA 01003

³Department of Natural Resources Science Environmental Data Center University of Rhode Island 1 Greenhouse Road, Room 105 Kingston, RI 02881

May 2003

National Wetlands Inventory Cooperative Interagency Report

Cooperators: U.S. Fish & Wildlife Service, University of Massachusetts-Amherst, University of Rhode Island, and Rhode Island Department of Environmental Management, Narragansett Bay Estuary Program

This report should be cited as: Tiner, R.W., I.J. Huber, T. Nuerminger, and A.L. Mandeville. 2003. An Inventory of Coastal Wetlands, Potential Restoration Sites, Wetland Buffers, and Hardened Shorelines for the Narragansett Bay Estuary. U.S. Fish and Wildlife Service, Northeast Region, Hadley, MA. In cooperation with the University of Massachusetts-Amherst, the University of Rhode Island, and the Narragansett Bay Estuary Program. National Wetlands Inventory Cooperative Interagency Report. 40 pp. plus Appendices.

Table of Contents

| | Page |
|---|------|
| Introduction | . 1 |
| Study Area | |
| Methods | . 5 |
| Results | |
| Status of Coastal Wetlands and Related Resources | . 12 |
| Estuarine Wetland Plant Communities | . 15 |
| Estuarine Restoration Sites | . 21 |
| Estuarine Wetland Buffers | . 33 |
| Hardened Shorelines | |
| Summary and Conclusions | . 37 |
| Acknowledgments | . 39 |
| References | . 40 |
| Appendices | . 41 |
| A. Results for Each Rhode Island Town (towns listed alphabetically) Barrington, Bristol, Cranston, East Greenwich, East Providence, Jamestown, Little Compton, Middletown, Narragansett, Newport, North Kingstown, Pawtucket, Portsmouth, Providence, South Kingstown, Tiverton, Warren, Warwick | |
| B. Results for Each Massachusetts Town (towns listed alphabetically) | |
| Berkley, Dighton, Fall River, Freetown, Rehoboth, Seekonk Somerset, Swansea | |
| C. Thematic Maps | |

Potential Coastal Wetland Restoration Sites Sorted by Size Hardened Shorelines, Coastal Habitats, and Field Sites Potential Coastal Wetland Restoration Sites and Open Space Condition Land Use/Cover Within 500-foot Buffer of Coastal Habitats

List of Tables

| No. | Page |
|---|---------------|
| 1. Cities and towns in the Narragansett Bay estuarine wetland restorat | ion |
| project area | |
| 2. Land use/cover categories for the 500-foot buffer | |
| 3. Potential estuarine wetland restoration site types and coding used for | or the |
| Narragansett Bay Estuary | |
| 4. Categories of hardened shorelines identified for the Narragansett B | ay Estuary. 8 |
| 5. Extent of coastal wetlands and waters in the Narragansett Bay Estua | ary 13 |
| 6. Examples of salt and brackish marshes found in the Narragansett Ba | ay Estuary |
| based on field studies by UMass personnel | 17 |
| 7. Examples of estuarine oligohaline marshes in the Narragansett Bay | Estuary |
| based on field studies by UMass personnel | 20 |
| 8. Potential estuarine wetland restoration opportunities for the Narraga | ansett Bay |
| Estuary | |
| 9. Type 1 wetland restoration sites for the Narragansett Bay Estuary at | rranged by |
| size class | 24 |
| 10. Type 2 potential wetland restoration sites for the Narragansett Bay | Estuary |
| arranged by size class | 25 |
| 11. Type 1 wetland restoration sites for the Narragansett Bay Estuary | arranged |
| by ownership and the presence of external impacts | 26 |
| 12. Type 2 potential wetland restoration sites for the Narragansett Bay | Estuary |
| arranged by ownership and the presence of external impacts | 27 |
| 13. Type 1 wetland restoration sites for the Narragansett Bay Estuary | arranged |
| by ownership, the presence of external impacts, and size class. | 29 |
| 14. Type 2 potential wetland restoration sites for the Narragansett Bay | Estuary |
| arranged ownership, the presence of external impacts, and size | class 30 |
| 15. Land use/cover in the 500-foot buffer surrounding estuarine wetland | nds in the |
| Narragansett Bay Estuary | |
| 16. Extent of hardened shorelines in the Narragansett Bay Estuary | 36 |
| | |

Note: In the Appendices, there are also four tables for each town (Appendix A for Rhode Island towns and Appendix B for Massachusetts towns, with towns listed alphabetically see *Table of Contents* for town listing): Table 1 - Extent of coastal wetlands and related features; Table 2 - Potential wetland restoration sites; Table 3 - Extent of hardened shorelines; Table 4 - Land use/cover in the 500-foot buffer surrounding tidal wetlands.

Introduction

The Narragansett Bay Estuary Program's (NBEP) goal is to protect and preserve Narragansett Bay through conserving and restoring natural resources and enhancing water quality. NBEP accomplishes this through a variety of projects, including interagency partnerships and community involvement.

In 1998, NBEP identified coastal wetland restoration mapping as a priority for data collection. The U.S. Fish and Wildlife Service (FWS) and the University of Massachusetts (UMass) working together through a cooperative agreement had helped the State of Massachusetts develop a watershed-based approach to identify and classify potential wetland restoration sites using photointerpretation techniques and field investigations. The NBEP wanted to apply this type of approach to the Narragansett Bay Estuary and entered into an agreement with the FWS to conduct an inventory of estuarine wetland restoration sites with technical support from UMass. While securing the state grant funding for the project, the NBEP formed partnerships with Save the Bay, Inc. and the University of Rhode Island (URI) Environmental Data Center. Save the Bay, Inc. provided matching grant financial support through dedicating staff time to this project and other restoration initiative actions in the Bay. The URI performed the geographic information system (GIS) services and developed the project data and maps. The NBEP will use the results of this inventory as planning tools for developing a comprehensive and coordinated Bay-wide coastal habitat restoration plan. This plan will serve as a model for the State for similar initiatives in the future.

This report presents the results of this multi-agency cooperative project. It summarizes data for the entire estuary, with tabular results for each town given in the Appendices.

Study Area

The Narragansett Bay Estuary is a 147-square mile coastal embayment that dominates the Rhode Island landscape (Figure 1). It is the receiving basin for seven major watersheds in Rhode Island and Massachusetts including the Blackstone, Moshassuck, Pawtuxet, Taunton, Ten Mile, Warren, and Woonaquatucket. These watersheds cover 1,600-square miles, with 60% of the area occurring in Massachusetts. The estuarine (tidal) area of the Bay encompasses 18 municipalities in Rhode Island and 8 in Massachusetts (Table 1). For the coastal wetland restoration project, the study area was defined by the limits of tidal brackish waters and bay geomorphology (shallow water zone; Figure 2). Approximately 540 miles of shoreline were examined (Huber 2000).

Figure 1. Approximate limits of the Narragansett Bay watershed.




Figure 2. Location of the Narragansett Bay Estuary (study area dark gray-shaded).




Table 1. Cities and towns in the Narragansett Bay estuarine wetland restoration project area, with their land area in this project area (i.e., within the 500-foot buffer around estuarine wetlands) given.

| State | City/Town | Town Acres | Study Area Acres | % in Study Area | % of Study Area |
|--------------|-----------------|---------------|---------------------|-----------------------|-----------------------|
| Rhode Island | | | | | |
| | Barrington | 5,574.6 | 1,561.9 | 28% | 6% |
| | Bristol | 6,430.0 | 1,286.1 | 20% | 5% |
| | Cranston | 18,549.3 | 155.8 | 1% | 1% |
| | East Greenwich | 10,443.2 | 91.5 | 1% | <1% |
| | East Providence | 9,018.3 | 1,145.4 | 13% | 4% |
| | Jamestown | 6,608.4 | 1,797.7 | 27% | 7% |
| | Little Compton | 14,534.0 | 546.7 | 4% | 2% |
| | Middletown | 8,519.0 | 697.3 | 8% | 3% |
| | Narragansett | 10,021.3 | 1,461.0 | 15% | 6% |
| | Newport | 5,374.4 | 1,396.9 | 26% | 5% |
| | North Kingstown | 28,460.2 | 2,367.9 | 8% | 9% |
| | Pawtucket | 5,680.7 | 181.9 | 3% | 1% |
| | Portsmouth | 15,395.9 | 3,180.7 | 21% | 12% |
| | Providence | 12,041.5 | 785.1 | 7% | 3% |
| | South Kingstown | 38,777.3 | 341.3 | 1% | 1% |
| | Tiverton | 19,501.8 | 1,330.7 | 7% | 5% |
| | Warren | 4,535.0 | 839.7 | 19% | 3% |
| | Warwick | 23,248.9 | 2,681.1 | 12% | 10% |
| | Total | 242,714.0 | 21,848.8 | | |
| Massachusett | S | | | | |
| | Berkley | 10,622.7 | 528.4 | 5% | 2% |
| | Dighton | 14,274.1 | 281.8 | 2% | 1% |
| | Fall River | 24,768.7 | 579.3 | 2% | 2% |
| | Freetown | 22,762.8 | 796.4 | 3% | 3% |
| | Rehoboth | 30,371.2 | 323.0 | 1% | 1% |
| | Seekonk | 11,919.9 | 124.6 | 1% | <1% |
| | Somerset | 5,376.7 | 920.7 | 17% | 3% |
| | Swansea | 15,100.0 | 1,062.4 | 7% | 4% |
| | Total | 135,196.1 | 4,616.6 | | |

Methods

Data Compiliation

Conventional photointerpretation techniques were used to identify and map the following features: potential estuarine wetland restoration sites, external sources of degradation, land use/land cover within 500-foot buffer around all estuarine wetlands, and hardened shorelines. The primary source imagery was 1:40,000 true color photographs acquired on August 11, 1996, with 1:12,000 true color photography acquired on July 6, 1996 serving as collateral data. Base data for estuarine wetlands was derived from this imagery previously by UMass's Natural Resources Assessment Group (NRAG) and the Rhode Island Department of Environmental Management's GIS Program (Huber 1999, 2000; Narragansett Bay Estuary Program 2001) and compiled in digital form by URI's Environmental Data Center (EDC).

Photointerpretation was performed using mirror stereoscopes. Interpreted data for restoration sites and buffers were delineated by pen and ink on mylar overlays registered to the 1:40,000-scale photos, with 1:12,000 photos viewed when needed (e.g., small Phragmites stands). Hardened shorelines were interpreted from the 1:12,000 photos and transferred directly to 1:24,000 frosted mylar base maps (prepared by URI) by a stereo zoom transfer scope (ZTS). Wetlands and deepwater habitats were classified according to Cowardin et al. (1979), the national digital data standard for wetlands. For this study, coastal wetlands include Cowardin's marine and estuarine intertidal wetlands - tidal wetlands with measureable traces of ocean-derived salts. A modification of Anderson et al. (1976) was used to classify land use/cover in the 500-foot buffer surrounding estuarine wetlands (Table 2). Potential estuarine wetland restoration sites were assigned to specific categories within two broad types: Type 1 - former estuarine wetlands (sites for increasing estuarine wetland acreage) and Type 2 - degraded estuarine wetlands (existing coastal wetlands whose functions may be improved through restoration). Type 1 sites were separated into two major categories:1) filled and effectively drained sites (Type 1A) and 2) submerged sites or palustrine wetlands that were formerly estuarine wetlands (Type 1B). Potential external impacts to Type 1B sites were also identified. Type 2 sites were subdivided into two broad categories: 1) sites with internal alterations (e.g., tidal restrictions, ditching, diking, excavation, vegetation changes, and minor filling) and 2) estuarine wetlands that may be threatened by off-site activities. Table 3 lists specific categories of potential restoration sites. Hardened shorelines were classified according to categories developed for this study (Table 4). For linear shores, interpretations were made on 1:12,000 photos. See Huber (2000) for a more detailed explanation of photointerpretation methods. Target mapping units for this project were: 1) 0.5 acre for land use/cover in the buffer zone, 2) 0.5 acre for potential coastal wetland restoration, 3) 0.25 acre for common reed stands, 4) approximately 125 linear feet for restoration site perimeters, and 5) 125-250 linear feet for hardened shorelines.

Upon completion of the photointerpretation, data on mylar overlays were transferred to 1:24,000 frosted mylar map bases (prepared by URI) using a ZTS. Point locations of field sites were also transferred to these bases.

Table 2. Land use/cover categories for the 500-foot buffer (modified from Anderson et al. 1976).

| Level 1 | Level 2 | Level 3 |
|-----------------------------|---|---|
| 1 Urban or Built-up Land | 11 Residential | 111 Single Family 112 Multi-family 113 Mobile Home Parks 114 Lawns (includes non-residential lawns) |
| | 12 Commercial and Services | 115 Other (e.g., military barracks) 121 Commercial and Institutional Structures (plazas, malls, schools, universities, military bases) 122 Recreational structures (e.g., beach pavilions, water slides) 123 Marinas 124 Junkyards 125 Paved surfaces associated with commercial and services 126 Unpaved surfaces (sandy parking lots in beach areas) 127 Wharves, piers & shipyards |
| | 13 Industrial 14 Transportation, Communications&Utilities (includes lighthouses) (for roads, map 4-lane highway corridors; no 2-lanes) 15 Industrial & Commercial Complexes 16 Mixed Urban or Built-up Land 17 Other Urban or Built-up Land | 171 Golf courses |
| | | 172 Cemeteries 173 Other (zoos, urban parks, ski areas, forts) 174 Landfills |

Table 2 (continued).

| Level 1 | Level 2 | Level 3 |
|----------------------------|---|---------|
| 2 Agricultural | 21 Cropland 22 Orchards, Nurseries, Vineyards, Ornamental Horticulture | |
| | 23 Confined Feeding Operation24 Pasture and Hayfields25 Other | |
| 3 Rangeland | 31 Herbaceous Cover32 Shrub and Brush Cover33 Mixed | |
| 4 Forest | 41 Deciduous Forest Cover42 Evergreen Forest Cover43 Mixed | |
| 5 Water, and 6 Wetlands | 56 Any water or wetland polygon Use Cowardin (1979) for freshwater wetlands in the buffer zone** | |
| 7 Barren Land | 71 Dry Flats 72 Beaches (classified under Cowardin, 1979) 73 Sand Areas other than Beaches (dunes, backdunes) (Note: Dunes we mapped on original wetlands layer as 74 Bare exposed rock 75 Strip Mines, Quarries and Gravel Pits 76 Mixed Barren Land 77 Transitional Areas | |

Table 3. Potential estuarine wetland restoration site types and coding used for the Narragansett Bay Estuary.

| Restoration SiteType | Code | Impact Type |
|--------------------------------|-------|---|
| 1 (former estuarine wetland) | 1f | Fill |
| , | 1 fph | Fill/Phragmites-dominated |
| | 1 fsp | Fill/Dredged Spoil |
| | 1d | Effectively Drained |
| | 1su | Submerged |
| | 1w | Palustrine Wetland (former estuarine wetland) |
| | 1x | Excavated or Impounded Fresh |
| | | Waterbody (former estuarine |
| | | wetland) |
| 2 (existing estuarine wetlands | | |
| that are or may be degraded) | 2r | Tidally Restricted |
| | 2rs | Severely Tidally Restricted |
| | 2d | Significantly Ditched |
| | 2h | Diked/Impounded |
| | 2f | Minor Filling |
| | 2fs | Minor Filling/Dredged Spoil |
| | 2v | Vegetation Change (also includes Phragmites-dominated estuarine wetlands) |
| | 2vi | Vegetation Change/Iva |
| | 2x | Excavated |
| | | |

Table 4. Categories of hardened shorelines identified for the Narragansett Bay Estuary.

| Map Code | Hardened Shoreline Type |
|----------|-------------------------|
| BA | Bridge Abutment |
| BK | Bulkhead |
| BW | Breakwater |
| GR | Groin |
| JT | Jetty |
| OHS | Other Hardshore |
| OSP | Other Significant Pier |
| PP | Permanent Pier |
| RR | Revetment |

Field Investigations

Field studies were performed to collect vegetation data on reference wetlands within four categories of disturbance: 1) undisturbed/relatively undisturbed, 2) moderately disturbed, 3) severely disturbed, and 4) severely tidally restricted. Factors considered in assigning reference sites to these classes included presence of disturbance agents, the estimated severity of the disturbance, and the presence or absence of vegetation in buffer zones. The first category included wetlands free from human disturbance (internal and external) and wetlands with woody vegetation along most of their boundary. The degree of ditching was considered in rating wetlands as relatively undisturbed or moderately disturbed. The number and condition of ditches, the extent of hightide bush (Iva frutescens), and presence of other disturbance factors were used subjectively evaluated. Moderately disturbed sites generally included those with a single impairment, such as significant ditching or habitat fragmentation, and lacking a significant vegetative buffer. Tidally restricted wetlands without significant stands of common reed (Phragmites australis) were also categorized as moderately disturbed. Severely disturbed sites had multiple sources of impairment. Severely tidally restricted sites were identified by major vegetation changes from one side of a road versus the other, with the presence of typical salt marshes grasses on the seaward side and common reed located on the upstream side. Study sites were chosen based on accessibility. Field work was performed on the following dates: July 16-17, 19-20, 1997 and May 23-25, 2000. A total of 76 sites were evaluated for this project; another 42 sites had been visited for the previous project (basic coastal wetland mapping for the Narragansett Bay Estuary). Fifty-eight sites were inspected as "reference wetlands" to provide information on plant community composition and other features associated with estuarine wetlands subjected to the range of disturbances noted above (Irene Huber, pers. comm. 2003). Eighteen tidally restricted sites were evaluated with the properties of the restricting structure and its effect on the wetland recorded. All field data would be used to aid the State's future estuarine wetland restoration efforts. Copies of the completed field forms were included in a report by Huber (2000).

Geospatial Database Construction and GIS Analysis

Geospatial database construction was performed by the University of Rhode Island's Environmental Data Center (EDC). Each basemap was registered on the digitizing tablet with a RMS value <0.003. All features delineated for this project were digitized in ArcEdit and coded using ArcView 3.2 software. Data for each quad was digitized separately and joined to form one complete baywide coverage. Data for each USGS quadrangle was digitized, coded and proofed before moving onto the next quadrangle. Proofing took place in two phases: 1) on screen in ArcView 3.2 to check for coding errors as well as line errors and 2) a proof plot of the linework information was made and sent along with the mylar basemap for NRAG to proof. Any omissions or coding changes were noted on the proof plot and returned to EDC for final editing.

The landuse/landcover data were digitized into an existing coverage containing the upland shoreline features from the coastal wetlands data layer and the 500-foot buffer

line (Figure 3). Each quad was digitized and proofed separately to be *MAPJOINED* after all land use/land cover data were completed. For those polygons coded as freshwater wetland, an item ENHANCED was added and attributed with a Cowardin et al. (1979) classification.

Hardened shorelines were digitized by quadrangle into an existing coverage containing the linework from the coastal wetland datalayer. The ArcEdit *UNSPLIT* command was used on the shoreline features to create a continuous arc. The ArcEdit *SPLIT* command was then used to create most of the line features as they followed the upland shoreline.

For potential restoration sites, the internally degraded wetlands were digitized by quad into an existing coverage containing the coastal wetland features. This allowed for the splitting of wetlands where one part of the wetland may have an internal impact. In some cases, freshwater wetlands were also internally impacted; the linework for these polygons was pulled from the existing landuse/landcover dataset.

External impacts to coastal wetlands were digitized by quad into an existing coverage containing the coastal wetland features. The *SPLIT* command was used to create most of the line features as they followed existing wetland edges. In some cases, freshwater wetlands were also externally impacted; the linework for these polygons was pulled from the existing landuse/landcover dataset.

Field data points were digitized by quad with the points placed on a proof plot by NRAG staff and then heads-up digitized into ArcView. The points were coded with their corresponding site number to reference the field data sheets for specific locations.

Upon construction of the final digital database, summary tables were generated using Arc/Info *FREQUENCY* command. Tabular data are included in the Results and Appendices A and B of this report. Thematic maps showing potential coastal wetland restoration sites, hardened shorelines and coastal habitats, potential coastal wetland restoration sites and open space, and land use/cover within the 500-foot buffer of coastal habitats were also prepared (Appendix C).

Identification of Coastal Wetland Complexes

To identify focus areas for restoration efforts, potential coastal wetland restoration sites were grouped according to complexes by EDC, NBEP, and Save the Bay, Incorporated. A new digital data layer for the complex coverage was created by selecting all potential wetland restoration polygons, including all former coastal wetland polygons (Type 1 sites), coastal wetland polygons with internal sources of degradation (Type 2 sites), and coastal wetland polygons with potential external sources of degradation. These individual wetland polygons were then grouped into potential restoration project areas or "complexes" based on their location, type of impairment, ecology, field conditions, and other variables. Finally, in the digital database, each polygon was coded with its complex number, so that all potential restoration sites within one complex had the same complex

code. This process identified 236 wetland restoration complexes for the Narragansett Bay Estuary (Helen Cottrell, pers. comm. 2003).

Figure 3. Aerial photograph showing approximate limits of 500-foot buffer area along Greenwich Bay. (Source: RIGIS).



Results

Status of Coastal Wetlands and Related Resources¹

The Narragansett Bay Estuary encompasses almost 230,000 acres of tidal and subtidal saltwater-influenced habitats (Table 5). The Bay itself predominates this tidal ecosystem, accounting for 97% of this acreage (22,207.9 acres). There is 1.5 times as much marine water as estuarine water in the Bay. Intertidal habitats occupy only 3% of the Estuary. Estuarine tidal marshes and swamps comprise 58% (3,558.8 acres) of this habitat, with the remainder made up mostly of nonvegetated intertidal shores. The latter includes sandy beaches, sand and mud flats, and cobble-gravel shores. Nine acres of oyster reefs were inventoried.

Irregularly flooded emergent wetlands dominate the tidal marshes, representing 92% (3,281.5 acres) of these vegetated wetlands. Common reed (<u>Phragmites australis</u>) occurs in 473 acres and is the dominant species in over 340 acres (Figure 4). A total of 277 acres of regularly flooded emergent wetlands were inventoried. Salt shrub swamps, typically dominated by hightide bush (<u>Iva frutescens</u>) account for only 5% of the estuarine vegetated wetlands.

Figure 4. <u>Phragmites</u>-dominated wetland in Narragansett Bay Estuary. (Helen Cottrell photo)



¹ Data for this subsection come from prior work conducted by the University of Massachusetts for the NBEP; tabular data were provided by URI's Environmental Data Center for this report.

² Based on a review of field notes, these areas included short form <u>Spartina alterniflora</u> which typically grows in the high marsh contiguous to the low marsh, so some areas of the lower high marsh are included in this acreage figure.

Table 5. Extent of coastal wetlands and waters in the Narragansett Bay Estuary. (<u>Note</u>: These data summarize totals for mapped polygons only; linear data are not included.)

| Wetland or Waterbody | Type | Acreage |
|--|--|---|
| Estuarine Water | Eelgrass Bed Saline/Brackish Oligohaline | 92.6 89,329.7 143.6 |
| | Subtotal | 89,565.9 |
| Estuarine Marsh (Salt/Brackish Marsh) | Emergent Regularly Flooded Phragmites Irregularly Flooded Em/Phrag Irregularly Flooded Other Emergent Irregularly Flooded Phrag/Shrub Irregularly Flooded Other Em/Shrub Irregularly Flooded | 276.5 198.5 14.6 2,360.5 3.3 6.9 |
| | Subtotal | 2,860.3 |
| Estuarine Oligohaline Marsh (Slightly Brackish Marsh) | Emergent Regularly Flooded Phragmites Irregularly Flooded Em/Phrag Irregularly Flooded Other Emergent Irregularly Flooded | 0.8 141.6 115.3 279.1 |
| | Subtotal | 536.8 |
| Estuarine Reef | Mollusc (Oyster) | 9.3 |
| Estuarine Rocky Shore | Bedrock Regularly Flooded Bedrock Irregularly Flooded Rubble Regularly Flooded Rubble Irregularly Flooded | 29.1 97.2 76.6 16.1 |
| | Subtotal | 219.0 |
| Estuarine Streambed | Sand and Mud Regularly Flooded | 3.1 |
| Estuarine Scrub-Shrub Wetland (Salt Shrub Swamp) | Deciduous Irregularly Flooded Shrub/Emergent Irregularly Flooded | 159.8 0.7 |
| | Subtotal | 161.7 |

| Total Marine Habitats Narragansett Bay Grand | Cobble-Gravel Regularly Flooded Cobble-Gravel Irregularly Flooded Sand Irregularly Exposed Sand Regularly Flooded Sand Irregularly Flooded Sand Irregularly Flooded | 5.9 9.6 2.3 100.7 77.2 195.7 133,192.4 228,354.0 |
|--|--|---|
| | Cobble-Gravel Irregularly Flooded Sand Irregularly Exposed Sand Regularly Flooded Sand Irregularly FloodedSubtotal | 9.6 2.3 100.7 77.2 |
| | Cobble-Gravel Irregularly Flooded Sand Irregularly Exposed Sand Regularly Flooded | 9.6 2.3 100.7 |
| Marine Unconsolidated Shore | | |
| Marine Rocky Shore | Regularly Flooded Irregularly FloodedSubtotal | 145.0 199.7 344.7 |
| Marine Water | Eelgrass Bed Unconsolidated BottomSubtotal | 2.6 132,649.4 132,652.0 |
| Total Estuarine Habitat | | 95,161.6 |
| | Subtotal | 41.2 |
| Estuarine Salt Panne | Irregularly Exposed Regularly Flooded | 39.5 1.7 |
| | Subtotal | 1,764.3 |
| Estuarine Unconsolidated Shore | Cobble-Gravel Regularly Flooded Cobble-Gravel Irregularly Flooded Sand Irregularly Exposed Sand Regularly Flooded Sand/Cobble-Gravel Regularly Flooded Sand/Emergent Regularly Flooded Sand Irregularly Flooded Mud Regularly Exposed Mud Regularly Flooded Oligohaline Sand Regularly Flooded Oligohaline | 68.2 61.2 253.2 442.2 42.1 5.9 578.6 200.4 105.5 7.0 |

Estuarine Wetland Plant Communities

Estuarine wetlands include both vegetated and nonvegetated types. Vegetated types are generally referred to as marshes and swamps, while the nonvegetated types include rocky shores, beaches, tidal flats, and intertidal oyster reefs (Figure 5). Rocky shores may be colonized by macrophytic algae, namely knotted wrack (<u>Ascophyllum nodosum</u>) and rockweeds (Fucus spp.).

The marshes are characterized by two distinct zones of vegetation: 1) low or regularly flooded marsh and 2) high or irregularly flooded marsh. The low marsh is lower in elevation and therefore subject to more frequent and prolonged tidal flooding. This zone is flooded at least once daily by the tides (regularly flooded). It extends from the mean high tide level approximately to mean sea level where emergent vegetation begins growing. The regularly flooded area extends below mean sea level and bare tidal flats cover this region (i.e., to the extreme low spring tide mark). Intertidal oyster reefs may also be found in this area. The high marsh occurs above the mean high tide level and is flooded less often than daily (irregularly flooded). Some areas are flooded weekly, while others are flooded a couple of times a month or less often by spring and storm tides, respectively.

Salt marshes are the most seaward of the tidal marshes and therefore are exposed to the highest salinities. Here the low marsh is characterized by a tall growth form of smooth cordgrass (Spartina alterniflora) (3 feet or more tall). Above the low marsh, a variety of halophytic plants grow. Immediately above the low marsh may be a zone dominated by a short form of smooth cordgrass (1.5 feet or less tall). Often, an abundance of green algae may be associated with this form. Beyond this zone, three plants tend to occupy the most area; they include salt hay grass (Spartina patens), salt grass (Distichlis spicata), and black grass or black rush (Juneus gerardii) (see Tiner 1987 for additional information on New England salt marshes). Ponds and ditches in the high marsh may be colonized by widgeon-grass (Ruppia maritima). Depressions where salt water collects and evaporates are high saline habitats with salt concentrations more than twice that of sea water. This habitat is only fit for the most salt-tolerant species. Glassworts (Salicornia spp., especially S. europaea) are the most abundant and frequently found speices in these depressions (pannes). Hightide bush (Iva frutescens) occurs along ditch banks, upper edges of salt marshes, and disturbed areas (tidally restricted and ditched sites). Switchgrass (Panicum virgatum) may be found at the upper edges of salt marshes as well as growing in brackish marshes. Common reed (Phragmites australis) ranges from common to dominant, often forming monotypic stands in severely tidally restricted sites. Table 6 presents numerous examples of wetland plant communities associated with irregularly flooded salt marshes. Note communities are arranged according to three disturbance categories.

Slightly brackish marshes are typically dominated by one of two species: common reed, narrow-leaved cattail (<u>Typha angustifolia</u>) (Table 7). Other dominants include soft-stemmed bulrush (Scirpus validus) and broad-leaved cattail (T. latifolia).

Figure 3. Examples of estuarine wetlands in the Narragansett Bay Estuary: a) Sapowet Marsh (Tiverton), b) 100-acre Cove Marsh (Barrington), c) Jamestown salt marsh, d) Palmer River salt marsh (Barrington), e) boulder shore at Sachuest Point (Middletown), and f) gravel beach (North Prudence Island). (Dr. Frank Golet photos)




Table 6. Examples of salt and brackish marshes found in the Narragansett Bay Estuary based on field studies by UMass personnel. An asterisk (*) designates impounded sites (typically "impounded" by roadways). Disturbance categories: U - relatively undisturbed, M - moderately disturbed, and S - severely disturbed.

| Dominant Species (location - disturbance category) | Associated Species |
|--|--|
| Spartina patens (Tiverton - U) | Spartina alterniflora-short and tall, Salicornia europaea, Limonium nashii, Juncus gerardii, Salicornia virginica |
| S. alterniflora-short (Tiverton - U) | S. <u>europaea</u> (on overwash), <u>L</u> . <u>nashii</u> (on overwash), <u>S</u> . <u>patens</u> |
| S. alterniflora-short/ S. patens (Little Compton - U) | L. nashii, S. europaea |
| S. patens/S. alterniflora (short) (Jamestown - U) | L. nashii, Distichlis spicata, S. alterniflora-tall |
| <u>J</u> . <u>gerardii</u> (Jamestown - U) | L. nashii, Triglochin maritimum, S. patens, D. spicata, Solidago sempervirens, S. virginica, Panicum virgatum, Agropyron pungens, Plantago maritima |
| S. alterniflora-short (Jamestown - U) | S. alterniflora-tall, L. nashii, S. europaea, S. patens |
| S. alterniflora-short (Jamestown - U) | <u>L</u> . <u>nashii</u> |
| Iva frutescens (Narragansett - U) | J. gerardii, D. spicata, Atriplex patula, Baccharis halimifolia, Rosa palustris, Juniperus virginiana |
| S. patens (Narragansett - U) | S. alterniflora-short, <u>Scirpus americanus</u>, <u>Phragmites australis</u>, D. <u>spicata</u>, <u>I</u>. <u>frutescens</u> (algae in pools) |
| S. patens/S. alterniflora- short (Narragansett - U) | <u>Ulva lactuca</u> (ditch), <u>J</u> . <u>gerardii</u> , <u>S</u> . <u>europaea</u> , <u>I</u> . <u>frutescens</u> (edge) |
| S. patens (Wickford - U) | <u>U</u> . <u>lactuca</u> , <u>Fucus vesiculosus</u> , <u>S</u> . <u>alterniflora</u> , <u>S</u> . <u>europaea</u> , <u>D</u> . <u>spicata</u> , <u>S</u> . <u>sempervirens</u> , <u>Limonium carolinianum</u> , <u>P</u> . <u>australis</u> , <u>I</u> . <u>frutescens</u> (ditch banks/marsh edge) |
| S. patens (Warwick - U) | <u>Spartina pectinata</u> , <u>A. patula, Puccinellia maritima</u> , <u>P. virgatum</u> (upper edge), <u>I. frutescens</u> , (pocket of <u>Typha latifolia, Impatiens capensis, Lythrum salicaria, Rumex crispus</u> , and <u>Lemna</u> sp. at freshwater inflow point) |
| <u>D</u> . <u>spicata</u> (Warwick - U) | <u>J. gerardii, S. sempervirens, P. virgatum, S. europaea, I. frutescens</u> |
| S. patens (Barrington - U) | S. alterniflora, S. sempervirens, S. europaea, D. spicata, I. frutescens (edge) |

Table 6. (continued)

| Dominant Species (location - disturbance category) | Associated Species |
|---|---|
| S. patens (Jamestown - U) | D. spicata, S. sempervirens, S. alterniflora-short, P. virgatum, S. europaea, L. carolinianum, I. frutescens (edge), Scirpus spp., Toxicodendron radicans |
| S. patens/Scirpus pungens/P. virgatum (Jamestown - U) | D. spicata, J. gerardii, A. patula, Hibiscus moscheutos, S. semperivirens, T. radicans, Eleocharis rostellata, Carex hormathodes |
| <u>J</u> . <u>gerardii</u> (Tiverton - M) | <u>T</u> . <u>maritimum</u> , <u>S</u> . <u>alterniflora</u> -short, <u>A</u> . <u>patula</u> , <u>L</u> . <u>nashii</u> , <u>D</u> . <u>spicata</u> |
| <u>J.gerardii/S</u> . <u>alterniflora</u> - short (Middletown - M) | S. europaea, S. patens, A. patula, D. spicata, Phragmites australis, I. frutescens |
| S. patens (Newport - M) | <u>A. patula, D. spicata, S. alterniflora</u> -short, <u>S. sempervirens</u> (edge), <u>S. europaea, Carex</u> spp., <u>L. nashii, J. gerardii, Glaux maritima, I. frutescens, Galium</u> spp., <u>Festuca rubra</u> (edge), <u>Impatiens capensis</u> (edge), <u>Polygonum persicaria</u> |
| S. alterniflora-short (Newport - M) | P. australis |
| S. patens/S. alterniflora- short (Jamestown - M) | L. nashii, S. europaea |
| S. patens (Bristol - M) | <u>D</u> . <u>spicata</u> , <u>S</u> . <u>europaea</u> , <u>S</u> . <u>alterniflora</u> -short, <u>L</u> . <u>nashii</u> |
| S. patens (Narragansett - M) | <u>U. lactuca</u> (ditch), <u>S. alterniflora</u> -short, <u>S. sempervirens</u> , <u>D. spicata</u> , <u>P. virgatum</u> (upper border), <u>Puccinellia maritima</u> , <u>Suaeda linearis</u> , <u>L. carolinianum</u> , <u>S. europaea</u> , <u>T. radicans</u> (upper border), <u>P. australis</u> , <u>Typha angustifolia</u> (fringe), <u>I. frutescens</u> |
| P. australis (North Kingstown - M) | S. patens |
| *S. patens (Wickford - M) | \underline{U} . lactuca (in open water), \underline{S} . alterniflora-short, \underline{S} . europaea, \underline{D} . spicata, \underline{P} . australis, \underline{I} . frutescens |
| S. patens/P. australis (North Kingstown - M) | S. europaea, D. spicata, S. alterniflora-short, J. gerardii, L. carolinianum, S. sempervirens, I. frutescens (creek bank) |
| I. <u>frutescens</u> (Potowomut - M) | P. australis |
| S. alterniflora-short (Potowomut - M) | S. patens, D. spicata, S. europaea, J. gerardii, S. sempervirens |

Table 6. (continued)

| Dominant Species (location - disturbance) | Associated Species |
|--|---|
| P. australis/S. patens (Greenwich - M) | S. alterniflora (creek), S. sempervirens |
| I. <u>frutescens</u> (Warren - M) | S. alterniflora, J. gerardii, D. spicata, Spartina spp., S. europaea, S. sempervirens |
| <u>J</u> . <u>gerardii</u> (Warren - M) | <u>D</u> . <u>spicata</u> , <u>P</u> . <u>australis</u> (edge), <u>I</u> . <u>frutescens</u> (edge) |
| * <u>J</u> . <u>gerardii</u> (Little Compton - M/S) | Ruppia maritima (ditch), <u>D. spicata</u> , <u>S. patens</u> , <u>S. europaea</u> , <u>A. patula</u> , <u>S. sempervirens</u> , <u>I. frutescens</u> |
| * <u>J</u> . <u>gerardii</u> (Newport - S) | A. patula, S. sempervirens, S. europaea, S. pectinata, D. spicata, P. australis, Lythrum salicaria |
| S. alterniflora-short (Portsmouth - S) | S. patens, D. spicata, P. australis (edge), I. frutescens, T. radicans (edge) |
| *S. patens (Little Compton - S) | <u>D. spicata, S. sempervirens, J. gerardii, P. australis</u> (upper limits), <u>I. frutescens, T. radicans</u> |
| P. australis (Plum Pt S) | None |
| S. patens/D. spicata (Warren - S) | <u>J. gerardii, S. alterniflora, S. europaea, I. frutescens, P. australis</u> (lawn edge) |
| * <u>S</u> . <u>alterniflora</u> -short (Bristol - S) | A. patula, S. sempervirens, A. pungens, D. spicata, J. gerardii |
| *S. patens/I. <u>frutescens</u> (Bristol - S) | <u>J. gerardii, A. patula, D. spicata, S. sempervirens, F. rubra, P. australis, Rumex crispus, Typha angustifolia</u> |
| *S. patens/P. australis (Barrington - S) | R. maritima, A. patula, S. alterniflora-short, D. spicata, S. europaea, L. nashii, J. gerardii, Asparagus officinalis (upper edge), I. frutescens |
| * <u>S</u> . <u>alterniflora</u> -short (North Kingstown - S) | <u>D</u> . <u>spicata</u> , <u>S</u> . <u>europaea</u> , <u>A</u> . <u>patula</u> , <u>S</u> . <u>patens</u> |
| * <u>S</u> . <u>patens/S</u> . <u>alterniflora</u> - short (N. Kingstown - S) | <u>D</u> . <u>spicata</u> , <u>S</u> . <u>alterniflora</u> -tall, <u>S</u> . <u>europaea</u> , <u>P</u> . <u>australis</u> |
| S. alterniflora-short (North Kingstown - S) | S. patens, L. nashii, A. pungens, S. sempervirens, A. patula, J. gerardii, D. spicata, P. australis, I. frutescens |
| P. australis (Jamestown - S) | T. radicans, Arisaema triphyllum |
| * <u>J</u> . <u>gerardii</u> (Newport - S) | A. patula, S. sempervirens, S. europaea, Spartina pectinata, D. spicata, P. australis, Lythrum salicaria |

Table 7. Examples of estuarine oligohaline marshes in the Narragansett Bay Estuary based on field studies by UMass personnel. An asterisk (*) indicates impounded wetland. Disturbance categories: U - relatively undisturbed, M - moderately disturbed, and S - severely disturbed.

| Dominant Species (location - disturbance category) | Associated Species |
|---|--|
| Scirpus validus (Oakland Beach - U) | Spartina pectinata, Atriplex patula, Typha latifolia, Phragmites australis, Carex sp. |
| P. australis/Typha angustifolia (Narragansett - M) | Hibiscus moscheutos, Scirpus pungens, Eleocharis spp., Ludwigia palustris, Sium suave |
| T. latifolia (Warwick - M) | Unidentified shrubs (upper edge) |
| *T. angustifolia (Little Compton - S) | Impatiens capensis, Toxicodendron radicans, Polygonum cuspidatum, Cirsium arvense |
| *T. angustifolia (Middletown - S) | Spartina patens, A. patula, Scirpus americanus, Iva frutescens, H. moscheutos |
| *P. <u>australis</u> (Barrington - S) | Spartina alterniflora-tall and short, S. patens, Lythrum salicaria, Calystegia sepium, Peltandra virginica, Boehmeria cylindrica |
| *T. angustifolia/P. australis (Narragansett - S) | S. patens, Scirpus robustus |
| T. angustifolia/P. australis (Swansea - S) | None |
| T. angustifolia (Portsmouth - S) | None |
| P. australis (Portsmouth - S) | T. radicans |
| *T. angustifolia (Little Compton - S) | P. australis |

Estuarine Restoration Sites

A total of 236 restoration complexes were inventoried (Helen Cottrell, pers. comm. 2003). Over 4,000 acres (4,020.6 acres) were identified as having some potential for restoration of estuarine wetlands (Table 8). Most (78%) of this acreage was represented by Type 2 sites - existing coastal wetland degraded by human actions, such as ditch construction, impoundment by roads (and inadequate culvert sizing), and excavation (Table 8).

Type 1 potentially restorable acreage amounted to 888 acres (Table 8). Roughly half (46%) of this acreage is now open fresh water, whereas 43% is freshwater wetland. Much of the conversion to freshwater wetland resulted from impoundment by roads. Filled former estuarine wetlands that may be restorable accounted for 91 acres; 36% of this acreage was represented by dredged spoil disposal sites. When arranged by size class as in Table 9, it is apparent that most (47%) of the Type 1 sites are small (less than 1 acre), while about one-third (34%) are in the 1-5 acres range. About 71% of the filled sites are less than 1 acre. Of the submerged sites, nearly two-thirds are less than 5 acres in size (36% 1-5 acres; 27% <1 acre), while six sites (27%) were 10 acres or more. Most of the Type 1 sites represent freshwater wetlands and waterbodies that were once estuarine habitats. Of these, about three-quarters of the sites are less than 5 acres in size, being almost evenly divided between sites 1-5 acres and <1 acre in size.

Type 2 acreage was about 3.5 times that of Type 1 acreage (3,132 acres vs. 888 acres; Table 8). The wetlands identified as potential Type 2 restoration sites represent about 65% of the existing vegetated coastal wetland acreage in the Narragansett Bay estuary. Ditching and tidal restriction were the primary disturbances, impacting 1,665 acres and 1,507 acres, respectively. Of the Type 2 acreage, 53% was partly drained due to ditching, while 48% was tidally restricted (Figure 6); many Type 2 sites experienced multiple impacts. Significant vegetation change (i.e., increase in common reed and/or hightide bush) occurred in 480 acres, with over three-quarters of this change attributed to invasion by common reed. About half of the Type 2 potential restoration sites was sites less than 1 acre in size, while one-third was in the 1-5 acre range (Table 10).

Most of the Type 1 and Type 2 potential restoration sites occurred on private property (Tables 11 and 12). Sixty-one percent of the Type 1 sites occurred solely on private land, while 30% was on a combination of public and private land. Only 9% was entirely on public land. Slightly more than half of the Type 1 sites had adverse external impacts (90 sites vs. 88 with no such impacts). Ownership of Type 2 sites was nearly the same proportions as the Type 1 sites (61% private, 31% public/private, and 8% public only). Fifty-five percent of the Type 2 sites had negative external impacts (358 sites), whereas 445 had no external impacts (283 sites). Tables 13 and 14 show distribution of Type 1 and Type 2 sites by a combination of ownership, the presence of external impacts, and size classes.

Table 8. Potential estuarine wetland restoration opportunities for the Narragansett Bay Estuary. Type 1 = former wetlands that may be restorable; Type 2 = possibly degraded wetlands that may be restorable. The # of areas represent number of distinct wetland areas within potential restoration sites. *- includes deepwater habitat.

| Type | Current Status | # of Areas | Acreage |
|------|--|-------------|-----------------|
| 1 | Filled | 58 | 90.7 |
| | (Filled-nonwetland) | (53) | (57.7) |
| | (Filled- <u>Phragmites</u>) | (1) | (0.1) |
| | (Filled-spoil) | (4) | (32.9) |
| | Impounded-fresh waterbody | 23 | 406.6 |
| | Excavated-fresh waterbody/wetland | 7 | 6.6 |
| | Freshwater Vegetated Wetland | 90 | 384.3 |
| | (Aquatic Bed) | (15) | (133.6) |
| | (Emergent-tidal) | (50) | (150.8) |
| | (Emergent-nontidal) | (6) | (11.8) |
| | (Scrub/Shrub-tidal) (Scrub/Shrub-nontidal) | (16) (2) | (78.0) (7.6) |
| | (Forested-tidal) | (1) | (7.0) (2.5) |
| | | (1) | (2.3) |
| | Total | 178 | 888.2 |
| 2 | Ditched | 88 | 1,212.5 |
| | Ditched/Tidally Restricted | 26 | 295.9 |
| | Ditched/Tidally Restricted/ <u>Iva</u> | 6 | 17.2 |
| | Ditched/Severely Tidally Restricted | 15 | 18.6 |
| | Ditched/Severely Tidally Restricted/Phrag | 4 | 10.0 |
| | Ditched/Phragmites | 20 | 40.3 |
| | Ditched/Iva | 21 | 34.6 |
| | Ditched/Impounded | 1 | 35.5 |
| | • | 3 | 10.9 |
| | *Impounded (deepwater habitat) | | |
| | Impounded (vegetated wetland) | 4 | 2.2 |
| | Impounded (nonvegetated wetland) | 1 | 0.6 |
| | Impounded/Phragmites | 5 | 7.0 |
| | *Tidally Restricted (open water habitat) | 44 | 712.0 |
| | Tidally Restricted (nonvegetated wetland) | 39 | 69.0 |
| | Tidally Restricted (vegetated wetland) | 122 | 194.5 |
| | Tidally Restricted/Phragmites | 2 | 4.2 |
| | Tidally Restricted/ <u>Iva</u> | 6 | 4.2 |
| | Severely Tidally Restricted | 31 | 100.5 |
| | Severely Tidally Restricted/Phragmites | 21 | 80.6 |
| | Vegetation change- <u>Phragmites</u> | 143 | 223.1 |
| | Vegetation change - Iva | 37 | 55.5 |
| | Vegetation change - <u>Iva</u> & <u>Phragmites</u> | 1 | 3.3 |
| | *Excavated/Tidally Restricted | 1 | 0.2 |
| | | | U. <i>L</i> |
| | Total | 641 | 3,132.4 |

Figure 6. Aerial view of tidally restricted wetland in Bristol. Note road crossings at mouth and <u>Phragmites</u> marsh (gray-green color) in upper estuary. (Photo courtesy of Narragansett Bay Estuary Program)



Table 9. Type 1 wetland restoration sites for the Narragansett Bay Estuary arranged by size class.

| Site Type | # of Sites | <1 | Size C 1-5 | Classes (5-10 | (acres) 10-25 | >25 |
|--------------------|---------------|----|---------------|-------------------|------------------|-----|
| Filled | 53 | 39 | 11 | 1 | 2 | 0 |
| Filled/Phragmites | 1 | 1 | 0 | 0 | 0 | 0 |
| Filled/Spoil | 4 | 1 | 2 | 0 | 0 | 1 |
| Submerged | 22 | 6 | 8 | 2 | 1 | 5 |
| Freshwater Wetland | 91 | 33 | 36 | 13 | 6 | 3 |
| Excavated | 7 | 4 | 3 | 0 | 0 | 0 |
| | | | | | | |
| Total | 178 | 84 | 60 | 16 | 9 | 9 |

Table 10. Type 2 potential wetland restoration sites for the Narragansett Bay Estuary arranged by size class.

| Site Type | # of Sites | <1 | Size C 1-5 | Classes (5-10 | (acres) 10-25 | >25 |
|---|---------------|-----|---------------|-------------------|------------------|-----|
| Ditched | 88 | 13 | 26 | 15 | 19 | 15 |
| Ditched/Tidal Restriction | 26 | 0 | 13 | 3 | 7 | 3 |
| Ditched/SevereTidal Restriction | 1 | 1 | 0 | 0 | Ó | 0 |
| Ditched/Tidal Restriction/Iva | 6 | 1 | 4 | 1 | 0 | 0 |
| Ditched/Severe Tidal Restriction | 14 | 7 | 7 | 0 | 0 | 0 |
| Ditched/Severe Tidal Restriction/ | | | | | | |
| <u>Phragmites</u> | 4 | 3 | 0 | 1 | 0 | 0 |
| Ditched/Phragmites | 20 | 10 | 8 | 1 | 1 | 0 |
| Ditched/ <u>Iva</u> | 21 | 13 | 7 | 0 | 1 | 0 |
| | | | | | | |
| Impounded | 8 | 7 | 0 | 1 | 0 | 0 |
| Ditched/Impounded | 1 | 0 | 0 | 0 | 0 | 1 |
| Impounded/Phragmites | 5 | 3 | 2 | 0 | 0 | 0 |
| Tidal Restriction | 205 | 103 | 74 | 1 | 9 | 8 |
| | | 103 | 1 | 0 | 0 | 0 |
| Tidal Restriction/Phragmites | 2 | 6 | 0 | 0 | 0 | 0 |
| Tidal Restriction/ <u>Iva</u> | O | O | U | U | U | U |
| Severe Tidal Restriction | 31 | 15 | 11 | 3 | 1 | 1 |
| Severe Tidal Restriction/Phragmites | | 10 | 8 | 2 | 0 | 1 |
| severe fractivescription in the services | 21 | 10 | O | _ | Ü | |
| Vegetation Change Phragmites | 143 | 100 | 35 | 3 | 4 | 1 |
| Vegetation Change <u>Iva</u> | 37 | 16 | 19 | 2 | 0 | 0 |
| Vegetation Change <u>Iva&Phragmites</u> | 1 | 0 | 1 | 0 | 0 | 0 |
| | | | | | | |
| Excavated/Tidal Restriction | 1 | 1 | 0 | 0 | 0 | 0 |
| Total | 641 | 310 | 216 | 43 | 42 | 30 |
| | | | | | | |

Table 11. Type 1 wetland restoration sites for the Narragansett Bay Estuary arranged by ownership and the presence of external impacts.

| Site Type | Ownership | # of Sites | External Impact? |
|--------------------|----------------|------------|-------------------------|
| Filled | Private | 16 | yes |
| | Private | 23 | no |
| | Public | 4 | yes |
| | Public | 2 | no |
| | Public/Private | 6 | yes |
| | Public/Private | 2 | no |
| Filled/Phragmites | Private | 1 | no |
| Filled/Spoil | Private | 1 | yes |
| | Private | 2 | no |
| | Public/Private | 1 | no |
| Submerged | Private | 2 | yes |
| | Private | 9 | no |
| | Public | 2 | yes |
| | Public | 2 | no |
| | Public/Private | 4 | yes |
| | Public/Private | 3 | no |
| Freshwater Wetland | Private | 20 | yes |
| | Private | 31 | no |
| | Public | 1 | yes |
| | Public | 3 | no |
| | Public/Private | 28 | yes |
| | Public/Private | 8 | no |
| Excavated | Private | 2 | yes |
| | Private | 1 | no |
| | Public | 2 2 | yes |
| | Public/Private | 2 | yes |

Table 12. Type 2 potential wetland restoration sites for the Narragansett Bay Estuary arranged by ownership and the presence of external impacts.

| Site Type | Ownership | # of Sites | External Impact? |
|---------------------------|----------------|------------|------------------|
| Ditched | Private | 21 | yes |
| | Private | 24 | no |
| | Public | 2 | no |
| | Public/Private | 29 | yes |
| | Public/Private | 12 | no |
| Ditched/Tidal Restriction | Private | 9 | yes |
| | Private | 2 | no |
| | Public | 1 | no |
| | Public/Private | 13 | yes |
| | Public/Private | 1 | no |
| Ditched/Severe Tidal | | | |
| Restriction Ditched/Tidal | Public/Private | 1 | yes |
| Restriction/Iva | Private | 2 | yes |
| _ | Public | 2 | yes |
| | Public/Private | 1 | yes |
| | Public/Private | 1 | no |
| Ditched/Severe Tidal | | | |
| Restriction | Private | 1 | yes |
| | Private | 5 | no |
| | Public/Private | 3 | yes |
| | Public/Private | 5 | no |
| Ditched/Severe Tidal | | | |
| Restriction/Phragmites | Private | 2 | yes |
| | Private | 1 | no |
| | Public/Private | 1 | yes |
| Ditched/Phragmites | Private | 11 | yes |
| | Private | 6 | no |
| | Public/Private | 3 | yes |
| Ditched/ <u>Iva</u> | Private | 2 | yes |
| | Private | 16 | no |
| | Public | 1 | no |
| | Public/Private | 1 | yes |
| | Public/Private | 1 | no |
| Impounded | Private | 3 | yes |
| | Private | 1 | no |
| | Public | 1 | yes |
| | Public | 1 | no |
| | Public/Private | 1 | yes |
| | Public/Private | 1 | no |

Table 12 (continued).

| Site Type | Ownership | # of Sites | External Impact? |
|--------------------------------------|----------------|------------|------------------|
| Ditched/Impounded | Public/Private | 1 | yes |
| Impounded/Phragmites | Private | 1 | yes |
| - | Private | 1 | no |
| | Public | 1 | no |
| | Public/Private | 2 | yes |
| Tidal Restriction | Private | 61 | yes |
| | Private | 70 | no |
| | Public | 5 | yes |
| | Public | 4 | no |
| | Public/Private | 32 | yes |
| | Public/Private | 33 | no |
| Tidal Restriction/Phrag | Private | 2 | yes |
| Tidal Restriction/ <u>Iva</u> | Public | 1 | yes |
| | Public | 2 | no |
| | Public/Private | 2 | yes |
| | Public/Private | 1 | no |
| Severe Tidal Restriction | Private | 2 | yes |
| | Private | 13 | no |
| | Public | 1 | yes |
| | Public/Private | 8 | yes |
| | Public/Private | 7 | no |
| Severe Tidal Restriction/ | | | |
| <u>Phragmites</u> | Private | 10 | yes |
| | Public | 3 | yes |
| | Public/Private | 8 | yes |
| Vegetation Change/Phrag | | 60 | yes |
| | Private | 40 | no |
| | Public | 10 | yes |
| | Public | 6 | no |
| | Public/Private | 16 | yes |
| | Public/Private | 11 | no |
| Vegetation Change/ <u>Iva</u> | Private | 13 | yes |
| | Private | 8 | no |
| | Public | 10 | yes |
| | Public | 1 | no |
| | Public/Private | 3 | yes |
| | Public/Private | 2 | no |
| Vegetation Change/ <u>Iva</u> & | | _ | |
| <u>Phragmites</u> Excavated/Tidal | Public/Private | 1 | no |
| Restriction | Private | 1 | no |

Table 13. Type 1 wetland restoration sites for the Narragansett Bay Estuary arranged by ownership, the presence of external impacts, and size class.

| Site Type | Ownership | # of Sites | External Impact? | · / | Size Classes (acres) | | | |
|-------------|----------------|---------------|------------------|-----|----------------------|------|-------|-----|
| | | Sites | ımpuev. | < 1 | 1-5 | 5-10 | 10-25 | >25 |
| Filled | | | | | | | | |
| | Private | 16 | yes | 10 | 5 | 0 | 1 | 0 |
| | Private | 23 | no | 22 | 1 | 0 | 0 | 0 |
| | Public | 4 | yes | 2 | 2 | 0 | 0 | 0 |
| | Public | 2 | no | 2 | 0 | 0 | 0 | 0 |
| | Public/Private | | yes | 2 | 2 | 1 | 1 | 0 |
| | Public/Private | 2 | no | 1 | 1 | 0 | 0 | 0 |
| Filled/Phra | g | | | | | | | |
| | Private | 1 | no | 1 | 0 | 0 | 0 | 0 |
| Filled/Spoi | 1 | | | | | | | |
| 1 | Private | 1 | yes | 0 | 0 | 0 | 0 | 1 |
| | Private | 2 | no | 0 | 2 | 0 | 0 | 0 |
| | Public/Private | : 1 | no | 1 | 0 | 0 | 0 | 0 |
| Submerged | [| | | | | | | |
| 2 | Private | 2 | yes | 0 | 1 | 0 | 0 | 1 |
| | Private | 9 | no | 3 | 5 | 1 | 0 | 0 |
| | Public | 2 | yes | 0 | 1 | 0 | 0 | 1 |
| | Public | 2 | no | 0 | 0 | 1 | 1 | 0 |
| | Public/Private | 4 | yes | 1 | 1 | 0 | 0 | 2 |
| | Public/Private | | no | 2 | 0 | 0 | 0 | 1 |
| Freshwater | Wetland | | | | | | | |
| | Private | 20 | yes | 7 | 7 | 4 | 2 | 0 |
| | Private | 31 | no | 15 | 13 | 2 | 0 | 1 |
| | Public | 1 | yes | 0 | 1 | 0 | 0 | 0 |
| | Public | 3 | no | 2 | 1 | 0 | 0 | 0 |
| | Public/Private | | yes | 4 | 11 | 7 | 4 | 2 |
| | Public/Private | | no | 5 | 3 | 0 | 0 | 0 |
| Excavated | | | | | | | | |
| | Private | 2 | yes | 0 | 2 | 0 | 0 | 0 |
| | Private | 1 | no | 1 | 0 | 0 | 0 | 0 |
| | Public | 2 | yes | 1 | 1 | 0 | 0 | 0 |
| | Public/Private | | yes | 2 | 0 | 0 | 0 | 0 |

Table 14. Type 2 potential wetland restoration sites for the Narragansett Bay Estuary arranged ownership, the presence of external impacts, and size class.

| Site Type | Ownership | # of Sites | External Impact? | Size Classes (acres) | | | s) | |
|-----------------|----------------------|---------------|------------------|----------------------|-----|------|-------|-----|
| | | Sites | impact. | < 1 | 1-5 | 5-10 | 10-25 | >25 |
| Ditched | | | | _ | | | | _ |
| | Private | 21 | yes | 3 | 10 | 4 | 1 | 3 |
| | Private | 24 | no | 6 | 10 | 2 | 4 | 2 |
| | Public | 2 | no | 1 | 0 | 1 | 0 | 0 |
| | Public/Private | | yes | 0 | 2 | 7 | 11 | 9 |
| | Public/Private | 12 | no | 3 | 4 | 1 | 3 | 1 |
| Ditched/Ti | idal Restriction | | | | | | | |
| | Private | 9 | yes | 0 | 5 | 0 | 4 | 0 |
| | Private | 2 | no | 0 | 1 | 1 | 0 | 0 |
| | Public | 1 | no | 0 | 1 | 0 | 0 | 0 |
| | Public/Private | 13 | yes | 0 | 6 | 1 | 3 | 3 |
| | Public/Private | 1 | no | 0 | 0 | 1 | 0 | 0 |
| Ditabad/T | idal/Severe Res | triction | | | | | | |
| Dittiled/ I | Public/Private | | MOS | 1 | 0 | 0 | 0 | 0 |
| | ruone/rnvate | 1 | yes | 1 | U | U | U | U |
| Ditched/T | idal Restriction | <u>Iva</u> | | | | | | |
| | Private | 2 | yes | 1 | 1 | 0 | 0 | 0 |
| | Public | 2 | yes | 0 | 2 | 0 | 0 | 0 |
| | Public/Private | 1 | yes | 0 | 1 | 0 | 0 | 0 |
| | Public/Private | 1 | no | 0 | 0 | 1 | 0 | 0 |
| Ditched/Se | evere Restrictio | n | | | | | | |
| | Private | 1 | yes | 0 | 1 | 0 | 0 | 0 |
| | Private | 5 | no | 3 | 2 | 0 | 0 | 0 |
| | Public/Private | | yes | 1 | 2 | 0 | 0 | 0 |
| | Public/Private | | no | 3 | 2 2 | 0 | 0 | 0 |
| | evere Restrictio | n/ | | | | | | |
| <u>Phragmit</u> | <u>es</u> Private | 2 | **** | 2 | 0 | 0 | 0 | Λ |
| | | 2 | yes | 2 | 0 | 0 | 0 | 0 |
| | Private | 1 | no | 1 | 0 | 0 | 0 | 0 |
| | Public/Private | 1 | yes | 0 | 0 | 1 | 0 | 0 |
| Ditched/Pl | <u>nragmites</u> | | | | | | | |
| | Private | 11 | yes | 5 | 4 | 1 | 1 | 0 |
| | Private | 6 | no | 3 | 3 | 0 | 0 | 0 |
| | Public/Private | 3 | yes | 2 | 1 | 0 | 0 | 0 |

Table 14 (continued).

| Site Type- | ype-Ownership # of External Size Classes (acres) Sites Impact | | | s) | | | | |
|--------------------|---|-------|-----------|---------|-----|------|--------|-----|
| | | Sites | yes / no | < 1 | 1-5 | 5-10 | 10-25 | >25 |
| Ditched/ <u>Iv</u> | <u>'a</u> | | | | | | | |
| | Private | 2 | yes | 1 | 1 | 0 | 0 | 0 |
| | Private | 16 | no | 11 | 5 | 0 | 0 | 0 |
| | Public | 1 | no | 1 | 0 | 0 | 0 | 0 |
| | Public/Private | | yes | 0 | 0 | 0 | 1 | 0 |
| | Public/Private | 1 | no | 0 | 1 | 0 | 0 | 0 |
| Impounde | d | | | | | | | |
| • | Private | 3 | yes | 2 | 0 | 1 | 0 | 0 |
| | Private | 1 | no | 1 | 0 | 0 | 0 | 0 |
| | Public | 1 | yes | 1 | 0 | 0 | 0 | 0 |
| | Public | 1 | no | 1 | 0 | 0 | 0 | 0 |
| | Public/Private | 1 | yes | 1 | 0 | 0 | 0 | 0 |
| | Public/Private | 1 | no | 1 | 0 | 0 | 0 | 0 |
| Ditched/In | npounded | | | | | | | |
| | Public/Private | 1 | yes | 0 | 0 | 0 | 0 | 1 |
| Impounde | d/ <u>Phragmites</u> | | | | | | | |
| impounde | Private | 1 | yes | 1 | 0 | 0 | 0 | 0 |
| | Private | 1 | no | 1 | 0 | 0 | 0 | 0 |
| | Public | 1 | no | 0 | 1 | 0 | 0 | 0 |
| | Public/Private | - | yes | 1 | 1 | 0 | 0 | 0 |
| Tidaller Da | atmi at a d | | | | | | | |
| Tidally Re | Private | 61 | NOG | 29 | 26 | 4 | 0 | 2 |
| | Private | 70 | yes | 45 | 20 | 4 | 0 | 2 |
| | Public | 5 | no woo | 3 | 2 | 2 | 2 0 | 0 |
| | Public | 4 | yes | 4 | 0 | 0 | 0 | 0 |
| | Public/Private | | no voc | 8 | 12 | | _ | 4 |
| | Public/Private | | yes no | o 14 | 13 | 2 3 | 6 1 | 2 |
| m: 1 11 p | | | | | | | | |
| I idally Re | stricted/Phrag | • | | | | 0 | 0 | 0 |
| | Private | 2 | yes | 1 | 1 | 0 | 0 | 0 |
| Tidally Re | stricted/ <u>Iva</u> | | | | | | | |
| | Public | 1 | yes | 1 | 0 | 0 | 0 | 0 |
| | Public | 2 | no | 2 | 0 | 0 | 0 | 0 |
| | Public/Private | | yes | 2 | 0 | 0 | 0 | 0 |
| | Public/Private | 1 | no | 1 | 0 | 0 | 0 | 0 |

Table 14 (continued).

| Site Type-Ownership | # of External Sites Impact | | | Size Classes (acres) | | | |
|---|----------------------------|----------|-----|----------------------|------|-------|-----|
| | Sites | yes / no | < 1 | 1-5 | 5-10 | 10-25 | >25 |
| Severely Tidally Restrict | ed | | | | | | |
| Private | 2 | yes | 1 | 0 | 0 | 1 | 0 |
| Private | 13 | no | 9 | 3 | 1 | 0 | 0 |
| Public | 1 | yes | 1 | 0 | 0 | 0 | 0 |
| Public/Private | e 8 | yes | 2 | 3 | 2 | 0 | 1 |
| Public/Private | e 7 | no | 2 | 5 | 0 | 0 | 0 |
| Severely Tidally Restrict | ed/ | | | | | | |
| <u>Phragmites</u> | | | | | | | |
| Private | 10 | yes | 4 | 6 | 0 | 0 | 0 |
| Public | 3 | yes | 3 | 0 | 0 | 0 | 0 |
| Public/Private | e 8 | yes | 3 | 2 | 2 | 0 | 1 |
| Vegetation Change-Phra | <u>g</u> | | | | | | |
| Private | 60 | yes | 44 | 13 | 3 | 0 | 0 |
| Private | 40 | no | 31 | 9 | 0 | 0 | 0 |
| Public | 10 | yes | 9 | 1 | 0 | 0 | 0 |
| Public | 6 | no | 4 | 2 | 0 | 0 | 0 |
| Public/Private | e 16 | yes | 8 | 5 | 0 | 2 | 1 |
| Public/Private | e 11 | no | 4 | 5 | 0 | 2 | 0 |
| Vegetation Change- <u>Iva</u> | | | | | | | |
| Private | 13 | yes | 7 | 6 | 0 | 0 | 0 |
| Private | 8 | no | 5 | 3 | 0 | 0 | 0 |
| Public | 10 | yes | 4 | 6 | 0 | 0 | 0 |
| Public | 1 | no | 0 | 1 | 0 | 0 | 0 |
| Public/Private | e 3 | yes | 0 | 2 | 1 | 0 | 0 |
| Public/Private | e 2 | no | 0 | 1 | 1 | 0 | 0 |
| Vegetation Change- <u>Iva</u> & <u>Phragmites</u> | ž | | | | | | |
| Public/Private | e 1 | no | 0 | 1 | 0 | 0 | 0 |
| | | | ¥ | - | Ŭ | Ĭ | v |
| Excavated/Tidally Restri | | | | | | | |
| Private | 1 | no | 1 | 0 | 0 | 0 | 0 |

Estuarine Wetland Buffers

The 500-foot buffer around the landward edge of estuarine wetlands amounted to nearly 26,000 acres. The buffer is nearly evenly divided between developed land (non-agricultural excluding barren land) and "natural" cover (i.e., forest, rangeland, and wetlands), with 48.3% for the former and 43.7% for the latter (Table 15). Agricultural land comprised only 5.8% and barren land made up only 1.8% of the buffer. Residential development alone accounted for 34.2% of the buffer, with most of this occupied by single family homes.

Table 15. Land use/cover in the 500-foot buffer surrounding estuarine wetlands in the Narragansett Bay Estuary.

| Land Use/Cover Type | Acreage | Percent of Buffer |
|---|--|-------------------|
| Residential Development Single family Multi-family Mobile-home Lawn Other | 7,000.3 177.6 13.8 1,593.5 20.7 | |
| Subtotal | 8,805.9 | 34.2% |
| Commercial Development Commercial/Insitutional structures Recreational structures Marinas Junkyards Paved surfaces Unpaved surfaces Wharves, piers, and shipyards Other | 1,023.6 51.0 197.7 0.1 260.6 49.1 482.8 1.2 | |
| Subtotal | 2,066.1 | 8.0% |
| Industrial Development | 88.9 | <0.1% |
| Transportation, Communication, and Utilities | 744.6 | 2.9% |
| Industrial/Commercial Complexes | 15.8 | <0.1% |
| Other Urban or Built-up Land Golf courses Cemeteries Other areas (zoos; urban parks) Landfills Other | 415.7 56.2 294.5 39.0 27.6 | |
| Subtotal | 833.0 | 3.2% |

Table 15 (continued).

| Land Use/Cover Type | : | Acreage | Percent of Buffer |
|----------------------|----------------------|----------|-------------------|
| Agriculture | | | |
| Cropland | | 914.0 | |
| - | eries, and Vineyards | 53.6 | |
| Confined Feeding | | 3.4 | |
| Pastures and Ha | yfields | 530.1 | |
| Subtotal | | 1,501.1 | 5.8% |
| Rangeland | | | |
| Herbaceous Co | ver | 449.5 | |
| Shrub/Brush Co | over | 2,627.1 | |
| Mixed Cover | | 866.5 | |
| Subtotal | | 3,943.1 | 15.3% |
| Forest | | | |
| Deciduous Fore | est | 2,309.2 | |
| Evergreen Fores | st | 14.6 | |
| Mixed Forest | | 3,340.1 | |
| Subtotal | | 5,663.9 | 22.0% |
| Water and Freshwater | Wetland | 1,643.8 | 6.4% |
| Barren Land | | | |
| Beaches | | 0.9 | |
| Other Sandy Ar | eas | 124.6 | |
| Bare Exposed R | lock | 3.4 | |
| Strip Mines (sar | | 33.4 | |
| Mixed Barren L | and | 247.1 | |
| Transitional Are | eas | 41.5 | |
| Subtotal | | 450.9 | 1.8% |
| Total Buffer Zone | | 25,757.1 | |

Hardened Shorelines

Over 133 miles of hardened shores were mapped, with more than 75% of these shores represented by bulkheads, revetments, and seawalls (Table 16). Bulkheads alone comprised nearly 43% of these artificial shoreline features. Revetments made up 24.2% and seawalls 11.3%. Hardened shorelines may occupy one-fourth of the shoreline of the Narragansett Bay estuary (based on the 540 mile shoreline figure in Huber 2000).

Table 16. Extent of hardened shorelines in the Narragansett Bay Estuary.

| Structure | Length (miles) |
|------------------------|----------------|
| Bridge Abutment | 9.1 |
| Bulkhead | 57.0 |
| Breakwater | 4.5 |
| Groin | 3.4 |
| Jetty | 1.2 |
| Other Hardened Shore | 0.1 |
| Permanent Pier | 9.0 |
| Other Significant Pier | 1.6 |
| Revetment | 32.3 |
| Seawall | 15.1 |
| | |
| Total | 133.3 |
| | |
| | |

Summary and Conclusions

The Narragansett Bay Estuary contains almost 223,000 acres of tidal and subtidal habitats, with the Bay itself accounting for 97% of this acreage. Intertidal habitats occupy only 3% of the Estuary; tidal marshes and swamps comprise nearly 60% of this intertidal zone.

A total of 236 restoration complexes covering 4,021 acres were identified during this survey. Most of this acreage was that of existing wetlands that may be degraded. About 65% of the existing coastal wetlands in the Estuary were designated as being potential restoration sites due mostly to ditching and tidal restriction by roads. Almost 900 acres of former estuarine wetlands (now either upland, fresh waterbody, or freshwater wetland) were also identified as potential restoration sites. Nearly two-thirds of the restoration sites are located on private land, whereas about 30% are on public land and the rest are on a combination of public and private properties. Over half of the potential restoration sites had negative impacts from adjacent land uses. More than 80% of the restoration sites are less than 1 acre in size, with a good number also in the 1-5 acre range.

Slightly more than half of the 500-foot buffer zone around coastal wetlands in the Narragansett Bay Estuary is developed, while about 44% is in "natural" vegetation. Single family homes and lawns alone occupy 33% of this zone, while forests represent 22% and rangeland 15%. Eight percent and 6% of the buffer is has been developed commercially and by agriculture, respectively.

About 25% of the Bay's shoreline is armored with various structures. Bulkheads comprised nearly 43% of these artificial shorelines, while revetments made up 24% and seawalls 11%.

This study has identified hundreds of potential opportunities for coastal wetland restoration in the Narragansett Bay Estuary. Over half of the acreage designated as a potential restoration site is existing coastal wetland that is now partly drained through ditching. Plugging of ditches could be done as an attempt to restore these wetlands where this is deemed beneficial and cost effective. About 48% of the degraded wetlands are affected by tidal restrictions, typically by road crossings. These sites should be a priority for restoration as tidal flow can easily be increased in many areas by expanding the culvert size, provided there is no low-lying development surrounding the restricted marsh. If there is such development, a self-regulating tide gate may be the preferred alternative for improving tidal flow. Other restricted sites may require reducing the length of the causeway by constructing more bridgework. This is an expensive process, so a more indepth analysis of the upstream problems and the overall project benefits will be required.

While the present study identified over 800 individual sites in 236 complexes, it did not prioritize these sites. Additional field work is required to identify those complexes where restoration is practical and most urgent or desireable. Nonetheless, we would expect that the most feasible sites for coastal wetland restoration would be tidally restricted areas

where low-lying development does not exist and Type 1 sites requiring removal of fill. Both site types may be excellent sites for mitigating losses of other wetlands through the regulatory permit process. Since much of the Type 1 restoration acreage is either existing wetland (freshwater) or open fresh water, a more detail analysis of the resource trade-offs in returning such areas to coastal wetland will be required prior to commencing such restoration. This report is a first step in the restoration planning effort and should serve as a good starting point for planning coastal wetland restoration in the Narragansett Bay Estuary.

Acknowledgments

Funding for this project was provided by the U.S. Environmental Protection Agency, the Rhode Island Agua Fund Grant Program, and the Narragansett Bay Estuary Program (NBEP). Matching grant funds were provided by NBEP in the form of staff time related to project oversight and coordination, review of products, and development of the wetland restoration complex coverage. Save the Bay, Inc. provided additional matching fund support through in-kind services, including staff time of Andy Lipsky and Wenley Ferguson. They provided project input, created a database of coastal wetland assessment information collected by trained volunteers, helped develop the complex coverage, and worked with communities on public education and outreach. Work specific to the wetland restoration inventory was initiated through a cooperative agreement between the NBEP and the U.S. Fish and Wildlife Service (FWS). Helen Cottrell served as project officer for NBEP and secured funding and assisted with project development and coordination. Ms. Cottrell also provided photographs for use in this report and reviewed the draft report. Ralph Tiner was project officer for the FWS and helped design the study and project oversight and played major roles in data analysis/synthesis and report preparation.

Data collection was done by the Natural Resources Assessment Group (NRAG) in the Department of Plant and Soil Sciences, University of Massachusetts-Amherst, under the direction of Dr. Peter Veneman, principal investigator. Most of the photointerpretation and cartographic work was performed by Irene Huber and Todd Nuerminger, with Denise Siraco assisting in photointerpretation of hardened shorelines. Tracy Marion of Holyoke Community College helped with map overlay production. NRAG personnel assisting in the field were Christine Nichols, David Foulis, Linda Senn, Ms. Huber, and Mr. Nuerminger. Trisha Kipp, Ms. Siraco, and Mary Johnson helped review data entered into the restoration database.

Digital database construction and GIS analysis were accomplished by Aimee Mandeville of the University of Rhode Island's Environmental Data Center. She digitized map overlay products to create the geospatial database, performed analytical inquiries, and produced color-coded maps and statistical summaries presented in this report including the Appendices. Figure 1 was prepared by Paul Jordan, Rhode Island Department of Environmental Management, Geographic Information System Program. Herbert Bergquist (FWS) assisted in preparing the cover of this report, while Lorraine Fox (FWS) scanned the photos for conversion to digital images. Dr. Frank Golet, University of Rhode Island, gratiously provided color photographs of coastal wetlands for use in this report.

References

Cowardin, L.M, V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of Wetlands and Deepwater Habitats of the United States. U.S. Fish and Wildlife Service, Washington, DC. FWS/OBS-79/31.

Huber, I. 1999. Report on the Analysis of True Color Aerial Photographs to Map Submerged Aquatic Vegetation and Coastal Resource Areas in Narragansett Bay Tidal Waters and Nearshore Areas, Rhode Island and Massachusetts. Natural Resources Assessment Group, Department of Plant and Soil Sciences, University of Massachusetts, Amherst, MA. Prepared for the Rhode Island Department of Environmental Management, Providence, RI. Narragansett Bay Estuary Program Report No. 99-117.

Huber, I. 2000. Photointerpretation of Buffer Zones, Coastal Wetland Potential Wetland Restoration Sites and Hardened Shorelines in the Narragansett Bay Estuary, Rhode Island and Massachusetts. Natural Resources Assessment Group, Department of Plant and Soil Sciences, University of Massachusetts, Amherst, MA. Prepared for the Rhode Island Department of Environmental Management, Providence, RI. Narragansett Bay Estuary Program Report No. 00-119.

Narragansett Bay Estuary Program (NBEP). 2001. Atlas of Narragansett Bay Coastal Habitats. Rhode Island Department of Environmental Management, Providence, RI. NBEP Report No. 01-118.

Tiner, R.W. 1987. A Field Guide to Coastal Wetland Plants of the Northeastern United States. University of Massachusetts Press, Amherst, MA.

APPENDICES

Appendix A. Detailed Results for each Rhode Island town (towns listed alphabetically)

Four tables are presented for each town: Table 1 (extent of coastal wetlands and related features), Table 2 (estuarine wetland restoration sites), Table 3 (hardened shorelines), and Table 4 (land use/cover in the 500-foot buffer surrounding tidal wetlands).

Code symbology for Table 1 (see Cowardin et al. 1979 for definitions; posted on the Internet at: wetlands.fws.gov [listed under publications]). A code is represented by system, system, class, subclass, water regime and special modifiers as in the following examples: 1) E2EM1N - System E (Estuarine), Subsystem 2 (Intertidal), Class EM (Emergent), Subclass 1 (Persistent), Water Regime N (Regularly flooded), 2) E2EM1/5P6 - System E (Estuarine), Subsystem 2 (Intertidal), Class EM (Emergent), Subclasses 1/5 (Persistent/Phragmites), Water Regime P (Irregularly flooded), Special Modifier 6 (Oligohaline), and 3) E2SS1Pd - System E (Estuarine), Subsystem 2 (Intertidal), Class SS (Scrub-Shrub), Subclass 1 (Broad-leaved Deciduous), Water Regime P (Irregularly flooded), Special Modifier d (Partly drained)

| System/Subsystem | Class/Subclass | Water Regime | Special Modifier |
|--|--|---|---|
| E1 = Estuarine Subtidal E2 = Estuarine Intertidal M1 = Marine Subtidal M2 = Marine Intertidal | AB3 = Aquatic Bed Vascular EM1 = Emergent Persistent EM5 = Emergent Phragmites RF2 = Reef Mollusc RS1 = Rocky Shore Bedrock RS2 = Rocky Shore Rubble SB2 = Streambed Sand SB3 = Streambed Mud SS1 = Scrub-Shrub Broad-leaved I US1 = Unconsolidated Shore Cobb US2 = Unconsolidated Shore Sand US3 = Unconsolidated Shore Mud US4 = Unconsolidated Shore Organ UB = Unconsolidated Shore Organ | ble-Gravel I | d = partly drained h = impounded r = artificial x = excavated 6 = oligohaline |
| E2 = Estuarine Intertidal M1 = Marine Subtidal | EM1 = Emergent Persistent EM5 = Emergent Phragmites RF2 = Reef Mollusc RS1 = Rocky Shore Bedrock RS2 = Rocky Shore Rubble SB2 = Streambed Sand SB3 = Streambed Mud SS1 = Scrub-Shrub Broad-leaved I US1 = Unconsolidated Shore Cobb US2 = Unconsolidated Shore Sand US3 = Unconsolidated Shore Mud | M = Irregularly Exposed N = Regularly Flooded P = Irregularly Flooded Deciduous ple-Gravel | h = impounded r = artificial x = excavated |

Results for Barrington

Table 1. Extent of coastal wetlands and related features in Barrington.

| Wetland or Water Feature | Map Code | Acreage |
|------------------------------------|---|--------------------------------------|
| Estuarine Waters | E1UBL (includes E1UB4L and h,x) | 78.223 |
| Salt Marshes | E2EM1/5P (includes d,h,x) E2EM1N (includes d,h,x) E2EM1P (includes d,h,x) E2EM5P (includes d,h,x) | 0.684 17.975 357.301 23.399 |
| | Subtotal | 399.359 |
| Brackish Marshes | E2EM1P6 (includes d,h,x) E2EM5P6 (includes d,h,x) | 1.094 8.690 |
| | Subtotal | 9.784 |
| Oyster Reefs | E2RF2N (includes h) | 2.803 |
| Salt Shrub Swamps | E2SS1P (includes d,h,x) | 29.128 |
| Estuarine Cobble- Gravel Shore | es E2US1N and E2US1/2N E2US1P | 3.198 2.666 |
| | Subtotal | 5.864 |
| Estuarine Sandy Shores and Beaches | E2US2N (includes r) E2US2P (includes r) | 6.591 41.822 |
| | Subtotal | 48.413 |
| Estuarine Mudflats | E2US3M E2US3N (includes d,h) | 7.451 15.156 |
| | Subtotal | 22.607 |
| Salt Pannes | E2US4M (includes d,h) | 19.614 |
| | Total Estuarine Waters and Wetlands | 615.795 |

Table 2. Potential wetland restoration sites in Barrington.

| Wetla | nd Restoration Type | Current Classification | # of Sites | Acreage |
|-------|--|---|---------------|-----------------------------------|
| 1 | filled (1f) | UPLAND | 11 | 2.900 |
| | filled-Phragmites (1fph) | UPLAND | 1 | |
| | Subtotal | | 12 | 2.970 |
| | | PUBV3h PUBVh | 1 1 | 7.700 0.380 |
| | Subtotal | | | 8.080 |
| | change in vegetated wetland type (1w) | PEM1/SS1Rh PEM1Rh PEM1T PEM5Rh | | 10.330 4.920 0.230 5.620 |
| | Subtotal | | 9 | 21.100 |
| | change to nonvegetated wetland $(1x)$ | PEM1Cx | 2 | 1.660 |
| | Total Type 1 Sites | | 25 | 33.810 |
| 2 | | E2EM1Nd E2EM1Pd E2US3Nd | 1 22 1 | 0.660 282.110 2.760 |
| | Subtotal | | 24 | 285.530 |
| | ditched/tidally restricted (2d-2r and 2d-2r-2rs) | E2EM1Pdh E2SS1Pdh E2EM1/5Pdh | 1 1 1 | 3.120 1.590 0.680 |
| | Subtotal | | 3 | 5.390 |

| Total Type 2 Sites | | 88 | 371.47 |
|---|-------------------|---------|-----------------|
| Subtotal | | 14 | 21.780 |
| vegetation change- Iva (2) | vi) E2SS1P | 14 | 21.780 |
| Subtotal | | 19 | 15.410 |
| vegetation change- Phragmites (2v) | E2EM5P E2EM5P6 | 17 2 | 12.450 2.960 |
| severely tidally restricted/ veg change-Phragmites (2rs-2v) | E2EM5P6h | 1 | 4.350 |
| severely tidally restricted (2rs) | E2EM5P6h | 1 | 1.380 |
| Subtotal | · | 11 | 18.470 |
| | E2EM1Ph PUBVh | 2 | 0.830 0.510 |
| | E2EM1P E2EM1P6 | 1 2 | 0.070 1.100 |
| tidally restricted (2r) | E1UBLh | 5 | 15.96 |
| impounded (2h) | E2EM1Ph | 1 | 0.590 |
| ditched/veg change- Iva (2d-2vi) | E2SS1P | 5 | 2.390 |
| Subtotal | | 9 | 16.18 |
| Phragmites (2d-2v) | E2EM5P E2EM5Pd | 1 8 | 0.480 15.70 |
| ditched/veg change- | EARL (CR | 1 | 0.400 |

Table 3. Extent of hardened shorelines in Barrington.

| Hardened Shoreline (code) | Length (in feet) |
|---------------------------------|------------------|
| Bridge Abutment (BA) | 3608.807 |
| Bulkhead (BK) | 25802.858 |
| Pemanent Pier (PP) | 277.269 |
| Revetment (RR) | 6247.896 |
| Seawall (SW) | 2109.990 |
| Total Hardened Shoreline Length | 38046.82 |

Table 4. Land use/cover in the 500-foot buffer surrounding tidal wetlands in Barrington.

| Land use/cover (code) | Acreage |
|--|--|
| Residential Single family (111) Lawns (114) | 460.25 119.13 |
| Subtotal | 579.38 |
| Commercial Commercial and Institutional structures (121) Marinas (123) Paved surfaces (125) Unpaved surfaces (126) Wharves, piers, shipyards (127) | 27.16 20.53 7.84 0.88 1.75 |
| Subtotal | 58.15 |
| Transportation, Communications, and Utilities (14) | 19.40 |
| Other Urban or Built-up Land Golf courses (171) Other areas (zoos; urban parks) (173) | 67.73 24.36 |
| Subtotal | 92.08 |
| Agriculture Cropland (21) Orchards, Nurseries, Vineyards (22) Confined Feeding Lots (23) Pastures/hayfields (24) | 59.44 7.30 0.04 5.30 |
| Subtotal | 72.08 |
| Rangeland Herbaceous cover (31) Shrub and brush cover (32) Mixed (33) | 5.71 55.55 13.90 |
| Subtotal | 75.17 |

Forest Deciduous forest (41) 130.67 Mixed (43) 99.77 230.46 Subtotal Water and Freshwater Wetlands (56) Vegetated freshwater wetlands 101.01 Fresh water 17.59 Subtotal 118.60 Other sand areas (73) 1.29 Mixed barren land (76) 1.90 **Subtotal** 3.18

Results for Bristol

Table 1. Extent of coastal wetlands and related features in Bristol.

| Wetland or Water Feature | Map Code | Acreage |
|------------------------------|---|------------------------------------|
| Estuarine Waters | E1UBL (includes E1UB4L and h,x) | 71.912 |
| | Subtotal | 71.912 |
| Salt Marshes | E2EM1/SS1P (includes d,h,x) E2EM1N (includes d,h,x) E2EM1P (includes d,h,x) E2EM5P (includes d,h,x) | 3.221 22.238 79.659 4.254 |
| | Subtotal | 109.372 |
| Brackish Marshes | E2EM1P6 (includes d,h,x) E2EM5P6 (includes d,h,x) | 2.597 3.439 |
| | Subtotal | 6.036 |
| Oyster Reefs | E2RF2N (includes h) | 3.164 |
| Estuarine Rocky Shores | E2RS1N E2RS1P E2RS2N (includes r) E2RS2P (includes r) | 2.464 1.517 0.867 0.747 |
| | Subtotal | 8.759 |
| Salt Shrub Swamps | E2SS1P (includes d,h,x) | 10.448 |
| | Subtotal | 10.448 |
| Estuarine Cobble- Gravel Sho | | |
| | E2US1N and E2US1/2N E2US1P | 4.989 3.665 |
| | Subtotal | 8.654 |

| Estuarine Sandy Shores at | nd Beaches | |
|---------------------------|-------------------------------------|---------|
| • | E2US2M | 13.413 |
| | E2US2N (includes r) | 10.803 |
| | E2US2/EM1N | 3.423 |
| | E2US2P (includes r) | 36.274 |
| | Subtotal | 63.913 |
| Estuarine Mudflats | E2US3M | 14.533 |
| | E2US3N (includes d,h) | 4.527 |
| | Subtotal | 19.060 |
| | Total Estuarine Waters and Wetlands | 298.154 |
| | | |

Table 2. Potential wetland restoration sites in Bristol.

| Wetla | nd Restoration Type | Current Classification | # of Sites | Acreage |
|-------|----------------------------|---------------------------|---------------|---------|
| 1 | filled (1f) | UPLAND | 1 | 1.97 |
| | Subtotal | | 1 | 1.97 |
| | change in vegetated | | | |
| | wetland type (1w) | PEM1/SS1E | 1 | 2.99 |
| | 2- , , | PSS1/EM1Rh | 1 | 20.28 |
| | | PSS1/EM5Eh | 1 | 6.01 |
| | | PUB/EM1Fh | 1 | 1.82 |
| | Subtotal | | 4 | 31.10 |
| Total | Type 1 Sites | | 5 | 33.07 |
| _ | | | | |
| 2 | ditched/tidally restricted | E2EM1/001D41 | 1 | 2.22 |
| | (2d-2r and 2d-2r-2rs) | E2EM1/SS1Pdh | | 3.22 |
| | | E2EM1Pd | 2 | 5.88 |
| | | E2EM1Pdh | 3 | 51.68 |
| | Subtotal | | 6 | 60.78 |
| | ditched/tidally | | | |
| | restricted/iva (2d-2r-2vi) | E2SS1Pd | 2 | 5.35 |
| | ditched/severely tidally | | | |
| | 3 3 | E2EM5Pdh | 1 | 4.25 |
| | | | | |
| | Subtotal | | 3 | 9.60 |
| | tidally restricted (2r) | E1UBL | 24 | 66.07 |
| | | E1UBLh | 2 | 2.86 |
| | | E2EM1Nh | 2 | 0.33 |
| | | E2EM1P | 3 | 3.62 |
| | | E2EM1P6 | 2 | 1.41 |
| | | E2EM1Ph | 2 | 3.43 |
| | | E2RF2Nh | 4 | 3.16 |
| | Subtotal | · | 39 | 80.88 |

| Γotal All Sites | | 59 | 191.16 |
|--|---------|----|--------|
| Total Type 2 Sites | | 54 | 158.09 |
| Subtotal | | 1 | 3.44 |
| vegetation change- Phragmites (2v) | E2EM5P6 | 1 | 3.44 |
| Subtotal | | 5 | 3.39 |
| tidally restricted/ veg change-Iva (2r-2vi) | E2SS1P | 5 | 3.39 |

Table 3. Extent of hardened shorelines in Bristol.

| Total Hardened Shoreline Length | 39939.79 |
|---------------------------------|------------------|
| Seawall (SW) | 2954.72 |
| Revetment (RR) | 18180.626 |
| Permanent Pier (PP) | 1163.435 |
| Groin (GR) | 1409.841 |
| Bulkhead (BK) | 16231.164 |
| Hardened Shoreline (code) | Length (in feet) |

Table 4. Land use/cover in the 500-foot buffer surrounding tidal wetlands in Bristol.

| Landuse/cover (code) | Acreage |
|--|---------|
| Residential | |
| Single family (III) | 318.05 |
| Multi family (ll2) | 4.96 |
| Lawns (114) | 130.55 |
| Other (115) | 13.02 |
| Subtotal | 466.58 |
| Commercial | |
| Commercial and Institutional structures(121) | 13.36 |
| Marinas (123) | 15.27 |
| Paved surfaces (125) | 13.21 |
| Unpaved surfaces (126) | 2.99 |
| Wharves, piers, shipyards (127) | 7.48 |
| Subtotal | 52.31 |
| Transportation, Communications, and Utilities (14) | 10.96 |
| Other Urban or Built-up Land (17) | |
| Other areas (zoos; urban parks) (173) | 75.06 |
| Subtotal | 75.06 |
| Agriculture | |
| Cropland (21) | 5.42 |
| Orchards, Nurseries, Vineyards (22) | 4.04 |
| Pastures/hayfields (24) | 55.87 |
| Subtotal | 65.32 |
| Rangeland | |
| Herbaceous cover (31) | 76.99 |
| Shrub and brush cover (32) | 60.59 |
| Mixed (33) | 30.42 |
| Subtotal | 168.00 |

| Forest | |
|------------------------------------|--------|
| Deciduous forest (41) | 48.69 |
| Mixed (43) | 322.39 |
| Subtotal | 371.08 |
| Water and Freshwater Wetlands (56) | |
| Vegetated Freshwater Wetlands | 67.12 |
| Freshwater Wetlands | 4.70 |
| Subtotal | 71.82 |
| Barren Land | |
| Mixed barren land (76) | 4.98 |
| Subtotal | 4.98 |

Results for Cranston

Table 1. Extent of coastal wetlands and related features in Cranston.

| Wetland or Water Feature | Map Code | Acreage |
|---|--|--------------------------|
| Estuarine Waters | E1UBL (includes E1UB4L and h,x) | 3.512 |
| Salt Marshes E2EM1N (includes d,h,x) E2EM1P (includes d,h,x) E2EM5P (includes d,h,x) | | 0.245 1.903 1.346 |
| | Subtotal | 3.494 |
| Estuarine Rocky Shores | E2RS1N E2RS2N (includes r) E2RS2P (includes r) | 0.070 0.271 0.570 |
| | Subtotal | 0.911 |
| Estuarine Sandy Shores And Beaches | E2US2M E2US2N (includes r) E2US2P (includes r) | 44.927 1.598 1.026 |
| | Subtotal | 47.551 |
| | Total Estuarine Waters and Wetlands | |

Table 2. Potential wetland restoration sites in Cranston.

| Wetlan | d Restoration Type | Current Classification | # of on Sites | Acreage |
|---------|---|---------------------------|------------------|---------|
| 2 | ditched/veg change- Phragmites (2d-2v) | E2EM5Pd | 2 | 1.340 |
| | Subtotal | | 2 | 1.340 |
| | ditched/veg change- Iva (2d-2vi) | E2SS1Pd | 1 | 1.670 |
| | Subtotal | | 1 | 1.670 |
| | Total Type 2 sites | | 3 | 3.010 |
| Total A | All Sites | | 3 | 3.010 |

Table 3. Extent of hardened shorelines in Cranston.

| Hardened Shoreline | Length (in feet) |
|---------------------------------|------------------|
| Bulkhead (BK) | 3730.01 |
| Breakwater (BW) | 2327.64 |
| Groin (GR) | 506.43 |
| Revetment (RR) | 3036.56 |
| Seawall (SW) | 7079.89 |
| Total Hardened Shoreline Length | 16680.53 |

Table 4. Land use/cover in the 500-foot buffer surrounding tidal wetlands in Cranston.

| Land use/cover (code) | Acreage |
|--|-----------------------|
| Residential Single family (111) Lawns (114) | 104.90 8.09 |
| Subtotal | 112.99 |
| Commercial Commercial and Institutional structures (121) Marinas (123) Wharves, piers, shipyards (127) | 7.17 7.72 11.58 |
| Subtotal | 26.49 |
| Other Urban or Built-up Land Other areas (zoos; urban parks) (173) | 8.33 |
| Subtotal | 8.33 |
| Rangeland Mixed (33) | 5.73 |
| Subtotal | 5.73 |
| Forest Deciduous forest (41) | 0.89 |
| Subtotal | 0.89 |
| Water and Freshwater Wetlands (56) Vegetated freshwater wetlands | 1.30 |
| Subtotal | 1.30 |

Results for East Greenwich

Table 1. Extent of coastal wetlands and related features in East Greenwich.

| Wetland or Water Feature | Map Code | Acreage |
|--------------------------|--|----------------|
| Estuarine Waters | E1UBL (includes E1UB4L and h,x) | 2.829 |
| Salt Marshes | E2EM1N (includes d,h,x) E2EM1P (includes d,h,x) | 2.182 0.229 |
| | Subtotal | 2.411 |
| Estuarine Mudflats | E2US3M | 2.914 |
| | Total Estuarine Waters and Wetlands | 8.154 |

Table 2.

There are no potential restoration sites in East Greenwich.

Table 3. Extent of hardened shorelines in East Greenwich.

| Hardened Shoreline (code) | Length (in feet) |
|---------------------------------|------------------|
| Bulkhead (BK) | 2599.10 |
| Revetment (RR) | 334.35 |
| Total Hardened Shoreline Length | 2933.45 |

Table 4. Land use/cover in the 500-foot buffer surrounding tidal wetlands in East Greenwich.

| Land use/cover (code) | Acreage |
|--|--------------------------------------|
| Residential Single family (111) Multi family (112) Lawns (114) | 25.85 1.69 2.55 |
| Subtotal | 30.10 |
| Commercial Commercial and Institutional structures (121) Marinas (123) Paved surfaces (125) Unpaved surfaces (126) Wharves, piers, shipyards (127) | 6.12 2.28 1.67 4.01 3.65 |
| Subtotal | 17.75 |
| Industrial (13) | 8.92 |
| Rangeland Shrub and brush cover (32) | 2.23 |
| Subtotal | 2.23 |
| Forest Deciduous forest (41) | 7.81 |
| Subtotal | 7.81 |
| Water and Freshwater Wetlands (56) Vegetated freshwater wetlands | 2.66 |
| Subtotal | 2.66 |
| Barren Land Mixed barren land (76) Transitional Areas (77) | 9.63 12.39 |
| Subtotal | 22.03 |

Results for East Providence

Table 1. Extent of coastal wetlands and related features in East Providence.

| Wetland or Water Feature | Map Code | Acreage |
|-----------------------------------|--|----------------------------------|
| Estuarine Waters | E1UBL (includes E1UB4L and h,x) E1UBL6 (includes h,x) | 15.605 |
| | Subtotal | 132.224 |
| Salt Marshes | E2EM1N (includes d,h,x) E2EM1P (includes d,h,x) E2EM5P (includes d,h,x) | 8.530 61.928 3.122 |
| | Subtotal | 73.580 |
| Brackish Marshes | E2EM1/5P6 and E2EM5/1P6 (d,h,x) E2EM1N6 (includes d,h,x) E2EM1P6 (includes d,h,x) E2EM5P6 (includes d,h,x) | 5.120 0.523 1.342 4.767 |
| | Subtotal | 11.752 |
| Salt Shrub Swamps | E2SS1P (includes d,h,x) | 5.533 |
| Estuarine Sandy Shores and Beache | E2US2N (includes r) E2US2P (includes r) | 13.457 4.051 |
| | Subtotal | 17.508 |
| Estuarine Mudflats | E2US3M | 1.695 |
| Salt Pannes | E2US4M (includes d,h) E2US4N | 0.918 1.535 |
| | Subtotal | 2.453 |
| | Total Estuarine Waters and Wetlands | 244.745 |

Table 2. Potential wetland restoration sites in East Providence.

| Wetland (code) | Restoration | т Туре | Current Classification | | Acreage |
|-------------------|--------------------------|-----------------------------|---------------------------------|--------|------------------------------|
| 1 | filled (1f) | 1 | UPLAND | | 2.06 |
| | | Subtotal | | 1 | 2.06 |
| | filled-spoi | l (1fsp) | UPLAND | 1 | 26.80 |
| | | Subtotal | | 5 | 26.80 |
| | submerged | l (1su) | L1UBVh PUBHh PUBVh | 1 | 32.11 4.28 3.42 |
| | | Subtotal | | 3 | 39.81 |
| | change in | vegetated wetland type (1w) | PEM5/1Rh PEM5/SS1Ch PUSAh | 1 1 | 1.09 4.12 3.48 3.37 |
| | | Subtotal | | 4 | 10.97 |
| | change to | nonvegetated wetland (1x) | PUSCx | 1 | 1.63 1.84 |
| | | Subtotal | | 2 | 3.47 |
| | To | tal Type 1 Sites | | 15 | 83.11 |
| | ditched | (2d) | E2EM1Pd | 3 | 51.73 |
| | | Subtotal | | 3 | 51.73 |
| | ditched/se restricted | everely tidally (2d-2rs) | E2EM5P6dh | 1 | 1.370 |
| | | Subtotal | | 1 | 1.37 |

| Γotal All Sites | | 66 | 258.69 |
|---|---------------------|---------------|------------------|
| Total Type 2 Sites | | | 175.58 |
| Subtotal | | 5 | 5.54 |
| vegetation change- Iva (2vi) | E2SS1P | 5 | 5.54 |
| Subtotal | | 8 | 3.28 |
| | E2EM5P6 | 1 | 0.49 |
| vegetation change- Phragmites (2v) | E2EM5/1P6 E2EM5P | 2 5 | 0.74 2.05 |
| Subtotal | | 1 | 1.41 |
| severely tidally restricted (2rs) | | | 1.41 |
| Subtotal | | 30 | 106.78 |
| | E2EM1P6 E2EM1P6h | 1 | 1.81 |
| | E2EM1P | 5 4 | 1.99 5.84 |
| | E2EM1N6h E2EM1Nh | 1 1 | 0.45 0.36 |
| | E2EM1N | 4 | 1.34 |
| (22) | E1UBL6 E1UBL6h | | 23.62 14.88 |
| tidally restricted (2r) | E1UBL | 12 | 56.49 |
| ditched/veg change- Phragmites (2d-2v) Subtotal | | 1 | 4.37 |
| Subtotal ditahad/wag ahanga Dhragmitas (2d 2v) | E2EM5/1D64 | 2 1 | 1.10 4.37 |
| | | | |
| ditched/severely tidally restricted/ veg change - Phragmites (2d-2rs-2v) | F2FM5P6dh | 2 | 1.10 |

Table 3. Extent of hardened shorelines in East Providence.

| Hardened Shoreline (code) | Length (in feet) |
|--|------------------|
| Bridge Abutment (BA) | 12394.01 |
| Bulkhead (BK) | 13680.93 |
| Jetty (JT) | 513.47 |
| Pemanent Pier (PP) | 1745.22 |
| Other Significant Pier (OSP) | 1349.21 |
| Revetment (RR) | 10864.95 |
| | |
| Total Hardened Shoreline Length | 40547.81 |

Table 4. Land use/cover in the 500-foot buffer surrounding tidal wetlands in East Providence.

| Land use/cover (code) | Acreage |
|---|--------------------------------|
| Residential Single family (111) Multi family (112) Lawns (114) | 305.87 42.04 31.74 |
| Subtotal | 379.66 |
| Commercial Commercial and Institutional structures (121) Marinas (123) Paved surfaces (125) Wharves, piers, shipyards (127) | 70.81 54.72 2.44 8.25 |
| Subtotal | 136.23 |
| Industrial (13) | 16.11 |
| Transportation, Communications, and Utilities (14) | 64.29 |
| Other Urban or Built-up Land (17) Golf courses (171) Cemeteries (172) Other areas (zoos; urban parks) (173) | 25.90 29.32 8.00 0.60 |
| Subtotal | 63.83 |
| Agriculture Pastures/hayfields (24) | 0.44 |
| Subtotal | 0.44 |
| Rangeland Herbaceous cover (31) Shrub and brush cover (32) Mixed (33) | 20.27 66.42 12.62 |
| Subtotal | 99.32 |

| Subtotal | 125.91 |
|------------------------------------|--------|
| Transitional Areas (77) | 21.57 |
| Mixed barren land (76) | 101.67 |
| Bare exposed rock (74) | 0.11 |
| Other sand areas (73) | 2.55 |
| Barren Land | |
| Subtotal | 58.63 |
| Nonvegetated freshwater wetlands | 12.67 |
| Vegetated freshwater wetlands | 45.95 |
| Water and Freshwater Wetlands (56) | |
| Subtotal | 192.46 |
| Mixed (43) | 22.73 |
| Deciduous forest (41) | 169.73 |
| Forest | |

Results for Jamestown

Table 1. Extent of coastal wetlands and related features in Jamestown.

| Wetland or Water Feature | Map Code | Acreage |
|------------------------------------|--|-------------------------------------|
| Eelgrass Beds | E1AB3L (includes d, e) | 33.811 |
| Estuarine Waters | E1UBL (includes E1UB4L and h,x) | 284.291 |
| Salt Marshes | E2EM1/US1N and E2EM1/US3N E2EM1N (includes d,h,x) E2EM1P (includes d,h,x) E2EM5P (includes d,h,x) | 2.368 7.128 104.023 2.121 |
| | Subtotal | 115.640 |
| Brackish Marshes | E2EM1P6 (includes d,h,x) E2EM5P6 (includes d,h,x) | 2.714 1.820 |
| | Subtotal | 4.534 |
| Estuarine Rocky Shores | E2RS1N E2RS1P E2RS2N (includes r) E2RS2P (includes r) | 12.717 34.987 5.013 11.360 |
| | Subtotal | 64.077 |
| Estuarine Cobble- Gravel Shores | E2US1N and E2US1/2N E2US1P | 13.461 6.949 |
| | Subtotal | 20.410 |
| Estuarine Sandy Shores and Beaches | s E2US2M E2US2N (includes r) E2US2/1N E2US2P (includes r) | 3.311 28.598 39.316 27.697 |
| | Subtotal | 98.922 |
| | Total Estuarine Waters and Wetlands | 621.685 |

| | Total Marine Waters and Wetlands | 43.362 |
|---------------------------------|--|-----------------|
| Marine Sandy Shores and Beaches | M2US2P | 0.633 |
| | Subtotal | 42.729 |
| Marine Rocky Shores | M2RS1N and M2RS2N (includes r) M2RS1P and M2RS2P (includes r) | 6.701 36.028 |
| Marine Waters | M1UBL | 11.254 |
| Marine Eelgrass Beds | M1AB3L (includes d,e) | 0.778 |

Table 2. Potential wetland restoration sites in Jamestown.

| We (co | * | Type | Current Classification | Sites | O |
|-----------|--------------------|------------------------------------|-------------------------------|-------|---------------|
| 1 | | otal Type 1 Sites | | 0 | 0 |
| 2 | ditched | (2d) | E2EM1P6d E2EM1Pd | 7 | 0.68 52.55 |
| | | Subtotal | | 8 | 53.23 |
| | ditched/tidally re | estricted (2d-2r and 2d-2r-2rs) | E2EM1Pd | | 1.01 43.14 |
| | | Subtotal | | 2 | 44.15 |
| | ditched/sev | verely tidally restricted (2d-2rs) | | 1 | 1.82 |
| | | Subtotal | | 1 | 1.82 |
| | tidally rest | ricted (2r) | E1UBL | | 8.77 |
| | | Subtotal | | 1 | 8.77 |
| | vegetation | change- Phragmites (2v) | | 3 | 2.12 |
| | | Subtotal | | 3 | 2.12 |
| | | Total Type 2 Sites | | 15 | 110.09 |
| | al All Sites | | | 15 | 110.09 |

Table 3. Extent of hardened shorelines in Jamestown.

| Hardened Shoreline (code) | Length (in feet) |
|---------------------------------|------------------|
| Bulkhead (BK) | 3171.01 |
| Groin (GR) | 1092.56 |
| Pemanent Pier (PP) | 2398.62 |
| Other Significant Pier (OSP) | 765.02 |
| Revetment (RR) | 6041.56 |
| Seawall (SW) | 5197.29 |
| Total Hardened Shoreline Length | 18666.09 |

Table 4. Land use/ cover in the 500-foot buffer surrounding tidal wetlands in Jamestown.

| Land use/cover (code) | Acreage |
|---|-----------------------------------|
| Residential Single family (111) Multi family (112) Mobile home (113) Lawns (114) | 413.36 3.46 13.56 130.74 |
| Subtotal | 561.12 |
| Commercial Commercial and Institutional structures (121) Marinas (123) Paved surfaces (125) Wharves, piers, shipyards (127) | 9.33 4.45 3.54 5.58 |
| Subtotal | 22.90 |
| Transportation, Communications, and Utilities (14) | 35.30 |
| Other Urban or Built-up Land Golf courses (171) Other areas (zoos; urban parks) (173) | 16.14 3.86 |
| Subtotal | 20.00 |
| Agriculture Cropland (21) Pastures/hayfields (24) | 48.14 66.96 |
| Subtotal | 115.10 |
| Rangeland Herbaceous cover (31) Shrub and brush cover (32) Mixed (33) | 17.22 600.85 16.52 |
| Subtotal | 634.59 |

| Forest | |
|------------------------------------|--------|
| Deciduous forest (41) | 179.14 |
| Mixed (43) | 132.89 |
| Subtotal | 312.03 |
| Water and Freshwater Wetlands (56) | |
| Vegetated freshwater wetlands | 91.49 |
| Nonvegetated freshwater wetlands | 3.62 |
| Subtotal | 95.11 |
| Barren Land | |
| Bare exposed rock (74) | 1.53 |
| Subtotal | 1.53 |

Results for Little Compton

Table 1. Extent of coastal wetlands and related features in Little Compton.

| Wetland or Water Feature | Map Code | Acreage | | |
|-----------------------------------|---|---------------------------|--|--|
| Eelgrass Beds Estuarine Waters | EIAB3L (includes e) E1UBL (includes E1UB4L and h,x) | 0.311 12.546 | | |
| | Subtotal | 12.857 | | |
| Salt Marshes | E2EM1N (includes d,h,x) E2EM1P (includes d,h,x) E2EM5P (includes d,h,x) | 1.573 34.849 4.077 | | |
| | Subtotal | 40.499 | | |
| Brackish Marshes | E2EM1P6 (includes d,h,x) E2EM5P6 (includes d,h,x) | 3.885 2.509 | | |
| | Subtotal | 6.394 | | |
| Estuarine Rocky Shores | E2RS1N E2RS1P E2RS2N (includes r) | 6.396 11.838 18.405 | | |
| | Subtotal | 36.639 | | |
| Salt Shrub Swamps | E2SS1P (includes d,h,x) | 0.800 | | |
| | Subtotal | 0.800 | | |
| Estuarine Cobble- Gravel Shores | | | | |
| | E2US1N and E2US1/2N E2US1P | 10.610 12.961 | | |
| | Subtotal | 23.571 | | |
| Estuarine Sandy Shores and B | | 0 - 1- | | |
| | E2US2N (includes r) E2US2P (includes r) | 8.348 52.097 | | |
| | Subtotal | 60.445 | | |

| Estuarine Mudflats | E2US3N (includes d,h) | 16.361 |
|---------------------|--|----------------|
| | Subtotal | 16.361 |
| | Total Estuarine Waters and Wetlands | 197.566 |
| Marine Waters | M1UBL | 35.758 |
| Marine Rocky Shores | M2RS1N and M2RS2N (includes r) M2RS1P and M2RS2P (includes r) | 1.995 1.085 |
| | Subtotal | 3.080 |
| | Total Marine Waters and Wetlands | 38.838 |

Table 2. Potential wetland restoration sites in Little Compton.

| Wetland | Restoration Type | Current Classification | # of Sites | Acreage |
|---------|--|---------------------------|---------------|----------------|
| 1 | filled (1f) | UPLAND | 3 | 0.810 |
| | Subtotal | | 3 | 0.810 |
| | | PEM1Rh PSS1Rh | | 4.290 1.060 |
| | Subtotal | | 2 | 5.350 |
| | change to nonvegetated wetland (1x) | | 1 | |
| | Subtotal | | 1 | 0.630 |
| | Total Type 1 Sites | | 6 | 7 |
| 2 | ditched/tidally restricted (2d-2r and 2d-2r-2rs) | E2EM1Pdh | | |
| | Subtotal | | 1 | 4.600 |
| | ditched/severely tidally restricted (2d-2rs) | E2EM5P6d | 2 | 1.700 |
| | Subtotal | | 2 | 1.700 |
| | tidally restricted (2r) | E1UBL | 1 | 0.960 |
| | Subtotal | | 1 | 0.960 |
| | tidally restricted/ veg change-Iva (2r-2vi) | E2SS1P | 1 | 0.800 |
| | severely tidally restricted (2rs) | E2EM5P6d | 1 | 0.710 |
| | Subtotal | | 2 | 1.510 |

| Total All Sites | | 15 | 20 |
|---------------------------------------|--------|----|-------|
| Total Type 2 sites | | 9 | 13 |
| Subtotal | | 3 | 4.070 |
| vegetation change- Phragmites (2v) | E2EM5P | 3 | 4.070 |

Table 3. Extent of hardened shorelines in Little Compton.

| Hardened Shoreline (code) | Length (in feet) |
|--|------------------|
| Bulkhead (BK) | 3353.775 |
| Breakwater (BW) | 1421.613 |
| Groin (GR) | 242.099 |
| Revetment (RR) | 6056.464 |
| Seawall (SW) | 632.947 |
| | |
| Total Hardened Shoreline Length | 11706.90 |

Table 4. Land use/cover in the 500-foot buffer surrounding tidal wetlands in Little Compton.

| Landuse/landcover (code) | Acreage |
|---|--------------------------|
| Residential Single family (III) Lawns (114) | 130.73 24.75 |
| Subtotal | 155.48 |
| Commercial: Marinas (123) | 4.84 |
| Other Urban or Built-up Land (17) Golf courses (171) | 11.29 |
| Subtotal | 11.29 |
| Agriculture Cropland (21) Orchards, Nurseries, Vineyards (22) Pastures/hayfields (24) | 115.59 10.00 37.27 |
| Subtotal | 162.86 |
| Rangeland Herbaceous cover (31) Shrub and brush cover (32) Mixed (33) | 18.01 52.91 13.24 |
| Subtotal | 84.17 |
| Forest Deciduous forest (41) Mixed (43) | 11.21 27.07 |
| Subtotal | 38.27 |
| Water and Freshwater Wetlands (56) Vegetated Freshwater Wetlands Freshwater Wetlands | 85.63 0.75 |
| Subtotal | 86.38 |
| Barren Land: Other sand areas (73) | 0.74 |

Results for Middletown

Table 1. Extent of coastal wetlands and related features in Middletown.

| Wetland or Water Feature | Map Code | Acreage |
|------------------------------------|---|-----------------|
| Eelgrass Beds Estuarine Waters | E1AB3L (includes e) E1UBL (includes E1UB4L and h,x) | 4.228 17.694 |
| Salt Marshes | E2EM1N (includes d,h,x) E2EM1P (includes d,h,x) | 0.063 17.052 |
| | Subtotal | 17.115 |
| Brackish Marshes | E2EM1P6 (includes d,h,x) | 29.354 |
| Estuarine Rocky Shores | E2RS1P | 14.645 |
| | E2RS2N (includes r) | 1.040 |
| | Subtotal | 15.685 |
| Estuarine Cobble- Gravel Shores | E2US1N and E2US1/2N | 0.728 |
| Estuarine Sandy Shores and Beaches | , | 1.450 |
| | E2US2P (includes r) | 16.520 |
| | Subtotal | 17.970 |
| | Total Estuarine Waters and Wetlands | 102.774 |
| Marine Waters | M1UBL | 4.583 |
| Marine Rocky Shores | M2RS1N and M2RS2N (includes r) | 30.546 |
| | M2RS1P and M2RS2P (includes r) | |
| | Subtotal | 61.433 |
| Marine Cobble-Gravel Shores | M2US1N | 5.904 |
| Marine Sandy Shores and Beaches | M2US2M | |
| | M2US2N | 23.170 |
| | M2US2P | 17.633 |
| | Subtotal | 40.803 |
| | Total Marine Waters and Wetlands | |
| | | |

Table 2. Potential wetland restoration sites in Middletown.

| Wetland (code) | Restoration Type | Current Classification | | Acreage |
|----------------|---------------------------------------|---------------------------|----|---------|
| 1 | filled (1f) upland | UPLAND | | 21.04 |
| | Subtotal | | | 21.04 |
| | submerged (1su) | L1UBHh | 1 | 100.96 |
| | | L1UBVh | | 83.39 |
| | Subtotal | | | 184.350 |
| | change in vegetated wetland type (1w) | L2AB4Vh | 1 | 23.49 |
| | | PEM1/SS1Rh | 1 | 0.76 |
| | | PEM1Rh | 2 | 3.62 |
| | | PEM5/1Rh | | 20.14 |
| | | PEM5Rh | | 9.21 |
| | Subtotal | | 7 | 33.73 |
| | Total Type 1 Sites | | 14 | 239.12 |
| 2 | , | E2EM1Pd | | |
| | Subtotal | | 2 | 16.43 |
| | tidally restricted (2r) | E1UB4L | 2 | 0.59 |
| | tiddify restricted (21) | E2EM1P | | 0.62 |
| | | E2EM1P6h | | 29.35 |
| | Subtotal | | 4 | 30.56 |
| | Total Type 2 Sites | | 6 | 46.99 |
| Total All | Sites | | 20 | 286.11 |

Table 3. Extent of hardened shorelines in Middletown.

| Hardened Shoreline (code) | Length (in feet) |
|---------------------------------|------------------|
| Bulkhead (BK) | 4484.35 |
| Breakwater (BW) | 8793.30 |
| Groin (GR) | 620.189 |
| Pemanent Pier (PP) | 8860.67 |
| Revetment (RR) | 4737.59 |
| Seawall (SW) | 2617.23 |
| Total Hardened Shoreline Length | 30113.33 |

Table 4. Land use/cover in the 500-foot buffer surrounding tidal wetlands in Middletown.

| Landuse/landcover (code) | Acreage | |
|--|---|--|
| Residential Single family (111) Lawns (114) | 129.986 52.365 | |
| Subtotal | 182.351 | |
| Commercial Commercial and Institutional structures (121) Recreational structures (122) Paved surfaces (125) Unpaved surfaces (126) Wharves, piers, shipyards (127) | 63.662 4.293 16.324 7.757 8.744 | |
| Subtotal | 100.780 | |
| Transportation, Communications, and Utilities (14) | 4.693 | |
| Other Urban or Built-up Land Golf courses (171) Cemeteries (172) Landfills (174) | 17.187 0.526 12.952 | |
| Subtotal | 30.665 | |
| Agriculture Cropland (21) Orchards, Nurseries, Vineyards (22) Pastures/hayfields (24) | 1.145 4.2670 12.596 | |
| Subtotal | 18.008 | |
| Rangeland Herbaceous cover (31) Shrub and brush cover (32) Mixed (33) | 11.288 180.666 19.988 | |
| Subtotal | 211.942 | |

| Subtotal | 27.948 |
|--|------------------|
| Bare exposed rock (74) | 0.715 |
| Barren Land Other sand areas (73) | 27.233 |
| Subtotal | 37.629 |
| Vegetated freshwater wetlands Nonvegetated freshwater wetlands | 25.129 12.500 |
| Vater and Freshwater Wetlands (56) | 10.022 |
| Subtotal | 48.822 |
| Deciduous forest (41) Mixed (43) | 45.354 3.468 |
| Corest | |

Results for Narragansett

Table 1. Extent of coastal wetlands and related features in Narragansett.

| Wetland or Water Feature | Map Code | Acreage |
|--------------------------------|---|----------------------------------|
| Estuarine Waters | E1UBL (includes E1UB4L and h,x) E1UBL6 (includes h,x) | 130.850 67.005 |
| | Subtotal | 197.855 |
| Salt Marshes | E2EM1N (includes d,h,x) E2EM1P (includes d,h,x) E2EM5P (includes d,h,x) | 0.592 131.011 4.986 |
| | Subtotal | 136.589 |
| Brackish Marshes | E2EM1/5P6 & E2EM5/1P6 (d,h,x) E2EM1P6 (includes d,h,x) E2EM5P6 (includes d,h,x) | 5.828 14.366 |
| | Subtotal | 24.808 |
| Estuarine Rocky Shores | E2RS1N E2RS1P E2RS2N (includes r) E2RS2P (includes r) | 1.889 8.502 8.290 0.444 |
| | Subtotal | 19.125 |
| Estuarine Streambeds | E2SB2N AND E1SB3N | 1.162 |
| Salt Shrub Swamps | E2SS1P (includes d,h,x) | 5.852 |
| Estuarine Cobble-Gravel Shores | E2US1N and E2US1/2N | 2.380 |
| Estuarine Sandy Shores/Beaches | E2US2N (includes r) E2US2P (includes r) | 3.053 7.462 |
| | Subtotal | 10.515 |
| Estuarine Mudflats | E2US3M | 23.296 |

| Salt Pannes | E2US4M (includes d,h) | 0.893 |
|---------------------------------|--|------------------|
| | Total Estuarine Waters and Wetlands | 422.475 |
| Marine Waters | M1UBL | 16.833 |
| Marine Rocky Shores | M2RS1N and M2RS2N (includes r) M2RS1P and M2RS2P (includes r) | 41.019 54.503 |
| | Subtotal | 95.522 |
| Marine Cobble-Gravel Shores | M2US1P | 6.746 |
| Marine Sandy Shores and Beaches | M2US2N M2US2P | 36.778 38.061 |
| | Subtotal | 74.839 |
| | Total Marine Waters and Wetlands | 177.107 |

Table 2. Potential wetland restoration sites in the Town of Narragansett

| Wetland (code) | l Restoration | т Туре | Current Classification | | Acreage |
|----------------|---------------|---|-------------------------------|-------|---------|
| 1 | submerge | ed (1su) | PUBHh | 1 | 5.35 |
| | | Subtotal | | 1 | 5.35 |
| | change in | vegetated wetland type (1w) | | | 8.78 |
| | | | PAB4Fh | 1 | 0.46 |
| | | | PEM1Rh | 1 | 6.99 |
| | | | PEM5Eh | 1 | 1.72 |
| | | | PSS1Rh | 1 | 2.28 |
| | | Subtotal | | | 11.45 |
| | | tal Type 1 Sites | | 5 | 16.80 |
| | | | | | |
| 2 | ditched | (2d) | E2EM1Pd | | 101.83 |
| | | | E2SS1Pd | 1 | 0.39 |
| | | Subtotal | | 8 | 102,22 |
| | tidally rest | | E1UBL6h | 2 | 66.67 |
| | J | | E2EM1P6h | 2 | 5.11 |
| | | | E2EM5P6h | 1 | 2.23 |
| | | Subtotal | | 5 | 74.01 |
| | severely ti | | E2EM1/5P6h | 1 | 3.99 |
| severery the | y (2) | E2EM5P6h | 3 | 12.14 | |
| | 1 | Subtotal | | 4 | 16.13 |
| | | dally restricted/ e- Phragmites (2rs-2v) | E2EM5P6h | 1 | 0.38 |
| | | Subtotal | | 1 | 0.38 |
| | vegetation | change- Phragmites (2v) | E2EM5P | 10 | 3.86 |
| | | Subtotal | | 10 | 3.86 |
| | Total Typ | e 2 Sites | | 28 | 196.60 |
| Total Al | | | | 33 | 213.40 |

Table 3. Extent of hardened shorelines in Narragansett.

| Hardened Shoreline (code) | Length (in feet) |
|---------------------------------|------------------|
| Bridge Abutment (BA) | 5185.267 |
| Bulkhead (BK) | 3968.184 |
| Breakwater (BW) | 618.104 |
| Groin (GR) | 2562.649 |
| Other Significant Pier (OSP) | 265.348 |
| Revetment (RR) | 6584.245 |
| Seawall (SW) | 10074.275 |
| Total Hardened Shoreline Length | 29258.07 |

Table 4. Land use/cover in the 500-foot buffer surrounding tidal wetlands in Narragansett.

| Land use/cover (code) | Acreage |
|--|---|
| Residential Single family (111) Multi family (112) Mobile home (113) Lawns (114) | 616.618 14.145 109.526 7.178 |
| Subtotal | 747.467 |
| Commercial Commercial and Institutional structures (121) Recreational structures (122) Marinas (123) Paved surfaces (125) Unpaved surfaces (126) Wharves, piers, shipyards (127) | 68.610 23.067 0.635 43.322 2.090 0.774 |
| Subtotal | 138.498 |
| Transportation, Communications, and Utilities (14) | 30.015 |
| Agriculture Pastures/hayfields (24) | 6.984 |
| Subtotal | 6.984 |
| Rangeland Herbaceous cover (31) Shrub and brush cover (32) Mixed (33)Subtotal | 7.611 93.878 41.804 143.293 |
| Subtotal | 143.293 |
| Forest Deciduous forest (41) Evergreen forest (42) Mixed (43) | 84.161 0.550 165.255 |
| Subtotal | 249.966 |

| Subtotal | 15.298 |
|------------------------------------|---------|
| Mixed barren land (76) | 4.387 |
| Other sand areas (73) | 10.911 |
| Barren Land | |
| Subtotal | 129.514 |
| Nonvegetated freshwater wetlands | 6.140 |
| Vegetated freshwater wetlands | 123.374 |
| Water and Freshwater Wetlands (56) | |

Results for Newport

Table 1. Extent of coastal wetlands and related features in Newport.

| Wetland or Water Feature | Map Code | Acreage |
|---------------------------------------|-------------------------------------|-----------------|
| Eelgrass Beds | EIAB3L (includes c, d, e) | 36.385 |
| Estuarine Waters | E1UBL (includes E1UB4L and h,x) | 50.558 |
| | Subtotal | 86.943 |
| Salt Marshes | E2EM1N (includes d,h,x) | 1.237 |
| | E2EM1P (includes d,h,x) | 23.465 |
| | E2EM5P (includes d,h,x) | 5.717 |
| | Subtotal | 30.419 |
| Estuarine Rocky Shores | E2RS2P (includes r) | 1.048 |
| Salt Shrub Swamps | E2SS1P (includes d,h,x) | 0.821 |
| Estuarine Sandy Shores and Beacher | s E2US2M | 4.582 |
| · | E2US2N (includes r) | 8.727 |
| | E2US2P (includes r) | 5.856 |
| | Subtotal | 19.165 |
| | Total Estuarine Waters and Wetlands | |
| Marina Falareas Dada | M1AD2L (includes d.a.) | 1.834 |
| Marine Eelgrass Beds Marine Waters | M1AB3L (includes d,e) M1UBL | 1.654 26.461 |
| Marine Rocky Shores | M2RS1N and M2RS2N (includes r) | 63.122 |
| Marine Rocky Shores | M2RS1P and M2RS2P (includes r) | 75.030 |
| | | |
| | Subtotal | 138.152 |
| Marine Cobble-Gravel Shores | M2US1P | 2.813 |
| Marine Sandy Shores and Beaches | M2US2M | 2.277 |
| | M2US2N | 40.761 |
| | M2US2P | 20.900 |
| | Subtotal | 63.938 |
| | Total Marine Waters and Wetlands | 204.903 |

Table 2. Potential wetland restoration sites in Newport.

| Wetla (code) | and Restoratio | on Type | Current Classification | # of Sites | Acreage |
|-----------------|----------------|-----------------------------------|---|------------------|--------------------------------|
| 1 | submerg | ged (1su) | L1UBHh L1UBVh | 1 2 | 10.04 121.18 |
| | | Subtotal | | 3 | 131.22 |
| | change in | vegetated wetland type (1w) | L2AB4Vh PEM1Rh PEM5Rh PSS1/EM5Rh | | 57.07 4.05 8.21 16.14 |
| | | Subtotal | | 6 | 85.47 |
| | T | otal Type 1 Sites | | 9 | 216.69 |
| 2 | ditched | | E2EM1Pd | 1 | 2.01 |
| | | Subtotal | | 1 | 2.01 |
| | ditched/ti | dally restricted | | | |
| | | 1 2d-2r-2rs) | E2EM1Pd E2EM1Pdh | | 6.15 2.22 |
| | | Subtotal | | 2 | 8.37 |
| | ditched/seve | erely tidally restricted (2d-2rs) | | 1 | 2.19 |
| | | Subtotal | | 1 | 2.19 |
| | ditched/veg | change- Phragmites (2d-2v) | E2EM5Pd | 1 | 1.49 |
| | | Subtotal | | 1 | 1.49 |
| | tidally res | tricted (2r) | E1UBLh E2EM1Nh E2EM1P E2EM1Ph | 2 1 1 4 | 32.64 0.66 3.29 9.53 |
| | | Subtotal | | 8 | 46.12 |

| Total All Sites | | 28 | 280.13 |
|--|---------|----|--------|
| Total Type 2 Sites | | 19 | 63.44 |
| Subtotal | | 1 | 0.82 |
| vegetation change- Iva (2vi) | E2SS1P | 1 | 0.82 |
| Subtotal | | 1 | 0.93 |
| severely tidally restricted/veg change- Phragmites (2rs-2v) | E2EM5Ph | 1 | 0.93 |
| Subtotal | | 4 | 1.51 |
| severely tidally restricted (2rs) | E2EM5Ph | 4 | 1.51 |

Table 3. Extent of hardened shorelines in Newport.

| Hardened Shoreline (code) | Length (in feet) |
|---------------------------------|------------------|
| Bridge Abutment (BA) | 966.886 |
| Bulkhead (BK) | 29860.473 |
| Groin (GR) | 980.00 |
| Pemanent Pier (PP) | 12501.47 |
| Other Significant Pier (OSP) | 606.199 |
| Revetment (RR) | 10726.175 |
| Seawall (SW) | 24258.084 |
| Total Hardened Shoreline Length | 79899.29 |

Table 4. Land use/cover in the 500-foot buffer surrounding tidal wetlands in Newport.

| Land use/cover (code) | Acreage |
|--|--|
| Residential Single family (111) Multi family (112) Lawns (114) | 193.866 21.185 272.005 |
| Subtotal | 487.056 |
| Commercial Commercial and Institutional structures (121) Recreational structures (122) Paved surfaces (125) Unpaved surfaces (126) Wharves, piers, shipyards (127) | 194.814 5.166 39.136 11.092 52.825 |
| Subtotal | 303.033 |
| Transportation, Communications, and Utilities (14) | 35.278 |
| Other Urban or Built-up Land Golf courses (171) Other areas (zoos; urban parks) (173) | 17.751 17.284 |
| Subtotal | 35.035 |
| Agriculture Orchards, Nurseries, Vineyards (22) Pastures/hayfields (24)Subtotal | 0.691 8.940 9.631 |
| | 9.031 |
| Rangeland Herbaceous cover (31) Shrub and brush cover (32) Mixed (33) | 69.031 163.20 7.946 |
| Subtotal | 240.177 |

| Forest | |
|------------------------------------|---------|
| Deciduous forest (41) | 181.794 |
| Mixed (43) | 4.685 |
| Subtotal | 186.479 |
| Water and Freshwater Wetlands (56) | |
| Vegetated freshwater wetlands | 21.538 |
| Nonvegetated freshwater wetlands | 7.118 |
| Subtotal | 28.656 |
| Barren Land | |
| Other sand areas (73) | 4.287 |
| Mixed barren land (76) | 0.632 |
| Subtotal | 4.919 |

Results for North Kingstown

Table 1. Extent of coastal wetlands and related features in North Kingstown.

| Wetland or Water Feature | Map Code | Acreage |
|------------------------------------|---|-------------------------|
| Eelgrass Beds | EIAB3L | 8.590 |
| Estuarine Waters | E1UBL (includes E1UB4L and h,x) E1UBL6 (includes h,x) | 8.873 |
| | Subtotal | 183.245 |
| Salt Marshes | E2EM1N (includes d,h,x) E2EM1P (includes d,h,x) E2EM5P (includes d,h,x) | 131.657 27.359 |
| | Subtotal | 180.069 |
| Brackish Marshes | E2EM1/5P6 and E2EM5/1P6 (includes d,h,x) E2EM1P6 (includes d,h,x) E2EM5P6 (includes d,h,x) | 16.427 |
| | Subtotal | 22.994 |
| Estuarine Rocky Shores | E2RS1P E2RS2N (includes r) E2RS2P (includes r) | 1.448 6.830 0.583 |
| | Subtotal | 8.861 |
| Salt Shrub Swamps | E2SS1P (includes d,h,x) | 4.689 |
| Estuarine Sandy Shores and Beaches | E2US2N (includes r) E2US2P (includes r) | 16.763 63.994 |
| | Subtotal | 80.757 |
| Estuarine Mudflats | E2US3M | 15.271 |
| | Total Est. Waters and Wetlands | 504.476 |

Table 2. Potential wetland restoration sites in North Kingstown.

| Wetla (code) | nd Restoration Type | Current Classification | | Acreage |
|-----------------|---------------------------------------|--|-----------------------------|--|
| 1 | filled (1f) upland | UPLAND | | 1.01 |
| | Subtotal | | 1 | 1.01 |
| | Total Type 1 Sites | | 1 | 1.01 |
| 2 | ditched (2d) | E2EM1Pd | 7 | 28.65 |
| | ditched/veg change- Iva (2d-2vi) | E2SS1Pd | 1 | 4.39 |
| | tidally restricted (2r) | E1UBL E1UBLh E2EM1Nh E2EM1P E2EM1P6 E2EM1Ph E2SS1P | 14 3 3 3 1 7 | 20.48 2.97 4.53 3.61 6.15 14.01 0.16 |
| | Subtotal | | 32 | 51.91 |
| | severely tidally restricted (2rs) | E2EM5P6 E2EM5Ph | 1 2 | 4.10 1.40 |
| | Subtotal severely tidally restricted/ | | 3 | 5.50 |
| | veg change- Phragmites (2rs-2v) | E2EM5P | 3 | 1.36 |
| | vegetation change- Phragmites (2v) | E2EM1/5P6 E2EM5P E2EM5P6 E2EM5Ph | 1 15 1 | 0.50 18.00 1.88 6.84 |
| | Subtotal | | 18 | 27.22 |
| | Total Type 2 Sites | | 64 | 119.03 |
| Total | All Sites | | 65 | 120.04 |

Table 3. Extent of hardened shorelines in North Kingstown.

| Hardened Shoreline (code) | Length (in feet) |
|---------------------------------|------------------|
| Bridge Abutment (BA) | 1850.046 |
| Bulkhead (BK) | 25013.418 |
| Breakwater (BW) | 1571.475 |
| Groin (GR) | 3107.350 |
| Jetty (JT) | 3715.436 |
| Pemanent Pier (PP) | 6325.197 |
| Other Significant Pier (OSP) | 538.526 |
| Revetment (RR) | 16176.371 |
| Seawall (SW) | 6924.210 |
| Total Hardened Shoreline Length | 65222.03 |

Table 4. Land use/cover in the 500-foot buffer surrounding tidal wetlands in North Kingstown.

| Land use/cover (code) | Acreage |
|---|--|
| Residential Single family (111) Multi family (112) Lawns (114) Other (115) | 542.949 26.594 139.808 0.529 |
| Subtotal | 709.88 |
| Commercial | |
| Commercial and Institutional structures (121) Marinas (123) Paved surfaces (125) Unpaved surfaces (126) Wharves, piers, shipyards (127) | 55.636 8.384 64.496 1.149 74.651 |
| Subtotal | 204.316 |
| Transportation, Communications, and Utilities (14) | 70.121 |
| Other Urban or Built-up Land | |
| Golf courses (171) | 54.465 |
| Other areas (zoos; urban parks) (173) Landfills (174) | 0.855 14.870 |
| Subtotal | 70.19 |
| Agriculture | |
| Cropland (21) Pastures/hayfields (24) | 2.612 10.774 |
| Subtotal | 13.386 |
| Rangeland Herbaceous cover (31) Shrub and brush cover (32) Mixed (33) | 11.741 80.933 152.699 |
| Subtotal | 245.373 |

| Forest | |
|--|-----------------------|
| Deciduous forest (41) | 372.642 |
| Mixed (43) | 458.384 |
| Subtotal | 831.026 |
| Water and Freshwater Wetlands (56) | |
| Vegetated freshwater wetlands | 182.053 |
| Nonvegetated freshwater wetlands | 5.976 |
| | |
| Subtotal | 188.029 |
| Subtotal Barren Land | 188.029 |
| | 188.029 13.261 |
| Barren Land | |
| Barren Land Other sand areas (73) | 13.261 |
| Barren Land Other sand areas (73) Bare exposed rock (74) | 13.261 0.612 |

Results for Pawtucket

Table 1. Extent of coastal wetlands and related features in Pawtucket.

| Wetland or Water Feature | Map Code | Acreage |
|--------------------------|-------------------------------------|---------|
| Estuarine Waters | E1UBL (includes E1UB4L and h,x) | 12.215 |
| Salt Marshes | E2EM1N (includes d,h,x) | 0.542 |
| Brackish Marshes | E2EM1P6 (includes d,h,x) | 0.085 |
| | Total Estuarine Waters and Wetlands | 12.842 |

Table 2. Potential wetland restoration sites in Pawtucket.

| Wetland l (code) | Restoration Type | Current Classification | | Acreage |
|---------------------|--------------------|---------------------------|---|---------|
| 2 | ditched (2d) | E2EM1P6d | 1 | 0.09 |
| | Subtotal | | 1 | 0.09 |
| | Total Type 2 Sites | | 1 | 0.09 |
| | | | | |
| Total All | Sites | | 1 | 0.09 |

Table 3. Extent of hardened shorelines in Pawtucket.

| Hardened Shoreline (code) | Length (in feet) |
|---------------------------------|------------------|
| Bulkhead (BK) | 2897.533 |
| Total Hardened Shoreline Length | 2897.53 |

Table 4. Land use/ cover in the 500-foot buffer surrounding tidal wetlands in Pawtucket.

| Land use/cover (code) | Acreage |
|---|---------------------------|
| Residential Single family (111) Multi family (112) Lawns (114) | 7.000 0.994 4.790 |
| Subtotal | 12.784 |
| Commercial Commercial and Institutional structures (121) Paved surfaces (125) | 54.443 2.564 |
| Subtotal | 57.007 |
| Transportation, Communications, and Utilities (14) | 14.921 |
| Other Urban or Built-up Land Cemeteries (172) Other areas (zoos; urban parks) (173) | 7.234 11.127 |
| Subtotal | 18.361 |
| Rangeland Herbaceous cover (31) Shrub and brush cover (32) Mixed (33) | 1.451 12.976 21.562 |
| Subtotal | 35.989 |
| Forest Deciduous forest (41) Mixed (43) | 31.169 10.040 |
| Subtotal | 41.209 |
| Barren Land Mixed barren land (76) | 1.650 |
| Subtotal | 1.650 |

Results for Portsmouth

Table 1. Extent of coastal wetlands and related features in Portsmouth.

| Wetland or Water Feature | Map Code | Acreage |
|---------------------------------|--|-------------------------------------|
| Eelgrass Beds | EIAB3L (includes d,e) | 9.255 |
| Estuarine Waters | E1UBL (includes E1UB4L and h,x) E1UBL6 (includes h,x) | 9.986 |
| | Subtotal | 144.088 |
| Salt Marshes | E2EM1N (includes d,h,x) E2EM1P (includes d,h,x) E2EM5P (includes d,h,x) E2EM5/SS1P | 34.605 303.789 8.219 3.267 |
| | Subtotal | 349.88 |
| Brackish Marshes | E2EM1P6 (includes d,h,x) E2EM5P6 (includes d,h,x) | 54.227 |
| | Subtotal | 62.204 |
| Oyster Reefs | E2RF2N (includes h) | 0.945 |
| Estuarine Rocky Shores | E2RS1N E2RS1P E2RS2N (includes r) E2RS2P (includes r) | 4.620 16.727 20.924 0.142 |
| | Subtotal | 43.358 |
| Salt Shrub Swamps | E2SS1P (includes d,h,x) | 38.405 |
| Estuarine Cobble- Gravel Shores | E2US1N and E2US1/2N E2US1P | 30.889 32.911 |
| | Subtotal | 63.80 |

| Estuarine Sandy Shores and Beaches | E2US2M E2US2N (includes r) E2US2/1N E2US2P (includes r) | 3.671 135.558 2.818 127.734 |
|------------------------------------|---|--------------------------------------|
| | Subtotal | 269.781 |
| Estuarine Mudflats | E2US3M | 18.450 |
| Salt Pannes | E2US4M (includes d,h) E2US4N | 3.858 0.180 |
| | Subtotal | 4.038 |
| | Total Estuarine Waters and Wetlands | 1003.26 |

Table 2. Potential wetland restoration sites in Portsmouth.

| Wetland (code) | d Restoratio | n Type | Current Classification | # of Sites | Acreage |
|-------------------|--------------|---------------------------|---------------------------|---------------|---------|
| 1 | filled (1f |) upland | UPLAND | 9 | 16.31 |
| | | Subtotal | | 9 | 16.31 |
| | filled-spo | il (1fsp) | UPLAND | | 6.04 |
| | | Subtotal | | 2 | 6.04 |
| | submerge | ed (1su) | PUBHh | 1 | 0.65 |
| | | | PUBVh | 1 | 1.00 |
| | change in | Subtotal vegetated | | 2 | 1.65 |
| | wetland t | _ | PABHh | 1 | 0.54 |
| | • |) r - (···) | PEM1R | 1 | 0.67 |
| | | | PEM5/SS1Rh | 2 | 1.29 |
| | | | PEM5Ch | 1 | 0.48 |
| | | | PEM5Rh | 4 | 10.83 |
| | | | PSS1Eh | 1 | 1.60 |
| | | | PSS1R | 1 | 2.59 |
| | | | PSS1Rd | 1 | 10.41 |
| | | | PSS1Rh | 1 | 0.14 |
| | | Subtotal | | 12 | 28.01 |
| | change to | nonvegetated wetland (1x) | PUBFx | 1 | 0.36 |
| | _ | | PUBVx | 1 | |
| | | Subtotal | | 2 | 0.88 |
| | Te | otal Type 1 Sites | | 27 | 52.89 |
| 2 | ditched | (2d) | E2EM1Pd | 12 | 188.52 |
| 2 | artenea | (20) | E2US4Md | 2 | 0.94 |
| | | Subtotal | | 14 | 189.46 |
| | ditched/ti | dally restricted | | | |
| | | l 2d-2r-2rs) | E2EM1Pd | 1 | 10.41 |
| | | Subtotal | | 1 | 10.41 |

| ditched/veg change- Iva (2d-2vi) | E2SS1P | 4 | 7.08 |
|---|-------------------|--------|--------------|
| Subtotal | E411D1 (| 4 | 7.08 |
| impounded (2h) | E1UBL6 E2EM1P6 | 1 2 | 9.99 1.09 |
| Subtotal | | 3 | 11.08 |
| impounded/veg change- Phragmites (2h-2v) | E2EM5P6 | 2 | 1.07 |
| i magimes (211 21) | E2EM5Ph | 1 | 1.61 |
| Subtotal | | 3 | 2.68 |
| tidally restricted (2r) | E1UBL | 1 | 6.16 |
| | E1UBLh | 1 | 1.14 |
| | E2EM1P6h | 1 | 2.29 |
| | E2EM1Ph | 2 | 3.86 |
| Subtotal severely tidally restricted/veg change | e- | 5 | 13.45 |
| , , | E2EM5P6 | 2 | 44.11 |
| | E2EM5P6h | 1 | 1.55 |
| | E2EM5Ph | 1 | 0.66 |
| Subtotal | | 4 | 46.32 |
| vegetation change- Phragmites (2v) | | 15 | 9.53 |
| | E2EM5P6 | 2 | 7.50 |
| Subtotal | | | 17.03 |
| vegetation change- Iva (2vi) | E2SS1P | 12 | 20.08 |
| | E2SS1Pd | 1 | 1.74 |
| Subtotal veg change-Iva and | | 13 | 21.82 |
| Phragmites (2vi-2v) | E2EM5/SS1P | 1 | 3.27 |
| excavated/tidally restricted (2x-2r) | E1UBLx | 1 | 0.22 |
| Total Type 2 Sites | | 66 | 322.82 |
| Total All Sites | | 93 | 375.71 |
| | | | |

Table 3. Extent of hardened shorelines in Portsmouth.

| Hardened Shoreline (code) | Length (in feet) |
|---------------------------------|------------------|
| Bridge Abutment (BA) | 2663.031 |
| Bulkhead (BK) | 22303.860 |
| Breakwater (BW) | 2300.275 |
| Groin (GR) | 1825.570 |
| Other Hardened Shore (OHS) | 705.035 |
| Pemanent Pier (PP) | 6576.662 |
| Other Significant Pier (OSP) | 3093.767 |
| Revetment (RR) | 12662.039 |
| Seawall (SW) | 10083.160 |
| Total Hardened Shoreline Length | 37246.51 |

Table 4. Land use/cover in the 500-foot buffer surrounding tidal wetlands in Portsmouth.

| Land use/cover (code) | Acreage |
|---|---|
| Residential Single family (111) Multi family (112) Lawns (114) | 687.309 7.679 127.267 |
| Subtotal | 822.255 |
| Commercial Commercial and Institutional structures (121) Marinas (123) Junkyards (124) Paved surfaces (125) Unpaved surfaces (126) Wharves, piers, shipyards (127) Other (12) | 13.038 9.175 0.053 5.974 5.563 22.480 1.205 |
| Subtotal | 57.4880 |
| Transportation, Communications, and Utilities (14) | 53.740 |
| Other Urban or Built-up Land Golf courses (171) Other areas (zoos; urban parks) (173)Subtotal | 88.229 9.338 |
| Agriculture Cropland (21) Orchards, Nurseries, Vineyards (22) Pastures/hayfields (24) | 45.727 2.323 18.354 |
| Subtotal | 66.404 |
| Rangeland Herbaceous cover (31) Shrub and brush cover (32) Mixed (33) | 40.732 802.732 134.466 |
| Subtotal | 977.9300 |

| Subtotal | 61.667 |
|------------------------------------|----------|
| Transitional Areas (77) | 2.588 |
| Mixed barren land (76) | 27.862 |
| Bare exposed rock (74) | 0.166 |
| Other sand areas (73) | 31.051 |
| Barren Land | |
| Subtotal | 171.080 |
| Nonvegetated freshwater wetlands | 7.148 |
| Vegetated freshwater wetlands | 163.938 |
| Vater and Freshwater Wetlands (56) | 4.52.004 |
| Subtotal | 829.71 |
| Mixed (43) | 556.858 |
| Evergreen forest (42) | 11.510 |
| Deciduous forest (41) | 261.349 |
| Forest | |

Results for Providence

Table 1. Extent of coastal wetlands and related features in Providence.

| Wetland or Water Feature | Map Code | Acreage |
|------------------------------------|--|------------------|
| Estuarine Waters | E1UBL (includes E1UB4L and h,x) E1UBL6 (includes h,x) | 38.051 13.828 |
| | Subtotal | 51.879 |
| Salt Marshes | E2EM1N (includes d,h,x) E2EM1P (includes d,h,x) | 0.582 4.839 |
| | Subtotal | 5.421 |
| Salt Shrub Swamps | E2SS1P (includes d,h,x) | 0.174 |
| Estuarine Sandy Shores and Beaches | E2US2M E2US2N (includes r) | 0.467 1.124 |
| | Subtotal | 1.591 |
| | Total Estuarine Waters and Wetlands | 59.065 |

Table 2. Potential wetland restoration sites in Providence.

| Wetland Restoration Type (code) | | Current Classification | | Acreage |
|---------------------------------|---------------------------------------|---------------------------|---|----------------|
| 1 | submerged (1su) | PUBHh | 1 | 0.630 |
| | Subtotal | | 1 | 0.630 |
| | change in vegetated wetland type (1w) | PAB4Vh PSS1Rh | 1 | 0.970 0.230 |
| | Subtotal | | 2 | 1.200 |
| | Total Type 1 Sites | | 3 | 1.83 |
| Total All Sites | | | 3 | 1.83 |

Table 3. Extent of hardened shorelines in Providence.

| Hardened Shoreline (code) | Length (in feet) |
|---------------------------------|------------------|
| Bulkhead (BK) | 31507.044 |
| Pemanent Pier (PP) | 2330.256 |
| Other Significant Pier (OSP) | 1905.028 |
| Revetment (RR) | 14201.848 |
| Total Hardened Shoreline Length | 18437.13 |

Table 4. Land use/ cover in the 500-foot buffer surrounding tidal wetlands in Providence.

| Land use/cover (code) | Acreage |
|---|---------------------------------------|
| Residential Single family (111) Lawns (114) | 28.092 14.501 |
| Subtotal | 42.593 |
| Commercial Commercial and Institutional structures (121) Marinas (123) Paved surfaces (125) Wharves, piers, shipyards (127) | 242.390 0.966 18.469 178.115 |
| Subtotal | 439.940 |
| Industrial (13) | 10.194 |
| Transportation, Communications, and Utilities (14) | 75.925 |
| Other Urban or Built-up Land Cemeteries (172) Other areas (zoos; urban parks) (173) | 23.962 45.819 |
| Subtotal | 69.781 |
| Rangeland Herbaceous cover (31) Shrub and brush cover (32) Mixed (33) | 1.082 2.704 28.762 |
| Subtotal | 32.548 |
| Forest Deciduous forest (41) Mixed (43) | 65.101 32.344 |
| Subtotal Without and Freedom Westlander (5.6) | 97.445 |
| Water and Freshwater Wetlands (56) Vegetated freshwater wetlands Nonvegetated freshwater wetlands | 4.279 1.370 |
| Subtotal | 5.649 |
| Barren Land Mixed (76) | 11.026 |

Results for South Kingstown

Table 1. Extent of coastal wetlands and related features in South Kingstown.

| Wetland or Water Feature | Map Code | Acreage |
|--------------------------|---|---------|
| Estuarine Waters | E1UBL (includes E1UB4L and h,x) E1UBL6 (includes h,x) | |
| | Subtotal | 9.265 |
| Salt Marshes | E2EM1P (includes d,h,x) E2EM5P (includes d,h,x) | |
| | Subtotal | 66.087 |
| Salt Shrub Swamps | E2SS1P (includes d,h,x) | 2.983 |
| Estuarine Mudflats | E2US3M | 1.621 |
| Salt Pannes | E2US4M (includes d,h) | 0.639 |
| | Total Estuarine Waters and Wetlands | 80.595 |

Table 2. Potential wetland restoration sites in South Kingstown.

| Wetland Restoration Type (code) | | Current Classificatio | # of on Sites | Acreage | |
|---------------------------------|-----------|---------------------------|------------------|---------|-------|
| 1 | Total T | ype 1 Sites | | 0 | 0 |
| 2 | ditched | (2d) | E2EM1Pd | 5 | 24.07 |
| | | Subtotal | | 5 | 24.07 |
| | vegetatio | n change- Phragmites (2v) | E2EM5P | 3 | 1.37 |
| | | Subtotal | | 3 | 1.37 |
| | Total Ty | pe 2 Sites | | 8 | 25.44 |
| Total A | All Sites | | | 8 | 25.44 |

Table 3. Extent of hardened shorelines in South Kingstown.

| Hardened Shoreline (code) | Length (in feet) |
|---------------------------------|------------------|
| Bridge Abutment (BA) | 84.266 |
| Bulkhead (BK) | 2101.646 |
| Revetment (RR) | 374.198 |
| Total Hardened Shoreline Length | 2560.11 |

Table 4. Land use/cover in the 500-foot buffer surrounding tidal wetlands in South Kingstown.

| Land use/cover (code) | Acreage |
|------------------------------------|---------|
| Residential | |
| Single family (111) | 40.842 |
| Lawns (114) | 1.619 |
| Subtotal | 42.461 |
| Agriculture | |
| Pastures/hayfields (24) | 10.518 |
| Subtotal | 10.518 |
| Rangeland | |
| Shrub and brush cover (32) | 6.055 |
| Subtotal | 6.055 |
| Forest | |
| Mixed (43) | 168.263 |
| Subtotal | 168.263 |
| Water and Freshwater Wetlands (56) | |
| Vegetated freshwater wetlands | 14.761 |
| Nonvegetated freshwater wetlands | 0.308 |
| Subtotal | 15.069 |

Results for Tiverton

Table 1. Extent of coastal wetlands and related features in Tiverton.

| Wetland or Water Feature | Map Code | Acreage |
|------------------------------------|---|-----------------------------|
| Estuarine Waters | E1UBL (includes E1UB4L and h,x) | 80.930 |
| Salt Marshes | E2EM1/5P (includes d,h,x; E2EM5/1P (includes d,h,x) E2EM1N (includes d,h,x) E2EM1P (includes d,h,x) E2EM5P (includes d,h,x) | 11.488 215.241 46.833 |
| | Subtotal | 275.655 |
| Brackish Marshes | E2EM1P6 (includes d,h,x) E2EM5P6 (includes d,h,x) | |
| | Subtotal | 8.113 |
| Estuarine Rocky Shores | E2RS1N E2RS1P E2RS2N (includes r) | 0.940 1.643 1.344 |
| | Subtotal | 3.927 |
| Salt Shrub Swamps | E2SS1P (includes d,h,x) | 9.922 |
| Estuarine Sandy Shores and Beaches | E2US2N (includes r) E2US2P (includes r) | |
| | Subtotal | 99.933 |
| Estuarine Mudflats | E2US3M E2US3N (includes d,h) | 1.053 11.733 |
| | Subtotal | 12.786 |
| Salt Pannes | E2US4M (includes d,h) | 6.966 |
| | Total Estuarine Waters and Wetlands | 498.232 |

Table 2. Potential wetland restoration sites in Tiverton.

| Wetland (code) | Restoration | т Туре | Current Classification | | Acreage |
|----------------|--------------|-----------------------------|---------------------------|----|---------|
| 1 | filled (1f) | upland | UPLAND | | |
| | | Subtotal | | 2 | 2.61 |
| | change in | vegetated wetland type (1w) | | | |
| | | | PAB4Hh | | 0.54 |
| | | PAB | PEM1/UBTh | | |
| | | Subtotal | | 2 | 1.12 |
| | | tal Type 1 Sites | | 4 | 3.73 |
| 2 | ditched | (2d) | E2EM1Pd | | |
| | | Subtotal | | 3 | |
| | tidally rest | ricted (2r) | E1UBL | 3 | 5.75 |
| | via | (=1) | E1UBLh | 1 | 1.71 |
| | | | E2EM1N | 4 | 1.09 |
| | | | E2EM1P | 2 | 2.88 |
| | | | E2SS1Ph | 1 | 0.34 |
| | | | E2US2N | 1 | 0.89 |
| | | Subtotal | | 12 | 12.66 |
| | severely ti | dally restricted (2rs) | E2EM5P6h | 1 | 6.21 |
| | | Subtotal | | 1 | 6.21 |
| | vegetation | change- Phragmites (2v) | E2EM1/5P | 1 | 1.63 |
| | - | | E2EM5/1P | 1 | 0.46 |
| | | | E2EM5P | 16 | 46.37 |
| | | | E2EM5P6 | 1 | 0.65 |
| | | Subtotal | | 19 | 49.11 |
| | Total Typ | e 2 Sites | | 35 | 181.02 |
| Total All | Sites | | | 39 | 184.75 |

Table 3. Extent of hardened shorelines in Tiverton.

| Hardened Shoreline (code) | Length (in feet) |
|---------------------------------|------------------|
| Bridge Abutment (BA) | 3961.598 |
| Bulkhead (BK) | 7908.229 |
| Breakwater (BW) | 266.699 |
| Groin (GR) | 1870.021 |
| Pemanent Pier (PP) | 1256.381 |
| Revetment (RR) | 9790.379 |
| Seawall (SW) | 1288.894 |
| Total Hardened Shoreline Length | 26342.20 |

Table 4. Land use/cover in the 500-foot buffer surrounding tidal wetlands in Tiverton.

| Land use/cover (code) | Acreage |
|---|-----------------------------|
| Residential Single family (111) Mobile home (113) Lawns (114) | 295.321 0.21 90.477 |
| Subtotal | 386.008 |
| Commercial Commercial and Institutional structures(121) Marinas (123) Wharves, piers, shipyards (127) | 6.04 2.844 20.359 |
| Subtotal | 29.243 |
| Transportation, Communications, and Utilities (14) | 13.584 |
| Other Urban or Built-up Land Cemeteries (172) | 4.811 |
| Subtotal | 4.811 |
| Agriculture Cropland (21) Orchards, Nurseries, Vineyards (22) Pastures/hayfields (24) | 281.159 2.422 59.368 |
| Subtotal | 342.949 |
| Rangeland Herbaceous cover (31) Shrub and brush cover (32) Mixed (33) | 18.283 134.726 64.146 |
| Subtotal | 217.155 |
| Forest Deciduous forest (41) Mixed (43) | 116.894 102.946 |
| Subtotal | 219.84 |

| Water and Freshwater Wetlands (56) | |
|------------------------------------|--------|
| Vegetated freshwater wetlands | 73.271 |
| Nonvegetated freshwater wetlands | 3.695 |
| Subtotal | 76.966 |
| Barren Land | |
| Other sand areas (73) | 9.822 |
| Mixed barren land (76) | 25.95 |
| Subtotal | 35.772 |

Results for Warren

Table 1. Extent of coastal wetlands and related features in Warren.

| Wetland or Water Feature | Map Code | Acreage |
|------------------------------------|---|---------|
| Estuarine Waters | E1UBL (includes E1UB4L and h,x) | 14.761 |
| Salt Marshes | E2EM1N (includes d,h,x) E2EM1P (includes d,h,x) E2EM5P (includes d,h,x) | 7.657 |
| | Subtotal | 251.107 |
| Brackish Marshes | E2EM1P6 (includes d,h,x) E2EM5P6 (includes d,h,x) | |
| | Subtotal | 7.928 |
| Salt Shrub Swamps | E2SS1P (includes d,h,x) | 13.172 |
| Estuarine Sandy Shores and Beaches | E2US2M E2US2N (includes r) E2US2P (includes r) | 18.553 |
| | Subtotal | 20.320 |
| Estuarine Mudflats | E2US3N (includes d,h) | 3.868 |
| Salt Pannes | E2US4M (includes d,h) | 0.289 |
| | Total Estuarine Waters and Wetlands | 311.445 |

Table 2. Potential wetland restoration sites in Warren.

| Wetland (code) | Restoration | п Туре | Current Classification | | Acreage |
|----------------|-------------|-----------------------------|---------------------------|----|---------|
| 1 | filled (1f) | upland | UPLAND | | |
| | | Subtotal | | 10 | |
| | change in | vegetated wetland type (1w) | | | |
| | _ | | L2AB4Vh | 2 | 2.59 |
| | | | PEM1T | 1 | 0.46 |
| | | | PEM5R | | 4.05 |
| | | | PSS1/EM1Rh | | 6.25 |
| | | Subtotal | | 6 | 13.35 |
| | To | otal Type 1 Sites | | 16 | 17.20 |
| 2 | ditched | (2d) | E2EM1Pd | | |
| | | Subtotal | | 14 | |
| | ditched/tic | lally restricted | | | |
| | | l 2d-2r-2rs) | E2EM1Pd | | 10.98 |
| | | Subtotal | | 1 | 10.98 |
| | ditched/ve | eg change- Iva (2d-2vi) | E2SS1P | 7 | 6.06 |
| | | | E2SS1Pd | 1 | 0.60 |
| | | Subtotal | | 8 | 6.66 |
| | tidally res | tricted (2r) | E1UBL | 1 | 0.66 |
| | J | | E2EM1P | 1 | 1.77 |
| | | Subtotal | | 2 | 2.43 |
| | severely ti | dally restricted (2rs) | E2EM5P | 1 | 0.14 |
| | | Subtotal | | 1 | 0.14 |

| Total All Sites | | 58 | 212.81 |
|--|-------------------|--------|---------------|
| Total Type 2 Sites | | 42 | 195.61 |
| Subtotal | | 4 | 4.60 |
| vegetation change- Iva (2vi) | E2SS1P | 4 | 4.60 |
| Subtotal | | 10 | 17.82 |
| vegetation change- Phragmites (2v) | E2EM5P E2EM5P6 | 9 1 | 10.39 7.43 |
| Subtotal | | 2 | 0.51 |
| severely tidally restricted/veg change- Phragmites (2rs-2v) | E2EM5P | 2 | 0.51 |

Table 3. Extent of hardened shorelines in Warren.

| Hardened Shoreline (code) | Length (in feet) |
|---------------------------------|------------------|
| Bridge Abutment (BA) | 848.611 |
| Bulkhead (BK) | 12498.309 |
| Groin (GR) | 361.440 |
| Pemanent Pier (PP) | 621.907 |
| Revetment (RR) | 1113.804 |
| Seawall (SW) | 3206.787 |
| Total Hardened Shoreline Length | 18650.86 |

Table 4. Land use/cover in the 500-foot buffer surrounding tidal wetlands in Warren.

| Landuse/landcover (code) | Acreage |
|--|----------------------------|
| Residential Single family (III) Multi family (II2) Lawns (114) | 223.919 12.161 52.56 |
| Subtotal | 288.64 |
| Commercial Commercial and Institutional structures(121) Paved surfaces (125) Wharves, piers, shipyards (127) | 35.89 4.12 20.825 |
| Subtotal | 60.835 |
| Industrial (13) | 18.52 |
| Transportation, Communications, and Utilities (14) | 6.735 |
| Other Urban or Built-up Land Golf courses (171) Cemeteries (172) Other areas (zoos; urban parks) (173) Landfills (174) | 15.38 2.959 23.602 |
| Subtotal | 41.941 |
| Agriculture Cropland (21) Pastures/hayfields (24) | 43.60 46.951 |
| Subtotal | 90.551 |
| Rangeland Herbaceous cover (31) Shrub and brush cover (32) Mixed (33) | 12.63 24.128 4.642 |
| Subtotal | 41.40 |

| Subtotal | 1.795 |
|------------------------------------|---------|
| Transitional Areas (77) | 0.395 |
| Mixed barren land (76) | 1.124 |
| Bare exposed rock (74) | 0.276 |
| arren Land | |
| Subtotal | 104.246 |
| Nonvegetated freshwater wetlands | 6.852 |
| Vegetated freshwater wetlands | 97.394 |
| Vater and Freshwater Wetlands (56) | |
| Subtotal | 147.121 |
| Mixed (43) | 120.774 |
| Deciduous forest (41) | 26.347 |
| prest | |

Results for Warwick

Table 1. Extent of coastal wetlands and related features in Warwick.

| Wetland or Water Feature | Map Code | Acreage |
|------------------------------------|---|--|
| Estuarine Waters | E1UBL (includes E1UB4L and h,x) E1UBL6 (includes h,x) | 4.104 |
| Salt Marshes | Subtotal E2EM5/1P (includes d,h,x) E2EM1/SS1P (includes d,h,x) E2EM1/US2P E2EM1N (includes d,h,x) E2EM1P (includes d,h,x) E2EM5P (includes d,h,x) | 110.265 2.712 1.238 0.266 44.222 153.202 7.819 |
| Brackish Marshes | Subtotal E2EM1N6 (includes d,h,x) E2EM1P6 (includes d,h,x) E2EM5P6 (includes d,h,x) | 209.459 0.282 22.763 3.222 |
| Estuarine Rocky Shores | Subtotal E2RS1P E2RS2N (includes r) E2RS2P (includes r) | 26.267 1.720 2.207 0.918 |
| Salt Shrub Swamps | Subtotal E2SS1/EM1P (includes d,h,x) E2SS1P (includes d,h,x) | 4.845 0.648 15.836 |
| Estuarine Sandy Shores and Beaches | Subtotal E2US2M E2US2N (includes r) E2US2P (includes r) | 16.484 179.64 50.622 |
| Estuarine Mudflats | Subtotal E2US3N (includes d,h) E2US3N6 (includes h) | 265.491 5.387 0.592 |
| Salt Pannes | Subtotal E2US4M (includes d,h) | 5.979 2.693 |
| | Total Estuarine Waters and Wetlands | 641.483 |

Table 2. Potential wetland restoration sites in Warwick.

| Wetlar (code) | nd Restoration | Туре | Current Classification | | Acreage |
|------------------|----------------|-----------------------------|---|------------------|--------------------------------------|
| 1 | filled (1f) | upland | UPLAND | | 0.49 |
| | | Subtotal | | 2 | |
| | filled-spoi | l (1fsp) | UPLAND | | 0.08 |
| | | Subtotal | | 5 | 0.08 |
| | submerged | l (1su) | PUBVh | | |
| | | Subtotal | | 4 | 5.31 |
| | change in | vegetated wetland type (1w) | PEM1R PEM1Rh PSS1/EM1R PSS1/EM1Rh PSS1R | 1 3 1 1 | 0.20 6.13 1.62 2.55 0.17 |
| | | Subtotal | | 8 | 12.64 |
| | | tal Type 1 Sites | | 19 | 18.52 |
| 2 | ditched | (2d) | E2EM1Pd | | |
| | | Subtotal | | | 26.18 |
| | ditched/veg o | change- Phragmites (2d-2v) | | 1 | 1.32 |
| | | Subtotal | | 1 | 1.32 |
| | ditched/ve | g change- Iva (2d-2vi) | | | 10.64 |
| | | Subtotal | | 1 | 10.64 |
| | impounded | d (2h) | E1UBLh E2EM1Ph E2US4Mh | 2 1 1 | 0.91 0.47 0.61 |

| Subtotal | | 4 | 1.99 |
|------------------------------------|---------------------------------------|-------------------|-------------------------------|
| tidally restricted (2r) | E1UBL E2EM1Nh E2EM1P E2EM1P6 | 11 1 2 2 | 15.96 1.26 1.39 0.12 |
| Subtotal | | 16 | 18.73 |
| severely tidally restricted (2rs) | | 2 | 0.35 |
| Subtotal | | 2 | 0.35 |
| vegetation change- Phragmites (2v) | E2EM5P6 | 19 3 | 1.99 2.71 9.14 1.91 |
| Subtotal | | 25 | 15.75 |
| Total Type 2 Sites | | 51 | 74.96 |
| Total All Sites | | 70 | 93.48 |

Table 3. Extent of hardened shorelines in Warwick.

| Hardened Shoreline (code) | Length (in feet) |
|---------------------------------|------------------|
| Bridge Abutment (BA) | 471.514 |
| Bulkhead (BK) | 35516.126 |
| Breakwater (BW) | 4637.135 |
| Groin (GR) | 2421.270 |
| Jetty (JT) | 296.843 |
| Revetment (RR) | 17773.618 |
| Seawall (SW) | 1238.284 |
| Total Hardened Shoreline Length | 62354.79 |

Table 4. Land use/cover in the 500-foot buffer surrounding tidal wetlands in Warwick.

| Land use/cover (code) | Acreage |
|--|---|
| Residential Single family (111) Multi family (112) Lawns (114) | 1277.545 29.232 139.806 |
| Subtotal | 1446.583 |
| Commercial Commercial and Institutional structures (121) Recreational structures (122) Marinas (123) Paved surfaces (125) Unpaved surfaces (126) Wharves, piers, shipyards (127) | 24.267 17.993 48.155 8.095 12.752 5.439 |
| Subtotal | 116.701 |
| Industrial (13) | 1.898 |
| | |
| Transportation, Communications, and Utilities (14) | 30.738 |
| Transportation, Communications, and Utilities (14) Other Urban or Built-up Land Golf courses (171) Cemeteries (172) Other areas (zoos; urban parks) (173) | 30.738 16.176 4.874 26.696 |
| Other Urban or Built-up Land Golf courses (171) Cemeteries (172) | 16.176 4.874 |
| Other Urban or Built-up Land Golf courses (171) Cemeteries (172) Other areas (zoos; urban parks) (173) Subtotal Agriculture Cropland (21) Pastures/hayfields (24) | 16.176 4.874 26.696 47.746 0.361 98.264 |
| Other Urban or Built-up Land Golf courses (171) Cemeteries (172) Other areas (zoos; urban parks) (173) | 16.176 4.874 26.696 |
| Other Urban or Built-up Land Golf courses (171) Cemeteries (172) Other areas (zoos; urban parks) (173) Subtotal Agriculture Cropland (21) Pastures/hayfields (24) | 16.176 4.874 26.696 47.746 0.361 98.264 |

| Subtotal | 25.795 |
|------------------------------------|--------|
| Transitional Areas (77) | 0.585 |
| Mixed barren land (76) | 16.922 |
| Other sand areas (73) | 8.288 |
| Barren Land | |
| Subtotal | 65.381 |
| Nonvegetated freshwater wetlands | 9.203 |
| Vegetated freshwater wetlands | 56.178 |
| Water and Freshwater Wetlands (56) | |
| Subtotal | 601.87 |
| Mixed (43) | 294.84 |
| Deciduous forest (41) | 307.02 |
| Forest | |

Appendix B. Detailed Results for each Massachusetts town (towns listed alphabetically)

Four tables are presented for each town: Table 1 (extent of coastal wetlands and related features), Table 2 (estuarine wetland restoration sites), Table 3 (hardened shorelines), and Table 4 (land use/cover in the 500-foot buffer surrounding tidal wetlands).

Code symbology for Table 1 (see Cowardin et al. 1979 for definitions; posted on the Internet at: wetlands.fws.gov [listed under publications]). A code is represented by system, system, class, subclass, water regime and special modifiers as in the following examples: 1) E2EM1N - System E (Estuarine), Subsystem 2 (Intertidal), Class EM (Emergent), Subclass 1 (Persistent), Water Regime N (Regularly flooded), 2) E2EM1/5P6 - System E (Estuarine), Subsystem 2 (Intertidal), Class EM (Emergent), Subclasses 1/5 (Persistent/Phragmites), Water Regime P (Irregularly flooded), Special Modifier 6 (Oligohaline), and 3) E2SS1Pd - System E (Estuarine), Subsystem 2 (Intertidal), Class SS (Scrub-Shrub), Subclass 1 (Broad-leaved Deciduous), Water Regime P (Irregularly flooded), Special Modifier d (Partly drained).

| System/Subsystem | Class/Subclass | Water Regime | Special Modifier |
|--|--|-----------------|---|
| E1 = Estuarine Subtidal E2 = Estuarine Intertidal M1 = Marine Subtidal M2 = Marine Intertidal | AB3 = Aquatic Bed Vascular EM1 = Emergent Persistent EM5 = Emergent Phragmites RF2 = Reef Mollusc RS1 = Rocky Shore Bedrock RS2 = Rocky Shore Rubble SB2 = Streambed Sand SB3 = Streambed Mud SS1 = Scrub-Shrub Broad-leaved US1 = Unconsolidated Shore Cobl US2 = Unconsolidated Shore Mud US4 = Unconsolidated Shore Mud US4 = Unconsolidated Shore Orga | ble-Gravel I | d = partly drained h = impounded r = artificial x = excavated 6 = oligohaline |
| | US3 = Unconsolidated Shore Mud | | |

Results for Berkley

Table 1. Extent of coastal wetlands and related features in Berkley.

| Wetland or Water Feature | Map Code | Acreage |
|------------------------------------|---|-----------------------------------|
| Estuarine Waters | E1UBL (includes E1UB4L and h,x) E1UBL6 (includes h,x) | 24.692 |
| | Subtotal | 24.692 |
| Salt Marshes | E2EM5/1P (includes d,h,x) E2EM1N (includes d,h,x) E2EM1P (includes d,h,x) E2EM5P (includes d,h,x) | 2.151 2.825 52.548 0.336 |
| | Subtotal | 57.860 |
| Brackish Marshes | E2EM1P6 (includes d,h,x) E2EM5P6 (includes d,h,x) | 49.678 1.244 |
| | Subtotal | 50.922 |
| Estuarine Streambeds | E2SB2N AND E1SB3N | 0.317 |
| Salt Shrub Swamps | E2SS1P (includes d,h,x) | 3.246 |
| | Subtotal | 3.563 |
| Estuarine Sandy Shores and Beaches | E2US2N (includes r) E2US2P (includes r) | 1.573 3.398 |
| | Subtotal | 4.971 |
| Estuarine Mudflats | E2US3N (includes d,h) | 0.958 |
| | Subtotal | 0.958 |
| | Total Estuarine Waters and Wetlands | 142.966 |

Table 2. Potential wetland restoration sites in Berkley.

| Wetl (code | land Restoration e) | Туре | Current Classification | | Acreage |
|---------------|------------------------|---|---------------------------|---------------|-------------------|
| 1 | filled (1f) | | UPLAND | 1 | 0.22 |
| | change in | Subtotal vegetated wetland type (1w) | PAB4/UBVh1 PEM1Rh | 1 | 1.37 0.13 |
| | | Subtotal | | 2 | 1.50 |
| | | tal Type 1 Sites | | 3 | 1.72 |
| 2 | ditched | | E2EM1Pd | 2 | 33.91 |
| (| ditched/tidally res | Subtotal stricted (2d-2r and 2d-2r-2rs) | E2EM1Pdh6 | 2 1 | 33.91 2.54 |
| | ditahad/sa | Subtotal verely tidally | | | 2.54 |
| | restricted (| 3 3 | E2EM5P6dh | 1 | 0.56 |
| | ditched/im | Subtotal pounded (2h-2d) | E2EM1Pd | 1 7 | 0.56 0.34 |
| | impounda | Subtotal d/veg change- | | 7 | 0.34 |
| | Phragmites | | E2EM5/1P E2EM5P | | 2.15 0.34 |
| | vegetation | Subtotal change- Phragmites (2v) | | 2 2 | 2.49 1.24 |
| | | Subtotal | | 2 | 1.24 |
| | Total Typ | e 2 Sites | | 15 | 41.08 |
| Tota | l All Sites | | | 18 | 42.80 |

Table 3. Extent of hardened shorelines in Berkley.

| Hardened Shoreline (code) | Length (in feet) |
|---------------------------------|------------------|
| Bulkhead (BK) | 2157.76 |
| Revetment (RR) | 345.27 |
| Total Hardened Shoreline Length | 2503.03 |

Table 4. Land use/cover in the 500-foot buffer surrounding tidal wetlands in Berkley.

| Land use/cover (code) | Acreage |
|---|--------------------------|
| Residential Single family (111) Lawns (114) | 83.110 18.707 |
| Subtotal | 101.817 |
| Commercial Paved surfaces (125) | 0.520 |
| Other Urban or Built-up Land Other areas (zoos; urban parks) (173) | 3.690 |
| Subtotal | 3.69 |
| Agriculture Cropland (21) Pastures/hayfields (24) | 37.474 18.139 |
| Subtotal | 55.613 |
| Rangeland Herbaceous cover (31) Shrub and brush cover (32) Mixed (33) | 6.928 25.269 4.881 |
| Subtotal | 37.078 |
| Forest Deciduous forest (41) Mixed (43) | 12.677 289.085 |
| Subtotal | 301.762 |
| Vegetated Freshwater Wetlands (56) | 27.215 |
| Barren Land Other sand areas (73) Transitional Areas (77) | 0.585 0.094 |
| Subtotal | 0.679 |

Results for Dighton

Table 1. Extent of coastal wetlands and related features in Dighton.

| Wetland or Water Feature | Map Code | Acreage |
|------------------------------------|---|-----------------|
| Estuarine Waters | E1UBL (includes E1UB4L and h,x) E1UBL6 (includes h,x) | |
| | Subtotal | 77.587 |
| Salt Marshes | E2EM1N (includes d,h,x) E2EM1P (includes d,h,x) E2EM5P (includes d,h,x) | 73.363 5.639 |
| | Subtotal | 80.797 |
| Brackish Marshes | E2EM1P6 (includes d,h,x) E2EM5P6 (includes d,h,x) | 1.823 |
| | Subtotal | 3.937 |
| Estuarine Streambeds | E2SB2N AND E1SB3N | 1.555 |
| Salt Shrub Swamps | E2SS1P (includes d,h,x) | 8.575 |
| | Subtotal | 10.13 |
| Estuarine Sandy Shores and Beaches | E2US2P (includes r) | |
| | Subtotal | 0.232 |
| Estuarine Mudflats | E2US3N (includes d,h) | |
| | Subtotal | 3.428 |
| | Total Estuarine Waters and Wetlands | 176.111 |

Table 2. Potential wetland restoration sites in Dighton.

| Wetland Restoration Type (code) | Current Classification | # of Sites | Acreage |
|--|-------------------------------|---------------|---------|
| 1 change in vegetated wetland type (1w) | PEM1/5Rd | 1 | 0.22 |
| | PEM1Rd | 1 | 1.14 |
| | PEM1Rh | 1 | 0.64 |
| | PEM5/SS1Ch | 1 | 1.36 |
| | PEM5Rh | 1 | 0.54 |
| | PSS1Rh | 2 | 7.40 |
| Subtotal | | 7 | 11.30 |
| Total Type 1 Sites | | 7 | 11.30 |
| 2 ditched/tidally restricted (2d-2r and 2d-2r-2rs) | E2EM1Pd | 3 | 64.95 |
| ditched/tidally restricted/iva (2d-2r-2vi) | E2SS1Pd | 3 | 10.18 |
| ditched/severely tidally restricted (2d-2rs) | E2EM5Pd | 3 | 0.41 |
| tidally restricted (2r) | E1UBL | 1 | 58.40 |
| , , () | E2EM1N | 2 | 0.36 |
| | E2EM1P | 1 | 1.42 |
| | E2EM1P6 | 1 | 0.48 |
| | E2EM1Ph | 1 | 0.18 |
| | E2US3N | 1 | 3.43 |
| Subtotal | | 7 | 64.27 |
| severely tidally restricted (2rs) | E2EM5P | 1 | 4.23 |
| severely tidally restricted/ | | | |
| veg change- Phragmites (2rs-2v) | E2EM5P | 1 | 1.41 |
| | E2EM5P6 | 1 | 1.82 |
| Subtotal | | 2 | 3.23 |
| vegetation change- Phragmites (2v) | E2EM5P | 1 | 0.25 |
| Total Type 2 Sites | | 20 | 147.52 |
| Total All Sites | | 27 | 158.82 |

Table 3. Extent of hardened shorelines in Dighton.

| Hardened Shoreline (code) | Length (in feet) |
|---------------------------------|------------------|
| Bridge Abutment (BA) | 1698.40 |
| Bulkhead (BK) | 3444.99 |
| Pemanent Pier (PP) | 310.282 |
| Revetment (RR) | 1272.49 |
| Total Hardened Shoreline Length | 6726.16 |

Table 4. Land use/cover in the 500-foot buffer surrounding tidal wetlands in Dighton.

| Land use/cover (code) | Acreage |
|---|-------------------------------------|
| Residential Single family (111) Lawns (114) | 66.824 10.963 |
| Subtotal | 77.787 |
| Commercial Marinas (123) | 2.778 |
| Subtotal | 2.778 |
| Other Urban or Built-up Land Other areas (zoos; urban parks) (173) | 4.685 |
| Subtotal | 4.685 |
| Agriculture Cropland (21) Orchards, Nurseries, Vineyards (22) Pastures/hayfields (24) | 33.980 4.027 7.594 |
| Subtotal | 45.601 |
| Rangeland Herbaceous cover (31) Shrub and brush cover (32) Mixed (33) | 13.670 8.822 15.416 37.908 |
| Forest | |
| Deciduous forest (41) Evergreen forest (42) Mixed (43) | 21.709 1.050 56.124 |
| Subtotal | 78.883 |
| Water and Freshwater Wetlands (56) Vegetated freshwater wetlands Nonvegetated freshwater wetlands | 33.676 0.221 |
| Subtotal | 33.897 |

Results for Fall River

Table 1. Extent of coastal wetlands and related features in Fall River.

| Wetland or Water Feature | Map Code | Acreage |
|------------------------------------|---|-----------------|
| Estuarine Waters | E1UBL (includes E1UB4L and h,x) E1UBL6 (includes h,x) | |
| | Subtotal | 88.337 |
| Salt Marshes | E2EM1N (includes d,h,x) E2EM1P (includes d,h,x) | 1.570 |
| | Subtotal | 11.647 |
| Estuarine Rocky Shores | E2RS2N (includes r) E2RS2P (includes r) | |
| | Subtotal | 0.766 |
| Salt Shrub Swamps | E2SS1P (includes d,h,x) | 1.427 |
| | Subtotal | 1.427 |
| Estuarine Cobble- Gravel Shores | E2US1N and E2US1/2N | |
| | Subtotal | 0.514 |
| Estuarine Sandy Shores and Beaches | E2US2N (includes r) E2US2P (includes r) | 16.121 6.325 |
| | Subtotal | 22.446 |
| Estuarine Mudflats | E2US3N (includes d,h) | 1.255 |
| | Subtotal | 1.255 |
| | Total Estuarine Waters and Wetlands | 126.392 |

Table 2.

There are no potential wetland restoration sites for Fall River.

Table 3. Extent of hardened shorelines in Fall River.

| Hardened Shoreline (code) | Length (in feet) |
|---------------------------------|------------------|
| Bridge Abutment (BA) | 3169.82 |
| Bulkhead (BK) | 18730.81 |
| Breakwater (BW) | 1841.373 |
| Groin (GR) | 841.23 |
| Pemanent Pier (PP) | 2591.01 |
| Revetment (RR) | 7930.62 |
| Total Hardened Shoreline Length | 35104.86 |

Table 4. Land use/cover in the 500-foot buffer surrounding tidal wetlands in Fall River.

| Land use/cover (code) | Acreage |
|--|--|
| Residential Single family (111) Multi family (112) Lawns (114) | 60.840 13.400 2.688 |
| Subtotal Commercial Commercial and Institutional structures (121) Marinas (123) Paved surfaces (125) Wharves, piers, shipyards (127) | 76.928 57.704 10.010 10.106 53.503 |
| Subtotal | 131.323 |
| Industrial (13) Transportation, Communications, and Utilities (14) Industrial/Commercial Complexes (15) | 28.493 102.230 4.456 |
| Other Urban or Built-up Land (17) Golf courses (171) Other areas (zoos; urban parks) (173) | 1.684 43.776 20.655 |
| Subtotal Rangeland | 66.115 |
| Herbaceous cover (31) Shrub and brush cover (32) Mixed (33) | 9.980 19.951 56.380 |
| Subtotal | 86.311 |
| Forest Deciduous forest (41) Mixed (43) | 42.705 33.715 |
| Subtotal | 76.42 |
| Water and Freshwater Wetlands (56) Vegetated freshwater wetlands Nonvegetated freshwater wetlands | 2.529 4.531 |
| Subtotal | 7.060 |

Results for Freetown

Table 1. Extent of coastal wetlands and related features in Freetown.

| Wetland or Water Feature | Map Code | Acreage |
|------------------------------------|---|------------------|
| Estuarine Waters | E1UBL (includes E1UB4L and h,x) E1UBL6 (includes h,x) | |
| | Subtotal | 47.266 |
| Salt Marshes | E2EM1N (includes d,h,x) E2EM1P (includes d,h,x) E2EM5P (includes d,h,x) | 110.239 4.812 |
| | Subtotal | 131.039 |
| Brackish Marshes | E2EM1/5P6 and E2EM5/1P6 (includes d,h,x) E2EM1P6 (includes d,h,x) E2EM5P6 (includes d,h,x) | 0.409 |
| | Subtotal | 8.233 |
| Oyster Reefs | E2RF2N (includes h) | |
| | Subtotal | 3.431 |
| Estuarine Sandy Shores and Beaches | E2US2N (includes r) | |
| | Subtotal | 2.577 |
| Estuarine Mudflats | E2US3M E2US3N (includes d,h) | |
| | Subtotal | 17.775 |
| | Total Estuarine Waters and Wetlands | 210.321 |

Table 2. Potential wetland restoration sites in Freetown.

| | rrent # of assification Sites | Acreage |
|--|--|--------------------------------|
| 1 filled (1f) upland UP | LAND 1 | |
| Subtotal | 1 BVh 1 | 0.09 1.07 |
| Subtotal change in vegetated wetland type (1w) PA PA PA PE | 1 B4/SS1Fh 1 B4/SSFh 1 B4/UBVh1 1 M1Rh 2 | 1.07 0.51 2.50 0.91 |
| Subtotal | 6 | 7.63 |
| Total Type 1 Sites | 8 | 8.79 |
| 2 ditched (2d) E21 | EM1Pd 10 | 16.11 |
| Subtotal ditched/tidally restricted (2d-2r + 2d-2r-2rs) E2l | 10 | 16.11 22.64 |
| Subtotal ditched/impounded (2h-2d) E2l impounded/veg change-Phragmites (2h-2v) E2l E2l | EM1Pd 1 EM5/1P 1 | 22.64 35.23 1.63 0.24 |
| tidally restricted/veg change- Phragmites (2r-2v) E21 | 2 US3N 1 EM5P 1 | 1.87 0.97 3.41 |
| vegetation change- Phragmites (2v) E21 | EM5P 1 EM5/1P6 1 EM5P 1 | 0.57 2.43 0.59 |
| Subtotal | 2 | 3.02 |
| Total Type 2 Sites | 20 | 83.82 |
| Total All Sites | 28 | 92.61 |

Table 3. Extent of hardened shorelines in Freetown.

| Hardened Shoreline (code) | Length (in feet) |
|---------------------------------|------------------|
| Bridge Abutment (BA) | 938.51 |
| Bulkhead (BK) | 2093.69 |
| Revetment (RR) | 333.39 |
| Total Hardened Shoreline Length | 3365.59 |

Table 4. Land use/cover in the 500-foot buffer surrounding tidal wetlands in Freetown.

| Land use/cover (code) | Acreage |
|---|---------------------------|
| Residential Single family (111) Lawns (114) | 186.365 34.890 |
| Subtotal | 221.255 |
| Commercial Commercial and Institutional structures(121) Paved surfaces (125) Unpaved surfaces (126) | 3.384 4.646 0.798 |
| Subtotal | 8.828 |
| Transportation, Communications, and Utilities (14) Cemeteries (172) | 8.209 3.834 |
| Agriculture Cropland (21) Pastures/hayfields (24) | 64.203 10.576 |
| Subtotal | 74.779 |
| Rangeland Herbaceous cover (31) Shrub and brush cover (32) Mixed (33) | 6.344 12.542 21.407 |
| Subtotal | 40.293 |
| Forest Deciduous forest (41) Mixed (43) | 38.351 325.973 |
| Subtotal Water and Freshwater Wetlands (56) | 364.324 |
| Vegetated freshwater wetlands Nonvegetated freshwater wetlands | 29.376 1.221 |
| Subtotal | 30.597 |
| Barren Land Mixed barren land (76) | 22.154 |
| Subtotal | 22.154 |

Results for Rehoboth

Table 1. Extent of coastal wetlands and related features in Rehoboth.

| Wetland or Water Feature | Map Code | Acreage |
|--------------------------|---|---------------------------|
| Estuarine Waters | E1UBL (includes E1UB4L and h,x) E1UBL6 (includes h,x) | 6.989 23.406 |
| | Subtotal | 30.395 |
| Salt Marshes | E2EM1P (includes d,h,x) E2EM5P (includes d,h,x) | 32.949 6.031 |
| | Subtotal | 38.980 |
| Brackish Marshes | E2EM1/5P6 and E2EM5/1P6 (includes d,h,x) E2EM1P6 (includes d,h,x) E2EM5P6 (includes d,h,x) | 74.707 15.740 1.331 |
| | Subtotal | 91.778 |
| Estuarine Mudflats | E2US3N (includes d,h) E2US3N6 (includes h) | 1.843 6.422 |
| | Subtotal | 8.265 |
| | Total Estuarine Waters and Wetlands | 169.418 |

Table 2. Potential wetland restoration sites in Rehoboth.

| Wetland (code) | Restoration | 1 Туре | Current Classification | | Acreage |
|----------------|-------------|--|--|---------------------------------|---|
| 1 | change in | n vegetated wetland type (1w) | PSS1R | 1 | 1.470 |
| | | Subtotal | | 1 | 1.470 |
| | To | tal Type 1 Sites | | 1 | 1.47 |
| 2 | ditched | | E2EM1Pd | | |
| | | Subtotal | | | 6.430 |
| | ditched/tic | dally restricted (2d-2r and 2d-2r-2rs) | | | |
| | | Subtotal | | | 23.880 |
| | ditched/se | verely tidally restricted (2d-2rs) | E2EM5Pdh | 1 | 1.840 |
| | | Subtotal | | 1 | 1.840 |
| | | · · · | E2EM5Pdh | | |
| | | Subtotal | | 1 | 1.260 |
| | tidally res | tricted (2r) | E1UBL6h E1UBLh E2EM1P6h E2EM1Ph E2US3N6 E2US3N6h E2US3Nh | 2 2 6 1 3 7 2 | 23.400 6.980 15.500 0.140 1.290 5.120 1.440 |
| | | Subtotal | | 23 | 53.870 |
| | severely ti | dally restricted (2rs) | E2EM1/5P6 E2EM1/5P6h E2EM5P6h | 2 6 3 | 3.170 53.860 1.070 |
| | | Subtotal | | 11 | 58.100 |

| Total All Sites | | 47 | 170.22 |
|--|---|----|-----------------------------------|
| Total Type 2 Sites | | 46 | 168.75 |
| Subtotal | | 1 | 0.430 |
| vegetation change- Phragmites (2v) | E2EM5P | 1 | 0.430 |
| Subtotal | | 6 | 22.940 |
| - Phragmites (2rs-2v) | E2EM5/1P6h E2EM5P E2EM5P6h E2EM5Ph | - | 13.930 2.070 0.260 2.930 |
| severely tidally restricted/veg change | E2EM5/1P6 | 1 | 3.750 |

| Hardened Shoreline (code) | Length (in feet) |
|---------------------------|------------------|
| Bridge Abutment (BA) | 1061.144 |

Table 3. Extent of hardened shorelines in Rehoboth.

Total Hardened Shoreline Length 1061.14

Table 4. Land use/cover in the 500-foot buffer surrounding tidal wetlands in Rehoboth.

| Land use/cover (code) | Acreage |
|---|------------------|
| Residential Single family (111) Lawns (114) | 5.129 2.511 |
| Subtotal | 7.640 |
| Transportation, Communications, and Utilities (14) | 19.742 |
| Industrial/Commercial Complexes (15) | 11.365 |
| Agriculture Cropland (21) Orchards, Nurseries, Vineyards (22) | 129.159 5.048 |
| Subtotal | 134.207 |
| Rangeland Herbaceous cover (31) Shrub and brush cover (32) | 2.534 7.872 |
| Subtotal | 10.406 |
| Forest Deciduous forest (41) Mixed (43) | 56.045 5.621 |
| Subtotal | 61.666 |
| Water and Freshwater Wetlands (56) Vegetated freshwater wetlands Nonvegetated freshwater wetlands | 74.384 1.128 |
| Subtotal | 75.512 |
| Barren Land Mixed barren land (76) | 2.480 |
| Subtotal | 2.480 |

Results for Seekonk

Table 1. Extent of coastal wetlands and related features in Seekonk.

| Wetland or Water Feature | Map Code | Acreage |
|--------------------------|---|----------------|
| Estuarine Waters | E1UBL (includes E1UB4L and h,x) E1UBL6 (includes h,x) | 1.404 0.787 |
| | Subtotal | 2.191 |
| Salt Marshes | E2EM1P (includes d,h,x) | 20.785 |
| | Subtotal | 20.785 |
| Brackish Marshes | E2EM1/5P6 and | |
| | E2EM5/1P6 (includes d,h,x) | 27.909 |
| | E2EM1P6 (includes d,h,x) | 5.203 |
| | E2EM5P6 (includes d,h,x) | 14.246 |
| | Subtotal | 47.358 |
| Salt Shrub Swamps | E2SS1P (includes d,h,x) | 0.937 |
| | Subtotal | 0.937 |
| | Total Estuarine Waters and Wetlands | |

Table 2. Potential wetland restoration sites in Seekonk.

| Wetland Restoration Type (code) | | Current Classification | # of Sites | Acreage | |
|---|------------|---------------------------|---------------|---------|--------|
| | submerg | | PUBVh | | 1.110 |
| | | Subtotal | | 2 | 1.110 |
| | change | in vegetated | | | |
| | wetland | l type (1w) | PEM5/1Rh | 2 | 14.150 |
| | | | PEM5/SS1Rh | 1 | 5.790 |
| | | | PSS1/EM5Rh | | 3.870 |
| | | Subtotal | | | 23.810 |
| | T | otal Type 1 Sit | | 6 | 24.92 |
| 2 | ditched | (2d) | E2EM1Pd | 1 | 20.750 |
| | | Subtotal | | 1 | |
| ditched/veg change- Phragmites (2d-2v) | | | | | |
| | Subtotal | | | 2 | |
| | vegetatio | n change- | | | |
| | Phragmit | _ | E2EM5/1P6 | 2 | 27.900 |
| | _ | | E2EM5P6 | 1 | 14.250 |
| | | Subtotal | | 3 | 42.150 |
| | vegetation | n change- Iva (| (2vi) E2SS1P | 2 | 0.940 |
| | | Subtotal | | 2 | 0.940 |
| Total Type 2 Sites | | | | 6 | 63.85 |
| Total Al | l Sites | | | 12 | 88.77 |

Table 3.

There are no hardened shorelines in Seekonk.

Table 4. Land use/cover in the 500-foot buffer surrounding tidal wetlands in Seekonk.

| Land use/cover (code) | Acreage | |
|---|------------------|--|
| Residential Single family (111) Lawns (114) | 15.174 3.697 | |
| Subtotal | 18.871 | |
| Agriculture Cropland (21) Pastures/hayfields (24) | 11.989 15.947 | |
| Subtotal | 27.936 | |
| Rangeland Shrub and brush cover (32) Mixed (33) | 2.630 5.447 | |
| Subtotal | 8.077 | |
| Forest Deciduous forest (41) | 24.924 | |
| Subtotal | 24.924 | |
| Water and Freshwater Wetlands (56) Vegetated freshwater wetlands Nonvegetated freshwater wetlands | 43.657 1.112 | |
| Subtotal | 44.769 | |

Results for Somerset

Table 1. Extent of coastal wetlands and related features in Somerset.

| Wetland or Water Feature | Map Code | Acreage |
|------------------------------------|---|------------------------------------|
| Estuarine Waters | E1UBL (includes E1UB4L and h,x) | 129.131 |
| | Subtotal | 129.131 |
| Salt Marshes | E2EM5/1P (includes d,h,x) E2EM1N (includes d,h,x) E2EM1P (includes d,h,x) E2EM5P (includes d,h,x) | 4.659 18.326 34.218 6.496 |
| | Subtotal | 63.699 |
| Brackish Marshes | E2EM1P6 (includes d,h,x) E2EM5P6 (includes d,h,x) | 7.315 9.121 |
| | Subtotal | 16.436 |
| Salt Shrub Swamps | E2SS1P (includes d,h,x) | 5.089 |
| | Subtotal | 5.089 |
| Estuarine Cobble- Gravel Shores | E2US1N and E2US1/2N | |
| | Subtotal | 1.444 |
| Estuarine Sandy Shores and Beaches | E2US2N (includes r) E2US2/EM1N E2US2P (includes r) | 14.517 2.502 16.852 |
| | Subtotal | 33.871 |
| Estuarine Mudflats | E2US3M E2US3N (includes d,h) | 7.557 7.153 |
| | Subtotal | 14.710 |
| | Total Estuarine Waters and Wetlands | 264.380 |

Table 2. Potential wetland restoration sites in Somerset.

| Wetland (code) | Restoration Type | Current Classification | # of Sites | Acreage |
|----------------|--|---------------------------|---------------|---------|
| 1 | filled (1f) | UPLAND | 4 | 3.14 |
| | submerged (1su) | PUBVh | 1 | 8.04 |
| | change in vegetated wetland type (1w) | PEM1Rh | 2 | 5.700 |
| | | PEM5Rh | 1 | 6.860 |
| | Subtotal | | 3 | 12.56 |
| | Total Type 1 Sites | | 8 | 23.74 |
| 2 | ditched (2d) ditched/tidally restricted | E2EM1Pd | 2 | 10.20 |
| | (2d-2r and 2d-2r-2rs) | E2EM1P6d | 1 | 7.320 |
| | (2d 21 did 2d 21 213) | E2EM1Pd | 1 | 7.850 |
| | | | | |
| | Subtotal | | 2 | 15.170 |
| | ditched/tidally restricted/iva (2d-2r-2vi) | E2SS1Pd | 1 | 1.640 |
| | ditched/severely tidally restricted (2d-2rs) | E2EM5Pd | 2 | 0.490 |
| | ditched/veg change- Iva (2d-2vi) | E2SS1Pd | 1 | 1.770 |
| | tidally restricted (2r) | E1UBL | 4 | 78.120 |
| | | E2EM1N | 3 | 0.660 |
| | | E2EM1P | 5 | 5.210 |
| | | E2US3M | 1 | 7.560 |
| | | E2US3N | 1 | 0.540 |
| | Subtotal | | 14 | 92.090 |
| | severely tidally restricted (2rs) | E2EM5P6h | 1 | 4.790 |
| | Subtotal | | 1 | 4.790 |
| | vegetation change- Phragmites (2v) | E2EM5/1P | 1 | 4.660 |
| | | E2EM5P | 3 | 6.500 |
| | | E2EM5P6 | 1 | 4.330 |
| | Subtotal | | 5 | 15.490 |
| | Total Type 2 Sites | | 28 | 141.64 |
| Total All | Sites | | 36 | 165.38 |

Table 3. Extent of hardened shorelines in Somerset.

| Hardened Shoreline (code) | Length (in feet) |
|---------------------------------|------------------|
| Bridge Abutment (BA) | 4923.361 |
| Bulkhead (BK) | 14311.891 |
| Revetment (RR) | 11580.313 |
| Total Hardened Shoreline Length | 30815.57 |

Table 4. Land use/cover in the 500-foot buffer surrounding tidal wetlands in Somerset.

| Land use/cover (code) | Acreage | | |
|--|-------------------|--|--|
| Residential Single family (111) Lawns (114) | 336.804 26.092 | | |
| Subtotal | 362.90 | | |
| Commercial | | | |
| Commercial and Institutional structures (121) | 42.371 | | |
| Marinas (123) | 2.042 | | |
| Paved surfaces (125) Wharves piers shipperds (127) | 4.723 6.771 | | |
| Wharves, piers, shipyards (127) | | | |
| Subtotal | 55.91 | | |
| Transportation, Communications, and Utilities (14) | 115.86 | | |
| Other Urban or Built-up Land | | | |
| Other areas (zoos; urban parks) (173) | 13.741 | | |
| Landfills (174) | 11.143 | | |
| Subtotal | 24.88 | | |
| Agriculture | | | |
| Cropland (21) | 9.288 | | |
| Pastures/hayfields (24) | 12.686 | | |
| Subtotal | 21.97 | | |
| Rangeland | | | |
| Herbaceous cover (31) | 10.692 | | |
| Shrub and brush cover (32) | 54.263 | | |
| Mixed (33) | 91.762 | | |
| Subtotal | 156.72 | | |
| Forest | | | |
| Deciduous forest (41) | 36.726 | | |
| Mixed (43) | 26.755 | | |
| Subtotal | 63.48 | | |

| Subtotal | 50.276 |
|-------------------------------------|--------|
| Mixed barren land (76) | 1.402 |
| Strip mines (sand/gravel pits) (75) | 33.366 |
| Other sand areas (73) | 14.629 |
| Beaches (72) | 0.879 |
| Barren Land | |
| Subtotal | 63.86 |
| Nonvegetated freshwater wetlands | 22.061 |
| Vegetated freshwater wetlands | 41.795 |
| Water and Freshwater Wetlands (56) | |

Results for Swansea

Table 1. Extent of coastal wetlands and related features in Swansea.

| Map Code | Acreage |
|---|---|
| E1UBL (includes E1UB4L and h,x) | 221.143 |
| E2EM1N (includes d,h,x) E2EM1P (includes d,h,x) E2EM5P (includes d,h,x) | 18.638 143.058 27.581 |
| Subtotal | 195.123 |
| E2EM1/5P6 and E2EM5/1P6 (includes d,h,x) E2EM1P6 (includes d,h,x) | 0.706 5.467 |
| Subtotal | 6.173 |
| E2RF2N (includes h) | 1.755 |
| E2SS1P (includes d,h,x) | 2.791 |
| , | 2.419 18.229 14.076 |
| Subtotal | 34.724 |
| , , | 45.995 17.502 |
| Subtotal | 63.497 |
| E2US4M (includes d,h) | 3.655 |
| | |
| | E1UBL (includes E1UB4L and h,x) E2EM1/SS1P (includes d,h,x) E2EM1/US1N and E2EM1/US3N E2EM1N (includes d,h,x) E2EM1P (includes d,h,x) E2EM5P (includes d,h,x) Subtotal E2EM5/1P6 (includes d,h,x) E2EM1P6 (includes d,h,x) E2EM1P6 (includes d,h,x) E2EM1P6 (includes d,h,x) Subtotal E2RF2N (includes h) E2US2M E2US2M E2US2N (includes r) E2US2P (includes r) Subtotal E2US3M E2US3N (includes d,h) Subtotal |

Table 2. Potential wetland restoration sites in Swansea.

| Wetland (code) | Restoration | п Туре | Current Classification | # of Sites | Acreage |
|----------------|-------------|--|---|------------------|---|
| 1 | filled (1f) | upland | UPLAND | | 1.12 |
| | | Subtotal | | 2 | |
| | submerged | d (1su) | L1UBVh PUBHh | 1 1 | 14.97 1.67 |
| | | Subtotal | | | 16.64 |
| | change in | vegetated wetland type (1w) | L2AB4Vh PAB4/EM1Fh PAB4Hh PAB4Vh PEM1Rh PEM5Rh PSS1Rh | 1 1 1 1 | 22.30 2.86 6.72 0.89 5.41 0.37 1.58 |
| | | Subtotal | | 7 | 40.13 |
| | To | tal Type 1 Sites | | 11 | 57.89 |
| 2 | ditched | (2d) | E2EM1Pd E2EM5Pd | 1 | 94.70 1.69 |
| | | Subtotal | | | 96.39 |
| | ditched/tid | lally restricted (2d-2r and 2d-2r-2rs) | E2EM1Ph | 1 1 | 3.30 3.00 |
| | | Subtotal | | 2 | 6.30 |
| | ditched/se | verely tidally restricted (2d-2rs) | | | 3.24 |
| | | Subtotal | | 1 | 3.24 |
| | | verely tidally restricted/veg change tes (2d-2rs-2v) | E2EM5/1Pd E2EM5Pdh | 1 | 0.71 6.93 |
| | | Subtotal | | 2 | 7.64 |

| ditched/veg change- Phragmites (2d-2v) | LZLWIJI U | 6 | 14.92 |
|--|--|--|--|
| Subtotal | | 6 | 14.92 |
| tidally restricted (2r) | E1UBL | 8 | 191.28 |
| <i>,</i> , , , , , , , , , , , , , , , , , , | E1UBLh | 1 | 9.01 |
| | E2EM1/SS1P | 2 | 2.42 |
| | E2EM1N | 15 | 10.95 |
| | E2EM1P | 16 | 36.30 |
| | E2EM1P6 | 2 | 2.20 |
| | E2EM1Ph | 1 | 0.00 |
| | E2RF2N | 1 | 1.76 |
| | E2SS1P | 1 | 1.87 |
| | E2US2P | 2 | 2.33 |
| | E2US3M | 8 | 28.86 |
| | E2US3N | 9 | 9.71 |
| | E2US3Nh | 3 | 1.96 |
| Subtotal | | 69 | 298.65 |
| tidally restricted/yeg change | | | |
| | | 1 | 0.80 |
| vegetation change- Phragmites (2v) | E2EM5P | 1 | 0.01 |
| Subtotal | | 2 | 0.81 |
| vegetation change- Iva (2vi) | E2ESS1P | 1 | 0.71 |
| | | 37 | 57.77 |
| | E2SS1Pd | 1 | 1.74 |
| Subtotal | | 39 | 60.22 |
| Fotal Type 2 Sites | | 131 | 487.37 |
| | | | |
| 1 - , | Subtotal tidally restricted/veg change -Phragmites (2r-2v) E2EM5P vegetation change- Phragmites (2v) | tidally restricted (2r) E1UBL E1UBLh E2EM1/SS1P E2EM1N E2EM1P E2EM1P6 E2EM1Ph E2RF2N E2SS1P E2US2P E2US3M E2US3M E2US3Nh Subtotal tidally restricted/veg change -Phragmites (2r-2v) E2EM5P vegetation change- Phragmites (2v) Subtotal vegetation change- Iva (2vi) E2ESS1P E2SS1P E2SS1P E2SS1P E2SS1P | tidally restricted (2r) E1UBL 8 E1UBLh 1 E2EM1/SS1P 2 E2EM1N 15 E2EM1P 16 E2EM1P6 2 E2EM1Ph 1 E2RF2N 1 E2US2P 2 E2US3M 8 E2US3N 9 E2US3Nh 3 Subtotal 69 tidally restricted/veg change -Phragmites (2r-2v) E2EM5P 1 vegetation change- Phragmites (2v) E2EM5P 1 E2SS1P 1 E2SS1P 1 E2EM5P 1 |

Table 3. Extent of hardened shorelines in Swansea.

| Hardened Shoreline (code) | Length (in feet) | |
|---------------------------------|------------------|--|
| Bridge Abutment (BA) | 4192.284 | |
| Bulkhead (BK) | 13562.230 | |
| Groin (GR) | 329.303 | |
| Jetty (JT) | 1660.116 | |
| Pemanent Pier (PP) | 520.011 | |
| Revetment (RR) | 3926.532 | |
| Seawall (SW) | 2021.940 | |
| Total Hardened Shoreline Length | 26212.42 | |

Table 4. Land use/cover in the 500-foot buffer surrounding tidal wetlands in Swansea.

| Land use/cover (code) | Acreage | |
|---|-------------------------------------|--|
| Residential Single family (111) Lawns (114) | 443.603 41.695 | |
| Subtotal | 485.30 | |
| Commercial Commercial and Institutional structures (121) Recreational structures (122) Marinas (123) Paved surfaces (125) | 27.343 0.483 2.897 9.384 | |
| Subtotal | 40.11 | |
| Industrial (13) | 4.722 | |
| Transportation, Communications, and Utilities (14) | 32.842 | |
| Other Urban or Built-up Land Golf courses (171) Other areas (zoos; urban parks) (173)Subtotal | 38.239 4.830 43.07 | |
| Agriculture Cropland (21) Orchards, Nurseries, Vineyards (22) Confined Feeding Lots (23) Pastures/hayfields (24) | 24.743 13.483 3.312 26.580 | |
| Subtotal | 68.12 | |
| Rangeland Herbaceous cover (31) Shrub and brush cover (32) Mixed (33) | 44.455 43.940 75.668 | |
| Subtotal | 164.06 | |

| Forest | |
|------------------------------------|--------|
| Deciduous forest (41) | 35.875 |
| Evergreen forest (42) | 1.504 |
| Mixed (43) | 80.097 |
| Subtotal | 117.48 |
| Water and Freshwater Wetlands (56) | |
| Vegetated freshwater wetlands | 66.574 |
| Nonvegetated freshwater wetlands | 37.102 |
| Subtotal | 103.68 |
| Barren Land | |
| Mixed barren land (76) | 1.654 |
| Subtotal | 1.654 |

Appendix C. Thematic maps

Potential Coastal Wetland Restoration Sites Sorted by Size

Cranston, East Providence, Pawtucket, and Providence

East Greenwich and Warwick

North Kingstown

Narragansett and South Kingstown

Jamestown

Newport and Middletown

Barrington, Warren, Bristol, Seekonk, Swansea, and Rehoboth

Portsmouth

Tiverton

Little Compton

Berkley, Dighton, Fall River, Freetown, and Somerset

Hardened Shorelines, Coastal Habitats, and Field Sites

Cranston, East Providence, Pawtucket, and Providence

East Greenwich and Warwick

North Kingstown

Narragansett and South Kingstown

Jamestown

Newport and Middletown

Barrington, Warren, Bristol, Seekonk, Swansea, and Rehoboth

Portsmouth

Tiverton

Little Compton

Berkley, Dighton, Fall River, Freetown, and Somerset

Potential Coastal Wetland Restoration Sites and Open Space Condition

Cranston, East Providence, Pawtucket, and Providence

East Greenwich and Warwick

North Kingstown

Narragansett and South Kingstown

Jamestown

Newport and Middletown

Barrington, Warren, Bristol, Seekonk, Swansea, and Rehoboth

Portsmouth

Tiverton

Little Compton

Berkley, Dighton, Fall River, Freetown, and Somerset

Land Use/Cover Within 500-foot Buffer of Coastal Habitats

Cranston, East Providence, Pawtucket, and Providence

East Greenwich and Warwick

North Kingstown

Narragansett and South Kingstown

Jamestown

Newport and Middletown

Barrington, Warren, Bristol, Seekonk, Swansea, and Rehoboth

Portsmouth

Tiverton

Little Compton

Berkley, Dighton, Fall River, Freetown, and Somerset