

State Data

The NS-CSHCN provides information on CSHCN in the 50 States and the District of Columbia. This section presents the survey's findings that include indicators of the prevalence of special needs among children; indicators of the health status, health insurance coverage, access to care, family-centered care, and impact of the family of CSHCN; and the percentage of CSHCN whose care meets each of HRSA's MCHB six Core Outcomes.

The indicators of prevalence show the parent-reported percentage of children who have special health care needs by age, sex, income level in relation to the Federal poverty guidelines, and race and ethnicity. For most States, however, prevalence is shown only among non-Hispanic White, non-Hispanic Black, and Hispanic children. For smaller racial/ethnic groups, data have been suppressed in most States to protect the confidentiality of the respondents. The exceptions are States with significant populations of Asian Americans, American Indian/Alaska Natives, or Native Hawaiians or other Pacific Islanders.

The indicators of impact, access to care, health insurance, and family-centered care, as well as the Core Outcomes, are shown for each jurisdiction in comparison with the national statistics presented earlier in this book.

Estimated number of CSHCN: 187,263

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %	Indicator	State %	National %
Percent of children who have special health care needs	17.1	13.9	Child Health		
Age			CSHCN whose conditions affect their activities usually, always, or a great deal	21.3	24.0
Age 0–5 years	12.3	8.8	CSHCN with 11 or more days of school absences due to illness	15.1	14.3
Age 6–11 years	20.8	16.0	Health Insurance Coverage		
Age 12–17 years	18.1	16.8	CSHCN without insurance at some point in the past year	7.8	8.8
Sex			CSHCN without insurance at time of survey	1.8	3.5
Male	20.1	16.1	Currently insured CSHCN whose insurance is inadequate	30.5	33.1
Female	14.1	11.6	Access to Care		
Poverty Level			CSHCN with any unmet need for specific health care services	12.5	16.1
0–99% FPL	21.3	13.9	CSHCN with any unmet need for family support services	3.1	4.9
100–199% FPL	16.7	14.0	CSHCN needing a referral who have difficulty getting it	14.7	21.1
200–399% FPL	14.7	13.6	CSHCN without a usual source of care when sick (or who rely on the emergency room)	6.5	5.7
400% FPL or more	16.0	14.0	CSHCN without any personal doctor or nurse	5.8	6.5
Hispanic Origin and Race			Family-Centered Care		
Non-Hispanic	17.0	15.0	CSHCN without family-centered care	32.0	34.5
White	17.4	15.5	Impact on Family		
Black	16.5	15.0	CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	17.9	20.0
Asian	*	6.3	CSHCN whose conditions cause financial problems for the family	15.5	18.1
American Indian/Alaska Native	*	14.5	CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	14.0	9.7
Native Hawaiian/Pacific Islander	*	11.5	CSHCN whose conditions cause family members to cut back or stop working	22.5	23.8
Multiple races	16.6	17.9	Core Outcomes		
Hispanic	7.6	8.3	(Percent of CSHCN achieving outcome)	State %	National %
Spanish language household	**	4.6	CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	59.9	57.4
English language household	14.2	13.1	CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	50.0	47.1
			CSHCN whose families have adequate private and/or public insurance to pay for the services they need	65.0	62.0
			CSHCN who are screened early and continuously for special health care needs	62.3	63.8
			CSHCN whose services are organized in ways that families can use them easily	91.7	89.1
			Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	38.3	41.2

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

Estimated number of CSHCN: 22,406

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
---------------------	---------	------------

Percent of children who have special health care needs	11.9	13.9
--	-------------	------

Age

Age 0–5 years	7.6	8.8
Age 6–11 years	13.2	16.0
Age 12–17 years	14.6	16.8

Sex

Male	12.8	16.1
Female	10.9	11.6

Poverty Level

0–99% FPL	12.4	13.9
100–199% FPL	11.3	14.0
200–399% FPL	12.0	13.6
400% FPL or more	12.0	14.0

Hispanic Origin and Race

Non-Hispanic	11.9	15.0
White	13.0	15.5
Black	12.3	15.0
Asian	*	6.3
American Indian/ Alaska Native	7.8	14.5
Native Hawaiian/ Pacific Islander	*	11.5
Multiple races	14.1	17.9
Hispanic	10.5	8.3
Spanish language household	**	4.6
English language household	11.8	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

Indicator	State %	National %
-----------	---------	------------

Child Health

CSHCN whose conditions affect their activities usually, always, or a great deal	28.2	24.0
CSHCN with 11 or more days of school absences due to illness	16.1	14.3

Health Insurance Coverage

CSHCN without insurance at some point in the past year	7.6	8.8
CSHCN without insurance at time of survey	3.6	3.5
Currently insured CSHCN whose insurance is inadequate	33.2	33.1

Access to Care

CSHCN with any unmet need for specific health care services	21.5	16.1
CSHCN with any unmet need for family support services	8.6	4.9
CSHCN needing a referral who have difficulty getting it	20.3	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	7.1	5.7
CSHCN without any personal doctor or nurse	9.8	6.5

Family-Centered Care

CSHCN without family-centered care	36.8	34.5
------------------------------------	-------------	------

Impact on Family

CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	23.1	20.0
CSHCN whose conditions cause financial problems for the family	18.4	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	10.5	9.7
CSHCN whose conditions cause family members to cut back or stop working	25.9	23.8

Core Outcomes	(Percent of CSHCN achieving outcome)	State %	National %
---------------	--------------------------------------	---------	------------

CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive		51.8	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home		39.3	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need		62.2	62.0
CSHCN who are screened early and continuously for special health care needs		62.0	63.8
CSHCN whose services are organized in ways that families can use them easily		85.1	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence		42.2	41.2

Estimated number of CSHCN: 201,608

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	12.5	13.9
Age		
Age 0–5 years	7.9	8.8
Age 6–11 years	14.0	16.0
Age 12–17 years	15.8	16.8
Sex		
Male	14.0	16.1
Female	10.9	11.6
Poverty Level		
0–99% FPL	9.9	13.9
100–199% FPL	13.0	14.0
200–399% FPL	13.1	13.6
400% FPL or more	13.9	14.0
Hispanic Origin and Race		
Non-Hispanic	15.2	15.0
White	15.8	15.5
Black	24.8	15.0
Asian	*	6.3
American Indian/Alaska Native	5.3	14.5
Native Hawaiian/Pacific Islander	*	11.5
Multiple races	15.1	17.9
Hispanic	8.4	8.3
Spanish language household	4.3	4.6
English language household	14.4	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

Indicator	State %	National %
Child Health		
CSHCN whose conditions affect their activities usually, always, or a great deal	25.3	24.0
CSHCN with 11 or more days of school absences due to illness	17.3	14.3
Health Insurance Coverage		
CSHCN without insurance at some point in the past year	11.6	8.8
CSHCN without insurance at time of survey	5.1	3.5
Currently insured CSHCN whose insurance is inadequate	35.3	33.1
Access to Care		
CSHCN with any unmet need for specific health care services	21.6	16.1
CSHCN with any unmet need for family support services	4.8	4.9
CSHCN needing a referral who have difficulty getting it	29.7	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	7.4	5.7
CSHCN without any personal doctor or nurse	8.7	6.5
Family-Centered Care		
CSHCN without family-centered care	37.7	34.5
Impact on Family		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	22.2	20.0
CSHCN whose conditions cause financial problems for the family	20.2	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	11.3	9.7
CSHCN whose conditions cause family members to cut back or stop working	23.1	23.8
Core Outcomes (Percent of CSHCN achieving outcome)		
CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	53.6	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	40.4	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need	58.1	62.0
CSHCN who are screened early and continuously for special health care needs	61.1	63.8
CSHCN whose services are organized in ways that families can use them easily	86.5	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	39.4	41.2

Estimated number of CSHCN: 120,087

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
---------------------	---------	------------

Percent of children who have special health care needs	17.7	13.9
--	-------------	------

Age

Age 0–5 years	11.9	8.8
Age 6–11 years	20.5	16.0
Age 12–17 years	20.5	16.8

Sex

Male	20.3	16.1
Female	15.0	11.6

Poverty Level

0–99% FPL	21.6	13.9
100–199% FPL	17.8	14.0
200–399% FPL	15.8	13.6
400% FPL or more	15.7	14.0

Hispanic Origin and Race

Non-Hispanic	17.7	15.0
White	18.0	15.5
Black	17.4	15.0
Asian	*	6.3
American Indian/ Alaska Native	*	14.5
Native Hawaiian/ Pacific Islander	*	11.5
Multiple races	21.4	17.9
Hispanic	11.7	8.3
Spanish language household	**	4.6
English language household	21.5	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

Indicator**State % National %****Child Health**

CSHCN whose conditions affect their activities usually, always, or a great deal	28.6	24.0
CSHCN with 11 or more days of school absences due to illness	17.4	14.3

Health Insurance Coverage

CSHCN without insurance at some point in the past year	7.5	8.8
CSHCN without insurance at time of survey	1.9	3.5
Currently insured CSHCN whose insurance is inadequate	30.8	33.1

Access to Care

CSHCN with any unmet need for specific health care services	16.6	16.1
CSHCN with any unmet need for family support services	4.7	4.9
CSHCN needing a referral who have difficulty getting it	15.1	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	5.5	5.7
CSHCN without any personal doctor or nurse	8.9	6.5

Family-Centered Care

CSHCN without family-centered care	33.1	34.5
------------------------------------	-------------	------

Impact on Family

CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	16.2	20.0
CSHCN whose conditions cause financial problems for the family	20.5	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	12.3	9.7
CSHCN whose conditions cause family members to cut back or stop working	20.7	23.8

Core Outcomes

(Percent of CSHCN achieving outcome)

State % National %

CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	61.7	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	50.2	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need	65.3	62.0
CSHCN who are screened early and continuously for special health care needs	50.3	63.8
CSHCN whose services are organized in ways that families can use them easily	89.3	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	33.1	41.2

Estimated number of CSHCN: 964,167

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	9.9	13.9
Age		
Age 0–5 years	5.6	8.8
Age 6–11 years	11.7	16.0
Age 12–17 years	12.4	16.8
Sex		
Male	11.7	16.1
Female	8.1	11.6
Poverty Level		
0–99% FPL	6.9	13.9
100–199% FPL	9.8	14.0
200–399% FPL	10.9	13.6
400% FPL or more	11.4	14.0
Hispanic Origin and Race		
Non-Hispanic	12.7	15.0
White	13.9	15.5
Black	15.1	15.0
Asian	5.2	6.3
American Indian/Alaska Native	*	14.5
Native Hawaiian/Pacific Islander	*	11.5
Multiple races	17.1	17.9
Hispanic	6.2	8.3
Spanish language household	3.7	4.6
English language household	10.1	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

Indicator	State %	National %
Child Health		
CSHCN whose conditions affect their activities usually, always, or a great deal	23.7	24.0
CSHCN with 11 or more days of school absences due to illness	15.4	14.3
Health Insurance Coverage		
CSHCN without insurance at some point in the past year	8.0	8.8
CSHCN without insurance at time of survey	3.1	3.5
Currently insured CSHCN whose insurance is inadequate	35.5	33.1
Access to Care		
CSHCN with any unmet need for specific health care services	17.5	16.1
CSHCN with any unmet need for family support services	5.4	4.9
CSHCN needing a referral who have difficulty getting it	27.6	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	7.4	5.7
CSHCN without any personal doctor or nurse	6.8	6.5
Family-Centered Care		
CSHCN without family-centered care	40.7	34.5
Impact on Family		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	17.9	20.0
CSHCN whose conditions cause financial problems for the family	15.5	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	9.2	9.7
CSHCN whose conditions cause family members to cut back or stop working	23.7	23.8
Core Outcomes (Percent of CSHCN achieving outcome)		
CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	46.6	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	42.2	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need	59.6	62.0
CSHCN who are screened early and continuously for special health care needs	62.7	63.8
CSHCN whose services are organized in ways that families can use them easily	85.3	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	37.1	41.2

Estimated number of CSHCN: 149,000

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	12.5	13.9
Age		
Age 0–5 years	8.4	8.8
Age 6–11 years	13.0	16.0
Age 12–17 years	16.1	16.8
Sex		
Male	14.6	16.1
Female	10.4	11.6
Poverty Level		
0–99% FPL	9.6	13.9
100–199% FPL	12.1	14.0
200–399% FPL	13.1	13.6
400% FPL or more	13.4	14.0
Hispanic Origin and Race		
Non-Hispanic	13.7	15.0
White	13.4	15.5
Black	15.6	15.0
Asian	*	6.3
American Indian/ Alaska Native	*	14.5
Native Hawaiian/ Pacific Islander	*	11.5
Multiple races	21.3	17.9
Hispanic	8.9	8.3
Spanish language household	2.9	4.6
English language household	13.7	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

Indicator	State %	National %
Child Health		
CSHCN whose conditions affect their activities usually, always, or a great deal	23.4	24.0
CSHCN with 11 or more days of school absences due to illness	14.3	14.3
Health Insurance Coverage		
CSHCN without insurance at some point in the past year	12.7	8.8
CSHCN without insurance at time of survey	5.4	3.5
Currently insured CSHCN whose insurance is inadequate	34.6	33.1
Access to Care		
CSHCN with any unmet need for specific health care services	20.0	16.1
CSHCN with any unmet need for family support services	5.0	4.9
CSHCN needing a referral who have difficulty getting it	24.9	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	6.5	5.7
CSHCN without any personal doctor or nurse	6.5	6.5
Family-Centered Care		
CSHCN without family-centered care	32.6	34.5
Impact on Family		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	27.7	20.0
CSHCN whose conditions cause financial problems for the family	23.9	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	8.4	9.7
CSHCN whose conditions cause family members to cut back or stop working	20.6	23.8
Core Outcomes (Percent of CSHCN achieving outcome)		
CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	59.1	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	48.2	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need	59.1	62.0
CSHCN who are screened early and continuously for special health care needs	65.5	63.8
CSHCN whose services are organized in ways that families can use them easily	87.8	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	47.0	41.2

Estimated number of CSHCN: 133,073

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	16.0	13.9
Age		
Age 0–5 years	10.7	8.8
Age 6–11 years	18.3	16.0
Age 12–17 years	18.4	16.8
Sex		
Male	18.3	16.1
Female	13.6	11.6
Poverty Level		
0–99% FPL	19.5	13.9
100–199% FPL	16.0	14.0
200–399% FPL	14.9	13.6
400% FPL or more	15.8	14.0
Hispanic Origin and Race		
Non-Hispanic	15.7	15.0
White	16.0	15.5
Black	14.6	15.0
Asian	*	6.3
American Indian/Alaska Native	*	14.5
Native Hawaiian/Pacific Islander	*	11.5
Multiple races	22.4	17.9
Hispanic	16.9	8.3
Spanish language household	13.2	4.6
English language household	20.3	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

Indicator	State %	National %
Child Health		
CSHCN whose conditions affect their activities usually, always, or a great deal	18.7	24.0
CSHCN with 11 or more days of school absences due to illness	13.2	14.3
Health Insurance Coverage		
CSHCN without insurance at some point in the past year	6.2	8.8
CSHCN without insurance at time of survey	2.2	3.5
Currently insured CSHCN whose insurance is inadequate	34.4	33.1
Access to Care		
CSHCN with any unmet need for specific health care services	12.0	16.1
CSHCN with any unmet need for family support services	6.0	4.9
CSHCN needing a referral who have difficulty getting it	24.0	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	4.2	5.7
CSHCN without any personal doctor or nurse	3.9	6.5
Family-Centered Care		
CSHCN without family-centered care	33.4	34.5
Impact on Family		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	22.1	20.0
CSHCN whose conditions cause financial problems for the family	15.7	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	7.6	9.7
CSHCN whose conditions cause family members to cut back or stop working	21.9	23.8
Core Outcomes (Percent of CSHCN achieving outcome)		
CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	57.8	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	48.5	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need	61.7	62.0
CSHCN who are screened early and continuously for special health care needs	70.6	63.8
CSHCN whose services are organized in ways that families can use them easily	89.4	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	43.4	41.2

Estimated number of CSHCN: 34,522

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %	Indicator	State %	National %
Percent of children who have special health care needs	17.5	13.9	Child Health		
Age			CSHCN whose conditions affect their activities usually, always, or a great deal	20.4	24.0
Age 0–5 years	10.4	8.8	CSHCN with 11 or more days of school absences due to illness	12.3	14.3
Age 6–11 years	21.8	16.0	Health Insurance Coverage		
Age 12–17 years	20.5	16.8	CSHCN without insurance at some point in the past year	8.7	8.8
Sex			CSHCN without insurance at time of survey	2.2	3.5
Male	21.5	16.1	Currently insured CSHCN whose insurance is inadequate	32.2	33.1
Female	13.4	11.6	Access to Care		
Poverty Level			CSHCN with any unmet need for specific health care services	14.2	16.1
0–99% FPL	17.5	13.9	CSHCN with any unmet need for family support services	3.8	4.9
100–199% FPL	16.5	14.0	CSHCN needing a referral who have difficulty getting it	24.4	21.1
200–399% FPL	18.1	13.6	CSHCN without a usual source of care when sick (or who rely on the emergency room)	4.5	5.7
400% FPL or more	17.4	14.0	CSHCN without any personal doctor or nurse	3.5	6.5
Hispanic Origin and Race			Family-Centered Care		
Non-Hispanic	18.1	15.0	CSHCN without family-centered care	29.7	34.5
White	19.7	15.5	Impact on Family		
Black	16.0	15.0	CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	17.4	20.0
Asian	*	6.3	CSHCN whose conditions cause financial problems for the family	17.4	18.1
American Indian/ Alaska Native	*	14.5	CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	8.4	9.7
Native Hawaiian/ Pacific Islander	*	11.5	CSHCN whose conditions cause family members to cut back or stop working	21.2	23.8
Multiple races	17.0	17.9	Core Outcomes (Percent of CSHCN achieving outcome)		
Hispanic	9.2	8.3	CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	61.1	57.4
Spanish language household	**	4.6	CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	48.1	47.1
English language household	20.4	13.1	CSHCN whose families have adequate private and/or public insurance to pay for the services they need	63.2	62.0
			CSHCN who are screened early and continuously for special health care needs	67.2	63.8
			CSHCN whose services are organized in ways that families can use them easily	88.1	89.1
			Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	42.4	41.2

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

Estimated number of CSHCN: 16,369

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	14.7	13.9
Age		
Age 0–5 years	10.2	8.8
Age 6–11 years	18.6	16.0
Age 12–17 years	16.7	16.8
Sex		
Male	17.2	16.1
Female	12.2	11.6
Poverty Level		
0–99% FPL	17.2	13.9
100–199% FPL	12.5	14.0
200–399% FPL	14.1	13.6
400% FPL or more	13.7	14.0
Hispanic Origin and Race		
Non-Hispanic	15.4	15.0
White	13.4	15.5
Black	15.9	15.0
Asian	*	6.3
American Indian/Alaska Native	*	14.5
Native Hawaiian/Pacific Islander	*	11.5
Multiple races	18.0	17.9
Hispanic	7.2	8.3
Spanish language household	4.7	4.6
English language household	14.3	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

Indicator	State %	National %
Child Health		
CSHCN whose conditions affect their activities usually, always, or a great deal	20.9	24.0
CSHCN with 11 or more days of school absences due to illness	16.7	14.3
Health Insurance Coverage		
CSHCN without insurance at some point in the past year	5.0	8.8
CSHCN without insurance at time of survey	1.9	3.5
Currently insured CSHCN whose insurance is inadequate	34.7	33.1
Access to Care		
CSHCN with any unmet need for specific health care services	18.0	16.1
CSHCN with any unmet need for family support services	7.2	4.9
CSHCN needing a referral who have difficulty getting it	25.2	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	8.5	5.7
CSHCN without any personal doctor or nurse	9.6	6.5
Family-Centered Care		
CSHCN without family-centered care	43.8	34.5
Impact on Family		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	14.7	20.0
CSHCN whose conditions cause financial problems for the family	14.8	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	12.7	9.7
CSHCN whose conditions cause family members to cut back or stop working	25.6	23.8
Core Outcomes (Percent of CSHCN achieving outcome)		
CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	53.1	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	36.9	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need	62.7	62.0
CSHCN who are screened early and continuously for special health care needs	62.8	63.8
CSHCN whose services are organized in ways that families can use them easily	88.8	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	24.0	41.2

Estimated number of CSHCN: 551,263

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	13.4	13.9
Age		
Age 0–5 years	9.3	8.8
Age 6–11 years	15.2	16.0
Age 12–17 years	15.7	16.8
Sex		
Male	15.9	16.1
Female	10.9	11.6
Poverty Level		
0–99% FPL	12.9	13.9
100–199% FPL	16.3	14.0
200–399% FPL	12.2	13.6
400% FPL or more	12.6	14.0
Hispanic Origin and Race		
Non-Hispanic	14.4	15.0
White	15.6	15.5
Black	11.9	15.0
Asian	*	6.3
American Indian/Alaska Native	*	14.5
Native Hawaiian/Pacific Islander	*	11.5
Multiple races	14.9	17.9
Hispanic	9.4	8.3
Spanish language household	7.4	4.6
English language household	11.9	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

Indicator	State %	National %
Child Health		
CSHCN whose conditions affect their activities usually, always, or a great deal	28.0	24.0
CSHCN with 11 or more days of school absences due to illness	15.4	14.3
Health Insurance Coverage		
CSHCN without insurance at some point in the past year	12.2	8.8
CSHCN without insurance at time of survey	4.9	3.5
Currently insured CSHCN whose insurance is inadequate	35.8	33.1
Access to Care		
CSHCN with any unmet need for specific health care services	21.8	16.1
CSHCN with any unmet need for family support services	6.0	4.9
CSHCN needing a referral who have difficulty getting it	26.9	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	6.0	5.7
CSHCN without any personal doctor or nurse	8.4	6.5
Family-Centered Care		
CSHCN without family-centered care	38.3	34.5
Impact on Family		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	23.9	20.0
CSHCN whose conditions cause financial problems for the family	21.9	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	10.0	9.7
CSHCN whose conditions cause family members to cut back or stop working	30.1	23.8
Core Outcomes (Percent of CSHCN achieving outcome)		
CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	50.2	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	41.9	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need	58.0	62.0
CSHCN who are screened early and continuously for special health care needs	59.8	63.8
CSHCN whose services are organized in ways that families can use them easily	85.9	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	33.8	41.2

Estimated number of CSHCN: 334,420

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	14.0	13.9
Age		
Age 0–5 years	10.0	8.8
Age 6–11 years	16.4	16.0
Age 12–17 years	15.9	16.8
Sex		
Male	16.5	16.1
Female	11.3	11.6
Poverty Level		
0–99% FPL	14.8	13.9
100–199% FPL	15.3	14.0
200–399% FPL	12.8	13.6
400% FPL or more	13.3	14.0
Hispanic Origin and Race		
Non-Hispanic	14.4	15.0
White	15.4	15.5
Black	13.4	15.0
Asian	*	6.3
American Indian/Alaska Native	*	14.5
Native Hawaiian/Pacific Islander	*	11.5
Multiple races	15.2	17.9
Hispanic	8.0	8.3
Spanish language household	5.3	4.6
English language household	16.4	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

Indicator	State %	National %
Child Health		
CSHCN whose conditions affect their activities usually, always, or a great deal	26.1	24.0
CSHCN with 11 or more days of school absences due to illness	10.4	14.3
Health Insurance Coverage		
CSHCN without insurance at some point in the past year	10.4	8.8
CSHCN without insurance at time of survey	4.7	3.5
Currently insured CSHCN whose insurance is inadequate	32.6	33.1
Access to Care		
CSHCN with any unmet need for specific health care services	18.2	16.1
CSHCN with any unmet need for family support services	5.7	4.9
CSHCN needing a referral who have difficulty getting it	17.4	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	5.9	5.7
CSHCN without any personal doctor or nurse	8.9	6.5
Family-Centered Care		
CSHCN without family-centered care	35.0	34.5
Impact on Family		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	18.8	20.0
CSHCN whose conditions cause financial problems for the family	17.1	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	9.9	9.7
CSHCN whose conditions cause family members to cut back or stop working	23.8	23.8
Core Outcomes (Percent of CSHCN achieving outcome)		
CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	54.0	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	47.3	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need	61.2	62.0
CSHCN who are screened early and continuously for special health care needs	65.3	63.8
CSHCN whose services are organized in ways that families can use them easily	91.0	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	37.0	41.2

Estimated number of CSHCN: 36,066

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
---------------------	---------	------------

Percent of children who have special health care needs	12.0	13.9
--	-------------	------

Age

Age 0–5 years	8.3	8.8
Age 6–11 years	14.2	16.0
Age 12–17 years	13.8	16.8

Sex

Male	14.0	16.1
Female	9.9	11.6

Poverty Level

0–99% FPL	13.8	13.9
100–199% FPL	11.7	14.0
200–399% FPL	11.9	13.6
400% FPL or more	11.5	14.0

Hispanic Origin and Race

Non-Hispanic	11.4	15.0
White	13.1	15.5
Black	9.6	15.0
Asian	8.9	6.3
American Indian/ Alaska Native	*	14.5
Native Hawaiian/ Pacific Islander	11.2	11.5
Multiple races	12.9	17.9
Hispanic	15.5	8.3
Spanish language household	**	4.6
English language household	16.7	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

Indicator	State %	National %
-----------	---------	------------

Child Health

CSHCN whose conditions affect their activities usually, always, or a great deal	23.5	24.0
CSHCN with 11 or more days of school absences due to illness	12.8	14.3

Health Insurance Coverage

CSHCN without insurance at some point in the past year	3.3	8.8
CSHCN without insurance at time of survey	0.9	3.5
Currently insured CSHCN whose insurance is inadequate	24.3	33.1

Access to Care

CSHCN with any unmet need for specific health care services	13.3	16.1
CSHCN with any unmet need for family support services	5.6	4.9
CSHCN needing a referral who have difficulty getting it	21.4	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	6.8	5.7
CSHCN without any personal doctor or nurse	6.0	6.5

Family-Centered Care

CSHCN without family-centered care	36.1	34.5
------------------------------------	-------------	------

Impact on Family

CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	11.1	20.0
CSHCN whose conditions cause financial problems for the family	11.0	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	11.3	9.7
CSHCN whose conditions cause family members to cut back or stop working	22.1	23.8

Core Outcomes	(Percent of CSHCN achieving outcome)	State %	National %
---------------	--------------------------------------	---------	------------

CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive		59.3	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home		45.2	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need		73.5	62.0
CSHCN who are screened early and continuously for special health care needs		69.7	63.8
CSHCN whose services are organized in ways that families can use them easily		88.8	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence		39.4	41.2

Estimated number of CSHCN: 43,306

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	11.4	13.9
Age		
Age 0–5 years	7.1	8.8
Age 6–11 years	12.8	16.0
Age 12–17 years	14.3	16.8
Sex		
Male	12.9	16.1
Female	9.9	11.6
Poverty Level		
0–99% FPL	12.0	13.9
100–199% FPL	12.3	14.0
200–399% FPL	10.5	13.6
400% FPL or more	11.2	14.0
Hispanic Origin and Race		
Non-Hispanic	11.9	15.0
White	11.8	15.5
Black	**	15.0
Asian	*	6.3
American Indian/Alaska Native	*	14.5
Native Hawaiian/Pacific Islander	*	11.5
Multiple races	18.7	17.9
Hispanic	7.3	8.3
Spanish language household	3.3	4.6
English language household	12.3	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

Indicator	State %	National %
Child Health		
CSHCN whose conditions affect their activities usually, always, or a great deal	25.9	24.0
CSHCN with 11 or more days of school absences due to illness	15.3	14.3
Health Insurance Coverage		
CSHCN without insurance at some point in the past year	11.1	8.8
CSHCN without insurance at time of survey	6.3	3.5
Currently insured CSHCN whose insurance is inadequate	36.7	33.1
Access to Care		
CSHCN with any unmet need for specific health care services	17.8	16.1
CSHCN with any unmet need for family support services	6.4	4.9
CSHCN needing a referral who have difficulty getting it	22.1	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	4.8	5.7
CSHCN without any personal doctor or nurse	5.3	6.5
Family-Centered Care		
CSHCN without family-centered care	33.0	34.5
Impact on Family		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	25.4	20.0
CSHCN whose conditions cause financial problems for the family	19.5	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	8.6	9.7
CSHCN whose conditions cause family members to cut back or stop working	24.7	23.8
Core Outcomes (Percent of CSHCN achieving outcome)		
CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	52.7	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	47.7	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need	56.9	62.0
CSHCN who are screened early and continuously for special health care needs	57.2	63.8
CSHCN whose services are organized in ways that families can use them easily	86.0	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	45.8	41.2

Estimated number of CSHCN: 451,776

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	13.9	13.9
Age		
Age 0–5 years	9.4	8.8
Age 6–11 years	16.2	16.0
Age 12–17 years	16.3	16.8
Sex		
Male	16.1	16.1
Female	11.8	11.6
Poverty Level		
0–99% FPL	13.3	13.9
100–199% FPL	14.2	14.0
200–399% FPL	14.0	13.6
400% FPL or more	14.0	14.0
Hispanic Origin and Race		
Non-Hispanic	15.1	15.0
White	16.0	15.5
Black	14.1	15.0
Asian	*	6.3
American Indian/ Alaska Native	*	14.5
Native Hawaiian/ Pacific Islander	*	11.5
Multiple races	14.5	17.9
Hispanic	7.5	8.3
Spanish language household	5.9	4.6
English language household	10.4	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

Indicator	State %	National %
Child Health		
CSHCN whose conditions affect their activities usually, always, or a great deal	23.4	24.0
CSHCN with 11 or more days of school absences due to illness	12.9	14.3
Health Insurance Coverage		
CSHCN without insurance at some point in the past year	7.4	8.8
CSHCN without insurance at time of survey	3.7	3.5
Currently insured CSHCN whose insurance is inadequate	37.8	33.1
Access to Care		
CSHCN with any unmet need for specific health care services	13.0	16.1
CSHCN with any unmet need for family support services	4.4	4.9
CSHCN needing a referral who have difficulty getting it	16.7	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	4.9	5.7
CSHCN without any personal doctor or nurse	7.0	6.5
Family-Centered Care		
CSHCN without family-centered care	36.2	34.5
Impact on Family		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	23.4	20.0
CSHCN whose conditions cause financial problems for the family	17.9	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	8.5	9.7
CSHCN whose conditions cause family members to cut back or stop working	21.7	23.8
Core Outcomes (Percent of CSHCN achieving outcome)		
CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	60.3	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	45.1	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need	59.3	62.0
CSHCN who are screened early and continuously for special health care needs	62.7	63.8
CSHCN whose services are organized in ways that families can use them easily	89.8	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	44.2	41.2

Estimated number of CSHCN: 266,494

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	16.6	13.9
Age		
Age 0–5 years	10.6	8.8
Age 6–11 years	19.2	16.0
Age 12–17 years	19.9	16.8
Sex		
Male	18.7	16.1
Female	14.5	11.6
Poverty Level		
0–99% FPL	20.4	13.9
100–199% FPL	15.8	14.0
200–399% FPL	15.5	13.6
400% FPL or more	16.2	14.0
Hispanic Origin and Race		
Non-Hispanic	17.0	15.0
White	17.2	15.5
Black	14.5	15.0
Asian	*	6.3
American Indian/Alaska Native	*	14.5
Native Hawaiian/Pacific Islander	*	11.5
Multiple races	17.7	17.9
Hispanic	8.9	8.3
Spanish language household	**	4.6
English language household	15.3	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

Indicator	State %	National %
Child Health		
CSHCN whose conditions affect their activities usually, always, or a great deal	23.8	24.0
CSHCN with 11 or more days of school absences due to illness	10.7	14.3
Health Insurance Coverage		
CSHCN without insurance at some point in the past year	9.2	8.8
CSHCN without insurance at time of survey	4.2	3.5
Currently insured CSHCN whose insurance is inadequate	32.7	33.1
Access to Care		
CSHCN with any unmet need for specific health care services	16.7	16.1
CSHCN with any unmet need for family support services	2.7	4.9
CSHCN needing a referral who have difficulty getting it	20.0	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	5.7	5.7
CSHCN without any personal doctor or nurse	5.9	6.5
Family-Centered Care		
CSHCN without family-centered care	29.7	34.5
Impact on Family		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	20.1	20.0
CSHCN whose conditions cause financial problems for the family	21.1	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	9.4	9.7
CSHCN whose conditions cause family members to cut back or stop working	24.3	23.8
Core Outcomes (Percent of CSHCN achieving outcome)		
CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	59.3	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	54.6	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need	61.8	62.0
CSHCN who are screened early and continuously for special health care needs	63.1	63.8
CSHCN whose services are organized in ways that families can use them easily	94.3	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	41.1	41.2

Estimated number of CSHCN: 95,094

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %	Indicator	State %	National %
Percent of children who have special health care needs	14.2	13.9	Child Health		
Age			CSHCN whose conditions affect their activities usually, always, or a great deal	18.4	24.0
Age 0–5 years	8.5	8.8	CSHCN with 11 or more days of school absences due to illness	11.4	14.3
Age 6–11 years	16.2	16.0	Health Insurance Coverage		
Age 12–17 years	17.6	16.8	CSHCN without insurance at some point in the past year	5.6	8.8
Sex			CSHCN without insurance at time of survey	1.2	3.5
Male	16.0	16.1	Currently insured CSHCN whose insurance is inadequate	28.2	33.1
Female	12.3	11.6	Access to Care		
Poverty Level			CSHCN with any unmet need for specific health care services	10.7	16.1
0–99% FPL	15.1	13.9	CSHCN with any unmet need for family support services	3.2	4.9
100–199% FPL	15.7	14.0	CSHCN needing a referral who have difficulty getting it	12.7	21.1
200–399% FPL	14.1	13.6	CSHCN without a usual source of care when sick (or who rely on the emergency room)	3.6	5.7
400% FPL or more	12.6	14.0	CSHCN without any personal doctor or nurse	3.9	6.5
Hispanic Origin and Race			Family-Centered Care		
Non-Hispanic	14.4	15.0	CSHCN without family-centered care	25.3	34.5
White	14.0	15.5	Impact on Family		
Black	20.9	15.0	CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	21.7	20.0
Asian	*	6.3	CSHCN whose conditions cause financial problems for the family	19.3	18.1
American Indian/Alaska Native	*	14.5	CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	6.2	9.7
Native Hawaiian/Pacific Islander	*	11.5	CSHCN whose conditions cause family members to cut back or stop working	17.0	23.8
Multiple races	24.1	17.9	Core Outcomes	(Percent of CSHCN achieving outcome)	
Hispanic	8.2	8.3	CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	64.7	57.4
Spanish language household	**	4.6	CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	57.4	47.1
English language household	21.3	13.1	CSHCN whose families have adequate private and/or public insurance to pay for the services they need	68.6	62.0
			CSHCN who are screened early and continuously for special health care needs	65.6	63.8
			CSHCN whose services are organized in ways that families can use them easily	92.9	89.1
			Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	47.3	41.2

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

Estimated number of CSHCN: 108,024

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	16.0	13.9
Age		
Age 0–5 years	10.3	8.8
Age 6–11 years	17.3	16.0
Age 12–17 years	20.4	16.8
Sex		
Male	18.7	16.1
Female	13.2	11.6
Poverty Level		
0–99% FPL	17.7	13.9
100–199% FPL	15.1	14.0
200–399% FPL	15.4	13.6
400% FPL or more	16.6	14.0
Hispanic Origin and Race		
Non-Hispanic	16.4	15.0
White	16.3	15.5
Black	18.7	15.0
Asian	*	6.3
American Indian/Alaska Native	*	14.5
Native Hawaiian/Pacific Islander	*	11.5
Multiple races	24.6	17.9
Hispanic	9.9	8.3
Spanish language household	4.2	4.6
English language household	16.3	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

Indicator	State %	National %
Child Health		
CSHCN whose conditions affect their activities usually, always, or a great deal	21.2	24.0
CSHCN with 11 or more days of school absences due to illness	11.8	14.3
Health Insurance Coverage		
CSHCN without insurance at some point in the past year	9.3	8.8
CSHCN without insurance at time of survey	3.1	3.5
Currently insured CSHCN whose insurance is inadequate	30.3	33.1
Access to Care		
CSHCN with any unmet need for specific health care services	12.0	16.1
CSHCN with any unmet need for family support services	3.2	4.9
CSHCN needing a referral who have difficulty getting it	11.4	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	5.6	5.7
CSHCN without any personal doctor or nurse	4.5	6.5
Family-Centered Care		
CSHCN without family-centered care	30.5	34.5
Impact on Family		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	21.9	20.0
CSHCN whose conditions cause financial problems for the family	21.4	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	8.0	9.7
CSHCN whose conditions cause family members to cut back or stop working	20.1	23.8
Core Outcomes (Percent of CSHCN achieving outcome)		
CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	65.6	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	55.3	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need	62.9	62.0
CSHCN who are screened early and continuously for special health care needs	68.5	63.8
CSHCN whose services are organized in ways that families can use them easily	92.5	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	50.3	41.2

Estimated number of CSHCN: 181202

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %	Indicator	State %	National %
Percent of children who have special health care needs	18.5	13.9	Child Health		
Age			CSHCN whose conditions affect their activities usually, always, or a great deal	24.9	24.0
Age 0–5 years	13.0	8.8	CSHCN with 11 or more days of school absences due to illness	16.5	14.3
Age 6–11 years	21.7	16.0	Health Insurance Coverage		
Age 12–17 years	20.8	16.8	CSHCN without insurance at some point in the past year	6.0	8.8
Sex			CSHCN without insurance at time of survey	2.4	3.5
Male	20.5	16.1	Currently insured CSHCN whose insurance is inadequate	31.9	33.1
Female	16.4	11.6	Access to Care		
Poverty Level			CSHCN with any unmet need for specific health care services	12.9	16.1
0–99% FPL	25.7	13.9	CSHCN with any unmet need for family support services	4.6	4.9
100–199% FPL	16.9	14.0	CSHCN needing a referral who have difficulty getting it	15.9	21.1
200–399% FPL	16.0	13.6	CSHCN without a usual source of care when sick (or who rely on the emergency room)	5.0	5.7
400% FPL or more	16.5	14.0	CSHCN without any personal doctor or nurse	6.4	6.5
Hispanic Origin and Race			Family-Centered Care		
Non-Hispanic	18.4	15.0	CSHCN without family-centered care	35.7	34.5
White	18.3	15.5	Impact on Family		
Black	20.3	15.0	CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	15.6	20.0
Asian	*	6.3	CSHCN whose conditions cause financial problems for the family	19.0	18.1
American Indian/Alaska Native	*	14.5	CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	14.5	9.7
Native Hawaiian/Pacific Islander	*	11.5	CSHCN whose conditions cause family members to cut back or stop working	21.8	23.8
Multiple races	20.0	17.9	Core Outcomes (Percent of CSHCN achieving outcome)		
Hispanic	12.2	8.3	CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	58.6	57.4
Spanish language household	**	4.6	CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	47.3	47.1
English language household	17.5	13.1	CSHCN whose families have adequate private and/or public insurance to pay for the services they need	64.7	62.0
			CSHCN who are screened early and continuously for special health care needs	57.4	63.8
			CSHCN whose services are organized in ways that families can use them easily	91.4	89.1
			Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	42.8	41.2

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

Estimated number of CSHCN: 162,116

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %	Indicator	State %	National %
Percent of children who have special health care needs	14.8	13.9	Child Health		
Age			CSHCN whose conditions affect their activities usually, always, or a great deal	24.6	24.0
Age 0–5 years	10.4	8.8	CSHCN with 11 or more days of school absences due to illness	18.8	14.3
Age 6–11 years	17.4	16.0	Health Insurance Coverage		
Age 12–17 years	16.5	16.8	CSHCN without insurance at some point in the past year	8.3	8.8
Sex			CSHCN without insurance at time of survey	5.1	3.5
Male	17.3	16.1	Currently insured CSHCN whose insurance is inadequate	28.2	33.1
Female	12.1	11.6	Access to Care		
Poverty Level			CSHCN with any unmet need for specific health care services	12.2	16.1
0–99% FPL	16.8	13.9	CSHCN with any unmet need for family support services	4.0	4.9
100–199% FPL	13.5	14.0	CSHCN needing a referral who have difficulty getting it	15.8	21.1
200–399% FPL	13.9	13.6	CSHCN without a usual source of care when sick (or who rely on the emergency room)	8.8	5.7
400% FPL or more	15.2	14.0	CSHCN without any personal doctor or nurse	6.1	6.5
Hispanic Origin and Race			Family-Centered Care		
Non-Hispanic	14.5	15.0	CSHCN without family-centered care	34.7	34.5
White	15.8	15.5	Impact on Family		
Black	12.8	15.0	CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	19.8	20.0
Asian	*	6.3	CSHCN whose conditions cause financial problems for the family	19.8	18.1
American Indian/Alaska Native	*	14.5	CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	12.1	9.7
Native Hawaiian/Pacific Islander	*	11.5	CSHCN whose conditions cause family members to cut back or stop working	25.3	23.8
Multiple races	23.7	17.9	Core Outcomes (Percent of CSHCN achieving outcome)		
Hispanic	14.1	8.3	CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	62.2	57.4
Spanish language household	**	4.6	CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	49.6	47.1
English language household	16.9	13.1	CSHCN whose families have adequate private and/or public insurance to pay for the services they need	65.5	62.0
			CSHCN who are screened early and continuously for special health care needs	54.3	63.8
			CSHCN whose services are organized in ways that families can use them easily	89.3	89.1
			Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	41.0	41.2

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

Estimated number of CSHCN: 48,891

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %	Indicator	State %	National %
Percent of children who have special health care needs	17.7	13.9	Child Health		
Age			CSHCN whose conditions affect their activities usually, always, or a great deal	26.3	24.0
Age 0–5 years	9.5	8.8	CSHCN with 11 or more days of school absences due to illness	14.2	14.3
Age 6–11 years	19.8	16.0	Health Insurance Coverage		
Age 12–17 years	22.1	16.8	CSHCN without insurance at some point in the past year	7.0	8.8
Sex			CSHCN without insurance at time of survey	2.5	3.5
Male	20.9	16.1	Currently insured CSHCN whose insurance is inadequate	25.4	33.1
Female	14.3	11.6	Access to Care		
Poverty Level			CSHCN with any unmet need for specific health care services	15.2	16.1
0–99% FPL	27.5	13.9	CSHCN with any unmet need for family support services	5.4	4.9
100–199% FPL	19.5	14.0	CSHCN needing a referral who have difficulty getting it	15.5	21.1
200–399% FPL	15.1	13.6	CSHCN without a usual source of care when sick (or who rely on the emergency room)	4.3	5.7
400% FPL or more	15.3	14.0	CSHCN without any personal doctor or nurse	3.0	6.5
Hispanic Origin and Race			Family-Centered Care		
Non-Hispanic	17.4	15.0	CSHCN without family-centered care	28.5	34.5
White	17.4	15.5	Impact on Family		
Black	**	15.0	CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	17.2	20.0
Asian	*	6.3	CSHCN whose conditions cause financial problems for the family	19.3	18.1
American Indian/Alaska Native	*	14.5	CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	9.2	9.7
Native Hawaiian/Pacific Islander	*	11.5	CSHCN whose conditions cause family members to cut back or stop working	24.6	23.8
Multiple races	23.9	17.9	Core Outcomes (Percent of CSHCN achieving outcome)		
Hispanic	19.3	8.3	CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	60.7	57.4
Spanish language household	†	4.6	CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	51.7	47.1
English language household	21.0	13.1	CSHCN whose families have adequate private and/or public insurance to pay for the services they need	70.0	62.0
			CSHCN who are screened early and continuously for special health care needs	70.1	63.8
			CSHCN whose services are organized in ways that families can use them easily	87.6	89.1
			Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	49.0	41.2

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

† No CSHCN were identified among predominantly Spanish-speaking Hispanics in the survey sample.

Estimated number of CSHCN: 216,984

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	15.5	13.9
Age		
Age 0–5 years	9.5	8.8
Age 6–11 years	17.9	16.0
Age 12–17 years	18.6	16.8
Sex		
Male	18.4	16.1
Female	12.4	11.6
Poverty Level		
0–99% FPL	17.8	13.9
100–199% FPL	13.2	14.0
200–399% FPL	14.5	13.6
400% FPL or more	16.3	14.0
Hispanic Origin and Race		
Non-Hispanic	15.7	15.0
White	17.4	15.5
Black	14.3	15.0
Asian	*	6.3
American Indian/Alaska Native	*	14.5
Native Hawaiian/Pacific Islander	*	11.5
Multiple races	17.2	17.9
Hispanic	9.8	8.3
Spanish language household	5.4	4.6
English language household	18.8	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

Indicator	State %	National %
Child Health		
CSHCN whose conditions affect their activities usually, always, or a great deal	24.1	24.0
CSHCN with 11 or more days of school absences due to illness	13.7	14.3
Health Insurance Coverage		
CSHCN without insurance at some point in the past year	6.3	8.8
CSHCN without insurance at time of survey	3.0	3.5
Currently insured CSHCN whose insurance is inadequate	30.8	33.1
Access to Care		
CSHCN with any unmet need for specific health care services	16.5	16.1
CSHCN with any unmet need for family support services	4.6	4.9
CSHCN needing a referral who have difficulty getting it	20.9	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	5.6	5.7
CSHCN without any personal doctor or nurse	4.2	6.5
Family-Centered Care		
CSHCN without family-centered care	37.7	34.5
Impact on Family		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	23.5	20.0
CSHCN whose conditions cause financial problems for the family	17.5	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	8.1	9.7
CSHCN whose conditions cause family members to cut back or stop working	25.8	23.8
Core Outcomes (Percent of CSHCN achieving outcome)		
CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	54.8	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	45.6	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need	65.5	62.0
CSHCN who are screened early and continuously for special health care needs	65.7	63.8
CSHCN whose services are organized in ways that families can use them easily	89.3	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	37.5	41.2

Estimated number of CSHCN: 237,838

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %	Indicator	State %	National %
Percent of children who have special health care needs	16.4	13.9	Child Health		
			CSHCN whose conditions affect their activities usually, always, or a great deal	23.7	24.0
			CSHCN with 11 or more days of school absences due to illness	14.9	14.3
Age			Health Insurance Coverage		
Age 0–5 years	10.2	8.8	CSHCN without insurance at some point in the past year	5.2	8.8
Age 6–11 years	17.9	16.0	CSHCN without insurance at time of survey	1.2	3.5
Age 12–17 years	20.6	16.8	Currently insured CSHCN whose insurance is inadequate	32.7	33.1
Sex			Access to Care		
Male	19.6	16.1	CSHCN with any unmet need for specific health care services	11.1	16.1
Female	13.0	11.6	CSHCN with any unmet need for family support services	5.2	4.9
Poverty Level			CSHCN needing a referral who have difficulty getting it	13.9	21.1
0–99% FPL	19.9	13.9	CSHCN without a usual source of care when sick (or who rely on the emergency room)	4.8	5.7
100–199% FPL	17.6	14.0	CSHCN without any personal doctor or nurse	3.6	6.5
200–399% FPL	14.8	13.6	Family-Centered Care		
400% FPL or more	16.2	14.0	CSHCN without family-centered care	31.2	34.5
Hispanic Origin and Race			Impact on Family		
Non-Hispanic	16.5	15.0	CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	20.4	20.0
White	17.2	15.5	CSHCN whose conditions cause financial problems for the family	15.0	18.1
Black	14.6	15.0	CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	8.0	9.7
Asian	*	6.3	CSHCN whose conditions cause family members to cut back or stop working	24.7	23.8
American Indian/Alaska Native	*	14.5	Core Outcomes		
Native Hawaiian/Pacific Islander	*	11.5	(Percent of CSHCN achieving outcome)	State %	National %
Multiple races	24.4	17.9	CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	57.1	57.4
Hispanic	14.0	8.3	CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	45.7	47.1
Spanish language household	10.8	4.6	CSHCN whose families have adequate private and/or public insurance to pay for the services they need	63.1	62.0
English language household	16.7	13.1	CSHCN who are screened early and continuously for special health care needs	75.8	63.8
			CSHCN whose services are organized in ways that families can use them easily	87.6	89.1
			Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	46.6	41.2

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

Estimated number of CSHCN: 387,008

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
---------------------	---------	------------

Percent of children who have special health care needs	15.4	13.9
--	-------------	------

Age

Age 0–5 years	9.7	8.8
Age 6–11 years	16.4	16.0
Age 12–17 years	19.5	16.8

Sex

Male	18.5	16.1
Female	12.3	11.6

Poverty Level

0–99% FPL	19.1	13.9
100–199% FPL	13.8	14.0
200–399% FPL	14.5	13.6
400% FPL or more	15.6	14.0

Hispanic Origin and Race

Non-Hispanic	15.3	15.0
White	15.4	15.5
Black	15.6	15.0
Asian	*	6.3
American Indian/ Alaska Native	*	14.5
Native Hawaiian/ Pacific Islander	*	11.5
Multiple races	19.7	17.9
Hispanic	12.7	8.3
Spanish language household	**	4.6
English language household	16.8	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

Indicator

State % National %

Child Health

CSHCN whose conditions affect their activities usually, always, or a great deal	24.7	24.0
CSHCN with 11 or more days of school absences due to illness	14.2	14.3

Health Insurance Coverage

CSHCN without insurance at some point in the past year	6.7	8.8
CSHCN without insurance at time of survey	2.7	3.5
Currently insured CSHCN whose insurance is inadequate	35.7	33.1

Access to Care

CSHCN with any unmet need for specific health care services	16.6	16.1
CSHCN with any unmet need for family support services	5.7	4.9
CSHCN needing a referral who have difficulty getting it	22.9	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	5.6	5.7
CSHCN without any personal doctor or nurse	8.6	6.5

Family-Centered Care

CSHCN without family-centered care	35.3	34.5
------------------------------------	-------------	------

Impact on Family

CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	19.7	20.0
CSHCN whose conditions cause financial problems for the family	16.1	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	11.0	9.7
CSHCN whose conditions cause family members to cut back or stop working	25.6	23.8

Core Outcomes

(Percent of CSHCN achieving outcome)

State % National %

CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	56.4	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	46.0	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need	60.8	62.0
CSHCN who are screened early and continuously for special health care needs	68.8	63.8
CSHCN whose services are organized in ways that families can use them easily	90.9	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	40.8	41.2

Estimated number of CSHCN: 177,668

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
---------------------	---------	------------

Percent of children who have special health care needs	14.4	13.9
--	-------------	------

Age

Age 0–5 years	8.7	8.8
Age 6–11 years	15.6	16.0
Age 12–17 years	18.7	16.8

Sex

Male	17.3	16.1
Female	11.4	11.6

Poverty Level

0–99% FPL	13.3	13.9
100–199% FPL	15.3	14.0
200–399% FPL	13.4	13.6
400% FPL or more	15.2	14.0

Hispanic Origin and Race

Non-Hispanic	14.5	15.0
White	14.4	15.5
Black	19.5	15.0
Asian	*	6.3
American Indian/Alaska Native	*	14.5
Native Hawaiian/Pacific Islander	*	11.5
Multiple races	14.3	17.9
Hispanic	8.3	8.3
Spanish language household	**	4.6
English language household	15.5	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

Indicator	State %	National %
-----------	---------	------------

Child Health

CSHCN whose conditions affect their activities usually, always, or a great deal	19.8	24.0
CSHCN with 11 or more days of school absences due to illness	10.1	14.3

Health Insurance Coverage

CSHCN without insurance at some point in the past year	7.0	8.8
CSHCN without insurance at time of survey	2.6	3.5
Currently insured CSHCN whose insurance is inadequate	30.0	33.1

Access to Care

CSHCN with any unmet need for specific health care services	12.9	16.1
CSHCN with any unmet need for family support services	3.7	4.9
CSHCN needing a referral who have difficulty getting it	18.9	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	4.8	5.7
CSHCN without any personal doctor or nurse	4.6	6.5

Family-Centered Care

CSHCN without family-centered care	29.2	34.5
------------------------------------	-------------	------

Impact on Family

CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	23.8	20.0
CSHCN whose conditions cause financial problems for the family	18.3	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	7.2	9.7
CSHCN whose conditions cause family members to cut back or stop working	21.1	23.8

Core Outcomes	(Percent of CSHCN achieving outcome)	State %	National %
---------------	--------------------------------------	---------	------------

CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive		60.3	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home		51.8	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need		66.3	62.0
CSHCN who are screened early and continuously for special health care needs		64.9	63.8
CSHCN whose services are organized in ways that families can use them easily		90.7	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence		52.9	41.2

Estimated number of CSHCN: 111,852

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %	Indicator	State %	National %
Percent of children who have special health care needs	15.0	13.9	Child Health		
Age			CSHCN whose conditions affect their activities usually, always, or a great deal	24.2	24.0
Age 0–5 years	12.1	8.8	CSHCN with 11 or more days of school absences due to illness	17.1	14.3
Age 6–11 years	17.4	16.0	Health Insurance Coverage		
Age 12–17 years	15.8	16.8	CSHCN without insurance at some point in the past year	11.9	8.8
Sex			CSHCN without insurance at time of survey	4.2	3.5
Male	17.0	16.1	Currently insured CSHCN whose insurance is inadequate	34.7	33.1
Female	13.0	11.6	Access to Care		
Poverty Level			CSHCN with any unmet need for specific health care services	16.7	16.1
0–99% FPL	17.2	13.9	CSHCN with any unmet need for family support services	2.9	4.9
100–199% FPL	14.5	14.0	CSHCN needing a referral who have difficulty getting it	18.8	21.1
200–399% FPL	13.5	13.6	CSHCN without a usual source of care when sick (or who rely on the emergency room)	6.2	5.7
400% FPL or more	14.5	14.0	CSHCN without any personal doctor or nurse	8.7	6.5
Hispanic Origin and Race			Family-Centered Care		
Non-Hispanic	14.9	15.0	CSHCN without family-centered care	38.4	34.5
White	15.7	15.5	Impact on Family		
Black	13.9	15.0	CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	16.5	20.0
Asian	*	6.3	CSHCN whose conditions cause financial problems for the family	19.4	18.1
American Indian/Alaska Native	*	14.5	CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	14.0	9.7
Native Hawaiian/Pacific Islander	*	11.5	CSHCN whose conditions cause family members to cut back or stop working	23.1	23.8
Multiple races	23.7	17.9	Core Outcomes		
Hispanic	11.0	8.3	(Percent of CSHCN achieving outcome)	State %	National %
Spanish language household	**	4.6	CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	60.4	57.4
English language household	16.4	13.1	CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	45.0	47.1
			CSHCN whose families have adequate private and/or public insurance to pay for the services they need	58.8	62.0
			CSHCN who are screened early and continuously for special health care needs	51.4	63.8
			CSHCN whose services are organized in ways that families can use them easily	90.9	89.1
			Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	30.9	41.2

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

Estimated number of CSHCN: 223,070

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
---------------------	---------	------------

Percent of children who have special health care needs	16.2	13.9
--	-------------	------

Age

Age 0–5 years	9.0	8.8
Age 6–11 years	19.5	16.0
Age 12–17 years	19.8	16.8

Sex

Male	19.3	16.1
Female	12.9	11.6

Poverty Level

0–99% FPL	18.3	13.9
100–199% FPL	16.4	14.0
200–399% FPL	14.5	13.6
400% FPL or more	16.7	14.0

Hispanic Origin and Race

Non-Hispanic	16.2	15.0
White	15.6	15.5
Black	17.8	15.0
Asian	*	6.3
American Indian/ Alaska Native	*	14.5
Native Hawaiian/ Pacific Islander	*	11.5
Multiple races	22.4	17.9
Hispanic	12.6	8.3
Spanish language household	**	4.6
English language household	18.7	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

Indicator	State %	National %
-----------	---------	------------

Child Health

CSHCN whose conditions affect their activities usually, always, or a great deal	19.5	24.0
CSHCN with 11 or more days of school absences due to illness	12.8	14.3

Health Insurance Coverage

CSHCN without insurance at some point in the past year	6.3	8.8
CSHCN without insurance at time of survey	3.1	3.5
Currently insured CSHCN whose insurance is inadequate	31.0	33.1

Access to Care

CSHCN with any unmet need for specific health care services	14.6	16.1
CSHCN with any unmet need for family support services	3.1	4.9
CSHCN needing a referral who have difficulty getting it	14.3	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	7.9	5.7
CSHCN without any personal doctor or nurse	5.6	6.5

Family-Centered Care

CSHCN without family-centered care	27.8	34.5
------------------------------------	-------------	------

Impact on Family

CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	19.4	20.0
CSHCN whose conditions cause financial problems for the family	15.6	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	9.0	9.7
CSHCN whose conditions cause family members to cut back or stop working	19.5	23.8

Core Outcomes	(Percent of CSHCN achieving outcome)	State %	National %
---------------	--------------------------------------	---------	------------

CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive		64.1	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home		51.8	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need		64.8	62.0
CSHCN who are screened early and continuously for special health care needs		62.1	63.8
CSHCN whose services are organized in ways that families can use them easily		90.1	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence		54.4	41.2

Estimated number of CSHCN: 27,853

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
---------------------	---------	------------

Percent of children who have special health care needs	13.6	13.9
--	-------------	------

Age

Age 0–5 years	7.9	8.8
Age 6–11 years	13.9	16.0
Age 12–17 years	18.1	16.8

Sex

Male	15.9	16.1
Female	11.3	11.6

Poverty Level

0–99% FPL	18.0	13.9
100–199% FPL	12.8	14.0
200–399% FPL	12.5	13.6
400% FPL or more	12.2	14.0

Hispanic Origin and Race

Non-Hispanic	13.4	15.0
White	13.4	15.5
Black	**	15.0
Asian	*	6.3
American Indian/Alaska Native	11.2	14.5
Native Hawaiian/Pacific Islander	*	11.5
Multiple races	15.2	17.9
Hispanic	14.0	8.3
Spanish language household	†	4.6
English language household	14.4	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

† No CSHCN were identified among predominantly Spanish-speaking Hispanics in the survey sample.

Indicator

State % National %

Child Health

CSHCN whose conditions affect their activities usually, always, or a great deal	28.7	24.0
CSHCN with 11 or more days of school absences due to illness	18.7	14.3

Health Insurance Coverage

CSHCN without insurance at some point in the past year	17.4	8.8
CSHCN without insurance at time of survey	10.4	3.5
Currently insured CSHCN whose insurance is inadequate	33.5	33.1

Access to Care

CSHCN with any unmet need for specific health care services	21.8	16.1
CSHCN with any unmet need for family support services	7.6	4.9
CSHCN needing a referral who have difficulty getting it	23.4	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	7.4	5.7
CSHCN without any personal doctor or nurse	9.5	6.5

Family-Centered Care

CSHCN without family-centered care	37.7	34.5
------------------------------------	-------------	------

Impact on Family

CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	26.2	20.0
CSHCN whose conditions cause financial problems for the family	25.3	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	12.3	9.7
CSHCN whose conditions cause family members to cut back or stop working	22.0	23.8

Core Outcomes

(Percent of CSHCN achieving outcome)

State % National %

CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	56.5	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	45.9	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need	55.2	62.0
CSHCN who are screened early and continuously for special health care needs	55.7	63.8
CSHCN whose services are organized in ways that families can use them easily	88.6	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	46.2	41.2

Estimated number of CSHCN: 62,759

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
---------------------	---------	------------

Percent of children who have special health care needs	14.6	13.9
--	-------------	------

Age

Age 0–5 years	8.6	8.8
Age 6–11 years	17.4	16.0
Age 12–17 years	18.0	16.8

Sex

Male	16.0	16.1
Female	13.1	11.6

Poverty Level

0–99% FPL	13.8	13.9
100–199% FPL	14.6	14.0
200–399% FPL	14.5	13.6
400% FPL or more	15.0	14.0

Hispanic Origin and Race

Non-Hispanic	15.5	15.0
White	15.3	15.5
Black	15.0	15.0
Asian	*	6.3
American Indian/Alaska Native	*	14.5
Native Hawaiian/Pacific Islander	*	11.5
Multiple races	20.4	17.9
Hispanic	7.2	8.3
Spanish language household	**	4.6
English language household	12.1	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

Indicator	State %	National %
-----------	---------	------------

Child Health

CSHCN whose conditions affect their activities usually, always, or a great deal	19.8	24.0
CSHCN with 11 or more days of school absences due to illness	11.6	14.3

Health Insurance Coverage

CSHCN without insurance at some point in the past year	6.4	8.8
CSHCN without insurance at time of survey	3.1	3.5
Currently insured CSHCN whose insurance is inadequate	30.2	33.1

Access to Care

CSHCN with any unmet need for specific health care services	10.4	16.1
CSHCN with any unmet need for family support services	4.0	4.9
CSHCN needing a referral who have difficulty getting it	20.4	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	3.5	5.7
CSHCN without any personal doctor or nurse	4.9	6.5

Family-Centered Care

CSHCN without family-centered care	28.0	34.5
------------------------------------	-------------	------

Impact on Family

CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	24.6	20.0
CSHCN whose conditions cause financial problems for the family	18.7	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	8.6	9.7
CSHCN whose conditions cause family members to cut back or stop working	17.2	23.8

Core Outcomes	(Percent of CSHCN achieving outcome)	State %	National %
---------------	--------------------------------------	---------	------------

CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive		65.7	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home		54.2	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need		65.9	62.0
CSHCN who are screened early and continuously for special health care needs		63.1	63.8
CSHCN whose services are organized in ways that families can use them easily		91.9	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence		54.4	41.2

Estimated number of CSHCN: 65,900

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	10.4	13.9
Age		
Age 0–5 years	6.7	8.8
Age 6–11 years	11.1	16.0
Age 12–17 years	13.4	16.8
Sex		
Male	11.8	16.1
Female	8.9	11.6
Poverty Level		
0–99% FPL	8.6	13.9
100–199% FPL	10.7	14.0
200–399% FPL	10.7	13.6
400% FPL or more	10.9	14.0
Hispanic Origin and Race		
Non-Hispanic	12.1	15.0
White	12.5	15.5
Black	14.5	15.0
Asian	*	6.3
American Indian/Alaska Native	*	14.5
Native Hawaiian/Pacific Islander	*	11.5
Multiple races	10.8	17.9
Hispanic	5.7	8.3
Spanish language household	3.5	4.6
English language household	10.3	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

Indicator	State %	National %
Child Health		
CSHCN whose conditions affect their activities usually, always, or a great deal	28.5	24.0
CSHCN with 11 or more days of school absences due to illness	17.4	14.3
Health Insurance Coverage		
CSHCN without insurance at some point in the past year	17.8	8.8
CSHCN without insurance at time of survey	10.2	3.5
Currently insured CSHCN whose insurance is inadequate	37.0	33.1
Access to Care		
CSHCN with any unmet need for specific health care services	23.0	16.1
CSHCN with any unmet need for family support services	6.9	4.9
CSHCN needing a referral who have difficulty getting it	27.5	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	7.0	5.7
CSHCN without any personal doctor or nurse	7.5	6.5
Family-Centered Care		
CSHCN without family-centered care	40.6	34.5
Impact on Family		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	23.7	20.0
CSHCN whose conditions cause financial problems for the family	23.2	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	11.7	9.7
CSHCN whose conditions cause family members to cut back or stop working	27.2	23.8
Core Outcomes (Percent of CSHCN achieving outcome)		
CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	47.5	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	41.2	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need	53.5	62.0
CSHCN who are screened early and continuously for special health care needs	56.3	63.8
CSHCN whose services are organized in ways that families can use them easily	82.6	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	41.7	41.2

Estimated number of CSHCN: 50,365

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %	Indicator	State %	National %
Percent of children who have special health care needs	16.6	13.9	Child Health		
Age			CSHCN whose conditions affect their activities usually, always, or a great deal	21.9	24.0
Age 0–5 years	9.6	8.8	CSHCN with 11 or more days of school absences due to illness	12.6	14.3
Age 6–11 years	18.5	16.0	Health Insurance Coverage		
Age 12–17 years	20.3	16.8	CSHCN without insurance at some point in the past year	7.0	8.8
Sex			CSHCN without insurance at time of survey	2.3	3.5
Male	19.8	16.1	Currently insured CSHCN whose insurance is inadequate	28.1	33.1
Female	13.1	11.6	Access to Care		
Poverty Level			CSHCN with any unmet need for specific health care services	14.0	16.1
0–99% FPL	22.4	13.9	CSHCN with any unmet need for family support services	5.0	4.9
100–199% FPL	19.2	14.0	CSHCN needing a referral who have difficulty getting it	16.0	21.1
200–399% FPL	16.2	13.6	CSHCN without a usual source of care when sick (or who rely on the emergency room)	3.6	5.7
400% FPL or more	14.9	14.0	CSHCN without any personal doctor or nurse	4.4	6.5
Hispanic Origin and Race			Family-Centered Care		
Non-Hispanic	16.4	15.0	CSHCN without family-centered care	30.0	34.5
White	16.3	15.5	Impact on Family		
Black	23.1	15.0	CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	18.8	20.0
Asian	*	6.3	CSHCN whose conditions cause financial problems for the family	18.6	18.1
American Indian/Alaska Native	*	14.5	CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	6.1	9.7
Native Hawaiian/Pacific Islander	*	11.5	CSHCN whose conditions cause family members to cut back or stop working	25.5	23.8
Multiple races	20.1	17.9	Core Outcomes (Percent of CSHCN achieving outcome)		
Hispanic	18.4	8.3	CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	60.0	57.4
Spanish language household	**	4.6	CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	49.6	47.1
English language household	25.5	13.1	CSHCN whose families have adequate private and/or public insurance to pay for the services they need	67.3	62.0
			CSHCN who are screened early and continuously for special health care needs	79.9	63.8
			CSHCN whose services are organized in ways that families can use them easily	85.8	89.1
			Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	51.6	41.2

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

Estimated number of CSHCN: 286,826

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	13.3	13.9
Age		
Age 0–5 years	8.1	8.8
Age 6–11 years	15.3	16.0
Age 12–17 years	16.1	16.8
Sex		
Male	15.9	16.1
Female	10.7	11.6
Poverty Level		
0–99% FPL	13.7	13.9
100–199% FPL	12.2	14.0
200–399% FPL	12.9	13.6
400% FPL or more	13.8	14.0
Hispanic Origin and Race		
Non-Hispanic	13.8	15.0
White	14.6	15.5
Black	13.7	15.0
Asian	7.7	6.3
American Indian/Alaska Native	*	14.5
Native Hawaiian/Pacific Islander	*	11.5
Multiple races	14.7	17.9
Hispanic	10.5	8.3
Spanish language household	5.0	4.6
English language household	16.4	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

Indicator	State %	National %
Child Health		
CSHCN whose conditions affect their activities usually, always, or a great deal	25.0	24.0
CSHCN with 11 or more days of school absences due to illness	11.7	14.3
Health Insurance Coverage		
CSHCN without insurance at some point in the past year	8.7	8.8
CSHCN without insurance at time of survey	3.3	3.5
Currently insured CSHCN whose insurance is inadequate	36.6	33.1
Access to Care		
CSHCN with any unmet need for specific health care services	16.1	16.1
CSHCN with any unmet need for family support services	4.6	4.9
CSHCN needing a referral who have difficulty getting it	22.2	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	5.2	5.7
CSHCN without any personal doctor or nurse	4.7	6.5
Family-Centered Care		
CSHCN without family-centered care	39.1	34.5
Impact on Family		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	25.7	20.0
CSHCN whose conditions cause financial problems for the family	17.4	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	12.5	9.7
CSHCN whose conditions cause family members to cut back or stop working	25.5	23.8
Core Outcomes (Percent of CSHCN achieving outcome)		
CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	55.4	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	40.8	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need	59.9	62.0
CSHCN who are screened early and continuously for special health care needs	71.7	63.8
CSHCN whose services are organized in ways that families can use them easily	88.0	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	37.9	41.2

Estimated number of CSHCN: 59,535

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
---------------------	---------	------------

Percent of children who have special health care needs	12.1	13.9
--	-------------	------

Age

Age 0–5 years	7.3	8.8
Age 6–11 years	14.4	16.0
Age 12–17 years	14.4	16.8

Sex

Male	13.6	16.1
Female	10.7	11.6

Poverty Level

0–99% FPL	10.6	13.9
100–199% FPL	11.6	14.0
200–399% FPL	13.4	13.6
400% FPL or more	13.2	14.0

Hispanic Origin and Race

Non-Hispanic	13.6	15.0
White	15.2	15.5
Black	13.3	15.0
Asian	*	6.3
American Indian/Alaska Native	9.2	14.5
Native Hawaiian/Pacific Islander	*	11.5
Multiple races	17.5	17.9
Hispanic	10.7	8.3
Spanish language household	4.6	4.6
English language household	13.6	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

Indicator	State %	National %
-----------	---------	------------

Child Health

CSHCN whose conditions affect their activities usually, always, or a great deal	25.8	24.0
CSHCN with 11 or more days of school absences due to illness	17.3	14.3

Health Insurance Coverage

CSHCN without insurance at some point in the past year	14.0	8.8
CSHCN without insurance at time of survey	5.5	3.5
Currently insured CSHCN whose insurance is inadequate	35.7	33.1

Access to Care

CSHCN with any unmet need for specific health care services	21.4	16.1
CSHCN with any unmet need for family support services	6.9	4.9
CSHCN needing a referral who have difficulty getting it	25.9	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	4.7	5.7
CSHCN without any personal doctor or nurse	7.5	6.5

Family-Centered Care

CSHCN without family-centered care	38.5	34.5
------------------------------------	-------------	------

Impact on Family

CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	19.9	20.0
CSHCN whose conditions cause financial problems for the family	20.4	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	13.0	9.7
CSHCN whose conditions cause family members to cut back or stop working	25.1	23.8

Core Outcomes	(Percent of CSHCN achieving outcome)	State %	National %
---------------	--------------------------------------	---------	------------

CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive		53.2	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home		41.6	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need		56.6	62.0
CSHCN who are screened early and continuously for special health care needs		64.1	63.8
CSHCN whose services are organized in ways that families can use them easily		85.7	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence		33.7	41.2

Estimated number of CSHCN: 572,503

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %	Indicator	State %	National %
Percent of children who have special health care needs	12.7	13.9	Child Health		
Age			CSHCN whose conditions affect their activities usually, always, or a great deal	23.7	24.0
Age 0–5 years	8.5	8.8	CSHCN with 11 or more days of school absences due to illness	14.8	14.3
Age 6–11 years	14.1	16.0	Health Insurance Coverage		
Age 12–17 years	15.3	16.8	CSHCN without insurance at some point in the past year	7.4	8.8
Sex			CSHCN without insurance at time of survey	2.0	3.5
Male	14.6	16.1	Currently insured CSHCN whose insurance is inadequate	34.7	33.1
Female	10.7	11.6	Access to Care		
Poverty Level			CSHCN with any unmet need for specific health care services	13.5	16.1
0–99% FPL	12.6	13.9	CSHCN with any unmet need for family support services	4.0	4.9
100–199% FPL	13.0	14.0	CSHCN needing a referral who have difficulty getting it	22.7	21.1
200–399% FPL	13.9	13.6	CSHCN without a usual source of care when sick (or who rely on the emergency room)	6.3	5.7
400% FPL or more	11.3	14.0	CSHCN without any personal doctor or nurse	5.2	6.5
Hispanic Origin and Race			Family-Centered Care		
Non-Hispanic	13.5	15.0	CSHCN without family-centered care	33.4	34.5
White	13.9	15.5	Impact on Family		
Black	15.3	15.0	CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	16.8	20.0
Asian	2.8	6.3	CSHCN whose conditions cause financial problems for the family	17.8	18.1
American Indian/Alaska Native	*	14.5	CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	8.6	9.7
Native Hawaiian/Pacific Islander	*	11.5	CSHCN whose conditions cause family members to cut back or stop working	25.7	23.8
Multiple races	18.5	17.9	Core Outcomes (Percent of CSHCN achieving outcome)		
Hispanic	9.0	8.3	CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	59.0	57.4
Spanish language household	5.8	4.6	CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	45.2	47.1
English language household	12.6	13.1	CSHCN whose families have adequate private and/or public insurance to pay for the services they need	62.1	62.0
			CSHCN who are screened early and continuously for special health care needs	67.7	63.8
			CSHCN whose services are organized in ways that families can use them easily	90.6	89.1
			Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	38.4	41.2

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

Estimated number of CSHCN: 333,895

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
---------------------	---------	------------

Percent of children who have special health care needs	15.4	13.9
--	-------------	------

Age

Age 0–5 years	10.1	8.8
Age 6–11 years	17.7	16.0
Age 12–17 years	18.4	16.8

Sex

Male	18.1	16.1
Female	12.7	11.6

Poverty Level

0–99% FPL	14.7	13.9
100–199% FPL	17.2	14.0
200–399% FPL	14.8	13.6
400% FPL or more	15.3	14.0

Hispanic Origin and Race

Non-Hispanic	16.1	15.0
White	17.0	15.5
Black	14.1	15.0
Asian	*	6.3
American Indian/ Alaska Native	*	14.5
Native Hawaiian/ Pacific Islander	*	11.5
Multiple races	22.8	17.9
Hispanic	6.4	8.3
Spanish language household	3.5	4.6
English language household	13.6	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

Indicator	State %	National %
-----------	---------	------------

Child Health

CSHCN whose conditions affect their activities usually, always, or a great deal	21.3	24.0
CSHCN with 11 or more days of school absences due to illness	13.4	14.3

Health Insurance Coverage

CSHCN without insurance at some point in the past year	7.1	8.8
CSHCN without insurance at time of survey	2.4	3.5
Currently insured CSHCN whose insurance is inadequate	30.8	33.1

Access to Care

CSHCN with any unmet need for specific health care services	14.9	16.1
CSHCN with any unmet need for family support services	4.1	4.9
CSHCN needing a referral who have difficulty getting it	13.3	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	5.8	5.7
CSHCN without any personal doctor or nurse	7.5	6.5

Family-Centered Care

CSHCN without family-centered care	35.7	34.5
------------------------------------	-------------	------

Impact on Family

CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	18.0	20.0
CSHCN whose conditions cause financial problems for the family	18.3	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	9.6	9.7
CSHCN whose conditions cause family members to cut back or stop working	22.2	23.8

Core Outcomes	(Percent of CSHCN achieving outcome)	State %	National %
---------------	--------------------------------------	---------	------------

CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive		58.3	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home		46.5	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need		63.7	62.0
CSHCN who are screened early and continuously for special health care needs		65.0	63.8
CSHCN whose services are organized in ways that families can use them easily		89.3	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence		39.9	41.2

Estimated number of CSHCN: 16,541

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	12.2	13.9
Age		
Age 0–5 years	6.4	8.8
Age 6–11 years	14.6	16.0
Age 12–17 years	15.4	16.8
Sex		
Male	14.1	16.1
Female	10.3	11.6
Poverty Level		
0–99% FPL	14.4	13.9
100–199% FPL	13.1	14.0
200–399% FPL	10.8	13.6
400% FPL or more	12.8	14.0
Hispanic Origin and Race		
Non-Hispanic	12.1	15.0
White	12.2	15.5
Black	**	15.0
Asian	*	6.3
American Indian/Alaska Native	12.1	14.5
Native Hawaiian/Pacific Islander	*	11.5
Multiple races	12.8	17.9
Hispanic	11.4	8.3
Spanish language household	**	4.6
English language household	12.6	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

Indicator	State %	National %
Child Health		
CSHCN whose conditions affect their activities usually, always, or a great deal	20.4	24.0
CSHCN with 11 or more days of school absences due to illness	12.8	14.3
Health Insurance Coverage		
CSHCN without insurance at some point in the past year	9.6	8.8
CSHCN without insurance at time of survey	5.3	3.5
Currently insured CSHCN whose insurance is inadequate	26.1	33.1
Access to Care		
CSHCN with any unmet need for specific health care services	10.9	16.1
CSHCN with any unmet need for family support services	3.5	4.9
CSHCN needing a referral who have difficulty getting it	15.6	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	6.3	5.7
CSHCN without any personal doctor or nurse	7.3	6.5
Family-Centered Care		
CSHCN without family-centered care	30.9	34.5
Impact on Family		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	21.9	20.0
CSHCN whose conditions cause financial problems for the family	18.5	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	9.1	9.7
CSHCN whose conditions cause family members to cut back or stop working	18.1	23.8
Core Outcomes (Percent of CSHCN achieving outcome)		
CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	63.0	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	51.2	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need	67.9	62.0
CSHCN who are screened early and continuously for special health care needs	57.5	63.8
CSHCN whose services are organized in ways that families can use them easily	92.3	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	51.2	41.2

Estimated number of CSHCN: 445,205

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %	Indicator	State %	National %
Percent of children who have special health care needs	16.2	13.9	Child Health		
			CSHCN whose conditions affect their activities usually, always, or a great deal	25.2	24.0
			CSHCN with 11 or more days of school absences due to illness	15.4	14.3
Age			Health Insurance Coverage		
Age 0–5 years	9.7	8.8	CSHCN without insurance at some point in the past year	7.1	8.8
Age 6–11 years	19.6	16.0	CSHCN without insurance at time of survey	2.1	3.5
Age 12–17 years	19.0	16.8	Currently insured CSHCN whose insurance is inadequate	32.0	33.1
Sex			Access to Care		
Male	18.4	16.1	CSHCN with any unmet need for specific health care services	14.2	16.1
Female	13.7	11.6	CSHCN with any unmet need for family support services	4.6	4.9
Poverty Level			CSHCN needing a referral who have difficulty getting it	13.8	21.1
0–99% FPL	19.0	13.9	CSHCN without a usual source of care when sick (or who rely on the emergency room)	5.2	5.7
100–199% FPL	17.6	14.0	CSHCN without any personal doctor or nurse	5.4	6.5
200–399% FPL	14.4	13.6	Family-Centered Care		
400% FPL or more	15.7	14.0	CSHCN without family-centered care	27.5	34.5
Hispanic Origin and Race			Impact on Family		
Non-Hispanic	16.1	15.0	CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	16.6	20.0
White	15.4	15.5	CSHCN whose conditions cause financial problems for the family	16.0	18.1
Black	20.1	15.0	CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	10.0	9.7
Asian	*	6.3	CSHCN whose conditions cause family members to cut back or stop working	23.4	23.8
American Indian/Alaska Native	*	14.5	Core Outcomes		
Native Hawaiian/Pacific Islander	*	11.5	(Percent of CSHCN achieving outcome)	State %	National %
Multiple races	17.0	17.9	CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	65.4	57.4
Hispanic	14.9	8.3	CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	55.6	47.1
Spanish language household	**	4.6	CSHCN whose families have adequate private and/or public insurance to pay for the services they need	64.6	62.0
English language household	18.1	13.1	CSHCN who are screened early and continuously for special health care needs	65.1	63.8
			CSHCN whose services are organized in ways that families can use them easily	92.2	89.1
			Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	48.5	41.2

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

Estimated number of CSHCN: 141,129

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
---------------------	---------	------------

Percent of children who have special health care needs	16.5	13.9
--	-------------	------

Age

Age 0–5 years	11.2	8.8
Age 6–11 years	19.5	16.0
Age 12–17 years	19.1	16.8

Sex

Male	18.9	16.1
Female	14.1	11.6

Poverty Level

0–99% FPL	18.3	13.9
100–199% FPL	17.0	14.0
200–399% FPL	15.3	13.6
400% FPL or more	16.3	14.0

Hispanic Origin and Race

Non-Hispanic	16.9	15.0
White	16.0	15.5
Black	17.8	15.0
Asian	*	6.3
American Indian/ Alaska Native	19.4	14.5
Native Hawaiian/ Pacific Islander	*	11.5
Multiple races	23.3	17.9
Hispanic	9.3	8.3
Spanish language household	**	4.6
English language household	16.1	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

Indicator

State % National %

Child Health

CSHCN whose conditions affect their activities usually, always, or a great deal	26.4	24.0
CSHCN with 11 or more days of school absences due to illness	14.3	14.3

Health Insurance Coverage

CSHCN without insurance at some point in the past year	12.3	8.8
CSHCN without insurance at time of survey	4.9	3.5
Currently insured CSHCN whose insurance is inadequate	31.5	33.1

Access to Care

CSHCN with any unmet need for specific health care services	18.5	16.1
CSHCN with any unmet need for family support services	5.5	4.9
CSHCN needing a referral who have difficulty getting it	19.8	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	5.1	5.7
CSHCN without any personal doctor or nurse	8.0	6.5

Family-Centered Care

CSHCN without family-centered care	32.8	34.5
------------------------------------	-------------	------

Impact on Family

CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	19.9	20.0
CSHCN whose conditions cause financial problems for the family	19.8	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	9.0	9.7
CSHCN whose conditions cause family members to cut back or stop working	18.9	23.8

Core Outcomes

(Percent of CSHCN achieving outcome)

State % National %

CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	56.9	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	49.7	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need	61.6	62.0
CSHCN who are screened early and continuously for special health care needs	61.4	63.8
CSHCN whose services are organized in ways that families can use them easily	90.3	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	43.7	41.2

Estimated number of CSHCN: 116,988

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %	Indicator	State %	National %
Percent of children who have special health care needs	13.7	13.9	Child Health		
			CSHCN whose conditions affect their activities usually, always, or a great deal	30.3	24.0
			CSHCN with 11 or more days of school absences due to illness	18.8	14.3
Age			Health Insurance Coverage		
Age 0–5 years	8.6	8.8	CSHCN without insurance at some point in the past year	11.2	8.8
Age 6–11 years	14.7	16.0	CSHCN without insurance at time of survey	5.7	3.5
Age 12–17 years	17.3	16.8	Currently insured CSHCN whose insurance is inadequate	31.3	33.1
Sex			Access to Care		
Male	14.8	16.1	CSHCN with any unmet need for specific health care services	21.7	16.1
Female	12.4	11.6	CSHCN with any unmet need for family support services	6.3	4.9
Poverty Level			CSHCN needing a referral who have difficulty getting it	23.5	21.1
0–99% FPL	12.6	13.9	CSHCN without a usual source of care when sick (or who rely on the emergency room)	6.0	5.7
100–199% FPL	15.6	14.0	CSHCN without any personal doctor or nurse	7.1	6.5
200–399% FPL	12.9	13.6	Family-Centered Care		
400% FPL or more	13.6	14.0	CSHCN without family-centered care	31.1	34.5
Hispanic Origin and Race			Impact on Family		
Non-Hispanic	14.4	15.0	CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	20.0	20.0
White	14.5	15.5	CSHCN whose conditions cause financial problems for the family	18.1	18.1
Black	14.8	15.0	CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	8.7	9.7
Asian	*	6.3	CSHCN whose conditions cause family members to cut back or stop working	29.2	23.8
American Indian/Alaska Native	*	14.5	Core Outcomes		
Native Hawaiian/Pacific Islander	*	11.5	(Percent of CSHCN achieving outcome)	State %	National %
Multiple races	18.1	17.9	CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	55.5	57.4
Hispanic	8.7	8.3	CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	47.4	47.1
Spanish language household	5.5	4.6	CSHCN whose families have adequate private and/or public insurance to pay for the services they need	61.5	62.0
English language household	12.9	13.1	CSHCN who are screened early and continuously for special health care needs	60.0	63.8
			CSHCN whose services are organized in ways that families can use them easily	88.3	89.1
			Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	43.7	41.2

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

Estimated number of CSHCN: 430,640

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	15.4	13.9
Age		
Age 0–5 years	8.8	8.8
Age 6–11 years	17.2	16.0
Age 12–17 years	19.4	16.8
Sex		
Male	17.8	16.1
Female	12.8	11.6
Poverty Level		
0–99% FPL	17.5	13.9
100–199% FPL	17.2	14.0
200–399% FPL	14.1	13.6
400% FPL or more	14.1	14.0
Hispanic Origin and Race		
Non-Hispanic	15.1	15.0
White	14.8	15.5
Black	18.1	15.0
Asian	*	6.3
American Indian/Alaska Native	*	14.5
Native Hawaiian/Pacific Islander	*	11.5
Multiple races	15.7	17.9
Hispanic	13.6	8.3
Spanish language household	6.9	4.6
English language household	17.2	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

Indicator	State %	National %
Child Health		
CSHCN whose conditions affect their activities usually, always, or a great deal	25.0	24.0
CSHCN with 11 or more days of school absences due to illness	15.2	14.3
Health Insurance Coverage		
CSHCN without insurance at some point in the past year	7.6	8.8
CSHCN without insurance at time of survey	2.0	3.5
Currently insured CSHCN whose insurance is inadequate	30.1	33.1
Access to Care		
CSHCN with any unmet need for specific health care services	16.1	16.1
CSHCN with any unmet need for family support services	4.8	4.9
CSHCN needing a referral who have difficulty getting it	28.0	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	4.5	5.7
CSHCN without any personal doctor or nurse	5.6	6.5
Family-Centered Care		
CSHCN without family-centered care	33.6	34.5
Impact on Family		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	16.8	20.0
CSHCN whose conditions cause financial problems for the family	18.2	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	11.0	9.7
CSHCN whose conditions cause family members to cut back or stop working	24.4	23.8
Core Outcomes (Percent of CSHCN achieving outcome)		
CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	60.6	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	45.8	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need	66.2	62.0
CSHCN who are screened early and continuously for special health care needs	69.7	63.8
CSHCN whose services are organized in ways that families can use them easily	89.5	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	46.0	41.2

Estimated number of CSHCN: 41,783

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
---------------------	---------	------------

Percent of children who have special health care needs	17.2	13.9
--	-------------	------

Age

Age 0–5 years	10.1	8.8
Age 6–11 years	19.9	16.0
Age 12–17 years	20.7	16.8

Sex

Male	20.8	16.1
Female	13.5	11.6

Poverty Level

0–99% FPL	19.9	13.9
100–199% FPL	21.0	14.0
200–399% FPL	15.8	13.6
400% FPL or more	14.8	14.0

Hispanic Origin and Race

Non-Hispanic	17.7	15.0
White	18.3	15.5
Black	14.6	15.0
Asian	*	6.3
American Indian/ Alaska Native	*	14.5
Native Hawaiian/ Pacific Islander	*	11.5
Multiple races	23.2	17.9
Hispanic	12.4	8.3
Spanish language household	8.2	4.6
English language household	21.0	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

Indicator	State %	National %
-----------	---------	------------

Child Health

CSHCN whose conditions affect their activities usually, always, or a great deal	21.3	24.0
CSHCN with 11 or more days of school absences due to illness	14.9	14.3

Health Insurance Coverage

CSHCN without insurance at some point in the past year	6.2	8.8
CSHCN without insurance at time of survey	1.4	3.5
Currently insured CSHCN whose insurance is inadequate	26.8	33.1

Access to Care

CSHCN with any unmet need for specific health care services	12.6	16.1
CSHCN with any unmet need for family support services	4.3	4.9
CSHCN needing a referral who have difficulty getting it	10.2	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	4.7	5.7
CSHCN without any personal doctor or nurse	2.3	6.5

Family-Centered Care

CSHCN without family-centered care	30.1	34.5
------------------------------------	-------------	------

Impact on Family

CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	12.6	20.0
CSHCN whose conditions cause financial problems for the family	14.0	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	9.6	9.7
CSHCN whose conditions cause family members to cut back or stop working	23.0	23.8

Core Outcomes	(Percent of CSHCN achieving outcome)	State %	National %
---------------	--------------------------------------	---------	------------

CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive		61.4	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home		50.9	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need		68.2	62.0
CSHCN who are screened early and continuously for special health care needs		74.2	63.8
CSHCN whose services are organized in ways that families can use them easily		87.6	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence		37.6	41.2

Estimated number of CSHCN: 157,802

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
---------------------	---------	------------

Percent of children who have special health care needs	15.2	13.9
--	-------------	------

Age

Age 0–5 years	10.2	8.8
Age 6–11 years	18.6	16.0
Age 12–17 years	16.7	16.8

Sex

Male	18.6	16.1
Female	11.9	11.6

Poverty Level

0–99% FPL	17.4	13.9
100–199% FPL	16.0	14.0
200–399% FPL	14.0	13.6
400% FPL or more	14.3	14.0

Hispanic Origin and Race

Non-Hispanic	15.3	15.0
White	16.0	15.5
Black	14.0	15.0
Asian	*	6.3
American Indian/Alaska Native	*	14.5
Native Hawaiian/Pacific Islander	*	11.5
Multiple races	17.9	17.9
Hispanic	6.7	8.3
Spanish language household	**	4.6
English language household	14.3	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

Indicator

State % National %

Child Health

CSHCN whose conditions affect their activities usually, always, or a great deal	20.7	24.0
CSHCN with 11 or more days of school absences due to illness	14.2	14.3

Health Insurance Coverage

CSHCN without insurance at some point in the past year	9.1	8.8
CSHCN without insurance at time of survey	5.2	3.5
Currently insured CSHCN whose insurance is inadequate	33.0	33.1

Access to Care

CSHCN with any unmet need for specific health care services	14.1	16.1
CSHCN with any unmet need for family support services	5.7	4.9
CSHCN needing a referral who have difficulty getting it	14.5	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	5.4	5.7
CSHCN without any personal doctor or nurse	4.8	6.5

Family-Centered Care

CSHCN without family-centered care	30.7	34.5
------------------------------------	-------------	------

Impact on Family

CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	18.2	20.0
CSHCN whose conditions cause financial problems for the family	20.5	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	10.9	9.7
CSHCN whose conditions cause family members to cut back or stop working	21.8	23.8

Core Outcomes

(Percent of CSHCN achieving outcome)

State % National %

CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	60.4	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	53.1	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need	61.2	62.0
CSHCN who are screened early and continuously for special health care needs	60.0	63.8
CSHCN whose services are organized in ways that families can use them easily	91.7	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	37.2	41.2

Estimated number of CSHCN: 23,644

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
---------------------	---------	------------

Percent of children who have special health care needs	12.6	13.9
--	-------------	------

Age

Age 0–5 years	8.3	8.8
Age 6–11 years	14.6	16.0
Age 12–17 years	15.1	16.8

Sex

Male	13.8	16.1
Female	11.4	11.6

Poverty Level

0–99% FPL	13.3	13.9
100–199% FPL	12.4	14.0
200–399% FPL	12.4	13.6
400% FPL or more	12.7	14.0

Hispanic Origin and Race

Non-Hispanic	12.6	15.0
White	12.8	15.5
Black	**	15.0
Asian	*	6.3
American Indian/Alaska Native	11.5	14.5
Native Hawaiian/Pacific Islander	*	11.5
Multiple races	15.6	17.9
Hispanic	8.9	8.3
Spanish language household	**	4.6
English language household	11.5	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

Indicator	State %	National %
-----------	---------	------------

Child Health

CSHCN whose conditions affect their activities usually, always, or a great deal	22.8	24.0
CSHCN with 11 or more days of school absences due to illness	13.3	14.3

Health Insurance Coverage

CSHCN without insurance at some point in the past year	6.6	8.8
CSHCN without insurance at time of survey	3.3	3.5
Currently insured CSHCN whose insurance is inadequate	29.7	33.1

Access to Care

CSHCN with any unmet need for specific health care services	11.6	16.1
CSHCN with any unmet need for family support services	4.9	4.9
CSHCN needing a referral who have difficulty getting it	16.6	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	4.4	5.7
CSHCN without any personal doctor or nurse	3.9	6.5

Family-Centered Care

CSHCN without family-centered care	30.2	34.5
------------------------------------	-------------	------

Impact on Family

CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	23.9	20.0
CSHCN whose conditions cause financial problems for the family	19.9	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	8.8	9.7
CSHCN whose conditions cause family members to cut back or stop working	21.0	23.8

Core Outcomes	(Percent of CSHCN achieving outcome)	State %	National %
---------------	--------------------------------------	---------	------------

CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive		63.4	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home		53.8	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need		66.6	62.0
CSHCN who are screened early and continuously for special health care needs		56.3	63.8
CSHCN whose services are organized in ways that families can use them easily		90.4	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence		50.6	41.2

Estimated number of CSHCN: 229,744

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
---------------------	---------	------------

Percent of children who have special health care needs	16.4	13.9
--	-------------	------

Age

Age 0–5 years	11.9	8.8
Age 6–11 years	18.5	16.0
Age 12–17 years	18.9	16.8

Sex

Male	18.1	16.1
Female	14.7	11.6

Poverty Level

0–99% FPL	20.4	13.9
100–199% FPL	15.3	14.0
200–399% FPL	14.2	13.6
400% FPL or more	17.3	14.0

Hispanic Origin and Race

Non-Hispanic	16.5	15.0
White	16.8	15.5
Black	14.5	15.0
Asian	*	6.3
American Indian/ Alaska Native	*	14.5
Native Hawaiian/ Pacific Islander	*	11.5
Multiple races	21.9	17.9
Hispanic	10.9	8.3
Spanish language household	**	4.6
English language household	19.5	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

Indicator

State % National %

Child Health

CSHCN whose conditions affect their activities usually, always, or a great deal	22.8	24.0
CSHCN with 11 or more days of school absences due to illness	14.3	14.3

Health Insurance Coverage

CSHCN without insurance at some point in the past year	6.9	8.8
CSHCN without insurance at time of survey	3.2	3.5
Currently insured CSHCN whose insurance is inadequate	28.3	33.1

Access to Care

CSHCN with any unmet need for specific health care services	14.2	16.1
CSHCN with any unmet need for family support services	3.0	4.9
CSHCN needing a referral who have difficulty getting it	15.3	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	5.0	5.7
CSHCN without any personal doctor or nurse	6.4	6.5

Family-Centered Care

CSHCN without family-centered care	30.7	34.5
------------------------------------	-------------	------

Impact on Family

CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	22.6	20.0
CSHCN whose conditions cause financial problems for the family	17.9	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	11.1	9.7
CSHCN whose conditions cause family members to cut back or stop working	22.8	23.8

Core Outcomes

(Percent of CSHCN achieving outcome)

State % National %

CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	60.7	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	52.7	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need	67.7	62.0
CSHCN who are screened early and continuously for special health care needs	59.8	63.8
CSHCN whose services are organized in ways that families can use them easily	91.8	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	39.6	41.2

Estimated number of CSHCN: 806,746

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	12.6	13.9
Age		
Age 0–5 years	8.3	8.8
Age 6–11 years	14.7	16.0
Age 12–17 years	15.1	16.8
Sex		
Male	14.7	16.1
Female	10.5	11.6
Poverty Level		
0–99% FPL	9.6	13.9
100–199% FPL	11.5	14.0
200–399% FPL	14.0	13.6
400% FPL or more	15.4	14.0
Hispanic Origin and Race		
Non-Hispanic	15.6	15.0
White	16.6	15.5
Black	14.0	15.0
Asian	*	6.3
American Indian/ Alaska Native	*	14.5
Native Hawaiian/ Pacific Islander	*	11.5
Multiple races	17.4	17.9
Hispanic	8.6	8.3
Spanish language household	4.6	4.6
English language household	13.9	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

Indicator	State %	National %
Child Health		
CSHCN whose conditions affect their activities usually, always, or a great deal	22.8	24.0
CSHCN with 11 or more days of school absences due to illness	12.9	14.3
Health Insurance Coverage		
CSHCN without insurance at some point in the past year	14.9	8.8
CSHCN without insurance at time of survey	6.7	3.5
Currently insured CSHCN whose insurance is inadequate	33.7	33.1
Access to Care		
CSHCN with any unmet need for specific health care services	17.6	16.1
CSHCN with any unmet need for family support services	4.6	4.9
CSHCN needing a referral who have difficulty getting it	25.4	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	4.8	5.7
CSHCN without any personal doctor or nurse	8.5	6.5
Family-Centered Care		
CSHCN without family-centered care	37.8	34.5
Impact on Family		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	19.5	20.0
CSHCN whose conditions cause financial problems for the family	18.8	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	9.4	9.7
CSHCN whose conditions cause family members to cut back or stop working	25.3	23.8
Core Outcomes (Percent of CSHCN achieving outcome)		
CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	57.9	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	46.3	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need	58.2	62.0
CSHCN who are screened early and continuously for special health care needs	58.6	63.8
CSHCN whose services are organized in ways that families can use them easily	88.2	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	37.1	41.2

Estimated number of CSHCN: 82,502

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	11.0	13.9
Age		
Age 0–5 years	6.0	8.8
Age 6–11 years	12.2	16.0
Age 12–17 years	16.0	16.8
Sex		
Male	12.5	16.1
Female	9.4	11.6
Poverty Level		
0–99% FPL	9.0	13.9
100–199% FPL	10.7	14.0
200–399% FPL	11.0	13.6
400% FPL or more	12.3	14.0
Hispanic Origin and Race		
Non-Hispanic	11.4	15.0
White	11.5	15.5
Black	**	15.0
Asian	*	6.3
American Indian/Alaska Native	*	14.5
Native Hawaiian/Pacific Islander	*	11.5
Multiple races	10.6	17.9
Hispanic	6.8	8.3
Spanish language household	2.6	4.6
English language household	12.3	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

Indicator	State %	National %
Child Health		
CSHCN whose conditions affect their activities usually, always, or a great deal	28.1	24.0
CSHCN with 11 or more days of school absences due to illness	16.4	14.3
Health Insurance Coverage		
CSHCN without insurance at some point in the past year	11.4	8.8
CSHCN without insurance at time of survey	4.2	3.5
Currently insured CSHCN whose insurance is inadequate	34.1	33.1
Access to Care		
CSHCN with any unmet need for specific health care services	20.2	16.1
CSHCN with any unmet need for family support services	8.4	4.9
CSHCN needing a referral who have difficulty getting it	19.0	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	4.0	5.7
CSHCN without any personal doctor or nurse	5.0	6.5
Family-Centered Care		
CSHCN without family-centered care	31.4	34.5
Impact on Family		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	26.4	20.0
CSHCN whose conditions cause financial problems for the family	22.1	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	7.8	9.7
CSHCN whose conditions cause family members to cut back or stop working	19.9	23.8
Core Outcomes (Percent of CSHCN achieving outcome)		
CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	55.1	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	52.3	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need	59.5	62.0
CSHCN who are screened early and continuously for special health care needs	62.1	63.8
CSHCN whose services are organized in ways that families can use them easily	86.2	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	42.5	41.2

Estimated number of CSHCN: 19,937

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	15.0	13.9
Age		
Age 0–5 years	7.6	8.8
Age 6–11 years	16.7	16.0
Age 12–17 years	19.1	16.8
Sex		
Male	17.2	16.1
Female	12.6	11.6
Poverty Level		
0–99% FPL	23.8	13.9
100–199% FPL	18.3	14.0
200–399% FPL	13.0	13.6
400% FPL or more	13.1	14.0
Hispanic Origin and Race		
Non-Hispanic	14.8	15.0
White	14.5	15.5
Black	**	15.0
Asian	*	6.3
American Indian/Alaska Native	*	14.5
Native Hawaiian/Pacific Islander	*	11.5
Multiple races	21.3	17.9
Hispanic	21.1	8.3
Spanish language household	†	4.6
English language household	22.7	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

† No CSHCN were identified among predominantly Spanish-speaking Hispanics in the survey sample.

Indicator	State %	National %
Child Health		
CSHCN whose conditions affect their activities usually, always, or a great deal	21.7	24.0
CSHCN with 11 or more days of school absences due to illness	12.3	14.3
Health Insurance Coverage		
CSHCN without insurance at some point in the past year	6.6	8.8
CSHCN without insurance at time of survey	2.1	3.5
Currently insured CSHCN whose insurance is inadequate	25.8	33.1
Access to Care		
CSHCN with any unmet need for specific health care services	12.9	16.1
CSHCN with any unmet need for family support services	6.3	4.9
CSHCN needing a referral who have difficulty getting it	17.3	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	4.5	5.7
CSHCN without any personal doctor or nurse	3.0	6.5
Family-Centered Care		
CSHCN without family-centered care	27.8	34.5
Impact on Family		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	16.3	20.0
CSHCN whose conditions cause financial problems for the family	15.2	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	8.2	9.7
CSHCN whose conditions cause family members to cut back or stop working	22.5	23.8
Core Outcomes (Percent of CSHCN achieving outcome)		
CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	59.8	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	51.6	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need	69.4	62.0
CSHCN who are screened early and continuously for special health care needs	74.4	63.8
CSHCN whose services are organized in ways that families can use them easily	89.3	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	52.0	41.2

Estimated number of CSHCN: 289,176

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %	Indicator	State %	National %
Percent of children who have special health care needs	15.8	13.9	Child Health		
Age			CSHCN whose conditions affect their activities usually, always, or a great deal	22.1	24.0
Age 0–5 years	8.4	8.8	CSHCN with 11 or more days of school absences due to illness	14.4	14.3
Age 6–11 years	20.1	16.0	Health Insurance Coverage		
Age 12–17 years	19.1	16.8	CSHCN without insurance at some point in the past year	7.6	8.8
Sex			CSHCN without insurance at time of survey	2.0	3.5
Male	18.3	16.1	Currently insured CSHCN whose insurance is inadequate	31.7	33.1
Female	13.3	11.6	Access to Care		
Poverty Level			CSHCN with any unmet need for specific health care services	13.1	16.1
0–99% FPL	22.0	13.9	CSHCN with any unmet need for family support services	6.0	4.9
100–199% FPL	14.3	14.0	CSHCN needing a referral who have difficulty getting it	20.8	21.1
200–399% FPL	14.1	13.6	CSHCN without a usual source of care when sick (or who rely on the emergency room)	5.4	5.7
400% FPL or more	15.9	14.0	CSHCN without any personal doctor or nurse	6.6	6.5
Hispanic Origin and Race			Family-Centered Care		
Non-Hispanic	16.4	15.0	CSHCN without family-centered care	34.6	34.5
White	17.1	15.5	Impact on Family		
Black	17.3	15.0	CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	22.7	20.0
Asian	*	6.3	CSHCN whose conditions cause financial problems for the family	17.4	18.1
American Indian/Alaska Native	*	14.5	CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	8.1	9.7
Native Hawaiian/Pacific Islander	*	11.5	CSHCN whose conditions cause family members to cut back or stop working	24.9	23.8
Multiple races	16.5	17.9	Core Outcomes (Percent of CSHCN achieving outcome)		
Hispanic	6.0	8.3	CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	59.8	57.4
Spanish language household	**	4.6	CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	43.9	47.1
English language household	14.0	13.1	CSHCN whose families have adequate private and/or public insurance to pay for the services they need	63.7	62.0
			CSHCN who are screened early and continuously for special health care needs	64.5	63.8
			CSHCN whose services are organized in ways that families can use them easily	89.6	89.1
			Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	37.8	41.2

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

Estimated number of CSHCN: 214,583

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
---------------------	---------	------------

Percent of children who have special health care needs	14.4	13.9
--	-------------	------

Age

Age 0–5 years	8.1	8.8
Age 6–11 years	16.0	16.0
Age 12–17 years	18.5	16.8

Sex

Male	16.3	16.1
Female	12.4	11.6

Poverty Level

0–99% FPL	14.1	13.9
100–199% FPL	17.6	14.0
200–399% FPL	13.7	13.6
400% FPL or more	13.1	14.0

Hispanic Origin and Race

Non-Hispanic	15.0	15.0
White	14.8	15.5
Black	21.4	15.0
Asian	6.7	6.3
American Indian/ Alaska Native	*	14.5
Native Hawaiian/ Pacific Islander	*	11.5
Multiple races	20.0	17.9
Hispanic	7.8	8.3
Spanish language household	4.4	4.6
English language household	12.3	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

Indicator	State %	National %
-----------	---------	------------

Child Health

CSHCN whose conditions affect their activities usually, always, or a great deal	26.6	24.0
CSHCN with 11 or more days of school absences due to illness	18.4	14.3

Health Insurance Coverage

CSHCN without insurance at some point in the past year	8.3	8.8
CSHCN without insurance at time of survey	3.2	3.5
Currently insured CSHCN whose insurance is inadequate	29.3	33.1

Access to Care

CSHCN with any unmet need for specific health care services	21.5	16.1
CSHCN with any unmet need for family support services	7.6	4.9
CSHCN needing a referral who have difficulty getting it	24.6	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	4.0	5.7
CSHCN without any personal doctor or nurse	6.3	6.5

Family-Centered Care

CSHCN without family-centered care	31.7	34.5
------------------------------------	-------------	------

Impact on Family

CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	18.6	20.0
CSHCN whose conditions cause financial problems for the family	19.1	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	6.3	9.7
CSHCN whose conditions cause family members to cut back or stop working	22.7	23.8

Core Outcomes	(Percent of CSHCN achieving outcome)	State %	National %
---------------	--------------------------------------	---------	------------

CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive		55.7	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home		48.3	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need		65.3	62.0
CSHCN who are screened early and continuously for special health care needs		68.5	63.8
CSHCN whose services are organized in ways that families can use them easily		85.4	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence		47.3	41.2

Estimated number of CSHCN: 69,567

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	18.3	13.9
Age		
Age 0–5 years	11.4	8.8
Age 6–11 years	20.5	16.0
Age 12–17 years	22.1	16.8
Sex		
Male	20.4	16.1
Female	16.0	11.6
Poverty Level		
0–99% FPL	23.6	13.9
100–199% FPL	19.4	14.0
200–399% FPL	15.6	13.6
400% FPL or more	14.9	14.0
Hispanic Origin and Race		
Non-Hispanic	18.1	15.0
White	17.9	15.5
Black	14.2	15.0
Asian	*	6.3
American Indian/Alaska Native	*	14.5
Native Hawaiian/Pacific Islander	*	11.5
Multiple races	30.2	17.9
Hispanic	19.6	8.3
Spanish language household	**	4.6
English language household	20.2	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

Indicator	State %	National %
Child Health		
CSHCN whose conditions affect their activities usually, always, or a great deal	26.9	24.0
CSHCN with 11 or more days of school absences due to illness	22.3	14.3
Health Insurance Coverage		
CSHCN without insurance at some point in the past year	6.8	8.8
CSHCN without insurance at time of survey	1.9	3.5
Currently insured CSHCN whose insurance is inadequate	31.7	33.1
Access to Care		
CSHCN with any unmet need for specific health care services	14.0	16.1
CSHCN with any unmet need for family support services	4.5	4.9
CSHCN needing a referral who have difficulty getting it	19.7	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	5.4	5.7
CSHCN without any personal doctor or nurse	3.5	6.5
Family-Centered Care		
CSHCN without family-centered care	31.6	34.5
Impact on Family		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	18.0	20.0
CSHCN whose conditions cause financial problems for the family	18.2	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	14.3	9.7
CSHCN whose conditions cause family members to cut back or stop working	21.1	23.8
Core Outcomes (Percent of CSHCN achieving outcome)		
CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	59.2	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	50.5	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need	64.2	62.0
CSHCN who are screened early and continuously for special health care needs	64.6	63.8
CSHCN whose services are organized in ways that families can use them easily	89.7	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	41.3	41.2

Estimated number of CSHCN: 197,791

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
---------------------	---------	------------

Percent of children who have special health care needs	15.3	13.9
--	-------------	------

Age

Age 0–5 years	9.5	8.8
Age 6–11 years	17.5	16.0
Age 12–17 years	18.3	16.8

Sex

Male	17.6	16.1
Female	12.9	11.6

Poverty Level

0–99% FPL	17.7	13.9
100–199% FPL	14.8	14.0
200–399% FPL	14.7	13.6
400% FPL or more	15.0	14.0

Hispanic Origin and Race

Non-Hispanic	15.6	15.0
White	15.1	15.5
Black	19.0	15.0
Asian	*	6.3
American Indian/ Alaska Native	*	14.5
Native Hawaiian/ Pacific Islander	*	11.5
Multiple races	18.1	17.9
Hispanic	10.0	8.3
Spanish language household	**	4.6
English language household	16.9	13.1

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

**Estimate suppressed as it does not meet the standard for reliability or precision.

Indicator	State %	National %
-----------	---------	------------

Child Health

CSHCN whose conditions affect their activities usually, always, or a great deal	23.2	24.0
CSHCN with 11 or more days of school absences due to illness	11.4	14.3

Health Insurance Coverage

CSHCN without insurance at some point in the past year	6.4	8.8
CSHCN without insurance at time of survey	1.6	3.5
Currently insured CSHCN whose insurance is inadequate	34.4	33.1

Access to Care

CSHCN with any unmet need for specific health care services	15.5	16.1
CSHCN with any unmet need for family support services	5.9	4.9
CSHCN needing a referral who have difficulty getting it	15.1	21.1
CSHCN without a usual source of care when sick (or who rely on the emergency room)	5.1	5.7
CSHCN without any personal doctor or nurse	5.2	6.5

Family-Centered Care

CSHCN without family-centered care	28.8	34.5
------------------------------------	-------------	------

Impact on Family

CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	20.2	20.0
CSHCN whose conditions cause financial problems for the family	17.2	18.1
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	9.6	9.7
CSHCN whose conditions cause family members to cut back or stop working	21.7	23.8

Core Outcomes	(Percent of CSHCN achieving outcome)	State %	National %
---------------	--------------------------------------	---------	------------

CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive		65.3	57.4
CSHCN who receive coordinated, ongoing, comprehensive care within a medical home		54.6	47.1
CSHCN whose families have adequate private and/or public insurance to pay for the services they need		63.0	62.0
CSHCN who are screened early and continuously for special health care needs		62.0	63.8
CSHCN whose services are organized in ways that families can use them easily		90.0	89.1
Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence		44.5	41.2

Estimated number of CSHCN: 16,456

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %	Indicator	State %	National %
Percent of children who have special health care needs	14.5	13.9	Child Health		
Age			CSHCN whose conditions affect their activities usually, always, or a great deal	23.7	24.0
Age 0–5 years	8.6	8.8	CSHCN with 11 or more days of school absences due to illness	18.0	14.3
Age 6–11 years	17.6	16.0	Health Insurance Coverage		
Age 12–17 years	17.0	16.8	CSHCN without insurance at some point in the past year	8.8	8.8
Sex			CSHCN without insurance at time of survey	3.6	3.5
Male	16.6	16.1	Currently insured CSHCN whose insurance is inadequate	34.9	33.1
Female	12.2	11.6	Access to Care		
Poverty Level			CSHCN with any unmet need for specific health care services	15.7	16.1
0–99% FPL	20.9	13.9	CSHCN with any unmet need for family support services	4.1	4.9
100–199% FPL	13.8	14.0	CSHCN needing a referral who have difficulty getting it	19.2	21.1
200–399% FPL	13.9	13.6	CSHCN without a usual source of care when sick (or who rely on the emergency room)	5.1	5.7
400% FPL or more	12.9	14.0	CSHCN without any personal doctor or nurse	6.7	6.5
Hispanic Origin and Race			Family-Centered Care		
Non-Hispanic	14.5	15.0	CSHCN without family-centered care	32.8	34.5
White	14.4	15.5	Impact on Family		
Black	**	15.0	CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	29.2	20.0
Asian	*	6.3	CSHCN whose conditions cause financial problems for the family	21.3	18.1
American Indian/Alaska Native	*	14.5	CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	12.0	9.7
Native Hawaiian/Pacific Islander	*	11.5	CSHCN whose conditions cause family members to cut back or stop working	22.8	23.8
Multiple races	20.8	17.9	Core Outcomes (Percent of CSHCN achieving outcome)		
Hispanic	12.6	8.3	CSHCN whose families are partners in decision making at all levels, and who are satisfied with the services they receive	57.5	57.4
Spanish language household	**	4.6	CSHCN who receive coordinated, ongoing, comprehensive care within a medical home	49.1	47.1
English language household	15.2	13.1	CSHCN whose families have adequate private and/or public insurance to pay for the services they need	60.0	62.0
			CSHCN who are screened early and continuously for special health care needs	63.4	63.8
			CSHCN whose services are organized in ways that families can use them easily	88.8	89.1
			Youth with special health care needs who receive the services necessary to make appropriate transitions to adult health care, work, and independence	47.0	41.2

* Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.

** Estimate suppressed as it does not meet the standard for reliability or precision.