

Authors, Titles, and Subjects in the *Marine Fisheries Review* 64(1–4)

A

- Ablennes hians* see Needlefish, flat
 Agujon
 Florida lampara net fishery landings, 1:23
 Algae, pico
 adverse effect on northern quahogs, 2:10–11
Alopias superciliosus see Shark, bigeye thresher
Aluterus sp. see Leatherjackets
Antipathes dichotoma see Coral, black
Antipathes grandis see Coral, black
 Arnold, William S. see MacKenzie, Jr., et al.
Asteria forbesi see Starfish
Aureococcus anophagefferens see Algae, pico

B

- Balaenoptera acutorostrata* see Whale, common minke
Balaenoptera borealis see Whale, sei
Balaenoptera musculus see Whale, blue
Balaenoptera physalus see Whale, fin
 Balao
 Florida lampara net fishery, 1:21
Balistes capriscus see Triggerfish, gray
 Ballyhoo
 Florida lampara net fishery, 1:21
 Barracuda, great
 Florida lampara net fishery landings, 1:24
 Beerkircher, Lawrence R., Enric Cort s, and Mahmood Shivji, Characteristics of shark bycatch observed on pelagic longlines off the southeastern United States, 1992–2000, 4:40–49
 Belonidae see Needlefish
 Blennies
 quahog predator, 2:3
 Braun-McNeill, Joanne, and Sheryan P. Epperly, Spatial and temporal distribution of sea turtles in the western North Atlantic and the U.S. Gulf of Mexico from Marine Recreational Fishery Statistics Survey (MRFSS), 4:50–56

- Burrell, Jr., Victor G. see MacKenzie, Jr., et al.
 Burrfish, striped
 Florida lampara net fishery landings, 1:24
Busycotypus canaliculatus see Whelks, smooth
 Bycatch
 northern rockfish, 4:5–6
 shark, 4:40–49

C

- Callinectes sapidus* see Crab, blue
Cancer irroratus see Crab, rock
Caranx crysos see Runner, blue
Caranx ruber see Jack, bar
Carcharhinus falciformis see Shark, silky
Carcharhinus longimanus see Shark, oceanic whitetip
Carcharhinus obscurus see Shark, dusky
Carcharhinus plumbeus see Shark, sandbar
Carcharhinus signatus see Shark, night
 Catch
 assessing fishing capacity in Alaska, 4:29–39
 northern rockfish, 4:3, 5–6
 by gear type, 4:7–8
 south Florida lampara net fishery, 1:21–27
 Characteristics of shark bycatch observed on pelagic longlines off the southeastern United States, 1992–2000, by Lawrence R. Beerkircher, Enric Cort s, and Mahmood Shivji, 4:40–49
Chasmades bosquianus see Blennies
 Cheloniidae see Turtle, sea
Chilomycterus schoepfi see Burrfish, striped
Chriodorus atherinoides see Halfbeak, hardhead
 Chub, Bermuda
 Florida lampara net fishery landings, 1:24
 Clapham, Phillip J. see Reeves et al.
 Clausen, David M., and Jonathan Heifetz, The northern rockfish, *Sebastes*

- polyspinis*, in Alaska: Commercial fishery, distribution, and biology, 4:1–28
 Coral, bamboo
 Hawaiian Islands harvest, 1:13
 Coral, black
 Hawaiian Islands harvest, 1:13
 Coral, gold
 Hawaiian Islands harvest, 1:13
 Coral, pink
 Hawaiian Islands harvest, 1:13
 Coral, red
 Hawaiian Islands harvest, 1:13
 Corals, precious
 Hawaiian Islands
 bed locations, 1:14
 Cross Seamount bed survey, 1:18–19
 commercial harvest, 1:13–20
 fisheries management plan, 1:13
 Keahole Point bed survey, 1:17–18
 Makapuu bed survey, 1:16–17
 research dives, 1:14
Corallium secundum see Coral, pink
Corallium spp. see Corals, precious
 Cort s, Enric see Beerkircher et al.
 Cowfish
 Florida lampara net fishery landings, 1:24
 Crab, blue
 quahog predator, 2:5
 Crab, hermit
 quahog predator, 2:4
 Crab, lady
 quahog predator, 2:5
 Crab, mud
 quahog predator, 2:4
 Crab, rock
 quahog predator, 2:4
 Crab, spider
 quahog predator, 2:4
Crangon septemspinosa see Shrimp, seven-spine bay
Cypselurus see Flyingfishes
- ### D-E
- Dasyatis violacea* see Stingrays
 Dermo
 northern quahog, 2:7
 Dermochelyidae see Turtle, sea
 Dogfish, spiny, 4:40
Dyspanopeus sayi see Crab, mud
 Economics
 assessing fishing capacity and utilization, 4:29–39
 Hawaiian Islands precious corals, 1:18
 Epperly, Sheryan P. see Braun-McNeill and Epperly
Eubalaena glacialis see Whale, North Atlantic right

Eupleura caudata see Oyster drill, thick-lip

Exocoetus see Flyingfishes

F

Felthoven, Ronald G., Terry Hiatt, and Joseph M. Terry, Measuring fishing capacity and utilization with commonly available data: an application to Alaska fisheries, 4:29—39

Filefish, fringed

Florida lampara net fishery landings, 1:24

Filefish, planehead

Florida lampara net fishery landings, 1:24

Fisheries, commercial

assessing fishing capacity and utilization in Alaska, 4:29—39

early quahog commerce, 2:34—38

Hawaiian Islands precious corals, 1:13—20

northern rockfish in Alaska, 4:1—28

south Florida lampara net fishery, 1:21—27

Fisheries, recreational

Marine Recreational Fishery Statistics Survey

sea turtle sightings, 4:50—56

Fisheries history

quahogs

Canada, 3:2—5

early commerce, 2:34—38

fishery development, 2:32—34

harvesting gear and methods, 2:38—46

Mexico, 3:47—48

New England clambakes, 2:24—32

United States, 3:5—47

wampum making and usage, 2:12—24

Whaling, Gulf of Maine, 1:1—12

Fisheries management

Hawaiian Islands precious coral fishery, 1:13—20

Marine Recreational Fishery Statistics Survey (MRFSS)

sea turtle sightings, 4:50—56

northern quahogs, 2:11,

northern rockfish trawl surveys, 4:14—26

pelagic longline fishery shark bycatch, 4:40—49

sea turtles, 4:50—56

Flounder, winter

quahog predator, 2:6

Flyingfish, sailfin

Florida lampara net fishery landings, 1:24

Flyingfish, smallwing

Florida lampara net fishery landings, 1:24

Flyingfishes

Florida lampara net fishery, 1:21

G-H-I

Galeocerdo cuvier see Shark, tiger

Gear see also Nets

northern rockfish Alaska fishery, 4:7—8

pelagic longline in southeastern U.S., 4:41

quahog harvesting

basket rake, 2:43—44

bull rakes, 2:40—43

hand tonging, 2:40

hydraulic dredge, 2:44

hydraulic escalator harvester, 2:44—45

kicking, 2:45

patent tongs, 2:40

pea digger, 2:40

rocking chair dredge, 2:44

sail dredge, 2:43

scuba picking, 2:45—46

seed forks, 2:40

short raking, 2:39

signing, 2:39—40

sorters, 2:46

south Florida lampara net fishery, 1:21—27

Galeorhinus zyopterus see Shark, soupfin

Gerardia sp. see Coral, gold

Gobies

quahog predator, 2:3

Gobiosoma bosc see Gobies

Grigg, Richard W., Precious corals in Hawaii: discovery of a new bed and revised management measures for existing beds, 1:13-20

Grunt, white

Florida lampara net fishery landings, 1:24

Gull, herring

quahog predator, 2:5, 7

Habitat

northern quahog, 2:8—9

Haemulon plumieri see Grunt, white

Halfbeak, hardhead

Florida lampara net fishery landings, 1:24

Halfbeak, silverstripe

Florida lampara net fishery landings, 1:23

Harengula jaguana see Sardine, scaled

Heifetz, Jonathan see Clausen and Heifetz

Hemipteronotus splendens see Razorfish, green

Hemiramphus balao see Balao

Hemiramphus brasiliensis see Ballyhoo

Herring, Atlantic thread

Florida lampara net fishery landings, 1:24

Hiatt, Terry see Felthoven et al.

History see Fisheries history

Houndfish

Florida lampara net fishery landings, 1:23

Humpback and fin whaling in the Gulf of Maine from 1800 to 1918, by Randall R.

Reeves, Tim D. Smith, Robert L. Webb, Jooke Robbins, and Phillip J. Clapham, 1:1-12

Hyporhamphus meeki see Halfbeak, silverstripe

Hyporhamphus unifasciatus see Halfbeak, silverstripe

J-K-L

Ilyanassa obsoleta see Mudsnaill, eastern

Ilyanassa trivittata see Mudsnaill, threeline

Isurus oxyrinchus see Mako, shortfin

Jack, bar

Florida lampara net fishery landings, 1:24

Kyphosus sectatrix see Chub, Bermuda

Lactophrys quadricornis see Cowfish

Lagodon rhomboides see Pinfish

Lamna nasus see Porbeagle

Larus argentatus see Gull, herring

Leatherjackets

Florida lampara net fishery landings, 1:23

Lepididisis olapa see Coral, bamboo

Libinia sp. see Crab, spider

M

MacKenzie, Jr., Clyde L., Allan Morrison, David L. Taylor, Victor G. Burrell, Jr., William S. Arnold, and Armando T. Wakida-Kusunoki, Quahogs in eastern North America: Part I, biology, ecology, and historical uses, 2:1—55

MacKenzie, Jr., Clyde L., Allan Morrison, David L. Taylor, Victor G. Burrell, Jr., William S. Arnold, and Armando T. Wakida-Kusunoki, Quahogs in eastern North America: Part II, history by province and state, 3:1—64

Mako, shortfin

characteristics of, in pelagic longline fishery bycatch, 4:41—49

McBride, Richard S., and Justin R. Styer, Species composition, catch rates, and size structure of fishes captured in the south Florida lampara net fishery, 1:21—27

Measuring fishing capacity and utilization with commonly available data: An application to Alaska fisheries, by Ronald G. Felthoven, Terry Hiatt, and Joseph M. Terry, 4:29—39

Megaptera novaeangliae see Whale, humpback

Mercenaria campechiensis see Quahog, southern

Mercenaria mercenaria see Quahog, northern

Midway coral see Coral, precious

Minchinia nelsoni see MSX

Monacanthus ciliatus see Filefish, fringed
Monacanthus hispidus see Filefish, planehead
 Morrison, Allan see MacKenzie, Jr. et al.
 MSX
 northern quahog, 2:7
 Mudsnailed, eastern
 quahog predator, 2:7
 Mudsnailed, threeline
 quahog predator, 2:7
Mulinia lateralis see Surfclam, dwarf

N-O-P

Needlefish, flat
 Florida lampara net fishery landings, 1:23
 Needlefish, keeltail
 Florida lampara net fishery landings, 1:23
 Needlefish, redfin
 Florida lampara net fishery landings, 1:24
 Needlefishes
 Florida lampara net fishery, 1:21
 Nets
 lampara, 1:21
 The northern rockfish, *Sebastes polyspinis*, in Alaska: Commercial fishery, distribution, and biology, by David M. Clausen and Jonathan Heifetz, 4:1—28
Nucula proxima see Nutclam, Atlantic
 Nutclam, Atlantic
 quahog association in Great South Bay, 2:9
Oligoplites saurus see Leatherjacket
Opisthonema oglinum Herring, Atlantic thread
Ovalipes ocellatus see Crab, lady
Oxyporhamphus micropterus see Flyingfish, smallwing
 Oyster drill, Atlantic
 quahog association in Great South Bay, 2:9
 quahog predator, 2:4
 Oyster drill, thick-lip
 quahog association in Great South Bay, 2:9
 quahog predator, 2:4
Pagurus longicarpus see Crab, hermit
Parexocoetus brachypterus see Flyingfish, sailfin
Perkinsus marinus see Dermo
 Pinfish
 Florida lampara net fishery landings, 1:24
Platybelone argalus see Needlefish, keeltail
Pleuronectes americanus see Flounder, winter
 Porbeagle, 4:40
 Precious corals in Hawaii: discovery of a

new bed and revised management measures for existing beds, by Richard W. Grigg, 1:13-20

Prionace glauca see Shark, blue

Q

QPX
 northern quahog, 2:7—8
 Quahog parasite x see QPX
 Quahog, northern
 anatomy, 2:4
 aquaculture development, effect of, 3:55
 bay/ocean water exchanges, 2:8—9
 biology, 2:2—3
 Canadian fishery
 culture, 3:5
 dealers, 3:4—5
 fishing methods, 3:3—4
 government regulations, 3:3
 history, 3:2—5
 recreational fishery, 3:5
 characteristics, 2:2
 community views of industry, 3:53
 diseases, 2:7—8
 early commerce, 2:34—38
 fishermen, 3:52—53
 geographic range, 2:2, 3
 government regulations, 3:48—52
 harvesting gear
 quahog harvesting
 basket rake, 2:43—44
 bull rakes, 2:40—43
 hand tonging, 2:40
 hydraulic dredge, 2:44
 hydraulic escalator harvester, 2:44—45
 kicking, 2:45
 patent tongs, 2:40
 pea digger, 2:40
 rocking chair dredge, 2:44
 sail dredge, 2:43
 scuba picking, 2:45—46
 seed forks, 2:40
 short raking, 2:39
 signing, 2:39—40
 sorters, 2:46
 harvesting methods
 hand picking, 2:39
 treading, 2:38—39
 hatchery production, 3:56—57
 historical landings, 2:8
 industry recommendations
 control starfish, 3:60
 enlarge inlets, 3:60
 other actions, 3:60—61
 invertebrates associated with, 2:9
 landings, 2:34
 life cycle, 2:2, 5
 life history attributes, 2:3
 management programs, 3:55
 Native Americans and, 2:11—24
 1600 s shell heaps, 2:13—14
 predator avoidance, 2:6
 predators, 2:3—4, 9
 seasonal employment, 3:53—54
 spreading shell and oysters, 3:56
 surfclam fishery, effect of, 3:55
 trade size changes, 3:52
 transplanting, 3:55—56
 United States fishery
 Florida, 3:42—45
 Gulf states, 3:45—47
 Long Island, N.Y., 3:17—23
 Maryland, 3:33—35
 Massachusetts, 3:5—10
 North Carolina, 3:36—40
 Raritan Bay, N.Y. and N.J., 3:23—33
 Rhode Island, 3:11—17
 South Carolina, 3:40—42
 Virginia, 3:35—36
 wampum
 belts, 2:15—18
 currency, 2:14—15
 European settler making, 2:20—24
 fur trading, 2:18—20
 Hiawatha belt, 2:16—17
 ornamentation, 2:15
 prehistory, 2:13
 purple and white, 2:12—13
 strings, 2:15—18
 uses, 2:12
 Washington belt, 2:16—17
 Quahog, southern
 biology, 2:2—3
 characteristics, 2:2
 geographic range, 2:2
 Mexican fishery
 aquaculture prospects, 3:48
 harvesting methods, 3:48
 landing statistics, 3:48
 local quahog consumption, 3:48
 markets and marketing, 3:48
 Quahogs in eastern North America: Part I, biology, ecology, and historical uses, by Clyde L. MacKenzie, Jr., Allan Morrison, David L. Taylor, Victor G. Burrell, Jr., William S. Arnold, and Armando T. Wakida-Kusunoki, 2:1—55
 Quahogs in eastern North America: Part II, history by province and state, by Clyde L. MacKenzie, Jr., Allan Morrison, David L. Taylor, Victor G. Burrell, Jr., William S. Arnold, and Armando T. Wakida-Kusunoki, 3:1—64

R-S

- Ray, cownose
 quahog predator, 2:5
- Razorfish, green
 Florida lampara net fishery landings, 1:24
- Reeves, Randall, R., Tim D. Smith, Robert L. Webb, Jooke Robbins, and Phillip J. Clapham, Humpback and fin whaling in the Gulf of Maine from 1800 to 1918, 1:1-12
- Rhinoptera bonasus* see Ray, cownose
- Robbins, Jooke see Reeves et al.
- Rockfish, northern
 commercial fishery in Alaska
 Aleutian Islands fishery, 4:7
 catch by gear type, 4:7—8
 catch depth distribution, 4:8—9
 catch statistics, 4:3—5
 CPUE in Gulf of Alaska, 4:13—14
 discard rates, 4:7
 domestic, 4:3—14
 foreign, 4:2—3
 Gulf of Alaska fishery, 4:6—7
 joint venture, 4:3
 location of fishing grounds, 4:9—12
 management history, 4:3—5
 on-bottom vs. off-bottom catches, 4:7—8, 9
 seasonality of fishery, 4:7
 sex ratio in Gulf of Alaska, 4:12—13
 size caught in fishery, 4:12
 targeted vs. bycatch fishing, 4:5—6
- trawl surveys in Alaska, 4:14
 age, 4:22—24
 biomass estimates, 4:15
 catch comparison with commercial fishery, 4:16—18
 catch distribution, 4:16—18
 depth distribution, 4:15—16
 growth, 4:22—24
 juvenile locations and depths, 4:20—21
 maximum length, 4:20
 sex ratio, 4:21—22
 size composition, 4:19
 substrate preference, 4:18—19
- Runner, blue
 Florida lampara net fishery landings, 1:21, 24
- Sardine, scaled
 Florida lampara net fishery landings, 1:24
- Sardine, Spanish
 Florida lampara net fishery landings, 1:24
- Sardinella aurita* see Sardine, Spanish
- Scad, bigeye
 Florida lampara net fishery landings, 1:23
- Sebastes polypinus* see Rockfish, northern
- Selar crumenophthalmus* see Scad, bigeye
- Shark, bigeye thresher
 characteristics of, in pelagic longline fishery bycatch, 4:41—49
- Shark, blue
 characteristics of, in pelagic longline fishery bycatch, 4:41—49
- Shark, dusky
 characteristics of, in pelagic longline fishery bycatch, 4:41—49
- Shark, night
 characteristics of, in pelagic longline fishery bycatch, 4:41—49
- Shark, oceanic whitetip
 characteristics of, in pelagic longline fishery bycatch, 4:41—49
- Shark, sandbar
 characteristics of, in pelagic longline fishery bycatch, 4:41—49
- Shark, scalloped hammerhead
 characteristics of, in pelagic longline fishery bycatch, 4:41—49
- Shark, silky
 characteristics of, in pelagic longline fishery bycatch, 4:41—49
- Shark, soupfin, 4:40
- Shark, tiger
 characteristics of, in pelagic longline fishery bycatch, 4:41—49
- Shivji, Mahmood see Beerkircher et al.
- Shrimp, sevenspine bay
 quahog predator, 2:4
- Starfish
 quahog predator, 2:4, 7
- Smith, Tim D. see Reeves et al.
- Spatial and temporal distribution of sea turtles in the western North Atlantic and the U.S. Gulf of Mexico from Marine Recreational Fishery Statistics Survey (MRFSS), by Joanne Braun-McNeill and Sheryan P. Epperly, 4:50—56
- Species composition, catch rates, and size structure of fishes captured in the south Florida lampara net fishery, by Richard S. McBride and Justin R. Styer, 1:21—27
- Sphyrna barracuda* see Barracuda, great
- Sphyrna lewini* see Shark, scalloped hammerhead
- Spisula solidissima* see Surfclam
- Sport fisheries see Fisheries, recreational
- Squalus acanthias* see Dogfish, spiny
- Stingrays
 characteristics of, in pelagic longline fishery bycatch, 4:41—49
- Strongylura notata* see Needlefish, redfin
- Styer, Justin R. see McBride and Styer

- winter flounder predation, 2:6
- Surfclam, dwarf
 quahog association in Great South Bay, 2:9
- Swordfish
 pelagic longline fishery
 shark bycatch, 4:40

T-U-V

- Taylor, David L. see MacKenzie, Jr., et al.
- Terry, Joseph M. see Felthoven et al.
- Thunnus* spp. see Tunas
- Triggerfish, gray
 Florida lampara net fishery landings, 1:24
- Tunas
 pelagic longline fishery
 shark bycatch, 4:40
- Turtle, sea
 Marine Recreational Fishery Statistics Survey (MRFSS)
 U.S. Atlantic sightings, 4:51—53, 54—55
 U.S. Gulf of Mexico sightings, 4:53—54, 55—56
- Tylosurus acus* see Agujon
- Tylosurus crocodilus* see Houndfish
- Urosalpinx cinerea* see Oyster drill, Atlantic
- Vessels
 capacity estimates in Alaska, 4:29—39

W-X

- Wakida-Kusunoki, Armando T. see MacKenzie, Jr., et al.
- Wampum
 1600 s shell heaps, 2:13—14
 belts, 2:15—18
 currency, 2:14—15
 European settler making, 2:20—24
 fur trading, 2:18—20
 Hiawatha belt, 2:16—17
 ornamentation, 2:15
 prehistory, 2:13
 purple and white, 2:12—13
 strings, 2:15—18
 uses, 2:12
 Washington belt, 2:16—17
- Webb, Robert L.—see Reeves et al.
- Whale, blue, 1:1
- Whale, common minke, 1:1
- Whale, fin
 Gulf of Maine historical whaling, 1:1
- Whale, humpback
 Gulf of Maine historical whaling, 1:1
- Whale, North Atlantic right, 1:1
- Whale, sei, 1:1
- Whaling, historical

Gulf of Maine
1870 s—1890s, 1:4—9
grounds, 1:9
hunting loss, 1:9
Indian, 1:1

menhaden steamer whaling, 1:4, 8—9
opportunistic vs. dedicated, 1:10
pre-Civil War (1860), 1:3—4
records, 1:5—7
schooner whaling, 1:4

species composition, 1:9—10
Whelks, smooth
quahog predator, 2:4
Xiphias gladius see Swordfish

List of Papers

Papers in the *Marine Fisheries Review* 64(1–4)

64(1)

Humpback and fin whaling in the Gulf of Maine from 1800 to 1918, by Randall R. Reeves, Tim D. Smith, Robert L. Webb, Jooke Robbins, and Phillip J. Clapham, 1:1—12
Precious corals in Hawaii: discovery of a new bed and revised management measures for existing beds, by Richard W. Grigg, 1:13—20
Species composition, catch rates, and size structure of fishes captured in the south Florida lampara net fishery, by Richard S. McBride and Justin R. Styer, 1:21—27

64(2)

Quahogs in eastern North America: Part I, biology, ecology, and historical uses, by Clyde L. MacKenzie, Jr., Allan Morrison, David L. Taylor, Victor G. Burrell, Jr., William S. Arnold, and Armando T. Wakida-Kusunoki, 2:1—55

64(3)

Quahogs in eastern North America: Part II, history by province and state, by Clyde L. MacKenzie, Jr., Allan Morrison, David L. Taylor, Victor G. Burrell, Jr., William S. Arnold, and Armando T. Wakida-Kusunoki, 3:1—64

64(4)

The northern rockfish, *Sebastes polyspinis*, in Alaska: Commercial fishery, distribution, and biology, by David M. Clausen and Jonathan Heifetz, 4:1—28
Measuring fishing capacity and utilization with commonly available data: an application to Alaska fisheries, by Ronald G. Felthoven, Terry Hiatt, and Joseph M. Terry, 4:29—39
Characteristics of shark bycatch observed on pelagic longlines off the southeastern United States, 1992-2000, by Lawrence R. Beerkircher, Enric Cortés, and Mahmood Shivji, 4:40—49
Spatial and temporal distribution of sea turtles in the western North Atlantic and the U.S. Gulf of Mexico from Marine Recreational Fishery Statistics Survey (MRFSS), by Joanne Braun-McNeill and Sheryan P. Epperly, 4:50—56