

Commercial Solid Door Refrigerators and Freezers Product List

List Current as of August 4, 2008

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Internal Volume (cu ft) | | | Height | | Width | | Depth | | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|-----------------|--------------|--------------------|-----------------------|--------------|------------|-------------------------|---------|-------|--------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| | | | | | | | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | | |
| Arctic Air | Arctic Air | F-22CW | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 20.3 | 20.3 | 70.38 | 178.77 | 32.13 | 81.61 | 31.5 | 80.01 | R-134A | 3.17 |
| Axiom Equipment | Axiom Equipment | 1F-FSL | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 19.9 | 19.9 | 76.75 | 194.95 | 26 | 66.04 | 32.28 | 82 | R-404A | 9.14 |
| Axiom Equipment | Axiom Equipment | 1F-FSR | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 19.9 | 19.9 | 76.75 | 194.95 | 26 | 66.04 | 32.28 | 82 | R-404A | 9.14 |
| Axiom Equipment | Axiom Equipment | 1F-HSL | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 19.9 | 19.9 | 76.75 | 194.95 | 26 | 66.04 | 32.28 | 82 | R-404A | 9.14 |
| Axiom Equipment | Axiom Equipment | 1F-HSR | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 19.9 | 19.9 | 76.75 | 194.95 | 26 | 66.04 | 32.28 | 82 | R-404A | 9.14 |
| Axiom Equipment | Axiom Equipment | 2F-FSLR | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 43.4 | 43.4 | 76.73 | 194.9 | 51.97 | 132 | 32.28 | 82 | R-404A | 16.39 |
| Axiom Equipment | Axiom Equipment | 2F-HSLR | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 43.4 | 43.4 | 76.73 | 194.9 | 51.97 | 132 | 32.28 | 82 | R-404A | 16.39 |
| Biomedical Solutions Inc. | BSI | GP2120AR | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 20.7 | 20.7 | 66 | 167.64 | 33 | 83.82 | 28.5 | 72.39 | R-134A | 4.08 |
| Biomedical Solutions Inc. | BSI | GP2130AF | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 20.7 | 20.7 | 66 | 167.64 | 33 | 83.82 | 28.5 | 72.39 | R-134A | 4.08 |
| Biomedical Solutions Inc. | BSI | GP2620AR | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 25.7 | 25.7 | 68 | 172.72 | 36 | 91.44 | 33 | 83.82 | R-134A | 5.71 |
| Biomedical Solutions Inc. | BSI | GP2630AF | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 25.7 | 25.7 | 68 | 172.72 | 36 | 91.44 | 33 | 83.82 | R-134A | 5.71 |
| Biomedical Solutions Inc. | BSI | GP530AF | Commercial Freezer | Under-counter Cabinet | Manual | 1 | | 5 | 5 | 33.5 | 85.09 | 21.7 | 55.12 | 23.8 | 60.45 | R-134A | 1.76 |
| Biomedical Solutions Inc. | BSI | GP630WIAF | Commercial Freezer | Under-counter Cabinet | Manual | 1 | | 6.1 | 6.1 | 33.5 | 85.09 | 23.7 | 60.2 | 23.5 | 59.69 | R-134A | 2.29 |
| Biomedical Solutions Inc. | BSI | GPO6WIAF | Commercial Freezer | Under-counter Cabinet | Manual | 1 | | 6.1 | 6.1 | 33.5 | 85.09 | 23.7 | 60.2 | 23.5 | 59.69 | R-134A | 2.29 |
| Biomedical Solutions Inc. | BSI | SCEF210W1A | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 20.7 | 20.7 | 66 | 167.64 | 33 | 83.82 | 28.5 | 72.39 | R-134A | 4.08 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|--------------|-----------------|--------------------|-----------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|------|-------|------------------|---------------------------------------|
| Biomedical Solutions Inc. | BSI | SCGP050W1AF | Commercial Freezer | Under-counter Cabinet | Manual | 1 | | 5 | 5 | 33.5 | 85.09 | 21.7 | 55.12 | 23.8 | 60.45 | R-134A | 1.76 |
| Biomedical Solutions Inc. | BSI | SCGP170W1AF | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 17 | 17 | 66 | 167.64 | 30 | 76.2 | 30 | 76.2 | R-134A | 3.47 |
| Biomedical Solutions Inc. | BSI | SCGP170W1AR | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 17 | 17 | 66 | 167.64 | 30 | 76.2 | 30 | 76.2 | R-134A | 3.47 |
| Biomedical Solutions Inc. | BSI | SCGP210W1AF | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 20.7 | 20.7 | 66 | 167.64 | 33 | 83.82 | 28.5 | 72.39 | R-134A | 4.08 |
| Biomedical Solutions Inc. | BSI | SCGP210W1AR | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 20.7 | 20.7 | 66 | 167.64 | 33 | 83.82 | 28.5 | 72.39 | R-134A | 4.08 |
| Biomedical Solutions Inc. | BSI | SCGP260WIAF | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 25.7 | 25.7 | 68 | 172.72 | 36 | 91.44 | 33 | 83.82 | R-134A | 5.71 |
| Biomedical Solutions Inc. | BSI | SCGP260WIAR | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 25.7 | 25.7 | 68 | 172.72 | 36 | 91.44 | 33 | 83.82 | R-134A | 5.71 |
| Beverage-Air | Beverage-Air | EF24-1A*S***** | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 22 | | 22 | 79 | 200.66 | 26 | 66.04 | 30 | 76.2 | R-404A | 9.07 |
| Beverage-Air | Beverage-Air | EF24-1A*S-XDX** | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 22.1 | | 22.1 | 79 | 200.66 | 26 | 66.04 | 30 | 76.2 | R-404A | 9.67 |
| Beverage-Air | Beverage-Air | EF24-1AHS-XDX | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 22.1 | 22.1 | 79 | 200.66 | 26 | 66.04 | 32 | 81.28 | R-404A | 9.67 |
| Beverage-Air | Beverage-Air | EF24-1AS-XDX | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22.1 | 22.1 | 79 | 200.66 | 26 | 66.04 | 32 | 81.28 | R-404A | 9.67 |
| Beverage-Air | Beverage-Air | EF24-1B*S***** | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 22 | | 22 | 79 | 200.66 | 26 | 66.04 | 30 | 76.2 | R-404A | 9.36 |
| Beverage-Air | Beverage-Air | EF24-1BS | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22.3 | 22.3 | 79 | 200.66 | 26 | 66.04 | 32 | 81.28 | R-404A | 9.356 |
| Beverage-Air | Beverage-Air | EF24-1BS-02-88 | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22.3 | 22.3 | 79 | 200.66 | 26 | 66.04 | 32 | 81.28 | R-404A | 9.356 |
| Beverage-Air | Beverage-Air | EF24-1BS-02-88/ | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22.3 | 22.3 | 79 | 200.66 | 26 | 66.04 | 32 | 81.28 | R-404A | 9.356 |
| Beverage-Air | Beverage-Air | EF24-1BS-88 | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22.3 | 22.3 | 79 | 200.66 | 26 | 66.04 | 32 | 81.28 | R-404A | 9.356 |
| Beverage-Air | Beverage-Air | EF24-1BS-88/ | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22.3 | 22.3 | 79 | 200.66 | 26 | 66.04 | 32 | 81.28 | R-404A | 9.356 |
| Beverage-Air | Beverage-Air | EF24-1BS/ | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22.3 | 22.3 | 79 | 200.66 | 26 | 66.04 | 32 | 81.28 | R-404A | 9.356 |
| Beverage-Air | Beverage-Air | EF24-5BS-02-88 | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22.3 | 22.3 | 79 | 200.66 | 26 | 66.04 | 32 | 81.28 | R-404A | 6.917 |
| Beverage-Air | Beverage-Air | EF24-5BS-02-88/ | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22.3 | 22.3 | 79 | 200.66 | 26 | 66.04 | 32 | 81.28 | R-404A | 6.917 |
| Beverage-Air | Beverage-Air | EF34-1BS | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 31.8 | 31.8 | 79 | 200.66 | 35 | 88.9 | 32 | 81.28 | R-404A | 12.865 |
| Beverage-Air | Beverage-Air | EF34-1BS***** | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 31.8 | | 31.8 | 79 | 200.66 | 35 | 88.9 | 30 | 76.2 | R-404A | 12.8 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|--------------|-----------------|--------------------|------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|------|-------|------------------|---------------------------------------|
| Beverage-Air | Beverage-Air | EF34-1BS-02-88 | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 31.8 | 31.8 | 79 | 200.66 | 35 | 88.9 | 32 | 81.28 | R-404A | 12.865 |
| Beverage-Air | Beverage-Air | EF34-1BS-02-88/ | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 31.8 | 31.8 | 79 | 200.66 | 35 | 88.9 | 32 | 81.28 | R-404A | 12.865 |
| Beverage-Air | Beverage-Air | EF34-1BS-07 | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 31.8 | 31.8 | 79 | 200.66 | 35 | 88.9 | 32 | 81.28 | R-404A | 12.865 |
| Beverage-Air | Beverage-Air | EF34-1BS-07/ | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 31.8 | 31.8 | 79 | 200.66 | 35 | 88.9 | 32 | 81.28 | R-404A | 12.865 |
| Beverage-Air | Beverage-Air | EF34-1BS/ | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 31.8 | 31.8 | 79 | 200.66 | 35 | 88.9 | 32 | 81.28 | R-404A | 12.865 |
| Beverage-Air | Beverage-Air | EF48-1A*S***** | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 46.2 | | 46.2 | 79 | 200.66 | 52 | 132.1 | 30 | 76.2 | R-404A | 13.7 |
| Beverage-Air | Beverage-Air | EF48-1A*S-XDX** | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 48.2 | | 48.2 | 79 | 200.66 | 52 | 132.1 | 30 | 76.2 | R-404A | 15 |
| Beverage-Air | Beverage-Air | EF48-1AHS | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | 0 | 46.2 | 46.2 | 83 | 210.82 | 54 | 137.2 | 32 | 81.28 | R-404A | 13.7 |
| Beverage-Air | Beverage-Air | EF48-1AHS-XDX | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 48.2 | 48.2 | 62 | 157.48 | 48 | 121.9 | 28 | 71.12 | R-404A | 15.09 |
| Beverage-Air | Beverage-Air | EF48-1AS | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.2 | 46.2 | 84.5 | 214.63 | 52 | 132.1 | 30 | 76.2 | R-404A | 13.7 |
| Beverage-Air | Beverage-Air | EF48-1AS-88 | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.2 | 46.2 | 79 | 200.66 | 52 | 132.1 | 32 | 81.28 | R-404A | 13.7 |
| Beverage-Air | Beverage-Air | EF48-1AS-88/ | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.2 | 46.2 | 79 | 200.66 | 52 | 132.1 | 32 | 81.28 | R-404A | 13.7 |
| Beverage-Air | Beverage-Air | EF48-1AS-XDX | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 48.2 | 48.2 | 62 | 157.48 | 48 | 121.9 | 28 | 71.12 | R-404A | 15.09 |
| Beverage-Air | Beverage-Air | EF48-5BS | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.2 | 46.2 | 79 | 200.66 | 52 | 132.1 | 32 | 81.28 | R-404A | 18.286 |
| Beverage-Air | Beverage-Air | EF48-5BS***** | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 46.7 | | 46.7 | 79 | 200.66 | 52 | 132.1 | 30 | 76.2 | R-404A | 18.2 |
| Beverage-Air | Beverage-Air | EF48-5BS***** | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 46.7 | | 46.7 | 79 | 200.66 | 52 | 132.1 | 30 | 76.2 | R-404A | 18.2 |
| Beverage-Air | Beverage-Air | EF48-5BS-02-88 | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.2 | 46.2 | 79 | 200.66 | 52 | 132.1 | 32 | 81.28 | R-404A | 18.286 |
| Beverage-Air | Beverage-Air | EF48-5BS-02-88/ | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.2 | 46.2 | 79 | 200.66 | 52 | 132.1 | 32 | 81.28 | R-404A | 18.286 |
| Beverage-Air | Beverage-Air | EF48-5BS-88 | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.2 | 46.2 | 79 | 200.66 | 52 | 132.1 | 32 | 81.28 | R-404A | 18.286 |
| Beverage-Air | Beverage-Air | EF48-5BS-88/ | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.2 | 46.2 | 79 | 200.66 | 52 | 132.1 | 32 | 81.28 | R-404A | 18.286 |
| Beverage-Air | Beverage-Air | EF48-5BS/ | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.2 | 46.2 | 79 | 200.66 | 52 | 132.1 | 32 | 81.28 | R-404A | 18.286 |
| Beverage-Air | Beverage-Air | EF74-5A*S***** | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | 69.5 | | 69.5 | 79 | 200.66 | 78 | 198.1 | 30 | 76.2 | R-404A | 20 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|--------------|-----------------|--------------------|------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|------|-------|------------------|---------------------------------------|
| Beverage-Air | Beverage-Air | EF74-5A*S-XDX** | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | 64.4 | | 64.4 | 79 | 200.66 | 78 | 198.1 | 30 | 76.2 | R-404A | 15.3 |
| Beverage-Air | Beverage-Air | EF74-5A*S-XDX** | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | 64.4 | | 64.4 | 79 | 200.66 | 78 | 198.1 | 76.2 | 193.6 | R-404A | 15.3 |
| Beverage-Air | Beverage-Air | EF74-5AHS | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | 0 | 69.5 | 69.5 | 85 | 215.9 | 79 | 200.7 | 33 | 83.82 | R-404A | 20.04 |
| Beverage-Air | Beverage-Air | EF74-5AHS-XDX | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | | 64.4 | 64.4 | 79 | 200.66 | 78 | 198.1 | 32 | 81.28 | R-404A | 15.36 |
| Beverage-Air | Beverage-Air | EF74-5AS | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | 0 | 69.5 | 69.5 | 85 | 215.9 | 79 | 200.7 | 33 | 83.82 | R-404A | 20.04 |
| Beverage-Air | Beverage-Air | EF74-5AS-XDX | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 64.4 | 64.4 | 79 | 200.66 | 78 | 198.1 | 32 | 81.28 | R-404A | 15.36 |
| Beverage-Air | Beverage-Air | EF74-5BS-88/ | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 69.5 | 69.5 | 79 | 200.66 | 78 | 198.1 | 32 | 81.28 | R-404A | 23.94 |
| Beverage-Air | Beverage-Air | KF24*1AS***** | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 20.7 | | 20.7 | 82 | 208.28 | 27 | 68.58 | 31 | 78.74 | R-404A | 8.1 |
| Beverage-Air | Beverage-Air | KF24-1AS | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 23 | 23 | 78 | 198.12 | 27 | 68.58 | 29.5 | 74.93 | R-404A | 8.1 |
| Beverage-Air | Beverage-Air | KF48*1AS***** | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 42 | | 42 | 82 | 208.28 | 54 | 137.2 | 31 | 78.74 | R-404A | 13.46 |
| Beverage-Air | Beverage-Air | KF48-1AS | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 43.6 | 43.6 | 82.5 | 209.55 | 52 | 132.1 | 30 | 76.2 | R-404A | 10.61 |
| Beverage-Air | Beverage-Air | KF48-1AS | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 49 | 49 | 78 | 198.12 | 54.4 | 138.2 | 29.5 | 74.93 | R-404A | 13.46 |
| Beverage-Air | Beverage-Air | KF74*5AS***** | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | 70.5 | | 70.5 | 82 | 208.28 | 82 | 208.3 | 31 | 78.74 | R-404A | 17.22 |
| Beverage-Air | Beverage-Air | KF74-5AS | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | 0 | 67.26 | 67.26 | 79 | 200.66 | 79 | 200.7 | 32 | 81.28 | R-404A | 20.88 |
| Beverage-Air | Beverage-Air | KF74-5AS | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 72 | 72 | 79 | 200.66 | 78 | 198.1 | 30.5 | 77.47 | R-404A | 13.7 |
| Beverage-Air | Beverage-Air | PF1-1A*S-XDX*** | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 22.1 | | 22.1 | 79 | 200.66 | 26 | 66.04 | 30 | 76.2 | R-404A | 9.67 |
| Beverage-Air | Beverage-Air | PF1-1AHS-XDX | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22.1 | 22.1 | 79 | 200.66 | 26 | 66.04 | 32 | 81.28 | R-404A | 9.67 |
| Beverage-Air | Beverage-Air | PF1-1AS-XDX | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22.1 | 22.1 | 79 | 200.66 | 26 | 66.04 | 32 | 81.28 | R-404A | 9.67 |
| Beverage-Air | Beverage-Air | PF2-1A*S-XDX*** | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 48.2 | | 48.2 | 79 | 200.66 | 52 | 132.1 | 30 | 76.2 | R-404A | 15 |
| Beverage-Air | Beverage-Air | PF2-1AHS-XDX | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 48.2 | 48.2 | 62 | 157.48 | 48 | 121.9 | 28 | 71.12 | R-404A | 15.09 |
| Beverage-Air | Beverage-Air | PF2-1AS-XDX | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 48.2 | 48.2 | 62 | 157.48 | 48 | 121.9 | 28 | 71.12 | R-404A | 15.09 |
| Beverage-Air | Beverage-Air | PF3-5A*S-XDX*** | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | 64.4 | | 64.4 | 79 | 200.66 | 78 | 198.1 | 30 | 76.2 | R-404A | 15.3 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|--------------|-----------------|--------------------|---------------------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| Beverage-Air | Beverage-Air | PF3-5AHS-XDX | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | | 64.4 | 64.4 | 79 | 200.66 | 78 | 198.1 | 32 | 81.28 | R-404A | 15.36 |
| Beverage-Air | Beverage-Air | PF3-5AS-XDX | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 64.4 | 64.4 | 79 | 200.66 | 78 | 198.1 | 32 | 81.28 | R-404A | 15.36 |
| Beverage-Air | Beverage-Air | PF48-1A*S***** | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 46.2 | | 46.2 | 79 | 200.66 | 52 | 132.1 | 30 | 76.2 | R-404A | 13.7 |
| Beverage-Air | Beverage-Air | PF48-1A*S***** | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 46.2 | | 46.2 | 79 | 200.66 | 52 | 132.1 | 30 | 76.2 | R-404A | 13.7 |
| Beverage-Air | Beverage-Air | PF48-1AHS | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | 0 | 46.2 | 46.2 | 83 | 210.82 | 54 | 137.2 | 32 | 81.28 | R-404A | 13.7 |
| Beverage-Air | Beverage-Air | PF48-1AS | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 46.2 | 46.2 | 83 | 210.82 | 54 | 137.2 | 32 | 81.28 | R-404A | 13.7 |
| Beverage-Air | Beverage-Air | PF48-5BS***** | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 46.7 | | 46.7 | 79 | 200.66 | 52 | 132.1 | 30 | 76.2 | R-404A | 18.2 |
| Beverage-Air | Beverage-Air | PF74-5A*S***** | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | 69.5 | | 69.5 | 79 | 200.66 | 78 | 198.1 | 30 | 76.2 | R-404A | 20 |
| Beverage-Air | Beverage-Air | PF74-5AHS | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | | 69.5 | 69.5 | 85 | 215.9 | 79 | 200.7 | 33 | 83.82 | R-404A | 20.04 |
| Beverage-Air | Beverage-Air | PF74-5AS | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | 0 | 69.5 | 69.5 | 85 | 215.9 | 79 | 200.7 | 33 | 83.82 | R-404A | 20.04 |
| Beverage-Air | Beverage-Air | PF11-1AS-XDX | Commercial Freezer | Roll-In or Roll-Through Cabinet | Automatic | 2 | | 32.2 | 32.2 | 84.5 | 214.63 | 33 | 83.82 | 34 | 86.36 | R-404A | 9.88 |
| Beverage-Air | Beverage-Air | PF11-1AS-XDX*** | Commercial Freezer | Roll-In or Roll-Through Cabinet | Automatic | 2 | 32.2 | | 32.2 | 84.5 | 214.63 | 33 | 83.82 | 33 | 83.82 | R-404A | 9.88 |
| Beverage-Air | Beverage-Air | PF12-5AS-XDX | Commercial Freezer | Roll-In or Roll-Through Cabinet | Automatic | 4 | | 67.5 | 67.5 | 84.5 | 214.63 | 66 | 167.6 | 34 | 86.36 | R-404A | 19.88 |
| Beverage-Air | Beverage-Air | PF12-5AS-XDX*** | Commercial Freezer | Roll-In or Roll-Through Cabinet | Automatic | 4 | 67.5 | | 67.5 | 84.5 | 214.63 | 66 | 167.6 | 33 | 83.82 | R-404A | 19.9 |
| Beverage-Air | Beverage-Air | UCF27AY***** | Commercial Freezer | Under-counter Cabinet | Automatic | 1 | 6.2 | | 6.2 | 34.5 | 87.63 | 27 | 68.58 | 29.25 | 74.3 | R-404A | 3 |
| Beverage-Air | Beverage-Air | WTF27AY***** | Commercial Freezer | Under-counter Cabinet | Automatic | 1 | 6.2 | | 6.2 | 34.5 | 87.63 | 27 | 68.58 | 29.25 | 74.3 | R-404A | 3 |
| Beverage-Air | Beverage-Air | | Commercial Freezer | Under-counter Cabinet | Automatic | 1 | 6.2 | | 6.2 | 34.5 | 87.63 | 27 | 68.58 | 29.25 | 74.3 | R-404A | 3 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|--|--------------------------|--------------|--------------------|-----------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Blue Air Commercial Refrigeration, Inc | Blue Air | BASF1 | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 0 | 23 | 23 | 84.5 | 214.63 | 27.5 | 69.85 | 31.25 | 79.38 | R-404A | 7.14 |
| Blue Air Commercial Refrigeration, Inc | Blue Air | BASF2 | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 49 | 49 | 84.5 | 214.63 | 56.25 | 142.9 | 31.25 | 79.38 | R-404A | 12.73 |
| Blue Air Commercial Refrigeration, Inc | Blue Air | BASF3 | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | 0 | 72 | 72 | 84.5 | 214.63 | 78 | 198.1 | 31.25 | 79.38 | R-134A | 22.7 |
| Blue Air Commercial Refrigeration, Inc | Blue Air | BAUF1 | Commercial Freezer | Under-counter Cabinet | Automatic | 1 | 0 | 7 | 7 | 30 | 76.2 | 27.5 | 69.85 | 30 | 76.2 | R-404A | 3.96 |
| Continental Refrigerator | Continental Refrigerator | 1F | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 20.05 | 20.05 | 82.25 | 208.92 | 26 | 66.04 | 35.5 | 90.17 | R-404A | 8.97 |
| Continental Refrigerator | Continental Refrigerator | 1FE | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21 | 21 | 82.25 | 208.92 | 28.5 | 72.39 | 35.5 | 90.17 | R-404A | 9.26 |
| Continental Refrigerator | Continental Refrigerator | 2F | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 49.19 | 49.19 | 83.25 | 211.46 | 52 | 132.1 | 35.5 | 90.17 | R-404A | 12.9 |
| Continental Refrigerator | Continental Refrigerator | 2F-PT | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 49.19 | 49.19 | 83.25 | 211.46 | 52 | 132.1 | 35.5 | 90.17 | R-404A | 12.9 |
| Continental Refrigerator | Continental Refrigerator | 2FE | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 54.54 | 54.54 | 83.25 | 211.46 | 57 | 144.8 | 35.5 | 90.17 | R-404A | 13.11 |
| Continental Refrigerator | Continental Refrigerator | 2FE-PT | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 54.54 | 54.54 | 83.25 | 211.46 | 57 | 144.8 | 35.5 | 90.17 | R-404A | 13.11 |
| Continental Refrigerator | Continental Refrigerator | 2FS | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 36.89 | 36.89 | 83.25 | 211.46 | 52 | 132.1 | 30.5 | 77.47 | R-404A | 11.88 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|--------------------------|--------------|--------------------|----------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|------|-------|------------------|---------------------------------------|
| Continental Refrigerator | Continental Refrigerator | 2FSE | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 30.32 | 30.32 | 83.25 | 211.46 | 36.25 | 92.08 | 35.5 | 90.17 | R-404A | 11.02 |
| Continental Refrigerator | Continental Refrigerator | 3F | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 72.19 | 72.19 | 85.75 | 217.81 | 78 | 198.1 | 35.5 | 90.17 | R-404A | 26.35 |
| Continental Refrigerator | Continental Refrigerator | 3F-PT | Commercial Freezer | Pass-Through Cabinet | Automatic | 6 | | 72.19 | 72.19 | 85.75 | 217.81 | 78 | 198.1 | 35.5 | 90.17 | R-404A | 26.35 |
| Continental Refrigerator | Continental Refrigerator | 3FE | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 79.71 | 79.71 | 85.75 | 217.81 | 85.5 | 217.2 | 35.5 | 90.17 | R-404A | 28.2 |
| Continental Refrigerator | Continental Refrigerator | 3FE-PT | Commercial Freezer | Pass-Through Cabinet | Automatic | 6 | | 79.71 | 79.71 | 85.75 | 217.81 | 85.5 | 217.2 | 35.5 | 90.17 | R-404A | 28.2 |
| Continental Refrigerator | Continental Refrigerator | 3FS | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | 0 | 57.75 | 57.75 | 85.75 | 217.81 | 78 | 198.1 | 30.5 | 77.47 | R-404A | 24.12 |
| Continental Refrigerator | Continental Refrigerator | DL1F | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.57 | 21.57 | 83.25 | 211.46 | 26 | 66.04 | 35.5 | 90.17 | R-404A | 9.71 |
| Continental Refrigerator | Continental Refrigerator | DL1F-PT | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 21.57 | 21.57 | 83.25 | 211.46 | 26 | 66.04 | 35.5 | 90.17 | R-404A | 9.71 |
| Continental Refrigerator | Continental Refrigerator | DL1FE | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 23.14 | 23.14 | 83.25 | 211.46 | 28.5 | 72.39 | 35.5 | 90.17 | R-404A | 10.03 |
| Continental Refrigerator | Continental Refrigerator | DL1FE-PT | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 23.14 | 23.14 | 83.25 | 211.46 | 28.5 | 72.39 | 35.5 | 90.17 | R-404A | 10.03 |
| Continental Refrigerator | Continental Refrigerator | DL1FSE | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 16.22 | 16.22 | 83.25 | 211.46 | 17.75 | 45.09 | 35.5 | 90.17 | R-404A | 7.62 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|--------------------------|--------------|--------------------|----------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|------|-------|------------------|---------------------------------------|
| Continental Refrigerator | Continental Refrigerator | DL1FX | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 31.72 | 31.72 | 83.25 | 211.46 | 36.25 | 92.08 | 35.5 | 90.17 | R-404A | 13.89 |
| Continental Refrigerator | Continental Refrigerator | DL1FX-PT | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 31.72 | 31.72 | 83.25 | 211.46 | 36.25 | 92.08 | 35.5 | 90.17 | R-404A | 13.89 |
| Continental Refrigerator | Continental Refrigerator | DL2F | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 50.47 | 50.47 | 83.25 | 211.46 | 52 | 132.1 | 35.5 | 90.17 | R-404A | 13.75 |
| Continental Refrigerator | Continental Refrigerator | DL2F-PT | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 50.47 | 50.47 | 83.25 | 211.46 | 52 | 132.1 | 35.5 | 90.17 | R-404A | 13.75 |
| Continental Refrigerator | Continental Refrigerator | DL2FE | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 55.96 | 55.96 | 83.25 | 211.46 | 57 | 144.8 | 35.5 | 90.17 | R-404A | 14.1 |
| Continental Refrigerator | Continental Refrigerator | DL2FE-PT | Commercial Freezer | Pass-Through Cabinet | Automatic | 4 | | 55.96 | 55.96 | 83.25 | 211.46 | 57 | 144.8 | 35.5 | 90.17 | R-404A | 14.1 |
| Continental Refrigerator | Continental Refrigerator | DL2FSE | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 31.72 | 31.72 | 83.25 | 211.46 | 36.25 | 92.08 | 35.5 | 90.17 | R-404A | 13.89 |
| Continental Refrigerator | Continental Refrigerator | DL3F | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 74.06 | 74.06 | 85.75 | 217.81 | 78 | 198.1 | 35.5 | 90.17 | R-404A | 28.64 |
| Continental Refrigerator | Continental Refrigerator | DL3F-PT | Commercial Freezer | Pass-Through Cabinet | Automatic | 6 | | 74.06 | 74.06 | 85.75 | 217.81 | 78 | 198.1 | 35.5 | 90.17 | R-404A | 28.64 |
| Continental Refrigerator | Continental Refrigerator | DL3FE | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 81.78 | 81.78 | 85.75 | 217.81 | 85.5 | 217.2 | 35.5 | 90.17 | R-404A | 30.64 |
| Continental Refrigerator | Continental Refrigerator | DL3FE-PT | Commercial Freezer | Pass-Through Cabinet | Automatic | 6 | | 81.78 | 81.78 | 85.75 | 217.81 | 85.5 | 217.2 | 35.5 | 90.17 | R-404A | 30.64 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|--------------------------|--------------|--------------------|------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|------|-------|------------------|---------------------------------------|
| Continental Refrigerator | Continental Refrigerator | DL3RF | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 75 | 75 | 83.25 | 211.46 | 85.5 | 217.2 | 35.5 | 90.17 | R-404A | 30.64 |
| The Delfield Company | Delfield | 6125XL-S | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 0 | 20 | 20 | 79.5 | 201.93 | 25.5 | 64.77 | 32.6 | 82.8 | R-404A | 7.78 |
| The Delfield Company | Delfield | 6125XL-S | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 20 | 20 | 80.5 | 204.47 | 25.5 | 64.77 | 32.6 | 82.8 | R-404A | 7.7845 |
| The Delfield Company | Delfield | 6125XL-S | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 43.5 | 43.5 | 79.5 | 201.93 | 51 | 129.5 | 32.6 | 82.8 | R-404A | 11.7473 |
| The Delfield Company | Delfield | 6125XL-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 20 | 20 | 79.5 | 201.93 | 25.5 | 64.77 | 32.6 | 82.8 | R-404A | 7.78 |
| The Delfield Company | Delfield | 6125XL-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 20 | 20 | 79.5 | 201.93 | 25.5 | 64.77 | 32.6 | 82.8 | R-404A | 9.1345 |
| The Delfield Company | Delfield | 6125XL-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 43.5 | 43.5 | 79.5 | 201.93 | 51 | 129.5 | 32.6 | 82.8 | R-404A | 11.7473 |
| The Delfield Company | Delfield | 6151XL-S | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 43.5 | 0 | 43.5 | 79.5 | 201.93 | 51 | 129.5 | 32.6 | 82.8 | R-404A | 11.75 |
| The Delfield Company | Delfield | 6151XL-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 43.5 | 0 | 43.5 | 79.5 | 201.93 | 51 | 129.5 | 32.6 | 82.8 | R-404A | 11.75 |
| The Delfield Company | Delfield | 6151XL-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 43.5 | | 43.5 | 79.5 | 201.93 | 51 | 129.5 | 32.6 | 82.8 | R-404A | 18.78 |
| The Delfield Company | Delfield | 6176XL-S | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 66.5 | 66.5 | 79.5 | 201.93 | 76.5 | 194.3 | 32.6 | 82.8 | R-404A | 15.591 |
| The Delfield Company | Delfield | 6176XL-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | | 66.5 | 66.5 | 79.5 | 201.93 | 76.5 | 194.3 | 32.6 | 82.8 | R-404A | 15.591 |
| The Delfield Company | Delfield | F13WC56 | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | | 11.59 | 11.59 | 40 | 101.6 | 56 | 142.2 | 32 | 81.28 | R-404A | 5.34 |
| The Delfield Company | Delfield | F13WC68 | Commercial Freezer | Reach-in Cabinet | Automatic | 8 | | 15.35 | 15.35 | 40 | 101.6 | 68 | 172.7 | 32 | 81.28 | R-404A | 5.34 |
| The Delfield Company | Delfield | F1FL | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 0 | 19.4 | 19.4 | 82.75 | 210.19 | 26.75 | 67.95 | 32 | 81.28 | R-404A | 8.83 |
| The Delfield Company | Delfield | F1FR | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 0 | 19.4 | 19.4 | 82.75 | 210.19 | 36.75 | 93.35 | 32 | 81.28 | R-404A | 8.83 |
| The Delfield Company | Delfield | F1HL | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 19.4 | 19.4 | 82.75 | 210.19 | 26.75 | 67.95 | 32 | 81.28 | R-404A | 8.83 |
| The Delfield Company | Delfield | F1HR | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 19.4 | 19.4 | 82.75 | 210.19 | 26.75 | 67.95 | 32 | 81.28 | R-404A | 8.83 |
| The Delfield Company | Delfield | F2FH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 43 | 43 | 82.75 | 210.19 | 54 | 137.2 | 32 | 81.28 | R-404A | 14.4 |
| The Delfield Company | Delfield | F2HH | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | 0 | 43 | 43 | 82.75 | 210.19 | 54 | 137.2 | 32 | 81.28 | R-404A | 14.4 |
| The Delfield Company | Delfield | F3FH | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | 0 | 66.9 | 66.9 | 82.75 | 210.19 | 80.75 | 205.1 | 32 | 81.28 | R-404A | 19.5 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|--------------|--------------------|---------------------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| The Delfield Company | Delfield | MCD6125XL-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 20 | 20 | 79.5 | 201.93 | 25.5 | 64.77 | 32.6 | 82.8 | R-404A | 8.54 |
| The Delfield Company | Delfield | MCD6151XL-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 43.5 | 43.5 | 79.5 | 201.93 | 51 | 129.5 | 32.6 | 82.8 | R-404A | 15.94 |
| The Delfield Company | Delfield | MCD6176XL-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 66.5 | 66.5 | 79.5 | 201.93 | 76.5 | 194.3 | 32.6 | 82.8 | R-404A | 20.68 |
| The Delfield Company | Delfield | MFPT1-S | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 26.64 | 26.64 | 81 | 205.74 | 29 | 73.66 | 36.25 | 92.08 | R-404A | 11.2961 |
| The Delfield Company | Delfield | MFPT1-SH | Commercial Freezer | Pass-Through Cabinet | Automatic | 4 | | 26.64 | 26.64 | 81 | 205.74 | 29 | 73.66 | 36.25 | 92.08 | R-404A | 11.2961 |
| The Delfield Company | Delfield | MFPT2-S | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | 0 | 55.42 | 55.42 | 81 | 205.74 | 56 | 142.2 | 36.25 | 92.08 | R-404A | 14.26 |
| The Delfield Company | Delfield | MFPT2-S | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | 55.42 | | 55.42 | 81 | 205.74 | 56 | 142.2 | 36.25 | 92.08 | R-404A | 14.2618 |
| The Delfield Company | Delfield | MFPT2-SH | Commercial Freezer | Pass-Through Cabinet | Automatic | 4 | 0 | 55.42 | 55.42 | 81 | 205.74 | 56 | 142.2 | 36.25 | 92.08 | R-404A | 14.26 |
| The Delfield Company | Delfield | MFPT2-SH | Commercial Freezer | Pass-Through Cabinet | Automatic | 4 | 55.42 | | 55.42 | 81 | 205.74 | 56 | 142.2 | 36.25 | 92.08 | R-404A | 14.2618 |
| The Delfield Company | Delfield | MFR1-S | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.96 | 24.96 | 81 | 205.74 | 29 | 73.66 | 34 | 86.36 | R-404A | 7.6297 |
| The Delfield Company | Delfield | MFR1-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.96 | 24.96 | 81 | 205.74 | 29 | 73.66 | 34 | 86.36 | R-404A | 7.6297 |
| The Delfield Company | Delfield | MFR11-S | Commercial Freezer | Roll-In or Roll-Through Cabinet | Automatic | 1 | | 36.15 | 36.15 | 89 | 226.06 | 34 | 86.36 | 34 | 86.36 | R-404A | 11.5688 |
| The Delfield Company | Delfield | MFR12-S | Commercial Freezer | Roll-In or Roll-Through Cabinet | Automatic | 2 | | 74.72 | 74.72 | 89 | 226.06 | 66 | 167.6 | 34 | 86.36 | R-404A | 21.0197 |
| The Delfield Company | Delfield | MFR1N-S | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 20.97 | 20.97 | 81 | 205.74 | 25 | 63.5 | 34 | 86.36 | R-404A | 7.5758 |
| The Delfield Company | Delfield | MFR1N-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 20.97 | 20.97 | 81 | 205.74 | 25 | 63.5 | 34 | 86.36 | R-404A | 7.5758 |
| The Delfield Company | Delfield | MFR1S-S | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.96 | 24.96 | 81 | 205.74 | 29 | 73.66 | 26 | 66.04 | R-404A | 8.0425 |
| The Delfield Company | Delfield | MFR1S-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 18.25 | 18.25 | 81 | 205.74 | 29 | 73.66 | 26 | 66.04 | R-404A | 8.0425 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|--------------|--------------------|---------------------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|------|-------|------------------|---------------------------------------|
| The Delfield Company | Delfield | MFR2-S | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 51.92 | 51.92 | 81 | 205.74 | 56 | 142.2 | 34 | 86.36 | R-404A | 15.16 |
| The Delfield Company | Delfield | MFR2-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | 0 | 51.92 | 51.92 | 81 | 205.74 | 56 | 142.2 | 34 | 86.36 | R-404A | 15.1592 |
| The Delfield Company | Delfield | MFR2N-S | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 43.94 | | 43.94 | 81 | 205.74 | 48 | 121.9 | 34 | 86.36 | R-404A | 11.1314 |
| The Delfield Company | Delfield | MFR2N-S | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 43.94 | 43.94 | 81 | 205.74 | 48 | 121.9 | 34 | 86.36 | R-404A | 11.13 |
| The Delfield Company | Delfield | MFR2N-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 43.94 | 43.94 | 81 | 205.74 | 48 | 121.9 | 34 | 86.36 | R-404A | 11.13 |
| The Delfield Company | Delfield | MFR2N-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 43.94 | 43.94 | 81 | 205.74 | 48 | 121.9 | 34 | 86.36 | R-404A | 17 |
| The Delfield Company | Delfield | MFR2N-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 43.94 | 43.94 | 81 | 205.74 | 48 | 121.9 | 34 | 86.36 | R-404A | 11.1314 |
| The Delfield Company | Delfield | MFR2N-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 43.94 | 43.94 | 81 | 205.74 | 48 | 121.9 | 34 | 86.36 | R-404A | 17 |
| The Delfield Company | Delfield | MFR2S-S | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 37.96 | 37.96 | 81 | 205.74 | 56 | 142.2 | 26 | 66.04 | R-404A | 10.5464 |
| The Delfield Company | Delfield | MFR2S-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 37.96 | 37.96 | 81 | 205.74 | 56 | 142.2 | 26 | 66.04 | R-404A | 10.5464 |
| The Delfield Company | Delfield | MFR3-G | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 78.89 | 78.89 | 81 | 205.74 | 83 | 210.8 | 34 | 86.36 | R-404A | 17 |
| The Delfield Company | Delfield | MFR3-G | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 78.89 | 78.89 | 81 | 205.74 | 83 | 210.8 | 34 | 86.36 | R-404A | 29.0662 |
| The Delfield Company | Delfield | MFR3-GH | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | | 78.89 | 78.89 | 81 | 205.74 | 83 | 210.8 | 34 | 86.36 | R-404A | 29.0662 |
| The Delfield Company | Delfield | MFR3-S | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 37.96 | 37.96 | 85 | 215.9 | 83 | 210.8 | 34 | 86.36 | R-404A | 16.2552 |
| The Delfield Company | Delfield | MFR3-S | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 78.89 | 78.89 | 81 | 205.74 | 83 | 210.8 | 34 | 86.36 | R-404A | 16.26 |
| The Delfield Company | Delfield | MFR3-S | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | | 78.89 | 78.89 | 81 | 205.74 | 83 | 210.8 | 34 | 86.36 | R-404A | 29.0662 |
| The Delfield Company | Delfield | MFR3-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 37.96 | 37.96 | 85 | 215.9 | 83 | 210.8 | 34 | 86.36 | R-404A | 16.2552 |
| The Delfield Company | Delfield | MFR3-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | | 78.89 | 78.89 | 81 | 205.74 | 83 | 210.8 | 34 | 86.36 | R-404A | 16.26 |
| The Delfield Company | Delfield | MFR11-S | Commercial Freezer | Roll-In or Roll-Through Cabinet | Automatic | 1 | 0 | 36.15 | 36.15 | 89 | 226.06 | 34 | 86.36 | 34 | 86.36 | R-404A | 11.568 |
| The Delfield Company | Delfield | MFR12-S | Commercial Freezer | Roll-In or Roll-Through Cabinet | Automatic | 2 | | 74.72 | 74.72 | 89 | 226.06 | 66 | 167.6 | 34 | 86.36 | R-404A | 21.02 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|--------------|--------------------|----------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| The Delfield Company | Delfield | N225 | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 0 | 1.93 | 1.93 | 27 | 68.58 | 17 | 43.18 | 28 | 71.12 | R-404A | 1.82 |
| The Delfield Company | Delfield | N227 | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 0 | 4.22 | 4.22 | 27 | 68.58 | 30 | 76.2 | 28 | 71.12 | R-404A | 2.26 |
| The Delfield Company | Delfield | SAF1-G | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 24.96 | | 24.96 | 81 | 205.74 | 29 | 73.66 | 34 | 86.36 | R-404A | 11.2871 |
| The Delfield Company | Delfield | SAF1-GH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 24.96 | 0 | 24.96 | 81 | 205.74 | 29 | 73.66 | 34 | 86.36 | R-404A | 11.2871 |
| The Delfield Company | Delfield | SAF1-S | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 24.96 | | 24.96 | 81 | 205.74 | 29 | 73.66 | 34 | 86.36 | R-404A | 7.6297 |
| The Delfield Company | Delfield | SAF1-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 24.96 | | 24.96 | 81 | 205.74 | 29 | 73.66 | 34 | 86.36 | R-404A | 7.6297 |
| The Delfield Company | Delfield | SAF1N-S | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 20.97 | | 20.97 | 81 | 205.74 | 25 | 63.5 | 34 | 86.36 | R-404A | 7.5758 |
| The Delfield Company | Delfield | SAF1N-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 20.97 | | 20.97 | 81 | 205.74 | 25 | 63.5 | 34 | 86.36 | R-404A | 7.5758 |
| The Delfield Company | Delfield | SAF1S-S | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 18.25 | | 18.25 | 81 | 205.74 | 29 | 73.66 | 26 | 66.04 | R-404A | 8.0425 |
| The Delfield Company | Delfield | SAF1S-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 18.25 | | 18.25 | 81 | 205.74 | 29 | 73.66 | 26 | 66.04 | R-404A | 8.0425 |
| The Delfield Company | Delfield | SAF2-S | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 51.92 | | 51.92 | 81 | 205.74 | 56 | 142.2 | 34 | 86.36 | R-404A | 15.1592 |
| The Delfield Company | Delfield | SAF2-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | 51.92 | | 51.92 | 81 | 205.74 | 56 | 142.2 | 34 | 86.36 | R-404A | 15.1592 |
| The Delfield Company | Delfield | SAF2N-S | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 43.94 | | 43.94 | 81 | 205.74 | 48 | 121.9 | 34 | 86.36 | R-404A | 11.1314 |
| The Delfield Company | Delfield | SAF2N-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | 43.94 | | 43.94 | 81 | 205.74 | 48 | 121.9 | 34 | 86.36 | R-404A | 11.1314 |
| The Delfield Company | Delfield | SAF2S-S | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 37.96 | | 37.96 | 81 | 205.74 | 56 | 142.2 | 26 | 66.04 | R-404A | 10.5464 |
| The Delfield Company | Delfield | SAF2S-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | 37.96 | | 37.96 | 81 | 205.74 | 56 | 142.2 | 26 | 66.04 | R-404A | 10.5464 |
| The Delfield Company | Delfield | SAF3-S | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | 78.89 | | 78.89 | 85 | 215.9 | 83 | 210.8 | 34 | 86.36 | R-404A | 16.2552 |
| The Delfield Company | Delfield | SAF3-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | 78.89 | | 78.89 | 85 | 215.9 | 83 | 210.8 | 34 | 86.36 | R-404A | 16.2552 |
| The Delfield Company | Delfield | SAF3S-S | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | 0 | 57.67 | 57.67 | 81 | 205.74 | 83 | 210.8 | 26 | 66.04 | R-404A | 19.7849 |
| The Delfield Company | Delfield | SAF3S-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | 0 | 57.67 | 57.67 | 81 | 205.74 | 83 | 210.8 | 26 | 66.04 | R-404A | 19.7849 |
| The Delfield Company | Delfield | SAFPT1-S | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 26.64 | 26.64 | 81 | 205.74 | 29 | 73.66 | 36.25 | 92.08 | R-404A | 11.2961 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|--------------|--------------------|---------------------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| The Delfield Company | Delfield | SAFPT1-S | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 26.64 | 26.64 | 81 | 205.74 | 29 | 73.66 | 36.25 | 92.08 | R-404A | 11.3 |
| The Delfield Company | Delfield | SAFPT1-SH | Commercial Freezer | Pass-Through Cabinet | Automatic | 4 | | 26.64 | 26.64 | 81 | 205.74 | 29 | 73.66 | 36.25 | 92.08 | R-404A | 11.2961 |
| The Delfield Company | Delfield | SAFPT1-SH | Commercial Freezer | Pass-Through Cabinet | Automatic | 4 | | 26.64 | 26.64 | 81 | 205.74 | 29 | 73.66 | 36.25 | 92.08 | R-404A | 11.3 |
| The Delfield Company | Delfield | SAFPT2-S | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | 55.42 | | 55.42 | 81 | 205.74 | 56 | 142.2 | 36.25 | 92.08 | R-404A | 14.2618 |
| The Delfield Company | Delfield | SAFPT2-SH | Commercial Freezer | Pass-Through Cabinet | Automatic | 4 | 55.42 | | 55.42 | 81 | 205.74 | 56 | 142.2 | 36.25 | 92.08 | R-404A | 14.2618 |
| The Delfield Company | Delfield | SAFPT3-S | Commercial Freezer | Pass-Through Cabinet | Automatic | 3 | 84.19 | | 84.19 | 81 | 205.74 | 83 | 210.8 | 36.25 | 92.08 | R-404A | 33.0005 |
| The Delfield Company | Delfield | SAFPT3-SH | Commercial Freezer | Pass-Through Cabinet | Automatic | 6 | 84.19 | | 84.19 | 81 | 205.74 | 83 | 210.8 | 36.25 | 92.08 | R-404A | 33.0005 |
| The Delfield Company | Delfield | SAFRI1-S | Commercial Freezer | Roll-In or Roll-Through Cabinet | Automatic | 1 | 0 | 36.15 | 36.15 | 89 | 226.06 | 34 | 86.36 | 34 | 86.36 | R-404A | 11.5688 |
| The Delfield Company | Delfield | SAFRI2-S | Commercial Freezer | Roll-In or Roll-Through Cabinet | Automatic | 2 | 74.72 | 0 | 74.72 | 89 | 226.06 | 66 | 167.6 | 34 | 86.36 | R-404A | 21.0197 |
| The Delfield Company | Delfield | SAFRI3-S | Commercial Freezer | Roll-In or Roll-Through Cabinet | Automatic | 3 | 113.28 | 0 | 113.3 | 89 | 226.06 | 98 | 248.9 | 34 | 86.36 | R-404A | 25.7015 |
| The Delfield Company | Delfield | SAFRT2-S | Commercial Freezer | Roll-In or Roll-Through Cabinet | Automatic | 2 | 79.74 | | 79.74 | 91 | 231.14 | 66 | 167.6 | 36.25 | 92.08 | R-404A | 26.2897 |
| The Delfield Company | Delfield | SCF-48 | Commercial Freezer | Reach-in Cabinet | Manual | 2 | | 10.35 | 10.35 | 36 | 91.44 | 48 | 121.9 | 28 | 71.12 | R-404A | 3.42 |
| The Delfield Company | Delfield | SFR2-S | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 51.92 | 51.92 | 81 | 205.74 | 56 | 142.2 | 34 | 86.36 | R-404A | 16.305 |
| The Delfield Company | Delfield | SMF1-S | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 0 | 24.96 | 24.96 | 81 | 205.74 | 29 | 73.66 | 34 | 86.36 | R-404A | 7.6297 |
| The Delfield Company | Delfield | SMF1-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 24.96 | 24.96 | 81 | 205.74 | 29 | 73.66 | 34 | 86.36 | R-404A | 7.6297 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|--------------|--------------------|----------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| The Delfield Company | Delfield | SMF1N-S | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 0 | 20.97 | 20.97 | 81 | 205.74 | 25 | 63.5 | 34 | 86.36 | R-404A | 7.5758 |
| The Delfield Company | Delfield | SMF1N-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 20.97 | 20.97 | 81 | 205.74 | 25 | 63.5 | 34 | 86.36 | R-404A | 7.5758 |
| The Delfield Company | Delfield | SMF1S-S | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 0 | 18.25 | 18.25 | 81 | 205.74 | 29 | 73.66 | 26 | 66.04 | R-404A | 8.0425 |
| The Delfield Company | Delfield | SMF1S-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 18.25 | 18.25 | 81 | 205.74 | 29 | 73.66 | 26 | 66.04 | R-404A | 8.0425 |
| The Delfield Company | Delfield | SMF2-S | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 51.92 | 51.92 | 81 | 205.74 | 56 | 142.2 | 34 | 86.36 | R-404A | 15.1592 |
| The Delfield Company | Delfield | SMF2-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | 0 | 51.92 | 51.92 | 81 | 205.74 | 56 | 142.2 | 34 | 86.36 | R-404A | 15.1592 |
| The Delfield Company | Delfield | SMF2N-S | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 43.94 | 43.94 | 81 | 205.74 | 48 | 121.9 | 34 | 86.36 | R-404A | 11.1314 |
| The Delfield Company | Delfield | SMF2N-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | 0 | 43.94 | 43.94 | 81 | 205.74 | 48 | 121.9 | 34 | 86.36 | R-404A | 11.1314 |
| The Delfield Company | Delfield | SMF2S-S | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 37.96 | 37.96 | 81 | 205.74 | 56 | 142.2 | 26 | 66.04 | R-404A | 10.5464 |
| The Delfield Company | Delfield | SMF2S-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | 0 | 37.96 | 37.96 | 81 | 205.74 | 56 | 142.2 | 26 | 66.04 | R-404A | 10.5464 |
| The Delfield Company | Delfield | SMF3-S | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | 0 | 78.89 | 78.89 | 85 | 215.9 | 83 | 210.8 | 34 | 86.36 | R-404A | 16.2552 |
| The Delfield Company | Delfield | SMF3-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | 0 | 78.89 | 78.89 | 85 | 215.9 | 83 | 210.8 | 34 | 86.36 | R-404A | 16.2552 |
| The Delfield Company | Delfield | SMF3S-S | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | 0 | 57.67 | 57.67 | 81 | 205.74 | 83 | 210.8 | 26 | 66.04 | R-404A | 19.7849 |
| The Delfield Company | Delfield | SMF3S-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | 0 | 57.67 | 57.67 | 81 | 205.74 | 83 | 210.8 | 26 | 66.04 | R-404A | 19.7849 |
| The Delfield Company | Delfield | SMFPT1-S | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | 0 | 26.64 | 26.64 | 81 | 205.74 | 29 | 73.66 | 36.25 | 92.08 | R-404A | 11.2961 |
| The Delfield Company | Delfield | SMFPT1-SH | Commercial Freezer | Pass-Through Cabinet | Automatic | 4 | 0 | 26.64 | 26.64 | 81 | 205.74 | 29 | 73.66 | 36.25 | 92.08 | R-404A | 11.2961 |
| The Delfield Company | Delfield | SMFPT2-S | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | 0 | 55.42 | 55.42 | 81 | 205.74 | 56 | 142.2 | 36.25 | 92.08 | R-404A | 14.2618 |
| The Delfield Company | Delfield | SMFPT2-SH | Commercial Freezer | Pass-Through Cabinet | Automatic | 4 | 0 | 55.42 | 55.42 | 81 | 205.74 | 56 | 142.2 | 36.25 | 92.08 | R-404A | 14.2618 |
| The Delfield Company | Delfield | SMFPT3-S | Commercial Freezer | Pass-Through Cabinet | Automatic | 3 | 0 | 84.19 | 84.19 | 81 | 205.74 | 83 | 210.8 | 36.25 | 92.08 | R-404A | 33.0005 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|--------------|--------------------|---------------------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| The Delfield Company | Delfield | SMFPT3-SH | Commercial Freezer | Pass-Through Cabinet | Automatic | 6 | 0 | 84.19 | 84.19 | 81 | 205.74 | 83 | 210.8 | 36.25 | 92.08 | R-404A | 33.0005 |
| The Delfield Company | Delfield | SMFR11-S | Commercial Freezer | Roll-In or Roll-Through Cabinet | Automatic | 1 | 0 | 36.15 | 36.15 | 89 | 226.06 | 34 | 86.36 | 34 | 86.36 | R-404A | 11.5688 |
| The Delfield Company | Delfield | SMFR12-S | Commercial Freezer | Roll-In or Roll-Through Cabinet | Automatic | 2 | 0 | 74.72 | 74.72 | 89 | 226.06 | 66 | 167.6 | 34 | 86.36 | R-404A | 21.0197 |
| The Delfield Company | Delfield | SMFR13-S | Commercial Freezer | Roll-In or Roll-Through Cabinet | Automatic | 3 | 0 | 113.28 | 113.3 | 89 | 226.06 | 98 | 248.9 | 34 | 86.36 | R-404A | 25.7015 |
| The Delfield Company | Delfield | SMFRT2-S | Commercial Freezer | Roll-In or Roll-Through Cabinet | Automatic | 2 | 0 | 79.74 | 79.74 | 91 | 231.14 | 66 | 167.6 | 36.25 | 92.08 | R-404A | 26.2897 |
| The Delfield Company | Delfield | SPF-66W | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 10.78 | 10.78 | 34 | 86.36 | 66 | 167.6 | 35 | 88.9 | R-404A | 4.91 |
| The Delfield Company | Delfield | SSF1-G | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.96 | 24.96 | 81 | 205.74 | 29 | 73.66 | 34 | 86.36 | R-404A | 11.2871 |
| The Delfield Company | Delfield | SSF1-GH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 24.96 | 24.96 | 81 | 205.74 | 29 | 73.66 | 34 | 86.36 | R-404A | 11.2871 |
| The Delfield Company | Delfield | SSF1-S | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.96 | 24.96 | 81 | 205.74 | 29 | 73.66 | 34 | 86.36 | R-404A | 7.6297 |
| The Delfield Company | Delfield | SSF1-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 24.96 | 24.96 | 81 | 205.74 | 29 | 73.66 | 34 | 86.36 | R-404A | 7.6297 |
| The Delfield Company | Delfield | SSF13-S | Commercial Freezer | Roll-In or Roll-Through Cabinet | Automatic | 3 | 113.28 | | 113.3 | 89 | 226.06 | 98 | 248.9 | 34 | 86.36 | R-404A | 25.7015 |
| The Delfield Company | Delfield | SSF1N-S | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 20.97 | 20.97 | 81 | 205.74 | 25 | 63.5 | 34 | 86.36 | R-404A | 7.5758 |
| The Delfield Company | Delfield | SSF1N-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 20.97 | 20.97 | 81 | 205.74 | 25 | 63.5 | 34 | 86.36 | R-404A | 7.5758 |
| The Delfield Company | Delfield | SSF1S-S | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 18.25 | 18.25 | 81 | 205.74 | 29 | 73.66 | 26 | 66.04 | R-404A | 8.0425 |
| The Delfield Company | Delfield | SSF1S-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 18.25 | 18.25 | 81 | 205.74 | 29 | 73.66 | 26 | 66.04 | R-404A | 8.0425 |
| The Delfield Company | Delfield | SSF2-S | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 51.92 | | 51.92 | 81 | 205.74 | 56 | 142.2 | 34 | 86.36 | R-404A | 15.1592 |
| The Delfield Company | Delfield | SSF2-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | 51.92 | | 51.92 | 81 | 205.74 | 56 | 142.2 | 34 | 86.36 | R-404A | 15.1592 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|--------------|--------------------|----------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| The Delfield Company | Delfield | SSF2N-S | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 43.94 | | 43.94 | 81 | 205.74 | 48 | 121.9 | 34 | 86.36 | R-404A | 11.1314 |
| The Delfield Company | Delfield | SSF2N-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | 43.94 | | 43.94 | 81 | 205.74 | 48 | 121.9 | 34 | 86.36 | R-404A | 11.1314 |
| The Delfield Company | Delfield | SSF2S-S | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 37.96 | | 37.96 | 81 | 205.74 | 56 | 142.2 | 26 | 66.04 | R-404A | 10.5464 |
| The Delfield Company | Delfield | SSF2S-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | 37.96 | | 37.96 | 81 | 205.74 | 56 | 142.2 | 26 | 66.04 | R-404A | 10.5464 |
| The Delfield Company | Delfield | SSF3-S | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | 78.89 | | 78.89 | 85 | 215.9 | 83 | 210.8 | 34 | 86.36 | R-404A | 16.2552 |
| The Delfield Company | Delfield | SSF3-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | 78.89 | | 78.89 | 85 | 215.9 | 83 | 210.8 | 34 | 86.36 | R-404A | 16.2552 |
| The Delfield Company | Delfield | SSF3S-S | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | 0 | 57.67 | 57.67 | 81 | 205.74 | 83 | 210.8 | 26 | 66.04 | R-404A | 19.7849 |
| The Delfield Company | Delfield | SSF3S-SH | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | 0 | 57.67 | 57.67 | 81 | 205.74 | 83 | 210.8 | 26 | 66.04 | R-404A | 19.7849 |
| The Delfield Company | Delfield | SSFPT1-S | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 26.64 | 26.64 | 81 | 205.74 | 29 | 73.66 | 36.25 | 92.08 | R-404A | 11.2961 |
| The Delfield Company | Delfield | SSFPT1-S | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 26.64 | 26.64 | 81 | 205.74 | 29 | 73.66 | 36.25 | 92.08 | R-404A | 11.3 |
| The Delfield Company | Delfield | SSFPT1-SH | Commercial Freezer | Pass-Through Cabinet | Automatic | 4 | | 26.64 | 26.64 | 81 | 205.74 | 29 | 73.66 | 36.25 | 92.08 | R-404A | 11.2961 |
| The Delfield Company | Delfield | SSFPT1-SH | Commercial Freezer | Pass-Through Cabinet | Automatic | 4 | | 26.64 | 26.64 | 81 | 205.74 | 29 | 73.66 | 36.25 | 92.08 | R-404A | 11.3 |
| The Delfield Company | Delfield | SSFPT2-S | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | 55.42 | | 55.42 | 81 | 205.74 | 56 | 142.2 | 36.25 | 92.08 | R-404A | 14.2618 |
| The Delfield Company | Delfield | SSFPT2-SH | Commercial Freezer | Pass-Through Cabinet | Automatic | 4 | 55.42 | | 55.42 | 81 | 205.74 | 56 | 142.2 | 36.25 | 92.08 | R-404A | 14.2618 |
| The Delfield Company | Delfield | SSFPT2-SH | Commercial Freezer | Pass-Through Cabinet | Automatic | 4 | 74.72 | | 74.72 | 89 | 226.06 | 66 | 167.6 | 34 | 86.36 | R-404A | 14.2618 |
| The Delfield Company | Delfield | SSFPT3-S | Commercial Freezer | Pass-Through Cabinet | Automatic | 6 | 0 | 84.19 | 84.19 | 81 | 205.74 | 83 | 210.8 | 36.25 | 92.08 | R-404A | 33.005 |
| The Delfield Company | Delfield | SSFPT3-SH | Commercial Freezer | Pass-Through Cabinet | Automatic | 6 | 0 | 84.19 | 84.19 | 81 | 205.74 | 83 | 210.8 | 36.25 | 92.08 | R-404A | 33.005 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|--|-------------------------|-------------------|--------------------|---------------------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| The Delfield Company | Delfield | SSFR11-S | Commercial Freezer | Roll-In or Roll-Through Cabinet | Automatic | 1 | | 36.15 | 36.15 | 89 | 226.06 | 34 | 86.36 | 34 | 86.36 | R-404A | 11.5688 |
| The Delfield Company | Delfield | SSFR11-S | Commercial Freezer | Roll-In or Roll-Through Cabinet | Automatic | 1 | | 36.15 | 36.15 | 89 | 226.06 | 34 | 86.36 | 34 | 86.36 | R-404A | 11.6 |
| The Delfield Company | Delfield | SSFR12-S | Commercial Freezer | Roll-In or Roll-Through Cabinet | Automatic | 2 | 0 | 74.72 | 74.72 | 89 | 226.06 | 66 | 167.6 | 34 | 86.36 | R-404A | 20.0197 |
| The Delfield Company | Delfield | SSFR13-S | Commercial Freezer | Roll-In or Roll-Through Cabinet | Automatic | 3 | 0 | 113.28 | 113.3 | 89 | 226.06 | 98 | 248.9 | 34 | 86.36 | R-404A | 25.7015 |
| The Delfield Company | Delfield | SSFRT2-S | Commercial Freezer | Roll-In or Roll-Through Cabinet | Automatic | 2 | 79.74 | 0 | 79.74 | 91 | 231.14 | 66 | 167.6 | 36.25 | 92.08 | R-404A | 26.29 |
| Electrolux Professional | Electrolux Professional | 726597 RH06FE1FEU | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 19.86 | 19.86 | 80.8 | 205.23 | 29.5 | 74.93 | 31.88 | 80.98 | R-404A | 7.57 |
| Electrolux Professional | Electrolux Professional | 726599 RH14FE2FEU | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 43.74 | 43.74 | 80.8 | 205.23 | 59.05 | 150 | 31.88 | 80.98 | R-404A | 13.83 |
| Electrolux Professional | Electrolux Professional | RH06FE2HU/726678 | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 19.86 | 19.86 | 80.7 | 204.98 | 29.52 | 74.98 | 31.88 | 80.98 | R-404A | 7.57 |
| Electrolux Professional | Electrolux Professional | RH14FE4HU/726680 | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 43.74 | 43.74 | 80.7 | 204.98 | 59.05 | 150 | 31.88 | 80.98 | R-404A | 13.83 |
| BuSung America Corporation (DBA Everest Refrigeration) | Everest Refrigeration | ESF1 | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 0 | 18.12 | 18.12 | 79.2 | 201.17 | 29.1 | 73.91 | 31.6 | 80.26 | R-404A | 8.2464 |
| BuSung America Corporation (DBA Everest Refrigeration) | Everest Refrigeration | ESF2 | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 34.04 | 34.04 | 79.2 | 201.17 | 49.6 | 126 | 31.6 | 80.26 | R-404A | 14.951 |
| Fagor Commercial | Fagor | QF-1 | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 0 | 23 | 23 | 83.75 | 212.73 | 28 | 71.12 | 31.5 | 80.01 | R-404A | 7.65 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|-------------------|--------------|--------------------|-----------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Fagor Commercial | Fagor | QF-2 | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 0 | 49 | 49 | 83.75 | 212.73 | 55.25 | 140.3 | 31.5 | 80.01 | R-134A | 14.02 |
| Turbo Air Inc. | Green World | GSB-23SF | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 19 | 19 | 77 | 195.58 | 27 | 68.58 | 31 | 78.74 | R-404A | 8.39 |
| Turbo Air Inc. | Green World | GSB-49DF | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 43 | 43 | 77 | 195.58 | 54 | 137.2 | 31 | 78.74 | R-404A | 13.68 |
| Turbo Air Inc. | Green World | GST-20SF | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 19 | 19 | 75 | 190.5 | 25 | 63.5 | 32 | 81.28 | R-404A | 8.56 |
| Turbo Air Inc. | Green World | GST-40DF | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 32.3 | 32.3 | 75 | 190.5 | 50 | 127 | 32 | 81.28 | R-404A | 14.05 |
| Traulsen & Co., Inc. | Hobart | DAF-1 | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 23.1 | 23.1 | 77 | 195.58 | 28 | 71.12 | 34 | 86.36 | R-404A | 10.6 |
| Hoshizaki America, Inc. | Hoshizaki America | FH1-AAC | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 20.85 | 20.85 | 84.5 | 214.63 | 27.5 | 69.85 | 33.6 | 85.34 | R-404A | 8.989 |
| Hoshizaki America, Inc. | Hoshizaki America | FH1-AAC | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 20.85 | 20.85 | 84.5 | 214.63 | 27.5 | 69.85 | 33.6 | 85.34 | R-404A | 9.681 |
| Hoshizaki America, Inc. | Hoshizaki America | FH1-SSB | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 20.6 | 20.6 | 84.5 | 214.63 | 27.5 | 69.85 | 33.6 | 85.34 | R-404A | 8.016 |
| Hoshizaki America, Inc. | Hoshizaki America | FH1-SSB | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 20.6 | 20.6 | 84.5 | 214.63 | 27.5 | 69.85 | 33.6 | 85.34 | R-404A | 9.034 |
| Hoshizaki America, Inc. | Hoshizaki America | FH2-AAC | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.1 | 46.1 | 84.5 | 214.63 | 55 | 139.7 | 33.6 | 85.34 | R-404A | 13.719 |
| Hoshizaki America, Inc. | Hoshizaki America | FH2-AAC-HD | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 46.1 | 46.1 | 84.5 | 214.63 | 55 | 139.7 | 33.6 | 85.34 | R-404A | 17.89 |
| Hoshizaki America, Inc. | Hoshizaki America | FH2-SSB | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 45.05 | 45.05 | 84.5 | 214.63 | 55 | 139.7 | 33.6 | 85.34 | R-404A | 15.887 |
| Hoshizaki America, Inc. | Hoshizaki America | FH2-SSB-HD | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 45.05 | 45.05 | 84.5 | 214.63 | 55 | 139.7 | 33.6 | 85.34 | R-404A | 17.36 |
| Hoshizaki America, Inc. | Hoshizaki America | HUF68A | Commercial Freezer | Under-counter Cabinet | Automatic | 2 | | 20.2 | 20.2 | 40.2 | 102.11 | 32.3 | 82.04 | 33.9 | 86.11 | R-404A | 9.45 |
| Hoshizaki America, Inc. | Hoshizaki America | HWF68A | Commercial Freezer | Under-counter Cabinet | Automatic | 2 | | 20.2 | 20.2 | 35.9 | 91.19 | 68 | 172.7 | 32.3 | 82.04 | R-404A | 9.45 |
| Hoshizaki America, Inc. | Hoshizaki America | RF28A | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21 | 21 | 80.7 | 204.98 | 27.5 | 69.85 | 36.1 | 91.69 | R-404A | 7.1 |
| McCall Refrigeration | Koolaire | 4-40KF-1 | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22.4 | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-404A | 10.22 |
| McCall Refrigeration | Koolaire | 4-40KF-1C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22.4 | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-404A | 10.22 |
| McCall Refrigeration | Koolaire | 4-40KF-1L | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22.4 | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-404A | 10.22 |
| McCall Refrigeration | Koolaire | 40-40KF-1A | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22.4 | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-404A | 10.22 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|----------------------|------------------------------------|--------------------|------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| McCall Refrigeration | Koolaire | KF-2, KF-2A, KF-2L, KF-2C, KF-2ALC | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 48.5 | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-404A | 18.42 |
| LabrepcO, Inc. | LABREPCO | LABN-24-FA | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 24 | 24 | 81.5 | 207.01 | 27.5 | 69.85 | 34.88 | 88.6 | R-404A | 9.323 |
| LabrepcO, Inc. | LABREPCO | LABN-24-FM | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 24 | 24 | 81 | 205.74 | 28 | 71.12 | 30 | 76.2 | R-404A | 9.69 |
| LabrepcO, Inc. | LABREPCO | LABN-52-FA | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 52 | 52 | 81.5 | 207.01 | 55 | 139.7 | 34.88 | 88.6 | R-404A | 17.752 |
| LabrepcO, Inc. | LABREPCO | LABN-80-FA | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 80 | 80 | 81.5 | 207.01 | 82.5 | 209.6 | 34.88 | 88.6 | R-404A | 19.13 |
| Master-Bilt Products | Master-Bilt | BSD-24SF | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 0 | 19.5 | 19.5 | 82.5 | 209.55 | 27.6 | 70.1 | 34 | 86.36 | R-404A | 8.864 |
| Master-Bilt Products | Master-Bilt | BSD-52DF | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 46.4 | 46.4 | 82.5 | 209.55 | 55 | 139.7 | 34 | 86.36 | R-404A | 17.471 |
| Master-Bilt Products | Master-Bilt | BSD-80TF | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | 0 | 70.6 | 70.6 | 82.5 | 209.55 | 82.6 | 209.8 | 34 | 86.36 | R-404A | 16.883 |
| McCall Refrigeration | McCall Refrigeration | 1-1020F | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22.4 | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-404A | 10.22 |
| McCall Refrigeration | McCall Refrigeration | 1-1020FA | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22.4 | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-404A | 10.22 |
| McCall Refrigeration | McCall Refrigeration | 1-1020FC | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22.4 | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-404A | 10.22 |
| McCall Refrigeration | McCall Refrigeration | 1-1020FL | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22.4 | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-404A | 10.22 |
| McCall Refrigeration | McCall Refrigeration | 2-2020FC | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22.4 | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-404A | 10.22 |
| McCall Refrigeration | McCall Refrigeration | 2-2020FL | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22.4 | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-404A | 10.22 |
| McCall Refrigeration | McCall Refrigeration | 4-4020F | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22.4 | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-404A | 10.22 |
| McCall Refrigeration | McCall Refrigeration | 4-4020FA | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22.4 | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-404A | 10.22 |
| McCall Refrigeration | McCall Refrigeration | 4-4020FC | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22.4 | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-404A | 10.22 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|----------------------|---|--------------------|------------------|--------------|------------|---------|---------|-------|------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| McCall Refrigeration | McCall Refrigeration | 4-4020FL | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22.4 | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-404A | 10.22 |
| McCall Refrigeration | McCall Refrigeration | 1-1045FA, 1-1045FL, 1-1045FC, 1-1045FALC | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 48.5 | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-404A | 18.42 |
| McCall Refrigeration | McCall Refrigeration | 1-1045F | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 48.5 | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-404A | 18.42 |
| McCall Refrigeration | McCall Refrigeration | 2-2045F, 2-2045FA, 2-2045FL, 2-2045FC, 2-2045FALC | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 48.5 | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-404A | 18.42 |
| McCall Refrigeration | McCall Refrigeration | 4-4045F, 4-4045FA, 4-4045FL, 4-4045FC, 4-4045FALC | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 48.5 | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-404A | 18.42 |
| McCall Refrigeration | McCall Refrigeration | 1-1024UF | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 28.5 | 28.5 | 84.5 | 214.63 | 33.25 | 84.46 | 34.81 | 88.42 | R-404A | 10.92 |
| McCall Refrigeration | McCall Refrigeration | 1-1024UFC | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 28.5 | 28.5 | 84.5 | 214.63 | 33.25 | 84.46 | 34.81 | 88.42 | R-404A | 10.92 |
| McCall Refrigeration | McCall Refrigeration | 1-1024UFL | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 28.5 | 28.5 | 84.5 | 214.63 | 33.25 | 84.46 | 34.81 | 88.42 | R-404A | 10.92 |
| McCall Refrigeration | McCall Refrigeration | 1-1045F01 | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 48.5 | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-404A | 20.31 |
| McCall Refrigeration | McCall Refrigeration | 1-1045F01A | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 48.5 | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-404A | 20.31 |
| McCall Refrigeration | McCall Refrigeration | 1-1045F01C | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 48.5 | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-404A | 20.31 |
| McCall Refrigeration | McCall Refrigeration | 1-1045F01L | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 48.5 | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-404A | 20.31 |
| McCall Refrigeration | McCall Refrigeration | 1-1045FTA, 1-1045FTL, 1-1045FTC, 1-1045FTALC | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 48.5 | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-404A | 19.52 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|----------------------|--------------|--------------------|------------------|--------------|------------|---------|---------|-------|------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| McCall Refrigeration | McCall Refrigeration | 1-1045UF | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 48.4 | 48.4 | 84.5 | 214.63 | 55 | 139.7 | 34.81 | 88.42 | R-404A | 16.82 |
| McCall Refrigeration | McCall Refrigeration | 1-1045UFC | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 48.4 | 48.4 | 84.5 | 214.63 | 55 | 139.7 | 34.81 | 88.42 | R-404A | 16.82 |
| McCall Refrigeration | McCall Refrigeration | 1-1045UFL | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 48.4 | 48.4 | 84.5 | 214.63 | 55 | 139.7 | 34.81 | 88.42 | R-404A | 16.82 |
| McCall Refrigeration | McCall Refrigeration | 1-1070F | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 72.2 | 72.2 | 84.5 | 214.63 | 82.5 | 209.6 | 34.81 | 88.42 | R-404A | 29.02 |
| McCall Refrigeration | McCall Refrigeration | 1-1070FA | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 72.2 | 72.2 | 84.5 | 214.63 | 82.5 | 209.6 | 34.81 | 88.42 | R-404A | 29.02 |
| McCall Refrigeration | McCall Refrigeration | 1-1070FL | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 72.2 | 72.2 | 84.5 | 214.63 | 82.5 | 209.6 | 34.81 | 88.42 | R-404A | 29.02 |
| McCall Refrigeration | McCall Refrigeration | 2-2020F | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22.4 | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-404A | 10.22 |
| McCall Refrigeration | McCall Refrigeration | 2-2020FA | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22.4 | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-404A | 10.22 |
| McCall Refrigeration | McCall Refrigeration | 2-2024UF | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 28.5 | 28.5 | 84.5 | 214.63 | 33.25 | 84.46 | 34.81 | 88.42 | R-404A | 10.92 |
| McCall Refrigeration | McCall Refrigeration | 2-2024UFC | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 28.5 | 28.5 | 84.5 | 214.63 | 33.25 | 84.46 | 34.81 | 88.42 | R-404A | 10.92 |
| McCall Refrigeration | McCall Refrigeration | 2-2024UFL | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 28.5 | 28.5 | 84.5 | 214.63 | 33.25 | 84.46 | 34.81 | 88.42 | R-404A | 10.92 |
| McCall Refrigeration | McCall Refrigeration | 2-2045F01 | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 48.5 | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-404A | 20.31 |
| McCall Refrigeration | McCall Refrigeration | 2-2045F01A | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 48.5 | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-404A | 20.31 |
| McCall Refrigeration | McCall Refrigeration | 2-2045F01C | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 48.5 | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-404A | 20.31 |
| McCall Refrigeration | McCall Refrigeration | 2-2045F01L | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 48.5 | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-404A | 20.31 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|----------------------|---|--------------------|------------------|--------------|------------|---------|---------|-------|------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| McCall Refrigeration | McCall Refrigeration | 2-2045FT, 2-2045FTA, 2-2045FTL, 2-2045FTC | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 48.5 | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-404A | 19.52 |
| McCall Refrigeration | McCall Refrigeration | 2-2045FTALC, 4-4045FT, 4-4045FTA | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 48.5 | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-404A | 19.52 |
| McCall Refrigeration | McCall Refrigeration | 2-2045UF | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 48.4 | 48.4 | 84.5 | 214.63 | 55 | 139.7 | 34.81 | 88.42 | R-404A | 16.82 |
| McCall Refrigeration | McCall Refrigeration | 2-2045UFC | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 48.4 | 48.4 | 84.5 | 214.63 | 55 | 139.7 | 34.81 | 88.42 | R-404A | 16.82 |
| McCall Refrigeration | McCall Refrigeration | 2-2045UFL | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 48.4 | 48.4 | 84.5 | 214.63 | 55 | 139.7 | 34.81 | 88.42 | R-404A | 16.82 |
| McCall Refrigeration | McCall Refrigeration | 2-2070F | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 72.2 | 72.2 | 84.5 | 214.63 | 82.5 | 209.6 | 34.81 | 88.42 | R-404A | 29.02 |
| McCall Refrigeration | McCall Refrigeration | 2-2070FA | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 72.2 | 72.2 | 84.5 | 214.63 | 82.5 | 209.6 | 34.81 | 88.42 | R-404A | 29.02 |
| McCall Refrigeration | McCall Refrigeration | 2-2070FL | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 72.2 | 72.2 | 84.5 | 214.63 | 82.5 | 209.6 | 34.81 | 88.42 | R-404A | 29.02 |
| McCall Refrigeration | McCall Refrigeration | 4-4024UF | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 28.5 | 28.5 | 84.5 | 214.63 | 33.25 | 84.46 | 34.81 | 88.42 | R-404A | 10.92 |
| McCall Refrigeration | McCall Refrigeration | 4-4024UFC | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 28.5 | 28.5 | 84.5 | 214.63 | 33.25 | 84.46 | 34.81 | 88.42 | R-404A | 10.92 |
| McCall Refrigeration | McCall Refrigeration | 4-4024UFL | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 28.5 | 28.5 | 84.5 | 214.63 | 33.25 | 84.46 | 34.81 | 88.42 | R-404A | 10.92 |
| McCall Refrigeration | McCall Refrigeration | 4-4045F01 | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 48.5 | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-404A | 20.31 |
| McCall Refrigeration | McCall Refrigeration | 4-4045F01A | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 48.5 | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-404A | 20.31 |
| McCall Refrigeration | McCall Refrigeration | 4-4045F01C | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 48.5 | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-404A | 20.31 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|----------------------|---|--------------------|------------------|--------------|------------|---------|---------|-------|------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| McCall Refrigeration | McCall Refrigeration | 4-4045F01L | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 48.5 | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-404A | 20.31 |
| McCall Refrigeration | McCall Refrigeration | 4-4045FTL, 4-4045FTC, 4-4045FTALC | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 48.5 | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-404A | 19.52 |
| McCall Refrigeration | McCall Refrigeration | 4-4045UF | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 48.4 | 48.4 | 84.5 | 214.63 | 55 | 139.7 | 34.81 | 88.42 | R-404A | 16.82 |
| McCall Refrigeration | McCall Refrigeration | 4-4045UFC | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 48.4 | 48.4 | 84.5 | 214.63 | 55 | 139.7 | 34.81 | 88.42 | R-404A | 16.82 |
| McCall Refrigeration | McCall Refrigeration | 4-4045UFL | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 48.4 | 48.4 | 84.5 | 214.63 | 55 | 139.7 | 34.81 | 88.42 | R-404A | 16.82 |
| McCall Refrigeration | McCall Refrigeration | 4-4070F | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 72.2 | 72.2 | 84.5 | 214.63 | 82.5 | 209.6 | 34.81 | 88.42 | R-404A | 29.02 |
| McCall Refrigeration | McCall Refrigeration | 4-4070FA | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 72.2 | 72.2 | 84.5 | 214.63 | 82.5 | 209.6 | 34.81 | 88.42 | R-404A | 29.02 |
| McCall Refrigeration | McCall Refrigeration | 4-4070FL | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 72.2 | 72.2 | 84.5 | 214.63 | 82.5 | 209.6 | 34.81 | 88.42 | R-404A | 29.02 |
| McCall Refrigeration | McCall Refrigeration | 7-7024UF | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 28.5 | 28.5 | 84.5 | 214.63 | 33.25 | 84.46 | 34.81 | 88.42 | R-404A | 10.92 |
| McCall Refrigeration | McCall Refrigeration | 7-7024UFC | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 28.5 | 28.5 | 84.5 | 214.63 | 33.25 | 84.46 | 34.81 | 88.42 | R-404A | 10.92 |
| McCall Refrigeration | McCall Refrigeration | 7-7024UFL | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 28.5 | 28.5 | 84.5 | 214.63 | 33.25 | 84.46 | 34.81 | 88.42 | R-404A | 10.92 |
| McCall Refrigeration | McCall Refrigeration | 7-7045FT, 7-7045FTA, 7-7045FTL, 7-7045FTC | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 48.5 | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-404A | 19.52 |
| McCall Refrigeration | McCall Refrigeration | 7-7045FTALC | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 48.5 | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-404A | 19.52 |
| McCall Refrigeration | McCall Refrigeration | 7-7045UF | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 48.4 | 48.4 | 84.5 | 214.63 | 55 | 139.7 | 34.81 | 88.42 | R-404A | 16.82 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|----------------------|--------------|--------------------|------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| McCall Refrigeration | McCall Refrigeration | 7-7045UFC | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 48.4 | 48.4 | 84.5 | 214.63 | 55 | 139.7 | 34.81 | 88.42 | R-404A | 16.82 |
| McCall Refrigeration | McCall Refrigeration | 7-7045UFL | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 48.4 | 48.4 | 84.5 | 214.63 | 55 | 139.7 | 34.81 | 88.42 | R-404A | 16.82 |
| McCall Refrigeration | McCall Refrigeration | 7-7070F | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 72.2 | 72.2 | 84.5 | 214.63 | 82.5 | 209.6 | 34.81 | 88.42 | R-404A | 29.02 |
| McCall Refrigeration | McCall Refrigeration | 7-7070FA | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 72.2 | 72.2 | 84.5 | 214.63 | 82.5 | 209.6 | 34.81 | 88.42 | R-404A | 29.02 |
| McCall Refrigeration | McCall Refrigeration | 7-7070FL | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 72.2 | 72.2 | 84.5 | 214.63 | 82.5 | 209.6 | 34.81 | 88.42 | R-404A | 29.02 |
| McCall Refrigeration | McCall Refrigeration | KF-201 | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 48.5 | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-404A | 20.31 |
| McCall Refrigeration | McCall Refrigeration | KF-201A | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 48.5 | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-404A | 20.31 |
| McCall Refrigeration | McCall Refrigeration | KF-201C | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 48.5 | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-404A | 20.31 |
| McCall Refrigeration | McCall Refrigeration | KF-201L | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 48.5 | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-404A | 20.31 |
| McCall Refrigeration | McCall Refrigeration | KF-3 | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 72.2 | 72.2 | 84.5 | 214.63 | 82.5 | 209.6 | 34.81 | 88.42 | R-404A | 29.02 |
| McCall Refrigeration | McCall Refrigeration | KF-3A | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 72.2 | 72.2 | 84.5 | 214.63 | 82.5 | 209.6 | 34.81 | 88.42 | R-404A | 29.02 |
| McCall Refrigeration | McCall Refrigeration | KF-3AL | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 72.2 | 72.2 | 84.5 | 214.63 | 82.5 | 209.6 | 34.81 | 88.42 | R-404A | 29.02 |
| McCall Refrigeration | McCall Refrigeration | KF-3L | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 72.2 | 72.2 | 84.5 | 214.63 | 82.5 | 209.6 | 34.81 | 88.42 | R-404A | 29.02 |
| Nor-Lake Incorporated | Nor-Lake | BF241***0 | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 19.5 | 19.5 | 82.5 | 209.55 | 27.6 | 70.1 | 34 | 86.36 | R-404A | 8.864 |
| Nor-Lake Incorporated | Nor-Lake | BF522***0 | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.4 | 46.4 | 82.5 | 209.55 | 55 | 139.7 | 34 | 86.36 | R-404A | 17.471 |
| Nor-Lake Incorporated | Nor-Lake | BF803***8 | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 70.6 | 70.6 | 82.5 | 209.55 | 82.6 | 209.8 | 34 | 86.36 | R-404A | 16.883 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|---------------|--------------------|-----------------------|--------------|------------|---------|---------|-------|------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Nor-Lake Incorporated | Nor-Lake | KF033***0C | Commercial Freezer | Reach-in Cabinet | Manual | 3 | 11.9 | | 11.9 | 80.5 | 204.47 | 31.63 | 80.33 | 33.88 | 86.04 | R-404A | 5.743 |
| Nor-Lake Incorporated | Nor-Lake | KF033**0M | Commercial Freezer | Reach-in Cabinet | Manual | 3 | | 11.9 | 11.9 | 80.5 | 204.47 | 31.63 | 80.33 | 33.88 | 86.04 | R-404A | 5.743 |
| Nor-Lake Incorporated | Nor-Lake | BF241***0W | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 0 | 19.5 | 19.5 | 82.5 | 209.55 | 27.6 | 70.1 | 34 | 86.36 | R-404A | 8.864 |
| Nor-Lake Incorporated | Nor-Lake | LF041WWW/0M | Commercial Freezer | Under-counter Cabinet | Manual | 1 | | 3.5 | 3.5 | 34 | 86.36 | 23 | 58.42 | 24 | 60.96 | R-134A | 0.81 |
| Nor-Lake Incorporated | Nor-Lake | NF241SMS/0 | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24 | 24 | 81.5 | 207.01 | 27.5 | 69.85 | 34.88 | 88.58 | R-404A | 9.323 |
| Nor-Lake Incorporated | Nor-Lake | NF241SSS/0 | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24 | 24 | 81.5 | 207.01 | 27.5 | 69.85 | 34.88 | 88.58 | R-404A | 9.323 |
| Nor-Lake Incorporated | Nor-Lake | NF242SMS/0 | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 24 | 24 | 81.5 | 207.01 | 27.5 | 69.85 | 34.88 | 88.58 | R-404A | 9.323 |
| Nor-Lake Incorporated | Nor-Lake | NF242SSS/0 | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24 | 24 | 81.5 | 207.01 | 27.5 | 69.85 | 34.88 | 88.58 | R-404A | 9.323 |
| Nor-Lake Incorporated | Nor-Lake | NF522SMS/0 | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 52 | 52 | 81.5 | 207.01 | 55 | 139.7 | 34.88 | 88.58 | R-404A | 17.752 |
| Nor-Lake Incorporated | Nor-Lake | NF522SSS/0 | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 52 | 52 | 81.5 | 207.01 | 55 | 139.7 | 34.88 | 88.58 | R-404A | 17.752 |
| Nor-Lake Incorporated | Nor-Lake | NF524SMS/0 | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 52 | 52 | 81.5 | 207.01 | 55 | 139.7 | 34.88 | 88.58 | R-404A | 17.752 |
| Nor-Lake Incorporated | Nor-Lake | NF524SSS/0 | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 52 | 52 | 81.5 | 207.01 | 55 | 139.7 | 34.88 | 88.58 | R-404A | 17.752 |
| Nor-Lake Incorporated | Nor-Lake | NF803SMS/8 | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 80 | 80 | 81.5 | 207.01 | 82.5 | 209.6 | 34.88 | 88.58 | R-404A | 19.13 |
| Nor-Lake Incorporated | Nor-Lake | NF803SSS/8 | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 80 | 80 | 81.5 | 207.01 | 82.5 | 209.6 | 34.88 | 88.58 | R-404A | 19.13 |
| Nor-Lake Incorporated | Nor-Lake | NF806SMS/8 | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | | 80 | 80 | 81.5 | 207.01 | 82.5 | 209.6 | 34.88 | 88.58 | R-404A | 19.13 |
| Nor-Lake Incorporated | Nor-Lake | NF806SSS/8 | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | | 80 | 80 | 81.5 | 207.01 | 82.5 | 209.6 | 34.88 | 88.58 | R-404A | 19.13 |
| Nor-Lake Incorporated | Nor-Lake | NSFF241WMW/0M | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 24 | 24 | 81 | 205.74 | 28 | 71.12 | 30 | 76.2 | R-404A | 9.69 |
| Nor-Lake Incorporated | Nor-Lake | NSLF241WMW/0M | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 24 | 24 | 81 | 205.74 | 28 | 71.12 | 30 | 76.2 | R-404A | 9.69 |
| Nor-Lake Incorporated | Nor-Lake | NSPF241WWW/0 | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 24 | 24 | 81.5 | 207.01 | 27.5 | 69.85 | 34.88 | 88.58 | R-404A | 9.323 |
| Nor-Lake Incorporated | Nor-Lake | NSPF242WWW/0 | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 24 | 24 | 81.5 | 207.01 | 27.5 | 69.85 | 34.88 | 88.58 | R-404A | 9.323 |
| Nor-Lake Incorporated | Nor-Lake | NSPF522WWW/0 | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 52 | 52 | 81.5 | 207.01 | 55 | 139.7 | 34.88 | 88.58 | R-404A | 17.752 |
| Nor-Lake Incorporated | Nor-Lake | NSPF524WWW/0 | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 52 | 52 | 81.5 | 207.01 | 55 | 139.7 | 34.88 | 88.58 | R-404A | 17.752 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|------------------------------|------------------------|---------------|--------------------|------------------|--------------|------------|---------|---------|-------|-------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| Nor-Lake Incorporated | Nor-Lake | NSPF803WWW/8 | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 80 | 80 | 81.5 | 207.01 | 82.5 | 209.6 | 34.88 | 88.58 | R-404A | 19.13 |
| Nor-Lake Incorporated | Nor-Lake | NSPF806WWW/8 | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | | 80 | 80 | 81.5 | 207.01 | 82.5 | 209.6 | 34.88 | 88.58 | R-404A | 19.13 |
| Nor-Lake Incorporated | Nor-Lake | NSZF241WMW/0M | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 24 | 24 | 81 | 205.74 | 28 | 71.12 | 30 | 76.2 | R-404A | 9.69 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2010F | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 23.1 | 23.1 | 81.25 | 206.38 | 30 | 76.2 | 33.5 | 85.09 | R-404A | 9.42 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2010FE | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 23.1 | 23.1 | 81.25 | 206.38 | 30 | 76.2 | 33.5 | 85.09 | R-404A | 9.42 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2010FEM | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 23.1 | 23.1 | 81.25 | 206.38 | 30 | 76.2 | 33.5 | 85.09 | R-404A | 9.42 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2010FEM-(+) | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 23.1 | 23.1 | 81.25 | 206.38 | 30 | 76.2 | 33.5 | 85.09 | R-404A | 9.42 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2010FM | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 23.1 | 23.1 | 81.25 | 206.38 | 30 | 76.2 | 33.5 | 85.09 | R-404A | 9.42 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2010FM-(+) | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 23.1 | 23.1 | 81.25 | 206.38 | 30 | 76.2 | 33.5 | 85.09 | R-404A | 9.42 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2020F | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.08 | 46.08 | 81.25 | 206.38 | 55 | 139.7 | 33.5 | 85.09 | R-404A | 18.5 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2020FE | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.08 | 46.08 | 81.25 | 206.38 | 55 | 139.7 | 33.5 | 85.09 | R-404A | 18.5 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2020FEM | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.08 | 46.08 | 81.25 | 206.38 | 55 | 139.7 | 33.5 | 85.09 | R-404A | 18.5 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2020FEM-(+) | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.08 | 46.08 | 81.25 | 206.38 | 55 | 139.7 | 33.5 | 85.09 | R-404A | 18.5 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2020FM | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.08 | 46.08 | 81.25 | 206.38 | 55 | 139.7 | 33.5 | 85.09 | R-404A | 18.5 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2020FM-(+) | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.08 | 46.08 | 81.25 | 206.38 | 55 | 139.7 | 33.5 | 85.09 | R-404A | 18.5 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2030F | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 71.8 | 71.8 | 81.25 | 206.38 | 83 | 210.8 | 33.5 | 85.09 | R-404A | 22.22 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|------------------------------|------------------------|--------------|--------------------|-----------------------|--------------|------------|---------|---------|-------|-------|--------|------|-------|------|-------|------------------|---------------------------------------|
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2030FE | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 71.8 | 71.8 | 81.25 | 206.38 | 83 | 210.8 | 33.5 | 85.09 | R-404A | 22.22 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2030FEM | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 71.8 | 71.8 | 81.25 | 206.38 | 83 | 210.8 | 33.5 | 85.09 | R-404A | 22.22 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2030FEM-(+) | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 71.8 | 71.8 | 81.25 | 206.38 | 83 | 210.8 | 33.5 | 85.09 | R-404A | 22.22 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2030FM | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 71.8 | 71.8 | 81.25 | 206.38 | 83 | 210.8 | 33.5 | 85.09 | R-404A | 22.22 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2030FM-(+) | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 71.8 | 71.8 | 81.25 | 206.38 | 83 | 210.8 | 33.5 | 85.09 | R-404A | 22.22 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | ES05WIAF | Commercial Freezer | Under-counter Cabinet | Manual | 1 | | 5 | 5 | 33.5 | 85.09 | 21.7 | 55.12 | 23.8 | 60.45 | R-134A | 1.76 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | ES06WIAF | Commercial Freezer | Under-counter Cabinet | Manual | 1 | | 6.1 | 6.1 | 33.5 | 85.09 | 23.7 | 60.2 | 23.5 | 59.69 | R-134A | 2.29 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | FS05WIAF | Commercial Freezer | Under-counter Cabinet | Manual | 1 | | 5 | 5 | 33.5 | 85.09 | 21.7 | 55.12 | 23.8 | 60.45 | R-134A | 1.76 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | FS17WIAR | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 17 | 17 | 66 | 167.64 | 30 | 76.2 | 30 | 76.2 | R-134A | 3.47 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | FS21WIAF | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 20.7 | 20.7 | 66 | 167.64 | 33 | 83.82 | 28.5 | 72.39 | R-134A | 4.08 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | FS21WIAR | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 20.7 | 20.7 | 66 | 167.64 | 33 | 83.82 | 28.5 | 72.39 | R-134A | 4.08 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | FS26WIAF | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 25.7 | 25.7 | 68 | 172.72 | 36 | 91.44 | 33 | 83.82 | R-134A | 5.71 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | FS26WIAR | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 25.7 | 25.7 | 68 | 172.72 | 36 | 91.44 | 33 | 83.82 | R-134A | 5.71 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | FSO6WIAF | Commercial Freezer | Under-counter Cabinet | Manual | 1 | | 6.1 | 6.1 | 33.5 | 85.09 | 23.7 | 60.2 | 23.5 | 59.69 | R-134A | 2.29 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | GP05WIAF | Commercial Freezer | Under-counter Cabinet | Manual | 1 | | 5 | 5 | 33.5 | 85.09 | 21.7 | 55.12 | 23.8 | 60.45 | R-134A | 1.76 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | GP06WIAF | Commercial Freezer | Under-counter Cabinet | Manual | 1 | | 6.1 | 6.1 | 33.5 | 85.09 | 23.7 | 60.2 | 23.5 | 59.69 | R-134A | 2.29 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | GP17W1AF | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 17 | 17 | 66 | 167.64 | 30 | 76.2 | 30 | 76.2 | R-134A | 3.47 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|----------------|---------------|--------------------|-----------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|------|-------|------------------|---------------------------------------|
| Sci-Cool, Inc. | Sci-Cool, Inc. | GP17W1AR | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 17 | 17 | 66 | 167.64 | 30 | 76.2 | 30 | 76.2 | R-134A | 3.47 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | GP2620AR | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 25.7 | 25.7 | 68 | 172.72 | 36 | 91.44 | 33 | 83.82 | R-134A | 5.71 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | GP2630AF | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 25.7 | 25.7 | 68 | 172.72 | 36 | 91.44 | 33 | 83.82 | R-134A | 5.71 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | GP26WIAF | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 25.7 | 25.7 | 68 | 172.72 | 36 | 91.44 | 33 | 83.82 | R-134A | 5.71 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | GP26WIAR | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 25.7 | 25.7 | 68 | 172.72 | 36 | 91.44 | 33 | 83.82 | R-134A | 5.71 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | GP530AF | Commercial Freezer | Under-counter Cabinet | Manual | 1 | | 5 | 5 | 33.5 | 85.09 | 21.7 | 55.12 | 23.8 | 60.45 | R-134A | 1.76 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | GP630WIAF | Commercial Freezer | Under-counter Cabinet | Manual | 1 | | 6.1 | 6.1 | 33.5 | 85.09 | 23.7 | 60.2 | 23.5 | 59.69 | R-134A | 2.29 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | SCEFZ10W1A | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 20.7 | 20.7 | 66 | 167.64 | 33 | 83.82 | 28.5 | 72.39 | R-134A | 4.08 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | SCGP050WIAF | Commercial Freezer | Under-counter Cabinet | Manual | 1 | | 5 | 5 | 33.5 | 85.09 | 21.7 | 55.12 | 23.8 | 60.45 | R-134A | 1.76 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | SCGP170W1AF | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 17 | 17 | 66 | 167.64 | 30 | 76.2 | 30 | 76.2 | R-134A | 3.47 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | SCGP170W1AR | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 17 | 17 | 66 | 167.64 | 30 | 76.2 | 30 | 76.2 | R-134A | 3.47 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | SCGP260WIAF | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 25.7 | 25.7 | 68 | 172.72 | 36 | 91.44 | 33 | 83.82 | R-134A | 5.71 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | SCGP260WIAR | Commercial Freezer | Reach-in Cabinet | Manual | 1 | | 25.7 | 25.7 | 68 | 172.72 | 36 | 91.44 | 33 | 83.82 | R-134A | 5.71 |
| Silver King Refrigeration | Silver King | SKM23F | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 0 | 23 | 23 | 78 | 198.12 | 27 | 68.58 | 32.6 | 82.8 | R-404A | 9.42 |
| Silver King Refrigeration | Silver King | SKUCF7 | Commercial Freezer | Under-counter Cabinet | Manual | 1 | | 6 | 6 | 35 | 88.9 | 27 | 68.58 | 26 | 66.04 | R-134A | 2.45 |
| Traulsen & Co., Inc. | Traulsen | ALT132NUT-FHS | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.9 | 21.9 | 83.25 | 211.46 | 29.9 | 75.95 | 37.9 | 96.27 | R-404A | 10 |
| Traulsen & Co., Inc. | Traulsen | ALT132NUT-HHS | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.9 | 21.9 | 83.25 | 211.46 | 29.9 | 75.95 | 37.9 | 96.27 | R-404A | 10 |
| Traulsen & Co., Inc. | Traulsen | ALT132WUT-FHS | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.2 | 24.2 | 83.25 | 211.46 | 29.9 | 75.95 | 35 | 88.9 | R-404A | 10 |
| Traulsen & Co., Inc. | Traulsen | ALT132WUT-HHS | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 24.2 | 24.2 | 83.25 | 211.46 | 29.88 | 75.9 | 35 | 88.9 | R-404A | 10 |
| Traulsen & Co., Inc. | Traulsen | ALT232NUT-FHS | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 46 | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-404A | 19.39 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|---------------|--------------------|------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Traulsen & Co., Inc. | Traulsen | ALT232NUT-FHS | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46 | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-404A | 16.75 |
| Traulsen & Co., Inc. | Traulsen | ALT232NUT-HHS | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | 0 | 46 | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-404A | 19.39 |
| Traulsen & Co., Inc. | Traulsen | ALT232NUT-HHS | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 46 | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-404A | 16.75 |
| Traulsen & Co., Inc. | Traulsen | ALT232WUT-FHS | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 51.8 | 51.8 | 83.25 | 211.46 | 58 | 147.3 | 35 | 88.9 | R-404A | 19.36 |
| Traulsen & Co., Inc. | Traulsen | ALT232WUT-FHS | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 51.6 | 51.6 | 83.25 | 211.46 | 58 | 147.3 | 35 | 88.9 | R-404A | 13.94 |
| Traulsen & Co., Inc. | Traulsen | ALT232WUT-HHS | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 51.6 | 51.6 | 83.25 | 211.46 | 58 | 147.3 | 35 | 88.9 | R-404A | 13.94 |
| Traulsen & Co., Inc. | Traulsen | ALT232WUT-HHS | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | 0 | 51.8 | 51.8 | 83.25 | 211.46 | 58 | 147.3 | 35 | 88.9 | R-404A | 19.39 |
| Traulsen & Co., Inc. | Traulsen | ALT332NUT-FHS | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 69.1 | 69.1 | 83.25 | 211.46 | 76.3 | 193.8 | 35 | 88.9 | R-404A | 20.95 |
| Traulsen & Co., Inc. | Traulsen | ALT332NUT-FHS | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 69.1 | 69.1 | 83.27 | 211.5 | 76.3 | 193.8 | 34.96 | 88.8 | R-404A | 20.95 |
| Traulsen & Co., Inc. | Traulsen | ALT332NUT-HHS | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | | 69.1 | 69.1 | 83.25 | 211.46 | 76.3 | 193.8 | 35 | 88.9 | R-404A | 20.95 |
| Traulsen & Co., Inc. | Traulsen | ALT332NUT-HHS | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | | 69.1 | 69.1 | 83.27 | 211.5 | 76.3 | 193.8 | 34.96 | 88.8 | R-404A | 20.95 |
| Traulsen & Co., Inc. | Traulsen | ALT332WUT-FHS | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 79 | 79 | 83.25 | 211.46 | 86.13 | 218.8 | 34.96 | 88.8 | R-404A | 20.9 |
| Traulsen & Co., Inc. | Traulsen | ALT332WUT-HHS | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | | 79 | 79 | 83.25 | 211.46 | 86.13 | 218.8 | 37.9 | 96.27 | R-404A | 20.9 |
| Traulsen & Co., Inc. | Traulsen | DAF-1 | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 23.1 | | 23.1 | 77 | 195.58 | 28 | 71.12 | 34 | 86.36 | R-404A | 10.6 |
| Traulsen & Co., Inc. | Traulsen | G12000 | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 24.2 | 24.2 | 83.25 | 211.46 | 29.9 | 75.95 | 35 | 88.9 | R-404A | 8.68 |
| Traulsen & Co., Inc. | Traulsen | G12001 | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 24.2 | 24.2 | 83.25 | 211.46 | 29.9 | 75.95 | 35 | 88.9 | R-404A | 8.68 |
| Traulsen & Co., Inc. | Traulsen | G12010 | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.2 | 24.2 | 83.25 | 211.46 | 29.9 | 75.95 | 35 | 88.9 | R-404A | 8.68 |
| Traulsen & Co., Inc. | Traulsen | G12011 | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.2 | 24.2 | 83.25 | 211.46 | 29.9 | 75.95 | 35 | 88.9 | R-404A | 8.68 |
| Traulsen & Co., Inc. | Traulsen | G20001 | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | 0 | 46 | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-404A | 16.48 |
| Traulsen & Co., Inc. | Traulsen | G22000 | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 46 | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-404A | 16.48 |
| Traulsen & Co., Inc. | Traulsen | G22001 | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | 0 | 46 | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-404A | 16.75 |
| Traulsen & Co., Inc. | Traulsen | G22002 | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | 0 | 46 | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-404A | 16.48 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|---------------|--------------------|------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Traulsen & Co., Inc. | Traulsen | G22003 | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | 0 | 46 | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-404A | 16.48 |
| Traulsen & Co., Inc. | Traulsen | G22010 | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46 | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-404A | 16.75 |
| Traulsen & Co., Inc. | Traulsen | G22011 | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46 | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-404A | 16.75 |
| Traulsen & Co., Inc. | Traulsen | G22012 | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46 | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-404A | 16.75 |
| Traulsen & Co., Inc. | Traulsen | G22013 | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46 | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-404A | 16.75 |
| Traulsen & Co., Inc. | Traulsen | G31010 | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 69.1 | 69.1 | 83.25 | 211.46 | 76.31 | 193.8 | 35 | 88.9 | R-404A | 29.02 |
| Traulsen & Co., Inc. | Traulsen | G31011 | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 69.1 | 69.1 | 83.25 | 211.46 | 76.31 | 193.8 | 35 | 88.9 | R-404A | 29.02 |
| Traulsen & Co., Inc. | Traulsen | G31012 | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 69.1 | 69.1 | 83.25 | 211.46 | 76.31 | 193.8 | 35 | 88.9 | R-404A | 29.02 |
| Traulsen & Co., Inc. | Traulsen | G31013 | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 69.1 | 69.1 | 83.25 | 211.46 | 76.31 | 193.8 | 35 | 88.9 | R-404A | 29.02 |
| Traulsen & Co., Inc. | Traulsen | G31300 | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | | 69.1 | 69.1 | 83.27 | 211.5 | 76.3 | 193.8 | 34.96 | 88.8 | R-404A | 20.95 |
| Traulsen & Co., Inc. | Traulsen | G31301 | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | | 69.1 | 69.1 | 83.27 | 211.5 | 76.3 | 193.8 | 34.96 | 88.8 | R-404A | 20.95 |
| Traulsen & Co., Inc. | Traulsen | G31302 | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | | 69.1 | 69.1 | 83.27 | 211.5 | 76.3 | 193.8 | 34.96 | 88.8 | R-404A | 20.95 |
| Traulsen & Co., Inc. | Traulsen | G31303 | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | | 69.1 | 69.1 | 83.27 | 211.5 | 76.3 | 193.8 | 34.96 | 88.8 | R-404A | 20.95 |
| Traulsen & Co., Inc. | Traulsen | G31310 | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 69.1 | 69.1 | 83.27 | 211.5 | 76.3 | 193.8 | 34.96 | 88.8 | R-404A | 20.95 |
| Traulsen & Co., Inc. | Traulsen | G31311 | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 69.1 | 69.1 | 83.27 | 211.5 | 76.3 | 193.8 | 34.96 | 88.8 | R-404A | 20.95 |
| Traulsen & Co., Inc. | Traulsen | G31312 | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 69.1 | 69.1 | 83.27 | 211.5 | 76.3 | 193.8 | 34.96 | 88.8 | R-404A | 20.95 |
| Traulsen & Co., Inc. | Traulsen | G31313 | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 69.1 | 69.1 | 83.27 | 211.5 | 76.3 | 193.8 | 34.96 | 88.8 | R-404A | 20.95 |
| Traulsen & Co., Inc. | Traulsen | G32000 | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | 0 | 79 | 79 | 83.25 | 211.46 | 86.13 | 218.8 | 35 | 88.9 | R-404A | 29.02 |
| Traulsen & Co., Inc. | Traulsen | G32001 | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | 0 | 79 | 79 | 83.25 | 211.46 | 86.13 | 218.8 | 35 | 88.9 | R-404A | 29.02 |
| Traulsen & Co., Inc. | Traulsen | G32002 | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | 0 | 79 | 79 | 83.25 | 211.46 | 86.13 | 218.8 | 35 | 88.9 | R-404A | 29.02 |
| Traulsen & Co., Inc. | Traulsen | G32003 | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | 0 | 79 | 79 | 83.25 | 211.46 | 86.13 | 218.8 | 35 | 88.9 | R-404A | 29.02 |
| Traulsen & Co., Inc. | Traulsen | RLT132NUT-FHS | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.9 | 21.9 | 83.25 | 211.46 | 29.9 | 75.95 | 37.9 | 96.27 | R-404A | 10 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|--|----------------------------|---------------|--------------------|------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Traulsen & Co., Inc. | Traulsen | RLT132NUT-HHS | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.9 | 21.9 | 83.25 | 211.46 | 29.9 | 75.95 | 37.9 | 96.27 | R-404A | 10 |
| Traulsen & Co., Inc. | Traulsen | RLT132WUT-HHS | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 24.2 | 24.2 | 83.25 | 211.46 | 29.88 | 75.9 | 35 | 88.9 | R-404A | 10 |
| Traulsen & Co., Inc. | Traulsen | RLT132WUT-HHS | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 24.2 | 24.2 | 83.25 | 211.46 | 29.9 | 75.95 | 35 | 88.9 | R-404A | 10 |
| Traulsen & Co., Inc. | Traulsen | RLT232NUT-FHS | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 46 | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-404A | 19.39 |
| Traulsen & Co., Inc. | Traulsen | RLT232NUT-FHS | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46 | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-404A | 16.75 |
| Traulsen & Co., Inc. | Traulsen | RLT232NUT-HHS | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | 0 | 46 | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-404A | 19.39 |
| Traulsen & Co., Inc. | Traulsen | RLT232NUT-HHS | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 46 | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-404A | 16.75 |
| Traulsen & Co., Inc. | Traulsen | RLT232WUT-FHS | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 51.8 | 51.8 | 83.25 | 211.46 | 58 | 147.3 | 35 | 88.9 | R-404A | 19.36 |
| Traulsen & Co., Inc. | Traulsen | RLT232WUT-FHS | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 51.6 | 51.6 | 83.25 | 211.46 | 58 | 147.3 | 35 | 88.9 | R-404A | 13.94 |
| Traulsen & Co., Inc. | Traulsen | RLT232WUT-HHS | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | 0 | 51.8 | 51.8 | 83.25 | 211.46 | 58 | 147.3 | 35 | 88.9 | R-404A | 19.39 |
| Traulsen & Co., Inc. | Traulsen | RLT232WUT-HHS | Commercial Freezer | Reach-in Cabinet | Automatic | 4 | | 51.6 | 51.6 | 83.25 | 211.46 | 58 | 147.3 | 35 | 88.9 | R-404A | 13.94 |
| Traulsen & Co., Inc. | Traulsen | RLT332NUT-FHS | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 69.1 | 69.1 | 83.25 | 211.46 | 76.3 | 193.8 | 35 | 88.9 | R-404A | 20.95 |
| Traulsen & Co., Inc. | Traulsen | RLT332NUT-FHS | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 69.1 | 69.1 | 83.27 | 211.5 | 76.3 | 193.8 | 34.96 | 88.8 | R-404A | 20.95 |
| Traulsen & Co., Inc. | Traulsen | RLT332NUT-HHS | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | | 69.1 | 69.1 | 83.25 | 211.46 | 76.3 | 193.8 | 34.96 | 88.8 | R-404A | 20.95 |
| Traulsen & Co., Inc. | Traulsen | RLT332NUT-HHS | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | | 69.1 | 69.1 | 83.27 | 211.5 | 76.3 | 193.8 | 34.96 | 88.8 | R-404A | 20.95 |
| Traulsen & Co., Inc. | Traulsen | RLT332WUT-FHS | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 79 | 79 | 83.25 | 211.46 | 86.13 | 218.8 | 34.96 | 88.8 | R-404A | 20.9 |
| Traulsen & Co., Inc. | Traulsen | RLT332WUT-HHS | Commercial Freezer | Reach-in Cabinet | Automatic | 6 | | 79 | 79 | 83.25 | 211.46 | 86.13 | 218.8 | 37.9 | 96.27 | R-404A | 20.9 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | T-12F | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 0 | 10.52 | 10.52 | 64 | 162.56 | 25 | 63.5 | 23 | 58.42 | R-404A | 5.23 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | T-19F | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 0 | 15.4 | 15.4 | 75 | 190.5 | 27 | 68.58 | 26 | 66.04 | R-404A | 6.12 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|--|----------------------------|--------------|--------------------|------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|------|-------|------------------|---------------------------------------|
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | T-19FZ | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 0 | 15.4 | 15.4 | 75 | 190.5 | 27 | 68.58 | 26 | 66.04 | R-404A | 6.12 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | T-23F | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 0 | 19.5 | 19.5 | 78 | 198.12 | 27 | 68.58 | 30 | 76.2 | R-404A | 5.958 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | T-23F | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22 | 22 | 78.3 | 198.88 | 27 | 68.58 | 29.5 | 74.93 | R-404A | 9.86 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | T-35F | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 33.1 | 33.1 | 78 | 198.12 | 40 | 101.6 | 30 | 76.2 | R-404A | 14.31 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | T-49F | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 42.1 | 42.1 | 78 | 198.12 | 54 | 137.2 | 30 | 76.2 | R-404A | 15.93 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | T-49F | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 42.8 | 42.8 | 78.3 | 198.88 | 54 | 137.2 | 29.5 | 74.93 | R-404A | 17.884 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | T-72F | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | 0 | 63.1 | 63.1 | 79 | 200.66 | 78 | 198.1 | 30 | 76.2 | R-404A | 20.45 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TA1F-1S | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 0 | 27.2 | 27.2 | 78 | 198.12 | 29 | 73.66 | 35 | 88.9 | R-404A | 11.27 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TA2F-2S | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 48.8 | 48.8 | 78 | 198.12 | 51 | 129.5 | 35 | 88.9 | R-404A | 14.3 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|--|----------------------------|--------------|--------------------|------------------|--------------|------------|---------|---------|-------|-------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TG1F-1S | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 0 | 27.2 | 27.2 | 78 | 198.12 | 29 | 73.66 | 35 | 88.9 | R-404A | 11.27 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TG2F-2S | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 48.8 | 48.8 | 78 | 198.12 | 51 | 129.5 | 35 | 88.9 | R-404A | 14.3 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TM-52F | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 44.3 | 44.3 | 78 | 198.12 | 54 | 137.2 | 30 | 76.2 | R-404A | 18.61 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TR-31F | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 28.5 | 28.5 | 83.25 | 211.46 | 29 | 73.66 | 34.75 | 88.27 | R-404A | 12.14 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TR1F-1S | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 0 | 27.2 | 27.2 | 78 | 198.12 | 29 | 73.66 | 35 | 88.9 | R-404A | 11.27 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TR2F-2S | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 48.8 | 48.8 | 78 | 198.12 | 51 | 129.5 | 35 | 88.9 | R-404A | 14.3 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TS-23F | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 22 | 22 | 78.3 | 198.88 | 27 | 68.58 | 29.5 | 74.93 | R-404A | 9.86 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TS-49F | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 42.1 | 42.1 | 78 | 198.12 | 54 | 137.2 | 30 | 76.2 | R-404A | 15.93 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TS-49F | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 42.8 | 42.8 | 78.3 | 198.88 | 54 | 137.2 | 29.5 | 74.93 | R-404A | 17.884 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|--|----------------------------|---------------------|--------------------|------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TUC-48F | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 12.31 | 12.31 | 30 | 76.2 | 48 | 121.9 | 30 | 76.2 | R-404A | 5.67 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TWT-48F | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 12.31 | 12.31 | 33 | 83.82 | 48 | 121.9 | 30 | 76.2 | R-404A | 5.67 |
| Turbo Air Inc. | Turbo Air | MSF-23NM | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 23 | 23 | 78 | 198.12 | 27 | 68.58 | 29.5 | 74.93 | R-404A | 8.1 |
| Turbo Air Inc. | Turbo Air | MSF-49NM | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 49 | 49 | 78 | 198.12 | 54.4 | 138.2 | 29.5 | 74.93 | R-404A | 13.46 |
| Turbo Air Inc. | Turbo Air | TSF-23SD | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 0 | 23 | 23 | 78 | 198.12 | 27 | 68.58 | 29.5 | 74.93 | R-404A | 9 |
| Turbo Air Inc. | Turbo Air | TSF-49SD | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | 0 | 49 | 49 | 78 | 198.12 | 54.5 | 138.4 | 29.5 | 74.93 | R-404A | 12.2 |
| Turbo Air Inc. | Turbo Air | TSF-72SD | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | 0 | 72 | 72 | 79 | 200.66 | 78 | 198.1 | 30.5 | 77.47 | R-404A | 13.7 |
| Victory Refrigeration | Victory | FA-1D-S7 | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.5 | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.76 | R-134A | 7.45 |
| Victory Refrigeration | Victory | FA-1D-S7-C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.5 | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-404A | 7.45 |
| Victory Refrigeration | Victory | FA-1D-S7-EW | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.4 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.76 | R-404A | 9.87 |
| Victory Refrigeration | Victory | FA-1D-S7-EW-C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.4 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-404A | 9.87 |
| Victory Refrigeration | Victory | FA-1D-S7-EW-HD | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.4 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-404A | 9.87 |
| Victory Refrigeration | Victory | FA-1D-S7-EW-HD-C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.4 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-404A | 9.87 |
| Victory Refrigeration | Victory | FA-1D-S7-EW-HD-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.4 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-404A | 9.87 |
| Victory Refrigeration | Victory | FA-1D-S7-EW-HD-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.4 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-404A | 9.87 |
| Victory Refrigeration | Victory | FA-1D-S7-EW-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.4 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-404A | 9.87 |
| Victory Refrigeration | Victory | FA-1D-S7-EW-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.4 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-404A | 9.87 |
| Victory Refrigeration | Victory | FA-1D-S7-HD | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.5 | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-404A | 7.45 |
| Victory Refrigeration | Victory | FA-1D-S7-HD-C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.5 | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-404A | 7.45 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|---------------------|--------------------|----------------------|--------------|------------|---------|---------|-------|------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Victory Refrigeration | Victory | FA-1D-S7-HD-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.5 | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-404A | 7.45 |
| Victory Refrigeration | Victory | FA-1D-S7-HD-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.5 | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-404A | 7.45 |
| Victory Refrigeration | Victory | FA-1D-S7-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.5 | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-404A | 7.45 |
| Victory Refrigeration | Victory | FA-1D-S7-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.5 | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-404A | 7.45 |
| Victory Refrigeration | Victory | FA-2D-S7 | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.5 | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-404A | 11.64 |
| Victory Refrigeration | Victory | FA-2D-S7-C | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.5 | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-404A | 11.64 |
| Victory Refrigeration | Victory | FA-2D-S7-EW | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 52 | 52 | 84 | 213.36 | 58.38 | 148.3 | 36.13 | 91.76 | R-404A | 18.68 |
| Victory Refrigeration | Victory | FA-2D-S7-EW-C | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 52 | 52 | 84 | 213.36 | 58.38 | 148.3 | 36.13 | 91.77 | R-404A | 18.68 |
| Victory Refrigeration | Victory | FA-2D-S7-EW-HD | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 52 | 52 | 84 | 213.36 | 58.38 | 148.3 | 36.13 | 91.77 | R-404A | 18.68 |
| Victory Refrigeration | Victory | FA-2D-S7-EW-HD-C | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 52 | 52 | 84 | 213.36 | 58.38 | 148.3 | 36.13 | 91.77 | R-404A | 18.68 |
| Victory Refrigeration | Victory | FA-2D-S7-EW-HD-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 52 | 52 | 84 | 213.36 | 58.38 | 148.3 | 36.13 | 91.77 | R-404A | 18.68 |
| Victory Refrigeration | Victory | FA-2D-S7-EW-HD-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 52 | 52 | 84 | 213.36 | 58.38 | 148.3 | 36.13 | 91.77 | R-404A | 18.68 |
| Victory Refrigeration | Victory | FA-2D-S7-EW-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 52 | 52 | 84 | 213.36 | 58.38 | 148.3 | 36.13 | 91.77 | R-404A | 18.68 |
| Victory Refrigeration | Victory | FA-2D-S7-EW-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 52 | 52 | 84 | 213.36 | 58.38 | 148.3 | 36.13 | 91.77 | R-404A | 18.68 |
| Victory Refrigeration | Victory | FA-2D-S7-EW-PT | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 56.3 | 56.3 | 84 | 213.36 | 58.38 | 148.3 | 39.88 | 101.3 | R-404A | 21.93 |
| Victory Refrigeration | Victory | FA-2D-S7-HD | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.5 | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-404A | 11.64 |
| Victory Refrigeration | Victory | FA-2D-S7-HD-C | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.5 | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-404A | 11.64 |
| Victory Refrigeration | Victory | FA-2D-S7-HD-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.5 | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-404A | 11.64 |
| Victory Refrigeration | Victory | FA-2D-S7-HD-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.5 | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-404A | 11.64 |
| Victory Refrigeration | Victory | FA-2D-S7-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.5 | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-404A | 11.64 |
| Victory Refrigeration | Victory | FA-2D-S7-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.5 | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-404A | 11.64 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|---------------------|--------------------|----------------------|--------------|------------|---------|---------|-------|------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Victory Refrigeration | Victory | FA-2D-S7-PT | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 50.4 | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-404A | 21.29 |
| Victory Refrigeration | Victory | FA-2D-S7-PT-C | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 50.4 | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-404A | 21.29 |
| Victory Refrigeration | Victory | FA-2D-S7-PT-HD | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 50.4 | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-404A | 21.29 |
| Victory Refrigeration | Victory | FA-2D-S7-PT-HD-C | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 50.4 | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-404A | 21.29 |
| Victory Refrigeration | Victory | FA-2D-S7-PT-HD-LH | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 50.4 | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-404A | 21.29 |
| Victory Refrigeration | Victory | FA-2D-S7-PT-HD-LH-C | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 50.4 | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-404A | 21.29 |
| Victory Refrigeration | Victory | FA-2D-S7-PT-LH | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 50.4 | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-404A | 21.29 |
| Victory Refrigeration | Victory | FA-2D-S7-PT-LH-C | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 50.4 | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-404A | 21.29 |
| Victory Refrigeration | Victory | FA-3D-A7-EW-HD | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 79.6 | 79.6 | 84 | 213.36 | 85.5 | 217.2 | 36.13 | 91.76 | R-404A | 21.15 |
| Victory Refrigeration | Victory | FA-3D-A7-EW-HD-C | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 79.6 | 79.6 | 84 | 213.36 | 85.5 | 217.2 | 36.13 | 91.76 | R-404A | 21.15 |
| Victory Refrigeration | Victory | FA-3D-A7-EW-HD-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 79.6 | 79.6 | 84 | 213.36 | 85.5 | 217.2 | 36.13 | 91.76 | R-404A | 21.15 |
| Victory Refrigeration | Victory | FA-3D-A7-EW-HD-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 79.6 | 79.6 | 84 | 213.36 | 85.5 | 217.2 | 36.13 | 91.76 | R-404A | 21.15 |
| Victory Refrigeration | Victory | FA-3D-A7-EW-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 79.6 | 79.6 | 84 | 213.36 | 85.5 | 217.2 | 36.13 | 91.76 | R-404A | 21.15 |
| Victory Refrigeration | Victory | FA-3D-A7-EW-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 79.6 | 79.6 | 84 | 213.36 | 85.5 | 217.2 | 36.13 | 91.76 | R-404A | 21.15 |
| Victory Refrigeration | Victory | FA-3D-S7 | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 70.1 | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.12 | 91.74 | R-404A | 20.77 |
| Victory Refrigeration | Victory | FA-3D-S7-C | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 70.1 | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.12 | 91.74 | R-404A | 20.77 |
| Victory Refrigeration | Victory | FA-3D-S7-EW | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 79.6 | 79.6 | 84 | 213.36 | 85.5 | 217.2 | 36.13 | 91.76 | R-404A | 21.15 |
| Victory Refrigeration | Victory | FA-3D-S7-EW-C | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 79.6 | 79.6 | 84 | 213.36 | 85.5 | 217.2 | 36.13 | 91.76 | R-404A | 21.15 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|---------------------|--------------------|----------------------|--------------|------------|---------|---------|-------|------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Victory Refrigeration | Victory | FA-3D-S7-HD | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 70.1 | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.12 | 91.74 | R-404A | 20.77 |
| Victory Refrigeration | Victory | FA-3D-S7-HD-C | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 70.1 | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.12 | 91.74 | R-404A | 20.77 |
| Victory Refrigeration | Victory | FA-3D-S7-HD-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 70.1 | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.12 | 91.74 | R-404A | 20.77 |
| Victory Refrigeration | Victory | FA-3D-S7-HD-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 70.1 | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.12 | 91.74 | R-404A | 20.77 |
| Victory Refrigeration | Victory | FA-3D-S7-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 70.1 | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.12 | 91.74 | R-404A | 20.77 |
| Victory Refrigeration | Victory | FA-3D-S7-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 70.1 | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.12 | 91.74 | R-404A | 20.77 |
| Victory Refrigeration | Victory | FA-3D-S7-PT | Commercial Freezer | Pass-Through Cabinet | Automatic | 3 | | 75.9 | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-404A | 24.7 |
| Victory Refrigeration | Victory | FA-3D-S7-PT-C | Commercial Freezer | Pass-Through Cabinet | Automatic | 3 | | 75.9 | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-404A | 24.7 |
| Victory Refrigeration | Victory | FA-3D-S7-PT-HD | Commercial Freezer | Pass-Through Cabinet | Automatic | 3 | | 75.9 | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-404A | 24.7 |
| Victory Refrigeration | Victory | FA-3D-S7-PT-HD-C | Commercial Freezer | Pass-Through Cabinet | Automatic | 3 | | 75.9 | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-404A | 24.7 |
| Victory Refrigeration | Victory | FA-3D-S7-PT-HD-LH | Commercial Freezer | Pass-Through Cabinet | Automatic | 3 | | 75.9 | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-404A | 24.7 |
| Victory Refrigeration | Victory | FA-3D-S7-PT-HD-LH-C | Commercial Freezer | Pass-Through Cabinet | Automatic | 3 | | 75.9 | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-404A | 24.7 |
| Victory Refrigeration | Victory | FA-3D-S7-PT-LH | Commercial Freezer | Pass-Through Cabinet | Automatic | 3 | | 75.9 | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-404A | 24.7 |
| Victory Refrigeration | Victory | FA-3D-S7-PT-LH-C | Commercial Freezer | Pass-Through Cabinet | Automatic | 3 | | 75.9 | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-404A | 24.7 |
| Victory Refrigeration | Victory | FS-1D-S7 | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.5 | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.76 | R-134A | 7.45 |
| Victory Refrigeration | Victory | FS-1D-S7-C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.5 | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-404A | 7.45 |
| Victory Refrigeration | Victory | FS-1D-S7-EW | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.4 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.76 | R-404A | 9.87 |
| Victory Refrigeration | Victory | FS-1D-S7-EW-C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.4 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-404A | 9.87 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|---------------------|--------------------|------------------|--------------|------------|---------|---------|-------|------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Victory Refrigeration | Victory | FS-1D-S7-EW-HD | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.4 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-404A | 9.87 |
| Victory Refrigeration | Victory | FS-1D-S7-EW-HD-C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.4 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-404A | 9.87 |
| Victory Refrigeration | Victory | FS-1D-S7-EW-HD-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.4 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-404A | 9.87 |
| Victory Refrigeration | Victory | FS-1D-S7-EW-HD-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.4 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-404A | 9.87 |
| Victory Refrigeration | Victory | FS-1D-S7-EW-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.4 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-404A | 9.87 |
| Victory Refrigeration | Victory | FS-1D-S7-EW-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.4 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-404A | 9.87 |
| Victory Refrigeration | Victory | FS-1D-S7-HD | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.5 | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-404A | 7.45 |
| Victory Refrigeration | Victory | FS-1D-S7-HD-C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.5 | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-404A | 7.45 |
| Victory Refrigeration | Victory | FS-1D-S7-HD-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.5 | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-404A | 7.45 |
| Victory Refrigeration | Victory | FS-1D-S7-HD-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.5 | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-404A | 7.45 |
| Victory Refrigeration | Victory | FS-1D-S7-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.5 | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-404A | 7.45 |
| Victory Refrigeration | Victory | FS-1D-S7-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.5 | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-404A | 7.45 |
| Victory Refrigeration | Victory | FS-2D-S7 | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.5 | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-404A | 11.64 |
| Victory Refrigeration | Victory | FS-2D-S7-C | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.5 | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-404A | 11.64 |
| Victory Refrigeration | Victory | FS-2D-S7-EW | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 52 | 52 | 84 | 213.36 | 58.38 | 148.3 | 36.13 | 91.76 | R-404A | 18.68 |
| Victory Refrigeration | Victory | FS-2D-S7-EW-C | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 52 | 52 | 84 | 213.36 | 58.38 | 148.3 | 36.13 | 91.77 | R-404A | 18.68 |
| Victory Refrigeration | Victory | FS-2D-S7-EW-HD | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 52 | 52 | 84 | 213.36 | 58.38 | 148.3 | 36.13 | 91.77 | R-404A | 18.68 |
| Victory Refrigeration | Victory | FS-2D-S7-EW-HD-C | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 52 | 52 | 84 | 213.36 | 58.38 | 148.3 | 36.13 | 91.77 | R-404A | 18.68 |
| Victory Refrigeration | Victory | FS-2D-S7-EW-HD-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 52 | 52 | 84 | 213.36 | 58.38 | 148.3 | 36.13 | 91.77 | R-404A | 18.68 |
| Victory Refrigeration | Victory | FS-2D-S7-EW-HD-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 52 | 52 | 84 | 213.36 | 58.38 | 148.3 | 36.13 | 91.77 | R-404A | 18.68 |
| Victory Refrigeration | Victory | FS-2D-S7-EW-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 52 | 52 | 84 | 213.36 | 58.38 | 148.3 | 36.13 | 91.77 | R-404A | 18.68 |
| Victory Refrigeration | Victory | FS-2D-S7-EW-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 52 | 52 | 84 | 213.36 | 58.38 | 148.3 | 36.13 | 91.77 | R-404A | 18.68 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|---------------------|--------------------|----------------------|--------------|------------|---------|---------|-------|------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Victory Refrigeration | Victory | FS-2D-S7-EW-PT | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 56.3 | 56.3 | 84 | 213.36 | 58.38 | 148.3 | 39.88 | 101.3 | R-404A | 21.93 |
| Victory Refrigeration | Victory | FS-2D-S7-HD | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.5 | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-404A | 11.64 |
| Victory Refrigeration | Victory | FS-2D-S7-HD-C | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.5 | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-404A | 11.64 |
| Victory Refrigeration | Victory | FS-2D-S7-HD-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.5 | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.13 | 91.77 | R-404A | 11.64 |
| Victory Refrigeration | Victory | FS-2D-S7-HD-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.5 | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-404A | 11.64 |
| Victory Refrigeration | Victory | FS-2D-S7-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.5 | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-404A | 11.64 |
| Victory Refrigeration | Victory | FS-2D-S7-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.5 | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-404A | 11.64 |
| Victory Refrigeration | Victory | FS-2D-S7-PT | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 50.4 | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-404A | 21.29 |
| Victory Refrigeration | Victory | FS-2D-S7-PT-C | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 50.4 | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-404A | 21.29 |
| Victory Refrigeration | Victory | FS-2D-S7-PT-HD | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 50.4 | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-404A | 21.29 |
| Victory Refrigeration | Victory | FS-2D-S7-PT-HD-C | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 50.4 | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-404A | 21.29 |
| Victory Refrigeration | Victory | FS-2D-S7-PT-HD-LH | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 50.4 | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-404A | 21.29 |
| Victory Refrigeration | Victory | FS-2D-S7-PT-HD-LH-C | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 50.4 | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-404A | 21.29 |
| Victory Refrigeration | Victory | FS-2D-S7-PT-LH | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 50.4 | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-404A | 21.29 |
| Victory Refrigeration | Victory | FS-2D-S7-PT-LH-C | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 50.4 | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-404A | 21.29 |
| Victory Refrigeration | Victory | FS-3D-S7 | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 70.1 | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.12 | 91.74 | R-404A | 20.77 |
| Victory Refrigeration | Victory | FS-3D-S7-C | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 70.1 | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.12 | 91.74 | R-404A | 20.77 |
| Victory Refrigeration | Victory | FS-3D-S7-EW | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 79.6 | 79.6 | 84 | 213.36 | 85.5 | 217.2 | 36.13 | 91.76 | R-404A | 21.15 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|---------------------|--------------------|----------------------|--------------|------------|---------|---------|-------|------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Victory Refrigeration | Victory | FS-3D-S7-EW-C | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 79.6 | 79.6 | 84 | 213.36 | 85.5 | 217.2 | 36.13 | 91.76 | R-404A | 21.15 |
| Victory Refrigeration | Victory | FS-3D-S7-EW-HD | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 79.6 | 79.6 | 84 | 213.36 | 85.5 | 217.2 | 36.13 | 91.76 | R-404A | 21.15 |
| Victory Refrigeration | Victory | FS-3D-S7-EW-HD-C | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 79.6 | 79.6 | 84 | 213.36 | 85.5 | 217.2 | 36.13 | 91.76 | R-404A | 21.15 |
| Victory Refrigeration | Victory | FS-3D-S7-EW-HD-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 79.6 | 79.6 | 84 | 213.36 | 85.5 | 217.2 | 36.13 | 91.76 | R-404A | 21.15 |
| Victory Refrigeration | Victory | FS-3D-S7-EW-HD-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 79.6 | 79.6 | 84 | 213.36 | 85.5 | 217.2 | 36.13 | 91.76 | R-404A | 21.15 |
| Victory Refrigeration | Victory | FS-3D-S7-EW-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 79.6 | 79.6 | 84 | 213.36 | 85.5 | 217.2 | 36.13 | 91.76 | R-404A | 21.15 |
| Victory Refrigeration | Victory | FS-3D-S7-EW-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 79.6 | 79.6 | 84 | 213.36 | 85.5 | 217.2 | 36.13 | 91.76 | R-404A | 21.15 |
| Victory Refrigeration | Victory | FS-3D-S7-HD | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 70.1 | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.12 | 91.74 | R-404A | 20.77 |
| Victory Refrigeration | Victory | FS-3D-S7-HD-C | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 70.1 | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.12 | 91.74 | R-404A | 20.77 |
| Victory Refrigeration | Victory | FS-3D-S7-HD-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 70.1 | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.12 | 91.74 | R-404A | 20.77 |
| Victory Refrigeration | Victory | FS-3D-S7-HD-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 70.1 | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.12 | 91.74 | R-404A | 20.77 |
| Victory Refrigeration | Victory | FS-3D-S7-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 70.1 | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.12 | 91.74 | R-404A | 20.77 |
| Victory Refrigeration | Victory | FS-3D-S7-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 70.1 | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.12 | 91.74 | R-404A | 20.77 |
| Victory Refrigeration | Victory | FS-3D-S7-PT | Commercial Freezer | Pass-Through Cabinet | Automatic | 3 | | 75.9 | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-404A | 24.7 |
| Victory Refrigeration | Victory | FS-3D-S7-PT-C | Commercial Freezer | Pass-Through Cabinet | Automatic | 3 | | 75.9 | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-404A | 24.7 |
| Victory Refrigeration | Victory | FS-3D-S7-PT-HD | Commercial Freezer | Pass-Through Cabinet | Automatic | 3 | | 75.9 | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-404A | 24.7 |
| Victory Refrigeration | Victory | FS-3D-S7-PT-HD-C | Commercial Freezer | Pass-Through Cabinet | Automatic | 3 | | 75.9 | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-404A | 24.7 |
| Victory Refrigeration | Victory | FS-3D-S7-PT-HD-LH | Commercial Freezer | Pass-Through Cabinet | Automatic | 3 | | 75.9 | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-404A | 24.7 |
| Victory Refrigeration | Victory | FS-3D-S7-PT-HD-LH-C | Commercial Freezer | Pass-Through Cabinet | Automatic | 3 | | 75.9 | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-404A | 24.7 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|----------------------|--------------------|----------------------|--------------|------------|---------|---------|-------|------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Victory Refrigeration | Victory | FS-3D-S7-PT-LH | Commercial Freezer | Pass-Through Cabinet | Automatic | 3 | | 75.9 | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-404A | 24.7 |
| Victory Refrigeration | Victory | FS-3D-S7-PT-LH-C | Commercial Freezer | Pass-Through Cabinet | Automatic | 3 | | 75.9 | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-404A | 24.7 |
| Victory Refrigeration | Victory | FSA-1D-S7 | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.5 | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.76 | R-134A | 7.45 |
| Victory Refrigeration | Victory | FSA-1D-S7-C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.5 | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-404A | 7.45 |
| Victory Refrigeration | Victory | FSA-1D-S7-EW | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.4 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.76 | R-404A | 9.87 |
| Victory Refrigeration | Victory | FSA-1D-S7-EW-C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.4 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-404A | 9.87 |
| Victory Refrigeration | Victory | FSA-1D-S7-EW-HD | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.4 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-404A | 9.87 |
| Victory Refrigeration | Victory | FSA-1D-S7-EW-HD-C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.4 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-404A | 9.87 |
| Victory Refrigeration | Victory | FSA-1D-S7-EW-HD-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.4 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-404A | 9.87 |
| Victory Refrigeration | Victory | FSA-1D-S7-EW-HD-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.4 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-404A | 9.87 |
| Victory Refrigeration | Victory | FSA-1D-S7-EW-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.4 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-404A | 9.87 |
| Victory Refrigeration | Victory | FSA-1D-S7-EW-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 24.4 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-404A | 9.87 |
| Victory Refrigeration | Victory | FSA-1D-S7-HD | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.5 | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-404A | 7.45 |
| Victory Refrigeration | Victory | FSA-1D-S7-HD-C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.5 | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-404A | 7.45 |
| Victory Refrigeration | Victory | FSA-1D-S7-HD-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.5 | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-404A | 7.45 |
| Victory Refrigeration | Victory | FSA-1D-S7-HD-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.5 | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-404A | 7.45 |
| Victory Refrigeration | Victory | FSA-1D-S7-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.5 | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-404A | 7.45 |
| Victory Refrigeration | Victory | FSA-1D-S7-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 21.5 | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-404A | 7.45 |
| Victory Refrigeration | Victory | FSA-2D-S7 | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.5 | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-404A | 11.64 |
| Victory Refrigeration | Victory | FSA-2D-S7-C | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.5 | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-404A | 11.64 |
| Victory Refrigeration | Victory | FSA-2D-S7-EW | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 52 | 52 | 84 | 213.36 | 58.38 | 148.3 | 36.13 | 91.76 | R-404A | 18.68 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|----------------------|--------------------|----------------------|--------------|------------|---------|---------|-------|------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Victory Refrigeration | Victory | FSA-2D-S7-EW-C | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 52 | 52 | 84 | 213.36 | 58.38 | 148.3 | 36.13 | 91.77 | R-404A | 18.68 |
| Victory Refrigeration | Victory | FSA-2D-S7-EW-HD | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 52 | 52 | 84 | 213.36 | 58.38 | 148.3 | 36.13 | 91.77 | R-404A | 18.68 |
| Victory Refrigeration | Victory | FSA-2D-S7-EW-HD-C | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 52 | 52 | 84 | 213.36 | 58.38 | 148.3 | 36.13 | 91.77 | R-404A | 18.68 |
| Victory Refrigeration | Victory | FSA-2D-S7-EW-HD-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 52 | 52 | 84 | 213.36 | 58.38 | 148.3 | 36.13 | 91.77 | R-404A | 18.68 |
| Victory Refrigeration | Victory | FSA-2D-S7-EW-HD-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 52 | 52 | 84 | 213.36 | 58.38 | 148.3 | 36.13 | 91.77 | R-404A | 18.68 |
| Victory Refrigeration | Victory | FSA-2D-S7-EW-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 52 | 52 | 84 | 213.36 | 58.38 | 148.3 | 36.13 | 91.77 | R-404A | 18.68 |
| Victory Refrigeration | Victory | FSA-2D-S7-EW-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 52 | 52 | 84 | 213.36 | 58.38 | 148.3 | 36.13 | 91.77 | R-404A | 18.68 |
| Victory Refrigeration | Victory | FSA-2D-S7-EW-PT | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 56.3 | 56.3 | 84 | 213.36 | 58.38 | 148.3 | 39.88 | 101.3 | R-404A | 21.93 |
| Victory Refrigeration | Victory | FSA-2D-S7-HD | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.5 | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-404A | 11.64 |
| Victory Refrigeration | Victory | FSA-2D-S7-HD-C | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.5 | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-404A | 11.64 |
| Victory Refrigeration | Victory | FSA-2D-S7-HD-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.5 | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-404A | 11.64 |
| Victory Refrigeration | Victory | FSA-2D-S7-HD-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.5 | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-404A | 11.64 |
| Victory Refrigeration | Victory | FSA-2D-S7-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.5 | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-404A | 11.64 |
| Victory Refrigeration | Victory | FSA-2D-S7-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 46.5 | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-404A | 11.64 |
| Victory Refrigeration | Victory | FSA-2D-S7-PT | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 50.4 | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-404A | 21.29 |
| Victory Refrigeration | Victory | FSA-2D-S7-PT-C | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 50.4 | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-404A | 21.29 |
| Victory Refrigeration | Victory | FSA-2D-S7-PT-HD | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 50.4 | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-404A | 21.29 |
| Victory Refrigeration | Victory | FSA-2D-S7-PT-HD-C | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 50.4 | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-404A | 21.29 |
| Victory Refrigeration | Victory | FSA-2D-S7-PT-HD-LH | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 50.4 | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-404A | 21.29 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|----------------------|--------------------|----------------------|--------------|------------|---------|---------|-------|------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Victory Refrigeration | Victory | FSA-2D-S7-PT-HD-LH-C | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 50.4 | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-404A | 21.29 |
| Victory Refrigeration | Victory | FSA-2D-S7-PT-LH | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 50.4 | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-404A | 21.29 |
| Victory Refrigeration | Victory | FSA-2D-S7-PT-LH-C | Commercial Freezer | Pass-Through Cabinet | Automatic | 2 | | 50.4 | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-404A | 21.29 |
| Victory Refrigeration | Victory | FSA-3D-S7 | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 70.1 | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.12 | 91.74 | R-404A | 20.77 |
| Victory Refrigeration | Victory | FSA-3D-S7-C | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 70.1 | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.12 | 91.74 | R-404A | 20.77 |
| Victory Refrigeration | Victory | FSA-3D-S7-EW | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 79.6 | 79.6 | 84 | 213.36 | 85.5 | 217.2 | 36.13 | 91.76 | R-404A | 21.15 |
| Victory Refrigeration | Victory | FSA-3D-S7-EW-C | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 79.6 | 79.6 | 84 | 213.36 | 85.5 | 217.2 | 36.13 | 91.77 | R-404A | 21.15 |
| Victory Refrigeration | Victory | FSA-3D-S7-HD | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 70.1 | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.12 | 91.74 | R-404A | 20.77 |
| Victory Refrigeration | Victory | FSA-3D-S7-HD-C | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 70.1 | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.12 | 91.74 | R-404A | 20.77 |
| Victory Refrigeration | Victory | FSA-3D-S7-HD-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 70.1 | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.12 | 91.74 | R-404A | 20.77 |
| Victory Refrigeration | Victory | FSA-3D-S7-HD-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 70.1 | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.12 | 91.74 | R-404A | 20.77 |
| Victory Refrigeration | Victory | FSA-3D-S7-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 70.1 | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.12 | 91.74 | R-404A | 20.77 |
| Victory Refrigeration | Victory | FSA-3D-S7-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 70.1 | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.12 | 91.74 | R-404A | 20.77 |
| Victory Refrigeration | Victory | FSA-3D-S7-PT | Commercial Freezer | Pass-Through Cabinet | Automatic | 3 | | 75.9 | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-404A | 24.7 |
| Victory Refrigeration | Victory | FSA-3D-S7-PT-C | Commercial Freezer | Pass-Through Cabinet | Automatic | 3 | | 75.9 | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-404A | 24.7 |
| Victory Refrigeration | Victory | FSA-3D-S7-PT-HD | Commercial Freezer | Pass-Through Cabinet | Automatic | 3 | | 75.9 | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-404A | 24.7 |
| Victory Refrigeration | Victory | FSA-3D-S7-PT-HD-C | Commercial Freezer | Pass-Through Cabinet | Automatic | 3 | | 75.9 | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-404A | 24.7 |
| Victory Refrigeration | Victory | FSA-3D-S7-PT-HD-LH | Commercial Freezer | Pass-Through Cabinet | Automatic | 3 | | 75.9 | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-404A | 24.7 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|-----------------------|--------------------|----------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Victory Refrigeration | Victory | FSA-3D-S7-PT-HD-LH-C | Commercial Freezer | Pass-Through Cabinet | Automatic | 3 | | 75.9 | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-404A | 24.7 |
| Victory Refrigeration | Victory | FSA-3D-S7-PT-LH | Commercial Freezer | Pass-Through Cabinet | Automatic | 3 | | 75.9 | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-404A | 24.7 |
| Victory Refrigeration | Victory | FSA-3D-S7-PT-LH-C | Commercial Freezer | Pass-Through Cabinet | Automatic | 3 | | 75.9 | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-404A | 24.7 |
| Victory Refrigeration | Victory | FSA-3D-SA7-EW-HD | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 79.6 | 79.6 | 84 | 213.36 | 85.5 | 217.2 | 36.13 | 91.77 | R-404A | 21.15 |
| Victory Refrigeration | Victory | FSA-3D-SA7-EW-HD-C | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 79.6 | 79.6 | 84 | 213.36 | 85.5 | 217.2 | 36.13 | 91.77 | R-404A | 21.15 |
| Victory Refrigeration | Victory | FSA-3D-SA7-EW-HD-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 79.6 | 79.6 | 84 | 213.36 | 85.5 | 217.2 | 36.13 | 91.77 | R-404A | 21.15 |
| Victory Refrigeration | Victory | FSA-3D-SA7-EW-HD-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 79.6 | 79.6 | 84 | 213.36 | 85.5 | 217.2 | 36.13 | 91.77 | R-404A | 21.15 |
| Victory Refrigeration | Victory | FSA-3D-SA7-EW-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 79.6 | 79.6 | 84 | 213.36 | 85.5 | 217.2 | 36.13 | 91.77 | R-404A | 21.15 |
| Victory Refrigeration | Victory | FSA-3D-SA7-EW-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 79.6 | 79.6 | 84 | 213.36 | 85.5 | 217.2 | 36.13 | 91.77 | R-404A | 21.15 |
| Victory Refrigeration | Victory | VF-1 | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 20.5 | 20.5 | 77.94 | 197.97 | 26.56 | 67.46 | 33.31 | 84.61 | R-404A | 9.35 |
| Victory Refrigeration | Victory | VF-1-C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | 0 | 20.5 | 20.5 | 77.94 | 197.97 | 26.56 | 67.46 | 33.31 | 84.61 | R-404A | 9.35 |
| Victory Refrigeration | Victory | VF-1-HD | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 20.5 | 20.5 | 77.94 | 197.97 | 26.56 | 67.46 | 33.31 | 84.61 | R-404A | 9.35 |
| Victory Refrigeration | Victory | VF-1-HD-C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 20.5 | 20.5 | 77.94 | 197.97 | 26.56 | 67.46 | 33.31 | 84.61 | R-404A | 9.35 |
| Victory Refrigeration | Victory | VF-1-HD-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 20.5 | 20.5 | 77.94 | 197.97 | 26.56 | 67.46 | 33.31 | 84.61 | R-404A | 9.35 |
| Victory Refrigeration | Victory | VF-1-HD-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 20.5 | 20.5 | 77.94 | 197.97 | 26.56 | 67.46 | 33.31 | 84.61 | R-404A | 9.35 |
| Victory Refrigeration | Victory | VF-1-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 20.5 | 20.5 | 77.94 | 197.97 | 26.56 | 67.46 | 33.31 | 84.61 | R-404A | 9.35 |
| Victory Refrigeration | Victory | VF-1-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 20.5 | 20.5 | 77.94 | 197.97 | 26.56 | 67.46 | 33.31 | 84.61 | R-404A | 9.35 |
| Victory Refrigeration | Victory | VF-2 | Commercial Freezer | Reach-in Cabinet | Automatic | 1 | | 44.9 | 44.9 | 77.94 | 197.97 | 52.12 | 132.4 | 33.31 | 84.61 | R-404A | 13.83 |
| Victory Refrigeration | Victory | VF-2-C | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 44.9 | 44.9 | 77.94 | 197.97 | 52.12 | 132.4 | 33.31 | 84.61 | R-404A | 13.83 |
| Victory Refrigeration | Victory | VF-2-HD | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 44.9 | 44.9 | 77.94 | 197.97 | 52.12 | 132.4 | 33.31 | 84.61 | R-404A | 13.83 |
| Victory Refrigeration | Victory | VF-2-HD-C | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 44.9 | 44.9 | 77.94 | 197.97 | 52.12 | 132.4 | 33.31 | 84.61 | R-404A | 13.83 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|-----------------|--------------|-------------------------|------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Victory Refrigeration | Victory | VF-2-HD-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 44.9 | 44.9 | 77.94 | 197.97 | 52.12 | 132.4 | 33.31 | 84.61 | R-404A | 13.83 |
| Victory Refrigeration | Victory | VF-2-HD-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 44.9 | 44.9 | 77.94 | 197.97 | 52.12 | 132.4 | 33.31 | 84.61 | R-404A | 13.83 |
| Victory Refrigeration | Victory | VF-2-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 44.9 | 44.9 | 77.94 | 197.97 | 52.12 | 132.4 | 33.31 | 84.61 | R-404A | 13.83 |
| Victory Refrigeration | Victory | VF-2-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 2 | | 44.9 | 44.9 | 77.94 | 197.97 | 52.12 | 132.4 | 33.31 | 84.61 | R-404A | 13.83 |
| Victory Refrigeration | Victory | VF-3 | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 68.7 | 68.7 | 77.94 | 197.97 | 77.75 | 197.5 | 33.31 | 84.61 | R-404A | 27.8 |
| Victory Refrigeration | Victory | VF-3-C | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 68.7 | 68.7 | 77.94 | 197.97 | 77.75 | 197.5 | 33.31 | 84.61 | R-404A | 27.8 |
| Victory Refrigeration | Victory | VF-3-HD | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 68.7 | 68.7 | 77.94 | 197.97 | 77.75 | 197.5 | 33.31 | 84.61 | R-404A | 27.8 |
| Victory Refrigeration | Victory | VF-3-HD-C | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 68.7 | 68.7 | 77.94 | 197.97 | 77.75 | 197.5 | 33.31 | 84.61 | R-404A | 27.8 |
| Victory Refrigeration | Victory | VF-3-HD-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 68.7 | 68.7 | 77.94 | 197.97 | 77.75 | 197.5 | 33.31 | 84.61 | R-404A | 27.8 |
| Victory Refrigeration | Victory | VF-3-HD-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 68.7 | 68.7 | 77.94 | 197.97 | 77.75 | 197.5 | 33.31 | 84.61 | R-404A | 27.8 |
| Victory Refrigeration | Victory | VF-3-LH | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 68.7 | 68.7 | 77.94 | 197.97 | 77.75 | 197.5 | 33.31 | 84.61 | R-404A | 27.8 |
| Victory Refrigeration | Victory | VF-3-LH-C | Commercial Freezer | Reach-in Cabinet | Automatic | 3 | | 68.7 | 68.7 | 77.94 | 197.97 | 77.75 | 197.5 | 33.31 | 84.61 | R-404A | 27.8 |
| Arctic Air | Arctic Air | R-22CW | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 20.3 | | 20.3 | 70.38 | 178.77 | 32.13 | 81.61 | 31.5 | 80.01 | R-134A | 1.301 |
| Axiom Equipment | Axiom Equipment | 1R-FSL | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 19.9 | | 19.9 | 76.75 | 194.95 | 26 | 66.04 | 32.28 | 82 | R-134A | 3.7 |
| Axiom Equipment | Axiom Equipment | 1R-FSR | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 19.9 | | 19.9 | 76.75 | 194.95 | 26 | 66.04 | 32.28 | 82 | R-134A | 3.7 |
| Axiom Equipment | Axiom Equipment | 1R-HSL | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 19.9 | | 19.9 | 76.75 | 194.95 | 26 | 66.04 | 32.28 | 82 | R-134A | 3.7 |
| Axiom Equipment | Axiom Equipment | 1R-HSR | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 19.9 | | 19.9 | 76.75 | 194.95 | 26 | 66.04 | 32.28 | 82 | R-134A | 3.7 |
| Axiom Equipment | Axiom Equipment | 2R-FSLR | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 43.4 | | 43.4 | 76.75 | 194.95 | 52 | 132.1 | 32.28 | 82 | R-134A | 5.55 |
| Axiom Equipment | Axiom Equipment | 2R-HSLR | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 43.4 | | 43.4 | 76.75 | 194.95 | 52 | 132.1 | 32.28 | 82 | R-134A | 5.55 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|--------------|---------------|-------------------------|-----------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|------|-------|------------------|---------------------------------------|
| Biomedical Solutions Inc. | BSI | GP06W1AREF | Commercial Refrigerator | Under-counter Cabinet | Manual | 1 | 6.1 | | 6.1 | 33.5 | 85.09 | 23.7 | 60.2 | 23.5 | 59.69 | R-134A | 2.23 |
| Biomedical Solutions Inc. | BSI | GP1104AREF | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 11.6 | | 11.6 | 51.4 | 130.56 | 20.7 | 52.58 | 18.8 | 47.75 | R-134A | 1.57 |
| Biomedical Solutions Inc. | BSI | GP2104AREF | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 20.7 | | 20.7 | 66 | 167.64 | 33 | 83.82 | 28.5 | 72.39 | R-134A | 1.78 |
| Biomedical Solutions Inc. | BSI | SCGP170W1AREF | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 17 | | 17 | 66 | 167.64 | 30 | 76.2 | 30.5 | 77.47 | R-134A | 1.43 |
| Biomedical Solutions Inc. | BSI | SCGP210W1AREF | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 20.7 | | 20.7 | 66 | 167.64 | 33 | 83.82 | 28.5 | 72.39 | R-134A | 1.78 |
| Beverage-Air | Beverage-Air | BB48Y***** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 12.7 | | 12.7 | 34 | 86.36 | 48 | 121.9 | 23 | 58.42 | R-134A | 2.52 |
| Beverage-Air | Beverage-Air | BB58 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 23.8 | 0 | 23.8 | 39 | 99.06 | 59 | 149.9 | 27 | 68.58 | R-134A | 4.37 |
| Beverage-Air | Beverage-Air | BB58-***** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 23.8 | | 23.8 | 37 | 93.98 | 59 | 149.9 | 27 | 68.58 | R-134A | 4.37 |
| Beverage-Air | Beverage-Air | BB68 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 28.4 | 0 | 28.4 | 37 | 93.98 | 69 | 175.3 | 27 | 68.58 | R-134A | 3.55 |
| Beverage-Air | Beverage-Air | BB68-***** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 28.4 | | 28.4 | 37 | 93.98 | 69 | 175.3 | 27 | 68.58 | R-134A | 3.55 |
| Beverage-Air | Beverage-Air | BB72Y***** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 20.65 | | 20.65 | 37 | 93.98 | 72 | 182.9 | 23 | 58.42 | R-134A | 4.02 |
| Beverage-Air | Beverage-Air | BB78 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 33 | 0 | 33 | 37 | 93.98 | 79 | 200.7 | 27 | 68.58 | R-134A | 4.02 |
| Beverage-Air | Beverage-Air | BB78-***** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 33 | | 33 | 37 | 93.98 | 79 | 200.7 | 27 | 68.58 | R-134A | 4.02 |
| Beverage-Air | Beverage-Air | BB78E***** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 34.2 | | 34.2 | 37 | 93.98 | 92.5 | 235 | 27 | 68.58 | R-134A | 5.42 |
| Beverage-Air | Beverage-Air | BB94***** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 39.7 | | 39.7 | 37 | 93.98 | 95 | 241.3 | 27 | 68.58 | R-134A | 4.8 |
| Beverage-Air | Beverage-Air | BM23 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 7.8 | 0 | 7.8 | 38 | 96.52 | 24 | 60.96 | 28 | 71.12 | R-134A | 1.85 |
| Beverage-Air | Beverage-Air | CAV185S***** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 5.87 | | 5.87 | 33.5 | 85.09 | 23.6 | 59.94 | 24.8 | 62.99 | R-134A | 1.16 |
| Beverage-Air | Beverage-Air | CAV290S***** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 9.4 | | 9.4 | 49.2 | 124.97 | 23.6 | 59.94 | 24.8 | 62.99 | R-134A | 2.1 |
| Beverage-Air | Beverage-Air | CAV500S***** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 21.14 | | 21.14 | 49.2 | 124.97 | 27.6 | 70.1 | 26.4 | 67.06 | R-134A | 1.63 |
| Beverage-Air | Beverage-Air | DD50 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 19.8 | 0 | 19.8 | 37 | 93.98 | 51 | 129.5 | 27 | 68.58 | R-134A | 3.69 |
| Beverage-Air | Beverage-Air | DD58 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 23.8 | 0 | 23.8 | 39 | 99.06 | 59 | 149.9 | 27 | 68.58 | R-134A | 4.37 |
| Beverage-Air | Beverage-Air | DD68 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 28.4 | 0 | 28.4 | 37 | 93.98 | 69 | 175.3 | 27 | 68.58 | R-134A | 3.55 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|--------------|-----------------|-------------------------|------------------|--------------|------------|---------|---------|-------|-------|--------|------|-------|------|-------|------------------|---------------------------------------|
| Beverage-Air | Beverage-Air | DD78 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 33 | 0 | 33 | 37 | 93.98 | 79 | 200.7 | 27 | 68.58 | R-134A | 4.02 |
| Beverage-Air | Beverage-Air | DP46 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 13.7 | 0 | 13.7 | 42 | 106.68 | 46 | 116.8 | 32 | 81.28 | R-134A | 0.27 |
| Beverage-Air | Beverage-Air | DP67 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 27 | 0 | 27 | 42 | 106.68 | 67 | 170.2 | 32 | 81.28 | R-134A | 0.23 |
| Beverage-Air | Beverage-Air | DP93 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 39.8 | 0 | 39.8 | 42 | 106.68 | 93 | 236.2 | 32 | 81.28 | R-134A | 0.36 |
| Beverage-Air | Beverage-Air | DW79 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 24.1 | 0 | 24.1 | 34 | 86.36 | 80 | 203.2 | 26 | 66.04 | R-134A | 3.77 |
| Beverage-Air | Beverage-Air | DW79***** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 24.1 | | 24.1 | 33.75 | 85.73 | 80 | 203.2 | 26.5 | 67.31 | R-134A | 3.77 |
| Beverage-Air | Beverage-Air | DW94 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 29.5 | 0 | 29.5 | 34 | 86.36 | 95 | 241.3 | 27 | 68.58 | R-134A | 4.32 |
| Beverage-Air | Beverage-Air | DW94***** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 29.5 | | 29.5 | 33.75 | 85.73 | 95 | 241.3 | 26.5 | 67.31 | R-134A | 4.32 |
| Beverage-Air | Beverage-Air | EER48-1A*S***** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.7 | | 46.7 | 79 | 200.66 | 52 | 132.1 | 30 | 76.2 | R-134A | 4.52 |
| Beverage-Air | Beverage-Air | ER24-1A*S-XDX** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 22.1 | | 22.1 | 79 | 200.66 | 26 | 66.04 | 30 | 76.2 | R-134A | 3.06 |
| Beverage-Air | Beverage-Air | ER24-1AHS-XDX | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 22.1 | | 22.1 | 62 | 157.48 | 22 | 55.88 | 28 | 71.12 | R-134A | 3.06 |
| Beverage-Air | Beverage-Air | ER24-1AS-XDX | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 22.1 | | 22.1 | 62 | 157.48 | 22 | 55.88 | 28 | 71.12 | R-134A | 3.06 |
| Beverage-Air | Beverage-Air | ER24-5A*S***** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 22.1 | | 22.1 | 79 | 200.66 | 26 | 66.04 | 30 | 76.2 | R-134A | 3.62 |
| Beverage-Air | Beverage-Air | ER24-5AS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 22.3 | | 22.3 | 79 | 200.66 | 26 | 66.04 | 32 | 81.28 | R-134A | 3.619 |
| Beverage-Air | Beverage-Air | ER24-5AS-02-88 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 22.3 | | 22.3 | 79 | 200.66 | 26 | 66.04 | 32 | 81.28 | R-134A | 3.619 |
| Beverage-Air | Beverage-Air | ER24-5AS-02-88/ | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 22.3 | | 22.3 | 79 | 200.66 | 26 | 66.04 | 32 | 81.28 | R-134A | 3.619 |
| Beverage-Air | Beverage-Air | ER24-5AS/ | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 22.3 | | 22.3 | 79 | 200.66 | 26 | 66.04 | 32 | 81.28 | R-134A | 3.619 |
| Beverage-Air | Beverage-Air | ER34-1AS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 29.6 | 0 | 29.6 | 79 | 200.66 | 35 | 88.9 | 32 | 81.28 | R-134A | 3.74 |
| Beverage-Air | Beverage-Air | ER34-1AS***** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 29.6 | | 29.6 | 79 | 200.66 | 35 | 88.9 | 30 | 76.2 | R-134A | 3.74 |
| Beverage-Air | Beverage-Air | ER34-1AS-02-88 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 31.8 | | 31.8 | 79 | 200.66 | 35 | 88.9 | 32 | 81.28 | R-134A | 3.74 |
| Beverage-Air | Beverage-Air | ER34-1AS-02-88/ | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 31.8 | | 31.8 | 79 | 200.66 | 35 | 88.9 | 32 | 81.28 | R-134A | 3.74 |
| Beverage-Air | Beverage-Air | ER34-5AS-02-88 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 31.8 | | 31.8 | 79 | 200.66 | 35 | 88.9 | 32 | 81.28 | R-134A | 4.784 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|--------------|-----------------|-------------------------|------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|------|-------|------------------|---------------------------------------|
| Beverage-Air | Beverage-Air | ER34-5AS-02-88/ | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 31.8 | | 31.8 | 79 | 200.66 | 35 | 88.9 | 32 | 81.28 | R-134A | 4.784 |
| Beverage-Air | Beverage-Air | ER48-1A*S-XDX** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.7 | | 46.7 | 79 | 200.66 | 52 | 132.1 | 30 | 76.2 | R-134A | 5.45 |
| Beverage-Air | Beverage-Air | ER48-1AHS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 46.8 | 0 | 46.8 | 84 | 213.36 | 52 | 132.1 | 30 | 76.2 | R-134A | 4.52 |
| Beverage-Air | Beverage-Air | ER48-1AHS-XDX | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 45.7 | | 45.7 | 79 | 200.66 | 52 | 132.1 | 32 | 81.28 | R-134A | 5.45 |
| Beverage-Air | Beverage-Air | ER48-1AS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.8 | | 46.8 | 84.5 | 214.63 | 52 | 132.1 | 30 | 76.2 | R-134A | 4.52 |
| Beverage-Air | Beverage-Air | ER48-1AS-02-88 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 46.2 | | 46.2 | 79 | 200.66 | 52 | 132.1 | 32 | 81.28 | R-134A | 4.52 |
| Beverage-Air | Beverage-Air | ER48-1AS-02-88/ | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.2 | | 46.2 | 79 | 200.66 | 52 | 132.1 | 32 | 81.28 | R-134A | 4.52 |
| Beverage-Air | Beverage-Air | ER48-1AS-XDX | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 45.7 | | 45.7 | 79 | 200.66 | 52 | 132.1 | 32 | 81.28 | R-134A | 5.45 |
| Beverage-Air | Beverage-Air | ER48-5A*S***** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.7 | | 46.7 | 79 | 200.66 | 52 | 132.1 | 30 | 76.2 | R-134A | 3.21 |
| Beverage-Air | Beverage-Air | ER48-5AHG | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 46.2 | | 46.2 | 79 | 200.66 | 52 | 132.1 | 32 | 81.28 | R-134A | 4.65 |
| Beverage-Air | Beverage-Air | ER48-5AHG/ | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 46.2 | | 46.2 | 79 | 200.66 | 52 | 132.1 | 32 | 81.28 | R-134A | 4.65 |
| Beverage-Air | Beverage-Air | ER48-5AHS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 46.2 | | 46.2 | 79 | 200.66 | 52 | 132.1 | 32 | 81.28 | R-134A | 3.212 |
| Beverage-Air | Beverage-Air | ER48-5AHS/ | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 46.2 | | 46.2 | 79 | 200.66 | 52 | 132.1 | 32 | 81.28 | R-134A | 3.212 |
| Beverage-Air | Beverage-Air | ER48-5AS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.2 | | 46.2 | 79 | 200.66 | 52 | 132.1 | 32 | 81.28 | R-134A | 3.212 |
| Beverage-Air | Beverage-Air | ER48-5AS-02-88 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.2 | | 46.2 | 79 | 200.66 | 52 | 132.1 | 32 | 81.28 | R-134A | 3.212 |
| Beverage-Air | Beverage-Air | ER48-5AS-02-88/ | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.2 | | 46.2 | 79 | 200.66 | 52 | 132.1 | 32 | 81.28 | R-134A | 3.212 |
| Beverage-Air | Beverage-Air | ER48-5AS/ | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.2 | | 46.2 | 79 | 200.66 | 52 | 132.1 | 32 | 81.28 | R-134A | 3.212 |
| Beverage-Air | Beverage-Air | ER74-1A*S-XDX** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 72.34 | | 72.34 | 79 | 200.66 | 78 | 198.1 | 30 | 76.2 | R-134A | 9.09 |
| Beverage-Air | Beverage-Air | ER74-1AHS-XDX | Commercial Refrigerator | Reach-in Cabinet | Automatic | 6 | 72.3 | | 72.3 | 62 | 157.48 | 74 | 188 | 28 | 71.12 | R-134A | 9.09 |
| Beverage-Air | Beverage-Air | ER74-1AS-XDX | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 72.3 | | 72.3 | 62 | 157.48 | 74 | 188 | 28 | 71.12 | R-134A | 9.09 |
| Beverage-Air | Beverage-Air | KR24*1AS***** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 20 | | 20 | 82 | 208.28 | 27 | 68.58 | 31 | 78.74 | R-134A | 3.17 |
| Beverage-Air | Beverage-Air | KR24-1AS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 23 | | 23 | 78 | 198.12 | 27 | 68.58 | 29.5 | 74.93 | R-134A | 3.17 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|--------------|-----------------|-------------------------|------------------|--------------|------------|---------|---------|-------|-------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| Beverage-Air | Beverage-Air | KR48*1AS***** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 44.9 | | 44.9 | 82 | 208.28 | 54 | 137.2 | 31 | 78.74 | R-134A | 4.02 |
| Beverage-Air | Beverage-Air | KR48-1AS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 49 | | 49 | 78 | 198.12 | 54.4 | 138.2 | 29.5 | 74.93 | R-134A | 4.02 |
| Beverage-Air | Beverage-Air | KR74*1AS***** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 65 | | 65 | 82 | 208.28 | 82 | 208.3 | 31 | 78.74 | R-134A | 5.41 |
| Beverage-Air | Beverage-Air | KR74-1AS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 72 | | 72 | 79 | 200.66 | 78 | 198.1 | 30.5 | 77.47 | R-134A | 5.4 |
| Beverage-Air | Beverage-Air | MS58 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 23.8 | 0 | 23.8 | 39 | 99.06 | 59 | 149.9 | 27 | 68.58 | R-134A | 4.37 |
| Beverage-Air | Beverage-Air | MS58-***** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 23.8 | | 23.8 | 37.25 | 94.62 | 59 | 149.9 | 28.75 | 73.03 | R-134A | 4.37 |
| Beverage-Air | Beverage-Air | MS68 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 28.4 | 0 | 28.4 | 37 | 93.98 | 69 | 175.3 | 27 | 68.58 | R-134A | 3.55 |
| Beverage-Air | Beverage-Air | MS68-***** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 28.4 | | 28.4 | 37.25 | 94.62 | 69 | 175.3 | 28.75 | 73.03 | R-134A | 3.55 |
| Beverage-Air | Beverage-Air | PR1-1A*S-XDX*** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 22.1 | | 22.1 | 79 | 200.66 | 22 | 55.88 | 30 | 76.2 | R-134A | 3.06 |
| Beverage-Air | Beverage-Air | PR1-1AHS-XDX | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 22.1 | | 22.1 | 62 | 157.48 | 22 | 55.88 | 28 | 71.12 | R-134A | 3.06 |
| Beverage-Air | Beverage-Air | PR1-1AS-XDX | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 22.1 | | 22.1 | 62 | 157.48 | 22 | 55.88 | 28 | 71.12 | R-134A | 3.06 |
| Beverage-Air | Beverage-Air | PR2-1A*S-XDX*** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.7 | | 46.7 | 79 | 200.66 | 52 | 132.1 | 30 | 76.2 | R-134A | 5.45 |
| Beverage-Air | Beverage-Air | PR2-1AHS-XDX | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 45.7 | | 45.7 | 79 | 200.66 | 52 | 132.1 | 32 | 81.28 | R-134A | 5.45 |
| Beverage-Air | Beverage-Air | PR2-1AS-XDX | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 45.7 | | 45.7 | 79 | 200.66 | 52 | 132.1 | 32 | 81.28 | R-134A | 5.45 |
| Beverage-Air | Beverage-Air | PR24-5A*S***** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 22.1 | | 22.1 | 79 | 200.66 | 26 | 66.04 | 30 | 76.2 | R-134A | 3.62 |
| Beverage-Air | Beverage-Air | PR3-1A*S-XDX*** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 72.34 | | 72.34 | 79 | 200.66 | 78 | 198.1 | 76.2 | 193.6 | R-134A | 9.09 |
| Beverage-Air | Beverage-Air | PR3-1AHS-XDX | Commercial Refrigerator | Reach-in Cabinet | Automatic | 6 | 72.3 | | 72.3 | 62 | 157.48 | 74 | 188 | 28 | 71.12 | R-134A | 9.09 |
| Beverage-Air | Beverage-Air | PR3-1AS-XDX | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 72.3 | | 72.3 | 62 | 157.48 | 74 | 188 | 28 | 71.12 | R-134A | 9.09 |
| Beverage-Air | Beverage-Air | PR48-1A*S***** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.7 | | 46.7 | 79 | 200.66 | 52 | 132.1 | 30 | 76.2 | R-134A | 4.52 |
| Beverage-Air | Beverage-Air | PR48-1AHS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 46.8 | 0 | 46.8 | 84 | 213.36 | 52 | 132.1 | 30 | 76.2 | R-134A | 4.52 |
| Beverage-Air | Beverage-Air | PR48-1AS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.8 | 0 | 46.8 | 84 | 213.36 | 52 | 132.1 | 30 | 76.2 | R-134A | 4.52 |
| Beverage-Air | Beverage-Air | PR48-5A*S***** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.7 | | 46.7 | 79 | 200.66 | 52 | 132.1 | 30 | 76.2 | R-134A | 3.21 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|--------------|------------------|-------------------------|---------------------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|------|-------|------------------|---------------------------------------|
| Beverage-Air | Beverage-Air | PRD1-1A*S-XDX*** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 24.6 | | 24.6 | 84.5 | 214.63 | 26 | 66.04 | 76.2 | 193.6 | R-134A | 3.93 |
| Beverage-Air | Beverage-Air | PRD1-1AHS-XDX | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 1 | 24.6 | | 24.6 | 84.5 | 214.63 | 26 | 66.04 | 30 | 76.2 | R-134A | 3.93 |
| Beverage-Air | Beverage-Air | PRD1-1AS-XDX | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 1 | 24.6 | | 24.6 | 84.5 | 214.63 | 26 | 66.04 | 30 | 76.2 | R-134A | 3.93 |
| Beverage-Air | Beverage-Air | PRD2-1A*S-XDX** | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 4 | 49.7 | | 49.7 | 84.5 | 214.63 | 52 | 132.1 | 30 | 76.2 | R-134A | 5.43 |
| Beverage-Air | Beverage-Air | PRD3-1A*S-XDX** | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 6 | 78.7 | | 78.7 | 84.5 | 214.63 | 78 | 198.1 | 30 | 76.2 | R-134A | 9.21 |
| Beverage-Air | Beverage-Air | PRI1-1AS-XDX | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 2 | 32.4 | | 32.4 | 84.5 | 214.63 | 33 | 83.82 | 34 | 86.36 | R-134A | 3.556 |
| Beverage-Air | Beverage-Air | PRI1-1AS-XDX*** | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 2 | 32.4 | | 32.4 | 84.5 | 214.63 | 33 | 83.82 | 33 | 83.82 | R-134A | 3.56 |
| Beverage-Air | Beverage-Air | PRI2-1AS-XDX | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 4 | 67.4 | | 67.4 | 84.5 | 214.63 | 66 | 167.6 | 34 | 86.36 | R-134A | 4.99 |
| Beverage-Air | Beverage-Air | PRI2-1AS-XDX*** | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 4 | 67.4 | | 67.4 | 84.5 | 214.63 | 66 | 167.6 | 33 | 83.82 | R-134A | 5 |
| Beverage-Air | Beverage-Air | PRT1-1AS-XDX | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 2 | 36.6 | | 36.6 | 84.5 | 214.63 | 33 | 83.82 | 35 | 88.9 | R-134A | 3.73 |
| Beverage-Air | Beverage-Air | PRT1-1AS-XDX*** | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 2 | 36.6 | | 36.6 | 84.5 | 214.63 | 33 | 83.82 | 33 | 83.82 | R-134A | 3.73 |
| Beverage-Air | Beverage-Air | PRT2-1AS-XDX | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 4 | 64.4 | | 64.4 | 84.5 | 214.63 | 66 | 167.6 | 35 | 88.9 | R-134A | 8.31 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|--------------|-----------------|-------------------------|---------------------------------|--------------|------------|---------|---------|-------|------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Beverage-Air | Beverage-Air | PRT2-1AS-XDX*** | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 4 | 64.4 | | 64.4 | 84.5 | 214.63 | 66 | 167.6 | 33 | 83.82 | R-134A | 8.31 |
| Beverage-Air | Beverage-Air | RID18-*S***** | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 2 | 17.69 | | 17.69 | 73 | 185.42 | 27.25 | 69.22 | 32.5 | 82.55 | R-134A | 3.7 |
| Beverage-Air | Beverage-Air | SM34N | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 12.83 | 0 | 12.83 | 40 | 101.6 | 34 | 86.36 | 30 | 76.2 | R-404A | 2 |
| Beverage-Air | Beverage-Air | SM34N-***** | Commercial Refrigerator | Under-counter Cabinet | Automatic | 1 | 12.83 | | 12.83 | 39.5 | 100.33 | 34.5 | 87.63 | 31 | 78.74 | R-134A | 2 |
| Beverage-Air | Beverage-Air | SM49N | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 15.8 | 0 | 15.8 | 40 | 101.6 | 50 | 127 | 31 | 78.74 | R-404A | 1.93 |
| Beverage-Air | Beverage-Air | SM49N-***** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 15.8 | | 15.8 | 39.5 | 100.33 | 49.5 | 125.7 | 31 | 78.74 | R-404A | 1.8 |
| Beverage-Air | Beverage-Air | SM58N | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 24.5 | 0 | 24.5 | 40 | 101.6 | 59 | 149.9 | 31 | 78.74 | R-404A | 2.25 |
| Beverage-Air | Beverage-Air | SM58N-**** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.5 | | 24.5 | 39.5 | 100.33 | 58.5 | 148.6 | 31.5 | 80.01 | R-404A | 2.25 |
| Beverage-Air | Beverage-Air | SMF58***** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24 | | 24 | 47 | 119.38 | 58 | 147.3 | 33.5 | 85.09 | R-134A | 3.99 |
| Beverage-Air | Beverage-Air | SP27 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 6.4 | 0 | 6.4 | 46 | 116.84 | 27 | 68.58 | 34 | 86.36 | R-134A | 0.23 |
| Beverage-Air | Beverage-Air | SP60 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 15 | 0 | 15 | 46 | 116.84 | 60 | 152.4 | 34 | 86.36 | R-134A | 0.38 |
| Beverage-Air | Beverage-Air | ST34N | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 13.1 | 0 | 13.1 | 40 | 101.6 | 35 | 88.9 | 32 | 81.28 | R-404A | 1.85 |
| Beverage-Air | Beverage-Air | ST34N-**** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 13.1 | | 13.1 | 39.5 | 100.33 | 34.5 | 87.63 | 31.5 | 80.01 | R-404A | 1.85 |
| Beverage-Air | Beverage-Air | ST49N | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 19.2 | 0 | 19.2 | 40 | 101.6 | 50 | 127 | 32 | 81.28 | R-404A | 2.2 |
| Beverage-Air | Beverage-Air | ST49N-**** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 19.2 | | 19.2 | 39.5 | 100.33 | 49.5 | 125.7 | 31.5 | 80.01 | R-404A | 2.2 |
| Beverage-Air | Beverage-Air | ST58N | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 19.25 | 0 | 19.25 | 40 | 101.6 | 59 | 149.9 | 31 | 78.74 | R-404A | 3.45 |
| Beverage-Air | Beverage-Air | ST58N-**** | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 19.25 | | 19.25 | 39.5 | 100.33 | 58.5 | 148.6 | 78.74 | 200 | R-404A | 3.45 |
| Beverage-Air | Beverage-Air | UCR119A**** | Commercial Refrigerator | Under-counter Cabinet | Automatic | 4 | 40.5 | | 40.5 | 34.5 | 87.63 | 119 | 302.3 | 32 | 81.28 | R-134A | 3.91 |
| Beverage-Air | Beverage-Air | UCR20Y***** | Commercial Refrigerator | Under-counter Cabinet | Automatic | 1 | 2.22 | | 2.22 | 31 | 78.74 | 20 | 50.8 | 20.5 | 52.07 | R-134A | 1.72 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|--------------|--------------|-------------------------|-----------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| Beverage-Air | Beverage-Air | UCR27A | Commercial Refrigerator | Under-counter Cabinet | Automatic | 1 | 6.2 | 0 | 6.2 | 35 | 88.9 | 27 | 68.58 | 30 | 76.2 | R-134A | 2.23 |
| Beverage-Air | Beverage-Air | UCR27A***** | Commercial Refrigerator | Under-counter Cabinet | Automatic | 1 | 6.2 | | 6.2 | 34.5 | 87.63 | 27 | 68.58 | 29.25 | 74.3 | R-134A | 2.23 |
| Beverage-Air | Beverage-Air | UCR27Y***** | Commercial Refrigerator | Under-counter Cabinet | Automatic | 1 | 5.51 | | 5.51 | 34.5 | 87.63 | 27 | 68.58 | 25.75 | 65.41 | R-134A | 2.01 |
| Beverage-Air | Beverage-Air | UCR34Y***** | Commercial Refrigerator | Under-counter Cabinet | Automatic | 2 | 4.22 | | 4.22 | 31 | 78.74 | 34 | 86.36 | 25.75 | 65.41 | R-134A | 1.87 |
| Beverage-Air | Beverage-Air | UCR46A***** | Commercial Refrigerator | Under-counter Cabinet | Automatic | 2 | 10.8 | | 10.8 | 34.5 | 87.63 | 46 | 116.8 | 32 | 81.28 | R-134A | 2.81 |
| Beverage-Air | Beverage-Air | UCR48A | Commercial Refrigerator | Under-counter Cabinet | Automatic | 2 | 11.7 | 0 | 11.7 | 35 | 88.9 | 48 | 121.9 | 29 | 73.66 | R-134A | 2.62 |
| Beverage-Air | Beverage-Air | UCR48A***** | Commercial Refrigerator | Under-counter Cabinet | Automatic | 2 | 11.7 | | 11.7 | 34.5 | 87.63 | 48 | 121.9 | 29.25 | 74.3 | R-134A | 2.62 |
| Beverage-Air | Beverage-Air | UCR60A | Commercial Refrigerator | Under-counter Cabinet | Automatic | 2 | 14.7 | 0 | 14.7 | 35 | 88.9 | 60 | 152.4 | 29 | 73.66 | R-134A | 3.5 |
| Beverage-Air | Beverage-Air | UCR60A***** | Commercial Refrigerator | Under-counter Cabinet | Automatic | 2 | 14.7 | | 14.7 | 34.5 | 87.63 | 60 | 152.4 | 29.25 | 74.3 | R-134A | 3.5 |
| Beverage-Air | Beverage-Air | UCR72A | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 18 | | 18 | 30 | 76.2 | 72 | 182.9 | 29 | 73.66 | R-134A | 3.38 |
| Beverage-Air | Beverage-Air | UCR72AY | Commercial Refrigerator | Under-counter Cabinet | Automatic | 3 | 17.06 | | 17.06 | 34.5 | 87.63 | 72 | 182.9 | 29.25 | 74.3 | R-134A | 3.42 |
| Beverage-Air | Beverage-Air | UCR93A***** | Commercial Refrigerator | Under-counter Cabinet | Automatic | 3 | 29.7 | | 29.7 | 34.5 | 87.63 | 93 | 236.2 | 32 | 81.28 | R-134A | 3.49 |
| Beverage-Air | Beverage-Air | WTR119A***** | Commercial Refrigerator | Under-counter Cabinet | Automatic | 4 | 40.5 | | 40.5 | 39.5 | 100.33 | 119 | 302.3 | 32 | 81.28 | R-134A | 3.91 |
| Beverage-Air | Beverage-Air | WTR27A***** | Commercial Refrigerator | Under-counter Cabinet | Automatic | 1 | 6.2 | | 6.2 | 34.5 | 87.63 | 27 | 68.58 | 29.25 | 74.3 | R-134A | 2.23 |
| Beverage-Air | Beverage-Air | WTR46A***** | Commercial Refrigerator | Under-counter Cabinet | Automatic | 2 | 10.8 | | 10.8 | 39.5 | 100.33 | 46 | 116.8 | 32 | 81.28 | R-134A | 2.81 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|--|--------------------------|--------------|-------------------------|-----------------------|--------------|------------|---------|---------|-------|-------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| Beverage-Air | Beverage-Air | WTR48A | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 11.6 | 0 | 11.6 | 30 | 76.2 | 48 | 121.9 | 29 | 73.66 | R-134A | 2.37 |
| Beverage-Air | Beverage-Air | WTR48A-***** | Commercial Refrigerator | Under-counter Cabinet | Automatic | 2 | 11.6 | | 11.6 | 39.5 | 100.33 | 48 | 121.9 | 29.25 | 74.3 | R-134A | 2.37 |
| Beverage-Air | Beverage-Air | WTR72A | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 18 | 0 | 18 | 30 | 76.2 | 72 | 182.9 | 29 | 73.66 | R-134A | 3.38 |
| Beverage-Air | Beverage-Air | WTR72AY***** | Commercial Refrigerator | Under-counter Cabinet | Automatic | 3 | 17.06 | | 17.06 | 39.5 | 100.33 | 72 | 182.9 | 29.25 | 74.3 | R-134A | 3.42 |
| Beverage-Air | Beverage-Air | WTR93A***** | Commercial Refrigerator | Under-counter Cabinet | Automatic | 3 | 29.7 | | 29.7 | 39.5 | 100.33 | 93 | 236.2 | 32 | 81.28 | R-134A | 3.49 |
| Blue Air Commercial Refrigeration, Inc | Blue Air | BASR1 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 23 | 0 | 23 | 84.5 | 214.63 | 27.5 | 69.85 | 31.25 | 79.38 | R-134A | 4.13 |
| Blue Air Commercial Refrigeration, Inc | Blue Air | BASR2 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 49 | 0 | 49 | 84.5 | 214.63 | 78 | 198.1 | 31.25 | 79.38 | R-134A | 6.68 |
| Blue Air Commercial Refrigeration, Inc | Blue Air | BASR3 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 72 | 0 | 72 | 84.5 | 214.63 | 78 | 198.1 | 31.25 | 79.38 | R-134A | 8.98 |
| Blue Air Commercial Refrigeration, Inc | Blue Air | BAUR1 | Commercial Refrigerator | Under-counter Cabinet | Automatic | 1 | 7 | 0 | 7 | 30 | 76.2 | 27.5 | 69.85 | 30 | 76.2 | R-134A | 2.61 |
| Blue Air Commercial Refrigeration, Inc | Blue Air | BAUR2 | Commercial Refrigerator | Under-counter Cabinet | Automatic | 2 | 13 | 0 | 13 | 30 | 76.2 | 48.5 | 123.2 | 30 | 76.2 | R-134A | 3.17 |
| Blue Air Commercial Refrigeration, Inc | Blue Air | BAUR3 | Commercial Refrigerator | Under-counter Cabinet | Automatic | 3 | 20 | 0 | 20 | 30 | 76.2 | 72.5 | 184.2 | 30 | 76.2 | R-134A | 3.56 |
| Continental Refrigerator | Continental Refrigerator | 1R | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 20.05 | | 20.05 | 82.25 | 208.92 | 26 | 66.04 | 35.5 | 90.17 | R-134A | 2.59 |
| Continental Refrigerator | Continental Refrigerator | 1R-PT | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 20.05 | | 20.05 | 83.25 | 211.46 | 26 | 66.04 | 35.5 | 90.17 | R-134A | 2.59 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|--------------------------|--------------|-------------------------|----------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|------|-------|------------------|---------------------------------------|
| Continental Refrigerator | Continental Refrigerator | 1RE | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 21 | | 21 | 82.25 | 208.92 | 28.5 | 72.39 | 35.5 | 90.17 | R-134A | 2.71 |
| Continental Refrigerator | Continental Refrigerator | 1RE-PT | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 22.56 | | 22.56 | 83.25 | 211.46 | 28.5 | 72.39 | 35.5 | 90.17 | R-134A | 2.71 |
| Continental Refrigerator | Continental Refrigerator | 1RS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 17.38 | | 17.38 | 83.25 | 211.46 | 26 | 66.04 | 30.5 | 77.47 | R-134A | 2.51 |
| Continental Refrigerator | Continental Refrigerator | 1RSE | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 14.62 | | 14.62 | 83.25 | 211.46 | 17.75 | 45.09 | 35.5 | 90.17 | R-134A | 3.16 |
| Continental Refrigerator | Continental Refrigerator | 1RX | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 30.32 | | 30.32 | 83.25 | 211.46 | 36.25 | 92.08 | 35.5 | 90.17 | R-134A | 3.96 |
| Continental Refrigerator | Continental Refrigerator | 1RX-PT | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 30.32 | | 30.32 | 83.25 | 211.46 | 36.25 | 92.08 | 35.5 | 90.17 | R-134A | 3.96 |
| Continental Refrigerator | Continental Refrigerator | 1RXS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.26 | | 24.26 | 83.25 | 211.46 | 36.25 | 92.08 | 30.5 | 77.47 | R-134A | 3.01 |
| Continental Refrigerator | Continental Refrigerator | 2R | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 49.19 | | 49.19 | 83.25 | 211.46 | 52 | 132.1 | 35.5 | 90.17 | R-134A | 4.25 |
| Continental Refrigerator | Continental Refrigerator | 2R-PT | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 4 | 49.19 | | 49.19 | 83.25 | 211.46 | 52 | 132.1 | 35.5 | 90.17 | R-134A | 4.16 |
| Continental Refrigerator | Continental Refrigerator | 2RE | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 54.54 | | 54.54 | 83.25 | 211.46 | 57 | 144.8 | 35.5 | 90.17 | R-134A | 4.25 |
| Continental Refrigerator | Continental Refrigerator | 2RE-PT | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 4 | 54.54 | | 54.54 | 83.25 | 211.46 | 57 | 144.8 | 35.5 | 90.17 | R-134A | 4.25 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|--------------------------|--------------|-------------------------|----------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|------|-------|------------------|---------------------------------------|
| Continental Refrigerator | Continental Refrigerator | 2RS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 36.89 | | 36.89 | 83.25 | 211.46 | 52 | 132.1 | 35.5 | 90.17 | R-134A | 4.03 |
| Continental Refrigerator | Continental Refrigerator | 2RSE | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 30.32 | | 30.32 | 83.25 | 211.46 | 36.25 | 92.08 | 35.5 | 90.17 | R-134A | 3.96 |
| Continental Refrigerator | Continental Refrigerator | 2RSE-PT | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 4 | 30.32 | | 30.32 | 83.25 | 211.46 | 36.25 | 92.08 | 35.5 | 90.17 | R-134A | 3.96 |
| Continental Refrigerator | Continental Refrigerator | 3R | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 72.19 | | 72.19 | 83.25 | 211.46 | 78 | 198.1 | 35.5 | 90.17 | R-134A | 5.01 |
| Continental Refrigerator | Continental Refrigerator | 3R-PT | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 6 | 72.19 | | 72.19 | 83.25 | 211.46 | 78 | 198.1 | 35.5 | 90.17 | R-134A | 5.01 |
| Continental Refrigerator | Continental Refrigerator | 3RE | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 79.71 | | 79.71 | 83.25 | 211.46 | 85.5 | 217.2 | 35.5 | 90.17 | R-134A | 5.23 |
| Continental Refrigerator | Continental Refrigerator | 3RE-PT | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 6 | 79.71 | | 79.71 | 83.25 | 211.46 | 85.5 | 217.2 | 35.5 | 90.17 | R-134A | 5.23 |
| Continental Refrigerator | Continental Refrigerator | 3RS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 57.75 | | 57.75 | 83.25 | 211.46 | 78 | 198.1 | 30.5 | 77.47 | R-134A | 4.92 |
| Continental Refrigerator | Continental Refrigerator | DL1R | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 21.57 | | 21.57 | 83.25 | 211.46 | 26 | 66.04 | 35.5 | 90.17 | R-134A | 2.98 |
| Continental Refrigerator | Continental Refrigerator | DL1R-PT | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 21.57 | | 21.57 | 83.25 | 211.46 | 26 | 66.04 | 35.5 | 90.17 | R-134A | 2.98 |
| Continental Refrigerator | Continental Refrigerator | DL1RE | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 23.14 | | 23.14 | 83.25 | 211.46 | 28.5 | 72.39 | 35.5 | 90.17 | R-134A | 3.05 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|--------------------------|--------------|-------------------------|----------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|------|-------|------------------|---------------------------------------|
| Continental Refrigerator | Continental Refrigerator | DL1RE-PT | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 23.14 | | 23.14 | 83.25 | 211.46 | 28.5 | 72.39 | 35.5 | 90.17 | R-134A | 3.05 |
| Continental Refrigerator | Continental Refrigerator | DL1RSE | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 14.62 | | 14.62 | 83.25 | 211.46 | 17.75 | 45.09 | 30.5 | 77.47 | R-134A | 3.16 |
| Continental Refrigerator | Continental Refrigerator | DL2R | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 50.47 | | 50.47 | 83.25 | 211.46 | 52 | 132.1 | 35.5 | 90.17 | R-134A | 4.76 |
| Continental Refrigerator | Continental Refrigerator | DL2R-PT | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 4 | 40.47 | | 40.47 | 83.25 | 211.46 | 52 | 132.1 | 35.5 | 90.17 | R-134A | 4.76 |
| Continental Refrigerator | Continental Refrigerator | DL2RE | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 55.96 | | 55.96 | 83.25 | 211.46 | 57 | 144.8 | 35.5 | 90.17 | R-134A | 4.88 |
| Continental Refrigerator | Continental Refrigerator | DL2RE-PT | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 4 | 55.96 | | 55.96 | 83.25 | 211.46 | 57 | 144.8 | 35.5 | 90.17 | R-134A | 4.88 |
| Continental Refrigerator | Continental Refrigerator | DL3R | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 74.06 | | 74.06 | 83.25 | 211.46 | 78 | 198.1 | 35.5 | 90.17 | R-134A | 5.75 |
| Continental Refrigerator | Continental Refrigerator | DL3R-PT | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 6 | 74.06 | | 74.06 | 83.25 | 211.46 | 78 | 198.1 | 35.5 | 90.17 | R-134A | 5.75 |
| Continental Refrigerator | Continental Refrigerator | DL3RE | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 81.78 | | 81.78 | 83.25 | 211.46 | 85.5 | 217.2 | 35.5 | 90.17 | R-134A | 6 |
| Continental Refrigerator | Continental Refrigerator | DL3RE-PT | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 6 | 81.78 | | 81.78 | 83.25 | 211.46 | 85.5 | 217.2 | 35.5 | 90.17 | R-134A | 6 |
| The Delfield Company | Delfield | 406 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 5.7 | | 5.7 | 35.5 | 90.17 | 27 | 68.58 | 28.5 | 72.39 | R-404A | 2.0913 |
| The Delfield Company | Delfield | 406-CA | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 5.7 | | 5.7 | 35.5 | 90.17 | 27 | 68.58 | 28.5 | 72.39 | R-404A | 2.0913 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|--------------|-------------------------|----------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| The Delfield Company | Delfield | 6025XL-G | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 20 | | 20 | 80.5 | 204.47 | 25.5 | 64.77 | 33.13 | 84.15 | R-404A | 3.6971 |
| The Delfield Company | Delfield | 6025XL-GH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 20 | | 20 | 80.5 | 204.47 | 25.5 | 64.77 | 33.13 | 84.15 | R-404A | 3.6971 |
| The Delfield Company | Delfield | 6025XL-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 20 | 0 | 20 | 80.5 | 204.47 | 25.5 | 64.77 | 33.13 | 84.15 | R-404A | 2.65 |
| The Delfield Company | Delfield | 6025XL-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 20 | 0 | 20 | 80.5 | 204.47 | 25.5 | 64.77 | 33.13 | 84.15 | R-404A | 2.65 |
| The Delfield Company | Delfield | 6051-XL-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 43.5 | | 43.5 | | 0 | | 0 | | 0 | R-404A | 3.1949 |
| The Delfield Company | Delfield | 6051-XL-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 43.5 | | 43.5 | 79.5 | 201.93 | 51 | 129.5 | 32.6 | 82.8 | R-404A | 3.1949 |
| The Delfield Company | Delfield | 6051XL-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 43.5 | 0 | 43.5 | 79.5 | 201.93 | 51 | 129.5 | 32.6 | 82.8 | R-404A | 3.65 |
| The Delfield Company | Delfield | 6051XL-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 43.5 | | 43.5 | 79.5 | 201.93 | 51 | 129.5 | 32.6 | 82.8 | R-404A | 3.6505 |
| The Delfield Company | Delfield | 6076XL-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 66.5 | 0 | 66.5 | 79.5 | 201.93 | 76.5 | 194.3 | 32.6 | 82.8 | R-404A | 5.47 |
| The Delfield Company | Delfield | 6076XL-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 6 | 66.5 | 0 | 66.5 | 79.5 | 201.93 | 76.5 | 194.3 | 32.6 | 82.8 | R-404A | 5.47 |
| The Delfield Company | Delfield | 6076XL-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 6 | 66.5 | | 66.5 | 79.5 | 201.93 | 76.5 | 194.3 | 32.6 | 82.8 | R-404A | 5.4722 |
| The Delfield Company | Delfield | KCM-36 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 3.44 | | 3.44 | 36 | 91.44 | 36 | 91.44 | 30 | 76.2 | R-404A | 0.98 |
| The Delfield Company | Delfield | KCM-50 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 7.83 | | 7.83 | 36 | 91.44 | 50 | 127 | 30 | 76.2 | R-404A | 0.98 |
| The Delfield Company | Delfield | KCM-60 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 12.18 | | 12.18 | 36 | 91.44 | 60 | 152.4 | 30 | 76.2 | R-404A | 0.98 |
| The Delfield Company | Delfield | KCM-74 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 15.66 | | 15.66 | 36 | 91.44 | 74 | 188 | 30 | 76.2 | R-404A | 0.98 |
| The Delfield Company | Delfield | MCD6025XL-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 20 | | 20 | 79.5 | 201.93 | 25.5 | 64.77 | 32.6 | 82.8 | R-404A | 3.56 |
| The Delfield Company | Delfield | MCD6076XL-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 66.5 | | 66.5 | 79.5 | 201.93 | 76.5 | 194.3 | 32.6 | 82.8 | R-404A | 5.59 |
| The Delfield Company | Delfield | MRPT1-GS | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | | 26.64 | 26.64 | 81 | 205.74 | 29 | 73.66 | 36.25 | 92.08 | R-404A | 4.5838 |
| The Delfield Company | Delfield | MRPT1-S | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 1 | 26.64 | | 26.64 | 81 | 205.74 | 29 | 73.66 | 36.25 | 92.08 | R-404A | 3.1352 |
| The Delfield Company | Delfield | MRPT1-SH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 26.64 | | 26.64 | 81 | 205.74 | 29 | 73.66 | 36.25 | 92.08 | R-404A | 3.1352 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|--------------|-------------------------|---------------------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| The Delfield Company | Delfield | MRPT2-S | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 55.42 | | 55.42 | 81 | 205.74 | 56 | 142.2 | 36.25 | 92.08 | R-404A | 5.9552 |
| The Delfield Company | Delfield | MRPT2-SH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 4 | 55.42 | | 55.42 | 81 | 205.74 | 56 | 142.2 | 36.25 | 92.08 | R-404A | 5.9552 |
| The Delfield Company | Delfield | MRPT3-S | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 3 | 84.19 | 0 | 84.19 | 81 | 205.74 | 83 | 210.8 | 36.25 | 92.08 | R-404A | 8.8435 |
| The Delfield Company | Delfield | MRPT3-S | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 3 | 84.19 | | 84.19 | 81 | 205.74 | 83 | 210.8 | 36.25 | 92.08 | R-404A | 9.1036 |
| The Delfield Company | Delfield | MRPT3-SH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 6 | 84.19 | 0 | 84.19 | 81 | 205.74 | 83 | 210.8 | 36.25 | 92.08 | R-404A | 8.8435 |
| The Delfield Company | Delfield | MRPT3-SH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 6 | 84.19 | | 84.19 | 81 | 205.74 | 83 | 210.8 | 36.25 | 92.08 | R-404A | 9.1036 |
| The Delfield Company | Delfield | MRR1-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | | 24.96 | 24.96 | 81 | 205.74 | 29 | 73.66 | 34 | 86.36 | R-404A | 2.6385 |
| The Delfield Company | Delfield | MRR1-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | | 24.96 | 24.96 | 81 | 205.74 | 29 | 73.66 | 34 | 86.36 | R-404A | 2.6385 |
| The Delfield Company | Delfield | MRR12-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 2 | 74.72 | | 74.72 | 89 | 226.06 | 66 | 167.6 | 34 | 86.36 | R-404A | 5.8594 |
| The Delfield Company | Delfield | MRR13-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 3 | 113.28 | | 113.3 | 89 | 226.06 | 98 | 248.9 | 34 | 86.36 | R-404A | 7.5648 |
| The Delfield Company | Delfield | MRR1N-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 20.97 | 0 | 20.97 | 81 | 205.74 | 25 | 63.5 | 34 | 86.36 | R-404A | 3.16 |
| The Delfield Company | Delfield | MRR1N-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 20.97 | 0 | 20.97 | 81 | 205.74 | 25 | 63.5 | 34 | 86.36 | R-404A | 3.16 |
| The Delfield Company | Delfield | MRR1S-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 18.25 | | 18.25 | 81 | 205.74 | 29 | 73.66 | 26 | 66.04 | R-404A | 2.6586 |
| The Delfield Company | Delfield | MRR1S-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 18.25 | | 18.25 | 81 | 205.74 | 29 | 73.66 | 26 | 66.04 | R-404A | 2.6586 |
| The Delfield Company | Delfield | MRR2-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 51.92 | | 51.92 | 81 | 205.74 | 56 | 142.2 | 34 | 86.36 | R-404A | 4.5139 |
| The Delfield Company | Delfield | MRR2-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 51.92 | | 51.92 | 81 | 205.74 | 56 | 142.2 | 34 | 86.36 | R-404A | 4.5139 |
| The Delfield Company | Delfield | MRR2N-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 43.94 | | 43.94 | 81 | 205.74 | 48 | 121.9 | 34 | 86.36 | R-404A | 4.3115 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|--------------|-------------------------|---------------------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| The Delfield Company | Delfield | MRR2N-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 43.94 | | 43.94 | 81 | 205.74 | 48 | 121.9 | 34 | 86.36 | R-404A | 4.3115 |
| The Delfield Company | Delfield | MRR2S-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 37.96 | | 37.96 | 81 | 205.74 | 56 | 142.2 | 26 | 66.04 | R-404A | 2.9816 |
| The Delfield Company | Delfield | MRR2S-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 37.96 | | 37.96 | 81 | 205.74 | 56 | 142.2 | 26 | 66.04 | R-404A | 2.9816 |
| The Delfield Company | Delfield | MRR3-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 78.89 | | 78.89 | 81 | 205.74 | 83 | 210.8 | 34 | 86.36 | R-404A | 5.5059 |
| The Delfield Company | Delfield | MRR3-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 78.89 | | 78.89 | 81 | 205.74 | 83 | 210.8 | 34 | 86.36 | R-404A | 9.5653 |
| The Delfield Company | Delfield | MRR3-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 6 | 78.89 | 0 | 78.89 | 81 | 205.74 | 83 | 210.8 | 34 | 86.36 | R-404A | 5.51 |
| The Delfield Company | Delfield | MRR3-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 6 | 78.89 | | 78.89 | 81 | 205.74 | 83 | 210.8 | 34 | 86.36 | R-404A | 5.5059 |
| The Delfield Company | Delfield | MRR3-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 6 | 78.89 | | 78.89 | 81 | 205.74 | 83 | 210.8 | 34 | 86.36 | R-404A | 9.5653 |
| The Delfield Company | Delfield | MRR11-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 1 | 36.15 | | 36.15 | 89 | 226.06 | 34 | 86.36 | 34 | 86.36 | R-404A | 3.7913 |
| The Delfield Company | Delfield | MRR12-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 2 | 74.72 | 0 | 74.72 | 89 | 226.06 | 66 | 167.6 | 34 | 86.36 | R-404A | 5.86 |
| The Delfield Company | Delfield | MRR13-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 3 | 113.28 | 0 | 113.3 | 89 | 226.06 | 98 | 248.9 | 34 | 86.36 | R-404A | 7.56 |
| The Delfield Company | Delfield | MRRT1-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 1 | 79.74 | | 79.74 | 89 | 226.06 | 98 | 248.9 | 36.25 | 92.08 | R-404A | 6.7671 |
| The Delfield Company | Delfield | MRRT3-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 3 | 120.9 | | 120.9 | 89 | 226.06 | 98 | 248.9 | 36.25 | 92.08 | R-404A | 8.0052 |
| The Delfield Company | Delfield | N-1200 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 17.19 | 0 | 17.19 | 36 | 91.44 | 55 | 139.7 | 28 | 71.12 | R-134A | 2.33 |
| The Delfield Company | Delfield | N-1530 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 25.21 | 0 | 25.21 | 36 | 91.44 | 68 | 172.7 | 28 | 71.12 | R-134A | 2.63 |
| The Delfield Company | Delfield | N-520 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 17.19 | 0 | 17.19 | 36 | 91.44 | 29 | 73.66 | 28 | 71.12 | R-134A | 1.68 |
| The Delfield Company | Delfield | N-860 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 17.19 | 0 | 17.19 | 36 | 91.44 | 42 | 106.7 | 28 | 71.12 | R-134A | 2.6 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|--------------|-------------------------|------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| The Delfield Company | Delfield | N10-1313-34 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 25.21 | 0 | 25.21 | 34 | 86.36 | 54.5 | 138.4 | 32 | 81.28 | R-134A | 2.6 |
| The Delfield Company | Delfield | N10-1313-36 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 25.21 | 0 | 25.21 | 36 | 91.44 | 54.5 | 138.4 | 32 | 81.28 | R-134A | 2.6 |
| The Delfield Company | Delfield | N6-1313-34 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 17.19 | 0 | 17.19 | 34 | 86.36 | 36 | 91.44 | 32 | 81.28 | R-134A | 2.6 |
| The Delfield Company | Delfield | N6-1313-36 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 17.19 | 0 | 17.19 | 36 | 91.44 | 36 | 91.44 | 32 | 81.28 | R-134A | 2.6 |
| The Delfield Company | Delfield | NDF-12 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 17.19 | 0 | 17.19 | 57 | 144.78 | 35.88 | 91.14 | 33.38 | 84.79 | R-134A | 2.6 |
| The Delfield Company | Delfield | NDF-18 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 25.21 | 0 | 25.21 | 57 | 144.78 | 49.88 | 126.7 | 33.38 | 84.79 | R-134A | 3.13 |
| The Delfield Company | Delfield | R1FL | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 23.5 | 0 | 23.5 | 82.75 | 210.19 | 26.75 | 67.95 | 32 | 81.28 | R-134A | 4.07 |
| The Delfield Company | Delfield | R1FR | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 23.5 | 0 | 23.5 | 82.75 | 210.19 | 26.75 | 67.95 | 32 | 81.28 | R-134A | 4.07 |
| The Delfield Company | Delfield | R1HL | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 23.5 | 0 | 23.5 | 82.75 | 210.19 | 26.75 | 67.95 | 32 | 81.28 | R-134A | 4.07 |
| The Delfield Company | Delfield | R1HR | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 23.5 | 0 | 23.5 | 82.75 | 210.19 | 26.75 | 67.95 | 32 | 81.28 | R-134A | 4.07 |
| The Delfield Company | Delfield | R2FH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.5 | 0 | 46.5 | 82.75 | 210.19 | 54 | 137.2 | 32 | 81.28 | R-134A | 6.47 |
| The Delfield Company | Delfield | R2HH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 46.5 | 0 | 46.5 | 82.75 | 210.19 | 54 | 137.2 | 32 | 81.28 | R-134A | 6.47 |
| The Delfield Company | Delfield | R3FH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 71.8 | 0 | 71.8 | 82.75 | 210.19 | 80.75 | 205.1 | 32 | 81.28 | R-134A | 9.08 |
| The Delfield Company | Delfield | SAR1-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | | 24.96 | 24.96 | 81 | 205.74 | 29 | 73.66 | 34 | 86.36 | R-404A | 2.6385 |
| The Delfield Company | Delfield | SAR1-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | | 24.96 | 24.96 | 81 | 205.74 | 29 | 73.66 | 34 | 86.36 | R-404A | 2.6385 |
| The Delfield Company | Delfield | SAR1N-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 20.97 | 0 | 20.97 | 81 | 205.74 | 25 | 63.5 | 34 | 86.36 | R-404A | 3.16 |
| The Delfield Company | Delfield | SAR1N-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 20.97 | 0 | 20.97 | 81 | 205.74 | 25 | 63.5 | 34 | 86.36 | R-404A | 3.16 |
| The Delfield Company | Delfield | SAR1S-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 18.25 | | 18.25 | 81 | 205.74 | 29 | 73.66 | 26 | 66.04 | R-404A | 2.6586 |
| The Delfield Company | Delfield | SAR1S-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 18.25 | | 18.25 | 81 | 205.74 | 29 | 73.66 | 26 | 66.04 | R-404A | 2.6586 |
| The Delfield Company | Delfield | SAR2-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 51.92 | | 51.92 | 81 | 205.74 | 56 | 142.2 | 34 | 86.36 | R-404A | 4.5139 |
| The Delfield Company | Delfield | SAR2-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 51.92 | | 51.92 | 81 | 205.74 | 56 | 142.2 | 34 | 86.36 | R-404A | 4.5139 |
| The Delfield Company | Delfield | SAR2N-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 43.94 | | 43.94 | 81 | 205.74 | 48 | 121.9 | 34 | 86.36 | R-404A | 4.3115 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|--------------|-------------------------|---------------------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| The Delfield Company | Delfield | SAR2N-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 43.94 | | 43.94 | 81 | 205.74 | 48 | 121.9 | 34 | 86.36 | R-404A | 4.3115 |
| The Delfield Company | Delfield | SAR2S-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 37.96 | | 37.96 | 81 | 205.74 | 56 | 142.2 | 26 | 66.04 | R-404A | 2.9816 |
| The Delfield Company | Delfield | SAR2S-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 37.96 | | 37.96 | 81 | 205.74 | 56 | 142.2 | 26 | 66.04 | R-404A | 2.9816 |
| The Delfield Company | Delfield | SAR3-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 78.89 | | 78.89 | 81 | 205.74 | 83 | 210.8 | 34 | 86.36 | R-404A | 5.5059 |
| The Delfield Company | Delfield | SAR3-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 6 | 78.89 | | 78.89 | 81 | 205.74 | 83 | 210.8 | 34 | 86.36 | R-404A | 5.5059 |
| The Delfield Company | Delfield | SAR3S-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 57.57 | 0 | 57.57 | 81 | 205.74 | 83 | 210.8 | 26 | 66.04 | R-404A | 7.488 |
| The Delfield Company | Delfield | SAR3S-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 6 | 57.57 | 0 | 57.57 | 81 | 205.74 | 83 | 210.8 | 26 | 66.04 | R-404A | 7.488 |
| The Delfield Company | Delfield | SARPT1-GHSH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 4 | | 26.64 | 26.64 | 81 | 205.74 | 29 | 73.66 | 36.25 | 92.08 | R-404A | 4.5838 |
| The Delfield Company | Delfield | SARPT1-GS | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | | 26.64 | 26.64 | 81 | 205.74 | 29 | 73.66 | 36.25 | 92.08 | R-404A | 4.5838 |
| The Delfield Company | Delfield | SARPT1-S | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 1 | 26.64 | | 26.64 | 81 | 205.74 | 29 | 73.66 | 36.25 | 92.08 | R-404A | 3.1352 |
| The Delfield Company | Delfield | SARPT1-SH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 26.64 | | 26.64 | 81 | 205.74 | 29 | 73.66 | 36.25 | 92.08 | R-404A | 3.1352 |
| The Delfield Company | Delfield | SARPT2-S | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 55.42 | | 55.42 | 81 | 205.74 | 56 | 142.2 | 36.25 | 92.08 | R-404A | 5.9552 |
| The Delfield Company | Delfield | SARPT2-SH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 4 | 55.42 | | 55.42 | 81 | 205.74 | 56 | 142.2 | 36.25 | 92.08 | R-404A | 5.9552 |
| The Delfield Company | Delfield | SARPT3-S | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 3 | 84.19 | 0 | 84.19 | 81 | 205.74 | 83 | 210.8 | 36.25 | 92.08 | R-404A | 8.8435 |
| The Delfield Company | Delfield | SARPT3-SH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 6 | 84.19 | 0 | 84.19 | 81 | 205.74 | 83 | 210.8 | 36.25 | 92.08 | R-404A | 8.8435 |
| The Delfield Company | Delfield | SARRI1-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 1 | 36.15 | | 36.15 | 89 | 226.06 | 34 | 86.36 | 34 | 86.36 | R-404A | 3.7913 |
| The Delfield Company | Delfield | SARRI2-S | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 74.72 | 0 | 74.72 | 89 | 226.06 | 66 | 167.6 | 34 | 86.36 | R-404A | 5.8594 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|--------------|-------------------------|---------------------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| The Delfield Company | Delfield | SARRI3-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 3 | 113.28 | 0 | 113.3 | 89 | 226.06 | 98 | 248.9 | 34 | 86.36 | R-404A | 7.5648 |
| The Delfield Company | Delfield | SARRT1-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 1 | 38.38 | 0 | 38.38 | 89 | 226.06 | 34 | 86.36 | 36.25 | 92.08 | R-404A | 3.971 |
| The Delfield Company | Delfield | SARRT1-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 1 | 38.58 | | 38.58 | 89 | 226.06 | 34 | 86.36 | 36.25 | 92.08 | R-404A | 3.971 |
| The Delfield Company | Delfield | SARRT1-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 1 | 79.74 | | 79.74 | 89 | 226.06 | 98 | 248.9 | 36.25 | 92.08 | R-404A | 6.7671 |
| The Delfield Company | Delfield | SARRT2-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 2 | 79.74 | 0 | 79.74 | 89 | 226.06 | 98 | 248.9 | 36.25 | 92.08 | R-404A | 6.7671 |
| The Delfield Company | Delfield | SARRT2-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 4 | 79.74 | 0 | 79.74 | 91 | 231.14 | 66 | 167.6 | 36.25 | 92.08 | R-404A | 9.0564 |
| The Delfield Company | Delfield | SARRT3-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 6 | 120.9 | 0 | 120.9 | 91 | 231.14 | 98 | 248.9 | 36.25 | 92.08 | R-404A | 8.0052 |
| The Delfield Company | Delfield | SCM-36 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 3.44 | | 3.44 | 36 | 91.44 | 36 | 91.44 | 30 | 76.2 | R-404A | 0.98 |
| The Delfield Company | Delfield | SCM-50 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 7.83 | | 7.83 | 36 | 91.44 | 50 | 127 | 30 | 76.2 | R-404A | 0.98 |
| The Delfield Company | Delfield | SCM-60 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 12.18 | | 12.18 | 36 | 91.44 | 60 | 152.4 | 30 | 76.2 | R-404A | 0.98 |
| The Delfield Company | Delfield | SCM-74 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 15.66 | | 15.66 | 36 | 91.44 | 74 | 188 | 30 | 76.2 | R-404A | 0.98 |
| The Delfield Company | Delfield | SMR1-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.96 | 0 | 24.96 | 81 | 205.74 | 29 | 73.66 | 34 | 86.36 | R-404A | 2.6385 |
| The Delfield Company | Delfield | SMR1-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 24.96 | 0 | 24.96 | 81 | 205.74 | 29 | 73.66 | 34 | 86.36 | R-404A | 2.6385 |
| The Delfield Company | Delfield | SMR1N-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 20.97 | 0 | 20.97 | 81 | 205.74 | 25 | 63.5 | 34 | 86.36 | R-404A | 4.0394 |
| The Delfield Company | Delfield | SMR1N-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 20.97 | 0 | 20.97 | 81 | 205.74 | 25 | 63.5 | 34 | 86.36 | R-404A | 4.0394 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|--------------|-------------------------|----------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| The Delfield Company | Delfield | SMR1S-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 18.25 | 0 | 18.25 | 81 | 205.74 | 29 | 73.66 | 26 | 66.04 | R-404A | 2.6586 |
| The Delfield Company | Delfield | SMR1S-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 18.25 | 0 | 18.25 | 81 | 205.74 | 29 | 73.66 | 26 | 66.04 | R-404A | 2.6586 |
| The Delfield Company | Delfield | SMR2-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 51.92 | 0 | 51.92 | 81 | 205.74 | 56 | 142.2 | 34 | 86.36 | R-404A | 4.5139 |
| The Delfield Company | Delfield | SMR2-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 51.92 | 0 | 51.92 | 81 | 205.74 | 56 | 142.2 | 34 | 86.36 | R-404A | 4.5139 |
| The Delfield Company | Delfield | SMR2N-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 43.94 | 0 | 43.94 | 81 | 205.74 | 48 | 121.9 | 34 | 86.36 | R-404A | 4.3115 |
| The Delfield Company | Delfield | SMR2N-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 43.94 | 0 | 43.94 | 81 | 205.74 | 48 | 121.9 | 34 | 86.36 | R-404A | 4.3115 |
| The Delfield Company | Delfield | SMR2S-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 37.96 | 0 | 37.96 | 81 | 205.74 | 56 | 142.2 | 26 | 66.04 | R-404A | 2.9816 |
| The Delfield Company | Delfield | SMR2S-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 37.96 | 0 | 37.96 | 81 | 205.74 | 56 | 142.2 | 26 | 66.04 | R-404A | 2.9816 |
| The Delfield Company | Delfield | SMR3-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 78.89 | 0 | 78.89 | 81 | 205.74 | 83 | 210.8 | 34 | 86.36 | R-404A | 5.5059 |
| The Delfield Company | Delfield | SMR3-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 6 | 78.89 | 0 | 78.89 | 81 | 205.74 | 83 | 210.8 | 34 | 86.36 | R-404A | 5.5059 |
| The Delfield Company | Delfield | SMR3S-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 57.57 | 0 | 57.57 | 81 | 205.74 | 83 | 210.8 | 26 | 66.04 | R-404A | 7.797 |
| The Delfield Company | Delfield | SMR3S-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 6 | 57.57 | 0 | 57.57 | 81 | 205.74 | 83 | 210.8 | 26 | 66.04 | R-404A | 7.797 |
| The Delfield Company | Delfield | SMRPT1-S | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 1 | 26.64 | 0 | 26.64 | 81 | 205.74 | 29 | 73.66 | 36.25 | 92.08 | R-404A | 3.1352 |
| The Delfield Company | Delfield | SMRPT1-SH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 26.64 | 0 | 26.64 | 81 | 205.74 | 29 | 73.66 | 36.25 | 92.08 | R-404A | 3.1352 |
| The Delfield Company | Delfield | SMRPT2-S | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 55.42 | 0 | 55.42 | 81 | 205.74 | 56 | 142.2 | 36.25 | 92.08 | R-404A | 5.9552 |
| The Delfield Company | Delfield | SMRPT2-SH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 4 | 55.42 | 0 | 55.42 | 81 | 205.74 | 56 | 142.2 | 36.25 | 92.08 | R-404A | 5.9552 |
| The Delfield Company | Delfield | SMRPT3-S | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 3 | 84.19 | 0 | 84.19 | 81 | 205.74 | 83 | 210.8 | 36.25 | 92.08 | R-404A | 8.8435 |
| The Delfield Company | Delfield | SMRPT3-SH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 6 | 84.19 | 0 | 84.19 | 81 | 205.74 | 83 | 210.8 | 36.25 | 92.08 | R-404A | 8.8435 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|--------------|-------------------------|---------------------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| The Delfield Company | Delfield | SMRRI1-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 1 | 36.15 | 0 | 36.15 | 89 | 226.06 | 34 | 86.36 | 34 | 86.36 | R-404A | 3.7913 |
| The Delfield Company | Delfield | SMRRI2-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 2 | 74.72 | 0 | 74.72 | 89 | 226.06 | 66 | 167.6 | 34 | 86.36 | R-404A | 5.8594 |
| The Delfield Company | Delfield | SMRRI3-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 3 | 113.28 | 0 | 113.3 | 89 | 226.06 | 98 | 248.9 | 34 | 86.36 | R-404A | 7.5648 |
| The Delfield Company | Delfield | SMRRT1-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 1 | 38.58 | 0 | 38.58 | 89 | 226.06 | 34 | 86.36 | 36.25 | 92.08 | R-404A | 3.971 |
| The Delfield Company | Delfield | SMRRT2-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 2 | 79.74 | 0 | 79.74 | 89 | 226.06 | 98 | 248.9 | 36.25 | 92.08 | R-404A | 6.7671 |
| The Delfield Company | Delfield | SMRRT3-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 3 | 120.9 | 0 | 120.9 | 91 | 231.14 | 98 | 248.9 | 36.25 | 92.08 | R-404A | 8.0052 |
| The Delfield Company | Delfield | SPR-40 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 5.82 | | 5.82 | 34 | 86.36 | 40 | 101.6 | 30 | 76.2 | R-404A | 1.84 |
| The Delfield Company | Delfield | SPR-40E | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 3.37 | | 3.37 | 30 | 76.2 | 40 | 101.6 | 30 | 76.2 | R-404A | 1.84 |
| The Delfield Company | Delfield | SPR-40EW | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 4.15 | | 4.15 | 30 | 76.2 | 40 | 101.6 | 35 | 88.9 | R-404A | 1.84 |
| The Delfield Company | Delfield | SPR-40W | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 5.82 | | 5.82 | 34 | 86.36 | 40 | 101.6 | 35 | 88.9 | R-404A | 1.84 |
| The Delfield Company | Delfield | SPR-50 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 7.06 | | 7.06 | 34 | 86.36 | 50 | 127 | 30 | 76.2 | R-404A | 2.75 |
| The Delfield Company | Delfield | SPR-50W | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 8.68 | | 8.68 | 34 | 86.36 | 50 | 127 | 35 | 88.9 | R-404A | 2.69 |
| The Delfield Company | Delfield | SPR-64 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 9.38 | | 9.38 | 34 | 86.36 | 64 | 162.6 | 30 | 76.2 | R-404A | 2.68 |
| The Delfield Company | Delfield | SPR-64E | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 6.69 | | 6.69 | 30 | 76.2 | 64 | 162.6 | 30 | 76.2 | R-404A | 2.68 |
| The Delfield Company | Delfield | SPR-64EW | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 8.22 | | 8.22 | 30 | 76.2 | 64 | 162.6 | 35 | 88.9 | R-404A | 2.68 |
| The Delfield Company | Delfield | SPR-64W | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 11.54 | | 11.54 | 34 | 86.36 | 64 | 162.6 | 35 | 88.9 | R-404A | 2.68 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|--------------|-------------------------|---------------------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| The Delfield Company | Delfield | SSR1-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.96 | | 24.96 | 81 | 205.74 | 29 | 73.66 | 34 | 86.36 | R-404A | 2.6385 |
| The Delfield Company | Delfield | SSR1-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 24.96 | | 24.96 | 81 | 205.74 | 29 | 73.66 | 34 | 86.36 | R-404A | 2.6385 |
| The Delfield Company | Delfield | SSR1N-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 20.97 | 0 | 20.97 | 81 | 205.74 | 25 | 63.5 | 34 | 86.36 | R-404A | 3.16 |
| The Delfield Company | Delfield | SSR1N-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 20.97 | 0 | 20.97 | 81 | 205.74 | 25 | 63.5 | 34 | 86.36 | R-404A | 3.16 |
| The Delfield Company | Delfield | SSR1S-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 18.25 | | 18.25 | 81 | 205.74 | 29 | 73.66 | 26 | 66.04 | R-404A | 2.6586 |
| The Delfield Company | Delfield | SSR1S-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 18.25 | | 18.25 | 81 | 205.74 | 29 | 73.66 | 26 | 66.04 | R-404A | 2.6586 |
| The Delfield Company | Delfield | SSR2-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 51.92 | | 51.92 | 81 | 205.74 | 56 | 142.2 | 34 | 86.36 | R-404A | 4.5139 |
| The Delfield Company | Delfield | SSR2-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 51.92 | | 51.92 | 81 | 205.74 | 56 | 142.2 | 34 | 86.36 | R-404A | 4.5139 |
| The Delfield Company | Delfield | SSR2N-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 43.94 | | 43.94 | 81 | 205.74 | 48 | 121.9 | 34 | 86.36 | R-404A | 4.3115 |
| The Delfield Company | Delfield | SSR2N-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 43.94 | | 43.94 | 81 | 205.74 | 48 | 121.9 | 34 | 86.36 | R-404A | 4.3115 |
| The Delfield Company | Delfield | SSR2S-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 37.96 | | 37.96 | 81 | 205.74 | 56 | 142.2 | 26 | 66.04 | R-404A | 2.9816 |
| The Delfield Company | Delfield | SSR2S-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 37.96 | | 37.96 | 81 | 205.74 | 56 | 142.2 | 26 | 66.04 | R-404A | 2.9816 |
| The Delfield Company | Delfield | SSR3-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 78.89 | | 78.89 | 81 | 205.74 | 83 | 210.8 | 34 | 86.36 | R-404A | 5.5059 |
| The Delfield Company | Delfield | SSR3-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 6 | 78.89 | | 78.89 | 81 | 205.74 | 83 | 210.8 | 34 | 86.36 | R-404A | 5.5059 |
| The Delfield Company | Delfield | SSR3S-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 3 | 57.57 | 0 | 57.57 | 81 | 205.74 | 83 | 210.8 | 26 | 66.04 | R-404A | 7.488 |
| The Delfield Company | Delfield | SSR3S-SH | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 6 | 57.57 | 0 | 57.57 | 81 | 205.74 | 83 | 210.8 | 26 | 66.04 | R-404A | 7.488 |
| The Delfield Company | Delfield | SSRPT1-GHSH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 1 | 26.64 | | 26.64 | 81 | 205.74 | 29 | 73.66 | 36.25 | 92.08 | R-404A | 4.5838 |
| The Delfield Company | Delfield | SSRPT1-GS | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 1 | 26.64 | | 26.64 | 81 | 205.74 | 29 | 73.66 | 36.25 | 92.08 | R-404A | 4.5838 |
| The Delfield Company | Delfield | SSRPT1-S | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 26.64 | | 26.64 | 81 | 205.74 | 29 | 73.66 | 36.25 | 92.08 | R-404A | 3.1352 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|--------------|-------------------------|---------------------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| The Delfield Company | Delfield | SSRPT1-SH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 26.64 | | 26.64 | 81 | 205.74 | 29 | 73.66 | 36.25 | 92.08 | R-404A | 3.1352 |
| The Delfield Company | Delfield | SSRPT2-S | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 55.42 | | 55.42 | 81 | 205.74 | 56 | 142.2 | 36.25 | 92.08 | R-404A | 5.9552 |
| The Delfield Company | Delfield | SSRPT2-SH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 4 | 55.42 | | 55.42 | 81 | 205.74 | 56 | 142.2 | 36.25 | 92.08 | R-404A | 5.9552 |
| The Delfield Company | Delfield | SSRPT3-S | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 3 | 84.19 | 0 | 84.19 | 81 | 205.74 | 83 | 210.8 | 36.25 | 92.08 | R-404A | 8.8435 |
| The Delfield Company | Delfield | SSRPT3-SH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 6 | 84.19 | 0 | 84.19 | 81 | 205.74 | 83 | 210.8 | 36.25 | 92.08 | R-404A | 8.8435 |
| The Delfield Company | Delfield | SSRRI1-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 1 | 36.15 | | 36.15 | 89 | 226.06 | 34 | 86.36 | 34 | 86.36 | R-404A | 3.7913 |
| The Delfield Company | Delfield | SSRRI2-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 2 | 74.72 | 0 | 74.72 | 89 | 226.06 | 66 | 167.6 | 34 | 86.36 | R-404A | 5.8594 |
| The Delfield Company | Delfield | SSRRI3-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 3 | 113.28 | | 113.3 | 89 | 226.06 | 98 | 248.9 | 34 | 86.36 | R-404A | 7.5648 |
| The Delfield Company | Delfield | SSRRT1-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 1 | 79.74 | | 79.74 | 89 | 226.06 | 98 | 248.9 | 36.25 | 92.08 | R-404A | 6.7671 |
| The Delfield Company | Delfield | SSRRT2-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 2 | 79.74 | 0 | 79.74 | 89 | 226.06 | 98 | 248.9 | 36.25 | 92.08 | R-404A | 6.7671 |
| The Delfield Company | Delfield | SSRRT2-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 4 | 79.74 | 0 | 79.74 | 91 | 231.14 | 66 | 167.6 | 36.25 | 92.08 | R-404A | 9.0564 |
| The Delfield Company | Delfield | SSRRT3-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 6 | 120.9 | 0 | 120.9 | 91 | 231.14 | 98 | 248.9 | 36.25 | 92.08 | R-404A | 8.0052 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|-------------------------|-------------------|-------------------------|---------------------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| The Delfield Company | Delfield | SSRRT3-S | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 6 | 120.9 | 0 | 234.2 | 89 | 226.06 | 98 | 248.9 | 36.25 | 92.08 | R-404A | 8.0052 |
| The Delfield Company | Delfield | ST4048 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 11.4 | | 11.4 | 39.5 | 100.33 | 48 | 121.9 | 28.5 | 72.39 | R-404A | 2.0362 |
| The Delfield Company | Delfield | UC4048 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 11.4 | | 11.4 | 35.5 | 90.17 | 48 | 121.9 | 28.5 | 72.39 | R-404A | 2.0362 |
| Duke Manufacturing Co. | Duke Manufacturing | RBC-48 | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 11.8 | | 11.8 | 36 | 91.44 | 48 | 121.9 | 29.5 | 74.93 | R-134A | 2.44 |
| Duke Manufacturing Co. | Duke Manufacturing | RBC-60 | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 16.5 | | 16.5 | 36 | 91.44 | 60 | 152.4 | 29.5 | 74.93 | R-134A | 3.31 |
| Duke Manufacturing Co. | Duke Manufacturing | RUF-48 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 12.4 | | 12.4 | 40.5 | 102.87 | 48.25 | 122.6 | 29.5 | 74.93 | R-134A | 2.83 |
| Electrolux Professional | Electrolux Professional | 726378 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 57.06 | | 57.06 | 89.5 | 227.33 | 402 | 1021 | 457.9 | 1163 | R-134A | 5.55 |
| Electrolux Professional | Electrolux Professional | 726594 RH06RE1FEU | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 19.86 | | 19.86 | 80.78 | 205.18 | 29.53 | 75 | 31.89 | 81 | R-134A | 2.04 |
| Electrolux Professional | Electrolux Professional | 726598 RH14RE2FEU | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 43.74 | | 43.74 | 80.78 | 205.18 | 59.06 | 150 | 31.89 | 81 | R-134A | 4.09 |
| Electrolux Professional | Electrolux Professional | 726673 PR43RE1FEU | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 13.55 | | 13.55 | 83.15 | 211.2 | 23.6 | 59.94 | 26.2 | 66.55 | R-134A | 2.66 |
| Electrolux Professional | Electrolux Professional | 726674 RI93RE1FEU | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 31.78 | | 31.78 | 83.1 | 211.07 | 29.5 | 74.93 | 38.58 | 97.99 | R-134A | 3.66 |
| Electrolux Professional | Electrolux Professional | 726682 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 9 | 0 | 9 | 37.4 | 95 | 50.15 | 127.4 | 27.55 | 69.98 | R-134A | 2.43 |
| Electrolux Professional | Electrolux Professional | 726683 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 12.88 | 0 | 12.88 | 37.4 | 95 | 69.25 | 175.9 | 27.55 | 69.98 | R-134A | 2.36 |
| Electrolux Professional | Electrolux Professional | 726684 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 16.77 | 0 | 16.77 | 37.4 | 95 | 88.34 | 224.4 | 27.55 | 69.98 | R-134A | 2.86 |
| Electrolux Professional | Electrolux Professional | RH06RE2HU/726677 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 19.86 | | 19.86 | 80.8 | 205.23 | 29.5 | 74.93 | 31.88 | 80.98 | R-134A | 2.04 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|-------------------------|------------------|-------------------------|---------------------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Electrolux Professional | Electrolux Professional | RH14DD2FU/726484 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 39.72 | | 39.72 | 80.7 | 204.98 | 59.05 | 150 | 31.88 | 80.98 | R-134A | 3.87 |
| Electrolux Professional | Electrolux Professional | RH14DD3FU/726488 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 40.34 | | 40.34 | 80.7 | 204.98 | 59.05 | 150 | 31.88 | 80.98 | R-134A | 5.58 |
| Electrolux Professional | Electrolux Professional | RH14RE4HU/726679 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 43.74 | | 43.74 | 80.7 | 204.98 | 59.05 | 150 | 31.88 | 80.98 | R-134A | 4.09 |
| Fagor Commercial | Fagor | QR-1 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 23 | 0 | 23 | 83.75 | 212.73 | 28 | 71.12 | 31.5 | 80.01 | R-134A | 3.32 |
| Fagor Commercial | Fagor | QR-2 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 49 | 0 | 49 | 83.75 | 212.73 | 55.25 | 140.3 | 31.5 | 80.01 | R-134A | 5.75 |
| Follett Corporation | Follett | REF5 | Commercial Refrigerator | Under-counter Cabinet | Automatic | 1 | 4.5 | | 4.5 | 34.5 | 87.63 | 24 | 60.96 | 26 | 66.04 | R-404A | 2.2 |
| Glastender, Inc. | Glastender | BB108 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 32 | 0 | 32 | 35 | 88.9 | 108 | 274.3 | 24 | 60.96 | R-134A | 4.615 |
| Glastender, Inc. | Glastender | BB60 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 15.4 | 0 | 15.4 | 35 | 88.9 | 60 | 152.4 | 24 | 60.96 | R-134A | 3.06 |
| Glastender, Inc. | Glastender | BB84 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 23.65 | 0 | 23.65 | 35 | 88.9 | 84 | 213.4 | 24 | 60.96 | R-134A | 3.61 |
| Glastender, Inc. | Glastender | ND52 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 12.55 | 0 | 12.55 | 35 | 88.9 | 52 | 132.1 | 24 | 60.96 | R-134A | 2.84 |
| Glastender, Inc. | Glastender | UCR24 | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 1 | 3.41 | 0 | 3.41 | 31.38 | 79.69 | 24 | 60.96 | 24 | 60.96 | R-134A | 1.94 |
| Turbo Air Inc. | Green World | GSB-23SR | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 21 | | 21 | 78 | 198.12 | 27 | 68.58 | 31 | 78.74 | R-134A | 2.69 |
| Turbo Air Inc. | Green World | GSB-49DR | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 41.2 | | 41.2 | 78 | 198.12 | 54 | 137.2 | 31 | 78.74 | R-134A | 5.25 |
| Turbo Air Inc. | Green World | GUC-28-SR | Commercial Refrigerator | Under-counter Cabinet | Automatic | 1 | 6.7 | | 6.7 | 30 | 76.2 | 28 | 71.12 | 30 | 76.2 | R-134A | 2.69 |
| Turbo Air Inc. | Green World | GUC-48DR | Commercial Refrigerator | Under-counter Cabinet | Automatic | 2 | 12.3 | | 12.3 | 30 | 76.2 | 48 | 121.9 | 30 | 76.2 | R-134A | 2.82 |
| Traulsen & Co., Inc. | Hobart | DA-1 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 23.1 | | 23.1 | 77 | 195.58 | 28 | 71.12 | 34 | 86.36 | R-134A | 3.74 |
| Hoshizaki America, Inc. | Hoshizaki America | HUR40A | Commercial Refrigerator | Under-counter Cabinet | Automatic | 1 | 9.3 | | 9.3 | 40.2 | 102.11 | 32.3 | 82.04 | 33.9 | 86.11 | R-134A | 2.44 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|----------------------|--------------|-------------------------|-----------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| Hoshizaki America, Inc. | Hoshizaki America | HUR68A | Commercial Refrigerator | Under-counter Cabinet | Automatic | 2 | 20.2 | | 20.2 | 68 | 172.72 | 32.3 | 82.04 | 33.9 | 86.11 | R-134A | 2.77 |
| Hoshizaki America, Inc. | Hoshizaki America | HUR96A | Commercial Refrigerator | Under-counter Cabinet | Automatic | 3 | 31.1 | | 31.1 | 33.9 | 86.11 | 95.8 | 243.3 | 32.3 | 82.04 | R-134A | 4.5 |
| Hoshizaki America, Inc. | Hoshizaki America | HWR40A | Commercial Refrigerator | Under-counter Cabinet | Automatic | 1 | 9.3 | | 9.3 | 35.9 | 91.19 | 40.2 | 102.1 | 32.3 | 82.04 | R-134A | 2.44 |
| Hoshizaki America, Inc. | Hoshizaki America | HWR68A | Commercial Refrigerator | Under-counter Cabinet | Automatic | 2 | 20.2 | | 20.2 | 35.9 | 91.19 | 68 | 172.7 | 32.3 | 82.04 | R-134A | 2.77 |
| Hoshizaki America, Inc. | Hoshizaki America | HWR96A | Commercial Refrigerator | Under-counter Cabinet | Automatic | 3 | 31.1 | | 31.1 | 35.9 | 91.19 | 96 | 243.8 | 32.3 | 82.04 | R-404A | 4.5 |
| Hoshizaki America, Inc. | Hoshizaki America | RH1-AAC | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 20.85 | | 20.85 | 84.5 | 214.63 | 27.5 | 69.85 | 33.6 | 85.34 | R-404A | 4.108 |
| Hoshizaki America, Inc. | Hoshizaki America | RH1-AAC-W | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 20.85 | | 20.85 | 84.5 | 214.63 | 27.5 | 69.85 | 33.6 | 85.34 | R-404A | 2.04 |
| Hoshizaki America, Inc. | Hoshizaki America | RH1-SSB | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 20.6 | | 20.6 | 84.5 | 214.63 | 27.5 | 69.85 | 34 | 86.36 | R-404A | 3.6 |
| Hoshizaki America, Inc. | Hoshizaki America | RH2-AAC | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.1 | | 46.1 | 84.5 | 214.63 | 55 | 139.7 | 33.6 | 85.34 | R-404A | 6.464 |
| Hoshizaki America, Inc. | Hoshizaki America | RH2-SSB | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 45.05 | | 45.05 | 84.5 | 214.63 | 55 | 139.7 | 33.6 | 85.34 | R-404A | 6.145 |
| Hoshizaki America, Inc. | Hoshizaki America | RH3-SSB | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 74.02 | | 74.02 | 84.5 | 214.63 | 82.5 | 209.6 | 33.6 | 85.34 | R-404A | 9.23 |
| LabrepcO, Inc. | LABREPCO | LABN-24-SD | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24 | | 24 | 81.5 | 207.01 | 27.5 | 69.85 | 34.88 | 88.6 | R-134A | 4.369 |
| LabrepcO, Inc. | LABREPCO | LABN-52-SD | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 52 | | 52 | 81.5 | 207.01 | 55 | 139.7 | 34.88 | 88.6 | R-134A | 6.901 |
| LabrepcO, Inc. | LABREPCO | LABN-80-SD | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 80 | | 80 | 81.5 | 207.01 | 82.5 | 209.6 | 34.88 | 88.6 | R-134A | 7.681 |
| Master-Bilt Products | Master-Bilt | BSD-24SR | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 19.5 | 0 | 19.5 | 82.5 | 209.55 | 27.6 | 70.1 | 34 | 86.36 | R-134A | 3.312 |
| Master-Bilt Products | Master-Bilt | BSD-52DR | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.4 | 0 | 46.4 | 82.5 | 209.55 | 55 | 139.7 | 34 | 86.36 | R-134A | 5.125 |
| Master-Bilt Products | Master-Bilt | BSD-80TR | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 70.6 | 0 | 70.6 | 82.5 | 209.55 | 82.6 | 209.8 | 34 | 86.36 | R-404A | 5.559 |
| Master-Bilt Products | Master-Bilt | WSD-24SR | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 19.5 | 0 | 19.5 | 82.5 | 209.55 | 27.6 | 70.1 | 34 | 86.36 | R-134A | 3.312 |
| McCall Refrigeration | McCall Refrigeration | 1-1045 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 48.5 | | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-134A | 6.67 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|----------------------|--------------|-------------------------|------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| McCall Refrigeration | McCall Refrigeration | 1-1045A | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 48.5 | | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-134A | 6.67 |
| McCall Refrigeration | McCall Refrigeration | 1-1045ALC | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 48.5 | | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-134A | 6.67 |
| McCall Refrigeration | McCall Refrigeration | 1-1045C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 48.5 | | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-134A | 6.67 |
| McCall Refrigeration | McCall Refrigeration | 1-1045L | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 48.5 | | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-134A | 6.67 |
| McCall Refrigeration | McCall Refrigeration | 2-2045A | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 48.5 | | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-134A | 6.67 |
| McCall Refrigeration | McCall Refrigeration | 2-2045ALC | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 48.5 | | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-134A | 6.67 |
| McCall Refrigeration | McCall Refrigeration | 2-2045C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 48.5 | | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-134A | 6.67 |
| McCall Refrigeration | McCall Refrigeration | 2-2045L | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 48.5 | | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-134A | 6.67 |
| McCall Refrigeration | McCall Refrigeration | 4-4045 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 48.5 | | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-134A | 6.67 |
| McCall Refrigeration | McCall Refrigeration | 4-4045A | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 48.5 | | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-134A | 6.67 |
| McCall Refrigeration | McCall Refrigeration | 4-4045C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 48.5 | | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-134A | 6.67 |
| McCall Refrigeration | McCall Refrigeration | 4-4045L | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 48.5 | | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-134A | 6.67 |
| McCall Refrigeration | McCall Refrigeration | 2-2045 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 48.5 | | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-134A | 6.67 |
| McCall Refrigeration | McCall Refrigeration | 4-4045ALC | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 48.5 | | 48.5 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-134A | 6.67 |
| McCall Refrigeration | McCall Refrigeration | 1-1020 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-134A | 3.93 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|----------------------|----------------------------------|-------------------------|------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| McCall Refrigeration | McCall Refrigeration | 1-102001 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-134A | 3.93 |
| McCall Refrigeration | McCall Refrigeration | 1-102001, 1-102001A, 1-102001L | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.8 | 88.39 | R-134A | 3.88 |
| McCall Refrigeration | McCall Refrigeration | 1-102001A | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-134A | 3.93 |
| McCall Refrigeration | McCall Refrigeration | 1-102001C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-134A | 3.93 |
| McCall Refrigeration | McCall Refrigeration | 1-102001C, 1-102001ALC, 2-202001 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.8 | 88.39 | R-134A | 3.88 |
| McCall Refrigeration | McCall Refrigeration | 1-102001L | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-134A | 3.93 |
| McCall Refrigeration | McCall Refrigeration | 1-1020A | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-134A | 3.93 |
| McCall Refrigeration | McCall Refrigeration | 1-1020C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-134A | 3.93 |
| McCall Refrigeration | McCall Refrigeration | 1-1020L | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-134A | 3.93 |
| McCall Refrigeration | McCall Refrigeration | 2-2020 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-134A | 3.93 |
| McCall Refrigeration | McCall Refrigeration | 2-202001 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-134A | 3.93 |
| McCall Refrigeration | McCall Refrigeration | 2-202001A | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-134A | 3.93 |
| McCall Refrigeration | McCall Refrigeration | 2-202001A, 2-202001L, 2-202001C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.8 | 88.39 | R-134A | 3.88 |
| McCall Refrigeration | McCall Refrigeration | 2-202001ALC, 4-402001, 4-402001A | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.8 | 88.39 | R-134A | 3.88 |
| McCall Refrigeration | McCall Refrigeration | 2-202001C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-134A | 3.93 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|----------------------|-----------------------------------|-------------------------|------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| McCall Refrigeration | McCall Refrigeration | 2-202001L | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-134A | 3.93 |
| McCall Refrigeration | McCall Refrigeration | 2-2020A | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-134A | 3.93 |
| McCall Refrigeration | McCall Refrigeration | 2-2020C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-134A | 3.93 |
| McCall Refrigeration | McCall Refrigeration | 2-2020L | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-134A | 3.93 |
| McCall Refrigeration | McCall Refrigeration | 4-4020 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-134A | 3.93 |
| McCall Refrigeration | McCall Refrigeration | 4-402001 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-134A | 3.93 |
| McCall Refrigeration | McCall Refrigeration | 4-402001A | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-134A | 3.93 |
| McCall Refrigeration | McCall Refrigeration | 4-402001C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-134A | 3.93 |
| McCall Refrigeration | McCall Refrigeration | 4-402001L | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-134A | 3.93 |
| McCall Refrigeration | McCall Refrigeration | 4-402001L, 4-402001C, 4-402001ALC | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.8 | 88.39 | R-134A | 3.88 |
| McCall Refrigeration | McCall Refrigeration | 4-4020A | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-134A | 3.93 |
| McCall Refrigeration | McCall Refrigeration | 4-4020C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-134A | 3.93 |
| McCall Refrigeration | McCall Refrigeration | 4-4020L | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 22.4 | | 22.4 | 84.5 | 214.63 | 27.5 | 69.85 | 34.81 | 88.42 | R-134A | 3.93 |
| McCall Refrigeration | McCall Refrigeration | 4-404501 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 48.9 | | 48.9 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-134A | 6.2 |
| McCall Refrigeration | McCall Refrigeration | 4-404501A | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 48.9 | | 48.9 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-134A | 6.2 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|----------------------|--------------|-------------------------|---------------------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|------|-------|------------------|---------------------------------------|
| McCall Refrigeration | McCall Refrigeration | 4-404501C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 48.9 | | 48.9 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-134A | 6.2 |
| McCall Refrigeration | McCall Refrigeration | 4-404501L | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 48.9 | | 48.9 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-134A | 6.2 |
| McCall Refrigeration | McCall Refrigeration | 7-7045T01 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 48.9 | | 48.9 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-134A | 6.2 |
| McCall Refrigeration | McCall Refrigeration | 7-7045T01A | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 48.9 | | 48.9 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-134A | 6.2 |
| McCall Refrigeration | McCall Refrigeration | 7-7045T01C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 48.9 | | 48.9 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-134A | 6.2 |
| McCall Refrigeration | McCall Refrigeration | 7-7045T01L | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 48.9 | | 48.9 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-134A | 6.2 |
| McCall Refrigeration | McCall Refrigeration | KR-201 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 48.9 | | 48.9 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-134A | 6.2 |
| McCall Refrigeration | McCall Refrigeration | KR-201A | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 48.9 | | 48.9 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-134A | 6.2 |
| McCall Refrigeration | McCall Refrigeration | KR-201C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 48.9 | | 48.9 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-134A | 6.2 |
| McCall Refrigeration | McCall Refrigeration | KR-201L | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 48.9 | | 48.9 | 84.5 | 214.63 | 55 | 139.7 | 34.8 | 88.39 | R-134A | 6.2 |
| McCall Refrigeration | McCall Refrigeration | L1-1001 | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 1 | 39.3 | | 39.3 | 85 | 215.9 | 39 | 99.06 | 54 | 137.2 | R-134A | 5.34 |
| McCall Refrigeration | McCall Refrigeration | L1-1002 | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 2 | 73.3 | | 73.3 | 85 | 215.9 | 67 | 170.2 | 54 | 137.2 | R-134A | 9.27 |
| McCall Refrigeration | McCall Refrigeration | L2-2001 | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 1 | 39.93 | | 39.93 | 85 | 215.9 | 39 | 99.06 | 54 | 137.2 | R-134A | 5.34 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|----------------------|--------------|-------------------------|---------------------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|------|-------|------------------|---------------------------------------|
| McCall Refrigeration | McCall Refrigeration | L2-2002 | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 2 | 73.3 | | 73.3 | 85 | 215.9 | 67 | 170.2 | 54 | 137.2 | R-134A | 9.27 |
| McCall Refrigeration | McCall Refrigeration | L4-4001 | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 1 | 39.93 | | 39.93 | 85 | 215.9 | 39 | 99.06 | 54 | 137.2 | R-134A | 5.34 |
| McCall Refrigeration | McCall Refrigeration | L4-4002 | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 2 | 73.3 | | 73.3 | 85 | 215.9 | 67 | 170.2 | 54 | 137.2 | R-134A | 9.27 |
| McCall Refrigeration | McCall Refrigeration | UL1-1001 | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 1 | 39.93 | | 39.93 | 85 | 215.9 | 39 | 99.06 | 54 | 137.2 | R-134A | 5.25 |
| McCall Refrigeration | McCall Refrigeration | UL2-2001 | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 1 | 39.93 | | 39.93 | 85 | 215.9 | 39 | 99.06 | 54 | 137.2 | R-134A | 5.25 |
| McCall Refrigeration | McCall Refrigeration | UL4-4001 | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 1 | 39.93 | | 39.93 | 85 | 215.9 | 39 | 99.06 | 54 | 137.2 | R-134A | 5.25 |
| Nor-Lake Incorporated | Nor-Lake | BR241***/0 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 19.5 | | 19.5 | 82.5 | 209.55 | 27.6 | 70.1 | 34 | 86.36 | R-134A | 3.312 |
| Nor-Lake Incorporated | Nor-Lake | BR241***/OW | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 19.5 | | 19.5 | 82.5 | 209.55 | 27.6 | 70.1 | 34 | 86.36 | R-134A | 2.441 |
| Nor-Lake Incorporated | Nor-Lake | BR522***/0 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.4 | | 46.4 | 82.5 | 209.55 | 55 | 139.7 | 34 | 86.36 | R-134A | 5.125 |
| Nor-Lake Incorporated | Nor-Lake | BR803***/0 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 70.6 | | 70.6 | 82.5 | 209.55 | 82.6 | 209.8 | 34 | 86.36 | R-404A | 5.559 |
| Nor-Lake Incorporated | Nor-Lake | DR082***/0 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 13 | | 13 | 36 | 91.44 | 47 | 119.4 | 33 | 83.82 | R-134A | 3.022 |
| Nor-Lake Incorporated | Nor-Lake | DR122***/0 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 19.9 | | 19.9 | 36 | 91.44 | 61 | 154.9 | 33 | 83.82 | R-134A | 3.995 |
| Nor-Lake Incorporated | Nor-Lake | DR162***/0 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 25.6 | | 25.6 | 36 | 91.44 | 75 | 190.5 | 33 | 83.82 | R-134A | 4.43 |
| Nor-Lake Incorporated | Nor-Lake | AR082***/0 | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 11 | | 11 | 44 | 111.76 | 35 | 88.9 | 34 | 86.36 | R-22 | 2.05 |
| Nor-Lake Incorporated | Nor-Lake | AR084***/0 | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 11 | | 11 | 44 | 111.76 | 35 | 88.9 | 35 | 88.9 | R-134A | 1.74 |
| Nor-Lake Incorporated | Nor-Lake | AR122***/0 | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 17.4 | | 17.4 | 44 | 111.76 | 49 | 124.5 | 34 | 86.36 | R-22 | 2.12 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|---------------|-------------------------|-----------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Nor-Lake Incorporated | Nor-Lake | AR124***/0 | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 17.5 | | 17.5 | 44 | 111.76 | 49 | 124.5 | 35 | 88.9 | R-134A | 2.58 |
| Nor-Lake Incorporated | Nor-Lake | AR162***/0 | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 21.75 | | 21.75 | 44 | 111.76 | 63 | 160 | 34 | 86.36 | R-22 | 2.84 |
| Nor-Lake Incorporated | Nor-Lake | AR164***/0 | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 21.75 | | 21.75 | 44 | 111.76 | 63 | 160 | 35 | 88.9 | R-22 | 2.13 |
| Nor-Lake Incorporated | Nor-Lake | GR422***/0 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 40 | | 40 | 64.88 | 164.78 | 63.38 | 161 | 34 | 86.36 | R-134A | 4.72 |
| Nor-Lake Incorporated | Nor-Lake | LR061WWW/0 | Commercial Refrigerator | Under-counter Cabinet | Automatic | 1 | 4.5 | | 4.5 | 34 | 86.36 | 23 | 58.42 | 24 | 60.96 | R-134A | 0.6 |
| Nor-Lake Incorporated | Nor-Lake | NR241SMS/0 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24 | | 24 | 81.5 | 207.01 | 27.5 | 69.85 | 34.88 | 88.58 | R-134A | 4.369 |
| Nor-Lake Incorporated | Nor-Lake | NR241SSS/0 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24 | | 24 | 81.5 | 207.01 | 27.5 | 69.85 | 34.88 | 88.58 | R-134A | 4.369 |
| Nor-Lake Incorporated | Nor-Lake | NR242SMS/0 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 24 | | 24 | 81.5 | 207.01 | 27.5 | 69.85 | 34.88 | 88.58 | R-134A | 4.369 |
| Nor-Lake Incorporated | Nor-Lake | NR242SSS/0 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 24 | | 24 | 81.5 | 207.01 | 27.5 | 69.85 | 34.88 | 88.58 | R-134A | 4.369 |
| Nor-Lake Incorporated | Nor-Lake | NR522SMS/0 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 52 | | 52 | 81.5 | 207.01 | 55 | 139.7 | 34.88 | 88.58 | R-134A | 6.901 |
| Nor-Lake Incorporated | Nor-Lake | NR522SSS/0 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 52 | | 52 | 81.5 | 207.01 | 55 | 139.7 | 34.88 | 88.58 | R-134A | 6.901 |
| Nor-Lake Incorporated | Nor-Lake | NR524SMS/0 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 52 | | 52 | 81.5 | 207.01 | 55 | 139.7 | 34.88 | 88.58 | R-134A | 6.901 |
| Nor-Lake Incorporated | Nor-Lake | NR524SSS/0 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 52 | | 52 | 81.5 | 207.01 | 55 | 139.7 | 34.88 | 88.58 | R-134A | 6.901 |
| Nor-Lake Incorporated | Nor-Lake | NR803SMS/8 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 80 | | 80 | 81.5 | 207.01 | 82.5 | 209.6 | 34.88 | 88.58 | R-134A | 7.681 |
| Nor-Lake Incorporated | Nor-Lake | NR803SSS/8 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 80 | | 80 | 81.5 | 207.01 | 82.5 | 209.6 | 34.88 | 88.58 | R-134A | 7.681 |
| Nor-Lake Incorporated | Nor-Lake | NR806SMS/8 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 6 | 80 | | 80 | 81.5 | 207.01 | 82.5 | 209.6 | 34.88 | 88.58 | R-134A | 7.681 |
| Nor-Lake Incorporated | Nor-Lake | NR806SSS/8 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 6 | 80 | | 80 | 81.5 | 207.01 | 82.5 | 209.6 | 34.88 | 88.58 | R-134A | 7.681 |
| Nor-Lake Incorporated | Nor-Lake | NSFR241WMW/0M | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 24 | | 24 | 81 | 205.74 | 28 | 71.12 | 30 | 76.2 | R-404A | 1.19 |
| Nor-Lake Incorporated | Nor-Lake | NSLR041WMW/0M | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 4.6 | | 4.6 | 35 | 88.9 | 24 | 60.96 | 25 | 63.5 | R-134A | 1.69 |
| Nor-Lake Incorporated | Nor-Lake | NSLR051SSS/0M | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 5 | | 5 | 35 | 88.9 | 27 | 68.58 | 25 | 63.5 | R-134A | 1.69 |
| Nor-Lake Incorporated | Nor-Lake | NSLR051WMW/0M | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 5 | | 5 | 35 | 88.9 | 27 | 68.58 | 25 | 63.5 | R-134A | 1.69 |
| Nor-Lake Incorporated | Nor-Lake | NSLR241WMW/0M | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 24 | | 24 | 81 | 205.74 | 28 | 71.12 | 30 | 76.2 | R-404A | 1.19 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|--------------|-------------------------|------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| Nor-Lake Incorporated | Nor-Lake | NSP242WWW/0 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 24 | | 24 | 81.5 | 207.01 | 27.5 | 69.85 | 34.88 | 88.58 | R-134A | 4.369 |
| Nor-Lake Incorporated | Nor-Lake | NSPR241WWW/0 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24 | | 24 | 81.5 | 207.01 | 27.5 | 69.85 | 34.88 | 88.58 | R-134A | 4.369 |
| Nor-Lake Incorporated | Nor-Lake | NSPR522WWW/0 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 52 | | 52 | 81.5 | 207.01 | 55 | 139.7 | 34.88 | 88.58 | R-134A | 6.901 |
| Nor-Lake Incorporated | Nor-Lake | NSPR524WWW/0 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 52 | | 52 | 81.5 | 207.01 | 55 | 139.7 | 34.88 | 88.58 | R-134A | 6.901 |
| Nor-Lake Incorporated | Nor-Lake | NSPR803WWW/8 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 80 | | 80 | 81.5 | 207.01 | 82.5 | 209.6 | 34.88 | 88.58 | R-134A | 7.681 |
| Nor-Lake Incorporated | Nor-Lake | NSPR806WWW/0 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 6 | 80 | | 80 | 81.5 | 207.01 | 82.5 | 209.6 | 34.88 | 88.58 | R-134A | 7.681 |
| Nor-Lake Incorporated | Nor-Lake | SR122***/0 | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 14 | | 14 | 43 | 109.22 | 48 | 121.9 | 34 | 86.36 | R-22 | 2 |
| Nor-Lake Incorporated | Nor-Lake | SR162***/0 | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 18.2 | | 18.2 | 43 | 109.22 | 63 | 160 | 34 | 86.36 | R-22 | 2.23 |
| Perlick Corporation | Perlick | BC24 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 4 | | 4 | 34.5 | 87.63 | 24 | 60.96 | 24 | 60.96 | R-134A | 1.17 |
| Perlick Corporation | Perlick | BC36 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 7.6 | | 7.6 | 34.5 | 87.63 | 36 | 91.44 | 24 | 60.96 | R-134A | 1.22 |
| Perlick Corporation | Perlick | BC48 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 12.6 | | 12.6 | 34.5 | 87.63 | 48 | 121.9 | 24 | 60.96 | R-134A | 3.13 |
| Perlick Corporation | Perlick | BC60 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 16.5 | | 16.5 | 34.5 | 87.63 | 60 | 152.4 | 24 | 60.96 | R-134A | 3.03 |
| Perlick Corporation | Perlick | BC72 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 20.6 | | 20.6 | 34.5 | 87.63 | 72 | 182.9 | 24 | 60.96 | R-134A | 3.03 |
| Perlick Corporation | Perlick | BC96 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 28.7 | | 28.7 | 34.5 | 87.63 | 96 | 243.8 | 24 | 60.96 | R-134A | 3.78 |
| Perlick Corporation | Perlick | BS32 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 7 | | 7 | 34.5 | 87.63 | 32 | 81.28 | 24.75 | 62.87 | R-134A | 1.72 |
| Perlick Corporation | Perlick | CS60 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 15.4 | | 15.4 | 34.5 | 87.63 | 60 | 152.4 | 24.75 | 62.87 | R-134A | 3.53 |
| Perlick Corporation | Perlick | CS84 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 23.9 | | 23.9 | 34.5 | 87.63 | 84 | 213.4 | 24.75 | 62.87 | R-134A | 4.36 |
| Perlick Corporation | Perlick | NS52 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 12 | | 12 | 34.5 | 87.63 | 52 | 132.1 | 24.75 | 62.87 | R-134A | 3.01 |
| Perlick Corporation | Perlick | PS84 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 25.7 | | 25.7 | 34.5 | 87.63 | 84 | 213.4 | 26.75 | 67.95 | R-134A | 4.54 |
| Perlick Corporation | Perlick | R24 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 4.7 | | 4.7 | 34.5 | 87.63 | 24 | 60.96 | 24.13 | 61.28 | R-134A | 0.89 |
| Perlick Corporation | Perlick | BS60 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 15.4 | | 15.4 | 34.5 | 87.63 | 60 | 152.4 | 24.75 | 62.87 | R-134A | 3.53 |
| Perlick Corporation | Perlick | BS84 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 23.9 | | 23.9 | 34.5 | 87.63 | 84 | 213.4 | 24.75 | 62.87 | R-134A | 4.36 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|------------------------------|------------------------|--------------|-------------------------|------------------|--------------|------------|---------|---------|-------|-------|--------|------|-------|-------|-------|------------------|---------------------------------------|
| Perlick Corporation | Perlick | CS32 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 7 | | 7 | 34.5 | 87.63 | 32 | 81.28 | 24.75 | 62.87 | R-134A | 1.72 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2010 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 23.1 | | 23.1 | 81.25 | 206.38 | 30 | 76.2 | 33.5 | 85.09 | R-134A | 3.57 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2010E | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 23.1 | | 23.1 | 81.25 | 206.38 | 30 | 76.2 | 33.5 | 85.09 | R-134A | 3.57 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2010EM | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 23.1 | | 23.1 | 81.25 | 206.38 | 30 | 76.2 | 33.5 | 85.09 | R-134A | 3.87 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2010EM-(+) | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 23.1 | | 23.1 | 81.25 | 206.38 | 30 | 76.2 | 33.5 | 85.09 | R-134A | 3.87 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2010M | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 23.1 | | 23.1 | 81.25 | 206.38 | 30 | 76.2 | 33.5 | 85.09 | R-134A | 3.87 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2010M-(+) | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 23.1 | | 23.1 | 81.25 | 206.38 | 30 | 76.2 | 33.5 | 85.09 | R-134A | 3.87 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2020 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.08 | | 46.08 | 81.25 | 206.38 | 55 | 139.7 | 33.5 | 85.09 | R-134A | 6.43 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2020E | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.08 | | 46.08 | 81.25 | 206.38 | 55 | 139.7 | 33.5 | 85.09 | R-134A | 6.43 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2020EM | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.08 | | 46.08 | 81.25 | 206.38 | 55 | 139.7 | 33.5 | 85.09 | R-134A | 6.43 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2020EM-(+) | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.08 | | 46.08 | 81.25 | 206.38 | 55 | 139.7 | 33.5 | 85.09 | R-134A | 6.43 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2020M | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.08 | | 46.08 | 81.25 | 206.38 | 55 | 139.7 | 33.5 | 85.09 | R-134A | 6.43 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2020M-(+) | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.08 | | 46.08 | 81.25 | 206.38 | 55 | 139.7 | 33.5 | 85.09 | R-134A | 6.43 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2030 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 71.8 | | 71.8 | 81.25 | 206.38 | 83 | 210.8 | 33.5 | 85.09 | R-134A | 9.09 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2030E | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 71.8 | | 71.8 | 81.25 | 206.38 | 83 | 210.8 | 33.5 | 85.09 | R-134A | 9.09 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|------------------------------|------------------------|---------------|-------------------------|-----------------------|--------------|------------|---------|---------|-------|-------|--------|------|-------|------|-------|------------------|---------------------------------------|
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2030EM | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 71.8 | | 71.8 | 81.25 | 206.38 | 83 | 210.8 | 33.5 | 85.09 | R-134A | 9.09 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2030EM-(+) | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 71.8 | | 71.8 | 81.25 | 206.38 | 83 | 210.8 | 33.5 | 85.09 | R-134A | 9.09 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2030M | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 71.8 | | 71.8 | 81.25 | 206.38 | 83 | 210.8 | 33.5 | 85.09 | R-134A | 9.09 |
| Randell-Unified Brands, Inc. | Randell Unified Brands | 2030M-(+) | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 71.8 | | 71.8 | 81.25 | 206.38 | 83 | 210.8 | 33.5 | 85.09 | R-134A | 9.09 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | BI604AREF | Commercial Refrigerator | Under-counter Cabinet | Manual | 1 | 6.1 | | 6.1 | 33.5 | 85.09 | 23.7 | 60.2 | 23.5 | 59.69 | R-134A | 2.23 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | ESO6WIAREF | Commercial Refrigerator | Under-counter Cabinet | Manual | 1 | 6.1 | | 6.1 | 33.5 | 85.09 | 23.7 | 60.2 | 23.5 | 59.69 | R-134A | 2.23 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | FS17WIAREF | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 17 | | 17 | 66 | 167.64 | 30 | 76.2 | 30.5 | 77.47 | R-134A | 1.43 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | FSO6WIAREF | Commercial Refrigerator | Under-counter Cabinet | Manual | 1 | 6.1 | | 6.1 | 33.5 | 85.09 | 23.7 | 60.2 | 23.5 | 59.69 | R-134A | 2.23 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | GP1104AREF | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 11.6 | | 11.6 | 51.4 | 130.56 | 20.7 | 52.58 | 18.8 | 47.75 | R-134A | 1.57 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | GP11W1AB | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 11.6 | | 11.6 | 51.4 | 130.56 | 20.7 | 52.58 | 18.8 | 47.75 | R-134A | 1.57 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | GP17W1AREF | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 17 | | 17 | 66 | 167.64 | 30 | 76.2 | 30.5 | 77.47 | R-134A | 1.43 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | GP2104AREF | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 20.7 | | 20.7 | 66 | 167.64 | 33 | 83.82 | 28.5 | 72.39 | R-134A | 1.78 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | GP21WIAREF | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 20.7 | | 20.7 | 66 | 167.64 | 33 | 83.82 | 28.5 | 72.39 | R-134A | 1.78 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | GP26W1AREF | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 25.7 | | 25.7 | 68 | 172.72 | 36 | 91.44 | 33 | 83.82 | R-134A | 2.6 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | SCGP110W1AB | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 11.6 | | 11.6 | 51.4 | 130.56 | 20.7 | 52.58 | 18.8 | 47.75 | R-134A | 1.57 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | SCGP170W1AREF | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 17 | | 17 | 66 | 167.64 | 30 | 76.2 | 30.5 | 77.47 | R-134A | 1.43 |
| Sci-Cool, Inc. | Sci-Cool, Inc. | SCGP210WIAREF | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 20.7 | | 20.7 | 66 | 167.64 | 33 | 83.82 | 28.5 | 72.39 | R-134A | 1.78 |
| Silver King Refrigeration | Silver King | SKM23R | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 23 | | 23 | 78 | 198.12 | 27 | 68.58 | 32.6 | 82.8 | R-404A | 4.27 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|-------------|---------------|-------------------------|-----------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|------|-------|------------------|---------------------------------------|
| Silver King Refrigeration | Silver King | SKR27 | Commercial Refrigerator | Under-counter Cabinet | Automatic | 1 | 6.5 | | 6.5 | 36 | 91.44 | 27 | 68.58 | 30 | 76.2 | R-134A | 2.46 |
| Silver King Refrigeration | Silver King | SKR27 | Commercial Refrigerator | Under-counter Cabinet | Automatic | 1 | 6.5 | 0 | 6.5 | 33 | 83.82 | 27 | 68.58 | 30 | 76.2 | R-134A | 2.42 |
| Silver King Refrigeration | Silver King | SKR48 | Commercial Refrigerator | Under-counter Cabinet | Automatic | 2 | 11.97 | 0 | 11.97 | 33 | 83.82 | 48 | 121.9 | 30 | 76.2 | R-134A | 3.23 |
| Silver King Refrigeration | Silver King | SKSR | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 4.39 | 0 | 4.39 | 20 | 50.8 | 28 | 71.12 | 32 | 81.28 | R-134A | 2.45 |
| Silver King Refrigeration | Silver King | SKTTR7 | Commercial Refrigerator | Under-counter Cabinet | Manual | 1 | 6 | | 6 | 36 | 91.44 | 27 | 68.58 | 29 | 73.66 | R-401A | 1.65 |
| Silver King Refrigeration | Silver King | SKTTR7F | Commercial Refrigerator | Under-counter Cabinet | Automatic | 1 | 6.39 | 0 | 6.39 | 33 | 83.82 | 27 | 68.58 | 30 | 76.2 | R-134A | 2.55 |
| Traulsen & Co., Inc. | Traulsen | AHT132NUT-FHS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 21.9 | | 21.9 | 83.25 | 211.46 | 26.38 | 67 | 35 | 88.9 | R-134A | 3.49 |
| Traulsen & Co., Inc. | Traulsen | AHT132NUT-HHS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 21.9 | | 21.9 | 83.25 | 211.46 | 26.38 | 67 | 35 | 88.9 | R-134A | 3.49 |
| Traulsen & Co., Inc. | Traulsen | AHT132WUT-FHS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.2 | | 24.2 | 83.25 | 211.46 | 29.88 | 75.88 | 35 | 88.9 | R-134A | 3.07 |
| Traulsen & Co., Inc. | Traulsen | AHT132WUT-HHS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 24.2 | | 24.2 | 83.25 | 211.46 | 29.88 | 75.9 | 35 | 88.9 | R-134A | 3.07 |
| Traulsen & Co., Inc. | Traulsen | AHT132WUT-HHS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 25.2 | | 25.2 | 83.25 | 211.46 | 29.9 | 75.95 | 37.9 | 96.27 | R-134A | 3.07 |
| Traulsen & Co., Inc. | Traulsen | AHT232NUT-FHS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46 | | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-134A | 6.6 |
| Traulsen & Co., Inc. | Traulsen | AHT232NUT-HHS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 46 | | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-134A | 6.6 |
| Traulsen & Co., Inc. | Traulsen | AHT232WUT-FHS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 51.8 | | 51.8 | 83.25 | 211.46 | 58 | 147.3 | 35 | 88.9 | R-134A | 6.6 |
| Traulsen & Co., Inc. | Traulsen | AHT232WUT-HHS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 51.8 | | 51.8 | 83.25 | 211.46 | 58 | 147.3 | 35 | 88.9 | R-134A | 6.6 |
| Traulsen & Co., Inc. | Traulsen | AHT332NUT-FHS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 69.1 | | 69.1 | 83.25 | 211.46 | 76.3 | 193.8 | 35 | 88.9 | R-134A | 7.95 |
| Traulsen & Co., Inc. | Traulsen | AHT332NUT-HHS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 6 | 69.1 | | 69.1 | 83.25 | 211.46 | 76.3 | 193.8 | 35 | 88.9 | R-134A | 7.95 |
| Traulsen & Co., Inc. | Traulsen | AHT332WUT-FHS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 79 | | 79 | 83.25 | 211.46 | 86.13 | 218.8 | 37.9 | 96.27 | R-134A | 7.95 |
| Traulsen & Co., Inc. | Traulsen | AHT332WUT-HHS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 6 | 79 | | 79 | 83.25 | 211.46 | 86.13 | 218.8 | 37.9 | 96.27 | R-134A | 7.95 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|-----------------|-------------------------|---------------------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|------|-------|------------------|---------------------------------------|
| Traulsen & Co., Inc. | Traulsen | ARI132LUT-FHS | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 1 | 36.2 | 0 | 36.2 | 83.25 | 211.46 | 35.5 | 90.17 | 32 | 81.28 | R-134A | 5.6 |
| Traulsen & Co., Inc. | Traulsen | ARI232LUT-FHS | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 2 | 73.5 | 0 | 73.5 | 83.25 | 211.46 | 68 | 172.7 | 32 | 81.28 | R-134A | 8.6 |
| Traulsen & Co., Inc. | Traulsen | DA-1 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 23.1 | | 23.1 | 77 | 195.58 | 28 | 71.12 | 34 | 86.36 | R-134A | 3.74 |
| Traulsen & Co., Inc. | Traulsen | G10000 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 24.2 | | 24.2 | 83.25 | 211.46 | 29.88 | 75.9 | 35 | 88.9 | R-134A | 3.18 |
| Traulsen & Co., Inc. | Traulsen | G10000 & G10001 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 24.2 | | 24.2 | 83.25 | 211.46 | 29.88 | 75.88 | 35 | 88.9 | R-134A | 2.85 |
| Traulsen & Co., Inc. | Traulsen | G10000P | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 4 | 24.2 | | 24.2 | 83.23 | 211.4 | 29.9 | 75.95 | 35 | 88.9 | R-134A | 3.4 |
| Traulsen & Co., Inc. | Traulsen | G10001 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 24.2 | | 24.2 | 83.25 | 211.46 | 29.88 | 75.9 | 35 | 88.9 | R-134A | 3.18 |
| Traulsen & Co., Inc. | Traulsen | G10001P | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 4 | 24.2 | | 24.2 | 83.23 | 211.4 | 29.9 | 75.95 | 35 | 88.9 | R-134A | 3.4 |
| Traulsen & Co., Inc. | Traulsen | G10010 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.2 | | 24.2 | 83.25 | 211.46 | 29.88 | 75.88 | 35 | 88.9 | R-134A | 3.18 |
| Traulsen & Co., Inc. | Traulsen | G10010 & G10011 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.2 | | 24.2 | 83.25 | 211.46 | 29.88 | 75.88 | 35 | 88.9 | R-134A | 2.85 |
| Traulsen & Co., Inc. | Traulsen | G10010P | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 24.2 | | 24.2 | 83.23 | 211.4 | 29.9 | 75.95 | 35 | 88.9 | R-134A | 3.4 |
| Traulsen & Co., Inc. | Traulsen | G10011 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.2 | | 24.2 | 83.25 | 211.46 | 29.88 | 75.88 | 35 | 88.9 | R-134A | 3.18 |
| Traulsen & Co., Inc. | Traulsen | G10011P | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 24.2 | | 24.2 | 83.23 | 211.4 | 29.9 | 75.95 | 35 | 88.9 | R-134A | 3.4 |
| Traulsen & Co., Inc. | Traulsen | G20000 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 46 | | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-134A | 5.25 |
| Traulsen & Co., Inc. | Traulsen | G20000P | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 8 | 46 | | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-134A | 6.36 |
| Traulsen & Co., Inc. | Traulsen | G20001 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 46 | | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-134A | 5.25 |
| Traulsen & Co., Inc. | Traulsen | G20001P | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 8 | 46 | | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-134A | 6.36 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|--------------|-------------------------|----------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|------|------|------------------|---------------------------------------|
| Traulsen & Co., Inc. | Traulsen | G20002 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 46 | | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-134A | 5.25 |
| Traulsen & Co., Inc. | Traulsen | G20002P | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 8 | 46 | | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-134A | 6.36 |
| Traulsen & Co., Inc. | Traulsen | G20003 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 46 | | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-134A | 5.25 |
| Traulsen & Co., Inc. | Traulsen | G20003P | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 8 | 46 | | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-134A | 6.36 |
| Traulsen & Co., Inc. | Traulsen | G20010 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46 | | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-134A | 5.25 |
| Traulsen & Co., Inc. | Traulsen | G20010P | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 4 | 46 | | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-134A | 6.36 |
| Traulsen & Co., Inc. | Traulsen | G20011 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46 | | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-134A | 5.25 |
| Traulsen & Co., Inc. | Traulsen | G20011P | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 4 | 46 | | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-134A | 6.36 |
| Traulsen & Co., Inc. | Traulsen | G20012 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46 | | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-134A | 5.25 |
| Traulsen & Co., Inc. | Traulsen | G20012P | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 4 | 46 | | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-134A | 6.36 |
| Traulsen & Co., Inc. | Traulsen | G20013 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46 | | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-134A | 5.25 |
| Traulsen & Co., Inc. | Traulsen | G20013P | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 4 | 46 | | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-134A | 6.36 |
| Traulsen & Co., Inc. | Traulsen | G30000 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 6 | 69.1 | | 69.1 | 83.25 | 211.46 | 76.3 | 193.8 | 35 | 88.9 | R-134A | 8.75 |
| Traulsen & Co., Inc. | Traulsen | G30001 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 6 | 69.1 | | 69.1 | 83.25 | 211.46 | 76.3 | 193.8 | 35 | 88.9 | R-134A | 8.75 |
| Traulsen & Co., Inc. | Traulsen | G30002 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 6 | 69.1 | | 69.1 | 83.25 | 211.46 | 76.3 | 193.8 | 35 | 88.9 | R-134A | 8.75 |
| Traulsen & Co., Inc. | Traulsen | G30003 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 6 | 69.1 | | 69.1 | 83.25 | 211.46 | 76.3 | 193.8 | 35 | 88.9 | R-134A | 8.75 |
| Traulsen & Co., Inc. | Traulsen | G30010 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 69.1 | | 69.1 | 83.25 | 211.46 | 76.31 | 193.8 | 35 | 88.9 | R-134A | 8.75 |
| Traulsen & Co., Inc. | Traulsen | G30011 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 69.1 | | 69.1 | 83.25 | 211.46 | 76.31 | 193.8 | 35 | 88.9 | R-134A | 8.75 |
| Traulsen & Co., Inc. | Traulsen | G30012 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 69.1 | | 69.1 | 83.25 | 211.46 | 76.31 | 193.8 | 35 | 88.9 | R-134A | 8.75 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|---------------|-------------------------|---------------------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|------|-------|------------------|---------------------------------------|
| Traulsen & Co., Inc. | Traulsen | G30013 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 69.1 | | 69.1 | 83.25 | 211.46 | 76.31 | 193.8 | 35 | 88.9 | R-134A | 8.75 |
| Traulsen & Co., Inc. | Traulsen | RHT132NUT-FHS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 21.9 | | 21.9 | 83.25 | 211.46 | 26.38 | 67 | 35 | 88.9 | R-134A | 3.49 |
| Traulsen & Co., Inc. | Traulsen | RHT132NUT-HHS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 21.9 | | 21.9 | 83.25 | 211.46 | 26.38 | 67 | 35 | 88.9 | R-134A | 3.49 |
| Traulsen & Co., Inc. | Traulsen | RHT132WUT-FHS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.2 | | 24.2 | 83.25 | 211.46 | 29.88 | 75.88 | 35 | 88.9 | R-134A | 3.07 |
| Traulsen & Co., Inc. | Traulsen | RHT232NUT-FHS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46 | | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-134A | 6.6 |
| Traulsen & Co., Inc. | Traulsen | RHT232NUT-HHS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 46 | | 46 | 83.25 | 211.46 | 52.13 | 132.4 | 35 | 88.9 | R-134A | 6.6 |
| Traulsen & Co., Inc. | Traulsen | RHT232WUT-FHS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 51.8 | | 51.8 | 83.25 | 211.46 | 58 | 147.3 | 35 | 88.9 | R-134A | 6.6 |
| Traulsen & Co., Inc. | Traulsen | RHT232WUT-HHS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 4 | 51.8 | | 51.8 | 83.25 | 211.46 | 58 | 147.3 | 35 | 88.9 | R-134A | 6.6 |
| Traulsen & Co., Inc. | Traulsen | RHT332NUT-FHS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 69.1 | | 69.1 | 83.25 | 211.46 | 76.3 | 193.8 | 35 | 88.9 | R-134A | 7.95 |
| Traulsen & Co., Inc. | Traulsen | RHT332NUT-HHS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 6 | 69.1 | | 69.1 | 83.25 | 211.46 | 76.3 | 193.8 | 35 | 88.9 | R-134A | 7.95 |
| Traulsen & Co., Inc. | Traulsen | RHT332WUT-FHS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 79 | | 79 | 83.25 | 211.46 | 86.13 | 218.8 | 37.9 | 96.27 | R-134A | 7.95 |
| Traulsen & Co., Inc. | Traulsen | RHT332WUT-HHS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 6 | 79 | | 79 | 83.25 | 211.46 | 86.13 | 218.8 | 37.9 | 96.27 | R-134A | 7.95 |
| Traulsen & Co., Inc. | Traulsen | RRI132LUT-FHS | Commercial Refrigerator | Roll-In or Roll-Through Cabinet | Automatic | 1 | 36.2 | 0 | 36.2 | 83.25 | 211.46 | 35.5 | 90.17 | 32 | 81.28 | R-134A | 5.6 |
| Traulsen & Co., Inc. | Traulsen | RTH132WUT-HHS | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 24.2 | | 24.2 | 83.25 | 211.46 | 29.88 | 75.9 | 35 | 88.9 | R-134A | 3.07 |
| Traulsen & Co., Inc. | Traulsen | UHT27-L | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 7 | | 7 | 27 | 68.58 | 27 | 68.58 | 31 | 78.74 | R-134A | 2.73 |
| Traulsen & Co., Inc. | Traulsen | UHT27-L | Commercial Refrigerator | Under-counter Cabinet | Automatic | 1 | 7 | | 7 | 27 | 68.58 | 27 | 68.58 | 31 | 78.74 | R-134A | 2.31 |
| Traulsen & Co., Inc. | Traulsen | UHT27-R | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 7 | | 7 | 27 | 68.58 | 27 | 68.58 | 31 | 78.74 | R-134A | 2.73 |
| Traulsen & Co., Inc. | Traulsen | UHT27-R | Commercial Refrigerator | Under-counter Cabinet | Automatic | 1 | 7 | | 7 | 27 | 68.58 | 27 | 68.58 | 31 | 78.74 | R-134A | 2.31 |
| Traulsen & Co., Inc. | Traulsen | UHT48-LR | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 13 | | 13 | 27 | 68.58 | 48 | 121.9 | 31 | 78.74 | R-134A | 2.73 |
| Traulsen & Co., Inc. | Traulsen | UHT48-LR | Commercial Refrigerator | Under-counter Cabinet | Automatic | 2 | 13 | | 13 | 27 | 68.58 | 48 | 121.9 | 31 | 78.74 | R-134A | 2.31 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|--|----------------------------|--------------|-------------------------|----------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|------|-------|------------------|---------------------------------------|
| Traulsen & Co., Inc. | Traulsen | UHT60-LR | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 16.8 | | 16.8 | 27 | 68.58 | 60 | 152.4 | 31 | 78.74 | R-134A | 2.73 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | T-12 | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 10.8 | 0 | 10.8 | 62 | 157.48 | 25 | 63.5 | 23 | 58.42 | R-134A | 2.41 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | T-19 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 17.6 | | 17.6 | 78 | 198.12 | 27 | 68.58 | 24.5 | 62.23 | R-134A | 2.75 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | T-23 | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 20.7 | | 20.7 | 78.25 | 198.76 | 27 | 68.58 | 29.5 | 74.93 | R-134A | 2.43 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | T-23 | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 22.6 | 0 | 22.6 | 79 | 200.66 | 27 | 68.58 | 30 | 76.2 | R-134A | 2.43 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | T-23-2 | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 22.5 | | 22.5 | 78.25 | 198.76 | 26.75 | 67.95 | 29.5 | 74.93 | R-134A | 3.94 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | T-23-2 | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 22.6 | 0 | 22.6 | 79 | 200.66 | 27 | 68.58 | 30 | 76.2 | R-134A | 3.1 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | T-23PT | Commercial Refrigerator | Pass-Through Cabinet | Manual | 2 | 24.2 | 0 | 24.2 | 78 | 198.12 | 27 | 68.58 | 33 | 83.82 | R-134A | 3.09 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | T-35 | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 33.1 | | 33.1 | 83.3 | 211.58 | 39.5 | 100.3 | 29.5 | 74.93 | R-134A | 4.58 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|--|----------------------------|--------------|-------------------------|------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|------|-------|------------------|---------------------------------------|
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | T-49 | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 43.5 | 0 | 43.5 | 79 | 200.66 | 54 | 137.2 | 30 | 76.2 | R-134A | 3.502 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | T-49 | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 44 | | 44 | 78.38 | 199.09 | 54.13 | 137.5 | 29.5 | 74.93 | R-134A | 3.502 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | T-72 | Commercial Refrigerator | Reach-in Cabinet | Manual | 3 | 63.1 | | 63.1 | 84.3 | 214.12 | 78 | 198.1 | 29.5 | 74.93 | R-134A | 7.94 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TA1R-1S | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 27.2 | 0 | 27.2 | 78 | 198.12 | 29 | 73.66 | 35 | 88.9 | R-134A | 3.63 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TA2R-2S | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 51.1 | 0 | 51.1 | 78 | 198.12 | 51 | 129.5 | 35 | 88.9 | R-134A | 6.49 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TA3R-3S | Commercial Refrigerator | Reach-in Cabinet | Manual | 3 | 78.1 | 0 | 78.1 | 78 | 198.12 | 77 | 195.6 | 35 | 88.9 | R-134A | 7.96 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TBB-2 | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 19.6 | | 19.6 | 37 | 93.98 | 59 | 149.9 | 27 | 68.58 | R-134A | 3.72 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TBB-2-S | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 19.6 | | 19.6 | 37 | 93.98 | 59 | 149.9 | 27 | 68.58 | R-134A | 3.72 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TBB-3 | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 37 | 0 | 37 | 37 | 93.98 | 69 | 175.3 | 27 | 68.58 | R-134A | 3.05 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|--|----------------------------|--------------|-------------------------|------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|------|-------|------------------|---------------------------------------|
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TD-36-12 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 8.6 | 0 | 8.6 | 34 | 86.36 | 37 | 93.98 | 27 | 68.58 | R-404A | 2.76 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TD-50-18 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 14.2 | 0 | 14.2 | 34 | 86.36 | 50 | 127 | 27 | 68.58 | R-404A | 3.26 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TD-65-24 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 18.8 | 0 | 18.8 | 34 | 86.36 | 65 | 165.1 | 27 | 68.58 | R-404A | 3.07 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TG1R-1S | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 27.2 | 0 | 27.2 | 78 | 198.12 | 29 | 73.66 | 35 | 88.9 | R-134A | 3.63 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TG2R-2S | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 51.1 | 0 | 51.1 | 78 | 198.12 | 51 | 129.5 | 35 | 88.9 | R-134A | 6.49 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TG3R-3S | Commercial Refrigerator | Reach-in Cabinet | Manual | 3 | 78.1 | 0 | 78.1 | 78 | 198.12 | 77 | 195.6 | 35 | 88.9 | R-134A | 7.96 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TM-24 | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 21.6 | 0 | 21.6 | 79 | 200.66 | 27 | 68.58 | 30 | 76.2 | R-134A | 4.03 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TM-52 | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 46.3 | 0 | 46.3 | 79 | 200.66 | 54 | 137.2 | 30 | 76.2 | R-134A | 6.54 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TM-74 | Commercial Refrigerator | Reach-in Cabinet | Manual | 3 | 68.3 | 0 | 68.3 | 78 | 198.12 | 78 | 198.1 | 30 | 76.2 | R-134A | 8.11 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|--|----------------------------|--------------|-------------------------|------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TMC-49 | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 18.9 | 0 | 18.9 | 43 | 109.22 | 49 | 124.5 | 33 | 83.82 | R-134A | 3.58 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TR-56 | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 51.5 | | 51.5 | 78.25 | 198.76 | 51.38 | 130.5 | 34.75 | 88.27 | R-134A | 6.294 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TR1R-1S | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 27.2 | 0 | 27.2 | 78 | 198.12 | 29 | 73.66 | 35 | 88.9 | R-134A | 3.63 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TR2R-2S | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 51.1 | 0 | 63.41 | 78 | 198.12 | 51 | 129.5 | 35 | 88.9 | R-134A | 6.49 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TR3R-3S | Commercial Refrigerator | Reach-in Cabinet | Manual | 3 | 78.1 | 0 | 78.1 | 78 | 198.12 | 77 | 195.6 | 35 | 88.9 | R-134A | 7.96 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TS-12 | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 10.8 | 0 | 10.8 | 62 | 157.48 | 25 | 63.5 | 23 | 58.42 | R-134A | 2.41 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TS-23 | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 22.6 | 0 | 22.6 | 79 | 200.66 | 27 | 68.58 | 30 | 76.2 | R-134A | 2.43 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TS-23 | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 22.6 | | 22.6 | 78.25 | 198.76 | 26.75 | 67.95 | 29.5 | 74.93 | R-134A | 2.43 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TS-23-2 | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 22.5 | | 22.5 | 78.25 | 198.76 | 26.75 | 67.95 | 29.5 | 74.93 | R-134A | 3.94 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|--|----------------------------|--------------|-------------------------|-----------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|------|-------|------------------|---------------------------------------|
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TS-49 | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 44 | | 44 | 78.4 | 199.14 | 54.1 | 137.4 | 29.5 | 74.93 | R-134A | 3.502 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TS-49 | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 46 | 0 | 46 | 79 | 200.66 | 54 | 137.2 | 30 | 76.2 | R-134A | 3.502 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TS-72 | Commercial Refrigerator | Reach-in Cabinet | Manual | 3 | 63.1 | | 63.1 | 84.3 | 214.12 | 78 | 198.1 | 29.5 | 74.93 | R-134A | 7.94 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TUC-27 | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 6.54 | 0 | 6.54 | 36 | 91.44 | 28 | 71.12 | 30 | 76.2 | R-134A | 1.86 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TUC-36 | Commercial Refrigerator | Under-counter Cabinet | Manual | 2 | 8.9 | 0 | 8.9 | 36 | 91.44 | 36 | 91.44 | 30 | 76.2 | R-134A | 2.08 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TUC-44 | Commercial Refrigerator | Under-counter Cabinet | Manual | 2 | 10.18 | 0 | 10.18 | 36 | 91.44 | 45 | 114.3 | 32 | 81.28 | R-134A | 2.11 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TUC-48 | Commercial Refrigerator | Under-counter Cabinet | Manual | 2 | 12.31 | 0 | 12.31 | 36 | 91.44 | 48 | 121.9 | 30 | 76.2 | R-134A | 2.27 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TUC-60 | Commercial Refrigerator | Under-counter Cabinet | Manual | 2 | 15.65 | 0 | 15.65 | 36 | 91.44 | 60 | 152.4 | 30 | 76.2 | R-134A | 2.37 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TUC-67 | Commercial Refrigerator | Under-counter Cabinet | Manual | 2 | 23.1 | 0 | 23.1 | 36 | 91.44 | 67 | 170.2 | 32 | 81.28 | R-134A | 2.7 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|--|----------------------------|--------------|-------------------------|-----------------------|--------------|------------|---------|---------|-------|------|--------|------|-------|------|-------|------------------|---------------------------------------|
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TUC-72 | Commercial Refrigerator | Under-counter Cabinet | Manual | 3 | 19.06 | 0 | 19.06 | 36 | 91.44 | 72 | 182.9 | 30 | 76.2 | R-134A | 2.72 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TWT-27 | Commercial Refrigerator | Reach-in Cabinet | Manual | 1 | 6.54 | 0 | 6.54 | 41 | 104.14 | 28 | 71.12 | 30 | 76.2 | R-134A | 1.86 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TWT-36 | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 8.9 | 0 | 8.9 | 41 | 104.14 | 36 | 91.44 | 30 | 76.2 | R-134A | 2.08 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TWT-44 | Commercial Refrigerator | Reach-in Cabinet | Manual | 2 | 10.18 | 0 | 10.18 | 41 | 104.14 | 45 | 114.3 | 32 | 81.28 | R-134A | 2.11 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TWT-48 | Commercial Refrigerator | Under-counter Cabinet | Manual | 2 | 12.31 | 0 | 12.31 | 41 | 104.14 | 48 | 121.9 | 30 | 76.2 | R-134A | 2.27 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TWT-60 | Commercial Refrigerator | Under-counter Cabinet | Manual | 2 | 15.65 | 0 | 15.65 | 41 | 104.14 | 60 | 152.4 | 30 | 76.2 | R-134A | 2.37 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TWT-67 | Commercial Refrigerator | Under-counter Cabinet | Manual | 2 | 23.1 | 0 | 23.1 | 41 | 104.14 | 67 | 170.2 | 32 | 81.28 | R-134A | 2.7 |
| True Manufacturing (True Food Service Equipment) | True Manufacturing Company | TWT-72 | Commercial Refrigerator | Under-counter Cabinet | Manual | 3 | 19.06 | 0 | 19.06 | 41 | 104.14 | 72 | 182.9 | 30 | 76.2 | R-134A | 2.72 |
| Turbo Air Inc. | Turbo Air | MSR-23NM | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 23 | | 23 | 78 | 198.12 | 27 | 68.58 | 29.5 | 74.93 | R-134A | 3.17 |
| Turbo Air Inc. | Turbo Air | MSR-49NM | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 49 | | 49 | 78 | 198.12 | 54.4 | 138.2 | 29.5 | 74.93 | R-134A | 4.02 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|---------------------|-------------------------|-----------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Turbo Air Inc. | Turbo Air | TSR-49SD | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 49 | | 49 | 78 | 198.12 | 54.5 | 138.4 | 29.5 | 74.93 | R-134A | 5.3 |
| Turbo Air Inc. | Turbo Air | TSR-72SD | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 65 | | 65 | 78 | 198.12 | 82 | 208.3 | 31 | 78.74 | R-134A | 5.4 |
| Turbo Air Inc. | Turbo Air | TUR-28 | Commercial Refrigerator | Under-counter Cabinet | Automatic | 1 | 6.5 | | 6.5 | 36 | 91.44 | 27.5 | 69.85 | 30 | 76.2 | R-134A | 2.6 |
| Turbo Air Inc. | Turbo Air | TUR-48 | Commercial Refrigerator | Under-counter Cabinet | Automatic | 2 | 12 | | 12 | 36 | 91.44 | 48.3 | 122.7 | 30 | 76.2 | R-134A | 2.9 |
| Turbo Air Inc. | Turbo Air | TUR-60SD | Commercial Refrigerator | Under-counter Cabinet | Automatic | 2 | 16.4 | | 16.4 | 35 | 88.9 | 60 | 152.4 | 30 | 76.2 | R-134A | 3.23 |
| Victory Refrigeration | Victory | RS-2D-S7-EW | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 50.3 | | 50.3 | 84 | 213.36 | 58.38 | 148.3 | 36.38 | 92.41 | R-134A | 5.231 |
| Victory Refrigeration | Victory | RSA-2D-S7-EW | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 50.3 | | 50.3 | 84 | 213.36 | 58.38 | 148.3 | 36.38 | 92.41 | R-134A | 5.231 |
| Victory Refrigeration | Victory | VR-1 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 20.9 | | 20.9 | 83.62 | 212.39 | 26.56 | 67.46 | 33.31 | 84.61 | R-134A | 3.23 |
| Victory Refrigeration | Victory | RA-1D-S7 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | | 21.5 | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.76 | R-134A | 3.83 |
| Victory Refrigeration | Victory | RA-1D-S7-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 21.5 | | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-134A | 3.83 |
| Victory Refrigeration | Victory | RA-1D-S7-EW | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.4 | | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.76 | R-134A | 4.33 |
| Victory Refrigeration | Victory | RA-1D-S7-EW-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.4 | 0 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-134A | 4.33 |
| Victory Refrigeration | Victory | RA-1D-S7-EW-HD | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.4 | 0 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-134A | 4.33 |
| Victory Refrigeration | Victory | RA-1D-S7-EW-HD-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.4 | 0 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-134A | 4.33 |
| Victory Refrigeration | Victory | RA-1D-S7-EW-HD-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.4 | 0 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-134A | 4.33 |
| Victory Refrigeration | Victory | RA-1D-S7-EW-HD-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.4 | 0 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-134A | 4.33 |
| Victory Refrigeration | Victory | RA-1D-S7-EW-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.4 | 0 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-134A | 4.33 |
| Victory Refrigeration | Victory | RA-1D-S7-EW-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.4 | 0 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-134A | 4.33 |
| Victory Refrigeration | Victory | RA-1D-S7-EW-PT | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 1 | 27.6 | | 27.6 | 84 | 213.36 | 31.25 | 79.38 | 39.88 | 101.3 | R-134A | 4.29 |
| Victory Refrigeration | Victory | RA-1D-S7-EW-PT-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 27.6 | 0 | 27.6 | 84 | 213.36 | 31.25 | 79.38 | 39.88 | 101.3 | R-134A | 4.29 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|------------------------|-------------------------|----------------------|--------------|------------|---------|---------|-------|------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Victory Refrigeration | Victory | RA-1D-S7-EW-PT-HD | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 27.6 | | 27.6 | 84 | 213.36 | 31.25 | 79.38 | 39.88 | 101.3 | R-134A | 4.29 |
| Victory Refrigeration | Victory | RA-1D-S7-EW-PT-HD-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 27.6 | | 27.6 | 84 | 213.36 | 31.25 | 79.38 | 39.88 | 101.3 | R-134A | 4.29 |
| Victory Refrigeration | Victory | RA-1D-S7-EW-PT-HD-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 27.6 | | 27.6 | 84 | 213.36 | 31.25 | 79.38 | 39.88 | 101.3 | R-134A | 4.29 |
| Victory Refrigeration | Victory | RA-1D-S7-EW-PT-HD-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 27.6 | | 27.6 | 84 | 213.36 | 31.25 | 79.38 | 39.88 | 101.3 | R-134A | 4.29 |
| Victory Refrigeration | Victory | RA-1D-S7-EW-PT-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 27.6 | | 27.6 | 84 | 213.36 | 31.25 | 79.38 | 39.88 | 101.3 | R-134A | 4.29 |
| Victory Refrigeration | Victory | RA-1D-S7-EW-PT-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 27.6 | | 27.6 | 84 | 213.36 | 31.25 | 79.38 | 39.88 | 101.3 | R-134A | 4.29 |
| Victory Refrigeration | Victory | RA-1D-S7-HD | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 21.5 | | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-134A | 3.83 |
| Victory Refrigeration | Victory | RA-1D-S7-HD-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 21.5 | | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-134A | 3.83 |
| Victory Refrigeration | Victory | RA-1D-S7-HD-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 21.5 | | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-134A | 3.83 |
| Victory Refrigeration | Victory | RA-1D-S7-HD-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 21.5 | | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-134A | 3.83 |
| Victory Refrigeration | Victory | RA-1D-S7-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 21.5 | | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-134A | 3.83 |
| Victory Refrigeration | Victory | RA-1D-S7-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 21.5 | | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-134A | 3.83 |
| Victory Refrigeration | Victory | RA-1D-S7-PT | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 1 | 23.7 | | 23.7 | 84 | 213.36 | 26.5 | 67.31 | 39.88 | 101.3 | R-134A | 4.343 |
| Victory Refrigeration | Victory | RA-1D-S7-PT-C | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 1 | 23.7 | | 23.7 | 84 | 213.36 | 26.5 | 67.31 | 39.88 | 101.3 | R-134A | 4.343 |
| Victory Refrigeration | Victory | RA-1D-S7-PT-C-LH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 1 | 23.7 | | 23.7 | 84 | 213.36 | 26.5 | 67.31 | 39.88 | 101.3 | R-134A | 4.343 |
| Victory Refrigeration | Victory | RA-1D-S7-PT-LH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 1 | 23.7 | | 23.7 | 84 | 213.36 | 26.5 | 67.31 | 39.88 | 101.3 | R-134A | 4.343 |
| Victory Refrigeration | Victory | RA-2D-S7 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.5 | | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-134A | 6.12 |
| Victory Refrigeration | Victory | RA-2D-S7-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.5 | | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-134A | 6.12 |
| Victory Refrigeration | Victory | RA-2D-S7-EW-PT | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 56.3 | | 56.3 | 84 | 213.36 | 58.38 | 148.3 | 39.88 | 101.3 | R-134A | 5.77 |
| Victory Refrigeration | Victory | RA-2D-S7-EW-PT-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 56.3 | | 56.3 | 84 | 213.36 | 58.38 | 148.3 | 39.88 | 101.3 | R-134A | 5.77 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|------------------------|-------------------------|----------------------|--------------|------------|---------|---------|-------|------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Victory Refrigeration | Victory | RA-2D-S7-EW-PT-HD | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 56.3 | | 56.3 | 84 | 213.36 | 58.38 | 148.3 | 39.88 | 101.3 | R-134A | 5.77 |
| Victory Refrigeration | Victory | RA-2D-S7-EW-PT-HD-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 56.3 | | 56.3 | 84 | 213.36 | 58.38 | 148.3 | 39.88 | 101.3 | R-134A | 5.77 |
| Victory Refrigeration | Victory | RA-2D-S7-EW-PT-HD-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 56.3 | | 56.3 | 84 | 213.36 | 58.38 | 148.3 | 39.88 | 101.3 | R-134A | 5.77 |
| Victory Refrigeration | Victory | RA-2D-S7-EW-PT-HD-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 56.3 | | 56.3 | 84 | 213.36 | 58.38 | 148.3 | 39.88 | 101.3 | R-134A | 5.77 |
| Victory Refrigeration | Victory | RA-2D-S7-EW-PT-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 56.3 | | 56.3 | 84 | 213.36 | 58.38 | 148.3 | 39.88 | 101.3 | R-134A | 5.77 |
| Victory Refrigeration | Victory | RA-2D-S7-EW-PT-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 56.3 | | 56.3 | 84 | 213.36 | 58.38 | 148.3 | 39.88 | 101.3 | R-134A | 5.77 |
| Victory Refrigeration | Victory | RA-2D-S7-HD | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.5 | | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-134A | 6.12 |
| Victory Refrigeration | Victory | RA-2D-S7-HD-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.5 | | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-134A | 6.12 |
| Victory Refrigeration | Victory | RA-2D-S7-HD-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.5 | | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-134A | 6.12 |
| Victory Refrigeration | Victory | RA-2D-S7-HD-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.5 | | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-134A | 6.12 |
| Victory Refrigeration | Victory | RA-2D-S7-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.5 | | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-134A | 6.12 |
| Victory Refrigeration | Victory | RA-2D-S7-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.5 | | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-134A | 6.12 |
| Victory Refrigeration | Victory | RA-2D-S7-PT | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 50.4 | | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-134A | 6.07 |
| Victory Refrigeration | Victory | RA-2D-S7-PT-C | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 50.4 | | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-134A | 6.07 |
| Victory Refrigeration | Victory | RA-2D-S7-PT-HD | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 50.4 | | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-134A | 6.07 |
| Victory Refrigeration | Victory | RA-2D-S7-PT-HD-C | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 50.4 | | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-134A | 6.07 |
| Victory Refrigeration | Victory | RA-2D-S7-PT-HD-LH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 50.4 | | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-134A | 6.07 |
| Victory Refrigeration | Victory | RA-2D-S7-PT-HD-LH-C | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 50.4 | | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-134A | 6.07 |
| Victory Refrigeration | Victory | RA-2D-S7-PT-LH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 50.4 | | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-134A | 6.07 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|---------------------|-------------------------|----------------------|--------------|------------|---------|---------|-------|------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Victory Refrigeration | Victory | RA-2D-S7-PT-LH-C | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 50.4 | | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-134A | 6.07 |
| Victory Refrigeration | Victory | RA-3D-S7 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 70.1 | | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.13 | 91.76 | R-134A | 4.7 |
| Victory Refrigeration | Victory | RA-3D-S7-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 70.1 | | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.13 | 91.77 | R-134A | 4.7 |
| Victory Refrigeration | Victory | RA-3D-S7-HD | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 70.1 | | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.13 | 91.77 | R-134A | 4.7 |
| Victory Refrigeration | Victory | RA-3D-S7-HD-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 70.1 | | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.13 | 91.77 | R-134A | 4.7 |
| Victory Refrigeration | Victory | RA-3D-S7-HD-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 70.1 | | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.13 | 91.77 | R-134A | 4.7 |
| Victory Refrigeration | Victory | RA-3D-S7-HD-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 70.1 | | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.13 | 91.77 | R-134A | 4.7 |
| Victory Refrigeration | Victory | RA-3D-S7-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 70.1 | | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.13 | 91.77 | R-134A | 4.7 |
| Victory Refrigeration | Victory | RA-3D-S7-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 70.1 | | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.13 | 91.77 | R-134A | 4.7 |
| Victory Refrigeration | Victory | RA-3D-S7-PT | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 3 | 75.9 | | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-134A | 7.21 |
| Victory Refrigeration | Victory | RA-3D-S7-PT-C | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 3 | 75.9 | | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-134A | 7.21 |
| Victory Refrigeration | Victory | RA-3D-S7-PT-HD | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 3 | 75.9 | | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-134A | 7.21 |
| Victory Refrigeration | Victory | RA-3D-S7-PT-HD-C | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 3 | 75.9 | | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-134A | 7.21 |
| Victory Refrigeration | Victory | RA-3D-S7-PT-HD-LH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 3 | 75.9 | | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-134A | 7.21 |
| Victory Refrigeration | Victory | RA-3D-S7-PT-HD-LH-C | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 3 | 75.9 | | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-134A | 7.21 |
| Victory Refrigeration | Victory | RA-3D-S7-PT-LH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 3 | 75.9 | | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-134A | 7.21 |
| Victory Refrigeration | Victory | RA-3D-S7-PT-LH-C | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 3 | 75.9 | | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-134A | 7.21 |
| Victory Refrigeration | Victory | RS-1D-S7 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | | 21.5 | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.76 | R-134A | 3.83 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|------------------------|-------------------------|----------------------|--------------|------------|---------|---------|-------|------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Victory Refrigeration | Victory | RS-1D-S7-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 21.5 | | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-134A | 3.83 |
| Victory Refrigeration | Victory | RS-1D-S7-EW | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.4 | 0 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.76 | R-404A | 4.33 |
| Victory Refrigeration | Victory | RS-1D-S7-EW-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.4 | | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-134A | 4.33 |
| Victory Refrigeration | Victory | RS-1D-S7-EW-HD | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.4 | | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-134A | 4.33 |
| Victory Refrigeration | Victory | RS-1D-S7-EW-HD-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.4 | | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-134A | 4.33 |
| Victory Refrigeration | Victory | RS-1D-S7-EW-HD-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.4 | | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-134A | 4.33 |
| Victory Refrigeration | Victory | RS-1D-S7-EW-HD-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.4 | | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-134A | 4.33 |
| Victory Refrigeration | Victory | RS-1D-S7-EW-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.4 | | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-134A | 4.33 |
| Victory Refrigeration | Victory | RS-1D-S7-EW-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.4 | | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-134A | 4.33 |
| Victory Refrigeration | Victory | RS-1D-S7-EW-PT | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 1 | 27.6 | | 27.6 | 84 | 213.36 | 31.25 | 79.38 | 39.88 | 101.3 | R-134A | 4.29 |
| Victory Refrigeration | Victory | RS-1D-S7-EW-PT-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 27.6 | | 27.6 | 84 | 213.36 | 31.25 | 79.38 | 39.88 | 101.3 | R-134A | 4.29 |
| Victory Refrigeration | Victory | RS-1D-S7-EW-PT-HD | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 27.6 | | 27.6 | 84 | 213.36 | 31.25 | 79.38 | 39.88 | 101.3 | R-134A | 4.29 |
| Victory Refrigeration | Victory | RS-1D-S7-EW-PT-HD-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 27.6 | | 27.6 | 84 | 213.36 | 31.25 | 79.38 | 39.88 | 101.3 | R-134A | 4.29 |
| Victory Refrigeration | Victory | RS-1D-S7-EW-PT-HD-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 27.6 | | 27.6 | 84 | 213.36 | 31.25 | 79.38 | 39.88 | 101.3 | R-134A | 4.29 |
| Victory Refrigeration | Victory | RS-1D-S7-EW-PT-HD-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 27.6 | | 27.6 | 84 | 213.36 | 31.25 | 79.38 | 39.88 | 101.3 | R-134A | 4.29 |
| Victory Refrigeration | Victory | RS-1D-S7-EW-PT-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 27.6 | | 27.6 | 84 | 213.36 | 31.25 | 79.38 | 39.88 | 101.3 | R-134A | 4.29 |
| Victory Refrigeration | Victory | RS-1D-S7-EW-PT-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 27.6 | | 27.6 | 84 | 213.36 | 31.25 | 79.38 | 39.88 | 101.3 | R-134A | 4.29 |
| Victory Refrigeration | Victory | RS-1D-S7-HD | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 21.5 | | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-134A | 3.83 |
| Victory Refrigeration | Victory | RS-1D-S7-HD-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 21.5 | | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-134A | 3.83 |
| Victory Refrigeration | Victory | RS-1D-S7-HD-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 21.5 | | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-134A | 3.83 |
| Victory Refrigeration | Victory | RS-1D-S7-HD-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 21.5 | | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-134A | 3.83 |
| Victory Refrigeration | Victory | RS-1D-S7-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 21.5 | | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-134A | 3.83 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|------------------------|-------------------------|----------------------|--------------|------------|---------|---------|-------|------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Victory Refrigeration | Victory | RS-1D-S7-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 21.5 | | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-134A | 3.83 |
| Victory Refrigeration | Victory | RS-1D-S7-PT | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 1 | 23.7 | | 23.7 | 84 | 213.36 | 26.5 | 67.31 | 39.88 | 101.3 | R-134A | 4.343 |
| Victory Refrigeration | Victory | RS-1D-S7-PT-C | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 1 | 23.7 | | 23.7 | 84 | 213.36 | 26.5 | 67.31 | 39.88 | 101.3 | R-134A | 4.343 |
| Victory Refrigeration | Victory | RS-1D-S7-PT-C-LH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 1 | 23.7 | | 23.7 | 84 | 213.36 | 26.5 | 67.31 | 39.88 | 101.3 | R-134A | 4.343 |
| Victory Refrigeration | Victory | RS-1D-S7-PT-LH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 1 | 23.7 | | 23.7 | 84 | 213.36 | 26.5 | 67.31 | 39.88 | 101.3 | R-134A | 4.343 |
| Victory Refrigeration | Victory | RS-2D-S7 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.5 | | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-134A | 6.12 |
| Victory Refrigeration | Victory | RS-2D-S7-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.5 | | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-134A | 6.12 |
| Victory Refrigeration | Victory | RS-2D-S7-EW-PT | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 56.3 | | 56.3 | 84 | 213.36 | 58.38 | 148.3 | 39.88 | 101.3 | R-134A | 5.77 |
| Victory Refrigeration | Victory | RS-2D-S7-EW-PT-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 56.3 | | 56.3 | 84 | 213.36 | 58.4 | 148.3 | 39.88 | 101.3 | R-134A | 5.77 |
| Victory Refrigeration | Victory | RS-2D-S7-EW-PT-HD | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 56.3 | | 56.3 | 84 | 213.36 | 58.4 | 148.3 | 39.88 | 101.3 | R-134A | 5.77 |
| Victory Refrigeration | Victory | RS-2D-S7-EW-PT-HD-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 56.3 | | 56.3 | 84 | 213.36 | 58.4 | 148.3 | 39.88 | 101.3 | R-134A | 5.77 |
| Victory Refrigeration | Victory | RS-2D-S7-EW-PT-HD-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 56.3 | | 56.3 | 84 | 213.36 | 58.4 | 148.3 | 39.88 | 101.3 | R-134A | 5.77 |
| Victory Refrigeration | Victory | RS-2D-S7-EW-PT-HD-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 56.3 | | 56.3 | 84 | 213.36 | 58.4 | 148.3 | 39.88 | 101.3 | R-134A | 5.77 |
| Victory Refrigeration | Victory | RS-2D-S7-EW-PT-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 56.3 | | 56.3 | 84 | 213.36 | 58.4 | 148.3 | 39.88 | 101.3 | R-134A | 5.77 |
| Victory Refrigeration | Victory | RS-2D-S7-EW-PT-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 56.3 | | 56.3 | 84 | 213.36 | 58.4 | 148.3 | 39.88 | 101.3 | R-134A | 5.77 |
| Victory Refrigeration | Victory | RS-2D-S7-HD | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.5 | | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-134A | 6.12 |
| Victory Refrigeration | Victory | RS-2D-S7-HD-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.5 | | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-134A | 6.12 |
| Victory Refrigeration | Victory | RS-2D-S7-HD-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.5 | | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-134A | 6.12 |
| Victory Refrigeration | Victory | RS-2D-S7-HD-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.5 | | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-134A | 6.12 |
| Victory Refrigeration | Victory | RS-2D-S7-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.5 | | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-134A | 6.12 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|---------------------|-------------------------|----------------------|--------------|------------|---------|---------|-------|------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Victory Refrigeration | Victory | RS-2D-S7-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.5 | | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-134A | 6.12 |
| Victory Refrigeration | Victory | RS-2D-S7-PT | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 50.4 | | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-134A | 6.07 |
| Victory Refrigeration | Victory | RS-2D-S7-PT-C | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 50.4 | | 50.4 | 84 | 213.36 | 52.1 | 132.3 | 39.88 | 101.3 | R-134A | 6.07 |
| Victory Refrigeration | Victory | RS-2D-S7-PT-HD | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 50.4 | | 50.4 | 84 | 213.36 | 52.1 | 132.3 | 39.88 | 101.3 | R-134A | 6.07 |
| Victory Refrigeration | Victory | RS-2D-S7-PT-HD-C | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 50.4 | | 50.4 | 84 | 213.36 | 52.1 | 132.3 | 39.88 | 101.3 | R-134A | 6.07 |
| Victory Refrigeration | Victory | RS-2D-S7-PT-HD-LH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 50.4 | | 50.4 | 84 | 213.36 | 52.1 | 132.3 | 39.88 | 101.3 | R-134A | 6.07 |
| Victory Refrigeration | Victory | RS-2D-S7-PT-HD-LH-C | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 50.4 | | 50.4 | 84 | 213.36 | 52.1 | 132.3 | 39.88 | 101.3 | R-134A | 6.07 |
| Victory Refrigeration | Victory | RS-2D-S7-PT-LH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 50.4 | | 50.4 | 84 | 213.36 | 52.1 | 132.3 | 39.88 | 101.3 | R-134A | 6.07 |
| Victory Refrigeration | Victory | RS-2D-S7-PT-LH-C | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 50.4 | | 50.4 | 84 | 213.36 | 52.1 | 132.3 | 39.88 | 101.3 | R-134A | 6.07 |
| Victory Refrigeration | Victory | RS-3D-S7 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 70.1 | | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.13 | 91.76 | R-134A | 4.7 |
| Victory Refrigeration | Victory | RS-3D-S7-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 70.1 | | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.13 | 91.77 | R-134A | 4.7 |
| Victory Refrigeration | Victory | RS-3D-S7-HD | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 70.1 | | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.13 | 91.77 | R-134A | 4.7 |
| Victory Refrigeration | Victory | RS-3D-S7-HD-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 70.1 | | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.13 | 91.77 | R-134A | 4.7 |
| Victory Refrigeration | Victory | RS-3D-S7-HD-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 70.1 | | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.13 | 91.77 | R-134A | 4.7 |
| Victory Refrigeration | Victory | RS-3D-S7-HD-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 70.1 | | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.13 | 91.77 | R-134A | 4.7 |
| Victory Refrigeration | Victory | RS-3D-S7-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 70.1 | | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.13 | 91.77 | R-134A | 4.7 |
| Victory Refrigeration | Victory | RS-3D-S7-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 70.1 | | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.13 | 91.77 | R-134A | 4.7 |
| Victory Refrigeration | Victory | RS-3D-S7-PT | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 3 | 75.9 | | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-134A | 7.21 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|----------------------|-------------------------|----------------------|--------------|------------|---------|---------|-------|------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Victory Refrigeration | Victory | RS-3D-S7-PT-C | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 3 | 75.9 | | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-134A | 7.21 |
| Victory Refrigeration | Victory | RS-3D-S7-PT-HD | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 3 | 75.9 | | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-134A | 7.21 |
| Victory Refrigeration | Victory | RS-3D-S7-PT-HD-C | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 3 | 75.9 | | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-134A | 7.21 |
| Victory Refrigeration | Victory | RS-3D-S7-PT-HD-LH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 3 | 75.9 | | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-134A | 7.21 |
| Victory Refrigeration | Victory | RS-3D-S7-PT-HD-LH-C | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 3 | 75.9 | | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-134A | 7.21 |
| Victory Refrigeration | Victory | RS-3D-S7-PT-LH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 3 | 75.9 | | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-134A | 7.21 |
| Victory Refrigeration | Victory | RS-3D-S7-PT-LH-C | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 3 | 75.9 | | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-134A | 7.21 |
| Victory Refrigeration | Victory | RSA-1D-S7 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | | 21.5 | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.76 | R-134A | 3.83 |
| Victory Refrigeration | Victory | RSA-1D-S7-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 21.5 | | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-134A | 3.83 |
| Victory Refrigeration | Victory | RSA-1D-S7-EW | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.4 | 0 | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.76 | R-404A | 4.33 |
| Victory Refrigeration | Victory | RSA-1D-S7-EW-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.4 | | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-134A | 4.33 |
| Victory Refrigeration | Victory | RSA-1D-S7-EW-HD | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.4 | | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-134A | 4.33 |
| Victory Refrigeration | Victory | RSA-1D-S7-EW-HD-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.4 | | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-134A | 4.33 |
| Victory Refrigeration | Victory | RSA-1D-S7-EW-HD-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.4 | | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-134A | 4.33 |
| Victory Refrigeration | Victory | RSA-1D-S7-EW-HD-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.4 | | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-134A | 4.33 |
| Victory Refrigeration | Victory | RSA-1D-S7-EW-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.4 | | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-134A | 4.33 |
| Victory Refrigeration | Victory | RSA-1D-S7-EW-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 24.4 | | 24.4 | 84 | 213.36 | 31 | 78.74 | 36.13 | 91.77 | R-134A | 4.33 |
| Victory Refrigeration | Victory | RSA-1D-S7-EW-PT | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 1 | 27.6 | | 27.6 | 84 | 213.36 | 31.25 | 79.38 | 39.88 | 101.3 | R-134A | 4.29 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|-------------------------|-------------------------|----------------------|--------------|------------|---------|---------|-------|------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Victory Refrigeration | Victory | RSA-1D-S7-EW-PT-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 27.6 | | 27.6 | 84 | 213.36 | 31.25 | 79.38 | 39.88 | 101.3 | R-134A | 4.29 |
| Victory Refrigeration | Victory | RSA-1D-S7-EW-PT-HD | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 27.6 | | 27.6 | 84 | 213.36 | 31.25 | 79.38 | 39.88 | 101.3 | R-134A | 4.29 |
| Victory Refrigeration | Victory | RSA-1D-S7-EW-PT-HD-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 27.6 | | 27.6 | 84 | 213.36 | 31.25 | 79.38 | 39.88 | 101.3 | R-134A | 4.29 |
| Victory Refrigeration | Victory | RSA-1D-S7-EW-PT-HD-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 27.6 | | 27.6 | 84 | 213.36 | 31.25 | 79.38 | 39.88 | 101.3 | R-134A | 4.29 |
| Victory Refrigeration | Victory | RSA-1D-S7-EW-PT-HD-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 27.6 | | 27.6 | 84 | 213.36 | 31.25 | 79.38 | 39.88 | 101.3 | R-134A | 4.29 |
| Victory Refrigeration | Victory | RSA-1D-S7-EW-PT-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 27.6 | | 27.6 | 84 | 213.36 | 31.25 | 79.38 | 39.88 | 101.3 | R-134A | 4.29 |
| Victory Refrigeration | Victory | RSA-1D-S7-EW-PT-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 27.6 | | 27.6 | 84 | 213.36 | 31.25 | 79.38 | 39.88 | 101.3 | R-134A | 4.29 |
| Victory Refrigeration | Victory | RSA-1D-S7-HD | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 21.5 | | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-134A | 3.83 |
| Victory Refrigeration | Victory | RSA-1D-S7-HD-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 21.5 | | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-134A | 3.83 |
| Victory Refrigeration | Victory | RSA-1D-S7-HD-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 21.5 | | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-134A | 3.83 |
| Victory Refrigeration | Victory | RSA-1D-S7-HD-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 21.5 | | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-134A | 3.83 |
| Victory Refrigeration | Victory | RSA-1D-S7-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 21.5 | | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-134A | 3.83 |
| Victory Refrigeration | Victory | RSA-1D-S7-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 21.5 | | 21.5 | 84 | 213.36 | 26.5 | 67.31 | 36.13 | 91.77 | R-134A | 3.83 |
| Victory Refrigeration | Victory | RSA-1D-S7-PT | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 1 | 23.7 | | 23.7 | 84 | 213.36 | 26.5 | 67.31 | 39.88 | 101.3 | R-134A | 4.343 |
| Victory Refrigeration | Victory | RSA-1D-S7-PT-C | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 1 | 23.7 | | 23.7 | 84 | 213.36 | 26.5 | 67.31 | 39.88 | 101.3 | R-134A | 4.343 |
| Victory Refrigeration | Victory | RSA-1D-S7-PT-C-LH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 1 | 23.7 | | 23.7 | 84 | 213.36 | 26.5 | 67.31 | 39.88 | 101.3 | R-134A | 4.343 |
| Victory Refrigeration | Victory | RSA-1D-S7-PT-LH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 1 | 23.7 | | 23.7 | 84 | 213.36 | 26.5 | 67.31 | 39.88 | 101.3 | R-134A | 4.343 |
| Victory Refrigeration | Victory | RSA-2D-S7 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.5 | | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-134A | 6.12 |
| Victory Refrigeration | Victory | RSA-2D-S7-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.5 | | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-134A | 6.12 |
| Victory Refrigeration | Victory | RSA-2D-S7-EW-PT | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 56.3 | | 56.3 | 84 | 213.36 | 58.38 | 148.3 | 39.88 | 101.3 | R-134A | 5.77 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|-------------------------|-------------------------|----------------------|--------------|------------|---------|---------|-------|------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Victory Refrigeration | Victory | RSA-2D-S7-EW-PT-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 56.3 | | 56.3 | 84 | 213.36 | 58.38 | 148.3 | 39.88 | 101.3 | R-134A | 5.77 |
| Victory Refrigeration | Victory | RSA-2D-S7-EW-PT-HD | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 56.3 | | 56.3 | 84 | 213.36 | 58.38 | 148.3 | 39.88 | 101.3 | R-134A | 5.77 |
| Victory Refrigeration | Victory | RSA-2D-S7-EW-PT-HD-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 56.3 | | 56.3 | 84 | 213.36 | 58.38 | 148.3 | 39.88 | 101.3 | R-134A | 5.77 |
| Victory Refrigeration | Victory | RSA-2D-S7-EW-PT-HD-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 56.3 | | 56.3 | 84 | 213.36 | 58.38 | 148.3 | 39.88 | 101.3 | R-134A | 5.77 |
| Victory Refrigeration | Victory | RSA-2D-S7-EW-PT-HD-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 56.3 | | 56.3 | 84 | 213.36 | 58.38 | 148.3 | 39.88 | 101.3 | R-134A | 5.77 |
| Victory Refrigeration | Victory | RSA-2D-S7-EW-PT-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 56.3 | | 56.3 | 84 | 213.36 | 58.38 | 148.3 | 39.88 | 101.3 | R-134A | 5.77 |
| Victory Refrigeration | Victory | RSA-2D-S7-EW-PT-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 56.3 | | 56.3 | 84 | 213.36 | 58.38 | 148.3 | 39.88 | 101.3 | R-134A | 5.77 |
| Victory Refrigeration | Victory | RSA-2D-S7-HD | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.5 | | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-134A | 6.12 |
| Victory Refrigeration | Victory | RSA-2D-S7-HD-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.5 | | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-134A | 6.12 |
| Victory Refrigeration | Victory | RSA-2D-S7-HD-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.5 | | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-134A | 6.12 |
| Victory Refrigeration | Victory | RSA-2D-S7-HD-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.5 | | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-134A | 6.12 |
| Victory Refrigeration | Victory | RSA-2D-S7-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.5 | | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-134A | 6.12 |
| Victory Refrigeration | Victory | RSA-2D-S7-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 46.5 | | 46.5 | 84 | 213.36 | 52.12 | 132.4 | 36.12 | 91.74 | R-134A | 6.12 |
| Victory Refrigeration | Victory | RSA-2D-S7-PT-C | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 50.4 | | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-134A | 6.07 |
| Victory Refrigeration | Victory | RSA-2D-S7-PT-HD | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 50.4 | | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-134A | 6.07 |
| Victory Refrigeration | Victory | RSA-2D-S7-PT-HD-C | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 50.4 | | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-134A | 6.07 |
| Victory Refrigeration | Victory | RSA-2D-S7-PT-HD-LH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 50.4 | | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-134A | 6.07 |
| Victory Refrigeration | Victory | RSA-2D-S7-PT-HD-LH-C | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 50.4 | | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-134A | 6.07 |
| Victory Refrigeration | Victory | RSA-2D-S7-PT-LH | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 50.4 | | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-134A | 6.07 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|------------|-------------------|-------------------------|-----------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Victory Refrigeration | Victory | RSA-2D-S7-PT-LH-C | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 2 | 50.4 | | 50.4 | 84 | 213.36 | 52.12 | 132.4 | 39.88 | 101.3 | R-134A | 6.07 |
| Victory Refrigeration | Victory | RSA-3D-S7 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 70.1 | | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.13 | 91.76 | R-134A | 4.7 |
| Victory Refrigeration | Victory | RSA-3D-S7-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 70.1 | | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.13 | 91.77 | R-134A | 4.7 |
| Victory Refrigeration | Victory | RSA-3D-S7-HD | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 70.1 | | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.13 | 91.77 | R-134A | 4.7 |
| Victory Refrigeration | Victory | RSA-3D-S7-HD-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 70.1 | | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.13 | 91.77 | R-134A | 4.7 |
| Victory Refrigeration | Victory | RSA-3D-S7-HD-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 70.1 | | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.13 | 91.77 | R-134A | 4.7 |
| Victory Refrigeration | Victory | RSA-3D-S7-HD-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 70.1 | | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.13 | 91.77 | R-134A | 4.7 |
| Victory Refrigeration | Victory | RSA-3D-S7-LH | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 70.1 | | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.13 | 91.77 | R-134A | 4.7 |
| Victory Refrigeration | Victory | RSA-3D-S7-LH-C | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 70.1 | | 70.1 | 84 | 213.36 | 77.75 | 197.5 | 36.13 | 91.77 | R-134A | 4.7 |
| Victory Refrigeration | Victory | RSA-3D-S7-PT | Commercial Refrigerator | Pass-Through Cabinet | Automatic | 3 | 75.9 | | 75.9 | 84 | 213.36 | 77.75 | 197.5 | 39.88 | 101.3 | R-134A | 7.21 |
| Victory Refrigeration | Victory | UR-27 | Commercial Refrigerator | Under-counter Cabinet | Automatic | 1 | 6.6 | | 6.6 | 30 | 76.2 | 27.5 | 69.85 | 28.75 | 73.03 | R-134A | 2.206 |
| Victory Refrigeration | Victory | UR-48 | Commercial Refrigerator | Under-counter Cabinet | Automatic | 2 | 12.4 | | 12.4 | 30 | 76.2 | 48 | 121.9 | 29.5 | 74.93 | R-134A | 2.75 |
| Victory Refrigeration | Victory | VBB-48-SS-S | Commercial Refrigerator | Under-counter Cabinet | Automatic | 2 | 11.02 | | 11.02 | 36 | 91.44 | 48 | 121.9 | 24 | 60.96 | R-134A | 2.521 |
| Victory Refrigeration | Victory | VBB-72-SS-S | Commercial Refrigerator | Under-counter Cabinet | Automatic | 3 | 19.18 | | 19.18 | 36 | 91.44 | 72 | 182.9 | 24 | 60.96 | R-134A | 3.725 |
| Victory Refrigeration | Victory | VR-2 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 44.9 | | 44.9 | 83.63 | 212.42 | 52.12 | 132.4 | 33.25 | 84.46 | R-134A | 5.84 |
| Victory Refrigeration | Victory | VR-3 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 68.7 | | 68.7 | 83.63 | 212.42 | 77.75 | 197.5 | 33.25 | 84.46 | R-134A | 5.27 |
| Victory Refrigeration | Victory | VSR-1 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 1 | 20.9 | | 20.9 | 83.62 | 212.39 | 26.56 | 67.46 | 33.31 | 84.61 | R-134A | 3.23 |
| Victory Refrigeration | Victory | VSR-2 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 2 | 44.9 | | 44.9 | 83.63 | 212.42 | 52.12 | 132.4 | 33.25 | 84.46 | R-134A | 5.84 |
| Victory Refrigeration | Victory | VSR-3 | Commercial Refrigerator | Reach-in Cabinet | Automatic | 3 | 68.7 | | 68.7 | 83.63 | 212.42 | 77.75 | 197.5 | 33.25 | 84.46 | R-134A | 5.27 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|-------------------------|-------------------|-----------------------------------|------------------|--------------|------------|---------|---------|-------|-------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| The Delfield Company | Delfield | KCFM-74 | Commercial Refrigerator - Freezer | Reach-in Cabinet | Manual | 4 | 7.83 | 7.83 | 15.66 | 36 | 91.44 | 74 | 188 | 30 | 76.2 | R-404A | 3.89 |
| The Delfield Company | Delfield | SCFM-74 | Commercial Refrigerator - Freezer | Reach-in Cabinet | Manual | 4 | 7.83 | 7.83 | 15.66 | 36 | 91.44 | 74 | 188 | 30 | 76.2 | R-404A | 3.89 |
| Electrolux Professional | Electrolux Professional | RH14DFD2U/726485 | Commercial Refrigerator - Freezer | Reach-in Cabinet | Automatic | 2 | 19.86 | 19.86 | 39.72 | 80.7 | 204.98 | 59.05 | 150 | 31.88 | 80.98 | R-134A | 9.5836 |
| Electrolux Professional | Electrolux Professional | RH14DFD3FU/726489 | Commercial Refrigerator - Freezer | Reach-in Cabinet | Automatic | 3 | 32.45 | 7.89 | 40.34 | 80.7 | 204.98 | 59.05 | 150 | 31.88 | 80.98 | R-134A | 9.48 |
| Electrolux Professional | Electrolux Professional | RH14DFD3FU/726489 | Commercial Refrigerator - Freezer | Reach-in Cabinet | Automatic | 3 | 32.45 | 7.89 | 40.34 | 80.7 | 204.98 | 59.05 | 150 | 31.88 | 80.98 | R-134A | 9.482 |
| Hoshizaki America, Inc. | Hoshizaki America | RFH2-SSB | Commercial Refrigerator - Freezer | Reach-in Cabinet | Automatic | 2 | 20.6 | 20.6 | 41.2 | 84.5 | 214.63 | 55 | 139.7 | 33.6 | 85.34 | R-404A | 12.94 |
| Hoshizaki America, Inc. | Hoshizaki America | RFH3-SSB | Commercial Refrigerator - Freezer | Reach-in Cabinet | Automatic | 3 | 45.05 | 20.6 | 65.65 | 84.5 | 214.63 | 82.5 | 209.6 | 33.6 | 85.34 | R-404A | 17.09 |
| Traulsen & Co., Inc. | Traulsen | ADT232WUT-FHS | Commercial Refrigerator - Freezer | Reach-in Cabinet | Automatic | 2 | 21.9 | 21.9 | 43.8 | 83.25 | 211.46 | 58 | 147.3 | 35 | 88.9 | R-134A | 14 |
| Traulsen & Co., Inc. | Traulsen | ADT232WUT-HHS | Commercial Refrigerator - Freezer | Reach-in Cabinet | Automatic | 4 | 21.9 | 21.9 | 43.8 | 83.25 | 211.46 | 58 | 147.3 | 35 | 88.9 | R-134A | 14 |
| Traulsen & Co., Inc. | Traulsen | RDT232WUT-FHS | Commercial Refrigerator - Freezer | Reach-in Cabinet | Automatic | 2 | 21.9 | 21.9 | 43.8 | 83.25 | 211.46 | 58 | 147.3 | 35 | 88.9 | R-134A | 14 |
| Traulsen & Co., Inc. | Traulsen | RDT232WUT-HHS | Commercial Refrigerator - Freezer | Reach-in Cabinet | Automatic | 4 | 21.9 | 21.9 | 43.8 | 83.25 | 211.46 | 58 | 147.3 | 35 | 88.9 | R-134A | 14 |
| Victory Refrigeration | Victory | RFA-2D-S7 | Commercial Refrigerator - Freezer | Reach-in Cabinet | Automatic | 2 | 21.4 | 21.4 | 42.8 | 84 | 213.36 | 52.12 | 132.4 | 35.88 | 91.14 | R-134A | 10.97 |
| Victory Refrigeration | Victory | RFA-2D-S7-HD | Commercial Refrigerator - Freezer | Reach-in Cabinet | Automatic | 4 | 21.4 | 21.4 | 42.8 | 84 | 213.36 | 52.12 | 132.4 | 35.88 | 91.14 | R-134A | 10.97 |
| Victory Refrigeration | Victory | RFS-2D-S7 | Commercial Refrigerator - Freezer | Reach-in Cabinet | Automatic | 2 | 21.4 | 21.4 | 42.8 | 84 | 213.36 | 52.12 | 132.4 | 35.88 | 91.14 | R-134A | 10.97 |
| Victory Refrigeration | Victory | RFS-2D-S7-HD | Commercial Refrigerator - Freezer | Reach-in Cabinet | Automatic | 4 | 21.4 | 21.4 | 42.8 | 84 | 213.36 | 52.12 | 132.4 | 35.88 | 91.14 | R-134A | 10.97 |

| Brand Name / Manufacturer | Model Name | Model Number | Product Type | Cabinet Type | Defrost Type | # of Doors | Refrig. | Freezer | Total | (in) | (cm) | (in) | (cm) | (in) | (cm) | Refrigerant Type | Daily Energy Consumption (kW-hrs/day) |
|---------------------------|--------------|---------------|-----------------------------------|------------------|--------------|------------|---------|---------|-------|------|--------|-------|-------|-------|-------|------------------|---------------------------------------|
| Victory Refrigeration | Victory | RFSA-2D-S7 | Commercial Refrigerator - Freezer | Reach-in Cabinet | Automatic | 2 | 21.4 | 21.4 | 42.8 | 84 | 213.36 | 52.12 | 132.4 | 35.88 | 91.14 | R-134A | 10.97 |
| Victory Refrigeration | Victory | RFSA-2D-S7-HD | Commercial Refrigerator - Freezer | Reach-in Cabinet | Automatic | 4 | 21.4 | 21.4 | 42.8 | 84 | 213.36 | 52.12 | 132.4 | 35.88 | 91.14 | R-134A | 10.97 |
| Beverage-Air | Beverage-Air | DI4-2 | Ice Cream Freezer | Reach-in Cabinet | Manual | 2 | 0 | 4.9 | 4.9 | 29 | 73.66 | 28 | 71.12 | 27 | 68.58 | R-404A | 2 |