
U.S. Fish & Wildlife Service

Bond Swamp

National Wildlife Refuge Amphibians, Fish, Mammals and Reptiles List



Bond Swamp National Wildlife Refuge was opened to the public on October 19, 2000. It consists of 6,500 acres of swamp bottomlands and some upland pines. We have three walking trails open year round, except during refuge hunts. Please call for dates associated with the hunts. Occasionally the refuge will flood, making some trails and roads impassable. Please use caution on all roads.



Bond Swamp National Wildlife Refuge The animals that live at Bond
Swamp are as diverse as the refuge,
from the bats that fly high in the sky
to the frogs that burrow into the
mud. You may not see all the animals
that are listed in this guide, but this
will give you an idea of the animals
that could live in the area. It's going
to take a keen eye to see some of the
animals as they will probably

see and hear you and hide long before you see them.

We ask that you observe the wildlife and plants here but do not touch.

It is against Federal Laws to harass, attempt to feed, or otherwise disturb

otherwise disturb the wildlife here on the refuge.

stay here at the Swamp. If you have any questions

or comments, please direct them to: Refuge Manager, 718 Juliette Road, Round Oak, GA 31038, 478/986 5441.

Snakes

Red-Bellied Water Snake (Nerodia ervthrogaster) Brown Water Snake (Nerodia taxispilota) Midland Water Snake (Nerodia sipedon) Banded Water Snake (Nerodia fasciata) Queen Snake (Regina septemvittata) Brown Snake (Storeria dekayi) __Red-Bellied Snake (Storeria occipitomaculata) _Eastern Ribbon Snake (Thamnophis sauritus) __Eastern Garter Snake (Thamnophis sirtalis) Smooth Earth Snake (Virginia valeriae) Rough Earth Snake (Virginia striatula) __Eastern Hognose Snake (Heterodon platyrhinos) Southern Ringneck Snake (Diadophis punctatus) Mud Snake (Farancia abacura) Southern Black Racer (Coluber constrictor priapus) Eastern Coachwhip (Masticophis flagellum) Rough Green Snake (Opheodrys aestivus) Black Rat Snake (Elaphe obsoleta) Corn Snake (Elaphe guttata) Eastern Kingsnake (Lampropeltis getulus) Scarlet Kingsnake (Lampropeltis triangulum) Scarlet Snake (Cemophora coccinea) Southeastern Crowned Snake (Tantilla

Eastern Cottonmouth (Agkistrodon piscivorus)


Copperhead (Agkistrodon contortrix) Timber Rattlesnake (Crotalus horridus)

coronata)

Lizards
Eastern Fence Lizard (Sceloporus undulatus)
Green Anole (Anolis carolinensis)
Mole Skink (Eumeces egregius)
Five-Lined Skink (Eumeces fasciatus)
Southeastern Five-Lined Skink (Eumeces
inexpectatus)
Broad-headed Skink (Eumeces laticeps)
Six-Lined Racerunner (Cnemidophorus
sexlineatus)
Eastern Glass Lizard (Ophisaurus ventralis)
Slender Glass Lizard (Ophisaurus attenuatus)
Ground Skink (Scincella lateralis)
T
Turtles
Eastern Box Turtle (Terrapene carolina)
Common Musk Turtle (Sternotherus odoratus)
Loggerhead Musk Turtle (Sternotherus minor)
Eastern Mud Turtle (Kinosternon subrubrum)
Striped Mud Turtle (Kinosternon baurii)
Spotted Turtle (Clemmys guttata)
River Cooter (Pseudemys concinna)
Florida Cooter (<i>Pseudemys floridana</i>)Spiny Softshell Turtle (<i>Apalone spinifera</i>))
Spliny SoftShell Turtle (Aparone sprinter a))Snapping Turtle (Chelydra serpentina)
Alligator Snapping Turtle (Macroclemys temmincki)
Yellow-bellied Slider (Trachemys scripta)
lenow-belined Slider (Tracherry's scripta)
Alligators
American Alligator (Alligator mississippiensis)
Toads and Frogs
American Toad (Bufo americanus)
Fowler's Toad (Bufo fowleri)
Southern Toad (Bufo terrestris)
Eastern Spadefoot (Scaphiopus holbrookii)
Squirrel Treefrog (Hyla squirella)
Bird-voiced Treefrog (Hyla avivoca)
Green Treefrog (Hyla cinerea)
Barking Treefrog (Hyla gratiosa)
Gray Treefrog (Hyla chrysoscelis)
Spring Peeper (Hyla crucifer)
Northern Cricket Frog (Acris crepitans)
Southern Cricket Frog (Acris gryllus)
Southern Chorus Frog (Pseudacris nigrita)
Upland Chorus Frog (Pseudacris feriarum)
Bullfrog (Rana catesbeiana)
Bronze Frog (Rana clamitans)
Southern Leopard Frog (Rana utricularia)
Eastern Newson months of Tood (Controller upo
Eastern Narrow-mouthed Toad (Gastrophryne carolinensis)

Salamanders
Lesser Siren (Siren intermedia)
Two-toed Amphiuma (Amphiuma means)
Spotted Salamander (Ambystoma maculatum)
Marbled Salamander (Ambystoma opacum)
Mole Salamander (Ambystoma talpoideum)
Slimy Salamander (Plethodon glutinosus)
Spotted Dusky Salamander (Desmognathus
conanti)
Southern Two-Lined Salamander (Eurycea
cirrigera)
Three-Lined Salamander (Eurycea guttolineata)
Dwarf Salamander (Eurycea quadridigitata)
Red-Spotted Newt (Notophthalmus viridescens)
Red Salamander (Psuedotriton ruber)
Mud Salamander (Psuedotriton montanus)
,
Mammals
Virginia Opossum (Didelphis virginiana)
Southeastern Shrew (Sorex longirostris)
Southern Short-tailed Shrew (Blarina carolinensis)
Least Shrew (Cryptotis parva)
Eastern Mole (Scaolpus aquaticus)
Southeastern Myotis (Myotis austroriparius)
Eastern Red Bat (Lasiurus borealis)
Hoary Bat (Lasiurus cinereus)
Seminole Bat (Lasiurus seminolus)
Silver-haired Bat (Lasionycteris noctivagans)
Eastern Pipistrelle (Pipistrellus subflavus)
Big Brown Bat (Eptesicus fuscus)
Evening Bat (Nycticeius humeralis)
Progilian From tailed Pat (Tadarida brasiliansis)
Brazilian Free-tailed Bat (Tadarida brasiliensis)
Nine-banded Armadillo (Dasypus novemcinctus)
Gray Squirrel (Sciurus carolinensis)
Fox Squirrel (Sciurus niger)
Southern Flying Squirrel (Glaucomys volans)
Southeastern Pocket Gopher (Geomys pinetis)
Eastern Chipmunk (Tamias striatus)
Eastern Cottontail (Sylvilagus floridanus)
Swamp Rabbit "Cane Cutter" (Sylvilagus
aquaticus)
Marsh Rabbit (Sylvilagus palustris)
Beaver (Castor canadensis)
Marsh Rice Rat (Oryzomys palustris)
Eastern Harvest Mouse (Reithrodontomys
humulis)
Cotton Mouse (Peromyscus gossypinus)
Oldfield Mouse (Peromyscus polionotus)
Golden Mouse (Peromyscus nuttalli)
Cotton Rat (Sigmodon hispidus)
Eastern Woodrat (Neotoma floridana)
Woodland Vole (Microtus pinetorum)

Norway Rat "Common Rat" (Rattus norvegicus)
Black Rat (Rattus rat)
House Mouse (Mus musculus)
River Otter (Lutra canadensis)
Common Muskrat (Ondatra zibethicus)
Mink (Mustela vison)
Raccoon (Procyon lotor)
Long-tailed Weasel (Mustela frenata)
Striped Skunk (Mephitis mephitis)
Eastern Spotted Skunk (Spilogale putorius)
Nutria (Myocastor coypus)
Coyote (Canis latrans)
Gray Fox (Urocyon cinereoargenteus)
Red Fox (Vulpes vulpes)
Bobcat (Lynx rufus)
Black Bear (Ursus americanus)
White-Tailed Deer (Odocoileus virginianus)
Feral Pig (Sus scrofa)



Note:

Observations of unusual species should be filed with Bond Swamp National Wildlife Refuge at the address on the back cover. Other sightings are also welcomed. Please record number and locations.

Sighting Notes Date Time Location Weather **Temperature** Wind Sky Total Species Observed **Comments**






photo: R. Idenden

Bond Swamp is one of over 535 refuges in the National Wildlife Refuge System administered by the U.S. Fish & Wildlife Service. The National Wildlife Refuge System is a network of lands and waters managed specifically for the protection of wildlife and wildlife habitat and represents the most comprehensive wildlife resource management program in the world. Units of the system stretch across the United States from Northern Alaska to the Florida Keys and include small islands in the Caribbean and the South Pacific. The habitat of refuges is as diverse as the nation itself.

The U.S. Fish & Wildlife Service also manages National Fish Hatcheries, and provides federal leadership in habitat protection, fish and wildlife research, technical assistance and the conservation and protection of migratory birds, certain marine mammals and threatened and endangered species.

Bond Swamp National Wildlife Refuge 718 Juliette Road Round Oak, Georgia 31038 Office: 478/986 5441 Fax: 478/986 9646

email: fw4rwpiedmont@fws.gov

http://piedmont.fws.gov/bondswamp.html

U.S. Fish & Wildlife Service 1 800/344 WILD

September 2001



