

National Marine Fisheries Service, Northwest Region 7600 Sand Point Way NE, Seattle, WA 98115 www.nwr.noaa.gov



PUBLIC NOTICE

For Information Contact: Yvonne deReynier (206) 526-6140 Mark Helvey (562) 980-4000 NMFS-SEA-06-04 FOR IMMEDIATE RELEASE June 30, 2006

PACIFIC COAST GROUNDFISH FISHERY Changes to commercial, recreational and tribal management measures

The National Marine Fisheries Service (NMFS) announces changes to commercial, recreational, and tribal management measures for the Pacific Coast groundfish fishery off Washington, Oregon, and California, **effective at 0001 hours** (local time) July 1, 2006.

The Pacific Fishery Management Council (Pacific Council) recommended changes to management measures at their June 11-16, 2006, meeting in Foster City, CA. Changes to management measures are being implemented in a *Federal Register* notice that will publish on July 3, 2006, and are described in this public notice.

Commercial Fishery

For complete regulations governing the commercial groundfish fishery, please see Title 50 CFR Part 660, Subpart G. Current trip limit tables, Tables 3-5 (North and South), are included at the end of this public notice.

Limited Entry Trawl Fishery

For more detailed regulations applying to the limited entry trawl fishery, see § 660.381 of the Pacific Coast groundfish regulations.

Non-Tribal Limited Entry Trawl Whiting Fishery

Since the start of the 2006 primary whiting season, higher than anticipated darkblotched rockfish catch has occurred in the shore-based and at-sea whiting fisheries. Therefore, NMFS is implementing a darkblotched rockfish bycatch limit of 25 mt for the non-tribal limited entry trawl whiting fishery. A 25 mt bycatch limit for darkblotched rockfish in the non-tribal whiting fishery is not equivalent to a bycatch allocation. The non-tribal whiting fishery may not have the full 25 mt available to achieve the whiting OY if the catch of darkblotched rockfish in other fisheries is higher than projected.

NEW Groundfish E-mail Group To better handle our growing list of subscribers, a new email listserver, wcgroundfish, will replace westcoastgroundfish@noaa.gov. You can subscribe to "wcgroundfish" by visiting the following website: <u>http://listserver.afsc.noaa.gov/read/all_forums/subscrib</u> <u>e?name=wcgroundfish</u> Visit the NMES Northwest Begion website for current

Visit the NMFS Northwest Region website for current groundfish management regulations, VMS information, and RCA boundary coordinates and maps.

Trawl Rockfish Conservation Area (RCA) North of 38° N. Lat.

Higher than expected darkblotched rockfish catch early in the year is projected to result in the darkblotched rockfish OY being exceeded by late summer unless the non-whiting limited entry trawl fishery north of 38° N. lat. is constrained. By increasing the size of the RCA north of 38° N. lat., the catch rate of darkblotched rockfish in the non-whiting limited entry trawl fishery will be reduced. Therefore, NMFS is implementing the following RCA boundary changes:

- North of 40°10' N. lat., move the seaward boundary of the trawl RCA to a line approximating the 250-fm depth contour in July-December (with petrale sole modifications for the November-December period);
- Between 38° N. lat and 40°10' N. lat., move the seaward boundary to a line approximating the 200-fm depth contour in July-August, and to a line approximating the 250-fm depth contour in September-December (with petrale sole modifications for the November-December period).

Trawl Trip Limits North of 38° N. Lat.

NMFS is also reducing trip limits for slope, darkblotched, and splitnose rockfish to slow the catch rate of darkblotched rockfish in the non-whiting limited entry trawl fishery; and increasing shortspine thornyhead limits to allow retention of incidental catch.

• North of 40°10' N. lat., reduce minor slope & darkblotched rockfish trawl trip limits to 1,000 lb per 2 months for July-December; and increase the shortspine thornyhead trip limit for large and small footrope trawl to 7,500 lb per 2 months for July-October; Between 38° N. lat and 40°10' N. lat., reduce minor slope and darkblotched, and splitnose rockfish trawl trip limits to 1,000 lb per 2 months for July-December; and increase shortspine thornyhead trip limits to 7,500 lb per 2 months for July-October.

Limited Entry Fixed Gear and Open Access Fisheries

For more detailed regulations applying to the limited entry fixed gear fishery, see §§ 660.382 and 660.383 of the Pacific Coast groundfish regulations. The limited entry fixed gear trip limit tables, Table 4 (North) and Table 4 (South), and open access trip limit tables, Table 5 (North) and Table 5 (South), are listed below.

Deeper Nearshore Rockfish Trip Limits

Landings of deeper nearshore rockfish in California is behind projections for 2006. Therefore, NMFS is implementing an increase in the deeper nearshore rockfish trip limits for limited entry fixed gear and open access fisheries between 40°10' N. lat. and 34°27' N. lat. to 500 lb per 2 months during September-October.

Open Access Non-groundfish Trawl RCA

Historically, the limited entry and open access trawl RCAs have been similar. Therefore, the seaward boundary of the open access non-groundfish trawl RCA will be the same as that for the trawl RCA:

• Between 38° N. lat and 40°10' N. lat., move the seaward boundary of the trawl RCA to a line approximating the 200-fm depth contour in July-August and to a line approximating the 250-fm depth contour from September-December (with petrale sole modifications for the November-December period);

California Recreational RCAs and Seasons

For more detailed regulations applying to recreational RCAs and seasons, see §§ 660.384 of the Pacific Coast groundfish regulations.

Data results from California Recreational Fisheries Survey (CRFS) suggest that the 2006 recreational management measures could be further revised to allow for additional fishing opportunity for shelf species, while reducing fishing pressure on nearshore groundfish species. Therefore, NMFS is implementing the following recreational RCA and season changes:

- Between 40° 10' N. lat. and 36° N. lat., move the shoreward boundary of the recreational RCA to a line approximating the 30-fm depth contour in July-December;
- Between 36° N. lat. and 34° 27' N. lat., open the area shoreward of the recreational RCA through the month of October (i.e., the recreational RCA extends from a boundary line approximating the 40-fm depth contour to the exclusive economic zone (EEZ) from May-October); and extend the open season for RCG complex, lingcod, and

California scorpionfish through October; South of 34° 27' N. lat., move the shoreward boundary of the recreational RCA to a line approximating the 60-fm depth contour in September-October (i.e. the RCA extends from a boundary line approximating the 60-fm depth contour from March-December); and extend the open season for California scorpionfish to July-December.

Tribal Fisheries

Washington Coastal Tribal Fisheries Management Measures

For more detailed regulations applying to the Washington coastal tribal fisheries, see §§ 660.385 of the Pacific Coast groundfish regulations.

The Makah Tribe proposed examining the effectiveness of different trawl gear configurations combined with area management to reduce impacts on overfished species and Pacific halibut. Therefore, NMFS is implementing a tribal harvest target of 1360.8 mt for Dover sole and 476.3 mt for arrowtooth flounder for the remainder of 2006 to replace the vessel specific trip limits for these species.

Trip limit tables, effective July 1, 2006, are included at the end of this public notice. S

For more information contact: NMFS Northwest Region at 206-526-6140 or visit our website at http://www.nwr.noaa.gov, click on "Pacific Coast Groundfish;" NMFS Southwest Region at 562-980-4000; Washington Department of Fish and Wildlife at 360-249-4628; Oregon Department of Fish and Wildlife at 541-867-4741; or the California Department of Fish and Game at 707-441-5797 (Eureka), 510-581-7358 (Belmont), 562-342-7184 (Los Alamitos), 858-546-7167 (La Jolla).

Any discrepancies between this public notice and the Federal Register will be resolved in favor of the Federal Register.

	Other Limits and Requirements Apply F						62006
	<u> </u>	JAN FE	B MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Soc	kfish Conservation Area (RCA) ^{6/} :	75 fm -		(75 fm -
	North of 40°10' N. lat.	modified 20 fm ^{7/}	00 75 - 2	00 fm	100 - 250 fm	75 fm - 250 fm	modified 250 fm ^{7/}
S	elective flatfish trawl gear is required shorewa gear) is permitted seaward of the RCA. Mi						
Se	See § 660.370 and § 660.381 for Add ee §§ 660.390-660.394 for Conservation Ar		· • ·	ates (includin	•		
	State trip limits may be more res	strictive than	federal trip limits,	particularly in w	aters off Orego	n and California.	
	Minor slope rockfish ^{2/} & Darkblotched rockfish	2,000 lb/ month	4,000 lb/	2 months		1,000 lb/ 2 months	S
	Pacific ocean perch	1,500 lb/ month		I 3,000 lb/ 2 months			
3	DTS complex						
4	Sablefish		1				
5	large & small footrope gear	7,000 lb/ month	14,000 lb/ 2 months	:	20,000 lb/ 2 mo		14,000 lb/ 2 months
6	selective flatfish trawl gear	2,500 lb/ month	7,000 lb/ 2 months	13,500 lb	/ 2 months	7,000 lb/ 2 months	5,000 lb/ 2 months
7	multiple bottom trawl gear ^{8/}	2,500 lb/ month	7,000 lb/ 2 months	13,500 lb	/ 2 months	7,000 lb/ 2 months	5,000 lb/ 2 months
8	Longspine thornyhead	7 500 11 /	45.000 # (0				
9	large & small footrope gear	7,500 lb/ month	15,000 lb/ 2 months		23,000 lb/ 2 mo	nths	15,000 lb/ 2 months
0	selective flatfish trawl gear	1,500 lb/ month			3,000 lb/ 2 mon	ths	
11	multiple bottom trawl gear ^{8/}	1,500 lb/ month			3,000 lb/ 2 mon	ths	
12	Shortspine thornyhead						
13	large & small footrope gear	2,000 lb/ month	4,000 lb/ 2 months	5,800 lb/ 2 months	7,500 lb	/ 2 months	4,000 lb/ 2 months
14	selective flatfish trawl gear	1,500 lb/ month			3,000 lb/ 2 mon	ths	
15	multiple bottom trawl gear ^{8/}	1,500 lb/ month			3,000 lb/ 2 mon	ths	
16	Dover sole						
17	large & small footrope gear	25,000 lb/ month	months		35,000	b/ 2 months	
18	selective flatfish trawl gear	10,000 lb/ month	/	28,000 I	b/ 2 months		20,000 lb/ 2 months
	multiple bottom trawl gear ^{8/}	10,000 lb/				-	20,000 lb/ 2

Table 3 (North). Continued

tfish (except Dover sole)								
Other flatfish ^{3/} , English sole & Petrale sole								
large & small footrope gear for Other flatfish ^{3/} & English sole	55,000 lb/ month	110.000 lb/ 2	months, no more than 30.000 lb/ 2 months of	110,000 lb/ 2 months				
large & small footrope gear for Petrale sole	30,000 lb/ month		which may be petrale sole.	60,000 lb/ 2 months				
selective flatfish trawl gear for Other flatfish ^{3/} & English sole	45,000 lb/ month	90,000 lb/ 2 months, no		90,000 lb/ 2 months, no				
selective flatfish trawl gear for Petrale sole	12,500 lb/ month	more than 25,000 lb/ 2 months of which may be petrale sole.	5,000 lb/ 2 months of hich may be					
multiple bottom trawl gear ^{8/}	Other flatfish ^{3/} and English sole: 45,000 lb/ month Petrale sole: 12,500 lb/ month	90,000 lb/ 2 months, no more than 25,000 lb/ 2 months of which may be petrale sole.	onorths, no nore than 5,000 lb/ 2 nonths of iich may be					
Arrowtooth flounder				د				
large & small footrope gear	50,000 lb/ month		100,000 lb/ 2 months					
selective flatfish trawl gear	40,000 lb/ month		80,000 lb/ 2 months	C				
multiple bottom trawl gear ^{8/}	40,000 lb/ month		80,000 lb/ 2 months	-				
iting								
midwater trawl								
large & small footrope gear	Before the prin	, ,		10,000 lb/trip -				
nor shelf rockfish ^{1/} , Shortbelly, dow & Yelloweye rockfish								
midwater trawl for Widow rockfish	least 10,000 lb limit of 1,50	primary whiting season: CLOSED During primary whiting season: In trips of at 0 lb of whiting, combined widow and yellowtail limit of 500 lb/ trip, cumulative widow ,500 lb/ month. Mid-water trawl permitted in the RCA. See §660.373 for primary g season and trip limit details After the primary whiting season: CLOSED						
large & small footrope gear	150 lb/ month	nonth 300 lb/ 2 months						
selective flatfish trawl gear	300 lb.	00 lb/ month1,000 lb/ month, no more than 200 lb/ month of which may be yelloweye rockfish300 lb/ month						
multiple bottom trawl gear ^{8/}	300 lb.	/ month	300 lb/ 2 months, no more than 200 lb/ month of which may be yelloweye rockfish	300 lb/ month				
	large & small footrope gear for Other flatfish ^{3/} & English sole large & small footrope gear for Petrale sole selective flatfish trawl gear for Other flatfish ^{3/} & English sole selective flatfish trawl gear for Petrale sole multiple bottom trawl gear ^{8/} Arrowtooth flounder large & small footrope gear selective flatfish trawl gear multiple bottom trawl gear ^{8/} iting iting iting cor shelf rockfish ^{1/} , Shortbelly, low & Yelloweye rockfish midwater trawl for Widow rockfish large & small footrope gear selective flatfish trawl gear	large & small footrope gear for Other flatfish ^{3/} & English sole 55,000 lb/ month large & small footrope gear for Petrale selective flatfish trawl gear for Other flatfish ^{3/} & English sole 30,000 lb/ month selective flatfish trawl gear for Petrale sole 12,500 lb/ month selective flatfish trawl gear for Petrale multiple bottom trawl gear 0ther flatfish ^{3/} and English sole: 45,000 lb/ month Arrowtooth flounder 50,000 lb/ month large & small footrope gear 50,000 lb/ month Arrowtooth flounder 50,000 lb/ month large & small footrope gear 50,000 lb/ month multiple bottom trawl gear 50,000 lb/ month and English sole: 45,000 12,500 lb/ month Arrowtooth flounder 50,000 lb/ month large & small footrope gear 50,000 lb/ month multiple bottom trawl gear 8 multiple bottom trawl gear 8 month 40,000 lb/ month titing Before the pringer midwater trawl Before the pringer midwater trawl for Widow rockfish Before the pringer midwater trawl for Widow rockfish Before the pringer midwater trawl for Widow rockfish Before the pringer large &	large & small footrope gear for Other flatfish ^{3/} & English sole 55,000 lb/ month 110,000 lb/ 2 large & small footrope gear for Petrale selective flatfish trawl gear for Other flatfish ^{3/} & English sole 30,000 lb/ month 90,000 lb/ 2 months, no more than 25,000 lb/ 2 selective flatfish trawl gear for Petrale sole 12,500 lb/ month 90,000 lb/ 2 months, no more than 25,000 lb/ 2 multiple bottom trawl gear flatfish trawl gear Other flatfish ^{3/} and English sole: 45,000 month 90,000 lb/ 2 months, no more than 25,000 lb/ 2 Multiple bottom trawl gear flatfish trawl gear Other flatfish ^{3/} and English sole: 45,000 month 90,000 lb/ 2 months, no more than 25,000 lb/ month Arrowtooth flounder 50,000 lb/ month 90,000 lb/ month 90,000 lb/ month selective flatfish trawl gear 50,000 lb/ month 90,000 lb/ month 90,000 lb/ month Arrowtooth flounder 50,000 lb/ month 90,000 lb/ month 90,000 lb/ month 90,000 lb/ month iting Before the primary whiting sea permitted in the RCA. See § 90,000 lb/ month 90,000 lb/ month 90,000 lb/ month iting Before the primary whiting sea permitted in the RCA. See § 90,000 lb/ month 90,000 lb/ month 90,000 lb/ month 90,000 lb/ month iting Before the primary whiting sea permitted in the RCA. See §	Iarge & small footrope gear for Other flatfish ³⁷ & English sole 55,000 lb/ month 110,000 lb/ 2 months, no more than 30,000 lb/ 2 months of which may be petrale sole. Iarge & small footrope gear for Petrale sole 30,000 lb/ month 90,000 lb/ 2 months, no more than 25,000 lb/ month 90,000 lb/ 2 months, no more than 25,000 lb/ months of which may be petrale sole. selective flatfish trawl gear for Petrale sole 12,500 lb/ month 90,000 lb/ 2 months, no more than 25,000 lb/ and English sole: 45,000 lb/ months of which may be petrale sole. 90,000 lb/ 2 months of which may be petrale sole. multiple bottom trawl gear withing season: 00,000 lb/ 2 months 90,000 lb/ 2 months, no more than 25,000 lb/ months 90,000 lb/ 2 months, no more than 25,000 lb/ months 90,000 lb/ 2 months of which may be petrale sole. Arrowtooth flounder 50,000 lb/ 12,500 lb/ month 90,000 lb/ 2 months 90,000 lb/ 2 months of which may be petrale sole. Arrowtooth flounder 50,000 lb/ month 90,000 lb/ 2 months 90,000 lb/ 2 months 90,000 lb/ 2 months selective flatfish trawl gear 50,000 lb/ month 90,000 lb/ 2 months 90,000 lb/ 2 months 90,000 lb/ 2 months filting 90,000 lb/ month 90,000 lb/ 2 months 90,000 lb/ 2 months 90,000 lb/ 2 months multiple bottom trawl gear midwater trawl 50,000 lb/ month 90,000 lb/ 2 months 9				

Table 3 (North). Continued

9 Canary rockfish								
0 large & small footrope gear			CLO	DSED				
1 selective flatfish trawl gear	100 lb.	/ month	300 lb/	month	100 lb/	month		
2 multiple bottom trawl gear ^{8/}			CLO	DSED				
3 Yellowtail								
4 midwater trawl	least 10,00 yellowtail lim	0 lb of whiting: c it of 2,000 lb/ m	combined widow onth. Mid-wate	and yellowtail I r trawl permitted	ary whiting seasor limit of 500 lb/ trip I in the RCA. See nary whiting seas	, cumulative §660.373 for	TABL	
5 large & small footrope gear	150 lb/ month			300 lb/ 2 month	IS		Г	
6 selective flatfish trawl gear	1,000 lb/ month	2(00) b/ 2 months						
7 multiple bottom trawl gear ^{8/}	150 lb/ month			300 lb/ 2 month	IS		Î	
Minor nearshore rockfish & Black rockfish							0	
9 large & small footrope gear			CLO	DSED			r t	
0 selective flatfish trawl gear			300 lb	/ month				
1 multiple bottom trawl gear ^{8/}			CLO	DSED			h)	
² Lingcod ^{4/}							0	
3 large & small footrope gear							ö	
4 selective flatfish trawl gear	600 lb/ month			1,200 lb/ 2 mont	ths		con't	
5 multiple bottom trawl gear ^{8/}							-	
6 Pacific cod	Not limited	30,000 lb/ 2 months	7	70,000 lb/ 2 mor	nths	30,000 lb/ 2 months		
7 Spiny dogfish	Not limited	ot limited 200,000 lb/ 2 150,000 lb/ 2 months 100,000 lb/ 2 months						
8 Other Fish ^{5/}			Not	limited				

1/Bocaccio, chilipepper and cowcod are included in the trip limits for minor shelf rockfish.

2/ Splitnose rockfish is included in the trip limits for minor slope rockfish.

3/ "Other flatfish" are defined at § 660.302 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole,

sand sole, and starry flounder.

4/ The minimum size limit for lingcod is 24 inches (61 cm) total length.
5/ "Other fish" are defined at § 660.302 and include sharks, skates, ratfish, morids, grenadiers, and kelp greenling.

Cabezon is included in the trip limits for "other fish."

6/ The Rockfish Conservation Area is a gear and/or sector specific closed area generally described by depth contours but specifically defined by lat/long coordinates set out at § 660.390.

7/ The "modified 200 fm" line is modified to exclude certain petrale sole areas from the RCA.

8/ If a vessel has both selective flatfish gear and large or small footrope gear on board during a cumulative limit period (either

simultaneously or successively), the most restrictive cumulative limit for any gear on board during the cumulative limit period applies for the entire cumulative limit period.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

 Table 3 (South) to Part 660, Subpart G -- 2006 Trip Limits for Limited Entry Trawl Gear South of 40°10' N. Lat.

 Other Limits and Requirements Apply -- Read § 660.301 - § 660.390 before using this table

		JAN FE	B MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Rock	fish Conservation Area (RCA) ^{6/} :						
	40°10' - 38° N. lat.	75 fm - 15 fm	0 100 fm	- 150 fm	100 fm - 200 fm	100 fm - 250 fm	75 fm - modified 250 fm ^{7/}
	38° - 34°27' N. lat.	75 fm - 15 fm	0	100 fn	n - 150 fm		75 fm - 150 fm
	South of 34 ⁰ 27' N. lat.	75 fm - 15 fm along th mainland coast; shoreline 150 fm around islands	n along the mainland coast; 100 fm - 150 fm along the mainland coast; shoreline - 150 fm shoreline - around islands 150 fm around				
Sn	nall footrope gear is required shoreward of	the RCA; all	trawl gear (large for seaward of the RC		ter trawl, and sr	nall footrope gear)	is permitted
Se	See § 660.370 and § 660.381 for Add e §§ 660.390-660.394 for Conservation A			nates (includin			
	State trip limits may be more re	strictive thar	i federal trip limits,	particularly in w	vaters off Orego	n and California.	
	Minor slope rockfish ^{2/} & Darkblotched rockfish						
2	40°10' - 38° N. lat.	4,000 lb/ month	8,000 lb/	2 months		1,000 lb/ 2 months	5
3	South of 38° N. lat.	20,000 lb. month	/	2	40,000 lb/ 2 moi	nths	
4 <u></u> 5	Splitnose 40°10' - 38° N. lat.	4,000 lb/ month	8,000 lb/	2 months		1,000 lb/ 2 months	5
				40,000 lb/ 2 months			
6	South of 38° N. lat.	20,000 lb month	/		40,000 lb/ 2 moi	nths	
_	South of 38° N. lat.	month			40,000 lb/ 2 moi	nths	
_		8,500 lb/ month	,		40,000 lb/ 2 mor 17,000 lb/ 2 mor		
7 <mark>[</mark> 8 9	DTS complex Sablefish Longspine thornyhead	month 8,500 lb/	,			nths	
7 <mark>[</mark> 8 9	DTS complex Sablefish Longspine thornyhead Shortspine thornyhead	month 8,500 lb/ month 9,500 lb / month	/		17,000 lb/ 2 moi 19,000 lb/ 2 moi	nths	
7 <mark>[</mark> 8 9	DTS complex Sablefish Longspine thornyhead Shortspine thornyhead 40°10' - 38° N. lat.	month 8,500 lb/ month 9,500 lb / month 2,450 lb/	/		17,000 lb/ 2 mor 19,000 lb/ 2 mor 7,500 lb	nths nths o/ 2 months	4,900 lb/ 2 months
7 <mark>[</mark> 8	DTS complex Sablefish Longspine thornyhead Shortspine thornyhead	month 8,500 lb/ month 9,500 lb / month 2,450 lb/ month 25,000 lb/	/ / / / 4,900 lb/ / 50,000 lb/ 2		17,000 lb/ 2 moi 19,000 lb/ 2 moi 7,500 lk 4,900 lk	nths	4,900 lb/ 2 months
7 <u></u> 8 9 10	DTS complex Sablefish Longspine thornyhead Shortspine thornyhead 40°10' - 38° N. lat. South of 38° N. lat.	month 8,500 lb/ month 9,500 lb / month 2,450 lb/ month	/ / / 4,900 lb/		17,000 lb/ 2 moi 19,000 lb/ 2 moi 7,500 lk 4,900 lk	nths nths o/ 2 months o/ 2 months	
7 <u></u> 8 9 10	DTS complex Sablefish Longspine thornyhead Shortspine thornyhead 40°10' - 38° N. lat. South of 38° N. lat. Dover sole	month 8,500 lb/ month 9,500 lb / month 2,450 lb/ month 25,000 lb/	/ / / / 4,900 lb/ / 50,000 lb/ 2		17,000 lb/ 2 moi 19,000 lb/ 2 moi 7,500 lk 4,900 lk	nths nths o/ 2 months o/ 2 months	
7 E 8 9 10 11 12 F	DTS complex Sablefish Longspine thornyhead Shortspine thornyhead 40°10' - 38° N. lat. South of 38° N. lat. Dover sole Flatfish (except Dover sole)	month 8,500 lb/ month 9,500 lb / month 2,450 lb/ month 25,000 lb. 55,000 lb.	/ 4,900 lb/ / 50,000 lb/ 2 months	2 months	17,000 lb/ 2 mor 19,000 lb/ 2 mor 7,500 lk 4,900 lk 35,000 l	nths hths b/ 2 months b/ 2 months b/ 2 months	110,000 lb/ 2
7 <u></u> 8 9 10 11 12 <u></u> 13	DTS complex Sablefish Longspine thornyhead Shortspine thornyhead 40°10' - 38° N. lat. South of 38° N. lat. Dover sole Flatfish (except Dover sole) Other flatfish ^{3'} & English sole	month 8,500 lb/ month 9,500 lb / month 2,450 lb/ month 25,000 lb. month	/ 4,900 lb/ / 50,000 lb/ 2 months / Other flatfis months, no n	2 months	17,000 lb/ 2 mor 19,000 lb/ 2 mor 7,500 lk 4,900 lk 35,000 l	nths hths b/ 2 months b/ 2 months b/ 2 months	months

17	Arrowtooth flounder								
18	40°10' - 38° N. lat.	5,000 lb/		1	0,000 lb/ 2 montl	hs			
19	South of 38° N. lat.	month		·					
20	Whiting								
21	midwater trawl		, ,	660.373 for sea	U 1	imary season: m t details After			
22	large & small footrope gear	Before the prin			trip During the trig season: 10,00	primary season: 00 lb/trip	10,000 lb/trip -		
23	Minor shelf rockfish ^{1/} , Chilipepper, Shortbelly, Widow, & Yelloweye rockfish							ΤA	
24	large footrope or midwater trawl for Minor shelf rockfish & Shortbelly			300 lb	o/ month			BL	
25	large footrope or midwater trawl for Chilipepper	1,000 lb/ months	12 ()() b/ 2 months 1 8 ()() b/ 2 months						
26	large footrope or midwater trawl for Widow & Yelloweye		CLOSED						
27	small footrope trawl for Minor Shelf, Shortbelly, Widow & Yelloweye	200 /	[/] month		300 lb/	month		3 (
28	small footrope trawl for Chilipepper	300 10/	monun		500 lb/	month		So	
29	Восассіо							u c	
30	large footrope or midwater trawl	150 lb/ month			300 lb/ 2 months	3		÷	
31	small footrope trawl			CLO	OSED			h)	
32	Canary rockfish								
33	large footrope or midwater trawl			CLO	OSED			con't	
34	small footrope trawl	100 lb/	/ month	300 lb/	month	100 lb/ n	nonth	2	
35	Cowcod			CLO	OSED			ר ז'	
36	Minor nearshore rockfish & Black rockfish								
37	large footrope or midwater trawl			CLO	OSED				
38	small footrope trawl			300 lb	o/ month				
39	Lingcod ^{4/}								
40	large footrope or midwater trawl	600 lb/ month	600 lb/ month 1,200 lb/ 2 months						
41	small footrope trawl				1,200 10/ 2 11101111	15			
42	Pacific cod	Not limited	30,000 lb/ 2 months 70,000 lb/ 2 months 30,000 lb/ 2 months						
43	Spiny dogfish	Not limited	200,000 lb/ 2 months	150,000 lb/ 2 months	100	0,000 lb/ 2 month	IS		
44	Other Fish ^{5/} & Cabezon			Not	limited				

1/ Yellowtail is included in the trip limits for minor shelf rockfish.

2/ POP is included in the trip limits for minor slope rockfish

3/ "Other flatfish" are defined at § 660.302 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, sand sole, and starry flounder.

4/ The minimum size limit for lingcod is 24 inches (61 cm) total length.
5/ Other fish are defined at § 660.302 and include sharks, skates, ratfish, morids, grenadiers, and kelp greenling.

6/ The Rockfish Conservation Area is a gear and/or sector specific closed area generally described by depth contours

but specifically defined by lat/long coordinates set out at § 660.390.

7/ The "modified 200 fm" line is modified to exclude certain petrale sole areas from the RCA.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

Table 4 (North) to Part 660, Subpart G -- 2006 Trip Limits for Limited Entry Fixed Gear North of 40°10' N. Lat. Other Limits and Requirements Apply -- Read § 660.301 - § 660.390 before using this table 42006

	Other Limits and Requirements Apply -	Read § 660.3	01 - § 660.390	before using t	his table		42006		
		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC		
Ro	ckfish Conservation Area (RCA) ^{6/} :								
	North of 46°16' N. lat.			shoreline	- 100 fm				
	46°16' N. lat 40°10' N. lat.			30 fm -	100 fm				
S	See § 660.370 and § 660.382 for Addi ee §§ 660.390-660.394 for Conservation State trip limits may be more res	Area Descripti and	ons and Coord d Cordell Bank	linates (includi s).	ng RCAs, YR	CA, CCAs, Fara	illon Islands,		
1	Minor slope rockfish ^{2/} & Darkblotched rockfish			4,000 lb/					
2	Pacific ocean perch			1,800 lb/	2 months				
3	Sablefish	300 lb/ day,	or 1 landing pe	er week of up to	1,000 lb, not to	o exceed 5,000	lb/ 2 months		
4	Longspine thornyhead			10,000 lb/	2 months				
5	Shortspine thornyhead		2,000 lb/ 2 months						
6	Dover sole	5 000 11	o/ month						
7	Arrowtooth flounder		N. lat., when						
8	Petrale sole	•	other flatfish,"						
9	English sole		hook-and-line more than 12	South of 420 N	,	o/ month hing for "other fl	atfich " voccole		
10	Other flatfish ^{1/}	hooks per line, using hooks no larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to shank, and up to 1 lb (0.45 kg) of weight per line are not subject to the RCAs.							
11	Whiting			10,000	lb/ trip				
12	Minor shelf rockfish ^{2/} , Shortbelly, Widow, & Yellowtail rockfish			200 lb/	month				
13	Canary rockfish			CLO	SED				
4	Yelloweye rockfish			CLO	SED				
15	Minor nearshore rockfish & Black rockfish								
16		5,000 lb/ 2 n	nonths, no more	e than 1,200 lb c		e species other	than black or		
	North of 42 [°] N. lat.			blue roo		·			
17	42° - 40°10' N. lat.	e species other	than black or						
18	Lingcod ^{4/}	CLC	SED	8	300 lb/ 2 month	S	CLOSED		
	Pacific cod	Not limited 1,000 lb/ 2 months							
20	Spiny dogfish	Not limited	200,000 lb/ 2 months	150,000 lb/ 2 months	10	0,000 lb/ 2 mon	ths		
21	Other fish ^{5/}			Not li	mited				

1/ "Other flatfish" are defined at § 660.302 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, sand sole, and starry flounder.

2/ Bocaccio, chilipepper and cowcod are included in the trip limits for minor shelf rockfish and splitnose rockfish is included in the trip limits for minor slope rockfish.

3/ For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. (46°38.17' N. lat.), there is an additional limit of 100 lb or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.

4/ The minimum size limit for lingcod is 24 inches (61 cm) total length.
5/ "Other fish" are defined at § 660.302 and include sharks, skates, ratfish, morids, grenadiers, and kelp greenling. Cabezon is included in the trip limits for "other fish."

6/ The Rockfish Conservation Area is a gear and/or sector specific closed area generally described by depth contours but specifically defined by lat/long coordinates set out at § 660.390.

	Other Limits and Requirements Apply -	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	62006 NOV-DEC			
D	kfish Conservation Area (RCA) ^{5/} :	JAN-FED			JUL-AUG	3EF-001	NOV-DEC			
Roc	$40^{\circ}10' - 34^{\circ}27'$ N. lat.	20 fm	150 fm	20 fm	150 fm	20 fm	150 fm			
		30 111 -		- 150 fm (also a			150 m			
	South of 34 [°] 27' N. lat.			Υ.		,				
Se	See § 660.370 and § 660.382 for Addit e §§ 660.390-660.394 for Conservation A	Area Descripti		dinates (includ						
	State trip limits may be more rest	trictive than fec	leral trip limits,	particularly in w	aters off Orego	n and California	а.			
1	Minor slope rockfish ^{2/} & Darkblotched rockfish			40,000 lb/	2 months					
	Splitnose			40,000 lb/	2 months					
3	Sablefish									
4	40°10' - 36° N. lat.	300 lb/ day,	300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 5,000 lb/ 2 months							
5	South of 36 [°] N. lat.		350 lb/ day, or 1 landing per week of up to 1,050 lb							
6	Longspine thornyhead		10,000 lb / 2 months							
7	Shortspine thornyhead	2,000 lb/ 2 months								
	Dover sole		/ month				1			
	Arrowtooth flounder		N. lat., when							
10	Petrale sole	0	ther flatfish," hook-and-line		5 000 1	o/ month				
11	English sole		more than 12	South of 420 N	'	ning for "other fl	atfish," vessels			
12	Other flatfish ^{1/}	no larger tha hooks, which mm (0.44 ind shank, and u	e, using hooks n "Number 2" n measure 11 ches) point to p to 1 lb (0.45	 line, using hooks no larger than "Number 2" hooks, will measure 11 mm (0.44 inches) point to shank, and up to 1 lb (0.45 kg) weights per line are not subject to the R05 						
			per line are not the RCAs.							
	Whiting 2/			10,000) lb/ trip					
14	Minor shelf rockfish ^{2/} , Shortbelly, & Widow rockfish									
15	40°10' - 34°27' N. lat.	300 lb/ 2 months	CLOSED	200 lb/ 2	2 months	300 lb/ 2	2 months			
16	South of 34°27' N. lat.			3,000 lb/	2 months					
	Chilipepper rockfish	2,000 lb/	2 months, this	opportunity only		vard of the nont				
	Canary rockfish				SED					
	Yelloweye rockfish				SED					
	Cowcod			CLO	SED					
21 22	Bocaccio 40°10' - 34°27' N. lat.	200 lb/ 2		100 lb/ 2		300 lb/ 2 month	e			
23	South of 34°27' N. lat.	months 300 lb/ 2	CLOSED	months		2 months				
24	Minor nearshore rockfish & Black rockfish	months								
25	Shallow nearshore	300 lb/ 2 months	CLOSED	500 lb/ 2 months	600 lb/ 2 months	500 lb/ 2 months	300 lb/ 2 months			
26	Deeper nearshore		1	1		1	<u> </u>			
27	40°10' - 34°27' N. lat.	500 lb/ 2	0.00		500 lb/ 2	2 months				
28	South of 34°27' N. lat.	months	CLOSED	6	600 lb/ 2 month	s	400 lb/ 2 months			
29	California scorpionfish	300 lb/ 2 months	CLOSED	300 lb/ 2 months	400 lb/ 2	2 months	300 lb/ 2 months			

Table 4 (South) to Part 660, Subpart G -- 2006 Trip Limits for Limited Entry Fixed Gear South of 40°10' N. Lat. Other Limits and Requirements Apply -- Read § 660 301 - § 660 390 before using this table

Table 4 (South). Continued

30	Lingcod ^{3/}	CLOSED		8	CLOSED	TABI		
31	Pacific cod	Not limited	1,000 lb/ 2 months					
32	Spiny dogfish	Not limited	200,000 lb/ 2 150,000 lb/ 2 100,000 lb/ 2 months months				(South) c	
33	Other fish ^{4/} & Cabezon		Not limited				on't	

1/ "Other flatfish" are defined at § 660.302 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, sand sole, and starry flounder.

2/ POP is included in the trip limits for minor slope rockfish. Yellowtail is included in the trip limits for minor shelf rockfish.

3/ The minimum size limit for lingcod is 24 inches (61 cm) total length.

4/ "Other fish" are defined at § 660.302 and include sharks, skates, ratfish, morids, grenadiers, and kelp greenling.

5/ The Rockfish Conservation Area is a gear and/or sector specific closed area generally described by depth contours but specifically defined by lat/long coordinates set out at § 660.390.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

Table 5 (North) to Part 660, Subpart G -- 2006 Trip Limits for Open Access Gears North of 40°10' N. Lat. Other Limits and Requirements Apply -- Read § 660.301 - § 660.390 before using this table

	Other Limits and Requirements Apply						42006			
		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC			
Roc	kfish Conservation Area (RCA) ^{6/} :			ah a ra lin a	100 fm					
	North of 46°16' N. lat. 46°16' N. lat 40°10' N. lat.			shoreline						
		30 fm - 100 fm Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions.								
\$	See §§ 660.390-660.394 for Conservation A									
	State trip limits may be more	re restrictive than	federal trip limits,	particularly in wat	ers off Oregon a	nd California.				
1	Minor slope rockfish ^{1/} & Darkblotched rockfish		Per trip, no i	more than 25% of	weight of the sa	blefish landed				
2	Pacific ocean perch		100 lb/ month							
3	Sablefish		landing per week o, not to exceed 2 months	300 lb/ day, or ⁻		anding per week of up to 1,000 lb, not to exc 3,000 lb/ 2 months				
4	Thornyheads		CLOSED							
5	Dover sole		no more than 300 be species other ddabs. South of							
6	Arrowtooth flounder	420 N. lat., when flatfish," vessels		er 3,000 lb/month, no more than 300 lb of which ma			fishing for "other			
7	Petrale sole	hooks per line, larger than "Nu	using hooks no	hooks per line, u	sing hooks no la	rger than "Number 2" hooks, whi point to shank, and up to two 1 lb				
8	English sole	which measur inches) point to	e 11 mm (0.44 shank, and up to			are not subject to				
9	Other flatfish ^{2/}	are not subjec	weights per line to the RCAs.							
10	Whiting			300 lb/	month					
11	Minor shelf rockfish ^{1/} , Shortbelly, Widow, & Yellowtail rockfish			200 lb/	month					
12	Canary rockfish			CLO	SED					
13	Yelloweye rockfish			CLO	SED					
14	Minor nearshore rockfish & Black rockfish									
15	North of 42° N. lat.	5,000 lb/ 2 mont	hs, no more than	1,200 lb of which	may be species	other than black c	or blue rockfish 3/			
16	42° - 40°10' N. lat.	6,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black or blue rockfish ^{3/}								
17	Lingcod ^{4/}	CLOSED 300 lb/ month CLOSED								
18	Pacific cod	Not limited								
19	Spiny dogfish	Not limited	200,000 lb/ 2 months	150,000 lb/ 2 months	1	00,000 lb/ 2 mont	hs			
20	Other Fish ^{5/}			Not li	mited					

Table 5 (North). Continued

21	NK SHRIMP NON-GROUNDFISH TRAWL (not subject to RCAs) P Sector 2010 P Effective April 1 - October 31: groundfish 500 lb/day, multiplied by the number of days of the trip, not to exceed 1,500 lb/trip. The following sublimits also apply and are counted toward the overall 500 lb/day and 1,500 lb/trip groundfish limits: lingcod 300 lb/month (minimum 24 inch size limit); sablefish 2,000 lb/month; canary, thornyheads and yelloweye rockfish are PROHIBITED. All other groundfish species taken are managed under the overall 500 lb/day and 1,500 lb/trip groundfish limits. Landings of these species count toward the per day and per trip groundfish limits and do not have species-specific limits. The amount of groundfish landed may not exceed the amount of pink shrimp landed.									
22		to exceed 1,500 lb/trip. The following sublimits also apply and are counted toward the overall 500 lb/day and 1,500 lb/trip groundfish limits: lingcod 300 lb/month (minimum 24 inch size limit); sablefish 2,000 lb/month; canary, thornyheads and yelloweye rockfish are PROHIBITED. All other groundfish species taken are managed under the overall 500 lb/day and 1,500 lb/trip groundfish limits. Landings of these species count toward the per day and per trip groundfish limits and do not have species-specific	BLE 5 (N							
23	SALMON TROLL		r t							
24	North	Salmon trollers may retain and land up to 1 lb of yellowtail rockfish for every 2 lbs of salmon landed, with a cumulative limit of 200 lb/month, both within and outside of the RCA. This limit is within the 200 lb per month combined limit for minor shelf rockfish, widow rockfish and yellowtail rockfish, and not in addition to that limit. All groundfish species are subject to the open access limits, seasons and RCA restrictions listed in the table above.	h) con't							

Bocaccio, chilipepper and cowcod rockfishes are included in the trip limits for minor shelf rockfish. Splitnose rockfish is included in the trip limits for minor slope rockfish.
 "Other flatfish" are defined at § 660.302 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, sand sole, and starry flounder.
 For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. (46°38.17' N. lat.), there is an additional limit of 100 lbs or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.

4/ The size limit for lingcod is 24 inches (61 cm) total length.
 5/ "Other fish" are defined at § 660.302 and include sharks, skates, ratfish, morids, grenadiers, and kelp greenling.

Cabezon is included in the trip limits for "other fish."

6/ The Rockfish Conservation Area is a gear and/or sector specific closed area generally described by depth contours but specifically defined by lat/long coordinates set out at § 660.390. To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

Table 5 (South) to Part 660, Subpart G -- 2006 Trip Limits for Open Access Gears South of 40°10' N. Lat. Other Limits and Requirements Apply -- Read § 660.301 - § 660.390 before using this table

JAN-FEB MAR-APR MAY-JUN JUL-AUG SEP-OCT NOV-DEC RockFish Conservation Area (RCA) ⁹ : _40'10' - 34*27' N. lat. 30 fm - 150 fm 20 fm - 150 fm 30 fm - 150 fm<		Other Limits and Requirements Apply	bly Read § 660.301 - § 660.390 before using this table 62006							
Vit0 - 34*27 N. lat. 30 fm - 150 fm 20 fm - 150 fm 30 fm - 150 fm South of 34*27 N. lat. 60 fm - 150 fm (also applies around islands) South of 34*27 N. lat. 60 fm - 150 fm (also applies around islands) South of 34*27 N. lat. 86 bit fm (also applies around islands) State trip limits may be more restrictive than federal trip limits, particularly in waters off Oregon and California. Image: state trip limits may be more restrictive than federal trip limits, particularly in waters off Oregon and California. 1 Minor slope rockfish ¹⁰ & Darkbotched rockfish Barks). 2 40°10 - 36* N. lat. Per trip, no more than 25% of weight of the sablefish landed 3 South of 36* N. lat. 10.000 b/ 2 months 300 b/ day, or 1 landing per week of up to 1,000 b, not to exceed 3.000 b/ 2 months 300 b/ day, or 1 landing per week of up to 1,000 b, not to exceed 3.000 b/ 2 months 7 South of 34*27 N. lat. 300 b/ day, or 1 landing per week of up to 1,000 b, not to exceed 3.000 b/ 2 months 10 Dover sole 3,000 b/month, no more than 300 b d which may be species other trips in the gar with no more than 300 b d which may be species other trips in the gar with no more than 300 b d which may be species other trips in the gar with no more than 300 b d which may be species other trips in the daw of 10 to 34*27 N. lat. 10 Dever			JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC		
Vit0 - 34*27 N. lat. 30 fm - 150 fm 20 fm - 150 fm 30 fm - 150 fm South of 34*27 N. lat. 60 fm - 150 fm (also applies around islands) South of 34*27 N. lat. 60 fm - 150 fm (also applies around islands) South of 34*27 N. lat. 86 bit fm (also applies around islands) State trip limits may be more restrictive than federal trip limits, particularly in waters off Oregon and California. Image: state trip limits may be more restrictive than federal trip limits, particularly in waters off Oregon and California. 1 Minor slope rockfish ¹⁰ & Darkbotched rockfish Barks). 2 40°10 - 36* N. lat. Per trip, no more than 25% of weight of the sablefish landed 3 South of 36* N. lat. 10.000 b/ 2 months 300 b/ day, or 1 landing per week of up to 1,000 b, not to exceed 3.000 b/ 2 months 300 b/ day, or 1 landing per week of up to 1,000 b, not to exceed 3.000 b/ 2 months 7 South of 34*27 N. lat. 300 b/ day, or 1 landing per week of up to 1,000 b, not to exceed 3.000 b/ 2 months 10 Dover sole 3,000 b/month, no more than 300 b d which may be species other trips in the gar with no more than 300 b d which may be species other trips in the gar with no more than 300 b d which may be species other trips in the gar with no more than 300 b d which may be species other trips in the daw of 10 to 34*27 N. lat. 10 Dever	Roc	kfish Conservation Area (RCA) ^{5/} :								
See § 600.370 and § 600.383 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See §§ 600.390-660.384 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Faralton Islands, and Cordell Barks). State trip limits may be more restrictive than federal trip limits, particularly in waters off Oregon and California. Minor slope rockfish ¹¹ & Darkblotched rockfish 2 40°10' - 38° N. lat. 2 40°10' - 38° N. lat. 10.000 lb/ 2 months 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 3,000 lb/ 2 months 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 3,000 lb/ 2 months 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 3,000 lb/ 2 months 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 3,000 lb/ 2 months 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 3,000 lb/ 2 months 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 3,000 lb/ 2 months 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 3,000 lb/ 2 months 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 3,000 lb/ 2 months 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 3,000 lb/ month, no more than 1,000 lb/ 2 months 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 1,000 lb/ 2 months 300 lb/ day, or 1 landing per week of up to 1,000 lb or which may be species othere there with no more than 2,000 lb/ day, or 1 more than 2,000 l			30 fm -	150 fm	20 fm -	150 fm	30 fm -	· 150 fm		
See §§ 660.394 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, and Cordell Banks). State trip limits may be more restrictive than federal trip limits, particularly in waters off Oregon and California. Importance of the stable field in the st		South of 34°27' N. lat.		60 fr	m - 150 fm (also a	pplies around isla	ands)			
See §§ 660.394 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, and Cordell Banks). State trip limits may be more restrictive than federal trip limits, particularly in waters off Oregon and California. Importance of the stable field in the st		See § 660.370 and § 660.383 for	Additional Gear.	Trip Limit, and	Conservation Are	a Requirements	s and Restriction	IS.		
State trip limits may be more restrictive than federal trip limits, particularly in waters of Oregon and California. Import slope rockfish ¹⁷ & Darkblotched rockfish Adv*no - 38* N. lat. 9 Other Signal Signa	:			•						
1 Minor slope rockfish ¹⁴ & Darkblotched cokish Image: Cokish				Banks).						
1 Minor slope rockfish ¹⁴ & Darkblotched cokish Image: Cokish		State trip limits may be mor	e restrictive than t	ederal trip limits	particularly in wat	ers off Oregon ar	nd California			
rockfish 40°10' - 38° N. lat. Per trip, no more than 25% of weight of the sablefish landed 3 South of 38° N. lat. 10,000 lb/ 2 months 3 Sablefish 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 5,000 lb/ 2 months 6 40°10' - 38° N. lat. 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 3,000 lb/ 2 months 7 South of 36° N. lat. 300 lb/ day, or 1 landing per week of up to 1,050 lb 8 Thornyheads CLOSED 10 South of 34°27' N. lat. CLOSED 11 Dover sole 3,000 lb/month, no more than 300 lb / day, or 0 landing per week of up to 1,050 lb Thornyheads 12 Arrowtooth flounder 42° N. lat. CLOSED 13 Petrale sole 1,000 lb/month, no more than 300 lb / day, or 1 landing per week of up to 1,050 lb Thornyheads 14 English sole 3,000 lb/month, no more than 300 lb / day, or 0 lb / day, no more than 1,000 lb/ 2 months 1,000 lb/ 2 months 14 English sole 1,10,045 lb / day, or 0 lb / day, no more than 1,000 lb / 2 months 1,000 lb / day, or 1 landing per week of up to 1,000 lb / 2 months 14 English sole 1,10,045 lb / 2 months 3,000 lb/month, no more than 300 lb / anoth 10 lb (ak s, bre 1,000 lb / 2 mon		· _ ·		ederal cip initio,		ere en eregen a				
2 40°10 - 38° N. lat Per trip, no more than 25% of weight of the sablefish landed 3 South of 38° N. lat. 10.000 lb/ 2 months 4 Sablefish 200 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 3,000 lb/ 2 months 7 South of 38° N. lat. 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 3,000 lb/ 2 months 7 South of 38° N. lat. 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 3,000 lb/ 2 months 8 Thormyheads CLOSED 9 40°10 - 34°27 N. lat. CLOSED 10 South of 34°27 N. lat. Sol lb/ day, no more than 300 lb / 2 months 12 Arrowtooth flounder 3,000 lb/month, no more than 300 lb / and 130° lb/ 2 months 300 lb/month, no more than 300 lb / and 130° lb/ 2 N. lat. when fishing for other flatfish, "esselse using hook-and-line gear with no more than 20 lb of which may be species other than Pacific sanddabs. South of 420 N. lat. when fishing for other flatfish, "esselse using hook-and-line gear with no more than 12 hooks per line. using hooks and larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to shank, and up to two 1 lb (0.45 kg) of weight per line. 14 English sole 300 lb/ 2 months 300 lb/ 2 months 15 Other flatfish, "Shortbelly, Widow & Ship er line. using hooks and larger than "Number 2" hooks, thore line. using hooks and langer than "Number 2" hooks,	1	•								
3 South of 36° N. lat. 10,000 lb/ 2 months 4 Splitnose 200 lb/ month 5 Sablerish 200 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 3,000 lb/ 2 months 6 40°10 - 36° N. lat. 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 3,000 lb/ 2 months 7 South of 36° N. lat. 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 3,000 lb/ 2 months 7 South of 36° N. lat. 300 lb/ day, or 1 landing per week of up to 1,050 lb 7 South of 36° N. lat. 300 lb/ day, or 1 landing per week of up to 1,050 lb 7 South of 36° N. lat. 50 lb/ day, or 1 landing per week of up to 1,050 lb 7 South of 36° N. lat. 50 lb/ day, or 1 landing per week of up to 1,050 lb 10 South of 36° N. lat. 50 lb/ day, or nore than 300 lb / 2 months 11 Dover sole 3,000 lb/month, no more than 300 lb / 2 months 12 Arrowtooth flounder 120 N. lat., when fishing for "other line using hocks.and line	2			Por trip por	more than 25% of	woight of the each	lofich landod			
4 Splitnose 200 lb/ month 5 Sablefish 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 5,000 lb/ 2 months 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 3,000 lb/ 2 months 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 3,000 lb/ 2 months Thomyheads 7 South of 36° N. lat 300 lb/ day, or 1 landing per week of up to 1,000 lb / 2 months Thomyheads 9 40°10' - 34°27' N. lat 50 lb/ day, or 0 more than 1,000 lb/ 2 months Thomyheads 11 Dover sole 3,000 lb/month, no more than 300 lb of which may be species other than Pacific sanddabs. South of 420 N. lat., when fishing for "other than Pacific sanddabs. South of 420 N. lat., when fishing for "other than Pacific sanddabs. South of 420 N. lat., when fishing for "other than Pacific sanddabs. South of 420 N. lat., when fishing for "other than Pacific sanddabs. South of 420 N. lat., when fishing for "other than Pacific sanddabs. South of 420 N. lat., when fishing for "other than Pacific sanddabs. South of 420 N. lat., when fishing for "other than Pacific sanddabs. South of 420 N. lat., when fishing for "other than Pacific sanddabs. South of 420 N. lat., when fishing for "other than Pacific sanddabs. South of 420 N. lat., when fishing for "other than Pacific sanddabs. South of 420 N. lat., when fishing for "other than Pacific sanddabs. South of 420 N. lat., when fishing for "other than Pacific sanddabs. South of 420 N. lat., when fishing for "other than Pacific sanddabs. South of 420 N. lat., when fishing for "other than Pacific sanddabs. South of 420 N. lat., when fishing for "other than Pacific sanddabs. South of 420 N. lat., when				1 61 (1), 110 1						
5 Sablefish 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 5,000 lb/ 2 months 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 3,000 lb/ 2 months 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 5,000 lb/ 2 months 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 5,000 lb/ 2 months 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 5,000 lb/ 2 months 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 5,000 lb/ 2 months 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 5,000 lb/ 2 months Thomyheads 0 40°10 - 34°27 N. lat 300 lb/ day, or 0 more than 1,000 lb/ 2 months CLOSED Thomyheads 10 South of 34°27 N. lat 300 lb/ month, no more than 300 lb of which may be species other than Pacific sanddabs. South of 420 N. lat, when fishing for "other" than Pacific sanddabs. South of 420 N. lat, when lishing for "other" than Pacific sanddabs. South of 420 N. lat, when lishing for "other" than Pacific sanddabs. South of 420 N. lat, when lishing for "other" than Pacific sanddabs. South of 420 N. lat, when lishing for "other" than Pacific sanddabs. South of 420 N. lat, when lishing for "other" than Pacific sanddabs. South of 426 N. lat, when lishing for "other" than Pacific sanddabs. South of 40 N. lat, when lishing for "other" than Pacific sanddabs. South of 420 N. lat, when lishing for "other" than Pacific sanddabs. South of 40 N. lat, when lishing for "other" than Pacific sanddabs. South of 426 N. lat, when lishing for "other" than Pacific sanddabs. South of 426 N. lat, when lishing for "other" than Pacific sanddabs. South of 40° 10' - 34°27 N. lat 300 lb/ 2 months										
6 40°10' - 36° N. lat. 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 3,000 lb/ 2 months 7 South of 36° N. lat. 300 lb/ day, or 1 landing per week of up to 1,050 lb 8 Thornyheads 300 lb/ day, or 1 landing per week of up to 1,050 lb 9 40°10' - 34°27' N. lat. CLOSED 10 South of 34°27' N. lat. CLOSED 11 Dover sole 3,000 lb/month, no more than 300 lb/ day, or no more than 1,000 lb/ 2 months 3,000 lb/month, no more than 300 lb of which may be species other than Pacific sanddabs. South of 420 N. lat., when fishing for 'other flatfish,' vesels using hooks and-line gear with no more than 12 line day of 10 to 144 inches) point to shank, and up to two 1 lb (0.45 kg) of weight per line are not subject to the RCAs. 16 Whiting 300 lb/ 2 months 17 Minor shelf rockfish ¹⁷ , Shortbelly, Widow & CLOSED 200 lb/ 2 months 18 40°10' - 34°27' N. lat. 300 lb/ 2 months 19 South of 34°27' N. lat. 300 lb/ 2 months 19 Other flatfish, ''estandaby to the RCAs. 300 lb/ 2 months 18 40°10' - 34°27' N. lat. 750 lb/ 2 months 300 lb/ 2 months <					200 10/	monun				
6 40°10' - 36° N. lat. of up to 1,000 lb, not to exceed 5,000 lb/ 2 months 300 lb/ day, of 1 landing per week of up to 1,000 lb, not to exceed 5,000 lb/ 2 months 7 South of 36° N. lat. 350 lb/ day, or 1 landing per week of up to 1,050 lb 8 Thornyheads 9 40°10' - 34°27' N. lat. CLOSED 10 South of 34°27' N. lat. CLOSED 11 Dover sole 3,000 lb/month, no more than 300 lb of which may be species other than Pacific sanddabs. South of 420 N. lat., when fishing for 'other flatfish,' vessels using hook-and- line gear with no more than 1 hooks per line, using hook-and-line gear with no more than 12 hooks per line, using hook-and-line gear with no more than 12 hooks per line, using hook-and-line gear with no more than 12 hooks per line, using hook-and-line gear with no more than 12 hooks per line, using hook-and-line gear with no more than 12 hooks per line, using hook and so lo lb/ day in the shark, and up to two 1 lb (0.45 kg) weights per line are not subject to the RCAs. 16 Whiting 17 Minor shelf rockfish ¹⁷ , Shortbelly, Widow a Chilipepper rockfish 2 40°10' - 34°27' N. lat. 20 LoSED 20 South of 34°27' N. lat. 300 lb/ 2 months 300 lb/ 2 months 18 40°10' - 34°27' N. lat. 300 lb/ 2 months 300 lb/ 2 months 18 40°10' - 34°27' N. lat. 300 lb/ 2 months 300 lb/ 2 months 18 40°	5		200 lb/ day, or 1							
Interference South of 36° N. lat. South of 36° N. lat. 3000 lb/ 2 months 7 South of 36° N. lat. 350 lb/ day, or 1 landing per week of up to 1.050 lb 9 40°10' - 34°27' N. lat. CLOSED 10 South of 34°27' N. lat. 50 lb/ day, no more than 1,000 lb/ 2 months 11 Dover sole 3,000 lb/month, no more than 300 lb of which may be species other than Pacific sanddabs. South of 420 N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 13 Petrale sole Ine gear with no more than 100 lb/month, no more than 300 lb of which may be species other than Pacific sanddabs. South of 420 N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 14 English sole Ine gear with no more than 12 15 Other flatfish ^{2/} 1 b (0.45 kg) of weight per line are not subject to the RCAs. 16 Whiting 3000 lb/ month 17 Minor shelf rockfish ^{1/} , Shortbelly, Widow & CLOSED 200 lb/ 2 months 18 40°10' - 34°27' N. lat. 750 lb/ 2 months 19 South of 34°27' N. lat. 750 lb/ 2 months 19 South of 34°27' N. lat. 750 lb/ 2 months 20 Ib/ 2 months 300 lb/ 2 months 21 Yelloweye rockfish CLOSED 22 Velloweye rockfish CLOSED	6	40°10' - 36° N lat			300 lb/ day, or 2			b, not to exceed		
8 Thornytheads 40°10' - 34°27' N. lat. CLOSED 9 40°10' - 34°27' N. lat. 50 lb/ day, no more than 1,000 lb/ 2 months III 10 South of 34°27' N. lat. 50 lb/ day, no more than 1,000 lb/ 2 months IIII 11 Dover sole 3,000 lb/month, no more than 300 lb / awnore than 300 lb of which may be species other than Pacific sanddabs. South of 420 N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks and then Pacific sanddabs. South of 420 N. lat., when fishing for "other flatfish," vessels using hooks. and Line gear with no more than 12 hooks per line, using hooks not larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to shank, and up to two 1 lb (0.45 kg) of weight per line are not subject to the RCAs. If Whiting 16 Whiting 300 lb/ month 300 lb/ month 17 Minor shelf rockfish ^{1/} , Shortbelly, Widow & Chillipeper rockfish 300 lb/ 2 months 300 lb/ 2 months 18 40°10' - 34°27' N. lat. 300 lb/ 2 months CLOSED 300 lb/ 2 months 19 South of 34°27' N. lat. 300 lb/ 2 months CLOSED 200 lb/ 2 months 19 South of 34°27' N. lat. 300 lb/ 2 months CLOSED 200 lb/ 2 months 20 Canary rockfish CLOSED CLOSED 200 lb/ 2 months <td>Ũ</td> <td>-0.10.00.14.141.</td> <td></td> <td></td> <td></td> <td>3,000 lb/</td> <td>2 months</td> <td></td> <td>-</td>	Ũ	-0.10.00.14.141.				3,000 lb/	2 months		-	
8 Thornytheads 40°10' - 34°27' N. lat. CLOSED 9 40°10' - 34°27' N. lat. 50 lb/ day, no more than 1,000 lb/ 2 months III 10 South of 34°27' N. lat. 50 lb/ day, no more than 1,000 lb/ 2 months IIII 11 Dover sole 3,000 lb/month, no more than 300 lb / awnore than 300 lb of which may be species other than Pacific sanddabs. South of 420 N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks and then Pacific sanddabs. South of 420 N. lat., when fishing for "other flatfish," vessels using hooks. and Line gear with no more than 12 hooks per line, using hooks not larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to shank, and up to two 1 lb (0.45 kg) of weight per line are not subject to the RCAs. If Whiting 16 Whiting 300 lb/ month 300 lb/ month 17 Minor shelf rockfish ^{1/} , Shortbelly, Widow & Chillipeper rockfish 300 lb/ 2 months 300 lb/ 2 months 18 40°10' - 34°27' N. lat. 300 lb/ 2 months CLOSED 300 lb/ 2 months 19 South of 34°27' N. lat. 300 lb/ 2 months CLOSED 200 lb/ 2 months 19 South of 34°27' N. lat. 300 lb/ 2 months CLOSED 200 lb/ 2 months 20 Canary rockfish CLOSED CLOSED 200 lb/ 2 months <td>7</td> <td>South of 36° N. lat.</td> <td></td> <td colspan="6">350 lb/ day, or 1 landing per week of up to 1,050 lb</td>	7	South of 36° N. lat.		350 lb/ day, or 1 landing per week of up to 1,050 lb						
10 South of 34°27 N. lat. South of 34°27 N. lat. South of 34°27 N. lat. 10 South of 34°27 N. lat. South of 34°27 N. lat. South of 34°27 N. lat. 11 Dover sole 3,000 lb/month, no more than 300 lb of which may be species other than Pacific sanddabs. South of 42 oN. lat., when fishing for 'other flatfish,' vessels using hook-and- line gear with no more than 12 hooks per line, using hooks no larger than 'Number 2' hooks, which measure 11 mm (0.44 inches) point to shank, and up to 1 lb (0.45 kg) of weight per line are not subject to the RCAs. 3000 lb/month, no more than 300 lb of which may be species other than Pacific sanddabs. South of 420 N. lat., when fishing for 'other flatfish,' vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than 'Number 2' hooks, which measure 11 mm (0.44 inches) point to shank, and up to 1 lb (0.45 kg) of weight per line are not subject to the RCAs. South of 34°27' N. lat. 16 Whiting 300 lb/ z months 17 Minor shelf rockfish ¹ , Shortbelly, Widow & Chilipepper rockfish 20 Canary rockfish South of 34°27' N. lat. 20 Canary rockfish CLOSED 21 Yelloweye rockfish CLOSED 22 40°10' - 34°27' N. lat. 200 lb/ 2 months	8	Thornyheads								
11 Dover sole 3,000 lb/month, no more than 300 lb of which may be species other than Pacific sanddabs. South of 420 N. lat., when fishing for "other" than Pacific sanddabs. South of 420 N. lat., when fishing for "other" than Pacific sanddabs. South of 420 N. lat., when fishing for "other" than Pacific sanddabs. South of 420 N. lat., when fishing for "other" than Pacific sanddabs. South of 420 N. lat., when fishing for "other" than Pacific sanddabs. South of 420 N. lat., when fishing for "other" than Pacific sanddabs. South of 420 N. lat., when fishing for "other" than Pacific sanddabs. South of 420 N. lat., when fishing for "other" than Pacific sanddabs. South of 420 N. lat., when fishing for "other" than Pacific sanddabs. South of 420 N. lat., when fishing for "other" than Pacific sanddabs. South of 420 N. lat., when fishing for "other" than Pacific sanddabs. South of 420 N. lat., when fishing for "other" than Pacific sanddabs. South of 420 N. lat., when fishing for "other" than Pacific sanddabs. South of 420 N. lat., when fishing for "other" than Pacific sanddabs. South of 420 N. lat., when fishing for "other" than Pacific sanddabs. South of 420 N. lat., when fishing for "other" than Pacific sanddabs. South of 420 N. lat., when fishing for "other" than Pacific sanddabs. South of 420 N. lat., when fishing for "other" than Pacific sanddabs. South of 420 N. lat., when fishing for "other" than Pacific sanddabs. South of 420 N. lat., when fishing for "other" than Pacific sanddabs. South of 420 N. lat., when fishing for "other" than Pacific sanddabs. South of 420 N. lat., when fishing for "other" than Pacific sanddabs. 14 English sole I lat., when fishing for "other" than Pacific sanddabs. South of 420 N. lat., when fishing for "other" than Pacific sanddabs. 15 Other flattish ² I lat., when fishing for "other" tha	9	40°10' - 34°27' N. lat.		CLOSED						
3,000 lb/month, no more than 300 4 4 7 9 7 9 7 9 7 9 7 10 11 12 Arrowtooth flounder 13 14 English sole 11 12 Arrowtooth flounder 14 English sole 14 English sole 15 Other flattish ¹ / 16 0.45 kg) of weight per line are not subject to the RCAs. 16 Whiting 3000 lb/ month 1b (0.45 kg) of weight per line are not subject to the RCAs. 16 Whiting 3000 lb/ 2 months 200 lb/ 2 months 17 Minor shelf rockfish ^{1/} , Shortbelly, Widow 20 Canary rockfish 20 Canary rockfish 20 Canary rockfish 21 Yelloweye rockfish 22 Cowcod 24 40°10' - 34°2	10	South of 34°27' N. lat.		50 lt	o/ day, no more th	an 1,000 lb/ 2 m	onths			
3,000 lb/month, no more than 300 4 4 7 9 7 9 7 9 7 9 7 10 11 12 Arrowtooth flounder 13 14 English sole 11 12 Arrowtooth flounder 14 English sole 14 English sole 15 Other flattish ¹ / 16 0.45 kg) of weight per line are not subject to the RCAs. 16 Whiting 3000 lb/ month 1b (0.45 kg) of weight per line are not subject to the RCAs. 16 Whiting 3000 lb/ 2 months 200 lb/ 2 months 17 Minor shelf rockfish ^{1/} , Shortbelly, Widow 20 Canary rockfish 20 Canary rockfish 20 Canary rockfish 21 Yelloweye rockfish 22 Cowcod 24 40°10' - 34°2						· · · ·				
12 Arrowtooth flounder than Pacific sanddabs. South of 420 N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to shank, and up to two 1 lb hooks per line, using hooks no larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to shank, and up to two 1 lb (0.45 kg) of weight per line are not subject to the RCAs. 3,00 lb/month, no more than 30 lb of which may be species other flatfish," vessels using hooks no larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to shank, and up to two 1 lb (0.45 kg) of weight per line are not subject to the RCAs. 16 Whiting 300 lb/month 17 Minor shelf rockfish ¹⁷ , Shortbelly, Widow & Chilipepper rockfish 18 40°10' - 34°27' N. lat. 20 Canary rockfish 21 Yelloweye rockfish 22 Cowcod 23 ColosED 24 40°10' - 34°27' N. lat. 200 lb/ 2 months CLOSED 21 Yelloweye rockfish 22 Cowcod 24 40°10' - 34°27' N. lat. 200 lb/ 2 months CLOSED 21 Yelloweye rockfish 22 Cowcod 24 40°10' - 34°27' N. lat.	11	Dover sole								
420 N. lat., when fishing for "other flatfish," vessels using hook-and- line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to shank, and up to two 1 lb (0.45 kg) of weight per line are not subject to the RCAs. 3,000 lb/month, no more than 300 lb of which may be species other than Pacific sanddabs. South of 420 N. lat., when fishing for "other flatfish," vessels using hook-and- line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to shank, and up to two 1 lb (0.45 kg) of weight per line are not subject to the RCAs. 15 Other flatfish ^{2/} 16 Whiting 3000 lb/ month 17 Minor shelf rockfish ^{1/} , Shortbelly, Widow & Chilipepper rockfish 18 40°10' - 34°27' N. lat. 20 Canary rockfish 21 Yelloweye rockfish 22 Cowcod 23 Bocaccio 24 40°10' - 34°27' N. lat. 200 lb/ 2 months 200 lb/ 2 months 200 lb/ 2 months 200 lb/ 2 months	40	Arrowtooth flown dor		, ,						
13 Petrale sole flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks and line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to shank, and up to two 1 lb larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to shank, and up to two 1 lb (0.45 kg) of weight per line are not subject to the RCAs. than Pacific sanddabs. South of 420 N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to shank, and up to two 1 lb (0.45 kg) of weight per line are not subject to the RCAs. 15 Other flatfish ¹ / ₂ 1 lb (0.45 kg) of weight per line are not subject to the RCAs. 16 Whiting 300 lb/ month 17 Minor shelf rockfish ^{1/} , Shortbelly, Widow & CLOSED 200 lb/ 2 months 18 40°10' - 34°27' N. lat. 300 lb/ 2 months CLOSED 19 South of 34°27' N. lat. 300 lb/ 2 months CLOSED 20 Velloweye rockfish CLOSED 200 lb/ 2 months 21 Yelloweye rockfish CLOSED 200 lb/ 2 months 22 Cowcod CLOSED 200 lb/ 2 months 23 Bocaccio 100 lb/ 2 months 200 lb/ 2 months	12	Arrowtooth hounder			3.000 lb/month.	no more than 300) Ib of which may	be species other		
Image: Section 2010 Image: Section 2010<	13	Petrale sole	'	0	· · · ·		,		S	
14 English sole larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to shank, and up to two 11b (0.45 kg) of which measure 11 mm (0.44 inches) point to shank, and up to two 11b (0.45 kg) of which measure 11 mm (0.44 inches) point to shank, and up to two 11b (0.45 kg) of which measure 11 mm (0.44 inches) point to shank, and up to two 11b (0.45 kg) of which measure 11 mm (0.44 inches) point to shank, and up to two 11b (0.45 kg) of which measure 11 mm (0.44 inches) point to shank, and up to two 11b (0.45 kg) of which measure 11 mm (0.44 inches) point to shank, and up to two 11b (0.45 kg) of which measure 11 mm (0.44 inches) point to shank, and up to two 11b (0.45 kg) of which measure 11 mm (0.44 inches) point to shank, and up to two 11b (0.45 kg) of which measure 11 mm (0.44 inches) point to shank, and up to two 11b (0.45 kg) of which measure 11 mm (0.44 inches) point to shank, and up to two 11b (0.45 kg) of which measure 11 mm (0.44 inches) point to shank, and up to two 11b (0.45 kg) of which measure 11 mm (0.44 inches) point to shank, and up to two 11b (0.45 kg) of which measure 11 mm (0.44 inches) point to shank, and up to two 11b (0.45 kg) of which measure 11 mm (0.44 inches) point to shank, and up to two 11b (0.45 kg) of which measure 11 mm (0.44 inches) point to shank, and up to two 11b (0.45 kg) of which measure 11 mm (0.44 inches) point to shank. 16 Whiting 300 lb/ amonth 300 lb/ amonth 100 lb/ 2 months 300 lb/ 2 months 100 lb/ 2 months 100 lb/ 2 months 100 lb/ 2 months 200 lb/ 2 months 100 lb/ 2 months 200 lb/ 2 months 100 lb/ 2	10								-	
15 Other flatfish ^{2/} 1 lb (0.45 kg) of weight per line are not subject to the RCAs. 300 lb/ month 16 Whiting 300 lb/ month 300 lb/ month 17 Minor shelf rockfish ^{1/} , Shortbelly, Widow & Achilipepper rockfish 300 lb/ 2 months 300 lb/ 2 months 18 40°10′ - 34°27′ N. lat. 300 lb/ 2 months CLOSED 200 lb/ 2 months 19 South of 34°27′ N. lat. 300 lb/ 2 months CLOSED 20 Canary rockfish CLOSED 200 lb/ 2 months 21 Yelloweye rockfish CLOSED 200 lb/ 2 months 22 Cowcod CLOSED 200 lb/ 2 months 23 Bocaccio 200 lb/ 2 months 200 lb/ 2 months 24 40°10′ - 34°27′ N. lat. 200 lb/ 2 months 200 lb/ 2 months										
15 Other flatfish ^{2/} 1 lb (0.45 kg) of weight per line are not subject to the RCAs. 300 lb/ month 16 Whiting 300 lb/ month 300 lb/ month 17 Minor shelf rockfish ^{1/} , Shortbelly, Widow & Achilipepper rockfish 300 lb/ 2 months 300 lb/ 2 months 18 40°10′ - 34°27′ N. lat. 300 lb/ 2 months CLOSED 200 lb/ 2 months 19 South of 34°27′ N. lat. 300 lb/ 2 months CLOSED 20 Canary rockfish CLOSED 200 lb/ 2 months 21 Yelloweye rockfish CLOSED 200 lb/ 2 months 22 Cowcod CLOSED 200 lb/ 2 months 23 Bocaccio 200 lb/ 2 months 200 lb/ 2 months 24 40°10′ - 34°27′ N. lat. 200 lb/ 2 months 200 lb/ 2 months	14	English sole	U	,						
13 Other Hatrish are not subject to the RCAs. 16 Whiting 300 lb/ month 17 Minor shelf rockfish ^{1/} , Shortbelly, Widow & Chilipepper rockfish 300 lb/ 2 months 18 40°10' - 34°27' N. lat. 300 lb/ 2 months 19 South of 34°27' N. lat. 300 lb/ 2 months 20 Canary rockfish CLOSED 21 Yelloweye rockfish CLOSED 22 Cowcod CLOSED 23 Bocaccio CLOSED 24 40°10' - 34°27' N. lat. 200 lb/ 2 months 20 LOSED 200 lb/ 2 months				·					-	
International and the construction 16 Whiting 300 lb/ month 17 Minor shelf rockfish ^{1/} , Shortbelly, Widow & Chilipepper rockfish 40°10' - 34°27' N. lat. 18 40°10' - 34°27' N. lat. 300 lb/ 2 months 19 South of 34°27' N. lat. 750 lb/ 2 months 20 Canary rockfish CLOSED 21 Yelloweye rockfish CLOSED 22 Cowcod CLOSED 23 Bocaccio CLOSED 24 40°10' - 34°27' N. lat. 200 lb/ 2 months 20 LOSED 200 lb/ 2 months	15	Other flatfish ^{2/}	(0/	0 1					h)	
17 Minor shelf rockfish ^{1/} , Shortbelly, Widow 8 40°10' - 34°27' N. lat. 18 40°10' - 34°27' N. lat. 19 South of 34°27' N. lat. 200 lb/ 2 months 300 lb/ 2 months 201 South of 34°27' N. lat. 202 Canary rockfish 203 CLOSED 21 Yelloweye rockfish 22 Cowcod 23 Bocaccio 24 40°10' - 34°27' N. lat. 200 lb/ 2 months 100 lb/ 2 months 200 lb/ 2 months 200 lb/ 2 months			are not subject	t to the RCAs.						
17 Minor shelf rockfish ^{1/} , Shortbelly, Widow 8 40°10' - 34°27' N. lat. 18 40°10' - 34°27' N. lat. 19 South of 34°27' N. lat. 200 lb/ 2 months 300 lb/ 2 months 201 South of 34°27' N. lat. 202 Canary rockfish 203 CLOSED 21 Yelloweye rockfish 22 Cowcod 23 Bocaccio 24 40°10' - 34°27' N. lat. 200 lb/ 2 months 100 lb/ 2 months 200 lb/ 2 months 200 lb/ 2 months	16	Whiting			1	month				
& Chilipepper rockfish CLOSED 200 lb/ 2 months 300 lb/ 2 months 18 40°10' - 34°27' N. lat. 300 lb/ 2 months 300 lb/ 2 months 19 South of 34°27' N. lat. 750 lb/ 2 months 300 lb/ 2 months 20 Canary rockfish CLOSED CLOSED 21 Yelloweye rockfish CLOSED CLOSED 22 Cowcod CLOSED CLOSED 23 Bocaccio 100 lb/ 2 months 200 lb/ 2 months 24 40°10' - 34°27' N. lat. 200 lb/ 2 months 200 lb/ 2 months		0			000 12,					
18 40°10' - 34°27' N. lat. 300 lb/ 2 months CLOSED 200 lb/ 2 months 300 lb/ 2 months 19 South of 34°27' N. lat. 750 lb/ 2 months 750 lb/ 2 months 100 lb/ 2 months 20 Canary rockfish CLOSED CLOSED 100 lb/ 2 months 21 Yelloweye rockfish CLOSED CLOSED 22 Cowcod CLOSED 100 lb/ 2 months 23 Bocaccio 100 lb/ 2 months 200 lb/ 2 months	17									
19 South of 34°27' N. lat. 750 lb/ 2 months 20 Canary rockfish CLOSED 21 Yelloweye rockfish CLOSED 22 Cowcod CLOSED 23 Bocaccio 0 24 40°10' - 34°27' N. lat. 200 lb/ 2 months 20 LOSED 200 lb/ 2 months	18		300 lb/ 2 months	CLOSED	200 lb/ 2	months	300 lb/ 2	2 months		
Close of the formation										
21 Yelloweye rockfish CLOSED 22 Cowcod CLOSED 23 Bocaccio 24 40°10' - 34°27' N. lat. 200 lb/ 2 months 20 Lat. 200 lb/ 2 months 20 Lat. CLOSED	19	South of 34°27' N. lat.			750 lb/ 2	months				
22 Cowcod CLOSED 23 Bocaccio 24 40°10' - 34°27' N. lat. 200 lb/ 2 months CLOSED	20	Canary rockfish			CLO	SED				
Bocaccio 100 lb/ 2 months 24 40°10' - 34°27' N. lat. 200 lb/ 2 months CLOSED 100 lb/ 2 months 200 lb/ 2 months	21	Yelloweye rockfish	CLOSED							
Bocaccio 100 lb/ 2 months 24 40°10' - 34°27' N. lat. 200 lb/ 2 months CLOSED 100 lb/ 2 months 200 lb/ 2 months	22	Cowcod	CLOSED							
24 40°10' - 34°27' N. lat. 200 lb/ 2 months CLOSED 100 lb/ 2 months 200 lb/ 2 months										
CLOSED	23				1		1			
	24	40°10' - 34°27' N. lat.	200 lb/ 2 months		100 lb/ 2	months	200 lb/ 2	2 months		
25 South of 34°27' N. lat. 100 lb/ 2 months 100 lb/ 2 months										
	25	South of 34°27' N. lat.	100 lb/ 2 months			100 lb/ 2	2 months			

Table 5 (South). Continued

Tabl										
	Minor nearshore rockfish & Black rockfish									
27	Shallow nearshore	300 lb/ 2 months	CLOSED	500 lb/ 2 months	600 lb/ 2 months	500 lb/ 2 months	300 lb/ 2 months			
28	Deeper nearshore									
29	40°10' - 34°27' N. lat.				500 lb/ 2	2 months				
30	South of 34°27' N. lat.	500 lb/ 2 months	CLOSED		600 lb/ 2 months	i	400 lb/ 2 months			
31	California scorpionfish	300 lb/ 2 months	CLOSED	300 lb/ 2 months	400 lb/ 2	2 months	300 lb/ 2 months			
32	Lingcod ^{3/}	CLO	SED	300 lb/ m	onth, when nears	hore open	CLOSED			
33	Pacific cod	Not limited			1,000 lb/ 2 month	S				
34	Spiny dogfish	Not limited	200,000 lb/ 2 months	150,000 lb/ 2 months	10	00,000 lb/ 2 mont	hs			
35	Other Fish ^{4/} & Cabezon			Not li	mited					
36	RIDGEBACK PRAWN AND, SOUTH OF 38°57.50' N. LAT., CA HALIBUT AND SEA CUCUMBER NON-GROUNDFISH TRAWL									
37	NON-GROUNDFISH TRAWL Rockfish	Conservation Are	ea (RCA) for CA	Halibut and Sea	Cucumber:			T		
38	40°10' - 38° N. lat.	75 fm - modified 200 fm ^{7/}	100 fm - 200 fm	100 fm - 150 fm	100 fm - 200 fm	100 fm - 250 fm	75 fm - modified 250 fm ^{7/}	Þ		
39	38° - 34°27' N. lat.	75 fm - 150 fm		100 fm	- 150 fm		75 fm - 150 fm	BL		
40	South of 34°27' N. lat.	75 fm - 150 fm along the mainland coast; shoreline - 150 fm around islands	he boast; 100 fm - 150 fm along the mainland coast; shoreline - 150 fm around 150 nd							
41	NON-GROUNDFISH TRAWL Rockfish	Conservation Are	ea (RCA) for Rid	geback Prawn:				0		
42	40°10' - 38° N. lat.	75 fm - modified 200 fm ^{7/}	100 fm - 200 fm	100 fm - 150 fm	100 fm - 200 fm	100 fm - 250 fm	75 fm - modified 250 fm ^{7/}	ut		
43	38° - 34°27' N. lat.	75 fm - 150 fm		100 fm	- 150 fm	•	75 fm - 150 fm	h)		
44	South of 34°27' N. lat.	100) fm - 150 fm alor	ng the mainland co	oast; shoreline - 1	50 fm around isla	inds	con't		
45		per trip limit. landed, excep landed. Spiny sablefish coastv may not be mul fishery south of 3 requirement, prc flatfish, no mor	Groundfish 300 lb/trip. Trip limits in this table also apply and are counted toward the 300 lb groundfish per trip limit. The amount of groundfish landed may not exceed the amount of the target species landed, except that the amount of spiny dogfish landed may exceed the amount of target species landed. Spiny dogfish are limited by the 300 lb/trip overall groundfish limit. The daily trip limits for sablefish coastwide and thornyheads south of Pt. Conception and the overall groundfish "per trip" limit may not be multiplied by the number of days of the trip. Vessels participating in the California halibut fishery south of 38°57'30" N. lat. are allowed to (1) land up to 100 lb/day of groundfish without the ratio requirement, provided that at least one California halibut is landed and (2) land up to 3,000 lb/month of flatfish, no more than 300 lb of which may be species other than Pacific sandabas, sand sole, starry flounder, rock sole, curlfin sole, or California scorpionfish (California scorpionfish is also subject to the trip limits and closures in line 31).							
46	PINK SHRIMP NON-GROUNDFISH TRAWL	VL GEAR (not subject to RCAs)								
47	South	to exceed 1,50 Ib/day and 1,500 2,000 lb/ month species taken are these species co	ective April 1 - October 31: Groundfish 500 lb/day, multiplied by the number of days of the trip, not to exceed 1,500 lb/trip. The following sublimits also apply and are counted toward the overall 500 day and 1,500 lb/trip groundfish limits: lingcod 300 lb/ month (minimum 24 inch size limit); sablefish ,000 lb/ month; canary, thornyheads and yelloweye rockfish are PROHIBITED. All other groundfish excess taken are managed under the overall 500 lb/day and 1,500 lb/trip groundfish limits. Landings of esse species count toward the per day and per trip groundfish limits and do not have species-specific limits. The amount of groundfish landed may not exceed the amount of pink shrimp landed.							

1/ Yellowtail rockfish is included in the trip limits for minor shelf rockfish and POP is included in the trip limits for minor slope rockfish. 2/ "Other flatfish" are defined at § 660.302 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole,

sand sole, and starry flounder.

sand sole, and stary flounder.
3/ The size limit for lingcod is 24 inches (61 cm) total length.
4/ "Other fish" are defined at § 660.302 and include sharks, skates, ratfish, morids, grenadiers, and kelp greenling.
5/ The Rockfish Conservation Area is a gear and/or sector specific closed area generally described by depth contours but specifically defined by lat/long coordinates set out at § 660.390.
6/ The "modified 200 fm" line is modified to exclude certain petrale sole areas from the RCA.
To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.