

National Marine Fisheries Service, Northwest Region 7600 Sand Point Way NE, Seattle, WA 98115 www.nwr.noaa.gov



PUBLIC NOTICE

For Information Contact: Yvonne deReynier (206) 526-6140 Mark Helvey (562) 980-4000 NMFS-SEA-06-03 FOR IMMEDIATE RELEASE April 26, 2006

PACIFIC COAST GROUNDFISH FISHERY

Changes to commercial management measures

The National Marine Fisheries Service (NMFS) announces changes to commercial and recreational management measures for the Pacific Coast groundfish fishery off Washington, Oregon, and California, effective at 0001 hours (local time) May 1, 2006.

The Pacific Fishery Management Council (Pacific Council) recommended changes to management measures at their April 2-7, 2006, meeting in Sacramento, CA. Changes to management measures are being implemented in a *Federal Register* notice that will publish on April 26, 2006 and are described in this public notice.

Commercial Fishery

For complete regulations governing the commercial groundfish fishery, please see Title 50 CFR Part 660, Subpart G. Current trip limit tables, Tables 3-5 (North and South), are included at the end of this public notice.

Limited Entry Trawl Fishery

For more detailed regulations applying to the limited entry trawl fishery, see § 660.381 of the Pacific Coast groundfish regulations.

Chilipepper Rockfish South of 40°10' N. Lat.

The Pacific Council discussed increasing trip limits for chilipepper rockfish both shoreward and seaward of the rockfish conservation areas (RCAs) south of 40°10' N. lat. However becauseWest Coast Groundfish Observer Program (WCGOP) data is unavailable for the large footrope or midwater trawl gear fishery seaward of the RCA at this time, the Pacific Council recommended that the chilipepper rockfish trip limit for large footrope or midwater trawl gear remain the same as in 2005. For the small footrope trawl gear fishery, chilipepper rockfish is caught incidentally to the flatfish fishery, which occurs primarily shoreward of the RCA. A small increase in chilipepper rockfish trip limits will reduce discard in the flatfish fishery, while not creating

Visit the NMFS Northwest Region website for current groundfish management regulations, VMS information, and RCA boundary coordinates and maps.

http://www.nwr.noaa.gov

Join our email list to receive public notices electronically by sending an email to: westcoastgroundfish@noaa.gov

an incentive for targeting of chilipepper rockfish.

Therefore, NMFS implemented a 500 lb per month small footrope trip limit for chilipepper rockfish that is separate from the minor shelf rockfish, shortbelly, widow and yelloweye rockfish limit of 300 lb per month from May through December.

Limited Entry Fixed Gear and Open Access Fisheries

For more detailed regulations applying to the limited entry fixed gear fishery, see §§ 660.382 and 660.383 of the Pacific Coast groundfish regulations. The limited entry fixed gear trip limit tables, Table 4 (North) and Table 4 (South), and open access trip limit tables, Table 5 (North) and Table 5 (South), are listed below.

Limited Entry Fixed Gear Primary Sablefish Fishery– Retention of Incidental Halibut Catch

For more detailed regulations applying to the limited entry fixed gear primary sablefish fishery, see § 660.372 of the Pacific Coast groundfish regulations.

The Pacific halibut Catch Sharing Plan (CSP) and implementing regulations at 50 CFR 300.63(b)(3) provide for retention of halibut landed incidentally in the limited entry, longline primary sablefish fishery north of Pt. Chehalis, WA (46°53.30' N. lat.) in years when the Area 2A TAC is above 900,000 lb. The 2006 Area 2A TAC is 1,380,000 lb.

According to the International Pacific Halibut Commission (IPHC) and Federal regulations, Pacific halibut may not be taken by gear other than hook-and-line gear. Only vessels registered for use with sablefish-endorsed limited entry permits may participate in the primary fixed gear sablefish fishery specified for halibut retention in the CSP. Vessels must also carry IPHC

commercial halibut licenses in order to retain and land halibut. Incidental halibut retention in the primary sablefish fishery is only allowed for vessels operating north of Pt. Chehalis, WA (46°53.30' N. lat.). Under Pacific halibut regulations at 50 CFR 300.63, halibut taken and retained in the primary sablefish fishery may not be possessed or landed south of Pt. Chehalis, WA (46°53.30' N. lat.).

NMFS implemented the following: Beginning May 1, 2006, and continuing until the halibut quota of 70,000 lb is taken, longliners eligible to participate in the primary sablefish fishery north of Pt. Chehalis, WA (46°53.30' N. lat.) (see 50 CFR 660.372(a)) with appropriate IPHC licenses may retain incidental halibut landings up to 100 lb (dressed weight, head-on) of halibut for every 1,000 lb (dressed weight) of sablefish landed and up to two additional halibut in excess of the 100 lb per 1,000 lb ratio per landing. Halibut may not be on board a vessel that has any gear other than longline gear on board (e.g., pot or trawl gear).

Open Access Sablefish Daily Trip Limit Fishery North of 36° N. Lat.

NMFS is reducing the open access sablefish daily trip limit (DTL) fishery's cumulative limit north of 36° N. lat. in anticipation of a large influx of fishing effort into the sablefish DTL fishery as a result of salmon fishery closures. Reducing the open access cumulative limit for sablefish on May 1, 2006, is predicted to result in a longer season, which would most benefit fishers who have historically participated in the year-round fishery.

Therefore, NMFS implemented a reduction in the open access cumulative trip limits for sablefish north of 36° N. lat. from "300 lb per day, or one landing per week of up to 1,000 lb, not to exceed 5,000 lb per two months" to "300 lb per day, or one landing per week of up to 1,000 lb, not to exceed 3,000 lb per two

months."

Limited Entry Fixed Gear and Open Access Fisheries for "Other Flatfish" South of 42° N. Lat.

For consistency with recreational regulations and to allow hook-and-line gear to more effectively fish on the bottom of the ocean for abundant flatfish species that do not usually co-occur with overfished groundfish species, NMFS implemented gear restrictions for limited entry fixed gear and open access fisheries south of 42° N. lat. as follows: "When fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to shank, and up to two 1 lb (0.45 kg) weights per line are not subject to the RCAs."

Trip limit tables, effective May 1, 2006, are included at the end of this public notice.

For more information contact: NMFS Northwest Region at 206-526-6140 or visit our website at http://www.nwr.noaa.gov, click on "Pacific Coast Groundfish;" NMFS Southwest Region at 562-980-4000; Washington Department of Fish and Wildlife at 360-249-4628; Oregon Department of Fish and Wildlife at 541-867-4741; or the California Department of Fish and Game at 707-441-5797 (Eureka), 510-581-7358 (Belmont), 562-342-7184 (Los Alamitos), 858-546-7167 (La Jolla).

Any discrepancies between this public notice and the Federal Register will be resolved in favor of the Federal Register.

Table 3 (North) to Part 660, Subpart G -- 2006 Trip Limits for Limited Entry Trawl Gear North of 40°10' N. Lat.

Other Limits and Requirements Apply -- Read § 660.301 - § 660.390 before using this table

42006

	JAN FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Rockfish Conservation Area (RCA) ^{6/} :						
North of 40°10' N. lat.	75 fm - modified 200 fm ^{7/}	75 - 20	00 fm	100 - 200 fm	75 fm - 200 fm	75 fm - modified 200 fm ^{7/}

Selective flatfish trawl gear is required shoreward of the RCA; all trawl gear (large footrope, selective flatfish trawl, and small footrope trawl gear) is permitted seaward of the RCA. Midwater trawl gear is permitted only for vessels participating in the primary whiting season.

See § 660.370 and § 660.381 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions.

See §§ 660.390-660.394 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, and Cordell Banks).

State trip limits may be more restrictive than federal trip limits, particularly in waters off Oregon and California.

1	inor slope rockfish ^{2/} & Darkblotched ockfish	2,000 lb/ month	4,000 lb/ 2 months				
2 P a	acific ocean perch	1,500 lb/ month	3 (100 lb/ 2 months				
3 D .	TS complex						
4	Sablefish						
5	large & small footrope gear	7,000 lb/ month	14,000 lb/ 2 months	20,000 lb/ 2 m	nonths	14,000 lb/ 2 months	
6	selective flatfish trawl gear	2,500 lb/ month	7,000 lb/ 2 months	13,500 lb/ 2 months	7,000 lb/ 2 months	5,000 lb/ 2 months	
7	multiple bottom trawl gear ^{8/}	2,500 lb/ month	7,000 lb/ 2 months	13,500 lb/ 2 months	7,000 lb/ 2 months	5,000 lb/ 2 months	
3	Longspine thornyhead						
)	large & small footrope gear	7,500 lb/ month	15,000 lb/ 2 months	23,000 lb/ 2 months		15,000 lb/ 2 months	
0	selective flatfish trawl gear	1,500 lb/ month	3,000 lb/ 2 months				
1	multiple bottom trawl gear ^{8/}	1,500 lb/ month	3,000 lb/ 2 months				
2	Shortspine thornyhead		•				
3	large & small footrope gear	2,000 lb/ month	4,000 lb/ 2 months	5,800 lb/ 2 m	onths	4,000 lb/ 2 months	
4	selective flatfish trawl gear	1,500 lb/ month	3,000 lb/ 2 months				
5	multiple bottom trawl gear ^{8/}	1,500 lb/ month	3,000 lb/ 2 months				
6	Dover sole		•				
7	large & small footrope gear	25,000 lb/ month	50,000 lb/ 2 months 35,000 lb/ 2 months				
8	selective flatfish trawl gear	10,000 lb/ month		28,000 lb/ 2 months		20,000 lb/ 2 months	
9	multiple bottom trawl gear ^{8/}	10,000 lb/ month		28,000 lb/ 2 months		20,000 lb/ 2 months	

Table 3	(North). Continued						
20 Fla	tfish (except Dover sole)						
21	Other flatfish ^{3/} , English sole & Petrale sole						
22	large & small footrope gear for Other flatfish ^{3/} & English sole	55,000 lb/ month	110,000 lb/ 2	months, no more than 30,000 lb/ 2 months of	110,000 lb/ 2 months		
23	large & small footrope gear for Petrale sole	30,000 lb/ month		which may be petrale sole.	60,000 lb/ 2 months		
24	selective flatfish trawl gear for Other flatfish 3/8 English sole	45,000 lb/ month	90,000 lb/ 2 months, no		90,000 lb/ 2 months		
25	selective flatfish trawl gear for Petrale sole	12,500 lb/ month	more than 25,000 lb/ 2 months of which may be petrale sole.	90,000 lb/ 2 months, no more than 28,000 lb/ 2 months of which may be petrale sole.	25,000 lb/ 2 months		
26	multiple bottom trawl gear ^{8/}	Other flatfish ^{3/} and English sole: 45,000 lb/ month Petrale sole: 12,500 lb/ month	90,000 lb/ 2 months, no more than 25,000 lb/ 2 months of which may be petrale sole.	90,000 lb/ 2 months, no more than 28,000 lb/ 2 months of which may be petrale sole.	sole: 90,000 lb/ 2 months Petrale sole: 25,000 lb/ 2 months	TABLE:	
27	Arrowtooth flounder					ယ	
28	large & small footrope gear	50,000 lb/ month		100,000 lb/ 2 months		2	
29	selective flatfish trawl gear	40,000 lb/ month		80,000 lb/ 2 months			
30	multiple bottom trawl gear ^{8/}	40,000 lb/ month	80,000 lb/ 2 months				
31 W ł	niting					(H	
32	midwater trawl			ason: CLOSED During the primary season: m 660.373 for season and trip limit details After whiting season: CLOSED	id-water trawl the primary	con't	
33	large & small footrope gear	Before the prin		son: 20,000 lb/trip During the primary season: e primary whiting season: 10,000 lb/trip	10,000 lb/trip - 🕝	† '	
34 Min	nor shelf rockfish ^{1/} , Shortbelly, dow & Yelloweye rockfish						
35	midwater trawl for Widow rockfish	least 10,000 lb limit of 1,50	of whiting, com 0 lb/ month. Mic	ason: CLOSED During primary whiting season bined widow and yellowtail limit of 500 lb/ trip, culdinater trawl permitted in the RCA. See §660.373 mit details After the primary whiting season:	mulative widow I for primary		
36	large & small footrope gear	150 lb/ month	onth 300 lb/ 2 months				
37	selective flatfish trawl gear	300 lb.	/ month	1,000 lb/ month, no more than 200 lb/ month of which may be yelloweye rockfish	300 lb/ month		
38	multiple bottom trawl gear ^{8/}	300 lb.	/ month	300 lb/ 2 months, no more than 200 lb/ month of which may be yelloweye rockfish	300 lb/ month		

Canary rockfish						Г	
large & small footrope gear			CL	OSED		1	
selective flatfish trawl gear	100 lb/	month	300 lb/	/ month	100 lb/ month	1	
2 multiple bottom trawl gear ^{8/}			CL	OSED		1	
Yellowtail							
4 midwater trawl	least 10,000 yellowtail lim	ore the primary whiting season: CLOSED During primary whiting season: In trips of at east 10,000 lb of whiting: combined widow and yellowtail limit of 500 lb/ trip, cumulative llowtail limit of 2,000 lb/ month. Mid-water trawl permitted in the RCA. See §660.373 for mary whiting season and trip limit details After the primary whiting season: CLOSED					
5 large & small footrope gear	150 lb/ month	lb/ month 300 lb/ 2 months					
selective flatfish trawl gear	1,000 lb/ month	2 000 In/ 2 months					
7 multiple bottom trawl gear ^{8/}	150 lb/ month	lb/ month 300 lb/ 2 months					
Minor nearshore rockfish & Black rockfish							
large & small footrope gear			CL	OSED		1.	
selective flatfish trawl gear			300 II	b/ month] :	
multiple bottom trawl gear ^{8/}			CL	OSED] '	
Lingcod ^{4/}						۱,	
large & small footrope gear							
selective flatfish trawl gear	600 lb/ month	0 lb/ month 1,200 lb/ 2 months					
5 multiple bottom trawl gear ^{8/}							
Pacific cod	Not limited	30,000 lb/ 2 months	-	70,000 lb/ 2 months	30,000 lb/ 2 months		
Spiny dogfish	Not limited	200,000 lb/ 2 months	150,000 lb/ 2 months	100,00	00 lb/ 2 months		
Other Fish ^{5/}			Not	limited			

- 1/ Bocaccio, chilipepper and cowcod are included in the trip limits for minor shelf rockfish.
- 2/ Splitnose rockfish is included in the trip limits for minor slope rockfish.
- 3/ "Other flatfish" are defined at § 660.302 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, sand sole, and starry flounder.
- 4/ The minimum size limit for lingcod is 24 inches (61 cm) total length.
 5/ "Other fish" are defined at § 660.302 and include sharks, skates, ratfish, morids, grenadiers, and kelp greenling. Cabezon is included in the trip limits for "other fish."
- 6/ The Rockfish Conservation Area is a gear and/or sector specific closed area generally described by depth contours but specifically defined by lat/long coordinates set out at § 660.390.
- 7/ The "modified 200 fm" line is modified to exclude certain petrale sole areas from the RCA.
- 8/ If a vessel has both selective flatfish gear and large or small footrope gear on board during a cumulative limit period (either simultaneously or successively), the most restrictive cumulative limit for any gear on board during the cumulative limit period applies for the entire cumulative limit period.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

Table 3 (South) to Part 660, Subpart G -- 2006 Trip Limits for Limited Entry Trawl Gear South of 40°10' N. Lat.

Other Limits and Requirements Apply -- Read § 660.301 - § 660.390 before using this table 42006 JAN FEB MAR-APR MAY-JUN JUL-AUG SEP-OCT **NOV-DEC** Rockfish Conservation Area (RCA)^{6/}: 75 fm - 150 75 fm - 150 100 fm - 150 fm 40°10' - 38° N. lat. fm 75 fm - 150 75 fm - 150 38° - 34°27' N. lat. 100 fm - 150 fm fm fm 75 fm - 150 75 fm - 150 fm along the fm along the mainland mainland coast; 100 fm - 150 fm along the mainland coast; shoreline - 150 fm coast; South of 34°27' N. lat. shoreline around islands shoreline -150 fm 150 fm around around islands islands Small footrope gear is required shoreward of the RCA; all trawl gear (large footrope, midwater trawl, and small footrope gear) is permitted seaward of the RCA. \triangleright See § 660.370 and § 660.381 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See §§ 660.390-660.394 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, and ₩ Cordell Banks). State trip limits may be more restrictive than federal trip limits, particularly in waters off Oregon and California. П Minor slope rockfish^{2/} & Darkblotched rockfish 4,000 lb/ 2 40°10' - 38° N. lat. 8,000 lb/2 months month 20,000 lb/ 3 South of 38° N. lat 40,000 lb/ 2 months 0 month **Splitnose** 4,000 lb/ 8,000 lb/ 2 months 5 40°10' - 38° N. lat. month 20,000 lb/ 6 40,000 lb/ 2 months South of 38° N. lat. month DTS complex 8,500 lb/ 17,000 lb/ 2 months 8 Sablefish month 9.500 lb / 19,000 lb/ 2 months 9 Longspine thornyhead month 2,450 lb/ 10 Shortspine thornyhead 4,900 lb/ 2 months month 50,000 lb/ 2 25,000 lb/ Dover sole 35,000 lb/ 2 months 11 months month 12 Flatfish (except Dover sole) 13 Other flatfish3/ & English sole 14 40°10' - 38° N. lat. 55,000 lb/ 110,000 lb/2 Other flatfish, English sole & Petrale sole: 110,000 lb/ 2 month months months, no more than 30,000 lb/2 months of which may be 15 South of 38° N. lat.

30,000 lb/

month

16

Petrale sole

petrale sole.

60,000 lb/ 2

months

Arrowtooth flounder 40°10′ - 38° N. lat. South of 38° N. lat. Whiting Before the primary whiting season: CLOSED During the primary season: mid-water permitted in the RCA. See §660.373 for season and trip limit details After the primary whiting season: CLOSED large & small footrope gear Minor shelf rockfish 1/, Chilipepper, Shortbelly, Widow, & Yelloweyer ockfish large footrope or midwater trawl for Chilipepper and I large footrope or midwater trawl for Widow & Yelloweyer ockfish large footrope or midwater trawl for Widow & Yelloweyer ockfish large footrope or midwater trawl for Widow & Yelloweyer ockfish Large footrope or midwater trawl for Widow & Yelloweyer ockfish CLOSED	O lb/trip -
South of 38° N. lat. 10,000 lb/ 2 months 10,000 lb/ 2 months	O lb/trip -
South of 38° N. lat. Whiting Before the primary whiting season: CLOSED During the primary season: mid-water permitted in the RCA. See §660.373 for season and trip limit details After the primary whiting season: CLOSED large & small footrope gear Before the primary whiting season: 20,000 lb/trip During the primary season: 10,000 lb/trip After the primary whiting season: 10,000 lb/trip Minor shelf rockfish 1/, Chilipepper, Shortbelly, Widow, & Yelloweye rockfish large footrope or midwater trawl for Minor shelf rockfish & Shortbelly large footrope or midwater trawl for Chilipepper months large footrope or midwater trawl for Chilipepper months large footrope or midwater trawl for Chilipepper months CLOSED	O lb/trip -
Before the primary whiting season: CLOSED During the primary season: mid-water permitted in the RCA. See §660.373 for season and trip limit details After the primary season: CLOSED 22 large & small footrope gear Before the primary whiting season: 20,000 lb/trip During the primary season: 10,000 lb/trip During the primar	O lb/trip -
permitted in the RCA. See §660.373 for season and trip limit details After the provided by the primary whiting season: CLOSED 22	O lb/trip -
After the primary whiting season: 10,000 lb/trip Minor shelf rockfish 1/, Chilipepper, Shortbelly, Widow, & Yelloweye rockfish large footrope or midwater trawl for Minor shelf rockfish & Shortbelly large footrope or midwater trawl for Chilipepper large footrope or midwater trawl for CHOSED	
Shortbelly, Widow, & Yelloweye rockfish 24	
Minor shelf rockfish & Shortbelly Iarge footrope or midwater trawl for Chilipepper months months and Discourse for month	
Chilipepper months months 12,000 lb/ 2 months 8,000 lb/ 2 months 8,000 lb/ 2 months 12,000 lb/ 2 months CLOSED	B
26 (10SFI)	
Triadir a reliency	m
27 small footrope trawl for Minor Shelf, Shortbelly, Widow & Yelloweye 300 lb/ month	3
28 small footrope trawl for Chilipepper 500 lb/ month	So
29 Bocaccio	u
30 large footrope or midwater trawl 150 lb/ month 300 lb/ 2 months	—
31 small footrope trawl CLOSED	<u>_</u>
32 Canary rockfish	
33 large footrope or midwater trawl CLOSED	con't
34 small footrope trawl 100 lb/ month 300 lb/ month 100 lb/ month	<u> </u>
35 Cowcod CLOSED	ب
36 Minor nearshore rockfish & Black rockfish	_
37 large footrope or midwater trawl CLOSED	
38 small footrope trawl 300 lb/ month	
39 Lingcod ^{4/}	
40 large footrope or midwater trawl 600 lb/ month 1,200 lb/ 2 months	
41 small footrope trawl	
12 Pacific cod Not limited 1 /0 000 lb/2 months	00 lb/ 2 onths
43 Spiny dogfish Not limited 200,000 lb/ 2 months 150,000 lb/ 2 months 100,000 lb/ 2 months	
44 Other Fish ⁵ / & Cabezon Not limited	

^{1/} Yellowtail is included in the trip limits for minor shelf rockfish.

^{2/} POP is included in the trip limits for minor slope rockfish

^{3/ &}quot;Other flatfish" are defined at § 660.302 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, sand sole, and starry flounder.

^{4/}The minimum size limit for lingcod is 24 inches (61 cm) total length.
5/Other fish are defined at § 660.302 and include sharks, skates, ratfish, morids, grenadiers, and kelp greenling.

^{6/} The Rockfish Conservation Area is a gear and/or sector specific closed area generally described by depth contours but specifically defined by lat/long coordinates set out at § 660.390.

^{7/} The "modified 200 fm" line is modified to exclude certain petrale sole areas from the RCA.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

Table 4 (North) to Part 660, Subpart G -- 2006 Trip Limits for Limited Entry Fixed Gear North of 40°10' N. Lat.

Other Limits and Requirements Apply -- Read § 660.301 - § 660.390 before using this table

42006

						1					
		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC				
Rock	fish Conservation Area (RCA) ^{6/} :										
	North of 46°16' N. lat.		shoreline - 100 fm								
	46°16' N. lat 40°10' N. lat.		30 fm - 100 fm								
	See § 660.370 and § 660.382 for Addi	tional Gear, Tı	ip Limit, and C	Conservation A	rea Requirem	ents and Restr	rictions.	1			
See	e §§ 660.390-660.394 for Conservation										
	and Cordell Banks).										
	State trip limits may be more restrictive than federal trip limits, particularly in waters off Oregon and California.										
	Minor slope rockfish ^{2/} & Darkblotched rockfish		4,000 lb/ 2 months								
2 I	Pacific ocean perch			1,800 lb/	2 months						
3 \$	Sablefish	300 lb/ day,	300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 5,000 lb/ 2 months								
4 I	Longspine thornyhead		10,000 lb/ 2 months								
5	Shortspine thornyhead			2,000 lb/	2 months						
6 I	Dover sole	E 000 II									
7 7	Arrowtooth flounder	-	5,000 lb/ month South of 42o N. lat., when								
8 I	Petrale sole		fishing for "other flatfish,"								
9 I	English sole		hook-and-line			o/ month					
10 (Other flatfish ^{1/}	hooks per line no larger tha hooks, which mm (0.44 ind shank, and u kg) of weight	gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to shank, and up to 1 lb (0.45 kg) of weight per line are not subject to the RCAs.								
11 \	Whiting			10,000	lb/ trip			-			
	Minor shelf rockfish ^{2/} , Shortbelly, Widow, & Yellowtail rockfish			200 lb/	month			<u>h</u>)			
_	Canary rockfish			CLO	SED			1			
14	Yelloweye rockfish			CLO	SED			1			
	Minor nearshore rockfish & Black rockfish										
40		5,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black or									
16	North of 42° N. lat.	blue rockfish 3/									
		6,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black or									
17	42° - 40°10' N. lat.	blue rockfish 3/									
18 	Lingcod ^{4/}	CLOSED 800 lb/ 2 months CLOSED									
	Pacific cod	Not limited		1,	000 lb/ 2 montl	hs	, <u> </u>				
	Spiny dogfish	Not limited	200,000 lb/ 2 months	150,000 lb/ 2 months	10	0,000 lb/ 2 mon	iths				
21 (Other fish ^{5/}			Not li	mited						

^{1/ &}quot;Other flatfish" are defined at § 660.302 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, sand sole, and starry flounder.

^{2/} Bocaccio, chilipepper and cowcod are included in the trip limits for minor shelf rockfish and splitnose rockfish is included in the trip limits for minor slope rockfish.

^{3/} For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. (46°38.17' N. lat.), there is an additional limit of 100 lb or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.

^{4/} The minimum size limit for lingcod is 24 inches (61 cm) total length.

^{5/ &}quot;Other fish" are defined at § 660.302 and include sharks, skates, ratfish, morids, grenadiers, and kelp greenling. Cabezon is included in the trip limits for "other fish."

^{6/} The Rockfish Conservation Area is a gear and/or sector specific closed area generally described by depth contours but specifically defined by lat/long coordinates set out at § 660.390.

Table 4 (South) to Part 660, Subpart G -- 2006 Trip Limits for Limited Entry Fixed Gear South of 40°10' N. Lat.

Other Limits and Requirements Apply -- Read § 660.301 - § 660.390 before using this table

42006

	Other Limits and Requirements Apply -	- Read § 660.3	801 - § 660.390	before using the	nis table		42006	
		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC	
₹oc	kfish Conservation Area (RCA) ^{5/} :							
	40°10' - 34°27' N. lat.	30 fm -	- 150 fm	20 fm - 150 fm 30 fn			150 fm	
	South of 34°27' N. lat.	60 fm - 150 fm (also applies around islands)						
	See § 660.370 and § 660.382 for Addi	tional Gear Ti					ictions	
Se	ee §§ 660.390-660.394 for Conservation							
	30		d Cordell Bank		3 ,	, ,	,	
	State trip limits may be more res	trictive than fed	deral trip limits,	particularly in wa	aters off Orego	n and California	a.	
1	Minor slope rockfish ^{2/} & Darkblotched rockfish			40,000 lb/	2 months			
2	Splitnose			40,000 lb/	2 months			
3	Sablefish			.,				
4	40°10' - 36° N. lat.	300 lb/ day.	or 1 landing pe	er week of up to	1.000 lb. not to	exceed 5.000	lb/ 2 months	
5	South of 36° N. lat.	000 107 444),		•		-		
			350 lb/ da	y, or 1 landing p		1,050 15		
6	Longspine thornyhead			10,000 lb /				
/	Shortspine thornyhead	= 000 ::	. /	2,000 lb/	2 months			
8 9	Dover sole Arrowtooth flounder		o/ month o N. lat., when					
9 10	Petrale sole		other flatfish,"					
	English sole		hook-and-line					
11	English sole	•	more than 12			ning for "other fl		
			e, using hooks in "Number 2"		0	h no more than	'	
		•	n measure 11	line, using hooks no larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to shank, and up to tw				
12	Other flatfish ^{1/}	· ·	ches) point to	1 lb (0.45 kg) weights per line are not subject to the R0				
			p to 1 lb (0.45					
			weight per line are not pject to the RCAs.					
10	Whiting	Subject to	the RCAS.	10,000	Ib/trin			
13	Whiting			10,000	по/ пр			
14	Minor shelf rockfish ^{2/} , Shortbelly, & Widow rockfish	000 11 / 0	ı			1		
15	40°10' - 34°27' N. lat.	300 lb/ 2 months	CLOSED 200 lb/ 2 months 300 lb/ 2 months					
16	South of 34°27' N. lat.			3,000 lb/	2 months			
	Chilipepper rockfish	2,000 lb/	2 months, this	opportunity only	available seav	vard of the nont	rawl RCA	
	Canary rockfish			CLO	SED			
	Yelloweye rockfish			CLO				
20	Cowcod			CLO	SED			
21	Bocaccio		•					
22	40°10' - 34°27' N. lat.	200 lb/ 2 months	CLOSED	100 lb/ 2 months	;	300 lb/ 2 month	s	
23	South of 34°27' N. lat.	300 lb/ 2 months			300 lb/ 2	2 months		
24	Minor nearshore rockfish & Black rockfish							
25	Shallow nearshore	300 lb/ 2 months	CLOSED	500 lb/ 2 months	600 lb/ 2 months	500 lb/ 2 months	300 lb/ 2 months	
	Deeper nearshore							
26	Deeper nearshore			500 11 / 6	mantha	400 lb/ 2	500 lb/ 2	
	40°10' - 34°27' N. lat.	500 lb/ 2	CLOSED	500 lb/ 2	monuns	months	months	
27	<u>·</u>	500 lb/ 2 months	CLOSED		600 lb/ 2 month	,	400 lb/ 2	
26272829	40°10' - 34°27' N. lat.		CLOSED		600 lb/ 2 month	,		

Table 4 (South). Continued

30	Lingcod ^{3/}	CLO	SED	SED 800 lb/ 2 months				
31	Pacific cod	Not limited		1,000 lb/ 2 months				
32	Spiny dogfish	Not limited	200,000 lb/ 2 months	150,000 lb/ 2 months	100,000 lb/ 2 mon	100,000 lb/ 2 months		
33	Other fish ^{4/} & Cabezon		Not limited					

^{1/ &}quot;Other flatfish" are defined at § 660.302 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, sand sole, and starry flounder.

- 2/ POP is included in the trip limits for minor slope rockfish. Yellowtail is included in the trip limits for minor shelf rockfish.
- 3/ The minimum size limit for lingcod is 24 inches (61 cm) total length.
- 4/ "Other fish" are defined at § 660.302 and include sharks, skates, ratfish, morids, grenadiers, and kelp greenling.
- 5/ The Rockfish Conservation Area is a gear and/or sector specific closed area generally described by depth contours but specifically defined by lat/long coordinates set out at § 660.390.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

Table 5 (North) to Part 660, Subpart G -- 2006 Trip Limits for Open Access Gears North of 40°10' N. Lat.

Other Limits and Requirements Apply -- Read § 660.301 - § 660.390 before using this table

46°16' N. lat. - 40°10' N. lat.

MAR-APR SEP-OCT JAN-FEB JUL-AUG **NOV-DEC** Rockfish Conservation Area (RCA)^{6/}: North of 46°16' N. lat. shoreline - 100 fm

30 fm - 100 fm

42006

See § 660.370 and § 660.383 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. Banks).

See §§ 660.390-660.394 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, and Cordell State trip limits may be more restrictive than federal trip limits, particularly in waters off Oregon and California. Minor slope rockfish 1/8 Darkblotched Per trip, no more than 25% of weight of the sablefish landed rockfish Pacific ocean perch 100 lb/ month 300 lb/ day, or 1 landing per week 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed Sablefish of up to 1,000 lb, not to exceed 3 000 lb/ 2 months 5,000 lb/ 2 months Thornyheads CLOSED \triangleright 3,000 lb/month, no more than 300 Dover sole W Ib of which may be species other than Pacific sanddabs. South of 42o N. lat., when fishing for "other 3,000 lb/month, no more than 300 lb of which may be species other Arrowtooth flounder flatfish," vessels using hook-andthan Pacific sanddabs. South of 420 N. lat., when fishing for "other Ш flatfish," vessels using hook-and-line gear with no more than 12 line gear with no more than 12 Petrale sole hooks per line, using hooks no hooks per line, using hooks no larger than "Number 2" hooks, which S larger than "Number 2" hooks, measure 11 mm (0.44 inches) point to shank, and up to two 1 lb which measure 11 mm (0.44 (0.45 kg) weights per line are not subject to the RCAs. English sole Ż inches) point to shank, and up to 1 lb (0.45 kg) of weights per line 0 Other flatfish^{2/} are not subject to the RCAs. Whiting 300 lb/ month **—** Minor shelf rockfish 1/, Shortbelly, 7 200 lb/ month Widow, & Yellowtail rockfish Canary rockfish CLOSED Yelloweye rockfish CLOSED Minor nearshore rockfish & Black 14 rockfish 5,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black or blue rockfish $^{3/}$ 15 North of 42° N. lat. 6,000 lb/2 months, no more than 1,200 lb of which may be species other than black or blue rockfish 3/ 16 42° - 40°10' N. lat. Lingcod^{4/} CLOSED CLOSED 17 300 lb/ month Pacific cod Not limited 1,000 lb/ 2 months 200,000 lb/ 2 150,000 lb/2 19 Spiny dogfish Not limited 100,000 lb/2 months months months 20 Other Fish^{5/} Not limited

	e 3 (Norun). Continueu		
21	PINK SHRIMP NON-GROUNDFISH TRAWL	- (not subject to RCAs)	_
22	North	Effective April 1 - October 31: groundfish 500 lb/day, multiplied by the number of days of the trip, not to exceed 1,500 lb/trip. The following sublimits also apply and are counted toward the overall 500 lb/day and 1,500 lb/trip groundfish limits: lingcod 300 lb/month (minimum 24 inch size limit); sablefish 2,000 lb/month; canary, thornyheads and yelloweye rockfish are PROHIBITED. All other groundfish species taken are managed under the overall 500 lb/day and 1,500 lb/trip groundfish limits. Landings of these species count toward the per day and per trip groundfish limits and do not have species-specific limits. The amount of groundfish landed may not exceed the amount of pink shrimp landed.	TABLE 5 (No
23	SALMON TROLL		r t
24	North	Salmon trollers may retain and land up to 1 lb of yellowtail rockfish for every 2 lbs of salmon landed, with a cumulative limit of 200 lb/month, both within and outside of the RCA. This limit is within the 200 lb per month combined limit for minor shelf rockfish, widow rockfish and yellowtail rockfish, and not in addition to that limit. All groundfish species are subject to the open access limits, seasons and RCA restrictions listed in the table above.	h) con't

^{1/} Bocaccio, chilipepper and cowcod rockfishes are included in the trip limits for minor shelf rockfish.
Splitnose rockfish is included in the trip limits for minor slope rockfish.
2/ "Other flatfish" are defined at § 660.302 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, sand sole, and starry flounder.
3/ For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. (46°38.17' N. lat.), there is an additional limit of 100 lbs or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.
4/ The size limit for lingcod is 24 inches (61 cm) total length.
5/ "Other fish" are defined at § 660.302 and include sharks, skates, ratfish, morids, grenadiers, and kelp greenling.
Cabezon is included in the trip limits for "other fish."

Cabezon is included in the trip limits for "other fish."

6/ The Rockfish Conservation Area is a gear and/or sector specific closed area generally described by depth contours but specifically defined by lat/long coordinates set out at § 660.390.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

Table 5 (South) to Part 660, Subpart G -- 2006 Trip Limits for Open Access Gears South of 40°10' N. Lat.

Other Limits and Requirements Apply -- Read § 660.301 - § 660.390 before using this table 42006 JAN-FEB MAR-APR MAY-JUN JUL-AUG SEP-OCT NOV-DEC Rockfish Conservation Area (RCA)^{5/}: 20 fm - 150 fm 30 fm - 150 fm 40°10' - 34°27' N. lat. 30 fm - 150 fm South of 34°27' N. lat. 60 fm - 150 fm (also applies around islands) See § 660.370 and § 660.383 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See §§ 660.390-660.394 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, and Cordell Banks). State trip limits may be more restrictive than federal trip limits, particularly in waters off Oregon and California. Minor slope rockfish 1/8 Darkblotched rockfish 40°10' - 38° N. lat Per trip, no more than 25% of weight of the sablefish landed 3 10,000 lb/ 2 months South of 38° N. lat 200 lb/ month **Splitnose** Sablefish 300 lb/ day, or 1 landing per week 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 6 40°10' - 36° N. lat. of up to 1,000 lb, not to exceed 3,000 lb/2 months 5,000 lb/ 2 months South of 36° N. lat. 350 lb/ day, or 1 landing per week of up to 1,050 lb D Thornyheads 8 四 CLOSED 9 40°10' - 34°27' N. lat 50 lb/ day, no more than 1,000 lb/ 2 months 10 South of 34°27' N. lat Dover sole 3,000 lb/month, no more than 300 lb of which may be species other than Pacific sanddabs. South of Arrowtooth flounder 3,000 lb/month, no more than 300 lb of which may be species other 420 N. lat., when fishing for "other flatfish," vessels using hook-andthan Pacific sanddabs. South of 420 N. lat., when fishing for "other ഗ 13 Petrale sole line gear with no more than 12 flatfish," vessels using hook-and-line gear with no more than 12 0 hooks per line, using hooks no larger than "Number 2" hooks, which hooks per line, using hooks no 14 English sole larger than "Number 2" hooks, measure 11 mm (0.44 inches) point to shank, and up to two 1 lb which measure 11 mm (0.44 (0.45 kg) weights per line are not subject to the RCAs. inches) point to shank, and up to **5** 1 lb (0.45 kg) of weight per line 15 Other flatfish^{2/} are not subject to the RCAs. 16 Whiting 300 lb/ month Minor shelf rockfish^{1/}, Shortbelly, Widow & Chilipepper rockfish 300 lb/ 2 months CLOSED 200 lb/2 months 300 lb/2 months 40°10' - 34°27' N. lat. 18 19 South of 34°27' N. lat 750 lb/2 months 20 Canary rockfish CLOSED 21 Yelloweye rockfish CLOSED Cowcod CLOSED 22 Bocaccio 23

CLOSED

100 lb/2 months

100 lb/2 months

200 lb/2 months

40°10' - 34°27' N. lat. 200 lb/ 2 months

South of 34°27' N. lat. 100 lb/ 2 months

24

25

i abie 5	(South). Continued									
	nor nearshore rockfish & Black ckfish									
27	Shallow nearshore	300 lb/ 2 months	CLOSED	500 lb/ 2 months	600 lb/ 2 months	500 lb/ 2 months	300 lb/ 2 months			
28	Deeper nearshore									
29	40°10' - 34°27' N. lat.	500 lb/ 2 months	CLOSED	500 lb/ 2	2 months	400 lb/ 2 months	500 lb/ 2 months			
30	South of 34°27' N. lat.	300 lb/ 2 months	CLOSED		600 lb/ 2 months		400 lb/ 2 months			
31	California scorpionfish	300 lb/ 2 months	CLOSED	300 lb/ 2 months	400 lb/ 2	! months	300 lb/ 2 months			
32 Lii	ngcod ^{3/}	CLO	SED	300 lb/ m	onth, when nearsh	nore open	CLOSED			
	cific cod	Not limited		•	1,000 lb/ 2 months	3				
34 S p	iny dogfish	Not limited	200,000 lb/ 2 months	150,000 lb/ 2 months	10	00,000 lb/ 2 month	าร	T/		
35 Ot	her Fish ^{4/} & Cabezon			Not li	mited			2		
36 RI	RIDGEBACK PRAWN AND, SOUTH OF 38°57.50' N. LAT., CA HALIBUT AND SEA CUCUMBER NON-GROUNDFISH TRAWL									
37	NON-GROUNDFISH TRAWL Rockfish	Conservation Ar	ea (RCA) for CA	Halibut and Sea	Cucumber:			m		
38	40°10' - 38° N. lat.	75 fm - modified 200 fm ^{7/}	100 fm - 200 fm		75 fm - 150 fm	5				
39	38° - 34°27' N. lat.	75 fm - 150 fm		100 fm -		S				
40	South of 34°27' N. lat.	75 fm - 150 fm along the mainland coast; shoreline - 150 fm around islands	100 fm - 150 fm	along the mainlan isla	75 fm - 150 fm along the mainland coast; shoreline - 150 fm around islands	0				
41	NON-GROUNDFISH TRAWL Rockfish	Conservation Ar	ea (RCA) for Rid	geback Prawn:				ဂ		
42	40°10' - 38° N. lat.	75 fm - modified 200 fm ^{7/}	100 fm - 200 fm		100 fm - 150 fm		75 fm - 150 fm	con't		
43	38° - 34°27' N. lat.	75 fm - 150 fm	n 100 fm - 150 fm							
44	South of 34°27' N. lat.	100	100 fm - 150 fm along the mainland coast; shoreline - 150 fm around islands							
45		per trip limit. landed, exceplanded. Spiny sablefish coastv may not be mul fishery south of requirement, pro flatfish, no mor	Groundfish 300 lb/trip. Trip limits in this table also apply and are counted toward the 300 lb groundfish per trip limit. The amount of groundfish landed may not exceed the amount of the target species landed, except that the amount of spiny dogfish landed may exceed the amount of target species landed. Spiny dogfish are limited by the 300 lb/trip overall groundfish limit. The daily trip limits for ablefish coastwide and thornyheads south of Pt. Conception and the overall groundfish "per trip" limit may not be multiplied by the number of days of the trip. Vessels participating in the California halibut shery south of 38°57'30" N. lat. are allowed to (1) land up to 100 lb/day of groundfish without the ratio equirement, provided that at least one California halibut is landed and (2) land up to 3,000 lb/month of flatfish, no more than 300 lb of which may be species other than Pacific sanddabs, sand sole, starry ounder, rock sole, curlfin sole, or California scorpionfish (California scorpionfish is also subject to the trip limits and closures in line 31).							

South

46 PINK SHRIMP NON-GROUNDFISH TRAWL GEAR (not subject to RCAs)

Effective April 1 - October 31: Groundfish 500 lb/day, multiplied by the number of days of the trip, not to exceed 1,500 lb/trip. The following sublimits also apply and are counted toward the overall 500 lb/day and 1,500 lb/trip groundfish limits: lingcod 300 lb/ month (minimum 24 inch size limit); sablefish 2,000 lb/ month; canary, thornyheads and yelloweye rockfish are PROHIBITED. All other groundfish species taken are managed under the overall 500 lb/day and 1,500 lb/trip groundfish limits. Landings of these species count toward the per day and per trip groundfish limits and do not have species-specific limits. The amount of groundfish landed may not exceed the amount of pink shrimp landed.

1/ Yellowtail rockfish is included in the trip limits for minor shelf rockfish and POP is included in the trip limits for minor slope rockfish.

^{2/ &}quot;Other flatfish" are defined at § 660.302 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, sand sole, and starry flounder.

^{3/} The size limit for lingcod is 24 inches (61 cm) total length.

^{4/ &}quot;Other fish" are defined at § 660.302 and include sharks, skates, ratfish, morids, grenadiers, and kelp greenling.

^{5/} The Rockfish Conservation Area is a gear and/or sector specific closed area generally described by depth contours but specifically defined by lat/long coordinates set out at § 660.390.

^{6/} The "modified 200 fm" line is modified to exclude certain petrale sole areas from the RCA. To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.