Smallpox (ACAM2000)

March 2008

www.vaccines.mil

1				2									3				
															4		
5							6		7			8					
9			10								11						12
							13										
		14												10			
17	40					15		10				00		16			
17	18				21			19		22		20					
				23	21					22							
24				20								25					
		26	27							28							
29														30			
		31															
				32									33			34	
			35	36												37	
38										39							
				40													

	ACTOSS		DOWN				
	Is smallpox a bacteria or a virus? (5) An reaction is not a major	1	National system in place for reporting vaccine related adverse events. (5)				
_	reaction or take. (9)	2	Expiration dates for ACAM2000 will not				
4	The abbreviation for treatment used for severe smallpox vaccine adverse events. (3)	3	be (8) The FDA licensed ACAM2000 on 31 2007. (6)				
5	Annual requirement for training for all vaccinators is hours. (5)	4	ACAM2000 protects againstvirus. (7)				
7	Last stage of vaccination site healing. (4)	6	Acambis' brand of smallpox (vaccinia)				
9	Those who were just vaccinated should avoid and hot tubs for 30 days and until the site is healed. (8)	7	vaccine is called 2000. (4) What physical feature may be seen on a person who has had the vaccination before?				
	Use a bandage that will completely cover the vaccination site. (8)	8	donations should be avoided for				
13	Any re-constituted smallpox vaccination left out at room temp for than 8 hours needs to be discarded. (4)	10	at least 30 days following vaccination. (5) Shortness of breath 9-20 days after vaccination can be sign of				
14	should be worn when reconstituting or administering ACAM2000 vaccine. (6)	12	Smallpox is a mandatory vaccination for duty in this country. (5)				
16	Servicemembers should come back 6-8 days after vaccination for a site	15	The number of naturally occurring smallpox cases since 1978. (4)				
17	How many cardiac risk factors result in a	16	After reconstitution, ACAM2000 must be discarded after days. (6)				
	contraindication to the smallpox vaccine? (5)	18	Service members should have a current test prior to vaccination. (3)				
	ACAM2000 should not be given to women who are (13)	19	The DoD policy remains unchanged; smallpox vaccinations are still				
	ACAM2000 is manufactured using cell technology. (7)	• •	for those in higher risk areas. (9)				
	ACAM2000 is with 0.3ml of diluent. (13)		The route of administration for ACAM2000 is (12)				
29	DoD immunization clinical consultation group. (3)	22	An estimated 95% of all people who are vaccinated with smallpox are protected within days. (3)				
30	Females should not become pregnant for weeks after vaccination. (4)	23	DoD messages about medical materiel quality are known as messages. (4) The smallpox policies can be viewed on				
31	Group that releases recommendations for immunizations. (4)	24					
32	ACAM2000 should not be administered to those over the age of (9)	26	the web site. (6) ACAM2000 Manufacturers name (7)				

	Refrigerators should be checked twice (5)	28	Medical personnel must be properly prior to administering the			
35	ACAM2000 is sent to the DoD from the Strategic National (9)	30	vaccine. (7) Licenses US vaccines. (3)			
37	ITS code for someone who has atopic dermatitis. (2)	33	Live vaccines should be administered on the same day or 28 apart. (4)			
38	The documented case of smallpox in the United States was in 1949. (4)		Swollen nodes are a common reaction after vaccination. (5)			
39	Each ACAM2000 vial has 100	36	case of smallpox must be treated as an international health emergency. (3)			
40	A skin condition contraindication for the smallpox vaccine includes (6)					

