STANDARDIZING THE MDS WITH LOINC® AND VOCABULARY MATCHES

Mark S. Tuttle, FACMI Vice President Strategy Apelon

Thomas White, MD, MS, MA
Director, Bureau of Mental Health Informatics
NY State Office of Mental Health

Tony Weida, PhD
Vice President, Consulting Services
Apelon

Jennie Harvell, MEd
Senior Policy Analyst
US Department of Health and Human Services

The Consolidated Health Informatics (CHI) Initiative unanimously endorsed selected content and messaging standards for use with federally-required patient assessments that include functional and disability content. The National Committee for Vital and Health Statistics (NCVHS) has recommended that the Secretary approve and adopt these CHI standards into federal programs.

The choice of CHI standards was based, in large part, on the results of an U.S. Department of Health and Human Services (HHS), Office of the Assistant Secretary for Planning and Evaluation (ASPE) contract with Apelon and a subcontract with Thomas White, MD. This effort resulted in: (i) a representation and coding of the federally-required nursing home Minimum Data Set (MDS) questions and answers in Logical Observation Identifiers Names and Codes (LOINC®¹); and (ii) an identification of standardized vocabulary matching terms (i.e., semantic matches) for the LOINC® represented and coded MDS questions and answers. The standards are intended to support standardized information exchange and re-use, such as may occur with the newly adopted Continuity of Care Document (CCD) standard.

The following briefly describes the MDS standardization process and the attached spreadsheet² identifies the current vocabulary and LOINC® matches that were identified through the ASPE contract. For additional information, the following resources are available:

² The Excel spreadsheet, described in this paper, is available at http://aspe.hhs.gov/daltcp/reports/2007/MDS-LOINC-spreadsheet.xls.



ASPENANT SECRETARY OF SECRETARY

¹ LOINC® is a registered United States trademark of Regenstrief Institute, Inc.

- Final report for the report entitled, "Making the 'Minimum Data Set' compliant with Health Information Technology Standards" produced by Apelon under contract with ASPE (http://aspe.hhs.gov/daltcp/reports/2006/MDS-HIT.htm).
- CHI recommendations report for disability and patient assessments (http://www.hhs.gov/healthit/chiinitiative.html).
- NCVHS letter of recommendation to the Secretary (http://ncvhs.hhs.gov/061128lt.pdf).

Background

HHS/ASPE contracted with Apelon to identify "usefully related matches" between elements of MDS and the CHI endorsed terminologies (such as SNOMED-CT), and to create a representation for transmitting these matches using messaging standards (such as HL7). Thomas White, MD, State of New York collaborated, focusing on the use of LOINC® as a standard representation for MDS elements and associated vocabulary matches.

MDS Deconstruction, LOINC®-ification, Semantic Matching, Messaging and the UMLS

MDS Deconstruction

Several iterations of the MDS standardization effort produced the "deconstruction" of the MDS into the questions and answers that appears in columns D, E, and F in the attached spreadsheet. The purpose of the deconstruction was to maximize the linking of MDS question-and-answer pairs with CHI-endorsed standard vocabulary matches, while at the same time retaining the Centers for Medicare and Medicaid Services (CMS) intent (meaning) of each question-and-answer option, and to enable the exchange of assessment content using health information technology (HIT) messaging standards. Specifically, the deconstruction enables the representation and coding of the MDS questions and answers in LOINC® and supports the linking of these LOINC® coded items with any available semantic-matching terms from the CHI-endorsed standard vocabularies.

LOINC®-ification

Given a deconstruction of an assessment instrument, such as the MDS, "LOINC®-ification" is the process of representing and coding the elements resulting from the deconstruction. In this case, the elements are question-and-answer pairs.





Given a LOINC®-ified assessment instrument, elements of that instrument -- the question-and-answer pairs -- can be matched -- by meaning -- to terms in standard vocabularies, as further explained and illustrated in the example below. The spreadsheet attached identifies the LOINC®-coded MDS item and any available matching vocabulary concepts (such as those that were found in SNOMED).

The LONIC representation and coding of assessment question-and-answer pairs, and associated vocabulary matches is specifically supportive of data exchange and re-use because: (i) exact semantic matches to assessments concepts are not always available; and (ii) often identified semantic matches provide "usefully related" (cut frequently not exact) matches to an assessment item. Thus, coding in LOINC® ensures the availability of codes that can be exchanged in an HL7 message even when there is not an exact semantic match. Currently (and in the accompanying spreadsheet) LOINC® codes are provided for only the MDS "questions." LOINC® is working to assign "answer codes" (i.e., LOINC®-Answer IDs), to each answer option on the MDS forms (and other LOINC®-coded patient assessments). These codes will further support health information exchange and re-use, particularly when exact semantic matches are not available.

Semantic Matching

Most MDS elements, whether they are questions, answers, or combinations of the two, do not have exact equivalents in SNOMED (or any other CHI standard terminology). However, and electronic health record (EHR) or personal health record (PHR) for a given patient that makes use of CHI standard terminologies may include terms that are "usefully-related" to an assessment question and/or answer. The presence of terms in an EHR and/or PHR that are usefully related to (or are an exact match of) an MDS question or answer option, might be of interest to a provider charged with completing an MDS assessment, and they may facilitate the completion of the assessment or other clinical applications (e.g., care planning). Simple examples include standard terms describing the patient's visual acuity or incontinence; such terms rarely translate directly into the related MDS assessment responses, but they are certainly "usefully related" to such responses.

Messaging

Because of prior work on the problem, assessment instruments represented in LOINC® can leverage existing HL7 standard messages. To exchange assessment results in a standard way, an HL7 message will include:





- The LOINC® code for the native assessment question-code from the assessment form.
- The response for the specified patient including, at minimum, the LOINC® answer ID code and also including, if available, the semantic matching term.

UMLS

A future release of the National Library of Medicine/Unified Medical Language System (NLM/UMLS) will represent "LOINC®-ified" assessment instruments. This representation will display for each standardized assessment the:

- LOINC® code for each assessment question.
- LOINC® answer IDs for each answer option.
- All identified semantic matching codes and terms for each assessment question-and-answer option.

The UMLS representation will allow the re-use of standard terms, for example, by HIT vendors as they develop software that supports the completion of and/or use of standard assessments.

The deconstructed, LOINC®-ified, semantically matched MDS will be the first assessment instrument to appear in the UMLS. As additional semantic matches are identified (or retired), these changes will be updated in the UMLS.

The Spreadsheet

Accompanying this document is a spreadsheet representing the current state of an effort both to link MDS question-and-answer pairs to: (i) concepts and codes in SNOMED-CT (and other CHI-endorsed vocabularies); and (ii) LOINC® codes.

The spreadsheet columns D ("Concept Name"), E ("MDS Code"), and F ("QA Pair for Matching") contain, respectively, MDS elements (e.g., "H1.b.4. Incontinent"), MDS Question Numbers (e.g., "H1.b.4."), and the phrases used for matching (e.g., "Is incontinent"). The latter phrases were "synthesized" by domain experts as part of the matching effort. To improve readability, duplicates entries have been removed from these columns. That is, if 20 different SNOMED "matches" are linked to a given MDS element, the spreadsheet has been "uncluttered" by removing the 19 repeats of the MDS element name, code and





match phrase from columns D, E, and F. Columns A, B, and C (initially hidden³), have the duplicates still in place, in case users wish to sort or extract selected rows.

Some MDS elements -- such as "SECTION G: PHYSICAL FUNCTION" -- provide the MDS hierarchical context for nearby question-and-answer pairs. These elements are not assigned a LOINC® code, although sometimes their presence is required to interpret the meaning of the nearby coded elements.

Column G contains the name of the standard terminology the MDS element is linked to (either SNOMED or LOINC®); column H has the associated SNOMED or LOINC® code, and column I has the SNOMED or LOINC® concept name. Thus, in spreadsheet row 1036, MDS element "H1.b.4. Incontinent," represented in columns D, E, and F as shown above, is linked to LOINC® code "45619-4" and the LOINC® concept named "BLADDER CONTINENCE:FIND:PT:^PATIENT:NAM:MDS." In spreadsheet rows 1037-1049, are codes and concept names from SNOMED that are "usefully related" to the MDS element "H1.b.4. Incontinent." That is, for example, if a patient's EHR or PHR contained the SNOMED term "Abnormal bladder continence (finding)," or its SNOMED code "150003" (or both), the provider is alerted to a potentially relevant finding. In most cases, the "usefully related" SNOMED terms ignore any MDSspecified "look-back" period or other "count-related" notions, but the presence of the related terms in an EHR or PHR may help the assessing provider find the portions of the record needed to complete MDS's quantitative requirements.

Apelon-MDS Database

For a short time, interested parties may apply for Web browser access to the Apelon database which can be used to search for the semantic matches included in the spreadsheet and review them in context. Access will be free, but on a first-come first-served basis. Those interested in such access should send an email message:

> TO: tony.weida@apelon.com CC: Jennie.Harvell@hhs.gov

A brief telephonic training session may be required.

³ To view these columns, "drag" the left-hand column boundary for column D to the right until the desired portions of the next column to the left is visible, and then do the same for column C and then column B.



Acknowledgements

John Carter led the MDS deconstruction and matching effort, and introduced the "synthetic" terms created to aid MDS matching. Several persons from LOINC® spent many hours working on refining the LOINC® data model, extracting the question data from RAVEN, building the hierarchies and answer lists, as well as developing new capabilities in RELMA to display such information. Notably, we are very appreciative of the efforts by Clement McDonald, Daniel Vreeman, and Kathy Mercer from LOINC® for their assistance with these efforts. Betsy Humphreys, Clement McDonald, and Kin Wah Fung of the NLM also provided key leadership in this project, including working to include the LOINC® represented MDS and linked semantic matches in the UMLS.

This report was prepared for the U.S. Department of Health and Human Services, Office of the Assistant Secretary for Planning and Evaluation, Office of Disability, Aging and Long-Term Care Policy. For additional information about this subject, you can visit the DALTCP home page at http://aspe.hhs.gov/_office_specific/daltcp.cfm or contact the ASPE Project Officer, Jennie Harvell, at HHS/ASPE/DALTCP, Room 424E, H.H. Humphrey Building, 200 Independence Avenue, S.W., Washington, D.C. 20201. Her e-mail address is: Jennie.Harvell@hhs.gov.





Concept Name	MDS Code	QA Pair for Matching	Standard Terminology	Code	Mapped to standard[MDS_NEW2]
SECTION AA: ID	AA				
AA.1. Resident Name	AA1				
AA.1.a. (First)	AA1a		LOINC	45392-8	FIRST NAME:PN:PT:^PATIENT:NOM:
AA.1.b. (Middle Initial)	AA1b		LOINC	45393-6	MIDDLE INITIAL:ID:PT:^PATIENT:NOM:MDS
AA.1.c. (Last)	AA1c		LOINC	45394-4	LAST NAME:PN:PT:^PATIENT:NOM:
AA.1.d. Name Suffix (Jr/Sr)	AA1d		LOINC	45395-1	NAME SUFFIX:PN:PT:^PATIENT:NOM:
AA.2. Gender	AA2		LOINO	40000 0	CENDED TYPE DT ADATIFAT ADAMADO
AA.2.1. Male	AA21		LOINC	46098-0	GENDER:TYPE:PT:APATIENT:NOM:MDS
AA.2.2. Female AA.2.3. UTD	AA22 AA23	UTD Gender	LOINC LOINC	46098-0 46098-0	GENDER:TYPE:PT:^PATIENT:NOM:MDS GENDER:TYPE:PT:^PATIENT:NOM:MDS
AA.3. Birth Date	AA23 AA3	OTD Gender	LOINC	21112-8	BIRTH DATE:TMSTP:PT:APATIENT:QN:
AA.4. Race/Ethnicity	AA4		LONIO	211120	Sidn Side Side Side Side Side Side Side Side
AA.4.1. American Indian/Alaskan	AA41		LOINC	32624-9	RACE:TYPE:PT:^PATIENT:NOM:
AA.4.2. Asian/Pacific Islander	AA42		LOINC	32624-9	RACE:TYPE:PT:^PATIENT:NOM:
AA.4.3. Black, not of Hispanic origin	AA43		LOINC	32624-9	RACE:TYPE:PT:^PATIENT:NOM:
AA.4.4. Hispanic	AA44		LOINC	32624-9	RACE:TYPE:PT:^PATIENT:NOM:
AA.4.5. White, not of Hispanic origin	AA45		LOINC	32624-9	RACE:TYPE:PT:^PATIENT:NOM:
AA.4.6. UTD	AA46	UTD race			
AA.5. SSN	AA5				
AA.5.a. (SSN)	AA5a		LOINC	45396-9	SOCIAL SECURITY NUMBER:ID:PT:/PATIENT:NOM:
AA.5.b. Medicare Number AA.6. Facility Provider No.	AA5b AA6		LOINC	45397-7	MEDICARE OR COMPARABLE NUMBER:ID:PT:^PATIENT:NOM:
AA.6.a. State No.	AA6 AA6a		LOINC	45398-5	STATE PROVIDER NUMBER:ID:PT:FACILITY:NOM:
AA.6.b. Federal No.	AA6b		LOINC	45399-3	FEDERAL PROVIDER NUMBER:ID:PT:FACILITY:NOM:
AA.7. Medicaid No.	AA7		LOINC	45400-9	MEDICAID NUMBER:ID:PT:PATIENT:NOM:
AA.8. Reasons for Assessment	AA8		200	101000	
AA.8.a. Primary reason for assessmen					
AA.8.a.0. NONE OF ABOVE	AA8a0		LOINC	45408-2	REASON FOR ASSESSMENT.PRIMARY:FIND:PT:^PATIENT:NOM:MDS
AA.8.a.1. Admission assessment (req.	t AA8a1		LOINC	45408-2	REASON FOR ASSESSMENT.PRIMARY:FIND:PT:^PATIENT:NOM:MDS
AA.8.a.10. Significant correction of price	or AA8a10		LOINC	45408-2	REASON FOR ASSESSMENT.PRIMARY:FIND:PT:^PATIENT:NOM:MDS
AA.8.a.2. Annual assessment	AA8a2		LOINC	45408-2	REASON FOR ASSESSMENT.PRIMARY:FIND:PT:^PATIENT:NOM:MDS
AA.8.a.3. Significant change in status a			LOINC	45408-2	REASON FOR ASSESSMENT.PRIMARY:FIND:PT:^PATIENT:NOM:MDS
AA.8.a.4. Significant correction of prior			LOINC	45408-2	REASON FOR ASSESSMENT.PRIMARY:FIND:PT:^PATIENT:NOM:MDS
AA.8.a.5. Quarterly review assessment			LOINC	45408-2	REASON FOR ASSESSMENT.PRIMARY:FIND:PT:^PATIENT:NOM:MDS
AA.8.a.6. Discharged, return not anticip AA.8.a.7. Discharged, return anticipate					
AA.8.a.8. Discharged prior to completing					
AA.8.a.9. Reentry	AA8a9				
AA.8.b. Codes for assessments req. by					
AA.8.b.1. Medicare 5-day assessment			LOINC	45409-0	REASON FOR ASSESSMENT.SPECIAL:FIND:PT:^PATIENT:NOM:MDS
AA.8.b.2. Medicare 30-day assessmen	t AA8b2		LOINC	45409-0	REASON FOR ASSESSMENT.SPECIAL:FIND:PT:^PATIENT:NOM:MDS
AA.8.b.3. Medicare 60-day assessmen	t AA8b3		LOINC	45409-0	REASON FOR ASSESSMENT.SPECIAL:FIND:PT:^PATIENT:NOM:MDS
AA.8.b.4. Medicare 90-day assessmen			LOINC	45409-0	REASON FOR ASSESSMENT.SPECIAL:FIND:PT:^PATIENT:NOM:MDS
AA.8.b.5. Medicare readmission/return			LOINC	45409-0	REASON FOR ASSESSMENT.SPECIAL:FIND:PT:^PATIENT:NOM:MDS
AA.8.b.6. Other state req. assessment			LOINC	45409-0	REASON FOR ASSESSMENT.SPECIAL:FIND:PT:^PATIENT:NOM:MDS
AA.8.b.7. Medicare 14-day assessmen			LOINC	45409-0	REASON FOR ASSESSMENT.SPECIAL:FIND:PT:^PATIENT:NOM:MDS
AA.8.b.8. Other Medicare req. assessn			LOINC	45409-0	REASON FOR ASSESSMENT.SPECIAL:FIND:PT:^PATIENT:NOM:MDS
AA.9. Signatures Persons Complete SECTION AB: DEMOGRAPHIC	AA9 AB				
AB.1. Date of Entry	AB1				
AB.10. Conditions Related to MR/DD S					
AB10 Conditions related MR/DD					
AB.10.a. Not applicable - no MR/DD	AB10a	No conditions related to MR/DD status	LOINC	45421-5	NO MENTAL RETARDATION AND DEVELOPMENTAL DISABILITIES:FIND:PT:^PATIENT:ORD:MDS
AB10.a. NA- no MR/DD (Skip to AB11))		LOINC	45421-5	NO MENTAL RETARDATION AND DEVELOPMENTAL DISABILITIES:FIND:PT:^PATIENT:ORD:MDS
AB.10.b. Down's syndrome	AB10b	Resident has Down's syndrome	LOINC	45422-3	DOWN'S SYNDROME:FIND:PT:^PATIENT:ORD:MDS
AB10.b. Down's syndrome					
AB.10.c. Autism	AB10c	Resident is autistic	LOINC	45423-1	AUTISM:FIND:PT:^PATIENT:ORD:MDS
AB10.c. Autism	A.D.(0.1	B 11 11 11 11 11	10110	45404.0	FRU FROM FIND OF ADATIFAT ORD MOS
AB.10.d. Epilepsy	AB10d	Resident is epileptic	LOINC	45424-9	EPILEPSY:FIND:PT:^PATIENT:ORD:MDS
AB10.d. Epilepsy AB.10.e. Other organic condition relate	A P100	Resident has other organic condition re	LLOINC	45425-6	OTHER ORGANIC CONDITION RELATED TO MENTAL RETARDATION AND DEVELOPMENTAL DISABILITIES:FIND:PT:^PATIENT:ORD:MDS
AB10.e. Other related organic condition		Resident has other organic condition re	ILOING	45425-0	OTHER ORGANIC CONDITION RELATED TO MENTAL RETARDATION AND DEVELOPMENTAL DISABilities. PIND. PT. PTATIENT. ORD. MIDS
AB.10.f. MR/DD with no organic conditi		Resident has MR/DD with no organic co	LOINC	45426-4	MENTAL RETARDATION AND DEVELOPMENTAL DISABILITIES WITH NO ORGANIC CONDITION:FIND:PT:^PATIENT:ORD:MDS
AB10.f. MR/DD with no organic condition					
AB.11. Date Background Information C			LOINC	45427-2	DATE BACKGROUND INFORMATION FORM COMPLETED:TMSTP:PT:^PATIENT:QN:MDS
AB.2. Admitted From (At Entry)	AB2				
AB.2.1. Private home/apt. w/o home he	ea AB21	Resident admitted from private home/ap	LOINC	45410-8	ADMITTED FROM (AT ENTRY):TYPE:PT:FACILITY:NOM:MDS
AB.2.2. Private home/apt. w/ home hea		Resident admitted from private home/ap		45410-8	ADMITTED FROM (AT ENTRY):TYPE:PT:FACILITY:NOM:MDS
AB.2.3. Board & care/assisted living/gr		Resident admitted from board & care/as		45410-8	ADMITTED FROM (AT ENTRY):TYPE:PT:FACILITY:NOM:MDS
AB.2.4. Nursing home	AB24	Resident admitted from nursing home		45410-8	ADMITTED FROM (AT ENTRY):TYPE:PT:FACILITY:NOM:MDS ADMITTED FROM (AT ENTRY):TYPE:DT:FACILITY:NOM:MDS
AB.2.5. Acute care hospital AB.2.6. Psych. hospital, MR/DD facility	AB25	Resident admitted from acute care hosp Resident admitted from psychiatric hosp		45410-8	ADMITTED FROM (AT ENTRY):TYPE:PT:FACILITY:NOM:MDS
AB.2.6. Psych. nospital, MR/DD facility AB.2.7. Rehabilitation hospital	AB26 AB27	Resident admitted from psychiatric hosponiatric hosponiat		45410-8	ADMITTED FROM (AT ENTRY):TYPE:PT:FACILITY:NOM:MDS
Tonabiliation hoopital				.50	

AB.2.8. Other	AB28	Resident admitted from other facility	LOINC	45410-8	ADMITTED FROM (AT ENTRY):TYPE:PT:FACILITY:NOM:MDS
AB.2.9 UTD	AB29	UTD where resident was admitted fro	m		
AB.3. Lived Alone (Prior to Entry)	AB3				
AB.3.0. No	AB30	Did not live alone	LOINC	45411-6	LIVED ALONE PRIOR TO ADMISSION:FIND:PT:^PATIENT:ORD:MDS
AB.3.1. Yes	AB31	Lived alone	LOINC	45411-6	LIVED ALONE PRIOR TO ADMISSION:FIND:PT:^PATIENT:ORD:MDS
AB.3.2. In other facility	AB32	Lived alone in other facility	LOINC	45411-6	LIVED ALONE PRIOR TO ADMISSION:FIND:PT:^PATIENT:ORD:MDS
AB.3.3 UTD	AB33	UTD if resident lived alone			
AB.4. Zip Code of Prior Primary Resi	ider AB4		LOINC	45401-7	ZIP CODE OF PRIOR PRIMARY RESIDENCE:ARB:PT:^PATIENT:NOM:
AB.5. Residential History 5 Yrs. Prior	r to AB5				
AB.5.a. Prior stay at this nursing hom		Resident had prior stay at this nursing	n h I OINC	45412-4	HISTORY OF PRIOR STAY AT THIS NURSING HOME:FIND:PT:^PATIENT:ORD:MDS
AB.5.b. Stay in other nursing home	AB5b	Resident had stay in other home	LOINC	45413-2	HISTORY OF STAY IN OTHER NURSING HOME:FIND:PT:^PATIENT:ORD:MDS
		Resident lived in other residential faci		40410-2	THOTAL OF STATIN OTHER NORTHWEST IND. FT. FATENT, ORD. MICE
AB.5.c. Other residential facilityboa				45445 7	LUCTORY OF STAY AT MENTAL LIFE LIFE AND PROVIDENT PLO SETTING FIND DT AD ATIENT ORD AND
AB.5.d. MH/psychiatric setting	AB5d	Resident lived in mental health or psy		45415-7	HISTORY OF STAY AT MENTAL HEALTH &OR PSYCHIATRIC SETTING:FIND:PT:^PATIENT:ORD:MDS
AB.5.e. MR/DD setting	AB5e	Resident lived in MR/DD setting	LOINC	45416-5	HISTORY OF STAY IN MENTAL RETARDATION AND DEVELOPMENTAL DISABILITIES SETTING:FIND:PT:^PATIENT:ORD:MDS
AB.5.f. NONE OF ABOVE	AB5f		LOINC	45417-3	NO PRIOR RESIDENTIAL HISTORY:FIND:PT:^PATIENT:ORD:MDS
AB.6. Lifetime Occupation	AB6		LOINC	45418-1	LIFETIME OCCUPATIONS:FIND:PT:^PATIENT:NOM:MDS
AB.7. Education (Highest Level Com	ple AB7				
AB.7.1. No schooling	AB71	Resident had no schooling	LOINC	11379-5	LEVEL OF EDUCATION:TIME:PT:^PATIENT:QN:REPORTED
AB.7.2. 8th grade/less	AB72	Resident had schooling up to 8th grad		11379-5	LEVEL OF EDUCATION:TIME:PT:^PATIENT:QN:REPORTED
AB.7.3. 9-11 grades	AB73	Resident had schooling up to grades		11379-5	LEVEL OF EDUCATION:TIME:PT:/PATIENT:QN:REPORTED
AB.7.4. High school	AB74	Resident is high school graduate	LOINC	11379-5	LEVEL OF EDUCATION:TIME:PT:^PATIENT:QN:REPORTED
AB.7.5. Technical or trade school	AB75	Resident attended technical or trade s		11379-5	LEVEL OF EDUCATION:TIME:PT:^PATIENT:QN:REPORTED
AB.7.6. Some college	AB76	Resident received some college educ	ati LOINC	11379-5	LEVEL OF EDUCATION:TIME:PT:^PATIENT:QN:REPORTED
AB.7.7. Bachelor's degree	AB77	Resident received bachelor's degree	LOINC	11379-5	LEVEL OF EDUCATION:TIME:PT:^PATIENT:QN:REPORTED
AB.7.8. Graduate degree	AB78	Resident received graduate degree	LOINC	11379-5	LEVEL OF EDUCATION:TIME:PT:^PATIENT:QN:REPORTED
AB.7.9 UTD	AB79	UTD resident's highest level of educa			
AB.8. Language	AB8	OTD resident's highest level of educa	illori		
	AB8A				
AB.8.a. Primary Language		B: 1	1.01110	45400.5	LANGUAGE PRIMARY FIND DT ARATICATANA
AB.8.a.0. English	AB8a0	Primary language English	LOINC	45402-5	LANGUAGE.PRIMARY:FIND:PT:^PATIENT:NOM:MDS
AB.8.a.1. Spanish	AB8a1	Primary language Spanish	LOINC	45402-5	LANGUAGE.PRIMARY:FIND:PT:^PATIENT:NOM:MDS
AB.8.a.2. French	AB8a2	Primary language French	LOINC	45402-5	LANGUAGE.PRIMARY:FIND:PT:^PATIENT:NOM:MDS
AB.8.a.3. Other	AB8a3	Other primary language	LOINC	45402-5	LANGUAGE.PRIMARY:FIND:PT:^PATIENT:NOM:MDS
AB.8.a.4 UTD	AB8a4	UTD primary language			
AB.8.b. If other, specify	AB8b	Specify other language			
AB.9. Mental Health History	AB9	opeony other language			
		No bistory of monthly and lower	LOING	45400.7	MENTAL LIFALTILLUIGTORY FIND-DT-ADATIFNT-ORD-MDC
AB.9.0. No	AB90	No history of mental problems	LOINC	45420-7	MENTAL HEALTH HISTORY:FIND:PT:^PATIENT:ORD:MDS
AB.9.1. Yes	AB91	Resident has history of mental proble		45420-7	MENTAL HEALTH HISTORY:FIND:PT:^PATIENT:ORD:MDS
AB.9.2. UTD	AB92	UTD mental health history	LOINC	45420-7	MENTAL HEALTH HISTORY:FIND:PT:^PATIENT:ORD:MDS
SECTION AC: CUSTOMARY ROUT	INEAC				
AC.1. Customary Routine	AC1				
AC.1.a. Stays up late at night (e.g., a		Stays up late			
AC.1.a-h. Cycle of Daily Events	AC1a-h	y			
AC.1.b. Naps regularly during day (a		Naps regularly	LOINC	45429-8	NAPS REGULARLY DURING DAY;FIND;PT:^PATIENT;ORD;MDS
AC.1.c. Goes out 1+ days a week	AC1c	Goes out during week	LOINC	45430-6	GOES OUT 1 OR MORE DAYS A WEEK:FIND:PT:^PATIENT:ORD:MDS
AC.1.d. Stays busy w/ hobbies, read		Stays busy with activities			
AC.1.e. Spends most of time alone of		Spends most time alone or watching		45432-2	SPENDS MOST TIME ALONE OR WATCHING TV:FIND:PT:^PATIENT:ORD:MDS
AC.1.f. Moves independently indoors	s (w AC1f	Moves independently or with appliance	ces indoors		
AC.1.g. Use of tobacco products at le	eas AC1g	Uses tobacco products	LOINC	45434-8	USE OF TOBACCO DAILY:FIND:PT:^PATIENT:ORD:MDS
AC.1.k. Use of alcoholic beverage(s)	at AC1G2k	Uses alcoholic beverages	LOINC	45438-9	WEEKLY USE OF ALCOHOL:FIND:PT:^PATIENT:ORD:MDS
AC.1.h. NONE OF ABOVE	AC1h		LOINC	45435-5	NO CYCLE OF DAILY EVENTS:FIND:PT:^PATIENT:ORD:MDS
AC.1.i. Distinct food preferences	AC1i	Shows distinct food preferences	LOINC	45436-3	DISTINCT FOOD PREFERENCES:FIND:PT:^PATIENT:ORD:MDS
AC.1.i. Distinct food preferences AC.1.i-l. Eating Patterns	AC1i-I	Grows distilled food preferences	LONG	40400-0	DIGHNOT TOOD THE ENERGED HIDS TO FAILER LOND, WIDO
		Esta batura a sasala	LOING	45407.4	FATO DETAILED MEALS MOST DAVO-DIND-DT-ADATIENT-ODD-MDS
AC.1.j. Eats between meals all or mo		Eats between meals	LOINC	45437-1	EATS BETWEEN MEALS MOST DAYS:FIND:PT:^PATIENT:ORD:MDS
AC.1.I. NONE OF ABOVE	AC1I		LOINC	45439-7	NO EATING PATTERN:FIND:PT:^PATIENT:ORD:MDS
AC.1.m. In bedclothes much of day	AC1m	Stays in bedclothes	LOINC	45440-5	IN BEDCLOTHES MUCH OF DAY:FIND:PT:^PATIENT:ORD:MDS
AC.1.m-r. ADL Patterns	AC1m-r				
AC.1.n. Wakens to toilet all or most r	nigh AC1n	Wakens to toilet	LOINC	45441-3	WAKENS TO TOILET MOST NIGHTS:FIND:PT:^PATIENT:ORD:MDS
AC.1.o. Has irregular bowel moveme	ent i AC1o	Irregular bowel movements	LOINC	45442-1	HAS IRREGULAR BOWEL MOVEMENT PATTERN:FIND:PT:^PATIENT:ORD:MDS
AC.1.p. Showers for bathing	AC1p	Resident showers for bathing	LOINC	45443-9	SHOWERS FOR BATHING:FIND:PT:^PATIENT:ORD:MDS
AC.1.q. Bathing in PM	AC1q	Bathes in PM	LOINC	45444-7	BATHES IN EVENING:FIND:PT:^PATIENT:ORD:MDS
		battles III Pivi			
AC.1.r. NONE OF ABOVE	AC1r		LOINC	45445-4	NO ADDITIONAL ADL PATTERNS:FIND:PT:^PATIENT:ORD:MDS
AC.1.s. Daily contact with relatives/c		Contact with relatives or friends	LOINC	45446-2	DAILY CONTACT WITH RELATIVES &OR FRIENDS:FIND:PT:^PATIENT:ORD:MDS
AC.1.s-x. Involvement Patterns	AC1s-x				
AC.1.t. Usually attends church, temp	le, : AC1t	Attends worship services			
AC.1.u. Finds strength in faith	AC1u	Finds strength in faith	LOINC	45448-8	FINDS STRENGTH IN FAITH:FIND:PT:^PATIENT:ORD:MDS
AC.1.v. Daily animal companion/pres		Has animal companion/presence	LOINC	45449-6	DAILY ANIMAL COMPANION:FIND:PT:^PATIENT:ORD:MDS
AC.1.w. Involved in group activities	AC1w	Involved in group activities	LOINC	45450-4	INVOLVED IN GROUP ACTIVITIES:FIND:PT:^PATIENT:ORD:MDS
AC.1.x. NONE OF ABOVE	AC1x	Sived in group activities	LOINC	45451-2	NO INVOLVEMENT PATTERN:FIND: FT:-PATIENT:ORD:MDS
AC.1.y. Unknown - resident or family		N	LOINC	45452-0	UNKNOWN CUSTOMARY ROUTINE:FIND:PT:^PATIENT:ORD:MDS
AC1Y.1. Resident/family unable to pr		No information			
SECTION AD: FACE SHEET	AD				
SECTION A: ID/BACKGROUND	Α				
A1 Recident Name					

A1a

A1. Resident Name A1.a. (First)

A1.b. (Middle Initial) A1b				
A1.c. (Last) A1c				
A1.d. Name Suffix (Jr/Sr) A1d				
A2. Room Number A2		LOINC	45403-3	ROOM NUMBER:LOC:PT:^PATIENT:NOM:
A3. Assessment Reference Date A3				
A3.a. Last day of MDS observation peric A3a		LOINC	45453-8	DATE OF LAST DAY OF OBSERVATION PERIOD:TMSTP:PT:^PATIENT:QN:MDS
A3.b. Original (0) or corrected (#) copy (A3b		LOINC	45454-6	ORIGINAL OR CORRECTED COPY OF FORM:NUM:PT:^PATIENT:ORD:MDS
A4.a. Date of reentry A4A		LOINC	45455-3	DATE OF REENTRY TO FACILITY:TMSTP:PT:^PATIENT:QN:MDS
A4.b. Admitted From (At Reentry) A4B		201110	10 100 0	5.1.2 6. 1.22.11.1.1 6.1.10.2.1 1.1.10.1 1.1.1.1.1.1.1.1.1.1.1.1.1.1.
A4B.1. Private home/apt. with no home A4B1				
A4B.2. Private home/apt. with home hea A4B2				
A4B.3. Board and care/assisted living/gr A4B3				
A4B.4. Nursing home A4B4				
A4B.6. Psychiatric hospital, MR/DD facil A4B6				
A4B.7. Rehabilitation hospital A4B7				
A4B.8. Other A4B8				
A5. Marital Status A5		1.01110	45404.4	MADITAL CTATUS TYPE PT ADATIFAT NOM
A5.1. Never married A51		LOINC	45404-1	MARITAL STATUS:TYPE:PT:^PATIENT:NOM:
A5.2. Married A52		LOINC	45404-1	MARITAL STATUS:TYPE:PT:^PATIENT:NOM:
A5.3. Widowed A53		LOINC	45404-1	MARITAL STATUS:TYPE:PT:^PATIENT:NOM:
A5.4. Separated A54		LOINC	45404-1	MARITAL STATUS:TYPE:PT:^PATIENT:NOM:
A5.5. Divorced A55		LOINC	45404-1	MARITAL STATUS:TYPE:PT:^PATIENT:NOM:
A5.6 UTD A56	UTD marital status			
A6. Medical Record Number A6				
A7. Current payment sources for nursin(A7				
A7.a. Medicaid per diem A7a		LOINC	45456-1	MEDICAID PER DIEM:FIND:PT:^PATIENT:ORD:MDS
A7.b. Medicare per diem A7b		LOINC	45457-9	MEDICARE PER DIEM:FIND:PT:^PATIENT:ORD:MDS
A7.c. Medicare ancillary part A A7c		LOINC	45458-7	MEDICARE ANCILLARY PART A PAYMENT:FIND:PT:^PATIENT:ORD:MDS
A7.d. Medicare ancillary part B A7d		LOINC	45459-5	MEDICARE ANCILLARY PART B PAYMENT:FIND:PT:^PATIENT:ORD:MDS
A7.e. CHAMPUS per diem A7e		LOINC	45460-3	CHAMPUS PER DIEM:FIND:PT:^PATIENT:ORD:MDS
A7.f. VA per diem A7f		LOINC	45461-1	VA PER DIEM:FIND:PT:^PATIENT:ORD:MDS
A7.g. Self or family pays for full per dien A7g		LOINC	45462-9	SELF OR FAMILY PAYS FOR FULL PER DIEM:FIND:PT:^PATIENT:ORD:MDS
A7.h. Medicaid resident liability or Medic A7h		LOINC	45463-7	MEDICAID RESIDENT LIABILITY OR MEDICARE COPAYMENT:FIND:PT:^PATIENT:ORD:MDS
A7.i. Private insurance per diem (includi A7i		LOINC	45464-5	PRIVATE INSURANCE PER DIEM:FIND:PT:^PATIENT:ORD:MDS
A7.j. Other per diem A7j		LOINC	45465-2	OTHER PER DIEM:FIND:PT:^PATIENT:ORD:MDS
A8. Reasons for assessment A8				
A8.a. Primary reason for assessment A8a				
A8.a.0. NONE OF ABOVE A8a0				
A8.a.1. Admission assessment (req. by A8a1				
A8.a.10. Significant correction of prior q A8a10				
A8.a.2. Annual assessment A8a2				
A8.a.3. Significant change in status ass(A8a3				
A8.a.4. Significant correction of prior full A8a4				
A8.a.5. Quarterly review assessment A8a5				
A8.a.6. Discharged, return not anticipate A8a6				
A8.a.7. Discharged, return anticipated A8a7				
A8.a.8. Discharged prior to completing ii A8a8				
A8.a.9. Reentry A8a9				
A8.b. Codes for assessments req. for M A8b				
A8.b.1. Medicare 5-day assessment A8b1				
A8.b.2. Medicare 30-day assessment A8b2				
A8.b.3. Medicare 60-day assessment A8b3				
A8.b.4. Medicare 90-day assessment A8b4				
A8.b.5. Medicare readmission/return as: A8b5				
A8.b.6. Other state req. assessment A8b6				
A8.b.7. Medicare 14-day assessment A8b7				
A8.b.8. Other Medicare req. assessmen A8b8				
A9. Responsibility/Legal Guardian A9				
A9.a. Legal guardian A9a		LOINC	45466-0	LEGAL GUARDIAN:FIND:PT:^PATIENT:ORD:MDS
A9.b. Other legal oversight A9b		LOINC	45467-8	OTHER LEGAL OVERSIGHT:FIND:PT:^PATIENT:ORD:MDS
A9.c. Durable power of attorney/health (A9c		LOINC	45468-6	HEALTH CARE DURABLE POWER ATTORNEY :FIND:PT:^PATIENT:ORD:MDS
A9.d. Durable power of attorney/financia A9d		LOINC	45469-4	FINANCIAL DURABLE POWER ATTORNEY:FIND:PT:^PATIENT:ORD:MDS
A9.e. Family member responsible A9e		LOINC	45470-2	FAMILY MEMBER RESPONSIBLE:FIND:PT:^PATIENT:ORD:MDS
A9.f. Patient responsible for self A9f		LOINC	45471-0	PATIENT RESPONSIBLE FOR SELF:FIND:PT:/PATIENT:ORD:MDS
A9.g. NONE OF ABOVE A9g		LOINC	45472-8	RESPONSIBILITY - NONE OF ABOVE:FIND:PT:^PATIENT:ORD:MDS
A10. Advanced Directives A10		201110	70712-0	ALS: SASISIST FROME OF ADOVEMBED TO FAMILIATION OF MINIOR
A10. Advanced Directives A10 A10.a. Living will A10a		LOINC	45473-6	ADVANCE DIRECTIVE - LIVING WILL:FIND:PT:^PATIENT:ORD:MDS
				ADVANCE DIRECTIVE - LIVING WILL-FIND, FT. PATIENT, ORD, MIDS ADVANCE DIRECTIVE - DO NOT RESUSCITATE; FIND; PT: APATIENT; ORD; MDS
A10.b. Do not resuscitate A10b		LOINC	45474-4	ADVANCE DIRECTIVE - DO NOT RESUSCITATE:FIND:PT:^PATIENT:ORD:MDS ADVANCE DIRECTIVE - DO NOT HOSPITALIZE:FIND:PT:^PATIENT:ORD:MDS
A10.c. Do not hospitalize A10c		LOINC	45475-1	
A10.d. Organ donation A10d		LOINC	45476-9	ADVANCE DIRECTIVE - ORGAN DONATION:FIND:PT:^PATIENT:ORD:MDS
A10.e. Autopsy report A10e		LOINC	45477-7	ADVANCE DIRECTIVE - AUTOPSY REQUEST:FIND:PT:^PATIENT:ORD:MDS
A10.f. Feeding restrictions A10f		LOINC	45478-5	ADVANCE DIRECTIVE - FEEDING RESTRICTIONS:FIND:PT:^PATIENT:ORD:MDS
A10.g. Medication restrictions A10g		LOINC	45479-3	ADVANCE DIRECTIVE - MEDICATION RESTRICTION:FIND:PT:^PATIENT:ORD:MDS

A10.h. Other treatment restrictions	A10h		LOINC	45480-1	ADVANCE DIRECTIVE - OTHER TREATMENT RESTRICTION:FIND:PT:^PATIENT:ORD:MDS
A10.i. NONE OF ABOVE	A10i		LOINC	45481-9	ADVANCE DIRECTIVE - NONE:FIND:PT:^PATIENT:ORD:MDS
SECTION B: COGNITIVE PATTERNS	В	Mental state and function	SNOMED CT	373930000	Cognitive function finding (finding)
			SNOMED CT	384821006	Mental state, behavior and/or psychosocial function finding (finding)
B1. Comatose	B1	Assess level of consciousness			
B1.0. No	B10	Is not comatose	LOINC	45482-7	COMATOSE:FIND:PT:^PATIENT:ORD:MDS
B1.1. Yes	B11	Is comatose	LOINC	45482-7	COMATOSE:FIND:PT:^PATIENT:ORD:MDS
B. () () ()			SNOMED CT	275945006	On examination - comatose (disorder)
B1.2 UTD	B12	UTD if comatose	LOINC	45482-7	COMATOSE:FIND:PT:^PATIENT:ORD:MDS
B2. Memory	B2	Assess memory			
B2.a. Short-Term Memory OK	B2a	Assess short-term memory			
B2.a.0. Memory OK	B2a0	Short term memory is OK	LOINC	45483-5	SHORT-TERM MEMORY OK:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	247590001	Short-term memory within normal limits (finding)
B2.a.1. Memory Problem	B2a1	Short term memory problem	LOINC	45483-5	SHORT-TERM MEMORY OK:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	247592009	Poor short-term memory (finding)
B2.a.2 UTD	B2a2	UTD Short term memory			
B2.b. Long-Term Memory OK	B2b	Assess long-term memory			
B2.b.0. Memory OK	B2b0	Long term memory OK	LOINC	45484-3	LONG-TERM MEMORY OK:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	247587007	Long-term memory within normal limits (finding)
B2.b.1. Memory Problem	B2b1	Long term memory problem	LOINC	45484-3	LONG-TERM MEMORY OK:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	247588002	Poor long-term memory (finding)
B2.b.2 UTD	B2b2	UTD long term memory			
B3. Memory/Recall Ability	B3	Assess recall ability			
B3.a. Current season	B3a	Knows current season	LOINC	45485-0	CAN RECALL CURRENT SEASON:FIND:PT:^PATIENT:ORD:MDS
B3.b. Location of own room	B3b	Knows location of own room	LOINC	45486-8	CAN RECALL LOCATION OF OWN ROOM:FIND:PT:^PATIENT:ORD:MDS
B3.c. Staff names/faces	B3c	Knows staff names/faces	LOINC	45487-6	CAN RECALL STAFF NAMES & OR FACES:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	285227006	Able to remember faces (finding)
B3.d. That he/she is in a nursing home	B3d	Knows is in a nursing home	LOINC	45488-4	CAN RECALL THAT HE/SHE IN NURSING HOME:FIND:PT:^PATIENT:ORD:MDS
B3.e. NONE OF ABOVE are recalled			LOINC	45489-2	MEMORY/RECALL - NONE OF ABOVE:FIND:PT:^PATIENT:ORD:MDS
B4. Cognitive Skills For Daily Decision-I		Assess decision making skills			
B4.0. INDEPENDENTdecisions consis	B40	Makes reasonable decisions independe		45490-0	MAKES DECISIONS REGARDING TASKS OF DAILY LIFE:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	304687006	Able to make considered choices (finding)
B4.1. MODIFIED INDEPENDENCEso	ıB41	Has difficulty making decisions in new s		45490-0	MAKES DECISIONS REGARDING TASKS OF DAILY LIFE:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	247585004	Difficulty making decisions (finding)
B4.2. MODERATELY IMPAIREDdecis		Makes poor decisions			
B4.3. SEVERELY IMPAIREDnever/rai	B43	Unable to make considered choices	LOINC	45490-0	MAKES DECISIONS REGARDING TASKS OF DAILY LIFE:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	304688001	Unable to make considered choices (finding)
B4.4 UTD	B44	UTD ability to make considered choices			
B5. Indicators of Delirium - Periodic Disc	B5	Assess for signs and symptoms of deliri	um		
B5. Indicators of Delirium - Periodic Dise B5.a. Easily distracted	B5a	Assess distractability			
			LOINC	45491-8	EASILY DISTRACTED:FIND:PT:^PATIENT:ORD:MDS
B5.a. Easily distracted	B5a	Assess distractability		45491-8 288769005	EASILY DISTRACTED:FIND:PT:^PATIENT:ORD:MDS Able to direct attention (finding)
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, not of recent	B5a B5a0 B5a1	Assess distractability Is not easily distracted Is easily distracted - more than 7 days of	LOINC SNOMED CT I SNOMED CT	288769005 247764002	
B5.a. Easily distracted B5.a.0. Behavior not present	B5a B5a0 B5a1	Assess distractability Is not easily distracted	LOINC SNOMED CT I SNOMED CT	288769005	Able to direct attention (finding)
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, not of recent	B5a B5a0 B5a1 B5a2	Assess distractability Is not easily distracted Is easily distracted - more than 7 days of	LOINC SNOMED CT I SNOMED CT	288769005 247764002 247764002	Able to direct attention (finding) Easily distracted (finding) Easily distracted (finding)
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, not of recent B5.a.2. Behavior present, over last 7 da	B5a B5a0 B5a1 B5a2	Assess distractability Is not easily distracted Is easily distracted - more than 7 days of Is easily distracted - 7 days duration or	LOINC SNOMED CT ISNOMED CT SNOMED CT LOINC	288769005 247764002 247764002 45492-6	Able to direct attention (finding) Easily distracted (finding)
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, not of recent B5.a.2. Behavior present, over last 7 da B5.b. Periods of altered perception or a	B5a B5a0 B5a1 B5a2 B5b	Assess distractability Is not easily distracted Is easily distracted - more than 7 days of Is easily distracted - 7 days duration or Assess perception/awareness	LOINC SNOMED CT ISNOMED CT ISNOMED CT	288769005 247764002 247764002	Able to direct attention (finding) Easily distracted (finding) Easily distracted (finding)
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, not of recent B5.a.2. Behavior present, over last 7 da B5.b. Periods of altered perception or a	B5a B5a0 (B5a1 (B5a2 (B5b) B5b0	Assess distractability Is not easily distracted Is easily distracted - more than 7 days of Is easily distracted - 7 days duration or Assess perception/awareness	LOINC SNOMED CT SNOMED CT SNOMED CT LOINC SNOMED CT	288769005 247764002 247764002 45492-6	Able to direct attention (finding) Easily distracted (finding) Easily distracted (finding) PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS:FIND:PT:APATIENT:ORD:MDS
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, not of recent B5.a.2. Behavior present, over last 7 da B5.b. Periods of altered perception or at B5.b.0. Behavior not present	B5a B5a0 (B5a1 (B5a2 (B5b B5b0 (B5b1	Assess distractability Is not easily distracted Is easily distracted - more than 7 days of Is easily distracted - 7 days duration or I Assess perception/awareness Perception/awareness not altered	LOINC SNOMED CT SNOMED CT SNOMED CT LOINC SNOMED CT SNOMED CT	288769005 247764002 247764002 45492-6 247700009	Able to direct attention (finding) Easily distracted (finding) Easily distracted (finding) PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS:FIND:PT:^PATIENT:ORD:MDS Normal perception (finding)
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, not of recent B5.a.2. Behavior present, over last 7 da B5.b. Periods of altered perception or an B5.b.0. Behavior not present B5.b.1. Behavior present, not of recent	B5a B5a0 (B5a1 (B5a2 (B5b) B5b0 (B5b1 (B5b2	Assess distractability Is not easily distracted Is easily distracted - more than 7 days of Is easily distracted - 7 days duration or I Assess perception/awareness Perception/awareness not altered Perception/awareness altered - more th	LOINC SNOMED CT SNOMED CT SNOMED CT LOINC SNOMED CT SNOMED CT SNOMED CT SNOMED CT	288769005 247764002 247764002 45492-6 247700009 247701008	Able to direct attention (finding) Easily distracted (finding) Easily distracted (finding) PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS:FIND:PT:^PATIENT:ORD:MDS Normal perception (finding) Abnormal perception (finding)
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, not of recent B5.a.2. Behavior present, over last 7 da B5.b. Periods of altered perception or at B5.b.0. Behavior not present B5.b.1. Behavior present, not of recent B5.b.2. Behavior present, over last 7 da	B5a B5a0 (B5a1 (B5a2 (B5b) B5b0 (B5b1 (B5b2	Assess distractability Is not easily distracted Is easily distracted - more than 7 days of Is easily distracted - 7 days duration or I Assess perception/awareness Perception/awareness not altered Perception/awareness altered - more th Perception/awareness altered - 7 days of Assess for disorganized speech, ramblin	LOINC SNOMED CT SNOMED CT SNOMED CT LOINC SNOMED CT SNOMED CT SNOMED CT SNOMED CT og, train of thought LOINC	288769005 247764002 247764002 45492-6 247700009 247701008 247701008 45493-4	Able to direct attention (finding) Easily distracted (finding) Easily distracted (finding) PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS:FIND:PT:^PATIENT:ORD:MDS Normal perception (finding) Abnormal perception (finding) EPISODES OF DISORGANIZED SPEECH:FIND:PT:^PATIENT:ORD:MDS
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, not of recent B5.a.2. Behavior present, over last 7 da B5.b. Periods of altered perception or at B5.b.0. Behavior not present B5.b.1. Behavior present, not of recent B5.b.2. Behavior present, over last 7 da B5.c. Episodes of disorganized speech	B5a B5a0 B5a1 B5a2 B5b B5b0 B5b1 B5b1 B5b2 B5c	Assess distractability Is not easily distracted Is easily distracted - more than 7 days of Is easily distracted - 7 days duration or I Assess perception/awareness Perception/awareness not altered Perception/awareness altered - more th Perception/awareness altered - 7 days of Assess for disorganized speech, rambling Speech not disorganized or rambling	LOINC SNOMED CT SNOMED CT SNOMED CT LOINC SNOMED CT SNOMED CT SNOMED CT SNOMED CT g, train of thought LOINC SNOMED CT	288769005 247764002 247764002 45492-6 247700009 247701008 247701008 45493-4 289193001	Able to direct attention (finding) Easily distracted (finding) Easily distracted (finding) PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS:FIND:PT:^PATIENT:ORD:MDS Normal perception (finding) Abnormal perception (finding) EPISODES OF DISORGANIZED SPEECH:FIND:PT:^PATIENT:ORD:MDS Finding of intelligibility of articulation (finding)
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, not of recent B5.a.2. Behavior present, over last 7 da B5.b. Periods of altered perception or at B5.b.0. Behavior not present B5.b.1. Behavior present, not of recent B5.b.2. Behavior present, over last 7 da B5.c. Episodes of disorganized speech B5.c.0. Behavior not present	B5a B5a0 (B5a1 (B5a2 (B5b) B5b0 (B5b1 (B5b2 (B5b2 (B5c) (B5c) (B5c)	Assess distractability Is not easily distracted - more than 7 days of Is easily distracted - 7 days duration or It Assess perception/awareness Perception/awareness not altered Perception/awareness altered - more th Perception/awareness altered - 7 days Assess for disorganized speech, ramblin Speech not disorganized or rambling Speech disorganized or rambling - more	LOINC SNOMED CT SNOMED CT SNOMED CT LOINC SNOMED CT SNOMED CT SNOMED CT ISNOMED CT ING, train of thought LOINC SNOMED CT SNOMED CT SNOMED CT SNOMED CT	288769005 247764002 247764002 45492-6 24770009 247701008 247701008 45493-4 289193001 162208002	Able to direct attention (finding) Easily distracted (finding) Easily distracted (finding) PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS:FIND:PT:^PATIENT:ORD:MDS Normal perception (finding) Abnormal perception (finding) Abnormal perception (finding) EPISODES OF DISORGANIZED SPEECH:FIND:PT:^PATIENT:ORD:MDS Finding of intelligibility of articulation (finding) Rambling speech (finding)
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, not of recent B5.a.2. Behavior present, over last 7 da B5.b. Periods of altered perception or at B5.b.0. Behavior not present B5.b.1. Behavior present, not of recent B5.b.2. Behavior present, over last 7 da B5.c. Episodes of disorganized speech B5.c.0. Behavior not present B5.c.1. Behavior present, not of recent B5.c.2. Behavior present, not of recent B5.c.2. Behavior present, not of recent	B5a B5a0 8B5a1 8B5a2 8B5b B5b0 8B5b1 B5b2 B5c B5c0 8B5c1 8B5c1 8B5c2	Assess distractability Is not easily distracted - more than 7 days of Is easily distracted - 7 days duration or I Assess perception/awareness Perception/awareness not altered Perception/awareness altered - more th Perception/awareness altered - 7 days of Assess for disorganized speech, rambling Speech disorganized or rambling - more Speech disorganized or rambling - 7 days Speech disorganized or rambling - 7 days	LOINC SNOMED CT SNOMED CT SNOMED CT LOINC SNOMED CT SNOMED CT SNOMED CT ISNOMED CT ING, train of thought LOINC SNOMED CT SNOMED CT SNOMED CT SNOMED CT	288769005 247764002 247764002 45492-6 247700009 247701008 247701008 45493-4 289193001	Able to direct attention (finding) Easily distracted (finding) Easily distracted (finding) PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS:FIND:PT:^PATIENT:ORD:MDS Normal perception (finding) Abnormal perception (finding) EPISODES OF DISORGANIZED SPEECH:FIND:PT:^PATIENT:ORD:MDS Finding of intelligibility of articulation (finding)
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, not of recent B5.a.2. Behavior present, over last 7 da B5.b. Periods of altered perception or at B5.b.0. Behavior not present B5.b.1. Behavior present, not of recent B5.b.2. Behavior present, over last 7 da B5.c. Episodes of disorganized speech B5.c.0. Behavior not present	B5a B5a0 B5a1 B5a2 B5b B5b0 B5b0 B5b2 B5c B5c0 B5c0 B5c1 B5c2 B5c2 B5c2 B5c3 B5c4	Assess distractability Is not easily distracted - more than 7 days of Is easily distracted - 7 days duration or I Assess perception/awareness Perception/awareness not altered Perception/awareness altered - more th Perception/awareness altered - 7 days Assess for disorganized speech, rambling Speech disorganized or rambling - more Speech disorganized or rambling - more Speech disorganized or rambling - 7 da Assess for restlessness	LOINC SNOMED CT SNOMED CT SNOMED CT LOINC SNOMED CT SNOMED CT SNOMED CT ISNOMED CT ING, train of thought LOINC SNOMED CT SNOMED CT SNOMED CT SNOMED CT	288769005 247764002 247764002 45492-6 247700009 247701008 247701008 45493-4 289193001 162208002 162208002	Able to direct attention (finding) Easily distracted (finding) Easily distracted (finding) PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS:FIND:PT:^PATIENT:ORD:MDS Normal perception (finding) Abnormal perception (finding) Abnormal perception (finding) EPISODES OF DISORGANIZED SPEECH:FIND:PT:^PATIENT:ORD:MDS Finding of intelligibility of articulation (finding) Rambling speech (finding) Rambling speech (finding)
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, not of recent B5.a.2. Behavior present, over last 7 da B5.b. Periods of altered perception or at B5.b.0. Behavior not present B5.b.1. Behavior present, not of recent B5.b.2. Behavior present, over last 7 da B5.c. Episodes of disorganized speech B5.c.0. Behavior not present B5.c.1. Behavior present, over last 7 da B5.c.2. Behavior present, over last 7 da B5.c.3. Behavior present, over last 7 da B5.c.4. Behavior present, over last 7 da B5.d.0. Behavior not present	B5a B5a0 B5a1 B5a2 B5b0 B5b0 B5b0 B5b1 B5b2 B5c B5c0 B5c1 B5c2 B5c3 B5c4 B5c4 B5c4 B5c6 B5c6 B5c6 B5c6 B5c6 B5c6 B5c6 B5c6	Assess distractability Is not easily distracted - more than 7 days of Is easily distracted - 7 days duration or I Assess perception/awareness Perception/awareness not altered Perception/awareness altered - more th Perception/awareness altered - 7 days of Assess for disorganized speech, rambling Speech disorganized or rambling - more Speech disorganized or rambling - 7 days Speech disorganized or rambling - 7 days	LOINC SNOMED CT SNOMED CT SNOMED CT LOINC SNOMED CT SNOMED CT SNOMED CT ISNOMED CT ING, train of thought LOINC SNOMED CT SNOMED CT SNOMED CT SNOMED CT	288769005 247764002 247764002 45492-6 24770009 247701008 247701008 45493-4 289193001 162208002	Able to direct attention (finding) Easily distracted (finding) Easily distracted (finding) PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS:FIND:PT:^PATIENT:ORD:MDS Normal perception (finding) Abnormal perception (finding) Abnormal perception (finding) EPISODES OF DISORGANIZED SPEECH:FIND:PT:^PATIENT:ORD:MDS Finding of intelligibility of articulation (finding) Rambling speech (finding)
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, over last 7 da B5.b. Periods of altered perception or at B5.b.0. Behavior present, over last 7 da B5.b.0. Behavior present, over last 7 da B5.b.2. Behavior present, over last 7 da B5.c. Episodes of disorganized speech B5.c.0. Behavior not present B5.c.1. Behavior present, over last 7 da B5.c.2. Behavior present, not of recent de B5.c.2. Behavior present, over last 7 da B5.d.0. Behavior present, over last 7 da B5.d.0. Behavior present, over last 8 da B5.d.0. Behavior present, over last 9 da B6.d.0. B6.d.0	B5a B5a0 B5a1 B5a2 B5b0 B5b0 B5b0 B5b1 B5b2 B5c B5c0 B5c1 B5c2 B5d B5d0 B5d0 B5d0 B5d1	Assess distractability Is not easily distracted Is easily distracted - more than 7 days or Is easily distracted - 7 days duration or Assess perception/awareness Perception/awareness not altered Perception/awareness altered - more th Perception/awareness altered - 7 days of Assess for disorganized speech, rambling Speech disorganized or rambling - more Speech disorganized or rambling - 7 da Assess for restless Is not restless Is restless - more than 7 days duration	LOINC SNOMED CT SNOMED CT SNOMED CT LOINC SNOMED CT	288769005 247764002 247764002 45492-6 247700009 247701008 247701008 45493-4 289193001 162208002 45494-2 162221009	Able to direct attention (finding) Easily distracted (finding) PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS:FIND:PT:^PATIENT:ORD:MDS Normal perception (finding) Abnormal perception (finding) Abnormal perception (finding) EPISODES OF DISORGANIZED SPEECH:FIND:PT:^PATIENT:ORD:MDS Finding of intelligibility of articulation (finding) Rambling speech (finding) PERIODS OF RESTLESSNESS:FIND:PT:^PATIENT:ORD:MDS Restlessness (finding)
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, not of recent B5.a.2. Behavior present, over last 7 da B5.b. Periods of altered perception or at B5.b.0. Behavior not present B5.b.1. Behavior present, not of recent B5.b.2. Behavior present, over last 7 da B5.c. Episodes of disorganized speech B5.c.0. Behavior not present B5.c.1. Behavior present, over last 7 da B5.c.2. Behavior present, over last 7 da B5.c.3. Behavior present, over last 7 da B5.c.4. Behavior present, over last 7 da B5.d.0. Behavior not present	B5a B5a0 B5a1 B5a2 B5b0 B5b0 B5b0 B5b1 B5b2 B5c B5c0 B5c1 B5c2 B5d B5d0 B5d0 B5d0 B5d1	Assess distractability Is not easily distracted Is easily distracted - more than 7 days or Is easily distracted - 7 days duration or Assess perception/awareness Perception/awareness not altered Perception/awareness altered - more th Perception/awareness altered - 7 days of Assess for disorganized speech, rambling Speech disorganized or rambling - more Speech disorganized or rambling - 7 da Assess for restless Is not restless Is restless - more than 7 days duration	LOINC SNOMED CT SNOMED CT SNOMED CT LOINC SNOMED CT SNOMED CT SNOMED CT ISNOMED CT ISNOMED CT ISNOMED CT ISNOMED CT ISNOMED CT SNOMED CT SNOMED CT ISNOMED CT LOINC	288769005 247764002 247764002 45492-6 24770009 247701008 247701008 45493-4 289193001 162208002 162208002 45494-2	Able to direct attention (finding) Easily distracted (finding) Easily distracted (finding) PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS:FIND:PT:^PATIENT:ORD:MDS Normal perception (finding) Abnormal perception (finding) EPISODES OF DISORGANIZED SPEECH:FIND:PT:^PATIENT:ORD:MDS Finding of intelligibility of articulation (finding) Rambling speech (finding) PERIODS OF RESTLESSNESS:FIND:PT:^PATIENT:ORD:MDS
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, not of recent B5.a.2. Behavior present, over last 7 da B5.b. Periods of altered perception or at B5.b.1. Behavior present, not of recent B5.b.1. Behavior present, not of recent B5.b.2. Behavior present, over last 7 da B5.c. Episodes of disorganized speech B5.c.0. Behavior not present B5.c.1. Behavior present, not of recent B5.c.2. Behavior present, over last 7 da B5.d. Periods of restlessness B5.d.0. Behavior not present B5.d.1. Behavior present, not of recent B5.d.2. Behavior present, not of recent B5.d.2. Behavior present, not of recent B5.d.2. Behavior present, over last 7 da B5.d.2. Behavior present, over last 7 da B5.d.2. Behavior present, over last 7 da	B5a B5a0 B5a1 B5a2 B5b0 B5b0 B5b0 B5b1 B5b2 B5c B5c0 B5c1 B5c2 B5d B5d0 B5d0 B5d0 B5d1	Assess distractability Is not easily distracted Is easily distracted - more than 7 days or Is easily distracted - 7 days duration or Assess perception/awareness Perception/awareness not altered Perception/awareness altered - more th Perception/awareness altered - 7 days of Assess for disorganized speech, rambling Speech disorganized or rambling - more Speech disorganized or rambling - 7 da Assess for restless Is not restless Is restless - more than 7 days duration	LOINC SNOMED CT SNOMED CT SNOMED CT LOINC SNOMED CT	288769005 247764002 247764002 45492-6 24770009 247701008 247701008 45493-4 289193001 162208002 162208002 45494-2 162221009 162221009	Able to direct attention (finding) Easily distracted (finding) PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS:FIND:PT:^PATIENT:ORD:MDS Normal perception (finding) Abnormal perception (finding) EPISODES OF DISORGANIZED SPEECH:FIND:PT:^PATIENT:ORD:MDS Finding of intelligibility of articulation (finding) Rambling speech (finding) Rambling speech (finding) PERIODS OF RESTLESSNESS:FIND:PT:^PATIENT:ORD:MDS Restlessness (finding) Restlessness (finding)
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, over last 7 da B5.b. Periods of altered perception or at B5.b.0. Behavior present, over last 7 da B5.b.1. Behavior present, not of recent B5.b.2. Behavior present, over last 7 da B5.c. Episodes of disorganized speech B5.c.0. Behavior not present B5.c.1. Behavior present, over last 7 da B5.c.1. Behavior present, aver last 7 da B5.c.1. Behavior present, not of recent B5.c.2. Behavior present, over last 7 da B5.d.0. Behavior present, over last 7 da B5.d.1. Behavior present, over last 7 da B5.d.2. Behavior present, over last 7 da B5.d.3. Behavior present, over last 7 da	B5a B5a0 B5a1 B5a2 B5b B5b0 B5b0 B5b1 B5b2 B5c B5c0 B5c1 B5c2 B5d1 B5c2 B5d0 B5d1 B5d0 B5d1 B5d1 B5d2 B5d0 B5d0 B5d0	Assess distractability Is not easily distracted Is easily distracted - more than 7 days or Is easily distracted - 7 days duration or Is easily distracted - 7 days duration or Assess perception/awareness Perception/awareness not altered Perception/awareness altered - more th Perception/awareness altered - 7 days of Assess for disorganized speech, rambling Speech disorganized or rambling - 7 da Assess for restlessness Is not restless Is restless - more than 7 days duration Is restless - 7 days duration or less Assess for lethargy, sluggishness Is not lethargic	LOINC SNOMED CT SNOMED CT SNOMED CT LOINC SNOMED CT LOINC SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT LOINC SNOMED CT SNOMED CT LOINC LOINC	288769005 247764002 247764002 45492-6 247700009 247701008 247701008 45493-4 289193001 162208002 45494-2 162221009	Able to direct attention (finding) Easily distracted (finding) PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS:FIND:PT:^PATIENT:ORD:MDS Normal perception (finding) Abnormal perception (finding) Abnormal perception (finding) EPISODES OF DISORGANIZED SPEECH:FIND:PT:^PATIENT:ORD:MDS Finding of intelligibility of articulation (finding) Rambling speech (finding) PERIODS OF RESTLESSNESS:FIND:PT:^PATIENT:ORD:MDS Restlessness (finding)
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, not of recent B5.a.2. Behavior present, over last 7 da B5.b. Periods of altered perception or at B5.b.1. Behavior present, not of recent B5.b.1. Behavior present, not of recent B5.b.2. Behavior present, over last 7 da B5.c. Episodes of disorganized speech B5.c.0. Behavior not present B5.c.1. Behavior present, not of recent B5.c.2. Behavior present, over last 7 da B5.d. Periods of restlessness B5.d.0. Behavior not present B5.d.1. Behavior present, not of recent B5.d.2. Behavior present, not of recent B5.d.2. Behavior present, not of recent B5.d.2. Behavior present, over last 7 da B5.d.2. Behavior present, over last 7 da B5.d.2. Behavior present, over last 7 da	B5a B5a0 B5a1 B5a2 B5b B5b0 B5b0 B5b1 B5b2 B5c B5c0 B5c1 B5c2 B5d1 B5c2 B5d0 B5d1 B5d0 B5d1 B5d1 B5d2 B5d0 B5d0 B5d0	Assess distractability Is not easily distracted - more than 7 days of Is easily distracted - 7 days duration or I Assess perception/awareness Perception/awareness altered - more th Perception/awareness altered - 7 days Assess for disorganized speech, ramblin Speech disorganized or rambling - 7 da Assess for restlessness Is not restless Is restless - more than 7 days duration Is restless - 7 days duration or less Assess for lethargy, sluggishness	LOINC SNOMED CT SNOMED CT SNOMED CT LOINC SNOMED CT LOINC SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT LOINC SNOMED CT SNOMED CT LOINC LOINC	288769005 247764002 247764002 45492-6 24770009 247701008 247701008 45493-4 289193001 162208002 45494-2 162221009 162221009 45495-9	Able to direct attention (finding) Easily distracted (finding) PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS:FIND:PT:^PATIENT:ORD:MDS Normal perception (finding) Abnormal perception (finding) EPISODES OF DISORGANIZED SPEECH:FIND:PT:^PATIENT:ORD:MDS Finding of intelligibility of articulation (finding) Rambling speech (finding) Rambling speech (finding) PERIODS OF RESTLESSNESS:FIND:PT:^PATIENT:ORD:MDS Restlessness (finding) Restlessness (finding)
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, not of recent B5.a.2. Behavior present, over last 7 da B5.b. Periods of altered perception or at B5.b.1. Behavior present, not of recent B5.b.1. Behavior present, not of recent B5.b.2. Behavior present, over last 7 da B5.c. Episodes of disorganized speech B5.c.0. Behavior not present B5.c.1. Behavior present, not of recent B5.c.2. Behavior present, over last 7 da B5.d. Periods of restlessness B5.d.0. Behavior not present B5.d.1. Behavior present, over last 7 da B5.e. Periods of lethargy B5.e.0. Behavior not present B5.e.1. Behavior present, over last 7 da B5.e.2. Behavior present, over last 7 da B5.e.2. Behavior present, over last 7 da B5.e.1. Behavior present, not of recent	B5a B5a0 B5a1 B5a2 B5b0 B5b0 B5b0 B5b2 B5c B5c0 B5c0 B5c1 B5c2 B5c4 B5c4 B5d0 B5d0 B5d0 B5d0 B5d0 B5d0 B5d0 B5d1 B5d2 B5d8 B5d9 B5d9 B5d9 B5d9 B5d9 B5d9 B5d9 B5d9	Assess distractability Is not easily distracted - more than 7 days of Is easily distracted - 7 days duration or I Assess perception/awareness Perception/awareness altered - more th Perception/awareness altered - 7 days of Assess for disorganized speech, rambling Speech disorganized or rambling - more Speech disorganized or rambling - 7 day Assess for restlessness Is not restless Is restless - more than 7 days duration Is restless - 7 days duration or less Assess for lethargic Is lethargic - 7 days duration Is lethargic - 7 days duration or less Is lethargic - 7 days duration or less	LOINC SNOMED CT SNOMED CT SNOMED CT SNOMED CT LOINC SNOMED CT LOINC SNOMED CT	288769005 247764002 247764002 45492-6 24770009 247701008 247701008 45493-4 289193001 162208002 162208002 45494-2 162221009 45495-9 214264003	Able to direct attention (finding) Easily distracted (finding) PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS:FIND:PT:^PATIENT:ORD:MDS Normal perception (finding) Abnormal perception (finding) Abnormal perception (finding) EPISODES OF DISORGANIZED SPEECH:FIND:PT:^PATIENT:ORD:MDS Finding of intelligibility of articulation (finding) Rambling speech (finding) PERIODS OF RESTLESSNESS:FIND:PT:^PATIENT:ORD:MDS Restlessness (finding) Restlessness (finding) PERIODS OF LETHARGY:FIND:PT:^PATIENT:ORD:MDS
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, not of recent B5.a.2. Behavior present, over last 7 da B5.b. Periods of altered perception or an B5.b.0. Behavior not present B5.b.1. Behavior present, not of recent B5.b.2. Behavior present, over last 7 da B5.c. Episodes of disorganized speech B5.c.0. Behavior not present B5.c.1. Behavior present, not of recent of B5.c.2. Behavior present, not of recent of B5.c.2. Behavior present, over last 7 da B5.d. Periods of restlessness B5.d.0. Behavior present, not of recent of B5.d.1. Behavior present, not of recent of B5.d.1. Behavior present, not of recent of B5.d.2. Behavior present, not of recent of B5.d.3. Behavior present, not of recent of	B5a B5a0 B5a1 B5a2 B5b0 B5b0 B5b0 B5b2 B5c B5c0 B5c0 B5c1 B5c2 B5c4 B5c4 B5d0 B5d0 B5d0 B5d0 B5d0 B5d0 B5d0 B5d1 B5d2 B5d8 B5d9 B5d9 B5d9 B5d9 B5d9 B5d9 B5d9 B5d9	Assess distractability Is not easily distracted Is easily distracted - more than 7 days or Is easily distracted - 7 days duration or I Assess perception/awareness Perception/awareness not altered Perception/awareness altered - more th Perception/awareness altered - 7 days of Assess for disorganized speech, ramblin Speech disorganized or rambling - more Speech disorganized or rambling - 7 da Assess for restlessness Is not restless Is restless - more than 7 days duration Is restless - 7 days duration or less Assess for lethargy, sluggishness Is not lethargic Is lethargic - more than 7 days duration	LOINC SNOMED CT SNOMED CT SNOMED CT SNOMED CT LOINC SNOMED CT LOINC SNOMED CT	288769005 247764002 247764002 45492-6 24770009 247701008 247701008 45493-4 289193001 162208002 45494-2 162221009 162221009 45495-9 214264003 214264003	Able to direct attention (finding) Easily distracted (finding) PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS:FIND:PT:^PATIENT:ORD:MDS Normal perception (finding) Abnormal perception (finding) Abnormal perception (finding) EPISODES OF DISORGANIZED SPEECH:FIND:PT:^PATIENT:ORD:MDS Finding of intelligibility of articulation (finding) Rambling speech (finding) PERIODS OF RESTLESSNESS:FIND:PT:^PATIENT:ORD:MDS Restlessness (finding) Restlessness (finding) PERIODS OF LETHARGY:FIND:PT:^PATIENT:ORD:MDS Lethargy (finding) Lethargy (finding)
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, not of recent B5.a.2. Behavior present, over last 7 da B5.b. Periods of altered perception or an B5.b.0. Behavior not present B5.b.1. Behavior present, not of recent B5.b.2. Behavior present, over last 7 da B5.c. Episodes of disorganized speech B5.c.0. Behavior not present B5.c.1. Behavior present, not of recent of B5.c.2. Behavior present, not of recent of B5.c.2. Behavior present, over last 7 da B5.d. Periods of restlessness B5.d.0. Behavior present, over last 7 da B5.d.1 Behavior present, not of recent of B5.d.2. Behavior present, not of recent of B5.d.3. Behavior present, not of recent of B5.e.0. Behavior present, over last 7 da B5.e.0. Behavior present, over last 7 da B5.e.1. Behavior present, over last 7 da B5.e.1. Behavior present, over last 7 da B5.f. Mental function varies over the county of present	B5a B5a0 B5a1 B5a2 B5b0 B5b0 B5b2 B5c B5c0 B5c0 B5c1 B5c2 B5c4 B5c4 B5c4 B5c4 B5c4 B5c4 B5c4 B5c4	Assess distractability Is not easily distracted Is easily distracted - more than 7 days or Is easily distracted - 7 days duration or I Assess perception/awareness Perception/awareness not altered Perception/awareness altered - more th Perception/awareness altered - 7 days of Assess for disorganized speech, ramblin Speech disorganized or rambling - more Speech disorganized or rambling - 7 da Assess for restlessness Is not restless Is restless - more than 7 days duration Is restless - 7 days duration or less Assess for lethargic, sluggishness Is not lethargic Is lethargic - 7 days duration or less Mental function varies over the course of Mental function does not vary over the	LOINC SNOMED CT LOINC SNOMED CT	288769005 247764002 247764002 45492-6 24770009 247701008 247701008 45493-4 289193001 162208002 162208002 45494-2 162221009 45495-9 214264003 214264003 214264003	Able to direct attention (finding) Easily distracted (finding) PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS:FIND:PT:^PATIENT:ORD:MDS Normal perception (finding) Abnormal perception (finding) Abnormal perception (finding) EPISODES OF DISORGANIZED SPEECH:FIND:PT:^PATIENT:ORD:MDS Finding of intelligibility of articulation (finding) Rambling speech (finding) PERIODS OF RESTLESSNESS:FIND:PT:^PATIENT:ORD:MDS Restlessness (finding) Restlessness (finding) PERIODS OF LETHARGY:FIND:PT:^PATIENT:ORD:MDS Lethargy (finding)
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, not of recent B5.a.2. Behavior present, over last 7 da B5.b. Periods of altered perception or at B5.b.0. Behavior present, not of recent B5.b.1. Behavior present, not of recent B5.b.2. Behavior present, over last 7 da B5.c. Episodes of disorganized speech B5.c.0. Behavior not present B5.c.1. Behavior present, not of recent B5.c.2. Behavior present, over last 7 da B5.c. Periods of restlessness B5.d.0. Behavior present, not of recent B5.d.1. Behavior present, over last 7 da B5.e. Periods of lethargy B5.e.0. Behavior present, over last 7 da B5.e.1. Behavior present, not of recent B5.e.2. Behavior present, not of recent B5.e.3. Behavior present, not of recent	B5a B5a0 B5a1 B5a2 B5b0 B5b0 B5b0 B5b2 B5c B5c0 B5c1 B5c2 B5c4 B5c4 B5c4 B5d0 B5d0 B5d0 B5d0 B5d1 B5d2 B5d B5d0 B5d1 B5d2 B5d B5d8 B5d9 B5d9 B5d9 B5d9 B5d9 B5d9 B5d9 B5d9	Assess distractability Is not easily distracted - more than 7 days of Is easily distracted - 7 days duration or I Assess perception/awareness Perception/awareness altered - more th Perception/awareness altered - 7 days of Assess for disorganized speech, ramblin Speech disorganized or rambling - more Speech disorganized or rambling - 7 da Assess for restlessness Is not restless Is restless - more than 7 days duration Is restless - 7 days duration or less Assess for lethargy, sluggishness Is not lethargic Is lethargic - 7 days duration or less Mental function varies over the course of	LOINC SNOMED CT	288769005 247764002 247764002 247764002 45492-6 247700009 247701008 247701008 45493-4 289193001 162208002 162208002 45494-2 162221009 162221009 162221009 214264003 214264003	Able to direct attention (finding) Easily distracted (finding) PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS:FIND:PT:^PATIENT:ORD:MDS Normal perception (finding) Abnormal perception (finding) Abnormal perception (finding) EPISODES OF DISORGANIZED SPEECH:FIND:PT:^PATIENT:ORD:MDS Finding of intelligibility of articulation (finding) Rambling speech (finding) PERIODS OF RESTLESSNESS:FIND:PT:^PATIENT:ORD:MDS Restlessness (finding) Restlessness (finding) PERIODS OF LETHARGY:FIND:PT:^PATIENT:ORD:MDS Lethargy (finding) Lethargy (finding)
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, over last 7 da B5.b. Periods of altered perception or at B5.b.0. Behavior present, over last 7 da B5.b.0. Behavior present, not of recent B5.b.1. Behavior present, over last 7 da B5.c. Episodes of disorganized speech B5.c.0. Behavior not present B5.c.1. Behavior present, not of recent B5.c.2. Behavior present, not of recent B5.c.3. Behavior present, not of recent B5.c.4. Periods of restlessness B5.d.0. Behavior not present B5.d.1. Behavior present, not of recent B5.d.2. Behavior present, not of recent B5.d.2. Behavior present, over last 7 da B5.e. Periods of lethargy B5.e.0. Behavior not present B5.e.1. Behavior present, not of recent B5.e.2. Behavior present, not of recent B5.e.3. Behavior present, over last 7 da B5.f. Mental function varies over the co B5.f.0. Behavior present, not of recent of B5.f.1. Behavior present, not of recent of	B5a B5a0 B5a1 B5a2 B5b0 B5b0 B5b0 B5b1 B5b2 B5c B5c0 B5c1 B5c2 B5c4 B5d0 B5d0 B5d0 B5d1 B5d2 B5d8 B5d9 B5d9 B5d9 B5d9 B5d9 B5d9 B5d9 B5d9	Assess distractability Is not easily distracted Is easily distracted - more than 7 days or Is easily distracted - 7 days duration or Assess perception/awareness Perception/awareness not altered Perception/awareness altered - more th Perception/awareness altered - 7 days of Assess for disorganized speech, rambling Speech not disorganized or rambling - more Speech disorganized or rambling - 7 da Assess for restlessness Is not restless Is restless - 7 days duration or less Assess for lethargic, sluggishness Is not lethargic - more than 7 days duration Is lethargic - 7 days duration or less Mental function varies over the course of	LOINC SNOMED CT	288769005 247764002 247764002 247764002 45492-6 247700009 247701008 247701008 45493-4 289193001 162208002 162208002 45494-2 162221009 162221009 162221009 214264003 214264003	Able to direct attention (finding) Easily distracted (finding) PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS:FIND:PT:^PATIENT:ORD:MDS Normal perception (finding) Abnormal perception (finding) Abnormal perception (finding) EPISODES OF DISORGANIZED SPEECH:FIND:PT:^PATIENT:ORD:MDS Finding of intelligibility of articulation (finding) Rambling speech (finding) PERIODS OF RESTLESSNESS:FIND:PT:^PATIENT:ORD:MDS Restlessness (finding) Restlessness (finding) PERIODS OF LETHARGY:FIND:PT:^PATIENT:ORD:MDS Lethargy (finding) Lethargy (finding)
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, not of recent B5.a.2. Behavior present, over last 7 da B5.b. Periods of altered perception or an B5.b.0. Behavior present, not of recent B5.b.1. Behavior present, over last 7 da B5.c. Episodes of disorganized speech B5.c.0. Behavior not present B5.c.1. Behavior present, not of recent B5.c.2. Behavior present, not of recent B5.c.2. Behavior present, over last 7 da B5.c. Periods of restlessness B5.d.0. Behavior present, over last 7 da B5.d.1. Behavior present, not of recent B5.d.1. Behavior present, not of recent B5.d.2. Behavior present, not of recent B5.e.1. Behavior present, over last 7 da B5.e. Periods of lethargy B5.e.0. Behavior present, over last 7 da B5.e.1. Behavior present, over last 7 da B5.f. Mental function varies over the co B5.f.0. Behavior not present B5.f.1. Behavior present, not of recent B5.f.2. Behavior present, not of recent B5.f.3. Behavior present, over last 7 da B6. Change in Cognitive Status	B5a B5a0 B5a1 B5a2 B5b0 B5b0 B5b2 B5c B5c0 B5c0 B5c1 B5c2 B5c4 B5c4 B5d0 B5d0 B5d1 B5d2 B5d0 B5d0 B5d0 B5d1 B5d2 B5d0 B5d0 B5d1 B5d2 B5d0 B5d1 B5d2 B5d0 B5d1 B5d1 B5d2 B5d3 B5d3 B5d4 B5d4 B5d5 B5d3 B5d4 B5d4 B5d5 B5d6 B5d6 B5d6 B5d7 B5d8 B5d8 B5d8 B5d9 B5d9 B5d9 B5d9 B5d9 B5d9 B5d9 B5d9	Assess distractability Is not easily distracted Is easily distracted - more than 7 days of Is easily distracted - 7 days duration or I Assess perception/awareness Perception/awareness altered - more th Perception/awareness altered - 7 days of Assess for disorganized speech, rambling Speech disorganized or rambling - 7 days disorganized or rambling - 7 days disorganized or rambling - 7 days for estless - 7 days duration or less assess for lethargy, sluggishness Is not restless - 7 days duration or less Assess for lethargic, and the significant or less Assess for lethargic - 7 days duration or less Mental function varies over the course of Mental functio	LOINC SNOMED CT ISNOMED CT SNOMED CT LOINC SNOMED CT SNO	288769005 247764002 247764002 45492-6 24770009 247701008 247701008 45493-4 289193001 162208002 162208002 162221009 45494-2 162221009 45495-9 214264003 214264003 214264003	Able to direct attention (finding) Easily distracted (finding) PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS:FIND:PT:^PATIENT:ORD:MDS Normal perception (finding) Abnormal perception (finding) Abnormal perception (finding) EPISODES OF DISORGANIZED SPEECH:FIND:PT:^PATIENT:ORD:MDS Finding of intelligibility of articulation (finding) Rambling speech (finding) PERIODS OF RESTLESSNESS:FIND:PT:^PATIENT:ORD:MDS Restlessness (finding) Restlessness (finding) PERIODS OF LETHARGY:FIND:PT:^PATIENT:ORD:MDS Lethargy (finding) MENTAL FUNCTION VARIES DURING DAY:FIND:PT:^PATIENT:ORD:MDS
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, not of recent B5.a.2. Behavior present, over last 7 da B5.b. Periods of altered perception or at B5.b.0. Behavior present, not of recent B5.b.1. Behavior present, not of recent B5.b.2. Behavior present, over last 7 da B5.c. Episodes of disorganized speech B5.c.0. Behavior not present B5.c.1. Behavior present, not of recent B5.c.2. Behavior present, over last 7 da B5.c. Periods of restlessness B5.d.0. Behavior not present B5.d.1. Behavior present, over last 7 da B5.e. Periods of lethargy B5.e.0. Behavior present, over last 7 da B5.e.1. Behavior present, over last 7 da B5.e.1. Behavior present, over last 7 da B5.e.1. Behavior present, not of recent B5.e.2. Behavior present, not of recent B5.e.3. Behavior present, not of recent B5.e.3. Behavior present, over last 7 da B5.f.0. Behavior present, over last 7 da B5.f.1. Behavior present, over last 7 da B6.C. Hange in Cognitive Status B6.O. No change	B5a B5a0 B5a1 B5a2 B5b0 B5b0 B5b0 B5b2 B5c B5c0 B5c0 B5c1 B5c2 B5c4 B5c4 B5c8 B5d0 B5d0 B5d0 B5d1 B5d2 B5e8 B5e9 B5e9 B5e9 B5e9 B5e9 B5e9 B5e9 B5e9	Assess distractability Is not easily distracted - more than 7 days of Is easily distracted - 7 days duration or I Assess perception/awareness Perception/awareness altered - more th Perception/awareness altered - 7 days of Assess for disorganized speech, rambling Speech disorganized or rambling - more Speech disorganized or rambling - 7 da Assess for restlessness Is not restless Is restless - 7 days duration or less Assess for lethargic Is lethargic - 7 days duration or less Assess for lethargic Is lethargic - more than 7 days duration Is lethargic - 7 days duration or less Mental function varies over the course of Assess resident's cognitive status, skills, and a	LOINC SNOMED CT LOINC SNOMED CT SNOM	288769005 247764002 247764002 45492-6 24770009 247701008 247701008 45493-4 289193001 162208002 45494-2 162221009 45495-9 214264003 214264003 214264003 245496-7	Able to direct attention (finding) Easily distracted (finding) PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS:FIND:PT:^PATIENT:ORD:MDS Normal perception (finding) Abnormal perception (finding) Abnormal perception (finding) EPISODES OF DISORGANIZED SPEECH:FIND:PT:^PATIENT:ORD:MDS Finding of intelligibility of articulation (finding) Rambling speech (finding) Rambling speech (finding) PERIODS OF RESTLESSNESS:FIND:PT:^PATIENT:ORD:MDS Restlessness (finding) PERIODS OF LETHARGY:FIND:PT:^PATIENT:ORD:MDS Lethargy (finding) MENTAL FUNCTION VARIES DURING DAY:FIND:PT:^PATIENT:ORD:MDS CHANGE IN COGNITIVE STATUS:FIND:PT:^PATIENT:NOM:MDS
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, not of recent B5.a.2. Behavior present, over last 7 da B5.b. Periods of altered perception or at B5.b.1. Behavior present, not of recent B5.b.2. Behavior present, over last 7 da B5.c. Episodes of disorganized speech B5.c.0. Behavior not present B5.c.1. Behavior present, not of recent B5.c.2. Behavior present, not of recent B5.c.3. Behavior present, not of recent B5.c.4. Periods of restlessness B5.d.0. Behavior not present B5.d.1. Behavior present, not of recent B5.d.2. Behavior present, over last 7 da B5.d. Periods of lethargy B5.e.0. Behavior not present B5.e.1. Behavior present, not of recent B5.e.2. Behavior present, not of recent B5.e.3. Behavior present, not of recent B5.e.4. Behavior present, not of recent B5.e.5. Behavior present, not of recent B5.f.1. Behavior present, not of recent	B5a B5a0 B5a1 B5a2 B5b0 B5b0 B5b0 B5b1 B5b2 B5c B5c0 B5c1 B5c2 B5c4 B5c4 B5d0 B5d0 B5d1 B5d2 B5d B5d1 B5d2 B5d B5d1 B5d2 B5d B5d1 B5d2 B5d B5d1 B5d2 B5d B5d1 B5d2 B5d3 B5d1 B5d2 B5d3 B5d1 B5d2 B5d3 B5d3 B5d3 B5d3 B5d3 B5d4 B5d3 B5d4 B5d4 B5d5 B5d3 B5d4 B5d5 B5d4 B5d5 B5d6 B5d6 B5d7 B5d8 B5d8 B5d8 B5d8 B5d8 B5d8 B5d8 B5d8	Assess distractability Is not easily distracted Is easily distracted - more than 7 days or Is easily distracted - 7 days duration or Is easily distracted - 7 days duration or Assess perception/awareness Perception/awareness altered - more th Perception/awareness altered - 7 days or Assess for disorganized speech, rambling Speech disorganized or rambling - more Speech disorganized or rambling - 7 da Assess for restlessness Is restless - more than 7 days duration Is restless - 7 days duration or less Assess for lethargic Is lethargic - more than 7 days duration Mental function varies over the course of Mental functio	LOINC SNOMED CT	288769005 247764002 247764002 45492-6 247700009 247701008 247701008 45493-4 289193001 162208002 45494-2 162221009 162221009 45495-9 214264003 214264003 45496-7	Able to direct attention (finding) Easily distracted (finding) PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS:FIND:PT:^PATIENT:ORD:MDS Normal perception (finding) Abnormal perception (finding) Abnormal perception (finding) EPISODES OF DISORGANIZED SPEECH:FIND:PT:^PATIENT:ORD:MDS Finding of intelligibility of articulation (finding) Rambling speech (finding) Rambling speech (finding) PERIODS OF RESTLESSNESS:FIND:PT:^PATIENT:ORD:MDS Restlessness (finding) Restlessness (finding) PERIODS OF LETHARGY:FIND:PT:^PATIENT:ORD:MDS Lethargy (finding) MENTAL FUNCTION VARIES DURING DAY:FIND:PT:^PATIENT:ORD:MDS CHANGE IN COGNITIVE STATUS:FIND:PT:^PATIENT:NOM:MDS CHANGE IN COGNITIVE STATUS:FIND:PT:^PATIENT:NOM:MDS CHANGE IN COGNITIVE STATUS:FIND:PT:^PATIENT:NOM:MDS
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, not of recent B5.a.2. Behavior present, over last 7 da B5.b. Periods of altered perception or an B5.b.0. Behavior not present B5.b.1. Behavior present, not of recent B5.b.2. Behavior present, over last 7 da B5.c. Episodes of disorganized speech B5.c.0. Behavior not present B5.c.1. Behavior present, not of recent of B5.c.2. Behavior present, not of recent of B5.c.2. Behavior present, over last 7 da B5.c.2. Behavior present, over last 7 da B5.d.1. Behavior present, over last 7 da B5.d.1. Behavior present, not of recent of B5.d.1. Behavior present, over last 7 da B5.e.0. Behavior present, over last 7 da B5.e.1. Behavior present, over last 7 da B5.e.1. Behavior present, over last 7 da B5.f. Mental function varies over the counting over t	B5a B5a0 B5a1 B5a2 B5b0 B5b0 B5b0 B5b2 B5c B5c0 B5c0 B5c1 B5c2 B5c3 B5c4 B5c4 B5c4 B5c4 B5c4 B5c4 B5c4 B5c5 B5c5	Assess distractability Is not easily distracted Is easily distracted - more than 7 days or Is easily distracted - 7 days duration or I Assess perception/awareness Perception/awareness Perception/awareness altered - more th Perception/awareness altered - 7 days of Assess for disorganized speech, ramblin Speech disorganized or rambling - more Speech disorganized or rambling - 7 da Assess for restlessness Is not restless Is not restless Is restless - more than 7 days duration Is restless - 7 days duration or less Assess for lethargic Is lethargic - 7 days duration or less Mental function varies over the course of	LOINC SNOMED CT LOINC SNOMED CT SNOM	288769005 247764002 247764002 45492-6 24770009 247701008 247701008 45493-4 289193001 162208002 45494-2 162221009 45495-9 214264003 214264003 214264003 245496-7	Able to direct attention (finding) Easily distracted (finding) PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS:FIND:PT:^PATIENT:ORD:MDS Normal perception (finding) Abnormal perception (finding) Abnormal perception (finding) EPISODES OF DISORGANIZED SPEECH:FIND:PT:^PATIENT:ORD:MDS Finding of intelligibility of articulation (finding) Rambling speech (finding) Rambling speech (finding) PERIODS OF RESTLESSNESS:FIND:PT:^PATIENT:ORD:MDS Restlessness (finding) PERIODS OF LETHARGY:FIND:PT:^PATIENT:ORD:MDS Lethargy (finding) MENTAL FUNCTION VARIES DURING DAY:FIND:PT:^PATIENT:ORD:MDS CHANGE IN COGNITIVE STATUS:FIND:PT:^PATIENT:NOM:MDS
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, not of recent B5.a.2. Behavior present, over last 7 da B5.b. Periods of altered perception or at B5.b.0. Behavior present, not of recent B5.b.0. Behavior not present B5.b.1. Behavior present, not of recent B5.b.2. Behavior present, over last 7 da B5.c. Episodes of disorganized speech B5.c.0. Behavior not present B5.c.1. Behavior present, not of recent B5.c.2. Behavior present, over last 7 da B5.c. Periods of restlessness B5.d.0. Behavior present, not of recent B5.d.2. Behavior present, not of recent B5.d.2. Behavior present, not of recent B5.d.2. Behavior present, sower last 7 da B5.e. Periods of lethargy B5.e.0. Behavior present, over last 7 da B5.e. Periods of lethargy B5.e.1. Behavior present, not of recent B5.e.2. Behavior present, not of recent B5.f.0. Behavior present, over last 7 da B5.f.0. Behavior present, over last 7 da B5.f.1. Behavior present, over last 7 da B5.f.1. Behavior present, over last 7 da B5.f.1. Behavior present, over last 7 da B6. Change in Cognitive Status B6. No change B6.1. Improved B6.2. Deteriorated B6.3 UTD	B5a B5a0 B5a1 B5a2 B5b0 B5b0 B5b0 B5b2 B5c B5c B5c0 B5c1 B5c2 B5c4 B5c4 B5d0 B5d0 B5d0 B5d1 B5d2 B5e8 B5e9 B5e9 B5e9 B5e9 B5e9 B5e9 B5e9 B5e9	Assess distractability Is not easily distracted Is easily distracted - more than 7 days or Is easily distracted - 7 days duration or Is easily distracted - 7 days duration or Assess perception/awareness Perception/awareness altered - more th Perception/awareness altered - 7 days or Assess for disorganized speech, rambling Speech disorganized or rambling - more Speech disorganized or rambling - 7 da Assess for restlessness Is restless - more than 7 days duration Is restless - 7 days duration or less Assess for lethargic Is lethargic - more than 7 days duration Mental function varies over the course of Mental functio	LOINC SNOMED CT LOINC SNOMED CT SNOM	288769005 247764002 247764002 45492-6 247700009 247701008 247701008 45493-4 289193001 162208002 45494-2 162221009 162221009 45495-9 214264003 214264003 45496-7	Able to direct attention (finding) Easily distracted (finding) PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS:FIND:PT:^PATIENT:ORD:MDS Normal perception (finding) Abnormal perception (finding) Abnormal perception (finding) EPISODES OF DISORGANIZED SPEECH:FIND:PT:^PATIENT:ORD:MDS Finding of intelligibility of articulation (finding) Rambling speech (finding) Rambling speech (finding) PERIODS OF RESTLESSNESS:FIND:PT:^PATIENT:ORD:MDS Restlessness (finding) Restlessness (finding) PERIODS OF LETHARGY:FIND:PT:^PATIENT:ORD:MDS Lethargy (finding) MENTAL FUNCTION VARIES DURING DAY:FIND:PT:^PATIENT:ORD:MDS CHANGE IN COGNITIVE STATUS:FIND:PT:^PATIENT:NOM:MDS CHANGE IN COGNITIVE STATUS:FIND:PT:^PATIENT:NOM:MDS
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, not of recent B5.a.2. Behavior present, over last 7 da B5.b. Periods of altered perception or at B5.b.1. Behavior present, not of recent B5.b.2. Behavior present, not of recent B5.b.2. Behavior present, over last 7 da B5.c. Episodes of disorganized speech B5.c.0. Behavior not present B5.c.1. Behavior present, not of recent B5.c.2. Behavior present, not of recent B5.c.2. Behavior present, over last 7 da B5.d. Periods of restlessness B5.d.0. Behavior not present B5.d.1. Behavior present, over last 7 da B5.e. Periods of lethargy B5.e.0. Behavior not present B5.e.1. Behavior present, over last 7 da B5.e. Periods of lethargy B5.e.0. Behavior present, not of recent B5.e.1. Behavior present, over last 7 da B5.f. Mental function varies over the co B5.f.0. Behavior present, over last 7 da B6. Change in Cognitive Status B6.0. No change B6.1. Improved B6.2. Deteriorated B6.3 UTD SECTION C: COMMUNICATION/HEAF	B5a B5a0 B5a1 B5a2 B5b0 B5b0 B5b0 B5b0 B5b2 B5c B5c0 B5c0 B5c1 B5c2 B5c4 B5d0 B5d0 B5d0 B5d0 B5d1 B5d2 B5e B5e B5e B5e B5e B5e B5e B5e B5e B5e	Assess distractability Is not easily distracted Is easily distracted - more than 7 days or Is easily distracted - 7 days duration or Is easily distracted - 7 days duration or Assess perception/awareness Perception/awareness altered - more th Perception/awareness altered - 7 days or Assess for disorganized speech, rambling Speech not disorganized or rambling - 7 da Assess for restlessness Is not restless Is not restless Is restless - 7 days duration or less Assess for lethargic, sluggishness Is not lethargic Is lethargic - more than 7 days duration Is lethargic - more than 7 days duration or less Mental function varies over the course of Mental function	LOINC SNOMED CT LOINC SNOMED CT SNOM	288769005 247764002 247764002 45492-6 247700009 247701008 247701008 45493-4 289193001 162208002 45494-2 162221009 162221009 45495-9 214264003 214264003 45496-7	Able to direct attention (finding) Easily distracted (finding) PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS:FIND:PT:^PATIENT:ORD:MDS Normal perception (finding) Abnormal perception (finding) Abnormal perception (finding) EPISODES OF DISORGANIZED SPEECH:FIND:PT:^PATIENT:ORD:MDS Finding of intelligibility of articulation (finding) Rambling speech (finding) Rambling speech (finding) PERIODS OF RESTLESSNESS:FIND:PT:^PATIENT:ORD:MDS Restlessness (finding) Restlessness (finding) PERIODS OF LETHARGY:FIND:PT:^PATIENT:ORD:MDS Lethargy (finding) MENTAL FUNCTION VARIES DURING DAY:FIND:PT:^PATIENT:ORD:MDS CHANGE IN COGNITIVE STATUS:FIND:PT:^PATIENT:NOM:MDS CHANGE IN COGNITIVE STATUS:FIND:PT:^PATIENT:NOM:MDS CHANGE IN COGNITIVE STATUS:FIND:PT:^PATIENT:NOM:MDS
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, over last 7 da B5.b. Periods of altered perception or an B5.b.1. Behavior present, over last 7 da B5.b. Periods of altered perception or an B5.b.1. Behavior present, over last 7 da B5.c. Episodes of disorganized speech B5.c.2. Behavior present, over last 7 da B5.c. Episodes of disorganized speech B5.c.0. Behavior not present B5.c.1. Behavior present, over last 7 da B5.c.2. Behavior present, over last 7 da B5.c.2. Behavior present, over last 7 da B5.d.1. Behavior present, over last 7 da B5.d.2. Behavior present, over last 7 da B5.e.1. Behavior present, over last 7 da B5.f. Mental function varies over the co B5.f.0. Behavior present, not of recent ob B5.f.2. Behavior present, over last 7 da B6. Change in Cognitive Status B6.0. No change B6.1. Improved B6.2. Deteriorated B6.3 UTD SECTION C: COMMUNICATION/HEAF C1. Hearing	B5a B5a0 B5a1 B5a2 B5b0 B5b0 B5b0 B5b2 B5c0 B5c0 B5c1 B5c2 B5c3 B5c4 B5c4 B5c4 B5c4 B5c4 B5c4 B5c5 B5c5	Assess distractability Is not easily distracted Is easily distracted - more than 7 days or Is easily distracted - 7 days duration or I Assess perception/awareness Perception/awareness Perception/awareness altered - more th Perception/awareness altered - 7 days of Assess for disorganized speech, rambling Speech disorganized or rambling - more Speech disorganized or rambling - 7 da Assess for restlessness Is not restless Is restless - more than 7 days duration Is restless - 7 days duration or less Assess for lethargic, sluggishness Is not lethargic Is lethargic - 7 days duration or less Mental function varies over the course of Mental function varies ove	LOINC SNOMED CT LOINC SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT JOINC SNOMED CT SNOMED CT SNOMED CT SNOMED CT JOINC JOINC LOINC LOIN	288769005 247764002 247764002 45492-6 24770009 247701008 247701008 45493-4 288193001 162208002 162208002 45494-2 162221009 45495-9 214264003 214264003 45496-7	Able to direct attention (finding) Easily distracted (finding) PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS:FIND:PT:^PATIENT:ORD:MDS Normal perception (finding) Abnormal perception (finding) Abnormal perception (finding) EPISODES OF DISORGANIZED SPEECH:FIND:PT:^PATIENT:ORD:MDS Finding of intelligibility of articulation (finding) Rambling speech (finding) Rambling speech (finding) PERIODS OF RESTLESSNESS:FIND:PT:^PATIENT:ORD:MDS Restlessness (finding) Restlessness (finding) PERIODS OF LETHARGY:FIND:PT:^PATIENT:ORD:MDS Lethargy (finding) MENTAL FUNCTION VARIES DURING DAY:FIND:PT:^PATIENT:ORD:MDS CHANGE IN COGNITIVE STATUS:FIND:PT:^PATIENT:NOM:MDS CHANGE IN COGNITIVE STATUS:FIND:PT:^PATIENT:NOM:MDS CHANGE IN COGNITIVE STATUS:FIND:PT:^PATIENT:NOM:MDS CHANGE IN COGNITIVE STATUS:FIND:PT:^PATIENT:NOM:MDS
B5.a. Easily distracted B5.a.0. Behavior not present B5.a.1. Behavior present, not of recent B5.a.2. Behavior present, over last 7 da B5.b. Periods of altered perception or at B5.b.1. Behavior present, not of recent B5.b.2. Behavior present, not of recent B5.b.2. Behavior present, over last 7 da B5.c. Episodes of disorganized speech B5.c.0. Behavior not present B5.c.1. Behavior present, not of recent B5.c.2. Behavior present, not of recent B5.c.2. Behavior present, over last 7 da B5.d. Periods of restlessness B5.d.0. Behavior not present B5.d.1. Behavior present, over last 7 da B5.e. Periods of lethargy B5.e.0. Behavior not present B5.e.1. Behavior present, over last 7 da B5.e. Periods of lethargy B5.e.0. Behavior present, not of recent B5.e.1. Behavior present, over last 7 da B5.f. Mental function varies over the co B5.f.0. Behavior present, over last 7 da B6. Change in Cognitive Status B6.0. No change B6.1. Improved B6.2. Deteriorated B6.3 UTD SECTION C: COMMUNICATION/HEAF	B5a B5a0 B5a1 B5a2 B5b0 B5b0 B5b0 B5b0 B5b2 B5c B5c0 B5c0 B5c1 B5c2 B5c4 B5d0 B5d0 B5d0 B5d0 B5d1 B5d2 B5e B5e B5e B5e B5e B5e B5e B5e B5e B5e	Assess distractability Is not easily distracted Is easily distracted - more than 7 days or Is easily distracted - 7 days duration or Is easily distracted - 7 days duration or Assess perception/awareness Perception/awareness altered - more th Perception/awareness altered - 7 days or Assess for disorganized speech, rambling Speech not disorganized or rambling - 7 da Assess for restlessness Is not restless Is not restless Is restless - 7 days duration or less Assess for lethargic, sluggishness Is not lethargic Is lethargic - more than 7 days duration Is lethargic - more than 7 days duration or less Mental function varies over the course of Mental function	LOINC SNOMED CT LOINC SNOMED CT SNOM	288769005 247764002 247764002 45492-6 247700009 247701008 247701008 45493-4 289193001 162208002 45494-2 162221009 162221009 45495-9 214264003 214264003 45496-7	Able to direct attention (finding) Easily distracted (finding) PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS:FIND:PT:^PATIENT:ORD:MDS Normal perception (finding) Abnormal perception (finding) Abnormal perception (finding) EPISODES OF DISORGANIZED SPEECH:FIND:PT:^PATIENT:ORD:MDS Finding of intelligibility of articulation (finding) Rambling speech (finding) Rambling speech (finding) PERIODS OF RESTLESSNESS:FIND:PT:^PATIENT:ORD:MDS Restlessness (finding) Restlessness (finding) PERIODS OF LETHARGY:FIND:PT:^PATIENT:ORD:MDS Lethargy (finding) MENTAL FUNCTION VARIES DURING DAY:FIND:PT:^PATIENT:ORD:MDS CHANGE IN COGNITIVE STATUS:FIND:PT:^PATIENT:NOM:MDS CHANGE IN COGNITIVE STATUS:FIND:PT:^PATIENT:NOM:MDS

			SNOMED CT	162339002	Hearing normal (finding)
C1.1. MINIMAL DIFFICULTY	C11	Hears with minimal difficulty	LOINC	45498-3	HEARING:FIND:PT:^PATIENT:NOM:MDS
C1.2. HEARS IN SPECIAL SITUATION	N:C12	Hears if speaker adjusts tone and spea		45498-3	HEARING:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	306971007	Unable to hear conversational voice (finding)
C1.3. HIGHLY IMPAIRED	C13	Hearing absent	LOINC	45498-3	HEARING:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	15188001	Hearing loss (disorder)
			SNOMED CT	164061000	On examination - significantly deaf (disorder)
C1.4 UTD	C14	UTD ability to hear	SNOMED CT	164062007	On examination - very deaf (disorder)
C2. Communication Devices/Technique		OTD ability to flear			
C2.a. Hearing aid, present and used	C2a	Has and uses hearing aid	SNOMED CT	277213009	Hearing aid worn (finding)
C2.b. Hearing aid, present and not used			SNOMED CT	277213009	Hearing aid worn (finding)
C2.c. Other receptive communication to		Uses receptive communication technique	u LOINC	45501-4	OTHER RECEPTIVE COMMUNICATION TECHNIQUES USED:FIND:PT:^PATIENT:ORD:MDS
C2.d. NONE OF ABOVE	C2d	Does not use hearing aid or receptive of	CLOINC	45502-2	NO COMMUNICATION DEVICE:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	285056001	Does not use hearing aid (finding)
C3. Modes of Expression	C3				
C3.a. Speech	C3a	Uses speech to make needs known	LOINC	45503-0	USES SPEECH:FIND:PT:^PATIENT:ORD:MDS
001.144.55	. 001		SNOMED CT	286393008	Able to use speech appropriately (finding)
C3.b. Writing messages to express/clar C3.c. American sign language or Braille		Writes messages to make needs known Uses American sign language or Braille		45504-8 45505-5	USES WRITTEN MESSAGES:FIND:PT:^PATIENT:ORD:MDS USES AMERICAN SIGN LANGUAGE OR BRAILLE:FIND:PT:^PATIENT:ORD:MDS
Co.c. American sign language of Braille	e C3C	Oses American sign language of Braille	SNOMED CT	404903008	Uses sign language (finding)
C3.d. Signs/gestures/sounds	C3d	Uses signs, gestures and/or sounds to		45506-3	USES SIGNS/GESTURES/SOUNDS:FIND:PT:^PATIENT:ORD:MDS
Co.d. Cignorgestares/sourids	Ood	oses signs, gestares and or sounds to	SNOMED CT	288593002	Able to use a non-speech system for communication (finding)
C3.e. Communication board	C3e	Uses a communication board to make		45507-1	USES COMMUNICATION BOARD:FIND:PT:^PATIENT:ORD:MDS
C3.f. Other	C3f	Uses unspecified method to make need		45508-9	USES OTHER MODES OF EXPRESSION:FIND:PT:^PATIENT:ORD:MDS
		·	SNOMED CT	288593002	Able to use a non-speech system for communication (finding)
C3.g. NONE OF ABOVE	C3g		LOINC	45509-7	MODES OF EXPRESSION - NONE OF ABOVE:FIND:PT:^PATIENT:ORD:MDS
C4. Making Self Understood	C4				
C4.0. UNDERSTOOD	C40	Consistently makes self understood	LOINC	45510-5	MAKING SELF UNDERSTOOD:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	288744005	Able to make self understood (finding)
C4.1. USUALLY UNDERSTOOD	C41	Usually makes self understood	LOINC	45510-5	MAKING SELF UNDERSTOOD:FIND:PT:^PATIENT:ORD:MDS
O4 0 COMETIMES UNDERSTOOD	040	C	SNOMED CT	288744005	Able to make self understood (finding)
C4.2. SOMETIMES UNDERSTOOD	C42	Sometimes makes self understood	LOINC SNOMED CT	45510-5 288748008	MAKING SELF UNDERSTOOD:FIND:PT:^PATIENT:ORD:MDS Difficulty making self understood (finding)
C4.3. RARELY/NEVER UNDERSTOOL	DC43	Rarely or never makes self understood		45510-5	MAKING SELF UNDERSTOOD:FIND:PT:^PATIENT:ORD:MDS
04.0. TO THE PER ON DETROTO OF	5040	raidly of flever makes sell understood	SNOMED CT	288745006	Unable to make self understood (finding)
C4.4 UTD	C44	UTD if makes self understood			3,
C5. Speech Clarity	C5				
C5.0. CLEAR SPEECH	C50	Words are distinct, intelligible	LOINC	45511-3	SPEECH CLARITY:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	289193001	Finding of intelligibility of articulation (finding)
C5.1. UNCLEAR SPEECH	C51	Words are slurred or mumbled	LOINC	45511-3	SPEECH CLARITY:FIND:PT:^PATIENT:NOM:MDS
05 0 NO 0DEFOU	050		SNOMED CT	289195008	Slurred speech (finding)
C5.2. NO SPEECH	C52	Absence of spoken words	LOINC	45511-3	SPEECH CLARITY:FIND:PT:^PATIENT:NOM:MDS
C5.4 UTD	C54	UTD speech clarity	SNOMED CT	286276005	Unable to articulate words (finding)
C6. Ability to Understand Others	C6	OTD speech clarity			
C6.0. UNDERSTANDS	C60	Understands verbal information	LOINC	45405-8	ABILITY TO UNDERSTAND OTHERS:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	288599003	Able to use verbal communication (finding)
C6.1. USUALLY UNDERSTANDS	C61	Usually understands verbal information		45405-8	ABILITY TO UNDERSTAND OTHERS:FIND:PT:^PATIENT:NOM:MDS
		·	SNOMED CT	288599003	Able to use verbal communication (finding)
C6.2. SOMETIMES UNDERSTANDS	. C62	Sometimes understands verbal informa		45405-8	ABILITY TO UNDERSTAND OTHERS:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	32000005	Difficulty using verbal communication (finding)
C6.3. RARELY/NEVER UNDERSTAND	D C63	Rarely or never understands verbal info		45405-8	ABILITY TO UNDERSTAND OTHERS:FIND:PT:^PATIENT:NOM:MDS
C6.4 UTD	C64	UTD if understands verbal information	SNOMED CT	288602008	Does not use verbal communication (finding)
C7. Change in Communication/Hearing		Assess for change in ability to express,	understand or hear info		
C7.0. No change	C70	Ability to express, understand, or hear i		45406-6	CHANGE IN COMMUNICATION &OR HEARING:FIND:PT:^PATIENT:NOM:MDS
C7.1. Improved	C71	Ability to express, understand, or hear i		45406-6	CHANGE IN COMMUNICATION &OR HEARING:FIND:PT:^PATIENT:NOM:MDS
C7.2. Deteriorated	C72	Ability to express, understand, or hear i		45406-6	CHANGE IN COMMUNICATION &OR HEARING:FIND:PT:^PATIENT:NOM:MDS
C7.3 UTD	C73	UTD change in ability to express, under			
SECTION D: VISION PATTERNS	D				
D1. Vision	D1				
D1.0. ADEQUATE	D10	Vision is normal	LOINC	45407-4	VISION:FIND:PT:^PATIENT:NOM:MDS
DA A MADAUDED	D44	B 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	SNOMED CT	45089002	Normal vision (finding)
D1.1. IMPAIRED	D11	Reduced visual acuity	LOINC	45407-4	VISION:FIND:PT:^PATIENT:NOM:MDS
D1.2 MODERATELY IMPAIRED	D12	Poor vigual aquity	SNOMED CT	13164000	Reduced visual acuity (finding) VISION:FIND:PT:^PATIENT:NOM:MDS
D1.2. MODERATELY IMPAIRED	D12	Poor visual acuity	LOINC SNOMED CT	45407-4 170728008	VISION:FIND:P1:/PATIEN1:NOM:MDS Poor visual acuity (finding)
D1.3. HIGHLY IMPAIRED	D13	Eyes follow movement, identification of		246770004	Pursuit eye movement (finding)
D1.4. SEVERELY IMPAIRED	D13	Blindness or low vision	LOINC	45407-4	VISION:FIND:PT:^PATIENT:NOM:MDS
<u>-</u>			SNOMED CT	267729001	Blindness or low vision NOS (finding)
D1.6 UTD	D16	UTD visual acuity			· -
D2. Visual Limitations/Difficulties	D2				
D2.a. Side vision problems	D2a	decreased peripheral vision	LOINC	45512-1	SIDE VISION PROBLEMS:FIND:PT:^PATIENT:ORD:MDS

		SNOMED CT	19900004	Decreased peripheral vision (finding)
D2.b. Experiences any of following: see: D2b	Experiences halos, rings, flashes, or cu			
D2.c. NONE OF ABOVE D2c		LOINC	45514-7	NO VISUAL LIMITATIONS:FIND:PT:^PATIENT:ORD:MDS
D3. Visual Appliances D3	Glasses; contact lenses; magnifying gla			
D3.0. No D30	Does not use glasses, contact lenses, i		45515-4	VISUAL APPLIANCES:FIND:PT:/PATIENT:ORD:MDS
D3.1. Yes D31 D3.2 UTD D32	Uses glasses, contact lenses, magnifyi UTD use of glasses, contact lenses, magnifyi		45515-4 45515-4	VISUAL APPLIANCES:FIND:PT:^PATIENT:ORD:MDS VISUAL APPLIANCES:FIND:PT:^PATIENT:ORD:MDS
SECTION E: MOOD AND BEHAVIOR E	OTD use of glasses, contact lenses, ma	a LOING	45515-4	VISUAL APPLIANCES.FIIND.PT. PATIENT.ORD.IVIDS
E1. Indicators of Depression, Anxiety, S E1				
E1.a. Negative statements E1a				
E1.a.0. Indicator not exhibited in last 30 E1a0	No negative statements made	LOINC	45516-2	MAKES NEGATIVE STATEMENTS:FIND:PT:^PATIENT:NOM:MDS
E1.a.1. Indicator of this type exhibited u _I E1a1	Makes negative statements	LOINC	45516-2	MAKES NEGATIVE STATEMENTS:FIND:PT:^PATIENT:NOM:MDS
E1.a.2. Indicator of this type exhibited di E1a2				
E1.b. Repetitive questions E1b E1.b.0. Indicator not exhibited in last 30 E1b0	No repetitive questions	LOINC	45517-0	REPETITIVE QUESTIONS:FIND:PT:^PATIENT:NOM:MDS
E1.b.1. Indicator not exhibited in last 30 E1b0	Asks repetitive questions	LOINC	45517-0 45517-0	REPETITIVE QUESTIONS:FIND:PT:/PATIENT:NOM:MDS REPETITIVE QUESTIONS:FIND:PT:/PATIENT:NOM:MDS
E1.b.2. Indicator of this type exhibited d E1b2	, tota repetitive questions	200		The first gold for the first transfer and tran
E1.c. Repetitive verbalizations E1C		LOINC	45518-8	REPETITIVE VERBALIZATIONS:FIND:PT:^PATIENT:NOM:MDS
E1.c.0. Indicator not exhibited in last 30 E1c0	No repetitive verbalizations	LOINC	45518-8	REPETITIVE VERBALIZATIONS:FIND:PT:^PATIENT:NOM:MDS
E1.c.1. Indicator of this type exhibited u ₁ E1c1	Makes repetitive verbalizations	LOINC	45518-8	REPETITIVE VERBALIZATIONS:FIND:PT:^PATIENT:NOM:MDS
E1.c.2. Indicator of this type exhibited d: E1c2				
E1.d. Persistent anger w/ self or others E1d E1.d.0. Indicator not exhibited in last 30 E1d0	No persistent anger	LOINC	45519-6	PERSISTENT ANGER WITH SELF OR OTHERS:FIND:PT:^PATIENT:NOM:MDS
E1.d.1. Indicator of this type exhibited up E1d1	Persistently angry with self or others	LOINC	45519-6	PERSISTENT ANGER WITH SELF OR OTHERS: IND: 11. TATIENT: NOM: MIDS
Enam maleater of the type outlines aperat	. Gradeterialy unity with control of culture	SNOMED CT	162726003	On examination - angry (finding)
E1.d.2. Indicator of this type exhibited di E1d2		SNOMED CT	162726003	On examination - angry (finding)
E1.e. Self deprecation E1e				
E1.e.0. Indicator not exhibited in last 30 E1e0	No self deprecation	LOINC	45520-4	SELF DEPRECATION:FIND:PT:^PATIENT:NOM:MDS
E1.e.1. Indicator of this type exhibited u E1e1	Self deprecating statements	LOINC SNOMED CT	45520-4 247892001	SELF DEPRECATION:FIND:PT:^PATIENT:NOM:MDS Self-depreciation (finding)
E1.e.2. Indicator of this type exhibited d; E1e2		SNOMED CT	247892001	Self-depreciation (finding)
E1.f. Unrealistic fears E1f		ONOMED OF	247002001	Con depression (interity)
E1.f.0. Indicator not exhibited in last 30 (E1f0	No unrealistic fears	LOINC	45521-2	EXPRESSION OF UNREALISTIC FEARS:FIND:PT:^PATIENT:NOM:MDS
E1.f.1. Indicator of this type exhibited up E1f1	Expressing unrealistic fears	LOINC	45521-2	EXPRESSION OF UNREALISTIC FEARS:FIND:PT:^PATIENT:NOM:MDS
E1.f.2. Indicator of this type exhibited da E1f2				
E1.g. Talk of something terrible E1g		1.0110	45500.0	DECUMPENT OT ATEMENTO OF TERRIBLE FUTURE FIND DT ARATIENT NOMANDO
E1.g.0. Indicator not exhibited in last 30 E1g0 E1.g.1. Indicator of this type exhibited u ₁ E1g1	No statements that something terrible is States that something terrible is about t		45522-0 45522-0	RECURRENT STATEMENTS OF TERRIBLE FUTURE:FIND:PT:^PATIENT:NOM:MDS RECURRENT STATEMENTS OF TERRIBLE FUTURE:FIND:PT:^PATIENT:NOM:MDS
E1.g.1. Indicator of this type exhibited up E1g1	States that something temple is about t	SNOMED CT	285247003	Catastrophization (finding)
E1.g.2. Indicator of this type exhibited di E1g2		SNOMED CT	285247003	Catastrophization (finding)
E1.h. Repetitive health complaints E1h				
E1.h.0. Indicator not exhibited in last 30 E1h0	No repetitive health complaints	LOINC	45547-7	REPETITIVE HEALTH COMPLAINTS:FIND:PT:^PATIENT:NOM:MDS
E1.h.1. Indicator of this type exhibited u _I E1h1	Repetitive health complaints	LOINC	45547-7	REPETITIVE HEALTH COMPLAINTS:FIND:PT:^PATIENT:NOM:MDS
E1.h.2. Indicator of this type exhibited di E1h2				
E1.i. Repetitive anxious complaints/concE1i E1.i.0. Indicator not exhibited in last 30 (E1i0	No repetitive (non-health related) comp	ELOINC	45548-5	REPETITIVE ANXIOUS COMPLAINTS OR CONCERNS:FIND:PT:^PATIENT:NOM:MDS
E1.i.1. Indicator of this type exhibited up E1i1	Repetitive (non-health related) complain		45548-5	REPETITIVE ANXIOUS COMPLAINTS OR CONCERNS:FIND:PT:^PATIENT:NOM:MDS
E1.i.2. Indicator of this type exhibited da E1i2	.,			
E1.j. Unpleasant mood in morning E1j				
E1.j.0. Indicator not exhibited in last 30 (E1j0	No unpleasant mood in morning	LOINC	45549-3	UNPLEASANT MOOD IN MORNING:FIND:PT:^PATIENT:NOM:MDS
E1.j.1. Indicator of this type exhibited up E1j1	Unpleasant mood in morning	LOINC	45549-3	UNPLEASANT MOOD IN MORNING:FIND:PT:^PATIENT:NOM:MDS
E1.j.2. Indicator of this type exhibited da E1j2		SNOMED CT SNOMED CT	247801000 247801000	Depression worse in morning (finding) Depression worse in morning (finding)
E1.k. Insomnia/change in sleep pattern E1k		5.10MLD 01	2-7 55 1000	Espisasion marao in morning (imaing)
E1.k.0. Indicator not exhibited in last 30 E1k0	No insomnia or change in sleep pattern	LOINC	45550-1	INSOMNIA OR CHANGE IN SLEEPING PATTERN:FIND:PT:^PATIENT:NOM:MDS
		SNOMED CT	314939008	Good sleep pattern (finding)
E1.k.1. Indicator of this type exhibited u _l E1k1	Insomnia or change in sleep pattern	LOINC	45550-1	INSOMNIA OR CHANGE IN SLEEPING PATTERN:FIND:PT:^PATIENT:NOM:MDS
Edition in disease of this time published disEdito		SNOMED CT SNOMED CT	26677001	Sleep pattern disturbance (finding)
E1.k.2. Indicator of this type exhibited d ₄ E1k2 E1.l. Sad/pained/worried facial expressi E1l		SNOWEDCI	26677001	Sleep pattern disturbance (finding)
E1.I.O. Indicator not exhibited in last 30 (E110	No sad, pained, or worried facial expre-	s LOINC	45551-9	SAD, PAINED, OR WORRIED FACIAL EXPRESSIONS:FIND:PT:^PATIENT:NOM:MDS
E1.I.1. Indicator of this type exhibited up E1I1	Sad, pained, worried facial expression		45551-9	SAD, PAINED, OR WORRIED FACIAL EXPRESSIONS:FIND:PT:^PATIENT:NOM:MDS
E1.I.2. Indicator of this type exhibited da E1I2				
E1.m. Crying/tearfulness E1m				
E1.m.0. Indicator not exhibited in last 30 E1m0	No crying or tearfulness	LOINC	45552-7	CRYING OR TEARFULNESS:FIND:PT:^PATIENT:NOM:MDS
E1.m.1. Indicator of this type exhibited uE1m1	Crying or tearful	LOINC SNOMED CT	45552-7 271951008	CRYING OR TEARFULNESS:FIND:PT:^PATIENT:NOM:MDS Crying associated with mood (finding)
E1.m.2. Indicator of this type exhibited cE1m2		SNOMED CT	271951008	Crying associated with mood (finding) Crying associated with mood (finding)
E1.n. Repetitive physical movements E1n			2001000	
E1.n.0. Indicator not exhibited in last 30 E1n0	No repetitive physical movements	LOINC	45553-5	REPETITIVE PHYSICAL MOVEMENTS:FIND:PT:^PATIENT:NOM:MDS
E1.n.1. Indicator of this type exhibited u E1n1	Repetitive physical movements	LOINC	45553-5	REPETITIVE PHYSICAL MOVEMENTS:FIND:PT:^PATIENT:NOM:MDS
E1.n.2. Indicator of this type exhibited di E1n2				
E1.o. Withdrawal from activities of intereE1o E1.o.0. Indicator not exhibited in last 30 E1o0	No withdrawal from activities of interest	LOINC	45554.2	WITHDRAWAL FROM ACTIVITIES OF INTEREST:FIND:PT:^PATIENT:NOM:MDS
E1.0.0. Indicator not exhibited in last 50 E100	ino williawai ironi activities of interest	LOING	45554-3	WITHDRAWAL FROM ACTIVITIES OF INTEREST. FIND. PT. PRATIENT. NOM: MDS

E1.o.1. Indicator of this type exhibited	u _l E1o1	Withdrawal from activities of interest	LOINC	45554-3	WITHDRAWAL FROM ACTIVITIES OF INTEREST:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	417523004	Loss of interest in previously enjoyable activity (finding)
E1.o.2. Indicator of this type exhibited	d; E1o2		SNOMED CT	417523004	Loss of interest in previously enjoyable activity (finding)
E1.p. Reduced social interaction	E1p				. , , , , , , , , , , , , , , , , , , ,
E1.p.0. Indicator not exhibited in last 3		No reduced social interaction	LOINC	45555-0	REDUCED SOCIAL INTERACTION:FIND:PT:^PATIENT:NOM:MDS
E1.p.1. Indicator of this type exhibited		Reduced social interaction	LOINC	45555-0	REDUCED SOCIAL INTERACTION:FIND:PT:^PATIENT:NOM:MDS
L 1.p. 1. Indicator of this type exhibited	u Lipi	Neddced Social Interaction	SNOMED CT	88598008	Impaired social interaction (finding)
E4 = 0 ladiantes of this time a sublibited	J. E4-0				
E1.p.2. Indicator of this type exhibited			SNOMED CT	88598008	Impaired social interaction (finding)
E2. Mood Persistence	E2				
E2.0. No mood indicators	E20	Exhibits no indicators of depressed, sac			
E2.1. Indicators present, easily altered		Indicators of depressed, sad or anxious			
E2.2. Indicators present, not easily alte	er E22	Indicators of depressed, sad or anxious	mood were not easily a	ıl	
E2.3 UTD	E23	UTD depressed, sad or anxious mood			
E3. Change in mood	E3				
E3.0. No change	E30	Mood has not changed	LOINC	45557-6	CHANGE IN MOOD:FIND:PT:^PATIENT:NOM:MDS
E3.1. Improved	E31	Mood has improved	LOINC	45557-6	CHANGE IN MOOD:FIND:PT:^PATIENT:NOM:MDS
E3.2. Deteriorated	E32	Mood has deteriorated	LOINC	45557-6	CHANGE IN MOOD:FIND:PT:^PATIENT:NOM:MDS
E3.3 UTD	E33	UTD if mood has changed	200	10001 0	
E4. Behavioral Symptoms	E4	012 ii mood nad changed			
E4.a.A. Wandering (frequency in last 7					
		No wandering habovier	LOINC	45558-4	FREQUENCY OF WANDERING:NRAT:PT:^PATIENT:QN:MDS
E4.a.A.0. Behavior not exhibited in las		No wandering behavior			
E4.a.A.1. Behavior of this type occurre	d E4aA1	Exhibits wandering behavior	LOINC	45558-4	FREQUENCY OF WANDERING:NRAT:PT:^PATIENT:QN:MDS
			SNOMED CT	50239007	Wandering (finding)
E4.a.A.2. Behavior of this type occurre			SNOMED CT	50239007	Wandering (finding)
E4.a.A.3. Behavior of this type occurre	d E4aA3		LOINC	45558-4	FREQUENCY OF WANDERING:NRAT:PT:^PATIENT:QN:MDS
			SNOMED CT	50239007	Wandering (finding)
E4.a.B. Wandering (alterability)	E4aB				
E4.a.B.0. Behavior not present OR bel	na E4aB0	No, or easily altered, wandering behavior	LOINC	45559-2	ALTERABILITY OF WANDERING:FIND:PT:^PATIENT:ORD:MDS
E4.a.B.1. Behavior was not easily alter	re E4aB1	Wandering behavior not easily altered	LOINC	45559-2	ALTERABILITY OF WANDERING:FIND:PT:^PATIENT:ORD:MDS
E4.b.A. Verbally abusive behavior (free	gı E4bA				
E4.b.A.0. Behavior not exhibited in las	t E4bA0	No verbally abusive behavior	LOINC	45560-0	FREQUENCY OF VERBALLY ABUSIVE BEHAVIOR:NRAT:PT:^PATIENT:QN:MDS
E4.b.A.1. Behavior of this type occurre	d E4bA1	Exhibits verbally abusive behavior	LOINC	45560-0	FREQUENCY OF VERBALLY ABUSIVE BEHAVIOR:NRAT:PT:^PATIENT:QN:MDS
		•	SNOMED CT	225478005	Verbally abusive behavior (finding)
E4.b.A.2. Behavior of this type occurre	d E4bA2		SNOMED CT	225478005	Verbally abusive behavior (finding)
E4.b.A.3. Behavior of this type occurre			LOINC	45560-0	FREQUENCY OF VERBALLY ABUSIVE BEHAVIOR:NRAT:PT:^PATIENT:QN:MDS
7,			SNOMED CT	225478005	Verbally abusive behavior (finding)
E4.b.B. Verbally abusive behavior (alte	er E4bB				, , , , , , , , , , , , , , , , , , , ,
E4.b.B.0. Behavior not present OR bel		No, or easily altered, verbally abusive b	€LOINC	45561-8	ALTERABILITY OF VERBALLY ABUSIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS
E4.b.B.1. Behavior was not easily alter		Verbally abusive behavior not easily alto		45561-8	ALTERABILITY OF VERBALLY ABUSIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS
E4.c.A. Physically abusive behavior (fr		verbally abasive behavior not easily all	LONIO	400010	ALTERNALITY OF VERBALET ABOONE BEHAVIORE IND. 1. 1 ATTENTION DIVIDED
E4.c.A.0. Behavior not exhibited in las		No physically abusive behavior	LOINC	45562-6	FREQUENCY OF PHYSICALLY ABUSIVE BEHAVIOR:NRAT:PT:^PATIENT:QN:MDS
			LOINC	45562-6	FREQUENCY OF PHYSICALLY ABUSIVE BEHAVIOR:NRAT:PT:*PATIENT:QN:MDS
E4.c.A.1. Behavior of this type occurre	U E4CAT	Exhibits physically abusive behavior	SNOMED CT	225480004	Physically abusive behavior (finding)
E4 - A O Bahariaa afabia bara asaran	-1 - 1 - 1 - 1		SNOMED CT		
E4.c.A.2. Behavior of this type occurre				225480004	Physically abusive behavior (finding)
E4.c.A.3. Behavior of this type occurre	d E4cA3		LOINC	45562-6	FREQUENCY OF PHYSICALLY ABUSIVE BEHAVIOR:NRAT:PT:^PATIENT:QN:MDS
			SNOMED CT	225480004	Physically abusive behavior (finding)
E4.c.B Physically abusive behavior (al					
E4.c.B.0. Behavior not present OR bel		No, or easily altered, physically abusive		45563-4	ALTERABILITY OF PHYSICALLY ABUSIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS
E4.c.B.1. Behavior was not easily alter	e E4cB1	Physically abusive behavior not easily a	LOINC	45563-4	ALTERABILITY OF PHYSICALLY ABUSIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS
E4.d.A Socially inappropriate behavior	(E4dA				
E4.d.A.0. Behavior not exhibited in las	t E4dA0	No socially inappropriate behavior	LOINC	45564-2	FREQUENCY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:NRAT:PT:^PATIENT:QN:MDS
E4.d.A.1. Behavior of this type occurre	d E4dA1	Exhibits socially inappropriate behavior	LOINC	45564-2	FREQUENCY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:NRAT:PT:^PATIENT:QN:MDS
			SNOMED CT	112082005	Inappropriate behavior (finding)
E4.d.A.2. Behavior of this type occurre					mappropriate behavior (initing)
	d E4dA2		SNOMED CT	112082005	Inappropriate behavior (finding)
				112082005	Inappropriate behavior (finding)
E4.d.A.3. Behavior of this type occurre			SNOMED CT LOINC	112082005 45564-2	Inappropriate behavior (finding) FREQUENCY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:NRAT:PT:^PATIENT:QN:MDS
E4.d.A.3. Behavior of this type occurre	d E4dA3		SNOMED CT	112082005	Inappropriate behavior (finding)
E4.d.A.3. Behavior of this type occurre E4.d.B. Socially inappropriate behavio	d E4dA3 r (E4dB	No. or easliv altered, socially inappropri	SNOMED CT LOINC SNOMED CT	112082005 45564-2 112082005	Inappropriate behavior (finding) FREQUENCY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:NRAT:PT:^PATIENT:QN:MDS Inappropriate behavior (finding)
E4.d.A.3. Behavior of this type occurred E4.d.B. Socially inappropriate behavion E4.d.B.0. Behavior not present OR belavior	r i E4dB na E4dB0	No, or easily altered, socially inappropri	SNOMED CT LOINC SNOMED CT	112082005 45564-2 112082005 45565-9	Inappropriate behavior (finding) FREQUENCY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:NRAT:PT:^PATIENT:QN:MDS Inappropriate behavior (finding) ALTERABILITY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS
E4.d.B. Socially inappropriate behavio E4.d.B. OBehavior not present OR bel E4.d.B.1. Behavior was not easily alter	r IE4dB na E4dB0 re E4dB1	No, or easily altered, socially inappropri Socially inappropriate behavior not easi	SNOMED CT LOINC SNOMED CT	112082005 45564-2 112082005	Inappropriate behavior (finding) FREQUENCY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:NRAT:PT:^PATIENT:QN:MDS Inappropriate behavior (finding)
E4.d.A.3. Behavior of this type occurre E4.d.B. Socially inappropriate behavio E4.d.B.0. Behavior not present OR bel E4.d.B.1. Behavior was not easily alte E4.e.A. Resists care (frequency in las	d E4dA3 r i E4dB na E4dB0 re E4dB1 t i E4eA	Socially inappropriate behavior not easi	SNOMED CT LOINC SNOMED CT &LOINC ILOINC	112082005 45564-2 112082005 45565-9 45565-9	Inappropriate behavior (finding) FREQUENCY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:NRAT:PT:^PATIENT:QN:MDS Inappropriate behavior (finding) ALTERABILITY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS ALTERABILITY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS
E4.d.A.3. Behavior of this type occurre E4.d.B. Socially inappropriate behavio E4.d.B.0. Behavior not present OR bel E4.d.B.1. Behavior was not easily altel E4.e.A. Resists care (frequency in las E4.e.A.0. Behavior not exhibited in las	d E4dA3 r : E4dB na E4dB0 re E4dB1 t : E4eA t : E4eA0	Socially inappropriate behavior not easi Does not resist care	SNOMED CT LOINC SNOMED CT ¿LOINC ILOINC LOINC	112082005 45564-2 112082005 45565-9 45565-7	Inappropriate behavior (finding) FREQUENCY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:NRAT:PT:^PATIENT:QN:MDS Inappropriate behavior (finding) ALTERABILITY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS ALTERABILITY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS FREQUENCY OF RESISTS CARE:NRAT:PT:^PATIENT:QN:MDS
E4.d.A.3. Behavior of this type occurre E4.d.B. Socially inappropriate behavio E4.d.B.0. Behavior not present OR bel E4.d.B.1. Behavior was not easily altel E4.e.A. Resists care (frequency in las E4.e.A.0. Behavior not exhibited in las E4.e.A.1. Behavior of this type occurre	d E4dA3 r : E4dB n E4dB0 re E4dB1 t : E4eA t : E4eA0 d E4eA1	Socially inappropriate behavior not easi	SNOMED CT LOINC SNOMED CT &LOINC ILOINC	112082005 45564-2 112082005 45565-9 45565-9	Inappropriate behavior (finding) FREQUENCY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:NRAT:PT:^PATIENT:QN:MDS Inappropriate behavior (finding) ALTERABILITY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS ALTERABILITY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS
E4.d.A.3. Behavior of this type occurre E4.d.B. Socially inappropriate behavio E4.d.B.0. Behavior not present OR bel E4.d.B.1. Behavior was not easily alter E4.e.A. Resists care (frequency in las E4.e.A.0. Behavior not exhibited in las E4.e.A.1. Behavior of this type occurre E4.e.A.2. Behavior of this type occurre	d E4dA3 r (E4dB ns E4dB0 re E4dB1 t E4eA t E4eA0 d E4eA1 d E4eA2	Socially inappropriate behavior not easi Does not resist care	SNOMED CT LOINC SNOMED CT ¿LOINC ILOINC LOINC LOINC	112082005 45564-2 112082005 45565-9 45565-9 45566-7 45566-7	Inappropriate behavior (finding) FREQUENCY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:NRAT:PT:^PATIENT:QN:MDS Inappropriate behavior (finding) ALTERABILITY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS ALTERABILITY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS FREQUENCY OF RESISTS CARE:NRAT:PT:^PATIENT:QN:MDS FREQUENCY OF RESISTS CARE:NRAT:PT:^PATIENT:QN:MDS
E4.d.A.3. Behavior of this type occurre E4.d.B. Socially inappropriate behavio E4.d.B.0. Behavior not present OR bel E4.d.B.1. Behavior was not easily alte E4.e.A. Resists care (frequency in las E4.e.A.0. Behavior not exhibited in las E4.e.A.1. Behavior of this type occurre E4.e.A.2. Behavior of this type occurre E4.e.A.3. Behavior of this type occurre	d E4dA3 r E4dB r E4dB0 re E4dB1 t	Socially inappropriate behavior not easi Does not resist care	SNOMED CT LOINC SNOMED CT ¿LOINC ILOINC LOINC	112082005 45564-2 112082005 45565-9 45565-7	Inappropriate behavior (finding) FREQUENCY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:NRAT:PT:^PATIENT:QN:MDS Inappropriate behavior (finding) ALTERABILITY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS ALTERABILITY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS FREQUENCY OF RESISTS CARE:NRAT:PT:^PATIENT:QN:MDS
E4.d.A.3. Behavior of this type occurre E4.d.B. Socially inappropriate behavio E4.d.B.0. Behavior not present OR bel E4.d.B.1. Behavior was not easily altel E4.e.A. Resists care (frequency in las E4.e.A.0. Behavior not exhibited in las E4.e.A.1. Behavior of this type occurre E4.e.A.2. Behavior of this type occurre E4.e.A.3. Behavior of this type occurre E4.e.B. Resists care (alterability)	d E4dA3 r : E4dB n : E4dB1 t : E4eA t : E4eA0 d E4eA1 d E4eA2 d E4eA3 E4eB	Socially inappropriate behavior not easi Does not resist care Resists care	SNOMED CT LOINC SNOMED CT LOINC LOINC LOINC LOINC LOINC	112082005 45564-2 112082005 45565-9 45565-9 45566-7 45566-7	Inappropriate behavior (finding) FREQUENCY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:NRAT:PT:^PATIENT:QN:MDS Inappropriate behavior (finding) ALTERABILITY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS ALTERABILITY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS FREQUENCY OF RESISTS CARE:NRAT:PT:^PATIENT:QN:MDS FREQUENCY OF RESISTS CARE:NRAT:PT:^PATIENT:QN:MDS FREQUENCY OF RESISTS CARE:NRAT:PT:^PATIENT:QN:MDS
E4.d.A.3. Behavior of this type occurre E4.d.B. Socially inappropriate behavio E4.d.B.0. Behavior not present OR bel E4.d.B.1. Behavior was not easily altel E4.e.A. Resists care (frequency in las E4.e.A.0. Behavior not exhibited in las E4.e.A.1. Behavior of this type occurre E4.e.A.2. Behavior of this type occurre E4.e.A.3. Behavior of this type occurre E4.e.B.8. Resists care (alterability) E4.e.B.0. Behavior not present OR bel	r 1E4dB ne E4dB0 re E4dB1 t E4eA t E4eA d E4eA0 d E4eA1 d E4eA2 d E4eA3 E4eB ne E4eB0	Socially inappropriate behavior not easi Does not resist care Resists care Does not resist care or is easily redirect	SNOMED CT LOINC SNOMED CT ALOINC LOINC LOINC LOINC LOINC	112082005 45564-2 112082005 45565-9 45565-9 45566-7 45566-7 45566-7	Inappropriate behavior (finding) FREQUENCY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:NRAT:PT:^PATIENT:QN:MDS Inappropriate behavior (finding) ALTERABILITY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS ALTERABILITY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS FREQUENCY OF RESISTS CARE:NRAT:PT:^PATIENT:QN:MDS FREQUENCY OF RESISTS CARE:NRAT:PT:^PATIENT:QN:MDS FREQUENCY OF RESISTS CARE:NRAT:PT:^PATIENT:QN:MDS ALTERABILITY OF RESISTS CARE:FIND:PT:^PATIENT:QN:MDS ALTERABILITY OF RESISTS CARE:FIND:PT:^PATIENT:ORD:MDS
E4.d.A.3. Behavior of this type occurre E4.d.B. Socially inappropriate behavio E4.d.B.0. Behavior not present OR bel E4.d.B.1. Behavior was not easily altel E4.e.A. Resists care (frequency in las E4.e.A.0. Behavior not exhibited in las E4.e.A.1. Behavior of this type occurre E4.e.A.2. Behavior of this type occurre E4.e.B. Resists care (alterability) E4.e.B.0. Behavior not present OR bel E4.e.B.1. Behavior was not easily alter	r E4dB n E4dB0 r E4dB0 r E4dB1 t E4eA t E4eA d E4eA1 d E4eA2 d E4eA3 E4eB n E4eB0 r E4eB1	Socially inappropriate behavior not easi Does not resist care Resists care	SNOMED CT LOINC SNOMED CT ALOINC LOINC LOINC LOINC LOINC	112082005 45564-2 112082005 45565-9 45565-9 45566-7 45566-7	Inappropriate behavior (finding) FREQUENCY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:NRAT:PT:^PATIENT:QN:MDS Inappropriate behavior (finding) ALTERABILITY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS ALTERABILITY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS FREQUENCY OF RESISTS CARE:NRAT:PT:^PATIENT:QN:MDS FREQUENCY OF RESISTS CARE:NRAT:PT:^PATIENT:QN:MDS FREQUENCY OF RESISTS CARE:NRAT:PT:^PATIENT:QN:MDS
E4.d.A.3. Behavior of this type occurre E4.d.B. Socially inappropriate behavio E4.d.B.0. Behavior not present OR bel E4.d.B.1. Behavior was not easily altel E4.e.A. Resists care (frequency in las E4.e.A.0. Behavior not exhibited in las E4.e.A.1. Behavior of this type occurre E4.e.A.3. Behavior of this type occurre E4.e.B.3. Behavior of this type occurre E4.e.B.0. Behavior of this type occurre E4.e.B.0. Behavior not present OR bel E4.e.B.1. Behavior was not easily altel E5. Change in Behavioral Symptoms	E4dA3 F1E4dB F1E4dB F1E4dB0 F1E4dB1 F1E4eA F1E4eA0 F1E4eA1 F1E4eA2 F1E4eB0 F1E4eB0 F1E4eB1 F1E4eB1 F1E4eB1	Socially inappropriate behavior not easi Does not resist care Resists care Does not resist care or is easily redirect Resistance to care is not easily altered	SNOMED CT LOINC SNOMED CT ALOINC LOINC LOINC LOINC LOINC	112082005 45564-2 112082005 45565-9 45565-9 45566-7 45566-7 45566-7	Inappropriate behavior (finding) FREQUENCY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:NRAT:PT:^PATIENT:QN:MDS Inappropriate behavior (finding) ALTERABILITY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS ALTERABILITY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS FREQUENCY OF RESISTS CARE:NRAT:PT:^PATIENT:QN:MDS FREQUENCY OF RESISTS CARE:NRAT:PT:^PATIENT:QN:MDS FREQUENCY OF RESISTS CARE:NRAT:PT:^PATIENT:QN:MDS ALTERABILITY OF RESISTS CARE:FIND:PT:^PATIENT:QN:MDS ALTERABILITY OF RESISTS CARE:FIND:PT:^PATIENT:ORD:MDS
E4.d.A.3. Behavior of this type occurre E4.d.B. Socially inappropriate behavio E4.d.B.0. Behavior not present OR bel E4.d.B.1. Behavior was not easily altel E4.e.A. Resists care (frequency in las E4.e.A.0. Behavior not exhibited in las E4.e.A.1. Behavior of this type occurre E4.e.A.2. Behavior of this type occurre E4.e.A.3. Behavior of this type occurre E4.e.B. Resists care (alterability) E4.e.B.0. Behavior not present OR bel E4.e.B.1. Behavior was not easily altel E5. Change in Behavioral Symptoms E5.0. No change	d E4dA3 r E4dB R E4dB0 r E4dB1 r E4dB1 r E4dB1 r E4dB0 d E4dB1 r E4dBA d E4dBA d E4dBA E4dBB R E4dBB r E4dBB0 e E4dBB1 E5 E50	Socially inappropriate behavior not easi Does not resist care Resists care Does not resist care or is easily redirect Resistance to care is not easily altered No change in behavior status	SNOMED CT LOINC SNOMED CT LOINC LOINC LOINC LOINC LOINC LOINC LOINC LOINC	112082005 45564-2 112082005 45565-9 45565-9 45566-7 45566-7 45567-5	Inappropriate behavior (finding) FREQUENCY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:NRAT:PT:^PATIENT:QN:MDS Inappropriate behavior (finding) ALTERABILITY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS ALTERABILITY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS FREQUENCY OF RESISTS CARE:NRAT:PT:^PATIENT:QN:MDS FREQUENCY OF RESISTS CARE:NRAT:PT:^PATIENT:QN:MDS FREQUENCY OF RESISTS CARE:NRAT:PT:^PATIENT:QN:MDS ALTERABILITY OF RESISTS CARE:FIND:PT:^PATIENT:ORD:MDS ALTERABILITY OF RESISTS CARE:FIND:PT:^PATIENT:ORD:MDS ALTERABILITY OF RESISTS CARE:FIND:PT:^PATIENT:ORD:MDS
E4.d.A.3. Behavior of this type occurre E4.d.B. Socially inappropriate behavio E4.d.B.0. Behavior not present OR bel E4.d.B.1. Behavior was not easily altel E4.e.A. Resists care (frequency in las E4.e.A.0. Behavior of this type occurre E4.e.A.2. Behavior of this type occurre E4.e.B. Resists care (alterability) E4.e.B.0. Behavior not present OR bel E4.e.B.1. Behavior not present OR bel E4.e.B.1. Behavior was not easily altel E5. Change in Behavioral Symptoms E5.0. No change E5.1. Improved	### E44B0 ### E4	Socially inappropriate behavior not easi Does not resist care Resists care Does not resist care or is easily redirect Resistance to care is not easily altered No change in behavior status Behavior status has improved	SNOMED CT LOINC SNOMED CT ALOINC LOINC LOINC LOINC LOINC	112082005 45564-2 112082005 45565-9 45565-9 45566-7 45566-7 45566-7	Inappropriate behavior (finding) FREQUENCY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:NRAT:PT:^PATIENT:QN:MDS Inappropriate behavior (finding) ALTERABILITY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS ALTERABILITY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS FREQUENCY OF RESISTS CARE:NRAT:PT:^PATIENT:QN:MDS FREQUENCY OF RESISTS CARE:NRAT:PT:^PATIENT:QN:MDS FREQUENCY OF RESISTS CARE:NRAT:PT:^PATIENT:QN:MDS ALTERABILITY OF RESISTS CARE:FIND:PT:^PATIENT:QN:MDS
E4.d.A.3. Behavior of this type occurre E4.d.B. Socially inappropriate behavio E4.d.B.0. Behavior not present OR bel E4.d.B.1. Behavior was not easily altel E4.e.A. Resists care (frequency in las E4.e.A.0. Behavior not exhibited in las E4.e.A.1. Behavior of this type occurre E4.e.A.2. Behavior of this type occurre E4.e.A.3. Behavior of this type occurre E4.e.B. Resists care (alterability) E4.e.B.0. Behavior not present OR bel E4.e.B.1. Behavior was not easily altel E5. Change in Behavioral Symptoms E5.0. No change	d E4dA3 r E4dB R E4dB0 r E4dB1 r E4dB1 r E4dB1 r E4dB0 d E4dB1 r E4dBA d E4dBA d E4dBA E4dBB R E4dBB r E4dBB0 e E4dBB1 E5 E50	Socially inappropriate behavior not easi Does not resist care Resists care Does not resist care or is easily redirect Resistance to care is not easily altered No change in behavior status	SNOMED CT LOINC SNOMED CT LOINC LOINC LOINC LOINC LOINC LOINC LOINC LOINC	112082005 45564-2 112082005 45565-9 45565-9 45566-7 45566-7 45567-5	Inappropriate behavior (finding) FREQUENCY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:NRAT:PT:^PATIENT:QN:MDS Inappropriate behavior (finding) ALTERABILITY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS ALTERABILITY OF SOCIALLY INAPPROPRIATE OR DISRUPTIVE BEHAVIOR:FIND:PT:^PATIENT:ORD:MDS FREQUENCY OF RESISTS CARE:NRAT:PT:^PATIENT:QN:MDS FREQUENCY OF RESISTS CARE:NRAT:PT:^PATIENT:QN:MDS FREQUENCY OF RESISTS CARE:NRAT:PT:^PATIENT:QN:MDS ALTERABILITY OF RESISTS CARE:FIND:PT:^PATIENT:ORD:MDS ALTERABILITY OF RESISTS CARE:FIND:PT:^PATIENT:ORD:MDS ALTERABILITY OF RESISTS CARE:FIND:PT:^PATIENT:ORD:MDS

SECTION F: PSYCHOSOCIAL WELL-BF F1. Sense of Initiative/Involvement F1

F1.a. At ease interacting with others F1a	At ease interacting with others	LOINC	45569-1	AT EASE INTERACTING WITH OTHERS:FIND:PT:^PATIENT:ORD:MDS
F1.b. At ease doing planned or structure F1b	At ease doing planned or structured ac		45570-9	AT EASE DOING PLANNED OR STRUCTURED ACTIVITIES:FIND:PT:^PATIENT:ORD:MDS
F1.c. At ease doing self-initiated activitie F1c	At ease doing self-initiated activities	LOINC	45571-7	AT EASE DOING SELF-INITIATED ACTIVITIES:FIND:PT:^PATIENT:ORD:MDS
		LOINC		
F1.d. Establishes own goals F1d	Establishes own goals		45572-5	ESTABLISHES OWN GOALS:FIND:PT:^PATIENT:ORD:MDS
F1.e. Pursues involvement in life of facil F1e	Pursues involvement in life of facility	LOINC	45573-3	PURSUES INVOLVEMENT IN LIFE OF FACILITY:FIND:PT:^PATIENT:ORD:MDS
F1.f. Accepts invitations into most group F1f	Accepts invitations into most group act		45574-1	ACCEPTS INVITATIONS TO MOST GROUP ACTIVITIES:FIND:PT:^PATIENT:ORD:MDS
F1.g. NONE OF ABOVE F1g		LOINC	45575-8	SENSE OF INITIATIVE - NONE OF ABOVE:FIND:PT:^PATIENT:ORD:MDS
F2. Unsettled Relationships F2				
F2.a. Covert/open conflict with or repeat F2a	Conflict with or repeated criticism of sta	af LOINC	45576-6	COVERT OR OPEN CONFLICT WITH STAFF:FIND:PT:^PATIENT:ORD:MDS
F2.b. Unhappy with roommate F2b	Unhappy with roommate	LOINC	45577-4	UNHAPPY WITH ROOMMATE:FIND:PT:^PATIENT:ORD:MDS
F2.c. Unhappy with residents other than F2c	Unhappy with residents other than room		45578-2	UNHAPPY WITH OTHER RESIDENTS:FIND:PT:^PATIENT:ORD:MDS
F2.d. Openly expresses conflict/anger w F2d	Openly expresses conflict/anger with fa		45579-0	OPEN CONFLICT OR ANGER WITH FAMILY OR FRIENDS:FIND:PT:^PATIENT:ORD:MDS
F2.e. Absence of personal contact with IF2e	Absence of personal contact with famil		45580-8	ABSENCE OF CONTACT WITH FAMILY OR FRIENDS:FIND:PT:^PATIENT:ORD:MDS
F2.f. Recent loss of close family membe F2f	Recent loss of close family member/frie		45581-6	RECENT LOSS OF FAMILY MEMBER OR FRIEND:FIND:PT:^PATIENT:ORD:MDS
F2.g. Does not adjust easily to change i F2g	Does not adjust easily to change in rou		45582-4	DOES NOT EASILY ADJUST TO ROUTINE CHANGE:FIND:PT:^PATIENT:ORD:MDS
F2.h. NONE OF ABOVE F2h		LOINC	45583-2	NO UNSETTLED RELATIONSHIPS:FIND:PT:^PATIENT:ORD:MDS
F3. Past Roles F3				
F3.a. Strong identification with past role: F3a	Strong identification with past roles and	LOINC	45584-0	STRONG IDENTIFICATION WITH PAST ROLES AND LIFE STATUS:FIND:PT:^PATIENT:ORD:MDS
F3.b. Expresses sadness/anger/empty f F3b	Expresses sadness/anger/empty feelin		45585-7	SADNESS OR ANGER OVER LOST ROLES OR STATUS:FIND:PT:^PATIENT:ORD:MDS
F3.c. Resident perceives that daily routil F3c	Perceives that daily routine is different		45586-5	PERCEIVES THAT DAILY ROUTINE IS VERY DIFFERENT FROM PRIOR ACTIVITY:FIND:PT:^PATIENT:ORD:MDS
	r erceives that daily routine is different			PAST ROLES - NONE OF ABOVE:FIND:PT:^PATIENT:ORD:MDS
		LOINC	45587-3	PAST ROLES - NONE OF ABOVE:FIND:PT:"PATIENT:ORD:MDS
SECTION G: PHYSICAL FUNCTION G				
G1. ADL self-performance/support provi G1				
G1.a. Bed Mobility self-perf./support G1a				
G1.a.A. Bed Mobility self-performance G1aA				
G1.a.A.0. Bed mobility performance ind G1aA0	Moves about in bed independently	LOINC	45588-1	BED MOBILITY - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
- · · · · · · · · · · · · · · · · · · ·	,	SNOMED CT	301683006	Does move in bed (finding)
G1.a.A.1. Bed mobility performance w/ sG1aA1	Moves about in bed with occasional cu		45588-1	BED MOBILITY - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
G1.a.A.1. bed mobility performance w/ (G1aA1	woves about in bed with occasional cu	SNOMED CT		Does move in bed (finding)
04 40 5 1 137 7 (104 40			301683006	
G1.a.A.2. Bed mobility performance w/ I G1aA2	Moves about in bed with physical help		45588-1	BED MOBILITY - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
		SNOMED CT	301685004	Difficulty moving in bed (finding)
G1.a.A.3. Bed mobility performance w/ G1aA3	Moves about in bed with extensive ass	is LOINC	45588-1	BED MOBILITY - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
		SNOMED CT	301685004	Difficulty moving in bed (finding)
G1.a.A.4. Bed mobility performance tota G1aA4	Moves about in bed only with assistant	c∈LOINC	45588-1	BED MOBILITY - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
7,1	,	SNOMED CT	301682001	Unable to move in bed (finding)
G1.a.A.8. No bed mobility activity occurr G1aA8	No movement in bed	LOINC	45588-1	BED MOBILITY - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
OT.a.A.O. NO Dea mobility activity occurre rand	No movement in bed	SNOMED CT		
04		SNOWEDCI	301684000	Does not move in bed (finding)
G1.a.B. Bed Mobility support provided G1aB				
G1.a.B.0. Bed mobility required no setul G1aB0	No setup or physical help needed to m	o LOINC	45589-9	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.a.B.1. Bed mobility w/ setup help onl G1aB1	Setup help needed to move about in be	e(LOINC	45589-9	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.a.B.1. Bed mobility w/ setup help onl G1aB1 G1.a.B.2. Bed mobility w/ one person pt G1aB2	Setup help needed to move about in be Assistance from one person needed to			BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.a.B.2. Bed mobility w/ one person pt G1aB2	Assistance from one person needed to	rLOINC	45589-9 45589-9	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ two+ persons G1aB3	Assistance from one person needed to Assistance from 2 or more persons needed	r LOINC ec LOINC	45589-9 45589-9 45589-9	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ two+ persons G1aB3 G1.a.B.8. No bed mobility activity occurr G1AB8	Assistance from one person needed to	rLOINC	45589-9 45589-9	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ two+ persons G1aB3 G1.a.B.8. No bed mobility activity occuri G1AB8 G1.b. Transfer self-perf./support G1b	Assistance from one person needed to Assistance from 2 or more persons needed	r LOINC ec LOINC	45589-9 45589-9 45589-9	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ two+ persons G1aB3 G1.a.B.8. No bed mobility activity occuri G1AB8 G1.b. Transfer self-perf/support G1b G1.b.A. Transfer self-performance G1bA	Assistance from one person needed to Assistance from 2 or more persons needed	r LOINC ec LOINC	45589-9 45589-9 45589-9	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ two+ persons G1aB3 G1.a.B.8. No bed mobility activity occur G1AB8 G1.b. Transfer self-perf./support G1b G1.b.A. Transfer self-performance G1bA G1bA. Transfer (self perf)	Assistance from one person needed to Assistance from 2 or more persons nee Did not move about in bed	TLOINC EXLOINC SNOMED CT	45589-9 45589-9 45589-9 301684000	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding)
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ two+ persons G1aB3 G1.a.B.8. No bed mobility activity occuri G1AB8 G1.b. Transfer self-perf/support G1b G1.b.A. Transfer self-performance G1bA	Assistance from one person needed to Assistance from 2 or more persons needed	TLOINC EXLOINC SNOMED CT	45589-9 45589-9 45589-9	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ two+ persons G1aB3 G1.a.B.8. No bed mobility activity occurr G1AB8 G1.b. Transfer self-perf./support G1b G1.b.A. Transfer self-performance G1bA G1bA. Transfer (self perf)	Assistance from one person needed to Assistance from 2 or more persons nee Did not move about in bed	TLOINC EXLOINC SNOMED CT	45589-9 45589-9 45589-9 301684000	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding)
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ two+ persons G1aB3 G1.a.B.8. No bed mobility activity occuri G1AB8 G1.b. Transfer self-perf/support G1b G1.b.A. Transfer self-performance G1bA G1bA. Transfer (self perf) G1.b.A.O. Transfer independent G1bA0	Assistance from one person needed to Assistance from 2 or more persons nee Did not move about in bed	TLOINC ex LOINC SNOMED CT y LOINC	45589-9 45589-9 45589-9 301684000 45590-7	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ two+ persons G1aB3 G1.a.B.8. No bed mobility activity occuri G1AB8 G1.b. Transfer self-perf/support G1b G1.b.A. Transfer self-performance G1bA G1bA. Transfer (self perf) G1.b.A.O. Transfer independent G1bA0 G1BA.O. Independent	Assistance from one person needed to Assistance from 2 or more persons need Did not move about in bed Moves between surfaces independent	y LOINC SNOMED CT	45589-9 45589-9 45589-9 301684000 45590-7 302263002	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding)
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ two+ persons G1aB3 G1.a.B.8. No bed mobility activity occuri G1AB8 G1.b. Transfer self-perf/support G1b G1.b.A. Transfer self-performance G1bA G1bA. Transfer (self perf) G1.b.A.O. Transfer independent G1bA0	Assistance from one person needed to Assistance from 2 or more persons nee Did not move about in bed	VILOINC SELDINC SNOMED CT Y LOINC SNOMED CT	45589-9 45589-9 45589-9 301684000 45590-7 302263002 45590-7	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ two+ persons G1aB3 G1.a.B.8. No bed mobility activity occuri G1AB8 G1.b. Transfer self-perf/support G1b G1.b.A. Transfer self-performance G1bA G1bA. Transfer (self perf) G1.b.A.0. Transfer independent G1bA0 G1BA.0. Independent G1.b.A.1. Transfer w/ supervision G1bA1	Assistance from one person needed to Assistance from 2 or more persons need Did not move about in bed Moves between surfaces independent	y LOINC SNOMED CT	45589-9 45589-9 45589-9 301684000 45590-7 302263002	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding)
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ two+ persons G1aB3 G1.a.B.8. No bed mobility activity occuri G1AB8 G1.b. Transfer self-perf/support G1b G1.b.A. Transfer self-performance G1bA G1bA. Transfer (self perf) G1.b.A.O. Transfer independent G1bA0 G1BA.O. Independent G1.b.A.1. Transfer w/ supervision G1bA1 G1BA.1. Supervision	Assistance from one person needed to Assistance from 2 or more persons needed to Did not move about in bed Moves between surfaces independent Moves between surfaces with occasion	Y LOINC SNOMED CT Y LOINC SNOMED CT THE LOINC SNOMED CT	45589-9 45589-9 45589-9 301684000 45590-7 302263002 45590-7 302263002	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding)
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ two+ persons G1aB3 G1.a.B.8. No bed mobility activity occuri G1AB8 G1.b. Transfer self-perf/support G1b G1.b.A. Transfer self-performance G1bA G1bA. Transfer (self perf) G1.b.A.0. Transfer independent G1bA0 G1BA.0. Independent G1.b.A.1. Transfer w/ supervision G1bA1	Assistance from one person needed to Assistance from 2 or more persons need Did not move about in bed Moves between surfaces independent	y LOINC SNOMED CT y LOINC SNOMED CT ac LOINC SNOMED CT ac LOINC SNOMED CT GLOINC	45589-9 45589-9 45589-9 301684000 45590-7 302263002 45590-7 302263002 45590-7	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ two+ persons G1aB3 G1.a.B.8. No bed mobility activity occuri G1AB8 G1.b. Transfer self-perf/support G1b G1.b.A. Transfer self-performance G1bA G1bA. Transfer (self perf) G1.b.A.O. Transfer independent G1bA0 G1BA.O. Independent G1.b.A.1. Transfer w/ supervision G1bA1 G1BA.1. Supervision G1.b.A.2. Transfer w/ limited assistance G1bA2	Assistance from one person needed to Assistance from 2 or more persons needed to Did not move about in bed Moves between surfaces independent Moves between surfaces with occasion	Y LOINC SNOMED CT Y LOINC SNOMED CT THE LOINC SNOMED CT	45589-9 45589-9 45589-9 301684000 45590-7 302263002 45590-7 302263002	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding)
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ two+ persons G1aB3 G1.a.B.8. No bed mobility activity occuri G1AB8 G1.b. Transfer self-perf/support G1b G1.b.A. Transfer self-perf/ormance G1bA G1bA. Transfer (self perf) G1.b.A.0. Transfer independent G1bA0 G1BA.0. Independent G1.b.A.1. Transfer w/ supervision G1bA1 G1BA.1. Supervision G1.b.A.2. Transfer w/ limited assistance G1bA2 G1BA.2. Limited Assistance	Assistance from one person needed to Assistance from 2 or more persons needed to Did not move about in bed Moves between surfaces independent! Moves between surfaces with occasion Transfers between surfaces with physic	Y LOINC SNOMED CT Y LOINC SNOMED CT SNOMED CT SNOMED CT GLOINC SNOMED CT	45589-9 45589-9 45589-9 301684000 45590-7 302263002 45590-7 302263002 45590-7 129047006	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding)
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ two+ persons G1aB3 G1.a.B.8. No bed mobility activity occuri G1AB8 G1.b. Transfer self-perf/support G1b G1.b.A. Transfer self-performance G1bA G1bA. Transfer (self perf) G1.b.A.O. Transfer independent G1bA0 G1BA.O. Independent G1.b.A.1. Transfer w/ supervision G1bA1 G1BA.1. Supervision G1.b.A.2. Transfer w/ limited assistance G1bA2	Assistance from one person needed to Assistance from 2 or more persons needed to Did not move about in bed Moves between surfaces independent Moves between surfaces with occasion	Y LOINC SNOMED CT Y LOINC SNOMED CT SNOMED CT SNOMED CT GLOINC SNOMED CT	45589-9 45589-9 45589-9 301684000 45590-7 302263002 45590-7 302263002 45590-7	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ two+ persons G1aB3 G1.a.B.8. No bed mobility activity occuri G1AB8 G1.b. Transfer self-perf/support G1b G1.b.A. Transfer self-perf/ormance G1bA G1bA. Transfer (self perf) G1.b.A.0. Transfer independent G1bA0 G1BA.0. Independent G1.b.A.1. Transfer w/ supervision G1bA1 G1BA.1. Supervision G1.b.A.2. Transfer w/ limited assistance G1bA2 G1BA.2. Limited Assistance	Assistance from one person needed to Assistance from 2 or more persons needed to Did not move about in bed Moves between surfaces independent! Moves between surfaces with occasion Transfers between surfaces with physic	Y LOINC SNOMED CT Y LOINC SNOMED CT SNOMED CT SNOMED CT GLOINC SNOMED CT	45589-9 45589-9 45589-9 301684000 45590-7 302263002 45590-7 302263002 45590-7 129047006	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding)
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ two+ persons G1aB3 G1.a.B.8. No bed mobility activity occuri G1AB8 G1.b. Transfer self-perf/support G1b G1.b.A. Transfer self-performance G1bA G1bA. Transfer (self perf) G1.b.A.0. Transfer independent G1bA0 G1BA.0. Independent G1bA.1. Transfer w/ supervision G1bA1 G1BA.1. Supervision G1.b.A.2. Transfer w/ limited assistance G1bA2 G1BA.2. Limited Assistance G1.b.A.3. Transfer w/ extensive assistar G1bA3	Assistance from one person needed to Assistance from 2 or more persons needed to Did not move about in bed Moves between surfaces independent! Moves between surfaces with occasion Transfers between surfaces with physic	y LOINC SNOMED CT y LOINC SNOMED CT 12 LOINC SNOMED CT 13 LOINC SNOMED CT 14 LOINC SNOMED CT 15 LOINC SNOMED CT	45589-9 45589-9 45589-9 301684000 45590-7 302263002 45590-7 302263002 45590-7 129047006 45590-7	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding)
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ two+ persons G1aB3 G1.a.B.8. No bed mobility w/ two+ persons G1aB3 G1.a.B.8. No bed mobility activity occuri G1AB8 G1.b. Transfer self-perf/support G1b G1.b.A. Transfer self-performance G1bA G1bA. Transfer (self perf) G1.b.A.0. Transfer independent G1bA0 G1BA.0. Independent G1.b.A.1. Transfer w/ supervision G1bA1 G1BA.1. Supervision G1.b.A.2. Transfer w/ limited assistance G1bA2 G1BA.2. Limited Assistance G1.b.A.3. Transfer w/ extensive assistar G1bA3 G1BA.3. Extensive Assistance	Assistance from one person needed to Assistance from 2 or more persons needed to Assistance from 2 or more persons needed to the person of the persons needed to the persons nee	Y LOINC SNOMED CT Y LOINC SNOMED CT THE LOINC SNOMED CT C: LOINC SNOMED CT SLOINC SNOMED CT	45589-9 45589-9 45589-9 301684000 45590-7 302263002 45590-7 129047006 45590-7 129047006	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding)
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ two+ persons G1aB3 G1.a.B.8. No bed mobility activity occuri G1AB8 G1.b. Transfer self-perf/support G1b G1.b.A. Transfer self-performance G1bA G1bA. Transfer (self perf) G1.b.A.0. Transfer independent G1bA0 G1BA.0. Independent G1bA.1. Transfer w/ supervision G1bA1 G1BA.1. Supervision G1.b.A.2. Transfer w/ limited assistance G1bA2 G1BA.2. Limited Assistance G1.b.A.3. Transfer w/ extensive assistar G1bA3	Assistance from one person needed to Assistance from 2 or more persons needed to Did not move about in bed Moves between surfaces independent! Moves between surfaces with occasion Transfers between surfaces with physic	y LOINC SNOMED CT y LOINC SNOMED CT 12 LOINC SNOMED CT GLOINC SNOMED CT GLOINC SNOMED CT S LOINC SNOMED CT S LOINC SNOMED CT	45589-9 45589-9 45589-9 301684000 45590-7 302263002 45590-7 129047006 45590-7 129047006 45590-7	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding)
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ two+ persons G1aB3 G1.a.B.3. No bed mobility activity occuri G1AB8 G1.b. Transfer self-perf/support G1b G1.b.A. Transfer self-performance G1bA G1bA. Transfer (self perf) G1.b.A.0. Transfer independent G1bA0 G1BA.0. Independent G1.b.A.1. Transfer w/ supervision G1bA1 G1BA.1. Supervision G1.b.A.2. Transfer w/ limited assistance G1bA2 G1BA.2. Limited Assistance G1.b.A.3. Transfer w/ extensive assistar G1bA3 G1BA.3. Extensive Assistance G1.b.A.4. Transfer totally dependent G1bA4	Assistance from one person needed to Assistance from 2 or more persons needed to Assistance from 2 or more persons needed to the person of the persons needed to the persons nee	Y LOINC SNOMED CT Y LOINC SNOMED CT THE LOINC SNOMED CT C: LOINC SNOMED CT SLOINC SNOMED CT	45589-9 45589-9 45589-9 301684000 45590-7 302263002 45590-7 129047006 45590-7 129047006	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding)
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ two+ persons G1aB3 G1.a.B.8. No bed mobility activity occuri G1AB8 G1.b. Transfer self-perf/support G1b G1.b.A. Transfer self-performance G1bA G1bA. Transfer (self perf) G1.b.A.0. Transfer independent G1bA0 G1BA.0. Independent G1.b.A.1. Transfer w/ supervision G1bA1 G1BA.1. Supervision G1.b.A.2. Transfer w/ limited assistance G1bA2 G1BA.2. Limited Assistance G1.b.A.3. Transfer w/ extensive assistar G1bA3 G1BA.3. Extensive Assistance G1.b.A.4. Transfer totally dependent G1bA4 G1BA.4. Total Dependence	Assistance from one person needed to Assistance from 2 or more persons needed to Assistance from 2 or more persons needed to Moves between surfaces independent! Moves between surfaces with occasion Transfers between surfaces with physical transfers between surfaces with extental transfers between surfaces only with a surface of the	Y LOINC SNOMED CT Y LOINC SNOMED CT THE LOINC SNOMED CT CILOINC SNOMED CT SNOMED CT SLOINC SNOMED CT SLOINC SNOMED CT SLOINC SNOMED CT SLOINC SNOMED CT	45589-9 45589-9 45589-9 301684000 45590-7 302263002 45590-7 129047006 45590-7 129047006 45590-7 129047006	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding)
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ two+ persons G1aB3 G1.a.B.3. No bed mobility activity occuri G1AB8 G1.b. Transfer self-perf/support G1b G1.b.A. Transfer self-performance G1bA G1bA. Transfer (self perf) G1.b.A.0. Transfer independent G1bA0 G1BA.0. Independent G1.b.A.1. Transfer w/ supervision G1bA1 G1BA.1. Supervision G1.b.A.2. Transfer w/ limited assistance G1bA2 G1BA.2. Limited Assistance G1.b.A.3. Transfer w/ extensive assistar G1bA3 G1BA.3. Extensive Assistance G1.b.A.4. Transfer totally dependent G1bA4	Assistance from one person needed to Assistance from 2 or more persons needed to Assistance from 2 or more persons needed to the person of the persons needed to the persons nee	y LOINC SNOMED CT y LOINC SNOMED CT 12 LOINC SNOMED CT CI LOINC SNOMED CT CI LOINC SNOMED CT SLOINC SNOMED CT SLOINC SNOMED CT LOINC SNOMED CT LOINC SNOMED CT LOINC	45589-9 45589-9 45589-9 301684000 45590-7 302263002 45590-7 129047006 45590-7 129047006 45590-7 129047006 45590-7	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding)
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ two+ persons G1aB3 G1.a.B.8. No bed mobility activity occurr G1AB8 G1.b. Transfer self-perf/support G1b G1.b.A. Transfer self-performance G1bA G1bA. Transfer self-performance G1bA G1bA. Transfer independent G1bA0 G1BA.0. Independent G1.b.A.1. Transfer w/ supervision G1bA1 G1BA.1. Supervision G1.b.A.2. Transfer w/ limited assistance G1bA2 G1BA.2. Limited Assistance G1.b.A.3. Transfer w/ extensive assistar G1bA3 G1BA.3. Extensive Assistance G1.b.A.4. Transfer totally dependent G1bA4 G1BA.4. Total Dependence G1.b.A.8. No transfer activity occurred c G1bA8	Assistance from one person needed to Assistance from 2 or more persons needed to Assistance from 2 or more persons needed to Moves between surfaces independent! Moves between surfaces with occasion Transfers between surfaces with physical transfers between surfaces with extental transfers between surfaces only with a surface of the	Y LOINC SNOMED CT Y LOINC SNOMED CT THE LOINC SNOMED CT CILOINC SNOMED CT SNOMED CT SLOINC SNOMED CT SLOINC SNOMED CT SLOINC SNOMED CT SLOINC SNOMED CT	45589-9 45589-9 45589-9 301684000 45590-7 302263002 45590-7 129047006 45590-7 129047006 45590-7 129047006	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding)
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ two+ persons G1aB3 G1.a.B.8. No bed mobility activity occuri G1AB8 G1.b. Transfer self-perf/support G1b G1.b.A. Transfer self-performance G1bA G1bA. Transfer (self perf) G1.b.A.0. Transfer independent G1bA0 G1BA.0. Independent G1.b.A.1. Transfer w/ supervision G1bA1 G1BA.1. Supervision G1.b.A.2. Transfer w/ limited assistance G1bA2 G1BA.2. Limited Assistance G1.b.A.3. Transfer w/ extensive assistar G1bA3 G1BA.3. Extensive Assistance G1.b.A.4. Transfer totally dependent G1bA4 G1BA.4. Total Dependence	Assistance from one person needed to Assistance from 2 or more persons needed to Assistance from 2 or more persons needed to Moves between surfaces independent! Moves between surfaces with occasion Transfers between surfaces with physical transfers between surfaces with extental transfers between surfaces only with a surface of the	y LOINC SNOMED CT y LOINC SNOMED CT 12 LOINC SNOMED CT CI LOINC SNOMED CT CI LOINC SNOMED CT SLOINC SNOMED CT SLOINC SNOMED CT LOINC SNOMED CT LOINC SNOMED CT LOINC	45589-9 45589-9 45589-9 301684000 45590-7 302263002 45590-7 129047006 45590-7 129047006 45590-7 129047006 45590-7	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding)
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ one persons G1aB3 G1.a.B.3. No bed mobility activity occurr G1AB8 G1.b. Transfer self-perf./support G1b G1.b.A. Transfer self-performance G1bA G1bA. Transfer self-performance G1bA G1bA. Transfer independent G1bA0 G1BA.0. Independent G1.b.A.0. Transfer independent G1bA0 G1BA.0. Independent G1.b.A.1. Transfer w/ supervision G1bA1 G1BA.1. Supervision G1.b.A.2. Transfer w/ limited assistance G1bA2 G1BA.2. Limited Assistance G1.b.A.3. Transfer w/ extensive assistar G1bA3 G1BA.3. Extensive Assistance G1.b.A.4. Transfer totally dependent G1bA4 G1BA.4. Total Dependence G1.b.A.8. No transfer activity occurred c G1bA8 G1BA.8. Activity Did Not Occur during 7 G1.b.B. Transfer support provided G1bB	Assistance from one person needed to Assistance from 2 or more persons needed to Assistance from 2 or more persons needed to Moves between surfaces independent! Moves between surfaces with occasion Transfers between surfaces with physical transfers between surfaces with extental transfers between surfaces only with a surface of the	y LOINC SNOMED CT y LOINC SNOMED CT 12 LOINC SNOMED CT CI LOINC SNOMED CT CI LOINC SNOMED CT SLOINC SNOMED CT SLOINC SNOMED CT LOINC SNOMED CT LOINC SNOMED CT LOINC	45589-9 45589-9 45589-9 301684000 45590-7 302263002 45590-7 129047006 45590-7 129047006 45590-7 129047006 45590-7	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding)
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ one persons G1aB3 G1.a.B.3. No bed mobility activity occurr G1AB8 G1.b. Transfer self-perf./support G1b G1.b.A. Transfer self-performance G1bA G1bA. Transfer self-performance G1bA G1bA. Transfer independent G1bA0 G1BA.0. Independent G1.b.A.0. Transfer independent G1bA0 G1BA.0. Independent G1.b.A.1. Transfer w/ supervision G1bA1 G1BA.1. Supervision G1.b.A.2. Transfer w/ limited assistance G1bA2 G1BA.2. Limited Assistance G1.b.A.3. Transfer w/ extensive assistar G1bA3 G1BA.3. Extensive Assistance G1.b.A.4. Transfer totally dependent G1bA4 G1BA.4. Total Dependence G1.b.A.8. No transfer activity occurred c G1bA8 G1BA.8. Activity Did Not Occur during 7 G1.b.B. Transfer support provided G1bB	Assistance from one person needed to Assistance from 2 or more persons needed to Assistance from 2 or more persons needed to Moves between surfaces independent! Moves between surfaces with occasion Transfers between surfaces with physical transfers between surfaces with extental transfers between surfaces only with a surface of the	y LOINC SNOMED CT y LOINC SNOMED CT 12 LOINC SNOMED CT CI LOINC SNOMED CT CI LOINC SNOMED CT SLOINC SNOMED CT SLOINC SNOMED CT LOINC SNOMED CT LOINC SNOMED CT LOINC	45589-9 45589-9 45589-9 301684000 45590-7 302263002 45590-7 129047006 45590-7 129047006 45590-7 129047006 45590-7	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding)
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ two+ persons G1aB3 G1.a.B.3. No bed mobility activity occurr G1AB8 G1.b. Transfer self-perf/support G1b G1.b.A. Transfer self-performance G1bA G1bA. Transfer self-performance G1bA G1bA. Transfer independent G1bA0 G1BA.0. Independent G1.b.A.0. Transfer w/ supervision G1bA1 G1BA.1. Supervision G1.b.A.2. Transfer w/ supervision G1bA2 G1BA.2. Limited Assistance G1.b.A.3. Transfer w/ extensive assistar G1bA3 G1BA.3. Extensive Assistance G1.b.A.4. Transfer totally dependent G1bA4 G1BA.4. Total Dependence G1.b.A.8. No transfer activity occurred c G1bA8 G1BA.8. Activity Did Not Occur during 7 G1.b.B. Transfer support provided G1bB G1bB. Transfer support provided G1bB	Assistance from one person needed to Assistance from 2 or more persons needed to Assistance from 2 or more persons needed to Did not move about in bed Moves between surfaces independent! Moves between surfaces with occasion Transfers between surfaces with physical process of the surfaces with extental transfers between surfaces only with a No transfers between surfaces	y LOINC SNOMED CT y LOINC SNOMED CT 10 LOINC SNOMED CT 11 LOINC SNOMED CT 12 LOINC SNOMED CT 13 LOINC SNOMED CT 14 LOINC SNOMED CT 15 LOINC SNOMED CT 16 LOINC SNOMED CT 17 LOINC SNOMED CT 18 LOINC SNOMED CT	45589-9 45589-9 45589-9 301684000 45590-7 302263002 45590-7 129047006 45590-7 129047006 45590-7 129047006 45590-7 302266005	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding)
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ one persons G1aB3 G1.a.B.3. No bed mobility activity occurr G1AB8 G1.b. Transfer self-perf./support G1b G1.b.A. Transfer self-performance G1bA G1bA. Transfer self-performance G1bA G1bA. Transfer independent G1bA0 G1BA.0. Independent G1.b.A.0. Transfer independent G1bA0 G1BA.0. Independent G1.b.A.1. Transfer w/ supervision G1bA1 G1BA.1. Supervision G1.b.A.2. Transfer w/ limited assistance G1bA2 G1BA.2. Limited Assistance G1.b.A.3. Transfer w/ extensive assistar G1bA3 G1BA.3. Extensive Assistance G1.b.A.4. Transfer totally dependent G1bA4 G1BA.4. Total Dependence G1.b.A.8. No transfer activity occurred c G1bA8 G1BA.8. Activity Did Not Occur during 7 G1.b.B. Transfer support provided G1bB	Assistance from one person needed to Assistance from 2 or more persons needed to Assistance from 2 or more persons needed to Moves between surfaces independent! Moves between surfaces with occasion Transfers between surfaces with physical transfers between surfaces with extental transfers between surfaces only with a surface of the	Y LOINC SNOMED CT Y LOINC SNOMED CT SNOMED CT SLOINC SNOMED CT CLOINC SNOMED CT SLOINC SNOMED CT SLOINC SNOMED CT LOINC SNOMED CT LOINC SNOMED CT LOINC SNOMED CT	45589-9 45589-9 45589-9 301684000 45590-7 302263002 45590-7 129047006 45590-7 129047006 45590-7 129047006 45590-7 302266005	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Does not transfer (finding)
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ one persons G1aB3 G1.a.B.3. No bed mobility activity occurr G1AB8 G1.b.Transfer self-perf./support G1b G1.b.A. Transfer self-performance G1bA G1bA. Transfer self-performance G1bA G1bA. Transfer independent G1bA0 G1BA.0. Independent G1.b.A.1. Transfer w/ supervision G1bA1 G1BA.1. Supervision G1.b.A.2. Transfer w/ limited assistance G1bA2 G1BA.2. Limited Assistance G1.b.A.3. Transfer w/ extensive assistar G1bA3 G1BA.3. Extensive Assistance G1.b.A.4. Transfer totally dependent G1bA4 G1BA.4. Total Dependence G1.b.A.8. No transfer activity occurred c G1bA8 G1BA.8. Activity Did Not Occur during 7 G1.b.B. Transfer support provided G1bB G1bB. Transfer (supp prov) G1.b.B.0. Transfer required no setup or G1bB0	Assistance from one person needed to Assistance from 2 or more persons needed to Assistance from 2 or more persons needed to Did not move about in bed Moves between surfaces independent! Moves between surfaces with occasion Transfers between surfaces with physical process of the surfaces with extental transfers between surfaces only with a No transfers between surfaces	y LOINC SNOMED CT y LOINC SNOMED CT 10 LOINC SNOMED CT 11 LOINC SNOMED CT 12 LOINC SNOMED CT 13 LOINC SNOMED CT 14 LOINC SNOMED CT 15 LOINC SNOMED CT 16 LOINC SNOMED CT 17 LOINC SNOMED CT 18 LOINC SNOMED CT	45589-9 45589-9 45589-9 301684000 45590-7 302263002 45590-7 129047006 45590-7 129047006 45590-7 129047006 45590-7 302266005	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding)
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ two+ persons G1aB3 G1.a.B.3. No bed mobility activity occurr G1AB8 G1.b. Transfer self-perf./support G1b G1.b.A. Transfer self-performance G1bA G1b.A. Transfer self-performance G1bA G1bA. Transfer self-performance G1bA G1bA.O. Transfer independent G1bA0 G1BA.O. Independent G1.b.A.1. Transfer w/ supervision G1bA1 G1BA.1. Supervision G1.b.A.2. Transfer w/ supervision G1bA2 G1BA.2. Limited Assistance G1.b.A.3. Transfer w/ extensive assistar G1bA3 G1BA.3. Extensive Assistance G1.b.A.4. Transfer totally dependent G1bA4 G1BA.4. Total Dependence G1.b.A.8. No transfer activity occurred c G1bA8 G1BA.8. Activity Did Not Occur during 7 G1.b.B. Transfer support provided G1bB G1bB. Transfer (supp prov) G1.b.B.O. Transfer required no setup or G1bB0 G1BB.O. No setup or physical help from	Assistance from one person needed to Assistance from 2 or more persons needed to Moves between surfaces with occasion Transfers between surfaces with extension transfers between surfaces only with a No transfers between surfaces No setup or physical help needed to transfers between persons needed to transfers between surfaces	y LOINC SNOMED CT y LOINC SNOMED CT w LOINC SNOMED CT c LOINC SNOMED CT s LOINC SNOMED CT s LOINC SNOMED CT as LOINC SNOMED CT LOINC SNOMED CT LOINC SNOMED CT LOINC SNOMED CT AT LOINC SNOMED CT	45589-9 45589-9 45589-9 301684000 45590-7 302263002 45590-7 129047006 45590-7 129047006 45590-7 129047006 45590-7 302266005	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Does not transfer (finding)
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ one persons G1aB3 G1.a.B.3. No bed mobility activity occurr G1AB8 G1.b.Transfer self-perf./support G1b G1.b.A. Transfer self-performance G1bA G1bA. Transfer self-performance G1bA G1bA. Transfer independent G1bA0 G1BA.0. Independent G1.b.A.1. Transfer w/ supervision G1bA1 G1BA.1. Supervision G1.b.A.2. Transfer w/ limited assistance G1bA2 G1BA.2. Limited Assistance G1.b.A.3. Transfer w/ extensive assistar G1bA3 G1BA.3. Extensive Assistance G1.b.A.4. Transfer totally dependent G1bA4 G1BA.4. Total Dependence G1.b.A.8. No transfer activity occurred c G1bA8 G1BA.8. Activity Did Not Occur during 7 G1.b.B. Transfer support provided G1bB G1bB. Transfer (supp prov) G1.b.B.0. Transfer required no setup or G1bB0	Assistance from one person needed to Assistance from 2 or more persons needed to Assistance from 2 or more persons needed to Did not move about in bed Moves between surfaces independent! Moves between surfaces with occasion Transfers between surfaces with physical process of the surfaces with extental transfers between surfaces only with a No transfers between surfaces	Y LOINC SNOMED CT Y LOINC SNOMED CT Y LOINC SNOMED CT INCLOINC SNOMED CT SLOINC SNOMED CT SLOINC SNOMED CT LOINC SNOMED CT AT LOINC SNOMED CT	45589-9 45589-9 45589-9 301684000 45590-7 302263002 45590-7 129047006 45590-7 129047006 45590-7 129047006 45590-7 302266005	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer independent (finding) TRANSFER - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Transfer independent (finding)
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ one persons G1aB3 G1.a.B.3. No bed mobility activity occurr G1AB8 G1.b.Transfer self-perf./support G1b G1.b.A. Transfer self-performance G1bA G1bA. Transfer self-performance G1bA G1bA. Transfer self-performance G1bA G1bA. Transfer independent G1bA0 G1BA.0. Independent G1.b.A.1. Transfer w/ supervision G1bA1 G1BA.1. Supervision G1.b.A.2. Transfer w/ limited assistance G1bA2 G1BA.2. Limited Assistance G1.b.A.3. Transfer w/ extensive assistar G1bA3 G1BA.3. Extensive Assistance G1.b.A.4. Transfer totally dependent G1bA4 G1BA.4. Total Dependence G1.b.A.8. No transfer activity occurred c G1bA8 G1BA.8. Activity Did Not Occur during 7 G1.b.B. Transfer support provided G1bB G1bB. Transfer (supp prov) G1.b.B.0. Transfer required no setup or G1bB0 G1BB.0. No setup or physical help from G1.b.B.1. Transfer w/ setup help only G1bB1	Assistance from one person needed to Assistance from 2 or more persons needed to Moves between surfaces with occasion Transfers between surfaces with extension transfers between surfaces only with a No transfers between surfaces No setup or physical help needed to transfers between persons needed to transfers between surfaces	y LOINC SNOMED CT y LOINC SNOMED CT w LOINC SNOMED CT c LOINC SNOMED CT s LOINC SNOMED CT s LOINC SNOMED CT as LOINC SNOMED CT LOINC SNOMED CT LOINC SNOMED CT LOINC SNOMED CT AT LOINC SNOMED CT	45589-9 45589-9 45589-9 301684000 45590-7 302263002 45590-7 129047006 45590-7 129047006 45590-7 129047006 45590-7 302266005	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Does not transfer (finding)
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ wo+ persons G1aB3 G1.a.B.3. No bed mobility activity occurr G1AB8 G1.b. Transfer self-perf./support G1b G1.b.A. Transfer self-performance G1bA G1bA. Transfer self-performance G1bA G1bA. Transfer independent G1bA0 G1BA.0. Independent G1.b.A.0. Transfer independent G1bA1 G1BA.1. Supervision G1bA1 G1BA.1. Supervision G1bA1 G1BA.2. Limited Assistance G1.b.A.2. Transfer w/ limited assistance G1bA2 G1BA.3. Extensive Assistance G1.b.A.4. Transfer totally dependent G1bA4 G1BA.4. Total Dependence G1.b.A.8. No transfer activity occurred c G1bA8 G1BA.8. Activity Did Not Occur during 7 G1.b.B. Transfer support provided G1bB G1bB. Transfer (supp prov) G1.b.B.0. Transfer required no setup or G1bB0 G1BB.0. No setup or physical help from G1.b.B.1. Transfer w/ setup help only G1bB1	Assistance from one person needed to Assistance from 2 or more persons needed to 4 or more persons needed to Assistance from 2 or more persons needed to Assistance from 2 or more persons needed to Assistance from 2 or more persons needed to 4 or more persons	y LOINC SNOMED CT y LOINC SNOMED CT w LOINC SNOMED CT c LOINC SNOMED CT c LOINC SNOMED CT s LOINC SNOMED CT as LOINC SNOMED CT LOINC SNOMED CT as LOINC SNOMED CT	45589-9 45589-9 45589-9 301684000 45590-7 302263002 45590-7 129047006 45590-7 129047006 45590-7 129047006 45590-7 302266005	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Does not transfer (finding) TRANSFER - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Transfer independent (finding)
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ one persons G1aB3 G1.a.B.3. No bed mobility activity occurr G1AB8 G1.b.Transfer self-perf./support G1b G1.b.A. Transfer self-performance G1bA G1bA. Transfer self-performance G1bA G1bA. Transfer self-performance G1bA G1bA. Transfer independent G1bA0 G1BA.0. Independent G1.b.A.1. Transfer w/ supervision G1bA1 G1BA.1. Supervision G1.b.A.2. Transfer w/ limited assistance G1bA2 G1BA.2. Limited Assistance G1.b.A.3. Transfer w/ extensive assistar G1bA3 G1BA.3. Extensive Assistance G1.b.A.4. Transfer totally dependent G1bA4 G1BA.4. Total Dependence G1.b.A.8. No transfer activity occurred c G1bA8 G1BA.8. Activity Did Not Occur during 7 G1.b.B. Transfer support provided G1bB G1bB. Transfer (supp prov) G1.b.B.0. Transfer required no setup or G1bB0 G1BB.0. No setup or physical help from G1.b.B.1. Transfer w/ setup help only G1bB1	Assistance from one person needed to Assistance from 2 or more persons needed to Moves between surfaces with occasion Transfers between surfaces with extension transfers between surfaces only with a No transfers between surfaces No setup or physical help needed to transfers between persons needed to transfers between surfaces	y LOINC SNOMED CT y LOINC SNOMED CT w LOINC SNOMED CT c LOINC SNOMED CT c LOINC SNOMED CT s LOINC SNOMED CT as LOINC SNOMED CT LOINC SNOMED CT as LOINC SNOMED CT	45589-9 45589-9 45589-9 301684000 45590-7 302263002 45590-7 129047006 45590-7 129047006 45590-7 129047006 45590-7 302266005	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer independent (finding) TRANSFER - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Transfer independent (finding) TRANSFER - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.a.B.2. Bed mobility w/ one person pt G1aB2 G1.a.B.3. Bed mobility w/ wo+ persons G1aB3 G1.a.B.3. No bed mobility activity occurr G1AB8 G1.b. Transfer self-perf./support G1b G1.b.A. Transfer self-performance G1bA G1bA. Transfer self-performance G1bA G1bA. Transfer independent G1bA0 G1BA.0. Independent G1.b.A.0. Transfer independent G1bA1 G1BA.1. Supervision G1bA1 G1BA.1. Supervision G1bA1 G1BA.2. Limited Assistance G1.b.A.2. Transfer w/ limited assistance G1bA2 G1BA.3. Extensive Assistance G1.b.A.4. Transfer totally dependent G1bA4 G1BA.4. Total Dependence G1.b.A.8. No transfer activity occurred c G1bA8 G1BA.8. Activity Did Not Occur during 7 G1.b.B. Transfer support provided G1bB G1bB. Transfer (supp prov) G1.b.B.0. Transfer required no setup or G1bB0 G1BB.0. No setup or physical help from G1.b.B.1. Transfer w/ setup help only G1bB1	Assistance from one person needed to Assistance from 2 or more persons needed to 4 or more persons needed to Assistance from 2 or more persons needed to Assistance from 2 or more persons needed to Assistance from 2 or more persons needed to 4 or more persons	y LOINC SNOMED CT y LOINC SNOMED CT w LOINC SNOMED CT c LOINC SNOMED CT c LOINC SNOMED CT s LOINC SNOMED CT as LOINC SNOMED CT LOINC SNOMED CT as LOINC SNOMED CT	45589-9 45589-9 45589-9 301684000 45590-7 302263002 45590-7 129047006 45590-7 129047006 45590-7 129047006 45590-7 302266005	BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS BED MOBILITY - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Does not move in bed (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Able to transfer (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Transfer assisted (finding) TRANSFER - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS Does not transfer (finding) TRANSFER - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS Transfer independent (finding)

G1BB.2. One person physical assist G1.b.B.3. Transfer w/ two+ persons phy G1bB3	Assistance from two or more persons n∈LOINC	45591-5	TRANSFER - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.b.b.s. Halisiel W/ two+ persons phy G1bbs	SNOMED CT	129047006	Transfer assisted (finding)
G1BB.3. Two+ persons physical assist	SNOWED OT	123047000	Transier assisted (illuling)
G1.b.B.8. No transfer activity occurred c G1bB8	Did not transfer between surfaces LOINC	45591-5	TRANSFER - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1BB.8. ADL activity did not occur durir	Did not dancior between canades 20110	100010	THE WOLL CONTROL OF THE WORLD THE THE WORLD TH
G1.c. Walk in Room self-perf./support G1c			
G1.c.A. Walk in Room self-performance G1cA			
G1.c.A.0. Walks in room independently G1cA0	Walks between locations in room indepe LOINC	45592-3	WALK IN ROOM - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
C1.0.7.0. Walks in room independently C10/10	SNOMED CT	165245003	Independent walking (finding)
G1.c.A.1. Walks in room w/ supervision G1cA1	Walks between locations in room with or LOINC	45592-3	WALK IN ROOM - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
G1.c.A.2. Walks in room w/ limited assis G1cA2	Walks between locations in room with pLOINC	45592-3	WALK IN ROOM - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
G1.c.A.3. Walks in room w/ extensive at G1cA3		45592-3 45592-3	WALK IN ROOM - SELF-PERFORMANCE: FIND: PT: ^PATIENT: NOM: MDS WALK IN ROOM - SELF-PERFORMANCE: FIND: PT: ^PATIENT: NOM: MDS
	Walks between locations in room with e: LOINC		WALK IN ROOM - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS WALK IN ROOM - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
G1.c.A.4. Walk in room totally depender G1cA4	Walks between locations in room only w LOINC	45592-3	
G1.c.A.8. No walking in room occurred (G1cA8	No walking between locations in room LOINC SNOMED CT	45592-3	WALK IN ROOM - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
04 D W	SNOWED CT	282147000	Does not walk (finding)
G1.c.B. Walk in Room support provided G1cB	No actus or physical halp pended to wall OINC	45500 4	WALK IN DOOM CURRORT PROVIDED FIND DT ARATIENT NOM MOS
G1.c.B.0. Walking in room requires no s G1cB0	No setup or physical help needed to wal LOINC	45593-1	WALK IN ROOM - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
04 04 104 104 104 104 104 104 104 104 10	SNOMED CT	165245003	Independent walking (finding)
G1.c.B.1. Walking in room w/ setup help G1cB1	Setup help needed to walk between loca LOINC	45593-1	WALK IN ROOM - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.c.B.2. Walk in room w/ one person p G1cB2	Assistance from one person needed to \LOINC	45593-1	WALK IN ROOM - SUPPORT PROVIDED: FIND: PT: ^PATIENT: NOM: MDS
G1.c.B.3. Walk in room w/ two+ persons G1cB3	Assistance from two or more persons n∈LOINC	45593-1	WALK IN ROOM - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.c.B.8. No walking in room occurred (G1cB8	Did not walk between locations in room LOINC	45593-1	WALK IN ROOM - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
	SNOMED CT	282147000	Does not walk (finding)
G1.d. Walk in Corridor self-perf./support G1d			
G1.d.A. Walk in Corridor self-performan G1dA			
G1.d.A.0. Walks in corridor independent G1dA0	Walks in corridor on unit independently LOINC	45594-9	WALK IN CORRIDOR - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
	SNOMED CT	165245003	Independent walking (finding)
G1.d.A.1. Walks in corridor w/ supervisicG1dA1	Walks in corridor on unit with occasiona LOINC	45594-9	WALK IN CORRIDOR - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
G1.d.A.2. Walks in corridor w/ limited as G1dA2	Walks in corridor on unit with physical hiLOINC	45594-9	WALK IN CORRIDOR - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
G1.d.A.3. Walks in corridor w/ extensive G1dA3	Walks in corridor on unit with extensive LOINC	45594-9	WALK IN CORRIDOR - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
G1.d.A.4. Walk in corridor totally depend G1dA4	Walks in corridor on unit only with assist LOINC	45594-9	WALK IN CORRIDOR - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
G1.d.A.8. No walking in corridor occurre G1dA8	No walking in corridor on unit LOINC	45594-9	WALK IN CORRIDOR - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
	SNOMED CT	282147000	Does not walk (finding)
G1.d.B. Walk in Corridor support provide G1dB			
G1.d.B.0. Walking in corridor requires n G1dB0	No setup or physical help needed to wal LOINC	45595-6	WALK IN CORRIDOR - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
	SNOMED CT	165245003	Independent walking (finding)
G1.d.B.1. Walking in corridor w/ setup h G1dB1	Setup help needed to walk in corridor or LOINC	45595-6	WALK IN CORRIDOR - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.d.B.2. Walking in corridor w/ one per G1dB2	Assistance from one person needed to \LOINC	45595-6	WALK IN CORRIDOR - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.d.B.3. Walking in corridor w/ two+ p∈G1dB3	Assistance from 2 or more persons neer LOINC	45595-6	WALK IN CORRIDOR - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.d.B.8. No walking in corridor occurre G1dB8	Did not walk in corridor on unit LOINC	45595-6	WALK IN CORRIDOR - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
	SNOMED CT	282147000	Does not walk (finding)
G1.e. Locomotion on unit self-perf./supp G1e			
G1.e.A. Locomotion on unit self-perform G1eA			
G1.e.A.0. Independent locomotion on ur G1eA0	Moves about unit independently LOINC	45596-4	LOCOMOTION ON UNIT - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
	SNOMED CT	301499006	Does mobilize indoors (finding)
G1.e.A.1. Locomotion on unit w/ supervi G1eA1	Moves about unit with occasional cueing LOINC	45596-4	LOCOMOTION ON UNIT - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
G1.e.A.2. Locomotion on unit w/ limited G1eA2	Moves about unit with physical help LOINC	45596-4	LOCOMOTION ON UNIT - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
G1.e.A.3. Locomotion on unit w/ extensi G1eA3	Moves about unit with extensive assista LOINC	45596-4	LOCOMOTION ON UNIT - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
G1.e.A.4. Locomotion on unit totally dep G1eA4	Moves about unit only with assistance LOINC	45596-4	LOCOMOTION ON UNIT - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
G1.e.A.8. No locomotion on unit during G1eA8	No moving about unit LOINC	45596-4	LOCOMOTION ON UNIT - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
G	SNOMED CT	302045007	Does not mobilize (finding)
G1.e.B. Locomotion on unit support pro G1eB			· · · · · · · · · · · · · · · · · · ·
G1.e.B.0. Locomotion on unit w/ no setu G1eB0	No setup or physical help needed to mo LOINC	45597-2	LOCOMOTION ON UNIT - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
	SNOMED CT	301499006	Does mobilize indoors (finding)
G1.e.B.1. Locomotion on unit w/ setup h G1eB1	Setup help needed to move about unit LOINC	45597-2	LOCOMOTION ON UNIT - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.e.B.2. Locomotion on unit w/ one pe G1eB2	Assistance from one person needed to r LOINC	45597-2	LOCOMOTION ON UNIT - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.e.B.3. Locomotion on unit w/ two+ prG1eB3	Assistance from 2 or more persons neer LOINC	45597-2	LOCOMOTION ON UNIT - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.e.B.8. No locomotion on unit during G1eB8	Did not move about unit LOINC	45597-2	LOCOMOTION ON UNIT - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
.	SNOMED CT	302045007	Does not mobilize (finding)
G1.f. Locomotion off unit self-perf./supprG1f			·· · · · · · · · · · · · · · · · · · ·
G1.f.A. Locomotion off unit self-performa G1fA			
G1.f.A.0. Independent locomotion off un G1fA0	Moves about off unit independently LOINC	45598-0	LOCOMOTION OFF UNIT - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
	SNOMED CT	301499006	Does mobilize indoors (finding)
G1.f.A.1. Locomotion off unit w/ limited s G1fA1	Moves about off unit with occasional cut LOINC	45598-0	LOCOMOTION OFF UNIT - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
G1.f.A.2. Locomotion off unit w/ limited ¿G1fA2	Moves about off unit with physical help LOINC	45598-0	LOCOMOTION OFF UNIT - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
G1.f.A.3. Locomotion off unit w/ extensis G1fA3	Moves about off unit with extensive assi LOINC	45598-0	LOCOMOTION OFF UNIT - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
G1.f.A.4. Locomotion off unit totally dep G1fA4	Moves about off unit with extensive assistanc LOINC	45598-0	LOCOMOTION OF UNIT - SELF-PERFORMANCE: FIND: PT: ATTENT: NOM: MDS
G1.f.A.8. No locomotion off unit during eG1fA8	No movement off unit LOINC	45598-0	LOCOMOTION OF UNIT - SELF-PERFORMANCE: FIND: PT: A TIENT: NOM: MDS
io. ito localidati di dilit dalling co il no	SNOMED CT	302045007	Does not mobilize (finding)
G1.f.B. Locomotion off unit support prov G1fB	ONOMED OF	5525.5001	
G1.f.B.0. Locomotion off unit w/ no setu G1fB0	No setup or physical help needed to mo LOINC	45599-8	LOCOMOTION OFF UNIT - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
25.0. 2000	SNOMED CT	301499006	Does mobilize indoors (finding)
G1.f.B.1. Locomotion off unit w/ setup h G1fB1	Setup help needed to move about off un LOINC	45599-8	LOCOMOTION OFF UNIT - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
SS. 1. Ecocinotion on unit w/ setup in Clib i	Cottap freigh freeded to move about oil un Eolivo	-5555-0	20000.1 OTT OTT OTT TOTT NOTICED, IND. 1. 1 ATIENT, NOW, MIDS

G1.f.B.2. Locomotion off unit w/ one per G1fB2	Assistance from one person needed to	rLOINC	45599-8	LOCOMOTION OFF UNIT - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.f.B.3. Locomotion off unit w/ two+ pe G1fB3	Assistance from 2 or more persons nee	LOINC	45599-8	LOCOMOTION OFF UNIT - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.f.B.8. No locomotion off unit during ∈ G1fB8	Did not move about off unit	LOINC	45599-8	LOCOMOTION OFF UNIT - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
		SNOMED CT	302045007	Does not mobilize (finding)
G1.g. Dressing self-perf./support G1g				
G1.g.A. Dressing self-performance G1gA	D	I-I OINO	45000 4	DDECCING OF E DEDECOMANICE FIND DT ADATIENT MONAMOS
G1.g.A.0. Dresses independently G1gA0	Dresses self and applies prosthesis ind		45600-4	DRESSING - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
G1.g.A.1. Dresses self w/ supervision G1gA1	Dresses self and applies prosthesis witl	SNOMED CT	129035000 45600-4	Independent with dressing (finding) DRESSING - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
GT.g.A.T. Diesses sell w/ supervision GTgAT	Diesses sell and applies prositiesis will	SNOMED CT	284973007	Able to dress (finding)
G1.g.A.2. Dresses self w/ limited assista G1gA2	Dresses self and applies prosthesis with		45600-4	DRESSING - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
- · · · · · · · · · · · · · · · · · · ·		SNOMED CT	129039006	Needs help with dressing (finding)
G1.g.A.3. Dresses self w/ extensive ass G1gA3	Dresses self and applies prosthesis with		45600-4	DRESSING - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
c c		SNOMED CT	129039006	Needs help with dressing (finding)
G1.g.A.4. Dressing totally dependent G1gA4	Clothing and prosthesis only with assist	t: LOINC	45600-4	DRESSING - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
		SNOMED CT	129065005	Dependent for dressing (finding)
G1.g.A.8. No dressing during entire 7-da G1gA8	No wearing of street clothes or prosthes		45600-4	DRESSING - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
		SNOMED CT	284976004	Does not dress (finding)
G1.g.B. Dressing support provided G1gB				
G1.g.B.0. Dressing requires no setup or G1gB0	No setup or physical help needed to dre		45601-2	DRESSING - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.g.B.1. Dressing requires setup help (G1gB1	Setup help needed to dress self or appl	SNOMED CT	129035000 45601-2	Independent with dressing (finding) DRESSING - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.g.B.2. Dressing requires one person G1gB2	Assistance from one person needed to		45601-2	DRESSING - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.g.B.3. Dressing requires two+ persor G1gB3	Assistance from 2 or more persons nee		45601-2 45601-2	DRESSING - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.g.B.8. No dressing occurred during cG1gB8	Did not dress or apply prosthesis	LOINC	45601-2 45601-2	DRESSING - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
O 1.g.b.o. No drossing occurred during to 1gbo	Did not dross of apply prostriosis	SNOMED CT	284976004	Does not dress (finding)
G1.h. Eating self-perf./support G1h		0.1025 01	201010001	2000 not dropp (midnig)
G1.h.A. Eating self-performance G1hA				
G1.h.A.0. Eats independently G1hA0	Eats independently	LOINC	45602-0	EATING - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
		SNOMED CT	165224005	Independent feeding (finding)
G1.h.A.1. Eats w/ supervision G1hA1	Eats with occasional cueing and/or assi	is LOINC	45602-0	EATING - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
		SNOMED CT	165223004	Needs help with feeding (finding)
G1.h.A.2. Eats w/ limited assistance G1hA2	Eats with physical help	LOINC	45602-0	EATING - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
041.40.54.7.4.1	E	SNOMED CT	289004002	Difficulty feeding self (finding)
G1.h.A.3. Eats w/ extensive assistance G1hA3	Eats with extensive assistance	LOINC	45602-0	EATING - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
G1.h.A.4. Eating totally dependent G1hA4	Food and fluids only with assistance	SNOMED CT LOINC	289004002 45602-0	Difficulty feeding self (finding) EATING - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
G1.h.A.4. Eating totally dependent G1hA4	Food and fluids only with assistance	SNOMED CT	289003008	Does not feed self (finding)
G1.h.A.8. No eating during entire 7-day G1hA8	No intake of nourishment	LOINC	45602-0	EATING - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
G1.h.B. Eating support provided G1hB	140 make of flourishment	LONIO	40002 0	EXTINO GEET FERT ONWINGER IND. 1. 17 THEN THOM INDO
G1.h.B.0. Eating requires no setup or pt G1hB0	No setup or physical help needed to ea	t LOINC	45603-8	EATING - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
2 2 3 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		SNOMED CT	165224005	Independent feeding (finding)
G1.h.B.1. Eating requires setup help on G1hB1	Setup help needed to eat or drink	LOINC	45603-8	EATING - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
		SNOMED CT	165223004	Needs help with feeding (finding)
G1.h.B.2. Eating requires one person pt G1hB2	One person assistance needed to eat of		45603-8	EATING - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
		SNOMED CT	165223004	Needs help with feeding (finding)
G1.h.B.3. Eating requires two+ persons G1hB3	2 or more person assistance needed to		45603-8	EATING - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
		SNOMED CT	165223004	Needs help with feeding (finding)
G1.h.B.8. No eating during entire 7-day G1hB8	No intake of nourishment	LOINC	45603-8	EATING - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.i. Toilet use self-perf./support G1i				
G1.i.A. Toilet use self-performance G1iA G1.i.A.0. Uses toilet independently G1iA0	Manages all aspects of elimination inde	er LOINC	45604-6	TOILET USE - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
O 1.1.7 t. 0. O 363 tollet independently G IIA0	manages an aspects of eminifiation inde	SNOMED CT	284900006	Able to perform toileting activities (finding)
G1.i.A.1. Uses toilet w/ supervision G1iA1	Manages all aspects of elimination with		45604-6	TOILET USE - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
		SNOMED CT	284900006	Able to perform toileting activities (finding)
G1.i.A.2. Uses toilet w/ limited assistanc G1iA2	Manages all aspects of elimination with	LOINC	45604-6	TOILET USE - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
		SNOMED CT	129045003	Needs help in toilet (finding)
G1.i.A.3. Uses toilet w/ extensive assist: G1iA3	Requires extensive assistance for all as		45604-6	TOILET USE - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
		SNOMED CT	284905001	Difficulty performing toileting activities (finding)
G1.i.A.4. Toilet use totally dependent G1iA4	All aspects of elimination only with assis		45604-6	TOILET USE - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
		SNOMED CT	284901005	Unable to perform toileting activities (finding)
G1.i.A.8. No toilet use during entire 7-da G1iA8	No toileting	LOINC SNOMED CT	45604-6	TOILET USE - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
G1 i P. Toilet use support provided G1IP		SNOWEDCI	284902003	Does perform toileting activities (finding)
G1.i.B. Toilet use support provided G1IB G1.i.B.0. Toilet use requires no setup or G1IB0	No setup or physical help needed for ar	n I OINC	45605-3	TOILET USE - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
OT.I.B.O. Tollet use requires no setup of OTIBO	No setup of physical help needed for al	SNOMED CT	129062008	Independent in toilet (finding)
G1.I.B.1. Toilet use requires setup help G1IB1	Setup help needed to manage aspects		45605-3	TOILET USE - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
2 John and Joquines Solap Help Offish	TITE HOLD HOUSE TO MANAGE deposits	SNOMED CT	129045003	Needs help in toilet (finding)
G1.I.B.2. Toilet use requires one person G1IB2	Assistance from one person needed to		45605-3	TOILET USE - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
		SNOMED CT	129045003	Needs help in toilet (finding)
G1.I.B.3. Toilet use requires two+ perso G1IB3	Assistance from two or more persons n		45605-3	TOILET USE - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
		SNOMED CT	129045003	Needs help in toilet (finding)
G1.I.B.8. No toilet use during entire 7-da G1IB8	No toileting	LOINC	45605-3	TOILET USE - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.j. Personal hygiene self-perf./suppor G1j				

G1.j.A. Personal hygiene self performan G1jA		1000	45000.4	DEDOCNAL LIVOIENE OF E DEDECOMANIOS SIND DE ADATISMENTANDA MADO
G1.j.A.0. Independent personal hygiene G1jA0	Maintains personal hygiene independen		45606-1	PERSONAL HYGIENE - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
C1 i A 1 Derechal hygians w/ supervisis C1iA1		SNOMED CT	284782007	Does perform personal hygiene activity (finding)
G1.j.A.1. Personal hygiene w/ supervisic G1jA1	Maintains personal hygiene with occasion		45606-1	PERSONAL HYGIENE - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
C4 : A C B b		SNOMED CT	284780004	Able to perform personal hygiene activity (finding)
G1.j.A.2. Personal hygiene w/ limited as G1jA2	Maintains personal hygiene with physica		45606-1	PERSONAL HYGIENE - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
04:40 B		SNOMED CT	284966002	Difficulty maintaining standard of personal hygiene (finding)
G1.j.A.3. Personal hygiene w/ extensive G1jA3	Maintains personal hygiene with extensi		45606-1	PERSONAL HYGIENE - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
		SNOMED CT	284966002	Difficulty maintaining standard of personal hygiene (finding)
G1.j.A.4. Personal hygiene totally deper G1jA4		LOINC	45606-1	PERSONAL HYGIENE - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
		SNOMED CT	284963005	Unable to maintain standard of personal hygiene (finding)
G1.j.A.8. No personal hygiene during er G1jA8		LOINC	45606-1	PERSONAL HYGIENE - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
		SNOMED CT	284783002	Does not perform personal hygiene activity (finding)
G1.j.B. Personal hygiene support provid G1jB				
G1.j.B.0. Personal hygiene requires no (G1jB0	No setup or physical help needed for pe		45607-9	PERSONAL HYGIENE - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
		SNOMED CT	284780004	Able to perform personal hygiene activity (finding)
G1.j.B.1. Personal hygiene requires sett G1jB1	Setup help needed for personal hygiene		45607-9	PERSONAL HYGIENE - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
		SNOMED CT	284780004	Able to perform personal hygiene activity (finding)
G1.j.B.2. Personal hygiene requires one G1jB2	One person assistance needed for personal		45607-9	PERSONAL HYGIENE - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.j.B.3. Personal hygiene requires two G1jB3	2 or more person assistance needed for	LOINC	45607-9	PERSONAL HYGIENE - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G1.j.B.8. No personal hygiene during er G1jB8		LOINC	45607-9	PERSONAL HYGIENE - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
		SNOMED CT	284783002	Does not perform personal hygiene activity (finding)
G2. Bathing G2				
G2.A. Bathing self performance G2A				
G2.A.0. Bathes independently G2A0	Bathes independently	LOINC	45608-7	BATHING - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
		SNOMED CT	129041007	Independent bathing (finding)
G2.A.1. Bathes w/ supervision G2A1	Bathes with occasional cueing	LOINC	45608-7	BATHING - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
		SNOMED CT	129040008	Bathing assisted (finding)
G2.A.2. Bathes w/ physical help for tran: G2A2	Bathes with physical help for transfer on	LOINC	45608-7	BATHING - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
		SNOMED CT	165239006	Minimal help: chair/bed transfer (finding)
G2.A.3. Requires physical help in part o G2A3	Needs physical help for transfer and bat	LOINC	45608-7	BATHING - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
,		SNOMED CT	129040008	Bathing assisted (finding)
G2.A.4. Bathing totally dependent G2A4	Bathing totally dependent	LOINC	45608-7	BATHING - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
· , .		SNOMED CT	129043005	Dependent for bathing (finding)
G2.A.8. No bathing during entire 7-day r G2A8	No bathing	LOINC	45608-7	BATHING - SELF-PERFORMANCE:FIND:PT:^PATIENT:NOM:MDS
G2.B. Bathing support provided G2B	ŭ			
G2.B.0. Bathing requires no setup or ph G2B0	No setup or physical help needed for ba	LOINC	45609-5	BATHING - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
•		SNOMED CT	129041007	Independent bathing (finding)
G2.B.1. Bathing requires setup help only G2B1	Setup help needed for bathing	LOINC	45609-5	BATHING - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
3 - 1 - 1 - 1 - 1		SNOMED CT	129040008	Bathing assisted (finding)
G2.B.2. Bathing requires one person ph G2B2	Assistance from one person needed for		45609-5	BATHING - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
g q p p		SNOMED CT	129040008	Bathing assisted (finding)
G2.B.3. Bathing requires two+ persons G2B3	Assistance from 2 or more persons need		45609-5	BATHING - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
		SNOMED CT	129040008	Bathing assisted (finding)
G2.B.8. No bathing during entire 7-day r G2B8		LOINC	45609-5	BATHING - SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
G3. Test for Balance G3	110 balling	200	10000 0	BATTIMO COLLECTION DEBITIMOS. IL PATIENTI MOSISSI
G3.a. Balance while standing G3a				
G3.a.0. Maintained position as required G3a0	Maintained standing position	LOINC	45610-3	BALANCE WHILE STANDING:FIND:PT:^PATIENT:NOM:MDS
Colaio: Mamamou poolion ao roquirou Codo		SNOMED CT	282855009	Does maintain a standing position (finding)
G3.a.1. Unsteady, able to rebalance G3a1	Unsteady while standing but gains balar		249990003	Unsteady when standing (finding)
G3.a.2. Partial physical support during t G3a2	Needs physical support to stand or does		45610-3	BALANCE WHILE STANDING:FIND:PT:^PATIENT:NOM:MDS
OS.a.z. Fartial physical support during trobaz		SNOMED CT	282856005	Does not maintain a standing position (finding)
G3.a.3. Not able to attempt test without G3a3	Not able to attempt standing test withou		45610-3	BALANCE WHILE STANDING:FIND:PT:^PATIENT:NOM:MDS
Solato. Not able to attempt test without OSas		SNOMED CT	282320002	Does not stand alone (finding)
G3.b. Balance while sitting G3b		S SIMED OT	_52525552	2000 not otalia alono (ilitalily)
G3.b.0. Maintained position as required G3b0	Maintained sitting position	LOINC	45523-8	BALANCE WHILE SITTING:FIND:PT:^PATIENT:ORD:MDS
Co.b.o. Maintained position as required Gobb	31	SNOMED CT	282861007	Does maintain a sitting position (finding)
G3.b.1. Unsteady, able to rebalance G3b1	Unsteady while sitting but gains balance		202001007	Does maintain a sitting position (infamily)
G3.b.2. Partial physical support during t G3b2	Needs physical support to sit or does no		45523-8	BALANCE WHILE SITTING:FIND:PT:^PATIENT:ORD:MDS
Co.b.z. Fartar physical support during troobz		SNOMED CT	282862000	Does not maintain a sitting position (finding)
G3.b.3. Not able to attempt test without G3b3	Not able to attempt sitting test without p		45523-8	BALANCE WHILE SITTING:FIND:PT:^PATIENT:ORD:MDS
G4. Functional limitation in range of mot G4	real able to attempt sitting test without p	LONIO	40020 0	DADANGE WHILE GITTING HIND IT I TANIENT OND INDO
G4.a. Range of motion in neck G4a				
G4.a.A. Range of motion limitation in ne G4aA				
G4.a.A.0. No limitation in range of motio G4aA0	No limitation in range of motion of neck	LOINC	45524-6	RANGE OF MOTION:FIND:PT:NECK:ORD:MDS
G4.a.A.1. Limitation of range of motion cG4aA1	Limitation of range of motion on one side		45524-6 45524-6	RANGE OF MOTION:FIND:PT:NECK:ORD:MDS RANGE OF MOTION:FIND:PT:NECK:ORD:MDS
G4.a.A.2. Limitation of range of motion (G4aA2	Limitation of range of motion on both sic		45524-6	RANGE OF MOTION:FIND:PT:NECK:ORD:MDS
G4.a.B. Voluntary movement of neck G4aB	Limitation of range of motion on both Sic	LONVO	- 3324-0	MANUE OF INICTION, FIND, FT. NECK, OKD. INIDO
G4.a.B.0. No loss of voluntary movemer G4aB0	No loss of voluntary movement of neck	LOINC	45525-3	VOLUNTARY MOVEMENT:FIND:PT:NECK:ORD:MDS
G4.a.B.1. Partial loss of voluntary move G4aB1	Partial loss of voluntary movement of ne		45525-3 45525-3	VOLUNTARY MOVEMENT: FIND: PT: NECK: ORD: MDS VOLUNTARY MOVEMENT: FIND: PT: NECK: ORD: MDS
G4.a.B.2. Full loss of voluntary moveme G4aB2	Full loss of voluntary movement of neck		45525-3	VOLUNTARY MOVEMENT: FIND: PT: NECK: ORD: MIDS VOLUNTARY MOVEMENT: FIND: PT: NECK: ORD: MIDS
G4.b. Range of motion in arm G4b	i un loss of voluntary movement of neck	LONG	40020-0	VOLONTANT WICVEWENT.FIND.FT.INECN.UND.WIDS
G4.b. Range of motion in arm G4b G4.b.A. Range of motion limitation in ari G4bA				
G4.b.A.0. No limitation of range of motic G4bA0	No limitation of range of motion of arm, s	shoulder olbow		
Gb.A.G. NO limitation of range of motic G4DA0	ino initiation of range of motion of arm, s	oriodiuer, elbow		

G4.b.A.1. Limitation of range of motion	G4bA1
G4.b.A.2. Limitation of range of motion	G4bA2
G4.b.B. Voluntary movement of arm, sh	G4bB
G4.b.B.0. No loss of voluntary movement	G4bB0
G4.b.B.1. Partial loss of voluntary move	G4bB1
G4.b.B.2. Full loss of voluntary movement	
G4.c. Range of motion in hand, wrist, fir	G4c
G4.c.A. Range of motion limitation in ha	G4cA
G4.c.A.0. No limitation of range of motion	
G4.c.A.1. Limitation of range of motion	
G4CA.2. Limitation of range of motion of	
G4.c.B. Voluntary movement of hand, w	
G4.c.B.0. No loss of voluntary movemen	
G4.c.B.1. Partial loss of voluntary move	
G4.c.B.2. Full loss of voluntary moveme	
G4.d. Range of motion in leg, hip, knee	
G4.d.A. Range of motion limitation in leg	
G4.d.A.0. No limitation of range of motion	
G4.d.A.1. Limitation of range of motion	
G4.d.A.2. Limitation of range of motion	
G4.d.B. Voluntary movement of leg, hip	
G4.d.B.0. No loss of voluntary movemen	
G4.d.B.1. Partial loss of voluntary move G4.d.B.2. Full loss of voluntary movements	
G4.a.B.2. Full loss of voluntary movements G4.e. Range of motion in foot, ankle, to	
G4.e. Range of motion in root, ankle, to	
G4.e.B. Voluntary movement of foot, an	
G4.e.A.0. No limitation in range of motion	
G4.e.A.1. Limitation in range of motion	
G4.e.A.2. Limitation of range of motion of	
G4.e.B.0. No loss of voluntary movement	
G4.e.B.1. Partial loss of voluntary move	
G4.e.B.2. Full loss of voluntary moveme	
G4.f. Other limitation of range of motion	
G4.f.A. Limitation of range of motion of	
G4.f.B. Voluntary movement of other bo	
G4.f.A.0. No limitation of range of motio	
G4.f.A.1. Limitation of range of motion of	
G4.f.A.2. Limitation of range of motion of	
G4.f.B.0. No loss of voluntary movemen	
G4.f.B.1. Partial loss of voluntary mover	
G4.f.B.2. Full loss of voluntary moveme	
G5. Modes of Locomotion	G5
G5.a. Cane/walker/crutch	G5a

G5.b. Wheeled self	G5b
G5.c. Other person wheeled	G5c
G5.d. Wheelchair primary mode of loco	r G5d

G5.e. NONE OF ABOVE	G5e
G6. Modes of Transfer	G6
G6.a. Bedfast all or most of time	G6a
G6.b. Bed rails used for bed mobility	G6b
G6.c. Lifted manually	G6c
G6.d. Lifted mechanically	G6d
G6.e. Transfer aid G6.f. NONE OF ABOVE G7. Task Segmentation G7.0. No G7.0. No G7.1. Yes G7.2 UTD G8. ADL Functional Rehab Potential G8.a. Resident believes he/she is capa G8.b. Direct care staff believe resident G8.c. Resident able to perform tasks/a G8.d. Difference in ADL Self-Performan	i: G8b c: G8c

Limitation of range of motion on one side of arm, shoulder, elbov Limitation of range of motion on both sides of arm, shoulder, elb

No loss of voluntary movement of arm, shoulder, elbow Partial loss of voluntary movement of arm, shoulder, elbow Full loss of voluntary movement of arm, shoulder, elbow

No limitation of range of motion of hand, wrist, fingers Limitation of range of motion on one side of hand, wrist, fingers Limitation of range of motion on both sides of hand, wrist, finger

No loss of voluntary movement of hand, wrist, fingers Partial loss of voluntary movement of hand, wrist, fingers Full loss of voluntary movement of hand, wrist, fingers

No limitation of range of motion of leg, hip, knee Limitation of range of motion on one side of leg, hip, knee Limitation of range of motion on both sides of leg, hip, knee

No loss of voluntary movement of leg, hip, knee Partial loss of voluntary movement of leg, hip, knee Full loss of voluntary movement of leg, hip, knee

No limitation in range of motion of foot, ankle, toes Limitation of range of motion on one side of foot, ankle, toes Limitation in range of motion on both sides of foot, ankle, toes No loss of voluntary movement of foot, ankle, toes Partial loss of voluntary movement of foot, ankle, toes Full loss of voluntary movement of foot, ankle, toes

No limitation of range of motion of other LO Limitation of range of motion on one sid LO Limitation of range of motion on both sic LO closs of voluntary movement of other LO Partial loss of voluntary movement of oth	DINC 45534-5 DINC 45534-5 DINC 45535-2 DINC 45535-2	OTHER - RANGE OF MOTION:FIND:PT:^PATIENT:ORD:MDS OTHER - RANGE OF MOTION:FIND:PT:^PATIENT:ORD:MDS OTHER - RANGE OF MOTION:FIND:PT:^PATIENT:ORD:MDS OTHER - VOLUNTARY MOVEMENT:FIND:PT:^PATIENT:ORD:MDS OTHER - VOLUNTARY MOVEMENT:FIND:PT:^PATIENT:ORD:MDS OTHER - VOLUNTARY MOVEMENT:FIND:PT:^PATIENT:ORD:MDS
Locomotion via cane, walker and/or crut LO Uses cane, walker and/or crutch SN Locomotion via cane, walker and/or crut SN Uses cane, walker and/or crutch SN Locomotion via cane, walker and/or crut SN Locomotion via cane, walker LO	IOMED CT 301570003 IOMED CT 301570003 IOMED CT 365112008 IOMED CT 365112008 IOMED CT 45537-8	USES CANE, WALKER OR CRUTCH:FIND:PT:^PATIENT:ORD:MDS USES CANE, WALKER OR CRUTCH:FIND:PT:^PATIENT:ORD:MDS Able to mobilize using mobility aids (finding) Able to mobilize using mobility aids (finding) Finding of walking aid use (finding) Finding of walking aid use (finding) WHEELED SELF:FIND:PT:^PATIENT:ORD:MDS
Locomotion via other person wheeled LO SN Wheelchair primary mode of locomotion LO SN	IOMED CT 165243005 DINC 45538-6 IOMED CT 413121008 ISINC 45539-4 IOMED CT 225612007 DINC 45540-2	Independent in wheelchair (finding) OTHER PERSON WHEELED:FIND:PT:^PATIENT:ORD:MDS Dependent on helper pushing wheelchair (finding) USES WHEELCHAIR FOR PRIMARY LOCOMOTION:FIND:PT:^PATIENT:ORD:MDS Wheelchair bound (finding) NO MODES OF LOCOMOTION:FIND:PT:^PATIENT:ORD:MDS
	DINC 45541-0 NOMED CT 160685001	BEDFAST ALL OR MOST OF THE TIME:FIND:PT:^PATIENT:ORD:MDS Bed-ridden (finding)
Bed rails are used for bed mobility Is lifted manually Is lifted mechanically Slide board, trapeze, cane, walker, brac LO	DINC 45542-8 DINC 45543-6 DINC 45544-4 DINC 276734006	BED RAILS FOR BED MOBILITY OR TRANSFER:FIND:PT:^PATIENT:ORD:MDS LIFTED MANUALLY:FIND:PT:^PATIENT:ORD:MDS LIFTED MECHANICALLY:FIND:PT:^PATIENT:ORD:MDS Mechanical assistance (qualifier value) TRANSFER AID:FIND:PT:^PATIENT:ORD:MDS NO MODE OF TRANSFER:FIND:PT:^PATIENT:ORD:MDS
No ADL activities were broken into subt LO ADL activities were broken into subtask: LO UTD if ADL activities were broken into s LO	DINC 45611-1	TASK SEGMENTATION:FIND:PT:^PATIENT:ORD:MDS TASK SEGMENTATION:FIND:PT:^PATIENT:ORD:MDS TASK SEGMENTATION:FIND:PT:^PATIENT:ORD:MDS
Resident believes he/she is capable of i LO Direct care staff believe resident is capa LO Resident able to perform tasks/activity b LO There is a difference in ADL Self-Performar	DINC 45613-7 DINC 45614-5	RESIDENT SEES INCREASED INDEPENDENCE CAPABILITY:FIND:PT:^PATIENT:ORD:MDS STAFF SEES INCREASED INDEPENDENCE CAPABILITY:FIND:PT:^PATIENT:ORD:MDS RESIDENT SLOW PERFORMING TASKS OR ACTIVITY:FIND:PT:^PATIENT:ORD:MDS

G8.e. NONE OF ABOVE G9. Change in ADL Function	G8e G9		LOINC	45616-0	ACTIVITIES OF DAILY LIVING REHABILITATION POTENTIAL - NONE OF ABOVE:FIND:PT:^PATIENT:ORD:MDS
G9.0. No change	G90	No change in resident's ADL self-perfo	rr LOINC	45617-8	CHANGE IN ACTIVITIES OF DAILY LIVING FUNCTION:FIND:PT:^PATIENT:NOM:MDS
G9.1. Improved	G91	Improvement in resident's ADL self-per		45617-8	CHANGE IN ACTIVITIES OF DAILY LIVING FUNCTION:FIND:PT:^PATIENT:NOM:MDS
G9.2. Deteriorated G9.3 UTD	G92 G93	Deterioration of resident's ADL self-per UTD change in resident's ADL self-per		45617-8	CHANGE IN ACTIVITIES OF DAILY LIVING FUNCTION:FIND:PT:^PATIENT:NOM:MDS
SECTION H: CONTINENCE IN LAST		OTD change in resident's ADL sell-per	iornance status		
H1. Continence Self-Control Categorie					
H1.a. Bowel continence	H1a	0 111 1 15 15	(1.01).0	45040.0	DOWEL CONTINUENCE FIND DE ADATIENT NOMANDO
H1.a.0. Continent	H1a0	Complete bowel control [includes use of	SNOMED CT	45618-6 405000000	BOWEL CONTINENCE:FIND:PT:^PATIENT:NOM:MDS Ability to maintain bowel continence (observable entity)
			SNOMED CT	406217005	Bowel continence status (observable entity)
			SNOMED CT	24029004	Bowels: fully continent (finding)
			SNOMED CT	129023004	Continence independent (finding)
			SNOMED CT SNOMED CT	300387008 129020001	Finding of bowel continence (finding) Maintaining continence (observable entity)
			SNOMED CT	55019002	Normal bowel habits (finding)
H1.a.1. Usually Continent	H1a1	Has episodes of bowel incontinence	LOINC	45618-6	BOWEL CONTINENCE:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	207147008	[D]Change in bowel habit (situation)
			SNOMED CT SNOMED CT	129851009 88111009	Alteration in bowel elimination (finding) Altered bowel function (finding)
			SNOMED CT	277818007	Anxiety about losing control of bowels (finding)
			SNOMED CT	417476007	Bowel continence assessment (regime/therapy)
			SNOMED CT	129008009	Bowel control, function (observable entity)
			SNOMED CT	235594008	Bowel dysfunction (disorder)
			SNOMED CT SNOMED CT	386223004 386224005	Bowel incontinence care (regime/therapy) Bowel incontinence care: encopresis (regime/therapy)
			SNOMED CT	309615009	Bowel problem (finding)
			SNOMED CT	385976008	Bowel training (regime/therapy)
			SNOMED CT	385704001	Bowel training assessment (regime/therapy)
			SNOMED CT SNOMED CT	385705000 385977004	Bowel training education (procedure) Bowel training management (procedure)
			SNOMED CT	281044007	Bowels incontinence assessment (regime/therapy)
			SNOMED CT	165230005	Bowels: occasional accident (finding)
			SNOMED CT	249521002	Frequency of bowel action (observable entity)
			SNOMED CT SNOMED CT	72042002 422291001	Incontinence of feces (finding) Number of bowel incontinence episodes (observable entity)
H1.a.2. Occasionally Incontinent	H1a2	Bowel incontinent episodes once a we-	elLOINC	45618-6	BOWEL CONTINENCE:FIND:PT:^PATIENT:NOM:MDS
H1.a.2. Occasionally incontinent	H1a2	Bowel incontinent episodes once a we	SNOMED CT	207147008	BOWEL CONTINENCE:FIND:PT:^PATIENT:NOM:MDS [D]Change in bowel habit (situation)
H1.a.2. Occasionally Incontinent	H1a2	Bowel incontinent episodes once a we	SNOMED CT SNOMED CT	207147008 129851009	BOWEL CONTINENCE:FIND:PT:^PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding)
H1.a.2. Occasionally incontinent	H1a2	Bowel incontinent episodes once a we	SNOMED CT SNOMED CT SNOMED CT	207147008 129851009 88111009	BOWEL CONTINENCE:FIND:PT:^PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Altered bowel function (finding)
H1.a.2. Occasionally incontinent	H1a2	Bowel incontinent episodes once a we	SNOMED CT SNOMED CT	207147008 129851009	BOWEL CONTINENCE:FIND:PT:^PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding)
H1.a.2. Occasionally Incontinent	H1a2	Bowel incontinent episodes once a we	SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT	207147008 129851009 88111009 277818007 417476007 129008009	BOWEL CONTINENCE:FIND:PT:-PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Altered bowel function (finding) Anxiety about losing control of bowels (finding) Bowel continence assessment (regime/therapy) Bowel control, function (observable entity)
H1.a.2. Occasionally incontinent	H1a2	Bowel incontinent episodes once a we	SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT	207147008 129851009 88111009 277818007 417476007 129008009 235594008	BOWEL CONTINENCE:FIND:PT:^PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Altered bowel function (finding) Anxiety about losing control of bowels (finding) Bowel continence assessment (regime/therapy) Bowel control, function (observable entity) Bowel dysfunction (disorder)
H1.a.2. Occasionally Incontinent	H1a2	Bowel incontinent episodes once a we	SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT	207147008 129851009 88111009 277818007 417476007 129008009 235594008 386223004	BOWEL CONTINENCE:FIND:PT:^PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Altered bowel function (finding) Anxiety about losing control of bowels (finding) Bowel contrience assessment (regime/therapy) Bowel control, function (observable entity) Bowel dysfunction (disorder) Bowel incontinence care (regime/therapy)
H1.a.2. Occasionally incontinent	H1a2	Bowel incontinent episodes once a we	SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT	207147008 129851009 88111009 277818007 417476007 129008009 235594008	BOWEL CONTINENCE:FIND:PT:^PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Altered bowel function (finding) Anxiety about losing control of bowels (finding) Bowel continence assessment (regime/therapy) Bowel control, function (observable entity) Bowel dysfunction (disorder)
H1.a.2. Occasionally incontinent	H1a2	Bowel incontinent episodes once a we	SNOMED CT SNOMED CT	207147008 129851009 88111009 277818007 417476007 129008009 235594008 386223004 386224005 309615009 385976008	BOWEL CONTINENCE:FIND:PT:^PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Altered bowel function (finding) Anxiety about losing control of bowels (finding) Bowel continence assessment (regime/therapy) Bowel control, function (observable entity) Bowel dysfunction (disorder) Bowel incontinence care (regime/therapy) Bowel incontinence care: encopresis (regime/therapy) Bowel problem (finding) Bowel training (regime/therapy)
H1.a.2. Occasionally incontinent	H1a2	Bowel incontinent episodes once a we	SNOMED CT SNOMED CT	207147008 129851009 88111009 277818007 417476007 129008009 235594008 386223004 386224005 309615009 385976008 385704001	BOWEL CONTINENCE:FIND.PT:-PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Altered bowel function (finding) Anxiety about losing control of bowels (finding) Bowel continence assessment (regime/therapy) Bowel control, function (observable entity) Bowel dysfunction (disorder) Bowel incontinence care: encopresis (regime/therapy) Bowel incontinence care: encopresis (regime/therapy) Bowel training (regime/therapy) Bowel training (regime/therapy) Bowel training assessment (regime/therapy)
H1.a.2. Occasionally incontinent	H1a2	Bowel incontinent episodes once a we	SNOMED CT	207147008 129851009 277818007 417476007 129008009 235594008 386223004 386224005 309615009 385776008 385704001 385705000	BOWEL CONTINENCE:FIND:PT:-PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Altered bowel function (finding) Anxiety about losing control of bowels (finding) Bowel continence assessment (regime/therapy) Bowel control, function (observable entity) Bowel dysfunction (disorder) Bowel incontinence care (regime/therapy) Bowel incontinence care: encopresis (regime/therapy) Bowel problem (finding) Bowel training (regime/therapy) Bowel training (regime/therapy) Bowel training deducation (procedure)
H1.a.2. Occasionally incontinent	H1a2	Bowel incontinent episodes once a we	SNOMED CT	207147008 129851009 88111009 277818007 417476007 129008009 235594008 386223004 386224005 309615009 385976008 385704001	BOWEL CONTINENCE:FIND.PT-YPATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Altered bowel function (finding) Anxiety about losing control of bowels (finding) Bowel continence assessment (regime/therapy) Bowel control, function (observable entity) Bowel dysfunction (disorder) Bowel incontinence care: encopresis (regime/therapy) Bowel incontinence care: encopresis (regime/therapy) Bowel training (regime/therapy) Bowel training (regime/therapy) Bowel training assessment (regime/therapy)
H1.a.2. Occasionally incontinent	H1a2	Bowel incontinent episodes once a we	SNOMED CT	207147008 129851009 88111009 277818007 417476007 129008009 235594008 386223004 386224005 309615009 385976008 385704001 385975000 385977004 281044007 165230005	BOWEL CONTINENCE:FIND:PT:-PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Altered bowel function (finding) Anxiety about losing control of bowels (finding) Bowel continence assessment (regime/therapy) Bowel control, function (observable entity) Bowel dysfunction (disorder) Bowel incontinence care (regime/therapy) Bowel incontinence care: encopresis (regime/therapy) Bowel problem (finding) Bowel training (regime/therapy) Bowel training assessment (regime/therapy) Bowels conotinence assessment (regime/therapy) Bowels conotinence assessment (regime/therapy) Bowels: occasional accident (finding)
H1.a.2. Occasionally incontinent	H1a2	Bowel incontinent episodes once a we	SNOMED CT SNOMED CT	207147008 129851009 88111009 277818007 417476007 129008009 235594008 386223004 386224005 309615009 385976008 3857704001 385705000 385977004 281044007 185230005 249521002	BOWEL CONTINENCE:FIND:PT:-PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Altered bowel function (finding) Anxiety about losing control of bowels (finding) Bowel continence assessment (regime/therapy) Bowel control, function (observable entity) Bowel dysfunction (disorder) Bowel incontinence care (regime/therapy) Bowel incontinence care: encopresis (regime/therapy) Bowel problem (finding) Bowel training (regime/therapy) Bowel training (regime/therapy) Bowel training deducation (procedure) Bowels incontinence assessment (regime/therapy) Bowels incontinence assessment (regime/therapy) Bowels cocasional accident (finding) Frequency of bowel action (observable entity)
H1.a.2. Occasionally incontinent	H1a2	Bowel incontinent episodes once a we	SNOMED CT	207147008 129851009 88111009 277818007 417476007 129008009 235594008 386223004 386224005 309615009 385976008 385704001 385705000 385977004 281044007 165230005 249521002 72042002	BOWEL CONTINENCE:FIND.PT:-PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Altered bowel function (finding) Anxiety about losing control of bowels (finding) Bowel continence assessment (regime/therapy) Bowel control, function (observable entity) Bowel dysfunction (disorder) Bowel incontinence care: encopresis (regime/therapy) Bowel incontinence care: encopresis (regime/therapy) Bowel problem (finding) Bowel training (regime/therapy) Bowel training assessment (regime/therapy) Bowel training assessment (regime/therapy) Bowel training anagement (procedure) Bowels incontinence assessment (regime/therapy) Bowels training aducation (procedure) Bowels: occasional accident (finding) Frequency of bowel action (observable entity) Incontinence of feces (finding)
H1.a.2. Occasionally incontinent H1.a.3. Frequently Incontinent	H1a2	Bowel incontinent episodes once a well-	SNOMED CT SNOMED CT	207147008 129851009 88111009 277818007 417476007 129008009 235594008 386223004 386224005 309615009 385976008 3857704001 385705000 385977004 281044007 185230005 249521002	BOWEL CONTINENCE:FIND:PT:-PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Altered bowel function (finding) Anxiety about losing control of bowels (finding) Bowel continence assessment (regime/therapy) Bowel control, function (observable entity) Bowel dysfunction (disorder) Bowel incontinence care (regime/therapy) Bowel incontinence care: encopresis (regime/therapy) Bowel problem (finding) Bowel training (regime/therapy) Bowel training (regime/therapy) Bowel training deducation (procedure) Bowels incontinence assessment (regime/therapy) Bowels incontinence assessment (regime/therapy) Bowels cocasional accident (finding) Frequency of bowel action (observable entity)
			SNOMED CT	207147008 129851009 88111009 277818007 417476007 129008009 235594008 386223004 386223004 386224005 309615009 385976008 385770001 281044007 165230005 249521002 72042002 422291001 45618-6 207147008	BOWEL CONTINENCE:FIND.PT:^PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Altered bowel function (finding) Anxiety about losing control of bowels (finding) Bowel continence assessment (regime/therapy) Bowel control, function (observable entity) Bowel dysfunction (disorder) Bowel incontinence care: encopresis (regime/therapy) Bowel problem (finding) Bowel problem (finding) Bowel training (regime/therapy) Bowel training (regime/therapy) Bowel training assessment (regime/therapy) Bowel training assessment (regime/therapy) Bowel training and cucation (procedure) Bowels incontinence assessment (regime/therapy) Bowels incontinence assessment (regime/therapy) Bowels occasional accident (finding) Frequency of bowel action (observable entity) Incontinence of feces (finding) Number of bowel incontinence episodes (observable entity) BOWEL CONTINENCE:FIND:PT:^PATIENT:NOM:MDS [D]Change in bowel habit (situation)
			SNOMED CT	207147008 129851009 88111009 277818007 417476007 129008009 235594008 386224005 309615009 385976008 385704001 385975000 385977004 281042002 422291001 45618-6 207147008 129851009	BOWEL CONTINENCE:FIND.PT:^PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Altered bowel function (finding) Anxiety about losing control of bowels (finding) Bowel continence assessment (regime/therapy) Bowel control, function (observable entity) Bowel dysfunction (disorder) Bowel incontinence care (regime/therapy) Bowel incontinence care (regime/therapy) Bowel problem (finding) Bowel training (regime/therapy) Bowel training (regime/therapy) Bowel training assessment (regime/therapy) Bowel training assessment (regime/therapy) Bowel training assessment (regime/therapy) Bowel training anagement (procedure) Bowel training management (procedure) Bowels incontinence assessment (regime/therapy) Bowels: occasional accident (finding) Frequency of bowel action (observable entity) Incontinence of feces (finding) Number of bowel incontinence episodes (observable entity) BOWEL CONTINENCE:FIND.PT:^PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding)
			SNOMED CT	207147008 129851009 88111009 277818007 417476007 129008009 235594008 386223004 386224005 309615009 385976008 385976000 3859776004 281044007 185230005 249521002 72042002 422291001 45618-6 207147008 88111009	BOWEL CONTINENCE:FIND:PT:^PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Anteration in bowel elimination (finding) Anxiety about losing control of bowels (finding) Bowel continence assessment (regime/therapy) Bowel control, function (observable entity) Bowel dysfunction (disorder) Bowel incontinence care (regime/therapy) Bowel incontinence care: encopresis (regime/therapy) Bowel problem (finding) Bowel training (regime/therapy) Bowel training assessment (regime/therapy) Bowel training assessment (regime/therapy) Bowel training assessment (regime/therapy) Bowels incontinence assessment (regime/therapy) Bowels incontinence assessment (regime/therapy) Bowels: occasional accident (finding) Frequency of bowel action (observable entity) Incontinence of feces (finding) Number of bowel incontinence episodes (observable entity) BOWEL CONTINENCE:FIND:PT:^PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding)
			SNOMED CT	207147008 129851009 88111009 277818007 417476007 129008009 235594008 386224005 309615009 385976008 385704001 385975000 385977004 281042002 422291001 45618-6 2071474008 8111009 8277818007 417476007	BOWEL CONTINENCE:FIND.PT:^PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Anxiety about losing control of bowels (finding) Bowel continence assessment (regime/therapy) Bowel control, function (observable entity) Bowel dysfunction (disorder) Bowel incontinence care (regime/therapy) Bowel incontinence care: encopresis (regime/therapy) Bowel problem (finding) Bowel training (regime/therapy) Bowel training gassessment (regime/therapy) Bowel training assessment (regime/therapy) Bowel training assessment (regime/therapy) Bowel training assessment (regime/therapy) Bowels incontinence assessment (regime/therapy) Bowels cocasional accident (finding) Frequency of bowel action (observable entity) Incontinence of feces (finding) Number of bowel incontinence episodes (observable entity) BOWEL CONTINENCE:FIND.PT:^PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Anxiety about losing control of bowels (finding) Bowel continence assessment (regime/therapy)
			SNOMED CT	207147008 129851009 88111009 277818007 417476007 129008009 235594008 386223004 386224005 309615009 385976008 385976008 385977004 281044007 165230005 249521002 72042002 422291001 45618-6 207147008 129851009 88111009 277818007 1129008009	BOWEL CONTINENCE:FIND.PT:-PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Anteration in bowel elimination (finding) Anxiety about losing control of bowels (finding) Bowel continence assessment (regime/therapy) Bowel control, function (observable entity) Bowel dysfunction (disorder) Bowel incontinence care (regime/therapy) Bowel incontinence care (regime/therapy) Bowel problem (finding) Bowel training (regime/therapy) Bowel training assessment (regime/therapy) Bowel training assessment (regime/therapy) Bowel training assessment (regime/therapy) Bowel training assessment (regime/therapy) Bowels incontinence assessment (regime/therapy) Bowels incontinence assessment (regime/therapy) Bowels: occasional accident (finding) Frequency of bowel action (observable entity) Incontinence of feces (finding) Number of bowel incontinence episodes (observable entity) BOWEL CONTINENCE:FIND.PT:-PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Anxiety about losing control of bowels (finding) Bowel continence assessment (regime/therapy) Bowel control, function (observable entity)
			SNOMED CT	207147008 129851009 88111009 277818007 417476007 129008009 235594008 386223004 386224005 309615009 385976008 3857704001 385705000 385977004 281044007 42821002 72042002 42229101 45618-6 207147008 129851009 277818007 417476007	BOWEL CONTINENCE:FIND.PT:-PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Altered bowel function (finding) Anxiety about losing control of bowels (finding) Bowel continence assessment (regime/therapy) Bowel control, function (observable entity) Bowel dysfunction (disorder) Bowel incontinence care: encopresis (regime/therapy) Bowel incontinence care: encopresis (regime/therapy) Bowel problem (finding) Bowel training (regime/therapy) Bowel training gasessment (regime/therapy) Bowel training assessment (regime/therapy) Bowel training assessment (regime/therapy) Bowels incontinence assessment (regime/therapy) Bowels incontinence assessment (regime/therapy) Bowels: occasional accident (finding) Frequency of bowel action (observable entity) Incontinence of feces (finding) Number of bowel incontinence episodes (observable entity) BOWEL CONTINENCE:FIND.PT:-PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Anxiety about losing control of bowels (finding) Bowel continence assessment (regime/therapy) Bowel contrience assessment (regime/therapy) Bowel dontrol, function (observable entity) Bowel dostron, function (observable entity)
			SNOMED CT	207147008 129851009 88111009 277818007 417476007 129008009 235594008 386223004 386224005 309615009 385976008 385976008 385977004 281044007 165230005 249521002 72042002 422291001 45618-6 207147008 129851009 88111009 277818007 1129008009	BOWEL CONTINENCE:FIND.PT:-PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Anteration in bowel elimination (finding) Anxiety about losing control of bowels (finding) Bowel continence assessment (regime/therapy) Bowel control, function (observable entity) Bowel dysfunction (disorder) Bowel incontinence care (regime/therapy) Bowel incontinence care (regime/therapy) Bowel problem (finding) Bowel training (regime/therapy) Bowel training assessment (regime/therapy) Bowel training assessment (regime/therapy) Bowel training assessment (regime/therapy) Bowel training assessment (regime/therapy) Bowels incontinence assessment (regime/therapy) Bowels incontinence assessment (regime/therapy) Bowels: occasional accident (finding) Frequency of bowel action (observable entity) Incontinence of feces (finding) Number of bowel incontinence episodes (observable entity) BOWEL CONTINENCE:FIND.PT:-PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Anxiety about losing control of bowels (finding) Bowel continence assessment (regime/therapy) Bowel control, function (observable entity)
			SNOMED CT	207147008 129851009 88111009 277818007 417476007 129008009 235594008 386224005 309615009 385976008 3857704001 3857704001 385975000 385977004 281044007 4281042002 422291001 45618-6 207147008 129851009 88111009 277818007 417476007 129008009 235594008 386223004 386223004 386223004 386223005 309615009	BOWEL CONTINENCE:FIND.PT:-PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Altered bowel function (finding) Anxiety about losing control of bowels (finding) Bowel control, function (observable entity) Bowel control, function (observable entity) Bowel dysfunction (disorder) Bowel incontinence care: encopresis (regime/therapy) Bowel incontinence care: encopresis (regime/therapy) Bowel problem (finding) Bowel training (regime/therapy) Bowel training gasessment (regime/therapy) Bowel training assessment (regime/therapy) Bowel training assessment (regime/therapy) Bowels incontinence assessment (regime/therapy) Bowels incontinence assessment (regime/therapy) Bowels: occasional accident (finding) Frequency of bowel action (observable entity) Incontinence of feces (finding) Number of bowel incontinence episodes (observable entity) BOWEL CONTINENCE::FIND.PT:-PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Anxiety about losing control of bowels (finding) Bowel continence assessment (regime/therapy) Bowel dontrol, function (observable entity) Bowel dysfunction (fisorder) Bowel incontinence care: encopresis (regime/therapy) Bowel incontinence care: encopresis (regime/therapy) Bowel incontinence care: encopresis (regime/therapy) Bowel problem (finding)
			SNOMED CT	207147008 129851009 277818007 417476007 129008009 235594008 386223004 386224005 309615009 385976008 385776008 385775000 385977004 281042002 422291001 45618-6 2071477008 129851009 88111009 277818007 417476007 129008009 235594008 386223004 386223004 386223004 386223004 386223004 386224005 309615009 385976008	BOWEL CONTINENCE:FIND.PT-YPATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Anxiety about losing control of bowels (finding) Bowel continence assessment (regime/therapy) Bowel control, function (observable entity) Bowel dysfunction (disorder) Bowel incontinence care (regime/therapy) Bowel incontinence care (regime/therapy) Bowel problem (finding) Bowel training (regime/therapy) Bowel training assessment (regime/therapy) Bowels cocasional accident (finding) Frequency of bowel action (observable entity) Incontinence of feces (finding) Number of bowel incontinence episodes (observable entity) BOWEL CONTINENCE:FIND.PT-YPATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Anxiety about losing control of bowels (finding) Bowel control, function (finding) Bowel control, function (observable entity) Bowel control, function (observable entity) Bowel ocontrol, function (observable entity) Bowel incontinence care (regime/therapy) Bowel incontinence care: encopresis (regime/therapy) Bowel incontinence care: encopresis (regime/therapy) Bowel problem (finding) Bowel training (regime/therapy)
			SNOMED CT	207147008 129851009 88111009 277818007 417476007 129008009 235594008 386223004 386224005 309615009 385976008 3857704001 385977004 281044007 165230005 249521002 72042002 422291001 45618-6 207147008 129851009 88111009 277818007 417476007 129008009 235594008 386223004 386224005 309615009 385976008 385976008	BOWEL CONTINENCE:FIND.PT:-PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Anxiety about losing control of bowels (finding) Bowel continence assessment (regime/therapy) Bowel control, function (observable entity) Bowel dysfunction (disorder) Bowel incontinence care (regime/therapy) Bowel incontinence care (regime/therapy) Bowel problem (finding) Bowel training (regime/therapy) Bowel training ducation (procedure) Bowel training assessment (regime/therapy) Bowel training assessment (regime/therapy) Bowel training assessment (regime/therapy) Bowels raining assessment (regime/therapy) Bowels rocontinence assessment (regime/therapy) Bowels cocasional accident (finding) Frequency of bowel action (observable entity) Incontinence of feces (finding) Number of bowel incontinence episodes (observable entity) BOWEL CONTINENCE:FIND.PT:-PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Anxiety about losing control of bowels (finding) Bowel control, function (observable entity) Bowel continence assessment (regime/therapy) Bowel continence care: encopresis (regime/therapy) Bowel incontinence care: encopresis (regime/therapy) Bowel problem (finding) Bowel training regime/therapy) Bowel training regime/therapy) Bowel training assessment (regime/therapy) Bowel training assessment (regime/therapy)
			SNOMED CT	207147008 129851009 277818007 417476007 129008009 235594008 386223004 386224005 309615009 385976008 385776008 385775000 385977004 281042002 422291001 45618-6 2071477008 129851009 88111009 277818007 417476007 129008009 235594008 386223004 386223004 386223004 386223004 386223004 386224005 309615009 385976008	BOWEL CONTINENCE:FIND.PT-YPATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Anxiety about losing control of bowels (finding) Bowel continence assessment (regime/therapy) Bowel control, function (observable entity) Bowel dysfunction (disorder) Bowel incontinence care (regime/therapy) Bowel incontinence care (regime/therapy) Bowel problem (finding) Bowel training (regime/therapy) Bowel training assessment (regime/therapy) Bowels cocasional accident (finding) Frequency of bowel action (observable entity) Incontinence of feces (finding) Number of bowel incontinence episodes (observable entity) BOWEL CONTINENCE:FIND.PT-YPATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Anxiety about losing control of bowels (finding) Bowel control, function (finding) Bowel control, function (observable entity) Bowel control, function (observable entity) Bowel ocontrol, function (observable entity) Bowel incontinence care (regime/therapy) Bowel incontinence care: encopresis (regime/therapy) Bowel incontinence care: encopresis (regime/therapy) Bowel problem (finding) Bowel training (regime/therapy)
			SNOMED CT	207147008 129851009 88111009 277818007 417476007 129008009 235594008 386224005 309615009 385976008 385704001 385704001 385704001 4281044007 165230005 249521002 72042002 422291001 45618-6 207147008 129851009 88111009 277818007 417476007 129008009 235594008 386224005 309615009 385976008 386976008	BOWEL CONTINENCE:FIND.PT:-PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Altered bowel function (finding) Anxiety about losing control of bowels (finding) Bowel continence assessment (regime/therapy) Bowel control, function (observable entity) Bowel dysfunction (disorder) Bowel incontinence care: encopresis (regime/therapy) Bowel incontinence care: encopresis (regime/therapy) Bowel problem (finding) Bowel training (regime/therapy) Bowel training gassessment (regime/therapy) Bowel training assessment (regime/therapy) Bowel training assessment (regime/therapy) Bowels incontinence assessment (regime/therapy) Bowels incontinence assessment (regime/therapy) Bowels: occasional accident (finding) Frequency of bowel action (observable entity) Incontinence of feces (finding) Number of bowel incontinence episodes (observable entity) BOWEL CONTINENCE:FIND.PT-PATIENT:NOM:MDS [D]Change in bowel habit (situation) Alteration in bowel elimination (finding) Anxiety about losing control of bowels (finding) Bowel contrinence assessment (regime/therapy) Bowel dontroin (fusorder) Bowel incontinence care (regime/therapy) Bowel problem (finding) Bowel training (regime/therapy) Bowel training (regime/therapy) Bowel training geducation (procedure)

			SNOMED CT SNOMED CT SNOMED CT	249521002 72042002 422291001	Frequency of bowel action (observable entity) Incontinence of feces (finding) Number of bowel incontinence episodes (observable entity)
H1.a.4. Incontinent	H1a4	Is incontinent	LOINC	45618-6	BOWEL CONTINENCE:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	207147008	[D]Change in bowel habit (situation)
			SNOMED CT	129851009	Alteration in bowel elimination (finding)
			SNOMED CT	88111009	Altered bowel function (finding)
			SNOMED CT	277818007	Anxiety about losing control of bowels (finding)
			SNOMED CT	417476007	Bowel continence assessment (regime/therapy)
			SNOMED CT	129008009	Bowel control, function (observable entity)
			SNOMED CT	235594008	Bowel dysfunction (disorder)
			SNOMED CT	386223004	Bowel incontinence care (regime/therapy)
			SNOMED CT	386224005	Bowel incontinence care: encopresis (regime/therapy)
			SNOMED CT	309615009	Bowel problem (finding)
			SNOMED CT	385976008	Bowel training (regime/therapy)
			SNOMED CT	385704001	Bowel training assessment (regime/therapy)
			SNOMED CT	385705000	Bowel training education (procedure)
			SNOMED CT	385977004	Bowel training management (procedure)
			SNOMED CT	281044007	Bowels incontinence assessment (regime/therapy)
			SNOMED CT	165230005	Bowels: occasional accident (finding)
			SNOMED CT	249521002	Frequency of bowel action (observable entity)
			SNOMED CT	72042002	Incontinence of feces (finding)
			SNOMED CT	422291001	Number of bowel incontinence episodes (observable entity)
H1.b. Bladder continence	H1b				
H1.b.0. Continent	H1b0	Complete bladder control [includes use		45619-4	BLADDER CONTINENCE:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	405002008	Ability to maintain urinary continence (observable entity)
			SNOMED CT	129046002	Continence - ADL (finding)
			SNOMED CT	129023004	Continence independent (finding)
			SNOMED CT	45850009	Continent of urine (finding)
			SNOMED CT	366279009	Finding of bladder control (finding)
	1141.4		SNOMED CT	129020001	Maintaining continence (observable entity)
H1.b.1. Usually Continent	H1b1	Has episodes of bladder incontinence	LOINC	45619-4	BLADDER CONTINENCE:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	150003	Abnormal bladder continence (finding)
			SNOMED CT	129692003	At risk for urge incontinence (finding)
			SNOMED CT	129029000	Continence assisted (finding)
			SNOMED CT	129077000	Continence dependent (finding)
			SNOMED CT	42643001	Disorder of urinary bladder (disorder)
			SNOMED CT	422058003	Number of urinary incontinence episodes (observable entity)
			SNOMED CT	305560006	Under care of continence nurse (finding)
			SNOMED CT	87557004	Urge incontinence of urine (finding)
			SNOMED CT	165232002	Urinary incontinence (finding)
			SNOMED CT	386488008	Urinary incontinence care (regime/therapy)
			SNOMED CT	408977001	Urinary incontinence care assessment (regime/therapy)
			SNOMED CT	386489000 42112009	Urinary incontinence care: enuresis (regime/therapy)
LI1 h 2. Ossocionally Incentinant	H1b2		SNOMED CT	45619-4	Urinary incontinence of non-organic origin (finding)
H1.b.2. Occasionally Incontinent	H I DZ		LOINC SNOMED CT	150003	BLADDER CONTINENCE:FIND:PT:^PATIENT:NOM:MDS Abnormal bladder continence (finding)
				129692003	At risk for urge incontinence (finding)
			SNOMED CT SNOMED CT	129022003	Continence assisted (finding)
			SNOMED CT	129029000	Continence assisted (inding) Continence dependent (finding)
			SNOMED CT	42643001	Disorder of urinary bladder (disorder)
			SNOMED CT	422058003	Number of urinary incontinence episodes (observable entity)
			SNOMED CT	305560006	Under care of continence nurse (finding)
			SNOMED CT	87557004	Urge incontinence of urine (finding)
			SNOMED CT	165232002	Urinary incontinence (finding)
			SNOMED CT	386488008	Urinary incontinence (infallig) Urinary incontinence care (regime/therapy)
			SNOMED CT	408977001	Urinary incontinence care (regime/therapy) Urinary incontinence care assessment (regime/therapy)
			SNOMED CT	386489000	Urinary incontinence care assessment (regime/therapy)
			SNOMED CT	42112009	Urinary incontinence of non-organic origin (finding)
H1.b.3. Frequently Incontinent	H1b3		LOINC	45619-4	BLADDER CONTINENCE:FIND:PT:^PATIENT:NOM:MDS
111.b.s. Frequently incontinent	11100		SNOMED CT	150003	Abnormal bladder continence (finding)
			SNOMED CT	129692003	At risk for urge incontinence (finding)
			SNOMED CT	129029000	Continence assisted (finding)
			SNOMED CT	129077000	Continence dependent (finding)
			SNOMED CT	42643001	Disorder of urinary bladder (disorder)
			SNOMED CT	422058003	Number of urinary incontinence episodes (observable entity)
			SNOMED CT	305560006	Under care of continence nurse (finding)
			SNOMED CT	87557004	Urge incontinence of urine (finding)
			SNOMED CT	165232002	Urinary incontinence (finding)
			SNOMED CT	386488008	Urinary incontinence care (regime/therapy)
			SNOMED CT	408977001	Urinary incontinence care assessment (regime/therapy)
			SNOMED CT	386489000	Urinary incontinence care: enuresis (regime/therapy)
			SNOMED CT	42112009	Urinary incontinence of non-organic origin (finding)
H1.b.4. Incontinent	H1b4	Is incontinent	LOINC	45619-4	BLADDER CONTINENCE:FIND:PT:^PATIENT:NOM:MDS
•	•			-	· ····

			SNOMED CT	150003	Abnormal bladder continence (finding)
			SNOMED CT	129692003	At risk for urge incontinence (finding)
			SNOMED CT	129029000	Continence assisted (finding)
			SNOMED CT	129077000	Continence dependent (finding)
				42643001	
			SNOMED CT		Disorder of urinary bladder (disorder)
			SNOMED CT	422058003	Number of urinary incontinence episodes (observable entity)
			SNOMED CT	305560006	Under care of continence nurse (finding)
			SNOMED CT	87557004	Urge incontinence of urine (finding)
			SNOMED CT	165232002	Urinary incontinence (finding)
			SNOMED CT	386488008	Urinary incontinence care (regime/therapy)
			SNOMED CT	408977001	Urinary incontinence care assessment (regime/therapy)
			SNOMED CT	386489000	Urinary incontinence care: enuresis (regime/therapy)
			SNOMED CT	42112009	
110 B 1 FF 1 11 B 11	110		SNOWEDCI	42112009	Urinary incontinence of non-organic origin (finding)
H2. Bowel Elimination Pattern	H2				
H2.a. Elimination pattern regular	H2a	Bowel elimination pattern regular	LOINC	45620-2	REGULAR BOWEL ELIMINATION:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	55019002	Normal bowel habits (finding)
H2.b. Constipation	H2b	Constipation	LOINC	45621-0	CONSTIPATION:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	58230007	Alteration in bowel elimination: constipation (finding)
			SNOMED CT	14760008	Constipation (disorder)
			SNOMED CT	249516000	Infrequent bowel action (finding)
				281254000	Large bowel obstruction (disorder)
110 B: 1	110	B: 1	SNOMED CT		
H2.c. Diarrhea	H2c	Diarrhea	LOINC	45622-8	DIARRHEA:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	48541000	Alteration in bowel elimination: diarrhea (finding)
			SNOMED CT	62315008	Diarrhea (finding)
			SNOMED CT	102625002	Increased large bowel motility (finding)
			SNOMED CT	197125005	Irritable bowel syndrome with diarrhea (disorder)
			SNOMED CT	398032003	Loose stool (finding)
H2 d. Fosel impostion	H2d	Feed impostion		45623-6	FECAL IMPACTION:FIND:PT:^PATIENT:ORD:MDS
H2.d. Fecal impaction	nzu	Fecal impaction	LOINC		
			SNOMED CT	286976001	Fecal and other impaction (disorder)
			SNOMED CT	44635007	Fecal impaction (disorder)
			SNOMED CT	67409000	Fecal impaction (morphologic abnormality)
			SNOMED CT	389083005	Fecal impaction care (regime/therapy)
			SNOMED CT	29162007	Fecal impaction of colon (disorder)
			SNOMED CT	73871005	Impaction of colon (disorder)
			SNOMED CT	62851005	Impaction of intestine (disorder)
			SNOMED CT	281254000	Large bowel obstruction (disorder)
H2.e. NONE OF ABOVE	H2e		LOINC	45624-4	BOWEL ELIMINATION PATTERN - NONE OF ABOVE:FIND:PT:^PATIENT:ORD:MDS
H3. Appliances and Programs	H3				
H3.a. Any scheduled toileting plan	H3a	Any scheduled toileting plan	LOINC	45625-1	SCHEDULED TOILETING PLAN:FIND:PT:^PATIENT:ORD:MDS
,		,	SNOMED CT	313420001	Assisting with toileting (regime/therapy)
			SNOMED CT	129078005	Dependent in toilet (finding)
			SNOMED CT	129045003	Needs help in toilet (finding)
			SNOMED CT	373191003	Self-toileting deficit (finding)
			SNOMED CT	225367003	Toileting regimes (regime/therapy)
H3.b. Bladder retraining program	H3b	Bladder retraining program	LOINC	45626-9	BLADDER RETRAINING PROGRAM:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	60800007	Bladder retraining (regime/therapy)
			SNOMED CT	385968006	Bladder training education (procedure)
			SNOMED CT	385969003	Bladder training management (procedure)
			SNOMED CT	395053006	Continence education (procedure)
			SNOMED CT	305737001	Seen by continence nurse (finding)
			SNOMED CT	37799002	Urinary bladder training (regime/therapy)
			SNOMED CT	386487003	Urinary habit training (regime/therapy)
			SNOMED CT	408978006	Urinary incontinence care education (procedure)
H3.c. External (condom) catheter	H3c	External (condom) catheter	LOINC	45627-7	EXTERNAL CATHETER:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	337589006	Drainable dribbling appliance (physical object)
			SNOMED CT	337636000	Incontinence sheath (physical object)
H3.d. Indwelling catheter	H3d	Indwelling catheter	LOINC	45628-5	INDWELLING CATHETER:FIND:PT:^PATIENT:ORD:MDS
rio.u. mawening earleter	1100	mawening carreter	SNOMED CT	410024004	Catheterization of urinary bladder (procedure)
			SNOMED CT	23973005	Indwelling urinary catheter, device (physical object)
			SNOMED CT	410252004	Urinary catheter care education (procedure)
			SNOMED CT	410253009	Urinary catheter care management (procedure)
			SNOMED CT	20568009	Urinary catheter, device (physical object)
			SNOMED CT	363747007	Urinary incontinence appliance (physical object)
H3.e. Intermittent catheter	H3e	Intermittent catheter	LOINC	45629-3	INTERMITTENT CATHETER:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	236240005	Clean intermittent self-catheterization (procedure)
			SNOMED CT	243109004	Clean intermittent self-catheterization (procedure) Clean intermittent self-catheterization education (procedure)
			SNOMED CT	170883007	Intermittent self-catheterize (regime/therapy)
			SNOMED CT	225103006	Intermittent urethral catheterization (procedure)
H3.f. Did not use toilet room/commode	e/t H3f	Did not use toilet room/commode/urinal		45630-1	DID NOT USE TOILET &OR COMMODE &OR URINAL:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	129078005	Dependent in toilet (finding)
			SNOMED CT	284905001	Difficulty performing toileting activities (finding)
			SNOMED CT	284918009	Difficulty using commode (finding)
			SNOMED CT	284903008	Does not perform toileting activities (finding)
			SNOMED CT	284916008	Does not use commode (finding)
			SINCIVIED CI	204310000	Does not use commode (illumg)

			SNOMED CT	129045003	Needs help in toilet (finding)
			SNOMED CT	373191003	Self-toileting deficit (finding)
			SNOMED CT	284901005	Unable to perform toileting activities (finding)
			SNOMED CT	284914006	Unable to use commode (finding)
H3.g. Pads/briefs used	H3g	Pads/briefs used	LOINC	45631-9	PADS &OR BRIEFS USED:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	230066007	Briefs (physical object)
			SNOMED CT	52065008	Diaper, device (physical object)
			SNOMED CT	339123006	Disposable bed pad (physical object)
			SNOMED CT	74300007	Sanitary pad, device (physical object)
			SNOMED CT	252906006	Urinary pad weighing (procedure)
H3.h. Enemas/irrigation	H3h	Enemas/irrigation	LOINC	45632-7	ENEMAS & OR IRRIGATION:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	385186005	Enema (product)
			SNOMED CT	385711002	Enema administration management (procedure)
			SNOMED CT	385710001	Enema adminstration education (procedure)
			SNOMED CT	45925007	Enema for removal of impacted feces (procedure)
			SNOMED CT	287612004	Evacuation by irrigation NOS (procedure)
			SNOMED CT	67889009	Irrigation (procedure)
			SNOMED CT	386225006	Irrigation of bowel (procedure)
			SNOMED CT	174228003	Irrigation of colon (procedure)
			SNOMED CT	235357000	Irrigation of colon via cecostomy tube (procedure)
			SNOMED CT	28177007	Rectal irrigation (procedure)
			SNOMED CT	266684008	Simple enema administered (procedure)
			SNOMED CT	21373005	Soap enema (substance)
			SNOMED CT	225193002	Stoma irrigation (regime/therapy)
H3.i. Ostomy present	H3i	Ostomy present	LOINC	45633-5	OSTOMY PRESENT:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	401769000	Ostomy adhesive discs (physical object)
			SNOMED CT	401770004	Ostomy adhesive plasters (physical object)
			SNOMED CT	385712009	Ostomy care (regime/therapy)
			SNOMED CT	410090002	Ostomy care assessment (regime/therapy)
			SNOMED CT	385713004	Ostomy irrigation (regime/therapy)
			SNOMED CT	170898009	Ostomy monitoring (regime/therapy)
			SNOMED CT	170901005	Ostomy patient problem (finding)
			SNOMED CT	405092002	Ostomy self-management behavior (observable entity)
H3.j. NONE OF ABOVE	Н3ј		LOINC	45634-3	CONTINENCE APPLIANCES AND PROGRAMS - NONE OF ABOVE:FIND:PT:^PATIENT:ORD:MDS
H4. Urinary continence changed	H4				
H4.0. No change	H40	No change in urinary continence status		45635-0	CHANGE IN URINARY CONTINENCE:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	281047000	Bladder continence assessment (regime/therapy)
			SNOMED CT	416686006	Continence assessment (regime/therapy)
			SNOMED CT	417301002	Continence reassessment (regime/therapy)
			SNOMED CT	406218000	Urinary continence status (observable entity)
H4.1. Improved	H41	Urinary continence status improved	LOINC	45635-0	CHANGE IN URINARY CONTINENCE:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	281047000	Bladder continence assessment (regime/therapy)
			SNOMED CT	416686006	Continence assessment (regime/therapy)
			SNOMED CT	417301002	Continence reassessment (regime/therapy)
1140 B + 1 + 1	1140		SNOMED CT	406218000	Urinary continence status (observable entity)
H4.2. Deteriorated	H42	Urinary continence status deteriorated	LOINC	45635-0	CHANGE IN URINARY CONTINENCE:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	281047000	Bladder continence assessment (regime/therapy)
			SNOMED CT	416686006	Continence assessment (regime/therapy)
			SNOMED CT	417301002	Continence reassessment (regime/therapy)
H4.3 UTD	1140	LITDi	SNOMED CT	406218000	Urinary continence status (observable entity)
	H43	UTD urinary continence status			
SECTION I: DISEASE DIAGNOSES	1				
 Diseases Diabetes mellitus 	l1 l1a	Diabetes mellitus	LOINC	45636-8	DIABETES MELLITUS:FIND:PT:^PATIENT:ORD:MDS
Tr.a. Diabetes meillus	IIa	Diabetes meilitus	SNOMED CT	73211009	Diabetes mellitus (disorder)
I1 an Saizura dicardor		Seizure disorder	LOINC	45662-4	SEIZURE DISORDER:FIND:PT:^PATIENT:ORD:MDS
I1.aa. Seizure disorder					SEIZURE DISORDER.FIND.FT. PATIENT.ORD.MDS
	l1aa				Coizura dicardar (dicardar)
I1 b. Hyporthyraidism			SNOMED CT	128613002	Seizure disorder (disorder)
I1.b. Hyperthyroidism	I1aa I1b	Hyperthyroidism	SNOMED CT LOINC	128613002 45637-6	HYPERTHYROIDISM:FIND:PT:^PATIENT:ORD:MDS
	l1b	Hyperthyroidism	SNOMED CT LOINC SNOMED CT	128613002 45637-6 34486009	HYPERTHYROIDISM:FIND:PT:^PATIENT:ORD:MDS Hyperthyroidism (disorder)
I1.b. Hyperthyroidism I1.bb. Transient ischemic attack (TIA)	l1b		SNOMED CT LOINC SNOMED CT LOINC	128613002 45637-6 34486009 45663-2	HYPERTHYROIDISM:FIND:PT:^PATIENT:ORD:MDS Hyperthyroidism (disorder) TRANSIENT ISCHEMIC ATTACK:FIND:PT:^PATIENT:ORD:MDS
I1.bb. Transient ischemic attack (TIA)	I1b I1bb	Hyperthyroidism Transient ischemic attack (TIA)	SNOMED CT LOINC SNOMED CT LOINC SNOMED CT	128613002 45637-6 34486009 45663-2 266257000	HYPERTHYROIDISM:FIND:PT:APATIENT:ORD:MDS Hyperthyroidism (disorder) TRANSIENT ISCHEMIC ATTACK:FIND:PT:APATIENT:ORD:MDS Transient ischemic attack (disorder)
	l1b	Hyperthyroidism	SNOMED CT LOINC SNOMED CT LOINC SNOMED CT LOINC	128613002 45637-6 34486009 45663-2 266257000 45638-4	HYPERTHYROIDISM:FIND:PT:^PATIENT:ORD:MDS Hyperthyroidism (disorder) TRANSIENT ISCHEMIC ATTACK:FIND:PT:^PATIENT:ORD:MDS Transient ischemic attack (disorder) HYPOTHYROIDISM:FIND:PT:^PATIENT:ORD:MDS
I1.bb. Transient ischemic attack (TIA) I1.c. Hypothyroidism	I1b I1bb I1c	Hyperthyroidism Transient ischemic attack (TIA) Hypothyroidism	SNOMED CT LOINC SNOMED CT LOINC SNOMED CT LOINC SNOMED CT	128613002 45637-6 34486009 45663-2 266257000 45638-4 267377003	HYPERTHYROIDISM:FIND:PT:^PATIENT:ORD:MDS Hyperthyroidism (disorder) TRANSIENT ISCHEMIC ATTACK:FIND:PT:^PATIENT:ORD:MDS Transient ischemic attack (disorder) HYPOTHYROIDISM:FIND:PT:^PATIENT:ORD:MDS Hypothyroidism NOS (disorder)
I1.bb. Transient ischemic attack (TIA)	I1b I1bb	Hyperthyroidism Transient ischemic attack (TIA)	SNOMED CT LOINC SNOMED CT LOINC SNOMED CT LOINC SNOMED CT LOINC	128613002 45637-6 34486009 45663-2 266257000 45638-4 267377003 45664-0	HYPERTHYROIDISM:FIND:PT:^PATIENT:ORD:MDS Hyperthyroidism (disorder) TRANSIENT ISCHEMIC ATTACK:FIND:PT:^PATIENT:ORD:MDS Transient ischemic attack (disorder) HYPOTHYROIDISM:FIND:PT:^PATIENT:ORD:MDS Hypothyroidism NOS (disorder) TRAUMATIC BRAIN INJURY:FIND:PT:^PATIENT:ORD:MDS
I1.bb. Transient ischemic attack (TIA) I1.c. Hypothyroidism I1.cc. Traumatic brain injury	11b 11bb 11c 11cc	Hyperthyroidism Transient ischemic attack (TIA) Hypothyroidism Traumatic brain injury	SNOMED CT LOINC SNOMED CT LOINC SNOMED CT LOINC SNOMED CT LOINC SNOMED CT	128613002 45637-6 34486009 45663-2 266257000 45638-4 267377003 45664-0 127295002	HYPERTHYROIDISM:FIND:PT:APATIENT:ORD:MDS Hyperthyroidism (disorder) TRANSIENT ISCHEMIC ATTACK:FIND:PT:APATIENT:ORD:MDS Transient ischemic attack (disorder) HYPOTHYROIDISM:FIND:PT:APATIENT:ORD:MDS Hypothyroidism NOS (disorder) TRAUMATIC BRAIN INJURY:FIND:PT:APATIENT:ORD:MDS Traumatic brain injury (disorder)
I1.bb. Transient ischemic attack (TIA) I1.c. Hypothyroidism	11b 11bb 11c 11cc	Hyperthyroidism Transient ischemic attack (TIA) Hypothyroidism	SNOMED CT LOINC SNOMED CT LOINC SNOMED CT LOINC SNOMED CT LOINC SNOMED CT LOINC	128613002 45637-6 34486009 45663-2 266257000 45638-4 267377003 45664-0 127295002 45639-2	HYPERTHYROIDISM:FIND:PT:APATIENT:ORD:MDS Hyperthyroidism (disorder) TRANSIENT ISCHEMIC ATTACK:FIND:PT:APATIENT:ORD:MDS Transient ischemic attack (disorder) HYPOTHYROIDISM:FIND:PT:APATIENT:ORD:MDS Hypothyroidism NOS (disorder) TRAUMATIC BRAIN INJURY:FIND:PT:APATIENT:ORD:MDS Traumatic brain injury (disorder) ARTERIOSCLEROTIC HEART DISEASE:FIND:PT:APATIENT:ORD:MDS
11.bb. Transient ischemic attack (TIA) 11.c. Hypothyroidism 11.cc. Traumatic brain injury 11.d. Arteriosclerotic heart disease (A)	I1b I1bb I1c I1cc SHI1d	Hyperthyroidism Transient ischemic attack (TIA) Hypothyroidism Traumatic brain injury Arteriosclerotic heart disease (ASHD)	SNOMED CT LOINC SNOMED CT LOINC SNOMED CT LOINC SNOMED CT LOINC SNOMED CT LOINC SNOMED CT LOINC SNOMED CT	128613002 45637-6 34486009 45663-2 266257000 45638-4 267377003 45664-0 127295002 45639-2 53741008	HYPERTHYROIDISM:FIND:PT:^PATIENT:ORD:MDS Hyperthyroidism (disorder) TRANSIENT ISCHEMIC ATTACK:FIND:PT:^PATIENT:ORD:MDS Transient ischemic attack (disorder) HYPOTHYROIDISM:FIND:PT:^PATIENT:ORD:MDS Hypothyroidism NOS (disorder) TRAUMATIC BRAIN INJURY:FIND:PT:^PATIENT:ORD:MDS Traumatic brain injury (disorder) ARTERIOSCLEROTIC HEART DISEASE:FIND:PT:^PATIENT:ORD:MDS Coronary arteriosclerosis (disorder)
I1.bb. Transient ischemic attack (TIA) I1.c. Hypothyroidism I1.cc. Traumatic brain injury	11b 11bb 11c 11cc	Hyperthyroidism Transient ischemic attack (TIA) Hypothyroidism Traumatic brain injury	SNOMED CT LOINC	128613002 45637-6 34486009 45663-2 266257000 45638-4 267377003 45664-0 127295002 45639-2 53741008 45665-7	HYPERTHYROIDISM:FIND:PT:APATIENT:ORD:MDS Hyperthyroidism (disorder) TRANSIENT ISCHEMIC ATTACK:FIND:PT:APATIENT:ORD:MDS Transient ischemic attack (disorder) HYPOTHYROIDISM:FIND:PT:APATIENT:ORD:MDS Hypothyroidism NOS (disorder) TRAUMATIC BRAIN INJURY:FIND:PT:APATIENT:ORD:MDS Traumatic brain injury (disorder) ARTERIOSCLEROTIC HEART DISEASE:FIND:PT:APATIENT:ORD:MDS Coronary arteriosclerosis (disorder) ANXIETY DISORDER:FIND:PT:APATIENT:ORD:MDS
11.bb. Transient ischemic attack (TIA) 11.c. Hypothyroidism 11.cc. Traumatic brain injury 11.d. Arteriosclerotic heart disease (A 11.dd. Anxiety disorder	I1b I1bb I1c I1cc SHI1d	Hyperthyroidism Transient ischemic attack (TIA) Hypothyroidism Traumatic brain injury Arteriosclerotic heart disease (ASHD) Anxiety disorder	SNOMED CT LOINC	128613002 45637-6 34486009 45663-2 266257000 45638-4 267377003 45664-0 127295002 45639-2 53741008 45665-7 197480006	HYPERTHYROIDISM:FIND:PT:APATIENT:ORD:MDS Hyperthyroidism (disorder) TRANSIENT ISCHEMIC ATTACK:FIND:PT:APATIENT:ORD:MDS Transient ischemic attack (disorder) HYPOTHYROIDISM:FIND:PT:APATIENT:ORD:MDS Hypothyroidism NOS (disorder) TRAUMATIC BRAIN INJURY:FIND:PT:APATIENT:ORD:MDS Traumatic brain injury (disorder) ARTERIOSCLEROTIC HEART DISEASE:FIND:PT:APATIENT:ORD:MDS Coronary arteriosclerosis (disorder) ANXIETY DISORDER:FIND:PT:APATIENT:ORD:MDS Anxiety disorder (disorder)
11.bb. Transient ischemic attack (TIA) 11.c. Hypothyroidism 11.cc. Traumatic brain injury 11.d. Arteriosclerotic heart disease (A)	I1b I1bb I1c I1cc SHI1d	Hyperthyroidism Transient ischemic attack (TIA) Hypothyroidism Traumatic brain injury Arteriosclerotic heart disease (ASHD)	SNOMED CT LOINC	128613002 45637-6 34486009 45663-2 266257000 45638-4 267377003 45664-0 127295002 45639-2 53741008 45665-7 197480006 45640-0	HYPERTHYROIDISM:FIND:PT:^PATIENT:ORD:MDS Hyperthyroidism (disorder) TRANSIENT ISCHEMIC ATTACK:FIND:PT:^PATIENT:ORD:MDS Transient ischemic attack (disorder) HYPOTHYROIDISM:FIND:PT:^PATIENT:ORD:MDS Hypothyroidism NOS (disorder) TRAUMATIC BRAIN INJURY:FIND:PT:^PATIENT:ORD:MDS Traumatic brain injury (disorder) ARTERIOSCLEROTIC HEART DISEASE:FIND:PT:^PATIENT:ORD:MDS Coronary arteriosclerosis (disorder) ANXIETY DISORDER:FIND:PT:^PATIENT:ORD:MDS Anxiety disorder (disorder) ANXIETY DISORDER:FIND:PT:^PATIENT:ORD:MDS Anxiety disorder (disorder)
11.bb. Transient ischemic attack (TIA) 11.c. Hypothyroidism 11.cc. Traumatic brain injury 11.d. Arteriosclerotic heart disease (A 11.dd. Anxiety disorder 11.e. Cardiac dysrhythmias	I1b I1bb I1c I1cc I1cc SHI1d I1dd	Hyperthyroidism Transient ischemic attack (TIA) Hypothyroidism Traumatic brain injury Arteriosclerotic heart disease (ASHD) Anxiety disorder Cardiac dysrhythmias	SNOMED CT LOINC SNOMED CT	128613002 45637-6 34486009 45663-2 266257000 45638-4 267377003 45664-0 127295002 45639-2 53741008 45665-7 197480006 45640-0 44808001	HYPERTHYROIDISM:FIND:PT:APATIENT:ORD:MDS Hyperthyroidism (disorder) TRANSIENT ISCHEMIC ATTACK:FIND:PT:APATIENT:ORD:MDS Transient ischemic attack (disorder) HYPOTHYROIDISM:FIND:PT:APATIENT:ORD:MDS Hypothyroidism NOS (disorder) TRAUMATIC BRAIN INJURY:FIND:PT:APATIENT:ORD:MDS Traumatic brain injury (disorder) ARTERIOSCLEROTIC HEART DISEASE:FIND:PT:APATIENT:ORD:MDS Coronary atteriosclerosis (disorder) ANXIETY DISORDER:FIND:PT:APATIENT:ORD:MDS Anxiety disorder (disorder) CARDIAC DYSRHYTHMIAS:FIND:PT:APATIENT:ORD:MDS Conduction disorder of the heart (disorder)
11.bb. Transient ischemic attack (TIA) 11.c. Hypothyroidism 11.cc. Traumatic brain injury 11.d. Arteriosclerotic heart disease (A 11.dd. Anxiety disorder	I1b I1bb I1c I1cc SHI1d	Hyperthyroidism Transient ischemic attack (TIA) Hypothyroidism Traumatic brain injury Arteriosclerotic heart disease (ASHD) Anxiety disorder	SNOMED CT LOINC	128613002 45637-6 34486009 45663-2 266257000 45638-4 267377003 45684-0 127295002 45639-2 53741008 45665-7 197480006 45640-0 44808001 45666-5	HYPERTHYROIDISM:FIND:PT:APATIENT:ORD:MDS Hyperthyroidism (disorder) TRANSIENT ISCHEMIC ATTACK:FIND:PT:APATIENT:ORD:MDS Transient ischemic attack (disorder) HYPOTHYROIDISM:FIND:PT:APATIENT:ORD:MDS Hypothyroidism NOS (disorder) TRAUMATIC BRAIN INJURY:FIND:PT:APATIENT:ORD:MDS Traumatic brain injury (disorder) ARTERIOSCLEROTIC HEART DISEASE:FIND:PT:APATIENT:ORD:MDS Coronary arteriosclerosis (disorder) ANXIETY DISORDER:FIND:PT:APATIENT:ORD:MDS Anxiety disorder (disorder) CARDIAC DYSRHYTHMIAS:FIND:PT:APATIENT:ORD:MDS Conduction disorder of the heart (disorder) DEPRESSION:FIND:PT:APATIENT:ORD:MDS
11.bb. Transient ischemic attack (TIA) 11.c. Hypothyroidism 11.cc. Traumatic brain injury 11.d. Arteriosclerotic heart disease (A 11.dd. Anxiety disorder 11.e. Cardiac dysrhythmias	I1b I1bb I1c I1cc I1cc SHI1d I1dd	Hyperthyroidism Transient ischemic attack (TIA) Hypothyroidism Traumatic brain injury Arteriosclerotic heart disease (ASHD) Anxiety disorder Cardiac dysrhythmias	SNOMED CT LOINC SNOMED CT	128613002 45637-6 34486009 45663-2 266257000 45638-4 267377003 45664-0 127295002 45639-2 53741008 45665-7 197480006 45640-0 44808001	HYPERTHYROIDISM:FIND:PT:APATIENT:ORD:MDS Hyperthyroidism (disorder) TRANSIENT ISCHEMIC ATTACK:FIND:PT:APATIENT:ORD:MDS Transient ischemic attack (disorder) HYPOTHYROIDISM:FIND:PT:APATIENT:ORD:MDS Hypothyroidism NOS (disorder) TRAUMATIC BRAIN INJURY:FIND:PT:APATIENT:ORD:MDS Traumatic brain injury (disorder) ARTERIOSCLEROTIC HEART DISEASE:FIND:PT:APATIENT:ORD:MDS Coronary atteriosclerosis (disorder) ANXIETY DISORDER:FIND:PT:APATIENT:ORD:MDS Anxiety disorder (disorder) CARDIAC DYSRHYTHMIAS:FIND:PT:APATIENT:ORD:MDS Conduction disorder of the heart (disorder)

I1.ff. Manic depression (bipolar diseas	e) I1ff	Manic depression (bipolar disease)	SNOMED CT LOINC	42343007 45667-3	Congestive heart failure (disorder) MANIC DEPRESSIVE:FIND:PT:^PATIENT:ORD:MDS
11.11. Mariic depression (bipolai diseas	6)1111	Mariic depression (bipolai disease)	SNOMED CT	68569003	Manic bipolar I disorder (disorder)
I1.g. Deep vein thrombosis	l1g	Deep vein thrombosis	LOINC	45642-6	DEEP VEIN THROMBOSIS:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	128053003	Deep venous thrombosis (disorder)
I1.gg. Schizophrenia	l1gg	Schizophrenia	LOINC SNOMED CT	45668-1 191579000	SCHIZOPHRENIA:FIND:PT:^PATIENT:ORD:MDS Schizophrenia NOS (disorder)
I1.h. Hypertension	l1h	Hypertension	LOINC	45643-4	HYPERTENSION:FIND:PT:^PATIENT:ORD:MDS
71		31	SNOMED CT	59621000	Essential hypertension (disorder)
I1.hh. Asthma	l1hh	Asthma	LOINC	45669-9	ASTHMA:FIND:PT:^PATIENT:ORD:MDS
II i Uhmotonoion	14:	Lhungtonsian	SNOMED CT	195967001 45644-2	Asthma (disorder)
I1.i. Hypotension	l1i	Hypotension	LOINC SNOMED CT	195508000	HYPOTENSION:FIND:PT:^PATIENT:ORD:MDS Hypotension NOS (disorder)
I1.ii. Emphysema/COPD	l1ii	Emphysema/COPD	LOINC	45670-7	EMPHYSEMA OR COPD:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	13645005	Chronic obstructive lung disease (disorder)
I1.j. Peripheral vascular disease	l1j	Peripheral vascular disease	LOINC	45645-9	PERIPHERAL VASCULAR DISEASE:FIND:PT:^PATIENT:ORD:MDS
I1.jj. Cataracts	l1jj	Cataracts	SNOMED CT LOINC	400047006 45671-5	Peripheral vascular disease (disorder) CATARACTS:FIND:PT:^PATIENT:ORD:MDS
11.jj. Gataracis	'''	Cataracis	SNOMED CT	193570009	Cataract (disorder)
I1.k. Other cardiovascular disease	l1k	Cardiovascular disease	LOINC	45646-7	OTHER CARDIOVASCULAR DISEASE:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	49601007	Disorder of cardiovascular system (disorder)
I1.kk. Diabetic retinopathy	l1kk	Diabetic retinopathy	LOINC	45672-3	DIABETIC RETINOPATHY:FIND:PT:^PATIENT:ORD:MDS
I1.I. Arthritis	I 1I	Arthritis	SNOMED CT LOINC	193353002 45647-5	Diabetic retinopathy NOS (disorder) ARTHRITIS:FIND:PT:^PATIENT:ORD:MDS
III. Attilitio		Artifius	SNOMED CT	3723001	Arthritis (disorder)
I1.II. Glaucoma	1111	Glaucoma	LOINC	45673-1	GLAUCOMA:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	193569008	Glaucoma NOS (disorder)
I1.m. Hip fracture	I1m	Hip fracture	LOINC SNOMED CT	45648-3 263225007	HIP FRACTURE:FIND:PT:^PATIENT:ORD:MDS
I1.mm. Macular degeneration	I1mm	Macular degeneration	LOINC	45674-9	Fracture of proximal end of femur (disorder) MACULAR DEGENERATION:FIND:PT:^PATIENT:ORD:MDS
I1.n. Missing limb (e.g., amputation)	l1n	Missing limb (e.g., amputation)	SNOMED CT	400053006	Amputation of limb (procedure)
I1.nn. Allergies	l1nn	Allergies	LOINC	45675-6	ALLERGIES:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	106190000	Allergic state (disorder)
I1.o. Osteoporosis	l1o	Osteoporosis	LOINC SNOMED CT	45650-9 203440004	OSTEOPOROSIS:FIND:PT:^PATIENT:ORD:MDS Osteoporosis NOS (disorder)
I1.oo. Anemia	1100	Anemia	LOINC	45676-4	ANEMIA:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	271737000	Anemia (disorder)
I1.p. Pathological bone fracture	l1p	Pathological bone fracture	LOINC	45651-7	PATHOLOGICAL BONE FRACTURE:FIND:PT:^PATIENT:ORD:MDS
II nn Concer	l4nn	Cancer	SNOMED CT LOINC	268029009 45677-2	Pathological fracture (disorder) CANCER:FIND:PT:^PATIENT:ORD:MDS
I1.pp. Cancer	l1pp	Cancer	SNOMED CT	363346000	Malignant neoplastic disease (disorder)
I1.q. Alzheimer's disease	l1q	Alzheimer's disease	LOINC	45652-5	ALZHEIMER'S DISEASE:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	26929004	Alzheimer's disease (disorder)
I1.qq. Renal failure	l1qq	Renal failure	LOINC	45678-0	RENAL FAILURE:FIND:PT:^PATIENT:ORD:MDS
I1.r. Aphasia	l1r	Aphasia	SNOMED CT LOINC	42399005 45653-3	Renal failure syndrome (disorder) APHASIA:FIND:PT:^PATIENT:ORD:MDS
Tr.i. Apridoid		Apricoid	SNOMED CT	87486003	Aphasia (finding)
11.rr. NONE OF ABOVE	l1rr		LOINC	45679-8	DISEASES - NONE OF ABOVE:FIND:PT:^PATIENT:ORD:MDS
I1.s. Cerebral palsy	l1s	Cerebral palsy	LOINC	45654-1	CEREBRAL PALSY:FIND:PT:^PATIENT:ORD:MDS
I1.t. Cerebrovascular accident (stroke)	l1t	Cerebrovascular accident (stroke)	SNOMED CT LOINC	128188000 45655-8	Cerebral palsy (disorder) CEREBROVASCULAR ACCIDENT:FIND:PT:^PATIENT:ORD:MDS
This Cerebiovascular accident (Stroke)	1111	Cerebiovasculai accident (stroke)	SNOMED CT	270883006	Stroke and cerebrovascular accident unspecified (disorder)
I1.u. Dementia other than Alzheimer's	di l1u	Dementia other than Alzheimer's disea		45656-6	DEMENTIA OTHER THAN ALZHEIMER'S:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	52448006	Dementia (disorder)
I1.v. Hemiplegia/Hemiparesis	l1v	Hemiplegia/Hemiparesis	LOINC SNOMED CT	45657-4 20022000	HEMIPLEGIA OR HEMIPARESIS:FIND:PT:^PATIENT:ORD:MDS
I1.w. Multiple sclerosis	l1w	Multiple sclerosis	LOINC	45658-2	Hemiparesis (disorder) MULTIPLE SCLEROSIS:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	192930001	Multiple sclerosis NOS (disorder)
I1.x. Paraplegia	l1x	Paraplegia	LOINC	45659-0	PARAPLEGIA:FIND:PT:^PATIENT:ORD:MDS
M Deskinsonska disesse	M.	Daddinasaala diaaaa	SNOMED CT	60389000	Paraplegia (disorder)
I1.y. Parkinsons's disease	l1y	Parkinsons's disease	LOINC SNOMED CT	45660-8 49049000	PARKINSON'S DISEASE:FIND:PT:^PATIENT:ORD:MDS Parkinson's disease (disorder)
I1.z. Quadriplegia	l1z	Quadriplegia	LOINC	45661-6	QUADRIPLEGIA:FIND:PT:^PATIENT:ORD:MDS
. 0			SNOMED CT	11538006	Quadriplegia (disorder)
I2. Infections	12	Anathinate contract of the first of	: CNOMED OF	400700004	
I2.a. Antibiotic resistant infection (e.g.,I2.b. Clostridium difficile (c. diff.)	N I2a I2b	Antibiotic resistant infection (e.g., Meth Clostridium difficile (c. diff.)	icSNOMED CT LOINC	409796004 45681-4	Infection due to antimicrobial resistant bacteria (disorder) INFECTION WITH CLOSTRIDIUM DIFFICILE:FIND:PT:^PATIENT:ORD:MDS
12.D. Ciostilaiam difficile (c. aiii.)	IZU	Gostifulum unifole (c. ulif.)	SNOMED CT	5933001	Clostridium difficile (organism)
I2.c. Conjunctivitis	I2c	Conjunctivitis	LOINC	45682-2	CONJUNCTIVITIS:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	9826008	Conjunctivitis (disorder)
I2.d. HIV infection	I2d	HIV infection	LOINC SNOMED CT	45683-0 86406008	HIV INFECTION:FIND:PT:^PATIENT:ORD:MDS Human immunodeficiency virus infection (disorder)
I2.e. Pneumonia	I2e	Pneumonia	SNOMED CT LOINC	45684-8	PNEUMONIA:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	233604007	Pneumonia (disorder)

12 f Despiratory infection	12f	Despiratory infaction	LOINC	45685-5	RESPIRATORY TRACT INFECTION:FIND:PT:^PATIENT:ORD:MDS
I2.f. Respiratory infection	121	Respiratory infection	SNOMED CT	275498002	RESPIRATORY TRACT INFECTION:FIND:PT: PATIENT: ORD:MDS Respiratory tract infection (disorder)
I2.g. Septicemia	I2g	Septicemia infection	LOINC	45686-3	SEPTICEMIA:FIND:PT:^PATIENT:ORD:MDS
3	3		SNOMED CT	105592009	Septicemia (disorder)
I2.h. Sexually transmitted diseases	l2h	Sexually transmitted disease infection	LOINC	45687-1	SEXUALLY TRANSMITTED DISEASE:FIND:PT:^PATIENT:ORD:MDS
10: T. I	10:	-	SNOMED CT	8098009	Sexually transmitted infectious disease (disorder)
I2.i. Tuberculosis	I2i	Tuberculosis	LOINC SNOMED CT	45688-9	TUBERCULOSIS:FIND:PT:^PATIENT:ORD:MDS
I2.j. Urinary tract infection in last 30 da	av:12i	Urinary tract infection in last 30 days	LOINC	186282009 45689-7	Tuberculosis NOS (disorder) URINARY TRACT INFECTION IN LAST 30 DAYS:FIND:PT:^PATIENT:ORD:MDS
12.j. Officially tract infection in last 60 de	ciy. 12j	childry tract infection in last 60 days	SNOMED CT	197930008	Urinary tract infection, site not specified NOS (disorder)
I2.k. Viral hepatitis	l2k	Viral hepatitis	LOINC	45690-5	VIRAL HEPATITIS:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	3738000	Viral hepatitis (disorder)
I2.I. Wound infection	121	Wound infection	LOINC	45691-3	WOUND INFECTION:FIND:PT:^PATIENT:ORD:MDS
I2.m. NONE OF ABOVE	I2m		SNOMED CT LOINC	76844004 45692-1	Local infection of wound (disorder) INFECTIONS - NONE OF ABOVE:FIND:PT:APATIENT:ORD:MDS
I3. Other current diagnoses	13		LOING	45692-1	INFECTIONS - NONE OF ABOVE.FIND.F12-FATIENT.ORD.MIDS
I3.a. Other current diagnoses (1)	l3a		LOINC	45693-9	OTHER CURRENT OR MORE DETAILED DIAGNOSIS & ICD9 CODES:PRID:PT:^PATIENT:NOM:MDS
I3.b. Other current diagnoses (2)	I3b		LOINC	45958-6	OTHER CURRENT OR MORE DETAILED DIAGNOSIS & ICD9 CODES^^2:PRID:PT:^PATIENT:NOM:MDS
I3.c. Other current diagnoses (3)	I3c		LOINC	45959-4	OTHER CURRENT OR MORE DETAILED DIAGNOSIS & ICD9 CODES^^3:PRID:PT:^PATIENT:NOM:MDS
I3.d. Other current diagnoses (4)	I3d		LOINC	45960-2	OTHER CURRENT OR MORE DETAILED DIAGNOSIS & ICD9 CODES^^4:PRID:PT:^PATIENT:NOM:MDS
I3.e. Other current diagnoses (5)	I3e		LOINC	45961-0	OTHER CURRENT OR MORE DETAILED DIAGNOSIS & ICD9 CODES^^5:PRID:PT:^PATIENT:NOM:MDS
SECTION J: HEALTH CONDITIONS					
J1. Problem Conditions	J1				
J1.a. Weight gain/loss of 3 or more po	our J1a	Weight gain/loss of 3 or more pounds	LOINC	45694-7	WEIGHT FLUCTUATION 3+ LBS. IN 7 DAYS:FIND:PT:^PATIENT:ORD:MDS
Id by Jackilla de lie flet due to electron	145	land the same to the same and the	SNOMED CT	365921005	Weight change finding (finding)
J1.b. Inability to lie flat due to shortne	SS JTD	Inability to lie flat due to shortness of b	SNOMED CT	45695-4 62744007	INABILITY TO LIE FLAT DUE TO SHORTNESS OF BREATH:FIND:PT:^PATIENT:ORD:MDS Orthopnea (finding)
J1.c. Dehydrated, output exceeds input	ut IIc	Dehydrated, output exceeds input	SNOMED CT	162685008	On examination - dehydrated (disorder)
J1.d. Insufficient fluid intake during las		Insufficient fluid intake	LOINC	45697-0	INSUFFICIENT FLUID IN LAST 3 DAYS:FIND:PT:^PATIENT:ORD:MDS
o na mounion nad make damig la	011010	mountain mad mand	SNOMED CT	249481003	Finding of insufficient fluid intake (finding)
J1.e. Delusions	J1e	Delusions	LOINC	45698-8	DELUSIONS:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	2073000	Delusions (finding)
J1.f. Dizziness/Vertigo	J1f	Dizziness/Vertigo	LOINC	45699-6	DIZZINESS OR VERTIGO:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	404640003	Dizziness (finding)
J1.g. Edema	J1g	Edema	LOINC	45700-2	EDEMA:FIND:PT:^PATIENT:ORD:MDS
		_	SNOMED CT	267038008	Edema (finding)
J1.h. Fever	J1h	Fever	LOINC	45701-0	FEVER:FIND:PT:^PATIENT:ORD:MDS
I4 : Hallusinations	14:	Hallysingtions	SNOMED CT	386661006	Fever (finding) HALLUCINATIONS:FIND:PT:^PATIENT:ORD:MDS
J1.i. Hallucinations	J1i	Hallucinations	LOINC SNOMED CT	45702-8 7011001	
J1.j. Internal bleeding	J1j	Internal bleeding	LOINC	45703-6	Hallucinations (finding) INTERNAL BLEEDING:FIND:PT:^PATIENT:ORD:MDS
o riji momai ziooding	0.,	internal biocamy	SNOMED CT	195511004	Hemorrhage NOS (disorder)
J1.k. Recurrent lung aspirations in las	st 9J1k	Recurrent lung aspirations	LOINC	45704-4	RECURRENT LUNG ASPIRATIONS IN LAST 90 DAYS:FIND:PT:^PATIENT:ORD:MDS
5 .		.	SNOMED CT	68052005	Pulmonary aspiration (finding)
J1.I. Shortness of breath	J1I	Shortness of breath	LOINC	45705-1	SHORTNESS OF BREATH:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	267036007	Dyspnea (finding)
J1.m. Syncope (fainting)	J1m	Syncope (fainting)	LOINC	45706-9	SYNCOPE:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	271594007	Syncope (disorder)
J1.n. Unsteady gait	J1n	Unsteady gait	LOINC	45707-7	UNSTEADY GAIT:FIND:PT:^PATIENT:ORD:MDS
II a Vamitina	110	Vamitina	SNOMED CT LOINC	394616008 45708-5	Unsteady gait (finding)
J1.o. Vomiting	J1o	Vomiting	SNOMED CT	300359004	VOMITING:FIND:PT:^PATIENT:ORD:MDS Finding of vomiting (finding)
J1.p. NONE OF ABOVE	J1p		LOINC	45709-3	PROBLEM CONDITIONS - NONE OF ABOVE:FIND:PT:^PATIENT:ORD:MDS
J2. Pain Symptoms	J2		_50	.0.000	The state of the s
J2.a. Frequency of pain	J2a				
J2.a.0. No pain	J2a0	No complaint or evidence of pain	LOINC	45710-1	PAIN FREQUENCY:NRAT:PT:^PATIENT:NOM:MDS
			SNOMED CT	301379001	No present pain (finding)
J2.a.1. Pain less than daily	J2a1	Complaint or evidence of pain	LOINC	45710-1	PAIN FREQUENCY:NRAT:PT:^PATIENT:NOM:MDS
			SNOMED CT	267104002	Complaining of a pain (finding)
J2.a.2. Pain daily	J2a2		LOINC	45710-1	PAIN FREQUENCY:NRAT:PT:^PATIENT:NOM:MDS
I2 o 2 LITD	1202	LITD fraguency of pain	SNOMED CT	267104002	Complaining of a pain (finding)
J2.a.3 UTD J2.b. Intensity of pain	J2a3 J2b	UTD frequency of pain			
J2.b.1 Mild pain	J2b1	Mild pain	LOINC	45711-9	PAIN INTENSITY:FIND:PT:^PATIENT:ORD:MDS
32.b. i. ivilia palii	3201	wiid pairi	SNOMED CT	40196000	Mild pain (finding)
J2.b.2. Moderate pain	J2b2	Moderate pain	LOINC	45711-9	PAIN INTENSITY:FIND:PT:^PATIENT:ORD:MDS
, , , , , , , , , , , , , , , , , , , ,			SNOMED CT	50415004	Moderate pain (finding)
J2.b.3. Times when pain is horrible or	r e: J2b3	Pain is horrible or excruciating	LOINC	45711-9	PAIN INTENSITY:FIND:PT:^PATIENT:ORD:MDS
•		-	SNOMED CT	67849003	Excruciating pain (finding)
J2.b.4 UTD	J2b4	UTD intensity of pain			
J3. Pain sites	J3	B 1 :	1.0000	45745 -	DAGY DAW FIND DT 40 ATFECT ODD MOS
J3.a. Back pain	J3a	Back pain	LOINC	45712-7	BACK PAIN:FIND:PT:^PATIENT:ORD:MDS
J3.b. Bone pain	J3b	Bone pain	SNOMED CT LOINC	419258005 45713-5	Back pain (finding) BONE PAIN:FIND:PT:^PATIENT:ORD:MDS
oo.b. Done pain	JUD	Done pain	LONG	-101 10-0	DOME FAIRS IN SECTION OF THE SECTION

			SNOMED CT	12584003	Bone pain (finding)
J3.c. Chest pain while doing usual a	ctivi J3c	Chest pain while doing usual activities		45714-3	CHEST PAIN DURING USUAL ACTIVITIES:FIND:PT:^PATIENT:ORD:MDS
J3.d. Headache	J3d	Headache	LOINC	45715-0	HEADACHE:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	25064002	Headache (finding)
J3.e. Hip pain	J3e	Hip pain	LOINC	45716-8	HIP PAIN:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	49218002	Hip pain (finding)
J3.f. Incisional pain	J3f	Incisional pain	LOINC	45717-6	INCISIONAL PAIN:FIND:PT:^PATIENT:ORD:MDS
J3.g. Joint pain (other than hip)	J3g	Joint pain (other than hip)	LOINC	45718-4	JOINT PAIN:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	57676002	Joint pain (finding)
J3.h. Soft tissue pain (e.g., lesion, m	usc J3h	Soft tissue pain (e.g., lesion, muscle)			
J3.i. Stomach pain	J3i	Stomach pain	LOINC	45720-0	STOMACH PAIN:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	21522001	Abdominal pain (finding)
J3.j. Other	J3j		LOINC	45721-8	OTHER PAIN:FIND:PT:^PATIENT:ORD:MDS
J4. Accidents	J4				
J4.a. Fell in past 30 days	J4a	Resident fell	LOINC	45722-6	FELL IN PAST 30D:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	161898004	Falls (finding)
J4.b. Fell in past 31-180 days	J4b		LOINC	45723-4	FELL IN PAST 31D-180D:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	161898004	Falls (finding)
J4.c. Hip fracture in last 180 days	J4c	Hip fracture	LOINC	45724-2	HIP FRACTURE IN LAST 180D:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	263230006	Hip fracture NOS (disorder)
J4.d. Other fracture in last 180 days	J4d	Fracture other than hip	LOINC	45725-9	OTHER FRACTURE IN LAST 180D:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	125605004	Fracture of bone (disorder)
J4.e. NONE OF ABOVE	J4e		LOINC	45726-7	ACCIDENTS - NONE OF ABOVE:FIND:PT:^PATIENT:ORD:MDS
J5. Stability of Conditions	J5				
J5.a. Conditions/diseases make beh		Health conditions cause cognitive, AD		45727-5	CONDITIONS OR DISEASES LEAD TO INSTABILITY:FIND:PT:^PATIENT:ORD:MDS
J5.b. Acute episode of recurrent/chro	onic J5b	Acute episode of recurrent/chronic pro		45728-3	EXPERIENCING ACUTE EPISODE OR FLARE-UP OF RECURRENT OR CHRONIC PROBLEM:FIND:PT:^PATIENT:ORD:MDS
IS a Food atoms discours Confession		Full store discour	SNOMED CT	263853000	Recurrent episode (qualifier value)
J5.c. End-stage disease, 6 or fewer		End-stage disease	SNOMED CT LOINC	162608008	Terminal illness - late stage (finding)
J5.d. NONE OF ABOVE SECTION K: ORAL/NUTRITIONAL	J5d		LOING	45730-9	STABILITY OF CONDITIONS - NONE OF ABOVE:FIND:PT:^PATIENT:ORD:MDS
	K				
K1. Oral Problems K1.a. Chewing problem	K1 K1a	Chausing problem	LOINC	45731-7	CHEWING PROBLEM:FIND:PT:^PATIENT:ORD:MDS
K r.a. Criewing problem	Nia	Chewing problem	SNOMED CT	162020001	
K1.b. Swallowing problem	K1b	Swallowing problem	LOINC	45732-5	Difficulty chewing (finding) SWALLOWING PROBLEM:FIND:PT:^PATIENT:ORD:MDS
K1.b. Swallowing problem	KID	Swallowing problem	SNOMED CT	399122003	Swallowing problem (finding)
K1.c. Mouth pain	K1c	Mouth pain	LOINC	45733-3	Swallowing problem (minumy) MOUTH PAIN:FIND:PT:^PATIENT:ORD:MDS
KT.C. MOdili Palili	KIC	Modiff pairi	SNOMED CT	102616008	Painful mouth (finding)
K1.d. NONE OF ABOVE	K1d		LOINC	45734-1	ORAL PROBLEMS - NONE OF ABOVE:FIND:PT:^PATIENT:ORD:MDS
K2. Height and Weight	K2		201110	40704 1	SIME INSEEMS NOTE OF ABOVE. IND. 1. TAILENT. STOCKED
K2.a. Height in inches	K2a	Height in inches	SNOMED CT	162755006	On examination - height (finding)
K2.b. Weight in pounds	K2b	Weight in pounds	SNOMED CT	162763007	On examination - weight (finding)
K3. Weight Change	K3	rreight in pounds	0.1025 0.	.02.0000.	on oranimater. Holgin (many)
K3.a. Weight Loss of 5% or more	K3a				
K3.a.0. No	K3a0	No weight loss	LOINC	45735-8	WEIGHT LOSS:FIND:PT:^PATIENT:ORD:MDS
		g	SNOMED CT	271398006	Weight steady (finding)
K3.a.1. Yes	K3a1	Weight loss	LOINC	45735-8	WEIGHT LOSS:FIND:PT:^PATIENT:ORD:MDS
		· ·	SNOMED CT	262285001	Weight decreased (finding)
K3.a.2 UTD	K3a2	UTD weight loss	LOINC	45735-8	WEIGHT LOSS:FIND:PT:^PATIENT:ORD:MDS
K3b. Weight Gain of 5% or more	K3b				
K3.b.0. No	K3b0	No weight gain	LOINC	45736-6	WEIGHT GAIN:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	271398006	Weight steady (finding)
K3.b.1. Yes	K3b1	Weight gain	LOINC	45736-6	WEIGHT GAIN:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	262286000	Weight increased (finding)
K3.b.2 UTD	K3b2	UTD weight gain	LOINC	45736-6	WEIGHT GAIN:FIND:PT:^PATIENT:ORD:MDS
K4. Nutritional Problems	K4				
K4.a. Complains about the taste of n		Complains about the taste of many for		45737-4	COMPLAINS ABOUT TASTE OF MANY FOODS:FIND:PT:^PATIENT:ORD:MDS
K4.b. Regular or repetitive complaint	ts of K4b	Regular or repetitive complaints of hur		45738-2	REGULAR COMPLAINTS OF HUNGER:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	249472009	Always hungry (finding)
K4.c. Leaves 25% or more of food up	nea K4c	Leaves food uneaten	LOINC	45739-0	LEAVES 25%+ FOOD UNEATEN AT MOST MEALS:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	105481005	Refusing food (finding)
K4.d. NONE OF ABOVE	K4d		LOINC	45740-8	NUTRITIONAL PROBLEMS - NONE OF ABOVE:FIND:PT:^PATIENT:ORD:MDS
K5. Nutritional Approaches	K5	AL 422 1 4 1004	10110	45744.0	DADENTED ALLIVEIND DE ADATIENT ODD AND
K5.a. Parenteral/IV	K5a	Nutrition by parenteral/IV	LOINC	45741-6	PARENTERAL IV:FIND:PT:^PATIENT:ORD:MDS
KS h. Fanding to be	I/Fb	No state and how for a discuss to the	SNOMED CT	25156005	Intravenous feeding of patient (regime/therapy)
K5.b. Feeding tube	K5b	Nutrition by feeding tube	LOINC	45742-4	FEEDING TUBE:FIND:PT:APATIENT:ORD:MDS Tube feeding dist (finding)
KE a Machaniashy altered dist	V.E.c.	Machanically altered dist	SNOMED CT	83813007	Tube feeding diet (finding) MECHANICALLY ALTERED DIET:FIND:PT:^PATIENT:ORD:MDS
K5.c. Mechanically altered diet	K5c	Mechanically altered diet	LOINC SNOMED CT	45743-2 63740007	
KE d. Surings (oral fooding)	K5d	Syrings (oral fooding)	LOINC	45744-0	Mechanical regular diet (finding) SYRINGE OR ORAL FEEDING:FIND:PT:^PATIENT:ORD:MDS
K5.d. Syringe (oral feeding)	Nou	Syringe (oral feeding)	SNOMED CT	38903004	Tube feeding by syringe method (regime/therapy)
K5.e. Therapeutic diet	K5e	Therapeutic diet	LOINC	45745-7	THERAPEUTIC DIET:FIND:PT:^PATIENT:ORD:MDS
No.e. Therapeutic diet	Noe	merapeutic diet	SNOMED CT	226077000	Therapeutic diets (finding)
K5.f. Dietary supplement between m	eal: K5f	Dietary supplement between meals	LOINC	45746-5	Therapeurs diets (intuing) DIETARY SUPPLEMENT BETWEEN MEALS:FIND:PT:^PATIENT:ORD:MDS
K5.g. Plate guard, stabilized built-up		Plate guard, stabilized built-up utensils		.0. 10 0	
- 5 g		3 ap atonom			

K5.h. On a planned weight change pro K5.i. NONE OF ABOVE	ng K5n K5i	On a planned weight change program	LOINC LOINC	45748-1 45749-9	ON A PLANNED WEIGHT CHANGE PROGRAM:FIND:PT:^PATIENT:ORD:MDS NUTRITIONAL APPROACHES - NONE OF ABOVE:FIND:PT:^PATIENT:ORD:MDS
K6. Parenteral / Enteral Intake	K6		LONIO	40740 0	No Millowe All Monde of Above a Monte of
K6.a. Total caloric intake	K6a				
K6.a.0. None	K6a0	No calories received through parenter		45750-7	PROPORTION OF TOTAL CALORIES RECEIVED THROUGH PARENTERAL OR TUBE FEEDING IN LAST 7 DAYS:FIND:PT:^PATIENT:NOM:MDS
K6.a.1. 1% to 25%	K6a1	1% to 25% calories received through p		45750-7	PROPORTION OF TOTAL CALORIES RECEIVED THROUGH PARENTERAL OR TUBE FEEDING IN LAST 7 DAYS:FIND:PT://PATIENT:NOM.MDS
K6.a.2. 26% to 50% K6.a.3. 51% to 75%	K6a2 K6a3	26% to 50% calories received through 51% to 75% calories received through		45750-7 45750-7	PROPORTION OF TOTAL CALORIES RECEIVED THROUGH PARENTERAL OR TUBE FEEDING IN LAST 7 DAYS:FIND:PT:^PATIENT:NOM:MDS PROPORTION OF TOTAL CALORIES RECEIVED THROUGH PARENTERAL OR TUBE FEEDING IN LAST 7 DAYS:FIND:PT:^PATIENT:NOM:MDS
K6.a.4. 76% to 100%	K6a4	76% to 100% calories received through		45750-7	PROPORTION OF TOTAL CALORIES RECEIVED THROUGH PARENTERAL OR TUBE FEEDING IN LAST 7 DAYS:FIND:PT:PPATIENT:NOM.MDS
K6.a.5 UTD	K6a5	UTD calories received through parente		107007	
K6.b. Average fluid intake	K6b				
K6.b.0. None	K6b0	No fluid intake by IV or tube			
K6.b.1. 1 to 500 cc/day	K6b1	Average fluid intake by IV or tube 1 to		45751-5	AVERAGE FLUID INTAKE PER DAY BY IV OR TUBE IN LAST 7 DAYS:FIND:PT:^PATIENT:NAR:MDS
K6.b.2. 501 to 1000 cc/day	K6b2	Average fluid intake by IV or tube 501		45751-5	AVERAGE FLUID INTAKE PER DAY BY IV OR TUBE IN LAST 7 DAYS:FIND:PT:^PATIENT:NAR:MDS
K6.b.3. 1001 to 1500 cc/day K6.b.4. 1501 to 2000 cc/day	K6b3 K6b4	Average fluid intake by IV or tube 100 Average fluid intake by IV or tube 150		45751-5 45751-5	AVERAGE FLUID INTAKE PER DAY BY IV OR TUBE IN LAST 7 DAYS:FIND:PT:^PATIENT:NAR:MDS AVERAGE FLUID INTAKE PER DAY BY IV OR TUBE IN LAST 7 DAYS:FIND:PT:^PATIENT:NAR:MDS
K6.b.5. 2001 or more cc/day	K6b5	Average fluid intake by IV or tube 130 Average fluid intake by IV or tube 200		45751-5	AVERAGE FLUID INTAKE PER DAY BY IV OR TUBE IN LAST 7 DAYS:FINDT-Y-PATIENT:NAR:MDS
K6.b.6 UTD	K6b6	UTD fluid intake by IV or tube			
SECTION L: ORAL/DENTAL	L				
L1. Oral Status/Disease Prevention	L1				
L1.a. Debris (soft, easily movable subs		Debris in mouth prior to going to bed a		289144006	Finding of food in mouth (finding)
L1.b. Has dentures or removable bridg	je L'ID	Has dentures or removable bridge	LOINC SNOMED CT	45770-5 278615005	HAS DENTURES OR REMOVABLE BRIDGE:FIND:PT:^PATIENT:ORD:MDS Denture present (finding)
L1.c. Some/all natural teeth lostdoes	nl 1c	Some/all natural teeth lostdoes not h		45771-3	SOME OR ALL NATURAL TEETH LOST BUT DOES NOT HAVE OR USE DENTURES OR PARTIAL PLATES:FIND:PT:^PATIENT:ORD:MDS
L1.d. Broken, loose, or carious teeth		Broken, loose, or carious teeth			00112 01.712 11.100 12.12 11.100 12.700 10.7000 10.700 10.700 10.700 10.700 10.700 10.700 10.700 10.700 10.7
L1.e. Inflamed gums (gingiva), swollen		L1.e. Inflamed gums (gingiva), swoller		163164001	On examination - bleeding gums (finding)
L1.f. Daily cleaning of teeth/dentures of	or L1f	L1.f. Daily cleaning of teeth/dentures of		45774-7	DAILY CLEANING OF TEETH OR DENTURES OR MOUTH CARE:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	284840001	Able to clean own teeth (finding)
L1.g. NONE OF ABOVE SECTION M: SKIN CONDITION	L1g		LOINC	45775-4	ORAL STATUS/DISEASE PREVENTION - NONE OF ABOVE:FIND:PT:^PATIENT:ORD:MDS
M1. Ulcers (due to any cause)	M M1				
M1.a. Stage 1 ulcer	M1a	Stage 1 ulcer	LOINC	45776-2	ULCERS.STAGE 1:NUM:PT:^PATIENT:QN:MDS
		3	SNOMED CT	267816005	Non-pressure ulcer lower limb (disorder)
			SNOMED CT	164395005	On examination - skin ulcer (disorder)
			SNOMED CT	164398007	On examination - skin ulcer NOS (disorder)
			SNOMED CT	164397002	On examination - skin ulcer present (disorder)
			SNOMED CT SNOMED CT	46742003 300984006	Skin ulcer (disorder) Skin ulcer of calf (disorder)
			SNOMED CT	300982005	Skin ulcer of dorsum of foot (disorder)
			SNOMED CT	300983000	Skin ulcer of nose (disorder)
			SNOMED CT	258215001	Stage 1 (qualifier value)
			SNOMED CT	29571009	Stage level 1 (qualifier value)
			SNOMED CT	93448009	Superficial ulcer of skin (disorder)
M1.b. Stage 2 ulcer	M1b	Stage 2 ulcer	SNOMED CT LOINC	276327007 45777-0	Ulcer of skin or mucosa (finding) ULCERS.STAGE 2:NUM:PT:^PATIENT:QN:MDS
Wilb. Stage 2 dioor	WILD	Stage 2 dioci	SNOMED CT	267816005	Non-pressure ulcer lower limb (disorder)
			SNOMED CT	164395005	On examination - skin ulcer (disorder)
			SNOMED CT	164398007	On examination - skin ulcer NOS (disorder)
			SNOMED CT	164397002	On examination - skin ulcer present (disorder)
			SNOMED CT	46742003	Skin ulcer (disorder)
			SNOMED CT SNOMED CT	300984006 300982005	Skin ulcer of calf (disorder) Skin ulcer of dorsum of foot (disorder)
			SNOMED CT	300983000	Skin ulcer of nose (disorder)
			SNOMED CT	258219007	Stage 2 (qualifier value)
			SNOMED CT	77655006	Stage level 2 (qualifier value)
M4 - Otana Oula	N44 -	Chara Quilana	SNOMED CT	276327007	Ulcer of skin or mucosa (finding)
M1.c. Stage 3 ulcer	M1c	Stage 3 ulcer	LOINC	45778-8	ULCERS.STAGE 3:NUM:PT-PATIENT::ON:MDS Non-preserve ulter found limb (disented)
			SNOMED CT SNOMED CT	267816005 164395005	Non-pressure ulcer lower limb (disorder) On examination - skin ulcer (disorder)
			SNOMED CT	164398007	On examination - skin ulcer NOS (disorder)
			SNOMED CT	164397002	On examination - skin ulcer present (disorder)
			SNOMED CT	46742003	Skin ulcer (disorder)
			SNOMED CT	300984006	Skin ulcer of calf (disorder)
			SNOMED CT SNOMED CT	300982005 300983000	Skin ulcer of dorsum of foot (disorder) Skin ulcer of nose (disorder)
			SNOMED CT	258224005	Skin ulcer or nose (ulsouder) Stage 3 (qualifier value)
			SNOMED CT	83606005	Stage level 3 (qualifier value)
			SNOMED CT	276327007	Ulcer of skin or mucosa (finding)
M1.d. Stage 4 ulcer	M1d	Stage 4 ulcer	LOINC	45779-6	ULCERS.STAGE 4:NUM:PT:^PATIENT:QN:MDS
			SNOMED CT	267816005	Non-pressure ulcer lower limb (disorder)
			SNOMED CT SNOMED CT	164395005 164398007	On examination - skin ulcer (disorder) On examination - skin ulcer NOS (disorder)
			SNOMED CT	164397002	On examination - skin ulcer present (disorder)
			SNOMED CT	46742003	Skin ulcer (disorder)

			SNOMED CT	300984006	Skin ulcer of calf (disorder)
			SNOMED CT	300982005	Skin ulcer of dorsum of foot (disorder)
			SNOMED CT	300983000	Skin ulcer of nose (disorder)
			SNOMED CT SNOMED CT	258228008 91387004	Stage 4 (qualifier value) Stage level 4 (qualifier value)
			SNOMED CT	276327007	Ulcer of skin or mucosa (finding)
M2. Type of Ulcer	M2				3,
M2.a. Pressure Ulcer highest stage	M2a				
M2.a.0. No ulcer	M2a0	No pressure ulcer	SNOMED CT	164396006	On examination - no skin ulcer (situation)
M2.a.1. Stage 1 ulcer	M2a1	Stage 1 pressure ulcer	SNOMED CT LOINC	421434007 45780-4	Pressure ulcer not visible (disorder) PRESSURE ULCER STAGE:FIND:PT:^PATIENT:NOM:MDS
W.Z.d. 1. Olago 1 dicor	WIZUT	olage i pressure dicei	SNOMED CT	400192002	Decubitus ulcer (disorder)
			SNOMED CT	418172001	Decubitus ulcer (morphologic abnormality)
			SNOMED CT	301016007	Decubitus ulcer of ankle (disorder)
			SNOMED CT	399912005 225357008	Pressure sore (disorder)
			SNOMED CT SNOMED CT	420226006	Pressure sore care (regime/therapy) Pressure ulcer (morphologic abnormality)
			SNOMED CT	385912002	Pressure ulcer care assessment (regime/therapy)
			SNOMED CT	385913007	Pressure ulcer care education (procedure)
			SNOMED CT	385914001	Pressure ulcer care management (procedure)
			SNOMED CT SNOMED CT	422029001 421030009	Pressure ulcer exudate amount (observable entity) Pressure ulcer push score (observable entity)
			SNOMED CT	421030009	Pressure ulcer stage 1 (disorder)
			SNOMED CT	385916004	Pressure ulcer Stage 1 care (regime/therapy)
			SNOMED CT	385915000	Pressure ulcer Stage 1 care assessment (regime/therapy)
			SNOMED CT	385917008	Pressure ulcer Stage 1 care education (procedure)
			SNOMED CT	385918003	Pressure ulcer Stage 1 care management (procedure)
M2.a.2. Stage 2 ulcer	M2a2	Stage 2 pressure ulcer	SNOMED CT LOINC	420753006 45780-4	Pressure ulcer surface area (observable entity) PRESSURE ULCER STAGE:FIND:PT:^PATIENT:NOM:MDS
mziaizi diago z alcoi	···LGE	Clage 2 process aloci	SNOMED CT	400192002	Decubitus ulcer (disorder)
			SNOMED CT	418172001	Decubitus ulcer (morphologic abnormality)
			SNOMED CT	301016007	Decubitus ulcer of ankle (disorder)
			SNOMED CT SNOMED CT	399912005 225357008	Pressure sore (disorder) Pressure sore care (regime/therapy)
			SNOMED CT	420226006	Pressure ulcer (morphologic abnormality)
			SNOMED CT	385912002	Pressure ulcer care assessment (regime/therapy)
			SNOMED CT	385913007	Pressure ulcer care education (procedure)
			SNOMED CT	385914001	Pressure ulcer care management (procedure)
			SNOMED CT SNOMED CT	422029001 421030009	Pressure ulcer exudate amount (observable entity) Pressure ulcer push score (observable entity)
			SNOMED CT	420324007	Pressure ulcer stage 2 (disorder)
			SNOMED CT	385920000	Pressure ulcer Stage 2 care (regime/therapy)
			SNOMED CT	385919006	Pressure ulcer Stage 2 care assessment (regime/therapy)
			SNOMED CT	385921001	Pressure ulcer Stage 2 care education (procedure)
			SNOMED CT SNOMED CT	385922008 420753006	Pressure ulcer Stage 2 care management (procedure) Pressure ulcer surface area (observable entity)
M2.a.3. Stage 3 ulcer	M2a3	Stage 3 pressure ulcer	LOINC	45780-4	PRESSURE ULCER STAGE:FIND:PT:^PATIENT:NOM:MDS
<u> </u>			SNOMED CT	400192002	Decubitus ulcer (disorder)
			SNOMED CT	418172001	Decubitus ulcer (morphologic abnormality)
			SNOMED CT SNOMED CT	301016007 399912005	Decubitus ulcer of ankle (disorder)
			SNOMED CT	225357008	Pressure sore (disorder) Pressure sore care (regime/therapy)
			SNOMED CT	420226006	Pressure ulcer (morphologic abnormality)
			SNOMED CT	385912002	Pressure ulcer care assessment (regime/therapy)
			SNOMED CT	385913007	Pressure ulcer care education (procedure)
			SNOMED CT SNOMED CT	385914001 422029001	Pressure ulcer care management (procedure) Pressure ulcer exudate amount (observable entity)
			SNOMED CT	421030009	Pressure ulcer exhauste amount (observable entity) Pressure ulcer push score (observable entity)
			SNOMED CT	421927004	Pressure ulcer stage 3 (disorder)
			SNOMED CT	385924009	Pressure ulcer Stage 3 care (regime/therapy)
			SNOMED CT	385923003	Pressure ulcer Stage 3 care assessment (regime/therapy)
			SNOMED CT SNOMED CT	385925005 385926006	Pressure ulcer Stage 3 care education (procedure) Pressure ulcer Stage 3 care management (procedure)
			SNOMED CT	420753006	Pressure ulcer surface area (observable entity)
			SNOMED CT	370915005	Stage 3 or 4 pressure ulcers acquired after admission to a healthcare facility (event)
M2.a.4. Stage 4 ulcer	M2a4	Stage 4 pressure ulcer	LOINC	45780-4	PRESSURE ULCER STAGE:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	400192002	Decubitus ulcer (disorder)
			SNOMED CT SNOMED CT	418172001 301016007	Decubitus ulcer (morphologic abnormality) Decubitus ulcer of ankle (disorder)
			SNOMED CT	399912005	Pressure sore (disorder)
			SNOMED CT	225357008	Pressure sore care (regime/therapy)
			SNOMED CT	420226006	Pressure ulcer (morphologic abnormality)
			SNOMED CT	385912002	Pressure ulcer care assessment (regime/therapy)
			SNOMED CT	385913007	Pressure ulcer care education (procedure)

			SNOMED CT	385914001	Pressure ulcer care management (procedure)
			SNOMED CT	422029001	Pressure ulcer exudate amount (observable entity)
			SNOMED CT	421030009	Pressure ulcer push score (observable entity)
			SNOMED CT	420597008	Pressure ulcer stage 4 (disorder)
			SNOMED CT	385928007	Pressure ulcer Stage 4 care (regime/therapy)
			SNOMED CT	385927002	Pressure ulcer Stage 4 care assessment (regime/therapy)
			SNOMED CT	385929004	Pressure ulcer Stage 4 care education (procedure)
			SNOMED CT	385930009	Pressure ulcer Stage 4 care management (procedure)
			SNOMED CT	420753006	Pressure ulcer surface area (observable entity)
MO b. Otasia I llana biabantatana	Mol		SNOMED CT	370915005	Stage 3 or 4 pressure ulcers acquired after admission to a healthcare facility (event)
M2.b. Stasis Ulcer highest stage	M2b	No stade visas	CNOMED OT	007040000	Normal alia annistanti (findian)
M2.b.0. No ulcer	M2b0	No stasis ulcer	SNOMED CT	297948003 164396006	Normal skin consistency (finding)
			SNOMED CT SNOMED CT	225544001	On examination - no skin ulcer (situation) Skin appearance normal (finding)
M2.b.1. Stage 1 ulcer	M2b1	Stage 1 stasis ulcer	LOINC	45781-2	STASIS ULCER STAGE:FIND:PT:^PATIENT:NOM:MDS
W.Z.B. T. Otago T dioci	IVIZOT	otage i stasio dioci	SNOMED CT	26649005	Chronic ulcer of lower extremity (disorder)
			SNOMED CT	401172002	History of - venous leg ulcer (situation)
			SNOMED CT	238790003	Leg ulcer NOS (disorder)
			SNOMED CT	238792006	Mixed arteriovenous leg ulcer (disorder)
			SNOMED CT	267816005	Non-pressure ulcer lower limb (disorder)
			SNOMED CT	35498005	Stasis dermatitis (disorder)
			SNOMED CT	371032004	Stasis ulcer (disorder)
			SNOMED CT	41915009	Stasis ulcer (morphologic abnormality)
			SNOMED CT	95344007	Ulcer of lower extremity (disorder)
			SNOMED CT	71897006	Venous stasis (finding)
			SNOMED CT	238788004	Venous stasis syndrome (disorder)
			SNOMED CT	402863005	Venous ulcer of leg (disorder)
M2.b.2. Stage 2 ulcer	M2b2	Stage 2 stasis ulcer	LOINC	45781-2	STASIS ULCER STAGE:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	26649005	Chronic ulcer of lower extremity (disorder)
			SNOMED CT	401172002	History of - venous leg ulcer (situation)
			SNOMED CT	238790003	Leg ulcer NOS (disorder) Mixed arteriovenous leg ulcer (disorder)
			SNOMED CT SNOMED CT	238792006 267816005	Non-pressure ulcer lower limb (disorder)
			SNOMED CT	35498005	Stasis dermatitis (disorder)
			SNOMED CT	371032004	Stasis ulcer (disorder)
			SNOMED CT	41915009	Stasis ulcer (morphologic abnormality)
			SNOMED CT	95344007	Ulcer of lower extremity (disorder)
			SNOMED CT	71897006	Venous stasis (finding)
			SNOMED CT	238788004	Venous stasis syndrome (disorder)
			SNOMED CT	402863005	Venous ulcer of leg (disorder)
M2.b.3. Stage 3 ulcer	M2b3	Stage 3 stasis ulcer	LOINC	45781-2	STASIS ULCER STAGE:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	26649005	Chronic ulcer of lower extremity (disorder)
			SNOMED CT	401172002	History of - venous leg ulcer (situation)
			SNOMED CT	238790003	Leg ulcer NOS (disorder)
			SNOMED CT	238792006	Mixed arteriovenous leg ulcer (disorder)
			SNOMED CT	267816005	Non-pressure ulcer lower limb (disorder)
			SNOMED CT	35498005	Stasis dermatitis (disorder)
			SNOMED CT	371032004 41915009	Stasis ulcer (disorder) Stasis ulcer (morphologic abnormality)
			SNOMED CT SNOMED CT	95344007	Ulcer of lower extremity (disorder)
			SNOMED CT	71897006	Venous stasis (finding)
			SNOMED CT	238788004	Venous stasis syndrome (disorder)
			SNOMED CT	402863005	Venous ulcer of leg (disorder)
M2.b.4. Stage 4 ulcer	M2b4	Stage 4 stasis ulcer	LOINC	45781-2	STASIS ULCER STAGE:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	26649005	Chronic ulcer of lower extremity (disorder)
			SNOMED CT	401172002	History of - venous leg ulcer (situation)
			SNOMED CT	238790003	Leg ulcer NOS (disorder)
			SNOMED CT	238792006	Mixed arteriovenous leg ulcer (disorder)
			SNOMED CT	267816005	Non-pressure ulcer lower limb (disorder)
			SNOMED CT	35498005	Stasis dermatitis (disorder)
			SNOMED CT	371032004	Stasis ulcer (disorder)
			SNOMED CT	41915009	Stasis ulcer (morphologic abnormality)
			SNOMED CT	95344007 71897006	Ulcer of lower extremity (disorder)
			SNOMED CT SNOMED CT	238788004	Venous stasis (finding) Venous stasis syndrome (disorder)
			SNOMED CT	402863005	Venous ulcer of leg (disorder)
M3. History of resolved ulcers	M3		5.10MED 01	70200000	Total also, or log (also also)
M3.0. No	M30	No history of ulcer resolved/cured	LOINC	45782-0	HISTORY OF RESOLVED ULCERS:FIND:PT:^PATIENT:ORD:MDS
		,	SNOMED CT	394896005	Change in skin lesion (finding)
			SNOMED CT	225542002	Finding of skin healing (finding)
			SNOMED CT	421711004	History of - pressure ulcer (situation)
M3.1. Yes	M31	Resident had an ulcer that was resolved		45782-0	HISTORY OF RESOLVED ULCERS:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	394896005	Change in skin lesion (finding)
			SNOMED CT	225542002	Finding of skin healing (finding)

M3.2 UTD	M32	UTD history of ulcer resolved/cured	SNOMED CT LOINC SNOMED CT SNOMED CT	421711004 45782-0 394896005 225542002	History of - pressure ulcer (situation) HISTORY OF RESOLVED ULCERS:FIND:PT:^PATIENT:ORD:MDS Change in skin lesion (finding) Finding of skin healing (finding)
			SNOMED CT	421711004	History of - pressure ulcer (situation)
M4. Other skin problem/lesions presen		Abassiana basiasa	CNOMED OT	200000000	About on (dispersion)
M4.a. Abrasions, bruises	M4a	Abrasions, bruises	SNOMED CT	399963005	Abrasion (disorder)
			SNOMED CT SNOMED CT	82117004 287128008	Abrasion AND/OR friction burn with infection (disorder) Abrasion NOS (disorder)
			SNOMED CT	283052002	Abrasion of nose (disorder)
			SNOMED CT	211330003	Abrasion in riose (disorder) Abrasion, hip (disorder)
			SNOMED CT	211331004	Abrasion, thigh (disorder)
			SNOMED CT	211192002	Abrasion, upper arm (disorder)
			SNOMED CT	269380009	Bruise NOS (disorder)
			SNOMED CT	308492005	Contusion - lesion (morphologic abnormality)
			SNOMED CT	125667009	Contusion (disorder)
			SNOMED CT	58075000	Contusion of toe (disorder)
			SNOMED CT	68142008	Contusion of upper limb (disorder)
			SNOMED CT	297950006	Finding related to bruising (finding)
			SNOMED CT	373600006	Multiple bruising (finding)
			SNOMED CT	164624008	On examination - bruising (disorder)
			SNOMED CT	385426004	Superficial abrasion (morphologic abnormality)
M4.b. Burns (second or third degree)	M4b	Burns (second or third degree)	LOINC	45784-6	SECOND OR THIRD DEGREE BURNS:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	217524007	Accident caused by clothes on fire from burning bedspread (event)
			SNOMED CT	125666000	Burn (disorder)
			SNOMED CT	48333001	Burn injury (morphologic abnormality)
			SNOMED CT	6132001	Burn of thigh (disorder)
			SNOMED CT	64090007	Burn of thumb (disorder)
			SNOMED CT	212063000	Burn: 20-29% of body surface NOS (disorder)
			SNOMED CT	217401003	Burning caused by conflagration in convalescent home (event)
			SNOMED CT	408462000	Burns care (qualifier value)
			SNOMED CT	212139006	Burns NOS (disorder)
			SNOMED CT	402261004	Chemical burn (disorder)
			SNOMED CT	276468004	Cigarette burn (disorder)
			SNOMED CT	211914004	Deep partial thickness burn of wrist (disorder)
			SNOMED CT	61317003	Deep third degree burn of ankle (disorder)
			SNOMED CT	182533005	Dressing of burn (procedure)
			SNOMED CT	405571006	Electrical burn (disorder)
			SNOMED CT	211849005	Full thickness burn of arm (disorder)
			SNOMED CT	385536005	Hot water burn (morphologic abnormality)
			SNOMED CT	217457007	Jump from burning church (event)
			SNOMED CT	86089006	Second degree burn of axilla (disorder)
			SNOMED CT	53080007	Second degree burn of upper limb (disorder)
			SNOMED CT	242853001	Self injury by cigarette burn (disorder)
			SNOMED CT SNOMED CT	262539000 211835001	Superficial friction burn (disorder) Superficial partial thickness burn of elbow (disorder)
			SNOMED CT	403192003	Third degree burn (disorder)
			SNOMED CT	80247002	Third degree burn injury (morphologic abnormality)
			SNOMED CT	110217005	Third degree burn of floor of mouth (disorder)
			SNOMED CT	64359003	Third degree burn of toe (disorder)
			SNOMED CT	211882008	Unspecified thickness burn of a single finger (disorder)
			SNOMED CT	211888007	Unspecified thickness burn of wrist (disorder)
M4.c. Open lesions other than ulcers, i	a M4c	Open lesions other than ulcers, rashes,		394896005	Change in skin lesion (finding)
,	-		SNOMED CT	300577008	Finding of lesion (finding)
			SNOMED CT	240978006	Incisional biopsy of skin lesion (procedure)
			SNOMED CT	302394000	Laser destruction of skin lesion (procedure)
			SNOMED CT	372130007	Malignant neoplasm of skin (disorder)
			SNOMED CT	315209002	On examination - pigmented skin lesion (disorder)
			SNOMED CT	275869006	On examination - skin lesion (disorder)
			SNOMED CT	164615004	On examination - skin over lesion hot (finding)
			SNOMED CT	201340008	Pigmented skin lesion (disorder)
			SNOMED CT	95324001	Skin lesion (disorder)
			SNOMED CT	402762007	Skin lesion associated with hemodialysis (disorder)
			SNOMED CT	247440002	Skin or mucosa lesion (finding)
			SNOMED CT	399494004	Squamous cell carcinoma in post-traumatic skin lesion (morphologic abnormality)
		B 1	SNOMED CT	315276005	Suspected skin cancer (situation)
M4.d. Rashese.g., intertrigo, eczema	, M4d	Rashese.g., intertrigo, eczema, drug r		396348002	Acute eczema (disorder)
			SNOMED CT	24079001	Atopic dermatitis (disorder)
			SNOMED CT	266158001	Candida intertrigo (disorder)
			SNOMED CT	112625008 43116000	Cutaneous eruption (morphologic abnormality)
			SNOMED CT SNOMED CT	43116000 28926001	Eczema (disorder) Eruption due to drug (disorder)
			SNOMED CT	271807003	Eruption due to drug (disorder) Eruption of skin (disorder)
			SNOMED CT	43523005	Facial eczema (disorder)
			5.10MED 01	70020000	. ada deserva (addition)

			CNOMED CT	402202004	Congrelized cozema (disorder)
			SNOMED CT SNOMED CT	402303001 33839006	Generalized eczema (disorder) Genital herpes simplex (disorder)
			SNOMED CT	238539001	Hand eczema (disorder)
			SNOMED CT	88594005	Herpes simplex (disorder)
			SNOMED CT	4740000	Herpes zoster (disorder)
			SNOMED CT	58759008	Intertrigo (disorder)
			SNOMED CT	164623002	On examination - a rash (disorder)
			SNOMED CT	275955005	On examination - allergic rash (disorder)
			SNOMED CT	304386008	On examination - itchy rash (disorder)
			SNOMED CT	268911002	On examination - rash present (situation)
			SNOMED CT	271757001	Papular eruption (disorder)
			SNOMED CT	70831001	Papular rash (morphologic abnormality)
			SNOMED CT	402886003	Primary herpes simplex infection of lips (disorder)
			SNOMED CT SNOMED CT	238602009 35498005	Psoriasis-eczema overlap condition (disorder) Stasis dermatitis (disorder)
			SNOMED CT	238411004	Streptococcal intertrigo (disorder)
			SNOMED CT	64305001	Urticaria (morphologic abnormality)
			SNOMED CT	123698008	Vesicular eczema (disorder)
			SNOMED CT	53788007	Vesicular rash (morphologic abnormality)
M4.e. Skin desensitized to pain or pres	ssM4e	Skin desensitized to pain or pressure	LOINC	45787-9	SKIN DESENSITIZED TO PAIN OR PRESSURE:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	38433004	No sensitivity to pain (finding)
M4.f. Skin tears or cuts (other than sur	g M4f	Skin tears or cuts (other than surgery)	LOINC	45788-7	SKIN TEARS OR CUTS (OTHER THAN SURGERY):FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	263834005	Partial tear (morphologic abnormality)
			SNOMED CT	400045003	Superficial laceration of skin (disorder)
			SNOMED CT	246326005	Tissue torn (attribute)
M4.g. Surgical wounds	M4g	Surgical wounds	LOINC	45789-5	SURGICAL WOUNDS:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	417713005	Abnormality of surgical wound (disorder)
			SNOMED CT SNOMED CT	403676009 58126003	Non-healing surgical wound (disorder) Postoperative wound infection (disorder)
			SNOMED CT	226007004	Post-surgical wound care (procedure)
			SNOMED CT	112633009	Surgical wound (morphologic abnormality)
			SNOMED CT	419635000	Surgical wound finding (finding)
			SNOMED CT	125196006	Surgical wound, recent (morphologic abnormality)
M4.h. NONE OF ABOVE	M4h		LOINC	45790-3	OTHER SKIN PROBLEMS - NONE OF ABOVE:FIND:PT:^PATIENT:ORD:MDS
M5. Skin treatments	M5				
M5.a. Pressure relieving device(s) for	cł M5a	Pressure relieving device(s) for chair	LOINC	45791-1	PRESSURE RELIEVING DEVICE FOR CHAIR:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	223394001	Positioning equipment (physical object)
			SNOMED CT	360302009	Pressure relief equipment (physical object)
			SNOMED CT	15237007	Sitz bath chair, device (physical object)
M5.b. Pressure relieving device(s) for	0€M5b	Pressure relieving device(s) for bed	LOINC	45792-9	PRESSURE RELIEVING DEVICES FOR BED:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	360302009	Pressure relief equipment (physical object)
			SNOMED CT SNOMED CT	311767007 182591009	Special bed (physical object) Water bed (physical object)
M5.c. Turning/repositioning program	M5c	Turning/repositioning program	LOINC	45793-7	TURNING OR REPOSITIONING PROGRAM:FIND:PT:^PATIENT:ORD:MDS
wo.c. ruming/repositioning program	Wioc	ruming/repositioning program	SNOMED CT	282869009	Ability to change position (observable entity)
			SNOMED CT	301691002	Difficulty rolling over in bed (finding)
			SNOMED CT	225994009	Placing patient in comfortable position (procedure)
			SNOMED CT	258144009	Position change (qualifier value)
			SNOMED CT	229824005	Positioning patient (procedure)
			SNOMED CT	225287004	Procedures relating to positioning and support (procedure)
			SNOMED CT	360146007	Repositioning - action (qualifier value)
			SNOMED CT	308739004	Repositioning (procedure)
			SNOMED CT	359962006	Turning patient in bed (procedure)
			SNOMED CT SNOMED CT	303384002 282848007	Unable to change position (finding) Unable to maintain a position (finding)
			SNOMED CT	282838005	Unable to move from a position (finding)
			SNOMED CT	301688002	Unable to roll over in bed (finding)
M5.d. Nutrition or hydration interventio	n M5d	Nutrition or hydration intervention to ma		45794-5	NUTRITION OR HYDRATION INTERVENTION:FIND:PT:^PATIENT:ORD:MDS
,		,	SNOMED CT	276026009	Fluid balance regulation (procedure)
			SNOMED CT	385747001	Hydration balance regulation management (procedure)
			SNOMED CT	405006006	Hydration status (observable entity)
			SNOMED CT	61310001	Nutrition education (procedure)
ME 111			SNOMED CT	386372009	Nutrition management (regime/therapy)
M5.e. Ulcer care	M5e	Ulcer care	LOINC	45795-2	ULCER CARE:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT SNOMED CT	225357008 385912002	Pressure sore care (regime/therapy) Pressure ulcer care assessment (regime/therapy)
			SNOMED CT	385913007	Pressure ulcer care assessment (regime/therapy) Pressure ulcer care education (procedure)
			SNOMED CT	385914001	Pressure ulcer care education (procedure) Pressure ulcer care management (procedure)
			SNOMED CT	385916004	Pressure ulcer Stage 1 care (regime/therapy)
			SNOMED CT	385915000	Pressure ulcer Stage 1 care assessment (regime/therapy)
			SNOMED CT	385917008	Pressure ulcer Stage 1 care education (procedure)
			SNOMED CT	385918003	Pressure ulcer Stage 1 care management (procedure)
			SNOMED CT	385920000	Pressure ulcer Stage 2 care (regime/therapy)
			SNOMED CT	385919006	Pressure ulcer Stage 2 care assessment (regime/therapy)

			SNOMED CT	385921001	Pressure ulcer Stage 2 care education (procedure)
			SNOMED CT	385922008	Pressure ulcer Stage 2 care management (procedure)
			SNOMED CT	385924009	Pressure ulcer Stage 3 care (regime/therapy)
			SNOMED CT	385923003	Pressure ulcer Stage 3 care assessment (regime/therapy)
			SNOMED CT	385925005	Pressure ulcer Stage 3 care education (procedure)
			SNOMED CT	385926006	Pressure ulcer Stage 3 care management (procedure)
			SNOMED CT	385928007	Pressure ulcer Stage 4 care (regime/therapy)
			SNOMED CT	385927002	Pressure ulcer Stage 4 care assessment (regime/therapy)
			SNOMED CT	385929004	Pressure ulcer Stage 4 care education (procedure)
			SNOMED CT	385930009	Pressure ulcer Stage 4 care management (procedure)
M5.f. Surgical wound care	M5f	Surgical wound care	LOINC	45796-0	SURGICAL WOUND CARE:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	372134003	Assessment of knowledge regarding wound care (regime/therapy)
			SNOMED CT	386496003	Closed drainage wound care (procedure)
			SNOMED CT	370805000	Evaluation of response to instruction about wound healing and wound care (procedure)
			SNOMED CT	226007004	Post-surgical wound care (procedure)
			SNOMED CT	42149003	Special care of wound (procedure)
			SNOMED CT	225358003	Wound care (procedure)
			SNOMED CT	385941006	Wound care assessment (regime/therapy)
			SNOMED CT	385942004	Wound care management (procedure)
			SNOMED CT	370846005	Wound healing and wound care education (procedure)
			SNOMED CT	15502008	Wound treatment education (procedure)
M5.g. Application of dressings (with or	v M5g	Application of dressings (with or without	it LOINC	45797-8	APPLICATION OF DRESSINGS:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	3895009	Application of dressing (procedure)
			SNOMED CT	85694002	Application of dressing, soft cast (procedure)
			SNOMED CT	410330006	Dressing change/wound care case management (procedure)
			SNOMED CT	410285007	Dressing change/wound care education, guidance, and counseling (procedure)
			SNOMED CT	410379003	Dressing change/wound care surveillance (regime/therapy)
			SNOMED CT	182533005	Dressing of burn (procedure)
			SNOMED CT	225144007	Dressing of pressure sore (procedure)
			SNOMED CT	182532000	Dressing of ulcer (procedure)
			SNOMED CT	182531007	Dressing of wound (procedure)
			SNOMED CT	336167007	Non-adherent dressing (physical object)
			SNOMED CT	118414001	Pressure dressing, device (physical object)
			SNOMED CT	336206009	Tracheostomy dressing (physical object)
			SNOMED CT	182537006	Wound dressing NOS (procedure)
M5.h. Application of ointments/medica	tic M5h	Application of ointments/medications (c		45798-6	APPLICATION OF OINTMENTS OR MEDICATIONS:FIND:PT:^PATIENT:ORD:MDS
Mo.n. Application of officinents/medice	ut Woll	Application of diffinents/medications (c	SNOMED CT	225132009	Application of topical agent to skin (procedure)
			SNOMED CT	331681007	Hydrocortisone ointments (product)
			SNOMED CT	353231006	Neomycin 0.5% ointment (product)
			SNOMED CT	417519007	Ointment (substance)
			SNOMED CT	350155007	Topical form erythromycin (product)
ME : Other proventative or protective	ol ME:	Other proventative or protective skip of		45799-4	OTHER PREVENTATIVE OR PROTECTIVE SKIN CARE:FIND:PT:^PATIENT:ORD:MDS
M5.i. Other preventative or protective	SK IVIƏI	Other preventative or protective skin ca			
			SNOMED CT SNOMED CT	129428001	Preventive - procedure intent (qualifier value)
				129440001	Preventive evaluation - action (qualifier value)
			SNOMED CT	302805002	Preventive monitoring (regime/therapy)
			SNOMED CT	169443000	Preventive procedure (procedure)
			SNOMED CT	171439002	Preventive procedure NOS (procedure)
			SNOMED CT	278032008	Preventive service (qualifier value)
			SNOMED CT	410244002	Skin care assessment (regime/therapy)
			SNOMED CT	410245001	Skin care education (procedure)
			SNOMED CT	228535001	Skin care management (procedure)
			SNOMED CT	386440005	Skin surveillance (regime/therapy)
M5.j. NONE OF ABOVE	M5j		LOINC	45800-0	SKIN TREATMENTS - NONE OF ABOVE:FIND:PT:^PATIENT:ORD:MDS
M6. Foot problems and care	M6				
M6.a. Resident has one or more foot p	orcM6a	Resident has foot problems	LOINC	45801-8	ONE OR MORE FOOT PROBLEMS:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	118932009	Disorder of foot (disorder)
			SNOMED CT	299478007	Foot problem (finding)
			SNOMED CT	61661004	Operative procedure on foot (procedure)
			SNOMED CT	309087008	Paresthesia of foot (finding)
			SNOMED CT	10951003	Pronation of foot (finding)
			SNOMED CT	49388007	Sprain of foot (disorder)
			SNOMED CT	297144002	Swollen feet (finding)
			SNOMED CT	234015005	Trench foot (disorder)
			SNOMED CT	95345008	Ulcer of foot (disorder)
M6.b. Infection of the foote.g., celluli	tis M6b	Infection of the foote.g., cellulitis, pure		200685005	Cellulitis and abscess of foot unspecified (disorder)
3,,,,		3	SNOMED CT	200687002	Cellulitis in diabetic foot (disorder)
			SNOMED CT	128276007	Cellulitis of foot (disorder)
			SNOMED CT	238395006	Cellulitis of skin area excluding digits of hand or foot (disorder)
			SNOMED CT	297284003	Drainage of abscess of foot (procedure)
			SNOMED CT	299990002	Infection of foot (disorder)
M6.c. Open lesions on the foot	M6c	Open lesions on the foot	LOINC	45803-4	OPEN LESIONS ON FOOT:FIND:PT:^PATIENT:ORD:MDS
,			SNOMED CT	240031008	Lesion of joint capsule of foot region (disorder)
			SNOMED CT	240029004	Lesion of ligaments of foot region (disorder)
			SNOMED CT	60921006	Local destruction of lesion of joint of foot and toe (procedure)
					(procedure)

Ma 1 N 11 / 11 / 11 / 1		N 11 / 11 / 12	SNOWEDCI	240025005	Soft tissue lesion of root region (disorder)
M6.d. Nails/calluses trimmed during la	st M6d	Nails/calluses trimmed	LOINC	45804-2	NAILS OR CALLUSES TRIMMED IN LAST 90 DAYS:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	201041001	Callosity on toe (disorder)
			SNOMED CT	278507002	Corn and callus procedures (procedure)
			SNOMED CT	201037000	Corns and callus (disorder)
			SNOMED CT	229811005	Foot callus (disorder)
			SNOMED CT	1345007	Hang nail (disorder)
			SNOMED CT	275320004	Injury of nail (disorder)
			SNOMED CT	286855007	Nail care activities, function (observable entity)
			SNOMED CT	313026002	Nail care procedure (procedure)
			SNOMED CT	416596008	Nail changes (finding)
			SNOMED CT	78279003	Nail clipper, device (physical object)
			SNOMED CT	364543004	Nail hygiene (observable entity)
			SNOMED CT	297989000	Nail problem (finding)
			SNOMED CT	247487009	Overcurvature of nail (disorder)
			SNOMED CT	129172009	Procedure on nail (procedure)
			SNOMED CT	229826007	Reduction of callus (procedure)
			SNOMED CT	386018007	Removal of nail (procedure)
			SNOMED CT	265698006	Removal of nail plate (procedure)
			SNOMED CT	177730008	Repair of a nail (procedure)
			SNOMED CT	111982005	Thickened nails (finding)
			SNOMED CT	84533007	Trimming of nail (procedure)
			SNOMED CT	261572003	Trimming of skin (procedure)
M6.e. Received preventative/protectiv	e M6e	Received preventative/protective foot ca		45805-9	RECEIVED PREVENTATIVE OR PROTECTIVE FOOT CARE:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	385955003	Foot care (regime/therapy)
			SNOMED CT	385954004	
					Foot care assessment (regime/therapy)
			SNOMED CT	385956002	Foot care education (procedure)
			SNOMED CT	385957006	Foot care management (procedure)
			SNOMED CT	185487007	Podiatry outreach clinic (environment)
			SNOMED CT	129440001	Preventive evaluation - action (qualifier value)
			SNOMED CT	302805002	Preventive monitoring (regime/therapy)
			SNOMED CT	169443000	Preventive procedure (procedure)
			SNOMED CT	306160005	Referral to podiatry service (procedure)
			SNOMED CT	408394009	Under care of diabetic foot screener (finding)
M6.f. Application of dressings (with or	w M6f	Application of dressings (with or without	t LOINC	45806-7	APPLICATION OF DRESSINGS (FOOT):FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	3895009	Application of dressing (procedure)
			SNOMED CT	12504000	Removal of dressing of skin of feet (procedure)
M6.g. NONE OF ABOVE	MC-		LOINC	45807-5	FOOT PROBLEMS AND CARE - NONE OF ABOVE:FIND:PT:^PATIENT:ORD:MDS
	M6g		LOINC	45807-5	FOOT PROBLEMS AND CARE - NONE OF ABOVE:FIND:PT: "PATIENT:ORD:MDS
SECTION N: ACTIVITY PATTERNS	N				
N1. Time awake	N1				
N1.a. Morning	N1a	Awake in morning	LOINC	45808-3	AWAKE IN MORNING:FIND:PT:^PATIENT:ORD:MDS
N1.b. Afternoon	N1b	Awake in afternoon	LOINC	45809-1	AWAKE IN AFTERNOON:FIND:PT:^PATIENT:ORD:MDS
N1.c. Evening	N1c	Awake in evening	LOINC	45810-9	AWAKE IN EVENING:FIND:PT:^PATIENT:ORD:MDS
		Awake in evening			
N1.d. NONE OF ABOVE	N1d		LOINC	45811-7	TIME AWAKE - NONE OF ABOVE:FIND:PT:^PATIENT:ORD:MDS
N2. Average time involved in activities					
N2.0. Mostmore than 2/3 of time	N20	Involved in activity most of time	LOINC	45812-5	AVERAGE TIME INVOLVED IN ACTIVITIES:FIND:PT:^PATIENT:NOM:MDS
N2.1. Somefrom 1/3 to 2/3 of time	N21	Occasionally involved in activity	LOINC	45812-5	AVERAGE TIME INVOLVED IN ACTIVITIES:FIND:PT:^PATIENT:NOM:MDS
N2.2. Littleless than 1/3 of time	N22	Rarely involved in activity	LOINC	45812-5	AVERAGE TIME INVOLVED IN ACTIVITIES:FIND:PT:^PATIENT:NOM:MDS
	N23	No activity	LOINC	45812-5	AVERAGE TIME INVOLVED IN ACTIVITIES: FIND:PT:^PATIENT:NOM:MDS
N2.3. None			LOINC	45812-5	AVERAGE TIME INVOLVED IN ACTIVITIES:FIND:PT://PATIENT:NOM:MDS
N2.4 UTD	N24	UTD average time involved in activities			
N3. Preferred activity setting	N3				
N3.a. Own room	N3a	Involved in activity in own room	LOINC	45813-3	PREFERRED ACTIVITY SETTING - OWN ROOM:FIND:PT:^PATIENT:ORD:MDS
N3.b. Day/activity room	N3b	Involved in activity in day/activity room	LOINC	45814-1	PREFERRED ACTIVITY SETTING - DAY OR ACTIVITY ROOM:FIND:PT:^PATIENT:ORD:MDS
N3.c. Inside NH/off unit	N3c	Involved in activity inside nursing home		45815-8	PREFERRED ACTIVITY SETTING - INSIDE NH/OFF UNIT:FIND:PT:^PATIENT:ORD:MDS
N3.d. Outside facility	N3d	Involved in activity miside riding from a	LOINC	45816-6	PREFERRED ACTIVITY SETTING - OUTSIDE FACILITY:FIND:PT:^PATIENT:ORD:MDS
N3.e. NONE OF ABOVE	N3e	myorved in activity dutate facility	LOINC	45817-4	PREFERRED ACTIVITY SETTING - NONE OF ABOVE:FIND:PT:^PATIENT.ORD:MDS
			LOINC	45817-4	PREFERRED ACTIVITIY SETTING - NONE OF ABOVE:FIND:PT: "PATIENT:ORD:MDS
N4. General activity preferences	N4				
N4.a. Cards/other games	N4a	Resident prefers cards/other games	LOINC	45818-2	ACTIVITY PREFERENCES - CARDS OR OTHER GAMES:FIND:PT:^PATIENT:ORD:MDS
N4.b. Crafts/arts	N4b	Resident prefers crafts/arts	LOINC	45819-0	ACTIVITY PREFERENCES - CRAFTS OR ARTS:FIND:PT:^PATIENT:ORD:MDS
N4.c. Exercise/sports	N4c	Resident prefers exercise/sports	LOINC	45820-8	ACTIVITY PREFERENCES - EXERCISE OR SPORTS:FIND:PT:^PATIENT:ORD:MDS
N4.d. Music	N4d	Resident prefers music	LOINC	45821-6	ACTIVITY PREFERENCES - MUSIC:FIND:PT:^PATIENT:ORD:MDS
			LOINC		
N4.e. Reading/writing	N4e	Resident prefers reading/writing		45822-4	ACTIVITY PREFERENCES - READING OR WRITING:FIND:PT:/PATIENT:ORD:MDS
N4.f. Spiritual/religious activities	N4f	Resident prefers spiritual/religious activ		45823-2	ACTIVITY PREFERENCES - SPIRITUAL OR RELIGIOUS ACTIVITIES:FIND:PT:^PATIENT:ORD:MDS
N4.g. Trips/shopping	N4g	Resident prefers trips/shopping	LOINC	45824-0	ACTIVITY PREFERENCES - TRIPS OR SHOPPING:FIND:PT:^PATIENT:ORD:MDS
N4.h. Walking/wheeling outdoors	N4h	Resident prefers walking/wheeling outd	CLOINC	45825-7	ACTIVITY PREFERENCES - WALKING OR WHEELING OUTDOORS:FIND:PT:^PATIENT:ORD:MDS
N4.i. Watching TV	N4i	Resident prefers watching TV	LOINC	45826-5	ACTIVITY PREFERENCES - WATCHING TV:FIND:PT:^PATIENT:ORD:MDS
N4.j. Gardening or plants	N4j	Resident prefers gardening or plants	LOINC	45827-3	ACTIVITY PREFERENCES - GARDENING OR PLANTS:FIND:PT:^PATIENT:ORD:MDS
N4.k. Talking or conversing	N4k	Resident prefers talking or conversing	LOINC	45828-1	ACTIVITY PREFERENCES - GARDENING OR FEMILE. FIX-FAMILIATION COMMOS ACTIVITY PREFERENCES - TALKING OR CONVERSING: FIND: PT: APATIENT: ORD: MDS
N4.I. Helping others	N4I	Resident prefers helping others	LOINC	45829-9	ACTIVITY PREFERENCES - HELPING OTHERS:FIND:PT:^PATIENT:ORD:MDS
N4.m. NONE OF ABOVE	N4m		LOINC	45830-7	ACTIVITY PREFERENCES - NONE OF ABOVE:FIND:PT:^PATIENT:ORD:MDS
NE D (OI : D ! D !!					
N5. Prefers Change in Daily Routine	N5				
	N5				
N5.a. Type of activities in which reside	N5 n N5a	Prefers no change in the type of activitie	es in which s/he is currer		
N5.a. Type of activities in which reside N5.a.0. No change in daily routine	N5 n N5a N5a0	Prefers no change in the type of activitic			CHANGE IN ACTIVITY INVOLVEMEN/FIND-PT-APATIENT-NOM-MDS
N5.a. Type of activities in which reside	N5 n N5a N5a0	Prefers no change in the type of activitie Prefers slight change in the type of activities.		45831-5	CHANGE IN ACTIVITY INVOLVEMEN:FIND:PT:^PATIENT:NOM:MDS

SNOMED CT

240025005 Soft tissue lesion of foot region (disorder)

N5.a.2. Major change in daily activities N5.b. Extent of resident involvement in		Prefers major change in the type of acti	i LOINC	45831-5	CHANGE IN ACTIVITY INVOLVEMEN:FIND:PT:^PATIENT:NOM:MDS
N5.b.0. No change in activity involvem		Prefers no change in extent of involvem	nent in activities		
N5.b.1. Slight change in activity involv		Prefers slight change in extent of involv		45832-3	EXTENT OF INVOLVEMENT IN ACTIVITIES:FIND:PT:^PATIENT:NOM:MDS
N5.b.2. Major change in activity involv		Prefers major change in extent of involve	LOINC	45832-3	EXTENT OF INVOLVEMENT IN ACTIVITIES:FIND:PT:^PATIENT:NOM:MDS
SECTION O: MEDICATIONS	0				
O1. Number of medications	O1		LOINC	45833-1	NUMBER OF MEDICATIONS:NUM:PT:^PATIENT:QN:MDS
O2. New medications	02	Be in the contract of the cont	1.01110	45004.0	NEW MEDICATIONS CIVID DT ADATIENT ODD MDG
O2.0. No	O20	Patient did not start any new medication		45834-9	NEW MEDICATIONS:FIND:PT:^PATIENT:ORD:MDS
O2.1. Yes O2.2 UTD	O21 O22	Patient began new medications	LOINC	45834-9	NEW MEDICATIONS:FIND:PT:^PATIENT:ORD:MDS
O3. Injections	03	UTD if patient began new medications	LOINC LOINC	45834-9 45835-6	NEW MEDICATIONS:FIND:PT:^PATIENT:ORD:MDS NUMBER DAYS INJECTIONS RECEIVED:NUM:PT:^PATIENT:QN:MDS
O4. Days received the following medic			LOING	45055-0	NOMBER DATS INSECTIONS RECEIVED. NOM. FT. FATIENT. QN. MDS
O4.a. Antipsychotic	O4a	Antipsychotic used	LOINC	45836-4	NUMBER OF DAYS ANTIPSYCHOTIC MEDICATION RECEIVED:NUM:PT:^PATIENT:QN:MDS
- ······			SNOMED CT	10784006	Anti-psychotic agent (product)
			SNOMED CT	321648000	Antipsychotic depot injections (product)
			SNOMED CT	408490001	Antipsychotic drug therapy (procedure)
			SNOMED CT	358924003	Atypical antipsychotic (product)
			SNOMED CT	372696004	Dibenzoxazepine derivative antipsychotic agent (substance)
			SNOMED CT	321405002	Flupenthixol [antipsychotic] (product)
O4 h Antionviota	O4b	Antionviety drug youd	SNOMED CT LOINC	321415008 45837-2	Haloperidol [antipsychotic] (product) NUMBER OF DAYS ANTIANXIETY MEDICATION RECEIVED:NUM:PT:^PATIENT:QN:MDS
O4.b. Antianxiety O4.c. Antidepressant	O46	Antianxiety drug used Antidepressant used	LOINC	45838-0	NUMBER OF DAYS ANTIDEPRESSANTS MEDICATION RECEIVED:NUM:PT:/PATIENT.QN:MDS
O4.0. Antidepressant	040	Antidepressant daed	SNOMED CT	191928000	Abuse of antidepressant drug (disorder)
			SNOMED CT	242256000	Accidental overdose of tricyclic antidepressant (disorder)
			SNOMED CT	218752003	Adverse reaction to antidepressants NOS (disorder)
			SNOMED CT	36236003	Antidepressant (product)
			SNOMED CT	372720008	Antidepressant (substance)
			SNOMED CT	297201008	Intentional overdose of tricyclic antidepressant (disorder)
			SNOMED CT	11430001	Tetracyclic antidepressant (product)
			SNOMED CT SNOMED CT	33219003 44787002	Tricyclic antidepressant (product) Tricyclic antidepressant measurement (procedure)
O4.d. Hypnotic	O4d	Hypnotic drug used	LOINC	45839-8	NUMBER OF DAYS HYPNOTIC MEDICATION RECEIVED:NUM:PT:^PATIENT:QN:MDS
3a	0.0	Tryphical arag acca	SNOMED CT	387803002	Barbiturate hypnotic (product)
			SNOMED CT	268640002	Hypnotic or anxiolytic dependence (disorder)
			SNOMED CT	313915006	Hypnotic-induced organic mental disorder (disorder)
			SNOMED CT	321088006	Hypnotics (product)
			SNOMED CT	360202006	Non-barbiturate hypnotic (product)
			SNOMED CT SNOMED CT	64386003 59651006	Sedative abuse (disorder) Sedative, hypnotic AND/OR anxiolytic-induced persisting dementia (disorder)
			SNOMED CT	12380008	Sedative, hypnotic AND/OR anxiolytic-induced persisting dementa (disorder) Sedative, hypnotic AND/OR anxiolytic-induced sexual dysfunction (finding)
			SNOMED CT	321143008	Temazepam [hypnotic] (product)
O4.e. Diuretic	O4E	Diuretic used	LOINC	45840-6	NUMBER OF DAYS DIURETIC MEDICATION RECEIVED:NUM:PT:^PATIENT:QN:MDS
			SNOMED CT	372695000	Diuretic (substance)
SECTION P: SPECIAL TREATMENTS					
P1. Special Treatments/Procedures P1.a. Special Care	P1 P1a				
P1.a.a. Chemotherapy	P1aa	Resident received chemotherapy	LOINC	45841-4	CHEMOTHERAPY TREATMENT:FIND:PT:^PATIENT:ORD:MDS
· ···aia. Onomoulorapy	. raa	recorden received enomeworapy	SNOMED CT	367336001	Chemotherapy (procedure)
P1.a.b. Dialysis	P1ab	Resident received dialysis	LOINC	45842-2	DIALYSIS TREATMENT:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	251859005	Dialysis finding (finding)
P1.a.c. IV medication	P1ac	Resident received IV medication	LOINC	45843-0	IV MEDICATION TREATMENT:FIND:PT:^PATIENT:ORD:MDS
P1.a.d. Intake/output	P1ad	Resident received intake/output treatme	SNOMED CT	386358000 45844-8	Medication administration: intravenous (procedure) INTAKE &OR OUTPUT TREATMENT:FIND:PT:^PATIENT:ORD:MDS
F I.a.u. IIIIake/output	riau	Resident received intake/output treatme	SNOMED CT	63061008	Measuring intake and output (procedure)
P1.a.e. Monitoring acute medical cond	diti P1ae	Resident received monitoring of an acu		45845-5	MONITORING OF ACUTE MEDICAL CONDITION:FIND:PT:^PATIENT:ORD:MDS
P1.a.f. Ostomy care	P1af	Resident received ostomy care	LOINC	45846-3	OSTOMY CARE TREATMENT:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	385712009	Ostomy care (regime/therapy)
P1.a.g. Oxygen therapy	P1ag	Resident received oxygen therapy	LOINC	45847-1	OXYGEN THERAPY:FIND:PT:^PATIENT:ORD:MDS
P1.a.h. Radiation	P1ah	Resident received radiation	SNOMED CT LOINC	57485005 45848-9	Oxygen therapy (procedure) RADIATION TREATMENT:FIND:PT:^PATIENT:ORD:MDS
F I.a.II. Naulation	rian	Resident received radiation	SNOMED CT	53438000	Radiation therapy procedure or service (procedure)
P1.a.i. Suctioning	P1ai	Resident received suctioning	LOINC	45849-7	SUCTIONING:FIND:PT:^PATIENT:ORD:MDS
-		-	SNOMED CT	84856008	Oropharyngeal suctioning (procedure)
P1.a.j. Tracheostomy care	P1aj	Resident received tracheostomy care	LOINC	45850-5	TRACHEOSTOMY CARE:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	385858000	Tracheostomy care (regime/therapy)
P1.a.k. Transfusions	P1ak	Resident received transfusions	LOINC SNOMED CT	45851-3 5447007	TRANSFUSIONS:FIND:PT:^PATIENT:ORD:MDS Transfusion (procedure)
P1.a.l. Ventilator or respirator	P1al	Resident received ventilator or respirator		45752-3	VENTILATOR OR RESPIRATOR TREATMENT:FIND:PT:^PATIENT:ORD:MDS
vormaco, or respirator			SNOMED CT	250870006	Ventilator finding (finding)
P1.a.m. Alcohol/drug treatment progra	m P1am	Resident received alcohol or drug treatr		45753-1	ALCOHOL OR DRUG TREATMENT PROGRAM:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	313071005	Substance abuse counselling (procedure)
P1.a.n. Alzheimer's/dementia special		Resident received treatment in Alzheim		45754-9	ALZHEIMER'S OR DEMENTIA SPECIAL CARE UNIT:FIND:PT:^PATIENT:ORD:MDS HOSPICE CARE:FIND:PT:^PATIENT:ORD:MDS
P1.a.o. Hospice care	P1ao	Resident received hospice care	LOINC	45755-6	HOSFIGE CARE, FIND. PT. YPATIENT, URD. IVIDS

			SNOMED CT	385763009	Hospice care (regime/therapy)
P1.a.p. Pediatric unit P	P1ap	Resident received treatment in pediatric		45756-4	PEDIATRIC UNIT:FIND:PT://PATIENT:ORD:MDS
	P1aq		LOINC	45757-2	RESPITE CARE:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT		Respite care of patient (regime/therapy)
P1.a.r. Skills training for return to comm P	P1ar	Resident received training in skills requi		45758-0	TRAINING IN COMMUNITY SKILLS:FIND:PT:^PATIENT:ORD:MDS
D1 a a NONE OF ABOVE	Dian		SNOMED CT	228641002	Community living skills training (regime/therapy)
	P1as P1b	Resident received no special care or tre Therapies received for more than 15 mi		45759-8	SPECIAL TREATMENTS/PROGRAMS - NONE OF ABOVE:FIND:PT:*PATIENT:ORD:MDS
P1.b.A. Number of days therapy adminis P		merapies received for more than 15 mil	i. daily iii last / days		
	P1bAa	speech therapy administered	LOINC	45760-6	NUMBER OF DAYS WITH AT LEAST 15 MINUTES OF SPEECH THERAPY:NUM:PT:^PATIENT:QN:MDS
·			SNOMED CT	5154007	Speech therapy (regime/therapy)
P1.b.A.b. Occupational therapy P	P1bAb		LOINC	45762-2	NUMBER OF DAYS WITH AT LEAST 15 MINUTES OF OCCUPATIONAL THERAPY:NUM:PT:^PATIENT:QN:MDS
			SNOMED CT	183346008	Occupational therapy NOS (regime/therapy)
P1.b.A.c. Physical therapy P	P1bAc		LOINC	45764-8	NUMBER OF DAYS WITH AT LEAST 15 MINUTES OF PHYSICAL THERAPY:NUM:PT:^PATIENT:QN:MDS
D4 h A d Descientes thereas	D4F A-I		SNOMED CT LOINC	91251008	Physical therapy procedure (regime/therapy)
P1.b.A.d. Respiratory therapy P	P1bAd		SNOMED CT	45766-3 53950000	NUMBER OF DAYS WITH AT LEAST 15 MINUTES OF RESPIRATORY THERAPY:TIME:PT:^PATIENT:QN:MDS Respiratory therapy (procedure)
P1.b.A.e. Psychological therapy P	P1bAe		LOINC	45768-9	NUMBER OF DAYS WITH AT LEAST 15 MINUTES OF PSYCHOLOGICAL THERAPY:NUM:PT:^PATIENT:QN:MDS
	15,10		SNOMED CT	390822007	Psychological therapies (procedure)
P1.b.B. Total number of minutes of theraP	P1bB				
P1.b.B.a. Speech P	P1bBa		LOINC	45761-4	TOTAL TIME OF SPEECH THERAPY:TIME:PT:4PATIENT:QN:MDS
			SNOMED CT	5154007	Speech therapy (regime/therapy)
P1.b.B.b. Occupational therapy P	P1bBb	,	LOINC	45763-0	TOTAL TIME OF OCCUPATIONAL THERAPY:TIME:PT:^PATIENT:QN:MDS
D4 h D a Dhysical thorany	D1hDa		SNOMED CT LOINC	183346008	Occupational therapy NOS (regime/therapy)
P1.b.B.c. Physical therapy P	P1bBc		SNOMED CT	45765-5 91251008	TOTAL TIME OF PHYSICAL THERAPY:TIME:PT:^PATIENT:QN:MDS Physical therapy procedure (regime/therapy)
P1.b.B.d. Respiratory therapy P	P1bBd		LOINC	45767-1	TOTAL TIME OF RESPIRATORY THERAPY:TIME:PT:APATIENT:QN:MDS
. The base is the second of th			SNOMED CT	53950000	Respiratory therapy (procedure)
P1.b.B.e. Psychological therapy P	P1bBe		LOINC	45852-1	TOTAL TIME OF PSYCHOLOGICAL THERAPY:TIME:PT:^PATIENT:QN:MDS
			SNOMED CT	390822007	Psychological therapies (procedure)
P2. Intervention programs for mood, beł P					
P2.a. Special behavior symptom evalua P		Special behavior symptom evaluation p		45853-9	SPECIAL BEHAVIORAL SYMPTOM EVALUATION PROGRAM:FIND:PT:^PATIENT:ORD:MDS
P2.b. Evaluation by a licensed mental h P	P2b	Evaluation by a licensed mental health	SNOMED CT	45854-7	EVALUATION BY LICENSED MENTAL HEALTH SPECIALIST:FIND:PT:/PATIENT:ORD:MDS
P2.c. Group therapy P	P2c		LOINC	410325007 45855-4	Evaluation for signs and symptoms of mental/emotional health problems (procedure) GROUP THERAPY PROGRAM:FIND:PT:^PATIENT:ORD:MDS
P2.d. Deliberate environment changes f P		Deliberate environment changes made		45856-2	RESIDENT-SPECIFIC CHANGES IN ENVIRONMENT:FIND:PT:/PATIENT:ORD:MDS
	P2e		SNOMED CT	53236004	Reorienting patient (regime/therapy)
	P2f		LOINC	45858-8	MOOD, BEHAVIOR, COGNITIVE LOSS PROGRAMS - NONE OF ABOVE:FIND:PT:^PATIENT:ORD:MDS
P3. Nursing Rehabilitation/Restorative CP	P3				
P3.a. Range of motion (passive) P	P3a	Passive range of motion exercises prov		45859-6	NUMBER OF DAYS OF PASSIVE RANGE OF MOTION NURSING REHABILITATION:NUM:PT:^PATIENT:QN:MDS
			SNOMED CT		Passive exercise (regime/therapy)
P3.b. Range of motion (active)	P3b	Active range of motion exercises provid		45860-4	NUMBER OF DAYS OF ACTIVE RANGE OF MOTION NURSING REHABILITATION:NUM:PT:/PATIENT:QN:MDS
P3.c. Splint or brace assistance P	P3c		SNOMED CT LOINC	183302000 45861-2	Active exercise (regime/therapy) NUMBER OF DAYS OF SPLINT OR BRACE ASSISTANCE NURSING REHABILITATION:NUM:PT:^PATIENT:QN:MDS
1 3.c. Opinit of brace assistance	30		SNOMED CT	228599009	Provision of brace (procedure)
P3.d. Bed mobility P	P3d		LOINC	45862-0	NUMBER OF DAYS OF TRAINING & SKILL PRACTICE IN BED MOBILITY NURSING REHABILITATION:NUM:PT:^PATIENT:QN:MDS
P3.e. Transfer P	P3e		LOINC	45863-8	NUMBER OF DAYS OF TRAINING & SKILL PRACTICE IN TRANSFER NURSING REHABILITATION:NUM:PT:^PATIENT:QN:MDS
			SNOMED CT	78089009	Transfer training (procedure)
P3.f. Walking P	P3f		LOINC	45864-6	NUMBER OF DAYS OF TRAINING & SKILL PRACTICE IN WALKING NURSING REHABILITATION:NUM:PT:^PATIENT:QN:MDS
Do - Description :	D0-		SNOMED CT	359665005	Ambulation training (procedure)
	P3g P3h	Dressing or grooming training provided	LOINC	45865-3 45866-1	NUMBER OF DAYS OF TRAINING & SKILL PRACTICE IN DRESSING OR GROOMING NURSING REHABILITATION:NUM:PT:/PATIENT:QN:MDS
	P3i		LOINC	45867-9	NUMBER OF DAYS OF TRAINING & SKILL PRACTICE IN EATING OR SWALLOWING NURSING REHABILITATION:NUM:PT:^PATIENT:QN:MDS NUMBER OF DAYS OF TRAINING & SKILL PRACTICE IN AMPUTATION OR PROSTHESIS CARE NURSING REHABILITATION:NUM:PT:^PATIENT:QI
	P3j		LOINC	45868-7	NUMBER OF DAYS OF TRAINING & SKILL PRACTICE IN COMMUNICATION NURSING REHABILITATION:NUM:PT-PATIENT:QN:MDS
	•		SNOMED CT	310829009	Communication skills training (procedure)
	P3k	Other care or training provided	LOINC	45869-5	NUMBER OF DAYS OF TRAINING & SKILL PRACTICE IN OTHER NURSING REHABILITATION:NUM:PT:^PATIENT:QN:MDS
	P4				
	P4a		1000	45070.0	FILL DED DATE DESTRUCTION OF THE DESCRIPTION OF THE
	P4a0 P4a1		LOINC LOINC	45870-3 45870-3	FULL BED RAIL RESTRAING ON ALL SIDES OF BED:FIND:PT:^PATIENT:ORD:MDS FULL BED RAIL RESTRAING ON ALL SIDES OF BED:FIND:PT:^PATIENT:ORD:MDS
	P4a1 P4a2		LOINC	45870-3 45870-3	FULL BED RAIL RESTRAING ON ALL SIDES OF BED:FIND:PT:PATIENT:ORD:MDS
	P4b		20/10	.0070-0	. SEE SEE THE TEST WHITE OF THE SEE SEE THE SEE THE SEE THE SEE SEE THE SEE TH
	P4b0	Other types of side rails not used	LOINC	45871-1	OTHER TYPES OF SIDE RAIL RESTRAINT USED:FIND:PT:^PATIENT:ORD:MDS
P4.b.1.Used less than daily P	P4b1		LOINC	45871-1	OTHER TYPES OF SIDE RAIL RESTRAINT USED:FIND:PT:^PATIENT:ORD:MDS
	P4b2		LOINC	45871-1	OTHER TYPES OF SIDE RAIL RESTRAINT USED:FIND:PT:^PATIENT:ORD:MDS
	P4c				
	P4c0		LOINC	45872-9	TRUNK RESTRAINT:FIND:PT:/PATIENT:ORD:MDS
	P4c1 P4c2		LOINC LOINC	45872-9 45872-9	TRUNK RESTRAINT:FIND:PT:^PATIENT:ORD:MDS TRUNK RESTRAINT:FIND:PT:^PATIENT:ORD:MDS
	P402 P4d		LONG	-3012-9	THORN NECTHALIST INDEFERTABLENT OND AND
	P4d0	Limb restraint not used	LOINC	45873-7	LIMB RESTRAINT:FIND:PT:^PATIENT:ORD:MDS
	P4d1		LOINC	45873-7	LIMB RESTRAINT:FIND:PT:^PATIENT:ORD:MDS
	P4d2		LOINC	45873-7	LIMB RESTRAINT:FIND:PT:^PATIENT:ORD:MDS
P4.e. Chair prevents rising P	P4e				

P4.e.0. Not used	P4e0	Chair preventing rising not used	LOINC	45874-5	CHAIR RESTRAINT PREVENTS RISING:FIND:PT:^PATIENT:ORD:MDS
P4.e.1. Used less than daily	P4e1	Chair preventing rising used	LOINC	45874-5	CHAIR RESTRAINT PREVENTS RISING:FIND:PT:^PATIENT:ORD:MDS
P4.e.2. Used daily	P4e2	. 5 5	LOINC	45874-5	CHAIR RESTRAINT PREVENTS RISING:FIND:PT:^PATIENT:ORD:MDS
P5. Hospital stays	P5		LOINC	45875-2	NUMBER HOSPITAL ADMISSIONS IN LAST 90 DAYS:NUM:PT:^PATIENT:QN:MDS
P6. Emergency room (ER) visits	P6		LOINC	45876-0	NUMBER OF EMERGENCY ROOM VISITS IN LAST 90 DAYS:NUM:PT:^PATIENT:QN:MDS
P7. Physician visits	P7		LOINC	45877-8	NUMBER OF PHYSICIAN VISITS IN LAST 14 DAYS:NUM:PT:^PATIENT:QN:MDS
P8. Physician orders	P8		LOINC	45878-6	NUMBER OF DAYS PHYSICIAN ORDERS CHANGED IN LAST 14 DAYS:NUM:PT:^PATIENT:QN:MDS
P9. Abnormal lab values	P9				
P9.0. No	P90	No abnormal lab values present	LOINC	45879-4	ABNORMAL LAB VALUES IN LAST 90 DAYS:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	165345001	Laboratory test result normal (finding)
P9.1. Yes	P91	Abnormal lab values were present	LOINC	45879-4	ABNORMAL LAB VALUES IN LAST 90 DAYS:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	418805002	Lab results outside established criteria (finding)
P9.2 UTD	P92	UTD if abnormal lab values were pres	er LOINC	45879-4	ABNORMAL LAB VALUES IN LAST 90 DAYS:FIND:PT:^PATIENT:ORD:MDS
SECTION Q: DISCHARGE POTENTI					
Q1. Discharge Potential	Q1				
Q1.a. Resident prefers to return to the		Desident deservations to return to		45000.0	MICHES TO DETURN TO COMMUNITY FIND DT ADATIENT ORDANO
Q1.a.0. No Q1.a.1. Yes	Q1a0 Q1a1	Resident does not prefer to return to c Resident prefers to return to communi		45880-2 45880-2	WISHES TO RETURN TO COMMUNITY:FIND:PT:^PATIENT:ORD:MDS WISHES TO RETURN TO COMMUNITY:FIND:PT:^PATIENT:ORD:MDS
Q1.a.1. 1es Q1.a.2 UTD	Q1a1 Q1a2	UTD if resident prefers to return to con		45880-2	WISHES TO RETURN TO COMMUNITY:FIND:PT:*PATIENT:ORD:MDS WISHES TO RETURN TO COMMUNITY:FIND:PT:*PATIENT:ORD:MDS
Q1.b. Resident has a support person		OTD II resident prefers to return to cor	III LOIIVO	43000-2	WIGHES TO RETORN TO COMMONTT. INC. 11. TATLETT. GRAD. WIDS
Q1.b.0. No	Q1b0	Support person not positive towards d	is LOINC	45881-0	SUPPORT PERSON POSITIVE TOWARD DISCHARGE:FIND:PT:^PATIENT:ORD:MDS
Q1.b.1. Yes	Q1b1	Support person is positive toward disc		45881-0	SUPPORT PERSON POSITIVE TOWARD DISCHARGE:FIND:PT:^PATIENT:ORD:MDS
Q1.b.2 UTD	Q1b2	UTD if support person is positive towa		45881-0	SUPPORT PERSON POSITIVE TOWARD DISCHARGE:FIND:PT:^PATIENT:ORD:MDS
Q1.c. Stay expected to be of short du		Projected length of resident's stay			
Q1C.0. No	Q1C0	Stay not projected to be of short durati	ion		
Q1.c.1. Within 30 days	Q1c1	Discharge expected	LOINC	45882-8	DISCHARGE PROJECTED WITHIN 90 DAYS:FIND:PT:^PATIENT:NAR:MDS
Q1.c.2. Within 31-90 days	Q1c2		LOINC	45882-8	DISCHARGE PROJECTED WITHIN 90 DAYS:FIND:PT:^PATIENT:NAR:MDS
Q1.c.3. Discharge status uncertain	Q1c3	Discharge status uncertain	LOINC	45882-8	DISCHARGE PROJECTED WITHIN 90 DAYS:FIND:PT:^PATIENT:NAR:MDS
Q1.c.4 UTD	Q1c4	UTD when discharge will occur			
Q2. Overall change in care needs	Q2				
Q2.0. No change	Q20	No change in resident's self-sufficiency			
Q2.1. Improved	Q21	Improved self-sufficiency	LOINC	45883-6	OVERALL CHANGE IN CARE NEEDS:FIND:PT:^PATIENT:NOM:MDS
Q2.2. Deteriorated	Q22	Deteriorated self-sufficiency	LOINC	45883-6	OVERALL CHANGE IN CARE NEEDS:FIND:PT:^PATIENT:NOM:MDS
Q2.3 UTD	Q23	UTD change in care needs of resident			
SECTION R: ASSESSMENT INFORM					
R1. Participation in Assessment	R1				
R1.a. Resident assessment participat R1.a.0. No	R1a0	No resident participation in assessmen	St LOINC	45884-4	PARTICIPATION IN ASSESSMENT:FIND:PT:^PATIENT:ORD:MDS
K1.a.0. NO	K I aU	No resident participation in assessmen	SNOMED CT	314845004	Patient participation status (finding)
R1.a.1. Yes	R1a1	Resident participated in assessment	LOINC	45884-4	PARTICIPATION IN ASSESSMENT:FIND:PT:^PATIENT:ORD:MDS
R1.a.2 UTD	R1a2	UTD if resident participated in assessr		45884-4	PARTICIPATION IN ASSESSMENT:FIND:PT:^PATIENT:ORD:MDS
R1.b. Family assessment participation		C 12 ii roolaciii pariiolpatea iii accessi		10001	
R1.b.0. No	R1b0	Resident's family did not participate in	assessment		
R1.b.1. Yes	R1b1	Resident's family participated in asses			
R1.b.2. No family	R1b2	Resident has no family	LOINC	45885-1	PARTICIPATION IN ASSESSMENT:FIND:PT:^FAMILY:ORD:MDS
			SNOMED CT	224087003	No relatives (finding)
R1.b.3 UTD	R1b3	UTD if resident's family participated in	assessment		
R1.c. Significant other assessment pa					
R1.c.0. No	R1c0	Resident's significant other did not par			
R1.c.1. Yes	R1c1	Resident's significant other participate			
R1.c.2. None	R1c2	Resident has no significant other	LOINC	45957-8	PARTICIPATION IN ASSESSMENT:FIND:PT:^SIGNIFICANT OTHER:ORD:MDS
R1.c.3 UTD	R1c3	UTD if resident's significant other parti	cipated in assessment		
R2.b. Date assessment signed compl					
R3.a. Code Resident Disposition	R3a				
R3.a.1. Private home/apartment with R3.a.10 UTD	R3a10				
R3.a.2. Private home/apartment with					
R3.a.3. Board and care/assisted living					
R3.a.4. Another nursing facility	R3a4				
R3.a.5. Acute care hospital	R3a5				
R3.a.6. Psychiatric hospital, MR/DD f					
R3.a.7. Rehabilitation hospital	R3a7				
R3.a.8. Deceased	R3a8				
R3.a.9. Other	R3a9				
K2. Height and Weight	Record (a) he	ιίς			
SECTION T: THERAPY SUPPLEME	NT T				
T1. Special Treatments/Procedures	T1				
T1.a. Recreation therapy	T1a				
T1.a.A. Number of days administered	l fo T1aA	Recreation therapy administered	LOINC	45886-9	NUMBER DAYS RECREATION THERAPY ADMINISTERED FOR GREATER THAN 15 MIN:NUM:PT:^PATIENT:QN:MDS
T. D.T			SNOMED CT	42364006	Recreational therapy (regime/therapy)
T1.a.B. Total number of minutes prov	ria€ I 1aB	Recreation therapy provided	LOINC SNOWED CT	45887-7	TOTAL RECREATION THERAPY IN LAST 7 DAYS:TIME:PT:^PATIENT:QN:MDS
T1 b Ordered Theresies	T1b		SNOMED CT	42364006	Recreational therapy (regime/therapy)
T1.b. Ordered Therapies T1.b.0. No	T1b T1b0	No therapies ordered	LOINC	45888-5	THERAPY ORDERS TO BEGIN IN 1ST 14 DAYS OF STAY:FIND:PT:^PATIENT:ORD:MDS
1 1.D.O. 140	1 100	140 merapies ordered	LONGO	40000-0	THE REST OF DECIMEN TO THE DATE OF STATE PROPERTY THE REST. ORD. MIDS

T1.b.1. Yes	T1b1	Therapies were ordered	LOINC	45888-5	THERAPY ORDERS TO BEGIN IN 1ST 14 DAYS OF STAY:FIND:PT:^PATIENT:ORD:MDS
T1.b.1. res T1.b.2 UTD	T1b2	UTD if therapies were ordered	LOINC	45888-5	THERAPY ORDERS TO BEGIN IN 1ST 14 DAYS OF STAY, FIND, PT. "PATIENT, ORD, MIDS THERAPY ORDERS TO BEGIN IN 1ST 14 DAYS OF STAY; FIND; PT. "PATIENT, ORD, MIDS
T1.c. Estimate of number of days wher		C. D. II allorapide More cracica	LOINC	45889-3	ESTIMATED NUMBER OF DAYS THERAPY CAN BE ADMINISTED UNTIL DAY 15:NUM:PT:^PATIENT:QN:MDS
T1.d. Estimate of number of therapy m			LOINC	45890-1	ESTIMATED MINUTES THERAPY CAN BE ADMINISTED UNTIL DAY 15:TIME:PT:^PATIENT:QN:MDS
T2. Walking when most self-sufficient	T2				
T2.a. Furthest distance walked	T2a				
T2.a.0. 150+ feet	T2a0	Walked 150 feet or more	LOINC	45891-9	FURTHEST DISTANCE WALKED:FIND:PT:^PATIENT:NOM:MDS
T2.a.1. 51-149 feet	T0-4	Walked 51 - 149 feet	SNOMED CT LOINC	116329008	Finding of walking (finding) FURTHEST DISTANCE WALKED:FIND:PT:^PATIENT:NOM:MDS
12.a.1. 51-149 feet	T2a1	vvalked 51 - 149 feet	SNOMED CT	45891-9 116329008	FINDING OF WALKED: FIND: PT: "PATIENT: NOM: MIDS Finding of walking (finding)
T2.a.2. 26-50 feet	T2a2	Walked 26 - 50 feet	LOINC	45891-9	FURTHEST DISTANCE WALKED:FIND:PT:^PATIENT:NOM:MDS
12.0.2. 20 00 1001		77diniod 20 00 1001	SNOMED CT	116329008	Finding of walking (finding)
T2.a.3. 10-25 feet	T2a3	Walked 10 - 25 feet	LOINC	45891-9	FURTHEST DISTANCE WALKED:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	116329008	Finding of walking (finding)
T2.a.4. Less than 10 feet	T2a4	Walked less than 10 feet	LOINC	45891-9	FURTHEST DISTANCE WALKED:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	116329008	Finding of walking (finding)
T2.a.5 UTD	T2a5	UTD distance walked			
T2.b. Time walked without sitting	T2b	Malland for 4 . O minutes	LOINC	45892-7	TIME WALKED WITHOUT SITTING DOWNLEIND DTAPATIENT NOMANDS
T2.b.0. 1-2 minutes	T2b0	Walked for 1 - 2 minutes	SNOMED CT	45892-7 116329008	TIME WALKED WITHOUT SITTING DOWN:FIND:PT:^PATIENT:NOM:MDS Finding of walking (finding)
T2.b.1. 3-4 minutes	T2b1	Walked for 3 - 4 minutes	LOINC	45892-7	TIME WALKED WITHOUT SITTING DOWN:FIND:PT:^PATIENT:NOM:MDS
12.5.1. 0 4 minutes	1201	Walked for 5 4 minutes	SNOMED CT	116329008	Finding of walking (finding)
T2.b.2. 5-10 minutes	T2b2	Walked for 5 - 10 minutes	LOINC	45892-7	TIME WALKED WITHOUT SITTING DOWN:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	116329008	Finding of walking (finding)
T2.b.3. 11-15 minutes	T2b3	Walked for 11 - 15 minutes	LOINC	45892-7	TIME WALKED WITHOUT SITTING DOWN:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	116329008	Finding of walking (finding)
T2.b.4. 16-30 minutes	T2b4	Walked for 16 - 30 minutes	LOINC	45892-7	TIME WALKED WITHOUT SITTING DOWN:FIND:PT:^PATIENT:NOM:MDS
			SNOMED CT	116329008	Finding of walking (finding)
T2.b.5. 31+ minutes	T2b5	Walked for 31 min. or more	LOINC	45892-7	TIME WALKED WITHOUT SITTING DOWN:FIND:PT:^PATIENT:NOM:MDS
T2.b.6 UTD	T2b6	UTD amount of time walked	SNOMED CT	116329008	Finding of walking (finding)
T2.c. Walking self-performance	T2c	OTD amount of time warked			
T2.c.0. Independent	T2c0	Walked independently	LOINC	45893-5	SELF-PERFORMANCE IN WALKING:FIND:PT:^PATIENT:NOM:MDS
		,	SNOMED CT	165245003	Independent walking (finding)
T2.c.1. Supervision	T2c1	Walked with supervision	LOINC	45893-5	SELF-PERFORMANCE IN WALKING:FIND:PT:^PATIENT:NOM:MDS
T2.c.2. Limited assistance	T2c2	Walked with limited assistance	LOINC	45893-5	SELF-PERFORMANCE IN WALKING:FIND:PT:^PATIENT:NOM:MDS
T2.c.3. Extensive assistance	T2c3	Walked with extensive assistance	LOINC	45893-5	SELF-PERFORMANCE IN WALKING:FIND:PT:^PATIENT:NOM:MDS
T2.c.4 UTD	T2c4	UTD walking self-performance			
T2.d. Walking support provided	T2d		LONGHED OF	405045000	
T2.d.0. No setup or physical help from	T2d1	Walking required no setup or physical Walking required setup help only	N/SNOMED CT	165245003	Independent walking (finding)
T2.d.1. Setup help only T2.d.2. One person physical assist	T2d2	Walking with one person physically as	eietina		
T2.d.3. Two+ persons physical assist	T2d3	Walking with two or more persons phy		45894-3	WALKING SUPPORT PROVIDED:FIND:PT:^PATIENT:NOM:MDS
T2.d.4 UTD	T2d4	UTD level of walking support provided			
T2.e. Parallel bars used	T2e	5			
T2.e.0. No	T2e0	No parallel bars used	LOINC	45895-0	PARALLEL BARS USED:FIND:PT:^PATIENT:ORD:MDS
T2.e.1. Yes	T2e1	Parallel bars used	LOINC	45895-0	PARALLEL BARS USED:FIND:PT:^PATIENT:ORD:MDS
T2.e.2 UTD	T2e2	UTD if parallel bars were used	LOINC	45895-0	PARALLEL BARS USED:FIND:PT:^PATIENT:ORD:MDS
SECTION W : SUPPLEMENTAL MDS	W1	National Provider ID	LOINC	45952-9	NATIONAL PROVIDER ID:FIND:PT:PROVIDER:QN:MDS
W1. National Provider ID W2. Receipt of influenza vaccine	W2	National Provider ID	LOINC	45952-9	NATIONAL PROVIDER ID:FIND:PT:PROVIDER:QN:MDS
W2A UTD	W2A-	UTD if received influenza vaccine	LOINC	45953-7	INFLUENZA VIRUS VACCINE RECEIVED IN FACILITY:FIND:PT:^PATIENT:ORD:MDS
W2.a.0. Did not receive influenza vacc		Did not receive influenza vaccine	LOINC	45953-7	INFLUENZA VIRUS VACCINE RECEIVED IN FACILITY:FIND:PT:/PATIENT:ORD:MDS
W2.a.1. Received influenza vaccine	W2a1	Received influenza vaccine	LOINC	45953-7	INFLUENZA VIRUS VACCINE RECEIVED IN FACILITY:FIND:PT:^PATIENT:ORD:MDS
			SNOMED CT	46233009	Influenza virus vaccine (product)
Reason Vaccine Not Received	W2B				
W2B UTD	W2B-	UTD reason vaccine not received			
W2B.1. Not in facility during this year's		Vaccine not received because not in fa		45954-5	REASON INFLUENZA VIRUS VACCINE NOT RECEIVED:FIND:PT:^PATIENT:NOM:MDS
W2B.2. Received outside of this facility		Vaccine not received because receive		45954-5	REASON INFLUENZA VIRUS VACCINE NOT RECEIVED:FIND:PT:^PATIENT:NOM:MDS
W2B.3. Not eligible W2B.4. Offered and declined	W2B3 W2B4	Vaccine not received because not elig Vaccine not received because offered		45954-5 45954-5	REASON INFLUENZA VIRUS VACCINE NOT RECEIVED:FIND:PT:^PATIENT:NOM:MDS REASON INFLUENZA VIRUS VACCINE NOT RECEIVED:FIND:PT:^PATIENT:NOM:MDS
W2B.5. Not offered	W2B5	Vaccine not received because one ed		45954-5	REASON INFLUENZA VIRUS VACCINE NOT RECEIVED:FIND:PT:^PATIENT:NOM:MDS
W2B.6. Inability to obtain vaccine	W2B6	Vaccine not received because not one Vaccine not received because of inabi		45954-5	REASON INFLUENZA VIROS VACCINE NOT RECEIVED:FIND:PT:^PATIENT:NOM:MIDS
W3. Pneumococcal vaccine status	W3				
W3A UTD	W3A-	UTD Pneumococcal vaccine status	LOINC	45955-2	PNEUMOCOCCAL VACCINE STATUS UP TO DATE:FIND:PT:^PATIENT:ORD:MDS
W3.a.0. Vaccine not up to date	W3a0	Pneumococcal vaccine not up to date		45955-2	PNEUMOCOCCAL VACCINE STATUS UP TO DATE:FIND:PT:^PATIENT:ORD:MDS
W3.a.1. Vaccine up to date	W3a1	Pneumococcal vaccine up to date	LOINC	45955-2	PNEUMOCOCCAL VACCINE STATUS UP TO DATE:FIND:PT:^PATIENT:ORD:MDS
B	MOD		SNOMED CT	333598008	Pneumococcal vaccine (product)
Reason PPV Not Received	W3B W3B-	LITD reason PRV not reasoned			
W3B UTD W3B.1. Not eligible	W3B- W3B1	UTD reason PPV not received Not eligible to recieve PPV	LOINC	45956-0	REASON PNEUMOCOCCAL VACCINE NOT RECEIVED:FIND:PT:^PATIENT:NOM:MDS
W3B.2. Offered and declined	W3B2	Offered and declined PPV	LOINC	45956-0 45956-0	REASON PNEUMOCOCCAL VACCINE NOT RECEIVED:PIND:PT:/PATIENT:NOM:MDS REASON PNEUMOCOCCAL VACCINE NOT RECEIVED:FIND:PT:/PATIENT:NOM:MDS
W3B.3. Not offered	W3B3	Not offered PPV	LOINC	45956-0	REASON PNEUMOCOCCAL VACCINE NOT RECEIVED:FIND:PT:^PATIENT:NOM:MDS