

## **DEFENSE INFORMATION SYSTEMS AGENCY MISSION**

**"To plan, engineer, develop, test, manage programs, acquire, implement, operate, and maintain information systems for C4I and mission support under all conditions of peace and war."**

## **DEFENSE INFORMATION SYSTEMS AGENCY MANDATE**

The Defense Information Systems Agency is transforming the way Department of Defense users move, share, and use information. All DOD personnel need information whether they maintain or fly aircraft, operate a periscope, move a platoon, perform surgery, process transactions, or any of hundreds of other jobs supporting our country's defense. As the manager, DISA is integrating hardware and software and constructing a common operating environment to sustain warfighters need for information anytime, anywhere. The pillars of the system are the Defense Information System Network, the Defense Message System, the Global Command and Control System, and the Global Combat Support System. DISA is also helping protect against, detect and react to threats to both its information infrastructure and information sources.

## ***DEFENSE INFORMATION SYSTEMS NETWORK VISION***

***"DISN will be the preeminent provider of information systems delivery support to our WARFIGHTERS and others as required by the DOD, under all conditions of Peace and War."***

### **Defense Switched Network (GS23)**

Branch Chief - Howard Osman

#### **Network Services Location:**

Defense Information Systems Agency

Please direct questions about the DSN Directory to: DSN: (312) 381-0306

The URL for the DSN Directory is <http://dsnbbs.ncr.disa.mil>.

## **A BRIEF DESCRIPTION OF THE DEFENSE SWITCHED NETWORK**

The DSN is a primary information transfer network for the Defense Information Systems Network (DISN). The DSN provides the worldwide non-secure voice, secure voice, data, facsimile, and video teleconferencing services for DOD Command and Control (C2) elements, their supporting activities engaged in logistics, personnel, engineering, and intelligence, as well as other Federal agencies.

In 1982, the DSN was designated by the Office of the Secretary of Defense and the Joint Chiefs of Staff (JCS) as the provider of long-distance communications service for the DOD. The DSN is designated as a primary system of communication during peacetime and during periods of crisis, pre-attack, non-nuclear, and post-attack phases of war. The network assures non-blocking service for users with flash and flash override precedence capabilities. Key users include the National Command Authorities, Combat Commanders of the Unified Commands, and strategic and tactical subordinate commanders.

The DSN consists of four subsystems: Switching, Transmission, Timing and Synchronization, and Network Administration and Management. The DSN Switching Subsystem consists of multi-function, stand alone tandem, end office, and remote switching units. Using the transmission, timing, and control elements of the DISN, the switching units interconnect all military locations worldwide and provide end-to-end long-distance common user and dedicated voice, secure voice, data, and video services worldwide.

In addition to non-secure voice, data, and video services, the DSN provides transmission, switching, and support services for Secure Telephone Units, Third Generation (STU- IIIs), the Secure Terminal Equipment (STE), the Defense RED Switch Network (DRSN), dial-up alternative routing for the Unclassified but Sensitive Internet Protocol (IP) Router Network (NIPRNet), and the Secret IP Router Network (SIPRNet). The DSN also provides access to the Government Emergency Telephone System (GETS).

# TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
DEFENSE INFORMATION SYSTEMS AGENCY MISSION .....	i
DEFENSE INFORMATION SYSTEMS AGENCY MANDATE.....	i
<i>DEFENSE INFORMATION SYSTEMS NETWORK VISION</i> .....	i
A BRIEF DESCRIPTION OF THE DEFENSE SWITCHED NETWORK.....	ii
TABLE OF CONTENTS .....	iii
Geographical Listing .....	iv
Foreword.....	1
NATIONAL COMMUNICATIONS SYSTEM VOICE PRECEDENCE SYSTEM.....	1
WHAT CATEGORY OF NETWORK CUSTOMER ARE YOU?.....	4
WHO IS LISTED IN THE DSN TELEPHONE DIRECTORY?.....	6
DSN TELEPHONE DIRECTORY DISTRIBUTION.....	6
NETWORK RECORDING AND SIGNAL TONES .....	6
CALLING PROCEDURES.....	8
VOICE TELEPHONE CALLS (31X).....	8
DATA TELEPHONE CALLS (50X and 51X) .....	8
CONFERENCE CALLS .....	9
CALLS TO COMMERCIAL TOLL FREE NUMBERS .....	10
CALL ASSISTANCE.....	11
INTER-AREA CALLING.....	11
DSN GATEWAYS TO OTHER NETWORKS.....	11
NEW OR ADDITIONAL SERVICE .....	11
SPECIAL SERVICES .....	11
USER-PROVIDED EQUIPMENT.....	12
REPORTING TELEPHONE TROUBLE .....	12
REPORTING UNSATISFACTORY SERVICE.....	12
ACRONYM LIST .....	14
Appendix A (DSN Telephone Listing Request) .....	16
Appendix B (Instructions for Accessing the DSN Web Page) .....	17
Appendix C (STATE AND TERRITORY ABBREVIATIONS).....	18
Appendix D (COUNTRY ABBREVIATIONS).....	20
Appendix E (LIST OF DISA FIELD OFFICES) .....	21
APPENDIX F (TIME ZONE CHART).....	25

## **GEOGRAPHICAL LISTING**

Alaskan Section - DSN Area Code 317, 217, 507, and 517

Australia – DSN Area Code 715

Canadian Section - DSN Area Code 319, 219, 509, and 519

Central Command Section - DSN Area Code 318, 218, 508, and 518

CONUS Section - DSN Area Codes 312, 212, 502, and 512

European Section - DSN Area Code 314, 214, 504, and 514

Pacific Section - DSN Area Code 315, 215, 505, and 515

## **FOREWORD**

The *Defense Switched Network Telephone Directory* is divided into six geographical listings: Alaska, Canada, the Continental United States (CONUS), Europe, the Pacific, and Central Command.

The *Defense Switched Network Telephone Directory* cannot list all subscriber numbers. It provides a facility or organizational central contact telephone number, which is generally an operator assistance number. If you do not have the current number for the party to whom you wish to speak, use the central contact number to obtain your party's number or to have your call forwarded.

Listings in the directory are in two formats. Both proper name and facility type are used for ease of location of posts, bases, camps, and stations. For example, Camp (CP) Smith, is listed as Smith, Camp and CP Smith; the Naval Air Facility at Atsugi is listed as Atsugi Naval Air Facility and Naval Air Facility-Atsugi; and Lackland Air Force Base (AFB) is listed as Lackland AFB and AFB, Lackland. Units identified by numerical designations are listed in numerical order, not by unit type. For example, the 121ST Tactical Fighter Wing (TFW) is listed only as the 121ST TFW.

The *Defense Switched Network telephone directory* is in alphabetical order by area code(e.g. Alaska, Canada, CONUS). The seven-digit operator assistance telephone number is sorted numerically.

## **NATIONAL COMMUNICATIONS SYSTEM VOICE PRECEDENCE SYSTEM**

The National Communications System (NCS) Voice Precedence System, which was established by *NCS Memorandum 1-70*, 14 February 1970, is used by all authorized users of DOD voice communications facilities. Since the effectiveness of the system depends on the cooperation of the people authorized to use it, users must: (1) be familiar with the purposes of each precedence category and the type of call that is assigned the precedence and (2) exercise care not to request or use a precedence higher than required.

The NCS Voice Precedence System does not make provisions for conducting test and exercise calls. Those activities or individuals authorized or required to conduct such test or exercise calls will use precedence consistent with the nature of the test or exercise. When the originator of the

test or exercise call has contacted the called party, the call will be identified immediately as a flash, immediate, or priority precedence test or exercise.

The following examples should aid users in determining what precedence to use when placing a call. These examples are according to the NCS Voice Precedence System, but are not to be used exclusively for determination of the precedence of a call. This should be at the discretion of the originator of the call.

- Flash Override. Flash override is considered a capability, not a level of precedence. Exercising this capability preempts calls of all other levels or precedence. The flash override capability is available to the following users:
  - The President of the United States of America
  - The Secretary of Defense and the Chairman of the JCS
  - Commanders of Unified Command
- Flash. Flash calls preempt immediate, priority, and routine calls. Listed below are examples of flash calls:
  - Calls pertaining to C2 of military forces essential to defense and retaliation
  - Critical intelligence essential to national survival
  - Conduct of diplomatic negotiations critical to ceasing or limiting hostilities
  - Dissemination of critical civil alert information essential to national survival
  - Continuity of Federal Government functions essential to national survival
  - Fulfillment of critical United States internal security functions essential to national survival
  - Catastrophic events of national or international significance
- Immediate. Immediate calls preempt priority and routine calls and are reserved for communications pertaining to situations that gravely affect the security of national and Allied forces. Listed below are some examples of immediate calls:
  - Reconstitution of forces in a post-attack period
  - Intelligence essential to national security
  - Conduct of diplomatic negotiations to reduce or limit the threat of war
  - Implementation of Federal Government actions essential to national survival
  - Situations that gravely affect the security of the United States
  - Civil defense actions concerning the direction of the population and their survival
  - Disaster or events serious enough to have an immediate and detrimental effect on

the welfare of the population

- Vital information having an immediate effect on aircraft, spacecraft, or missile operations
- Distress assistance
  
- Priority. Priority calls preempt routine calls and are reserved for communications requiring expeditious action by called parties furnishing essential information for conducting government operations.
  
- Routine. The routine precedence applies to official government communications that require rapid transmission by telephonic means but do not require preferential handling. A routine call does not preempt any other call.

## WHAT CATEGORY OF NETWORK CUSTOMER ARE YOU?

There are three types of DSN users:

- Special Command and Control (C2) Users. A special class of user who has direct, unrestricted access to the DSN for essential communications and planning, and for directing and controlling the operations of assigned forces pursuant to assigned missions. This user requires capabilities that provide crisis, pre-attack, and theater non-nuclear war telecommunications service for intelligence, alert, and strategic readiness. This user also requires communications among the President, Secretary of Defense, JCS, Services Chiefs, and the Combat Commanders. Specifically, these Special C2 users are identified through one or more Joint Staff, CINC, Service, or agency validation process. Also, they are all RED switch subscribers and the following identified subscribers of common user networks:
  - Joint Staff-approved flash override, flash precedence origination capability
  - Combat Commander- or service-approved flash precedence origination capability
  - Combat Commander-, service-validated, or agency-validated connectivity identified as part of C2 networks that support secondary (or lower) strategic connectivity missions
  - Combat Commander-validated minimum essential circuits as approved in the Pacific Joint Multi-channel Trunking and Switching System and the European Theater Communications Architecture
- C2 Users. Users having a requirement for C2 communications who do not meet the criteria for the class of Special C2 users. C2 users include any person (regardless of their position in the chain of command) who issues guidance or orders that direct, control, or coordinate any military forces, regardless of the nature of the military mission, whether said guidance or order is issued or effected during peace or wartime.
- Other Users. DOD, non-DOD, non-government and foreign government users having no missions or communications requirements to ever originate or receive C2



communications under the definitions for C2 or Special C2 Users. During a crisis or contingency, they may be denied access to the DSN or DRSN. These users are provided access to the DSN for the economic benefits to the DOD.

## **WHO IS LISTED IN THE DSN TELEPHONE DIRECTORY?**

Any post, camp, base, or station served by the DSN that formally requests to be included in the directory is listed. Individual listings are restricted to command level, agency level, or organization level. To be included in the *Defense Switched Network Telephone Directory*, or to correct or delete an existing directory listing, complete the form included in Appendix A: Request for Listing. Return the form to:

HQ DISA, Code GS23  
5275 Leesburg Pike  
Falls Church, VA 22041

Requests can also be sent through e-mail to PHONEDSN@ncr.disa.mil.

## **DSN TELEPHONE DIRECTORY DISTRIBUTION**

It is neither cost-effective nor productive to publish and distribute a hardcopy version of the global *Defense Switched Network Telephone Directory* or to provide a listing of all commands, activities, and agencies that have the capability to access the network. However, the directory needs the widest possible distribution to be useful. The directory is made available as a downloadable file on the World Wide Web at <http://dsnbbs.ncr.disa.mil/>. If access to the Web is unavailable, consult your local operator or your servicing command element. Local reproduction is authorized and encouraged. Instructions for accessing the DSN Directory Web site are set forth in Appendix B: *Instructions for Accessing the DSN Web Site*.

Publishers of local directories are strongly encouraged to include any part of this directory in their directories.

## **NETWORK RECORDING AND SIGNAL TONES**

What do the various tones and recorded announcements tell you about the progress or disposition of your call?

- When you hear a dial tone, the network is ready for your call. Dial your number.
- When you hear a ringing tone, your called number is ringing. Wait for your party to answer. On routine calls, you should hear a normal ringing tone (10 rings per

minute). On calls of higher precedence, you will hear a very fast ringing tone (30 rings per minute).

- When you hear a busy tone, several possibilities exist. The called number may be in use, local equipment at your location may be busy, network equipment may be busy, or an equipment failure may have occurred. After a brief wait, call again.
- When you hear a preempt tone, your call was cut off by a higher precedence call. Hang up; the call may be for you. If the preempted call requires completion, wait a short time and redial.
- A conference call is preceded by a warbling tone. When you hear this, stand by for instructions or for the other parties of the conference to be connected.

Below are some of the recorded announcements you might hear while using the DSN. If you hear one of these announcements and feel it may be an indication of trouble, report the possible trouble according to the procedures outlined in the “Telephone Trouble and Unsatisfactory Service Reporting” section of this directory. Note the error message number and provide it to repair personnel. The error message number will also be helpful to your supporting telephone service provider during the troubleshooting of access problems.

- “Your call cannot be completed as dialed. Please consult your directory and call again or ask your operator for assistance. This is a recording (pause) error message number/switch number and country.”
- “The precedence used is not authorized for your line. Please use an authorized precedence or ask your operator for assistance. This is a recording (pause) error message number/switch number and country.”
- “Equal or higher precedence calls have prevented the completion of your call, or the number you have dialed is not equipped for preemption. This is a recording (pause) error message number/switch number and country.”
- “A DSN service disruption has prevented the completion of your call. Please wait 30 minutes and try again. In case of an emergency, call your operator. This is a recording (pause) error message number/switch number and country.”

# CALLING PROCEDURES

## VOICE TELEPHONE CALLS (31X)

Voice telephone calls can access a DSN line by either direct dialing or dialing the operator. Here is how each process works:

- If you do the dialing:
  - Listen for the dial tone.
  - Dial the DSN number access number if required.
  - Listen for the DSN dial tone.
  - Dial the desired DSN phone number, with precedence and area code if required.
  
- If the operator dials for you:
  - Give your name and local base telephone extension number.
  - Give your precedence.
  - Provide the DSN number you are calling and any other information.
  - Wait on the line until the operator connects you to the called party.

## DATA TELEPHONE CALLS (50X AND 51X)

Transmission of data on the DSN will be allowed by exception and will be severely limited by Combat Commanders, Services, and Defense Agencies. The Defense Data Network (DDN) NIPRNet and SIPRNet are the primary networks for data transmissions.

- Dial-up Data. Use of DSN-switched voice (dial-up) circuits to transmit digital data will be detrimental to voice users. Long circuit holding times will affect the network grade of service (GOS) and significantly degrade other users' ability to complete calls. Data processing equipment may use DSN voice circuits only when the DDN and other transmission media, either commercial or government-owned, do not exist or are required for emergencies or reasons of national security. Data equipment includes computer-controlled graphics (other than facsimile), word processors, mainframe and microcomputers, laptops, and other personal communications system (PCS) and similar equipment.
  - Data processing equipment using DSN voice circuits (dial-up) will be capable of

automatically disconnecting from the access line or interswitch trunk when the transmission is complete or the circuit is preempted.

- Approval authority for outside CONUS (OCONUS) data transmissions through DSN dial-up circuits is the Combat Commander. CONUS authority is the Combat Commander, Chief of the Service, or the Director of the Defense Agency concerned. Each request will be coordinated with DISA to determine the network impact. DISA will be notified of each approval specifically to determine why the DDN cannot support the requirement. Blanket approvals for use will identify a connect limit, and an expiration or revalidation date.
- Dial-up Facsimile. The DSN may be used to transmit unsecured facsimile traffic without an STU-III only if the facsimile machine or computer transmits within 1 minute after the facsimile transmission ends or the circuit is preempted.
- Secure Transmission with an STU-III. Use of an STU-III in the secure mode for voice communications is not interpreted as data transmission. When the STU-III is used to transmit secure data or a facsimile, the following criteria will be met:
  - The STU-III at each end will be monitored during the entire transmission to ensure the circuit is maintained and the STU-III is in the secure mode.
  - The STU-III preempt feature will be enabled at all times.
  - National guidance for the use of STU-III in secure data transmission, including access control, TEMPEST, and computer security, must be followed.

## **CONFERENCE CALLS**

To schedule a conference call across the DSN, contact your local operator. Tell the operator that you wish to make a conference call and provide a list of numbers to be included in the conference.

Preset conferences may be established. Consult your supporting DISA Field Office for further information.

## **CALLS TO COMMERCIAL TOLL FREE NUMBERS**

### **(809 Service – Making Toll Free Commercial Calls From The DSN)**

As authorized by *CJCSI 6215.01B, Policy for DOD Voice Networks*, Paragraph 7.b(2)(c), DISA has implemented a new off-netting interface as a Managed Interface between the DSN and the Public Switched Telephone Network (PSTN). This interface allows for the use of any 1-800 type toll free numbers (specifically 800, 888, 866, and 877) on the PSTN and is accessed by dialing the DSN telephone number: 809-4-OFF-DSN (809-463-3376). Access/usage is authorized for all DSN users as provided by the *CJCSI 6215.01B*.

This capability was designed to:

- Reduce O&M's manpower requirement for operator assistance
- Reduce traffic on access trunks
- Reduce resource overhead during manual call handling
- Improve Customer Service
- Reduce requirement for commercial service to tactical sites

The applicable DSN rates apply, from the user's location to CONUS, since the technical interfaces for the PSTN accesses are located in CONUS. Local commanders can limit/restrict access to this service by Class of Service tables and class-marking user lines to control costs and/or meet other mission requirements.

Authorized users of this interface are:

- a) Government contractors and vendors with 1-800 numbers
- b) Help Desk numbers for hardware/software
- c) Non-toll PSTN numbers with a 1-800 number for Credit Card calling, where the toll charges are applied to the Credit Card (Credit Card calling can be made with either Government-provided calling cards (FTS), or personal cards)
- d) Reverse Billing to call recipient via "1-800 Call Collect" Services

How to use the 809 service:

1. Dial 809-4-OFF-DSN (809-463-3376).
2. You will receive a second dial tone.
3. Dial your toll free number, including the "1" (e.g., 1-800-123-4567).

## **CALL ASSISTANCE**

Switchboard operators are available to assist DSN users. If you are having trouble completing a call, dial "312-560-1110" to reach the operator.

## **INTER-AREA CALLING**

The DSN provides global telephone service for authorized users. Some users can call everywhere, while others are limited to one particular area or combination of areas. Where you can call depends on your mission and how your telephone line is class-marked. If your calling area is limited, you will not be able to dial outside your calling area. The local directory indicates the calling areas and codes available to you. The area code need not be dialed for calls within your area. Calls to an area outside the local call boundary require an area code plus the seven-digit DSN number. If you are transmitting data, alternate area codes are used.

## **DSN GATEWAYS TO OTHER NETWORKS**

### **Canada:**

The Canadian CSN has its own DSN area code set, 319 for voice and 509 for VTC/Data

### **United Kingdom:**

DSN Users – Dial "20" plus last 8 digits of the Defence Fixed Telecom System (DFTS) number (Dropping the initial 9).

DFTS Users – Dial "9205" plus 10 digit DSN number. Use Area Code 312 for CONUS.

### **Australia:**

Australia has its own Area Code 715. The Australia Defence Force Switched Network (DFSN) is accessible through the DSN.

DSN Users – Dial "715-225-5287" (715 –Call-Aus) wait for dial tone and then dial the DFSN 9 digit subscriber number (State and City Code+7 digits). To call for Operator Assist dial 2458-73111 (24\*7).

## **NEW OR ADDITIONAL SERVICE**

To obtain new DSN service or to change the type of service you now have, consult *DISA Circular 310-130-1, Submission of Telecommunications Service Requests*, or consult your local telecommunications support office.

## **SPECIAL SERVICES**

"510" service is the DSN equivalent of commercial "800" toll free service. If you have a requirement for this type of service at your organization, contact DISA HQ, Code GS23.

## **USER-PROVIDED EQUIPMENT**

The terminal equipment provided by the user for connection to a DSN Switching Center must meet the technical interface criteria outlined in *Department of defense Voice Networks Generic Switching Center Requirements (GSCR)*, September 2004.

## **REPORTING TELEPHONE TROUBLE**

Ensure that the DSN number you have dialed is correct. If you dialed the number correctly and are still having trouble, report the problem as follows:

- Keep the line connected if you can. Overseas users should call their local telephone reporting desk or the local operator.
- CONUS users should first call the base's local telephone reporting desk. Then call the DCCC (DISA CONUS Call Center) at DSN 850-4790 or commercial at 1-800-554-3476. Tell the attendant:
  - Your DSN number and location.
  - Called party DSN number and location.
  - What the problem was and when it occurred.
  - If you hear an announcement, listen to the entire recording. You will hear an error message and a switch number and country name. Provide this information to the trouble desk. The information will help technicians trace the source of the trouble.
  - Get the attendant's initials and then request a call back when the trouble is corrected.

## **REPORTING UNSATISFACTORY SERVICE**

- If you are not satisfied with the results when you report a problem, contact the appropriate DISA organization for your area. If the problem is technical rather than procedural, specific details may be required. If you need assistance in filling out the report, contact your local telecommunications officer or the officer-in-charge (OIC) of the station switchboard. The report must contain the following information:



- Your station name, unit name, DSN telephone number, and whether the trouble concerns a telephone or a switchboard
  - The time and date you noticed the problem, the DSN trouble desk to which it was reported, and whether the problem was solved
  - What kind of problem you had and the impact it had on your mission
- If you are unhappy with the agency that was supposed to fix the problem, tell us exactly what unit it is, when you called them, when they responded, and when and if the problem was repaired. Let us know why you think their service was unsatisfactory. If this is a repeated problem, inform us how many times and whether your comments apply to each occurrence.

Action: Send the report to DISA HQ, Code GS23, or the supporting DISA Field Office for your organization. A list of field offices is provided in Appendix E, “List of DISA Field Offices”.

Information: The Operations and Maintenance (O&M) Agency in your area responsible for providing service.

## ACRONYM LIST

AFB	Air Force Base
AFS	Air Force Station
AMC	Air Material Center
ANGB	Air National Guard Base
ARW	Air Refueling Wing
AS	Air Station
bps	bits per second
C2	Command and Control
CBCF	Commander, Base Communications Facility
CENTCOM	U.S. Central Command
CONUS	Continental United States
CP	Camp
CTS	Combat Training Squadron
DCCC	DISA CONUS CALL CENTER
DDN	Defense Data Network
DISN	Defense Information Systems Network
DITCO	Defense Information Technology Contract Office
DRSN	Defense RED Switch Network
DSN	Defense Switched Network
FORSCOM	Forces Command
GOS	Grade of Service
HQ	Headquarters
ID	Identification
IP	Internet Protocol
JCS	Joint Chiefs of Staff
JFCOM	Joint Forces Command

Kb/s	Kilobits per second
LRR	Long Range Radar Site
NAVCOMTELSTA	Naval Command Telecommunications Station
NCS	National Communications System
NIPRNet	Unclassified but Sensitive IP Router Network
USNORTHCOM	US Northern Command
O&M	Operations and Maintenance
OCONUS	Outside the Continental United States
OIC	Officer-in-Charge
PAC	Pacific
PCS	Personal Communications System
POC	Point of Contact
SIPRNet	Secret IP Router Network
SOCOM	Special Operations Command
SOUTHCOM	Southern Command
STE	Secure Terminal Equipment
STRATCOM	Strategic Command
STU-III	Secure Telephone Unit, Third Generation
TFW	Tactical Fighter Wing
TRANSCOM	Transportation Command
URL	Universal Resource Locator
USCG	U.S. Coast Guard
USSOUTHCOM	U.S. Southern Command
VTN	Video Teleconferencing Network



5275 Leesburg Pike  
Falls Church, VA 22041

**APPENDIX B**  
**INSTRUCTIONS FOR ACCESSING THE DSN WEB PAGE**

1. A modem or Internet connection is required to access the DSN Web Page
2. The URL of the DSN Web Page is <http://dsnbbs.ncr.disa.mil>.
3. The Web Page provides a downloadable version of the DSN Directory prepared in Microsoft Word and compressed for transmission. Double-click on the link to download your copy.
4. Links to other DISA Web pages and additional administrative information is provided on the page.

**APPENDIX C**  
**STATE AND TERRITORY ABBREVIATIONS**

AK	Alaska	MS	Mississippi
AL	Alabama	MT	Montana
AR	Arkansas	NC	North Carolina
AS	American Samoa	ND	North Dakota
AZ	Arizona	NE	Nebraska
CA	California	NH	New Hampshire
CO	Colorado	NJ	New Jersey
CT	Connecticut	NM	New Mexico
DC	District of Columbia	NV	Nevada
DE	Delaware	NY	New York
FL	Florida	OH	Ohio
FM	Federated States of Micronesia	OK	Oklahoma
GA	Georgia	OR	Oregon
GU	Guam	PA	Pennsylvania
HI	Hawaii	PR	Puerto Rico
IA	Iowa	PW	Palau
ID	Idaho	RI	Rhode Island
IL	Illinois	SC	South Carolina
IN	Indiana	SD	South Dakota
KS	Kansas	TN	Tennessee
KY	Kentucky	TX	Texas
LA	Louisiana	UT	Utah
MA	Massachusetts	VA	Virginia
MD	Maryland	VI	Virgin Islands

ME	Maine	VT	Vermont
MH	Marshall Islands	WA	Washington
MI	Michigan	WI	Wisconsin
MN	Minnesota	WV	West Virginia
MO	Missouri	WY	Wyoming
MP	Northern Mariana Islands		

**APPENDIX D**  
**COUNTRY ABBREVIATIONS**

BA	Bahrain	IT	Italy
BE	Belgium	JA	Japan
CN	Canada	KU	Kuwait
CU	Cuba	KS	Republic of Korea
GE	Germany	NE	Netherlands
GN	Greenland	PN	Panama
GR	Greece	SA	Saudi Arabia
GU	Guam	SP	Spain
HO	Honduras	TU	Turkey
IC	Iceland	UK	United Kingdom
IO	Indian Ocean		
IZ	IRAQ		



**APPENDIX E**  
**LIST OF DISA FIELD OFFICES**

DISA FIELD OFFICES

<b>ADDRESS</b>	<b>CONTACT NUMBERS</b>
<p><b>CENTRAL COMMAND</b>  DISA Field Office - CENTCOM  7115 Boundary Blvd.  MacDill AFB, FL 33621-5101</p>	<p>DSN: (312) 651-6403  Comm'l: (813) 827-6403  Fax: x6871  PLA: DISA CENTRAL  COMMAND MACDILL  AFB//CSOC//</p>
<p><b>SPECIAL OPERATIONS COMMAND</b>  DISA Field Office - SOCOM  7701 Tampa Point Boulevard  MacDill AFB, FL 33621-5323</p>	<p>PLA: DISA SPECIAL  OPERATIONS COMMAND  MACDILL AFB//  DSN: (318) 299-2086  Comm'l: (813) 828-2086</p>
<p><b>DISA CONUS FIELD COMMAND</b>  DISA Field Office – CONUS  ATTN: RN53  P.O. Box 25860  Scott AFB, IL. 62225-5860</p>	<p>PLA: CONUS FIELD COMMAND  SCOTT AFB  DSN: 312-779-8835  Comm'l: 618 229 8835  E-MAIL:  DISACONDSNENG@DISA.MIL</p>
<p><b>EUROPEAN COMMAND</b>  DISA Field Office - EUROPE  Unit 30403  APO AE 09131-4130</p>	<p>DSN: (314) 434-5190  Comm'l: 011-49-711-680-5190  Fax : x8476  PLA: DISA EUR Vahihingen  GE//EUA//</p>

<p><b>JOINT FORCES COMMAND</b>  DISA Field Office - JFCOM  1562 Mitscher Ave., Suite 200  Norfolk, VA 23551-2488</p>	<p>DSN: (312) 836-5753  Comm'l: (757) 836-5753  Fax: x5146  PLA: DISA FIELD OFC  Norfolk VA//ACJ6D//</p>
<p><b>PACIFIC COMMAND</b>  DISA Field Office – PACIFIC  Bldg. 107, Wright Avenue  Wheeler Army Airfield, HI 96854-5120</p>	<p>DSN: (315) 456-1665/1647  Comm'l: (808) 656-1665/1647  Fax: x1277  PLA: DISA PAC WHEELER  AAF, HI//</p>
<p><b>DISA-PAC Alaska Field Office</b>  Bldg. 6-900, Suite 158  Elmendorf AFB, AK 99506</p>	<p>DSN: (317) 552-0761</p>
<p><b>DISA-PAC Guam Field Office</b>  PSC 488, Box 141  FPO AP 96537-1837</p>	<p>DSN: (315) 355-5865  FAX: (315) 355-5684  E-MAIL: DISA-GUAM@PAC.  DISA.MIL</p>
<p><b>DISA-PAC Japan Field Office</b>  APO AP 96328</p>	<p>DSN: (315) 641-2731  COMM'L: 011-81-611-741-273  FAX: (315) 225-5106  E-MAIL: DISA-JAPAN@PAC.  DISA.MIL</p>
<p><b>DISA-PAC Korea Field Office</b>  Unit 15296  APO AP 96205-0064</p>	<p>DSN: (315) 723-3426  COMM'L: 011 -822-7913-866  FAX: (315) 723-8054  E-MAIL: DISA-KOREA@PAC.  DISA.MIL</p>

<p><b>DISA-PAC Okinawa Field Office</b>  PSC 557, Box 456  FPO AP 96379-0456</p>	<p>DSN: (315) 641-2731  COMM'L: 011-81-611-741-2731  FAX: (315) 641-3825  E-MAIL: DISA-OKI@PAC.  DISA.MIL</p>
<p><b>SOUTHERN COMMAND</b>  USSOUTHCOM DISA Field Office  3511 Northwest 91<sup>st</sup> Avenue  Miami, FL 33172</p>	<p>DSN: (312) 567-1671  COMM'L: (305) 437-1666  FAX: x1877  PLA: DISA FLD OFC  MIAMI FL//</p>
<p><b>US NORTHERN COMMAND</b>  DISA Field Office -USNORTHCOM  250 S. Peterson Boulevard, Suite 222  Peterson AFB, CO 80914-3200</p>	<p>DSN: (312) 692-3800  COMM'L: (719) 554-3800  FAX: x9741  PLA: DISA FLD OFC  PETERSON AFB CO//</p>
<p><b>STRATEGIC COMMAND</b>  DISA Field Office - STRATCOM  901 SACX Boulevard, Suite 2D12  Offutt AFB, NE 68113-6601</p>	<p>DSN: (312) 271-5761  COMM'L: (402) 294-5761  FAX: x5798  PLA: DISA FLD OFF  OFFUTT AFB NE//</p>
<p><b>TRANSPORTATION COMMAND</b>  DISA TRANSCOM  508 Scott Drive, Building 1961  Scott AFB, IL 62225-5357</p>	<p>DSN: (312) 576-1841  COMM'L: (618) 229-1841  FAX: x1591  PLA: DISA TRANSCOM  OFFICE SCOTT AFB,  IL//CC//</p>

**APPENDIX F**  
**TIME ZONE CHART**

# TIME ZONE CHART



