



Tennessee Valley Authority, Caledonia Combined Cycle Plant, 255 Lone Oak Road, Steens, MS 39766

The following lots are being offered for sale by TVA. Items are located at TVA Caledonia Combined Cycle Plant, Steens, Mississippi.

The pre-bid meeting and inspection is scheduled for **Monday, September 15, 2008 at 10:00 a.m. Central Time**. Interested bidders must notify Sandy Rowe by September 11, 2008, if you plan to attend. Bidders are to assemble at the site entrance. Due to access control requirements, bidders must be on time. All bidders will be required to sign a safety waiver prior to entering the plant.

Bids will be due on **Monday, September 22, 2008**, by 3:00 p.m. Central Time. All bids should be submitted to the Valley Wide Investment Recovery Bid Center by fax to **865-632-9473**. It is the responsibility of the bidder to confirm the receipt of his/her bid.

Lot – CCC 089117 – Turbine Blades/Seals/Hangers/Misc.

The following items are being offered for sale by TVA:

- One case of turbine blades
- Turbine metal seals
- Spring hangers
- Miscellaneous shelving
- Miscellaneous metals
- Fire hose
- Carbon Steel shields approximately 1.5” thick x 12’ in diameter (Six each).
- Portable power unit with transformer. Transformer is an EGS cat. # T5H30S, 30KVA, 3 phase, 60 hertz with two Siemens 100 amp boxes.
- 500 lb. Gantry by Gorbel
- Approximately 200’ of new 2” plastic gas pipe, ASTM D251393
- One busing



Special Notes:

- TVA does not guarantee material description, quantity, or type, and therefore all bidders are encouraged to inspect the lots and to read and understand the terms and conditions of the sale prior to removal. Special site specific requirements may apply.
- Copies of contract terms and conditions are available by contacting the Valley Wide Investment Recovery Bid Center via email address valleywide@tva.gov.
- TVA reserves the right to reject all bids.
- Item(s) are sold as is, where is, and all sales are final with no refunds.
- Bidders and their employees are required to wear Personal Protective Equipment (PPE) during lot inspections. During removal the Buyer and employees are required to wear, at a minimum, hard hats, gloves, safety glasses, steel toe boots, and any other PPE required as specified in the safe removal plan.
- All Buyers will be required to submit a "Safe Removal Plan" to the Valley Wide Investment Recovery Principal Engineer after award and prior to removal of the lots.
- TVA requires a two day notice prior to removal.
- Anyone inspecting material or working on a TVA site must sign a safety waiver.
- Some items may require special rigging and crane operation. Rigging and Crane operation on a TVA site requires the Buyer to be certified by TVA prior to removal. Certification may be obtained only after attending a class with TVA. A copy of the certification is required prior to removal.
- A Buyer's forklift operator must have a valid certification and the forklift must be inspected prior to operation on a TVA site. A copy of the certification is required prior to removal. TVA does not provide forklifts.
- TVA will not furnish dumpsters, lunch areas, utilities, vending areas and the like.
- Buyer is required to clean-up the area prior to removal of the last load. This includes removal of all trash, pallets, dunnage, etc. unless otherwise noted in the lot description. All material and waste must be removed from the TVA site.
- **Removal will be allowed Monday through Friday from 7:00 a.m. through 3:30 p.m. unless otherwise a federal holiday. If Bidders need to work a schedule other than this, the Bidders must include the exception at the time of bid submittal.**
- Bidders are advised to provide a bid for both options, i.e. TVA loading and Buyer loading in the area listed below.
- Bidders must provide any exceptions to the requirements within this sales notice at the time of bid submittal.

LOT #	BID – TVA LOAD	BID – BUYER LOAD
Lot – CCC 089117 – Turbine Blades/Seals/Hangers/Misc.		

COMPANY: _____
 CONTACT: _____
 ADDRESS: _____

 PHONE: _____
 CELL: _____
 FAX: _____
 EMAIL: _____