

CATID	QTY_TYPE	LOCATION	QTY_IN_BIN	NAME	CAT_DESC	QA	STG_LEVEL	COM CODE
BWW867W	AL	D-B-07-202-001	1	GAG	GAG, VALVE, QA 0, GAG, VALVE; MAIN STEAM SAFETY VALVE, MODEL 3787 ***	0	B	48200 SE
BWW867W	AL	D-B-16-000-001	1	GAG	GAG, VALVE, QA 0, GAG, VALVE; MAIN STEAM SAFETY VALVE, MODEL 3787 ***	0	B	48200 SE
AAW928R	AL	A-A-01-000-001	1	GASKET	GASKET, TYPICAL, QA 0, 1/8 IN, RUBBER, *** FOR MODEL 296	0	P	6695D SE
AA754N	AL	A-A-01-000-001	1	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; DISCHARGE, FOR SUBMERSIBLE PUMP, 2125.010-02059	0	P	4320U SE
ABJ474L	AL	A-A-01-000-001	10	GASKET	GASKET, TYPICAL, QA 0, GASKET, COVER; COVER, IT 11, FOR WALWORTH, BYPASS CHECK VALVE, SIZE 18	0	P	48200 SE
ACY992R	AL	A-A-01-000-001	3	GASKET	GASKET, TYPICAL, QA 3, GASKET, TRANSMITTER, P, ; RUBBER, 22 IN, FOR TRANSMITTER, PRESSURE	3	P	6695D SE
ADJ877H	AL	D-A-32-104-001	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; STEEL, TEST ROD PLUG, FOR CROSBY 3/4-RV54SWB RELIEF	3	P	48200 SE
AED540L	AC	-- --	24	GASKET	GASKET, TYPICAL, QA 0, FILTER, RUBBER, *** FOR AIR-LINE FILTER P/N 81857, ON PRESSURE REGULATOR	0	P	4240P SE
AED540L	AL	A-A-01-000-001	29	GASKET	GASKET, TYPICAL, QA 0, FILTER, RUBBER, *** FOR AIR-LINE FILTER P/N 81857, ON PRESSURE REGULATOR	0	P	4240P SE
AEJ010F	AL	A-A-01-000-001	2	GASKET	GASKET, TYPICAL, QA 3, VELAN 3 IN - 300 LB GATE VLV, M/N B10-164B-2TS, 4-3/4 IN, 5-3/4 IN, 1/16 IN, SINGLE, MTL: SOFT IRON, SERRATED, IT# 18	3	P	48200 SE
AET908J	AL	A-A-01-000-001	3	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; SYNTHETIC NEOPRENE, 0.031 THK X 5.68 ID X 9 IN OD, FOR	3	P	6105D SE
AFT705T	AL	A-A-01-000-001	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ASBESTOS, FOR REACTOR COOLANT PUMP MOTOR, 6000 HP	3	P	6105D SE
AFV278D	AL	A-A-01-000-001	7	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; AIR CONNECTION, FOR FISCHER & PORTER CO STATOR COOLING	0	P	6695D SE
AFV279B	AL	A-A-01-000-001	4	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; WINDOW, FOR FISCHER & PORTER CO STATOR COOLING WATER	0	P	6695D SE
AFV878L	AL	A-A-01-000-001	7	GASKET	GASKET, TYPICAL, QA 0, *** FOR FISCHER & PORTER CO STATOR COOLING WATER TEMPERATURE	0	P	6695D SE
AFV888H	AL	A-A-01-000-001	7	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; DOSING TANK, FOR HAYS DISSOLVED OXYGEN ANALYZER, MODEL	0	P	6630D SE
AGD451V	AL	A-A-01-000-001	4	GASKET	GASKET, TYPICAL, QA 0, , SINGLE; AIR HEAD, LOW PRESSURE, FOR INGERSOLL-RAND AIR COMPRESSOR	0	P	4310I SE
AGE196C	AL	A-A-01-000-001	9	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; VELMOID, BOWL ASSY TO COLUMN, FOR VERTICAL PUMP, MODEL	3	P	4320U SE
AGK429M	AL	D-A-06-302-000	2	GASKET	GASKET, BULK, QA 0, 3 FT (36 IN), 3 FT (36 IN), 3/16 IN, CORK/RUBBER	0	P	5730H SE
AGK529H	AL	D-A-16-402-000	4	GASKET	GASKET, BULK, QA 0, 3 FT (36 IN), 3 FT (36 IN), 1/4 IN, CORK/RUBBER, MUST BE ABLE TO BEND 180 DEG WITHOUT BREAKING	0		5730H SE
AGW219J	AL	A-A-01-000-001	4	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; WINDOW, FOR SCHUTTE AND KOERTING ROTOMETER, TYPE	0	P	6695D SE
AGX214P	AL	A-A-01-000-001	1	GASKET	GASKET, TYPICAL, QA 0, *** FOR HERSEY GAGE 235A-13, SN 425807, ON TURBINE LUBE OIL TANKS 1-3	0	P	6695D SE
AHJ383J	AL	A-A-01-000-001	9	GASKET	GASKET, TYPICAL, QA 3, COVER, NON-ASBESTOS, SINGLE, , CARTRIDGE CAP, PC 63, FOR VALVE OPERATOR, TYPE SMB-000	3	B	48200 SE
AJF804Y	AL	A-A-01-000-001	10	GASKET	GASKET, BULK, QA 0, GASKET, SINGLE; CASING, PT 73, FOR AUXILIARY DEAERATION MAKEUP PUMP	0	P	4320U SE
AKD045B	AL	A-A-01-000-001	7	GASKET	GASKET, TYPICAL, QA 0, 5-1/4, FIBER, SEAT RING, UPPER, FOR AWWA DRY TOP TRAFFIC	0	P	4210N SE
AKD145G	AL	A-A-01-000-001	14	GASKET	GASKET, TYPICAL, QA 0, 5-1/4 IN, LEATHER, *** SEAT RING, LOWER, FOR AWWA DRY TOP TRAFFIC MODEL COMPRESSION FIRE	0	P	4210N SE
AKE411G	AL	A-A-01-000-001	2	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; COVER PLATE TO STUFFING BOX, HYDROIL, FIND NO. 262B	0	C	4320U SE
AKH953V	AL	A-A-01-000-001	42	GASKET	GASKET, TYPICAL, QA 0, 1/4 IN, 1/2 IN, 1/64 IN, PAPER, *** CAPSULE PLATE, FOR REVERSAL VALVE POSITIONER, MODEL J-21-03A	0	P	48200 SE
AKT716V	AL	D-A-30-101-004	5	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; TOP HEAD, TYPE SF-3420-2, 146 FORM N, 1161-3749-T190P	0	P	6115F SE
ALD234B	AL	A-A-01-000-001	9	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; DISCHARGE FLANGE, NON-ASBESTOS, FOR 1610DHROC, ON	3	P	4520N SE
ALJ263A	AL	A-A-01-000-001	11	GASKET	GASKET, SPIRAL WOUND, QA 3, GASKET, SPIRAL WOUND; 316 SS W/GRAPHITE FILLER 0.125" THK X 14.75" ID	3	B	48200 SE
ALK450H	AL	A-A-01-000-001	140	GASKET	GASKET, BULK, QA 3, 56 IN, 1/8 IN, NEOPRENE/NYLON, ROLL, 1001, BLACK, NYLON CLOTH, ASTM D2000, 60 DUROMETER	3	P	5680B SE
ALT724N	AL	A-A-01-000-001	30	GASKET	GASKET, TYPICAL, QA 0, GASKET, DIESEL ENGINE; FIBER PAPER, FLANGE MOUNTING, FOR STANDARD	0	P	2910O SE
ALT821Q	AL	A-A-01-000-001	2	GASKET	GASKET, TYPICAL, QA 2, GASKET, SINGLE; ADAPTER, FOR ELECTRO-MOTIVE DIV, GENERAL MOTORS	2	P	2910O SE
AMD067L	AL	D-A-30-101-003	4	GASKET	GASKET, TYPICAL, QA 0, *** FOR 13-120 AFTER COOLER ON WORTHINGTON CORP SOOT BLOWING AIR	0	P	4310I SE
AME254R	AL	A-A-01-000-001	4	GASKET	GASKET, TYPICAL, QA 0, FLANGE, 12-1/8 IN, 13-1/8 IN, 1/32 IN, *** PIPE FLANGE, TOP COLUMN, FOR POWERHOUSE UNWATERING VERTICAL	0	P	4320U SE
AMJ467K	AL	1-B-14-000-001	12	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; VALVE, ITEM 18, FOR WALWORTH GATE VALVE, SIZE 20 IN	0	P	48200 SE
AMT523T	AL	A-A-01-000-001	3	GASKET	GASKET, TYPICAL, QA 3, GASKET, KIT; TURBOCHARGER, FOR ELECTRO-MOTIVE DIV, GENERAL MOTORS	3	P	2910O SE
AMV062N	AL	A-A-01-000-001	4	GASKET	GASKET, TYPICAL, QA 0, *** FOR FOXBORO 5412TS-58P4F-B RECORDER-CONTROLLER	0	P	6695D SE
AMV162V	AL	A-A-01-000-001	3	GASKET	GASKET, TYPICAL, QA 0, *** FOR FOXBORO 5412TS-58P4F-B RECORDER-CONTROLLER	0	P	6695D SE
AMV963Q	AL	A-A-01-000-001	22	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; FOR FOXBORO 14A INTEGRATOR ***	3	P	6695D SE
ANF000H	AL	A-A-01-000-001	3	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; NON-ASBESTOS, STUFFING BOX, REF 73A, FOR DISTILLATE	0	P	4320U SE
ANH661N	AL	A-A-01-000-001	1	GASKET	GASKET, TYPICAL, QA 0, VALVE, 2-1/2 IN, 3.530 IN, 5/16 IN, GASKET, SINGLE; NON-ASBESTOS, 0.031 THICK X 2.5 X 3.53 IN, REF 44, FOR	0	C	48200 SE
APJ867N	AL	A-A-01-000-001	28	GASKET	GASKET, TYPICAL, QA 3, GASKET, VALVE, ; YOKE, NON-ASBESTOS, FOR WH 1-WA52RD AIR OPP VALVE	3	P	48200 SE
APT314P	AL	A-A-01-000-001	53	GASKET	GASKET, TYPICAL, QA 2, GASKET, SINGLE; EXPANSION JOINT TO TURBO, (EXHAUST CHAMBER ASSY), FOR	2	P	2910O SE
APT916T	AL	A-A-01-000-001	69	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; CHAMBER TO CRANKCASE, (EXHAUST CHAMBER ASSY), FOR	0	P	2910O SE
AQQ356B	AL	A-A-01-000-001	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, KIT; FOR MAIN CONTROL ROOM OR ELECTRICAL BOARD ROOM CHILLER	3	P	4520N SE
ARV384G	AL	A-A-01-000-001	12	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; CORK, FOR EMF TO PNEUMATIC CONVERTER AND/OR CONTROLLER	3	C	6695D SE
ATL363N	AL	A-A-01-000-001	4	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; RUBBER, COVER, FOR MODEL PAR- 400, RECORDER ***	3	P	6695D SE
ATP326D	AL	A-A-01-000-001	10	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; COMPRESSED ASBESTOS, GRS BINDER, ITEM 2.4.125 OD X 2 ID	0	P	4320U SE
ATP914V	AL	A-A-01-000-001	6	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; CASE TO COVER, 0.175 THICK X 36.1875 ID X 37.5625 IN	0	P	4320U SE
ATV996A	AL	A-A-01-000-001	1	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; ASBESTOS, INSPECTION HOLE, FOR 4 INCH, 150 LB, CHECK	0	P	48200 SE
AVC933A	TR	-- --	4	GASKET	GASKET, TYPICAL, QA 3, BODY PLUG, METAL, ITEM 14, FOR 4 INCH, 900 LB SWING CHECK VALVE, WALWOR	3	P	48200 SE
AVD392D	AL	A-A-01-000-001	3	GASKET	GASKET, TYPICAL, QA 2, GASKET, SINGLE; YOKE, FOR 4 INCH, 150 LB AIR OPERATED CONTROL VALVE	2	P	48200 SE
AVF802B	AC	-- --	1	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; NON-ASBESTOS, 3.750 IN OD X 0.625 IN ID, FOR INSULATED	0	P	2825G SE
AVT804E	AL	A-A-01-000-001	12	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; RUBBER, EPDM, 60 DUROMETER, FOR REACTOR BUILDING	3	P	5730H SE
AWH706N	AL	D-A-30-101-002	5	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; CENTER HOUSING, TWO EACH PER SET, FOR TABOR MACHINE	0	P	3910K SE
AWH707L	AL	D-A-30-101-002	5	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; VEGETABLE FIBER. SEAL PLATE, FOR VIBERATION SCREEN	0	P	3910K SE
AWL830G	AL	A-A-01-000-001	27	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; RUBBER, EPDM-E603, TVA MARK 44N293-27, FOR REACTOR	3	B	5670A SE
AWV096R	AL	A-A-01-000-001	22	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; FIBER PAPER, GOVERNOR TO GOVERNOR DRIVE, FOR	3	P	2910O SE
AYC113Y	AL	A-A-01-000-001	4	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; RUBBER, DWG FB-14274, FOR DISCHARGE PRESSURE OPERATED	3	P	4210N SE
AYJ476T	AL	A-A-01-000-001	5	GASKET	GASKET, TYPICAL, QA 3, HOUSING COVER, 3 PER SET, SINGLE, , PC 90, PC107, FOR VALVE ACTUATOR MODEL SMB-00, SB-00	3	P	48200 SE
BAC371W	AL	A-A-01-000-001	2	GASKET	GASKET, SPIRAL WOUND, QA 3, GASKET, SPIRAL WOUND; STAINLESS STEEL AISI 316 AND ASBESTOS, 3.25 ID X	3	P	5730H SE
BAE953V	AL	A-A-01-000-001	4	GASKET	GASKET, SPIRAL WOUND, QA 3, GASKET, SPIRAL WOUND; ID: 19-1/4 IN; OD: 20-1/8 IN; THICKNESS: 1/8 IN;	3	B	48200 SE
BBT639X	AL	A-A-01-000-001	14	GASKET	GASKET, TYPICAL, QA 0, RUBBER, ROUND, *** FOR CHARGING VALVE, DWG 311-4R016688, ON AIR BLAST CIRCUIT	0	P	5925B SE
BBY335X	AL	A-A-01-000-001	58	GASKET	GASKET, SPIRAL WOUND, QA 0, 2 IN, INCONEL/FLEXITE, 150 PSI, ***	0	B	5730H SE
BCT963E	AL	A-A-01-000-001	4	GASKET	GASKET, TYPICAL, QA 0, FIBER, *** VEGETABLE FIBER, GRAY, FOR OFFGAS CHILLER COMPRESSOR, MODEL	0	P	4520N SE
BDE143D	TR	-- --	1	GASKET	GASKET, TYPICAL, QA 0, VALVE, SET; NON-ASBESTOS, C/O BONNET GASKET, REF 10, CAGE GASKET, REF	0	P	48200 SE
BEP701H	AL	D-A-30-101-002	2	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; ROUND, RUBBER, 0.125 IN THICK, CASING-STUDDING COVER	0	P	4320U SE
BFF982G	AL	D-B-09-202-001	2	GASKET	GASKET, TYPICAL, QA 0, COUPLING, 7 IN, SINGLE, FIBERGLASS, REINFOCED, DWG 1-19000, FOR COUPLING	0	P	4450C SE
BFP035C	AL	A-A-01-000-001	1	GASKET	GASKET, TYPICAL, QA 0, RUBBER, *** DOOR GLASS, FOR CISELL CLOTHES DRYER, PRODUCT NO. ABF2304, MODEL	0	P	3405L SE
BFW306P	AL	A-A-01-000-001	100	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; RUBBER, CORK, SUPPLY LINE TO MANIFOLD LINE, FOR	3	P	2910O SE
BFX972B	AC	-- --	3	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ROUND, ACRYLIC, WITH SBR BINDER, OFF WHITE, 0.03 THICK	3	P	5730H SE
BGD332W	AL	A-A-01-000-001	36	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; FUEL PIPE TO MANIFOLD INORGANIC COMPOSITION WITH	3	P	2910O SE

BGK787K	AL	A-A-01-000-001	147	GASKET	GASKET, TYPICAL, QA 3, CONDUIT, 3/4 IN, NEOPRENE/NON-ASBESTOS, GASKET,CONDUIT, ; RUBBER, NEOPRENE, NON-ASBESTOS, OPEN, 0.75 IN, FORM	3	P	5975B SE
BGN843L	AL	A-A-01-000-001	25	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; TANK TO HEADER, LUBE OIL COOLER, FOR POWER UNITS	3	P	2910O SE
BGT525E	AL	A-A-01-000-001	140	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; NEOPRENE, 24 X 20 X 7 WITH HINGE COVER, FOR NEMA 4	3	P	5730H SE
BHC266E	AL	A-A-01-000-001	25	GASKET	GASKET, TYPICAL, QA 0, GASKET, SET; C/O TWO EA BROWN PAPER, TWO EARED PLASTIC, ONE EA BLUE	0	P	2910O SE
BHC416M	AL	A-A-01-000-001	7	GASKET	GASKET, SPIRAL WOUND, QA 3, 2-1/2 IN, 3-1/4 IN, 4-7/8 IN, 0.175 IN, SS/GRAPHITE, 150 PSI, GASKET, SPIRAL WOUND; GASKET, SPIRAL WOUND, NON-AS	3	P	5730H SE
BJL008D	AL	A-A-01-000-001	4	GASKET	GASKET, TYPICAL, QA 3, GASKET,ACTUATOR, ; ASBESTOS, CLUTCH AND MOTOR HOUSING, PC 67, FOR	3	P	4820O SE
BJN020P	AC	- - - -	2	GASKET	GASKET, TYPICAL, QA 3, GASKET,DOOR, ; RUBBER, 1.25 X 0.5 IN, MIL-R-900, DWG 3037-4 REV 2,	3	C	5670A SE
BJP609C	AL	A-A-01-000-001	5	GASKET	GASKET, TYPICAL, QA 0, VALVE, *** BONNET, FOR A-436 VALVE	0	P	4820O SE
BJP611Q	AL	A-A-01-000-001	27	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; PUMPER NOZZLE, TO FIT A-436 VALVE ***	0	P	4820O SE
BJP612N	AL	A-A-01-000-001	18	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; DRAIN RING HOUSING TO FIT A-436 VALVE ***	0	P	4820O SE
BJQ325L	AL	A-A-01-000-001	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, COVER; VALVE, FOR 3 IN STAR, MODEL G,HYDROMATIC DELUGE VALVE	3	P	4210N SE
BJQ325L	AL	5-A-07-202-000	5	GASKET	GASKET, TYPICAL, QA 3, GASKET, COVER; VALVE, FOR 3 IN STAR, MODEL G,HYDROMATIC DELUGE VALVE	3	P	4210N SE
BJV646G	AL	A-A-01-000-001	43	GASKET	GASKET, SPIRAL WOUND, QA 0, 1.0 IN, SS, 300 PSI, ***	0	P	5730H SE
BKG146P	AC	- - - -	1	GASKET	GASKET, TYPICAL, QA 3, GASKET,VLV,CHECK,SWI, ; CORRUGATED SOFT IRON, FOR 4 INBUTT WELD, 150	3	B	4820O SE
BKQ269X	AL	D-A-04-201-002	1	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; TWO PER PACKAGE, NON-ASBESTOS, FOR MONITOR, CHLORIDE	0	C	5730H SE
BKQ658J	AL	A-A-01-000-001	6	GASKET	GASKET, TYPICAL, QA 3, COVER TO BRACKET, FOR MOTOR BRAKE, MODEL 6-74050-6S	3	P	6110O SE
BKR402J	AL	A-A-01-000-001	3	GASKET	GASKET, TYPICAL, QA 3, GASKET, KIT; GRAPHITE, (BONNET), SEAT RING,CAGE, AND SPIRAL WOUND	3	B	4820O SE
BKX764R	AL	J-B-12-009-001	3	GASKET	GASKET, BULK, QA 0, 75.0 IN, 150.0 IN, 1/64 IN, NITRILE, SHEET, *** FABRICATION: COMPRESSED	0	C	5730H SE
BLB267Y	AL	D-B-09-202-001	14	GASKET	GASKET, TYPICAL, QA 0, 4-1/2 IN, 4-3/4 IN, 0.031 IN, NON-ASBESTOS, SINGLE, COMPRESSED, END COVER, FOR AIR CYLINDER	0	P	4450C SE
BLE267F	AL	F-A-31-201-000	18	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; PUSHON RUBBER, BLACK, SLIP JOINT TYPE, BELL AND PLAIN	3	B	4730P SE
BLF422Q	AL	P-A-LL-ET0-074	100	GASKET	GASKET, TYPICAL, QA 0, VALVE, 6 IN, 6-3/8 IN, COPPER, GASKET, SINGLE; COPPER SINGLE JACKET, FIBER FILLED, NON-ASBESTOS, FOR	0	C	4310I SE
BLK901Q	AL	F-C-08-064-001	24	GASKET	GASKET, SPIRAL WOUND, QA 3, GASKET, SPIRAL WOUND; SPIRAL WOUND 304, 2.5 IN, 300 LB, WITH	3	P	5730H SE
BLP546W	AL	F-A-08-013-001	10	GASKET	GASKET, TYPICAL, QA 3, GASKET,RECORDER, ; CONNECTOR, FOR SEISMIC RECORDER, MODEL PSR1200 ***	3	P	6695D SE
BLP819K	AL	F-C-08-064-001	4	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; CONTROL BOX, BUNA N, FOR USE ON FLOW MONITOR SWITCH	3	P	6695D SE
BLP857B	AL	D-B-16-000-001	2	GASKET	GASKET, SPIRAL WOUND, QA 3, GASKET, SINGLE; BONNET, 304 STAINLESS STEEL, WITH GRAPHITE FILLER,	3	P	4820O SE
BLV329G	AL	A-A-01-000-001	4	GASKET	GASKET, TYPICAL, QA 0, GASKET,CHILLER, ; HAND VALVE, FOR DUNHAM BUSH CHILLER, PCW040T, S/N	0	P	4520N SE
BNF325A	AL	Z-A-06-000-001	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; CRDM COOLING SHROUD, DWG 1102E71, ITEM 10 ***	3	C	4470C SE
BNF333B	AL	Z-A-06-000-001	1	GASKET	GASKET, TYPICAL, QA 3, CRDM COOLING SHROUD, , WESTINGHOUSE DRAWING 1855E15, ITEM 8	3	C	4470C SE
BNF339Y	AL	D-B-16-000-001	3	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; EPDM, DUROMETER A40-60, CRDM COOLING SHROUD, DWG	3	C	4470C SE
BNF340R	AL	F-A-26-101-000	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; POLYSILIXANE, DUROMETER OF A40-60,CRDM COOLING SHROUD	3	C	4470C SE
BNF341C	AL	D-B-07-202-002	1	GASKET	GASKET, TYPICAL, QA 3, , FOR CRDM COOLING SHROUD, THREE SEGMENT SET, EPDM, DUROMETER OF	3	C	4470C SE
BNF341C	AL	F-A-07-201-000	1	GASKET	GASKET, TYPICAL, QA 3, , FOR CRDM COOLING SHROUD, THREE SEGMENT SET, EPDM, DUROMETER OF	3	C	4470C SE
BNQ940J	AL	F-C-08-064-001	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; CAP, FOR 2 IN RELIEF VALVE, ID2-RV-72 JWB, STYLE	3	P	4820O SE
BNQ949L	AL	F-C-08-064-001	15	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; RUBBER, 1 IN PIPE, CAP, REF 9,FOR 1 IN CARDOX VALVE	3	P	4210N SE
BPD563X	AL	D-B-06-000-001	1	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; METAL, FOR LB TURBINE STEAM GLANDS ***	0	P	2825G SE
BQC298M	AL	F-A-10-201-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, KIT; ASBESTOS FREE, TURBO CHANGEOUT, (ENGINE GASKET KIT), FOR	3	B	2910O SE
BQN421X	AL	A-A-01-000-001	5	GASKET	GASKET, TYPICAL, QA 3, FOR VALVE ACTUATOR, PC83, SINGLE, , WORM SHAFT END CAP, LIMITORQUE SMB-5	3	C	4820O SE
BQR649F	AL	A-A-01-000-001	2	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; REF #6, FOR A MASEONEILAN LIQUID LEVEL CONTROLLED M/N	0	C	6695D SE
BRE254R	AL	E-A-16-C04-F01	4	GASKET	GASKET, TYPICAL, QA 0, CIRCUIT BREAKER, SINGLE, MAIN VALVE, ID NO HAMT403041R4, FOR POWER CIRCUIT BREAKER,	0	C	5925B SE
BRG335F	AL	F-C-08-064-001	3	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; STAINLESS STEEL, 0.0625 THICK X 1.75 ID X 2.25 IN OD	3	B	4820O SE
BRG350Y	AL	F-C-08-064-001	16	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; STAINLESS STEEL,FOR REACTOR CLOSURE HEAD PART LENGTH	3	B	4470C SE
BTE272H	AL	D-B-21-060-001	1	GASKET	GASKET, SPIRAL WOUND, QA 3, 35-5/16 IN, 39-9/16 IN, 0.175 IN, GASKET, SPIRAL WOUND,SPARE P; FLANGE SHELL,0.175 IN THK X 35.312 IN ID	3	B	4420B SE
BTF847J	AL	1-A-05-000-001	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; 4821 BONNETT GASKET, LOW CARBON SOFT STEEL AT 120 BHN.	3	B	4820O SE
BTF847J	AL	A-A-01-000-001	7	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; 4821 BONNETT GASKET, LOW CARBON SOFT STEEL AT 120 BHN.	3	B	4820O SE
BTF951P	AL	A-A-01-000-001	6	GASKET	GASKET, TYPICAL, QA 3, GASKET, SET; BONNETT GASKET MATERIAL ASTM A285 GRADE C FOR 8" 600#	3	B	4820O SE
BTF955F	AL	A-A-01-000-001	6	GASKET	GASKET, TYPICAL, QA 3, GASKET, SET; BONNETT GASKET MATERIAL ASTM A285 GRADE C, FOR 10" 600#	3	B	4820O SE
BTG007J	AL	A-A-01-000-001	8	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; BONNETT GASKET FOR 12" 600# WALWORTH GATE VALVE, ITEM	3	B	4820O SE
BTG397J	AL	1-A-05-000-001	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, SET; BONNETT GASKET FOR 20" 600# WALWORTH GATE VALVE, ITEM	3	B	4820O SE
BTG397J	AL	A-A-01-000-001	7	GASKET	GASKET, TYPICAL, QA 3, GASKET, SET; BONNETT GASKET FOR 20" 600# WALWORTH GATE VALVE, ITEM	3	B	4820O SE
BTG407B	AL	1-A-05-000-001	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, SET; 120BHN SOFT STEEL FOR 24" 600# WALWORTH GATE VALVE, ITEM	3	B	4820O SE
BTG407B	AL	A-A-01-000-001	7	GASKET	GASKET, TYPICAL, QA 3, GASKET, SET; 120BHN SOFT STEEL FOR 24" 600# WALWORTH GATE VALVE, ITEM	3	B	4820O SE
BTM836Q	AL	A-A-01-000-001	1	GASKET	GASKET, BULK, QA 0, 5 FT, 5 FT, 1/32 IN, GASKET, SINGLE; SHEET, NON-ASBESTOS, 0.031" THK X 60.00" X 60.00" ***	0	C	5730H SE
BTR095B	AL	A-A-01-000-001	1	GASKET	GASKET, TYPICAL, QA 0, GASKET, KIT; GASKET KIT, NON-ASBESTOS, FOR DUNHAM-BUSH COMPRESSOR	0	C	4520N SE
BTT836Y	AL	D-B-07-202-001	1	GASKET	GASKET, TYPICAL, QA 3, , BONNET, ARMCO IRON, SILVER PLATED, FOR 4 IN 900 LB GATE VALVE,	3	B	4820O SE
BTT836Y	AL	F-A-07-201-000	1	GASKET	GASKET, TYPICAL, QA 3, , BONNET, ARMCO IRON, SILVER PLATED, FOR 4 IN 900 LB GATE VALVE,	3	B	4820O SE
BTY337W	AL	A-A-01-000-001	31	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; NON-ASBESTOS, FOR APPLETON 2-1/2 AND 3 INCH TRADE SIZE	3	B	5975B SE
BVC787K	AL	F-A-11-101-001	30	GASKET	GASKET, TYPICAL, QA 3, VALVE, GRAPHITE, SET, CONSISTING OF 1 EA. CAP GASKET AND 1 EA. BODY	3	C	4820O SE
BVH509P	AL	D-B-25-302-003	3	GASKET	GASKET, TYPICAL, QA 3, SOFT STEEL, SINGLE, , FOR 4" WILLIAM POWELL 900 # CAST STEEL GATE VALVE, FIG. NO.	3		4820O SE
BVH833D	AC	- - - -	1	GASKET	GASKET, TYPICAL, QA 3, VALVE, 150 PSI, GASKET, SINGLE; BONNET, FOR WM POWELL CO. GATE VALVE, FIG 1523WE, SIZE	3	C	4820O SE
BVL791K	AL	D-B-25-302-005	1	GASKET	GASKET, TYPICAL, QA 1, GASKET, SINGLE; BONNET SEAL, PATT 9520-21-1, REF. DWG. D-9520-21, REF.	1	C	4820O SE
BVR018P	AL	D-B-16-000-001	4	GASKET	GASKET, TYPICAL, QA 3, GASKET, SET; WITH SEAL SET FOR LIMITORQUE SBD-3 OPERATOR ***	3	B	4820O SE
BVR154Q	AL	1-A-05-000-001	1	GASKET	GASKET, SPIRAL WOUND, QA 3, GASKET, SPIRAL WOUND,SPARE P; FOR 24 IN OD PIPE, 1500 #, FLEXITALLIC	3	B	5730H SE
BVR773V	AL	D-B-19-302-000	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; PRESSURE SEAL, FOR WM POWELL GATE VALVE, SIZE 20 IN	3	B	4820O SE
BVT350Y	AL	A-A-01-000-001	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; BONNET INGOT IRON, SILVER PLATED FOR 3" GATE VALVE MFG	3	B	4820O SE
BWC072E	AL	1-A-05-000-001	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, ASSY; COMPLETE WITH SEAL SET FOR LIMITORQUE SB-4 OPERATOR ***	3	B	4820O SE
BWG947W	AL	A-A-01-000-001	3	GASKET	GASKET, TYPICAL, QA 0, ASBESTOS, *** FOR FOXBORO 13A PNEUMATIC FLOW TRANSMITTER	0	C	6695D SE
BWN652H	AL	A-A-01-000-001	20	GASKET	GASKET, TYPICAL, QA 1, GASKET, SET; NON-ASBESTOS, C/O ONE EA SILICONE TOP COVER GASKET, P/N	1	B	5930O SE
BWY947L	AL	A-A-01-000-001	16	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ELEMENT, FOR TYPE 316 SST FILTER ON CONTAINMENT	3	C	4330N SE
BXB886A	AL	D-B-16-000-001	3	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; SHELL SIDE,SPIRAL WOUND,NON-ASBESTOS FILLER,STAINLESS	3	B	4420B SE
BXN515M	AC	- - - -	4	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; HEAD, FOR LIQUID LEVEL FLOAT SWITCH, MODEL 63.2, LOW	0	B	5930O SE
BXY213W	AL	A-A-01-000-001	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, SET; 304 STAINLESS STEEL, AND NON-ASBESTOS, C/O 1-EA GASKET	3	B	4420B SE
BYD263Y	AL	F-A-10-101-001	3	GASKET	GASKET, TYPICAL, QA 1, GASKET, SINGLE; RUBBER, EPDM, MAIN DOOR, FOR REACTOR PERSONNEL ACCESS	1	B	5670A SE
BYJ751P	AL	1-A-05-000-001	212	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; FOR GLOBE, USED ON GROUSE HINDS VMVC 100 AND 175	3	C	5975B SE
CAB525R	AC	- - - -	1	GASKET	GASKET, SPIRAL WOUND, QA 3, 3/4 IN, SS/FLEXICARB, 300-400-600 PSI	3	B	5730H SE
CAF531A	AL	E-A-16-C05-C01	12	GASKET	GASKET, TYPICAL, QA 0, CIRCUIT BREAKER, 2-15/16 IN, 4-3/4 IN, PAPER, SINGLE, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE

CAK937Q	AL	F-A-22-101-000	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; BONNET, FOR VALVE WITH BODY BORE OF 4.954 IN, DWG	3	B	48200 SE
CAP158W	AC	- - - -	1	GASKET	GASKET, SPIRAL WOUND, QA 3, 1-1/4 IN, 2-5/8 IN, 0.175 IN, SS/FLEXICARB, 150 PSI, R	3	B	5730H SE
CAP397A	AL	F-A-19-201-000	69	GASKET	GASKET, BULK, QA 3, GASKET, MATERIAL; NON-ASBESTOS, 3/16 IN X 4 FT X 8 FT, DWG	3	B	5730H SE
CAV781L	AL	A-A-01-000-001	4	GASKET	GASKET, TYPICAL, QA 0, GASKET, KIT; FOR KOP FLEX INC FLEXIBLE SHAFT COUPLING, GEAR TYPE	0	B	3040D SE
CAX363W	AL	A-A-01-000-001	8	GASKET	GASKET, TYPICAL, QA 1, GASKET, DIESEL ENGINE; LUBE OIL COOLER HEADER TO CORE, CAT 381 PLATE	1	C	29100 SE
CBH229Q	AL	A-A-01-000-001	18	GASKET	GASKET, TYPICAL, QA 0, PUMP, *** IMPELLER GASKET, ITEM NO. 26, FOR CONDENSER TUBE CLEANING PUMP	0	B	4320U SE
CBL639M	AC	- - - -	1	GASKET	GASKET, SPIRAL WOUND, QA 3, VALVE, 304 SS/GRAPHITE, MFG. BY FLEXITALLIC, FOR 3/4"-1500 LB SWING CHECK VALVE, IT.100 ON	3	B	48200 SE
CBQ339D	AL	D-A-11-402-003	3	GASKET	GASKET, SPIRAL WOUND, QA 3, GASKET, SINGLE; BONNET, TYPE: SPRIRAL WOUND W/GRAPHITE FILLER; F/MAIN	3	C	48200 SE
CBX442T	AL	A-A-01-000-001	1	GASKET	GASKET, TYPICAL, QA 0, 355 MM, 355 MM, 0.032 IN, GASKET, SINGLE; NON-ASBESTOS, 0.032 THK X 355 X 355 MM, DWG	0	B	6105D SE
CEE590H	AL	5-A-07-202-000	9	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ELASTAGRAPH GASKETS, 304 STAINLESS STEEL, FOR 150 LB	3	C	4730P SE
CLD433N	AL	D-B-09-202-001	2	GASKET	GASKET, TYPICAL, QA 0, VALVE, FOR STYLE IV ROTARY VALVE	0	C	4450C SE
AAW928R	AL	L-A-13-000-002	5	GASKET	GASKET, TYPICAL, QA 0, 1/8 IN, RUBBER, *** FOR MODEL 296	0	P	6695D SE
AAW928R	AL	L-A-09-000-002	34	GASKET	GASKET, TYPICAL, QA 0, 1/8 IN, RUBBER, *** FOR MODEL 296	0	P	6695D SE
AAW754N	AL	L-A-13-000-002	3	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; DISCHARGE, FOR SUBMERSIBLE PUMP, 2125.010-02059	0	P	4320U SE
ACJ960G	AL	L-A-09-000-002	1	GASKET	GASKET, TYPICAL, QA 0, VALVE, 10 IN, 150 PSI, GASKET, SINGLE; BONNET, FOR POWELL GLOBE VALVE, FIG 1551WE, SIZE 10"	0	P	48200 SE
ACV974B	AL	L-A-09-000-002	20	GASKET	GASKET, TYPICAL, QA 0, 2.0 IN, TEFLON, *** DIAPHRAGM PLATE, FOR FISHER GOVERNOR CO ACID AND CAUSTIC LEVEL	0	P	6695D SE
ACY992R	AL	M-A-04-000-002	3	GASKET	GASKET, TYPICAL, QA 3, GASKET, TRANSMITTER, P, ; RUBBER, 22 IN, FOR TRANSMITTER, PRESSURE	3	P	6695D SE
ADE004T	AL	M-A-08-000-002	4	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; ITEM 103, FOR SUMP PUMP, FIG 4511, SIZE 1-1/2 M, FRAME	0	C	4320U SE
ADH067H	AL	L-A-13-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; BASE, PC 11, FOR CROSBY VALVE & GAGE CO SAFETY RELIEF	3	B	48200 SE
ADH146Y	AL	L-A-09-000-002	5	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; BODY, REF 18, 328640, FOR BLACK, SIVALLS AND BRYSON	0	P	48200 SE
ADJ455C	AL	L-A-01-000-002	3	GASKET	GASKET, TYPICAL, QA 0, VALVE, 10 IN, 150 PSI, GASKET, SINGLE; BODY, FOR SIZE 10 IN, 125 LB CONTROL VALVE, MODEL	0	P	48200 SE
AED540L	AL	L-A-13-000-002	24	GASKET	GASKET, TYPICAL, QA 0, FILTER, RUBBER, *** FOR AIR-LINE FILTER P/N 81857, ON PRESSURE REGULATOR	0	P	4240P SE
AEE654L	AL	L-A-09-000-002	1	GASKET	GASKET, TYPICAL, QA 0, GASKET, KIT; FOR HYDRAULIC PUMP, MODEL F3-PVA120-RS-10, SN J-1989-8	0	P	4320U SE
AEJ010F	AL	L-A-09-000-002	6	GASKET	GASKET, TYPICAL, QA 3, VELAN 3 IN - 300 LB GATE VLV, M/N B10-164B-2TS, 4-3/4 IN, 5-3/4 IN, 1/16 IN, SINGLE, MTL: SOFT IRON, SERRATED, IT# 18	3	P	48200 SE
AEW170E	AC	- - - -	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, CONTROLLER, ; PILOT, FOR MASON EILAN CO PRESSURE CONTROLLER	3	P	5730H SE
AFE156Y	AL	L-A-13-000-002	1	GASKET	GASKET, TYPICAL, QA 0, PUMP, NEOPRENE, *** ITEM 26, FOR (INTAKE STRUCTURE) SUMP PUMP, SIZE 4 IN CSA	0	P	4320U SE
AFE156Y	AL	L-A-03-000-002	5	GASKET	GASKET, TYPICAL, QA 0, PUMP, NEOPRENE, *** ITEM 26, FOR (INTAKE STRUCTURE) SUMP PUMP, SIZE 4 IN CSA	0	P	4320U SE
AFK257Y	AL	L-A-09-000-002	4	GASKET	GASKET, SPIRAL WOUND, QA 3, GASKET, SPIRAL WOUND; STAINLESS STEEL, TYPE 304 AND GRAFOIL, 3 IN, 400	3	B	5730H SE
AFT705T	AL	M-A-08-000-002	5	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ASBESTOS, FOR REACTOR COOLANT PUMP MOTOR, 6000 HP	3	P	6105D SE
AFV278D	AL	L-A-13-000-002	3	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; AIR CONNECTION, FOR FISCHER & PORTER CO STATOR COOLING	0	P	6695D SE
AFV279B	AL	L-A-13-000-002	1	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; WINDOW, FOR FISCHER & PORTER CO STATOR COOLING WATER	0	P	6695D SE
AFV878L	AL	L-A-13-000-002	3	GASKET	GASKET, TYPICAL, QA 0, *** FOR FISCHER & PORTER CO STATOR COOLING WATER TEMPERATURE	0	P	6695D SE
AFV888H	AL	L-A-13-000-002	3	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; DOSING TANK, FOR HAYS DISSOLVED OXYGEN ANALYZER, MODEL	0	P	6630D SE
AGD354R	AL	L-A-09-000-002	3	GASKET	GASKET, TYPICAL, QA 0, COVER, *** SHAFT END, FOR INGERSOLL-RAND AIR COMPRESSOR, MODEL 253D, TYPE 30	0	P	4310I SE
AGF774Q	AL	L-A-13-000-002	1	GASKET	GASKET, TYPICAL, QA 0, COVER, 16-1/2 IN, 17-1/4 IN, 1/8 IN, GASKET, SINGLE; TOP COVER, AND/OR INLET-OUTLET END, DWG 77-B-160-1	0	P	4420B SE
AGJ321F	AL	M-A-08-000-002	3	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; VALVE, IT 30, FOR ATWOOD AND MORRILL CO REVERSE	0	P	48200 SE
AHJ981X	AL	T-A-01-000-002	2	GASKET	GASKET, TYPICAL, QA 3, FOR VALVE ACTUATOR, PC68, SINGLE, ; CAP, SPRING CARTRIDGE, TYPE SMB-3 AND SB-3	3	C	48200 SE
AHW325D	AL	T-A-05-000-002	6	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; BUNA N, CYCLINDER ADAPTER, ASTM 01170, FOR ISOLATION	3	B	48200 SE
AHW920A	AL	T-A-05-000-002	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; BUNA N, HOUSING COVER, ASTM 01170, FOR MODEL	3	B	48200 SE
AJF996R	AL	M-A-08-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; BEARING SEAL, (2 PCS = 1 EA), 1/16" THK, FOR WH	3	B	6105D SE
AJJ261T	AL	M-A-08-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; EPDM, VALVE, 0.75 IN, FOR DIAPHRAGM VALVE, WH SPIN	3	C	48200 SE
AKD145G	AL	L-A-13-000-002	6	GASKET	GASKET, TYPICAL, QA 0, 5-1/4 IN, LEATHER, *** SEAT RING, LOWER, FOR AWWA DRY TOP TRAFFIC MODEL COMPRESSION FIRE	0	P	4210N SE
AKD944H	AL	L-A-13-000-002	4	GASKET	GASKET, TYPICAL, QA 0, GASKET, HYDRANT, FIRE, ; LEATHER, 3/16 X 6-1/2 X 7 IN, RETAINER RING	0	P	4210N SE
AKP888D	AL	M-A-08-000-002	5	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; GEAR CASE, FOR INGERSOLL-RAND AIR STARTER, SIZE 150	3	P	29100 SE
ALE014B	AL	L-A-09-000-002	1	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; STUFFING BOX TO CASING, PT 363, FOR MOISTURE SEPARATOR	0	P	4320U SE
ALF473E	AL	L-A-09-000-002	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; AFTERFILTER ***	3	P	4440E SE
ALJ263A	AL	T-A-01-000-002	1	GASKET	GASKET, SPIRAL WOUND, QA 3, GASKET, SPIRAL WOUND; 316 SS W/GRAPHITE FILLER 0.125" THK X 14.75" ID	3	B	48200 SE
ALJ649K	AL	M-A-08-000-002	6	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; VALVE, FOR MODEL 71-36300, SIZE 8 IN, AIR TO OPEN, 300	0	P	48200 SE
ALJ942M	AL	L-A-09-000-002	3	GASKET	GASKET, TYPICAL, QA 0, VALVE, 6.0 IN, *** DYNA-SEAL, IT 13, FOR SENTRY, SIZE 6 IN, MODEL 3000, TYPICAL	0	P	48200 SE
ALJ944H	AL	M-A-08-000-002	3	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; BODY, FOR VALVE, MODEL 37-10134, SIZE 10 IN, 600 ASA	0	P	48200 SE
ALK641Y	AL	M-A-08-000-002	19	GASKET	GASKET, SPIRAL WOUND, QA 3, GASKET, SPIRAL WOUND; STAINLESS STEEL 304, NUCLEAR GRADE GRAPHITE TYPE	3	P	5730H SE
ALK642W	AL	M-A-08-000-002	11	GASKET	GASKET, SPIRAL WOUND, QA 3, GASKET, SPIRAL WOUND; 304 STAINLESS STEEL AND ASBESTOS 8" 1500 LB ***	3	P	5730H SE
ALK927C	AL	L-A-03-000-002	14	GASKET	GASKET, SPIRAL WOUND, QA 0, 2 IN, 2-7/8 IN, 3-5/8 IN, 1/8 IN, SS/NON-ASBESTOS, 900 PSI, GASKET, SPIRAL WOUND; MATERIAL: SST 304 AND NON-ASBE	0	C	5730H SE
ALT125D	AL	T-A-05-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, DIESEL ENGINE; FRAME (OUTSIDE), FOR ELECTRO-MOTIVE DIV	3	P	29100 SE
ALT125D	AL	M-A-08-000-002	6	GASKET	GASKET, TYPICAL, QA 3, GASKET, DIESEL ENGINE; FRAME (OUTSIDE), FOR ELECTRO-MOTIVE DIV	3	P	29100 SE
ALT426Y	AL	T-A-01-000-002	4	GASKET	GASKET, TYPICAL, QA 2, GASKET, SINGLE; HOUSING, FOR ELECTRO-MOTIVE DIV, GENERAL MOTORS	2	P	29100 SE
ALT524Y	AL	M-A-08-000-002	34	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; FILTER DRAIN, FOR ELECTRO-MOTIVE DIV, GENERAL MOTORS	3	P	29100 SE
ALT625Q	AL	M-A-08-000-002	18	GASKET	GASKET, TYPICAL, QA 3, GASKET, DIESEL ENGINE; FUEL TANK, FOR ELECTRO-MOTIVE DIV, GENERAL	3	P	29100 SE
AMD336W	AL	M-A-09-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; OIL PUMP DISCHARGE, FOR MODEL PCX-120-0, REF FILE	3	C	4520N SE
AMD433Y	AL	P-A-LL-ET0-026	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; CONDENSER RETURN HEAD, FOR MODEL PCX-120-0, REF FILE	3	B	4520N SE
AMD533T	AL	M-A-06-000-002	8	GASKET	GASKET, TYPICAL, QA 0, VALVE, *** SUMP DISCHARGE CHECK VALVE, FOR MODEL PCX-120-0, REF FILE X1309	0	P	4520N SE
AME254R	AL	L-A-13-000-002	8	GASKET	GASKET, TYPICAL, QA 0, FLANGE, 12-1/8 IN, 13-1/8 IN, 1/32 IN, *** PIPE FLANGE, TOP COLUMN, FOR POWERHOUSE UNWATERING VERTICAL	0	P	4320U SE
AMF713E	AL	M-A-08-000-002	3	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; COLLAR, FOR OIL PURIFIER, TYPE MAB207S-29-60, SN	0	P	4330N SE
AMJ923K	AL	L-A-09-000-002	5	GASKET	GASKET, SPIRAL WOUND, QA 0, 2.0 IN, 1-3/4 IN, 2-1/8 IN, 1/8 IN, 2000 PSI, *** BONNET, FOR EDWARD 002.000 IN, 848 MY, 2000.000 PSIG, WOG	0	P	48200 SE
AMT123B	AL	T-A-05-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, KIT; LUBE OIL SEPARATOR, FOR ELECTRO-MOTIVE DIV, GENERAL	3	B	29100 SE
AMV963Q	AL	L-A-13-000-002	3	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; FOR FOXBORO 14A INTEGRATOR ***	3	P	6695D SE
AMW550Q	AL	M-A-16-000-002	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; NITRILE 17E37, FOR VALVE POSITIONER MODEL 3580 ***	3	P	48200 SE
AMX703A	AL	L-A-13-000-002	6	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; SPIRAL WELL, DWG 021-934800, REF 35, PAGE 5, FOR	0	P	6695D SE
AMY145C	AL	M-A-06-000-002	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, KIT; FOR MODEL MTD76, SN FM-147997 AND 159112 ***	3	P	4520N SE
AMY545V	TR	- - - -	2	GASKET	GASKET, TYPICAL, QA 2, GASKET, SINGLE; SUCTION CONNECTION, FOR MODEL MTD76, SN FM-147997 AND	2	P	4520N SE
AMY845F	AL	M-A-04-000-002	1	GASKET	GASKET, TYPICAL, QA 3, CHILLER, *** SINGLE, FOR RUPTURE DISK ON YORK HERMETIC TURBOPAK UNIT, MODEL	3	B	4520N SE
ANE771Y	AL	M-A-08-000-002	5	GASKET	GASKET, TYPICAL, QA 0, FRAME TO ADAPTER, ;SINGLE; BEARING FRAME TO FRAME ADAPTER; 1/64" VELLUMOID; ITEM:360A ON	0	P	4320U SE
ANH661N	AL	L-A-13-000-002	3	GASKET	GASKET, TYPICAL, QA 0, VALVE, 2-1/2 IN, 3.530 IN, 5/16 IN, GASKET, SINGLE; NON-ASBESTOS, 0.031 THICK X 2.5 X 3.53 IN, REF 44, FOR	0	C	48200 SE
ANH761J	AL	L-A-09-000-002	1	GASKET	GASKET, TYPICAL, QA 0, GASKET, SET; KEY # 10, 11, 12, 13, 20, 51, FOR CONTROL VALVE, TYPE	0	B	48200 SE
APD479R	AL	T-A-05-000-002	15	GASKET	GASKET, TYPICAL, QA 3, ; SINGLE; COVER; FOR USE IN 7 X 4 ESV-1PNL COMPRESSOR S/N WIEBVNPD45S	3	B	4320U SE

APJ510C	AL	L-A-03-000-002	2	GASKET	GASKET, SPIRAL WOUND, QA 0, VALVE, 16 IN, 17 IN, 1/2 IN, ASBESTOS, *** FOR TILTING DISK CHECK VALVE, 010.000 IN, LIST 123BWE, S/N	0	P	48200	SE
APM566M	AL	L-A-15-000-002	109	GASKET	GASKET, BULK, QA 0, RUBBER, SOFT, ROUND, 008.000 MM DIA, FOR ACB TY PK8C, 500 KV 2000 AMP, 38,	0	P	5925B	SE
APV254A	AL	L-A-13-000-002	24	GASKET	GASKET, TYPICAL, QA 0, NEOPRENE, *** W/PLASTIC BACKING, FOR HONEYWELL PNEUMATIC VALVE POSITIONER, SIDE	0	P	48200	SE
APV953F	AL	L-A-13-000-002	12	GASKET	GASKET, TYPICAL, QA 0, NEOPRENE, *** PILOT, FOR HONEYWELL PNEUMATIC VALVE POSITIONER, SIDE MOUNTED	0	P	48200	SE
AQB443K	AL	L-A-03-000-002	248	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; RUBBER, NEOPRENE, CONDUIT, OUTLET, 001.000 IN, OPEN	3	P	5975B	SE
AQN437M	AL	L-A-13-000-002	6	GASKET	GASKET, TYPICAL, QA 0, GASKET, SET; COMPRESSOR, FOR ACME FLOW THERM PACKAGED LIQUID CHILLER	0	P	4520N	SE
AQQ327J	AL	L-A-13-000-002	1	GASKET	GASKET, TYPICAL, QA 0, 67-9/16 IN, 73 IN, 1/32 IN, *** UPPER TO LOWER OUTER COLUMN DISCHARGE HEAD TO OUTER COLUMN, FOR	0	B	4320U	SE
AQQ342N	AL	M-A-13-000-002	2	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; NON-ASBESTOS ***	0	P	4320U	SE
ARJ189W	AL	T-A-01-000-002	4	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; NON-ASBESTOS, CASING, MATERIAL 5128, FOR TYPE 3196ST	0	C	4320U	SE
ARP159C	AL	T-A-01-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ALUMINUM, COVER, 20.125 IN OD X 19.250 IN OD, CODE	3	P	48200	SE
ARV072T	AL	T-A-01-000-002	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; NON-ASBESTOS, CASING, FOR TYPE PH-206, SIZE 1 X 1-1/2	3	B	4320U	SE
ARV073Q	AL	M-A-10-000-002	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; TEFLON, 1 X 1.50 X 6 IN, IMPELLER, S/N 9710512, FOR	3	P	4320U	SE
ARV635H	AL	T-A-01-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; BELLOW FRAME, HI-TEMP, FOR PRESSURE CONTROLLER, TYPE	3	P	6695D	SE
ATD544N	AL	M-A-07-000-002	2	GASKET	GASKET, TYPICAL, QA 0, GASKET, SET; CONDENSER&RECEIVER ASSY FOR ICE CONDENSER,UNIT D&E,MODEL	0	P	4520N	SE
ATG144P	AL	L-A-15-000-002	13	GASKET	GASKET, TYPICAL, QA 0, CIRCUIT BREAKER, *** FOR POWER CIRCUIT BREAKER, TYPE ATB-550-38000-2Y, 500KV, 3000A	0	P	5925B	SE
ATL363N	AL	M-A-02-000-002	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; RUBBER, COVER, FOR MODEL PAR- 400, RECORDER ***	3	P	6695D	SE
ATL409R	AL	M-A-13-000-002	2	GASKET	GASKET, TYPICAL, QA 0, PUMP, PAPER, *** IMPELLER CASTING, REF 60, FOR RECIPROCATING CHARGING PUMP FLUID	0	P	4320U	SE
ATQ662P	AL	M-A-16-000-002	1	GASKET	GASKET, SPIRAL WOUND, QA 3, INCONEL/GRAPHITE, , SEAT RING, INCONEL AND GRAPHITE, FOR 2.0 IN TYPE 667-SS-95 &	3	B	48200	SE
ATT760Q	AL	M-A-13-000-002	2	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; METAL, BONNET, REF 4, FOR 14 IN 300 LB, GATE VALVE,	0	P	48200	SE
AVA222N	AL	M-A-12-000-002	11	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; STEEL, 0.03125 THICK X 4.375 ID X 5.03125 IN OD, REF	0	P	48200	SE
AVD392D	AL	M-A-06-000-002	3	GASKET	GASKET, TYPICAL, QA 2, GASKET, SINGLE; YOKE, FOR 4 INCH, 150 LB AIR OPERATED CONTROL VALVE	2	P	48200	SE
AVD712M	AL	M-A-13-000-002	2	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; CELLUOSIC FIBER,W/RUBBER DUROID GE 810,RECTANGULAR FOR	0	P	6115F	SE
AVK553G	AL	T-A-01-000-002	16	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ROUND, TEFLON, 0.03125 THICK X 5.5 ID X 6 IN OD, FOR	3	P	4320U	SE
AVN809Q	AL	T-A-02-000-002	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; RUBBER,1.500 X 0.750 IN,FOR REACTOR WELL DRAIN COVER	3	P	5730H	SE
AVP122P	AL	T-A-01-000-002	14	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; STEEL, CAP, REF 22, FOR 0.75 X1 IN NOZZLE TYPE RELIEF	3	P	48200	SE
AVP752M	AL	M-A-15-000-002	50	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; RUBBER, 457, BOWL TYPE, 1.5 IN ***	3	P	4210N	SE
AVR465E	AL	T-A-01-000-002	1	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; RUBBER, FOR ICE CONDENSER DECK DOORS ***	0	P	4520N	SE
AVV207V	AL	T-A-05-000-002	2	GASKET	GASKET, TYPICAL, QA 0, COPPER, *** FOR 8 TON OILDRAULIC JACK, MODEL 8-S, ON DOVER ELEVATOR, JOB 24052	0	C	3960D	SE
AVX791C	AL	L-A-03-000-002	3	GASKET	GASKET, TYPICAL, QA 0, 4-1/4 IN, 6-1/4 IN, TEFLON, *** PREFORMED, FOR 003.000 IN, DIAPHRAGM CONTROL VALVE, MODEL 3902-0	0	P	48200	SE
AWB660X	AL	T-A-01-000-002	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, SET; METALLIC, PREFORMED, SET C/O 1 EACH ITEM 24, P/N 68267,	3	P	48200	SE
AWD810T	AL	T-A-01-000-002	10	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; METAL, SCREW, FOR RELIEF VALVE 003.000 X 004.000 IN	3	B	48200	SE
AWL830G	AL	M-A-09-000-002	27	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; RUBBER, EPDM-E603, TVA MARK 44N293-27, FOR REACTOR	3	B	5670A	SE
AWN385M	AL	T-A-01-000-002	2	GASKET	GASKET, SPIRAL WOUND, QA 0, GASKET, SINGLE; FIBER PAPER, REAR COVER PLATE, FOR PUMP SIZE	0	P	4320U	SE
AWV096R	AL	T-A-01-000-002	25	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; FIBER PAPER, GOVERNOR TO GOVERNOR DRIVE, FOR	3	P	2910O	SE
AWV099K	AL	M-A-09-000-002	1	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; FIBER PAPER, FLANGE TO FILTER, FOR FUEL OIL MANIFOLD	0	P	2910O	SE
AXR676L	AL	T-A-05-000-002	12	GASKET	GASKET, TYPICAL, QA 3, PUMP, STEEL, WASHER WITH RUBBER INSERT REF 130, SINGLE, FOR RECIPROCATING PUMP,	3	B	4320U	SE
AYB767K	AL	L-A-13-000-002	6	GASKET	GASKET, TYPICAL, QA 0, CIRCUIT BREAKER, RUBBER, ROUND, *** FOR OIL CIRCUIT BREAKER, 500 KILOVOLTS, MODEL ATB-550	0	P	5925B	SE
AYC113Y	AL	L-A-13-000-002	16	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; RUBBER, DWG FB-14274, FOR DISCHARGE PRESSURE OPERATED	3	P	4210N	SE
AYC467T	AL	M-A-02-000-002	48	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; RUBBER, FOR ELECTRO-PNEUMATIC TRANSDUCER, MODEL T-25	3	P	6695D	SE
AYM583A	AL	L-A-06-000-002	16	GASKET	GASKET, TYPICAL, QA 3, GASKET, SET; RUBBER AND PAPER, ASBESTOS FREE, ACCESSORY DRIVE HOUSING	3	B	2910O	SE
AYW372K	AL	M-A-03-000-002	30	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; RUBBER, 24 IN DIA, QUICK OPENING MAN-HOLE GASKET ***	0	B	5730H	SE
BAC809E	AL	T-A-01-000-002	6	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; PAPER, PRE-CUT, FOR NO 52 HOUSING ON PUMP, TYPE	0	P	4320U	SE
BAF351K	AL	M-A-07-000-002	1	GASKET	GASKET, TYPICAL, QA 0, 8 IN, NON-ASBESTOS, GASKET, SINGLE; RUBBER, NON-ASBESTOS, 8 INCH, TYPE T, FOR PIPE	0	B	4730P	SE
BAH685B	AL	T-A-01-000-002	3	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ROUND, 0.125 THICK X 11 ID X 12 IN OD, PIECE NO 26	3	P	48200	SE
BBN205M	AL	P-A-LL-ET0-042	984	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; NEOPRENE RUBBER, 2.5 AND 3 IN,CONDUIT OUTLETS ***	3	C	5975B	SE
BBY583A	AL	L-A-03-000-002	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; TEFLON, SEAT RING, FOR REMOTE OPERATED VALVE, 1 IN	3	P	48200	SE
BCT963E	AL	L-A-13-000-002	4	GASKET	GASKET, TYPICAL, QA 0, FIBER, *** VEGETABLE FIBER, GRAY, FOR OFFGAS CHILLER COMPRESSOR, MODEL	0	P	4520N	SE
BDC942Q	AL	M-A-04-000-002	16	GASKET	GASKET, TYPICAL, QA 2, GASKET, SINGLE; NICKEL, HOUSING, FOR SEALED SENSOR, HIGH-VOLUME, MODEL	2	P	6695D	SE
BDV267P	AL	L-A-05-000-002	2	GASKET	GASKET, BULK, QA 3, GASKETING SHEET, COMPRESSED; NON-ASBESTOS, WHITE, 0.125 THICK X 60	3	C	5730H	SE
BEG541G	AL	T-A-01-000-002	4	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; ROUND, NEOPRENE, CORK, BROWN, EIGHT HOLES, 0.0312	0	P	5730H	SE
BEV131B	AL	M-A-06-000-002	1	GASKET	GASKET, TYPICAL, QA 3, FOR THE BONNET ON 8 IN WALWORTH VLV, CORRUGATED IRON, REF# 14, DWG# DS-2303-19-B,	3	P	48200	SE
BFP921V	AL	L-A-03-000-002	1	GASKET	GASKET, TYPICAL, QA 0, CORK, ** FOR AMPLIFYING RELAY, DELTA DIFFERENTIAL PRESSURE TRANSMITTER,	0	P	6695D	SE
BFW306P	AL	M-A-09-000-002	25	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; RUBBER, CORK, SUPPLY LINE TO MANIFOLD LINE, FOR	3	P	2910O	SE
BGB533W	AL	M-A-04-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, KIT; KEVLAR, WITH CLAY BINDER, FOR ACCESSORY DRIVE HOUSING ON	3	P	2910O	SE
BGB534T	AL	M-A-04-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, KIT; KEVLAR, WITH CLAY BINDER, FOR OVERSPEED TRIP HOUSING ON	3	B	2910O	SE
BGF491X	AL	L-A-09-000-002	1	GASKET	GASKET, TYPICAL, QA 0, VALVE, 1-1/2 IN, RUBBER, *** YEOMAN, REF 2, FOR 1.5 IN AUTOMATIC PISTON VALVE ON SEWAGE EJECTOR	0	P	4630Y	SE
BGJ703T	AL	L-A-03-000-002	3	GASKET	GASKET, SPIRAL WOUND, QA 3, GASKET, SPIRAL WOUND; STAINLESS STEEL AISI 304 AND ASBESTOS, 1.5 IN	3	P	48200	SE
BGT867H	AL	T-A-01-000-002	1	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; ROUND, ASBESTOS FREE, FLANGE, FOR ICE CONDENSER	0	C	4520N	SE
BGV380L	AL	L-A-09-000-002	170	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; NEOPRENE, CONDUIT COVER, STYLEFORM 7, FOR 2 IN	3	P	5975B	SE
BGW034E	AL	L-A-09-000-002	2	GASKET	GASKET, TYPICAL, QA 0, 1-3/4 IN, 1/16 IN, *** DUAL FLOW, WITH BLUE GYLON, FOR ATOMIZER ASSY AND COUPLING ON AUX	0	C	4410C	SE
BGW496G	AL	M-A-12-000-002	16	GASKET	GASKET, TYPICAL, QA 3, FOR LIMITORQUE ACTUATOR, VITON, SET; GASKETS AND SEALS FOR LIMITORQUE VALVE OPERATOR, TYPE SB, SIZE 00	3	P	48200	SE
BHA711X	AL	T-A-01-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET,VALVE,RELIEF, ; MONEL, GAG SCREW, REF 31, FOR 0.75 X 1 VALVE	3	P	48200	SE
BHD588J	AL	M-A-11-000-002	41	GASKET	GASKET, TYPICAL, QA 1, GASKET, SET; C/O ONE EA SILICONE TOP COVER GASKET, P/N EA187-90020	1	B	59300	SE
BHD829N	AC	- - - -	1	GASKET	GASKET, TYPICAL, QA 1, GASKET,EXHAUST TUBE,, ; ASBESTOS AND NEOPRENE, RM-K68,FOR PILOT EXH	1	P	5730H	SE
BHF456R	AL	M-A-12-000-002	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, SET; RUBBER, CONSISTS OF (A) ONE FRONT PLUNGER COVER GASKET	3	P	4320U	SE
BHG635L	AL	T-A-01-000-002	4	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; ROUND, NITRILE SYNTHETIC, 7 INDIA X 0.321 IN WIDE, FOR	0	P	4320U	SE
BHK783M	AC	- - - -	2	GASKET	GASKET, SPIRAL WOUND, QA 3, GASKET, SPIRAL WOUND; STAINLESS STEEL AISI 304 AND GRAFOIL FILLER	3	P	4320U	SE
BHK783M	AL	L-A-06-000-002	5	GASKET	GASKET, SPIRAL WOUND, QA 3, GASKET, SPIRAL WOUND; STAINLESS STEEL AISI 304 AND GRAFOIL FILLER	3	P	4320U	SE
BHQ868K	AL	L-A-13-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, DIESEL ENGINE; INLET CONNECTION, FOR FIRE PUMP ON DIESEL	3	B	2910O	SE
BHQ870C	AL	L-A-13-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, DIESEL ENGINE; RELIEF VALVE, FOR FIRE PUMP ONDIESEL ENGINE ***	3	B	2910O	SE
BHT022R	AL	T-A-01-000-002	56	GASKET	GASKET, BULK, QA 3, 1/2 IN, 50 FT, 5/16 IN, NEOPRENE, GASKETING STRIP WITH ADHESIVE BACK, BLACK, ASTM D1056 GR 2C1,	3	P	5730H	SE
BHT297T	AL	T-A-01-000-002	42	GASKET	GASKET, TYPICAL, QA 3, GASKET,CONDUIT, ; GASKET SINGLE, CONDUIT, NEOPRENE, STYLE MARK 9, FOR	3	P	5975B	SE
BHT999R	AL	L-A-09-000-002	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; METALLIC, SOLID, BONNET, FOR GATE VALVE, 10 IN, FIG	3	C	48200	SE
BHY792V	AL	L-A-09-000-002	21	GASKET	GASKET, SPIRAL WOUND, QA 3, 1-1/4 IN, 1-7/8 IN, 2-1/2 IN, 1/8 IN, SS/GRAPHITE, 300 PSI, GASKET, SPIRAL WOUND; MATERIAL: SST 304 AND GRAPHITE	3	C	5730H	SE
BJA587X	AL	L-A-09-000-002	5	GASKET	GASKET, SPIRAL WOUND, QA 3, 1-1/4 IN, SS/FLEXITE SUPER, 900 PSI, GASKET, SPIRAL WOUND; STAINLESS STEEL AISI 304 WITH FLEXITE SUPER	3	P	5730H	SE

BJB342P	AL	P-A-LL-ET0-062	20	GASKET	GASKET, TYPICAL, QA 0, GASKET, VALVE, ISOLATI, ; ARMCO-IRON, SILVER PLATED, 90 BHN MAXIMUM	0	B	48200	SE
BJB586T	AL	L-A-09-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, FIRE PUMP STR, ; COMPRESSED ASBESTOS, INSPECTION PORT, 0.125 X	3	P	4730P	SE
BJC854N	AL	L-A-02-000-002	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, DIESEL ENGINE; EXCHANGER, FOR FIRE PUMP, DIESEL ENGINE, MODEL	3	P	2910O	SE
BJC855L	AL	L-A-13-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, DIESEL ENGINE; PUMP, FOR FIRE PUMP, DIESEL ENGINE, MODEL	3	B	2910O	SE
BJC858E	AL	L-A-13-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, DIESEL ENGINE; SUCTION FLANGE, FOR FIRE PUMP, DIESEL ENGINE	3	B	2910O	SE
BJC859C	AL	L-A-13-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, DIESEL ENGINE; RECTANGULAR, WITH ONE BOLT HOLE ON EACH CORNER	3	B	2910O	SE
BJC861R	AL	L-A-13-000-002	6	GASKET	GASKET, TYPICAL, QA 3, ENGINE, SEALING, GASKET, DIESEL ENGINE; HOUSING, FOR FIRE PUMP, DIESELENGINE, MODEL	3	B	2910O	SE
BJC862P	AL	L-A-13-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, DIESEL ENGINE; WITH THREE EACH BOLT HOLES ON OUTER EDGE, FOR	3	B	2910O	SE
BJC863M	AL	L-A-13-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, DIESEL ENGINE; SUCTION FLANGE, FOR FIRE PUMP, DIESEL ENGINE	3	B	2910O	SE
BJC865H	AL	L-A-13-000-002	4	GASKET	GASKET, TYPICAL, QA 3, GASKET, DIESEL ENGINE; WATER HEAD COVER, FOR FIRE PUMP, DIESEL ENGINE	3	B	2910O	SE
BJH275D	AL	T-A-06-000-002	3	GASKET	GASKET, TYPICAL, QA 3, GASKET, VALVE, MANIFOL, ; FOR VALVE POSITIONER, MODEL GP50A2040 ***	3	P	48200	SE
BJM916C	AL	M-A-08-000-002	8	GASKET	GASKET, TYPICAL, QA 3, GASKET, SET; ASBESTOS, HOUSING COVER, C/O THREE EACH PER SET, FOR	3	P	48200	SE
BJN020P	AL	L-A-09-000-002	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, DOOR, ; RUBBER, 1.25 X 0.5 IN, MIL-R-900, DWG 3037-4 REV 2,	3	C	5670A	SE
BJN812K	AC	- - - -	3	GASKET	GASKET, TYPICAL, QA 3, GASKET, DIESEL ENGINE; VALVE PORT, LUBE OIL FILTER, FOR GENERATOR	3	C	2910O	SE
BJN905D	AL	T-A-06-000-002	6	GASKET	GASKET, TYPICAL, QA 3, GASKET, ACTUATOR, ; RUBBER, MT BRACKET, 0.0625 THICK X 5 IN DIA, REF	3	P	48200	SE
BJP609C	AL	L-A-13-000-002	3	GASKET	GASKET, TYPICAL, QA 0, VALVE, *** BONNET, FOR A-436 VALVE	0	P	48200	SE
BJP611Q	AL	L-A-13-000-002	12	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; PUMPER NOZZLE, TO FIT A-436 VALVE ***	0	P	48200	SE
BJP612N	AL	L-A-13-000-002	6	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; DRAIN RING HOUSING TO FIT A-436 VALVE ***	0	P	48200	SE
BJP623H	AL	T-A-05-000-002	10	GASKET	GASKET, TYPICAL, QA 3, PUMP, VITON, FOR OIL FILTER, FLUITEK, MODEL P2610-30B AND CUNO 1-B2 HOUSING, FOR US	3	B	4330N	SE
BJR124R	AL	T-A-01-000-002	3	GASKET	GASKET, TYPICAL, QA 3, GASKET, COVER; ASBESTOS FREE, 25.5 X 24.125 X 0.125 IN, REF 9, FOR HPFP	3	P	4730P	SE
BJV642Q	AL	T-A-05-000-002	4	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; UNDER COVER, 4 X 4 WITH 0.25 IN HOLDES ON FOUR SIDES	3	B	6105D	SE
BJV880K	AL	T-A-03-000-002	13	GASKET	GASKET, TYPICAL, QA 1, GASKET, DIESEL ENGINE; KEVLAR, WITH CLAY BINDER HEADER TO CORE LUBE	1	P	2910O	SE
BKB070T	AC	- - - -	10	GASKET	GASKET, TYPICAL, QA 3, 4-PASS, REVERSING, FOR COOLER, MODEL 05014-S-4	3	P	4420B	SE
BKB782L	AL	M-A-09-000-002	13	GASKET	GASKET, TYPICAL, QA 3, GASKET, ACTUATOR, ; FLAT, COVER, REF 7, FOR MANUAL VALVE OPERATORS, SIZE	3	P	48200	SE
BKB786C	AL	M-A-09-000-002	4	GASKET	GASKET, TYPICAL, QA 3, GASKET, ACTUATOR, ; FLAT, 0.3125 IN, REF 20, FOR MANUAL VALVE	3	P	48200	SE
BKC695A	AL	L-A-13-000-002	4	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; NEOPRENE RUBBER, 5 IN, REF X, FOR 5 IN FIRE HYDRANT	0	P	4210N	SE
BKF259F	AC	- - - -	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, SET; VITON SEALS, FOR LIMITORQUE VALVE OPERATOR, TYPE SMB-00	3	P	48200	SE
BKG146P	AL	L-A-13-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, VLV, CHECK, SWI, ; CORRUGATED SOFT IRON, FOR 4 IN BUTT WELD, 150	3	B	48200	SE
BKR584G	AL	M-A-16-000-002	8	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; BLINDHEAD, 2.6875 ID X 3.125 IN OD, FOR PRESSURE	3	B	5730H	SE
BLH005N	AL	L-A-09-000-002	4	GASKET	GASKET, TYPICAL, QA 0, VALVE, *** RELIEF VALVE, FOR 2-PMP-20-001	0	P	4320U	SE
BLH117K	AL	M-A-06-000-002	10	GASKET	GASKET, SPIRAL WOUND, QA 1, GASKET, SINGLE; BONNET, FOR 6 IN, CLASS 150, CHECK VALVE, DWG NO	1	P	48200	SE
BLH118H	AL	M-A-06-000-002	19	GASKET	GASKET, TYPICAL, QA 1, GASKET, SINGLE; BEARING COVER, FOR 6 IN, CLASS 150 CHECK VALVE, DWG	1	P	48200	SE
BLH597A	AL	T-A-05-000-002	4	GASKET	GASKET, TYPICAL, QA 3, GASKET, SET; AFTER COOLER CHANGEOUT, (ENGINE GASKET KIT), FOR EMD GM	3	B	2910O	SE
BLM860C	AL	M-A-07-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, KIT; FOR TRANE OIL PUMP, MODEL PMP14, ON TRANE RECIPROCATING	3	P	4520N	SE
BLN719W	AL	T-A-01-000-002	6	GASKET	GASKET, TYPICAL, QA 0, GASKET, VALVE, ; MADE OF PLASTIC, FOR 4 IN DIVERTER VALVE, P/N 234-A141	0	P	48200	SE
BLN891G	AL	L-A-03-000-002	2	GASKET	GASKET, SPIRAL WOUND, QA 3, GASKET, SPIRAL WOUND; BONNET VALVE, SPIRAL WOUND WITH FLEXITE SUPER	3	P	48200	SE
BLP124P	AL	T-A-01-000-002	2	GASKET	GASKET, SPIRAL WOUND, QA 3, GASKET, SPIRAL WOUND; GASKET, VALVE, SPIRAL WOUND, STAINLESS STEEL	3	P	48200	SE
BLQ134F	AL	L-A-09-000-002	4	GASKET	GASKET, TYPICAL, QA 0, VALVE, *** FOR 10 IN GLOBE VALVE, 150 LB, FIGURE 1531WE, BODY WCB, 150-500	0	P	48200	SE
BMD571B	AL	L-A-09-000-002	10	GASKET	GASKET, TYPICAL, QA 0, PUMP, 3-11/16 IN, 6-9/16 IN, GASKET, SINGLE; HEAD, HI-PRESSURE, 3.6875 X 6.5625 IN, FOR AIR	0	P	4320U	SE
BNB381L	AL	M-A-13-000-002	10	GASKET	GASKET, TYPICAL, QA 1, GASKET, DIESEL ENGINE; FUEL PUMP TO PIPE FLANGE, FOR DIESEL ENGINE	1	P	2910O	SE
BNF368P	AL	L-A-09-000-002	1	GASKET	GASKET, TYPICAL, QA 0, VALVE, 5-1/8 IN, 12-1/4 IN, 1/16 IN, OVAL, GASKET, SINGLE; CORRUGATED METAL, OVAL 12.25 IN OD LONG, 6.25 IN OD	0	P	48200	SE
BNF492N	AL	M-A-11-000-002	500	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; WAT 902-CNINDP ***	0	P	5730H	SE
BNF493L	AL	M-A-11-000-002	178	GASKET	GASKET, TYPICAL, QA 0, 4-1/2 IN, 6 IN, 1/4 IN, GASKET, SINGLE; 4.5 X 6 X 0.25 IN, WITH 3 IN HOLE, WBT 902-CNHAD ***	0	P	48200	SE
BNF494J	AL	M-A-11-000-002	68	GASKET	GASKET, TYPICAL, QA 0, *** FOR ICE CONDENSER, WBT 902-CNHAD, DWG 3703-7, IT-1	0	P	4520N	SE
BNH733G	AL	L-A-13-000-002	4	GASKET	GASKET, SPIRAL WOUND, QA 0, 10-5/16 IN, 10-13/16 IN, 3/16 IN, SS, 300 PSI, GASKET, SPIRAL WOUND; MATERIAL: STAINLESS STEEL(SST), PRESSURE RA	0	P	5730H	SE
BNP166T	AL	L-A-13-000-002	1	GASKET	GASKET, TYPICAL, QA 0, SEAL, ; OIL SEAL, HOUSING GASKET, REF 179, 15 HP, 6000 PSI, 18 CFM	0	P	4310I	SE
BNP168N	AL	L-A-13-000-002	2	GASKET	GASKET, TYPICAL, QA 0, FILTER, *** OIL FILTER GASKET, FOR COMPRESSOR, FRESH AIR, MODEL SAC25E3, 15	0	P	4310I	SE
BNP177M	AL	L-A-13-000-002	1	GASKET	GASKET, TYPICAL, QA 0, ENGINE, *** CYLINDER HEAD, REF 59, FOR COMPRESSOR, FRESH AIR, MODEL SAC25E3	0	P	4310I	SE
BNP537H	AL	M-A-06-000-002	10	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; NITRILE, FOR GAGE GLASSES, MODELS EEPX-508 AND	3	P	6695D	SE
BNQ627B	AL	L-A-09-000-002	6	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; VITON, FOR WEED RTD, MODEL N9017D TERMINAL HEAD ***	3	P	6695D	SE
BPH541K	AL	L-A-13-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; NON-ASBESTOS, CAP, DWG M-30, FOR 006.000 SENTRY PISTON	3	P	48200	SE
BPQ025Q	AL	M-A-16-000-002	8	GASKET	GASKET, SPIRAL WOUND, QA 3, GASKET, SPIRAL WOUND; MATERIAL: CARBON STEEL, NOMINAL SIZE: .94000	3	B	5730H	SE
BPR053E	AL	T-A-01-000-002	1	GASKET	GASKET, TYPICAL, QA 3, VALVE, 2 IN, 2-1/2 IN, 1/32 IN, GRAPHITE/STAINLESS STEEL, ROUND, *** SINGLE, BODY / BONNET GASKET, FOR 1" FISHER PRES	3	B	48200	SE
BPT123P	AL	T-A-01-000-002	34	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; PAPER, BEARING CARRIER, 1.875 WIDTH X 6.625 ID X 8.5	3	C	4310I	SE
BPW116A	AL	L-A-09-000-002	1	GASKET	GASKET, SPIRAL WOUND, QA 3, GASKET, SPIRAL WOUND, SPARE P; STAINLESS STEEL TYPE 304 WITH FLEXICARB	3	B	48200	SE
BPY429A	AL	T-A-01-000-002	9	GASKET	GASKET, TYPICAL, QA 3, KIT/SET, SEALING, , SPLIT WASHER, SPIN: RC1C1C, DRAWING 500B594 R2, FOR LOW PRESSURE SEAL	3	C	4470C	SE
BQD122N	AL	T-A-01-000-002	1	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; COMPRESSED NON-ASBESTOS W/NBR BINDER, GARLOCK	0	C	48200	SE
BQD152D	AL	T-A-01-000-002	1	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; COMPRESSED NON-ASBESTOS W/NBR BINDER, GARLOCK	0	C	48200	SE
BQJ865D	AL	P-A-LL-ET0-082	4	GASKET	GASKET, TYPICAL, QA 1, GASKET, SINGLE; 1500 LB, 4.125 OD X 3.375 ID X 0.125 IN THK, FOR MAIN	1	C	48200	SE
BQM954Y	AL	L-A-09-000-002	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; FLANGE GASKET, CRANITE FOR USE IN ROBERTSHAW LEVEL AC	3	B	6695D	SE
BQQ008K	AL	L-A-03-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; METALLIC, 0.6875 X 3.23 ID X 3.875 IN OD, PRESSURE	3	C	48200	SE
BRC080D	AL	M-A-09-000-002	120	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; PAPER, ELBOW TO PUMP MAIN BEARING PORTION, FOR STANDARD	3	B	2910O	SE
BRG760B	AL	L-A-09-000-002	4	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; VALVE, FOR VELAN 3" GATE VALVE, FIGURE B10-064B-2T	3	B	48200	SE
BRW061K	AL	L-A-13-000-002	6	GASKET	GASKET, SPIRAL WOUND, QA 1, GASKET, SPIRAL WOUND, SPARE P; GASKET, STUFFING BOX, FOR SLC PMP, MODEL	1	B	4320U	SE
BRX866C	AL	L-A-09-000-002	3	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; GASKET, COOPER, OD 3.25 IN., ID. 2.5 IN., THICKNESS	3	C	6630D	SE
BTB952A	AL	L-A-06-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; PRESSURE SEAL, 24 INCH OD, STAINLESS STEEL, FOR 24	3	C	48200	SE
BTY337W	AL	M-A-08-000-002	9	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; NON-ASBESTOS, FOR APPLETON 2-1/2 AND 3 INCH TRADE SIZE	3	B	5975B	SE
BVC153X	AL	L-A-02-000-002	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; BONNET SEAL, MATERIAL: "A" NICKEL, FOR 12" WALWORTH	3	B	48200	SE
BVC153X	AL	L-A-04-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; BONNET SEAL, MATERIAL: "A" NICKEL, FOR 12" WALWORTH	3	B	48200	SE
BVE881H	AL	L-A-09-000-002	4	GASKET	GASKET, TYPICAL, QA 0, VALVE, 2-1/2 IN, *** BONNET, FOR: A 2.5" - 600 LB ROCKWELL EDWARDS STOP CHECK VALVE	0	B	48200	SE
BVE907T	AL	L-A-11-000-002	2	GASKET	GASKET, TYPICAL, QA 1, GASKET, ASSY; GASKET, ASSY, BONNET SEAL, PATT 9522-21-1, REF DWG C-95	1	C	48200	SE
BVG526V	AL	L-A-09-000-002	3	GASKET	GASKET, SPIRAL WOUND, QA 3, GASKET, SPIRAL WOUND, SPARE P; DARLING EQUALIZER VALVE, 22 X 18 X 22"	3	C	48200	SE
BVG536Q	AL	L-A-09-000-002	1	GASKET	GASKET, SPIRAL WOUND, QA 3, GASKET, SPIRAL WOUND, SPARE P; VELAN SWING CHECK VALVE, 6 IN, FIG	3	C	48200	SE
BVH506X	AL	L-A-13-000-002	2	GASKET	GASKET, TYPICAL, QA 3, VALVE, 10 IN, 900 PSI, GASKET, SINGLE; VALVE, FOR POWELL SWING CHECK VALVE, FIG 9061-AWE,	3	C	48200	SE
BVH506X	AL	L-A-09-000-002	4	GASKET	GASKET, TYPICAL, QA 3, VALVE, 10 IN, 900 PSI, GASKET, SINGLE; VALVE, FOR POWELL SWING CHECK VALVE, FIG 9061-AWE,	3	C	48200	SE

BVH597Y	AL	L-A-13-000-002	1	GASKET	GASKET, TYPICAL, QA 3, VALVE (BONNET), 10 IN, 14-1/2 IN, 15-1/2 IN, 3/32 IN, GRAFOIL, 150 PSI, SINGLE, FOR WM POWELL CO, GATE VALVE, FIG 150	3	C	48200 SE
BVH629C	AL	L-A-03-000-002	10	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; PLUG, REF C-16, FOR VACUUM PRIMING PUMP, MODEL	3	C	4310I SE
BVH761C	TR	- - - -	2	GASKET	GASKET, SPIRAL WOUND, QA 3, GASKET, SINGLE; SPIRAL WOUND, 1/8 X 2-1/8 ID X 2-5/8 IN OD, BONNET	3	C	48200 SE
BVH786V	AL	L-A-07-000-002	2	GASKET	GASKET, TYPICAL, QA 3, CAP, 2-1/2 IN, 150 PSI, FOR WM POWELL CO, SWING CHECK VALVE, FIG 1561-A, DWG 037780	3	C	48200 SE
BVH833D	AL	L-A-13-000-002	1	GASKET	GASKET, TYPICAL, QA 3, VALVE, 150 PSI, GASKET, SINGLE; BONNET, FOR WM POWELL CO, GATE VALVE, FIG 1523WE, SIZE	3	C	48200 SE
BVH985M	AL	L-A-15-000-002	1	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; S.R., FOR 4 IN VALVE ***	0	B	48200 SE
BVK683V	AL	L-A-13-000-002	8	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; NEOPRENE, INLET BONNET, FOR HPCI GLAND SEAL CONDENSER	3	B	4420B SE
BVK852Y	AL	L-A-13-000-002	28	GASKET	GASKET, TYPICAL, QA 0, VALVE, *** FOR GODDARD 1.5 (1 1/2) INCH SERIES 212, BRONZE GRYOGENIC GLOBE	0	C	48200 SE
BVL225M	AL	L-A-03-000-002	3	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; PRESSURE SEAL FOR VELAN SSEING CHECK, 6". 600#.FIG	3	C	48200 SE
BVP997F	AL	T-A-01-000-002	2	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; FR OUT FV CART, FOR A BROOKS ROTAMETER M/N 1305EZ12	0	C	6695D SE
BVR773V	AL	L-A-01-000-002	3	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; PRESSURE SEAL, FOR WM POWELL GATE VALVE, SIZE 20 IN	3	B	48200 SE
BVT883F	AL	T-A-05-000-002	4	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; GASKET, SINGLE, VEGETABLE FIBER, FOR CLOW/EDDY FIRE	3	B	4210N SE
BVV232L	AL	T-A-01-000-002	20	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; GASKET, COVER, 0.015" THICK FOR AUX F/W PUMP TURBINE	3	B	2825G SE
BWE448R	AL	L-A-09-000-002	2	GASKET	GASKET, TYPICAL, QA 3, PUMP, NITRILE, ROUND, GASKET, SINGLE; ROUND, NITRILE SYNTHETIC, FOR CHEMLINER HEAD TANK	3	B	4320U SE
BWK198W	AL	T-A-01-000-002	2	GASKET	GASKET, SPIRAL WOUND, QA 0, NON-ASBESTOS, 1.50 IN, 600 LB, BODY, FOR	0	C	48200 SE
BWL625Y	AL	L-A-13-000-002	1	GASKET	GASKET, TYPICAL, QA 3, CHECK VALVE, ARMOCO IRON, CAP / BONNET, FOR 900 LB WM POWELL CO 4" SWING CHECK VALVE,	3	C	48200 SE
BWQ257D	AL	P-A-LT-003-610	1	GASKET	GASKET, TYPICAL, QA 3, ACTUATOR, NON-ASBESTOS, KIT, , NUCLEAR SERVICE, COMPLETE WITH ALL REQUIRED GASKETS AND VITON SEALS	3	B	48200 SE
BWQ257D	TR	- - - -	1	GASKET	GASKET, TYPICAL, QA 3, ACTUATOR, NON-ASBESTOS, KIT, , NUCLEAR SERVICE, COMPLETE WITH ALL REQUIRED GASKETS AND VITON SEALS	3	B	48200 SE
BWQ257D	AC	- - - -	2	GASKET	GASKET, TYPICAL, QA 3, ACTUATOR, NON-ASBESTOS, KIT, , NUCLEAR SERVICE, COMPLETE WITH ALL REQUIRED GASKETS AND VITON SEALS	3	B	48200 SE
BWW205D	AL	L-A-09-000-002	6	GASKET	GASKET, TYPICAL, QA 1, GASKET, SET; NON ASBESTOS, ELASTOMER SHEET MATERIAL, FOR ELLIS & WAT	1	B	5730H SE
BWY936R	AL	L-A-13-000-002	8	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; SEAT, PT 12, FOR BLACK SIVALLS AND BRYSON CONTROL	3	C	48200 SE
BWY961T	AL	L-A-13-000-002	6	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; SEALING PLUG, COPPER, FLAT, REF 31, FOR YARWAY LEVEL	3	C	6695D SE
BXA007Y	AL	L-A-05-000-002	4	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; SYLPHON BASE, FOR LIQUID LEVEL FLOAT SWITCH, MODEL	3	B	59300 SE
BXD050Q	AL	L-A-09-000-002	2	GASKET	GASKET, TYPICAL, QA 0, ** FOR: RFPT "C" U-3.	0	B	2825G SE
BXM834A	AL	L-A-13-000-002	5	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; ASBESTOS, 17A2, FOR FISHER CONTROLS CO PRESSURE	0	B	48200 SE
BXN511X	AL	L-A-13-000-002	2	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; TEFLON, 000.031 THK X 001.375 ID X 002.125 IN OD	0	B	48200 SE
BXN515M	AL	L-A-13-000-002	1	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; HEAD, FOR LIQUID LEVEL FLOAT SWITCH, MODEL 63.2, LOW	0	B	59300 SE
BXN522Q	AL	L-A-13-000-002	3	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; CAP, FOR RELIEF VALVE, SIZE 3/4 X 1 IN, STYLE JR-SPEC	0	B	48200 SE
BXQ824X	AL	L-A-03-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; TEFLON, BONNET GASKET FOR REGULATING VALVE, 1.5 INCH	3	C	48200 SE
BXT058R	AL	L-A-03-000-002	1	GASKET	GASKET, TYPICAL, QA 0, COVER, *** FOR EDWARD TESTABLE CHECK VALVE, FIG 970 JMMNY, SIZE 6"	0	B	48200 SE
BXW259E	AL	T-A-06-000-002	5	GASKET	GASKET, SPIRAL WOUND, QA 3, GASKET, SPIRAL WOUND, SPARE P; FLEXICARB, INCONEL AND HIGH PURITY	3	B	4420B SE
BYB307G	AL	L-A-06-000-002	4	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; BONNET, DOUBLE JACKETED IRON W/MINERAL BOARD FILLER	3	C	48200 SE
BYC092V	AL	L-A-09-000-002	6	GASKET	GASKET, TYPICAL, QA 2, GASKET, ASSY; FOR CONTROL BAY CHILLERS, VICTAULIC COUPLINGS, REF	2	B	4520N SE
BYL984M	AL	L-A-09-000-002	1	GASKET	GASKET, TYPICAL, QA 3, , APPLICATION: FOR CRD (SYS 085) SUCTION FILTER ASSY, VENDOR DRAWING	3	B	5730H SE
BYM873R	AL	M-A-11-000-002	1	GASKET	GASKET, SPIRAL WOUND, QA 3, FLANGE, 8 IN, 9-3/16 IN, 11 IN, SS/FLEXICARB	3	B	5730H SE
BYQ308B	AL	L-A-09-000-002	1	GASKET	GASKET, SPIRAL WOUND, QA 3, 12 IN (1 FT), SS/FLEXICARB, 300 PSI, CG, GASKET, SPIRAL WOUND; MATERIAL: SST 304/FLEXICARB, NOMINAL SIZE:	3	B	5730H SE
BYV202C	AL	L-A-13-000-002	10	GASKET	GASKET, TYPICAL, QA 3, CELLULOSE, , SINGLE; FOR 12 INCH TYPE PTC & PTB PULL BOX P/N: 1203 & 1253.	3	B	5975B SE
CAA486E	AL	L-A-09-000-002	3	GASKET	GASKET, SPIRAL WOUND, QA 3, 2 IN, 2-3/4 IN, 4-3/8 IN, 0.175 IN, SS/FLEXICARB, 300-400-600 PSI	3	B	5730H SE
CAA815M	AL	L-A-09-000-002	1	GASKET	GASKET, SPIRAL WOUND, QA 3, 6 IN, SS/FLEXICARB, 150 PSI	3	B	5730H SE
CAA952B	AL	L-A-07-000-002	1	GASKET	GASKET, SPIRAL WOUND, QA 3, 8 IN, SS/FLEXICARB, 300 PSI, , 304SS	3	B	5730H SE
CAB525R	AL	L-A-09-000-002	1	GASKET	GASKET, SPIRAL WOUND, QA 3, 3/4 IN, SS/FLEXICARB, 300-400-600 PSI	3	B	5730H SE
CAB534Q	AL	M-A-04-000-002	1	GASKET	GASKET, SPIRAL WOUND, QA 3, 2 IN, SS/FLEXICARB, 150 PSI	3	B	5730H SE
CAB907C	AL	L-A-09-000-002	1	GASKET	GASKET, SPIRAL WOUND, QA 3, SS/GRAPHITE, 600 PSI, , APPLICATION: FOR 1 1/2" VELAN BOLTED BONNET PISTON CHECK VALVE,	3	B	48200 SE
CAC220N	AL	L-A-13-000-002	7	GASKET	GASKET, TYPICAL, QA 3, GASKET, DIESEL ENGINE; SINGLE, EXPANSION JOINT TO TURBO, (EXHAUST	3	C	29100 SE
CAF693F	AL	T-A-01-000-002	5	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; BUSHING, STUFFINGBOX, FOR MAIN FEEDWATER PUMPS, BYRON	0	B	4320U SE
CAH673B	AL	L-A-09-000-002	1	GASKET	GASKET, SPIRAL WOUND, QA 3, GASKET, SPIRAL WOUND, SPARE P; 1-1/4" OD X 7/8" ID X 1/16" THK, 304	3	B	5730H SE
CAJ962Y	AL	L-A-05-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GRAPHITE, 150 PSI, PRESSURE SEAL, DWG. W9324102, ITEM 30, FOR 3/4" SS PISTON CHECK VALVE	3	B	48200 SE
CAK285A	AL	L-A-09-000-002	2	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; STUFFING BOX TO CASING. ITEM NO. 363. FOR PUMP SIZE 4	0	B	4320U SE
CAP158W	AL	L-A-13-000-002	1	GASKET	GASKET, SPIRAL WOUND, QA 3, 1-1/4 IN, 2-5/8 IN, 0.175 IN, SS/FLEXICARB, 150 PSI, R	3	B	5730H SE
CAQ346N	AL	L-A-02-000-002	1	GASKET	GASKET, SPIRAL WOUND, QA 3, VALVE, 1-1/4 IN, 1.590 IN, 1/8 IN, SS/FLEXICARB, 600 PSI, R, FOR 1/2 IN & 3/4 IN GATE VALVE MODEL 950W-3, AND 1/	3	B	48200 SE
CAR668T	AL	L-A-13-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, COMPRESSOR; UNLOADER BY-PASS VALVE, MATERIAL: NON-ASBESTOS	3	B	4310I SE
CAW075X	AL	L-A-09-000-002	5	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; STANDARD, FOR MODEL 823DP TRANSMITTER. ***	0	B	6695D SE
CAW112V	AL	L-A-13-000-002	2	GASKET	GASKET, TYPICAL, QA 3, FOR LIMITORQUE ACTUATOR TYPE H4BC, SET, , GASKET AND SEAL SET, NON-ASBESTOS AND VITON, NUCLEAR	3	C	48200 SE
CAX092Q	AL	L-A-09-000-002	10	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; GRAPHITE BASED PROCESS CONNECTOR GASKET, PART NO.	0	B	6695D SE
CBJ266D	AL	L-A-09-000-002	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, VALVE; FOR 4" VELAN GATE VALVE, FIG. B12-2A5PS-2TS, DWG.	3	C	48200 SE
CBP571E	AL	L-A-09-000-002	1	GASKET	GASKET, SPIRAL WOUND, QA 3, GASKET, SPIRAL WOUND, SPARE P; SPIRAL WOUND, NON-ASBESTOS, 304 SS	3	B	4420B SE
CBP571E	AL	P-A-LL-ET0-013	1	GASKET	GASKET, SPIRAL WOUND, QA 3, GASKET, SPIRAL WOUND, SPARE P; SPIRAL WOUND, NON-ASBESTOS, 304 SS	3	B	4420B SE
CBP631N	AL	L-A-09-000-002	7	GASKET	GASKET, TYPICAL, QA 3, GASKET, VALVE; BONNET SEAL, MATERIAL: GRAPHITE PRESSURE SEAL RING AND	3	B	48200 SE
CBV366T	AL	L-A-11-000-002	6	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; OIL PUMP, FOR CENTRIFUGAL REFERIGERATION UNIT NC-175	3	B	4320U SE
CBV366T	AL	Z-Z-ZZ-ZZZ-ZZZ	10	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; OIL PUMP, FOR CENTRIFUGAL REFERIGERATION UNIT NC-175	3	B	4320U SE
CDJ068V	AL	L-A-05-000-002	4	GASKET	GASKET, SPIRAL WOUND, QA 3, 2-1/2 IN, 3-3/8 IN, 3-3/4 IN, 1/8 IN, SS/FLEXICARB, 300-2500 PSI, R4, , 304SS	3	B	5730H SE
CDL378B	AL	I-A-09-000-002	16	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; SENSOR, BAILEY P/N 1951751A1	0	C	6695D SE
CEC439L	AL	L-A-13-000-002	2	GASKET	GASKET, SPIRAL WOUND, QA 3, GASKET, VALVE; PRESSURE SEAL, MATERIAL: 300SS/GRAPHITE, FOR 2" SOCKET	3	B	48200 SE
CEC449H	AL	L-A-13-000-002	2	GASKET	GASKET, TYPICAL, QA 3, GASKET, VALVE; PRESSURE SEAL, MATERIAL: GRAPHITE (ADVANSEAL), FOR 6"-9	3	B	48200 SE
CEE588Q	AL	L-A-13-000-002	9	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ELASTAGRAPH GASKETS, 304 STAINLESS STEEL, FOR 150 LB	3	C	4730P SE
CEE589N	AL	L-A-13-000-002	9	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ELASTAGRAPH GASKETS, 304 STAINLESS STEEL, FOR 150 LB	3	C	4730P SE
CEE651C	AL	L-A-05-000-002	9	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ELASTAGRAPH GASKETS, 304 STAINLESS STEEL, FOR 150 LB	3	C	4730P SE
CEE652A	AL	L-A-05-000-002	9	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ELASTAGRAPH GASKETS, 304 STAINLESS STEEL, FOR 150 LB	3	C	4730P SE
CEE713G	AL	L-A-05-000-002	9	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ELASTAGRAPH GASKETS, 304 STAINLESS STEEL, FOR 150 LB	3	C	4730P SE
CEE714E	AL	L-A-05-000-002	9	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ELASTAGRAPH GASKETS, 304 STAINLESS STEEL, FOR 150 LB	3	C	4730P SE
CEE716A	AL	L-A-05-000-002	4	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ELASTAGRAPH GASKETS, 304 STAINLESS STEEL, FOR 150 LB	3	C	4730P SE
CEE720Y	AL	L-A-05-000-002	4	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ELASTAGRAPH GASKETS, 304 STAINLESS STEEL, FOR 150 LB	3	C	4730P SE
CEE721H	AL	L-A-09-000-002	4	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ELASTAGRAPH GASKETS, 304 STAINLESS STEEL, FOR 150 LB	3	C	4730P SE
CEE722F	AL	L-A-09-000-002	4	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ELASTAGRAPH GASKETS, 304 STAINLESS STEEL, FOR 150 LB	3	C	4730P SE
CEE724B	AL	L-A-13-000-002	19	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ELASTAGRAPH GASKETS, 304 STAINLESS STEEL, FOR 300 LB	3	C	4730P SE

CEE730V	AL	L-A-13-000-002	9	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ELASTAGRAPH GASKETS, 304 STAINLESS STEEL, FOR 300 LB	3	C	4730P SE
CEE731E	AL	L-A-13-000-002	9	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ELASTAGRAPH GASKETS, 304 STAINLESS STEEL, FOR 300 LB	3	C	4730P SE
CEE733A	AL	L-A-09-000-002	9	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ELASTAGRAPH GASKETS, 304 STAINLESS STEEL, FOR 300 LB	3	C	4730P SE
CEE739X	AL	L-A-09-000-002	9	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ELASTAGRAPH GASKETS, 304 STAINLESS STEEL, FOR 300 LB	3	C	4730P SE
CEE740Q	AL	L-A-09-000-002	9	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ELASTAGRAPH GASKETS, 304 STAINLESS STEEL, FOR 300 LB	3	C	4730P SE
CEE741B	AL	L-A-09-000-002	4	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ELASTAGRAPH GASKETS, 304 STAINLESS STEEL, FOR 300 LB	3	C	4730P SE
CEE747Y	AL	L-A-09-000-002	4	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ELASTAGRAPH GASKETS, 304 STAINLESS STEEL, FOR 300 LB	3	C	4730P SE
CEE748W	AL	L-A-09-000-002	4	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ELASTAGRAPH GASKETS, 304 STAINLESS STEEL, FOR 300 LB	3	C	4730P SE
CEE749T	AL	L-A-09-000-002	4	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ELASTAGRAPH GASKETS, 304 STAINLESS STEEL, FOR 300 LB	3	C	4730P SE
CEF227L	AL	L-A-09-000-002	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, COVER; VITON, FOR SOR TYPE N4 HOUSING COVER. ***	3	B	5730H SE
CEK562H	AL	L-A-13-000-002	1	GASKET	GASKET, TYPICAL, QA 3, GASKET, *TYPICAL; TYPE: VALVE *** FLEXITALLIC GASKET, FOR 10" SCHUTE &	3	B	48200 SE
CET188B	AL	L-A-13-000-002	1	GASKET	GASKET, SPIRAL WOUND, QA 3, 0.125 IN, FOR 6" FORGED BOLTED BONNET SWING CHECK VALVE,	3	C	48200 SE
CFL614D	AL	P-A-LL-ET0-026	2	GASKET	GASKET, TYPICAL, QA 3, VALVE, *** BONNET, MATERIAL: TEFLON, FOR 6 INCH 300 LBS SOLID WEDGE GATE BUTT	3	B	48200 SE
CGH001G	AC	- - - -	3	GASKET	GASKET, TYPICAL, QA 3, PUMP, VITON	3	B	5730H SE
AKC855M	AL	8-A-03-000-001	7	GATE	GATE, SLIDE, QA 0, GATE, PULVERIZER; REF DWG 130223B, SYMBOL C, FOR PYRITES GATE ASSY	0	P	4420H SE
ATW578P	AL	D-B-09-202-001	4	GATE	GATE, SLIDE, QA 0, VALVE, METAL, ASH DISPOSAL; SLIDE, METAL, FOR VACUUM BREAKER AND	0	C	4450C SE
ATW583Y	AL	D-B-11-201-000	1	GATE	GATE, SLIDE, QA 0, DUMP, STEEL, DUMP, ON FLY ASH DISPOSAL SYSTEM	0	P	4450C SE
ATW584W	AL	D-B-09-202-001	1	GATE	GATE, SLIDE, QA 0, GATE, SLIDE,ASH DISPOSAL; SLIDE, FOR 7 INCH SLIDE VALVE,A-15138-34, ON	0	P	4450C SE
BET665A	AL	D-B-09-202-001	2	GATE	GATE, SLIDE, QA 0, GATE, SLIDE,ASH DISPOSAL; STEEL, FOR DRY FLY ASH DISPOSAL SYSTEM ***	0	P	4450C SE
BET670W	AL	D-B-09-202-001	1	GATE	GATE, SLIDE, QA 0, GATE, SLIDE,ASH DISPOSAL; STEEL, FOR DRY FLY ASH DISPOSAL SYSTEM ***	0	P	4450C SE
BYX566R	AL	9-A-01-003-001	1	GATE	GATE, FENCE, QA 0, GATE, VEHICLE BARRIER; MANUALLY OPERATED (NON POWERED) DELTA MODEL NO.	0	D	5660E SE
CLD434L	AL	D-B-09-202-001	2	GATE	GATE, TYPICAL, QA 0, FOR STYLE IV ROTARY VALVE	0	C	4450C SE
AJA192W	AL	J-B-12-009-001	8	GAUGE	GAUGE, TYPICAL, QA 0, GAGE, SCREW PITCH; LINK, FOR MAIN TURBINE CONTROL VALVE SERVO MOTOR	0	P	5210S SE
ARL085M	AL	A-A-01-000-001	1	GAUGE	GAUGE, PRESSURE, QA 3, GAGE, PRESSURE,DIAL INDICA; 0 TO 160 PSIG, 6 IN DIAL, 0.25 IN NPT BACK	3	P	6695D SE
ATN253K	AL	A-A-01-000-001	3	GAUGE	GAUGE, PRESSURE, QA 0, 1/4 IN NPT, BRASS, 3-15 PSIG, 6 IN, CAST ALUMINUM, BACK, PHOSPHOR BRONZE, GAGE, PRESSURE,DIAL INDICA; 3 TO 15 PSIG, 6	0	P	6695D SE
ATN254H	AL	A-A-01-000-001	1	GAUGE	GAUGE, PRESSURE, QA 0, 1/4 IN NPT, BRASS, 3-15 PSIG, 5 IN, CAST ALUMINUM, BACK, PHOSPHOR BRONZE, GAGE, PRESSURE,DIAL INDICA; 3 TO 15 PSIG, 5	0	P	6695D SE
ATN255F	AL	A-A-01-000-001	1	GAUGE	GAUGE, PRESSURE, QA 0, 1/4 IN NPT, BRASS, 3-15 PSIG, 6 IN, CAST ALUMINUM, BACK, PHOSPHOR BRONZE, GAGE, PRESSURE,DIAL INDICA; 3 TO 15 PSIG, 6	0	P	6695D SE
AVD220N	AL	A-A-01-000-001	1	GAUGE	GAUGE, COMPOUND, QA 0, PRESSURE/VACUUM/TEMPATURE, 100-750 DEG F, 1000-2000 PSIG, GAGE, CMPD,PRESS/VAC/TEMP; LIQUID LEVEL, 1000-2000 PSIG, 10	0	P	6695D SE
AWD208V	AL	A-A-01-000-001	2	GAUGE	GAUGE, PRESSURE, QA 0, 1/4 IN MNPT, 0-5000 PSIG, 8-1/2 IN, PLASTIC, BOTTOM, INCONEL, GAGE, PRESSURE,DIAL INDICA; PRECISION, 0 TO 5000 PSIG	0	P	6695D SE
AWH451W	AL	A-A-01-000-001	2	GAUGE	GAUGE, COMPOUND, QA 0, PRESSURE/VACUUM, 1/4 IN NPT, 4-1/2 IN, 316 STAINLESS STEEL, BACK, 0-5 PSIG, 0-90 IN WATER, ALUMINUM, 316 STAINLESS ST	0	P	6695D SE
AWM923Q	AL	A-A-01-000-001	2	GAUGE	GAUGE, PRESSURE, QA 0, INDICATOR, PRESSURE; PNEUMATIC, ACTUATION GAGE PRESSURE, ONE POINTER	0	P	6695D SE
AWN544V	AL	A-A-01-000-001	1	GAUGE	GAUGE, PRESSURE, QA 0, 1/4 IN MNPT, 0-400 PSIG, 4-1/2 IN, BACK, STAINLESS STEEL, GAGE, PRESSURE,DIAL INDICA; 0 TO 40 PSIG, 4.5 IN DIAL, 0.25	0	P	6695D SE
AXB263N	AL	A-A-01-000-001	2	GAUGE	GAUGE, PRESSURE, QA 0, 1/4 IN NPT, 0-600 PSIG, 3-1/2 IN, BACK, GAGE, PRESSURE,DIAL INDICA; 0 TO 600 PSIG, 3.5 IN DIAL, 0.25 IN NPT	0	P	6695D SE
AXP693Y	AL	A-A-01-000-001	1	GAUGE	GAUGE, PRESSURE, QA 0, 1/4 IN NPT, BRASS, 0-160 PSIG, 4-1/2 IN, ALUMINUM, BACK, PHOSPHOR BRONZE, GAGE, PRESSURE,DIAL INDICA; 0 TO 160 PSIG	0	P	6695D SE
AXX340D	AL	A-A-01-000-001	1	GAUGE	GAUGE, PRESSURE, QA 0, 1/4 IN NPT, BRONZE, 0-200 PSIG, 8-1/2 IN, CAST IRON, BACK, PHOSPHOR BRONZE, GAGE, PRESSURE,DIAL INDICA; 0 TO 200 PSIG	0	P	6695D SE
BAY817H	AL	A-A-01-000-001	1	GAUGE	GAUGE, PRESSURE, QA 0, 1/2 IN MNPT, 0-2000 PSIG, 8-1/2 IN, BOTTOM, GAGE, PRESSURE,DIAL INDICA; 0-2000 PSI, 8.5 IN DIAL, BOTTOM, 0.5 INCH	0	P	6695D SE
BBD511V	AL	A-A-01-000-001	4	GAUGE	GAUGE, PRESSURE, QA 0, 1/4 IN NPT, BRONZE, 0-5000 PSIG, 4-1/2 IN, CAST ALUMINUM, BACK, PHOSPHOR BRONZE, GAGE, PRESSURE,DIAL INDICA; 0 TO 500	0	P	6695D SE
BBN143G	AL	A-A-01-000-001	2	GAUGE	GAUGE, PRESSURE, QA 0, 1/8 IN NPT, 0-30 PSIG, 1-1/2 IN, BACK, GAGE, PRESSURE,DIAL INDICA; 0 TO 30 PSIG, 0 TO 200 KPA, 1.5 IN DIAL	0	P	6695D SE
BGL729W	AL	A-A-01-000-001	2	GAUGE	GAUGE, PRESSURE, QA 0, 1/2 IN NPT, STAINLESS STEEL, 0-2000 PSIG, 4-1/2 IN, LOWER BACK, STAINLESS STEEL, GAGE, PRESSURE,DIAL INDICA; 0 TO 200	0	P	6695D SE
BKH686H	AL	A-A-01-000-001	1	GAUGE	GAUGE, PRESSURE, QA 0, DIAL/INDICATING, 1/4 IN NPT, BRONZE, 0-150 IN/0-90 OZ, 4-1/2 IN, LOWER BOTTOM, GAGE, PRESSURE,DIAL INDICA; LEVEL, 0 T	0	P	6695D SE
BKM857V	AL	A-A-01-000-001	1	GAUGE	GAUGE, PRESSURE, QA 3, GAGE, DIFFERENTIAL,DIAL IN; 0 TO 10 PSI, 5 IN DIAL, BRASS CASE, 0.25	3	P	6695D SE
BKN658W	AL	A-A-01-000-001	2	GAUGE	GAUGE, PRESSURE, QA 0, 1/4 IN NPT, BRASS, 0-160 PSIG, 6 IN, ALUMINUM, BACK, BRONZE, GAGE, PRESSURE,DIAL INDICA; 0 TO 160 PSIG, 6 IN DIAL, 0.	0	P	6695D SE
BKQ960Y	AL	A-A-01-000-001	2	GAUGE	GAUGE, PRESSURE, QA 3, GAGE, PRESSURE,DIAL INDICA; 0 TO 14.739 PSIG, 4.5 IN DIAL,0.25 IN NPT	3	P	6695D SE
BLH833Q	AL	A-A-01-000-001	1	GAUGE	GAUGE, PRESSURE, QA 3, GAGE, PRESSURE,DIAL INDICA; 0 TO 100 PSIG, 4.5 IN DIAL, 0.25 IN NPT	3	P	6695D SE
BLH842P	AL	A-A-01-000-001	1	GAUGE	GAUGE, PRESSURE, QA 3, GAGE, PRESSURE,DIAL INDICA; 0 TO 4000 PSIG, 4.5 IN DIAL, 0.5 IN NPT	3	P	6695D SE
BLH848B	AL	A-A-01-000-001	1	GAUGE	GAUGE, PRESSURE, QA 3, GAGE, PRESSURE,DIAL INDICA; 0 TO 200 PSIG, 4.5 IN DIAL, 0.25 IN NPT	3	P	6695D SE
BLV316R	AL	D-B-07-202-001	1	GAUGE	GAUGE, PRESSURE, QA 0, 0-1500 PSIG, 4-1/2 IN, BOTTOM, GAGE, PRESSURE,DIAL INDICA; 0 TO 1500 PSIG, 4.5 IN DIAL, BOTTOM	0	P	6695D SE
BLV317P	AL	D-B-07-202-001	1	GAUGE	GAUGE, PRESSURE, QA 0, 0-2000 PSIG, 6 IN, BOTTOM, GAGE, PRESSURE,DIAL INDICA; 0 TO 2000 PSIG, 6 IN DIAL, BOTTOM	0	P	6695D SE
BLV318M	AL	A-A-01-000-001	2	GAUGE	GAUGE, PRESSURE, QA 0, STAINLESS STEEL, 0-10000 PSIG, 6 IN, ALUMINUM, BACK, STAINLESS STEEL, GAGE, PRESSURE,DIAL INDICA; 0 TO 10000 PSIG	0	P	6695D SE
BMF189X	AL	D-B-07-201-001	7	GAUGE	GAUGE, PRESSURE, QA 0, 1/4 IN NPT, STAINLESS STEEL, 0-500 PSIG, 4-1/2 IN, STAINLESS STEEL, BOTTOM, INCONEL, GAGE, PRESSURE,DIAL INDICA; 0 TO	0	P	6695D SE
BNN299C	AL	D-A-22-401-000	5	GAUGE	GAUGE, TYPICAL, QA 0, GAGE, ; INDICATING, RACK SETTING. ***	0		29100 SE
BNN331B	AL	D-A-20-402-001	10	GAUGE	GAUGE, TYPICAL, QA 0, GAGE, ; PISTON COOLING OIL PIPE. ***	0		29100 SE
BNP462N	AL	A-A-01-000-001	1	GAUGE	GAUGE, PRESSURE, QA 0, DIFFERENTIAL, 0-50 IN H2O/0-60 IN H2O, 6 IN, SS, 5 IN/1 IN H2O/10 IN H2O, INDICATOR, PRESSURE; DIFFERENTIAL, 0 TO 60	0	P	6695D SE
BPN994K	AC	- - - -	3	GAUGE	GAUGE, TYPICAL, QA 0, GAGE, ; SET OF GO/NO/GO GAUGES, SIZES 22-18, 16-14, AND 12-10, FOR	0	C	5120M SE
BPT303N	AL	P-A-LL-ET0-081	1	GAUGE	GAUGE, TYPICAL, QA 0, GAGE, VALVE; EQUAL PERCENTAGE, FOR 1.5 IN VALVE, BODY TYPE ES, STYLE	0	C	48200 SE
BTJ987J	AL	D-B-07-201-002	4	GAUGE	GAUGE, FLOW, QA 0, GAGE, HEAVY EQUIPMENT; LIQUID FLOW, FOR LUBE OIL PUMP SUPPLIED WITH GE	0	B	29100 SE
BVM350Q	AL	D-A-02-202-003	5	GAUGE	GAUGE, LEVEL, QA 0, LIQUID, CARBON STEEL, 2500/1860 PSI, GAGE, LIQUID LEVEL; CARBON STEEL,TWO-SECTION,SERIES R-20,REFLEX GLASS	0	B	6695D SE
BWB535E	AL	A-A-01-000-001	1	GAUGE	GAUGE, PRESSURE, QA 3, INDICATOR, PRESSURE; DIFFERENTIAL, SCALE RANGE 0 TO 8 PSID	3	B	6695D SE
BWF212J	AL	A-A-01-000-001	3	GAUGE	GAUGE, PRESSURE, QA 1, INDICATOR, PRESSURE; NORYL CASE,PANEL MOUNT,ANALOG DISPLAY,4.5 IN	1	B	6695D SE
BWJ406N	AL	A-A-01-000-001	70	GAUGE	GAUGE, PRESSURE, QA 3, GAGE, PRESSURE,DIAL INDICA; 0 TO 15 PSIG, 2.5 IN DIAL, 0.25 IN NPT	3	B	6695D SE
BWL923N	AL	A-A-01-000-001	4	GAUGE	GAUGE, PRESSURE, QA 3, GAGE, PRESSURE; 0 TO 4000 PSIG, 2 IN DIAL, 0.5 IN NPT BOTTOM MALE TUBE	3	C	6695D SE
BXR898T	AL	A-A-01-000-001	2	GAUGE	GAUGE, PRESSURE, QA 3, GAGE, PRESSURE; 0 TO 15 PSI, 4.5 IN DIAL, 0.25 IN NPT BOTTOM	3	C	6695D SE
CAP348P	AC	- - - -	6	GAUGE	GAUGE, PRESSURE, QA 2, DIAL/INDICATING, 1/4 IN NPT, BRASS, 0-400 PSI, 2-1/2 IN, STEEL, CENTER/BACK, 3-2-3 %, BRONZE, U-CLAMP MOUNTING.	2	B	6695D SE
CAY160H	AL	D-B-07-202-001	1	GAUGE	GAUGE, LEVEL, QA 3, GAGE, DIAL INDICATOR; LEVEL, 0-4000 PSI, 2 INCH DIAL, BRASS, 1/4 INCH	3	C	5210S SE
CBH258H	AL	A-A-01-000-001	4	GAUGE	GAUGE, PRESSURE, QA 0, 1/4 IN NPT, STAINLESS STEEL, 0-1500 PSIG, 4-1/2 IN, ALUMINUM, BACK, STAINLESS STEEL, GAGE, PRESSURE,DIAL INDICA; 0 TO	0	B	6695D SE
CDP459V	AL	A-A-01-000-001	1	GAUGE	GAUGE, LEVEL, QA 0, LIQUID, 3/4 IN, GAGE, LIQUID LEVEL; 3/4 INCH ***	0	B	6695D SE
CGH505W	AC	- - - -	1	GAUGE	GAUGE, PRESSURE, QA 3, DIAL/INDICATING, 1/4 IN NPT, STAINLESS STEEL, 0-100 PSIG, 4-1/2 IN, BACK, STAINLESS STEEL	3	B	6695D SE
CKB398E	AL	D-B-07-202-001	1	GAUGE	GAUGE, PRESSURE, QA 1, DIAL/INDICATING, 1/4 IN NPT, 0-300 PSI, 4-1/2 IN, CAST ALUMINUM, BACK, PHOSPHOR BRONZE, PANEL MOUNT, INTERMEDIATE GRA	1	C	6695D SE
ABW792J	AL	L-A-15-000-002	2	GAUGE	GAUGE, PRESSURE, QA 2, DIAL/INDICATING, 1/2 IN NPT, BRASS, 0-2000 PSI, 6 IN, ALUMINUM, BACK, +/- 0.5 %, SS	2	B	6695D SE
ADY590K	AL	M-A-10-000-002	3	GAUGE	GAUGE, PRESSURE, QA 2, GAGE, PRESSURE,DIAL INDICA; PEN LOAD, 0 TO 2 GRAMS, 0.5 INCREMENTS	2	P	6695D SE
AED181B	AL	L-A-13-000-002	1	GAUGE	GAUGE, COMPOUND, QA 0, DIAL/INDICATING, 1/4 IN NPT, 0-100 PSIG, *** FIRST STAGE PRESSURE GAGE, GLYCERINE FILLED, STAINLESS STEEL	0	B	6695D SE
AFX614D	AL	L-A-03-000-002	2	GAUGE	GAUGE, COMPOUND, QA 0, PRESSURE/VACUUM, 1/4 IN NPT, 4-1/2 IN, BOTTOM, 0-30 IN PSIG, 0-30 IN HG, STAINLESS STEEL, BRONZE PHOSPHOR, GAGE, CMPD	0	P	6695D SE
AJX014A	AL	M-A-02-000-002	3	GAUGE	GAUGE, COMPOUND, QA 2, PRESSURE/VACUUM/TEMPATURE, 7/16 IN NPT, 2-1/2 IN, BACK, -100 TO 80 DEG F, 0-150 PSI, GAGE, CMPD,PRESS/VAC/TEMP; 30 IN	2	P	6695D SE
AJY875Q	AL	L-A-03-000-002	3	GAUGE	GAUGE, COMPOUND, QA 0, PRESSURE/VACUUM, 1/8 IN NPT, 2-1/2 IN, BRASS, BOTTOM, 0-150 IN PSIG, 0-30 IN, STEEL, GAGE, CMPD,PRESS/VAC,DIAL; 30 IN	0	P	6695D SE
ALX414N	AL	M-A-07-000-002	1	GAUGE	GAUGE, PRESSURE, QA 2, INDICATOR, PRESSURE; DIFFERENTIAL, BERYLLIUM COPPER BELLOWS, 3 IN	2	P	6695D SE

AQD174A	AL	M-A-11-000-002	5 GAUGE	GAUGE, PRESSURE, QA 3, DIAL/INDICATING, 1/4 IN, 0-5000 PSI, 4-1/2 IN, SS, BOTTOM, ALLOY STEEL, GAGE, PRESSURE,DIAL INDICA; 0 TO 5000 PSIG, 4	3	P	6695D SE
ARA560R	AL	M-A-09-000-002	1 GAUGE	GAUGE, PRESSURE, QA 2, GAGE, PRESSURE,DIAL INDICA; 0 TO 30 PSIG, 0 TO 2.1 KILOGRAM/SQUARED	2	P	6695D SE
ARL755B	AL	T-A-01-000-002	3 GAUGE	GAUGE, COMPOUND, QA 3, PRESSURE/VACUUM, 1/4 IN NPT, 4 IN, BACK, 0-30 PSI, 0-30 IN HG, REFRIGERANT, ZERO ADJUSTABLE	3	P	6695D SE
ATA941V	AL	M-A-01-000-002	2 GAUGE	GAUGE, COMPOUND, QA 3, GAGE, CMPD,PRESS/VAC,DIAL; MINUS 10 TO 0 TO PLUS 10 PSI, 3.5 IN DIAL	3	B	6695D SE
AVA597A	AL	L-A-09-000-002	1 GAUGE	GAUGE, PRESSURE, QA 2, DIAL/INDICATING, 1/2 IN NPT, STEEL, 0-3000 PSI, 6 IN, ALUMINUM, LOWER, +/- 0.5 %, ALLOY STEEL	2	B	6695D SE
AWR273H	AL	T-A-12-000-002	2 GAUGE	GAUGE, PRESSURE, QA 3, GAGE, PRESSURE,DIAL INDICA; 0 TO 2500 PSIG, 4.5 IN DIAL, 0.5 IN NPT	3	P	6695D SE
AXP140L	AL	M-A-10-000-002	2 GAUGE	GAUGE, PRESSURE, QA 2, INDICATOR, PRESSURE; 0 TO 35 GPM, DIAL TYPE, WITH MOUNTING BRACKETS	2	P	6695D SE
AYK203T	AL	L-A-03-000-002	7 GAUGE	GAUGE, PRESSURE, QA 0, 1/2 IN NPT, 0-5000 PSIG, 6 IN, PLASTIC, BOTTOM, STAINLESS STEEL, GAGE, PRESSURE,DIAL INDICA; 0 TO 5000 PSIG, 6 IN DIA	0	P	6695D SE
AYT167Y	AL	M-A-04-000-002	3 GAUGE	GAUGE, PRESSURE, QA 1, GAGE, PRESSURE,DIAL INDICA; 0 TO 30 PSIG, 2 IN DIAL, 0.125 IN NPT MALE	1	P	6695D SE
BAC075P	AC	- - -	1 GAUGE	GAUGE, PRESSURE, QA 0, INDICATOR, FILTER WARNING,COMP; SEPARATOR, DIFFERENTIAL PRESSURE	0	P	4310I SE
BAF501V	AL	M-A-07-000-002	4 GAUGE	GAUGE, PRESSURE, QA 0, DIFFERENTIAL, 1/4 IN NPT, 0-150 IN H2O, 4-1/2 IN, PHENOLIC, BOTTOM, PHOSPHOR BRONZE, GAGE, DIFFERENTIAL,DIAL IN; 0 TO	0	P	6695D SE
BAF502R	AL	M-A-07-000-002	6 GAUGE	GAUGE, PRESSURE, QA 0, DIFFERENTIAL, 1/4 IN NPT, 0-50 IN H2O, 4-1/2 IN, PHENOLIC, BOTTOM, PHOSPHOR BRONZE, GAGE, DIFFERENTIAL,DIAL IN; 0 TO	0	P	6695D SE
BAF503P	AL	M-A-07-000-002	6 GAUGE	GAUGE, PRESSURE, QA 0, DIFFERENTIAL, 1/4 IN NPT, 0-300 IN H2O, 4-1/2 IN, PHENOLIC, BOTTOM, PHOSPHOR BRONZE, GAGE, DIFFERENTIAL,DIAL IN; 0 TO	0	P	6695D SE
BBP573H	AL	M-A-10-000-002	6 GAUGE	GAUGE, PRESSURE, QA 2, GAGE, DIFFERENTIAL,DIAL IN; 0 TO 50 IN WATER, 4 IN DIAL, 0.25 IN NPT	2	P	6695D SE
BDA194G	AL	M-A-07-000-002	6 GAUGE	GAUGE, COMPOUND, QA 0, PRESSURE/VACUUM, 1/4 IN NPT, 4-1/2 IN, 316L STAINLESS STEEL, BACK, 0-150 PSIG, ALUMINUM, 316L STAINLESS STEEL, GAGE	0	P	6695D SE
BEM415V	AL	L-A-09-000-002	1 GAUGE	GAUGE, COMPOUND, QA 2, GAUGE, COMPOUND; TYPE: PRESSURE/VACUUM; CONN. SIZE: 1/2 IN NPT; FACE	2	C	6695D SE
BER632Y	AL	L-A-09-000-002	1 GAUGE	GAUGE, PRESSURE, QA 0, DIAL/INDICATING, 1/4 IN NPT, BRASS, 0-100 PSI, 6 IN, POLYPROPYLENE, BACK, PHOSPHOR BRONZE, 6 IN DIAL ON 4.5 IN SYSTEM	0	C	6695D SE
BJE656G	AL	L-A-03-000-002	3 GAUGE	GAUGE, PRESSURE, QA 3, GAGE, PRESSURE,DIAL INDICA; 0 TO 30 PSIG, 1.5 IN DIAL, 0.125 IN NPT	3	P	6695D SE
BJJ801E	AL	L-A-09-000-002	3 GAUGE	GAUGE, PRESSURE, QA 0, 1/4 IN NPT, 0-60 PSIG, 4-1/2 IN, CAST ALUMINUM, BACK, PHOSPHOR BRONZE, GAGE, PRESSURE,DIAL INDICA; 0 TO 60 PSIG, 4.5	0	P	6695D SE
BJJ803A	AL	L-A-09-000-002	4 GAUGE	GAUGE, PRESSURE, QA 0, 1/4 IN NPT, 0-300 PSIG, 4-1/2 IN, CAST ALUMINUM, BACK, PHOSPHOR BRONZE, GAGE, PRESSURE,DIAL INDICA; 0 TO 300 PSIG, 4.	0	P	6695D SE
BKA679J	AL	M-A-06-000-002	1 GAUGE	GAUGE, PRESSURE, QA 3, GAGE, DIFFERENTIAL,DIAL IN; 15-0-15 PSID, 4.5 IN DIAL, 0.25 IN NPT	3	P	6695D SE
BKA679J	AL	M-A-07-000-002	1 GAUGE	GAUGE, PRESSURE, QA 3, GAGE, DIFFERENTIAL,DIAL IN; 15-0-15 PSID, 4.5 IN DIAL, 0.25 IN NPT	3	P	6695D SE
BLA361C	AL	M-A-07-000-002	2 GAUGE	GAUGE, PRESSURE, QA 0, 1/2 IN MNPT, 0-3500 LB/IN/0-850 LB/IN, 6 IN, BACK, GAGE ASSY,DIAL INDIC. ; CONSISTING OF 2 EA GAGES AND 1EA MOUNTING	0	P	6695D SE
BLD159P	AL	P-A-LL-ET0-064	20 GAUGE	GAUGE, PRESSURE, QA 0, 1/4 IN MNPT, BRASS, 0-60 PSIG, 3 IN, BRASS, BOTTOM, PHOSPHOR BRONZE, GAGE, PRESSURE,DIAL INDICA; 0 TO 60 PSIG, 3 IN D	0	C	6695D SE
BLD641N	AL	P-A-LL-ET0-078	100 GAUGE	GAUGE, PRESSURE, QA 0, GAGE, PRESSURE,DIAL INDICA; AIR (BOTTLE), FOR SITE RADIOLOGICAL	0	C	6695D SE
BLD642L	AL	P-A-LL-ET0-078	30 GAUGE	GAUGE, PRESSURE, QA 0, GAGE, PRESSURE,DIAL INDICA; AIR (REGULATOR), FOR SITE RADIOLOGICAL	0	C	6695D SE
BLF407M	AL	L-A-09-000-002	1 GAUGE	GAUGE, PRESSURE, QA 0, 0-200 GPM/30-0-30 WC, 6 IN, STAINLESS STEEL, INDICATOR, PRESSURE; 0 TO 200 GPM READING, 500 SWP PSI, 6 IN FACE	0	P	6695D SE
BLH558L	AL	L-A-09-000-002	1 GAUGE	GAUGE, PRESSURE, QA 0, 1/4 IN MNPT, BRASS, 0-160 PSIG, 4-1/2 IN, STEEL, BOTTOM, PHOSPHOR BRONZE, GAGE, PRESSURE,DIAL INDICA; 0 TO 160 PSIG	0	P	6695D SE
BMF154H	AL	M-A-01-000-002	2 GAUGE	GAUGE, PRESSURE, QA 0, GAGE, PRESSURE,DIAL INDICA; PLUG, FOR HYDRAULIC CRIMPER DIE, P/N 29	0	P	6695D SE
BNN330Q	AL	L-A-09-000-002	4 GAUGE	GAUGE, TYPICAL, QA 0, INSECTOR TIMING, GAGE, ; INSECTOR TIMING. ***	0	P	29100 SE
BNP257P	AL	L-A-03-000-002	1 GAUGE	GAUGE, PRESSURE, QA 0, OXYGEN, STAINLESS STEEL, 0-6000 PSIG, BACK, STAINLESS STEEL, GAGE, PRESSURE,DIAL INDICA; 0-6000 PSIG, BACK CONNECTION	0	P	6695D SE
BNP258M	AL	L-A-03-000-002	1 GAUGE	GAUGE, PRESSURE, QA 0, OXYGEN, STAINLESS STEEL, 0-10000 PSIG, BACK, STAINLESS STEEL, GAGE, PRESSURE,DIAL INDICA; 0-10000 PSIG, BACK CONNECTI	0	P	6695D SE
BNP260E	AL	L-A-03-000-002	1 GAUGE	GAUGE, PRESSURE, QA 0, BRASS, 0-100 PSI, BACK, BRONZE, GAGE, PRESSURE,DIAL INDICA; 0 TO 100 PSIG, BACK CONNECTION, BRONZE	0	P	6695D SE
BNP263W	AL	L-A-03-000-002	1 GAUGE	GAUGE, PRESSURE, QA 0, STAINLESS STEEL, 0-3000 PSIG, BACK, STAINLESS STEEL, GAGE, PRESSURE,DIAL INDICA; 0 TO 3000 PSIG, BACK CONNECTION, TYP	0	P	6695D SE
BNP264T	AL	L-A-03-000-002	1 GAUGE	GAUGE, PRESSURE, QA 0, STAINLESS STEEL, 0-6000 PSIG, BACK, STAINLESS STEEL, GAGE, PRESSURE,DIAL INDICA; 0 TO 6000 PSIG, BACK CONNECTION, TYP	0	P	6695D SE
BNQ961Y	AL	P-A-LL-ET0-108	2 GAUGE	GAUGE, TYPICAL, QA 0, GAGE, ; COLD CATHOCH GAUGE, VARION HELIUM LEAK DETECTOR, MODEL #938-41	0	C	5130U SE
BPP364G	AL	M-A-09-000-002	2 GAUGE	GAUGE, PRESSURE, QA 3, GAGE, PRESSURE,DIAL INDICA; 0 TO 300 PSIG, 4.5 IN DIAL, 0.25 IN NPT	3	A	6695D SE
BTE361J	AL	P-A-LL-ET0-081	3 GAUGE	GAUGE, PRESSURE, QA 3, GAGE, PRESSURE; DIAL INDICATING, 6.0 INCH DIAL, SCALE 0 TO 60 PSIG	3	C	6695D SE
BTE382A	AL	P-A-LL-ET0-081	3 GAUGE	GAUGE, PRESSURE, QA 3, GAGE, PRESSURE; DIAL INDICATING, 6.0 INCH DIAL, SCALE 0 TO 160 PSIG	3	C	6695D SE
BVM350Q	AL	M-A-01-000-002	3 GAUGE	GAUGE, LEVEL, QA 0, LIQUID, CARBON STEEL, 2500/1860 PSI, GAGE, LIQUID LEVEL; CARBON STEEL,TWO-SECTION,SERIES R-20,REFLEX GLASS	0	B	6695D SE
BVQ644C	AL	L-A-09-000-002	1 GAUGE	GAUGE, PRESSURE, QA 3, GAGE, PRESSURE; RANGE 0 TO 60 PSIG, 1/4 INCH SPT BACK CONNECTION, 4	3	B	6695D SE
BWF065V	AL	L-A-09-000-002	1 GAUGE	GAUGE, PRESSURE, QA 0, GAGE, PRESSURE; SPARE PART FOR PORTAL MONITOR ***	0	C	6695D SE
CAF572V	AL	L-A-09-000-002	1 GAUGE	GAUGE, PRESSURE, QA 3, INDICATOR, PRESSURE; DIGITAL, INPUT: 10-50MA, OUTPUT: 0 TO 1500 PSIG.	3	B	6695D SE
CAG959X	AL	L-A-03-000-002	1 GAUGE	GAUGE, PRESSURE, QA 3, GAGE, PRESSURE,DIAL INDICA; 4.5 IN DIAL, 316 SS TUBE/SOCKET, ALUMINUM	3	C	6695D SE
CAP391N	AL	L-A-09-000-002	2 GAUGE	GAUGE, COMPOUND, QA 2, DIAL/INDICATING, 1/4 IN NPT, 2-1/2 IN, BRASS, LOWER, 0-300 PSI, 0-30 IN HG, STEEL, BRONZE	2	B	6695D SE
CAP705T	AL	L-A-05-000-002	1 GAUGE	GAUGE, COMPOUND, QA 2, PRESSURE/VACUUM, 1/4 IN NPT, 4-1/2 IN, BRASS, BACK, 0-5 PSI, 0-10 IN HG, ALUMINUM, 2-1-2 %, BELLOWS MATERIAL: BRASS.	2	B	6695D SE
CAV094Y	AL	L-A-09-000-002	2 GAUGE	GAUGE, PRESSURE, QA 2, GAGE, PRESSURE; DIAL INDICATING, DURALIFE, GRADE 1A, 1.0% FULL SCALE	2	B	6695D SE
CBE881D	AL	L-A-03-000-002	6 GAUGE	GAUGE, PRESSURE, QA 0, 1/2 IN NPT, STAINLESS STEEL, 0-2500 PSIG, 4-1/2 IN, PHENOLIC, BOTTOM, STAINLESS STEEL, GAGE, PRESSURE,DIAL INDICA; 0-	0	C	6695D SE
CBN817D	AL	L-A-09-000-002	1 GAUGE	GAUGE, PRESSURE, QA 1, GAGE, PRESSURE,DIAL INDICA; RANGE: 0 TO 300 PSI, DIAL SIZE: 4.500 IN,	1	B	6695D SE
CDT530C	AL	L-A-13-000-002	3 GAUGE	GAUGE, PRESSURE, QA 3, DIAL/INDICATING, 1/2 IN NPT, 4-1/2 IN, BOTTOM, GAGE, PRESSURE; DIAL INDICATING, 0 TO 300 PSI, 4.5 IN DIAMETER DIAL,	3	C	6695D SE
CDX421N	AL	M-A-01-000-002	31 GAUGE	GAUGE, PRESSURE, QA 0, 1/8 IN, 0-100 PSIG, 2 IN, GAGE, PRESSURE; 2 INCH, 0-100 PSIG, 1/8" CONNECTION ***	0	B	6695D SE
CED904F	AL	L-A-13-000-002	1 GAUGE	GAUGE, PRESSURE, QA 0, DIAL/INDICATING, 1/4 IN NPT, BRASS, 0-500 PSI, 6 IN, POLYPROPYLENE, BACK, +/- 0.5 %, PHOSPHOR BRONZE, GAUGE, PRESSURE	0	B	6695D SE
CEY225B	AL	L-A-09-000-002	2 GAUGE	GAUGE, COMPOUND, QA 2, PRESSURE/VACUUM, 1/2 IN NPT, 4-1/2 IN, SS, LOWER, 0-60 PSI, -30 IN HG, ALUMINUM CASE, SS, +/- 0.5%, SILICON FILLED.	2	C	6695D SE
CFE183D	AL	L-A-13-000-002	1 GAUGE	GAUGE, PRESSURE, QA 3, GAGE, PRESSURE; TYPE: DIAL/INDICATING; CONN. SIZE: 1/4 IN NPT; FACE	3	C	6695D SE
ABF943T	AC	- - -	1 GEAR	GEAR, TYPICAL, QA 0, SOOTBLOWER, *** TRAVELING, FOR COPES-VULCAN T-25E RETRACTABLE BLOWER	0	P	4410C SE
ABW939E	AL	J-B-12-009-001	3 GEAR	GEAR, WORM, QA 0, GEAR, WORM; BRONZE B427-908, SIZE 80 SIDE MOUNTED HANDJACK, FOR FISHER	0	P	48200 SE
ADW082W	AL	A-A-01-000-001	3 GEAR	GEAR, TYPICAL, QA 0, 96.400:1, *** FOR ELECTRODYNE AUTOMATIC VALVE OPERATOR, SIZE TN200, MODEL 64	0	P	3040D SE
ADW135B	AL	A-A-01-000-001	1 GEAR	GEAR, SPUR, QA 0, *** FOR RECORDER	0	P	3040D SE
AJC392A	AL	A-A-01-000-001	1 GEAR	GEAR, HELICAL, QA 0, 2-1/2 IN, 3-1/2 IN, 19, STEEL, GEAR, HELICAL; STEEL, 19 TEETH, 3 IN DP, 3.5 IN FACE, 2.5 IN BORE	0	P	3040D SE
ANF956D	AL	5-B-01-301-000	7 GEAR	GEAR, TYPICAL, QA 0, PINION, FOR DAMPER OPERATOR, MODEL HA-133-300, DWG SH-5101, ON BABCOCK	0	C	4520N SE
ANH291X	AL	W-A-01-000-001	1 GEAR	GEAR, WORM, QA 0, *** FOR LIMITORQUE VALVE OPERATOR, TYPE SMB, SIZE 5 X T, SN 68833A, ON	0	P	48200 SE
ANW908N	AC	- - -	2 GEAR	GEAR, PINION, QA 0, GEAR ASSY, LEVEL CONTROLLER; LOADER SHAFT AND PINION, FOR LC-6 HIGH	0	P	6695D SE
APF638M	AL	- - -	6 GEAR	GEAR, SPUR, QA 0, GEAR, SPUR; TRAVERSING GEAR BOX, FOR RW-2EWATERWALL DESLAGGER ***	0	P	4410C SE
APH451V	AL	A-A-01-000-001	1 GEAR	GEAR, PINION, QA 0, GEAR, ; PINION, C/W SHAFT, REF 6XA-15,FOR CONVERTO-GEAR MANUAL VALVE	0	P	48200 SE
APH751F	AL	A-A-01-000-001	1 GEAR	GEAR, TYPICAL, QA 0, PUMP, *** RING, REF 6XA-4, FOR CONVERTO-GEAR MANUAL VALVE OPERATOR, SIZE 6X	0	P	48200 SE
AQF233A	AL	D-B-16-000-001	29 GEAR	GEAR, TYPICAL, QA 0, *** FOR MODEL 10L2251 ANGLE GRINDER	0	P	5130U SE
ARY909P	AC	- - -	3 GEAR	GEAR, TYPICAL, QA 0, PUMP, *** IMPELLER, REF 1273 OR 1273A, FOR PUMP, GAS SIDE SEAL OIL, 2.5 GPM	0	P	4320U SE
AVA244C	AL	- - -	1 GEAR	GEAR, SPUR, QA 0, 80, 32, *** P/N 74, FOR MOD AM-3BF AIR MONITOR	0	P	3040D SE
AVA312M	AC	- - -	1 GEAR	GEAR, SPUR, QA 0, GEAR, SPUR; 64 TEETH,W/KEY SLOT,32 PITCH, P/N 72,FOR MOD AM-3BF AIR	0	P	3040D SE
AVA839C	AL	D-A-06-202-000	1 GEAR	GEAR, TYPICAL, QA 0, GEAR ASSY, ; STEEL, FOR COMPRESSOR, MODEL 17FA431C, S/N 500232, ON	0	P	3040D SE
AVV769F	AL	A-A-01-000-001	1 GEAR	GEAR, WORM, QA 0, 40, BRASS, *** DWG ITEM E6, FOR ICE MACHINE GEAR REDUCER, MOD DU50, RPM 1750	0	P	6105D SE
AWC965N	AL	A-A-01-000-001	4 GEAR	GEAR, PINION, QA 0, GEAR, ; PINION, REF 104, FOR VALVE ACTUATOR, TYPE TN 20-107MB30, SN	0	P	48200 SE
AWC971V	AL	A-A-01-000-001	4 GEAR	GEAR, HELICAL, QA 0, GEAR, HELICAL; HELICAL, REF 74, FOR VALVE ACTUATOR, TYPE TN	0	P	48200 SE
AWC975K	AL	A-A-01-000-001	3 GEAR	GEAR, TYPICAL, QA 0, GEAR, ; REF 95, FOR VALVE ACTUATOR, TYPE TN 20-107MB30, SN 1429B621	0	P	48200 SE
AWC984J	AL	A-A-01-000-001	3 GEAR	GEAR, WORM, QA 0, BRASS, *** REF 13, FOR VALVE ACTUATOR, TYPE TN 20-107MB30, SN 1429B621, C/W	0	P	48200 SE

AWK284B	PR	N-B-01-000-000	1	GEAR	GEAR, SET, QA 0, GEAR ASSY, GENERATOR; STEEL, C/O 1 LS DOUBLE HELICAL GEAR, TYPE	0	P	3040D SE
AWW860X	AL	A-A-01-000-001	3	GEAR	GEAR, BEVEL, QA 3, GEAR, BEVEL; STEEL, REF 13, FOR 006.000 IN,HAND OPERATED DIAPHRAGM	3	P	48200 SE
AXT172C	AL	A-A-01-000-001	2	GEAR	GEAR, WORM, QA 0, 62, STEEL, *** FOR ROTARY VALVE ACTUATOR, TYPE PB, SIZE 2, ORDER NO 351970E, S/N	0	P	48200 SE
AXY053N	AL	D-B-05-202-002	3	GEAR	GEAR, WORM, QA 0, STEEL, *** REF 207, FOR VALVE ACTUATOR, MODEL EB-000, JOB 11872-A-1, S/N	0	P	3040D SE
AYF021B	AL	A-A-01-000-001	2	GEAR	GEAR, TYPICAL, QA 0, CLUTCH, BRASS, *** FOR CONDUCTIVITY RECORDER, MODEL VKB01-351-F085-OCB-6A, PN	0	P	3040D SE
AYR740B	AL	A-A-01-000-001	1	GEAR	GEAR, SET, QA 0, GEAR SET, ; C/O GEAR REF 30 AND GEAR REF 31, FOR MIXER, MODEL NLDG-50	0	P	3040D SE
BAY647G	AL	A-A-01-000-001	5	GEAR	GEAR, TYPICAL, QA 0, RECORDER, *** IDLER, FOR CONDUCTIVITY RECORDER, MODEL VKB01-351-F085-OCB-6A, PN	0	P	3040D SE
BBQ840T	AL	A-A-01-000-001	1	GEAR	GEAR, PINION, QA 0, 59, *** RING, REF 35, FOR WINCH ASSY CH-16, ON PETTIBONE CRANE, MODEL 70	0	P	3040D SE
BEJ212R	AL	A-A-01-000-001	1	GEAR	GEAR, SPUR, QA 0, STEEL, *** 1300 RPM	0	P	3040D SE
BEK215E	AL	A-A-01-000-001	1	GEAR	GEAR, PINION, QA 0, GEAR ASSY, ; INTERNAL, W/PINION, REF 30 & 31, DWG L15894 AND L16117	0	P	5130U SE
BHA256V	AL	A-A-01-000-001	1	GEAR	GEAR, WORM, QA 0, GEAR, WORM; WITHOUT DRIVE SLEEVE, FOR VALVE ACTUATOR, TYPE HBC-6, S/N	0	P	48200 SE
BHX060D	AL	A-A-01-000-001	2	GEAR	GEAR, BEVEL, QA 3, GEAR, BEVEL; STEEL, REF 100, FOR VALVE ACTUATOR, TYPE SBD-00, TYPICAL	3	P	48200 SE
BLA836N	AL	A-A-01-000-001	4	GEAR	GEAR, TYPICAL, QA 0, HOIST, STEEL, *** INTERMEDIATE, FOR HOIST, CAT 2N444-34F1	0	P	3040D SE
BNP809B	AL	1-A-25-099-001	6	GEAR	GEAR, TYPICAL, QA 0, GEAR, ; RING ***	0	P	3040D SE
BQM897G	AL	D-B-07-101-003	3	GEAR	GEAR, TYPICAL, QA 0, *** FOR MODEL R-150 & R-300 DEHUMIDIFIERS	0	C	3040D SE
BTQ098A	AL	A-A-01-000-001	2	GEAR	GEAR, SPUR, QA 1, GEAR, SPUR; STEEL, 107 TEETH, REDUCER, RATIO 358, INPUT RPM 1725	1	B	6105D SE
BVD783N	AC	- - -	1	GEAR	GEAR, WORM, QA 1, 42, , SHAFT CLUTCH, SOFT CLUTCH	1	C	48200 SE
BVQ300R	AL	A-A-01-000-001	5	GEAR	GEAR, BEVEL, QA 1, GEAR, BEVEL; STEEL, 15 TEETH, PLANNET, FOR AIR STARTER, SIZE 150 BMP	1	B	29100 SE
BXQ703B	AC	- - -	1	GEAR	GEAR, TIMING, QA 0, GEAR, RECORDER; PULSE TIMING, FOR GE RECORDER, MODEL 8HG1A021041, TYP	0	B	6695D SE
CAA462W	AL	D-B-07-301-001	1	GEAR	GEAR, WORM, QA 1, , ITEM NO. 26, VENDOR DWG. NO. WD-5955, DELROYD GEAR P/N DG0249E-14,	1	C	4730P SE
CAA467J	AL	D-B-07-301-001	1	GEAR	GEAR, WORM, QA 1, , STRAINER, ITEM NO. 85, VENDOR DRAWING NO. WD-5955, FOR GEAR DRIVE	1	C	4730P SE
AAT230R	AL	M-A-13-000-002	2	GEAR	GEAR, SPUR, QA 2, GEAR, SPUR; CRANKSHAFT, FOR ELECTRO-MOTIVE DIV, GENERAL MOTORS	2	P	29100 SE
AAT330M	AL	M-A-13-000-002	4	GEAR	GEAR, SPUR, QA 2, GEAR, SPUR; PUMP DRIVE, FOR ELECTRO-MOTIVE DIV, GENERAL MOTORS	2	P	29100 SE
ABE083F	AL	L-A-13-000-002	1	GEAR	GEAR, WORM, QA 0, GEAR, DRIVE; 53-88-0900, WITH WORM, 10 TO 1RATIO, (MATCHED SET), REF	0	P	3040D SE
ABJ385K	AL	L-A-09-000-002	3	GEAR	GEAR, TYPICAL, QA 1, GEAR, ; CLUTCH,HANDWHEEL, REF 42, FOR LIMITORQUE VALVE OPERATOR, TYPE	1	P	48200 SE
ACW547R	AL	L-A-09-000-002	2	GEAR	GEAR, SPUR, QA 3, GEAR, SPUR; 64 TOOTH, 64P, FOR LEEDS AND NORTHRUP SPEEDOMAX H RECORDER	3	P	6695D SE
ACY995K	AL	M-A-10-000-002	3	GEAR	GEAR, SPUR, QA 2, GEAR, SPUR; PLASTIC, FOR RECORDER, MODEL 6400H AND/OR TYPE 1800, 2	2	P	6695D SE
AEW141A	AL	L-A-09-000-002	3	GEAR	GEAR, WORM, QA 3, GEAR, WORM; BALANCING MOTOR, SPIRAL, FOR LEEDS AND NORTHRUP SPEEDOMAX	3	P	6695D SE
AFF982P	AL	L-A-09-000-002	29	GEAR	GEAR, PINION, QA 0, GEAR, BEVEL; BEVEL, ITEM 3, FOR TYPE AFP, SIZE 60, SN 18801880-AR ***	0	P	3040D SE
AGJ771F	AL	L-A-09-000-002	2	GEAR	GEAR, WORM, QA 0, 49, *** SHAFT, FOR LIMITORQUE VALVE OPERATOR, TYPE SMB-0, TYPICAL SN	0	P	48200 SE
AGW502Q	AL	L-A-13-000-002	2	GEAR	GEAR, TYPICAL, QA 0, GEAR, ; "B", RATIO 625:1, 10 & 50T, FOR TRIDENT 1-1/2" COLD WATER	0	P	3040D SE
AGW601N	AL	L-A-13-000-002	1	GEAR	GEAR, TYPICAL, QA 0, GEAR, ; CHANGE, FOR TRIDENT 001.500 IN CREST METER, ON COCHRAN	0	P	3040D SE
AGW601N	AL	L-A-09-000-002	4	GEAR	GEAR, TYPICAL, QA 0, GEAR, ; CHANGE, FOR TRIDENT 001.500 IN CREST METER, ON COCHRAN	0	P	3040D SE
AGW802C	AL	L-A-13-000-002	1	GEAR	GEAR, TYPICAL, QA 0, TRAIN, *** COMPLETE, FOR TRIDENT 1-1/2" CREST METER, SN 18979998 AND 999, ON	0	P	3040D SE
AGW901A	AL	L-A-13-000-002	1	GEAR	GEAR, WORM, QA 0, 12/30, 100:1, *** "C" RATIO 100:1, FOR TRIDENT 1-1/2" COLD WATER CREST METER, ALARM	0	P	3040D SE
AGY190H	AL	L-A-09-000-002	1	GEAR	GEAR, WORM, QA 0, 25, *** SHAFT, FOR LIMITORQUE VALVE OPERATOR, TYPE SMB-000	0	P	48200 SE
AHW844L	AL	L-A-09-000-002	2	GEAR	GEAR, TYPICAL, QA 3, GEAR ASSY, ; FOR SPEEDOMAX W AND/OR H COMPUTER BACKUP ***	3	P	6630D SE
AJG072Y	AL	L-A-07-000-002	1	GEAR	GEAR, TYPICAL, QA 0, GEAR, ; DRIVEN, 24 IN PITCH DIA, C I, ITEM 43, FOR AUTOMATIC WATER	0	P	3040D SE
AJP185N	AL	L-A-09-000-002	2	GEAR	GEAR, PINION, QA 0, GEAR, ; PINION, ROTOR, FOR AIR STARTERSIZE 150 BMP, MODEL D89RH46 &	0	P	3040D SE
AJP884V	AL	L-A-13-000-002	2	GEAR	GEAR, TYPICAL, QA 0, GEAR, ; PLANET, FOR INGERSOLL-RAND AIR STARTER, SIZE 150 BMP, MODEL	0	P	3040D SE
AJW571P	AL	L-A-13-000-002	3	GEAR	GEAR, SPUR, QA 0, *** FOR LEEDS AND NORTHRUP H&W RECORDERS	0	P	6695D SE
ALV277G	AL	L-A-13-000-002	2	GEAR	GEAR, TYPICAL, QA 0, GEAR, ; CAT A-H-14, FOR ELEMENT ASSY 3278K60, ON GE STRIP CHART	0	P	6695D SE
ALV278E	AL	L-A-13-000-002	11	GEAR	GEAR, TYPICAL, QA 0, RECORDER, 48, *** PULSE, FOR GE SUPERVISORY INSTURMENT STRIP CHART RECORDER, TYPE	0	B	6695D SE
ALV378A	AL	L-A-09-000-002	5	GEAR	GEAR, TYPICAL, QA 0, RECORDER, *** CAT A-E-7, FOR ELEMENT ASSY 3278K60, ON GE STRIP CHART RECORDER	0	P	6695D SE
AMT426Q	AL	M-A-13-000-002	2	GEAR	GEAR, TYPICAL, QA 2, GEAR, DRIVE; UPPER, IDLER, LH ROTATION, FORELECTRO-MOTIVE DIV, GENERAL	2	P	29100 SE
AMV364F	AL	L-A-13-000-002	3	GEAR	GEAR, TYPICAL, QA 0, GEAR, ; COMPENSATING, FOR FOXBORO PNEUMATIC FLOW INTEGRATOR, MODEL	0	P	6695D SE
APD739R	AL	L-A-09-000-002	4	GEAR	GEAR, TYPICAL, QA 0, GEAR, ; REF 10.7, FOR SENTRY CENTRIFUGAL REFRIGERATION UNIT NC 175	0	P	4520N SE
APW100D	AL	L-A-13-000-002	1	GEAR	GEAR, TYPICAL, QA 0, RECORDER, *** FOR REPUBLIC FLOW METER RECORDER, MODEL 2550	0	P	6695D SE
AQM699V	AL	L-A-13-000-002	3	GEAR	GEAR, TYPICAL, QA 0, GEAR, RECORDER; SPEED, FOR GE RECORDER, MODEL 8HG1A100155, 8HG1A100156	0	B	6695D SE
AQM700J	AL	L-A-13-000-002	4	GEAR	GEAR, TYPICAL, QA 0, RECORDER, *** CHART DRIVE, FOR GE RECORDER, MODEL 8HG1A100155 AND MODEL	0	B	6695D SE
AQV180J	AL	L-A-09-000-002	1	GEAR	GEAR, WORM, QA 0, GEAR, WORM; SHAFT, REF 41, FOR LIMITORQUE VALVE OPERATOR TYPE SMB-000	0	P	48200 SE
ARJ005R	AL	M-A-01-000-002	1	GEAR	GEAR, WORM, QA 0, *** FOR FR141-144 CONTROLLED VOLUME PUMP (HYDRAZINE), FLANGED DRIVE	0	P	3040D SE
ARJ288T	AL	T-A-01-000-002	1	GEAR	GEAR, PINION, QA 0, GEAR, PINION; BALANCE MOTOR, FOR CHART DRIVE300 ON MULTIPOINT	0	P	3040D SE
AVA146C	AL	L-A-13-000-002	1	GEAR	GEAR, TYPICAL, QA 0, 12, *** WITH SHAFT, FOR VARIABLE FREQUENCY MG SET ELECTRIC CONTROL DRIVE,	0	P	6695D SE
AVA244C	AL	L-A-15-000-002	2	GEAR	GEAR, SPUR, QA 0, 80, 32, *** P/N 74, FOR MOD AM-3BF AIR MONITOR	0	P	3040D SE
AVA280K	AL	L-A-13-000-002	1	GEAR	GEAR, SPUR, QA 0, 24, 32, *** P/N 77, FOR MOD AM-3BF AIR MONITOR	0	P	3040D SE
AVA290G	AL	L-A-15-000-002	4	GEAR	GEAR, SPUR, QA 0, GEAR, SPUR; 32 TEETH,W/ALLEN SCREW, 32 PITCH,P/N 76,FOR MOD AM-3BF AIR	0	P	3040D SE
AVA304M	AL	L-A-13-000-002	2	GEAR	GEAR, SPUR, QA 0, GEAR, SPUR; 32 TEETH,W/KEY SLOT,32 PITCH, P/N 78 FOR MOD AM-3BF AIR	0	P	3040D SE
AVA312M	AL	L-A-13-000-002	1	GEAR	GEAR, SPUR, QA 0, GEAR, SPUR; 64 TEETH,W/KEY SLOT,32 PITCH, P/N 72,FOR MOD AM-3BF AIR	0	P	3040D SE
AVC842D	AL	M-A-10-000-002	2	GEAR	GEAR, WORM, QA 1, GEAR ASSY, ; WORM AND DRIVE SLEEVE, HARDWARE PC #5, FOR VALVE	1	P	48104 SE
AWT291A	AL	M-A-06-000-002	2	GEAR	GEAR, SPUR, QA 0, 36, PLASTIC, *** PLASTIC IDLER, YOKE SHAFT, FOR MULTIPOINT RECORDER, MODEL M11E-48	0	P	3040D SE
AXG444Q	AL	T-A-01-000-002	1	GEAR	GEAR, HELICAL, QA 0, 3/4 IN, 2-3/4 IN, 120, NYLON, FOR MULTIPOINT RECORDERS, SERIES 165 AND 250	0	P	6695D SE
AYH242R	AL	M-A-10-000-002	2	GEAR	GEAR, TYPICAL, QA 2, DIESEL GENERATOR, 17.9:1, GEAR ASSY, ; STEEL, FOR TURBOCHARGER SPRINGDRIVE, LEFT HAND ROTATION,	2	P	29100 SE
AYK665J	AL	M-A-09-000-002	12	GEAR	GEAR, PINION, QA 2, GEAR, BEVEL; STEEL, 15 TEETH, PLANNET, FOR AIR STARTER, SIZE 150 BMP	2	P	29100 SE
AYV281V	AL	M-A-16-000-002	3	GEAR	GEAR, SPUR, QA 3, GEAR, SPUR; STEEL, HANDWHEEL, FOR VALVE, ACTUATOR, TYPE SMB-O. ***	3	P	48200 SE
BAA530Q	AL	T-A-12-000-002	4	GEAR	GEAR, SPUR, QA 0, STEEL, *** FOR INDUCTION MOTOR, TYPE UIM8P15, P/N 9179-0500, 115 VAC, 15	0	P	3040D SE
BBH732N	AL	M-A-01-000-002	2	GEAR	GEAR, SPUR, QA 0, 28, *** FOR PUMP, ID 838-923-220, S/N 78-94531, ON RADIATION MONITOR	0	P	4310I SE
BBQ905E	AL	M-A-01-000-002	1	GEAR	GEAR, SPUR, QA 0, STEEL, *** ANTIBACKLASH, REF 34, FOR CHAIN HOIST, RATCHET LEVER, MODEL MA-30	0	P	3040D SE
BHD744Y	AL	M-A-08-000-002	1	GEAR	GEAR, WORM, QA 1, GEAR, WORM; FOR VALVE ACTUATOR, SMB-00 ***	1	P	48200 SE
BJE373W	AL	M-A-12-000-002	6	GEAR	GEAR, WORM, QA 1, GEAR, WORM; VALVE ACTUATOR, TYPE SMB-00, SN 137181, FOR 6200 SB-00 AND	1	P	48200 SE
BJN036W	AL	M-A-12-000-002	10	GEAR	GEAR, WORM, QA 1, GEAR, WORM; 45 TEETH, FOR VALVE OPERATOR, TYPE SMB-00, S/N 140638, SO	1	P	48200 SE
BLP052D	AL	M-A-01-000-002	2	GEAR	GEAR, WORM, QA 0, 45, STEEL, *** SHAFT, FOR VALVE ACTUATOR, UNIT SIZE SMB-00	0	P	48200 SE
BRE030J	AL	M-A-12-000-002	6	GEAR	GEAR, TYPICAL, QA 1, GEAR BOX ASSY, ACTUATOR; W/ROTORS,NUCLEAR,LUBRICATED WITH MOBIL 28	1	B	48200 SE
BTR138W	AL	P-A-LL-ET0-108	2	GEAR	GEAR, TYPICAL, QA 3, GEAR, ; DWG A-7650, FOR REFUEL FLOOR OVERHEAD CRANE, MODEL E-5589 ***	3	C	3950F SE
BTR287B	AL	L-A-09-000-002	2	GEAR	GEAR, PINION, QA 0, 17, *** MOTOR, REF 16, FOR LIMITORQUE VALVE OPERATOR, TYPE PB-2, WG	0	C	48200 SE

BTR316Y	AL	L-A-09-000-002	1	GEAR	GEAR, PINION, QA 0, 61, *** INTERMEDIATE, FOR VALVE OPERATOR, TYPE PB-2 DWG D-74182.	0	C	48200	SE
BWG641M	AL	L-A-05-000-002	2	GEAR	GEAR, TYPICAL, QA 3, GEAR ASSY, PUMP; HIGH SPEED, REF 40-1, GEAR MOTOR, MODEL 5K326PK233-A/	3	C	4320U	SE
BXL179M	AL	L-A-13-000-002	6	GEAR	GEAR, BEVEL, QA 3, GEAR, BEVEL; 2 PER SET, FOR REFUELING PLATFORM FUEL GRAPPLE MAIN HOIST	3	C	3950F	SE
BXQ695E	AL	L-A-13-000-002	4	GEAR	GEAR, TYPICAL, QA 0, GEAR ASSY, RECORDER; CAT A-P-7, FOR ELEMENT ASSY 3278K60, ON GE STRIP	0	B	6695D	SE
BXQ701F	AL	L-A-13-000-002	4	GEAR	GEAR, TYPICAL, QA 0, RECORDER, *** SPEED CHANGE, FOR GE RECORDER, MODEL 8HG1A021041, TYP SN 431-4834	0	B	6695D	SE
BXQ703B	AL	L-A-13-000-002	5	GEAR	GEAR, TIMING, QA 0, GEAR, RECORDER; PULSE TIMING, FOR GE RECORDER, MODEL 8HG1A021041, TYP	0	B	6695D	SE
BXQ746P	AL	L-A-13-000-002	3	GEAR	GEAR, TYPICAL, QA 0, RECORDER, *** SPEED CHANGE, FOR GE RECORDER, MODEL 8HG1A021041, TYP SN 431-4834	0	B	6695D	SE
BXQ752W	AL	L-A-13-000-002	4	GEAR	GEAR, TYPICAL, QA 0, GEAR ASSY, RECORDER; BUSHING, FOR GE RECORDER, MODEL 8HG1A021041, TYP	0	B	6695D	SE
BXR011R	AL	L-A-09-000-002	2	GEAR	GEAR, TYPICAL, QA 0, *** FOR GE RECORDER, MODEL 8HG-1A021046, 12 POINT, TYPICAL SN 431-4930	0	C	6695D	SE
CBV375R	AL	L-A-03-000-002	6	GEAR	GEAR, TYPICAL, QA 2, GEAR, ASSEMBLY; FOR THE WORTHINGTON CHILLER, STAR GEAR, REF. 4.6	2	C	4520N	SE
CFT957F	AL	J-A-12-202-000	1	GEAR	GEAR, PINION, QA 0, PULVERIZER, REBUILT UNIT; GEAR ASSY, METAL, C/W INNER BEARING, DWG KS-71636-10,	0	C	4420H	SE
AHB843E	AL	Z-A-12-000-000	6	GEARBOX	GEARBOX, TYPICAL, QA 0, 12.92:1, GEAR, ; REDUCER, W/OUTPUT SHAFT ASSY, FOR GEAR ASSY 669-512-000 ON	0	C	3040D	SE
BEM571D	AL	D-A-32-104-001	1	GEARBOX	GEARBOX, TYPICAL, QA 0, RECORDER, GEAR ASSY, SPEED DECREASER; MAIN, FOR RECORDER, MODEL VKP	0	P	3040D	SE
BKF855Y	AL	A-A-01-000-001	5	GEARBOX	GEARBOX, TYPICAL, QA 0, 150:1, GEAR ASSY, SPEED DECREASER; BOX, GEAR RATIO 150 TO 1, WORM GEAR 5CVD,	0	P	3040D	SE
CJQ872F	TR	- - - -	1	GEARBOX	GEARBOX, TYPICAL, QA 3, 250, , RPM: 1770/4210, SERIAL NO.: 272922, MODEL NO.: S-231-BJ,	3	C	6105D	SE
AEB257E	AL	M-A-09-000-002	1	GEARBOX	GEARBOX, TYPICAL, QA 0, 25, 1/4, GEAR ASSY, SPEED DECREASER; OUTPUT RPM 25, CLASS SERVICE 1S/N	0	P	3040D	SE
AHY049P	AL	M-A-09-000-002	1	GEARBOX	GEARBOX, TYPICAL, QA 0, 1750, 2.97, 7-1/2:1, GEAR ASSY, SPEED DECREASER; INPUT RPM 1750, HP 2.97, RATIO0-150, S/NM	0	P	6105D	SE
AHY549C	AL	M-A-02-000-002	1	GEARBOX	GEARBOX, TYPICAL, QA 0, 1725, 3, 25.600:1, GEAR ASSY, SPEED DECREASER; DRIVE, MODULINE, CAT NO 182B21D, 3 HP,	0	P	6105D	SE
ARM211F	AL	M-A-09-000-002	1	GEARBOX	GEARBOX, TYPICAL, QA 0, 1750, 3/4, GEAR ASSY, SPEED DECREASER; MODEL 0047RS,1750 RPM,0.750 HP,3565 TORQUE	0	P	3040D	SE
BPG654B	PR	R-A-04-000-002	1	GEARBOX	GEARBOX, TYPICAL, QA 0, GEAR ASSY, SPEED DECREASER; PARALLEL SHAFT, 4.25 HP INPUT,70 RPM	0	C	3040D	SE
BTT026R	AL	P-A-LL-ET0-108	2	GEARBOX	GEARBOX, TYPICAL, QA 3, GEAR ASSY, SPEED DECREASER; CONE DRIVE GEARS, P/N SVM-401600-EUU, FOR	3	C	3950F	SE
BVH111L	AL	M-A-01-000-002	1	GEARBOX	GEARBOX, TYPICAL, QA 3, LOW SPEED, GEAR ASSY, SPEED DECREASER; LOW GEAR, FOR 3 HP, 25/6 RATIO GEAR	3	B	6105D	SE
BVK363E	AL	P-A-LL-ET0-095	5	GEARBOX	GEARBOX, TYPICAL, QA 1, GEAR BOX, CIRCUIT BREAKER; AK-50 MODEL, REPLACEMENT KIT, 250 VOLTS DC.	1	C	5925B	SE
BVK412V	AL	P-A-LL-ET0-095	3	GEARBOX	GEARBOX, TYPICAL, QA 1, GEAR BOX, CIRCUIT BREAKER; AK-50 MODEL, REPLACEMENT KIT, 120 VOLTS AC.	1	C	5925B	SE
BXD959Y	AL	L-A-01-000-002	2	GEARBOX	GEARBOX, TYPICAL, QA 0, GEAR BOX, CHAINWHEEL; FOR MANUAL CHAIN WHEEL OPERATION	0	C	3040D	SE
AVB992Y	AL	M-A-11-000-002	1	GEARMOTOR	GEARMOTOR, TYPICAL, QA 0, 1730/540, 70:25, 460, 3, 1-1/2, GEARCASE, MOTOR; 1.500 HP,460 VAC,2.7/2 AMP,3 PH,1730/540 RPM,C/W	0	P	3040D	SE
BGX635P	AL	M-A-12-000-002	17	GEARMOTOR	GEARMOTOR, TYPICAL, QA 0, GEARCASE, MOTOR; 115 VAC, 0.27 AMP, BED DRIVE, FOR MODEL A-3-BE	0	P	6105D	SE
BLT880C	AL	M-A-03-000-002	1	GEARMOTOR	GEARMOTOR, TYPICAL, QA 1, GEAR ASSY, ; 115 VDC, MOTOR AND GEAR, FOR ITE 480 VOLT BREAKER, TYPE	1	P	5925B	SE
BNP590Q	AL	M-A-08-000-002	1	GEARMOTOR	GEARMOTOR, TYPICAL, QA 3, GEARCASE, MOTOR; CONSISTING OF MOTOR, BRAKE, AND REDUCER WITH LOAD	3	B	4470C	SE
ADT939C	AL	L-A-02-000-002	8	GENERATOR	GENERATOR, TYPICAL, QA 0, WINDING, ; GENERATOR FIELD, MAIN, FOR PLANT PREFERRED AC GENERATOR, 4	0	P	6115F	SE
ATX678E	AL	L-A-09-000-002	2	GENERATOR	GENERATOR, TYPICAL, QA 3, GENERATOR, ENGINE ACCESSORY; INTERNALLY REGULATED, 024.000 VDC	3	P	2910O	SE
BLP822Y	PR	T-A-05-000-002	1	GENERATOR	GENERATOR, TYPICAL, QA 0, MOTOR-GENERATOR ASSY, ; 200-230/460 VOLTS, 32 AMPS, THREE PHASE,	0	C	6115F	SE
AJJ167J	AL	A-A-01-000-001	1	GLAND	GLAND, PACKING, QA 0, PACKING GLAND, VALVE; (NINE RINGS PER SET), FOR POWELL GATE VALVE	0	P	48200	SE
ALJ062B	AL	A-A-01-000-001	34	GLAND	GLAND, PACKING, QA 0, PACKING GLAND, VALVE; VALVE, FOR POWELL 2 IN VALVE, FIG 2612 ***	0	P	48200	SE
ATW957F	AL	A-A-01-000-001	1	GLAND	GLAND, PACKING, QA 0, GLAND, VALVE; STEEL, FOR GLOBE VALVE, 002.000 IN, 1500 PSI WOG ***	0	P	48200	SE
AXA194L	AL	A-A-01-000-001	1	GLAND	GLAND, PACKING, QA 0, GLAND, VALVE; CAST IRON, MECHANICAL POINT, 2 EA PER PAIR, FOR 014.000	0	P	48200	SE
BDD550G	AL	A-A-01-000-001	2	GLAND	GLAND, SEALING, QA 1, GLAND, PUMP; STAINLESS STEEL, MECHANICAL SEAL, FOR CENTRIFUGAL PUMP	1	P	4320U	SE
BDL034A	AL	A-A-01-000-001	1	GLAND	GLAND, PACKING, QA 0, GLAND, PUMP; STAINLESS STEEL, AUXILIARY, FOR CENTRIFUGAL PUMP, TYPE 48	0	P	4320U	SE
BEG949F	AL	A-A-01-000-001	8	GLAND	GLAND, SEALING, QA 0, GLAND, CYLINDER, HOIST; STEEL, FOR 20,000 LB CAPACITY HYDRAULIC	0	C	3950F	SE
BJJ223V	AL	F-A-29-201-000	3	GLAND	GLAND, PACKING, QA 1, GLAND, VALVE; STAINLESS STEEL ASTM A564 GR 630, HTC 900, FOR RCIC	1	B	48200	SE
BKC701B	AL	A-A-01-000-001	19	GLAND	GLAND, PACKING, QA 0, PACKING GLAND, VALVE; GRAPHITE, NINE EACH PER SET, FOR 4 IN, 150 PSIG	0	P	48200	SE
BPM122K	AL	A-A-01-000-001	1	GLAND	GLAND, PACKING, QA 3, GLAND, VALVE; LANTERN, ASTM A-276 TYPE 316, FOR 4.00 INCH GATE VALVE	3	C	48200	SE
BQP781R	AL	D-A-17-301-002	4	GLAND	GLAND, SEALING, QA 0, GLAND, PIPE; MATERIAL: DUCTILE IRON, SIZE: 06.000000 (6) END TYPE:	0		4730P	SE
BQR817L	AL	A-A-01-000-001	4	GLAND	GLAND, SEALING, QA 3, GLAND, SEDIMENT STRAINER; MATERIAL:HR-1020,IT 15,DWG 16693,REV B, SIZE	3	B	4730P	SE
BYH468P	AL	A-A-01-000-001	1	GLAND	GLAND, PACKING, QA 3, GLAND, VALVE; STAINLESS STEEL, FOR 16" ASME SEC III CLASS 2 GATE	3	C	48200	SE
CAB880G	AC	- - - -	1	GLAND	GLAND, PACKING, QA 1, , FOR TD AUX FEEDWATER PUMP, SIX STAGE, 790 GPM AT 3950 RPM 3350 FT	1	C	4320U	SE
CBB490P	AL	A-A-01-000-001	1	GLAND	GLAND, PACKING, QA 0, GLAND, PUMP; MECHANICAL SEAL, FOR INGERSOLL DRESSER MODEL # 4 X 3 X	0	C	4320U	SE
AKJ754W	AL	L-A-09-000-002	1	GLAND	GLAND, PACKING, QA 1, GLAND, PUMP; STNLS STL, WEDGE, SOLID, FOR 006.000 IN GATE VALVE, FIG	1	P	48200	SE
ANE479T	AL	L-A-03-000-002	1	GLAND	GLAND, PACKING, QA 0, GLAND, PUMP; PUMP, CI, FOR CENTRIFUGAL PUMP, SIZE 3 IN, MODEL 5874A	0	P	4320U	SE
AYW264N	AL	T-A-01-000-002	1	GLAND	GLAND, PACKING, QA 0, PACKING GLAND, VALVE; RING, 12 PER SET, GRAPHITE, BRAIDED, REF 9, FOR	0	P	48200	SE
BAV445C	AL	M-A-16-000-002	2	GLAND	GLAND, PACKING, QA 2, PACKING GLAND, VALVE; FLANGE, FOR GATE VALVE, 1 IN, DWG 3NC035, REV 2	2	P	48200	SE
BEH141V	AL	M-A-01-000-002	2	GLAND	GLAND, PACKING, QA 3, GLAND, PACKING; BRASS, 160 PEDESTAL CRANE, S/N 167-8-73, INTAKE	3	P	3950F	SE
BHQ056J	AL	L-A-02-000-002	4	GLAND	GLAND, PACKING, QA 1, GLAND, PUMP; SPLIT, BRASS, DWG 1F6473, ITEM 31, ASTM B-584 ALLOY	1	C	4320U	SE
BLA122Y	AL	L-A-09-000-002	3	GLAND	GLAND, PACKING, QA 3, GLAND, PUMP; BRONZE, MATERIAL CODE 011, LEADED RED CASTING BRASS, SAE	3	P	4320U	SE
BLH882B	AL	L-A-03-000-002	1	GLAND	GLAND, SEALING, QA 3, GLAND, PUMP; CAST IRON, FOR HPCI GLAND SEAL CONDENSATE PUMP ***	3	C	4320U	SE
BLT531T	AL	L-A-09-000-002	3	GLAND	GLAND, SEALING, QA 0, GLAND, PUMP; REF 15, FOR PUMP, PDII, SIZE 1-P, 64 GPH, 1750 PSI, S/N	0	P	4320U	SE
BTK498W	AL	P-A-LL-ET0-091	2	GLAND	GLAND, PACKING, QA 1, GLAND, VALVE; PACKING FOLLOWER, A& M DWG NO. 26849-A, TO FIT 2 IN STEM	1	C	48200	SE
BWM256Y	AL	L-A-03-000-002	1	GLAND	GLAND, PACKING, QA 3, GLAND, VALVE; DWG 26512A, FOR 26 - IN. MAIN STEAM ISOLATION VALVE DWG	3	C	48200	SE
BWW194N	AL	L-A-13-000-002	1	GLAND	GLAND, PACKING, QA 3, GLAND, VALVE; LANTERN, PC 8, FOR TILTING DISK CHECK VALVE, FIG 770	3	C	48200	SE
BXB007R	AL	M-A-06-000-002	3	GLAND	GLAND, PACKING, QA 3, GLAND, VALVE; FOR 4 IN Y TYPE GLOBE VALVE 900 LB, CARBON STEEL, ASME	3	C	48200	SE
CBC355D	AL	L-A-11-000-002	1	GLAND	GLAND, PACKING, QA 1, GLAND, SHOCK ARRESTOR; FOR BERGEN-PATTERSON HYDRAULIC SHOCK ARRESTOR	1	C	4710Y	SE
CEA589B	AL	L-A-09-000-002	1	GLAND	GLAND, PACKING, QA 3, GLAND, VALVE; MATERIAL MALLEABLE IRON, ASTM A 47 GR 32510, FOR 3" 300	3	C	48200	SE
BEQ921W	AL	D-A-04-302-003	3	GLASS	GLASS, GAUGE, QA 0, 1/4 IN, 8-1/2 IN, TUBULAR, TUBING, GLASS; 8.5 LONG X 0.25 IN DIA TUBE, 0.5 END OPENINGS, MODEL	0		5680B	SE
BEQ922T	AL	D-B-19-202-001	3	GLASS	GLASS, GAUGE, QA 0, TUBING, GLASS; 8.25 IN LONG, FOR METER, FLOW RATE IND, FLOAT TYPE ***	0		5680B	SE
BER068Q	AL	D-A-04-302-003	4	GLASS	GLASS, GAUGE, QA 0, TUBING, GLASS; PRECISION BORE, FOR METER, FLOW RATE IND, FLOAT TYPE	0		5680B	SE
BGK643C	AL	D-A-04-302-003	8	GLASS	GLASS, GAUGE, QA 0, BLANK INDICATOR, 1 IN, 1-1/8 IN, 8-3/4 IN, TUBULAR, TUBING, GLASS; BLANK INDICATOR, 0 TO 200 GPM, 1.125 IN OD X 1 IN ID	0		5680B	SE
BJW364M	AL	D-A-02-102-011	4	GLASS	GLASS, GAUGE, QA 0, TUBING, GLASS; INDICATING, FOR PORTER WALKER MAGNETIC INDICATING	0		5680B	SE
ADV734R	AL	L-A-09-000-002	49	GLASS	GLASS, SIGHT, QA 0, SHALLOW LABORATORY, 4 IN, GLASS, WATCH GLASS, LABORATORY; LAB, SHALLOW FORM, 004.000 IN DIA ***	0	P	6630D	SE
AGX807W	AL	L-A-03-000-002	13	GLASS	GLASS, SIGHT, QA 0, GLASS, LIQUID SIGHT INDICAT; GLASS, GAGE, FLAT, TRANSPARENT, FOR	0	P	6695D	SE
APP083N	AL	L-A-09-000-002	12	GLASS	GLASS, TYPICAL, QA 0, GLASS, ; COVER, FOR WH TYPE MG-6 RELAY ***	0	P	5945D	SE
BJP976F	AL	L-A-03-000-002	1	GLASS	GLASS, SIGHT, QA 0, 1/2 IN, STAINLESS STEEL/GLASS, CYLINDRICAL, FLANGE, INDICATOR, SIGHT LIQUID; CYLINDER GLASS, PLAIN TUBE FLANGED ENDS, 0.	0	P	6695D	SE
BLT506T	AL	M-A-10-000-002	2	GLASS	GLASS, TYPICAL, QA 0, GLASS, ; AUTOMOTIVE, 2-PLY, W/PLASTIC IN BETWEEN, 16.875 X 25.5625 IN	0	P	5680B	SE
CDE889G	AL	L-A-09-000-002	4	GLASS	GLASS, SIGHT, QA 3, WINDOW, OBSERVATION; FREON LINE IN TRANE CHILLER, MODEL CGWA-1504-MA	3	C	5680B	SE
BCT593M	AL	1-A-03-000-001	48	GLASSES	GLASSES, SAFETY, QA 0, INDUSTRIAL, POLYCARBONATE, CLEAR, SPECTACLES, INDUSTRIAL; COLOR: CLEAR, LENS MATERIAL: POLYCARBONATE ***	0	C	4240P	SE
BDM969M	AL	D-A-27-201-004	50	GLASSES	GLASSES, SAFETY, QA 0, INDUSTRIAL, POLYCARBONATE, CLEAR, 50 MM, SPECTACLES, INDUSTRIAL; EYELET SIZE: 50.000 MM, COLOR: CLEAR, LENS	0		4240P	SE

AAT270D	AL	A-A-01-000-001	7	GLOBE	GLOBE, FIXTURE, QA 0, ELECTRIC, GLASS, CLEAR, GLOBE, ELECTRIC LIGHT; GLASS, CLEAR, FOR FIXTURE TYPEV-51, VAPORTIGHT	0	P	6210P SE
AAT473K	AL	A-A-01-000-001	5	GLOBE	GLOBE, FIXTURE, QA 0, ELECTRIC, GLASS, CLEAR, GLOBE, ELECTRIC LIGHT; GLASS, CLEAR, 200 WATT MAX LAMP SIZE ***	0	P	6210P SE
AAT573F	AL	D-A-28-401-001	2	GLOBE	GLOBE, FIXTURE, QA 0, HEAT RESISTANT, GLASS, CLEAR, GLOBE, ELECTRIC LIGHT; GLASS, CLEAR, HEAT RESISTANT, MAX LAMP SIZE 200	0		6210P SE
ABT175M	AL	D-A-07-402-003	14	GLOBE	GLOBE, FIXTURE, QA 0, GLASS, FROSTED, 8 IN, GLOBE, ELECTRIC LIGHT; GLASS, 8 IN DIA, FROSTED, STRAIGHT SIDE SCREW	0		6210P SE
AXF106K	AL	D-A-32-402-000	6	GLOBE	GLOBE, FIXTURE, QA 0, ELECTRIC, GLASS, GLOBE, ELECTRIC LIGHT; GLASS, FOR LIGHTING FIXTURES, CAT IH-175-120	0		6210P SE
AXY281J	AL	D-A-32-302-001	2	GLOBE	GLOBE, FIXTURE, QA 0, ELECTRIC, GLASS, AMBER, GLOBE, ELECTRIC LIGHT; GLASS, AMBER, FOR LAMPHOLDER VHX15, ON	0		6210P SE
BBP752H	AL	D-A-20-201-000	22	GLOBE	GLOBE, FIXTURE, QA 0, ELECTRIC, CLEAR, GLOBE, ELECTRIC LIGHT; CLEAR, FOR 200 WATT FIXTURE ***	0		6210P SE
BYE867Q	AL	1-A-05-000-001	32	GLOBE	GLOBE, FIXTURE, QA 3, GLOBE, ELECTRIC LIGHT; GLASS,CLEAR,FOR FIXTURE, TYPE V-51,VAPORTIGHT	3	B	6210P SE
APD549Y	AL	D-A-12-201-000	420	GLOVES	GLOVES, SAFETY, QA 0, LARGE, NYLON, GLOVES, WORK CLOTH; MATERIAL: NYLON, SIZE: LARGE ***	0		8415B SE
AXC783N	AL	1-A-03-000-001	120	GLOVES	GLOVES, SAFETY, QA 0, RADIOACTIVE PROTECTIVE, MEDIUM, LATEX, 9-1/4 IN-9-1/2 IN, CLEAR, GLOVES, RADIOACTIVE PROT; MATERIAL: LATEX RUBBER, SIZ	0	P	8415B SE
BNW240T	AL	D-A-01-402-000	2	GLOVES	GLOVES, SAFETY, QA 0, CHEMICAL/OIL PROTECTIVE, 10-1/2, NEOPRENE, 32 IN, BLACK, DRY BOX	0		8415B SE
BNP805K	AL	1-A-25-099-001	12	GOVERNOR	GOVERNOR, CONTROL, QA 0, GOVERNOR, POWER TOOL; GOVERNOR ***	0	C	5130U SE
BXK096M	AL	L-A-07-000-002	1	GOVERNOR	GOVERNOR, CONTROL, QA 3, STEAM TURBINE, *** ELECTRONIC; FOR REACTOR FEED PUMP TURBINE CONTROL SYSTEM.	3	B	2825G SE
CDD590W	AC	- - - -	48	GRATING	GRATING, FLOOR, QA 3, GRATING, METAL; STEEL GRATING, WELDFORGED WELDED RECTANGULAR DESIGN	3	D	5670A SE
BTF020A	AL	D-A-10-102-000	7	GRAVEL	GRAVEL, CONSTRUCTION, QA 0, AGGREGATE, CONSTRUCTION; KOLOR QUARTZ, PREMIXED WITH 2 PARTS GRAY, 1	0		5610J SE
BGT778G	AL	D-A-24-401-000	18	GRILL	GRILL, TYPICAL, QA 0, 24 IN, 24 IN, METAL, GRILLE, METAL; RETURN, 24 X 24 IN, LAY IN TYPE ***	0		5670A SE
BJW865Y	AL	D-A-26-402-000	5	GRILL	GRILL, TYPICAL, QA 3, GRILLE, METAL; ALUMINUM WITH SATIN FINISH, 28LONG X 36 IN HIGH	3		5670A SE
BKG909X	AL	D-A-24-402-000	4	GRILL	GRILL, TYPICAL, QA 3, GRILLE, METAL; 48.00 X 22.00 IN, FIN TYPE, DOUBLE DEFLECTION ***	3		5670A SE
BKG910P	AL	D-A-08-302-000	4	GRILL	GRILL, TYPICAL, QA 3, GRILLE, METAL; 42.00 X 20.00 IN, FIN TYPE, STRAIGHT VOLUME CONTROLLER	3	P	5670A SE
BKG918V	AL	D-A-08-302-000	2	GRILL	GRILL, TYPICAL, QA 3, GRILLE, METAL; 30 X 28 IN, FIN TYPE, STRAIGHT, VOLUME CONTROLLER	3	P	5670A SE
BKG919R	AL	D-A-08-302-000	4	GRILL	GRILL, TYPICAL, QA 3, GRILLE, METAL; 46 X 14 IN, FIN TYPE, DOUBLE DEFLECTION ***	3	P	5670A SE
BKG925Y	AL	D-A-08-302-000	2	GRILL	GRILL, TYPICAL, QA 3, GRILLE, METAL; 24 X 44 IN, FIN TYPE, STRAIGHT,VOLUME CONTROLLER	3	P	5670A SE
BKG930H	AL	D-B-27-302-000	3	GRILL	GRILL, TYPICAL, QA 3, GRILLE, METAL; 48.00 X 18.00 IN FIN TYPE, DOUBLE DEFLECTION, SATIN	3		5670A SE
BTW733Y	AL	D-A-17-401-005	1	GRILL	GRILL, TYPICAL, QA 0, SUPPLY, 24 IN, 48 IN, STEEL, GRILLE, METAL; SUPPLY DIFFUSER,FOUR WAY THROW,NOMINAL 6 X 6 IN,T-BAR	0	C	5670A SE
BTW734W	AL	D-A-17-401-001	4	GRILL	GRILL, TYPICAL, QA 0, RETURN, 24 IN, 24 IN, STEEL, GRILLE, METAL; RETURN,PERFORATED FACE,NOMINAL NECK SIZE 10 IN X 10 IN	0		5670A SE
BKG919R	AL	L-A-01-000-002	4	GRILL	GRILL, TYPICAL, QA 3, GRILLE, METAL; 46 X 14 IN, FIN TYPE, DOUBLE DEFLECTION ***	3	P	5670A SE
BKG926W	AL	L-A-01-000-002	1	GRILL	GRILL, TYPICAL, QA 3, GRILLE, METAL; 12 IN X 8 IN, FIN TYPE, STRAIGHT, VOLUME CONTROLLER	3	P	5670A SE
BKG928Q	AL	L-A-01-000-002	1	GRILL	GRILL, TYPICAL, QA 3, GRILLE, METAL; 18.00 X 8.00 IN FIN TYPE STRAIGHT ***	3	P	5670A SE
BKG929N	AL	L-A-01-000-002	2	GRILL	GRILL, TYPICAL, QA 3, FIN, 12 IN (1 FT), 36 IN (3 FT), GRILLE, METAL; 36.00 X 12.00 IN FIN TYPE, DOUBLE DEFLECTION, SATIN	3	P	5670A SE
ACP015C	AL	D-A-06-102-004	1	GRIP	GRIP, CABLE, QA 3, GRIP, CABLE WOVEN; KELLEMS, SUPPORT, CABLE, SPLIT, SINGLE EYE, FOR	3		5120M SE
AJJ696N	AL	D-A-12-201-000	10	GRIP	GRIP, CABLE, QA 0, GRIP, ; STEEL, GALVANIZED, 6 ACSR 4/0 7-STRAND COPPER, MAXIMUM SAFE	0		5120M SE
ALN599K	AL	D-A-27-301-004	4	GRIP	GRIP, CABLE, QA 0, DOUBLE EYE, 1 IN-1-1/4 IN, WOVEN	0		5120M SE
BKC379L	AL	D-B-25-201-001	30	GRIP	GRIP, TYPICAL, QA 0, GRIPPER,ION CHROMATO, ; STAINLESS STEEL, 0.187 DIA X 0.031 ID X 0.125	0		6630D SE
BKY730H	AL	D-A-33-301-000	7	GRIP	GRIP, CABLE, QA 3, GRIP, CABLE WOVEN; KELLEMS, FOR CONDUIT SUPPORT, PIPE SIZE 3.5 IN	3		5120M SE
BKY734X	AL	D-A-33-301-000	3	GRIP	GRIP, CABLE, QA 3, DOUBLE WEAVE, 4 IN, 2.50 IN-2.99 IN, 18 IN, TIN COATED BRONZE, LACE CLOSING/SPLIT MESH	3		5120M SE
BNP108A	AL	D-A-33-301-000	14	GRIP	GRIP, CABLE, QA 3, OFFSET EYE, 3/4 IN-0.99 IN, 13 IN, TIN COATED BRONZE, LACE CLOSING/SPLIT MESH	3		5120M SE
BNR680D	AL	D-A-27-201-005	12	GRIP	GRIP, CABLE, QA 3, GRIP, CABLE WOVEN; DOUBLE EYE, SPLIT MESH, 2-FCV-73-16 REF. ***	3		5120M SE
BPC794F	AL	D-A-31-201-017	12	GRIP	GRIP, CABLE, QA 3, WOVEN/SUPPORT, TIN COATED BRONZE, STRAIGHT, SINGLE EYE/SPLIT MESH, CABLE DIA: .62" - .74", BREAKING STRENGTH: 790 LBS,	3		5120M SE
BPF383M	AL	D-A-31-201-017	1	GRIP	GRIP, CABLE, QA 3, WOVEN, 1-1/4 IN-1.490 IN, 13 IN, TIN COATED BRONZE, STRAIGHT, SINGLE WEAVE/ROD CLOS, BREAKING STRENGTH: 1610 LBS,	3		5120M SE
BRA127M	AL	D-A-27-201-013	175	GRIP	GRIP, CABLE, QA 3, GRIP, CABLE WOVEN; GRIP STYLE: SINGLE-EYE, CABLE RANGE DIAMETER:	3		5120M SE
BTC434V	AL	D-A-29-302-007	4	GRIP	GRIP, CABLE, QA 3, GRIP, CABLE WOVEN; GRIP STYLE: CLOSED MESH, CABLE RANGE DIAMETER:	3		5120M SE
BVA471R	AL	D-A-31-202-000	5	GRIP	GRIP, CABLE, QA 3, GRIP, CABLE WOVEN; GRIP STYLE: CLOSED MESH, CABLE RANGE DIAMETER:	3		5120M SE
BVF572R	AL	D-A-16-201-001	5	GRIP	GRIP, CABLE, QA 3, WOVEN, 4 IN, 1-3/4 IN-1.990 IN, SPLIT MESH/ROD CLOS, PER HUBBELL THIS PART NUMBER HAS BEEN DISCONTINUED.	3		5120M SE
BVF898T	AL	D-A-31-202-000	4	GRIP	GRIP, CABLE, QA 3, WOVEN, 2 IN-2.490 IN, SPLIT MESH/LACE CLOS, , WOVEN, BREAKING POINT: 3260 LBS	3		5120M SE
BVG321E	AL	D-A-31-202-000	10	GRIP	GRIP, CABLE, QA 3, SPLIT/ROD, 2-1/2 IN-2.990 IN, CONDUIT RISER/RING, 4 IN, WOVEN, SPLIT MESH/ROD CLOS	3		5120M SE
ANT063K	AL	L-A-09-000-002	5	GRIP	GRIP, TYPICAL, QA 0, GRIP, UNDERWATER LIGHT; STRAIN RELIEF, STNLS STL, FOR CRAFTSWELD	0	C	5120M SE
BLE527F	AL	L-A-07-000-002	1	GRIP	GRIP, CABLE, QA 0, SINGLE EYE, 2 IN-2-1/2 IN, SINGLE WEAVE, GRIP, CABLE WOVEN; GRIP STYLE: SINGLE-EYE, CABLE RANGE DIAMETER:	0	P	5120M SE
BRN499H	AL	T-A-04-000-002	1	GRIP	GRIP, TYPICAL, QA 3, GRIP, CRANE; STEEL,DWG 2217Q-230 ***	3	B	3950F SE
BVF889V	AL	L-A-03-000-002	1	GRIP	GRIP, CABLE, QA 3, GRIP, CABLE WOVEN; GRIP STYLE: CLOSED MESH, CABLE RANGE DIAMETER:	3	B	5120M SE
BVM135H	AL	L-A-09-000-002	1	GRIP	GRIP, CABLE, QA 3, GRIP, CABLE WOVEN; GRIP STYLE: SPLIT MESH, CABLE RANGE DIAMETER:	3	B	5120M SE
BVT820K	AL	L-A-09-000-002	1	GRIP	GRIP, CABLE, QA 3, WOVEN, 1-1/2 IN-1.740 IN, SPLIT MESH/LACE CLOS, , GRIP STYLE: SINGLE-EYE, BREAKING POINT: 1610 LB	3	B	5120M SE
AEV699T	AL	A-A-01-000-001	5	GROMMET	GROMMET, TYPICAL, QA 0, GROMMET, ; FOR LEEDS AND NORTHRUP CONDUCTIVITY RECORDER ***	0	P	6630D SE
ARG249F	AL	D-A-02-102-003	100	GROMMET	GROMMET, TYPICAL, QA 0, GROMMET, NONMETALLIC; NEOPRENE,INTERCOOLER TUBE SHEET SEAL,FOR AIR	0	C	4310I SE
ARG249F	AL	P-A-LL-ET0-063	300	GROMMET	GROMMET, TYPICAL, QA 0, GROMMET, NONMETALLIC; NEOPRENE,INTERCOOLER TUBE SHEET SEAL,FOR AIR	0	C	4310I SE
BGT561A	AL	D-A-13-302-011	5	GROMMET	GROMMET, TYPICAL, QA 0, NONMETALLIC, RUBBER, BLACK	0		6695D SE
BHA193R	AL	A-A-01-000-001	1	GROMMET	GROMMET, TYPICAL, QA 0, GROMMET, NONMETALLIC; NEOPRENE RUBBER, FOR CONTROL VALVE, 8 IN, MODEL	0	P	48200 SE
BKR068R	AL	D-B-19-202-001	165	GROMMET	GROMMET, TYPICAL, QA 0, 1/4 IN, 1/2 IN, RUBBER, BLACK, GROMMET, NONMETALLIC; RUBBER, BLACK, 0.5 OD X 0.25 IN ID ***	0		5305J SE
BLP213Q	AL	A-A-01-000-001	6	GROMMET	GROMMET, TYPICAL, QA 0, GROMMET, NONMETALLIC; RUBBER, STRAIN RELEIF, FOR RPICONNECTOR PIN	0	P	5935B SE
BVD792M	AL	D-A-15-301-006	75	GROMMET	GROMMET, TYPICAL, QA 0, GROMMET, ; MATERIAL, EBERLINE. ***	0		6630D SE
BBD018Q	AL	M-A-07-000-002	15	GROMMET	GROMMET, TYPICAL, QA 3, GROMMET, ; NEOPRENE, RUBBER, FOR REACTOR PENETRATION ASSEMBLY ***	3	P	4470C SE
BXK088L	AL	L-A-02-000-002	76	GROMMET	GROMMET, TYPICAL, QA 3, GROMMET, NONMETALLIC; EDGING, MATERIAL: NYLON, LENGTH: 12-3/4, PANEL	3	B	5305J SE
CAC286C	AL	T-A-01-000-002	3	GROUT	GROUT, FILLER, QA 2, GENERAL PURPOSE, 50 LB, BAG, PREBLENDED GROUT, SIKA GROUT 212	2	C	5610J SE
CAC286C	AL	M-A-08-000-002	68	GROUT	GROUT, FILLER, QA 2, GENERAL PURPOSE, 50 LB, BAG, PREBLENDED GROUT, SIKA GROUT 212	2	C	5610J SE
AJJ698J	AL	A-A-01-000-001	60	GUARD	GUARD, FIXTURE, QA 0, GUARD, LAMP; PORTABLE, OPEN END, STEEL, ZINC-PLATED WITH CHROMATE	0	P	6210P SE
ARC695C	AL	D-A-34-201-000	3	GUARD	GUARD, FIXTURE, QA 0, ALUMINUM, FOR LIGHTING FIXTURE	0		6210P SE
BBX125E	AL	A-A-01-000-001	48	GUARD	GUARD, SAFETY, QA 0, GUARD, ; RUBBER, CYLINDER GAUGE, FOR SELF-CONTAINED BREATHING	0	P	29100 SE
BKY917M	TR	- - - -	2	GUARD	GUARD, ELECTRICAL, QA 0, GUARD, LAMP; ALUMINUM, FOR SYSTEM 228. ***	0	P	6210P SE
BMY844A	AL	1-B-07-135-001	115	GUARD	GUARD, FIXTURE, QA 0, GUARD, LAMP; MOUNTING METHOD: RAIL ***	0	P	6210P SE
BRA097T	AL	A-A-01-000-001	7	GUARD	GUARD, SAFETY, QA 0, GUARD, LOCK; LOCKING PTT SWITCH ***	0	C	4710Y SE
BWL457R	AL	D-B-16-000-001	26	GUARD	GUARD, FIXTURE, QA 3, GUARD, LAMP; FOR APPLETON V-51 INCANDESCENT LIGHTING FIXTURES 60-150	3	C	6210P SE
BWM468F	AL	1-B-10-000-001	19	GUARD	GUARD, FIXTURE, QA 3, GUARD, LAMP; FOR APPLETON V-51 INCANDESCENT LIGHTING FIXTURE, 150-300	3	C	6210P SE
CAH741L	AL	A-A-01-000-001	3	GUARD	GUARD, SAFETY, QA 3, GUARD, PUMP; FOR COOLING WATER PUMP, TYPE 350M-P16/14D, S/N 705961	3	C	4320U SE
ABT976J	AL	L-A-09-000-002	7	GUARD	GUARD, FIXTURE, QA 0, STEEL, GUARD, LAMP; MATERIAL: STEEL ***	0	P	6210P SE
AET574L	AL	M-A-01-000-002	9	GUARD	GUARD, FIXTURE, QA 0, CAST ALUMINUM, FOR LIGHT FIXTURES	0	P	6210P SE
AJJ698J	AL	I-A-09-000-002	36	GUARD	GUARD, FIXTURE, QA 0, GUARD, LAMP; PORTABLE, OPEN END, STEEL, ZINC-PLATED WITH CHROMATE	0	P	6210P SE

AKJ490G	AL	I-A-09-000-002	17	GUARD	GUARD, SAFETY, QA 0, GUARD, LAMP; SURFACE TREATMENT: RUBBER ***	0	P	6210P SE
BKY917M	AL	T-A-01-000-002	16	GUARD	GUARD, ELECTRICAL, QA 0, GUARD, LAMP; ALUMINUM, FOR SYSTEM 228. ***	0	P	6210P SE
BLC594A	AL	L-A-09-000-002	118	GUARD	GUARD, SAFETY, QA 0, GUARD, SHIPPING; GALVANIZED, FOR CONDENSATE FILTER DEMINERALIZER ***	0	P	4420B SE
BLD393F	AL	L-A-09-000-002	2	GUARD	GUARD, SAFETY, QA 1, GUARD, ; FUEL TRANSFER PUMP TO MOTOR COUPLING, FOR DIESEL GENERATOR	1	P	2910O SE
AEJ974D	AL	D-A-18-402-002	1	GUIDE	GUIDE, VALVE, QA 1, GUIDE, VALVE; MAIN, CARBON STEEL ASTM A576, FOR SAFETY RELIEF VALVE	1	P	48200 SE
AKA192N	AL	J-B-12-009-001	1	GUIDE	GUIDE, MECHANICAL, QA 0, GUIDE, ELECTRIC MOTOR; CONTROL VALVE SERVO MOTOR, REF1301A-D, TYPE	0	P	6105D SE
ATW063G	AL	A-A-01-000-001	1	GUIDE	GUIDE, VALVE, QA 0, GUIDE, VALVE STEM, ; SEAT,RETAINING,DWG IT NO 48, FOR 1.500IN LESLIE	0	P	48200 SE
AVB413A	AL	1-A-03-000-001	1	GUIDE	GUIDE, VALVE, QA 0, STEM, *** SEAT RETAINING, REF 48, FOR GLOBE VALVE, CLASS DDOS, 1-1/4 IN, AND	0	C	48200 SE
AVV199Y	AC	- - - -	2	GUIDE	GUIDE, TYPICAL, QA 0, GUIDE ASSY, ; 2 PER SET, FOR 008.000 TON OILDRAULIC JACK, MODEL 8-S	0	P	3960D SE
AWQ247P	AL	A-A-01-000-001	1	GUIDE	GUIDE, VALVE, QA 0, GUIDE, VALVE STEM, ; BRONZE, FOR 002.000 IN RELIEF VALVE, FIG 6000-JI	0	P	48200 SE
AWQ343V	AL	A-A-01-000-001	1	GUIDE	GUIDE, VALVE, QA 1, GUIDE, VALVE STEM, ; STAINLESS STEEL, ASTM A-351, GR CF8M, FOR RELIEF	1	P	48200 SE
AWY004B	AL	A-A-01-000-001	1	GUIDE	GUIDE, VALVE, QA 0, GUIDE, ; STEEL, FOR 4X6 SAFETY RELIEF VALVE, MODEL D32P, ORIFICE SIZE	0	P	48200 SE
BBW323F	AL	A-A-01-000-001	1	GUIDE	GUIDE, VALVE, QA 0, GUIDE, VALVE; STAINLESS STEEL, FOR SAFETY RELIEF VALVE, SIZE 0.75 AND	0	P	48200 SE
BEY618Y	AL	D-B-09-202-001	1	GUIDE	GUIDE, MECHANICAL, QA 0, GUIDE, ASH DISPOSAL; TEFLON, PISTON, FOR DRY FLY ASH SYSTEM, REF	0	P	4450C SE
BLJ195R	AL	A-A-01-000-001	1	GUIDE	GUIDE, VALVE, QA 0, GUIDE, VALVE; STEEL, FOR CONSOLIDATED 6 IN TYPE 19060/PI-1 SAFETY	0	P	48200 SE
BRE704M	AL	E-A-16-C02-C01	13	GUIDE	GUIDE, MECHANICAL, QA 0, GUIDE, CIRCUIT BREAKER; SPRING, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BVA382Q	AL	D-A-02-102-003	2	GUIDE	GUIDE, TYPICAL, QA 3, GUIDE, FIBER OPTIC; LIGHTGUID INTERCONNECTION UNIT ***	3		5825F SE
BVX078G	AL	1-A-03-000-001	1	GUIDE	GUIDE, VALVE, QA 1, CLASS 3, GUIDE, VALVE; FOR 00.750 (3/4) X 01.000 (1) IN. M/N LCT-13/S4, J.E.	1	C	48200 SE
BWP956P	AL	F-A-09-202-001	1	GUIDE	GUIDE, VALVE, QA 3, GUIDE, VALVE; STEEL,RETAINING SEAT,FOR CONTROL VALVE SIZE 1 IN, FLANGE	3	B	48200 SE
BWP956P	AL	F-A-14-202-004	1	GUIDE	GUIDE, VALVE, QA 3, GUIDE, VALVE; STEEL,RETAINING SEAT,FOR CONTROL VALVE SIZE 1 IN, FLANGE	3	B	48200 SE
BWQ444E	AL	E-A-16-C01-E01	3	GUIDE	GUIDE, MECHANICAL, QA 0, GUIDE, CIRCUIT BREAKER; HULL, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BXK405D	AL	A-A-01-000-001	1	GUIDE	GUIDE, MECHANICAL, QA 1, GUIDE, ; STEEL,DISK,SPIN ASVANS,REF 4, FOR 18 IN 300 LB MOTOR OPERATED	1	C	5835D SE
BXK521A	AL	A-A-01-000-001	1	GUIDE	GUIDE, VALVE, QA 3, GUIDE, VALVE; SEAT RETAINING,STEEL,FOR 6 IN DIAPHRAGM CONTROL	3	C	48200 SE
BYB839D	AL	D-B-07-102-002	3	GUIDE	GUIDE, VALVE, QA 0, GUIDE, VALVE; ASTM A217 GR WC6, FOR 10" PRESSURE SEAL GATE VALVE	0	C	48200 SE
CFF441C	AL	1-B-14-000-001	2	GUIDE	GUIDE, VALVE, QA 0, SEAT RETAINING, 1-1/4 IN, *** GUIDE, VALVE STEM; SEAT RETAINING, REF. 48, FOR GLOBE VALVE 1.25	0	C	48200 SE
ADD026L	AC	- - - -	5	GUIDE	GUIDE, TYPICAL, QA 0, GUIDE, ; ROLLER, COUNTER WEIGHT ***	0	C	3960D SE
AEJ974D	AL	L-A-02-000-002	1	GUIDE	GUIDE, VALVE, QA 1, GUIDE, VALVE; MAIN, CARBON STEEL ASTM A576, FOR SAFETY RELIEF VALVE	1	P	48200 SE
AEJ974D	AL	L-A-08-000-002	2	GUIDE	GUIDE, VALVE, QA 1, GUIDE, VALVE; MAIN, CARBON STEEL ASTM A576, FOR SAFETY RELIEF VALVE	1	P	48200 SE
APT319D	AL	M-A-07-000-002	32	GUIDE	GUIDE, VALVE, QA 0, GUIDE, ; EXHAUST VALVE, (CYLINDER HEAD, VALVES AND LINER), FOR	0	P	2910O SE
ATP206Q	AL	L-A-13-000-002	1	GUIDE	GUIDE, TYPICAL, QA 0, GUIDE, ; EMERGENCY TAPPET, REF 044714, FOR TURBINE ***	0	P	2825G SE
AYA977D	AL	M-A-16-000-002	2	GUIDE	GUIDE, VALVE, QA 3, GUIDE, ; ALUMINUM, CHAINWHEEL, REF 33, FOR ACTUATOR, MODEL MDT-4, ON	3	P	48200 SE
BGL174G	AL	M-A-08-000-002	2	GUIDE	GUIDE, VALVE, QA 3, GUIDE, VALVE; STEM, FOR REGULATING FLUID PRESSURE VALVE, 4 IN, DWG	3	P	48200 SE
BHR608A	AL	T-A-01-000-002	1	GUIDE	GUIDE, VALVE, QA 2, GUIDE, VALVE; STAINLESS STEEL ASME SA479 TYPE 316, REF 10, FOR SAFETY	2	P	48200 SE
BJR550K	AL	L-A-03-000-002	25	GUIDE	GUIDE, TYPICAL, QA 3, GUIDE, ; PRINTED CIRCUIT, FOR ALARM MONITOR ***	3	P	6350B SE
BPH615G	AL	L-A-09-000-002	1	GUIDE	GUIDE, TYPICAL, QA 0, ASSEMBLY/DOOR/ELEVATOR, 15/32 IN, W/BRACKET/SCREWS/GUIDE, GUIDE ASSY, ; ELEVATOR DOOR, CONSISTING OF BRACKET, MOUNTING	0	P	3960D SE
BWB625D	AL	L-A-03-000-002	1	GUIDE	GUIDE, VALVE, QA 3, GUIDE, VALVE; GUIDE BUSHING, FOR GLOBE VALVE, 8 IN MODEL 37-10132, W/	3	C	48200 SE
BWD170X	AL	L-A-13-000-002	2	GUIDE	GUIDE, VALVE, QA 3, GUIDE, VALVE STEM; BRONZE, PISTON ROD, FOR MODEL DA438, 0.500 IN., 900	3	C	48200 SE
CBJ262M	AL	L-A-09-000-002	2	GUIDE	GUIDE, VALVE, QA 3, GUIDE, VALVE; WEDGE, FOR 4" VELAN GATE VALVE, FIG. B12-2A5PS-2TS, DWG.	3	C	48200 SE
CDD662J	AL	M-A-01-000-002	1	GUIDE	GUIDE, VALVE, QA 3, GUIDE, BUSHING; VALVE, FOR 6" CONTROL VALVE, CONTROL COMPONENTS INC	3	C	48200 SE
BHX465G	AC	- - - -	10	GUN	GUN, TYPICAL, QA 0, WIRE FEEDER, 0.030 IN - 0.035 IN WIRE, 15 FT CABLE, FOR USE WITH LINCOLN WIRE FEEDER	0	C	3433A SE
BHX465G	AL	L-A-11-000-002	2	GUN	GUN, TYPICAL, QA 0, WIRE FEEDER, 0.030 IN - 0.035 IN WIRE, 15 FT CABLE, FOR USE WITH LINCOLN WIRE FEEDER	0	C	3433A SE
AQB314Y	AC	- - - -	12	HALO	HALO, ELEVATOR, QA 0, HALO, ELEVATOR; FOR DOVER ELEVATOR ***	0	C	3960D SE
BXH022X	AL	L-A-13-000-002	2	HAMMER	HAMMER, TYPICAL, QA 0, HAMMER ASSY, RECORDER; FOR HEWLETT PACKARD 5050B DIGITAL RECORDER ***	0	B	6695D SE
ALV920W	AL	D-A-13-302-011	3	HANDLE	HANDLE, TOOL, QA 0, HANDLE, SURGICAL KNIFE; SCALPEL ***	0		6505C SE
AMW263G	AL	D-A-06-102-007	5	HANDLE	HANDLE, TYPICAL, QA 0, HANDLE, MANUAL CONTROL; KNOB, RELIEF VALVE, FOR TESTER, DEAD WEIGHT	0	P	4710Y SE
AMW363C	AL	A-A-01-000-001	6	HANDLE	HANDLE, TYPICAL, QA 0, HANDLE, ; VERNIER, FOR DEADWEIGHT TESTER TYPE T ***	0	P	6695D SE
AQR844Q	AL	D-A-30-301-001	1	HANDLE	HANDLE, TOOL, QA 0, HANDLE ASSY, SOLDERING IRON; ALUMINUM, REF 59, FOR CHAIN HOIST	0	C	3439D SE
AWD129N	AL	A-A-01-000-001	28	HANDLE	HANDLE, TYPICAL, QA 3, HANDLE, MANUAL CONTROL; STAINLESS STEEL, 002.250 IN LONG, FOR 000.500	3	P	4710Y SE
AWK621K	AL	A-A-01-000-001	4	HANDLE	HANDLE, TOOL, QA 0, HANDLE, SCOOP,LABORATORY; WOOD, 6 PER PACKAGE ***	0	P	6630D SE
AXX547B	AL	A-A-01-000-001	3	HANDLE	HANDLE, TYPICAL, QA 3, HANDLE, MANUAL CONTROL; STEEL SA105, TEE, FOR 1.0 IN WELDBOND VALVE	3	P	4710Y SE
AYK602C	AL	A-A-01-000-001	4	HANDLE	HANDLE, TYPICAL, QA 3, HANDLE, MANUAL CONTROL; STEEL, IMPACTOR, REF 18, FOR GLOBE VALVE, SIZE	3	P	4710Y SE
BLC638G	AL	D-A-10-302-004	3	HANDLE	HANDLE, TYPICAL, QA 3, HANDLE, MANUAL CONTROL; METAL, FOR PLUG VALVE, 3 IN ***	3		4710Y SE
BLG933R	AL	D-A-02-102-004	16	HANDLE	HANDLE, TYPICAL, QA 3, HANDLE, MANUAL CONTROL; HANDLE, FOR CPI TYPE STAINLESS STEEL VALVE	3		4710Y SE
BLH772J	AL	D-A-06-102-002	4	HANDLE	HANDLE, DOOR, QA 3, HANDLE, DOOR; DOOR PULL, 26D FINISH, FOR AUTOMATIC FIRE DOOR ***	3		4710Y SE
BPC306Q	AL	D-B-19-202-001	2	HANDLE	HANDLE, TYPICAL, QA 0, HANDLE, ; REX CUP AND DROP HANDLE W/NO 28 SUPPORT PAD ***	0		4710Y SE
BQA421V	AL	D-A-24-202-005	3	HANDLE	HANDLE, TYPICAL, QA 0, HANDLE, MANUAL CONTROL; HANDLE FOR DEZURIK 2 INCH THROT VALVE PART	0		4710Y SE
BQA791R	AL	D-A-04-202-003	23	HANDLE	HANDLE, DOOR, QA 3, HANDLE, DOOR; FLUSH, FOR HOFFMAN ENCLOSURES, UNID# VARIOUS SAFETY AND	3		4710Y SE
BRE068D	AL	D-A-10-201-001	3	HANDLE	HANDLE, TYPICAL, QA 0, HOUSING, 1/2 IN, 3 IN, 5-1/2 IN, MANUAL TURNING, HANDLE, HOUSING; 3 IN X 5.5 IN X .5 IN SHAFT, MANUAL TURNING, FOR:	0		5120M SE
BTP079K	AL	D-B-16-000-001	9	HANDLE	HANDLE, TYPICAL, QA 3, HANDLE, CIRCUIT BREAKER; OPERATING, WITH LOCK, FRAME TYPE FD ***	3	B	5925B SE
BTT112A	AL	D-B-16-000-001	14	HANDLE	HANDLE, TYPICAL, QA 0, HANDLE, VALVE; FOR 1 IN,CONTROMATIC 600 LB BALL VALVE,2600 PSI AT 226	0	C	48200 SE
BVE016L	AL	D-A-14-302-001	43	HANDLE	HANDLE, SWITCH, QA 3, HANDLE, MANUAL CONTROL; OVAL STYLE, GE TYPE SB MODIFIED TO FIT SBM	3		4710Y SE
BVR000P	AL	A-A-01-000-001	27	HANDLE	HANDLE, TYPICAL, QA 3, HANDLE, ACTUATOR; LOCKING,LEVER,CHROME FINISH,90 DEGREE CLOCKWISE	3	B	48200 SE
CBP346M	AL	D-A-12-202-004	1	HANDLE	HANDLE, DOOR, QA 0, HANDLE, DOOR; LATCH, WITHOUT THE KEY LOCK ***	0		4710Y SE
AEN113E	AL	L-A-06-000-002	6	HANDLE	HANDLE, TYPICAL, QA 0, HANDLE, ; RACKING, (CRANK) ***	0	P	5925B SE
AKJ299T	AL	M-A-08-000-002	100	HANDLE	HANDLE, TYPICAL, QA 0, HANDLE, LIGHT; MATERIAL: RUBBER ***	0	P	6230R SE
ALV520D	AL	L-A-09-000-002	1	HANDLE	HANDLE, TOOL, QA 0, HANDLE, SCOOP,LABORATORY; LAB SCOOP ***	0	P	6630D SE
AMW263G	AL	M-A-08-000-002	2	HANDLE	HANDLE, TYPICAL, QA 0, HANDLE, MANUAL CONTROL; KNOB, RELIEF VALVE, FOR TESTER, DEAD WEIGHT	0	P	4710Y SE
AMW363C	AL	M-A-08-000-002	2	HANDLE	HANDLE, TYPICAL, QA 0, HANDLE, ; VERNIER, FOR DEADWEIGHT TESTER TYPE T ***	0	P	6695D SE
AXX547B	AL	M-A-03-000-002	2	HANDLE	HANDLE, TYPICAL, QA 3, HANDLE, MANUAL CONTROL; STEEL SA105, TEE, FOR 1.0 IN WELDBOND VALVE	3	P	4710Y SE
BLA290L	AL	L-A-09-000-002	1	HANDLE	HANDLE, TYPICAL, QA 3, HANDLE, MANUAL CONTROL; 6 SIDE OCTAGON, 6.75 IN LONG, 0.37 IN THICK	3	P	2910O SE
BLR451X	AL	L-A-07-000-002	14	HANDLE	HANDLE, TOOL, QA 0, HANDLE, EXTENSION; 2-1/2 IN DIA X 46 IN LONG, FOR HEPA VACUUM. ***	0	P	7920P SE
BNB619D	AL	L-A-03-000-002	3	HANDLE	HANDLE, DOOR, QA 3, HANDLE, DOOR; LIFT AND TURN, BRIGHT CHROME FINISH, SERIES 300, FOR GE	3	P	4710Y SE
BNP979G	AL	M-A-06-000-002	5	HANDLE	HANDLE, TYPICAL, QA 3, HANDLE, MANUAL CONTROL; FOR VIKING VALVES, ITEM 2 ON MODEL C-1 AS	3	P	4710Y SE
BQK060M	AL	M-A-01-000-002	48	HANDLE	HANDLE, TYPICAL, QA 3, CIRCUIT BREAKER, HANDLE, MANUAL CONTROL; ROTARY, FOR CIRCUIT BREAKER, ON 480 VOLT MOTOR	3	B	61100 SE
BWD442B	AL	T-A-01-000-002	5	HANDLE	HANDLE, TYPICAL, QA 3, HANDLE, VALVE; FOR AMERICAN METER 0.5 INCH ANGLE GLOBE VALVE, MODEL	3	C	48200 SE

BXE452W	AL	L-A-09-000-002	2	HANDLE	HANDLE, TYPICAL, QA 3, HANDLE, VALVE; PHENOLIC, BLACK, FOR USE WITH WHITEY VALVE MODEL SS-1KS	3	C	48200	SE
BXE454Q	AL	L-A-09-000-002	4	HANDLE	HANDLE, TYPICAL, QA 3, HANDLE, VALVE; PHENOLIC, RED, FOR USE WITH WHITEY VALVE MODEL SS-1KS4	3	C	48200	SE
BXG711L	AL	L-A-13-000-002	1	HANDLE	HANDLE, SWITCH, QA 0, HANDLE, SWITCH; LOCKING WITH KEY, CORBIN LOCK, HANDLE & ESCUTCHEON	0	B	59300	SE
CBK507D	AL	L-A-03-000-002	2	HANDLE	HANDLE, TYPICAL, QA 0, HANDLE, VALVE; FOR MANUAL OPERATOR ON 12 INCH CRANE BUTTERFLY VALVE	0	C	48200	SE
CBK508B	AL	L-A-03-000-002	2	HANDLE	HANDLE, TYPICAL, QA 0, HANDLE, VALVE; FOR MANUAL OPERATOR ON 8 INCH CRANE BUTTERFLY VALVE MOD	0	C	48200	SE
AWL866F	AL	A-A-01-000-001	10	HANDSET	HANDSET, COMMUNICATION, QA 0, HANDSET, ; BEIGE, STANDARD, 072.000 IN CORD ***	0	P	5965A	SE
AHJ055T	AL	A-A-01-000-001	1	HANDWHEEL	HANDWHEEL, OPERATOR, QA 0, HANDWHEEL, ROUND; TYPE: ROUND ***	0	P	4710Y	SE
ARN392B	AL	A-A-01-000-001	1	HANDWHEEL	HANDWHEEL, OPERATOR, QA 0, HANDWHEEL, ROUND; SIZE: 04.750000 (4 3/4), TYPE: ROUND ***	0	P	4710Y	SE
ATN400D	AL	A-A-01-000-001	4	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, ROUND, , FOR VALVE TYPE SMB-2 OPERATOR	3	C	48200	SE
AVD272P	AL	A-A-01-000-001	2	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, VALVE, 1-1/4 IN, 18 IN, STEEL, *** ROUND, 0.250" KEYWAY, FOR COPES VULCAN 8" GLOBE VALVE MODEL	3	C	4710Y	SE
AXX375E	AL	D-A-17-302-001	2	HANDWHEEL	HANDWHEEL, OPERATOR, QA 0, HANDWHEEL, VALVE; PLASTIC AND STEEL, FOR MICROPAK GLOBE VALVE, MODEL	0		48200	SE
AYN420D	AL	A-A-01-000-001	2	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; STEEL, 8 IN, FOR ACTUATOR, TYPE SMB, SB & SBD, SIZE	3	P	48200	SE
AYV160K	AL	A-A-01-000-001	2	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; STEEL, 12 IN, SIDE MOUNTED, PC#99, FOR VALVE	3	C	48200	SE
BAV599G	AL	D-A-02-102-001	5	HANDWHEEL	HANDWHEEL, OPERATOR, QA 0, HANDWHEEL, ACTUATOR; FOR VALVE ACTUATOR, MDT-1, DWG E1312 ***	0		48200	SE
BAV739T	AL	A-A-01-000-001	3	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; STEEL, PC 33A, FOR SMC-04 ***	3	P	48200	SE
BFV008V	AL	D-A-02-102-002	5	HANDWHEEL	HANDWHEEL, OPERATOR, QA 0, HANDWHEEL, ACTUATOR; FOR VALVE ACTUATOR, MODEL 3325SERIES 3300, SIZE	0		48200	SE
BGY619G	AL	D-A-04-301-003	4	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; BROACH SIZE 0.343 IN X 0.437 IN, FOR VALVE, GLOBE	3		4710Y	SE
BHT666M	AL	A-A-01-000-001	2	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; STEEL, ASTM A-36, 1.00 IN THICK, 18 IN DIA, FOR 24	3	P	4710Y	SE
BHW705W	AL	A-A-01-000-001	2	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; STEEL, ASTM A-36, 12 IN DIA, 1.00 IN THICK, FOR 24	3	P	4710Y	SE
BJP163R	AL	D-A-32-302-004	24	HANDWHEEL	HANDWHEEL, OPERATOR, QA 0, HANDWHEEL, ROUND; MATERIAL: STEEL, SIZE: 02.000000 (2), TYPE: ROUND	0		48200	SE
BJP683Y	AL	D-A-04-401-005	25	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; CARBON STEEL, 3.5 IN OD, FOR 0.5 IN, 300 LB GATE	3	P	4710Y	SE
BJP684W	AL	D-A-04-401-008	25	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; CARBON STEEL, 4 IN OD, FOR 0.75 IN, 300 LB GATE	3	P	4710Y	SE
BJP685T	AL	D-A-04-401-004	25	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; CARBON STEEL, 4.5 IN OD, FOR 1IN, 300 LB GATE VALVE	3	P	4710Y	SE
BJP686Q	AL	D-A-35-201-000	25	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; CARBON STEEL, FOR 0.5 AND 0.75IN, 400 LB GLOBE	3	P	4710Y	SE
BJQ624A	AL	F-A-27-202-000	1	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, 18 IN, MILD STEEL, HANDWHEEL, ROUND; MILD STEEL, 18 IN DIA, DWG 3037-4, REF 2, FOR WATER	3	C	4710Y	SE
BKT070D	AL	D-A-13-401-001	18	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; VALVE MALLEABLE IRON, 3.0625 IN HOLE, 0.40 IN HOLE	3		4710Y	SE
BLJ216C	AL	D-A-32-302-004	19	HANDWHEEL	HANDWHEEL, OPERATOR, QA 0, HANDWHEEL, ROUND; SIZE: 00.375000, TYPE: ROUND ***	0		48200	SE
BXN820V	AL	A-A-01-000-001	1	HANDWHEEL	HANDWHEEL, OPERATOR, QA 1, HANDWHEEL, ROUND; SHAFT, LOWER INTERIOR, ITEM #40 ON WBN-VTD-C310-0020	1	C	4710Y	SE
ARF793W	AL	T-A-01-000-002	3	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; CAST IRON, STRAIGHT, NOT BORED, SEMIFINISHED, 12 IN	3	P	4710Y	SE
ARN392B	AL	T-A-01-000-002	10	HANDWHEEL	HANDWHEEL, OPERATOR, QA 0, HANDWHEEL, ROUND; SIZE: 04.750000 (4 3/4), TYPE: ROUND ***	0	P	4710Y	SE
ATN399N	AL	T-A-02-000-002	2	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, ROUND, , FOR VALVE TYPE SMB-1 OPERATOR	3	C	48200	SE
ATN400D	AL	T-A-02-000-002	2	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, ROUND, , FOR VALVE TYPE SMB-2 OPERATOR	3	C	48200	SE
AVF228G	AL	M-A-16-000-002	2	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; RED, 004.000 IN, FOR 001.500 IN FIRE VALVE, FIG	3	P	4710Y	SE
AYF310Q	AL	L-A-09-000-002	3	HANDWHEEL	HANDWHEEL, OPERATOR, QA 0, HANDWHEEL, ROUND; TYPE: ROUND ***	0	P	4710Y	SE
BAN321Q	AL	M-A-16-000-002	6	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; ALUMINUM, FOR ANGLE VALVE, 1.5 IN, THREADED	3	P	4710Y	SE
BAN324J	AL	M-A-13-000-002	21	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, ALUMINUM, HANDWHEEL, ROUND; ALUMINUM, FOR ANGLE VALVE, 2.5 IN, THREADED	3	P	4710Y	SE
BBF941P	AL	M-A-16-000-002	2	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; MALLEABLE IRON ASTM A197, WITHSTEEL HEX NUT, SIZE	3	P	4710Y	SE
BCB001F	AL	M-A-16-000-002	2	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; STEEL, FOR GATE VALVE, 3 IN, 150 PSIG AT 200 DEG F	3	P	4710Y	SE
BGL354E	AL	M-A-16-000-002	3	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, VALVE, HANDWHEEL, ROUND; FOR VALVE, GLOBE, 0.5 IN, 600 PSI, MODEL 5500 ***	3	P	4710Y	SE
BHQ220L	AL	T-A-01-000-002	1	HANDWHEEL	HANDWHEEL, OPERATOR, QA 1, HANDWHEEL, ROUND; FOR OPERATOR, SIZE SMB-1, AND/OR SB-1, SBD-1, AND	1	P	48200	SE
BJG500J	AL	M-A-01-000-002	2	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; MALLEABLE IRON, 14 IN DIA, FORGATE VALVE, 4 IN, 900	3	P	4710Y	SE
BJJ005X	AL	M-A-16-000-002	22	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; COMPOSITION TYPE, FOR SIGHT GLASS, P/N 25-205-10, ON	3	P	4710Y	SE
BJP683Y	AL	L-A-09-000-002	15	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; CARBON STEEL, 3.5 IN OD, FOR 0.5 IN, 300 LB GATE	3	P	4710Y	SE
BJP684W	AL	L-A-09-000-002	15	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; CARBON STEEL, 4 IN OD, FOR 0.75 IN, 300 LB GATE	3	P	4710Y	SE
BJP685T	AL	L-A-09-000-002	13	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; CARBON STEEL, 4.5 IN OD, FOR 1IN, 300 LB GATE VALVE	3	P	4710Y	SE
BJP686Q	AL	L-A-09-000-002	14	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; CARBON STEEL, FOR 0.5 AND 0.75IN, 400 LB GLOBE	3	P	4710Y	SE
BJQ632B	AL	L-A-09-000-002	2	HANDWHEEL	HANDWHEEL, OPERATOR, QA 0, SS, HANDWHEEL, ROUND; MATERIAL: STAINLESS STEEL, SIZE: 02.000000 (2)	0	P	4710Y	SE
BJQ638Y	AL	L-A-09-000-002	2	HANDWHEEL	HANDWHEEL, OPERATOR, QA 0, SS, HANDWHEEL, ROUND; MATERIAL: STAINLESS STEEL, SIZE: 03.000000 (3)	0	P	4710Y	SE
BJQ639W	AL	L-A-09-000-002	2	HANDWHEEL	HANDWHEEL, OPERATOR, QA 0, SS, HANDWHEEL, ROUND; MATERIAL: STAINLESS STEEL, TYPE: ROUND SPECIAL	0	P	4710Y	SE
BJX040D	AL	L-A-09-000-002	14	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; HARD BLACK PLASTIC, WITH ONE EA PHILLIPS HEAD SCREW	3	P	29100	SE
BKC151K	AL	L-A-09-000-002	8	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, VALVE, 3/8 IN, HANDWHEEL, ROUND; 0.375 IN SQUARE HOLE, FOR 0.25IN GLOBE VALVE, MODEL	3	P	4710Y	SE
BLM692V	AL	L-A-09-000-002	5	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; HANDWHEEL, FOR 1 IN 200 LB WP, SS, VALVE SEAL, ***	3	P	4710Y	SE
BPQ427D	AL	T-A-01-000-002	4	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; FOR 3/8 INCH DAHL GLOBE VALVE ***	3	C	48200	SE
BQ935K	AL	P-A-LL-ET0-085	1	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, VALVE; FOR VALVE, GATE, 3 IN. MAX OD = 16 WCL. DRAWING#	3	C	48200	SE
BVK765R	AL	T-A-01-000-002	1	HANDWHEEL	HANDWHEEL, OPERATOR, QA 0, HANDWHEEL, VALVE; C/W NUT, FOR 1.5 INCH , M/N 5500W HANCOCK VALVE. ***	0	C	48200	SE
BXT726K	AL	L-A-13-000-002	6	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, VALVE; FOR 1-1/2" HANCOCK MODEL 5500W GLOBE VALVE, 600 LB	3	C	48200	SE
ADJ470V	AL	D-A-24-201-002	1	HANGER	HANGER, TYPICAL, QA 0, VALVE, HANGER, ; VALVE, FOR 004.000IN, 900 PSI, SWING CHECK PRESSURE SEAL	0	C	48200	SE
AET677A	AL	D-A-27-301-008	6	HANGER	HANGER, TYPICAL, QA 0, HANGER, LIGHTING FIXTURE; FIXTURE, FLEXIBLE, SURFACE MTG ***	0	P	6210P	SE
ATK461V	AL	D-B-25-201-001	1	HANGER	HANGER, PIPE, QA 0, 7/8 IN, CS, BOLTED, W/ WELDED BEAM ATTACHMENT, CARBON STEEL, WELDED BEAM ATTACHMENTS, COMPLETE WITH	0		4710Y	SE
AXJ607D	AL	D-A-31-201-016	65	HANGER	HANGER, CONDUIT, QA 3, HANGER, PIPE; STEEL, GALVANIZED, RIGHT ANGLE, 0.75 IN, CONDUIT	3		5975B	SE
AYC123V	AL	A-A-01-000-001	1	HANGER	HANGER, TYPICAL, QA 1, HANGER, VALVE; HANGER, STEEL, REF 4; FOR 3.00 IN, 150 PSIG, DWG	1	P	48200	SE
AYD846D	AL	D-A-04-302-004	1	HANGER	HANGER, TYPICAL, QA 0, LIGHTING FIXTURE, 1/2 IN, BALL TYPE, HANGER, LIGHTING FIXTURE; FLEXIBLE, BALL TYPE, SIZE, 0.500 IN, FOR	0		6210P	SE
BAP005M	AL	D-A-17-302-001	125	HANGER	HANGER, CONDUIT, QA 0, HANGER, PIPE; STEEL, CONDUIT, 1 IN PIPE SIZEWITH BOLTS ***	0		5975B	SE
BFE490N	AL	D-A-29-302-003	20	HANGER	HANGER, CONDUIT, QA 3, RIGHT ANGLE, 1-1/2 IN, GALVANIZED CS, PIPE, CONDUIT	3		5975B	SE
BGN404G	AL	D-A-32-302-004	1	HANGER	HANGER, PIPE, QA 0, HANGER, PIPE; ALUMINUM, 0.75 IN, ONE HOLE ***	0		5975B	SE
BHN176V	AL	D-A-01-401-007	13	HANGER	HANGER, PIPE, QA 0, CLEVIS, 1/2 IN, STEEL, ADJUSTABLE, HANGER, PIPE; STEEL, CLEVIS TYPE, ADJUSTABLE0.50 IN PIPE, WITH 0.250	0		4710Y	SE
BHN559B	AL	D-A-12-202-001	4	HANGER	HANGER, CONDUIT, QA 1, HANGER, PIPE; STEEL, 11 GA, ASTM A570, GR 33,ELECTRO-GALVANIZED, 4 IN	1		5975B	SE
BLM140F	AL	D-A-12-101-000	14	HANGER	HANGER, PIPE, QA 1, HANGER, PIPE; HANGER, PIPE, ADJUSTABLE SWIVEL RING, CARBON STEEL, ZINC	1		4710Y	SE
BNM094T	AL	D-A-30-401-000	3	HANGER	HANGER, PIPE, QA 0, HANGER, ; VARIABLE SPRING HANGER, SIZE 120 ***	0		4470C	SE
BNM095Q	AL	D-A-30-401-000	3	HANGER	HANGER, PIPE, QA 0, HANGER, ; VARIABLE SPRING HANGER, SIZE 120 ***	0		4470C	SE
BTN618X	AL	A-A-01-000-001	585	HANGER	HANGER, PIPE, QA 1, HANGER, PIPE; STEEL, 12 GAGE, ASTM A570, GR 33, EG FINISH, 2.00 IN	1	D	5975B	SE
BYM435J	AL	D-A-27-301-003	2	HANGER	HANGER, PIPE, QA 0, PIPE ASSY, REACTOR FEEDWATER; PIPE SUPPORT ASSEMBLIES CONSISTING OF:	0		4470C	SE
CHY867F	AL	D-B-29-302-001	1	HANGER	HANGER, TYPICAL, QA 1, DISC HOLDER, CS, MATERIAL SPEC: A216 GR WCB, FOR 3 INCH 300 POUND SWING CHECK VALVE,	1		48200	SE
CLA657F	AL	D-B-17-302-001	1	HANGER	HANGER, TYPICAL, QA 3, VALVE, , FOR WILLIAM POWELL 8 INCH SWING CHECK VALVE, VALVE MODEL NO. 6061WE,	3		4730P	SE
APF399D	AL	L-A-06-000-002	5	HANGER	HANGER, TYPICAL, QA 3, HANGER, ; FOR SERVICE & HANDLING SYSTEM REFUELING PLATFORM FUEL	3	P	4470C	SE

AYC123V	AL	M-A-06-000-002	2	HANGER	HANGER, TYPICAL, QA 1, HANGER, VALVE; HANGER, STEEL, REF 4; FOR 3.00 IN, 150 PSIG, DWG	1	P	48200	SE
BJR135L	AL	T-A-05-000-002	4	HANGER	HANGER, TYPICAL, QA 3, LIGHTING FIXTURE, 1/2 IN, 250 LB LOAD, BALL TYPE, , 15 DEG SWING ALL DIRECTIONS	3	B	6210P	SE
BWT203V	AL	T-A-01-000-002	10	HANGER	HANGER, PIPE, QA 0, 3 IN, CARBON STEEL, ADJUSTABLE, BLACK, HANGER, PIPE; 3.00", ADJUSTABLE BAND, CARBONSTEEL, BLACK FINISH ***	0	C	4710Y	SE
BXE681D	AL	1-A-03-000-001	25	HARNES	HARNES, SAFETY, QA 0, INDUSTRIAL, EXTRA SMALL, LIGHTWEIGHT, NYLON, FULL BODY HARNES, YELLOW/BLACK, ANSI	0	C	4240P	SE
BXE698V	AL	1-A-03-000-001	15	HARNES	HARNES, SAFETY, QA 0, INDUSTRIAL, SMALL, LIGHTWEIGHT, NYLON, FULL BODY HARNES, ANSI	0	C	4240P	SE
ARG978B	AL	M-A-13-000-002	66	HARNES	HARNES, TYPICAL, QA 0, HARNES, HEAD RESPIRATOR; BLACK,FACEPIECE, FOR ULTRA FILTER AND ULTRA	0	P	4240P	SE
BCM674F	AL	L-A-03-000-002	3	HARNES	HARNES, TYPICAL, QA 0, HARNES ASSY, ; LEFT SHOULDER, W/HARDWARE, FORSUCBA EQUIPMENT ***	0	P	4220I	SE
BCM675D	AL	L-A-03-000-002	3	HARNES	HARNES, TYPICAL, QA 0, HARNES ASSY, ; RIGHT SHOULDER, W/HARDWARE, FOR SCUBA EQUIPMENT ***	0	P	4220I	SE
BNH179G	AL	D-A-08-201-000	20	HAT	HAT, HARD, QA 0, ADJUSTABLE, TAN, HELMET, SAFETY; STYLE: HAT, COLOR: TAN, SIZE: ADJUSTABLE ***	0		4240P	SE
ACW153F	AL	D-A-27-301-002	3	HEAD	HEAD, PRINT, QA 3, WHEEL, RECORDER; NUMERIC ASSY, REV O, FOR GE RECORDER MULTIPLE	3		6695D	SE
AEW983Q	AL	D-A-27-301-002	3	HEAD	HEAD, PRINT, QA 0, WHEEL ASSY, RECORDER; INK, MULTI-COLOR, FOR RECORDER, TEMPERATURE	0	P	6695D	SE
AJF864B	AL	J-B-12-009-001	3	HEAD	HEAD, TYPICAL, QA 0, HEAD ASSY, BOILER; SPRAY, COMPLETE WITH PLUG, FORBOILER ***	0	P	6695D	SE
AJW762G	AL	A-A-01-000-001	3	HEAD	HEAD, PRINT, QA 3, WHEEL ASSY, RECORDER; FOR RECORDER, MULTIPLE PURPOSE, MODEL M5E ***	3	P	6695D	SE
AKW048P	AL	D-A-27-301-002	3	HEAD	HEAD, PRINT, QA 0, WHEEL ASSY, RECORDER; INK, FOR GE TEMPERATURE RECORDER, MODEL	0		6695D	SE
ANY741M	AL	D-A-04-301-004	6	HEAD	HEAD, SPRINKLER, QA 0, 1/2 IN, FIRE PROTECTION, BRASS, 165 DEG F, MNPT, HEAD, SPRINKLER,FIRE PROT; BRASS, FUSIBLE LINK TYPE, 0.5 IN ORIFICE,	0		4210N	SE
APD344H	AL	A-A-01-000-001	7	HEAD	HEAD, SPRINKLER, QA 0, 1/2 IN, FIRE PROTECTION, BRASS, 165 DEG F, THREADED, HEAD, SPRINKLER,FIRE PROT; BRASS BODY, FUSABLE LINK, DESIGNED TO	0	P	4210N	SE
ARA721G	AL	D-A-08-401-000	48	HEAD	HEAD, MOP, QA 0, DUSTING, 24 IN (2 FT), COTTON	0		7920P	SE
ATD524W	AL	A-A-01-000-001	2	HEAD	HEAD, TYPICAL, QA 0, HEAD, ; INNER PISTON, 1ST STAGE, ITEM 7, 10 OD X 8.250 IN ID, FOR	0	P	5130U	SE
ATD525T	AL	A-A-01-000-001	2	HEAD	HEAD, TYPICAL, QA 0, HEAD, ; INNER PISTON, 2ND STAGE, ITEM 8, 11 OD X 9.500 IN ID, FOR	0	P	5130U	SE
ATG018K	AL	D-A-32-104-001	2	HEAD	HEAD, TYPICAL, QA 0, HEAD, ; VESSEL, FOR SODIUM ANALYZER MODEL 2000, SERIES B ***	0	P	6630D	SE
AVK701W	AL	D-A-32-104-001	2	HEAD	HEAD, TYPICAL, QA 0, HEAD, PUMP; PLASTIC, BLACK, THREADED SIDES AND FIVE HOLES, FOR	0	P	6630D	SE
AWB346Q	AL	A-A-01-000-001	1	HEAD	HEAD, TYPICAL, QA 0, HEAD ASSY, ; SENSING, DIFFUSION, FOR HYDROGEN ANALYZER MODEL I-502 ***	0	P	6630D	SE
AWJ776T	AL	A-A-01-000-001	1	HEAD	HEAD, TYPICAL, QA 0, HEAD, SAFETY PRESS RELIEF; SAFETY, PRESSURE RELIEF, 75 PSI, FOR MODEL	0	P	48200	SE
AWL140A	AL	A-A-01-000-001	1	HEAD	HEAD, PRINT, QA 0, PRINTWHEEL ASSY, ; PLASTIC, BLACK, CODED WITH NUMBERS AND LETTERS	0	P	7021A	SE
AWM411L	AL	A-A-01-000-001	1	HEAD	HEAD, TYPICAL, QA 0, HEAD, PUMP; STAINLESS STEEL, TYPE 316, REF004, FOR PUMP MODEL	0	P	4320U	SE
AWQ218Y	AL	D-A-27-301-002	10	HEAD	HEAD, THERMOCOUPLE, QA 0, 1/2 IN, ALUMINUM, NPT, HEAD, ; THERMOCOUPLE, ALUMINUM TAPPED, 000.500 IN NPT OPENINGS, FOR	0		6695D	SE
AWV052E	AL	A-A-01-000-001	1	HEAD	HEAD, TYPICAL, QA 0, HEAD, ; REMOTE SENSING, FOR COMBUSTIBLE GAS ANALYZER, MODEL I-502 ***	0	P	6630D	SE
AYG276D	AL	D-A-32-104-001	3	HEAD	HEAD, TYPICAL, QA 0, HEAD, PUMP; STEEL, FLOW RATE 3.8 ML, WITH TUBING P/N L-06408-52 OR	0	P	6630D	SE
BAC888N	AL	A-A-01-000-001	3	HEAD	HEAD, TYPICAL, QA 0, HEAD, PUMP; LIQUID, REAGENT STRAIGHT THRU,COMPLETE WITH TUBE NUT	0	P	4320U	SE
BCY186E	AL	D-B-07-202-005	1	HEAD	HEAD, TYPICAL, QA 0, HEAD, CONDENSER; R-FLAT, FOR CONDENSER, CDS-289.MATERIAL BD-154-069	0	P	4520N	SE
BHE080L	AL	D-A-32-104-001	1	HEAD	HEAD, TYPICAL, QA 0, HEAD, PUMP; HARD PLASTIC, BLACK, ROUND, 2 IN DIA, 0.5 IN INTERNAL	0	P	6630D	SE
BKM875R	AL	D-A-20-201-000	14	HEAD	HEAD, SPRINKLER, QA 3, 1/2 IN, FIRE PROTECTION, BRASS, 165 DEG F, THREADED, HEAD, SPRINKLER,FIRE PROT; UPRIGHT, PLAIN FINISH, BRASS FRAME, R	3		4210N	SE
BKP110L	AL	D-A-29-202-005	75	HEAD	HEAD, SPRINKLER, QA 3, 1/2 IN, FIRE PROTECTION, BRASS, 165 DEG F, THREADED, HEAD, SPRINKLER,FIRE PROT; BRASS, 0.5 IN ORIFICE, 0.5 IN NPT, 16	3		4210N	SE
BKP115Y	AL	D-A-29-202-006	75	HEAD	HEAD, SPRINKLER, QA 3, 1/2 IN, FIRE PROTECTION, BRASS, 212 DEG F, THREADED, HEAD, SPRINKLER,FIRE PROT; BRASS, 0.5 IN ORIFICE, 0.5 IN NPT, 21	3		4210N	SE
BKP116W	AL	D-A-07-402-006	75	HEAD	HEAD, SPRINKLER, QA 3, 1/2 IN, FIRE PROTECTION, BRASS, 165 DEG F, THREADED, HEAD, SPRINKLER,FIRE PROT; BRASS, 0.5 IN ORIFICE, 0.5 IN NPT, 16	3		4210N	SE
BLA547X	AL	A-A-01-000-001	1	HEAD	HEAD, TYPICAL, QA 0, HEAD, PUMP; STAINLESS STEEL, ROTOR, STANDARD LOAD, FOR PUMP, P/N	0	P	6630D	SE
BLA692L	AL	D-B-25-201-001	19	HEAD	HEAD, PRINT, QA 0, PRINT HEAD, ; THINKJET, FOR CHEMISTRY CONTROL. ***	0		7021A	SE
BRW445A	AL	A-A-01-000-001	20	HEAD	HEAD, SPRINKLER, QA 3, HEAD, SPRINKLER,FIRE PROT; PROTECTOSPRAY,NON-AUTOMATIC,FIXED	3	C	4210N	SE
BTG308D	AL	A-A-01-000-001	1	HEAD	HEAD, TYPICAL, QA 1, CLASS 2, HEAD, VALVE; SWIVEL HEAD ASTM A105, FOR 1" 1500# Y-TYPE WALWORTH GLOBE	1	B	48200	SE
BVE875C	AL	D-A-16-302-002	1	HEAD	HEAD, TYPICAL, QA 3, SUCTION PIECE, PUMP; HEAD, FOR RBCCW PUMP, MODEL #6-CNR-104, SERIAL	3		4320U	SE
BWM831N	AL	D-B-16-000-001	2	HEAD	HEAD, TYPICAL, QA 3, HEAD, TEMPERATURE DETECTOR; CONNECTION,EXPLOSION PROOF,ALUMINUM,NEMA	3	B	6695D	SE
BXN045P	AL	A-A-01-000-001	4	HEAD	HEAD, TYPICAL, QA 3, HEAD, CONDENSER; RETURN END, STEEL, FOR CHILLER UNIT, MODEL P1050W1R	3	B	4520N	SE
BYX054C	AL	A-A-01-000-001	1	HEAD	HEAD, TYPICAL, QA 0, HEAD, CHILLER; FRONT, CONDENSER ***	0	C	4520N	SE
ARG856R	AL	M-A-08-000-002	20	HEAD	HEAD, SPRINKLER, QA 3, HEAD, SPRINKLER,FIRE PROT; BRASS BODY, 000.500 IN, SIDE WALL TYPE	3	P	4210N	SE
ARJ946E	AL	M-A-13-000-002	16	HEAD	HEAD, TYPICAL, QA 2, CRAB, ; STEEL, INJECTOR, FOR 4400.000 KILOWATT TANDEM DIESEL	2	C	29100	SE
AWL140A	AL	T-A-01-000-002	10	HEAD	HEAD, PRINT, QA 0, PRINTWHEEL ASSY, ; PLASTIC, BLACK, CODED WITH NUMBERS AND LETTERS	0	P	7021A	SE
BAR438K	AL	L-A-13-000-002	1	HEAD	HEAD, TYPICAL, QA 0, HEAD, LINEAR ACTUATING CYL; FRONT, FOR AIR CYLINDER, SERIES B, SINGLE	0	P	3040D	SE
BCY766V	AL	M-A-16-000-002	1	HEAD	HEAD, PRINT, QA 0, PRINthead, RECORDER; HYBRID DRIVER, FOR RECORDER, MULTIPLE PURPOSE	0	P	6695D	SE
BEQ612A	AL	L-A-03-000-002	1	HEAD	HEAD, TYPICAL, QA 0, HEAD, PUMP; INLET, STEM, SEAT AND GASKET, FOR PRESSURE POWDERED PUMP	0	P	4320U	SE
BEQ618X	AL	L-A-03-000-002	1	HEAD	HEAD, TYPICAL, QA 0, HEAD, PUMP; EXHAUST, SEAT WITH GASKET, FORPRESSURE POWDERED PUMP, TYPE	0	P	4320U	SE
BFY196Q	AL	L-A-09-000-002	8	HEAD	HEAD, SPRINKLER, QA 3, 1/2 IN, FIRE PROTECTION, BRASS, 286 DEG F, THREADED, HEAD, SPRINKLER,FIRE PROT; BRASS, UPRIGHT, 0.50 IN ORIFICE, AUTO	3	P	4210N	SE
BGV935M	AL	P-A-LL-ET0-108	3	HEAD	HEAD, TYPICAL, QA 0, POWERHEAD, ELECTRIC; COMPLETE, FOR USE WITH AUXILIARY BOILERS ***	0	C	4410C	SE
BKG990Y	AL	L-A-09-000-002	1	HEAD	HEAD, TYPICAL, QA 0, HEAD, PUMP; SUCTION, FOR CENTRIFIGAL PUMP,MODEL A2DN84, MONOBLOC, S/N	0	P	4320U	SE
BKN102E	AL	M-A-13-000-002	1	HEAD	HEAD, PRINT, QA 0, PRINthead, ASSY; FOR PRINTER, MODEL LA-120 ***	0	P	7021A	SE
BLA180V	PR	A-B-08-000-002	1	HEAD	HEAD, TYPICAL, QA 0, HEAD, ; FILTER VESSEL, 42 IN DIA, COMPLETE WITH 44 EA BOLTS, FOR	0	C	4330N	SE
BNN890H	AL	T-A-01-000-002	1	HEAD	HEAD, TYPICAL, QA 3, HEAD ASSY, TEMP DETECTOR; FOR RESISTANCE TEMP DETECTOR, CADMIUM PLATED	3	B	6695D	SE
BQL112M	AL	L-A-02-000-002	1	HEAD	HEAD, TYPICAL, QA 0, HEAD, PUMP; SUCTION, FOR TURNING GEAR OIL PUMP, MODEL NO 2CCNEJ-72	0	C	4320U	SE
BTJ269H	AL	M-A-01-000-002	3	HEAD	HEAD, PRINT, QA 3, PRINthead, ASSY; RECORDER, FOR RECORDER MODEL M11E-48, S/N 6961 ***	3	B	6695D	SE
BTM099P	AL	M-A-05-000-002	2	HEAD	HEAD, PRINT, QA 3, PRINthead, RECORDER; DIGITAL, FOR PRINTER, AUTOMATED DATA PROCESS	3	B	6695D	SE
BWE378L	AL	L-A-09-000-002	11	HEAD	HEAD, TYPICAL, QA 0, HEAD, PUMP; CYLINDER, FOR VACUUM PRIMING PUMP, MODEL SYCT500-1, S/N	0	C	4320U	SE
BXL887R	AL	L-A-13-000-002	10	HEAD	HEAD, PRINT, QA 0, WHEEL, RECORDER; NUMERIC ASY, FOR RECORDER, MULTIPLE PURPOSE, 12	0	C	6695D	SE
BMF156D	AL	A-A-01-000-001	6	HEADSET	HEADSET, COMMUNICATION, QA 0, HEADSET-MICROPHONE, ; COMPLETE WITH ELECTRIC BUZZER,2 EA EARPIECES	0	P	5965A	SE
AJP777W	AL	A-A-01-000-001	12	HEATER	HEATER, OVERLOAD, QA 0, HEATER, THERMAL RELEASE; OVERLOAD, RELAY ***	0	P	61100	SE
ALG409K	AL	D-A-31-201-009	2	HEATER	HEATER, ELECTRIC, QA 0, SPACE, 500, 240, HEATER, SPACE ELECTRIC; VOLTAGE: 240, VOLTAGE TYPE: AC, WATTAGE: 500	0		4520N	SE
ARD295P	AL	D-A-29-302-011	1	HEATER	HEATER, ELECTRIC, QA 0, SPACE, 750, 120, HEATER, SPACE ELECTRIC; VOLTAGE: 120, WATTAGE: 750 ***	0		4520N	SE
BFJ742M	AL	A-A-01-000-001	1	HEATER	HEATER, ELECTRIC, QA 0, HEATER, DUCT TYPE STATIONARY; VOLTAGE: 480, VOLTAGE TYPE: AC, WATTAGE:	0	P	4520N	SE
BGV476V	AL	D-A-27-201-002	1	HEATER	HEATER, ELECTRIC, QA 0, SPACE, 15 KW, 480, HEATER, SPACE ELECTRIC; VOLTAGE: 480, WATTAGE: 15 KW ***	0		4520N	SE
BJB083C	AL	A-A-01-000-001	9	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD, RELAY ***	1	P	61100	SE
BJB084A	AL	A-A-01-000-001	42	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD, RELAY ***	1	P	61100	SE
BJB090T	AL	A-A-01-000-001	12	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD, RELAY ***	1	P	61100	SE
BJB092B	AL	A-A-01-000-001	39	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD, RELAY ***	1	P	61100	SE
BJB101F	AL	A-A-01-000-001	23	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD, RELAY ***	1	P	61100	SE
BJB111B	AL	A-A-01-000-001	12	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD, RELAY ***	1	P	61100	SE
BJB117Y	AL	A-A-01-000-001	9	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD, RELAY ***	1	P	61100	SE
BJB118W	AL	A-A-01-000-001	9	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD, RELAY	1	P	61100	SE

BJB119T	AL	A-A-01-000-001	10	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD, RELAY ***	1	P	61100 SE
BJB130J	AL	A-A-01-000-001	35	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD, RELAY ***	1	P	61100 SE
BJB134Y	AL	A-A-01-000-001	12	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD, RELAY ***	1	P	61100 SE
BJB146P	AL	A-A-01-000-001	44	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD, RELAY ***	1	P	61100 SE
BJB148K	AL	A-A-01-000-001	12	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD, RELAY ***	1	P	61100 SE
BJB150C	AL	A-A-01-000-001	12	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD, RELAY ***	1	P	61100 SE
BJB152W	AL	A-A-01-000-001	45	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD, RELAY ***	1	P	61100 SE
BJL121R	AL	A-A-01-000-001	45	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD, RELAY ***	1	P	61100 SE
BJL122P	AL	A-A-01-000-001	39	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD, RELAY ***	1	P	61100 SE
BJL123M	AL	A-A-01-000-001	42	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD, RELAY ***	1	P	61100 SE
BJL124K	AL	A-A-01-000-001	38	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD, RELAY ***	1	P	61100 SE
BJL125H	AL	A-A-01-000-001	43	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD, RELAY ***	1	P	61100 SE
BJL126F	AL	A-A-01-000-001	45	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD, RELAY ***	1	P	61100 SE
BLQ126E	AL	D-A-02-202-000	8	HEATER	HEATER, ELECTRIC, QA 0, SPACE, 3.5 KW, 440, HEATER, SPACE ELECTRIC; VOLTAGE: 440, WATTAGE: 3.5 KW ***	0	P	4520N SE
BPB949H	AL	D-A-31-201-008	10	HEATER	HEATER, ELECTRIC, QA 1, HEATER, THERMAL RELEASE; MAX MOTOR FULL LOAD CURRENT, (10CFR21	1	B	61100 SE
BPQ882L	AL	A-A-01-000-001	30	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD ***	1	B	61100 SE
BPQ885E	AL	A-A-01-000-001	60	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD ***	1	B	61100 SE
BPQ908X	AL	A-A-01-000-001	48	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD ***	1	B	61100 SE
BRH504E	AL	A-A-01-000-001	1	HEATER	HEATER, ELECTRIC, QA 1, HEATER, IMMERSION; ELECTRIC IMMERSION TYPE, 15/20 KW, 480/550 VOLTS	1	B	29100 SE
BRH504E	AL	F-A-27-101-000	1	HEATER	HEATER, ELECTRIC, QA 1, HEATER, IMMERSION; ELECTRIC IMMERSION TYPE, 15/20 KW, 480/550 VOLTS	1	B	29100 SE
BRQ495F	AL	F-A-19-201-000	1	HEATER	HEATER, OVERLOAD, QA 1, G30T56, THERMAL RELEASE	1	B	61100 SE
BTM891G	AL	A-A-01-000-001	50	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL REL OVERLOAD; OVERLOAD, CLASS G-30 ***	1	B	5999D SE
BTM907W	AL	A-A-01-000-001	41	HEATER	HEATER, TYPICAL, QA 1, HEATER, THERMAL REL OVERLOAD; OVERLOAD,CLASS G-30 ***	1	B	5999D SE
BTM914Y	AL	D-B-16-000-001	13	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL REL OVERLOAD; OVERLOAD CLASS-30 ***	1	B	5999D SE
BTM955G	AL	A-A-01-000-001	66	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD ***	1	B	61100 SE
BTM965D	AL	A-A-01-000-001	10	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD ***	1	B	61100 SE
BTM971J	AL	A-A-01-000-001	10	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD ***	1	B	61100 SE
BTM972G	AL	A-A-01-000-001	31	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD ***	1	B	61100 SE
BTM974C	AL	A-A-01-000-001	22	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD ***	1	B	61100 SE
BTR062T	AC	- - - -	2	HEATER	HEATER, OVERLOAD, QA 0, HEATER ASSY, ; FOR TURBINE LUBE OIL PURIFIER HEATER ***	0	C	6695D SE
BTY622X	AL	D-B-07-101-000	2	HEATER	HEATER, ELECTRIC, QA 0, HEATER UNIT, ELECTRICAL; HEAVY DUTY,480VAC,30 KW,2 STAGE,HORTIZONTAL	0	C	5999D SE
BVA574F	AL	A-A-01-000-001	28	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL REL OVERLOAD; G30 SERIES ***	1	B	5999D SE
BVA591F	AL	A-A-01-000-001	18	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL REL OVERLOAD; G30 SERIES ***	1	B	5999D SE
BWF328Y	AL	F-A-11-202-003	1	HEATER	HEATER, ELECTRIC, QA 0, IMMERSION, 460/480, 3, 300 LB FLANGE, HEATER, IMMERSION; 460/480 VOLTS, 3-PHASE, 300 LB FLANGE, MOISTURE	0	B	4320U SE
BWN123D	AL	A-A-01-000-001	4	HEATER	HEATER, OVERLOAD, QA 3, HEATER, THERMAL REL OVERLOAD; RELAY OVERLOAD,TYPE A, SERIES FH88	3	C	5999D SE
BYC338Y	AL	D-B-09-201-002	3	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD, FOR C-4001 COMPRESSOR ***	1	B	61100 SE
CAY821K	AC	- - - -	1	HEATER	HEATER, ELECTRIC, QA 1, CLASS 3, TYPE: IMMERSION; VOLTS: 480; WATTS: 9 K; PHASE: 3; SS FLANGE	1	B	4320U SE
ABP025F	AL	L-A-09-000-002	70	HEATER	HEATER, OVERLOAD, QA 0, HEATER, THERMAL RELEASE; OVERLOAD, RELAY ***	0	P	61100 SE
ABV030D	AL	L-A-01-000-002	2	HEATER	HEATER, ELECTRIC, QA 0, SPACE, 250, 115, HEATER, SPACE ELECTRIC; VOLTAGE: 115, VOLTAGE TYPE: AC, WATTAGE: 250	0	P	6630D SE
ADP627F	AL	L-A-03-000-002	10	HEATER	HEATER, OVERLOAD, QA 0, HEATER, THERMAL RELEASE; OVERLOAD ***	0	B	61100 SE
AEP028N	AL	L-A-09-000-002	4	HEATER	HEATER, OVERLOAD, QA 0, HEATER, THERMAL RELEASE; OVERLOAD ***	0	P	61100 SE
AEP120P	AL	L-A-09-000-002	4	HEATER	HEATER, OVERLOAD, QA 0, HEATER, THERMAL RELEASE; OVERLOAD, RELAY ***	0	P	61100 SE
AEP389Y	AL	L-A-03-000-002	10	HEATER	HEATER, OVERLOAD, QA 2, HEATER, THERMAL RELEASE; OVERLOAD ***	2	B	61100 SE
AEP489T	AL	L-A-03-000-002	5	HEATER	HEATER, OVERLOAD, QA 2, CR123C118A, THERMAL RELEASE	2	B	61100 SE
AEP588Q	AL	L-A-13-000-002	13	HEATER	HEATER, OVERLOAD, QA 2, HEATER, THERMAL RELEASE; OVERLOAD, RELAY ***	2	B	61100 SE
AFP480J	AL	L-A-03-000-002	14	HEATER	HEATER, OVERLOAD, QA 2, C3.79A, THERMAL RELEASE	2	P	61100 SE
AFP680A	AL	L-A-03-000-002	35	HEATER	HEATER, OVERLOAD, QA 2, CR123C466A, THERMAL RELEASE	2	P	61100 SE
AFP882J	AL	L-A-03-000-002	2	HEATER	HEATER, OVERLOAD, QA 2, C21.4B, THERMAL RELEASE, NEMA SIZE 0, 1 & 2 STARTERS.	2	P	61100 SE
AHP089F	AL	M-A-16-000-002	107	HEATER	HEATER, OVERLOAD, QA 2, HEATER, THERMAL RELEASE; OVERLOAD ***	2	P	61100 SE
AHP788X	AL	M-A-16-000-002	9	HEATER	HEATER, OVERLOAD, QA 2, HEATER, THERMAL RELEASE; OVERLOAD ***	2	P	61100 SE
AKY760F	AL	M-A-16-000-002	9	HEATER	HEATER, OVERLOAD, QA 2, HEATER, THERMAL RELEASE; OVERLOAD, RELAY ***	2	P	61100 SE
AQN285J	AL	M-A-07-000-002	1	HEATER	HEATER, ELECTRIC, QA 0, MOTOR, 10 KW, 440, HEATER, ; ELEC, MOTOR W/TRANSFORMER FOR MOTOR (230 VAC, 0.95 A) FOR	0	P	4710W SE
AQN607P	AL	M-A-16-000-002	11	HEATER	HEATER, OVERLOAD, QA 2, HEATER, THERMAL RELEASE; OVERLOAD ***	2	P	61100 SE
ARB498K	AL	W-A-08-000-002	1	HEATER	HEATER, ELECTRIC, QA 0, HEATER, DUCT TYPE STATIONARY; VOLTAGE: 480, VOLTAGE TYPE: AC, WATTAGE:	0	C	4520N SE
ARR521B	AL	L-A-03-000-002	95	HEATER	HEATER, OVERLOAD, QA 0, HEATER, THERMAL RELEASE; OVERLOAD ***	0	P	61100 SE
ATN894C	AL	M-A-16-000-002	4	HEATER	HEATER, OVERLOAD, QA 2, HEATER, THERMAL RELEASE; OVERLOAD, 5.36-5.85 AMP ***	2	P	61100 SE
AVJ451X	AL	M-A-09-000-002	2	HEATER	HEATER, ELECTRIC, QA 2, HEATER, SPACE ELECTRIC; MODEL SF6-48K,110 VOLT,100 WATT,FOR COMPONENT	2	P	4520N SE
AWD682X	AL	M-A-16-000-002	12	HEATER	HEATER, OVERLOAD, QA 2, HEATER, THERMAL RELEASE; OVERLOAD, 10 AMP ***	2	P	61100 SE
AWD759L	AL	M-A-03-000-002	9	HEATER	HEATER, OVERLOAD, QA 2, HEATER, THERMAL RELEASE; OVERLOAD, 51 AMP ***	2	P	61100 SE
AWD767M	AL	M-A-16-000-002	9	HEATER	HEATER, OVERLOAD, QA 2, HEATER, THERMAL RELEASE; OVERLOAD, 62 AMP ***	2	P	61100 SE
AWG728G	AL	M-A-04-000-002	6	HEATER	HEATER, OVERLOAD, QA 3, HEATER, THERMAL RELEASE; OVERLOAD, FOR HARNISCHFEGER TWO SPEED HOIST	3	P	61100 SE
AYM843A	AL	M-A-16-000-002	2	HEATER	HEATER, OVERLOAD, QA 2, HEATER, THERMAL RELEASE; OVERLOAD, FOR GENERAL ATOMIC, RADIATION	2	B	61100 SE
BHQ965M	AL	L-A-09-000-002	1	HEATER	HEATER, ELECTRIC, QA 0, SPACE, 12 KW, 460, HEATER, SPACE ELECTRIC; VOLTAGE: 460, VOLTAGE TYPE: AC, WATTAGE: 12 KW	0	P	4520N SE
BJH993E	AL	L-A-09-000-002	9	HEATER	HEATER, OVERLOAD, QA 3, HEATER, THERMAL RELEASE; OVERLOAD, FOR SIZE 3 I.T.E. MOTOR STARTER ***	3	P	61100 SE
BJH994C	AL	L-A-09-000-002	5	HEATER	HEATER, OVERLOAD, QA 3, G30T-28, HEATER, THERMAL RELEASE; OVERLOAD, FOR SIZE 1 I.T.E. MOTOR STARTER ***	3	P	61100 SE
BKH167A	AL	L-A-03-000-002	31	HEATER	HEATER, OVERLOAD, QA 2, HEATER, THERMAL RELEASE; OVERLOAD RELAY ***	2	P	61100 SE
BKM956R	AL	L-A-03-000-002	10	HEATER	HEATER, OVERLOAD, QA 2, HEATER, THERMAL RELEASE; OVERLOAD RELAY ***	2	B	61100 SE
BLL606M	AL	T-A-01-000-002	6	HEATER	HEATER, OVERLOAD, QA 3, HEATER, THERMAL RELEASE; RELEASE OVERLOAD, TYPE A HEATER, F SERIES	3	B	61100 SE
BNR142Y	AL	M-A-03-000-002	4	HEATER	HEATER, OVERLOAD, QA 0, HEATER, THERMAL RELEASE; OVERLOAD ***	0	P	61100 SE
BPM401G	AL	M-A-06-000-002	8	HEATER	HEATER, OVERLOAD, QA 0, HEATER, THERMAL RELEASE; OVERLOAD ***	0	B	61100 SE
BPQ885E	AL	M-A-04-000-002	16	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD ***	1	B	61100 SE
BRE375D	AL	M-A-06-000-002	17	HEATER	HEATER, ELECTRIC, QA 1, HEATER, THERMAL RELEASE; ***	1	B	61100 SE
BRF406Q	AL	L-A-09-000-002	1	HEATER	HEATER, ELECTRIC, QA 0, HEATER UNIT, ELECTRICAL; PRECISION TRANSFORMER, CONTROLLED HEATER	0	B	6630D SE
BRQ495F	AL	M-A-06-000-002	1	HEATER	HEATER, OVERLOAD, QA 1, G30T56, THERMAL RELEASE	1	B	61100 SE
BRW101C	AL	L-A-05-000-002	1	HEATER	HEATER, TYPICAL, QA 3, HEATER, COMPRESSOR; HEATER, MOUNTING ASM FOR SLC PMP MTR MODEL #	3	C	4310I SE

BTQ786X	AL	M-A-15-000-002	12	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL REL OVERLOAD; CR123 ***	1	B	5999D SE
BTQ790J	AL	M-A-15-000-002	18	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL REL OVERLOAD; CR123 ***	1	B	5999D SE
BTQ796T	AL	M-A-15-000-002	15	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL REL OVERLOAD; CR123 ***	1	B	5999D SE
BTQ805M	AL	M-A-01-000-002	1	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL REL OVERLOAD; CR123 ***	1	B	5999D SE
BTQ807H	AL	M-A-15-000-002	24	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL REL OVERLOAD; CR123 ***	1	B	5999D SE
BVA571M	AL	M-A-15-000-002	10	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL REL OVERLOAD; G30 SERIES ***	1	B	5999D SE
BVH097A	AL	P-A-LL-ET0-099	7	HEATER	HEATER, ELECTRIC, QA 0, OIL PURIFIER, 16 KW, 480, 3, 60 HZ, HEATER, OIL PURIFIER; 16 KW, 480 VOLT, 3 PHASE, 60 HZ; INTENDED USE:	0	C	4330N SE
BVR603N	AL	M-A-15-000-002	8	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD ***	1	B	61100 SE
BWM379E	AL	T-A-01-000-002	4	HEATER	HEATER, OVERLOAD, QA 0, HEATER, THERMAL RELEASE; OVERLOAD, RELAY, TYPE A, SERIES FH84 ***	0	B	61100 SE
BXX399Q	AL	M-A-01-000-002	3	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD, FOR MODEL C-3501 COMPRESSOR ***	1	B	61100 SE
CAM316F	AL	L-A-09-000-002	1	HEATER	HEATER, ELECTRIC, QA 3, SPACE, 50, 120, HEATER, SPACE ELECTRIC; VOLTAGE: 120, VOLTAGE TYPE: AC, WATTAGE: 50	3	B	4520N SE
CBV861G	AL	L-A-03-000-002	3	HEATER	HEATER, TYPICAL, QA 3, HEATER, REFRIG FILTERING; FOR TRANE "INTERCLEAN IN-LINE REFRIGERANT	3	B	4520N SE
BGE378Y	AL	A-A-01-000-001	1	HEATSINK	HEATSINK, THERMAL, QA 0, HEAT SINK, ELEC-ELEC COMPONENT; FOR POW CON WELDING MACHINE, MODEL 300	0	P	3433A SE
BVC812F	AL	L-A-09-000-002	1	HEATSINK	HEATSINK, THERMAL, QA 0, HEAT SINK, ASSY; GENERAL ELECTRIC P/N 769B767RD-G01. REFERENCE: SPARE	0	B	5999D SE
BXA480P	AL	L-A-13-000-002	5	HEATSINK	HEATSINK, THERMAL, QA 3, HEAT SINK, ELEC-ELEC COMPONET; FOR CABLE TRAY FIRE DETECTOR SYSTEM ***	3	B	5999D SE
ANG819J	AL	D-A-32-104-001	1	HELIX	HELIX, TYPICAL, QA 0, HELIX, ; 000.750 IN, FOR VOLUMETRIC DRYFEEDER, HELIX TYPE, MODEL	0	P	46109 SE
AEY884G	AL	D-A-02-102-003	1	HINGE	HINGE, DOOR, QA 3, HINGE, BUTT; DOOR, ELECTRIC, LEFT HAND, 4.5 X 4.5 IN, US-26D FINISH	3		4710Y SE
AQR311W	AL	D-B-25-201-001	1	HINGE	HINGE, DOOR, QA 0, HINGE, DOOR; ELECTRIC, FOR PLANT SECURITY DOORS ***	0		4710Y SE
AQX966M	AL	A-A-01-000-001	5	HINGE	HINGE, TYPICAL, QA 0, BUTT, 2 IN, 2 IN, STEEL	0	C	4710Y SE
AVB719H	AL	A-A-01-000-001	1	HINGE	HINGE, VALVE, QA 0, HINGE, VALVE; REF 5, FOR 004.000IN, CLASS 150, SWING CHECK, CAT	0	P	48200 SE
AVB720C	AL	A-A-01-000-001	1	HINGE	HINGE, VALVE, QA 0, HINGE, VALVE; REF 5, FOR 003.000IN, CLASS 300, SWING CHECK,CAT	0	P	48200 SE
BCY146T	AL	D-A-18-202-001	12	HINGE	HINGE, TYPICAL, QA 0, TEE, 1-1/4 IN, 3-5/32 IN, ALLOY STEEL, ZINC PLATED, HINGE, TEE; MATERIAL: ALLOY STEEL, LENGTH: 03.156250 (3 5/32), WI	0	P	4710Y SE
BDE618P	AL	D-B-25-201-001	8	HINGE	HINGE, TYPICAL, QA 0, STRAP, 0.060 IN, 8 IN, HINGE, STRAP; LENGTH: 08.000000 (8), WIDTH: 0.060000 (NO. 0) ***	0		4710Y SE
BDV924D	AL	D-A-08-102-001	12	HINGE	HINGE, TYPICAL, QA 0, TEE, 2-7/8 IN, 8 IN, HINGE, TEE; LENGTH: 08.000000 (8), WIDTH: 02.875000 (2 7/8) ***	0		4710Y SE
BEG239F	AL	A-A-01-000-001	65	HINGE	HINGE, TYPICAL, QA 0, BUTT, 4 IN	0	P	4710Y SE
BJN122D	AL	A-A-01-000-001	5	HINGE	HINGE, DOOR, QA 3, HINGE, BUTT; 24 VAC, 4.5 X 4 IN, US26D LEFTHAND, EIGHT WIRE CONDUCTOR	3	C	4710Y SE
BJN122D	AL	1-B-12-000-001	10	HINGE	HINGE, DOOR, QA 3, HINGE, BUTT; 24 VAC, 4.5 X 4 IN, US26D LEFTHAND, EIGHT WIRE CONDUCTOR	3	C	4710Y SE
BJN123B	AL	A-A-01-000-001	6	HINGE	HINGE, DOOR, QA 3, HINGE, BUTT; 24 VAC, 4.5 X 4 IN, US26D RIGHT HAND, EIGHT WIRE	3	C	4710Y SE
BJN123B	AL	1-B-12-000-001	8	HINGE	HINGE, DOOR, QA 3, HINGE, BUTT; 24 VAC, 4.5 X 4 IN, US26D RIGHT HAND, EIGHT WIRE	3	C	4710Y SE
BKH422L	AL	A-A-01-000-001	3	HINGE	HINGE, TYPICAL, QA 3, HINGE, BUTT; CARBON STEEL, 3.5 X 3 IN, US26D FINISH, NOT APPROVED FOR	3	C	4710Y SE
BLE055M	AL	A-A-01-000-001	6	HINGE	HINGE, TYPICAL, QA 3, HINGE, BUTT; BUTT,STAINLESS STEEL HEAVY DUTY, FULL MORTISE, BALL	3	P	4710Y SE
BNH147X	AL	A-A-01-000-001	2	HINGE	HINGE, DOOR, QA 3, HINGE, BUTT; CONCEALED WIRE FOR DOOR C-19 ***	3	P	4710Y SE
BPV283V	AL	D-A-29-302-003	1	HINGE	HINGE, DOOR, QA 3, HINGE, BUTT; US26D FINISH, 5 IN X 4-1/2 INCH, FOR APPENDIX 'R' FIRE	3		4710Y SE
BPV286M	AL	D-A-18-202-001	13	HINGE	HINGE, TYPICAL, QA 3, HINGE, BUTT; 5" X 4 1/2", US26D FINISH ***	3		4710Y SE
BVB767Y	AL	D-A-27-301-006	11	HINGE	HINGE, TYPICAL, QA 2, HINGE, BUTT; MATERIAL: BRASS, WIDTH: 04.500000 (4 1/2), LENGTH:	2		4710Y SE
BVF907M	AL	A-A-01-000-001	44	HINGE	HINGE, TYPICAL, QA 3, HINGE, BUTT; MATERIAL: STAINLESS STEEL, WIDTH: 4.500 IN (4 1/2)	3	C	4710Y SE
BWC041R	AL	A-A-01-000-001	9	HINGE	HINGE, TYPICAL, QA 3, HINGE, BUTT; MATERIAL: STAINLESS STEEL, WIDTH: 4.500 IN (4 1/2)	3	C	4710Y SE
BWC046F	AL	1-B-12-000-001	8	HINGE	HINGE, TYPICAL, QA 3, HINGE, ELECTRIC; HINGE, LEFT HAND, ELECTRIC, US26D SATIN CHROME	3	C	4710Y SE
BWC355B	AC	- - -	11	HINGE	HINGE, DOOR, QA 3, HINGE, ELECTRIC; DOOR FULL MORTISE, 6 X 5 IN, 8 WIRE TYPE 1 AMP, 48	3	B	4710Y SE
BXT402F	AL	A-A-01-000-001	20	HINGE	HINGE, TYPICAL, QA 3, HINGE, BUTT; 5" X 4 1/2", US32D FINISH, STAINLESS STEEL, SATIN FINISH	3	B	4710Y SE
BXT410T	AL	D-A-03-201-002	20	HINGE	HINGE, TYPICAL, QA 3, HINGE, BUTT; 4 1/2" X 4 1/2", US32D FINISH, STAINLESS STEEL, SATIN	3	B	4710Y SE
CJB225L	AL	D-B-25-302-001	1	HINGE	HINGE, TYPICAL, QA 1, CS, MATERIAL: A216 WCB, FOR 3 INCH 300 # WELD ENDS CARBON	1		48200 SE
AEY185B	AL	L-A-03-000-002	1	HINGE	HINGE, DOOR, QA 3, BUTT, 4-1/2 IN, 5 IN, ELECTRIC/LEFT HAND, HINGE, BUTT; DOOR, ELECTRIC, LEFT HAND, 4.5 X 5 IN, US-26D FINISH ***	3	P	4710Y SE
BGF009H	AL	L-A-09-000-002	1	HINGE	HINGE, TYPICAL, QA 0, HINGE ASSY, SEWAGE EJECTOR; CAST BRONZE, C/W FLAP, FOR SEWAGE EJECTOR	0	P	4630Y SE
BLE863Y	AL	L-A-03-000-002	4	HINGE	HINGE, TYPICAL, QA 3, HINGE, BUTT; HINGE, BUTT, 6" X 5", US26D FINISH ***	3	C	4710Y SE
BPM494D	AL	P-A-LL-ET0-085	8	HINGE	HINGE, DOOR, QA 3, HINGE, BUTT; ELECTRO-MAGNETIC, US26D, 4-1/2 IN X 4-1/2 INCH, FOR	3	C	4710Y SE
BPV722V	AL	M-A-02-000-002	1	HINGE	HINGE, TYPICAL, QA 3, HINGE, BUTT; STEEL, CHROME SATIN, US26D FINISH, ELECTRIC 24 VAC, 4.5	3	C	4710Y SE
BTK349E	AL	M-A-04-000-002	8	HINGE	HINGE, TYPICAL, QA 3, HINGE, RECORDER; SOLENOID, FOR RECORDER, MULTIPLE PURPOSE, MODEL M5E	3	B	6695D SE
BWY119T	AL	T-A-01-000-002	1	HINGE	HINGE, VALVE, QA 0, HINGE, VALVE; FOR 2.00" ANCHOR-DARLING SWING CHECK VALVE MODEL NO.	0	D	48200 SE
CBN195M	AL	P-A-LL-ET0-113	4	HINGE	HINGE, VALVE, QA 0, HINGE, VALVE; FOR 6 INCH 300 LB CHECK VALVE, FOR ANCHOR DARLING DWG	0	C	48200 SE
ABF695K	AL	D-A-31-201-017	3	HOLDER	HOLDER, LAMP, QA 0, BASE ASSY, VALVE; LAMPHOLDER, FOR INDICATING LIGHT 110/125 VAC/DC ***	0		48200 SE
ACT190Y	AL	A-A-01-000-001	4	HOLDER	HOLDER, LAMP, QA 3, LAMPHOLDER, ELECTRIC; INDICATING LAMP, 7100 OHM RESISTOR, WHITE LENS	3	P	6250D SE
ACT398T	AL	D-A-34-201-000	10	HOLDER	HOLDER, LAMP, QA 0, INCANDESCENT, 60-300, MEDIUM, LAMPHOLDER, ELECTRIC; INCANDESCENT, MEDIUM BASE PORCELAIN WITH BRASS	0		6250D SE
ACT497Q	AL	D-B-19-202-002	10	HOLDER	HOLDER, LAMP, QA 0, 125, LAMPHOLDER, ELECTRIC; INDICATING LAMP, (PILOT LAMP) 4" LEADS, W/LENS,	0		6250D SE
ACT598J	AL	D-A-13-301-001	3	HOLDER	HOLDER, LAMP, QA 0, LAMPHOLDER, ELECTRIC; LENS COLOR: RED ***	0		6250D SE
ACT697G	AL	D-A-33-301-000	2	HOLDER	HOLDER, LAMP, QA 0, ELECTRIC, LAMPHOLDER, ELECTRIC; FEATURE: W/RESISTOR ***	0		6250D SE
ACT797C	AL	D-A-12-202-002	2	HOLDER	HOLDER, LAMP, QA 0, 115, LAMPHOLDER, ELECTRIC; VOLTAGE: 115.00, FEATURE: W/RESISTOR, LENS	0		6250D SE
ADT892C	AL	D-A-13-301-001	6	HOLDER	HOLDER, LAMP, QA 0, 250, LAMPHOLDER, ELECTRIC; VOLTAGE: 250.00 ***	0		6250D SE
ADT997X	AL	A-A-01-000-001	3	HOLDER	HOLDER, LAMP, QA 0, LAMPHOLDER, ELECTRIC; LAMP TYPE: NEON, FEATURE: W/RESISTOR, LENS	0	P	6250D SE
AET190J	AL	A-A-01-000-001	4	HOLDER	HOLDER, LAMP, QA 0, LAMPHOLDER, ELECTRIC; VOLTAGE: 125.00, LENS COLOR: GREEN ***	0	P	6250D SE
AET299G	AL	A-A-01-000-001	3	HOLDER	HOLDER, LAMP, QA 0, LAMPHOLDER, ELECTRIC; FEATURE: W/TRANSFORMER ***	0	P	6250D SE
AET896X	AL	D-A-13-301-001	3	HOLDER	HOLDER, LAMP, QA 0, MINIATURE BAYONET, LAMPHOLDER, ELECTRIC; LAMP BASE TYPE: MINIATURE BAYONET, LENS COLOR:	0		6250D SE
AFD672H	AL	A-A-01-000-001	4	HOLDER	HOLDER, TYPICAL, QA 0, HOLDER, COMPRESSOR; GUIDE, CENTER, FOR INGERSOLL-RAND AIR COMPRESSOR	0	P	4310I SE
AFT093M	AL	D-A-30-301-002	13	HOLDER	HOLDER, LAMP, QA 0, LAMPHOLDER, ELECTRIC; VOLTAGE: 230.00, LAMP BASE TYPE: WIRE LEAD LENS	0		6250D SE
AFT098B	AL	D-A-30-301-002	18	HOLDER	HOLDER, LAMP, QA 0, 600, 600, MEDIUM, LAMPHOLDER, ELECTRIC; FLOURESCENT LAMP, MEDIUM BI-PIN 660 W, 600 V ***	0		6250D SE
AFT191Y	AL	D-A-28-101-007	5	HOLDER	HOLDER, LAMP, QA 0, 125, 75, LAMPHOLDER, ELECTRIC; VOLTAGE: 125.00, WATTAGE: 75.000 ***	0	P	6250D SE
AFT195N	AL	A-A-01-000-001	28	HOLDER	HOLDER, LAMP, QA 0, LAMPHOLDER, ELECTRIC; VOLTAGE: 25.00, FEATURE: W/RESISTOR, RESISTOR	0	P	6250D SE
AFT295J	AL	A-A-01-000-001	21	HOLDER	HOLDER, LAMP, QA 0, LAMPHOLDER, ELECTRIC; VOLTAGE: 25.00, FEATURE: W/RESISTOR, RESISTOR	0	P	6250D SE
AFT395E	AL	A-A-01-000-001	25	HOLDER	HOLDER, LAMP, QA 0, LAMPHOLDER, ELECTRIC; FEATURE: W/RESISTOR, RESISTOR OHMS: BUILT-IN 90	0	P	6250D SE
AFT798P	AL	A-A-01-000-001	4	HOLDER	HOLDER, LAMP, QA 3, LAMPHOLDER, ELECTRIC; INDICATING LAMP, W/GREEN LENS 120 VDC ***	3	P	6250D SE
AJT488L	AL	D-A-12-301-000	19	HOLDER	HOLDER, LAMP, QA 0, INCANDESCENT, MEDIUM, 600, 660, MEDIUM SCREW BASE, WITH PIGTAILS,	0	P	6250D SE
AKT188T	AL	D-A-08-102-006	1	HOLDER	HOLDER, LAMP, QA 0, INDICATING, LAMPHOLDER, METER; INDICATING LAMP (PILOT LIGHT), W/RED LENS, BECKMAN	0		6250D SE
AKT387L	AL	D-A-13-301-001	3	HOLDER	HOLDER, LAMP, QA 0, GREEN, LAMPHOLDER, ELECTRIC; LENS COLOR: GREEN ***	0		6250D SE
ALT085M	AL	D-A-04-202-007	3	HOLDER	HOLDER, LAMP, QA 3, INDICATING, 125, 75, LAMPHOLDER, ELECTRIC; INDICATING LAMP, W/CLEAR LENS, DIALCO 95-4109-37	3		6250D SE
ALT089D	AL	D-A-32-302-001	6	HOLDER	HOLDER, LAMP, QA 0, LAMPHOLDER, ELECTRIC; INDICATING LAMP, CARTRIDGE TYPE, HOLDS 4537 AND	0		6250D SE

ALT186Q	AL	A-A-01-000-001	7	HOLDER	HOLDER, LAMP, QA 0, LAMPHOLDER, ELECTRIC; VOLTAGE: 125.00, WATTAGE: 75.000, LENS COLOR:	0	P	6250D SE
ALT389A	AL	D-A-16-201-002	3	HOLDER	HOLDER, LAMP, QA 0, 125, LAMPHOLDER, ELECTRIC; VOLTAGE: 125.00, LENS COLOR: RED ***	0		6250D SE
AMM747X	AL	D-A-02-202-001	9	HOLDER	HOLDER, FUSE, QA 0, FUSEHOLDER, PANEL MOUNT; TYPE 3AG, WITH FINGER OPERATED KNOB	0	B	5920K SE
ANT187A	AL	D-A-08-102-007	5	HOLDER	HOLDER, LAMP, QA 3, INDICATING, LAMPHOLDER, ELECTRIC; INDICATING LAMP, LEAK-PROOF, W/AMBER LENS AND 12	3		6250D SE
APT781P	AL	D-A-24-201-003	3	HOLDER	HOLDER, LAMP, QA 0, INCANDESCENT, 600, 660, MEDIUM SCREW, MATERIAL: PORCELAIN, RIGHT HAND THREAD	0	C	6250D SE
AQE816N	AL	D-A-13-301-001	22	HOLDER	HOLDER, LAMP, QA 0, INDICATING, 1/4 W, PLUG-IN, LAMPHOLDER, ELECTRIC; INDICATING LAMP, PLUG-IN TYPE, LESS LENS AND	0		6250D SE
AQW288D	AL	D-A-28-102-000	6	HOLDER	HOLDER, TYPICAL, QA 0, FILTER, W/ QUICK DISCONNECT, HOLDER, ; FILTER, W/QUICK DISCONNECT FOR 47 MM PARTICULATE AIR FILTER	0	C	4240P SE
ARN156P	AL	A-A-01-000-001	1	HOLDER	HOLDER, TYPICAL, QA 0, HOLDER, SPRING; SUPPORT, FOR CENTRIFUGE OIL PURIFIER, TYPE	0	P	4710Y SE
ARX226Q	AL	1-A-03-000-001	1	HOLDER	HOLDER, TYPICAL, QA 1, CLASS 2, HOLDER ASSY, VALVE; SOFT SEAT HOLDER ASSEMBLY, INCLUDES: SEAT HOLDER -	1	B	48200 SE
ARX226Q	AL	A-A-01-000-001	5	HOLDER	HOLDER, TYPICAL, QA 1, CLASS 2, HOLDER ASSY, VALVE; SOFT SEAT HOLDER ASSEMBLY, INCLUDES: SEAT HOLDER -	1	B	48200 SE
ATW305W	AL	D-A-04-202-007	16	HOLDER	HOLDER, TYPICAL, QA 0, HOLDER, SPRING; CHART ROLL,ON MULTI-RITER RECORDER,MODEL FMWST6C,FOR	0		6695D SE
ATY040X	AL	D-A-31-201-006	14	HOLDER	HOLDER, LAMP, QA 0, 250, MEDIUM SCREW, LAMPHOLDER, ELECTRIC; MATERIAL: PORCELAIN, VOLTAGE: 250.00, LAMP BASE	0		6250D SE
AWK954P	AL	D-B-25-201-001	21	HOLDER	HOLDER, LAMP, QA 0, 600, 600, MEDIUM, LAMPHOLDER, ELECTRIC; MATERIAL: PORCELAIN, VOLTAGE: 600.00, WATTAGE:	0		6250D SE
AWX999D	AL	A-A-01-000-001	1	HOLDER	HOLDER, DISC, QA 0, HOLDER, ; STEEL, DISK, FOR 4X6 SAFETY RELIEF VALVE, MODEL D32P	0	P	48200 SE
AXY327L	AL	D-A-34-201-000	3	HOLDER	HOLDER, LAMP, QA 0, LAMPHOLDER, ELECTRIC; WATTAGE: 150.000 ***	0		6250D SE
BBR978C	AL	A-A-01-000-001	1	HOLDER	HOLDER, TYPICAL, QA 0, HOLDER, PEN; BLUE, CHANNEL ONE, FOR GENERAL PURPOSE 4 IN INDUSTRIAL	0	P	6695D SE
BBW324D	AL	A-A-01-000-001	1	HOLDER	HOLDER, DISC, QA 0, HOLDER, ; STAINLESS STEEL, FOR SAFETY RELIEF VALVE, SIZE 0.75 AND 1	0	P	48200 SE
BCB456D	AL	A-A-01-000-001	15	HOLDER	HOLDER, TYPICAL, QA 0, HOLDER, ; SCREEN, OR BREATHING APPARATUS SELF-CONTAINED, AIR MASK	0	P	4240P SE
BEE805K	AL	D-A-30-301-002	17	HOLDER	HOLDER, LAMP, QA 0, LAMPHOLDER, ELECTRIC; LAMP TYPE: INCANDESCENT ***	0		6250D SE
BEY226G	AL	D-A-08-102-006	43	HOLDER	HOLDER, LAMP, QA 3, FLUORESCENT, 250, 75, BI-PIN, LAMPHOLDER, ELECTRIC; FLUORESCENT, BI-PIN BASE 75 WATT, 250 VOLTS,	3		6250D SE
BJC361E	AL	D-A-28-102-003	16	HOLDER	HOLDER, TYPICAL, QA 0, DOOR, CAST IRON, ALUMINUM FINISH, HOLDER, DOOR; MATERIAL: CAST IRON, SURFACE TREATMENT: ALUMINUM FINISH	0		4710Y SE
BJM098B	AL	A-A-01-000-001	3	HOLDER	HOLDER, FUSE, QA 1, FUSEHOLDER, BLOCK; CARTRIDGE, PORCELAIN, 1-POLE, 600 VOLTS, 1 TO 30	1	P	5920K SE
BLF063H	AL	A-A-01-000-001	7	HOLDER	HOLDER, TYPICAL, QA 0, HOLDER, VALVE; RING, FOR SAFTY RELIEF VALVE, 6 IN, TYPE 19060/PI-1 ***	0	P	48200 SE
BLF064F	AL	A-A-01-000-001	4	HOLDER	HOLDER, DISC, QA 0, HOLDER, VALVE; DISK, FOR SAFTY RELIEF VALVE, 6 IN, TYPE 19060/PI-1 ***	0	P	48200 SE
BMA455W	AL	D-A-20-402-005	6	HOLDER	HOLDER, LAMP, QA 3, INDICATING, LAMPHOLDER, ELECTRIC; INDICATING LIGHT, WHITE. ***	3		6250D SE
BNM737K	AL	D-A-01-402-000	1	HOLDER	HOLDER, LAMP, QA 0, FIXTURE, HOLDER, FIXTURE; FIXTURE ***	0		6230R SE
BPK108Q	AL	D-B-03-301-000	2	HOLDER	HOLDER, DISC, QA 0, HOLDER, ; SANDING DISK, FOR CLARK FLOOR BUFFER, MODEL 1700HD ***	0		5130U SE
BPL007G	AL	D-A-10-201-001	39	HOLDER	HOLDER, TYPICAL, QA 0, HOLDER, EYEGLASS; EYEWEAR, B-BLUE, CROAKIES, GLASS-GUARD, NEOPRENE	0		4240P SE
BPM201Q	AL	D-B-03-302-000	4	HOLDER	HOLDER, TYPICAL, QA 0, HOLDER,FL POLISHING, ; MACHINE PAD, PERMA GRIP DRIVE PAD ASSEMBLY, FOR	0		79101 SE
BQH577P	AL	D-A-34-201-000	3	HOLDER	HOLDER, LAMP, QA 0, BASE, LAMPHOLDER; SLIP-FITTER, FOR 1.5 IN PIPE ***	0		6210P SE
BQK387J	AL	D-A-22-401-000	1	HOLDER	HOLDER, TOOL, QA 0, ELECTRODE, FLANGE/4 PROBES, HOLDER, ELECTRODE WELDING; HOLDER, FLANGED WITH GROUND SCREW, 3" STD.	0		3439D SE
BQW228Q	AL	F-A-23-000-001	8	HOLDER	HOLDER, FUSE, QA 1, FUSEHOLDER, BLOCK; 250VAC,2 POLE, 60 AMP ***	1	B	5920K SE
BQW228Q	AL	F-A-39-055-001	10	HOLDER	HOLDER, FUSE, QA 1, FUSEHOLDER, BLOCK; 250VAC,2 POLE, 60 AMP ***	1	B	5920K SE
BRC098E	AL	1-B-08-000-001	2	HOLDER	HOLDER, FUSE, QA 1, FUSEHOLDER, BLOCK; ASSY,C/0 FUSE BLOCKS,END SECTIONS,14	1	B	5920K SE
BRP843P	AL	A-A-01-000-001	3	HOLDER	HOLDER, DISC, QA 3, HOLDER, VALVE; DISK, PC 5 A, STAINLESS STEEL, FOR RELIEF VALVE, 3L4, 3	3	C	48200 SE
BTL527B	AL	D-B-07-202-002	1	HOLDER	HOLDER, FUSE, QA 1, FUSEHOLDER, BLOCK; CIRCUIT LOAD 100 AMP, 600 V, EACH BLOCK CONSIST OF	1	B	5920K SE
BTL527B	AL	F-A-07-201-000	1	HOLDER	HOLDER, FUSE, QA 1, FUSEHOLDER, BLOCK; CIRCUIT LOAD 100 AMP, 600 V, EACH BLOCK CONSIST OF	1	B	5920K SE
BTL527B	AL	F-A-08-101-000	2	HOLDER	HOLDER, FUSE, QA 1, FUSEHOLDER, BLOCK; CIRCUIT LOAD 100 AMP, 600 V, EACH BLOCK CONSIST OF	1	B	5920K SE
BTL782T	AL	F-A-07-201-000	2	HOLDER	HOLDER, FUSE, QA 1, FUSEHOLDER, BLOCK; (TANG COLLAR), 1 CIRCUIT, WIRE RANGE AND TYPE - #22	1	B	5920K SE
BTL782T	AL	A-A-01-000-001	4	HOLDER	HOLDER, FUSE, QA 1, FUSEHOLDER, BLOCK; (TANG COLLAR), 1 CIRCUIT, WIRE RANGE AND TYPE - #22	1	B	5920K SE
BTN217G	AL	F-A-09-202-001	5	HOLDER	HOLDER, FUSE, QA 1, FUSEHOLDER, BLOCK; GLASS TUBE CLIP TYPE, 2-POLE, 250 VOLTS, 20 AMP ***	1	B	5920K SE
BTQ831K	AC	- - - -	1	HOLDER	HOLDER, LAMP, QA 3, INDICATING, LAMPHOLDER, ELECTRIC; INDICATING LAMP W/RED LENS FOR MODEL MA-2400	3	B	6250D SE
BTQ832H	AC	- - - -	5	HOLDER	HOLDER, LAMP, QA 3, INDICATING, AMBER, LAMPHOLDER, ELECTRIC; INDICATING LAMP W/AMBER LENS FOR MODEL MA-2400	3	B	6250D SE
BVR035P	AL	D-B-16-000-001	7	HOLDER	HOLDER, FUSE, QA 3, FUSEHOLDER, BLOCK; CLIP 2-POLE, FOR TYPE KAZ FUSE ***	3	B	5920K SE
BVV635X	AL	D-A-30-301-001	3	HOLDER	HOLDER, LAMP, QA 0, INCANDESCENT, 120, 150, MEDIUM SCREW, LAMPHOLDER, ELECTRIC; MATERIAL: PORCELAIN, LAMP TYPE: INCANDESCENT	0		6250D SE
BWF904M	AL	A-A-01-000-001	4	HOLDER	HOLDER, FUSE, QA 1, FUSEHOLDER, BLOCK; ELEC ***	1	B	5920K SE
BWK324J	AL	D-A-14-000-001	4	HOLDER	HOLDER, BRUSH, QA 0, HOLDER, ELEC CONTACT BRUSH; G5 ***	0	C	6105D SE
BWT306H	AL	A-A-01-000-001	4	HOLDER	HOLDER, FUSE, QA 1, FUSEHOLDER, BLOCK; 2P,600VAC,1-30A,FOR USE WITH TYPE KLM FUSES,SCREW	1	B	5920K SE
BXJ225K	AC	- - - -	5	HOLDER	HOLDER, TYPICAL, QA 1, HOLDER, VALVE; DISK, 3" SWING CHECK, CARBON STEEL BODY, BOLTED CAP, BU	1	C	48200 SE
BXN910T	AL	A-A-01-000-001	1	HOLDER	HOLDER, DISC, QA 1, HOLDER, VALVE; DISK, COMPLETE WITH DISK HOLDER, PC 5A, DISK RING PC	1	B	48200 SE
BYB003V	AL	A-A-01-000-001	2	HOLDER	HOLDER, DISC, QA 1, HANGER, VALVE; ITEM 4, A216 GR WCB, FOR 3 IN MODEL 5341-WE WALWORTH	1	C	48200 SE
CAA050N	AL	A-A-01-000-001	1	HOLDER	HOLDER, TYPICAL, QA 1, HOLDER, VALVE; SEAT HOLDER,ASME SA 479 TY 316,FOR 3/8 IN SERIES 600 LB	1	B	48200 SE
CAE390J	AL	D-B-23-104-001	1	HOLDER	HOLDER, DISC, QA 1, HANGER, VALVE; CAST CARBON STEEL,A-216,GR WCB,REF 4, DWG SK-1952-	1	B	48200 SE
CBQ934Y	AL	D-A-18-101-000	3	HOLDER	HOLDER, TYPICAL, QA 1, HOLDER, SPRING,PUMP; FOR CURRENT DESIGN N-7500 MECHANICAL SEAL	1	B	4320U SE
CBY599K	AL	A-A-01-000-001	2	HOLDER	HOLDER, TYPICAL, QA 0, HOLDER ASSY, RECORDER; 2 CONTACTS, SMALL DISPLACEMENT, FOR PSR 1200	0	B	6695D SE
CBY599K	AL	F-A-08-013-001	2	HOLDER	HOLDER, TYPICAL, QA 0, HOLDER ASSY, RECORDER; 2 CONTACTS, SMALL DISPLACEMENT, FOR PSR 1200	0	B	6695D SE
CHJ757L	AL	D-B-29-302-000	74	HOLDER	HOLDER, TYPICAL, QA 0, HOLDER, FILTER 47MM PARTICULATE. P/N FJ-35P W//QD38M	0		5915E SE
CHY877C	AL	D-B-29-302-001	1	HOLDER	HOLDER, DISC, QA 1, CHECK VALVE, MATERIAL: SS, MATERIAL SPEC: A487 GR CA6NM CL A, FOR 3 INCH 300 POUND	1		48200 SE
ABM356B	AL	L-A-09-000-002	5	HOLDER	HOLDER, FUSE, QA 0, FUSEHOLDER, BLOCK; PORCELAIN, 2-POLE, 250 VOLTS, 60 AMPS ***	0	P	5920K SE
ABM656Y	AL	L-A-03-000-002	5	HOLDER	HOLDER, FUSE, QA 2, FUSEHOLDER, BLOCK; BAKELITE, 2-POLE, 250 VOLTS, 30 AMPS ***	2	P	5920K SE
ACT992E	AL	L-A-03-000-002	4	HOLDER	HOLDER, LAMP, QA 0, BLUE, LAMPHOLDER, ELECTRIC; LENS COLOR: BLUE ***	0	P	6250D SE
ADT775G	AL	L-A-02-000-002	83	HOLDER	HOLDER, LAMP, QA 0, SOCKET ASSY, ELECTRICAL; LAMP, NEOPRENE, W/INSTALLATION TOOL AND C/W	0	P	5935B SE
AMM047H	AL	M-A-08-000-002	15	HOLDER	HOLDER, FUSE, QA 0, 90-250, 20, FUSEHOLDER, PANEL MOUNT; POST TYPE, NEON LAMP INDICATING, FUSE SIZE	0	B	5920K SE
ANT589M	AL	M-A-08-000-002	6	HOLDER	HOLDER, LAMP, QA 0, 250, 660, MEDIUM SCREW, LAMPHOLDER, ELECTRIC; MATERIAL: PORCELAIN, VOLTAGE: 250.00, WATTAGE:	0	C	6250D SE
APR167F	AL	L-A-09-000-002	1	HOLDER	HOLDER, BRUSH, QA 3, HOLDER, ELEC CONTACT BRUSH; ELECTRICAL CONTACT BRUSH, FOR EDERER CORP	3	P	6105D SE
APR966G	AL	L-A-09-000-002	1	HOLDER	HOLDER, BRUSH, QA 3, HOLDER, ELEC CONTACT BRUSH; ELECTRICAL CONTACT BRUSH, FOR EDERER CORP	3	P	6105D SE
AQB641F	AC	- - - -	10	HOLDER	HOLDER, LAMP, QA 0, LAMPHOLDER, ELECTRIC; W/METAL BRACKET ONE SIDE AND TWO WIRES, FOR	0	C	6250D SE
AQY403Y	AL	L-A-03-000-002	2	HOLDER	HOLDER, FUSE, QA 0, MAIN LINE, 250, 61-100, FUSEHOLDER, BLOCK; PORCELAIN BASE, MAIN LINE, 2-POLE, 250 VOLTS, 61 TO	0	P	5920K SE
ARR290F	AL	M-A-16-000-002	7	HOLDER	HOLDER, BRUSH, QA 2, HOLDER, ELEC CONTACT BRUSH; BRASS,POWER SYSTEM DIVISION 4400 KILOWATT	2	P	6105D SE
ARX226Q	AL	M-A-16-000-002	5	HOLDER	HOLDER, TYPICAL, QA 1, CLASS 2, HOLDER ASSY, VALVE; SOFT SEAT HOLDER ASSEMBLY, INCLUDES: SEAT HOLDER -	1	B	48200 SE
AWX548F	AL	M-A-16-000-002	6	HOLDER	HOLDER, FUSE, QA 2, FUSEHOLDER, TUBE; 15 AMPS, 240 VOLTS ***	2	P	5920K SE
AXC018M	AL	T-A-02-000-002	3	HOLDER	HOLDER, DISC, QA 1, HOLDER,DISK, ; STAINLESS STEEL ASTM A240 TYPE 410, 6.625 ID X 2.625 IN	1	P	48200 SE
BBH605Y	AL	T-A-05-000-002	12	HOLDER	HOLDER, LAMP, QA 0, INCANDESCENT, BAYONET, LAMPHOLDER, ELECTRIC; LAMP TYPE: INCANDESCENT, LAMP BASE TYPE: BAYONET	0	C	6250D SE
BCB456D	AL	L-A-03-000-002	8	HOLDER	HOLDER, TYPICAL, QA 0, HOLDER, ; SCREEN, OR BREATHING APPARATUS SELF-CONTAINED, AIR MASK	0	P	4240P SE
BDB138M	AL	L-A-03-000-002	1	HOLDER	HOLDER, FUSE, QA 2, FUSEHOLDER, EXTRACTOR POST; PANEL MOUNTED,1-FUSE,600 VOLTS30 AMPS ***	2	P	5920K SE

BEM930N	AL	M-A-10-000-002	3	HOLDER	HOLDER, TYPICAL, QA 2, HOLDER, CARTRIDGE, MON, ; STAINLESS STEEL, IODINE, FOR RADIATION	2	C	6630D SE
BGT489P	AL	L-A-03-000-002	3	HOLDER	HOLDER, TYPICAL, QA 3, HOLDER, RESISTOR; PLATED STEEL, TUBULAR RESISTOR MOUNTING, ONE END	3	P	5905I SE
BLM147M	AL	L-A-03-000-002	2	HOLDER	HOLDER, FUSE, QA 2, FUSEHOLDER, BLOCK; TWO POLE, POLYCARBONATE, U.L. CLASS "H" & "K"	2	P	5920K SE
BLT377A	AL	M-A-07-000-002	19	HOLDER	HOLDER, FUSE, QA 2, BLOCK, 600, 1-30, BAKELITE, FUSEHOLDER, BLOCK; BAKELITE, ONE POLE, 600 VAC, 1 TO 30 AMPS ***	2	P	5920K SE
BLW225P	AL	L-A-09-000-002	1	HOLDER	HOLDER, FUSE, QA 1, FUSEHOLDER, BLOCK; FOR TYPE J FUSE, 30 AMP, 600 VOLT CLF FUSEHOLDER	1	C	5920K SE
BMD167J	AL	M-A-02-000-002	1	HOLDER	HOLDER, TYPICAL, QA 3, HOLDER ASSY, ; 2 CONTACTS FOR REED NO. 8 AND 10 OF PSR 1200, FOR PSR	3	P	6630D SE
BNC471E	AL	M-A-16-000-002	12	HOLDER	HOLDER, FUSE, QA 1, FUSEHOLDER, BLOCK; REJECTION TYPE, 250 VAC ***	1	P	5920K SE
BPH868J	AL	M-A-09-000-002	4	HOLDER	HOLDER, FUSE, QA 1, FUSEHOLDER, BLOCK; SCREW TYPE, 2-POLE, 600 VAC, 30 AMPS, SUITABLE FOR	1	B	5920K SE
BPM088F	AL	L-A-03-000-002	1	HOLDER	HOLDER, FUSE, QA 2, SCREW TERMINAL, 250, 30, 2, , BLOCK, PORCELAIN, UL LISTED	2	B	5920K SE
BPN505Y	AL	M-A-16-000-002	20	HOLDER	HOLDER, LAMP, QA 3, LAMPHOLDER, ELECTRIC; ZONE 75 WATTS, 120 VOLTS, FOR FIRE DETECTION	3	C	6250D SE
BPN580T	AL	M-A-16-000-002	2	HOLDER	HOLDER, TYPICAL, QA 3, HOLDER, BOTTLE; PLASTIC, 15 ML UNDILUTED FOR EQUIPMENT PANEL ***	3	B	6630D SE
BQC296R	AL	P-A-LL-ET0-081	6	HOLDER	HOLDER, TYPICAL, QA 3, HOLDER, SAMPLE; STRIP COUPON, FOR 14 IN PIPE, 316 STAINLESS STEEL	3	C	6695D SE
BQC332G	AL	P-A-LL-ET0-081	8	HOLDER	HOLDER, TYPICAL, QA 3, HOLDER, SAMPLE; STRIP COUPON, FOR 16 IN PIPE, 316 STAINLESS STEEL	3	C	6695D SE
BTN217G	AL	M-A-06-000-002	5	HOLDER	HOLDER, FUSE, QA 1, FUSEHOLDER, BLOCK; GLASS TUBE CLIP TYPE, 2-POLE, 250 VOLTS, 20 AMP ***	1	B	5920K SE
BTQ831K	AL	L-A-13-000-002	73	HOLDER	HOLDER, LAMP, QA 3, INDICATING, LAMPHOLDER, ELECTRIC; INDICATING LAMP W/RED LENS FOR MODEL MA-2400	3	B	6250D SE
BTQ832H	AL	L-A-13-000-002	76	HOLDER	HOLDER, LAMP, QA 3, INDICATING, AMBER, LAMPHOLDER, ELECTRIC; INDICATING LAMP W/AMBER LENS FOR MODEL MA-2400	3	B	6250D SE
BTQ833F	AL	L-A-13-000-002	37	HOLDER	HOLDER, LAMP, QA 3, INDICATING, WHITE, LAMPHOLDER, ELECTRIC; INDICATING LAMP W/WHITE LENS FOR MODEL MA-2400	3	B	6250D SE
BTT035Q	AL	L-A-09-000-002	2	HOLDER	HOLDER, BRUSH, QA 3, HOLDER, ELEC CONTACT BRUSH; ELECTRICAL CONTACT BRUSH, FOR EDERER	3	C	6105D SE
BVA273X	AL	L-A-03-000-002	37	HOLDER	HOLDER, FUSE, QA 2, SCREW TERMINAL, 600, 30, FUSEHOLDER, BLOCK; DOUBLE POLE, UL LISTED, CLASS CC	2	B	5920K SE
BVD116Y	AL	L-A-03-000-002	7	HOLDER	HOLDER, FUSE, QA 2, CONNECTOR/BOX, 250, 60, BOX TERMINAL, 2, UL CLASS H & K.	2	B	5920K SE
BVM783D	AL	L-A-04-000-002	1	HOLDER	HOLDER, TYPICAL, QA 1, HOLDER, SPRING; ASTM A351 GR CF8, DWG 261261 ZZ, FOR REACTOR	1	C	4710Y SE
BWB715C	AL	L-A-09-000-002	1	HOLDER	HOLDER, LAMP, QA 3, LAMPHOLDER, ELECTRIC; INDICATING LAMP, SUBMINIATURE, 0.193 IN MTG	3	C	6250D SE
BXP762Y	AL	M-A-01-000-002	6	HOLDER	HOLDER, LAMP, QA 3, SOCKET ASSY, ELECTRICAL; FOR CONNECTOR ASSY, ON RADIATION MONITOR	3	B	5935B SE
BXP782Q	AL	M-A-12-000-002	2	HOLDER	HOLDER, FUSE, QA 1, FUSEHOLDER, ELECTRICAL; 3 AG MINIATURE, FLUTED KMOB, W/RIGHT ANGLE	1	B	5920K SE
CAG214H	AL	L-A-09-000-002	3	HOLDER	HOLDER, TYPICAL, QA 3, HOLDER, DOOR; MATERIAL: STEEL ***	3	C	4710Y SE
CAG216D	AL	L-A-09-000-002	3	HOLDER	HOLDER, TYPICAL, QA 3, DOOR, , MATERIAL: STEEL, FINISH SATIN CHROMIUM PLATED, DOOR WIDTH: 35 IN TO	3	C	4710Y SE
CAG217B	AL	L-A-13-000-002	3	HOLDER	HOLDER, TYPICAL, QA 3, HOLDER, DOOR; MATERIAL: STEEL ***	3	C	4710Y SE
CAG405B	AL	M-A-06-000-002	1	HOLDER	HOLDER, DISC, QA 1, HANGER, VALVE; CAST CARBON STEEL, SA216 WCB, FOR WALWORTH CHECK VALVE 3	1	B	48200 SE
CDH122Y	AL	L-A-14-000-002	2	HOLDER	HOLDER, BRUSH, QA 0, BRUSHHOLDER ASSY, EXCITER; BBH "C" ASM W/O HANDLE DWG 155C7052G0001 ***	0	C	6115F SE
CEB145B	AL	P-A-LL-ET0-014	2	HOLDER	HOLDER, DISC, QA 1, HOLDER, DISK; FOR USE ON POWELL MODEL 2341SWE, 1.5" SWING CHECK VALVE	1	C	48200 SE
CFG275X	AC	-- --	4	HOLDER	HOLDER, TYPICAL, QA 1, VALVE, *** DISC HOLDER ASSEMBLY, FOR DRESSER MODEL 1970 RELIEF VALVE, DRESSER	1	C	48200 SE
AFD440J	AL	Z-Z-ZZ-ZZZ-ZZZ	7	HOOD	HOOD, WELDING, QA 0, LIFT FRONT, ADJUSTABLE, VULCANIZED FIBER, 2 X 4.25 INCH,	0	C	4240P SE
BLE569Y	AC	-- --	27	HOOD	HOOD, TYPICAL, QA 0, RESPIRATOR, TYVEK, WITH STAZ-ON SUSPENSION, FOR RADCON	0	C	4240P SE
BWY797D	AL	1-A-03-000-001	100	HOOD	HOOD, TYPICAL, QA 0, RADIOACTIVE, COTTON SATEEN, 8 IN FACE OPENING, HOOD, RADIOACTIVE PROTECT; HOOD, PROTECTIVE, 100% COTTON SATEEN	0	C	8415B SE
AWY483C	AC	-- --	245	HOOD	HOOD, TYPICAL, QA 0, RESPIRATOR, 11 IN, PLASTIC, CLEAR, W/ DOUBLE YELLOW BIB, HOOD, RESPIRATOR; C/O HOOD, P/N SAR221HA, AIR DISTRIBUTION UNI	0	P	4240P SE
AWY483C	AL	L-A-14-000-002	1560	HOOD	HOOD, TYPICAL, QA 0, RESPIRATOR, 11 IN, PLASTIC, CLEAR, W/ DOUBLE YELLOW BIB, HOOD, RESPIRATOR; C/O HOOD, P/N SAR221HA, AIR DISTRIBUTION UNI	0	P	4240P SE
AXR704B	AL	L-A-07-000-002	6	HOOD	HOOD, TYPICAL, QA 0, DISPOSABLE, TYVEK, ONE SIZE FITS ALL, DRAW STRING, WHITE OR YELLOW, BREATHABLE, *** COVERS HEAD, NECK, SHOULDERS.	0	P	8415B SE
BYA602K	AL	L-A-04-000-002	1	HOOD	HOOD, MECHANICAL, QA 3, HOOD, ELECTRIC MOTOR; FOR A MODEL JB-48 PENN VENTILATOR EXHAUST FAN.	3	C	6105D SE
CFK462F	AL	L-A-09-000-002	1	HOOD	HOOD, TYPICAL, QA 3, EMI/RFI SHIELDED/2-PIECE, *** WITH CABLE STRAIN RELIEF.	3	C	5805M SE
AWH028Y	AL	D-A-30-301-001	1	HOOK	HOOK, TYPICAL, QA 0, HOIST, W/ THREADED LATCH, UPPER, FOR 3/4 TON COME-ALONG, MODEL B	0	C	4030C SE
BHF644Q	AL	A-A-01-000-001	1	HOOK	HOOK, TYPICAL, QA 0, HOOK, COAT AND HAT; FINISH: CHROME PLATED ***	0	P	4710Y SE
BJQ756Q	AL	D-A-32-302-002	20	HOOK	HOOK, PACKING, QA 0, EXTRACTOR, STUFF BOX/PUMP PKG; MINI FLEXIBLE, STEEL, ZINC PLATED	0		5120M SE
BKV284J	AL	D-A-32-302-002	20	HOOK	HOOK, PACKING, QA 0, EXTRACTOR, STUFF BOX/PUMP PKG; STYLE: HOOK, BITSIZE: 00.312500 (0		5120M SE
BKV285G	AL	D-A-32-302-001	20	HOOK	HOOK, PACKING, QA 0, EXTRACTOR, STUFF BOX/PUMP PKG; STYLE: HOOK, BITSIZE: 00.250000 (1/4)	0		5120M SE
BND835W	AL	D-A-30-301-002	4	HOOK	HOOK, PACKING, QA 0, EXTRACTOR, STUFF BOX/PUMP PKG; STYLE: LIVE LOAD, LENGTH: 10.000000 (0		5120M SE
AWH037X	AL	M-A-01-000-002	2	HOOK	HOOK, TYPICAL, QA 0, HOOK, ASSY; LOWER, CONSIST OF HOOK BLOCK DRILLED B-55-A, HOOK BLOCK	0	P	4030C SE
APT497L	AL	L-A-08-000-002	1	HORN	HORN, ALARM, QA 0, ELECTROMAGNET/NONRESONANT, 115 AC, HOWLER, ; INDUSTRIAL, ELECTROMAGNET, NONRESONANT, 2 WAY BELL TYPE	0	P	6350B SE
BQN061Q	AL	T-A-01-000-002	1	HORN	HORN, ALARM, QA 3, HORN, ELECTRICAL; BETATONE, (TIME-OUT), REPLACEMENT PART FOR THE	3	B	6350B SE
BQN061Q	AL	T-A-05-000-002	1	HORN	HORN, ALARM, QA 3, HORN, ELECTRICAL; BETATONE, (TIME-OUT), REPLACEMENT PART FOR THE	3	B	6350B SE
BWK386V	AL	T-A-02-000-002	1	HORN	HORN, ALARM, QA 3, HORN, ELECTRICAL; EXPLOSION PROOF, 00.27 A, 120.00 VAC ***	3	B	6350B SE
AJG741N	AL	D-A-29-301-004	1	HOSE	HOSE, FLEXIBLE/METAL, QA 0, ASSEMBLY, 3 IN, 18 IN, T304 STAINLESS STEEL, 150 LB, FLANGE, HOSE ASSY, METALLIC; METAL, FLEXIBLE, FWSS-31, T321	0		47200 SE
AJY186G	AL	D-A-08-401-000	23	HOSE	HOSE, TYPICAL, QA 0, 6 IN, 25 FT, RUBBER, HOSE, NONMETALLIC; SIZE ID: 6.000 IN, SIZE LENGTH: 25.000 FT (25 FT)	0	C	47200 SE
AMD348M	AL	D-A-33-401-000	96	HOSE	HOSE, TYPICAL, QA 0, AIR, 3/8 IN, 50 FT, MNPT X FNPT, C/W MALE FITTING ON ONE END & FEMALE FITTING OTHER	0	P	4210N SE
ARH246G	AL	D-A-02-102-002	1	HOSE	HOSE, TYPICAL, QA 0, ASSEMBLY, 3/8 IN, 12-1/2 FT, HOSE ASSY, NONMETALLIC; GAS, 12 1/2FT LENGTH, WITH 0.375IN MALE FITTINGS	0	P	47200 SE
ARV295F	AL	D-A-06-301-000	9	HOSE	HOSE, TYPICAL, QA 0, RESPIRATOR, HOSE, RESPIRATOR; BREATHING, FOR PRESSURE DEMAND RESPIRATOR ***	0	C	4240P SE
AVP195V	AL	D-A-08-302-000	3	HOSE	HOSE, TYPICAL, QA 0, HYDRAULIC, 7/8 IN, 1000 PSIG, RUBBER, HOSE, NONMETALLIC; MATL (INTER LINER): TEFLON, SIZE ID: 0.875 IN (0	P	47200 SE
BAL850J	AL	D-A-30-301-001	10	HOSE	HOSE, TYPICAL, QA 0, ASSEMBLY/FIRE, 3/8 IN, 5/8 IN, 10 IN, RUBBER, BLACK, HOSE ASSY, NONMTL, FIRE FIGHTING; RUBBER, 0.375 ID X 0.625 OD X 10	0	B	4210N SE
BBM120D	AL	A-A-01-000-001	198	HOSE	HOSE, TYPICAL, QA 0, 3/4 IN, 50 FT, FIBER, 125 PSI, RUBBER, HOSE, NONMETALLIC; RUBBER, FIBER, RENINFORCED, 0.750 IN ID, 125 PSI, 50	0	P	47200 SE
BBW431C	AL	A-A-01-000-001	4	HOSE	HOSE, FLEXIBLE/METAL, QA 0, ASSEMBLY, 1 IN, 22-1/2 IN, 316 SS, TUBE X THREAD, HOSE ASSY, METALLIC; FLEXIBLE, STAINLESS STEEL TYPE 316, 1.00	0	P	47200 SE
BCM122P	AL	D-A-17-302-001	2	HOSE	HOSE, TYPICAL, QA 0, 2 IN, BLACK, RUBBER, HOSE, NONMETALLIC; MATL (INTER LINER): RUBBER, SIZE ID: 2.000 IN	0		47200 SE
BCM134G	AL	D-A-17-302-001	3	HOSE	HOSE, TYPICAL, QA 0, ASSEMBLY, 3/8 IN, 1/2 IN, 6 FT, PLASTIC, HOSE ASSY, NONMETALLIC; PLASTIC, 0.375 ID X 0.500 OD X 6 FT LONG, C/W	0	B	47200 SE
BEA518A	TR	-- --	1	HOSE	HOSE, FLEXIBLE/METAL, QA 1, ASSEMBLY, 1 IN, 20 IN, 21 IN, SA312 321 SS, 150 LB, FLANGE, HOSE ASSY, METALLIC; STAINLESS STEEL SA312 TP 321, 1	1	P	47200 SE
BEA522K	AL	A-A-01-000-001	2	HOSE	HOSE, FLEXIBLE/METAL, QA 1, HOSE ASSY, METALLIC; STAINLESS STEEL SA312 TP321, 1.00 ID X 11.00 X	1	P	47200 SE
BEF243X	AL	D-B-17-402-001	81	HOSE	HOSE, TYPICAL, QA 3, HOSE, NONMETALLIC; PVC COVER WITH WIRE RENINFORCED 1.25 ID X 25 FT	3		47200 SE
BFN144M	AL	D-A-26-401-000	1	HOSE	HOSE, TYPICAL, QA 0, ASSEMBLY, 3/4 IN, 50 FT, RUBBER, 5000 PSI, HOSE ASSY, NONMETALLIC; RUBBER, 5000 PSI, 0.750 ID X 50 FT LONG C/W	0	C	47200 SE
BGL952R	AL	1-B-10-000-001	9	HOSE	HOSE, TYPICAL, QA 0, ASSEMBLY/FIRE, 1-1/2 IN, 50 FT, POLYESTER, 600 PSIG, THREADED, YELLOW, HOSE ASSY, NONMTL, FIRE FIGHTING; 100 PCT POLYEST	0	P	4210N SE
BHG760W	AC	-- --	2	HOSE	HOSE, TYPICAL, QA 3, HOSE, NONMETALLIC; RUBBER, 2.375 ID X 2.625 IN LONG, FOR DIESEL	3	P	47200 SE
BHR171N	AL	A-A-01-000-001	1	HOSE	HOSE, FLEXIBLE/METAL, QA 0, ASSEMBLY/DOUBLE BRAIDED, 1/2 IN, 15 IN, STAINLESS STEEL, MNPT, HOSE ASSY, METALLIC; FLEXIBLE, DOUBLE BRAIDED, ST	0	P	47200 SE
BHT851T	AL	A-A-01-000-001	4	HOSE	HOSE, TYPICAL, QA 3, HOSE ASSY, NONMETALLIC; HIGH PRESSURE, 200 PSI, CONSISTING OF COUPLING	3	C	47200 SE
BJP361M	AL	F-A-04-202-006	2	HOSE	HOSE, FLEXIBLE/METAL, QA 0, 1/4 IN, 3 FT (36 IN), SS	0		47200 SE
BLJ193X	AL	A-A-01-000-001	6	HOSE	HOSE, FLEXIBLE/METAL, QA 0, HOSE, METALLIC; MATERIAL: METAL, SIZE ID: 6.000 IN, SIZE LENGTH: 30 FT	0	P	47200 SE
BLR453R	AL	F-A-10-302-003	9	HOSE	HOSE, TYPICAL, QA 0, VACUUM, 2-1/2 IN, HOSE, ; 2-1/2 IN DIA, EXTENSION ATTACHMENT, FOR HEPA VACUUM. ***	0		79101 SE
BNH228X	AL	F-A-15-102-000	1	HOSE	HOSE, FLEXIBLE/METAL, QA 1, HOSE, METALLIC; FLEXIBLE INSTRUMENTATION, FOR PIPE SIZE 1/2 IN, ON	1	P	47200 SE
BNQ084E	AL	A-A-01-000-001	4	HOSE	HOSE, TYPICAL, QA 0, ASSEMBLY, 4 IN, 12 FT, 150 PSI/200 PSI, FLANGE, HOSE ASSY, NONMETALLIC; RUBBER, MULTI-PURPOSE, 200 PSI/80 DEG F, 4.00	0	P	47200 SE
BPQ037H	AL	D-A-26-101-000	2	HOSE	HOSE, TYPICAL, QA 0, HYDRAULIC, 1/2 IN, 6 FT, RUBBER, HOSE, NONMETALLIC; MATL (INTER LINER): RUBBER, SIZE ID: 0.500 IN (0	B	47200 SE

BPY082D	AL	A-A-01-000-001	1204	HOSE	HOSE, TYPICAL, QA 0, 1/2 IN, 250 PSI, GREEN, REINFORCEMENT: SYNTHETIC CORD	0	B	47200	SE
BQD322E	AL	5-C-02-202-000	2	HOSE	HOSE, FLEXIBLE/METAL, QA 1, CLASS 3, ASSEMBLY, 3 IN, 304/321 SS SA240/479/403, THREADED, HOSE ASSY, METALLIC; FLEXIBLE,C/O BELLOW,SA 240,TY	1	C	47200	SE
BQM424W	AL	F-A-08-202-006	2	HOSE	HOSE, TYPICAL, QA 1, HOSE, NONMETALLIC; ASSEMBLY, OIL LINE, ENGINE TO ACTUATOR HOSE, FOR	1		29100	SE
BQR323E	AL	F-A-10-301-005	1	HOSE	HOSE, TYPICAL, QA 0, ASSEMBLY, 1 IN, MNPT X SWIVEL, HOSE ASSY, NONMETALLIC; CONSIST OF 1 EA. MALE PIPE, SWIVEL, MALE PIPE	0		47200	SE
BQR323E	AL	F-A-10-301-006	1	HOSE	HOSE, TYPICAL, QA 0, ASSEMBLY, 1 IN, MNPT X SWIVEL, HOSE ASSY, NONMETALLIC; CONSIST OF 1 EA. MALE PIPE, SWIVEL, MALE PIPE	0		47200	SE
BRD057P	AL	D-A-15-302-000	3	HOSE	HOSE, TYPICAL, QA 0, 1/4 IN, 50 FT, URETHANE, NYLON, HOSE, NONMETALLIC; MATL (INTER LINER): NYLON, SIZE ID: 00.250000 (0		47200	SE
BTQ606V	AL	A-A-01-000-001	1	HOSE	HOSE, FLEXIBLE/METAL, QA 1, CLASS 3, HOSE ASSY, METALLIC; BELLOW:SB443 INCONEL 625 ,0.40 IN THICKTO BUTT	1	C	47200	SE
BTQ607R	AL	D-A-01-000-001	1	HOSE	HOSE, FLEXIBLE/METAL, QA 1, CLASS 3, ASSEMBLY, 2 IN, INCONEL 625, 2485 PSI/650 DEG F, BUTTWELD, HOSE ASSY, METALLIC; BELLOW:SB443 INCONEL62	1	C	47200	SE
BVB894P	AL	A-A-01-000-001	1	HOSE	HOSE, TYPICAL, QA 0, ASSEMBLY, 4 IN, 3 FT, RUBBER, 200 PSI/80 DEG F, FLANGE, HOSE ASSY, NONMETALLIC; MULTI-PURPOSE, RUBBER, 200 PSI, 80 DEG	0	C	47200	SE
BVB895M	AL	A-A-01-000-001	1	HOSE	HOSE, TYPICAL, QA 0, ASSEMBLY, 4 IN, 12 FT, RUBBER, 200 PSI/80 DEG F, FLANGE, HOSE ASSY, NONMETALLIC; MULTI-PURPOSE, RUBBER, 200 PSI, 80 DEG	0	C	47200	SE
BVJ055M	AL	D-A-02-201-001	1	HOSE	HOSE, TYPICAL, QA 0, CRYOGENIC LIQUIDS, 3/8 IN, 6 FT, HOSE, NONMETALLIC; SIZE ID: 0.375 IN (3/8), SIZE LENGTH: 6 FT MEDIA	0		47200	SE
BVP003G	AL	A-A-01-000-001	50	HOSE	HOSE, TYPICAL, QA 0, VACUUM, 2 IN, 50 FT, ORANGE, HOSE, VACUUM CLEANER; VACMASTER HOSE, 2 INCH BY 50 FT, ORANGE ***	0	C	79101	SE
BWC868D	AL	D-A-12-301-000	1	HOSE	HOSE, TYPICAL, QA 3, HOSE, NONMETALLIC; MATL (INTER LINER): TEFLON, SIZE ID: 0.406 IN	3		47200	SE
BWQ436D	AL	E-A-16-C01-E01	8	HOSE	HOSE, TYPICAL, QA 0, HOSE, CIRCUIT BREAKER; PRESSURE, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B	SE
BWQ437B	AL	E-A-16-C01-E01	8	HOSE	HOSE, TYPICAL, QA 0, HOSE, CIRCUIT BREAKER; PRESSURE, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B	SE
BYE735A	AL	A-A-01-000-001	7	HOSE	HOSE, FLEXIBLE/METAL, QA 3, HOSE ASSY, METALLIC; STAINLESS STEEL, FLEXIBLE, MALE CONNECTORS, 0.250	3	C	47200	SE
CAQ954Y	AL	D-A-06-301-000	15	HOSE	HOSE, TYPICAL, QA 1, HOSE ASSY, NONMETALLIC; FOR DIESEL GENERATORS, 1-1/2" DIA. X 29" LONG	1		29100	SE
CBN347Q	AL	D-B-05-302-000	6	HOSE	HOSE, TYPICAL, QA 1, HOSE ASSY, NONMETALLIC; LENGTH: 21 FT, HOSE: FLEXIBLE (P/N 1503-4)	1		29100	SE
CBN348N	AL	D-B-05-302-000	3	HOSE	HOSE, TYPICAL, QA 1, HOSE ASSY, NONMETALLIC; LENGTH: 10 FT, HOSE: FLEXIBLE (P/N 1503-4)	1		29100	SE
CBN350F	AL	D-A-02-301-000	4	HOSE	HOSE, TYPICAL, QA 1, HOSE ASSY, NONMETALLIC; LENGTH: 4 FT, HOSE: FLEXIBLE (P/N 1503-4)	1		29100	SE
CBN355R	AL	D-A-02-301-000	2	HOSE	HOSE, TYPICAL, QA 1, HOSE ASSY, NONMETALLIC; LENGTH: 8 FT, HOSE: FLEXIBLE (P/N 1503-4)	1		29100	SE
CBN357M	AL	D-B-05-302-000	3	HOSE	HOSE, TYPICAL, QA 1, HOSE ASSY, NONMETALLIC; LENGTH: 22 FT, HOSE: FLEXIBLE (P/N 1503-4)	1		29100	SE
CBN360C	AL	D-B-05-302-000	3	HOSE	HOSE, TYPICAL, QA 1, HOSE ASSY, NONMETALLIC; LENGTH: 8 FT, HOSE: FLEXIBLE (P/N 1503-4)	1		29100	SE
CBN363T	AL	D-B-05-302-000	3	HOSE	HOSE, TYPICAL, QA 1, HOSE ASSY, NONMETALLIC; LENGTH: 3 FT, HOSE: FLEXIBLE (P/N 1503-4)	1		29100	SE
CBP616J	AL	F-A-08-302-004	5	HOSE	HOSE, FLEXIBLE/METAL, QA 0, HOSE, METALLIC; FLEXIBLE METAL, 00.75 INCH ID X 18.00 INCH LONG	0		47200	SE
CBR380N	AL	A-A-01-000-001	5	HOSE	HOSE, TYPICAL, QA 0, AIR, 1/2 IN, HOSE ASSY, VALVE; 1/2 INCH, AIR SUPPLY, FOR VALTEK VALVES ***	0	C	48200	SE
CDQ197T	AL	D-A-12-202-001	8	HOSE	HOSE, TYPICAL, QA 3, HOSE ASSY, NONMETALLIC; HOSE ID: 1/4 INCH, HOSE TYPE: H43504 SAE100R7	3		47200	SE
CDX630Q	AL	D-A-12-202-002	2	HOSE	HOSE, TYPICAL, QA 3, HOSE ASSY, NONMETALLIC; FIRST END: 1/4" FLARE TUBE FEMALE SWIVEL	3		47200	SE
CDX631B	AL	D-A-12-202-002	2	HOSE	HOSE, TYPICAL, QA 3, HOSE ASSY, NONMETALLIC; FIRST END: 1/4" FLARE TUBE FEMALE SWIVEL	3		47200	SE
CDX637Y	AL	D-A-12-202-002	2	HOSE	HOSE, TYPICAL, QA 3, HOSE ASSY, NONMETALLIC; FIRST END: 1/4" FLARE TUBE FEMALE SWIVEL	3		47200	SE
CDX961M	AL	D-A-12-202-004	1	HOSE	HOSE, TYPICAL, QA 3, HOSE ASSY, NONMETALLIC; FEMALE JIC #4 SIZE ENDS, PLATED ENDS, 1/4"	3		47200	SE
CFH538J	AL	A-A-01-000-001	1	HOSE	HOSE, FLEXIBLE/METAL, QA 3, ASSEMBLY, 1-1/2 IN, STAINLESS STEEL, MNPT, *** 1-1/2" MPT STAINLESS STEEL FITTINGS BOTH ENDS, ANNULAR CORRUGATED	3	C	47200	SE
CKP117K	AL	D-A-26-201-000	300	HOSE	HOSE, TYPICAL, QA 3, NONMETALLIC, 1 IN, PREMO FLEX, FOR VARIABLE FREQUENCY DRIVE	3			
CKP117K	AL	D-A-26-202-000	350	HOSE	HOSE, TYPICAL, QA 3, NONMETALLIC, 1 IN, PREMO FLEX, FOR VARIABLE FREQUENCY DRIVE	3			
CKP142L	AL	D-B-17-402-000	300	HOSE	HOSE, TYPICAL, QA 3, NONMETALLIC, 2 IN, FOR VARIABLE FREQUENCY DRIVE	3			
AFF618D	AL	T-A-12-000-002	11	HOSE	HOSE, TYPICAL, QA 0, ASSEMBLY, 1/2 IN, 50 FT, HOSE ASSY, NONMETALLIC; FITTED, C/O VIP HOSE, SIZE 1/2 X 50 FT	0	B	47200	SE
AJG149Y	AL	L-A-09-000-002	2	HOSE	HOSE, TYPICAL, QA 0, AIR, 1/2 IN, 25 FT, RUBBER, HOSE ASSY, NONMETALLIC; RBR, BLK, AIR, C/W 2 EA 1/2 IN HOSE NIPPLES &	0	P	47200	SE
AJG249T	AL	L-A-15-000-002	180	HOSE	HOSE, TYPICAL, QA 3, AIR, 1/4 IN, RUBBER, 200 PSI, GRAY, HOSE, NONMETALLIC; RBR, AIR, GREY, 200 PSI WORKING PRESSURE 1/4 IN ***	3	P	47200	SE
AKG841C	AL	L-A-03-000-002	2	HOSE	HOSE, FLEXIBLE/METAL, QA 0, ASSEMBLY/LEAKPROOF, 1/2 IN, 2 FT, STAINLESS STEEL, MNPT, HOSE ASSY, METALLIC; FLEXIBLE METAL, STNLS STL, LEAKPRO	0	P	47200	SE
AMF959D	AL	M-A-08-000-002	7	HOSE	HOSE, FLEXIBLE/METAL, QA 0, ASSEMBLY, 3/4 IN, 3 FT, STAINLESS STEEL, MNPT, HOSE ASSY, METALLIC; FLEXIBLE,STAINLESS STEEL,C/W 2 EACH MALE	0	P	47200	SE
APG738C	AC	- - -	2500	HOSE	HOSE, TYPICAL, QA 0, 1/4 IN, RUBBER, HOSE, NONMETALLIC; MATL (INTER LINER): RUBBER, SIZE ID: 00.250000 (0	P	47200	SE
ARY183B	AL	L-A-13-000-002	1	HOSE	HOSE, TYPICAL, QA 0, ASSEMBLY, 5/8 IN, 5-1/2 IN, COPPER, HOSE ASSY, ; COPPER,STUD,FOR NEGATIVE RING,0.625IN DIA X 5.500IN LONG	0	P	5935B	SE
AVP195V	AL	L-A-01-000-002	1	HOSE	HOSE, TYPICAL, QA 0, HYDRAULIC, 7/8 IN, 1000 PSIG, RUBBER, HOSE, NONMETALLIC; MATL (INTER LINER): TEFLON, SIZE ID: 0.875 IN (0	P	47200	SE
AWN456Q	AL	T-A-01-000-002	1	HOSE	HOSE, TYPICAL, QA 0, 1/2 IN, 5 FT, BUNA-N, 3000 PSIG, FLARED X FNPT, HOSE ASSY, NONMETALLIC; RUBBER, BUNA-N, SPIRAL WOUND BRAIDED WIRE	0	C	47200	SE
AXC416J	AL	L-A-13-000-002	3	HOSE	HOSE, TYPICAL, QA 0, NONMETALLIC, 1 IN, 1500 PSIG, RUBBER, HOSE, NONMETALLIC; MATL (INTER LINER): RUBBER, SIZE ID: 1.000 IN BURST	0	P	47200	SE
AXV540F	AL	L-A-01-000-002	3	HOSE	HOSE, TYPICAL, QA 0, HOSE ASSY, NONMETALLIC; RUBBER, REINFORCED WITH METAL,INLET, STATOR	0	P	47200	SE
AXV544V	AL	L-A-07-000-002	2	HOSE	HOSE, TYPICAL, QA 0, HOSE ASSY, NONMETALLIC; RUBBER, REINFORCED WITH METAL,INLET, STATOR	0	P	47200	SE
BAY818F	AL	M-A-10-000-002	1	HOSE	HOSE, TYPICAL, QA 0, HYDRAULIC, 3/8 IN, 20 FT, RUBBER, 2500 PSIG, MNPT X FNPT, HOSE ASSY, NONMETALLIC; RUBBER, FLEXIBLE, HYDRAULIC, HIGH PRE	0	P	47200	SE
BBM784E	AL	L-A-06-000-002	315	HOSE	HOSE, TYPICAL, QA 0, HYDRAULIC, 3/8 IN, RUBBER, HOSE, NONMETALLIC; MATL (INTER LINER): RUBBER, SIZE ID: 0.375 IN (0	P	47200	SE
BHG449H	AL	L-A-13-000-002	1	HOSE	HOSE, TYPICAL, QA 0, ASSEMBLY, 1/2 IN, 50 FT, RUBBER, HOSE ASSY, NONMETALLIC; RUBBER, 300 LB, C/W BRASS FITTINGS, 0.50 IN	0	P	47200	SE
BHG760W	AL	L-A-09-000-002	1	HOSE	HOSE, TYPICAL, QA 3, HOSE, NONMETALLIC; RUBBER, 2.375 ID X 2.625 IN LONG, FOR DIESEL	3	P	47200	SE
BHT851T	AL	M-A-16-000-002	4	HOSE	HOSE, TYPICAL, QA 3, HOSE ASSY, NONMETALLIC; HIGH PRESSURE, 200 PSI, CONSISTING OF COUPLING	3	C	47200	SE
BHW854A	AL	L-A-10-000-002	1	HOSE	HOSE, FLEXIBLE/METAL, QA 1, CONNECTION, DIESEL ENGINE; EXHAUST, FLEXIBLE, 24 X 29.5 IN LG,19.79 IN	1	C	29100	SE
BKH503M	AL	T-A-01-000-002	9	HOSE	HOSE, TYPICAL, QA 3, HOSE ASSY, NONMETALLIC; RUBBER, C/W COUPLINGS, 48.00 INLONG, FOR FUEL	3	P	47200	SE
BKR657F	AL	M-A-13-000-002	2	HOSE	HOSE, TYPICAL, QA 3, HOSE ASSY, NONMETALLIC; FLEXIBLE RUBBER, STEEL REINFORCED, 24.00 IN ID	3	P	29100	SE
BMF300D	AL	L-A-03-000-002	2	HOSE	HOSE, TYPICAL, QA 1, HOSE ASSY, NONMETALLIC; AIR, INCLUDES 5/8 INCH CONNECTOR, 21 IN LONG	1	C	29100	SE
BNH228X	AL	L-A-02-000-002	1	HOSE	HOSE, FLEXIBLE/METAL, QA 1, HOSE, METALLIC; FLEXIBLE INSTRUMENTATION, FOR PIPE SIZE 1/2 IN, ON	1	P	47200	SE
BNP284L	AL	M-A-07-000-002	3	HOSE	HOSE, TYPICAL, QA 0, ASSEMBLY, 2 IN, 28 FT, QUICK DISCONNECT X NPT, HOSE ASSY, NONMETALLIC; 28' LENGTH DCYCO #7281-2002, SIZE 2" DRAGON	0	P	47200	SE
BPP812F	AL	L-A-11-000-002	6	HOSE	HOSE, FLEXIBLE/METAL, QA 3, HOSE ASSY, METALLIC; CORRUGATED, SINGLE BRAIDED, STAINLESS STEEL	3	C	47200	SE
BQV474E	AL	M-A-02-000-002	11	HOSE	HOSE, TYPICAL, QA 1, HOSE ASSY, NONMETALLIC; RUBBER, 0.620D X 27 IN LONG, COMPLETE WITH	1	B	29100	SE
CAF172C	AL	L-A-09-000-002	2	HOSE	HOSE, TYPICAL, QA 3, HOSE, NONMETALLIC; MATL (INTER LINER): RUBBER, SIZE ID: 0.250 IN (3	B	47200	SE
CED432X	AL	L-A-13-000-002	1	HOSE	HOSE, TYPICAL, QA 0, AIR, 11-1/2 IN, RUBBER, HOSE, CRANE; 11-1/2", AIR HOSE, RUBBER WITH ENDS ***	0	C	3950F	SE
CFG240W	AL	M-A-02-000-002	4	HOSE	HOSE, FLEXIBLE/METAL, QA 3, 1 IN, SS, ** 48 IN. LONG, 321 STAINLESS STEEL WITH A 304 STAINLESS STEEL DOUBLE	3	C	47200	SE
ANJ736C	AL	A-A-01-000-001	8	HOUSING	HOUSING, TYPICAL, QA 1, HOUSING, VALVE; SEAL, 316 SST, FOR CHECK VALVE,SIZE 6 IN, MODEL	1	P	48200	SE
ARH129L	AL	D-A-12-301-000	18	HOUSING	HOUSING, FILTER, QA 0, ASSEMBLY/DIAPHRAGM, HOUSING ASSY, RESPIRATOR; SPEAKING DIAPHRAGM, FOR ULTRA FILTER AND	0		4240P	SE
ATN431M	AL	A-A-01-000-001	1	HOUSING	HOUSING, TYPICAL, QA 1, HOUSING, ACTUATOR; FOR VALVE ACTUATOR, TYPE SMB-00, DWG 01-403-0035-4	1	C	48200	SE
ATX548V	AL	A-A-01-000-001	1	HOUSING	HOUSING, TYPICAL, QA 0, HOUSING, ; CAST IRON, SPINDLE, REF 21, FOR LOWER SCREEN CONTROL, DWG	0	P	4420B	SE
AVK698M	AL	D-A-32-104-001	2	HOUSING	HOUSING, TYPICAL, QA 0, HOUSING, ; PLASTIC, BLACK, TRANSDUCER, FOR ANALYZER SECONDARY	0	P	6630D	SE
AWK813A	AL	A-A-01-000-001	1	HOUSING	HOUSING, TYPICAL, QA 2, HOUSING, VALVE; CARBON STEEL, SEAL, REF 2, FOR 006.000 IN CHECK VALVE	2	P	48200	SE
AWX724M	AL	D-B-27-301-000	4	HOUSING	HOUSING, TYPICAL, QA 0, BALLAST, 100/240 AC, W/MOUNTING COVERS, HOUSING, ; BALLAST, 100/240 VAC, C/W MOUNTING COVERS ***	0		6210P	SE
AXL295T	AL	A-A-01-000-001	2	HOUSING	HOUSING, TYPICAL, QA 0, HOUSING, ; STEEL, FOR SEPARATOR, TYPE MAE-2095-29-60/4024-4, S/N	0	P	4330N	SE
AYG920P	AL	D-B-16-000-001	1	HOUSING	HOUSING, BEARING, QA 0, HOUSING, ELECTRIC MOTOR; BEARING, DWG RC12415, PATTERN 28954,C/W DISC	0	P	6105D	SE
BAR383J	AL	A-A-01-000-001	1	HOUSING	HOUSING, TYPICAL, QA 0, HOUSING, VALVE; SEAL, STAINLESS STEEL TYPE 316REF 2, FOR CHECK VALVE	0	P	48200	SE
BAX289M	AL	A-A-01-000-001	1	HOUSING	HOUSING, TYPICAL, QA 1, HOUSING, ACTUATOR; COMPENSATOR SPRING, IRON, FOR VALVE ACTUATOR, TYPE	1	P	48200	SE
BDJ060Y	AL	A-A-01-000-001	1	HOUSING	HOUSING, BEARING, QA 0, HOUSING, BEARING UNIT; FOR HUEBSCH WASHER-EXTRACTOR, MODEL WH-65, S/N	0	P	3405L	SE

BDJ133V	AC	-- --	2	HOUSING	HOUSING, TYPICAL, QA 0, ISOLATOR, 3-1/2 IN, 3-7/8 IN SQUARE, 10-7/8 IN, ALUMINUM, HOUSING, CIRCUIT BREAKER; ALUMINUM, 3.875 SQ OD X 10.875IN	0	C	5925B SE
BDL041D	AL	A-A-01-000-001	1	HOUSING	HOUSING, BEARING, QA 0, HOUSING, BEARING UNIT; PLAIN, CONSISTING OF, 4 EA PIPE NIPPLE, 6 EA	0	P	4320U SE
BHE496J	AL	A-A-01-000-001	1	HOUSING	HOUSING, TYPICAL, QA 1, CLUTCH, STEEL, , REF 1, FOR VALVE ACTUATOR, TYPE SB-0, SMB-0, AND SBD-0, CLASS 1E	1	P	48200 SE
BHE610T	AL	A-A-01-000-001	4	HOUSING	HOUSING, TYPICAL, QA 1, HOUSING UNIT, ; 316 STAINLESS STEEL, HIGH AND LOW PRESSURE, 0.5 X 0.25	1	P	6695D SE
BHM616Y	AL	A-A-01-000-001	1	HOUSING	HOUSING, TYPICAL, QA 1, ACTUATOR, , CLUTCH, REF 1, FOR VALVE ACTUATOR, TYPE SB-2, SBD-2 AND SMB-2	1	C	48200 SE
BHX549A	AL	D-A-14-000-001	9	HOUSING	HOUSING, TYPICAL, QA 0, PAGER, PLASTIC, W/ BELT CLIP, HOUSING, PAGER; PLASTIC, WITH BELT CLIP ***	0	P	5985A SE
BJH410D	AL	A-A-01-000-001	1	HOUSING	HOUSING, TYPICAL, QA 0, HOUSING, FIRE HYDRANT; CAST IRON, FOR UPSTANDING COMPRESSION TYPE FIRE	0	P	4210N SE
BKB834V	AL	A-A-01-000-001	1	HOUSING	HOUSING, TYPICAL, QA 3, HOUSING, ACTUATOR; STEEL, REF 1, FOR MANUAL VALVEACTUATOR, SIZE MDT-5	3	P	48200 SE
BKB837M	AL	A-A-01-000-001	2	HOUSING	HOUSING, TYPICAL, QA 3, HOUSING, ACTUATOR; STEEL, REF 1, FOR MANUAL VALVEACTUATOR, SIZE MDT-2	3	P	48200 SE
BPW750W	AL	E-A-16-C06-D01	4	HOUSING	HOUSING, TYPICAL, QA 0, HOUSING, CIRCUIT BREAKER; HOUSING, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
BQJ781K	AL	D-A-12-301-001	1	HOUSING	HOUSING, GEAR, QA 0, HOUSING, GEAR; VELOCITY TRANSDUCER HOUSING, STAINLESS STEEL WITH	0		4710Y SE
BRE447E	AL	E-A-16-C05-E01	1	HOUSING	HOUSING, TYPICAL, QA 0, HOUSING, CIRCUIT BREAKER; FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BRM103C	AL	A-A-01-000-001	2	HOUSING	HOUSING, BEARING, QA 1, BEARING BLOCK, ; FOR USE ON A ASME SEC III CLASS 1, WESTINGHOUSE CHECK	1	C	4410C SE
BRM129Q	AL	A-A-01-000-001	2	HOUSING	HOUSING, BEARING, QA 1, BEARING BLOCK, ; FOR USE ON A ASME SEC III CLASS 1, WESTINGHOUSE CHECK	1	C	4410C SE
BVJ361P	AL	F-A-11-301-000	1	HOUSING	HOUSING, BEARING, QA 1, HOUSING, BEARING UNIT; UPPER, WITH INSULATION SLEEVE ***	1	C	6105D SE
BWG317Y	AL	A-A-01-000-001	5	HOUSING	HOUSING, TYPICAL, QA 0, HOUSING, VALVE; PILOT, FOR YARWAY SIZE 14 INCH, FIG. 5301, TYPICAL	0	C	48200 SE
BWJ613G	AL	D-A-22-201-000	2	HOUSING	HOUSING, BEARING, QA 3, HOUSING, BEARING UNIT; PILLOW BLOCK, FOR FLYWHEEL OF M. G. SET, MODEL	3	C	2910O SE
BXQ379Q	AL	A-A-01-000-001	1	HOUSING	HOUSING, GEAR, QA 1, HOUSING, ACTUATOR; BEVEL GEAR ,FOR SBD-00 ACTUATOR ***	1	B	48200 SE
BXW424R	AL	F-A-08-101-000	2	HOUSING	HOUSING, BEARING, QA 3, HOUSING, PUMP; INTERMEDIATE BEARING, IT 39, FOR SUMP PUMP, 1 1/2 X 2 RB-M	3	C	4320U SE
CBX633K	AL	A-A-01-000-001	1	HOUSING	HOUSING, BEARING, QA 0, HOUSING, BEARING UNIT; LOWER BEARING HOUSING, COMPLETE WITH RACE	0	B	6105D SE
CHW536H	AL	D-A-28-402-000	1	HOUSING	HOUSING, SEAL, QA 3, FOR 20" DANIEL CHEXTER CHECK VALVE, MODEL 1600, TYPE: DE, RATING: 150	3		48200 SE
APT325J	AL	L-A-13-000-002	1	HOUSING	HOUSING, BEARING, QA 0, HOUSING, BEARING UNIT; BEARING, VIKING PUMP CO, (LUBE OIL CIRCULATING	0	P	4320U SE
AQD335C	AL	L-A-09-000-002	1	HOUSING	HOUSING, TYPICAL, QA 0, HOUSING, CHILLER; FOR SENTRY CENTRIFUGAL UNIT NC175, MODEL NCX900053U	0	P	4520N SE
AXA524R	AL	T-A-02-000-002	14	HOUSING	HOUSING, FILTER, QA 0, HOUSING, ACTUATOR; STAINLESS STEEL, FILTER, CAP, FOR GOVERNOR VALVE	0	C	48200 SE
AYK743Q	AL	L-A-02-000-002	8	HOUSING	HOUSING, TYPICAL, QA 0, HOUSING, ; BENDIX DRIVE, FOR AIR STARTER SIZE 150 BMP, P/N D89LH50, ON	0	P	2910O SE
BHH001H	AL	M-A-16-000-002	2	HOUSING	HOUSING, TYPICAL, QA 1, HOUSING, ACTUATOR; CAST IRON, REF 1, FOR VALVE ACTUATOR, TYPE H0BC ***	1	P	48200 SE
BHH263T	AL	M-A-03-000-002	1	HOUSING	HOUSING, TYPICAL, QA 1, HOUSING, ACTUATOR; REF 1, FOR VALVE ACTUATOR, TYPE H1BC ***	1	P	48200 SE
BJA464E	AL	M-A-01-000-002	1	HOUSING	HOUSING, TYPICAL, QA 0, HOUSING ASSY, RESPIRATOR; PLASTIC, SPEAKING DIAPHRAGM, FOR FACEPIECE	0	P	4240P SE
BKB795B	AL	M-A-15-000-002	1	HOUSING	HOUSING, TYPICAL, QA 3, HOUSING, VALVE; STEEL, CAST, DWG ITEMS 2A,2B, 2C,2D, C/W 1 EA BRG- P/N	3	B	48200 SE
BKB802A	AL	M-A-15-000-002	2	HOUSING	HOUSING, TYPICAL, QA 3, HOUSING, ACTUATOR; CAST STEEL, REF 1, FOR MANUAL VALVE ACTUATOR, SIZE	3	C	48200 SE
BKB837M	AL	M-A-09-000-002	1	HOUSING	HOUSING, TYPICAL, QA 3, HOUSING, ACTUATOR; STEEL, REF 1, FOR MANUAL VALVEACTUATOR, SIZE MDT-2	3	P	48200 SE
BKB873H	AL	M-A-15-000-002	1	HOUSING	HOUSING, TYPICAL, QA 3, HOUSING, VALVE; STEEL, REF 1A, C/O ONE EACH SLEEVE, BRONZE, SIZE 1 X	3	C	48200 SE
BLG944L	AL	M-A-06-000-002	2	HOUSING	HOUSING, TYPICAL, QA 3, HOUSING, VALVE; CAST IRON, A-126, CLASS A, DWGA-8008, REF 1, FOR	3	P	48200 SE
BTF628Y	AL	M-A-07-000-002	1	HOUSING	HOUSING, TYPICAL, QA 1, HOUSING, ACTUATOR; REF 1, FOR VALVE ACTUATOR TYPE H1BC. 10CFR 50.49	1	B	48200 SE
CAG581M	AL	L-A-07-000-002	3	HOUSING	HOUSING, BEARING, QA 3, HOUSING, BEARING UNIT; FOR INGERSOLL-RAND REACTOR WATER CLEAN-UP	3	C	4320U SE
AJA994P	AL	J-B-12-009-001	7	HUB	HUB, MECHANICAL, QA 0, HUB, ELECTRIC MOTOR; FOR MAIN TURBINE CONTROL VALVESERVO MOTOR, REF	0	P	6105D SE
AVA592L	AL	A-A-01-000-001	1	HUB	HUB, MECHANICAL, QA 0, HUB, BODY; SPINNER, CAP, TYPE 1, PVC, FOR FAN, MODEL CB 13-3/4 BB, SN 75-480	0	P	4140U SE
AVA593J	AL	A-A-01-000-001	1	HUB	HUB, MECHANICAL, QA 0, HUB, BODY; SPINNER, CAP, TYPE 1, PVC, ITEM 2, FOR FAN, MODEL CB 9-1/2 A, SN	0	P	4140U SE
BBP330P	AL	A-A-01-000-001	1	HUB	HUB, MECHANICAL, QA 2, HUB, PUMP; STEEL, CORROSION RESISTIVE, DRIVER AND PUMP COUPLING, ASTM	2	P	4320U SE
BGT928P	AL	A-A-01-000-001	9	HUB	HUB, MECHANICAL, QA 0, HUB ASSY, VALVE; SQUARE, STEEL, FOR HEX BOLT, TOP SEAL ASTM A536	0	P	48200 SE
BNB189C	AL	1-B-11-072-001	2	HUB	HUB, MECHANICAL, QA 0, HUB, ; FOR KOPPER FAST COUPLING 3-1/2", S/N 72217-01 ***	0	P	3040D SE
BND907Y	AC	-- --	2	HUB	HUB, COUPLING, QA 0, HUB, COUPLING; COUPLING, PILOT BORED, FOR TURBINE LIFT PUMP, TYPICAL	0	P	3040D SE
AAW355F	AL	M-A-04-000-002	3	HUB	HUB, GEAR, QA 3, HUB ASSY, ; GEAR, FOR HONEYWELL MULTIPOINT RECORDER, MODEL	3	P	6695D SE
AMB647M	AL	L-A-09-000-002	1	HUB	HUB, COUPLING, QA 0, HUB, COUPLING; COUPLING, ROUGH STOCK BORE ***	0	P	3040D SE
AWG975Y	AL	M-A-12-000-002	2	HUB	HUB, MECHANICAL, QA 0, HUB, ; LEVER RATCHET, FOR 3/4 TON COME-ALONG, MODEL B ***	0	P	3950F SE
AXP336P	AL	L-A-03-000-002	2	HUB	HUB, MECHANICAL, QA 3, HUB ASSY, HEAVY EQUIPMENT; STEEL, 002.750 IN SQUARE, W/TWO SETSCREWS	3	P	2910O SE
BBQ888J	AL	M-A-01-000-002	3	HUB	HUB, MECHANICAL, QA 0, HUB, ; STEEL, REF 18, FOR CHAIN HOIST, RATCHET LEVER, MODEL MA-15	0	P	3950F SE
BND907Y	AL	L-A-09-000-002	1	HUB	HUB, COUPLING, QA 0, HUB, COUPLING; COUPLING, PILOT BORED, FOR TURBINE LIFT PUMP, TYPICAL	0	P	3040D SE
BRL490R	AL	M-A-04-000-002	2	HUB	HUB, MECHANICAL, QA 3, HUB, BRAKE (MAGNETIC); REF 915, FOR MAGNETIC BRAKE, TYPE OLDA, TORQUE 6	3	C	61100 SE
BXL893Y	AL	L-A-13-000-002	3	HUB	HUB, MECHANICAL, QA 0, HUB ASSY, RECORDER; DETENT, FOR MODEL 8HG1A010198, 20 POINT RECORDER	0	C	6695D SE
BKA768K	AL	L-A-09-000-002	2	HUMIDISTAT	HUMIDISTAT, TYPICAL, QA 0, CONTROL, HUMIDITY; HUMIDISTAT. ***	0	P	6695D SE
APT241Q	AL	L-A-09-000-002	1	HYDROMETER	HYDROMETER, TYPICAL, QA 0, HYDROMETER, GRADUATED SCALE; GRADUATED SCALE, 001.000 TO 001.070	0	P	6630D SE
BBD641E	AL	L-A-03-000-002	3	HYDROMETER	HYDROMETER, TYPICAL, QA 0, HYDROMETER, GRADUATED SCALE; SPECIFIC GRAVITY RANGE 1.800 TO 2.000	0	P	6630D SE
BBV577L	AL	L-A-03-000-002	5	HYDROMETER	HYDROMETER, TYPICAL, QA 0, HYDROMETER, GRADUATED SCALE; SPECIFIC GRAVITY, RANGE 1.4 TO 1.62	0	P	6630D SE
BJM957X	AL	A-A-01-000-001	1	IDLER	IDLER, TYPICAL, QA 3, IDLER, PUMP; IRON, WITH CARBON GRAPHITE BUSHING, REF 26, FOR HEAVY	3	C	4320U SE
ARV519K	AL	M-A-02-000-002	3	IDLER	IDLER, TYPICAL, QA 2, IDLER, ; COMPLETE WITH BUSHING 2-095-011-880, FOR ROTATION TANDEM	2	P	6115F SE
BWW494A	AL	M-A-01-000-002	9	IGNITOR	IGNITOR, GAS, QA 3, IGNITER, HYDROGEN; *****PARTIAL ASSEMBLIES*****	3	B	4470C SE
CDT802T	AL	L-A-09-000-002	6	IGNITOR	IGNITOR, ELECTRICAL, QA 0, IGNITER, LAMP; FOR 1000 WATT H.P.S. ***	0	B	6250D SE
AYD710J	AL	M-A-16-000-002	8	IMPACTOR	IMPACTOR, TYPICAL, QA 3, VALVE, STEEL, IMPACTOR, VALVE; STEEL, REF 19, FOR GLOBE VALVES, SIZES 1.5 AND 2 IN,	3	P	48200 SE
ABE196B	AL	A-A-01-000-001	2	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, PUMP, CENTRIFUGAL; REF 3, 008.062 IN DIA, FOR INGERSOLL RAND	0	P	4320U SE
ACE336F	AL	J-B-12-009-001	1	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, PUMP, CENTRIFUGAL; FOR STATIONARY SUMP PUMP, TYPE TUF12252	0	P	4320U SE
ACF807X	AL	A-A-01-000-001	2	IMPELLER	IMPELLER, TYPICAL, QA 3, IMPELLER, PUMP, CENTRIFUGAL; FOR LAWRENCE DRAIN SUMP PUMPS, M/N 1.5 X	3	P	4320U SE
AEE600Q	AL	A-A-01-000-001	1	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, PUMP, CENTRIFUGAL; REF 20, FOR SUMP PUMP, FIG 4511, SIZE	0	P	4320U SE
AHE893F	AL	D-B-16-000-001	2	IMPELLER	IMPELLER, TYPICAL, QA 0, PUMP, 5-7/8 IN, BRONZE, IMPELLER, PUMP, CENTRIFUGAL; BRONZE, 5.875 IN DIA, FOR AUXILIARY BOILER	0	P	4320U SE
AJE882E	AL	A-A-01-000-001	1	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, PUMP, CENTRIFUGAL; STEEL, 008.000IN DIA, W/O-RING FOR MODEL	0	P	4320U SE
AJT333J	AL	D-A-30-101-006	2	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, PUMP, CENTRIFUGAL; FOR COOLER PUMP, DWG P9835188G6 ON COOLER	0	P	4320U SE
AKE231J	AC	-- --	4	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, PUMP, CENTRIFUGAL; KIT INCLUDES IMPELLER AND ADAPTER,	0	P	4320U SE
AKE780V	AL	D-B-07-202-001	1	IMPELLER	IMPELLER, TYPICAL, QA 0, PUMP, 10, 9-1/4 IN, IMPELLER, PUMP, CENTRIFUGAL; REF 101, 009.250IN DIA, FOR DEMINERALIZER	0	P	4320U SE
AKE780V	AL	D-B-16-000-001	2	IMPELLER	IMPELLER, TYPICAL, QA 0, PUMP, 10, 9-1/4 IN, IMPELLER, PUMP, CENTRIFUGAL; REF 101, 009.250IN DIA, FOR DEMINERALIZER	0	P	4320U SE
ALE279F	AL	A-A-01-000-001	1	IMPELLER	IMPELLER, TYPICAL, QA 0, PUMP, 8, 7.430 IN, IMPELLER, PUMP, CENTRIFUGAL; REF 101, 007.437IN DIA, FOR MONITOR TANK	0	P	4320U SE
AME612R	AL	J-B-12-009-001	2	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, PUMP, CENTRIFUGAL; CLOSED TYPE, 010.375IN DIA, REF 3, FOR	0	P	4320U SE
APE954G	AL	D-A-14-000-001	2	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, PUMP, CENTRIFUGAL; 007.375 IN DIA, FOR AUXILIARY OIL PUMP	0	P	2825G SE
ARJ131W	AL	A-A-01-000-001	1	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, PUMP, CENTRIFUGAL; 11.125 IN DIAMETER, FOR MODEL 3171	0	P	4320U SE
ATA009L	AL	A-A-01-000-001	1	IMPELLER	IMPELLER, TYPICAL, QA 1, IMPELLER, PUMP, CENTRIFUGAL; RIGHT HAND, 1ST STAGE, BRASS, REF 176, DWG	1	C	4320U SE
ATA009L	AL	D-A-14-000-001	1	IMPELLER	IMPELLER, TYPICAL, QA 1, IMPELLER, PUMP, CENTRIFUGAL; RIGHT HAND, 1ST STAGE, BRASS, REF 176, DWG	1	C	4320U SE

ATC549H	AL	A-A-01-000-001	1	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, PUMP,CENTRIFUGAL; BRONZE, FOR PUMP, MODEL H-HC, SIZE	0	P	4320U SE
ATQ090D	AL	A-A-01-000-001	1	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, PUMP,CENTRIFUGAL; STEEL, ITEM 3, REF 411-01, FORHOTWELL	0	C	4320U SE
AVV024R	AL	A-A-01-000-001	1	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, PUMP,CENTRIFUGAL; CAST STEEL, 60 RC HARDNESS, DWG ITEM 31	0	P	4320U SE
AXJ792N	AL	D-A-31-401-000	1	IMPELLER	IMPELLER, TYPICAL, QA 0, PUMP, 9.810 IN, BRASS, IMPELLER, PUMP,CENTRIFUGAL; BRASS, 009.810 IN DIA, FOR PUMP, SIZE	0	P	4320U SE
BAD193M	AL	A-A-01-000-001	1	IMPELLER	IMPELLER, TYPICAL, QA 2, IMPELLER, PUMP,CENTRIFUGAL; STAINLESS STEEL, AISI 316, 6.875 IN LONG	2	P	4320U SE
BAN492W	AL	A-A-01-000-001	1	IMPELLER	IMPELLER, TYPICAL, QA 0, PUMP, 8 IN, STAINLESS STEEL, IMPELLER, PUMP,CENTRIFUGAL; STAINLESS STEEL, AISI 316, 8 IN DIA, DWG	0	P	4320U SE
BBJ390Y	AL	A-A-01-000-001	1	IMPELLER	IMPELLER, TYPICAL, QA 0, PUMP, 4-5/8 IN, STAINLESS STEEL, IMPELLER, PUMP,CENTRIFUGAL; STAINLESS STEEL, ASTM A536, 4.62 IN DIA	0	P	4320U SE
BBN994X	AL	A-A-01-000-001	2	IMPELLER	IMPELLER, TYPICAL, QA 0, FAN, 2-1/2 IN, PLASTIC, IMPELLER, FAN,AXIAL; PLASTIC, 2.5 IN OD TAPERED SHAFT, WITH KEYWAY	0	P	4140U SE
BCF575G	AL	A-A-01-000-001	1	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, FAN,AXIAL; WHEEL, FOR CHAMPION FAN, SIZE	0	P	4140U SE
BCW328Y	AL	A-A-01-000-001	2	IMPELLER	IMPELLER, TYPICAL, QA 0, FAN, 4, PLASTIC, IMPELLER, FAN,AXIAL; CONDENSER, PLASTIC, 4 BLADES, FOR REFRIGERATION	0	P	4140U SE
BCW389A	AL	A-A-01-000-001	2	IMPELLER	IMPELLER, TYPICAL, QA 3, IMPELLER, FAN,AXIAL; WITH 9 BLADES, FOR TUBEAXIAL FAN, MODEL	3	P	4140U SE
BKR951F	AL	D-A-14-000-001	1	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, PUMP,CENTRIFUGAL; BRONZE, FOR PUMP, MODEL 1.5X2 CB-M, S/N	0	P	4320U SE
BLC520K	AL	F-A-21-101-001	3	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, PUMP,CENTRIFUGAL; 5.1875 IN DIA, FOR CENTRIFUGALPUMP, SIZE 3	0	P	4320U SE
BLM957H	AL	D-A-13-301-005	1	IMPELLER	IMPELLER, TYPICAL, QA 0, PUMP, 5-1/16 IN, STAINLESS STEEL, 1450 PSI, IMPELLER, PUMP,CENTRIFUGAL; STAINLESS STEEL, 5-1/16 IN DIA, FOR PUMP	0		4320U SE
BPV483K	AL	A-A-01-000-001	4	IMPELLER	IMPELLER, TYPICAL, QA 1, IMPELLER, PUMP,CENTRIFUGAL; FOR VIT-12X16BLC/3 PUMP,TYPICAL S/N	1	B	4320U SE
BQC468N	AL	D-B-09-201-000	2	IMPELLER	IMPELLER, TYPICAL, QA 3, IMPELLER, PUMP,CENTRIFUGAL; BRONZE, 13.6875 DIA X 0.0625 IN THICK, FOR	3	C	4320U SE
BQC468N	AL	F-A-39-100-002	8	IMPELLER	IMPELLER, TYPICAL, QA 3, IMPELLER, PUMP,CENTRIFUGAL; BRONZE, 13.6875 DIA X 0.0625 IN THICK, FOR	3	C	4320U SE
BQW708B	AC	- - - -	1	IMPELLER	IMPELLER, TYPICAL, QA 2, IMPELLER, PUMP,CENTRIFUGAL; BRONZE, 22.688 IN DIA, REF 056, DWG F-4704	2	C	4320U SE
BQW708B	AL	A-A-01-000-001	1	IMPELLER	IMPELLER, TYPICAL, QA 2, IMPELLER, PUMP,CENTRIFUGAL; BRONZE, 22.688 IN DIA, REF 056, DWG F-4704	2	C	4320U SE
BVB157T	AL	D-B-16-000-001	1	IMPELLER	IMPELLER, TYPICAL, QA 1, IMPELLER, PUMP,CENTRIFUGAL; LAST STAGE, FOR INGERSOLL RAND MODEL	1	B	4320U SE
BVM828H	AL	A-A-01-000-001	1	IMPELLER	IMPELLER, TYPICAL, QA 1, IMPELLER, PUMP,CENTRIFUGAL; FOR COMPONENT COOLING WATER PUMP, DWLVAL	1	C	4320U SE
BWE968Y	AL	A-A-01-000-001	4	IMPELLER	IMPELLER, TYPICAL, QA 1, IMPELLER, PUMP,CENTRIFUGAL; BRONZE, ASTM B584 ALLOY C83600, FOR	1	C	4320U SE
BXL065V	AL	A-A-01-000-001	1	IMPELLER	IMPELLER, TYPICAL, QA 3, IMPELLER, PUMP,CENTRIFUGAL; 9.125 IN DIA, FOR GAS STRIPPER FEED	3	C	4320U SE
BXL788V	AL	A-A-01-000-001	1	IMPELLER	IMPELLER, TYPICAL, QA 3, IMPELLER, PUMP,CENTRIFUGAL; 7.750 IN DIA, TYPE 316,SST,DWG D6657,IT 2	3	C	4320U SE
BXN625E	AL	A-A-01-000-001	7	IMPELLER	IMPELLER, TYPICAL, QA 0, PUMP, 5, 6 IN, CAST STEEL, IMPELLER, PUMP,CENTRIFUGAL; 6 IN DIAMETER, FORWARD CURVE, CAST STEEL	0	B	4320U SE
BYD733K	AL	A-A-01-000-001	3	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, PUMP,CENTRIFUGAL; FOR 3X11S MODEL E WEMCO TUBE CLEANING	0	C	4320U SE
CDJ777N	AL	A-A-01-000-001	1	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, PUMP,CENTRIFUGAL; TYPE WN, PATTERN 1.5X8A3A, DIAMETER (IN)	0	C	4320U SE
CGB724E	AL	F-A-06-101-000	5	IMPELLER	IMPELLER, TYPICAL, QA 0, PUMP, 5, REF. 101, SPARE PART FOR GOULDS PUMP MODEL 3196 MTX, S/N 794D914	0	C	4320U SE
AJD990V	AL	L-A-04-000-002	1	IMPELLER	IMPELLER, TYPICAL, QA 1, IMPELLER, PUMP,CENTRIFUGAL; BRASS, ASTM B148, ALLOY 958, RC-2870, DWG	1	B	4320U SE
AJD990V	AL	L-A-07-000-002	1	IMPELLER	IMPELLER, TYPICAL, QA 1, IMPELLER, PUMP,CENTRIFUGAL; BRASS, ASTM B148, ALLOY 958, RC-2870, DWG	1	B	4320U SE
AKE131N	AL	L-A-03-000-002	1	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, PUMP,CENTRIFUGAL; REF 3B, 007.875IN DIA, FOR RADWASTE BLDG	0	P	4320U SE
AKE730B	AL	L-A-03-000-002	2	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, PUMP,CENTRIFUGAL; REF 3B, 008.375IN DIA, FOR RADWASTE BLDG	0	P	4320U SE
ARC333F	AL	L-A-06-000-002	1	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, FAN,AXIAL; 22.500 IN DIA X 1.500 IN BLADEX 1.750 IN BORE	0	P	4410C SE
ATW016R	AL	M-A-01-000-002	2	IMPELLER	IMPELLER, TYPICAL, QA 3, IMPELLER, PUMP,CENTRIFUGAL; 316 STAINLESS STEEL, 6.75 IN DIA, DWG	3	P	4320U SE
ATX929F	AL	M-A-04-000-002	1	IMPELLER	IMPELLER, TYPICAL, QA 2, IMPELLER, PUMP,CENTRIFUGAL; BRONZE 8.375 IN DIA, FOR MAIN CONTROL ROOM	2	C	4320U SE
AVM524D	AL	M-A-01-000-002	1	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, PUMP,CENTRIFUGAL; STEEL, FOR PORTABLE DIESEL PUMP, MODEL	0	P	4320U SE
AWQ633J	AL	P-A-LL-ET0-043	1	IMPELLER	IMPELLER, TYPICAL, QA 0, PUMP, IMPELLER, PUMP,CENTRIFUGAL; DWG W-150X8ATS500X1, FORM 7978-A, FOR RHR	0	C	4320U SE
AXQ435G	AL	M-A-01-000-002	4	IMPELLER	IMPELLER, TYPICAL, QA 0, FAN, 4, STEEL, IMPELLER, FAN,AXIAL; STEEL, FOUR BLADES, FOR UNIT VENTILATING HEATER	0	P	4140U SE
BBH729B	AL	M-A-01-000-002	1	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, PUMP,CENTRIFUGAL; STEEL, DRIVE, COMPLETE WITH SHAFT, FOR	0	P	4320U SE
BBH731Q	AL	M-A-01-000-002	1	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, PUMP,CENTRIFUGAL; STEEL, DRIVEN, COMPLETE WITH SHAFT, FOR	0	P	4320U SE
BFD806G	AL	L-A-09-000-002	2	IMPELLER	IMPELLER, TYPICAL, QA 0, PUMP, 7 IN, STAINLESS STEEL, IMPELLER, PUMP,CENTRIFUGAL; STAINLESS STEEL, 0.5 THK X 7 IN DIA, FOR	0	B	4320U SE
BGR415T	AL	L-A-13-000-002	2	IMPELLER	IMPELLER, TYPICAL, QA 0, PUMP, 9 IN, BRONZE, IMPELLER, PUMP,CENTRIFUGAL; BRONZE, 9 IN DIA, PC 3, PC 6271B, FOR	0	P	4320U SE
BKG986A	AL	P-A-LL-ET0-064	2	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, PUMP,CENTRIFUGAL; 9.375 IN DIA, FOR CENTRIFUGAL PUMP, MODEL	0	C	4320U SE
BKR897T	AL	P-A-LL-ET0-078	1	IMPELLER	IMPELLER, TYPICAL, QA 3, IMPELLER, PUMP,CENTRIFUGAL; BRONZE, FOR PUMP ***	3	C	4320U SE
BTQ482J	AL	L-A-03-000-002	3	IMPELLER	IMPELLER, TYPICAL, QA 3, IMPELLER, PUMP,CENTRIFUGAL; BRONZE, HPFP JOCKEY PUMP, SERIAL NO	3	C	4320U SE
BVW571Q	AL	L-A-13-000-002	9	IMPELLER	IMPELLER, TYPICAL, QA 3, IMPELLER, PUMP,CENTRIFUGAL; IMPELLER WITH WEAR RING 7364, FOR	3	C	4320U SE
BXL065V	AL	M-A-01-000-002	1	IMPELLER	IMPELLER, TYPICAL, QA 3, IMPELLER, PUMP,CENTRIFUGAL; 9.125 IN DIA, FOR GAS STRIPPER FEED	3	C	4320U SE
BXN597Q	AL	P-A-LL-ET0-020	2	IMPELLER	IMPELLER, TYPICAL, QA 3, IMPELLER, PUMP,CENTRIFUGAL; FOR WORTHINGTON PUMP SIZE & TYPE 2-1/2	3	C	4320U SE
CFV569K	AL	P-A-LL-ET0-023	1	IMPELLER	IMPELLER, TYPICAL, QA 0, PUMP, *** CENTRIFUGAL; DWG W-150X8ATS500X1, FORM 7978-A, FOR RHR SYSTEM	0	C	4320U SE
CJH771R	AL	L-A-12-000-002	1	IMPELLER	IMPELLER, TYPICAL, QA 3, PUMP, MAIN TURBINE SHAFT DRIVEN OIL PUMP	3	C	2825G SE
APV833R	AL	M-A-16-000-002	4	INDEX	INDEX, MECHANICAL, QA 2, INDEX ASSY, ; HIGH SWITCH ADJ, HIGH OR DUAL ALARM, FOR MODEL 224 ***	2	P	6695D SE
AET732W	AL	A-A-01-000-001	12	INDICATOR	INDICATOR, TYPICAL, QA 2, INDICATOR, ; FLYWHEEL, ENGINE TIMING, FOR MODEL 16-645-E4, 40000.000	2	P	2910O SE
AKH057F	AL	D-A-13-302-009	2	INDICATOR	INDICATOR, FLOW, QA 0, VALVE, 3/4 IN, 4 IN, PROTECTOR ASSY, ; INDICATOR, (SIGHT GLASS), 3-1/4" LONG W/3/4" PIPE	0		5680B SE
AQN700D	AL	A-A-01-000-001	2	INDICATOR	INDICATOR, TEMPERATURE, QA 0, INDICATOR, TEMPERATURE; LIQUID, TYPE AL, REF 76, 0 TO 120 DEG C, FOR	0	P	6695D SE
ARM265P	AL	D-B-16-000-001	1	INDICATOR	INDICATOR, FLOW, QA 0, WATER, STAINLESS STEEL, 2.351/H20, 0-10X100 SCFM, INDICATOR, RATE OF FLOW; STAINLESS STEEL, SCALE/RANGE 2.351/H20	0	C	6695D SE
AXB262Q	AL	A-A-01-000-001	2	INDICATOR	INDICATOR, LEVEL, QA 0, LIQUID, 1/4 IN, FNPT, EMPTY/FULL, GRADUATED TENTHS/BOTTOM, INDICATOR, LIQUID QUANTITY; EMPTY-FULL SCALE, GRADUATED I	0	P	6695D SE
AXR679E	AL	A-A-01-000-001	3	INDICATOR	INDICATOR, LEVEL, QA 0, INDICATOR, SIGHT LIQUID; CARBON STEEL, LOWER, LIQUID GAGE, 0.75 IN	0	P	6695D SE
AYV633N	AL	A-A-01-000-001	16	INDICATOR	INDICATOR, LEVEL, QA 3, INDICATOR, SIGHT LIQUID; STEEL, 1 IN INTERNAL THREAD, SMOOTH BORE	3	P	6695D SE
BAM731A	AL	Z-Z-ZZ-ZZZ-ZZZ	1	INDICATOR	INDICATOR, LEVEL, QA 0, LIQUID/SIGHT, 63-1/4 IN, NPT, W/PLUGS/NIPLES/CS BODY, INDICATOR, SIGHT LIQUID; LEVEL, SERIES R-12 (REFLEX), SIZE 320	0	P	6695D SE
BBW268W	AL	A-A-01-000-001	2	INDICATOR	INDICATOR, TYPICAL, QA 1, INDICATOR, SIGHT LIQUID; FOR HERMETIC TURBOPACK LIQUID CHILLING UNIT	1	C	6695D SE
BEA416J	AL	A-A-01-000-001	2	INDICATOR	INDICATOR, FLOW, QA 0, WATER, 300-1000 GPM, 1/8 IN FNPT, INDICATOR, RATE OF FLOW; EAGLE EYE, RANGE 300 TO 1000 GPM, SCALE RANGE	0	C	6695D SE
BGV773M	AL	A-A-01-000-001	2	INDICATOR	INDICATOR, FLOW, QA 0, INDICATOR, PROCESS MEASUREMENTS; REMOTE SIGNAL, INPUT 4 TO 20 MADC	0	P	6695D SE
BHJ959F	AL	A-A-01-000-001	2	INDICATOR	INDICATOR, TYPICAL, QA 0, INDICATOR, LINE STATU, ; MONITORING 40 TO 120 LINES, FOR MODEL L4B32-3	0	P	5805M SE
BHR712E	AL	D-A-32-104-001	1	INDICATOR	INDICATOR, LEVEL, QA 3, INDICATOR, SIGHT LIQUID; GAGE, OIL, INBOARD BEARING, REF 109, DWG	3	P	6695D SE
BJL928A	AL	A-A-01-000-001	1	INDICATOR	INDICATOR, TEMPERATURE, QA 0, INDICATOR, TEMPERATURE; 6 IN X 6 IN CASE, DISPLAY AND SWITCHES, 117	0	P	6695D SE
BJQ834Y	AL	A-A-01-000-001	3	INDICATOR	INDICATOR, ELECTRICAL, QA 0, INDICATOR, LINE STATU, ; TELEPHONE, 32-LINE, CONSISTING OF INDICATOR	0	P	5805M SE
BQN157L	AL	D-A-32-201-001	2	INDICATOR	INDICATOR, FLOW, QA 0, INDICATOR, RATE OF FLOW; FLOW, BALL TYPE, 0.75 IN, B07S BRASS END	0	B	6695D SE
BVB699M	AL	A-A-01-000-001	1	INDICATOR	INDICATOR, TYPICAL, QA 3, INDICATOR, SCALE; SCALE, FOR USE IN YOKOGAWA CONTROLLER SLPC-281*E	3	B	6625D SE
BVQ795N	AL	A-A-01-000-001	1	INDICATOR	INDICATOR, LEVEL, QA 3, INDICATOR, SIGHT LIQUID; LEVEL, MAGNETIC ***	3	B	6695D SE
BWL754K	AL	A-A-01-000-001	1	INDICATOR	INDICATOR, FLOW, QA 0, ACID, 1 IN, FLANGE, INDICATOR, RATE OF FLOW; 1" CARBON STEEL, 150# RF FLANGE CONNECTIONS	0	B	6695D SE
BWR309G	AL	E-A-16-C04-C01	1	INDICATOR	INDICATOR, TYPICAL, QA 0, INDICATOR, CIRCUIT BREAKER; POSITION, FOR CIRCUIT BREAKER, TYPE	0	C	5925B SE
AEV700H	AL	L-A-15-000-002	9	INDICATOR	INDICATOR, TEMPERATURE, QA 1, INDICATOR, TEMPERATURE; TYPE 180, VERTICAL MOUNT, 10 TO 50 MADC, BLANK	1	B	6695D SE
AFW226V	AL	M-A-16-000-002	3	INDICATOR	INDICATOR, PRESSURE, QA 2, INDICATOR, PRESSURE; DIFFERENTIAL, LIQUID LEVEL, FLOW RATE, 0 TO 30 IN	2	P	6695D SE
AGW794F	AL	L-A-09-000-002	1	INDICATOR	INDICATOR, LEVEL, QA 0, SIGHT/OIL, 6 IN, 1/2 IN NPT, BRASS, SHIELDED, 5.375 IN GLASS LENGTH	0	P	6695D SE
AJT533A	AL	M-A-10-000-002	1	INDICATOR	INDICATOR, FLOW, QA 0, LIQUID, FOR TRANSFORMER, POWER, 315000 KVA, 3	0	C	6695D SE

ALD436Y	AL	L-A-03-000-002	2	INDICATOR	INDICATOR, LEVEL, QA 0, INDICATOR, CHILLER; LIQUID, FOR "SENTRY" CENTRIFUGAL UNIT, NC 175	0	P	4520N SE
APJ455E	AL	T-A-06-000-002	1	INDICATOR	INDICATOR, TYPICAL, QA 3, INDICATOR, VALVE; DIAL, CALIBRATED, A.O.P.1,FOR ROTORK VALVE, TYP	3	P	48200 SE
AQN702X	AL	T-A-12-000-002	1	INDICATOR	INDICATOR, TEMPERATURE, QA 0, WIND, 0-160 DEG C, W/ THERMOCOUPLE, INDICATOR, TEMPERATURE; WIND TEMPERATURE,RELAY,0 TO 160 DEG C,WITH	0	P	6695D SE
ARE149X	AL	M-A-16-000-002	20	INDICATOR	INDICATOR, FAULT/TD, QA 2, INDICATOR,BLOWN FUSE, ; TRIPPER,INDICATOR AND TRIPPER,2 AMPERES,130	2	P	5920K SE
ATV423T	AL	P-A-LL-ET0-063	2	INDICATOR	INDICATOR, TYPICAL, QA 3, INDICATOR, VALVE; POSITION, FOR SIZE 024.000IN, CHECK TYPE ***	3	C	48200 SE
AYG550Y	AL	L-A-09-000-002	1	INDICATOR	INDICATOR, TYPICAL, QA 0, INDICATOR, ; PERCENTAGE, FOR GE MAC RECORDERS, TYPE 520, 521, 530 AND	0	P	6625D SE
AYN165P	AL	M-A-16-000-002	3	INDICATOR	INDICATOR, TYPICAL, QA 2, INDICATOR, ACTUATOR; STEEL, ARROW, FOR ACTUATOR MODEL MDT-2, DWG	2	P	48200 SE
BDQ720Q	AL	M-A-01-000-002	2	INDICATOR	INDICATOR, TYPICAL, QA 1, INDICATOR, VALVE; TUBE, FOR SOLENOID OPERATED RELIEF VALVE, MODEL	1	P	48200 SE
BFK361W	AL	M-A-13-000-002	1	INDICATOR	INDICATOR, TYPICAL, QA 2, INDICATOR, CONDUCTIVITY; MODEL 915, STYLE C, 0 TO 100 UMHOS, 25 C, 120	2	P	6630D SE
BGL881N	AL	L-A-09-000-002	1	INDICATOR	INDICATOR, LEVEL, QA 0, LIQUID/SIGHT, 2-1/2 IN, FLANGED, 200 PSIG, INDICATOR, SIGHT LIQUID; PLAIN SIGHT, STAINLESS STEEL, 200 PSI, 2.5 IN	0	P	6695D SE
BHH058J	AL	L-A-15-000-002	2	INDICATOR	INDICATOR, FLOW, QA 0, INDICATOR, RATE OF FLOW; WATER, FOR GENERATORS BREAKER, PCB 214, 224	0	C	6695D SE
BHR855P	AL	T-A-01-000-002	2	INDICATOR	INDICATOR, TYPICAL, QA 3, INDICATOR, VALVE; STEEL, SIZE 1.5 IN, FOR CONTROL VALVE ***	3	P	48200 SE
BHV200C	AL	M-A-16-000-002	25	INDICATOR	INDICATOR, TYPICAL, QA 3, INDICATOR, SET POINT; STEEL, FOR MODEL 481 WALL MOUNTED VALVE POSITION	3	P	48200 SE
BHX049M	AL	M-A-16-000-002	5	INDICATOR	INDICATOR, TYPICAL, QA 3, INDICATOR, ACTUATOR; ARROW POSITION, FOR MANUAL VALVE ACTUATOR, ON	3	P	48200 SE
BJG446H	AL	M-A-01-000-002	2	INDICATOR	INDICATOR, FLOW, QA 0, AIR, BRASS, 3-15 GPM, 14.7 PSIA/70 DEG F, 1 IN NPT, INDICATOR, RATE OF FLOW; BALL FLOW, 3 TO 15 GPM, 1 IN NPT BRASS	0	C	6695D SE
BJP137T	AL	M-A-16-000-002	10	INDICATOR	INDICATOR, TYPICAL, QA 3, INDICATOR, VALVE; FLAG, IRON/STEEL, FOR BUTTERFLY VALVE, 3 IN, MODEL	3	P	48200 SE
BNQ872X	AL	P-A-LL-ET0-064	1	INDICATOR	INDICATOR, ELECTRICAL, QA 0, INDICATOR, DIGITAL DISPLAY; PANEL MOUNT, 6.35 IN X 3.2 IN. ***	0	C	6625D SE
BPQ289Y	AL	L-A-04-000-002	1	INDICATOR	INDICATOR, TYPICAL, QA 1, INDICATR/TRIP UNIT, ; REPAIR, REFURBISH, OR REPLACE ***	1	B	6630D SE
BPV103R	AL	P-A-LL-ET0-081	4	INDICATOR	INDICATOR, TEMPERATURE, QA 3, DIGITAL, SURFACE MOUNT	3	C	6695D SE
BVC936W	AL	L-A-09-000-002	5	INDICATOR	INDICATOR, TYPICAL, QA 3, INDICATOR ASSEMBLY, ; POSIOITION INDICATOR FOR GE CIRCUIT BREAKER TYPE	3	B	5925B SE
BWD864G	AC	- - - -	9	INDICATOR	INDICATOR, TYPICAL, QA 0, INDICATOR, VALVE; POSITION FOR MDT-4 ACTUATOR, INSTALLED ON HENRY	0	C	48200 SE
BWF788V	AL	L-A-09-000-002	1	INDICATOR	INDICATOR, TEMPERATURE, QA 1, INDICATOR, TEMPERATURE; 4 TO 20 MADC INPUT, DIGITAL DISPLAY, PANEL	1	B	6695D SE
BWL152G	AL	L-A-03-000-002	1	INDICATOR	INDICATOR, ELECTRICAL, QA 3, INDICATOR, GROUND; METER, FULL SCALE 150-0-150VDC ON SCALE WITH	3	B	6625D SE
CBF680X	AL	L-A-09-000-002	1	INDICATOR	INDICATOR, ELECTRICAL, QA 0, INDICATOR, CIRCUIT BREAKER; FOR AIR CIRCUIT BREAKER, MODEL	0	C	5925B SE
CBF680X	AL	L-A-02-000-002	4	INDICATOR	INDICATOR, ELECTRICAL, QA 0, INDICATOR, CIRCUIT BREAKER; FOR AIR CIRCUIT BREAKER, MODEL	0	C	5925B SE
CCA431V	AL	M-A-01-000-002	1	INDICATOR	INDICATOR, FLOW, QA 0, WATER, 0-30 IN H2O, 0-700 GPM, 1/4 IN NPT, INDICATOR, FLOW; BARTON MODEL NO. 227C, CASE/STYLE: MS,ENCLOSURE:MS	0	B	6695D SE
CGB076E	AC	- - - -	1	INDICATOR	INDICATOR, FLOW, QA 3, INDICATOR, FLOW *** 0.9 TO 9.0 SCFH AIR APPLICATIONS	3	B	6695D SE
BDY397T	AL	A-A-01-000-001	1	INDUCTOR	INDUCTOR, ELECTRIC, QA 0, INDUCTOR, ELECTRICAL; 300 AMPS, FOR BATTERY CHARGER,24 VDC, 300 AMPS	0	P	5950N SE
BHM648H	AL	D-A-32-104-001	3	INDUCTOR	INDUCTOR, ELECTRIC, QA 0, INDUCTOR, ELECTRICAL; OUTPUT ASSY, FOR POW-CON WELDING MACHINE, MODEL	0	P	3433A SE
BHM649F	AL	D-A-32-104-001	3	INDUCTOR	INDUCTOR, ELECTRIC, QA 0, INDUCTOR, ELECTRICAL; MAIN ASSY, FOR POW-CON WELDINGMACHINE, MODEL	0	P	3433A SE
CLN879Y	AL	D-B-13-301-000	4	INDUCTOR	INDUCTOR, ELECTRIC, QA 3, ELECTRICAL, 25.4 AMPS, 36 MILLIHENRY	3	B	
BHG284P	AL	5-A-07-302-000	1	INJECTOR	INJECTOR, LIQUID, QA 3, INJECTOR ASSY, DIESEL ENGINE; COMPLETE, FOR DIESEL ENGINE, MODEL	3	P	29100 SE
BLG924T	AL	F-A-11-101-001	4	INJECTOR	INJECTOR, FUEL, QA 1, INJECTOR ASSY, DIESEL ENGINE; DIESEL ENGINE, FUEL NEEDLE VALVE, LOW	1	P	29100 SE
CKX854H	AL	F-A-21-102-000	36	INJECTOR	INJECTOR, FUEL, QA0, INJECTOR ASSY, FUEL; DIESEL FUEL, UTEX 8369044,	0	C	29100 SE
AJX369D	AL	A-A-01-000-001	2	INK	INK, TYPICAL, QA 0, RECORDER, LIQUID, 2 OZ, BOTTLE, RED, SLOW DRYING	0	P	6695D SE
AKX264M	AL	D-A-32-302-003	10	INK	INK, TYPICAL, QA 0, RECORDER, 2.700 CC, CARTRIDGE, BLUE, 4 EA PER PACK	0	C	6695D SE
AKX760L	AL	D-B-16-000-001	991	INK	INK, TYPICAL, QA 0, RECORDER, CAPSULE, RED, INK, RECORDING INSTRUMENT; INK TYPE: CAPSULE, CONTAINER SIZE: 4 PER	0	C	6695D SE
AKX868L	AL	D-B-16-000-001	992	INK	INK, TYPICAL, QA 0, RECORDER, CAPSULE, GREEN, INK, RECORDING INSTRUMENT; INK TYPE: CAPSULE, CONTAINER SIZE: 4 PER	0	C	6695D SE
AVB500V	AL	A-A-01-000-001	9	INK	INK, TYPICAL, QA 0, RECORDER, LIQUID, 8 OZ, BOTTLE, GREEN, INK, RECORDING INSTRUMENT; INK TYPE: BOTTLE, CONTAINER SIZE: 8.0 OZ	0	P	7510U SE
AYL121N	AL	A-A-01-000-001	7	INK	INK, TYPICAL, QA 0, RECORDER, LIQUID, 4 PER PKG, CARTRIDGE, RED, INK, RECORDING INSTRUMENT; INK TYPE: CARTRIDGE, CONTAINER SIZE: 4 PER	0	P	7510U SE
BGC361T	AL	A-A-01-000-001	10	INK	INK, TYPICAL, QA 3, INK, RECORDING INSTRUMENT; RED, CARTRIDGE, CAPACITY 2.5 CC, FOR	3	P	7510U SE
BJV751K	AL	F-A-04-202-003	126	INK	INK, TYPICAL, QA 0, INK, RECORDING INSTRUMENT; COLOR: RED ***	0		7510U SE
BVQ972T	AL	D-A-06-201-004	2	INK	INK, TYPICAL, QA 0, SHEET, COLOR INK; 3 COLOR SHEET, 4 PER BOX, FOR SEIKO INSTRUMENTS	0		75300 SE
AGX164C	AL	M-A-08-000-002	11	INK	INK, TYPICAL, QA 0, SLOW-DRY/RECORDING, LIQUID, 1/2 OZ, PURPLE, RESERVOIR	0	P	6695D SE
AGX962F	AL	L-A-09-000-002	3	INK	INK, TYPICAL, QA 0, RECORDER, CAPSULE, GREEN, INK, RECORDING INSTRUMENT; INK TYPE: CAPSULE, COLOR: GREEN ***	0	P	7510U SE
AYL121N	AL	T-A-01-000-002	1	INK	INK, TYPICAL, QA 0, RECORDER, LIQUID, 4 PER PKG, CARTRIDGE, RED, INK, RECORDING INSTRUMENT; INK TYPE: CARTRIDGE, CONTAINER SIZE: 4 PER	0	P	7510U SE
AAA633A	AL	A-A-01-000-001	9	INSERT	INSERT, PIPE, QA 1, CLASS 2, 1 IN X 3/4 IN, SS, 80, 3000 LB, PLAIN X SOCKETWELD, ASME SA182 GR F316, STANDARD MILL FINISH, MSS SP-79 TYPE 1	1	P	4730P SE
AAQ682L	AL	A-A-01-000-001	39	INSERT	INSERT, PIPE, QA 1, CLASS 2, 3/4 IN X 1/2 IN, SS, 3000 LB, PLAIN X SOCKETWELD, ASME SA182 GR F316, STANDARD MILL FINISH, MSS SP-79 TYPE 1, F	1	P	4730P SE
ADJ679M	AC	- - - -	1	INSERT	INSERT, DISC, QA 1, VALVE, STAINLESS STEEL, *** ASME A479 TP 316; FOR USE ON CROSBY ASME SECTION VIII NOZZLE TYPE	1	C	48200 SE
ADJ679M	TR	- - - -	2	INSERT	INSERT, DISC, QA 1, VALVE, STAINLESS STEEL, *** ASME A479 TP 316; FOR USE ON CROSBY ASME SECTION VIII NOZZLE TYPE	1	C	48200 SE
AFJ138C	AC	- - - -	1	INSERT	INSERT, TYPICAL, QA 0, INSERT,VALVE, ; DISK, 316 STNLS STL, FOR CROSBY MOISTURE SEPERATOR	0	C	48200 SE
ARV520E	AL	D-B-16-000-001	5	INSERT	INSERT, TYPICAL, QA 3, INSERT, ; STAINLESS STEEL, STANDARD, FORGENERAL MOTORS ELECTRO-MOTIVE	3	P	4310I SE
AYJ495N	AL	D-A-06-102-004	65	INSERT	INSERT, TYPICAL, QA 0, TUBING, 1/4 IN, 3/8 IN, STAINLESS STEEL, INSERT, TUBE FITTING; MATERIAL: STAINLESS STEEL, OUTSIDE DIAMETER:	0		4730P SE
BFCA91K	AL	A-A-01-000-001	1	INSERT	INSERT, PIPE, QA 1, CLASS 2, REDUCER, INSERT; CLASS 3000, CARBON STEEL ASME SA 105 , END TYPE	1	P	4730P SE
BHT231R	AL	A-A-01-000-001	20	INSERT	INSERT, COUPLING, QA 3, INSERT, FLEXIBLE COUPLING; RUBBER, SPIDER, FOR COUPLING 1X407 ***	3	P	3040D SE
BKN193F	AL	A-A-01-000-001	1	INSERT	INSERT, TYPICAL, QA 1, INSERT,VALVE, ; DISK FOR SAFETY RELIEF VALVE SIZE 6M6, STYLE HB-BP-86	1	P	48200 SE
BKY667J	AL	D-B-16-000-001	4	INSERT	INSERT, HELI-COIL SET, QA 1, INSERT, SCREW THREAD; MATERIAL: STAINLESS STEEL, SIZE: 01.000000 (1)	1	C	4710Y SE
BLA060W	AL	F-A-08-301-006	2	INSERT	INSERT, COUPLING, QA 0, FLEXIBLE, FLEXIBLE, FOR COUPLING, SHAFT, FLEXIBLE,	0		3040D SE
BNH968L	AL	D-A-16-201-001	3	INSERT	INSERT, PIPE, QA 1, CLASS 2, 1/2 IN X 1/4 IN, CS, 3000 LB, SOCKETWELD, ASME SA105, STANDARD MILL FINISH, B16.11, FORGED	1		4730P SE
BNL300D	AL	1-A-25-015-001	2	INSERT	INSERT, LOCKING, QA 0, INSERT, ; LOCKING INSERT ***	0	P	5925B SE
BNM459M	AL	D-A-16-201-001	100	INSERT	INSERT, TYPICAL, QA 0, INSERT, ; RESPIRATOR PROTECTION ***	0		4240P SE
BNT998W	AL	D-A-22-401-000	12	INSERT	INSERT, TYPICAL, QA 0, TUBING, 1 IN, 2 IN, STAINLESS STEEL, INSERT, TUBE FITTING; MATERIAL: STAINLESS STEEL, OUTSIDE DIAMETER:	0		4730P SE
BPH308T	AL	F-A-04-202-006	2	INSERT	INSERT, PIPE, QA 1, CLASS 2, 1 IN X 1/2 IN, SS, 3000 LB, SOCKETWELD, ASME SA182 GR F316, STANDARD MILL FINISH, MSS SP-79 TYPE 2, FORGED	1		4730P SE
BQD756C	AL	A-A-01-000-001	2	INSERT	INSERT, DISC, QA 1, INSERT, VALVE; DISC,SOFT SEAL,EPT,FOR 2 IN CHECK VALVE,TVA MK	1	B	48200 SE
BQM169J	AL	A-A-01-000-001	2	INSERT	INSERT, DISC, QA 1, INSERT, VALVE; DISC, FLEXIDISC DESIGN, FOR PRESSURIZER SAFETY VALVES	1	C	48200 SE
BVM666H	AL	D-A-01-401-004	3	INSERT	INSERT, PIPE, QA 1, CLASS 2, CS, 3000 LB, ASME SA105, , 1 ST END NOM SIZE: 02.000 IN, 2 ND END NOM SIZE: 00.750 IN, FIRST	1		4730P SE
BVT280R	AL	D-A-18-402-000	11	INSERT	INSERT, PIPE, QA 1, CLASS 2, REDUCER, INSERT; MATERIAL: STAINLESS STEEL, 1 ST END NOM SIZE: 00.500	1	C	4730P SE
BWV472R	AL	F-A-10-202-003	2	INSERT	INSERT, PIPE, QA 1, CLASS 2, 2 IN X 1 IN, SS, 3000 LB, SOCKETWELD, ASME SA182 GR F316, MSS SP-79 TYPE 2	1		4730P SE
BXM711T	AL	A-A-01-000-001	4	INSERT	INSERT, TYPICAL, QA 3, INSERT, GENERATOR; PRIMARY MANWAY, FOR WESTINGHOUSE STEAM GENERATOR	3	C	6115F SE
CAD209T	AL	F-A-08-302-006	2	INSERT	INSERT, PIPE, QA 0, 2 IN X 1 IN, CS, 3000 LB, ASTM A105, FORGED, INSERT, TURBINE LUBE; 2 INCH X 1 INCH REDUCING INSERT, FORGED CARBON	0		2825G SE
CAY727B	AL	F-A-10-202-003	2	INSERT	INSERT, PIPE, QA 1, CLASS 2, 1-1/2 IN X 1/2 IN, CS, 3000 LB, SOCKETWELD, ASME SA105, STANDARD MILL FINISH, MSS SP-79 TYPE 2	1	D	4730P SE
CDP874F	AL	F-A-09-201-000	2	INSERT	INSERT, PIPE, QA 3, 2 IN X 1 IN, NICKEL ALLOY, 3000 LB, SOCKETWELD, ASTM B462 CARPENTER, B16.11, FORGED	3	D	4730P SE
CDW036M	AL	D-A-35-201-004	3	INSERT	INSERT, PIPE, QA 3, 1 IN X 1/4 IN, CS, 3000 LB, PLAIN X SOCKETWELD, ASTM A105, STANDARD MILL FINISH, MSS SP-79 TYPE 2, FORGED	3		4730P SE
CEJ852D	AC	- - - -	1	INSERT	INSERT, PIPE, QA 1, CLASS 2, REDUCER, PIPE; TYPE: INSERT; MATERIAL: SS; CONNECTION: THREADED;	1	C	4730P SE
CEJ852D	AL	D-A-04-302-001	1	INSERT	INSERT, PIPE, QA 1, CLASS 2, REDUCER, PIPE; TYPE: INSERT; MATERIAL: SS; CONNECTION: THREADED;	1	C	4730P SE

CET083G	AL	D-B-07-202-001	1	INSERT	INSERT, PIPE, QA 3, 2 IN X 1-1/2 IN, ALLOY STEEL, 3000 LB, SOCKET INSERTXSOCKET WELD, STANDARD MILL FINISH, MSS SP-79 TYPE 1, FORGED, , REDU	3	C	4730P SE
CET083G	AL	F-A-09-201-000	1	INSERT	INSERT, PIPE, QA 3, 2 IN X 1-1/2 IN, ALLOY STEEL, 3000 LB, SOCKET INSERTXSOCKET WELD, STANDARD MILL FINISH, MSS SP-79 TYPE 1, FORGED, , REDU	3	C	4730P SE
AAA633A	AC	- - -	13	INSERT	INSERT, PIPE, QA 1, CLASS 2, 1 IN X 3/4 IN, SS, 80, 3000 LB, PLAIN X SOCKETWELD, ASME SA182 GR F316, STANDARD MILL FINISH, MSS SP-79 TYPE 1	1	P	4730P SE
AAB684K	AL	M-A-01-000-002	3	INSERT	INSERT, PIPE, QA 1, 3/4 IN X 1/2 IN, SS, 6000 LB, SOCKETWELD, ASME SA182 GR F316, STANDARD MILL FINISH, B16.11, FORGED, REDUCER, INSERT; PLA	1	P	4730P SE
AAC694B	AL	M-A-08-000-002	2	INSERT	INSERT, PIPE, QA 1, 1 IN X 3/4 IN, SS, 6000 LB, SOCKETWELD, ASME SA182 GR F316, STANDARD MILL FINISH, B16.11, FORGED, REDUCER, INSERT; PLAIN	1	P	4730P SE
AAG622G	AL	M-A-08-000-002	5	INSERT	INSERT, PIPE, QA 1, REDUCER, INSERT; PLAIN, CLASS 3000, CARBON STEEL ASME SA 105 K03504	1	P	4730P SE
AAG623E	AL	M-A-08-000-002	2	INSERT	INSERT, PIPE, QA 1, 3/4 IN X 1/2 IN, CS, 6000 LB, SOCKETWELD, ASME SA105, BLACK, B16.11, FORGED, REDUCER, INSERT; PLAIN, CLASS 6000, CARBON	1	P	4730P SE
ADF999J	AL	L-A-03-000-002	6	INSERT	INSERT, TYPICAL, QA 0, INSERT, ; BOTTOM, (001.250 X 001.000 IN SLOTTED HEAD PLUG), BANDW	0	P	4470C SE
AEF190B	AL	L-A-09-000-002	4	INSERT	INSERT, TYPICAL, QA 0, INSERT, ; TOP, DRILLED, (001.250 X 001.500 IN SOCKET HEAD CAP SCREW)	0	P	4470C SE
AEY445B	AL	M-A-01-000-002	72	INSERT	INSERT, TYPICAL, QA 0, INSERT, ; SIGN, "REQUIREMENT FOR ENTRY, SHOE COVERS-BOOTS-COVERALLS-	0	P	9905K SE
AEY745Y	AL	M-A-08-000-002	149	INSERT	INSERT, TYPICAL, QA 0, INSERT, ; SIGN, "RESPIRATORY PROTECTION REQUIRED", 1.5 X 8 IN, MAGENTA	0	P	9905K SE
AGG497K	AL	M-A-08-000-002	9	INSERT	INSERT, PIPE, QA 1, REDUCER, INSERT; CLASS 6000, STAINLESS STEEL ASME SA 182 GR F304	1	P	4730P SE
AGG597F	AL	M-A-08-000-002	5	INSERT	INSERT, PIPE, QA 1, REDUCER, INSERT; CLASS 6000, STAINLESS STEEL ASME SA 182 GR F304	1	P	4730P SE
AJD037G	AL	L-A-03-000-002	4	INSERT	INSERT, BEARING, QA 2, INSERT, CHILLER; BEARING, FRONT LINE, FOR UNIT MODEL NC-175-3B	2	C	4520N SE
AJW716P	AL	M-A-08-000-002	374	INSERT	INSERT, TYPICAL, QA 0, INSERT, ; STYRENE, 1.5 X 8 IN,"PERSONNELDOSIMETRY REQUIRED FOR ENTRY"	0	P	9905K SE
AJY788K	AL	T-A-12-000-002	2	INSERT	INSERT, PIPE, QA 1, CLASS 2, 2 IN X 1 IN, CS, 6000 LB, SOCKETWELD, ASME SA105, STANDARD MILL FINISH, B16.11, FORGED	1	P	4730P SE
AJY950G	AL	M-A-08-000-002	8	INSERT	INSERT, PIPE, QA 1, CLASS 2, 3/4 IN X 1/2 IN, SS, 6000 LB, SOCKETWELD, ASME SA182 GR F304, STANDARD MILL FINISH, MSS SP-79 TYPE 1, FORGED, R	1	C	4730P SE
ALY988Y	AL	M-A-16-000-002	7	INSERT	INSERT, PIPE, QA 1, REDUCER, INSERT; CLASS 3000, CARBON STEEL ASME SA 105 K03504, END TYPE	1	P	4730P SE
AMC112Q	AL	M-A-08-000-002	225	INSERT	INSERT, TYPICAL, QA 0, INSERT, ; STYRENE, 1.5 X 8 IN, "RADIATION AREA" ***	0	P	9905K SE
AMX763N	AL	M-A-08-000-002	99	INSERT	INSERT, TYPICAL, QA 0, INSERT, ; STYRENE, 1.5 X 8 IN, "GENERAL AREA DOSE RATE IS ___ MR/HR"	0	P	9905K SE
AMY289K	AL	T-A-12-000-002	3	INSERT	INSERT, PIPE, QA 1, REDUCER, INSERT; CLASS 3000, STAINLESS STEEL ASME SA 182 GR F304	1	P	4730P SE
AQE397G	AL	M-A-08-000-002	10	INSERT	INSERT, PIPE, QA 1, REDUCER, INSERT; CLASS 3000, STAINLESS STEEL ASME SA 182 GR F304	1	P	4730P SE
AQG081Q	AL	M-A-08-000-002	8	INSERT	INSERT, PIPE, QA 1, REDUCER, INSERT; PIPE, REDUCER, TYPE I, STNLS STL 1/2 X 3/8 IN, SW	1	P	4730P SE
AQW914E	AL	M-A-08-000-002	9	INSERT	INSERT, PIPE, QA 1, REDUCER, INSERT; CLASS 3000, STAINLESS STEEL ASME SA 182 GR F304	1	P	4730P SE
AQW916A	AL	M-A-08-000-002	5	INSERT	INSERT, PIPE, QA 1, REDUCER, INSERT; CLASS 3000, STAINLESS STEEL ASME SA 182 GR F304	1	P	4730P SE
ARL091T	AL	M-A-13-000-002	14	INSERT	INSERT, BEARING, QA 2, INSERT, ; STEEL, BEARING, SHEEL-BEARING-INSERT-CARRIER, FOR DIESEL	2	P	2910O SE
BBR963R	AL	M-A-03-000-002	2	INSERT	INSERT, DISC, QA 3, , EPT, FOR 1 IN GLOBE VALVE, ITEM 4 ON DWG TV S3-10805S-2	3	B	48200 SE
BBY751F	AL	L-A-03-000-002	1	INSERT	INSERT, TYPICAL, QA 3, INSERT,VALVE, ; TEFLON, SOFT SEAT, FOR REMOTE OPERATED VALVE, 1 IN	3	P	48200 SE
BFY385M	AL	L-A-10-000-002	64	INSERT	INSERT, TYPICAL, QA 0, SHROUD HEAD, 3 IN, 3-3/4 IN, 6 IN, CARBON STEEL, INSERT, REACTOR; CARBON STEEL, SHROUD HEAD, 6IN X 3.75IN OD X 3IN ID	0	C	4470C SE
BGH131J	AL	L-A-10-000-002	96	INSERT	INSERT, TYPICAL, QA 0, INSERT, REACTOR; NYLON, FOR GE REACTOR ***	0	P	4470C SE
BGH133E	AL	L-A-15-000-002	3	INSERT	INSERT, TYPICAL, QA 0, INSERT,HOOK GRAB, ; GRAPPLE, PNEUMATIC, IFTS, FOR GE REACTOR ***	0	P	4470C SE
BLV524J	AL	M-A-06-000-002	68	INSERT	INSERT, HELI-COIL SET, QA 3, #10, 24	3	P	4710Y SE
BNB296B	AL	M-A-06-000-002	2	INSERT	INSERT, HELI-COIL SET, QA 1, INSERT, SCREW THREAD; STAINLESS STEEL, HELI-COIL, 1.875-8 X 3.75 IN	1	C	4410C SE
BVQ619B	AL	L-A-15-000-002	2	INSERT	INSERT, COUPLING, QA 0, L-110, FLEXIBLE/SPIDER, RUBBER, INSERT, FLEXIBLE COUPLING; RUBBER, SPIDER FOR LOVEJOY L-110 2 PIECE	0	C	3040D SE
BXB018K	AL	M-A-12-000-002	2	INSERT	INSERT, TYPICAL, QA 1, INSERT, PUMP; CARBON STEEL,REF 2, FOR MECHANICAL SEAL,TYPE HPTD	1	B	4320U SE
BYT554G	AL	M-A-08-000-002	4	INSERT	INSERT, TYPICAL, QA 1, INSERT, VALVE; THREADED, WITH KEY, 1.2 X 1.7, REPLACEMENTS FOR MAIN	1	C	48200 SE
CAK791T	AL	M-A-01-000-002	8	INSERT	INSERT, TYPICAL, QA 1, INSERT, VALVE; SOFT SEAT, FOR 1 IN SERIES 1500 LB Y-TYPE CHECK VALVE,	1	B	48200 SE
CED590N	AL	T-A-12-000-002	2	INSERT	INSERT, PIPE, QA 1, CLASS 2, REDUCER, PIPE; STYLE: INSERT, MATERIAL: STAINLESS STEEL, FIRST END NOM	1	C	4730P SE
CEJ852D	AL	L-A-09-000-002	1	INSERT	INSERT, PIPE, QA 1, CLASS 2, REDUCER, PIPE; TYPE: INSERT; MATERIAL: SS; CONNECTION: THREADED;	1	C	4730P SE
BDN529D	AL	A-A-01-000-001	1	INSTRUMENT	INSTRUMENT, TYPICAL, QA 0, CHROMATOGRAPH, GAS; GAS, ANALYTICAL PACKAGE, MODIFIED TO FIT SENTRY	0	P	6630D SE
BYV046M	AL	F-A-08-061-001	1	INSTRUMENT	INSTRUMENT, TYPICAL, QA 3, ACCELEROMETER, ELECTRICAL; FORCE BALANCE,SEISMIC,FOR MONITOR, MODEL	3	B	6695D SE
BGB168R	AL	B-A-11-000-002	1	INSTRUMENT	INSTRUMENT, TYPICAL, QA 0, MISC ELEC PARTS, INSTRUMENTS; COMPLETE WITH MOUNTING HARDWARE AND	0	P	6695D SE
BYG649Q	AL	L-A-03-000-002	2	INSTRUMENT	INSTRUMENT, TYPICAL, QA 3, MONITOR, ACCELEROMETER; FOR GROUND MOTION, INTERNAL SENSOR, FREQUENCY	3	B	6695D SE
BYN402X	AL	M-A-01-000-002	2	INSTRUMENT	INSTRUMENT, TYPICAL, QA 0, CHROMATOGRAPH, GAS; COLUMN, GUARD, AG-12A, 2 MM, ANALYTICAL. ***	0	C	6630D SE
ANR326V	AL	5-A-02-101-000	1	INSULATION	INSULATION, SHEET, QA 0, 36 IN (3 FT), 48 IN (4 FT), 1-1/2 IN, LAM PLASTIC/LIN BASE, ELECTRICAL, NATURAL TAN	0	C	5970B SE
BEX773P	AL	A-A-01-000-001	94	INSULATION	INSULATION, BLOCK, QA 3, INSULATION BLOCK, THERMAL; CALCIUM SILICATE, V-SCORED, 2 IN THICK X 12	3	C	5640H SE
BHV603A	AL	I-A-01-000-000	608	INSULATION	INSULATION, BOARD, QA 3, FIBERGLASS, 1-1/2 IN, 24 IN (2 FT), 4 FT (48 IN), THERMAL, , DUCT, W/FRK-25 FOIL REINFORCED KRAFT FACING	3	C	5640H SE
BJJ524D	AL	F-A-04-202-005	4	INSULATION	INSULATION, PIPE, QA 0, 7 IN, SLEEVING/THERMAL, 10 FT, INSULATION SLEEVING, THERMAL; INSULATION LENGTH: 120 IN, PIPE SIZE:	0		5640H SE
BKR487E	AL	F-A-10-202-005	3	INSULATION	INSULATION, FITTING, QA 3, FLANGE, PHENOLIC, 1 IN, SMOOTH, DIELECTRIC, PLAIN FACED	3		5970B SE
BLD335X	AL	F-A-04-301-000	234	INSULATION	INSULATION, TYPICAL, QA 3, INSULATION BOARD, THERMAL; FIBERGLASS, RIGID BOARD, WITH FOIL BACKING	3		5640H SE
BLW245H	AL	D-A-10-401-000	24	INSULATION	INSULATION, PIPE, QA 3, INSULATION SLEEVING, THERMAL; PIPE AND TUBE COVER, INSULATION	3		5640H SE
BPV751L	AL	A-A-01-000-001	4	INSULATION	INSULATION, TYPICAL, QA 3, INSULATION KIT, ; BEARING, UPPER, CONSISTING OF ONE EA FIBERGLASS	3	B	5970B SE
BQD226A	AL	A-A-01-000-001	36	INSULATION	INSULATION, PIPE, QA 3, INSULATION SLEEVING, THERMAL; PIPE COVERING,CELLULAR GLASS,THERMAL AND	3	C	5640H SE
BQD232F	AL	A-A-01-000-001	36	INSULATION	INSULATION, PIPE, QA 3, INSULATION SLEEVING, THERMAL; PIPE COVERING, CELLULAR GLASS, THERMAL	3	C	5640H SE
BQQ129F	AL	P-A-LL-ET0-082	1	INSULATION	INSULATION, JACKETING, QA 0, FREEZE, STAINLESS STEEL, 2 IN, JACKET, FREEZE; STAINLESS STEEL, FOR 2 IN OD PIPE ***	0	C	5130U SE
BRB955A	AL	F-A-10-202-003	1	INSULATION	INSULATION, JACKETING, QA 0, FREEZE, STAINLESS STEEL, 12 IN, 1-1/2 IN, JACKET, FREEZE; STAINLESS STEEL, FOR 1.5" IN NOM. PIPE, MUST BE A	0	C	5130U SE
BTJ892X	AL	F-A-02-201-002	1	INSULATION	INSULATION, JACKETING, QA 0, JACKET, FREEZE; QWIK FREEZE JACKET,1-1/2" TO 3" I. D. ***	0		5130U SE
BTW449V	AL	D-A-10-102-000	2	INSULATION	INSULATION, JACKETING, QA 3, COVER, ALUMINUM, 0.016 IN, 36 IN (3 FT), 100 FT, EMBOSSED, ASTM B209	3		5640H SE
BWH894J	AL	F-B-02-101-000	30	INSULATION	INSULATION, PIPE, QA 0, 2 IN, THERMAL, CELLULAR GLASS, INSULATION, THERMAL; 3/4 INCH THICK CELLULAR ELASTOMERIC IN ACCORDANCE	0		5640H SE
BWP782Y	AL	F-A-02-301-000	42	INSULATION	INSULATION, FITTING, QA 3, INSULATION, THERMAL; .75 INCH THICK, PREFORMED TO FIT 2.125 INCH OD	3		5640H SE
BYN171M	AL	A-A-01-000-001	288	INSULATION	INSULATION, TYPICAL, QA 3, THERMAL, 2 IN, FIBERGLASS, 24 IN (2 FT), 48 IN (4 FT), 6 LB/CU FT, INSULATION, THERMAL; RIGID BOARD, WITH FOIL BA	3	C	5640H SE
CBB868L	AL	Z-Z-ZZ-ZZZ-ZZZ	9	INSULATION	INSULATION, PIPE, QA 3, 10 IN, THERMAL, CALCIUM SILICATE, 2-1/2 IN, 36 IN (3 FT), ASTM C-533 & C-795, 1.36, MOLDED HALVES/ASB FREE	3	C	5640H SE
CBB930M	AL	Z-Z-ZZ-ZZZ-ZZZ	18	INSULATION	INSULATION, PIPE, QA 3, 1-1/2 IN, SLEEVING/THERMAL, CALCIUM SILICATE, 2-1/2 IN, 36 IN (3 FT), ASTM C-533 & C-795, 1.36, MOLDED HALVES/ASB FR	3	C	5640H SE
CBE170T	AL	A-A-01-000-001	36	INSULATION	INSULATION, BLOCK, QA 3, THERMAL, CALCIUM SILICATE, 2 IN, 12 IN (1 FT), 36 IN (3 FT), 1200 DEG F, ASTM C-533 & C-795, NRC REG 1.36, FLAT	3	C	5640H SE
CBL078T	AL	F-A-02-301-000	1	INSULATION	INSULATION, SHEET, QA 0, 36 IN (3 FT), 36 IN (3 FT), 1/4 IN, PLASTIC, ELECTRICAL, FLAME RESISTANT	0		5970B SE
CLE007T	AL	Y-A-02-000-000	33685	INSULATION	INSULATION, JACKETING, QA 0, 48 IN (4 FT), 4 FT X 6 FT IN COILS; ALUMINUM, PAINTED OLD TOWN GRAY; MFG: FABRAL	0	C	5640H SE
ABR634L	AL	L-A-03-000-002	1	INSULATION	INSULATION, TYPICAL, QA 0, INSULATION SLEEVING, ELECTRICAL; TYPE: FLEXIBLE, INSIDE DIAMETER:	0	P	5970B SE
AJN803W	AL	L-A-09-000-002	1	INSULATION	INSULATION, TYPICAL, QA 0, INSULATION CLOTH, ELECTRICAL; COLOR: BLACK, LENGTH: 50 YDS ***	0	P	5970B SE
APG754E	AL	L-A-01-000-002	12	INSULATION	INSULATION, FITTING, QA 0, FLANGE, MICARTA, 6 IN, FLANGE INSULATION, ; MICARTA, C/O MICARTA GASKET, POLYETHYLENE SLEEVE	0	P	5970B SE
AVJ624Q	AL	L-A-04-000-002	1	INSULATION	INSULATION, BOARD, QA 3, INSULATION BOARD, THERMAL; INSULATION BOARD,GLASS FIBER WITH FSK	3	C	5640H SE
BCV825M	AL	F-A-08-000-002	4	INSULATION	INSULATION, BLOCK, QA 3, INSULATION BLOCK, THERMAL; PIPE COVERING,CALCIUM SILICATE,MOLDED 2	3	B	5640H SE
BPY255H	AL	L-A-03-000-002	12	INSULATION	INSULATION, PIPE, QA 3, INSULATION SLEEVING, THERMAL; PIPE COVERING,CELLULAR GLASS,THERMAL AND	3	C	5640H SE
BQQ475V	AL	L-A-03-000-002	24	INSULATION	INSULATION, PIPE, QA 3, INSULATION SLEEVING, THERMAL; PIPE COVERING, CALCIUM SILICATE, QUAD	3	C	5640H SE
BRB955A	AL	P-A-LL-ET0-082	1	INSULATION	INSULATION, JACKETING, QA 0, FREEZE, STAINLESS STEEL, 12 IN, 1-1/2 IN, JACKET, FREEZE; STAINLESS STEEL, FOR 1.5" IN NOM. PIPE, MUST BE A	0	C	5130U SE
BTL144V	AL	I-B-01-000-002	711	INSULATION	INSULATION, TYPICAL, QA 3, INSULATION, THERMAL; BAGGED, 19 1/2 IN WIDE X 37 IN LONG X 6 IN THICK	3	C	5640H SE

BTL145R	AL	I-B-01-000-002	222	INSULATION	INSULATION, BAT, QA 3, INSULATION, THERMAL; BAGGED, 2-1/2 IN WIDE X 37 IN LONG X 6 IN THICK	3	C	5640H SE
BTL146P	AL	I-B-01-000-002	236	INSULATION	INSULATION, TYPICAL, QA 3, INSULATION, THERMAL; BAGGED, 4-3/4 IN WIDE X 37 IN LONG X 6 IN THICK	3	C	5640H SE
BTL147M	AL	I-B-01-000-002	15	INSULATION	INSULATION, TYPICAL, QA 3, INSULATION, THERMAL; BAGGED, 18 IN WIDE X 37 IN LONG X 6 IN THICK, FOR	3	C	5640H SE
BTL154Q	AL	I-B-01-000-002	9	INSULATION	INSULATION, TYPICAL, QA 3, INSULATION, THERMAL; BAGGED, 19 1/2 IN WIDE X 41 1/2 IN LONG X 6 IN	3	C	5640H SE
BTL155N	AL	I-B-01-000-002	15	INSULATION	INSULATION, TYPICAL, QA 3, INSULATION, THERMAL; BAGGED, 35 3/4 IN WIDE X 52 1/2 IN LONG X 5 IN	3	C	5640H SE
BTL156L	AL	I-B-01-000-002	14	INSULATION	INSULATION, TYPICAL, QA 3, INSULATION, THERMAL; BAGGED, 35 3/4 IN WIDE X 43 1/4 IN LONG X 5 IN	3	C	5640H SE
BTL157J	AL	I-B-01-000-002	29	INSULATION	INSULATION, TYPICAL, QA 3, INSULATION, THERMAL; BAGGED, 24 1/2 IN WIDE X 39 1/8 IN LONG X 5 IN	3	C	5640H SE
BTL284B	AL	I-B-01-000-002	36	INSULATION	INSULATION, TYPICAL, QA 3, INSULATION, THERMAL; BAGGED, 47 IN WIDE X 72 3/8 IN LONG X 1 1/2 IN	3	C	5640H SE
BTL291E	AL	I-B-01-000-002	22	INSULATION	INSULATION, TYPICAL, QA 3, INSULATION, THERMAL; BAGGED, 47 IN WIDE X 26 1/2 IN LONG X 1 1/2 IN	3	C	5640H SE
BTL292C	AL	I-B-01-000-002	22	INSULATION	INSULATION, BAT, QA 3, INSULATION, THERMAL; BAGGED, 40 IN WIDE X 14 1/2 IN LONG X 1 1/2 IN	3	C	5640H SE
BTL307T	AL	I-B-01-000-002	2	INSULATION	INSULATION, TYPICAL, QA 3, INSULATION, THERMAL; BAGGED, 36 IN WIDE X 48 IN LONG X 5 IN THICK, FOR	3	C	5640H SE
BTL313Y	AL	I-B-01-000-002	2	INSULATION	INSULATION, TYPICAL, QA 3, INSULATION, THERMAL; BAGGED, 28 IN WIDE X 26 1/2 IN LONG X 1 1/2 IN	3	C	5640H SE
BTM760B	AL	L-A-11-000-002	180	INSULATION	INSULATION, PIPE, QA 3, 1.900 IN, THERMAL, 3/4 IN, INSULATION, THERMAL; .75 IN THICK, PREFORMED TO FIT 1.9 INCH OD PIPE,	3	C	5640H SE
CBA994L	AL	L-A-03-000-002	127	INSULATION	INSULATION, FITTING, QA 3, FLANGE, INSULATION; DIELECTRIC KIT FOR 1 IN, CLASS 150 FLANGE, RAISED	3	B	5970B SE
CBC567X	AL	L-A-03-000-002	45	INSULATION	INSULATION, PIPE, QA 3, 30 IN, SLEEVING/THERMAL, CALCIUM SILICATE, 1200 DEG F, 2 IN, 36 IN (3 FT), ASTM C-533, 1.36, ASBESTOS FREE/QUADS	3	C	5640H SE
CBF727J	AL	L-A-09-000-002	24	INSULATION	INSULATION, TYPICAL, QA 0, INSULATION, CIRCUIT BREAKER; REAR RUNNER, FOR TYPE AMH-4.76-250-1D, 4	0	C	5925B SE
CBM394L	AC	- - - -	117	INSULATION	INSULATION, PIPE, QA 3, 10 IN, SLEEVING/THERMAL, FIBERGLASS, 850 DEG F, 1 IN, 36 IN (3 FT), ASTM C-547/C-795, 1.36, FIRST FEATURE: KRAFT RE/	3	C	5640H SE
BAB770Y	AL	A-A-01-000-001	4	INSULATOR	INSULATOR, TYPICAL, QA 0, INSULATOR, PHASE BUS; MATERIAL: CERAMIC, COLOR: BROWN, LENGTH: 07.000	0	P	5970B SE
BKQ953G	AL	P-A-LL-ET0-064	100	INSULATOR	INSULATOR, TYPICAL, QA 3, INSULATOR, BUSHING; FOR NEUTRON MONITORING VOLTAGEPREAMP CIRCUIT BOARD	3	C	5970B SE
BNM097L	AL	F-A-22-102-003	30	INSULATOR	INSULATOR, TYPICAL, QA 0, PORCELAIN, 3 IN, 3 IN	0		5970B SE
BNQ895H	AL	F-A-08-302-006	6	INSULATOR	INSULATOR, TYPICAL, QA 0, INSULATOR, SUPPORTING; 1-7/8 IN INSULATING PIPE SUPPORTS, SPLIT SPOOL	0		5970B SE
ACR220M	AL	L-A-03-000-002	261	INSULATOR	INSULATOR, TYPICAL, QA 0, FLEXIBLE, BLACK, TEST CLIP; FLEXIBLE, BLACK, FOR TEST CLIPS 60, 60S, 60CS,	0	P	5970B SE
ACR320H	AL	L-A-03-000-002	609	INSULATOR	INSULATOR, TYPICAL, QA 0, FLEXIBLE, RED, TEST CLIP; FLEXIBLE, RED, FOR TEST CLIPS 60, 60S, 60CS, AND	0	P	5970B SE
AHX807N	AL	L-A-09-000-002	350	INSULATOR	INSULATOR, TYPICAL, QA 0, INSULATOR, THERMOCOUPLE; THERMOCOUPLE, 250 PER PKG, FOR THERMOCOUPLE	0	P	5970B SE
APW554Q	AL	L-A-09-000-002	3	INSULATOR	INSULATOR, TYPICAL, QA 0, INSULATOR, CONTROLLER; FOR MOORE PRODUCTS CONTROLLER, MODEL 77-40	0	P	5970B SE
AQB310J	AC	- - - -	32	INSULATOR	INSULATOR, TYPICAL, QA 0, INSULATOR, WASHER; INSULATING, FOR DOVER ELEVATOR ***	0	C	5970B SE
AYJ639Q	AL	T-A-01-000-002	249	INSULATOR	INSULATOR, TYPICAL, QA 0, INSULATOR, WASHER; RUBBER, FLAT, 0.781 OD X 0.328ID X 0.188 IN THICK	0	P	5970B SE
BAB770Y	AL	M-A-08-000-002	16	INSULATOR	INSULATOR, TYPICAL, QA 0, INSULATOR, PHASE BUS; MATERIAL: CERAMIC, COLOR: BROWN, LENGTH: 07.000	0	P	5970B SE
BHH581C	AL	L-A-07-000-002	4	INSULATOR	INSULATOR, FEED THROUGH/TD, QA 1, INSULATOR, FEEDTHRU; CERAMIC, 9.5 IN LONG , 1000 KCMIL SIZE, CLASS 1E	1	P	5970B SE
BVQ768R	AL	M-A-01-000-002	2	INSULATOR	INSULATOR, TYPICAL, QA 3, INSULATOR, MONITORING SYSTEM; MELAMINE, FOR ULTRASONIC LEVEL	3	B	6695D SE
BXL112N	AL	L-A-13-000-002	2	INSULATOR	INSULATOR, TYPICAL, QA 3, INSULATOR, CABLE REEL; FOR POW-R-MATIC ELECTRIC CABLE REEL, MODEL	3	C	5970B SE
CAE935N	AL	L-A-09-000-002	10	INSULATOR	INSULATOR, TYPICAL, QA 1, HARDWARE, MONITOR; INSULATOR, FOR ACCUSTIC MONITOR ***	1	B	7020R SE
BTC517P	AL	1-B-08-000-001	1	INTERFACE	INTERFACE, ELECTRONIC, QA 3, INTERFACE, ; STATION, TELEPHONE TO INTERCOM, FOR PASF INTERCOM SYSTEM	3	C	5925B SE
CKJ770V	AL	D-A-04-402-000	2	INTERFACE	INTERFACE, ELECTRONIC, QA 0, GIGABIT ETHERNET, 2 PORT, FLASHWAVE 4500, SC, FIBER TYPE: MM, 850 NM	0	B	5840M SE
CKL609E	AL	D-A-04-402-000	22	INTERFACE	INTERFACE, ELECTRONIC, QA 0, MAIN SHELF, FOR NETSTENDER 2060	0	C	5840M SE
CKV351N	AL	D-A-02-401-000	1	INTERFACE	INTERFACE, ELECTRONIC, QA 0, 10/100 BASE-T ETHERNET, STS MAPPED EOS, 3-PORTS, FOR FLASHWAVE 4100	0	C	5840M SE
BKN256H	AL	D-A-13-302-011	12	INTERLOCK	INTERLOCK, TYPICAL, QA 3, INTERLOCK ASSY, ; DOOR RING, FOR FIRE RATED DOORS ***	3		4710Y SE
BPP694T	AL	D-B-16-000-001	14	INTERLOCK	INTERLOCK, TYPICAL, QA 3, INTERLOCK, CIRCUIT BREAKER; INTERFERENCE, ANGLE BRACKET, FOR CIRCUIT	3	C	5925B SE
BWJ881N	AL	A-A-01-000-001	1	INTERLOCK	INTERLOCK, ELECTRICAL, QA 0, INTERLOCK ASSY, RECORDER; ELEC, AUTOMATIC, FOR MODEL 53 & 54 ***	0	B	6695D SE
BWQ810T	AL	E-A-16-C05-F01	3	INTERLOCK	INTERLOCK, TYPICAL, QA 0, INTERLOCK, CIRCUIT BREAKER; CHARGING UNIT, FOR CIRCUIT BREAKER, TYPE	0	C	5925B SE
CDE079B	AL	L-A-03-000-002	1	INTERLOCK	INTERLOCK, ELECTRICAL, QA 3, INTERLOCK, CIRCUIT BREAKER; WALKING BEAM TYPE, EXTERNALLY MOUNTED, FOR	3	B	5925B SE
BXA118X	AL	A-A-01-000-001	5	INVERTER	INVERTER, TYPICAL, QA 0, INVERTER, INVERTER; TRANSISTOR MODULE, SPARE PART FOR PREFERRED	0	B	6130S SE
BXA119V	AL	A-A-01-000-001	1	INVERTER	INVERTER, TYPICAL, QA 0, INVERTER, INVERTER; DIODE MODULE, SPARE PART FOR PREFERRED INVERTER	0	B	6130S SE
BCX083L	AL	V-A-15-000-002	2	INVERTER	INVERTER, TYPICAL, QA 0, POWER/STATIC, 125 DC, 120 AC, 110, 85, 10 KVA/1 PHASE, 2-WIRE, 43 W X 48 H X 26-3/4 IN D, INVERTER, POWER,STATIC; 1	0	P	6130S SE
BVR318L	AL	L-A-09-000-002	2	INVERTER	INVERTER, TYPICAL, QA 3, INVERTER ASSY, RECORDER; DISPLAY UNIT FOR JYC HR-2500E RECORDER MODEL	3	B	6695D SE
CBB724D	AL	T-A-11-000-002	2	INVERTER	INVERTER, TYPICAL, QA 3, INVERTER, POWER,STATIC; 30 KVA OUTPUT, 0.7 PF, 120 VAC 1 PHASE, INPUT	3	B	6130S SE
CDW500C	AL	V-A-15-000-002	1	INVERTER	INVERTER, TYPICAL, QA 0, POWER/STATIC, 105-140 DC, 120, 71, 63, 2-WIRE, 48 L X 43 WIDE X 27 DEPTH, INVERTER, POWER,STATIC; INPUT 105 TO 140	0	B	6130S SE
BQJ832W	AL	A-A-01-000-001	2	ISOLATOR	ISOLATOR, TYPICAL, QA 1, ISOLATOR, ; CURRENT TO CURRENT, TVA INST. # 1-PM-1-26C. ***	1	B	6350B SE
BTE075A	AL	D-B-31-104-001	1	ISOLATOR	ISOLATOR, TYPICAL, QA 1, ISOLATOR, ; SIGNAL CONVERTOR, VOLTAGE TO CURRENT, ***	1	B	6350B SE
BTE075A	AL	F-A-08-061-001	1	ISOLATOR	ISOLATOR, TYPICAL, QA 1, ISOLATOR, ; SIGNAL CONVERTOR, VOLTAGE TO CURRENT, ***	1	B	6350B SE
CFL910L	AL	D-B-29-302-001	2	ISOLATOR	ISOLATOR, TYPICAL, QA 1, SIGNAL, 4 - 20 MA, ** ANALOG, INPUT RANGE 0.2 TO 1 VOLT, TEC MODEL 156K.	1	B	5963B SE
CFL910L	AL	F-A-15-102-000	2	ISOLATOR	ISOLATOR, TYPICAL, QA 1, SIGNAL, 4 - 20 MA, ** ANALOG, INPUT RANGE 0.2 TO 1 VOLT, TEC MODEL 156K.	1	B	5963B SE
CCA277B	AC	- - - -	1	ISOLATOR	ISOLATOR, TYPICAL, QA 1, ISOLATOR, BUS,ELECTRICAL; BUS ISOLATOR FOR UNIT 3 ICS CLASS 1E	1	B	6150E SE
CCA277B	AL	L-A-13-000-002	1	ISOLATOR	ISOLATOR, TYPICAL, QA 1, ISOLATOR, BUS,ELECTRICAL; BUS ISOLATOR FOR UNIT 3 ICS CLASS 1E	1	B	6150E SE
CCA281L	AL	R-A-05-000-002	3	ISOLATOR	ISOLATOR, TYPICAL, QA 1, ISOLATOR, BUS,ELECTRICAL; BUS ISOLATOR FOR UNIT 2 ICS CLASS 1E	1	C	6150E SE
AEP316T	AL	A-A-01-000-001	158	JACK	JACK, COMMUNICATION, QA 0, JACK, TELEPHONE; TELEPHONE, 3-CONDNR TYPE, "LITTEL-JAX" ***	0	P	5805M SE
AYR582P	AL	D-B-05-202-002	7	JACK	JACK, COMMUNICATION, QA 0, JACK, TELEPHONE; SOUND POWERED, FOR TELEPHONE SYSTEM 251 ***	0	P	5805M SE
BLT457C	AL	F-A-06-202-003	116	JACK	JACK, BANANA, QA 2, JACK, TIP; BANANA, 8 X 32, YELLOW, TEST TERMINAL ***	2		5935B SE
BLT458A	AL	F-A-06-202-003	97	JACK	JACK, BANANA, QA 2, JACK, TIP; BANANA, 8 X 32, BLUE, TEST TERMINAL ***	2		5935B SE
CAG763F	AL	F-A-10-202-001	7	JACK	JACK, PLUG, QA 0, JACK, AMPLIFIER; (5 PIN) NEXUS P/N NEX-5PM ***	0		5935B SE
CGK677K	AL	5-A-02-101-000	8	JACK	JACK, HYDRAULIC, QA 0, RAM, 20 TON, BOTTLE TYPE	0	C	5120M SE
AEP512T	AL	L-A-09-000-002	15	JACK	JACK, PLUG, QA 0, JACK, TIP; COLOR: GREEN ***	0	P	5935B SE
AFW240D	AL	L-A-09-000-002	39	JACK	JACK, PLUG, QA 0, JACK, AMPLIFIER; TEST, WHITE, FOR GE MAC 564-02 PROPORTIONAL AMPLIFIER	0	P	5935B SE
AGW949C	AL	L-A-09-000-002	2	JACK	JACK, PLUG, QA 0, JACK, TIP; TEST, RED, 2 POLE, FOR GE MAC 565 SQUARE ROOT CONVERTER ***	0	P	5935B SE
AHP814P	AL	M-A-16-000-002	2	JACK	JACK, COMMUNICATION, QA 2, JACK, TELEPHONE; RED, TIP, STYLE 1046F36H10 ***	2	P	5805M SE
AHP914K	AL	M-A-08-000-002	9	JACK	JACK, COMMUNICATION, QA 1, JACK, TELEPHONE; BLACK, TIP, STYLE 1046F36H11 ***	1	P	5805M SE
AHW340W	AL	L-A-09-000-002	2	JACK	JACK, PLUG, QA 0, JACK, TIP; TEST, BLACK, 2 POLE, FOR GE MAC 565 SQUARE ROOT CONVERTER	0	P	5935B SE
AXY525G	AL	M-A-01-000-002	22	JACK	JACK, COMMUNICATION, QA 1, JACK, TELEPHONE; MALE, TRIAX, REF 15, FOR ELECTRICAL PENETRATIONS, DWG	1	P	5805M SE
AXY527C	AL	M-A-09-000-002	10	JACK	JACK, COMMUNICATION, QA 1, JACK, TELEPHONE; MALE, COAX, REF 17, FOR ELECTRICAL PENETRATIONS, DWG	1	P	5805M SE
BLE873V	AL	M-A-16-000-002	230	JACK	JACK, PLUG, QA 3, JACK, TIP; RED, NYLON, PHOSPHOR BRONZE, 15 AMPS, BRIGHT TIN PLATE ***	3	P	5935B SE
BLE874R	AL	M-A-16-000-002	225	JACK	JACK, PLUG, QA 3, JACK, TIP; BLACK, NICKEL PLATED BRASS BODY, TIN PLATED PHOSPHOR BRONZE	3	P	5935B SE
BLT454J	AL	L-A-03-000-002	76	JACK	JACK, BANANA, QA 2, BLACK, #6-32, TERMINAL STRIP	2	B	6625D SE
BXL752H	AL	L-A-09-000-002	1	JACK	JACK, COMMUNICATION, QA 3, JACK, TELEPHONE; TELEPHONE BODY STYLE: PANEL MOUNT, PIN QUANTITY: 1	3	B	5805M SE
CAX798Q	AL	L-A-03-000-002	127	JACK	JACK, BANANA, QA 0, PANEL MOUNT, BLACK/RED, 2500 WVDC, 115 DEG C/239 DEG F, JACK, TIP; PANEL MOUNT, DOUBLE BANANA JACK, BRASS, BRIGHT TIN PL	0	C	5935B SE
CFR329J	AL	L-A-09-000-002	22	JACK	JACK, BANANA, QA 0, TEST TERMINAL, YELLOW, #8-32, FEMALE, JACK, BANANA; TYPE: TEST TERMINAL; SIZE: #8-32; CONNECTION: FEMALE;	0	C	5935B SE

BNF097K	AL	A-A-01-000-001	30	JACKET	JACKET, PERSONAL, QA 0, RADIOACTIVE PROTECTION, POLYETHYLENE, YELLOW, XX-LARGE, JACKET, RADIOACTIVE PROT; MATERIAL: POLYETHYLENE, SIZE: XX-L	0	P	8415B SE
ATF870A	AL	D-A-20-102-000	1	JAW	JAW, TYPICAL, QA 0, JAW, ; FOR 161KV DISCONNECT SWITCH ***	0	P	61100 SE
ATE165R	AL	A-A-01-000-001	1	JOINT	JOINT, EXPANSION, QA 0, 3 IN, PIPE, 19 IN, WELDED, EXPANSION JOINT, PIPE; NOMINAL SIZE: 03.000 IN (3), LENGTH: 19.000 IN	0	P	4730P SE
AVX822V	AL	D-A-24-402-000	1	JOINT	JOINT, EXPANSION, QA 0, 16 IN, PIPE, RUBBER, 125 PSIG, EXPANSION JOINT, PIPE; NOMINAL SIZE: 16.000 IN (16), BODY MATERIAL:	0	B	4730P SE
BNF260P	AL	F-A-37-115-001	1	JOINT	JOINT, EXPANSION, QA 0, 6 IN, PIPE, 21 IN, CS, 150 PSI, FLANGED, EXPANSION JOINT, PIPE; NOMINAL SIZE: 06.000 IN (6), FLANGE MATERIAL:	0	P	4730P SE
BPW703V	AL	E-A-16-C05-A01	3	JOINT	JOINT, TYPICAL, QA 0, JOINT, CIRCUIT BREAKER; THREADED, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
CJM636B	AL	D-A-35-102-000	1	JOINT	JOINT, EXPANSION, QA 3, SS, 65 PSIA DESIGN, 230 DEG F DESIGN, WELDED, 30" BELLOWS EXPANSION JOINT FOR EXTRACTION STEAM SYS.	3	C	4730P SE
CJM636B	AL	Y-A-03-201-000	1	JOINT	JOINT, EXPANSION, QA 3, SS, 65 PSIA DESIGN, 230 DEG F DESIGN, WELDED, 30" BELLOWS EXPANSION JOINT FOR EXTRACTION STEAM SYS.	3	C	4730P SE
CJM636B	AL	Y-A-03-202-000	1	JOINT	JOINT, EXPANSION, QA 3, SS, 65 PSIA DESIGN, 230 DEG F DESIGN, WELDED, 30" BELLOWS EXPANSION JOINT FOR EXTRACTION STEAM SYS.	3	C	4730P SE
CJM636B	AL	Y-A-03-302-000	1	JOINT	JOINT, EXPANSION, QA 3, SS, 65 PSIA DESIGN, 230 DEG F DESIGN, WELDED, 30" BELLOWS EXPANSION JOINT FOR EXTRACTION STEAM SYS.	3	C	4730P SE
CJM641J	AL	D-A-35-102-000	1	JOINT	JOINT, EXPANSION, QA 3, 30 IN, PIPE, SS, 65 PSIA DESIGN, 230 DEG F DESIGN, WELDED, 30" BELLOWS EXPANSION JOINT FOR EXTRACTION STEAM SYS.	3	C	4730P SE
CJM641J	AL	Y-A-03-202-000	1	JOINT	JOINT, EXPANSION, QA 3, 30 IN, PIPE, SS, 65 PSIA DESIGN, 230 DEG F DESIGN, WELDED, 30" BELLOWS EXPANSION JOINT FOR EXTRACTION STEAM SYS.	3	C	4730P SE
CJM641J	AL	Y-A-03-301-000	1	JOINT	JOINT, EXPANSION, QA 3, 30 IN, PIPE, SS, 65 PSIA DESIGN, 230 DEG F DESIGN, WELDED, 30" BELLOWS EXPANSION JOINT FOR EXTRACTION STEAM SYS.	3	C	4730P SE
CJM641J	AL	Y-A-03-302-000	1	JOINT	JOINT, EXPANSION, QA 3, 30 IN, PIPE, SS, 65 PSIA DESIGN, 230 DEG F DESIGN, WELDED, 30" BELLOWS EXPANSION JOINT FOR EXTRACTION STEAM SYS.	3	C	4730P SE
CMC263L	AL	F-D-04-000-001	1	JOINT	JOINT, EXPANSION, QA 0, 54 IN, PIPE, 12 IN (1 FT), RUBBER, FLANGED	0	B	4730P SE
ATN233R	AL	L-A-10-000-002	1	JOINT	JOINT, EXPANSION, QA 0, 24 IN, PIPE, 90 PSIG, EXPANSION JOINT, PIPE; NOMINAL SIZE: 24.000 IN (24), OPERATING	0	P	4730P SE
BWX072N	AL	L-A-06-000-002	1	JOINT	JOINT, EXPANSION, QA 0, 8 IN, RUBBER, 125 LB/40 PSI WATER, 95 DEG F, FLANGED, EXPANSION JOINT, PUMP; 8 INCH, FLANGED RUBBER, REGULAR SPOOL T	0	C	4320U SE
CDF490N	AL	L-A-10-000-002	2	JOINT	JOINT, EXPANSION, QA 0, 30 IN, PIPE, 19 IN, EXPANSION JOINT, PIPE; CONDENSER, EXTRACTION STEAM PIPING, 30 INCH	0	C	4730P SE
PDF496Y	AL	L-A-10-000-002	2	JOINT	JOINT, EXPANSION, QA 0, 30 IN, PIPE, 30-1/4 IN, EXPANSION JOINT, PIPE; CONDENSER, EXTRACTION STEAM PIPING 30 INCH	0	C	4730P SE
BPW870J	AL	P-A-LL-ET0-108	20	JUMPER	JUMPER, ELECTRICAL/TD, QA 1, JUMPER, ; (SAME STAGE), FOR SBMTYPE SWITCHES REF. RENEWAL PART GE 7152	1	C	59300 SE
BPW875W	AL	P-A-LL-ET0-108	20	JUMPER	JUMPER, ELECTRICAL/TD, QA 1, JUMPER, SWITCH; (ADJACENT STAGE) FOR SBM TYPE SWITCH REF. RENEWAL PART	1	C	59300 SE
BTY674A	AL	L-A-03-000-002	35	JUMPER	JUMPER, ELECTRIC, QA 3, JUMPER, CONDUIT; CONDUIT, BONDING, COPPER, LENGTH 15 IN, FOR XJ50-4	3	C	6350B SE
BTY682B	AL	L-A-03-000-002	15	JUMPER	JUMPER, ELECTRIC, QA 3, JUMPER, CONDUIT; CONDUIT, BONDING, COPPER, LENGTH 15 IN, FOR XJ125-4	3	C	6350B SE
BTY689W	AL	L-A-03-000-002	5	JUMPER	JUMPER, ELECTRIC, QA 3, JUMPER, CONDUIT; CONDUIT, BONDING, COPPER, LENGTH 17 IN, FOR XJ250-4	3	C	6350B SE
BYY650B	AL	L-A-09-000-002	25	JUMPER	JUMPER, ELECTRICAL/TD, QA 3, SWITCH, ADJACENT STAGE, FOR GE SB-1 SB-9 AND SB-10 SWITCHES	3	C	59300 SE
ATH485P	AL	P-A-LL-ET0-063	4	KEEPER	KEEPER, MECHANICAL, QA 1, KEEPER, ; BEAM, FOR REACTOR VESSEL JET PUMP ***	1	C	4320U SE
ACE489M	AL	D-A-04-202-004	13	KEY	KEY, TYPICAL, QA 0, KEY, MACHINE; SHAFT, FOR DUPLEX WASTE SUMP PUMP, FIG 4511-13306999	0		4320U SE
AJE493R	AL	D-A-17-302-001	1	KEY	KEY, MECHANICAL, QA 0, MACHINE, 1/4 IN, 1-3/4 IN, 1/4 IN, STAINLESS STEEL, KEY, MACHINE; MATERIAL: STAINLESS STEEL, SIZE WIDTH: 00.250000 (0		4320U SE
ANE679J	AL	D-A-10-302-003	2	KEY	KEY, MECHANICAL, QA 0, MACHINE, 3/16 IN, 3 IN, KEY, MACHINE; SIZE WIDTH: 00.187500 (3/16), LENGTH: 03.000 IN ***	0		4320U SE
ARP755V	AL	D-A-28-102-005	1	KEY	KEY, MECHANICAL, QA 1, KEY, MACHINE; 0.625 X 4.625 IN, REF 524H57, DWG 1F6473, ITEM 23 ASTM	1	C	4320U SE
AXP250D	AL	A-A-01-000-001	3	KEY	KEY, TYPICAL, QA 0, KEYSSET, TELEPHONE, ; FOR TYPE 187 TELEPHONE, THREE-LINE, THREE-HOLD ***	0	P	5805M SE
BBP337X	AL	1-A-04-129-001	1	KEY	KEY, MECHANICAL, QA 1, KEY, MACHINE; RECTANGULAR, CARBON STEEL, OA LG 2.5 IN, WD .375 IN	1	C	4320U SE
BBP337X	AL	A-A-01-000-001	8	KEY	KEY, MECHANICAL, QA 1, KEY, MACHINE; RECTANGULAR, CARBON STEEL, OA LG 2.5 IN, WD .375 IN	1	C	4320U SE
BBP349N	AL	1-A-04-129-001	3	KEY	KEY, TYPICAL, QA 1, KEY, MACHINE; RECTANGULAR, CARBON STEEL, OA LG 3.0 IN, WD .437 IN	1	C	4320U SE
BBP349N	AL	A-A-01-000-001	6	KEY	KEY, TYPICAL, QA 1, KEY, MACHINE; RECTANGULAR, CARBON STEEL, OA LG 3.0 IN, WD .437 IN	1	C	4320U SE
BBW538R	AL	A-A-01-000-001	113	KEY	KEY, WOODRUFF, QA 1, KEY, WOODRUFF; STEEL, IMPELLER, 0.25 IN THICK FOR DIESEL ENGHINE, MODEL	1	P	2825G SE
BDH855R	AL	A-A-01-000-001	1	KEY	KEY, MECHANICAL, QA 3, KEY, MACHINE; ALLOY STEEL AISI 4140 (SAE) G41400, LENGTH 2.0 IN, WD	3	C	48200 SE
BGE167C	AL	D-A-04-302-003	3	KEY	KEY, MECHANICAL, QA 0, 3/16 IN, 1-3/8 IN, 3/16 IN, KEY, MACHINE; SIZE WIDTH: 00.187500 (3/16), LENGTH: 01.375 IN SIZE	0		5305J SE
BHN566E	AL	D-A-04-202-004	16	KEY	KEY, MECHANICAL, QA 1, KEY, MACHINE; CLUTCH, REF 14, FOR VALVE ACTUATOR, TYPE SMB-00 ***	1		48200 SE
BJJ632A	AL	D-A-04-401-007	3	KEY	KEY, MECHANICAL, QA 0, 3/8 IN, 1-7/16 IN, 3/8 IN, CARBON STEEL, FLAT, KEY, SPLIT FLAT; MATERIAL: CARBON STEEL, SIZE WIDTH: 01.437500 (1	0	P	4320U SE
BJQ549X	AL	A-A-01-000-001	2	KEY	KEY, TYPICAL, QA 0, KEY ASSY, ; MAIN, C/O 2 EA KEY 710B858H03, 2 EA DRIVE KEY 710B858H04, 2	0	C	6105D SE
BKG967E	AL	D-A-16-201-001	6	KEY	KEY, MECHANICAL, QA 3, IMPELLER, 3/8 IN, 1-3/4 IN, STEEL, SQUARE, KEY, MACHINE; SQUARE, STEEL, IMPELLER, 0.375SQ X 1.75 IN LG, FOR	3	P	4320U SE
BKG967E	AL	D-A-06-201-001	11	KEY	KEY, MECHANICAL, QA 3, IMPELLER, 3/8 IN, 1-3/4 IN, STEEL, SQUARE, KEY, MACHINE; SQUARE, STEEL, IMPELLER, 0.375SQ X 1.75 IN LG, FOR	3	P	4320U SE
BKG968C	AL	D-A-04-202-003	2	KEY	KEY, MECHANICAL, QA 3, KEY, MACHINE; COUPLING, STEEL, 0.375 SQ X 2.5 IN LG, FOR CENTRIFUGAL	3		4320U SE
BPL651W	AL	D-A-04-202-003	1	KEY	KEY, MECHANICAL, QA 1, KEY, MACHINE; ASTM A-564, TYPE 630, 0.375 IN SQUARE X 4.625 IN. LG.	1		48200 SE
BPX001E	AL	E-A-16-C02-B01	16	KEY	KEY, TYPICAL, QA 0, KEY, CIRCUIT BREAKER; SPRING LOADED, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
BQQ061E	AL	D-B-16-000-001	48	KEY	KEY, TYPICAL, QA 0, KEY, VALVE; HANDWHEEL, FOR 150# 257 WOG, 6 IN. POSI-SEAL BUTTERFLY	0	B	48200 SE
BVL281B	AL	A-A-01-000-001	2	KEY	KEY, TYPICAL, QA 1, KEY, VALVE; LOAD, STEEL, REF 11, FOR GATE VALVE, 4 IN, DWG 15159-01	1	B	48200 SE
CDE987G	AL	D-A-34-101-002	2	KEY	KEY, TYPICAL, QA 0, KEY, BOILER; PARALLEL, 3/8" X 1/4" X 2", FOR LOW NOX UNITS ON BOILER	0	C	4410C SE
CEG289Q	AL	D-A-04-401-002	6	KEY	KEY, WOODRUFF, QA 3, KEY, WOODRUFF; DRIVE SHAFT TO SPROCKETS (POTENTIOMETER & COUNTER), PAR	3	C	4470C SE
ADF402J	AL	L-A-03-000-002	33	KEY	KEY, TYPICAL, QA 3, KEY, MACHINE; IMPELLER, SQUARE, 0.1875 X 5.25 IN, FOR PUMP, SIZE	3	P	4320U SE
AGE799D	AL	M-A-08-000-002	4	KEY	KEY, MECHANICAL, QA 1, KEY, MACHINE; STAINLESS STEEL, BAR MATERIAL ASTM A582, TYPE 416	1	P	4320U SE
AMY673J	AL	L-A-04-000-002	1	KEY	KEY, TYPICAL, QA 0, KEY, PUMP; PUMP, FOR MODEL F3-PVA120-RS-10, ON ELECTRO-HYDRAULIC	0	P	4320U SE
AMY673J	AL	L-A-09-000-002	1	KEY	KEY, TYPICAL, QA 0, KEY, PUMP; PUMP, FOR MODEL F3-PVA120-RS-10, ON ELECTRO-HYDRAULIC	0	P	4320U SE
ANE887B	AL	M-A-08-000-002	6	KEY	KEY, MECHANICAL, QA 3, KEY, MACHINE; SHAFT SLEEVE, 0.25 X 0.25 X 1.125 IN, REF 291A, FOR	3	P	4320U SE
AQB315W	AC	- - -	4	KEY	KEY, LOCK, QA 0, KEY, MACHINE; CYLINDER, LOCK, FOR DOVER ELEVATOR ***	0	C	3960D SE
ARY938F	AL	M-A-03-000-002	5	KEY	KEY, MECHANICAL, QA 1, MACHINE, 5/8 IN, 6 IN, COUPLING, DWG IF-7879, REF 676-1, FOR ESSENTIAL RAW COOLING WATER	1	P	4320U SE
ATD274R	AL	T-A-01-000-002	2	KEY	KEY, MECHANICAL, QA 0, MACHINE, 0.248 IN, 1.423 IN, STEEL, KEY, MACHINE; MATERIAL: STEEL, SIZE WIDTH: 00.248000, LENGTH: 01.423	0	P	4320U SE
ATP350V	AL	L-A-04-000-002	1	KEY	KEY, TYPICAL, QA 0, KEY, ; POLE, DRIVING, 64 IN LONG, FOR MODEL 295X163, TYPE A AND B, FRAME	0	P	6125C SE
AXC065C	AL	M-A-01-000-002	8	KEY	KEY, TYPICAL, QA 0, KEY, ACTUATOR; STEEL, MACHINED BOTH ENDS, FOR ACTUATOR, MODEL	0	P	48200 SE
AXP250D	AL	T-A-12-000-002	7	KEY	KEY, TYPICAL, QA 0, KEYSSET, TELEPHONE, ; FOR TYPE 187 TELEPHONE, THREE-LINE, THREE-HOLD ***	0	P	5805M SE
AXY854W	AL	M-A-03-000-002	1	KEY	KEY, TYPICAL, QA 2, KEY, MACHINE; COUPLING SHAFT, FOR MOTOR AND TURBINE DRIVER AUXILIARY	2	C	4320U SE
BGY555G	AL	M-A-16-000-002	1	KEY	KEY, MECHANICAL, QA 1, KEY, MACHINE; CLUTCH, STEEL, REF 23, FOR VALVE ACTUATOR, TYPE SMB-000	1	P	48200 SE
BJV484G	AL	T-A-01-000-002	12	KEY	KEY, MECHANICAL, QA 1, KEY, MACHINE; WORM SHAFT, 0.1875 X 1.5 IN, FOR VALVE ACTUATOR, TYPE	1	P	48200 SE
BJV502A	AL	T-A-01-000-002	12	KEY	KEY, MECHANICAL, QA 1, KEY, MACHINE; MOTOR PINION, 0.1875 X 1.375 IN, FOR VALVE ACTUATOR	1	P	48200 SE
BJV509V	AL	T-A-01-000-002	7	KEY	KEY, MECHANICAL, QA 1, KEY, MACHINE; MOTOR PINION, 0.25 X 1.375 IN, FOR VALVE ACTUATOR, TYPE	1	P	48200 SE
BKG967E	AL	L-A-09-000-002	7	KEY	KEY, MECHANICAL, QA 3, IMPELLER, 3/8 IN, 1-3/4 IN, STEEL, SQUARE, KEY, MACHINE; SQUARE, STEEL, IMPELLER, 0.375SQ X 1.75 IN LG, FOR	3	P	4320U SE
BLA128J	AL	L-A-09-000-002	2	KEY	KEY, MECHANICAL, QA 3, KEY, MACHINE; COUPLING, STEEL SAE 1018, A108 ***	3	P	4320U SE
BTT443J	AL	L-A-09-000-002	1	KEY	KEY, MECHANICAL, QA 3, KEY, VALVE; SPARE PART, FOR ADAPTO-GEAR OPERATOR ***	3	B	48200 SE
BVL314N	AL	L-A-09-000-002	4	KEY	KEY, MECHANICAL, QA 3, KEY, PUMP; MACHINE KEY, AISI 416, 1/4 X 1/4 X 3 IN, RCIC PUMP, SIZE 6	3	C	4320U SE
BVL316J	AL	L-A-09-000-002	4	KEY	KEY, MECHANICAL, QA 3, KEY, PUMP; MACHINE KEY, AISI 416, 1/4 X 1/4 X 1-5/8 IN, RCIC PUMP SIZE	3	C	4320U SE
BVL319C	AL	L-A-03-000-002	5	KEY	KEY, MECHANICAL, QA 3, KEY, PUMP; MACHINE KEY, AISI 416, 1/4 X 1/4 X 1 IN, RCIC PUMP, SIZE 6	3	C	4320U SE
BVQ027V	AL	L-A-09-000-002	2	KEY	KEY, MECHANICAL, QA 1, MOTOR PINION, CS, , AISI 4140, FOR VALVE ACTUATOR, SMB-1	1	C	48200 SE
BVX101T	AL	L-A-03-000-002	117	KEY	KEY, TYPICAL, QA 3, KEY, PUMP; KEY, IMPELLER, REF 23, FOR VERTICAL SUMP PUMP, STANDBY GAS	3	C	4320U SE
BWP693X	AL	L-A-05-000-002	1	KEY	KEY, TYPICAL, QA 3, KEY, VALVE; TORQUE ARM, CARBON STEEL, SAE 1120, FOR 24.00-IN. PRESSURE	3	C	48200 SE

BXD809K	AL	T-A-01-000-002	4	KEY	KEY, LOCK, QA 1, KEY, PUMP; IMPELLER KEY, 1/2" SQUARE X 2 1/4" LONG WITH RADIUSED ENDS	1	B	4320U SE
BYE054R	AL	L-A-07-000-002	1	KEY	KEY, MECHANICAL, QA 1, MOTOR PINION, , ACTUATOR, GEAR, PIECE NUMBER 20A, FOR LIMITORQUE ACTUATORS SMB-000,	1	C	48200 SE
CAN391V	AL	L-A-09-000-002	5	KEY	KEY, MECHANICAL, QA 0, KEY, PUMP; THRUST COLLAR, FOR REACTOR FEED WATER PUMP. PUMP TYPE HVCN	0	B	4320U SE
CDT519L	AL	L-A-09-000-002	1	KEY	KEY, TYPICAL, QA 3, KEY, COMPRESSOR; 5/16" KEY TO BE USED WITH SHEAVE ASSEMBLY PART NUMBER	3	C	4310I SE
CEG287W	AL	L-A-03-000-002	39	KEY	KEY, WOODRUFF, QA 3, KEY, WOODRUFF; DRIVE SHAFT TO CLUTCH/COLLAR, PART LIST 885D698 ITEM 01	3	C	4470C SE
CEG289Q	AL	L-A-03-000-002	4	KEY	KEY, WOODRUFF, QA 3, KEY, WOODRUFF; DRIVE SHAFT TO SPROCKETS (POTENTIOMETER & COUNTER), PAR	3	C	4470C SE
BKT459E	AL	D-A-32-201-001	1	KEYBOARD	KEYBOARD, RECORDER, QA 0, ENGINEERING, HR2500, FOR RECORDER, MODEL 3800	0	P	6695D SE
BBJ910Y	AL	T-A-12-000-002	1	KEYBOARD	KEYBOARD, TYPICAL, QA 0, KEYBOARD, ; FOR PROGRAMMABLE CONTROLLER, P/N BCT-30 ***	0	P	7021A SE
BCB030J	AL	T-A-12-000-002	2	KEYBOARD	KEYBOARD, TYPICAL, QA 0, KEY BOARD ASSY, ; RANGE 0 TO 9, FOR PANEL ASSY, ON CONDENSATE	0	P	7021A SE
BNR339B	AL	L-A-09-000-002	1	KEYBOARD	KEYBOARD, TYPICAL, QA 3, KEYPAD, RADIATION MONITOR; COMMAND, FOR CONTINUOUS AIR MONITOR ***	3	B	6630D SE
BNR341Q	AL	L-A-09-000-002	1	KEYBOARD	KEYBOARD, TYPICAL, QA 3, KEYPAD, RADIATION MONITOR; DATA, FOR CONTINUOUS AIR MONITOR ***	3	B	6630D SE
BVR307T	AL	L-A-09-000-002	5	KEYBOARD	KEYBOARD, RECORDER, QA 3, OPERATION, FOR JYC HR-2500E MODEL 3880	3	B	6695D SE
AEG092H	AL	D-A-02-102-008	8	KIT	KIT, PARTS, QA 0, PARTS KIT, STEAM TRAP; REPAIR, QCT 1/2-3/4 IN, 440 A-441 A-430 A-415 A	0		4730P SE
AFD126D	AL	A-A-01-000-001	2	KIT	KIT, PARTS, QA 3, PARTS KIT, ACTUATOR; REPAIR, ACTUATOR, FOR 175.000 TON POLAR CRANE	3	P	48200 SE
AFD756B	AL	D-B-16-000-001	2	KIT	KIT, PARTS, QA 0, VALVE, SPRING, WEAR STRIPS, CHANNEL SET, VALVE; C/W SPRINGS AND WEAR STRIP, FOR 829 CHANNEL	0	P	4310I SE
AGD386C	AL	A-A-01-000-001	2	KIT	KIT, PARTS, QA 0, PARTS KIT, COMPRESSOR; REPAIR, 2000 HR, C/O AIR FILTER ELEMENT	0	P	4310I SE
AJH533Q	AL	J-B-12-009-001	20	KIT	KIT, PARTS, QA 0, PARTS KIT, SOLENOID VALVE; FOR VALVE, 0.37 IN, RANGE 10 TO 125 PSIG	0	P	48200 SE
AJL306M	AL	Z-Z-ZZ-ZZZ-ZZZ	1	KIT	KIT, MOUNTING, QA 0, TERMINATING ASSY, FREQUENCY; SF AND MOUNTING, CONSISTING OF SF AND	0	P	5805M SE
AJP589X	AL	A-A-01-000-001	12	KIT	KIT, PARTS, QA 1, MODIFICATION KIT, ; PUSHBUTTON, (PILOT DEVICE), NEMA 00-4, START-STOP	1	P	5945D SE
AKD378Q	AL	D-B-16-000-001	24	KIT	KIT, PARTS, QA 0, VALVE, (6) CHANNELS, (6) SPRINGS, CHANNEL SET, VALVE; VALVE, SET C/O 6 EA CHANNELS AND 6 EA SPRINGS	0	P	4310I SE
AKG873Y	AL	D-A-04-201-002	1	KIT	KIT, PARTS, QA 0, STEAM TRAP, REPAIR, FOR S250R, S140, AND S400 IMPULSE STEAM, FOR 2 IN,	0	P	4730P SE
AKY957G	AL	D-B-07-202-001	1	KIT	KIT, PARTS, QA 0, PARTS KIT, BUTTERFLY VALVE; REPAIR, SEAT, WAFER STYLE VALVE, W/SEAT	0	P	48200 SE
ALF491C	AL	A-A-01-000-001	1	KIT	KIT, PARTS, QA 3, TOOL KIT, PUMP; STATOR COIL, FOR WH REACTOR COOLANT PUMP MOTOR, SPIN	3	P	5120M SE
AND275G	AL	D-B-16-000-001	23	KIT	KIT, PARTS, QA 0, VALVE, (4) CHANNELS, (5) SPRINGS, CHANNEL SET, VALVE; VALVE, SET C/O 4 EA CHANNEL & 5 EA SPRINGS, FOR	0	P	4310I SE
APD622F	AL	D-A-06-302-003	5	KIT	KIT, PARTS, QA 0, (1) LATCH, (1) SPRING, (1) PIN, ASSY, HOOK; TYPE: STANDARD SAFETY, MATERIAL: CARBON STEEL, WORK	0		4030C SE
AQW320P	AL	D-A-30-301-004	15	KIT	KIT, PARTS, QA 0, PARTS KIT, SAFETY EQUIPMENT; LENS RING, REPL, FOR ULTRAVUE MSA PN	0		4240P SE
ARN259D	AL	5-B-01-301-000	9	KIT	KIT, PARTS, QA 0, PACKING KIT, FOR ROTARY ACTUATOR,SERIES H,	0	P	4520N SE
ARP317L	AL	D-B-09-202-001	2	KIT	KIT, PARTS, QA 0, PARTS KIT, DRYER; AQUADEX, REF 1171213, C/O ONE EA DOME, BOTTLE OF	0	P	4440E SE
ARQ657N	AL	D-A-18-302-001	8	KIT	KIT, PARTS, QA 0, (4) THIN NUTS, (1) O-RING/GASKET SHEET, (1) NOZZLE ARM SPRING ASS, (2) SPRING ASSEMBLY, (4) BELLOW ASSYS, (2) CONICAL SPRI	0		6695D SE
ARV239R	AL	A-A-01-000-001	1	KIT	KIT, PARTS, QA 0, PARTS KIT, SOLENOID VALVE; FOR VALVE, P/N U8342A2M0, MODEL 8342A1M0	0	P	48200 SE
ATW018M	AL	A-A-01-000-001	1	KIT	KIT, PARTS, QA 0, PARTS KIT, GLOBE VALVE; COMPLETE, FOR 2 IN AIR OPERATED GLOBE VALVE	0	P	48200 SE
AVA198Q	AL	A-A-01-000-001	3	KIT	KIT, PARTS, QA 0, PARTS KIT, LINEAR DIR CNTL VLV; REPAIR,SEAT,FOR 001.250 IN, WATER,NO	0	P	48200 SE
AVA199N	AL	A-A-01-000-001	1	KIT	KIT, PARTS, QA 3, PARTS KIT, LINEAR DIR CNTL VLV; REPAIR,SEAT,FOR 002.000 IN, WATER,NO	3	P	48200 SE
AVE208W	AL	A-A-01-000-001	1	KIT	KIT, PARTS, QA 0, PARTS KIT, BUTTERFLY VALVE; TYPE B,FOR FIG 8022-MT-MOD-A, 016.000 IN	0	P	48200 SE
AVK696R	AL	D-A-32-104-001	1	KIT	KIT, PARTS, QA 0, PARTS KIT, PUMP; CONSISTS OF TEFLON SPACERS, PLASTIC SPACERS AND RED	0	P	6630D SE
AVM963J	AL	A-A-01-000-001	3	KIT	KIT, PARTS, QA 3, PARTS KIT, SOLENOID VALVE; FOR CAT HT831633, 0.375 IN, 120 VDC, S/N	3	P	48200 SE
AVW603E	AL	D-B-09-202-001	2	KIT	KIT, PARTS, QA 0, STAINLESS STEEL, AISI TYPE 316 C/O TWO EACH	0	P	6695D SE
AWC045Q	AL	A-A-01-000-001	1	KIT	KIT, PARTS, QA 0, PARTS KIT, COMPRESSOR; REPAIR, BLOWBY CHECK KIT, FOR COMPRESSOR, MODEL	0	P	4310I SE
AWH142A	AL	A-A-01-000-001	2	KIT	KIT, PARTS, QA 0, DISK PACK, COUPLING; STAINLESS STEEL, 0.222 IN THICK, C/O 14 DISKS	0	P	3040D SE
AWH149V	AL	A-A-01-000-001	2	KIT	KIT, PARTS, QA 0, DISK PACK, COUPLING; STAINLESS STEEL, 0.213 IN THICK, C/O 14 DISKS	0	P	3040D SE
AWN811Y	AL	A-A-01-000-001	2	KIT	KIT, PARTS, QA 0, PARTS KIT, ; ROLLER, TENSION IDLER, FOR DISK DRIVE, MODEL D3000, S/N	0	C	7021A SE
AWW538P	AL	A-A-01-000-001	11	KIT	KIT, PARTS, QA 0, PARTS KIT, GLOBE VALVE; REPACK, VALVE, FOR 000.750 IN,THREADED, 3-WAY	0	P	48200 SE
AXD751Y	AL	A-A-01-000-001	1	KIT	KIT, PARTS, QA 0, GASKET MATERIAL, (1) O-RING, (1) SLEEVE, (4) SEALS, (2) GASKETS, (1) SNAP RING, PARTS KIT, CYLINDER; CONSISTING OF ONE EA	0	P	48200 SE
AYF301F	AL	D-A-30-301-002	1	KIT	KIT, PARTS, QA 0, PARTS KIT,DISPLAY UN, ; VIDEO AND POWER SUPPLY, FOR PRIME CRT	0		7021A SE
AYG904B	AC	- - - -	2	KIT	KIT, PARTS, QA 0, PARTS KIT, GLOBE VALVE; C/O ONE EACH METAL SEAL, TWO EACH GASKETS, FOR	0	P	48200 SE
BAE615G	AL	D-A-04-201-002	2	KIT	KIT, PARTS, QA 0, PARTS KIT, ; SYRINGE, WITH ADAPTER, TUBING,AND COUPLING, FOR DYNAMIC	0	P	6630D SE
BAL803H	AL	A-A-01-000-001	1	KIT	KIT, PARTS, QA 0, ANALYSIS KIT, ; ICE ANION, FOR MODEL 2120I IONCHROMATOGRAPH ***	0	P	6630D SE
BBA534Y	AL	D-B-07-102-003	2	KIT	KIT, PARTS, QA 0, CONVERSION KIT, ANALYZER; PREAMPLIFIER, INDICATOR, FOR SODIUM	0	P	6630D SE
BBA534Y	AL	D-B-16-000-001	2	KIT	KIT, PARTS, QA 0, CONVERSION KIT, ANALYZER; PREAMPLIFIER, INDICATOR, FOR SODIUM	0	P	6630D SE
BBC824B	AL	A-A-01-000-001	1	KIT	KIT, PARTS, QA 0, PARTS KIT, ACTUATOR; C/O FOUR EACH O-RING, P/N 952-0172-410, FOUR	0	P	48200 SE
BBD418H	AL	A-A-01-000-001	1	KIT	KIT, PARTS, QA 0, PARTS KIT, COUPLING; WEIGHT BALANCED, FOR COUPLING,SIZE 5, TYPE FS	0	P	3040D SE
BBD420A	AL	A-A-01-000-001	1	KIT	KIT, PARTS, QA 0, PARTS KIT, COUPLING; WEIGHT BALANCED, FOR COUPLING,SIZE 5.5, CLOSE	0	P	3040D SE
BBD422T	AL	A-A-01-000-001	1	KIT	KIT, PARTS, QA 0, PARTS KIT, COUPLING; WEIGHT BALANCED, FOR COUPLING,SIZE 3.5, TYPE FS	0	P	3040D SE
BBE668L	AL	D-B-09-202-001	3	KIT	KIT, PARTS, QA 0, PARTS KIT, CYLINDER; FOR LINEAR ACTUATING CYLINDER,6 X 8.75 IN, MODEL	0	P	4450C SE
BBF874C	AL	A-A-01-000-001	4	KIT	KIT, MOUNTING, QA 0, PARTS KIT, RECORDER; MOUNTING, C/O 1 EA 2.5 IN MINERALAC STRAP, 2 EA	0	P	6695D SE
BBP055Y	AL	A-A-01-000-001	1	KIT	KIT, PARTS, QA 0, PARTS KIT, PUMP; FOR MODEL RC-1002 PUMP, P/N CR-400, HAND TYPE ***	0	P	4320U SE
BBR935Y	AL	A-A-01-000-001	3	KIT	KIT, PARTS, QA 0, PARTS KIT, CONTROLLER; ROTARY, 90 DEG CLOCKWISE ROTATION ACTUATOR	0	P	6695D SE
BCE089M	AL	D-B-09-202-001	6	KIT	KIT, PARTS, QA 0, PARTS KIT, VALVE; FOR DIAPHRAGM VALVE, R-M14909,ON BAGHOUSE DRY ASH	0	P	4450C SE
BCL709W	AL	D-A-07-101-000	4	KIT	KIT, PARTS, QA 0, PARTS KIT, MECHANICAL SEAL; C/O 1 EA NO 615993-1GT U-CUP, 1 EA NO	0	C	4320U SE
BCN896P	AL	D-B-09-202-001	3	KIT	KIT, PARTS, QA 0, PARTS KIT, CYLINDER; ROD SEAL, FOR AIR CYLINDER, P/N 101780, ON BAG	0	P	4450C SE
BCN897M	AL	D-B-09-202-001	17	KIT	KIT, PARTS, QA 0, PARTS KIT, CYLINDER; PISTON SEAL, FOR AIR CYLINDER,P/N 101780, ON BAG	0	P	4450C SE
BCT558P	AL	A-A-01-000-001	1	KIT	KIT, PARTS, QA 0, PARTS KIT, CHROMATOGRAPH; COLUMN, SUPPRESSOR, CATION FIBER CFS, C/O 1	0	P	6630D SE
BDH267B	AL	A-A-01-000-001	12	KIT	KIT, PARTS, QA 3, PARTS KIT, SOLENOID VALVE; M-6 GENERAL PURPOSE, FOR SOLENOID, P/N	3	P	48200 SE
BDN752A	AL	A-A-01-000-001	4	KIT	KIT, PARTS, QA 0, REPAIR KIT, CHROMATOGRAPH; PLUNGER SEAL REPLACEMENT, C/W TOOL, FOR ION	0	P	6630D SE
BDW293H	AL	A-A-01-000-001	30	KIT	KIT, PARTS, QA 1, TERMINATION KIT, ELECTRICAL; HEAT SHRINKABLE,BLACK, 0.42 IN DIA	1	B	5970B SE
BDY908W	AL	A-A-01-000-001	1	KIT	KIT, PARTS, QA 0, PARTS KIT, CHROMATOGRAPH; MEMBRANE REACTOR, WITH REPLACEMENT FIBERS	0	P	6630D SE
BEB656Q	AL	D-A-32-104-001	3	KIT	KIT, PARTS, QA 0, PARTS KIT, CHROMATOGRAPH; REFILL, ANION FIBER, FOR COLUMN SUPPRESSOR	0	P	6630D SE
BEX089V	AL	D-B-09-202-001	1	KIT	KIT, PARTS, QA 0, INSERT, ROUND PLASTIC SLEEVE, SEAT, SEAL, 7.5625 ID X 9.1875 OD X 2.5625 IN WD,	0	P	4450C SE
BFJ562P	AL	A-A-01-000-001	7	KIT	KIT, PARTS, QA 3, CONVERSION KIT, RECORDER; 2 PEN IT, FOR RECORDER, SPEEDOMAX M, MARK	3	P	6695D SE
BFR149V	AL	A-A-01-000-001	1	KIT	KIT, PARTS, QA 0, PARTS KIT, PAINT SPRAYER; COMPLETE, FOR SPRAY GUN ***	0	P	5130U SE
BFW862P	AL	A-A-01-000-001	4	KIT	KIT, PARTS, QA 2, PARTS KIT, SOLENOID VALVE; FOR VALVE, MODEL 206-381-3RVU,125 VDC ***	2	P	48200 SE
BGC629A	AL	A-A-01-000-001	20	KIT	KIT, PARTS, QA 1, PARTS KIT, PUMP; CONSISTING OF TWO EA GASKETS, NON-ASBESTOS, THREE EA	1	C	2910O SE
BGP642R	AL	A-A-01-000-001	1	KIT	KIT, PARTS, QA 0, SEALS, GASKETS, O-RINGS, PACKING, ASSEMBLY; C/O SEALS, GASKETS AND O-RINGS, FOR HIGH DENSITY	0	C	3660B SE
BHD100Q	AL	A-A-01-000-001	1	KIT	KIT, PARTS, QA 1, CONVERTER	1	B	6130S SE
BHD100Q	AL	D-A-35-401-000	4	KIT	KIT, PARTS, QA 1, CONVERTER	1	B	6130S SE

BHK579L	AL	D-A-32-104-001	3	KIT	KIT, PARTS, QA 0, PARTS KIT, SCALE; CONSISTS OF INTERNAL WEIGHTS AND TWO CIRCUIT CHIPS	0	P	6670D SE
BHT655T	AL	A-A-01-000-001	15	KIT	KIT, PARTS, QA 1, SPLICING KIT, ; HEAT SHRINKABLE, IN-LINE TYPE,16 AWG, CABLE JACKET OD	1	P	5970B SE
BHT658L	AL	A-A-01-000-001	3	KIT	KIT, PARTS, QA 1, SPLICING KIT, ELECTRICAL; HEAT SHRINKABLE, IN-LINE TYPE,16 AWG, CABLE	1	P	5970B SE
BJA044V	AL	A-A-01-000-001	1	KIT	KIT, PARTS, QA 0, PARTS KIT, ACTUATOR; MAJOR SUB-ASSY, C/O O-RING AND SEAL, REF 11C, FOR	0	P	48200 SE
BJF726G	AL	A-A-01-000-001	7	KIT	KIT, PARTS, QA 0, TEST KIT, HYDRAZINE; RANGE 0 TO 500 PPM, FOR SYSTEM1000 ***	0	P	6630D SE
BJG471J	AL	A-A-01-000-001	6	KIT	KIT, PARTS, QA 0, PARTS KIT,INDICATOR, ; CONSISTS OF FOUR EACH NEOPRENE RUBBER GASKETS	0	P	6695D SE
BJG491C	AL	D-A-32-104-001	1	KIT	KIT, PARTS, QA 0, PROBE, OXYGEN; C/WO OXYGEN PROBE SERVICE KIT MODEL 5775, C/O TWO	0	P	6630D SE
BJH210M	AL	A-A-01-000-001	2	KIT	KIT, PARTS, QA 0, INK SET, RECORDING INSTRUMENT; CONSISTING OF CARTRIDGE AND PAPER, 4.5	0	P	7510U SE
BJL647J	AL	D-A-32-104-001	1	KIT	KIT, PARTS, QA 1, PARTS KIT, BALL VALVE; FOR VALVE, 1.5 IN, MODEL 8409024, ON DIESEL	1	P	29100 SE
BJR114W	AC	- - -	1	KIT	KIT, PARTS, QA 1, GASKET AND SEAL SET, ; C/O TWO FIBER GASKETS, 6 ID X 8 IN OD, THREE	1	C	48200 SE
BJV533X	AL	A-A-01-000-001	2	KIT	KIT, PARTS, QA 0, PARTS KIT, COMPRESSOR; BURST DISC KIT, FOR BREATHING AIR COPMRESSOR	0	P	4310I SE
BKG151Y	AL	A-A-01-000-001	1	KIT	KIT, PARTS, QA 3, CONVERSION KIT, ; REEL,HOSE,HEAVY DUTY,WITHOUT HOSE,FOR PETTIBONE	3	B	3950F SE
BKQ244E	AL	D-A-04-201-002	1	KIT	KIT, PARTS, QA 0, INSTALLATION KIT, ELECTRONIC EQUIPMENT; FOR REFRIGERATION UNIT, ON	0	P	5975B SE
BKR330V	AL	D-A-08-201-000	18	KIT	KIT, PARTS, QA 0, SPILL KIT, EMERGENCY; C/O GLOVE HOLDERS, POLYBAG HOLDERS, PROTECTIVE	0		6810H SE
BLD722N	AL	D-A-10-301-000	2	KIT	KIT, PARTS, QA 0, TOOL KIT, GENERAL MECHANICS; LEVEL 3, FOR SCBA KITS ***	0		5120M SE
BLN183C	AL	D-A-17-302-001	3	KIT	KIT, PARTS, QA 0, REPAIR KIT, ; FOR ACCELERATOR, MODEL D-1, P/N 05503-D ON SYS 26 ***	0		4210N SE
BLQ268R	AL	D-A-30-301-001	1	KIT	KIT, PARTS, QA 0, PARTS KIT, PRINTER; LN03 TONER, FOR PRINTER ***	0		7021A SE
BLQ269P	AL	D-B-16-000-001	7	KIT	KIT, PARTS, QA 0, PARTS KIT, PRINTER; LN03 USER, FOR PRINTER ***	0	P	7021A SE
BLV775Q	AL	A-A-01-000-001	12	KIT	KIT, PARTS, QA 0, PARTS KIT, BALL VALVE; FOR BALL VALVE, 1 IN, ANSI CLASS 600, FIG	0	P	48200 SE
BME451G	AL	1-B-09-009-001	14	KIT	KIT, PARTS, QA 0, PARTS KIT, ; SEISMIC FIELD KIT, DWG 2383A45REV 6, WAT-330, WBT-NIELCA	0	P	4470C SE
BME966E	AL	1-B-10-000-001	3	KIT	KIT, PARTS, QA 1, PARTS KIT, SNUBBER; TRANSITION TUBE, FOR PSA-10 SNUBBER ***	1	P	4710Y SE
BNC777M	AL	1-B-10-000-001	4	KIT	KIT, PARTS, QA 0, MODIFICATION KIT, ; RETROFIT WEIGHING KIT, SO WAT ASVANS, WAT-220 ***	0	P	4470C SE
BNR274D	AL	A-A-01-000-001	20	KIT	KIT, PARTS, QA 3, REPAIR KIT, VALVE; FOR VALVE, REGULATING, FLUID PRESSURE, NORNGREN	3	P	29100 SE
BNR460V	AL	F-B-08-103-000	1	KIT	KIT, PARTS, QA 0, TEST SET, CIRCUIT BREAKER; FOR RMS CONVERSION KITS ***	0	C	5925B SE
BNX304B	AL	D-A-30-101-006	12	KIT	KIT, PARTS, QA 0, ROD WIPER, FOR CYLINDER, ACTUATING, LINEAR, P/N DWC- 3110-SR2,	0	P	3910K SE
BPG884R	AL	F-B-08-103-000	1	KIT	KIT, PARTS, QA 0, CLEANER KIT, ULTRASONIC; LARGE CAPACITY CLEANER WITH TIMER& HEATER, 11	0	C	6630D SE
BPG884R	AL	F-B-10-101-000	1	KIT	KIT, PARTS, QA 0, CLEANER KIT, ULTRASONIC; LARGE CAPACITY CLEANER WITH TIMER& HEATER, 11	0	C	6630D SE
BPN148V	AL	F-B-10-101-000	2	KIT	KIT, PARTS, QA 1, PARTS KIT, CIRCUIT BREAKER; GEAR BOX, WITH MOTOR, 125 VDC, FOR CIRCUIT	1	B	5925B SE
BPR325G	AL	F-A-08-101-000	1	KIT	KIT, PARTS, QA 0, PUMP, (5) RINGS SET, CARBON BUSHING, (1) PACKING LUBRICANT, (2) GRAPHITE YARN RINGS, (3)DIE FORM GRAPHITE RING, (1) CARBON	0	A	4320U SE
BPT286T	AL	F-A-08-202-001	2	KIT	KIT, PARTS, QA 1, ACTUATOR, METAL WASHERS, O-RINGS, SEALS, , FOR BETTIS VALVE ACTUATOR, MODEL CB525-SR60 AND BETTIS ESL-4, 5 & 10	1	B	48200 SE
BPX660Q	AL	D-B-13-402-000	1	KIT	KIT, PARTS, QA 0, TOOL KIT, CONTROL ROD DRIVE; DRIVE, DWG 284X404G001, REV 1, C/O	0		5120M SE
BQH116W	AL	D-B-07-202-002	1	KIT	KIT, PARTS, QA 0, ACTUATOR, REPAIR KIT, ACTUATOR; COMPREHENSIVE KIT-, O-RING, SEALS & TOOLS,	0	B	48200 SE
BQH116W	AL	D-B-16-000-001	3	KIT	KIT, PARTS, QA 0, ACTUATOR, REPAIR KIT, ACTUATOR; COMPREHENSIVE KIT-, O-RING, SEALS & TOOLS,	0	B	48200 SE
BQM698N	AL	D-B-25-302-002	5	KIT	KIT, PARTS, QA 3, SERVICE KIT, ; BIOFILM PROBE 5 1/4" 316 STAINLESS STEEL BODY, C/W TOOL	3		4710Y SE
BQN042W	AL	D-A-21-201-001	1	KIT	KIT, PARTS, QA 0, MODIFICATION KIT, ; FOR DUAL HOOK FUEL GRAPPLE HEADS, PER GE SIL 181 S	0	C	4470C SE
BQN405W	AL	A-A-01-000-001	1	KIT	KIT, PARTS, QA 1, PARTS KIT, CONTROLLER; C/W ADJUSTMENT SCREW P/N 62108B,FOR CONTROLLER	1	B	6695D SE
BQR814T	AL	A-A-01-000-001	1	KIT	KIT, PARTS, QA 3, PARTS KIT, COMPRESSOR; REPAIR,INLET AND DISCHARGE VALVES, AND	3	B	4310I SE
BQW613M	AL	D-A-02-201-003	2	KIT	KIT, PARTS, QA 0, ACCESSORY KIT, MECHANICAL JOINT; C/O GLAND,BOLTS,NUTS AND RUBBER	0		4730P SE
BQY918L	AL	F-A-17-201-000	33	KIT	KIT, PARTS, QA 1, SEALING KIT, ELECTRICAL; TYPE: HEATSHRINKABLE, APPLICATION: END TYPE	1	B	5970B SE
BQY942P	AL	F-A-35-301-000	255	KIT	KIT, PARTS, QA 1, SEALING KIT, ELECTRICAL; TYPE: HEATSHRINKABLE, APPLICATION: END TYPE	1	B	5970B SE
BRD461R	AL	A-A-01-000-001	16	KIT	KIT, PARTS, QA 1, SEAL KIT, PUMP; WATER, C/O SEAL RETAINER, SEALS, BUSHING, GASKETS, &	1	C	29100 SE
BRQ842L	AL	D-A-02-201-007	1	KIT	KIT, PARTS, QA 0, CONNECTOR KIT, HOSE; ACTION CONTROL CENNECTION KIT,CONSISTING OF 4 EA	0	C	4730P SE
BTA635V	AL	A-A-01-000-001	16	KIT	KIT, PARTS, QA 3, MOTOR KIT, ; CHECK VALVE, FOR UPPER BEARING ASSY, FOR REACTOR COOLANT	3	B	6105D SE
BTR093F	AL	A-A-01-000-001	1	KIT	KIT, PARTS, QA 0, GASKET, KIT; AND VALVE PLATE FOR DUNHAM-BUSH COMPRESSOR M/N-204UPHP	0	C	4520N SE
BTR551L	AL	A-A-01-000-001	1	KIT	KIT, MOUNTING, QA 0, MODIFICATION KIT, VALVE; FOR USE WITH MODEL 2000N #21 MOUNTING PLATE	0	B	48200 SE
BTR555C	AL	A-A-01-000-001	1	KIT	KIT, MOUNTING, QA 0, MODIFICATION KIT, VALVE; FOR USE WITH MODEL 4000N #41-81 MOUNTING	0	B	48200 SE
BTR556A	AL	A-A-01-000-001	1	KIT	KIT, MOUNTING, QA 0, MODIFICATION KIT, VALVE; FOR USE WITH MODEL 8000N #41-81 MOUNTING	0	B	48200 SE
BVD549Y	AL	D-A-32-104-001	1	KIT	KIT, PARTS, QA 0, HAND AND FOOT ASSY, EYEWASH STATION; MODEL # S45-572, C/O "S" HOOKS	0	B	4230E SE
BVF042E	AL	A-A-01-000-001	2	KIT	KIT, MOUNTING, QA 0, MOUNTING, ; FUSE, NON-DISCONNECTING TYPE, SIZE A, 23000 FUSE VOLTAGE	0	B	3405L SE
BVJ044T	AL	A-A-01-000-001	2	KIT	KIT, PARTS, QA 1, PARTS KIT, RELAY; 0257A9680G1, RETROFIT, FOR GE HFA54E218F RELAYS, 250	1	B	5945D SE
BWF428T	AL	F-A-15-102-000	1	KIT	KIT, PARTS, QA 1, VALVE, SEAL, VALVE; KIT, BLACK UHMWPE, COLORED WITH MINIMUM 0.1 TO MAXIMUM	1	B	48200 SE
BWK219F	AL	D-A-13-302-009	13	KIT	KIT, MOUNTING, QA 3, BOLT, DOOR HARDWARE; STEEL, SEX BOLT/MACHINE SCREW, 5/16" X 1-9/16"	3		4710Y SE
BWK220A	AL	D-A-10-302-006	20	KIT	KIT, MOUNTING, QA 3, BOLT, DOOR HARDWARE; STEEL, SEX BOLT/MACHINE SCREW, 1/2" X 1-9/16"	3		4710Y SE
BWT358W	AL	D-A-32-401-005	34	KIT	KIT, PARTS, QA 1, HARDWARE, MONITOR; GUIDE PRINTED CIRCUIT BOARD ***	1		7020R SE
BWT360M	AL	D-A-32-401-005	84	KIT	KIT, PARTS, QA 1, HARDWARE, MONITOR; TAB, CARD, GUIDE, LOCKING ***	1		7020R SE
BWX830T	AL	A-A-01-000-001	2	KIT	KIT, PARTS, QA 3, PARTS KIT, VALVE; COMPLETE WITH FLANGE AND GASKET, FOR 2 IN 150#	3	B	48200 SE
BXF598T	AL	P-A-LL-ET0-113	1	KIT	KIT, PARTS, QA 0, REPAIR KIT, ACTUATOR; FOR CONTROL VALVE ACTUATOR ***	0	C	48200 SE
BXJ118L	AL	P-A-LL-ET0-111	1	KIT	KIT, PARTS, QA 1, CONNECTOR ASSY, ELECTRICAL; TRANSIENT SHIELD J-BOX, INCLUDES INPUT AND	1	C	5935B SE
BXL818D	AL	A-A-01-000-001	2	KIT	KIT, PARTS, QA 3, FIRE PROTECTION, SCREEN, GASKETS, CARTRIDGE, CYLINDER ASSY, FIRE PROTECTION; ODORIZER,DWG FA-24824, WITH	3	B	4210N SE
BXP307Q	AL	A-A-01-000-001	1	KIT	KIT, PARTS, QA 1, PARTS KIT, VALVE; CONSISTING OF ONE (1) EA EPDM THRUST COVER	1	B	48200 SE
BXR681L	AL	A-A-01-000-001	16	KIT	KIT, PARTS, QA 2, SPLICING KIT, ELECTRICAL; HIGH VOLTAGE SPLICE KIT, RAYCHEM P/N HVS824S	2	B	5970B SE
BYJ645N	AL	F-A-11-202-002	1	KIT	KIT, PARTS, QA 0, SEAL, AIR COMPRESSOR; KIT, 1ST STAGE, FOR 1CV SERVICE AIR COMPRESSOR	0	B	4310I SE
BYJ646L	AL	A-A-01-000-001	1	KIT	KIT, PARTS, QA 0, SEAL, AIR COMPRESSOR; KIT, 2ND STAGE, FOR 1CV SERVICE AIR COMPRESSOR	0	B	4310I SE
BYK232B	AL	A-A-01-000-001	3	KIT	KIT, PARTS, QA 0, PARTS KIT, PUMP; VACUUM PUMP, MODEL AT-2004E, 1ST STAGE, 1 EA LOCKNUT-	0	B	4310I SE
BYL805H	AL	A-A-01-000-001	62	KIT	KIT, PARTS, QA 1, SPLICING KIT, ELECTRICAL; HEAT SHRINKABLE, 3 CONDUCTORS, IN-LINE TYPE,	1	B	5970B SE
BYM887E	AC	- - -	37	KIT	KIT, PARTS, QA 1, SPLICING KIT, ELECTRICAL; HEAT SHRINKABLE, 2 CONDUCTORS, CABLE JACKET	1	B	5970B SE
BYN886B	AC	- - -	2	KIT	KIT, PARTS, QA 1, SERVICE KIT, ACTUATOR; FOR G.H. BETTIS MODEL NO. 301C-SR11 ***	1	B	48200 SE
BYQ483P	AL	F-B-10-101-000	2	KIT	KIT, PARTS, QA 1, CONVERSION KIT, CIRCUIT BREAKER; AMPTECTOR FOR 600 AMP GE AK-6A-25	1	B	5925B SE
BYQ486H	AL	D-A-20-302-000	1	KIT	KIT, PARTS, QA 1, CONVERSION KIT, CIRCUIT BREAKER; AMPTECTOR FOR 600 AMP GE AK-6A-25	1		5925B SE
CAB913G	AL	D-A-32-104-001	4	KIT	KIT, PARTS, QA 3, PARTS KIT, PUMP; KOPKIT, FOR PULSAFEEDER MODEL 680-6-E, PUMP S/N	3	C	4320U SE
CAJ709C	AL	D-A-02-202-003	2	KIT	KIT, PARTS, QA 0, PARTS KIT, PUMP; FOR VIKING MODEL LS4125R PUMP ***	0	B	4320U SE
CAK517F	AL	1-B-14-000-001	1	KIT	KIT, PARTS, QA 0, UPGRADE KIT, CLEANING SYSTEM; KIT CONSISTING OF, 1 EA A/B SLC500 PLC	0	B	5130U SE
CAP629F	AL	D-A-02-202-001	2	KIT	KIT, PARTS, QA 0, PARTS KIT, STEAM TRAP; FOR SERIES 40 CLASS 600 LB, 1-1/2 IN ***	0	B	4730P SE
CBE602D	AL	A-A-01-000-001	5	KIT	KIT, PARTS, QA 0, REPAIR KIT, VALVE; FOR 1 INCH SOLENOID VALVE,15.4W,120VAC,125PSI,60HZ	0	B	48200 SE
CBE682K	AL	F-A-05-102-000	1	KIT	KIT, PARTS, QA 0, MODIFICATION KIT, RELAY; RETROFIT, WITH GREEN CORRESPONDING NAME	0	C	5945D SE

CDG283B	AL	D-A-18-301-007	10	KIT	KIT, PARTS, QA 1, REBUILD KIT, VALVE; FOR MODEL 1/2 SMS-S-02-5 MSRV PILOT SOLENOID	1		48200	SE
CDG399P	AL	F-A-29-202-000	1	KIT	KIT, PARTS, QA 0, SPRING KIT, VALVE; FOR MODEL 1/4 VALVE POSITIONER. PSIG 3-15, CONSIST	0	B	48200	SE
CDV047M	AL	F-A-10-109-001	2	KIT	KIT, PARTS, QA 1, KIT, ACTUATOR; PUMP KIT, MODEL NH9462002N167 ***	1	B	48200	SE
CDV047M	AL	Z-A-06-000-001	3	KIT	KIT, PARTS, QA 1, KIT, ACTUATOR; PUMP KIT, MODEL NH9462002N167 ***	1	B	48200	SE
CEA924P	AL	F-A-24-102-000	3	KIT	KIT, PARTS, QA 1, SEAL, HYDRAMOTOR, FOR ASCO HYDRAMOTOR MODEL NH91J6002N23	1	B	48200	SE
CEA925M	AL	F-A-24-102-000	2	KIT	KIT, PARTS, QA 1, ACTUATOR, HYDRAMOTOR, CYLINDER KIT FOR ASCO HYDRAMOTOR MODEL NH91J6002N23	1	B	48200	SE
CED318V	AL	A-A-01-000-001	1	KIT	KIT, PARTS, QA 1, REPAIR KIT, ACTUATOR; CONSISTING OF ITEM 6 STEM BEARING 1-1/2"-2"(2	1	B	48200	SE
CEE803G	AL	D-B-29-302-000	1	KIT	KIT, PARTS, QA 3, VALVE, 4 IN, REBUILD CONVERSION KIT TO BE USED TO CONVERT	3		48200	SE
CEG406G	AL	D-A-24-202-005	3	KIT	KIT, PARTS, QA 0, PARTS KIT, HYDRAULIC JACK; P/N 500012, MODEL NO. 100-12-120 ***	0		5120M	SE
CEG657M	AL	A-A-01-000-001	16	KIT	KIT, PARTS, QA 0, KIT, SECURITY SYSTEM; HEATER, 120V, 90W, CONTINUOUS DUTY, FOR SECURITY	0	C	6350B	SE
CET259E	AL	D-B-17-201-001	1	KIT	KIT, PARTS, QA 3, GLOBE VALVE, SCREW SPINDLE, ITEM # 32 WITH WASHER, FOR 2 1/2" GLOBE VALVE,	3		48200	SE
CEV176D	AL	D-A-20-302-003	2	KIT	KIT, PARTS, QA 1, KIT, REPAIR; TYPE: ACTUATOR *** FOR WORCESTER ACTUATOR B34SHM2, SERIES	1		48104	SE
CGJ357B	AL	D-B-17-201-000	2	KIT	KIT, PARTS, QA 1, DAMPER, FOR BACKDRAFT DAMPER 12" X 12", DRAWING N1312-WBBD-12-CT, PREFERRED	1		4320U	SE
CHV205F	AL	D-A-18-402-002	1	KIT	KIT, PARTS, QA 1, INSTALLATION, TRAVEL STOP, FOR TYPE 657-8, SIZE 46 IN. FISHER ACTUATOR,	1	B	6695D	SE
CJE973W	AL	D-A-32-202-001	6	KIT	KIT, PARTS, QA 3, TUFLINE 166BW PLUG VALVE, 3 IN, UHMWP SLEEVE W/O RELIEF HOLES, UHMWP DIAPHRAGM, UHMWP DELTA RING, METAL DIAPHRAGM, STATIC	3		48200	SE
CJM427L	AL	D-A-21-201-000	1	KIT	KIT, PARTS, QA 1, REBUILD, KIT FOR CONTROL BAY CHILLER	1		48200	SE
CKA816V	AL	F-A-03-101-000	1	KIT	KIT, PARTS, QA 1, BREAKER, CONVERSION, CONVERSION KIT, CIRCUIT BREAKER, WESTECTOR FOR 225 AMP GE AK-6A-15	1	B	5925B	SE
CKJ170L	AL	D-A-22-301-000	8	KIT	KIT, PARTS, QA 0, INTERIM POINT	0		5925B	SE
CKJ170L	AL	D-A-20-302-002	10	KIT	KIT, PARTS, QA 0, INTERIM POINT	0		5925B	SE
CKT661C	AL	D-A-29-201-002	2	KIT	KIT, PARTS, QA 1, ACTUATOR, 1-1/2 IN, BALL VALVE REPAIR KIT, MODEL # A411B.R8, 300 WOG, 4 BOLT STYLE	1		3110B	SE
ABH342B	AL	M-A-12-000-002	2	KIT	KIT, PARTS, QA 0, PARTS KIT, LINEAR DIR CNTL VLV; CONSISTS OF 3 EACH FILTER P/N	0	P	48200	SE
ACG685B	AL	P-A-LL-ET0-042	2	KIT	KIT, PARTS, QA 0, STEAM TRAP, 1 IN, REPAIR, FOR 1 IN C250ESWR IMPULSE STEAM TRAP	0	P	4730P	SE
ADN081X	AL	L-A-09-000-002	1	KIT	KIT, PARTS, QA 0, PARTS KIT, ; REPAIR, MECHANICAL, FOR SNAP LOCK LIMIT SWITCH	0	P	59300	SE
ADN281Y	AL	L-A-09-000-002	1	KIT	KIT, PARTS, QA 0, PARTS KIT, ; REPAIR, ELECTRICAL, FOR SNAP LOCK LIMIT SWITCH	0	P	59300	SE
ADN381T	AL	L-A-09-000-002	1	KIT	KIT, PARTS, QA 0, PARTS KIT, ; LEVER SHAFT, FOR SNAP LOCK LIMIT SWITCH, EA080-11100 ***	0	P	59300	SE
ADV133L	AL	T-A-05-000-002	21	KIT	KIT, PARTS, QA 0, REFILL PACK, KIT; OXYGEN, WATER TESTING, 30 CHEMETS, FOR KIT	0	B	6630D	SE
AFG887C	AL	M-A-08-000-002	1	KIT	KIT, PARTS, QA 1, PARTS KIT, VALVE; C/O FILTER AND SEAL KIT, FOR SNUBBER CONTROL VALVE	1	P	48200	SE
AGD286G	AL	M-A-07-000-002	6	KIT	KIT, PARTS, QA 0, PARTS KIT, COMPRESSOR; REPAIR, 1000 HR, C/O AIR FILTER ELEMENT	0	P	4310I	SE
AGN470L	AL	L-A-09-000-002	2	KIT	KIT, PARTS, QA 0, PARTS KIT, ; BODY, FOR BARKSDALE PRESSURE SWITCH, CAT TC9622-3, 7000	0	P	59300	SE
AGN570G	AL	L-A-09-000-002	4	KIT	KIT, PARTS, QA 0, PARTS KIT, ; FITTING, FOR BARKSDALE PRESSURE SWITCH, CAT TC9622-3	0	P	59300	SE
AHH995P	AL	L-A-03-000-002	1	KIT	KIT, PARTS, QA 0, VALVE, (1) SNAP RING, (1) O-RING, (1) HUB, (3) SEALS, (2) GASKETS, (1) STRIP, PARTS KIT, VALVE; REPAIR, AIR, C/O 1 EA O-R	0	P	48200	SE
AJD737W	AL	L-A-09-000-002	3	KIT	KIT, PARTS, QA 0, TERMINAL KIT, ELECTRICAL; ELEC, C/O 1 EA TERMINAL BASE, 1 EA COVER, 7	0	P	5970B	SE
AJJ948M	AL	P-A-LL-ET0-063	2	KIT	KIT, PARTS, QA 0, VALVE, (1) SEAT, (3) SEALS, (1) GASKET, SEAL KIT, VALVE; VALVE, C/O 1 EA SEAT, 3 EA SEALS & 1 EA GASKET, FOR	0	B	48200	SE
AKY045K	AL	L-A-13-000-002	1	KIT	KIT, PARTS, QA 0, PARTS KIT, CYLINDER; AIR, FOR PRESS, MODEL HP-4A, S/N 6487 ***	0	P	3405L	SE
AKY145Q	AL	L-A-13-000-002	1	KIT	KIT, PARTS, QA 0, WASHERS, O-RING, GASKETS, PARTS KIT, CYLINDER; AIR, CONSISTING OF O-RINGS, GASKETS, AND WASHERS	0	P	3405L	SE
ALW364G	AL	M-A-08-000-002	1	KIT	KIT, PARTS, QA 0, PARTS KIT, RELAY; FOR TRANSMITTER, TEMPERATURE, ELECTRIC, SENSARE	0	P	5945D	SE
ALW438D	AL	M-A-10-000-002	28	KIT	KIT, PARTS, QA 0, TEST KIT, MICROB MONITOR; MICRO-ORGANISM, BORON OIL CO MICROB MONITOR	0	P	6630D	SE
APT218K	AL	M-A-04-000-002	26	KIT	KIT, PARTS, QA 3, GASKET, ASSORTMENT; FIBER PAPER, WATER PUMP, ENGINE GASEKT KIT, FOR	3	P	2910O	SE
AQR824Y	AL	M-A-06-000-002	1	KIT	KIT, PARTS, QA 2, ; INCLUDES PISTON RING, ROD PACKING AND GASKET; FOR 7 X 4 ESV-1PNL CO	2	P	4310I	SE
AQR824Y	AL	T-A-05-000-002	5	KIT	KIT, PARTS, QA 2, ; INCLUDES PISTON RING, ROD PACKING AND GASKET; FOR 7 X 4 ESV-1PNL CO	2	P	4310I	SE
ARE420M	AL	I-A-17-000-002	2	KIT	KIT, PARTS, QA 0, PARTS KIT, FILTER; CERAMIC FILTER REPAIR, C/O ONE EACH TUBE OF GLUE	0	P	4330N	SE
ARH999X	AL	M-A-16-000-002	3	KIT	KIT, PARTS, QA 3, PARTS KIT, SOLENOID VALVE; FOR GSFTX8320A180 ***	3	P	48200	SE
ARK203R	AL	M-A-04-000-002	10	KIT	KIT, PARTS, QA 3, PARTS KIT, VALVE; REPAIR, FOR MODEL U8320B15M0 ***	3	P	48200	SE
ART990D	AL	T-A-01-000-002	2	KIT	KIT, PARTS, QA 2, PLUG, PIPE, KIT, ORIFICE, FOR COMPRESSOR, MODEL 408 DHF AND 509 DHFQ	2	C	4730P	SE
ATJ413C	AL	M-A-01-000-002	1	KIT	KIT, PARTS, QA 0, ROD ASSY, VALVE; OPERATING, C/O 1 EA ROD, REF8,AND 1EA WASHER, REF 9	0	P	48200	SE
ATL643G	AL	T-A-01-000-002	2	KIT	KIT, PARTS, QA 0, PARTS KIT, ELECTRIC MOTOR; HUB, FOR RIBBON DRIVE MOTOR, 32VOLT, ON	0	P	6105D	SE
ATR097E	AL	T-A-05-000-002	10	KIT	KIT, PARTS, QA 0, MODIFICATION KIT, ; CONVERSION, FOR DOVER ELEVATORS ***	0	C	3960D	SE
ATT057M	AL	T-A-12-000-002	1	KIT	KIT, PARTS, QA 0, PARTS KIT, ; K&R ADDER, FOR MODEL 300 TERMINET PRINTER, OR WESTGHOUSE	0	P	7021A	SE
ATV694T	AL	M-A-08-000-002	3	KIT	KIT, PARTS, QA 3, (1) DIAPHRAGM, (1) WASHER, , DIAPHRAGM ASSY: BLACK RUBBER, WASHER: GREEN RUBBER, FOR SAFETY	3	P	48200	SE
ATX964D	AL	M-A-15-000-002	1	KIT	KIT, PARTS, QA 0, PARTS KIT, CHECK VALVE; REPAIR, FOR MODEL 329-740270, FIG 329.008.000	0	P	48200	SE
AVA031L	AL	M-A-06-000-002	1	KIT	KIT, PARTS, QA 0, PARTS KIT, SOLENOID VALVE; FOR 002.000 IN, ELECTROMAGNETIC RESET, CAT NO	0	P	48200	SE
AVA199N	AL	M-A-06-000-002	1	KIT	KIT, PARTS, QA 3, PARTS KIT, LINEAR DIR CNTL VLV; REPAIR, SEAT, FOR 002.000 IN, WATER, NO	3	P	48200	SE
AVL885H	AL	M-A-10-000-002	1	KIT	KIT, PARTS, QA 2, REPAIR KIT, REFRIG COMPRESSOR; THRUST BEARING, FOR PACKAGE CHILLER	2	P	4520N	SE
AVY760X	AL	M-A-02-000-002	1	KIT	KIT, PARTS, QA 0, PARTS KIT, VALVE; REPAIR, FOR 000.750 INCH TEMPERATURE CONTROL VALVE	0	P	48200	SE
AWE128K	AL	M-A-04-000-002	3	KIT	KIT, PARTS, QA 0, PARTS KIT, ; REPAIR, FOR DECWRITER III, KEYBOARD PRINTER TERMINAL ***	0	P	7021A	SE
AWL499G	AL	T-A-05-000-002	2	KIT	KIT, PARTS, QA 3, GASKET, SET; C/O 2 RUBBER O-RING AND 1 FLAT RUBBER GASKET, FOR FALK	3	B	3040D	SE
AWM800M	AL	M-A-16-000-002	9	KIT	KIT, PARTS, QA 3, LATCH, KIT; METAL/CONVERSION KIT FOR MODELS A45P, 43AP, 45P AND 43EP	3	P	6695D	SE
AWN811Y	AL	T-A-01-000-002	3	KIT	KIT, PARTS, QA 0, PARTS KIT, ; ROLLER, TENSION IDLER, FOR DISK DRIVE, MODEL D3000, S/N	0	C	7021A	SE
AXA625K	AL	T-A-05-000-002	5	KIT	KIT, PARTS, QA 0, REFILL PACK, KIT; CONSISTING OF SYRINGE AND ELECTROCHEMICAL GEL, FOR	0	B	6630D	SE
AXB344N	AL	I-A-17-000-002	2	KIT	KIT, PARTS, QA 0, PARTS KIT, VALVE; INTERNAL, LESS SEAT, BUNA-N DIAPHRAGM, FOR 1 IN	0	P	48200	SE
AXB345L	AL	I-A-17-000-002	2	KIT	KIT, PARTS, QA 0, VALVE, INTERNAL, LESS SEAT, BUNA-N DIAPHRAGM, FOR 1 IN	0	C	48200	SE
AXB346J	AL	I-A-17-000-002	2	KIT	KIT, PARTS, QA 0, VALVE, INTERNAL, LESS SEAT, BUNA-N DIAPHRAGM, FOR 1.5 IN	0	B	48200	SE
AXB347G	AL	I-A-17-000-002	2	KIT	KIT, PARTS, QA 0, VALVE, INTERNAL, LESS SEAT, BUNA-N DIAPHRAGM, FOR 1.5 IN	0	B	48200	SE
AXB348E	AL	I-A-17-000-002	2	KIT	KIT, PARTS, QA 0, VALVE, INTERNAL, LESS SEAT, BUNA-N DIAPHRAGM, FOR 3 IN	0	B	48200	SE
AXD751Y	AL	L-A-09-000-002	1	KIT	KIT, PARTS, QA 0, GASKET MATERIAL, (1) O-RING, (1) SLEEVE, (4) SEALS, (2) GASKETS, (1) SNAP RING, PARTS KIT, CYLINDER; CONSISTING OF ONE EA	0	P	48200	SE
AXD751Y	AL	L-A-13-000-002	2	KIT	KIT, PARTS, QA 0, GASKET MATERIAL, (1) O-RING, (1) SLEEVE, (4) SEALS, (2) GASKETS, (1) SNAP RING, PARTS KIT, CYLINDER; CONSISTING OF ONE EA	0	P	48200	SE
AXD900L	AL	M-A-16-000-002	5	KIT	KIT, PARTS, QA 1, PARTS KIT, SOLENOID VALVE; RUBBER, FOR 000.375 IN, AIR START SOLENOID	1	P	2910O	SE
AXD900L	AL	M-A-15-000-002	9	KIT	KIT, PARTS, QA 1, PARTS KIT, SOLENOID VALVE; RUBBER, FOR 000.375 IN, AIR START SOLENOID	1	P	2910O	SE
AXP525L	AL	M-A-13-000-002	1	KIT	KIT, PARTS, QA 0, PARTS KIT, PROCESSOR, ; SUBASSEMBLY, FOR DIGITAL PROCESSOR, MODEL PDP	0	P	7021A	SE
AXV312H	AL	M-A-01-000-002	1	KIT	KIT, PARTS, QA 0, PARTS KIT, CHECK VALVE; C/O SEAT REF 2, DISK REF 3, SPRING REF 4	0	P	48200	SE
AXY470T	AL	M-A-10-000-002	18	KIT	KIT, PARTS, QA 0, MOTOR, SCREWS, NUTS, SEAL KIT, ; CAST IRON, SHAFT AND OPPOSITE END, COMPLETE WITH SCREWS	0	P	6105D	SE
AXY533H	AL	M-A-05-000-002	1	KIT	KIT, PARTS, QA 1, CABLE KIT, ; FEED THROUGH, 1/C, 250 KCMIL, N45097-01, CONDUCTOR	1	P	6150E	SE
AYC605A	AL	L-A-09-000-002	3	KIT	KIT, PARTS, QA 0, BRACKET KIT, ; EIGHT BRACKETS PER KIT, FOR TYPE CR120A RELAY ***	0	P	5945D	SE
AYD879X	AL	M-A-07-000-002	2	KIT	KIT, PARTS, QA 3, SEAL KIT, ; C/O ONE EACH WIPER, P/N 026586, ONE EACH ROD PACKING, P/N	3	P	48200	SE
AYF833C	AL	M-A-06-000-002	1	KIT	KIT, PARTS, QA 3, SEAL KIT, ACTUATOR; RUBBER, EPT, C/O BODY P/N 532005 AND CYLINDER P/N	3	P	48200	SE

AYG904B	AL	M-A-01-000-002	3	KIT	KIT, PARTS, QA 0, PARTS KIT, GLOBE VALVE; C/O ONE EACH METAL SEAL, TWO EACH GASKETS, FOR	0	P	48200	SE
BAP625Y	AL	M-A-16-000-002	3	KIT	KIT, PARTS, QA 3, PARTS KIT, PRESS REG VALVE; FOR VALVE, 0.25 IN, THREADED INTERNAL, 200	3	P	48200	SE
BBT509C	AL	L-A-03-000-002	8	KIT	KIT, PARTS, QA 0, (1) CONTACT ASSEMBLY, (3) SCREWS, (8) CONTACTS, CONTACT CARRIER ASSY, ; STATIONARY, 8 CONTACTS, C/O 1 EA CONTACT ASSY	0	P	59300	SE
BBY112J	AL	M-A-15-000-002	2	KIT	KIT, PARTS, QA 1, REPAIR KIT, ; FOR MONITOR RADIATION, MODEL DAM-4 ***	1	P	6630D	SE
BCC137Q	AL	M-A-13-000-002	1	KIT	KIT, PARTS, QA 0, PARTS KIT, CONTROLLER; CONSISTING OF 3 EA PRINTED CIRCUIT BOARDS	0	P	6695D	SE
BCL908N	AL	M-A-07-000-002	3	KIT	KIT, PARTS, QA 3, PARTS KIT, PUMP; FOR PUMP, ROTARY BLOWER, MODEL57-3202.5 ON ISOLINETIC	3	P	4320U	SE
BCY225Y	AL	T-A-06-000-002	2	KIT	KIT, PARTS, QA 1, GASKET AND SEAL SET, ; C/O VARIOUS TYPE AND SIZE GASKETS AND SEALS	1	P	48200	SE
BEH501Q	AL	M-A-08-000-002	1	KIT	KIT, PARTS, QA 1, PARTS KIT, SWITCH; CONSISTING OF LEVER SHAFT AND O-RING ASSEMBLY, FOR	1	P	59300	SE
BFB276W	AL	M-A-13-000-002	4	KIT	KIT, PARTS, QA 0, PARTS KIT, REFRIGERATION; PUMP SERVICE, COMPLETE, FOR REFRIGERATION	0	P	4520N	SE
BFB277T	AL	M-A-13-000-002	2	KIT	KIT, PARTS, QA 0, PARTS KIT, REFRIGERATION; PUMP SERVICE, COMPLETE, FOR REFRIGERATION	0	P	4520N	SE
BFB278Q	AL	M-A-13-000-002	2	KIT	KIT, PARTS, QA 0, PARTS KIT, REFRIGERATION; TOP CAP ASSEMBLY, FOR REFRIGERATION	0	P	4520N	SE
BFB279N	AL	M-A-13-000-002	2	KIT	KIT, PARTS, QA 0, PARTS KIT, REFRIGERATION; RESERVOIR, COMPLETE, FOR REFRIGERATION	0	P	4520N	SE
BFG151P	AL	M-A-09-000-002	1	KIT	KIT, PARTS, QA 3, PARTS KIT, MONITOR; COMPLETE, FOR HIGH RADIATION SAMPLING SYSTEM	3	P	6630D	SE
BFN026J	AL	M-A-10-000-002	20	KIT	KIT, PARTS, QA 2, PARTS KIT, POWER SUPPLY; DOUBLE DIODE, ONE EACH RESISTOR600 OHM, TW	2	P	6130S	SE
BFP737L	AL	L-A-13-000-002	1	KIT	KIT, PARTS, QA 0, DOOR, SCREWS, KEEPER, LATCH, ASSY; DOOR, CHROME FINISH, COMPLETE WITH SCREWS AND KEEPER, FOR	0	P	3405L	SE
BFW861R	AL	T-A-01-000-002	1	KIT	KIT, PARTS, QA 2, PARTS KIT, SOLENOID VALVE; FOR VALVE, MODEL NP831654V, 120 VAC ***	2	P	48200	SE
BFW862P	AL	M-A-03-000-002	4	KIT	KIT, PARTS, QA 2, PARTS KIT, SOLENOID VALVE; FOR VALVE, MODEL 206-381-3RVU,125 VDC ***	2	P	48200	SE
BGB371W	AL	B-A-11-000-002	8	KIT	KIT, PARTS, QA 0, PARTS KIT, PUMP; MISCELLANEOUS GAUGES, REGULATORS, THERMOCOUPLES AND	0	P	4320U	SE
BGB494C	AL	L-A-09-000-002	3	KIT	KIT, PARTS, QA 1, TERMINATION KIT, ELECTRICAL; CABLE, FOR GAMMA RADIATION MONITORING	1	B	5970B	SE
BGB599X	AL	B-A-11-000-002	2	KIT	KIT, PARTS, QA 0, PARTS KIT, PIPE FITTING; C/O MISC PIPE FITTINGS CRATE NO 53953 ***	0	P	4730P	SE
BGP112P	AL	I-A-09-000-002	20	KIT	KIT, PARTS, QA 0, TEST KIT, FACEPIECE; FIT-CHECK, ISOAMYL ACETATE, AMPOULE TYPE, 10 PER	0	P	4240P	SE
BHD234N	AL	L-A-03-000-002	70	KIT	KIT, PARTS, QA 1, PARTS KIT, SWITCH; CONSISTING OF LEVER SHAFT AND O-RING ASSEMBLY P/N	1	P	59300	SE
BHD494V	AL	T-A-06-000-002	4	KIT	KIT, PARTS, QA 1, GASKET AND SEAL SET, ; NUCLEAR, C/O SEVEN ANCHORTE 425 AND/OR BLUEGARD	1	P	48200	SE
BHD496P	AL	T-A-06-000-002	1	KIT	KIT, PARTS, QA 1, GASKET AND SEAL SET, ; C/O SEVEN ANCHORITE 425 AND/ORBLUEGARD GASKETS	1	P	48200	SE
BHR613G	AL	L-A-09-000-002	3	KIT	KIT, PARTS, QA 0, PARTS KIT, BUTTERFLY VALVE; STEM BEARING, C/O THREE EACH SLEEVES, 1 OD	0	P	48200	SE
BJH163Q	AL	T-A-06-000-002	2	KIT	KIT, PARTS, QA 3, PARTS KIT, CONTROLLER; SPARE, FOR CONTROLLER, POSITIONER, SINGLE	3	P	6695D	SE
BJM448K	AL	L-A-09-000-002	1	KIT	KIT, PARTS, QA 0, FUSE KIT, POWER; FOR UNINTERRUPTIBLE POWER SUPPLY, 5 KVA, MODEL F5-5	0	P	5920K	SE
BJM691A	AL	M-A-04-000-002	1	KIT	KIT, PARTS, QA 0, PARTS KIT, PRESS REG VALVE; C/O VALVE SPRING, O-RING, DISK HOLDER	0	P	48200	SE
BJR114W	AL	T-A-06-000-002	2	KIT	KIT, PARTS, QA 1, GASKET AND SEAL SET, ; C/O TWO FIBER GASKETS, 6 ID X 8 IN OD, THREE	1	C	48200	SE
BJR115T	AL	T-A-06-000-002	3	KIT	KIT, PARTS, QA 1, GASKET AND SEAL SET, ; C/O TWO FIBER GASKETS, 11.75 ID X 12.5 IN OD	1	C	48200	SE
BJR116Q	AL	M-A-08-000-002	2	KIT	KIT, PARTS, QA 1, GASKET AND SEAL SET, ; C/O TWO FIBER GASKETS, 14 ID X16.25 IN OD, FOUR	1	P	48200	SE
BJV682C	AL	L-A-03-000-002	1	KIT	KIT, PARTS, QA 0, COMPRESSOR, SHUT OFF VALVE, FILTER BLEED VALVE, PARTS KIT, COMPRESSOR; SHUT OFF AND FILTER BLEED VALVE REPAIR KIT, FOR	0	P	4310I	SE
BKB326F	AL	L-A-07-000-002	1	KIT	KIT, PARTS, QA 0, SERVICE KIT, ; 2000 HOUR SERVICE KIT, FOR WORTHINGTON COMPRESSOR ***	0	P	4310I	SE
BKN202A	AL	L-A-09-000-002	3	KIT	KIT, PARTS, QA 3, PACKING KIT, ; COMPLETE, FOR PILOT OPERATED VALVE, FOR DRYER, MODEL	3	P	4440E	SE
BKN696L	AL	M-A-01-000-002	38	KIT	KIT, PARTS, QA 3, PARTS KIT, SOLENOID VALVE; FOR AIR DRYING UNIT AND/OR SOLENOID VALVE	3	B	48200	SE
BLE721K	AL	M-A-11-000-002	1	KIT	KIT, PARTS, QA 1, ADAPTER KIT, BEARING; SCREW TERMINAL, QUICK DISCONNECT, FOR USE ON	1	P	6105D	SE
BMD364G	AL	T-A-01-000-002	1	KIT	KIT, PARTS, QA 3, PARTS KIT, STEAM TRAP; KIT WITH BUCKET P/N 0108901 FOR DRAIN TRAP	3	B	4730P	SE
BNB287C	AL	M-A-07-000-002	1	KIT	KIT, PARTS, QA 3, PACKING AND SEAL SET, ; CONSISTING OF POLYURETHANE O-RING PREFORMED	3	C	48200	SE
BNB425T	AL	L-A-07-000-002	5	KIT	KIT, PARTS, QA 0, PARTS KIT, VALVE; REPAIR KIT, FOR VALVE DIRECT PILOT OPERATED, CAST	0	C	48200	SE
BNB938W	AL	L-A-09-000-002	1	KIT	KIT, PARTS, QA 0, COUPLING, SEAL, GASKETS, PARTS KIT, COUPLING; CONSISTING OF SEALS AND GASKETS, FOR COUPLING	0	P	3040D	SE
BNH004C	AL	P-A-LL-ET0-064	3	KIT	KIT, PARTS, QA 1, PARTS KIT, TRANSMITTER; AISI TYPE 316 STAINLESS STEEL, CONSISTING OF	1	B	6695D	SE
BNH530A	AL	M-A-02-000-002	1	KIT	KIT, PARTS, QA 3, PARTS KIT, VALVE; REPAIR, CONSISTING OF ONE EACH 1 IN GRADE M	3	P	48200	SE
BNQ633G	AL	L-A-05-000-002	5	KIT	KIT, PARTS, QA 0, TOOL KIT, TROUBLESHOOTING; NO. 11A, FOR HAKO BACK PACK CRITICAL	0	P	4310I	SE
BNR274D	AL	M-A-06-000-002	20	KIT	KIT, PARTS, QA 3, REPAIR KIT, VALVE; FOR VALVE, REGULATING, FLUID PRESSURE, NORGREN	3	P	2910O	SE
BPG890A	AL	P-A-LL-ET0-082	2	KIT	KIT, PARTS, QA 0, MODIFICATION KIT, ; FIT, ELECTRONIC RECORDER AND CABLE, FOR AIR	0	B	6695D	SE
BPK658K	AL	M-A-05-000-002	1	KIT	KIT, PARTS, QA 1, PARTS KIT, ELEC PENETRATION; FEEDTHROUGH KIT, 1/C NO 2/0 AWG (1 EA	1	A	5975B	SE
BPN148V	AL	L-A-07-000-002	1	KIT	KIT, PARTS, QA 1, PARTS KIT, CIRCUIT BREAKER; GEAR BOX, WITH MOTOR, 125 VDC, FOR CIRCUIT	1	B	5925B	SE
BQA472A	AL	L-A-01-000-002	15	KIT	KIT, PARTS, QA 1, COIL REPLACEMENT, CAP NUT, (2) O-RING GASKETS, COVER GASKET, COIL, LOWER GASKET, O-RING SEAL, 120 VAC, 60 HZ, FOR SOLENOID	1	B	5950N	SE
BQC480C	AL	M-A-10-000-002	4	KIT	KIT, PARTS, QA 0, PARTS KIT, VALVE; RUBBER, FOR BACKFLOW PREVENTER VALVE, 1 IN, 900	0	B	48200	SE
BQC481Y	AL	M-A-10-000-002	4	KIT	KIT, PARTS, QA 0, PARTS KIT, VALVE; RUBBER, CONSISTING OF COVER AND TEST COCK, COVER	0	B	48200	SE
BQC482W	AL	M-A-10-000-002	4	KIT	KIT, PARTS, QA 0, PARTS KIT, VALVE; RUBBER, CONSISTING OF COVER, COVER O-RINGS, SPRING	0	B	48200	SE
BQC483T	AL	M-A-10-000-002	4	KIT	KIT, PARTS, QA 0, PARTS KIT, VALVE; RUBBER, CONSISTING OF COVER, RELIEF VALVE ASSY	0	B	48200	SE
BQL285M	AL	M-A-04-000-002	1	KIT	KIT, PARTS, QA 3, PARTS KIT, MOISTURE TRAP; C/O 1 EA SEAT,90-1;1 EA VALVE,90-2;1 EA	3	B	4730P	SE
BQP237H	AL	M-A-06-000-002	2	KIT	KIT, PARTS, QA 0, PARTS KIT, COMPRESSOR; CYLINDER, C/W O-RINGS, FOR RECIPROCATING	0	B	4310I	SE
BRK473K	AL	M-A-05-000-002	1	KIT	KIT, PARTS, QA 1, CABLE KIT, ; FEEDTHROUGH KIT, 36C/#16 D-T-P-K, CHROMEL-ALUMEL, FOR USE	1	B	5985A	SE
BTC019Y	AL	M-A-05-000-002	2	KIT	KIT, PARTS, QA 1, CABLE KIT, ; FEED THROUGH,1/C, 250 KCMIL LESS----P/N 48031-12-----	1	B	5985A	SE
BTF235J	AL	T-A-01-000-002	4	KIT	KIT, PARTS, QA 3, PARTS KIT,PRESSURE G, ; HEAVY DUTY FLUSH MOUNT BRACKET FOR	3	B	6695D	SE
BTF238C	AL	T-A-01-000-002	5	KIT	KIT, MOUNTING, QA 3, PARTS KIT,PRESSURE G, ; PIPE MOUNTING KIT, INCLUDES STEEL MOUNTING	3	B	6695D	SE
BTH479B	AL	M-A-01-000-002	1	KIT	KIT, PARTS, QA 3, RECORDER, PARTS ; 1 PIN P/N 173680, 1 PIN P/N 173681, 1 PIN P/N 173682, 1 CARTRI	3	B	6695D	SE
BTL760G	AL	M-A-06-000-002	100	KIT	KIT, PARTS, QA 1, TERMINATION KIT, ELECTRICAL; TYPE: HEATSHRINKABLE, APPLICATION:	1	B	5970B	SE
BTQ734H	AL	L-A-03-000-002	3	KIT	KIT, PARTS, QA 1, RELAY, PARTS KIT, RELAY; OVERLOAD, WITHOUT HEATERS, FOR GE CONTACTOR ***	1	B	5945D	SE
BTQ858Y	AL	L-A-01-000-002	32	KIT	KIT, PARTS, QA 0, FILTER, QUICK DISCONNECT ENDS, (3) SPARE KITS, CARTRIDGE KIT, RADIATION MONITOR; SAI IODINE FILTER CARTRIDGE HOLDER	0	C	6630D	SE
BTY651N	AL	L-A-09-000-002	3	KIT	KIT, PARTS, QA 3, PARTS KIT, VALVE; 6 INCH MAIN RELIEF VALVE KIT, FOR 8 X 6 MI UL/FM	3	C	48200	SE
BVH441Y	AL	M-A-01-000-002	3	KIT	KIT, PARTS, QA 3, CONVERSION KIT, RECORDER; RECORDER HARDWARE FOR RED PENS ***	3	B	6695D	SE
BVH444Q	AL	M-A-01-000-002	4	KIT	KIT, PARTS, QA 3, CONVERSION KIT, RECORDER; RECORDER HARDWARE FOR BLUE/GREEN PENS ***	3	C	6695D	SE
BVM996V	AL	L-A-11-000-002	18	KIT	KIT, PARTS, QA 1, PARTS KIT, SOLENOID VALVE; O-RING/LOCKWASHER KIT, C/O FOUR O-RINGS AND	1	C	48200	SE
BVP198E	AL	L-A-04-000-002	8	KIT	KIT, PARTS, QA 1, RELAY, PARTS KIT, RELAY; SHADING RING FOR 12HFA54M6H UNDERVOLTAGE RELAY	1	C	5945D	SE
BWF403C	AL	P-A-LL-ET0-110	4	KIT	KIT, PARTS, QA 1, SEAL, VALVE; KIT, BLACK UHMWPE, COLORED WITH MINIMUM 0.1 TO MAXIMUM	1	B	48200	SE
BWF638F	AL	M-A-01-000-002	2	KIT	KIT, PARTS, QA 3, PARTS KIT, TRANSFORMER; FLEXIBLE CONNECTOR ASSEMBLY FOR COMMON STATION	3	B	5950N	SE
BWQ262L	AL	P-A-LL-ET0-119	2	KIT	KIT, PARTS, QA 3, GASKET, KIT; NUCLEAR SERVICE, COMPLETE WITH ALL REQUIRED NON-ASBESTO S	3	B	48200	SE
BXG692X	AL	L-A-09-000-002	3	KIT	KIT, MOUNTING, QA 0, CONNECTOR ASSY, ELECTRICAL; PLASTIC, GRAY, WITH MOUNTING BRACKETS	0	B	5935B	SE
BXG695P	AL	L-A-09-000-002	4	KIT	KIT, MOUNTING, QA 0, CONNECTOR ASSY, ELECTRICAL; PLASTIC, GRAY, WITH MOUNTING BRACKETS	0	B	5935B	SE
BXJ412L	AL	L-A-13-000-002	1	KIT	KIT, PARTS, QA 1, PARTS KIT, CHECK VALVE; SIZE 12", FOR ROCKWELL MODEL 770 JMMNY TILTING	1	B	48200	SE
BXL273X	AL	L-A-13-000-002	2	KIT	KIT, PARTS, QA 0, PARTS KIT, CONTROLLER; REPLACEMENT, FOR CONTROLLER, PNEUMATIC	0	B	6695D	SE
BXL818D	AL	L-A-03-000-002	3	KIT	KIT, PARTS, QA 3, FIRE PROTECTION, SCREEN, GASKETS, CARTRIDGE, CYLINDER ASSY, FIRE PROTECTION; ODORIZER,DWG FA-24824, WITH	3	B	4210N	SE

BXL885X	AL	M-A-01-000-002	2	KIT	KIT, PARTS, QA 3, PARTS KIT, ALARM; PCB,HERMETICALLY SEALED,KIT C/W KNOB, BRACKET,MARKING	3	B	6350B SE
BXM541R	AL	L-A-04-000-002	3	KIT	KIT, PARTS, QA 1, KIT, NUCLEAR INSTR SYSTEM; QLN HARDLINE EXTENSION. GE REUTER-STOKES,	1	B	6695D SE
BXM562H	AL	T-A-01-000-002	5	KIT	KIT, PARTS, QA 3, COIL KIT, ELECTRICAL; REBUILD KIT, FOR TRANSFER SWITCH MODEL NO.	3	B	5950N SE
BXP964J	AL	L-A-13-000-002	6	KIT	KIT, PARTS, QA 0, PARTS KIT, SOLENOID VALVE; REPAIR, FOR 000.250 IN NPT, CAT	0	C	48200 SE
BXY060X	AL	L-A-06-000-002	1	KIT	KIT, PARTS, QA 0, GENERATOR, INSTALLATION KIT, STATOR BAR; CONSIST OF: SIDE RIPPLE RINGS (110 %),	0	C	6115F SE
BYM748W	AL	M-A-08-000-002	43	KIT	KIT, PARTS, QA 1, SPLICING KIT, ELECTRICAL; HEAT SHRINKABLE, 2 CONDUCTORS, CABLE JACKET	1	B	5970B SE
BYQ482R	AC	- - - -	8	KIT	KIT, PARTS, QA 1, CONVERSION KIT, CIRCUIT BREAKER; AMPTECTOR FOR 600 AMP GE AK-3A-25	1	B	5925B SE
BYQ482R	AL	L-A-11-000-002	17	KIT	KIT, PARTS, QA 1, CONVERSION KIT, CIRCUIT BREAKER; AMPTECTOR FOR 600 AMP GE AK-3A-25	1	B	5925B SE
BYQ483P	AL	L-A-07-000-002	5	KIT	KIT, PARTS, QA 1, CONVERSION KIT, CIRCUIT BREAKER; AMPTECTOR FOR 600 AMP GE AK-6A-25	1	B	5925B SE
BYQ487F	AL	L-A-04-000-002	1	KIT	KIT, PARTS, QA 1, CONVERSION KIT, CIRCUIT BREAKER; AMPTECTOR FOR 225 AMP GE AK-6A-15	1	B	5925B SE
CBE682K	AL	L-A-14-000-002	6	KIT	KIT, PARTS, QA 0, MODIFICATION KIT, RELAY; RETROFIT, WITH GREEN CORRESPONDING NAME	0	C	5945D SE
CBL668E	AL	L-A-02-000-002	1	KIT	KIT, PARTS, QA 0, REPAIR KIT, VALVE; FOR VALVE OPERATOR, BETIS, MODEL NO. CB-315, SERIAL	0	B	48200 SE
CBL668E	AL	L-A-09-000-002	2	KIT	KIT, PARTS, QA 0, REPAIR KIT, VALVE; FOR VALVE OPERATOR, BETIS, MODEL NO. CB-315, SERIAL	0	B	48200 SE
CBM745H	AL	L-A-09-000-002	2	KIT	KIT, PARTS, QA 0, PARTS KIT, ACTUATOR; FOR AUTOMAX ACTUATOR, MODEL 45854-00-4-3, WITH	0	C	48200 SE
CBW140V	AL	I-A-09-000-002	1	KIT	KIT, PARTS, QA 0, SENSOR, SENSOR KIT, OXYGEN; FOR THE BOILER 02 AND CO ANALYZERS ON ALL FOUR	0	C	6695D SE
CBW248V	AL	I-A-09-000-002	1	KIT	KIT, PARTS, QA 0, SENSOR KIT, OXYGEN; FOR THE BOILER 02 AND CO ANALYZERS ON ALL 4 UNITS	0	C	6695D SE
CBX553H	AL	L-A-09-000-002	6	KIT	KIT, PARTS, QA 3, PARTS KIT, COUPLING; BOLTS NUTS AND WASHERS FOR REXNORD THOMAS	3	B	4320U SE
CDN024V	AL	P-A-LL-ET0-014	1	KIT	KIT, PARTS, QA 0, PARTS KIT, VALVE; FOR 4-WAY, 4 PORT VALVE, KAHN PART NUMBER KC6077-11	0	C	48200 SE
CDN151X	AL	L-A-03-000-002	3	KIT	KIT, PARTS, QA 0, PUMP, V-RING, (2) MALE ADAPTERS, (2) FEMALE ADAPTERS, PACKING, PUMP; V-RING PACKING SET FOR DURCOMETER PD-II, 1 INCH PLUNG	0	C	4320U SE
CDT014A	AL	L-A-13-000-002	24	KIT	KIT, PARTS, QA 0, CONVERSION, RESPIRATOR, CONVERSION KIT, RESPIRATOR; CLEAR COM V, FOR ULTRAVIEW FACEPIECE. ***	0	B	4240P SE
CFJ662C	AL	L-A-09-000-002	5	KIT	KIT, PARTS, QA 3, VALVE, *** COMPLETE SEAL KIT, CONSISTING OF 1 EACH PTFE SEAT, 1 EACH INCONEL	3	C	48200 SE
CFK773X	AL	L-A-13-000-002	1	KIT	KIT, PARTS, QA 0, VALVE, *** cylinder valve repair kit	0	B	48200 SE
BTL587Q	AL	F-B-08-103-000	143	KNIFE	KNIFE, TYPICAL, QA 0, KNIFE, BONING; SAFETY, MODEL 375 HD ***	0	C	5120M SE
AAV664P	AL	D-A-04-202-002	5	KNOB	KNOB, CONTROL, QA 0, KNOB, ; BAKELITE, BLACK, CONTROL ***	0		48200 SE
AEF990A	AL	D-A-13-302-011	3	KNOB	KNOB, CONTROL, QA 0, KNOB, ; CONTROL, MS91528-ON1B, FOR AREA RADIATION MONITORING SYSTEM	0		6695D SE
AMV068A	AL	D-A-04-202-002	2	KNOB	KNOB, CONTROL, QA 0, KNOB, ; POINTER, PLASTIC, FOR SUB- PANEL ASSY, STYLE B, MODEL	0		6695D SE
APN069M	AL	D-A-04-302-001	3	KNOB	KNOB, CONTROL, QA 0, KNOB, ; BAT LEVER, RED, FOR GE SELECTOR SWITCH ***	0		59300 SE
AQC749M	AL	D-A-13-302-011	22	KNOB	KNOB, CONTROL, QA 0, KNOB, ; POINTER, BLACK PHENOLIC, W/WHITE INDICATOR LINE 1/4 IN ***	0		5680B SE
AQC750G	AL	D-A-04-302-001	17	KNOB	KNOB, TYPICAL, QA 0, POINTER, 1/4 IN, PHENOLIC, BLACK, KNOB, ; POINTER, BLACK PHENOLIC, W/WHITE INDICATOR LINE 1/4 IN ***	0		5680B SE
AQC753Y	AL	D-A-13-302-011	9	KNOB	KNOB, TYPICAL, QA 0, POINTER, 1/4 IN, PHENOLIC, BLACK, KNOB, ; POINTER, BLACK PHENOLIC, W/WHITE INDICATOR LINE 1/4 IN ***	0		5680B SE
AQC754W	AL	D-A-02-102-005	11	KNOB	KNOB, TYPICAL, QA 0, POINTER, 1/4 IN, PHENOLIC, BLACK, KNOB, ; POINTER, BLACK PHENOLIC, W/WHITE INDICATOR LINE 1/4 IN ***	0		5680B SE
ARK917G	AL	D-A-04-202-002	5	KNOB	KNOB, CONTROL, QA 3, KNOB, ; CONTROL,PLASTIC MOLDED,FOR RADIATION MONITORING SYSTEM ON	3		6630D SE
AXP902H	AL	A-A-01-000-001	1	KNOB	KNOB, CONTROL, QA 0, KNOB, ; STAINLESS STEEL, REF 7, FOR OIL PURIFIER, TYPE MAB2095-	0	P	4330N SE
AYE222F	AL	D-A-13-401-003	9	KNOB	KNOB, CONTROL, QA 0, KNOB, ; CONTROL, FOR SIMULATORS ***	0		7022F SE
BWA619D	AL	A-A-01-000-001	10	KNOB	KNOB, TYPICAL, QA 3, KNOB ASSY, DOOR; KNO, HAND, 0.500 IN OUTSIDE THREAD ***	3	B	4710Y SE
CDE038R	AL	D-A-12-202-004	1	KNOB	KNOB, TYPICAL, QA 0, KNOB, DOOR; PART NUMBER B4M10-626 ***	0		4710Y SE
AQC748P	AL	L-A-09-000-002	9	KNOB	KNOB, TYPICAL, QA 0, FINGER GRIP, 1/4 IN, PHENOLIC, BLACK, KNOB, ; FINGER GRIP, BLACK PHENOLIC 1/4 IN ***	0	P	5680B SE
ART465M	AL	M-A-16-000-002	14	KNOB	KNOB, TYPICAL, QA 1, KNOB, ; PLASTIC, GRAY, FOR RADIATION MONITORING SYSTEM ***	1	P	6630D SE
AWX551T	AL	M-A-16-000-002	3	KNOB	KNOB, CONTROL, QA 3, KNOB, CONTROL; PLASTIC, FOR MODEL 66EC-0, STYLE B ***	3	P	6695D SE
AXE280J	AL	L-A-09-000-002	7	KNOB	KNOB, TYPICAL, QA 0, KNOB, ; BLACK, STANDARD SERIES 70 BAR POINTER, WITCH DIAL SKIRT, FOR	0	P	6695D SE
AXQ032X	AL	L-A-09-000-002	12	KNOB	KNOB, TYPICAL, QA 3, KNOB, HEAVY EQUIPMENT; RELEASE, FOR SUPPORT PLATE ASSY, 5-42-7095, ON	3	P	2910O SE
BGJ249M	AL	M-A-16-000-002	17	KNOB	KNOB, CONTROL, QA 3, KNOB, ; CONTROL, PLASTIC, MOLDED, FOR RADIATION MONITORING SYSTEM, ON	3	P	6630D SE
BLA676J	AL	L-A-03-000-002	7	KNOB	KNOB, CONTROL, QA 3, KNOB, ; HAND, KNURLED STEEL RIM, STUD, 0.25-20THD ***	3	P	5680B SE
BLE130N	AL	L-A-09-000-002	30	KNOB	KNOB, TYPICAL, QA 0, KNOB, ; FAST LOCK STEEL CLAMPING KNOB 1/2 -13 IN ***	0	P	5680B SE
BPN606Q	AL	M-A-16-000-002	3	KNOB	KNOB, CONTROL, QA 3, KNOB, ; PLASTIC, FOR MODEL 61H AND 62H CONTROLLER ***	3	C	6695D SE
BPN610C	AL	M-A-16-000-002	3	KNOB	KNOB, CONTROL, QA 3, KNOB, ; PLASTIC, FOR CONTROLLER, MODEL 61H AND 62H ***	3	C	6695D SE
BPN618G	AL	M-A-16-000-002	8	KNOB	KNOB, TYPICAL, QA 3, KNOB, ; DOOR, FOR PH RECEIVER AND ELECTRODE TRANSMITTER, MODEL 7073-6	3	C	6630D SE
BPN637C	AL	M-A-16-000-002	3	KNOB	KNOB, CONTROL, QA 3, KNOB, ; PLASTIC, FOR MODEL 61H AND 62H CONTROLLER ***	3	C	6695D SE
BPN983Q	AL	M-A-16-000-002	3	KNOB	KNOB, CONTROL, QA 3, KNOB, ; PLASTIC, BLACK, FOR ROD CONTROL, SYSTEM 85 ***	3	C	4470C SE
BVH816D	AL	L-A-09-000-002	9	KNOB	KNOB, CONTROL, QA 3, KNOB, SWITCH; RESET, VEEDER ROOT COUNTER FOR BROOKS-PISTON METERS, FOR	3	B	59300 SE
ADY447D	AL	D-A-02-102-004	2	LABEL	LABEL, WARNING, QA 0, MARKER, 1 IN, YELLOW, MAGENTA, CAUTION RADIOACTIVE, MATERIAL, MARKER, IDENTIFICATION; PERFORATED MARK-IT, WITH "CAUTIO	0		7530O SE
AEY247F	AL	D-A-32-302-002	5	LABEL	LABEL, IDENTIFICATION, QA 0, WIRE MARKER, VINYL, WHITE, BLACK, T1/T2/T3, MARKER, IDENTIFICATION; WIRE, PRESSURE SENSITIVE, VINYL, BLACK ON	0		7530O SE
AEY347B	AL	D-A-32-302-002	1	LABEL	LABEL, IDENTIFICATION, QA 0, WIRE MARKER, VINYL, WHITE, BLACK, L1/L2/L3, MARKER, IDENTIFICATION; WIRE, PRESSURE SENSITIVE, VINYL, BLACK ON	0		7530O SE
AEY647Y	AL	D-A-30-301-001	6	LABEL	LABEL, IDENTIFICATION, QA 0, WIRE MARKER, VINYL, WHITE, BLACK, PLUS, MARKER, IDENTIFICATION; WIRE, PRESSURE SENSITIVE, VINYL, BLACK ON	0	B	7530O SE
AEY747T	AL	D-A-32-302-002	5	LABEL	LABEL, IDENTIFICATION, QA 0, WIRE MARKER, VINYL, WHITE, BLACK, MINUS, MARKER, IDENTIFICATION; WIRE, PRESSURE SENSITIVE, VINYL, BLACK ON	0		7530O SE
AFY846J	AL	D-A-04-302-005	6	LABEL	LABEL, IDENTIFICATION, QA 0, MARKER, PLASTIC, 1-120, ADHESIVE BACK, MARKER, IDENTIFICATION; CELL (BATTERY) PLASTIC, SELF-STICKING	0		7530O SE
AHX662M	AL	D-A-08-102-001	150	LABEL	LABEL, WARNING, QA 0, SHIPPING, 4 IN, 4 IN, YELLOW III, RADIOACTIVE, LABEL, IDENTIFICATION; SHIPPING, RADIOACTIVE, YELLOW III, 4 X 4 IN	0	P	7530O SE
AHX662M	AL	1-B-08-000-001	600	LABEL	LABEL, WARNING, QA 0, SHIPPING, 4 IN, 4 IN, YELLOW III, RADIOACTIVE, LABEL, IDENTIFICATION; SHIPPING, RADIOACTIVE, YELLOW III, 4 X 4 IN	0	P	7530O SE
ARN811H	AL	1-B-08-000-001	6	LABEL	LABEL, WARNING, QA 0, PRESSURE SENSITIVE, 5 IN, 6 IN, FLOURESCENT, MAGENTA, CAUTION RADIOACTIVE, MATERIALS, ADHESIVE BACK, LABEL, IDENTIFICA	0	P	7530O SE
ARR382Y	AL	D-A-30-301-002	2	LABEL	LABEL, IDENTIFICATION, QA 0, LABEL, IDENTIFICATION; HUMIDITY INDICATOR, FOR MODEL 735 DISSOLVED	0		7530O SE
ATL599Q	AL	1-B-08-000-001	128	LABEL	LABEL, WARNING, QA 0, IDENTIFICATION, 4-1/4 IN, 4-1/2 IN, YELLOW II, LABEL, IDENTIFICATION; RADIOACTIVE WARNING,4.500IN X 4.250IN,FOR	0	P	7530O SE
ATL600F	AL	1-B-08-000-001	300	LABEL	LABEL, WARNING, QA 0, IDENTIFICATION, 4-1/4 IN, 4-1/2 IN, WHITE I, LABEL, IDENTIFICATION; RADIOACTIVE WARNING,4.500IN X 4.250IN,FOR	0	P	7530O SE
BFC282W	AL	A-A-01-000-001	1194	LABEL	LABEL, IDENTIFICATION, QA 3, MARKER, IDENTIFICATION; CLEAR MYLAR BACKGROUND, SELF STICKING, TWO IN	3	P	7530O SE
BFC298D	AL	A-A-01-000-001	156	LABEL	LABEL, IDENTIFICATION, QA 3, MARKER, IDENTIFICATION; CLEAR MYLAR BACKGROUND, SELF STICKING, TWO IN	3	P	7530O SE
BFC301L	AL	A-A-01-000-001	2000	LABEL	LABEL, IDENTIFICATION, QA 3, MARKER, IDENTIFICATION; CLEAR MYLAR BACKGROUND, SELF STICKING, TWO IN	3	P	7530O SE
BFC302J	AL	A-A-01-000-001	2069	LABEL	LABEL, IDENTIFICATION, QA 3, MARKER, IDENTIFICATION; CLEAR MYLAR BACKGROUND, SELF STICKING, TWO IN	3	P	7530O SE
BFC410R	AL	A-A-01-000-001	4	LABEL	LABEL, IDENTIFICATION, QA 3, MARKER, IDENTIFICATION; CLEAR MYLAR BACKGROUND, SELF STICKING, ONE IN	3	P	7530O SE
BGC343W	AL	A-A-01-000-001	250	LABEL	LABEL, IDENTIFICATION, QA 0, LABEL, IDENTIFICATION; HMIS, 8 IN X 8 IN ***	0	P	7530O SE
BJQ346C	AL	A-A-01-000-001	139	LABEL	LABEL, IDENTIFICATION, QA 0, INSERT, 5-1/2 IN, 8 IN, YELLOW, MAGENTA, HIGHLY CONTAMINATED AREA, ADHESIVE, SIGN, ; INSERT, PRESSURE SENSITIVE	0	P	9905K SE
BJW868Q	AL	D-A-10-201-002	151	LABEL	LABEL, IDENTIFICATION, QA 0, PRESSURE SENSITIVE, 4-1/4 IN, 5-1/2 IN, YELLOW, BLACK, ADHESIVE BACK, LABEL, IDENTIFICATION; ADHESIVE PRESSYRE	0		7530O SE
BKW057F	AL	D-A-01-401-003	10	LABEL	LABEL, IDENTIFICATION, QA 0, PRINTER, 0.900 IN, 2.200 IN, VINYL, LABEL, IDENTIFICATION; PRINTER, VINYL, 0.9 X 2.2 IN, 8.38 IN OD	0	P	7530O SE
BLF139K	AL	D-A-30-301-004	594	LABEL	LABEL, IDENTIFICATION, QA 0, GUIDE, 6 IN, 6 IN, HAZARDOUS MATERIAL (HMIG), LABEL, IDENTIFICATION; IDENTIFICATION GUIDE HAZARDOUS MATERIAL (H	0		7530O SE
BNH896K	AL	D-A-10-201-002	10	LABEL	LABEL, IDENTIFICATION, QA 0, MARKER, IDENTIFICATION; WIRE MARKING KIT, HANDI PAK ***	0		7530O SE
BNH897H	AL	D-A-10-201-002	53	LABEL	LABEL, IDENTIFICATION, QA 0, MARKER, IDENTIFICATION; WIRE MARKING KIT, HANDI PAK ***	0		7530O SE
BNP464J	AL	1-A-03-000-001	12	LABEL	LABEL, IDENTIFICATION, QA 0, GUIDE, 7-1/4 IN, 10 IN, HAZARDOUS MATERIAL (HMIG), LABEL, IDENTIFICATION; IDENTIFICATION GUIDE HAZARDOUS MATERI	0	P	7530O SE

BPN697R	AL	D-B-03-301-000	4 LABEL	LABEL, IDENTIFICATION, QA 0, PIN FEED, 1-15/16 IN, 3-1/2 IN, WHITE, ADHESIVE BACK, LABEL, IDENTIFICATION; SELF ADHESIVE, WHITE, PIN FEED, 3.	0		75300 SE
BQJ205R	AL	F-A-31-202-003	26 LABEL	LABEL, IDENTIFICATION, QA 0, PRE-ADDRESSED/MAILER, PROCURED IN 10-PACK MAILERS KIT WITH 10 EA 3-1/2 OZ, ISSUED EACH	0	B	75300 SE
BQJ205R	AL	F-A-31-202-002	110 LABEL	LABEL, IDENTIFICATION, QA 0, PRE-ADDRESSED/MAILER, PROCURED IN 10-PACK MAILERS KIT WITH 10 EA 3-1/2 OZ, ISSUED EACH	0	B	75300 SE
BQJ217H	AL	D-A-32-302-005	75 LABEL	LABEL, IDENTIFICATION, QA 0, LABEL, IDENTIFICATION; PRE-ADDRESSED MAILERS, SINGLE, ON 8 OZ	0		75300 SE
BRJ299E	AL	D-A-32-302-003	1 LABEL	LABEL, IDENTIFICATION, QA 0, CUSTOMIZED, 6 IN, 6 IN, VINYL, TVA WATTS BAR NUCLEAR, PLANT ADDRESS: P.O. BOX, ADHESIVE BACK, LABEL, IDENTIFICA	0	B	75300 SE
BRJ299E	AL	D-B-16-000-001	8 LABEL	LABEL, IDENTIFICATION, QA 0, CUSTOMIZED, 6 IN, 6 IN, VINYL, TVA WATTS BAR NUCLEAR, PLANT ADDRESS: P.O. BOX, ADHESIVE BACK, LABEL, IDENTIFICA	0	B	75300 SE
BRL596X	AL	D-A-32-302-002	1 LABEL	LABEL, IDENTIFICATION, QA 0, NUMERAL/SET, 1/4 IN, 0-9, NUMERAL, SET; CHARACTER 0-9, 1/4 IN, EHMCB(N/LS) ***	0		75300 SE
BVL008M	AC	- - -	5 LABEL	LABEL, IDENTIFICATION, QA 3, MARKER, IDENTIFICATION; WIRE MARKER CARDS, 1/4 X 1 1/2 IN., A THRU Z	3	B	6625D SE
BBJ074L	AL	M-A-16-000-002	20 LABEL	LABEL, IDENTIFICATION, QA 3, LABEL, IDENTIFICATION; HAND SWITCH POSITION, FOR PANELS KP AND KM ON	3	P	75300 SE
BFC282W	AL	M-A-03-000-002	400 LABEL	LABEL, IDENTIFICATION, QA 3, MARKER, IDENTIFICATION; CLEAR MYLAR BACKGROUND, SELF STICKING, TWO IN	3	P	75300 SE
BHH063R	AL	L-A-09-000-002	3 LABEL	LABEL, WARNING, QA 0, 3 IN, 5 IN, DANGER: CONTAINS ASBESTOS, FIBERS, ADHESIVE BACK, LABEL, IDENTIFICATION; ADHESIVE BACKED, 3 IN X 5 IN, LEG	0	P	75300 SE
BJW869N	AL	L-A-03-000-002	127 LABEL	LABEL, IDENTIFICATION, QA 0, PRESSURE SENSITIVE, 4-1/4 IN, 5-1/2 IN, ROYAL BLUE, BLACK, ADHESIVE BACK, LABEL, IDENTIFICATION; ADHESIVE, PRES	0	P	75300 SE
BKH297W	AL	L-A-03-000-002	2 LABEL	LABEL, IDENTIFICATION, QA 3, MARKER, IDENTIFICATION; STRIP WITH TWO CLIPS, 0.375 X 10 IN LG, FOR	3	P	75300 SE
BLE535G	AL	L-A-08-000-002	1 LABEL	LABEL, WARNING, QA 0, IDENTIFICATION, 3 IN, 5 IN, LABEL, IDENTIFICATION; ASBESTOS WARNING, 3 IN X 5 IN, 100 PER ROLL.	0	P	75300 SE
BNP985M	AL	M-A-04-000-002	5 LABEL	LABEL, WARNING, QA 3, LABEL, IDENTIFICATION; CAUTION, FOR VIKING VALVES, ITEM 8 ON MODEL C-1	3	P	75300 SE
BNR049B	AL	M-A-02-000-002	100 LABEL	LABEL, IDENTIFICATION, QA 3, MARKER, IDENTIFICATION; SELF-STICKING, CLEAR MYLAR BACKGROUND, BLACK	3	P	75300 SE
CFV399J	AL	L-A-13-000-002	449 LABEL	LABEL, IDENTIFICATION, QA 0, CUSTOMIZED, 6-1/2 IN, 4 IN, PAPER, WHITE, BLACK, *** UNIVERSAL WASTE, CHECK ONE BOX BEOW: BATTERIES MERCURY THE	0	B	75300 SE
AEX589P	AL	D-A-02-302-000	11 LACQUER	LACQUER, COATING, QA 0, 1 GL, LIQUID, CAN, VERMILION, LACQUER, FINISH; COLOR: VERMILION, CONTAINER SIZE: 1 GALLON ***	0		5610V SE
AGX880W	AL	D-A-02-302-000	12 LACQUER	LACQUER, COATING, QA 0, 1 GL, LIQUID, CAN, CLEAR, LACQUER, FINISH; COLOR: CLEAR, CONTAINER SIZE: 1 GALLON ***	0		5610V SE
ATB467Q	AL	D-A-12-201-000	15 LACQUER	LACQUER, COATING, QA 0, FINISH, 12 OZ, CAN, YELLOW, LACQUER, FINISH; YELLOW, STABILIZING, DIRECT PRINT, 12 OZ CAN, FOR	0		5610V SE
BVM931Q	AL	1-A-03-000-001	2 LADDER	LADDER, CLIMBING, QA 3, LADDER, STRUCTURAL; LADDER DISMOUNT SECTION, STAINLESS STEEL, TYP 304,	3	C	5445F SE
ACY778V	AL	D-A-32-402-000	11 LAMP	LAMP, HID, QA 0, MERCURY VAPOR, BT-37, MOGUL SCREW, 400, WHITE, 135, LAMP, MERCURY VAPOR; LAMP BASE: MOGUL SCREW, LAMP SIZE: BT-37	0	C	6210P SE
AET087N	AL	D-A-29-302-003	2 LAMP	LAMP, HID, QA 0, LAMP, OSCILLOGRAPH; MERCURY-GALVO, FOR VISCORDER OSCILLOGRAPH, MODEL	0		6625D SE
AET088L	AL	D-A-32-302-003	7 LAMP	LAMP, INCANDESCENT, QA 0, MINIATURE, T-2, TELE-SLIDE #5, 28, 0.040, LAMP, INCANDESCENT(MINI); VOLTAGE: 28.00, VOLTAGE TYPE: AC, LAMP BASE:	0	C	6210P SE
AET189P	AL	D-A-32-302-003	2 LAMP	LAMP, NEON, QA 0, CARTRIDGE, CLEAR, 125, LAMP, NEON; TYPE: CARTRIDGE; VOLTS: 125; COLOR: CLEAR *** PLUG-IN	0		6210P SE
AET288M	AL	A-A-01-000-001	7 LAMP	LAMP, INCANDESCENT, QA 0, MR-16, MINIATURE BI-PIN, 300, 120, LAMP, INCANDESCENT; VOLTAGE: 120.00, VOLTAGE TYPE: AC, LAMP BASE: MINI	0	C	6210P SE
AET289K	AL	D-A-32-302-003	1 LAMP	LAMP, NEON, QA 0, GLOW, BI-PIN, RED, LAMP, CARTRIDGE; GLOW, NEON, RED, BI PIN BASE, FOR HACH SILICA	0		6210P SE
AET388H	AL	D-A-32-302-003	8 LAMP	LAMP, INCANDESCENT, QA 0, LAMP, INCANDESCENT; 500.0 WATTS, BI-PIN PREFOCUS BASE, PROJECTION ***	0		6210P SE
AET488D	AL	D-A-32-302-003	42 LAMP	LAMP, NEON, QA 0, CARTRIDGE, BI-PIN, RED, LAMP, CARTRIDGE; NEON, RED LENS, BIPIN BASE ***	0		6210P SE
AFT178N	AL	A-A-01-000-001	3 LAMP	LAMP, FLUORESCENT, QA 0, T-5, MINI BI-PIN, 6, DELUXE COOL WHITE, 9 IN	0	B	6210P SE
AFT185R	AL	A-A-01-000-001	2 LAMP	LAMP, INCANDESCENT, QA 0, PAR-64, EXTENDED MOGUL END PRONG, 1000, 120, LAMP, INCANDESCENT; 1000.0 WATTS, SIZE PAR-64, BASE EXTENDED MOGUL EN	0	C	6210P SE
AFT278J	AL	D-A-30-301-002	3 LAMP	LAMP, FLUORESCENT, QA 0, T-5, MINI BI-PIN, 6, DELUXE COOL WHITE, 9 IN, LAMP, FLUORESCENT; WATTAGE: 6.000, LAMP SIZE: T-5, LAMP BASE: MINI	0		6210P SE
AFT382P	AL	A-A-01-000-001	54 LAMP	LAMP, INCANDESCENT, QA 0, MINIATURE, T-2, TELE-SLIDE #5, 24, 0.073, LAMP, INCANDESCENT(MINI); VOLTAGE: 24.00, VOLTAGE TYPE: AC, LAMP BASE:	0	C	6210P SE
AGT471J	AL	D-A-32-302-003	6 LAMP	LAMP, FLUORESCENT, QA 0, T-9, 4 PIN CIRCLINE, 22, DELUXE COOL WHITE, 8 IN, LAMP, FLUORESCENT; WATTAGE: 22.000, LAMP SIZE: T-9, LAMP BASE: 4	0		6210P SE
AGT670P	AL	D-A-32-402-000	21 LAMP	LAMP, FLUORESCENT, QA 0, T-12, MEDIUM BI PIN, 15, WARM WHITE, 18 IN, 780, 9000, LAMP, FLUORESCENT; WATTAGE: 15.000, LAMP SIZE: T-12, LAMP BA	0		6210P SE
AGT989A	AL	A-A-01-000-001	17 LAMP	LAMP, NEON, QA 0, CARTRIDGE, RED, 28, 0.004, LAMP, CARTRIDGE; VOLTAGE: 28.00, VOLTAGE TYPE: AC, AMPERAGE: 00.004	0	C	6210P SE
AHT472A	AL	D-A-32-302-005	24 LAMP	LAMP, NEON, QA 0, GLOW, T-1-3/4, MIDGET FLANGED, 0.143, 115, LAMP, GLOW; LAMP SIZE: T-1 3/4, LAMP BASE: MIDGET FLANGED, VOLTAGE:	0	C	6210P SE
AHT480N	AL	D-A-32-302-003	12 LAMP	LAMP, FLUORESCENT, QA 0, T-5, MINI BI-PIN, 4, 6 IN, 135, 6000, LAMP, FLUORESCENT; WATTAGE: 4.000, LAMP SIZE: T-5, LAMP BASE: MINI	0		6210P SE
AJT973D	AL	D-A-32-302-003	30 LAMP	LAMP, INCANDESCENT, QA 0, MINIATURE, T-1, SUB-MIDGET FLANGED, 28, 0.024, LAMP, INCANDESCENT(MINI); VOLTAGE: 28.00, VOLTAGE TYPE: AC, LAMP BA	0		6210P SE
AJX744D	AL	D-A-32-302-002	5 LAMP	LAMP, TYPICAL, QA 0, LAMP UNIT, PHOTOFASH; FLASHBAR, 10 LAMPS, FOR POLAROID SX-70 CAMERA	0		6750J SE
AKT270M	AL	7-A-05-101-001	227 LAMP	LAMP, INCANDESCENT, QA 0, T-1-3/4, MIDGET GROOVED, 1.12, CLEAR, 28, 0.040, 4000, LAMP, INCANDESCENT; VOLTAGE: 28.00, LAMP BASE: MIDGET GROOV	0	C	6210P SE
AKT775B	AL	D-A-32-302-003	9 LAMP	LAMP, INCANDESCENT, QA 0, MINIATURE, T-1-3/4, MIDGET GROOVED, 14, 0.08, LAMP, INCANDESCENT(MINI); VOLTAGE: 14.00, VOLTAGE TYPE: AC, LAMP BAS	0	P	6210P SE
ALT170K	AL	D-A-32-302-003	2 LAMP	LAMP, INCANDESCENT, QA 0, T-5, SINGLE CONTACT PRE-FOCUS, 7, 0.2, LAMP, INCANDESCENT; INCANDESCENT, SOUND REPRODUCER, SC PF BASE, 5/8 IN	0		6210P SE
ALT274V	AL	5-A-02-101-000	40 LAMP	LAMP, INCANDESCENT, QA 0, MINIATURE, B-3-1/2, MINIATURE FLANGED, 4.75, 0.5, **	0	C	6210P SE
ALT571M	AL	D-A-32-302-003	76 LAMP	LAMP, INCANDESCENT, QA 0, MINIATURE, T-3-1/4, MINIATURE SCREW, 6.3, 0.25, LAMP, INCANDESCENT(MINI); VOLTAGE: 6.30, VOLTAGE TYPE: AC, LAMP BA	0		6210P SE
AMT776W	AL	D-A-29-301-002	56 LAMP	LAMP, INCANDESCENT, QA 0, STANDARD, S-6, DOUBLE CONTACT BAYONET CANDELABRA, 10, 250, LAMP, INCANDESCENT; VOLTAGE: 250.00, VOLTAGE TYPE: AC,	0	C	6210P SE
ANT370Y	AL	D-A-32-302-003	8 LAMP	LAMP, INCANDESCENT, QA 0, PAR-36, 2 SCREW TERMINAL, 25, 6	0		6210P SE
APT873J	AL	D-A-37-402-000	130 LAMP	LAMP, INCANDESCENT, QA 0, A-21, MEDIUM SCREW, 100, INSIDE FROSTED, 230, LAMP, INCANDESCENT; VOLTAGE: 230.00, LAMP BASE: MEDIUM SCREW, LAMP	0		6210P SE
APY678V	AL	D-A-32-302-003	10 LAMP	LAMP, INCANDESCENT, QA 0, T-1-3/4, MIDGET SCREW, CLEAR, 6, LAMP, INCANDESCENT; VOLTAGE: 6.00, LAMP BASE: MIDGET SCREW, LAMP SIZE:	0		6210P SE
AQE025D	AL	D-A-32-302-003	7 LAMP	LAMP, NEON, QA 0, CARTRIDGE, 0.33, WHITE, 125, LAMP, CARTRIDGE; VOLTAGE: 125.00, TYPE: NEON, COLOR: WHITE, WATTAGE:	0		6210P SE
ARE166X	AL	D-A-32-302-003	4 LAMP	LAMP, INCANDESCENT, QA 0, T-12, MEDIUM PREFOCUS, 400, 65, LAMP, INCANDESCENT; VOLTAGE: 65.00, LAMP BASE: MEDIUM PREFOCUS	0		6210P SE
ARE186P	AL	D-A-32-302-003	10 LAMP	LAMP, INCANDESCENT, QA 0, PILOT, FOR LEEDS & NORTHRUP MONITOR 7070-5 AND/OR SODIUM ION MONITOR	0		6210P SE
ATY350P	AL	D-A-02-102-003	70 LAMP	LAMP, INCANDESCENT, QA 0, TUBULAR, T-3, MINIATURE BAYONET, 13, 0.33, LAMP, INCANDESCENT; TUBULAR, SIZE T-3 1/4, BASE MINIATURE BAYONET	0	P	6210P SE
AWL827R	AL	D-A-32-302-003	8 LAMP	LAMP, INCANDESCENT, QA 0, LAMP, INCANDESCENT; BASE SINGLE CONTACT BAYONET CANDELABRA, CLEAR BULB	0		6210P SE
AYE870N	AL	D-A-32-104-001	5 LAMP	LAMP, TYPICAL, QA 0, SPECTROPHOTOMETER, DEUTERIUM, FOR SPECTROPHOTOMETER, SPECTRNIC	0	P	6630D SE
AYF096B	AL	D-A-32-302-005	40 LAMP	LAMP, INCANDESCENT, QA 0, T-3/4, WIRE LEADS, 5, 1000, LAMP, INCANDESCENT; VOLTAGE: 5.00, LAMP BASE: WIRE LEADS (DOWN) LAMP	0		6210P SE
AYK118G	AL	D-A-32-302-003	2 LAMP	LAMP, INCANDESCENT, QA 0, PROJECTION, MR-16, BI-PIN, 250, 24, LAMP, INCANDESCENT; 250.0 WATTS, SIZE MR-16, 24.0 VOLTS, BI-PIN BASE	0		6210P SE
AYV799K	AL	D-A-32-302-003	12 LAMP	LAMP, INCANDESCENT, QA 0, DOUBLE CONTACT BAYONET CANDELABRA, 15, CLEAR, 110 DC, LAMP, INCANDESCENT; VOLTAGE: 110.00, VOLTAGE TYPE: DC, LAMP	0		6210P SE
BAG459R	AL	D-A-32-302-005	4 LAMP	LAMP, INCANDESCENT, QA 0, PROJECTION, BI-PIN, 80, 19, LAMP, INCANDESCENT; 80.0 WATTS, 19.0 VOLTS, BI-PIN BASE, SLIDE	0		6210P SE
BAG620Q	AL	D-A-08-102-001	58 LAMP	LAMP, INCANDESCENT, QA 3, LAMP, INCANDESCENT; SIZE T-1 3/4, BASE MIDGET FLANGED, 10.0 VOLTS	3		6210P SE
BAN863K	AL	D-A-32-302-005	6 LAMP	LAMP, INCANDESCENT, QA 0, T-6, BI-PIN PREFOCUS, 600, 120, LAMP, INCANDESCENT; VOLTAGE: 120.00, VOLTAGE TYPE: AC, LAMP BASE: 2	0		6210P SE
BCY891Q	AL	D-A-32-302-003	2 LAMP	LAMP, INCANDESCENT, QA 0, PROJECTION, T-4, MINIATURE BI-PIN, 175, 24, LAMP, INCANDESCENT; 175.0 WATTS, SIZE T-4, BASE MINIATURE TWO PIN	0	C	6210P SE
BFK642L	AL	A-A-01-000-001	2 LAMP	LAMP, TYPICAL, QA 0, LAMP, HOLLOW CATHODE; ZINC ELEMENT, CURRENT CONTINUOUS 15 TO 20 MA	0	C	6630D SE
BFK643J	AL	A-A-01-000-001	2 LAMP	LAMP, TYPICAL, QA 0, LAMP, HOLLOW CATHODE; PHOSPHOROUS ELEMENT, CURRENT CONTINUOUS 35 TO 35	0	C	6630D SE
BFL920Q	AL	A-A-01-000-001	2 LAMP	LAMP, TYPICAL, QA 0, LAMP, HOLLOW CATHODE; COPPER, OPERATING CURRENT 15 TO 25 MA, MODULATED	0	C	6630D SE
BFL927Y	AL	A-A-01-000-001	2 LAMP	LAMP, TYPICAL, QA 0, LAMP, HOLLOW CATHODE; CALCIUM, OPERATING CURRENT 10 TO 25 MA	0	C	6630D SE
BFL929T	AL	A-A-01-000-001	2 LAMP	LAMP, TYPICAL, QA 0, LAMP, HOLLOW CATHODE; MAGNESIUM, ELEMENT MG, OPERATING CURRENT 6 TO 15	0	C	6630D SE
BFM767M	AL	A-A-01-000-001	2 LAMP	LAMP, TYPICAL, QA 0, LAMP, HOLLOW CATHODE; LITHIUM, ELEMENT LI, OPERATING CURRENT 15 TO 25	0	C	6630D SE
BFP918G	AL	A-A-01-000-001	3 LAMP	LAMP, HID, QA 0, LAMP, HOLLOW CATHODE; SODIUM, ELEMENT NA, CONTINUOUS OPERATING CURRENT	0	C	6630D SE
BKK601B	AL	D-A-32-201-001	1 LAMP	LAMP, NEON, QA 0, LAMP, RECORDER; GLOW, FOR RECORDER, MODEL 4081 ***	0	C	6695D SE
BKN007Y	AL	D-A-32-302-003	10 LAMP	LAMP, FLUORESCENT, QA 0, TWIN TUBE, PL13, 13, 2700 K, LAMP, FLUORESCENT; TWIN TUBE, 13 WATTS ***	0		6210P SE
BLD750W	AL	D-B-25-201-002	1 LAMP	LAMP, HID, QA 0, DEUTERIUM, REPLACEMENT ASSY, WITH BRACKET, FOR	0	C	6625D SE
BLV605K	AL	D-A-32-302-005	11 LAMP	LAMP, INCANDESCENT, QA 0, SINGLE CONTACT BAYONET CANDELABRA, 2.5, 36, LAMP, INCANDESCENT; VOLTAGE: 36.00, LAMP BASE: 1 CONT BAYONET CAND	0		6210P SE
BNM537V	AL	D-A-33-301-000	6 LAMP	LAMP, FLUORESCENT, QA 0, LAMP, FLUORESCENT; WATTAGE: 150.000, VOLTAGE: 55.00 ***	0		6210P SE
BPP237P	AL	D-A-28-401-001	1 LAMP	LAMP, HID, QA 0, LAMP, MERCURY VAPOR; WATTAGE: 100.000 ***	0		6210P SE

BPQ696H	AL	D-A-31-201-006	6 LAMP	LAMP, FLUORESCENT, QA 0, T-5, MINI BI-PIN, 4, DAYLIGHT, 6 IN, LAMP, FLUORESCENT; WATTAGE: 4.000, LAMP SIZE: T-5, LAMP BASE: MINI	0	6210P SE
BWP529B	AL	D-A-32-302-003	20 LAMP	LAMP, INCANDESCENT, QA 0, LAMP, RADIOLOGICAL CONTROL; BULB, RADIOLOGICAL CONTROL ***	0	6210P SE
BWW327X	AL	D-A-10-301-000	72 LAMP	LAMP, FLUORESCENT, QA 3, LAMP, FLUORESCENT; WATTAGE: 32.000, LAMP SIZE: T-8, LAMP BASE: MEDIUM	3	6210P SE
BXD384Q	AL	F-A-08-302-006	20 LAMP	LAMP, INCANDESCENT, QA 0, LAMP, INCANDESCENT; FOR EXIT LIGHT ***	0	6210P SE
BXK503D	AL	F-A-06-202-003	10 LAMP	LAMP, NEON, QA 3, CARTRIDGE, DOUBLE CONTACT BAYONET, CLEAR, 105/125, 0.3 MA, 25000, GLOW NEON, LENS SHAPE: STOVEPIPE	3	6210P SE
BYH123T	AL	D-A-27-201-014	1 LAMP	LAMP, FLUORESCENT, QA 3, BULB, REFUEL PLATFORM; F15T8 HOFFMAN, 15W FLUORESCENT. ***	3	4470C SE
BYL086D	AL	F-A-08-301-001	4 LAMP	LAMP, HID, QA 3, LAMP, SODIUM; WATTAGE: 100.000, LAMP SIZE: E-23 1/2, LAMP BASE: MOGUL	3	6210P SE
BYV500F	AL	D-A-30-102-000	3 LAMP	LAMP, FLUORESCENT, QA 0, T-12, MEDIUM BI PIN, 40, DELUXE COOL WHITE, 48 IN (4 FT)	0	6210P SE
BYW802E	AL	F-A-04-202-005	8 LAMP	LAMP, INCANDESCENT, QA 3, STANDARD, T-4, DOUBLE CONTACT BAYONET PINLESS, 500, CLEAR, 120	3	6210P SE
BYW864N	AL	F-A-08-301-001	1 LAMP	LAMP, INCANDESCENT, QA 3, STANDARD, S-6, CANDELABRA SCREW, 10, CLEAR, 250	3	6210P SE
CDH646V	AL	F-A-10-302-001	15 LAMP	LAMP, INCANDESCENT, QA 0, HALOGEN, 12, 6, LAMP, HALOGEN; 6 VOLT, 12 WATT, FOR EMERGENCY LIGHT UNIT ***	0	6210P SE
CFM336A	AL	D-A-21-202-004	4 LAMP	LAMP, TYPICAL, QA 3, ASSEMBLY, 24, SERIES LB2100 LAMP CABINET ASSEMBLY, WITH 20 BLANK WINDOWS	3	C 6210P SE
CGD611H	AL	5-A-02-101-000	72 LAMP	LAMP, INCANDESCENT, QA 0, HALOGEN, PAR-38, 90, CLEAR, 130, 4000, 90 WATT HALOGEN CAPSYLITE FLOODLITE	0	C 6210P SE
ADY470X	AL	L-A-03-000-002	5 LAMP	LAMP, INCANDESCENT, QA 0, CARTRIDGE, 0.16, WHITE, 250, LAMP, CARTRIDGE; VOLTAGE: 250.00, TYPE: INCANDESCANT, COLOR: WHITE	0	C 6210P SE
AFT484F	AL	L-A-03-000-002	2 LAMP	LAMP, INCANDESCENT, QA 0, LAMP, INCANDESCENT; MINIATURE, 10 ES ***	0	C 6210P SE
AHT273G	AL	L-A-03-000-002	2 LAMP	LAMP, NEON, QA 3, LAMP, GLOW; 0.10 WATT, T-2 BULB, WIRE LEAD 95 VAC/135 VDC, 47 KOHM	3	B 6210P SE
AHT373C	AL	L-A-03-000-002	120 LAMP	LAMP, NEON, QA 0, GLOW, T-3-1/4, MINIATURE BAYONET, 0.40, 125	0	C 6210P SE
AHT773V	AL	L-A-03-000-002	6 LAMP	LAMP, NEON, QA 0, GLOW, T-2, 0.14, LAMP, GLOW; LAMP SIZE: T-2, VOLTAGE TYPE: AC/DC, WATTAGE: 0.142 ***	0	P 6210P SE
AJW322D	AL	M-A-01-000-002	6 LAMP	LAMP, INCANDESCENT, QA 0, LAMP, SPECTROPHOTOMETER; INCANDESCENT, TUNGSTEN, MOUNTED AND PREFOCUS	0	C 6630D SE
AKT276X	AL	M-A-02-000-002	9 LAMP	LAMP, INCANDESCENT, QA 3, T-1-3/4, 14, 0.08, MINIATURE, MIDGET FLANGED,	3	P 6210P SE
AMV036P	AL	L-A-13-000-002	2 LAMP	LAMP, INCANDESCENT, QA 0, LAMP ASSY, ; INDICATED POWER ON, 125.000 VOLTS, FOR MODEL 15-3008	0	C 6625D SE
AVQ429P	AL	L-A-09-000-002	5 LAMP	LAMP, NEON, QA 0, GLOW, T-2, 1 WIRE TERMINAL, 60/100 DC, 5 MA, LAMP, GLOW; NEION, ANSI 5AH, TUBULAR BULB T-2, 5 MA, 60-100 VDC, 1	0	C 6210P SE
AWC407T	AL	L-A-08-000-002	3 LAMP	LAMP, INCANDESCENT, QA 0, WARNING, BAYONET CANDELABRA, RED, 36, LIGHT, WARNING; BASE TYPE: BAYONET CANDELABRA, LENS COLOR: RED VOLTAGE	0	P 6210P SE
BAF167C	AL	T-A-05-000-002	150 LAMP	LAMP, INCANDESCENT, QA 0, MINIATURE-CANDELABRA SCREW, CLEAR, 250, LAMP, INCANDESCENT; VOLTAGE: 250.00, LAMP BASE: MINI-CANDELABRA	0	C 6210P SE
BFX352A	AL	L-A-09-000-002	5 LAMP	LAMP, INCANDESCENT, QA 0, LAMP, INCANDESCENT; 1 AMP, FOR WHEAT LIGHT MODEL 175 BATTERY ***	0	C 6210P SE
BKR728J	AL	L-A-03-000-002	350 LAMP	LAMP, INCANDESCENT, QA 3, LAMP, INCANDESCENT; CARTRIDGE, 28 VOLTS, 40 MA, 0.3 SPHERICAL CANDLE	3	B 6210P SE
BLD750W	AL	L-A-13-000-002	1 LAMP	LAMP, HID, QA 0, DEUTERIUM, REPLACEMENT ASSY, WITH BRACKET, FOR	0	C 6625D SE
BNH940N	AL	L-A-09-000-002	1 LAMP	LAMP, INCANDESCENT, QA 0, ULTRAVIOLET, 115, LAMP, INCANDESCENT; VOLTAGE: 115.00, VOLTAGE TYPE: AC, SERVICE TYPE:	0	C 6210P SE
BPV811W	AL	L-A-03-000-002	17 LAMP	LAMP, TYPICAL, QA 0, BULB, ; FOR BETA AEROSOLS BEACON (BAB-1), ON RADCON ***	0	C 6210P SE
BVE862M	AL	L-A-09-000-002	1 LAMP	LAMP, INCANDESCENT, QA 3, LAMP, FLAME DETECTOR; INCANDESCENT, ALARM LAMP, FOR PYROTRONICS AIR	3	B 6630D SE
BVK639Y	AL	L-A-09-000-002	2 LAMP	LAMP, FLUORESCENT, QA 3, COLD CATHODE, RECORDER, JYC MODEL 4082 HR2400, CMPL 3760-01E PAGE 10 ITEM 12	3	B 6695D SE
BVR408L	AL	L-A-09-000-002	4 LAMP	LAMP, TYPICAL, QA 3, ASSEMBLY, JYC HR-2500E RECORDER (MODEL 3880)	3	B 6695D SE
BXG282H	AL	T-A-01-000-002	100 LAMP	LAMP, INCANDESCENT, QA 3, LAMP, INCANDESCENT; VOLTAGE: 120.00, VOLTAGE TYPE: AC, LAMP BASE:	3	B 6210P SE
BYX943M	AL	L-A-13-000-002	20 LAMP	LAMP, INCANDESCENT, QA 3, MINIATURE, T-1-3/4, MINIATURE BI-PIN, 28, 0.040	3	B 6210P SE
CAB923D	AL	L-A-09-000-002	1 LAMP	LAMP, INCANDESCENT, QA 3, LAMP, INDICATING; NMC SERIES 930, GREEN, FOR RADIATION MONITORING	3	B 6210P SE
CAB933A	AL	L-A-09-000-002	3 LAMP	LAMP, INCANDESCENT, QA 3, LAMP, INDICATING; NMC SERIES 930, RED, FOR RADIATION MONITORING PANELS	3	B 6210P SE
CAB939X	AL	L-A-09-000-002	4 LAMP	LAMP, INCANDESCENT, QA 3, LAMP, INDICATING; NMC SERIES 930, YELLOW, FOR RADIATION MONITORING	3	B 6210P SE
CAB940Q	AL	L-A-09-000-002	3 LAMP	LAMP, INCANDESCENT, QA 3, LAMP, INDICATING; NMC SERIES 930, BLUE, FOR RADIATION MONITORING	3	B 6210P SE
CAD715A	AL	L-A-09-000-002	17 LAMP	LAMP, TYPICAL, QA 0, LAMP, PANEL; TANUS LIGHT, 6-A-44-60-20. ***	0	B 6210P SE
CGN132F	AL	R-A-05-000-002	1 LAMP	LAMP, INCANDESCENT, QA 0, A-23, 150, 125/130, "NO SUBS", "PLANT USE ONLY" 12000HRS LIFE, 60 PER CASE	0	C 6250D SE
CGN797R	AL	L-A-10-000-002	150 LAMP	LAMP, FLUORESCENT, QA 0, T-10, 40, 48 IN, MEDIUM BI-PIN, 3400 INITIAL LUMENS, 3 YEAR WARRANTY	0	C 6250D SE
BBR612P	AL	A-A-01-000-001	4 LATCH	LATCH, TYPICAL, QA 2, LATCH, *TYPICAL *** LATCH ASSY, DOOR; VENTLOK MODEL 260, ZINC/ALUMINUM	2	P 4710Y SE
BBR670L	AL	D-A-17-302-001	1 LATCH	LATCH, MECHANICAL, QA 0, LATCH, ; DOOR, FOR HYDROGEN IGNITER CONTROL CABINET, DWG NO	0	4710Y SE
BGL326K	AL	A-A-01-000-001	9 LATCH	LATCH, MECHANICAL, QA 3, DOOR, , RIM; DOOR CATCH, FOR RECORDER, TEMPERATURE, SPEEDOMAX H, S/N E-73-39	3	C 6695D SE
BXK832Q	AC	- - - -	2 LATCH	LATCH, ELECTRICAL, QA 1, CIRCUIT BREAKER, CLOSING, ML-13 MECHANISM, FOR 6.9 KV MAGNA BLAST BREAKER	1	B 5925B SE
CAJ285F	AL	A-A-01-000-001	4 LATCH	LATCH, TYPICAL, QA 3, LATCH SET, MORTISE; DOOR PULL, FINISH: US26D, SIZE: 8-INCH ***	3	B 4710Y SE
AGP673M	AL	L-A-09-000-002	1 LATCH	LATCH, MECHANICAL, QA 0, LATCH, ASSY; RELAY, MECHANICAL, WH STYLE 4979D79G05, COIL 120 V, 60	0	P 5945D SE
AXT604A	AL	X-A-12-000-002	4 LATCH	LATCH, ELECTRICAL, QA 1, LATCH, CIRCUIT BREAKER; METAL, FOR POWER CIRCUIT BREAKER, TYPE DS-532	1	B 5925B SE
BFV894F	AL	T-A-01-000-002	2 LATCH	LATCH, ELECTRICAL, QA 0, LATCH, RELAY; 110/120 VAC, TYPE BFMLF, STYLE2604D30G02, FOR TYPE BF	0	P 5945D SE
BKN873Q	AL	L-A-03-000-002	12 LATCH	LATCH, TYPICAL, QA 3, LATCH, ASSY; C/O ONE EACH 0.25 X 1.50 IN SCREW, NUT, SPRING, LATCH ***	3	P 4710Y SE
BNH204D	AL	M-A-01-000-002	11 LATCH	LATCH, TYPICAL, QA 3, LATCH, RIM; FLUSH CUP, DUST AND MOISTURE SEAL, LEFT-HAND, WITH OUT KEY	3	P 4710Y SE
BPW860M	AL	L-A-03-000-002	1 LATCH	LATCH, ELECTRICAL, QA 3, DOOR, RELEASE; EMERGENCY WITH GLASS COVER AND HAMMER ***	3	B 4710Y SE
BTB288H	AL	T-A-01-000-002	1 LATCH	LATCH, MECHANICAL, QA 0, LATCH, DOOR; LATCH, TRIGGER LOCK, ACCESS DOOR ON SULLAIR COMPRESSOR	0	C 4310I SE
BWR126P	AL	L-A-09-000-002	9 LATCH	LATCH, TYPICAL, QA 3, LATCH ASSY, PANEL; UNIT FRAME, FOR 7700 LINE MOTOR CONTROL CENTER. ***	3	B 61100 SE
BXB215T	AL	T-A-01-000-002	2 LATCH	LATCH, ELECTRICAL, QA 3, LATCH, RELAY; LATCH, MAGNETIC, RELAY, USED ON WESTINGHOUSE AR440	3	B 5945D SE
CDR921N	AL	L-A-13-000-002	1 LATCH	LATCH, TYPICAL, QA 3, LATCH, DOOR; LATCH STYLE: ROUND, ROD OPERATOR NO: 2 RODS, CAM STYLE:	3	C 4710Y SE
AAV427M	AL	A-A-01-000-001	14 LEAD	LEAD, TEST, QA 0, LEAD, TEST; TEST, MICRO HOOK TO MICRO HOOK, W/12 IN THERMOPLASTIC	0	P 6625D SE
AAV527H	AL	A-A-01-000-001	20 LEAD	LEAD, TEST, QA 0, LEAD, TEST; TEST, MICRO HOOK TO MICRO HOOK, W/12 IN THERMOPLASTIC	0	P 6625D SE
AKV619L	AL	A-A-01-000-001	2 LEAD	LEAD, TEST, QA 0, LEAD, TEST; TEST, BNC MALE TO SINGLE E-Z MINI HOOK, BLACK ***	0	P 6625D SE
AWF011T	AL	A-A-01-000-001	6 LEAD	LEAD, TEST, QA 0, LEAD, TEST; 32 IN (80 CM) LONG, RED, MINI-HOOK TO MINIATURE BANANA	0	P 6625D SE
AYG863X	AL	D-B-16-000-001	185 LEAD	LEAD, TEST, QA 0, LEAD, TEST; 24 IN (609.6 MM) LONG, WHITE, STACKUP STANDARD BANANA PLUG	0	P 6625D SE
AYK666G	AL	D-B-16-000-001	179 LEAD	LEAD, TEST, QA 0, LEAD, TEST; 12 IN (304.8 MM) LONG, GREEN, STACKUP STANDARD BANANA PLUG	0	P 6625D SE
AYK668C	AL	D-B-16-000-001	169 LEAD	LEAD, TEST, QA 0, LEAD, TEST; 24 IN (609.6 MM) LONG, BLUE, STACKUP STANDARD BANANA PLUG	0	P 6625D SE
bfd920W	AL	A-A-01-000-001	4 LEAD	LEAD, TEST, QA 0, LEAD, TEST; BLUE, INSULATED PVC MALE PLUGSON BOTH ENDS ***	0	P 6625D SE
BTJ004E	AL	F-A-08-301-003	53 LEAD	LEAD, TEST, QA 0, LEAD, TEST; PATCH CORO, MINIGRABBER TES CLIP, 24 INCHES LONG BLACK ***	0	6625D SE
BTJ005C	AL	F-A-10-202-003	75 LEAD	LEAD, TEST, QA 0, LEAD, TEST; PATCH CORO, MINIGRABBER TES CLIP, 24 INCHES LONG, RED ***	0	6625D SE
BTJ013C	AL	F-A-08-302-005	74 LEAD	LEAD, TEST, QA 0, LEAD, TEST; PATCH CORO, MINIGRABBER TES CLIP, EACH END 24 INCHES LONG	0	6625D SE
BTJ031A	AL	F-A-10-202-002	75 LEAD	LEAD, TEST, QA 0, LEAD, TEST; PATCH CORO, MINIGRABBER TES CLIP EACH END 24 INCHES LONG	0	6625D SE
BTJ047T	AL	F-A-08-302-002	75 LEAD	LEAD, TEST, QA 0, LEAD, TEST; PATCH CORD, MINIGRABBER TEST CLIP, EACH END 12 INCHES	0	6625D SE
BTJ125A	AL	F-A-08-302-003	75 LEAD	LEAD, TEST, QA 0, LEAD, TEST; PATCH CORD, MINI GRABBER TEST CLIP TO RETRACTABLE SHEATH	0	6625D SE
BTJ131F	AL	F-A-08-302-005	75 LEAD	LEAD, TEST, QA 0, LEAD, TEST; PATCH CORD, MINI GRABBER TEST CLIP TO RETRACTABLE SHEATH	0	6625D SE
BTJ139Y	AL	F-A-08-301-001	34 LEAD	LEAD, TEST, QA 0, LEAD, TEST; PATCH CORD, MINI GRABBER TEST CLIP TO RETRACTABLE SHEATH	0	6625D SE
BTJ140R	AL	F-A-10-202-003	60 LEAD	LEAD, TEST, QA 0, LEAD, TEST; PATCH CORD, MINIGRABBER TEST CLIP TO RETRACTABLE SHEATH	0	6625D SE
BTJ173Y	AL	F-A-08-302-004	75 LEAD	LEAD, TEST, QA 0, LEAD, TEST; PATCH CORD, RETRACTABLE SHEATH, STACKING BANANA PLUG, EACH	0	6625D SE
BTJ175T	AL	F-A-10-202-004	70 LEAD	LEAD, TEST, QA 0, LEAD, TEST; PATCH CORD, RETRACTABLE SHEATH STACKING BANANA PLUG, EACH	0	6625D SE

BTJ176Q	AL	F-A-04-202-002	39	LEAD	LEAD, TEST, QA 0, LEAD, TEST; PATCH CORD, RETRACTABLE SHEATH STACKING BANANA PLUG, EACH	0		6625D	SE
BTJ177N	AL	F-A-08-301-001	75	LEAD	LEAD, TEST, QA 0, LEAD, TEST; PATCH CORD, RETRACTABLE SHEATH STACKING BANANA PLUG, EACH	0		6625D	SE
BTJ183V	AL	F-A-08-301-001	25	LEAD	LEAD, TEST, QA 0, LEAD, TEST; PATCH CORD, RETRACTABLE SHEATH STACKING BANANA PLUG EACH	0		6625D	SE
BTJ187K	AL	F-A-08-302-003	5	LEAD	LEAD, TEST, QA 0, LEAD, TEST; PATCH CORD, RETRACTABLE SHEATH STACKING BANANA PLUG, EACH	0		6625D	SE
BTJ187K	AL	D-A-29-301-003	20	LEAD	LEAD, TEST, QA 0, LEAD, TEST; PATCH CORD, RETRACTABLE SHEATH STACKING BANANA PLUG, EACH	0		6625D	SE
AKV619L	AL	M-A-08-000-002	4	LEAD	LEAD, TEST, QA 0, LEAD, TEST; TEST, BNC MALE TO SINGLE E-Z MINI HOOK, BLACK ***	0	P	6625D	SE
ARW889C	AL	T-A-05-000-002	146	LEAD	LEAD, ELECTRICAL, QA 0, CONTACT/FLEXIBLE, *** FOR DC CONTACTORS ON ELEVATOR	0	C	6150E	SE
BTJ082Q	AL	L-A-09-000-002	23	LEAD	LEAD, TEST, QA 0, LEAD, TEST; PATCH CORD, MINI GRABBER TEST CLIP, EACH END 48 INCHES	0	C	6625D	SE
AAT097C	AL	A-A-01-000-001	22	LENS	LENS, COVER, QA 3, LENS, LIGHT; YELLOW, FOR LAMPHOLDER, TYPE ET16 ***	3	P	6210P	SE
ABT390W	AL	A-A-01-000-001	10	LENS	LENS, CAP, QA 0, LENS, INDICATOR; INDICATING LAMP, AMBER, ROUND MINALITE. ***	0	C	6210P	SE
ABT694W	AL	A-A-01-000-001	25	LENS	LENS, CAP, QA 3, LENS, LIGHT; INDICATING LAMP, CLEAR. ***	3	P	6210P	SE
ABT894L	AL	A-A-01-000-001	34	LENS	LENS, CAP, QA 3, LENS, LIGHT; INDICATING LAMP, WHITE. ***	3	P	6210P	SE
ACT092A	AL	D-A-32-302-005	1	LENS	LENS, CAP, QA 0, LENS, INDICATOR; INDICATING LAMP, CLEAR ***	0	C	6210P	SE
AFT492G	AL	D-A-32-302-001	35	LENS	LENS, COVER, QA 0, LENS, LIGHT; USAGE DESIGN: TRRANSLUCENT, COLOR: RED ***	0	P	6210P	SE
AFT494C	AL	D-A-32-302-003	7	LENS	LENS, COVER, QA 0, LENS, LIGHT; COLOR: AMBER ***	0		6210P	SE
AQE818J	AL	A-A-01-000-001	5	LENS	LENS, TYPICAL, QA 0, LIGHT, PLASTIC, RED, LENS, LIGHT; MATERIAL: PLASTIC, COLOR: RED ***	0	P	6210P	SE
AQE819G	AL	A-A-01-000-001	4	LENS	LENS, COVER, QA 3, LENS, LIGHT; INDICATING LAMP, RED, SNAP-IN TYPE ***	3	P	6210P	SE
ARE809E	AL	A-A-01-000-001	12	LENS	LENS, TYPICAL, QA 0, LENS, ; PRESSURE GAGE, CROWNED, FOR MINE SAFETY APPLIANCE RESPIRATOR	0	P	5680B	SE
ARG897B	AL	D-A-12-201-000	2	LENS	LENS, CAP, QA 3, PUSHBUTTON, AMBER, PLASTIC, , LIGHT	3		6210P	SE
ARH353F	AL	A-A-01-000-001	41	LENS	LENS, CAP, QA 3, LENS, LIGHT; GREEN, PLASTIC, PLAIN FINISH ***	3	P	6210P	SE
ARH354D	AL	A-A-01-000-001	36	LENS	LENS, CAP, QA 3, LENS, LIGHT; RED, PLASTIC, PLAIN FINISH ***	3	P	6210P	SE
ARQ213V	AL	A-A-01-000-001	9	LENS	LENS, TYPICAL, QA 3, LENS, LIGHT; PLASTIC,COLOR,RED,STANDARD TYPE K,FOR PILOT LIGHT ***	3	P	6210P	SE
AVV362E	AL	A-A-01-000-001	7	LENS	LENS, CAP, QA 0, INDICATOR, RED, FOR LAMPHOLDER, TYPE ET-16, NO 0116B6708G4	0	C	6210P	SE
AWC326R	AL	A-A-01-000-001	2	LENS	LENS, CAMERA, QA 0, LENS, CAMERA,TELEVISION; 75MM, FOR SECURITY TELEVISION CAMERA, MODEL	0	P	5840M	SE
AWF197T	AL	A-A-01-000-001	11	LENS	LENS, TYPICAL, QA 3, LENS, LIGHT; GREEN, PLASTIC, SCREW TYPE, FOR PUSH-TO-TEST, INDICATOR	3	P	6210P	SE
AYG506P	AL	5-B-01-201-000	25	LENS	LENS, TYPICAL, QA 0, LIGHT, 48 IN (4 FT), WHITE, LIGHT; LENGTH: 48.000 IN, COLOR: WHITE ***	0	P	6210P	SE
BDD412H	AC	- - -	51	LENS	LENS, COVER, QA 3, RED, LENS, LIGHT; RED, FOR ANNUNCIATOR, ON CONTROL CABINET ***	3	P	6210P	SE
BDM607R	AL	D-A-04-302-006	61	LENS	LENS, COVER, QA 3, LENS, LIGHT; WHITE, PLASTIC ***	3	C	6210P	SE
BDM607R	AL	P-A-LL-ET0-063	100	LENS	LENS, COVER, QA 3, LENS, LIGHT; WHITE, PLASTIC ***	3	C	6210P	SE
BDM610F	AL	D-A-04-301-004	75	LENS	LENS, COVER, QA 3, LENS, LIGHT; GREEN, PLASTIC ***	3	C	6210P	SE
BFA037B	AL	D-A-13-301-001	20	LENS	LENS, COVER, QA 3, LENS, LIGHT; RED, FACETED, SCREW-TYPE, UNFROSTED ***	3		6210P	SE
BHM647K	AL	A-A-01-000-001	3	LENS	LENS, TYPICAL, QA 0, LENS, LIGHT; YELLOW, FOR POW-CON WELDING MACHINE, MODEL 300ST ***	0	C	3433A	SE
BHM800J	AL	D-A-06-201-001	22	LENS	LENS, COVER, QA 3, PLASTIC, RED, , FOR PUSH BUTTON STATION	3	P	6210P	SE
BJA662A	AL	F-A-02-201-005	22	LENS	LENS, COVER, QA 0, LENS, LIGHT; STYLE: RECTANGULAR, LENGTH: 48.000 IN ***	0		6210P	SE
BJY855P	AL	D-A-32-302-001	3	LENS	LENS, COVER, QA 0, CYLINDRICAL, PLASTIC, RED, THREADED, LENS, LIGHT; STYLE: CYLINDRICAL, MATERIAL: PLASTIC, MOUNTING METHOD:	0		6210P	SE
BKB540Q	AL	F-A-04-202-005	40	LENS	LENS, CAP, QA 0, RED, PLASTIC, THREADED, LENS, LIGHT; STYLE: CYLINDRICAL, MATERIAL: PLASTIC MOUNTING METHOD:	0		6210P	SE
BKR639H	AL	A-A-01-000-001	500	LENS	LENS, WELDING, QA 0, HELMET, GLASS, 2 IN, 4-1/4 IN, #10	0	P	4240P	SE
BKR639H	AL	Z-Z-ZZ-ZZZ-ZZZ	1200	LENS	LENS, WELDING, QA 0, HELMET, GLASS, 2 IN, 4-1/4 IN, #10	0	P	4240P	SE
BKY659H	AC	- - -	2	LENS	LENS, CAP, QA 0, LIGHT, AMBER, PLASTIC, LENS, LIGHT; STYLE: SQUARE, MATERIAL: PLASTIC, COLOR: AMBER ***	0	P	6210P	SE
BKY660C	AL	D-A-25-302-005	20	LENS	LENS, CAP, QA 0, LENS, LIGHT; STYLE: SQUARE, MATERIAL: PLASTIC, COLOR: GREEN ***	0		6210P	SE
BKY661Y	AL	F-A-04-202-005	13	LENS	LENS, CAP, QA 0, LENS, LIGHT; MATERIAL: PLASTIC, COLOR: RED ***	0		6210P	SE
BLA719T	AL	F-A-04-202-003	85	LENS	LENS, WELDING, QA 0, HELMET, 2 IN, 4-1/2 IN, #10, LENS, HELMET,WELDERS; TYPE: FILTER, WIDTH: 2.000 IN, LENGTH: 4.250 IN	0		4240P	SE
BNP037W	AL	D-A-32-302-005	8	LENS	LENS, TYPICAL, QA 0, LENS, INDICATOR; GREEN, FOR LAMP HOLDER, INDICATING, P/N S530004. ***	0		6210P	SE
BNP444P	AL	F-A-19-102-001	98	LENS	LENS, CAP, QA 3, LIGHT, RED, , INDICATING, FOR RADIATION MONITORING SYSTEM	3	B	6210P	SE
BRG647V	AL	Z-Z-ZZ-ZZZ-ZZZ	275	LENS	LENS, WELDING, QA 0, HELMET, 2 IN, 4-1/4 IN, #10, FILTER	0	B	4240P	SE
BTL536A	AL	F-C-08-064-001	50	LENS	LENS, TYPICAL, QA 3, LENS, INDICATOR; BLANK, FOR WINDOW BOX XA-55-23 ***	3	B	6210P	SE
BYT880E	AL	F-A-08-302-005	13	LENS	LENS, TYPICAL, QA 3, LENS, INDICATOR; AMBER FLUTED, FOR LEDTRONICS LAMPHOLDER ***	3		6210P	SE
CEG324H	AL	F-A-02-101-001	13	LENS	LENS, CAP, QA 3, LIGHT, RED, PLASTIC, FNPT, , STYLE: CYLINDRICAL	3		6210P	SE
AAT097C	AL	L-A-09-000-002	445	LENS	LENS, COVER, QA 3, LENS, LIGHT; YELLOW, FOR LAMPHOLDER, TYPE ET16 ***	3	P	6210P	SE
AFT492G	AL	M-A-06-000-002	9	LENS	LENS, COVER, QA 0, LENS, LIGHT; USAGE DESIGN: TRRANSLUCENT, COLOR: RED ***	0	P	6210P	SE
AFT493E	AL	M-A-02-000-002	5	LENS	LENS, COVER, QA 0, LENS, LIGHT; MATERIAL: GLASS, COLOR: GREEN ***	0	P	6210P	SE
AVY772B	AL	M-A-16-000-002	4	LENS	LENS, TYPICAL, QA 2, LENS, ; PHOSPHOR-PLASTIC, 000.630 DIA X 000.010 IN THK, SPECIAL, FOR	2	P	6630D	SE
AWF198Q	AL	M-A-04-000-002	2	LENS	LENS, TYPICAL, QA 3, LENS, LIGHT; AMBER, PLASTIC, SCREW TYPE, FOR PUSH-TO-TEST, INDICATOR	3	P	6210P	SE
AWQ272Q	AL	L-A-03-000-002	57	LENS	LENS, COVER, QA 3, LIGHT, BLUE, SCREW-ON, , TRANSPARENT	3	P	6210P	SE
AWQ424V	AL	L-A-09-000-002	89	LENS	LENS, CAP, QA 0, INDICATOR, CLEAR, PLASTIC, LENS, INDICATOR; PLASTIC, CLEAR, FOR MODEL ET-16 LAMPHOLDER ***	0	C	6210P	SE
AXM761J	AL	L-A-09-000-002	5	LENS	LENS, COVER, QA 0, LENS, LIGHT; COLOR: YELLOW ***	0	P	6210P	SE
AXM762G	AL	L-A-09-000-002	14	LENS	LENS, COVER, QA 0, LENS, LIGHT; COLOR: BLUE ***	0	P	6210P	SE
AXM763E	AL	L-A-09-000-002	12	LENS	LENS, COVER, QA 0, LENS, LIGHT; COLOR: RED ***	0	P	6210P	SE
AXM764C	AL	L-A-09-000-002	3	LENS	LENS, COVER, QA 0, LENS, LIGHT; COLOR: BLUE ***	0	P	6210P	SE
AXM765A	AL	L-A-09-000-002	3	LENS	LENS, COVER, QA 0, LENS, LIGHT; COLOR: GREEN ***	0	P	6210P	SE
AXM770W	AL	L-A-09-000-002	3	LENS	LENS, COVER, QA 0, LENS, LIGHT; COLOR: YELLOW ***	0	P	6210P	SE
AXM771F	AL	L-A-09-000-002	40	LENS	LENS, COVER, QA 0, LENS, LIGHT; COLOR: GREEN ***	0	P	6210P	SE
BDC026J	AL	L-A-03-000-002	4	LENS	LENS, COVER, QA 3, LENS, LIGHT; GREEN, FOR ANNUNCIATOR ASSY 8411634, ON CONTROL PANEL	3	P	6210P	SE
BDD412H	AL	L-A-13-000-002	118	LENS	LENS, COVER, QA 3, RED, LENS, LIGHT; RED, FOR ANNUNCIATOR, ON CONTROL CABINET ***	3	P	6210P	SE
BEW508H	AL	L-A-03-000-002	257	LENS	LENS, COVER, QA 0, INDICATOR, PLASTIC, AMBER, THREADED	0	C	6210P	SE
BFA515A	AL	L-A-03-000-002	2	LENS	LENS, COVER, QA 3, LENS, LIGHT; GREEN, FACETED, SCREW TYPE UNFROSTED ***	3	P	6210P	SE
BHV929A	AL	L-A-03-000-002	16	LENS	LENS, COVER, QA 3, LIGHT, WHITE, SCREW-ON	3	B	6210P	SE
BKY659H	AL	L-A-09-000-002	1	LENS	LENS, CAP, QA 0, LIGHT, AMBER, PLASTIC, LENS, LIGHT; STYLE: SQUARE, MATERIAL: PLASTIC, COLOR: AMBER ***	0	P	6210P	SE
BKY659H	AL	L-A-13-000-002	23	LENS	LENS, CAP, QA 0, LIGHT, AMBER, PLASTIC, LENS, LIGHT; STYLE: SQUARE, MATERIAL: PLASTIC, COLOR: AMBER ***	0	P	6210P	SE
BLD492D	AL	L-A-09-000-002	110	LENS	LENS, CAP, QA 3, INDICATOR, GREEN, LENS, LIGHT; GREEN, FOR INDICATOR, PILOT LIGHT, 120 VOLTS. ***	3	P	6210P	SE
BLD493B	AL	L-A-03-000-002	50	LENS	LENS, CAP, QA 3, LENS, LIGHT; RED, FOR INDICATOR, PILOT LIGHT, 120 VOLTS. ***	3	P	6210P	SE
BLL515P	AL	L-A-03-000-002	1	LENS	LENS, CAP, QA 3, LENS, SWITCH ACTUATING; PUSHBUTTON, FACE READS FCV 85-37E. P/N	3	C	6210P	SE
BPX751A	AL	T-A-01-000-002	2	LENS	LENS, TYPICAL, QA 3, LENS, LIGHT; RED, PUSH TO TEST, FOR MANIPULATOR CRANE, SPIN FHSCMC ***	3	B	6210P	SE
BTC428N	AL	L-A-03-000-002	8	LENS	LENS, COVER, QA 3, LENS, LIGHT; WHITE, FOR ANNUNCIATOR ON CONTROL CABINET. ***	3	C	6210P	SE
BTV343H	AL	L-A-09-000-002	4	LENS	LENS, COVER, QA 3, LENS, INDICATOR; LEXAN, FOR 227/227A D/P INDICATOR AND MODEL 289/289A	3	B	6210P	SE

BXD724T	AL	L-A-13-000-002	10 LENS	LENS, TYPICAL, QA 3, INDICATOR, LENS, INDICATOR; CASE WITH RING FOR PRESSURE INDICATOR, MODEL 82843-A	3	C	6210P SE
BXD728J	AL	L-A-13-000-002	15 LENS	LENS, TYPICAL, QA 3, LENS, INDICATOR; WITH LENS (POLYPROPYLENE), FOR GAGE, PRESSURE, DIAL	3	C	6210P SE
ATW200N	AL	A-A-01-000-001	2 LETTER & NUMERAL SET	LETTER & NUMERAL SET, SIGN, QA 0, CONDENSED GOTHIC, 1 IN, VINYL, BLACK, ADHESIVE BACKED, LETTER & NUMERAL SET, SIGN; 1 IN VINYL CHARACTERS 5	0	P	9905K SE
BFA700V	AL	D-A-25-301-000	2 LETTER & NUMERAL SET	LETTER & NUMERAL SET, SIGN, QA 0, CONDENSED GOTHIC, 3 IN, WHITE, REFLECTIVE, LETTER & NUMERAL SET, SIGN; 3 IN, CONDENSED GOTHIC, WHITEREFLEC	0		9905K SE
BTH654K	AL	F-A-10-301-001	2 LETTER & NUMERAL SET	LETTER & NUMERAL SET, SIGN, QA 0, CONDENSED GOTHIC, 3 IN, BLACK, LETTER, ; 3" BLACK LETTERING GOTHIC KIT ***	0		3810T SE
AVV174F	AL	T-A-12-000-002	2 LETTER & NUMERAL SET	LETTER & NUMERAL SET, SIGN, QA 0, CONDENSED GOTHIC, 1 IN, VINYL, BLACK, QUICK ALIGN, LETTER & NUMERAL SET, SIGN; VINYL CHARACTERS, 1 IN, BLA	0	P	9905K SE
BPK962G	AL	D-A-06-102-001	1 LEVEL	LEVEL, HAND, QA 0, LEVEL, CROSS TEST; CROSS TEST:EDP50569, FOR SEISMIC MONITORING SYSTEM	0		5210S SE
AYV223A	AC	- - - -	3 LEVER	LEVER, TYPICAL, QA 3, DECLUTCH, FOR VALVE ACTUATOR, TYPE SMB0-4.	3	C	48200 SE
BKB876B	AL	F-C-08-064-001	2 LEVER	LEVER, TYPICAL, QA 3, LEVER, ACTUATOR; STEEL, REF 15, FOR MANUAL VALVE ACTUATOR, SIZE MDT-1	3	P	48200 SE
BQM103J	AL	A-A-01-000-001	1 LEVER	LEVER, TYPICAL, QA 0, LEVER, VALVE; C/O ROLLER, PIN, AND SET SCREW, FOR A 10.00 INCH	0	C	48200 SE
BWC089W	AL	A-A-01-000-001	12 LEVER	LEVER, TYPICAL, QA 1, LEVER ASSY, GOVERNOR; CONTROL ROD FOR DIESEL ENGINE MODEL 16-645E4	1	B	29100 SE
BWN719B	AL	A-A-01-000-001	22 LEVER	LEVER, TYPICAL, QA 2, SWITCH, 3/4 IN, 1-1/2 IN, , LIMIT SWITCH, STYLE SLO, SIDE ROLLER 1" OFFSET TYPE, LEVER-BRONZE	2	B	59300 SE
BXT430L	AL	A-A-01-000-001	20 LEVER	LEVER, TYPICAL, QA 3, LEVER, LOCK; THUMBTURN, CAST BRASS OR BRONZE, TURN SIZE: 1 1/4"	3	C	4710Y SE
AFJ003V	AL	L-A-03-000-002	1 LEVER	LEVER, TYPICAL, QA 0, LEVER, ; VALVE, REF 11, FOR MDT-2 OPERATOR, CYLINDER OPERATION, DWG	0	P	48200 SE
AFW337J	AL	M-A-16-000-002	7 LEVER	LEVER, TYPICAL, QA 2, LEVER ASSY, ; FOR FOXBORO CO TRANSMITTER, SERIES E10 ***	2	P	6695D SE
AXP034Y	AL	L-A-09-000-002	6 LEVER	LEVER, TYPICAL, QA 3, LEVER, BRAKE,ELECTRIC; ALUMINUM, SOLENOID, FOR SUPPORT PLATE ASSY, PN	3	P	61100 SE
AXP563C	AL	L-A-09-000-002	3 LEVER	LEVER, TYPICAL, QA 3, LEVER, HEAVY EQUIPMENT; WITH SOLENOID & PINION, FOR SUPPORT PLATE ASSY	3	P	29100 SE
AXR210F	AL	M-A-06-000-002	31 LEVER	LEVER, TYPICAL, QA 2, LEVER, MANUAL CONTROL; STEEL, REF 13, FIG 19, FOR AIRCIRCUIT BREAKER	2	P	5925B SE
AXX986G	AL	M-A-16-000-002	2 LEVER	LEVER, TYPICAL, QA 2, LEVER, ; TOP, REF 31, FOR 6X10 IN SAFETY RELIEF VALVE, TYPE 3787 DWG	2	P	48200 SE
BCL758E	AL	L-A-09-000-002	1 LEVER	LEVER, TYPICAL, QA 0, LEVER, ; PRESSURE, FOR RECORDER, MULTIPLE PURPOSE, SPEEDOMAX 100	0	P	6695D SE
BJH413V	AL	M-A-01-000-002	1 LEVER	LEVER, TYPICAL, QA 0, LEVER, FIRE HYDRANT; BRONZE, DRAIN, FOR UPSTANDING COMPRESSION TYPE	0	P	4210N SE
BKB875D	AL	M-A-15-000-002	2 LEVER	LEVER, TYPICAL, QA 3, LEVER, ACTUATOR; STEEL, REF 9, FOR MANUAL VALVEACTUATOR, SIZE MDT-3	3	C	48200 SE
BKB881J	AL	M-A-15-000-002	2 LEVER	LEVER, TYPICAL, QA 3, LEVER, ACTUATOR; FINGER, STEEL, REF 12, FOR MANUAL VALVE ACTUATOR	3	C	48200 SE
BLP026E	AL	M-A-12-000-002	6 LEVER	LEVER, TYPICAL, QA 3, LEVER ASSY, ; FOR TRANSMITTER, SERIES E10. ***	3	P	6695D SE
BVV142M	AL	L-A-09-000-002	1 LEVER	LEVER, TYPICAL, QA 2, SWITCH/OPERATING, 2-1/2 IN, STEEL, LEVER, SWITCH; OPERATING, REGULAR STRAIGHT TYPE, LENGTH (L DIMENSION):	2	B	59300 SE
BWH366C	AL	A-A-01-000-001	4 LID	LID, COVER, QA 0, BEAKER, LABORATORY; LIDS, FOR 100ML POLY BEAKER, METTLER P/N 101448	0	B	6630D SE
ABT695T	AL	A-A-01-000-001	3 LIGHT	LIGHT, ELECTRICAL, QA 3, LIGHT, INDICATOR; MOGUL BASE, (SOCKET), SHOCK MOUNT, FOR CIRCLE D	3	C	6210P SE
ACY777X	AL	D-A-32-302-003	2 LIGHT	LIGHT, ELECTRICAL, QA 0, LIGHT, INDICATOR; INCANDESCENT LAMP, GREEN LENS ***	0		6210P SE
ADT695E	AL	D-A-32-302-001	2 LIGHT	LIGHT, ELECTRICAL, QA 0, LIGHT, INDICATOR; PILOT, 3 EA PER PACKAGE ***	0		6210P SE
ADY171W	AL	D-A-32-302-001	35 LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 6, GREEN, LIGHT, INDICATOR; 6 VOLTS, GREEN LENS, 200 MA ***	0		6210P SE
ADY271Q	AL	D-A-32-302-001	35 LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 6, RED, LIGHT, INDICATOR; 6 VOLTS, RED LENS, 200 MA ***	0		6210P SE
ADY371L	AL	A-A-01-000-001	3 LIGHT	LIGHT, ELECTRICAL, QA 1, INDICATOR, 125, 0.33, RED, FOR SHUTDOWN BOARD	1	P	6210P SE
ADY571C	AL	A-A-01-000-001	4 LIGHT	LIGHT, ELECTRICAL, QA 3, LIGHT, INDICATOR; INCANDESCENT, 125 VOLTS, CLEAR LENS, T-3 1/4	3	P	6210P SE
AET098H	AL	A-A-01-000-001	2 LIGHT	LIGHT, ELECTRICAL, QA 3, LIGHT, INDICATOR; 125 VOLTS, YELLOW, 75 WATTS ***	3	P	6210P SE
AFT199E	AL	D-A-30-301-002	7 LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 120, RED, LIGHT, INDICATOR; RED LENS, SERIES 90K, FOR INVERTER, 120 VOLTS ***	0		6210P SE
AFT299A	AL	D-A-32-302-005	4 LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 120, WHITE, LIGHT, INDICATOR; WHITE BLANK LENS, SERIES 90K, FOR INVERTER, 120	0		6210P SE
AFT591E	AL	D-A-32-302-005	6 LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, T-2, (2) SOLDER LUG TERMINALS, PANEL, WITHOUT LENS, PILOT LIGHT, LESS LAMP & LENS.	0	P	6210P SE
AFT898K	AL	D-A-32-302-001	2 LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 120, AMBER, LIGHT, INDICATOR; AMBER LENS, SERIES 90K, FOR INVERTER, 120 VOLTS ***	0		6210P SE
AFT998F	AL	D-A-32-302-001	3 LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 120, GREEN, LIGHT, INDICATOR; GREEN LENS, SERIES 90K, FOR INVERTER, 120 VOLTS ***	0		6210P SE
ANT283E	AL	D-A-32-302-001	2 LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 120, RED, LIGHT, INDICATOR; 120 VAC, RED LENS, TRANSFORMERTYPE, OIL TIGHT, STYLE	0		6210P SE
AQQ771Y	AL	D-A-32-302-001	3 LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 115, 60 HZ, LIGHT, INDICATOR; ALARM, HUMISTAT, 115 V, 60 HZ, MOUNTED IN METAL	0		6210P SE
ARB933V	AL	A-A-01-000-001	1 LIGHT	LIGHT, ELECTRICAL, QA 3, LIGHT, INDICATOR; TYPE ET-16, WITH RED LENS CAP, 120 VOLT, 1900 OHM ***	3	P	6210P SE
ARL705V	AL	A-A-01-000-001	10 LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 125, 0.33, RED, CYLINDRICAL, LIGHT, INDICATOR; RED CYLINDRICAL LENS, 125 VOLTS0.333 WATT, 3200	0	P	6210P SE
ARQ515B	AL	D-A-29-301-000	1 LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, ET-5, 140 DC, 3300, GREEN, LIGHT, INDICATOR; GREEN LENS, TYPE ET-5, 3300 OHM, 140 VDC, RESISTOR	0		6210P SE
ATF723C	AL	A-A-01-000-001	2 LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 125, 3200, RED, W/ RESISTOR, LIGHT, INDICATOR; ELECTRICAL, MINALITE, WITH RESISTORS 11244145B, 3200	0	P	6210P SE
ATN549X	AL	A-A-01-000-001	13 LIGHT	LIGHT, ELECTRICAL, QA 3, LIGHT, INDICATOR; C/W RED LENS ***	3	P	6210P SE
AVB586A	AL	A-A-01-000-001	4 LIGHT	LIGHT, ELECTRICAL, QA 3, LIGHT, INDICATOR; PILOT, BI-PIN BASE, WITH RED LENS, 75 WATT, 125 VOLT	3	P	6210P SE
AVY715P	AL	1-B-08-000-001	1 LIGHT	LIGHT, ELECTRICAL, QA 3, LIGHT ASSY, RECORDER; FLEXELECT B SWITCH POINT SELECTION, FOR	3	P	6695D SE
AWR714D	AL	A-A-01-000-001	1 LIGHT	LIGHT, ELECTRICAL, QA 0, LIGHT, BEACON; LENS COLOR: RED ***	0	P	6210P SE
AYD773E	AL	D-A-32-302-001	17 LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, SOLDER, RED/NEON, LIGHT, INDICATOR; NEON, RED, SOLDER CONNECTORS ***	0		6210P SE
AYG503X	AL	D-A-32-302-001	11 LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, SOLDER, GREEN/NEON, LIGHT, INDICATOR; NEON, GREEN, SOLDER CONNECTORS ***	0		6210P SE
AYQ957B	AL	D-A-32-302-005	2 LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 130, WHITE, W/ 2 LAMPS/BLNK NAMEPLATE, LIGHT, INDICATOR; 130 VOLTS, WHITE LENS, WITH TWO LAMPS, 6 WATTS	0		6210P SE
BAP923N	AL	A-A-01-000-001	1 LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 28 IN LEADS, CLEAR, LIGHT, INDICATOR; CLEAR MAGNIFIED LENS, 28 IN LEADS, FOR PERTEC DISC	0	P	6210P SE
BBV407F	AL	A-A-01-000-001	2 LIGHT	LIGHT, ELECTRICAL, QA 3, LIGHT, INDICATOR; 2 WIRE LEADS, RED LENS ***	3	P	6210P SE
BGN862G	AL	D-A-08-102-001	18 LIGHT	LIGHT, ELECTRICAL, QA 3, LIGHT, INDICATOR; RED LENS, ZONE ALARM ***	3		6210P SE
BHR853V	AL	A-A-01-000-001	3 LIGHT	LIGHT, ELECTRICAL, QA 0, LIGHT, INDICATOR; GREEN, MODEL DS-302, FOR CONDUCTIVITY METER ***	0	P	6210P SE
BJE070H	AL	F-A-06-202-004	22 LIGHT	LIGHT, ELECTRICAL, QA 0, LIGHT, INDICATOR; 120 VAC, PILOT, FOR HEAT GUN, MODEL 46-013 ***	0		6210P SE
BJL665G	AL	F-A-04-202-002	7 LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, WHITE, 2 IN OCTANGLE, LIGHT, INDICATOR; WHITE LENS, 2 IN OCTANGLE ***	0		6210P SE
BKA308P	AL	F-A-10-302-002	10 LIGHT	LIGHT, EXTENSION, QA 0, LIGHT, EXTENSION; FEATURES: INSULATED GUARDS ***	0		6230R SE
BKB488L	AL	F-A-22-102-001	1 LIGHT	LIGHT, ELECTRICAL, QA 0, UNDERWATER, 125, 1000, 75 FT CABLE LENGTH, 18-8 SS CONSTRUCTION, PLEXIGLASS FACEPLATE, W/ NEMA TYPE L5-15R TWIST-	0	C	6210P SE
BKY621B	AL	F-A-08-301-001	1 LIGHT	LIGHT, ELECTRICAL, QA 1, INDICATOR, AMBER, LIGHT, INDICATOR; AMBER, FOR SHUTDOWN BOARD TRANSFORMER. ***	1		6210P SE
BLD483E	AL	F-A-10-202-003	5 LIGHT	LIGHT, ELECTRICAL, QA 3, INDICATOR, 120, GREEN, LIGHT, INDICATOR; INCANDESCENT, PILOT, GREEN LENS, 120 VOLTS. ***	3		6210P SE
BLD484C	AL	F-A-04-202-001	5 LIGHT	LIGHT, ELECTRICAL, QA 3, INDICATOR, 120, RED, LIGHT, INDICATOR; INCANDESCENT, PILOT, RED LENS, 120 VOLTS. ***	3		6210P SE
BLP931R	AL	A-A-01-000-001	2 LIGHT	LIGHT, ELECTRICAL, QA 3, LIGHT, INDICATOR; NEON, 250 VOLTS, WHITE, 75 WATTS. ***	3	C	6210P SE
BLT538C	AL	D-A-32-302-003	1 LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 120, 6, GREEN, LIGHT, INDICATOR; GREEN PILOT, 120 VOLTS, 6 WATT, EXPLOSION-PROOF, 8	0		6210P SE
BLT539A	AL	D-A-32-302-003	1 LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 120, 6, RED, LIGHT, INDICATOR; RED PILOT, 120 VOLTS, 6 WATTS, EXPLOSION-PROOF, 8 IN	0		6210P SE
BMC897H	AL	F-A-04-202-001	1 LIGHT	LIGHT, ELECTRICAL, QA 3, LIGHT, INDICATOR; 120 VOLTS, 50-60 HZ, STANDARD PILOT LIGHT	3		6210P SE
BMF252H	AL	A-A-01-000-001	10 LIGHT	LIGHT, ELECTRICAL, QA 0, LIGHT, INDICATOR; ACTUATOR TYPE OPERATOR. ***	0	P	6210P SE
BNA494C	AL	F-A-08-302-006	13 LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 6, RED, OILTIGHT, LIGHT, INDICATOR; OIL TIGHT, 6 VOLTS, 1200#, RED LENS, WITH BASE. ***	0		6210P SE
BNB255R	AL	F-A-04-202-001	4 LIGHT	LIGHT, ELECTRICAL, QA 3, LIGHT, INDICATOR; TYPE T OILTIGHT, TRANSFORMER TYPE, 50-60 HERTZ, 120	3		6210P SE
BNP054W	AL	D-A-32-302-005	23 LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, T-1-3/4, 14, MINIATURE, LIGHT, INDICATOR; MINIATURE, SIZE T 1-3/4, BASE MIDGET FLANGED, 14	0		6210P SE
BNW347W	AL	F-A-10-202-005	125 LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, SPLIT GROUND, INDICATOR, LIGHT; LAMP, HORIZONTAL, SPLIT GROUND, SEPARATE INPUT, FOR	0		6210P SE
BPJ949D	AL	F-A-04-202-005	4 LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 120 AC/DC, FULL VOLTAGE, LIGHT, INDICATOR; PILOT, STANDARD, FULL VOLTAGE, TRANSFORMER STYLE,	0		6210P SE
BPM610H	AL	A-A-01-000-001	5 LIGHT	LIGHT, ELECTRICAL, QA 1, INDICATOR, 125 DC, LIGHT, INDICATOR; INDICATING LAMP, 125 VDC, WITH PLUG-IN TYPE RESISTOR	1	B	6210P SE
BQQ013R	AL	D-A-24-102-000	1 LIGHT	LIGHT, EXTENSION, QA 0, INFARED/HEAT LAMP, W/FLEX EXT ARM/TABL CLAMP, LIGHT, INFRARED; QUICK-DRY HEAT LAMP, PORTABLE INFRARED HEAT LAMP WITH	0		6210P SE

BQT827C	AL	F-A-04-202-001	2	LIGHT	LIGHT, ELECTRICAL, QA 3, LIGHT, INDICATOR; PUSH TO TEST RESISTOR TYPE, 120 V, 60 HZ, WITH RED	3		6210P SE
BQT894W	AL	F-A-04-202-003	2	LIGHT	LIGHT, ELECTRICAL, QA 3, INDICATOR, LIGHT; PUSH TO TEST RESISTOR TYPE, 120 V, 60 HZ, WITH GREEN	3		6210P SE
BRK418V	AL	D-A-32-302-003	1	LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, T-1-3/4, 120, GREEN, LIGHT, INDICATOR; INCANDESCANT LAMP,120V, GREEN LENS, T-1 3/4 BULB	0	B	6210P SE
BRK418V	AL	D-B-16-000-001	9	LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, T-1-3/4, 120, GREEN, LIGHT, INDICATOR; INCANDESCANT LAMP,120V, GREEN LENS, T-1 3/4 BULB	0	B	6210P SE
BTH180J	AL	F-A-10-101-001	26	LIGHT	LIGHT, ELECTRICAL, QA 1, LIGHT, INDICATOR; PRESS TO TEST,WITH WHITE GLASS LENS,P/N E29KGC,120	1	B	6210P SE
BVL839H	AL	D-A-32-302-002	1	LIGHT	LIGHT, ELECTRICAL, QA 0, LIGHT ASSY, INDICATOR; POSITION,EPKO LIE TAMPERPROOF,HALL CALL ***	0		6210P SE
BWE845F	AL	D-A-32-302-003	2	LIGHT	LIGHT, ELECTRICAL, QA 0, LIGHT, INDICATOR; GREEN FILTER,ENGRAVING "NO RECTIFIER INPUT" ***	0		6210P SE
BWE990H	AL	F-A-10-202-001	2	LIGHT	LIGHT, ELECTRICAL, QA 0, INCANDESCENT, 240 AC/DC, OILTIGHT, 30.5 MM, HEAVY DUTY, WATERTIGHT, INDICATOR, RESISTOR, BASIC UNIT, W/O LENS,	0		5963B SE
BXG856R	AC	-- --	1	LIGHT	LIGHT, ELECTRICAL, QA 0, LIGHT, INDICATOR; 4 LAMP, SEPERATE GROUND, VERTICAL BARRIER MOUNTING.	0	B	6210P SE
CAP150Q	AL	F-A-08-013-001	75	LIGHT	LIGHT, ELECTRICAL, QA 3, LAMP, INDICATOR; 14 VOLTS,FOR PSA-1575 ***	3	B	6210P SE
CBP832C	AL	F-A-08-302-006	2	LIGHT	LIGHT, ELECTRICAL, QA 3, LIGHT, INDICATOR; LAMP CIRCUIT WITH COMMON GROUND AND SEPARATE INPUT	3		6210P SE
CDX012Y	AL	F-A-08-302-003	9	LIGHT	LIGHT, ELECTRICAL, QA 3, INDICATOR, 24 DC, AMBER, TRANSPARENT LENS CAP, 28 V BULB	3		6210P SE
CEA457W	AL	F-A-04-202-001	1	LIGHT	LIGHT, ELECTRICAL, QA 2, LIGHT, INDICATOR; MINIATURE INCANDESCENT INDICATOR BASE ASSEMBLY W/O	2		6210P SE
ABT595Y	AL	M-A-09-000-002	5	LIGHT	LIGHT, ELECTRICAL, QA 1, LIGHT, INDICATOR; INCANDESCENT, 125 VOLTS, AMBER75 WATTS ***	1	P	6210P SE
ADT199T	AL	M-A-02-000-002	4	LIGHT	LIGHT, ELECTRICAL, QA 3, LIGHT, INDICATOR; NEON, WHITE ***	3	C	6210P SE
AFT584B	AL	L-A-09-000-002	2	LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 28, 0.3, BI-PIN, LAMP, INCANDESCENT; VOLTAGE: 28.00, LAMP BASE: MINI BIPIN, SERVICE	0	C	6210P SE
AFT584B	AL	L-A-03-000-002	7	LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 28, 0.3, BI-PIN, LAMP, INCANDESCENT; VOLTAGE: 28.00, LAMP BASE: MINI BIPIN, SERVICE	0	C	6210P SE
AFT591E	AL	L-A-03-000-002	7	LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, T-2, (2) SOLDER LUG TERMINALS, PANEL, WITHOUT LENS, PILOT LIGHT, LESS LAMP & LENS.	0	P	6210P SE
ATF148L	AL	L-A-01-000-002	1	LIGHT	LIGHT, EXTENSION, QA 0, LIGHT, EXTENSION; NUMBER OF SOCKETS: 1 ***	0	P	6230R SE
ATF148L	AC	-- --	9	LIGHT	LIGHT, EXTENSION, QA 0, LIGHT, EXTENSION; NUMBER OF SOCKETS: 1 ***	0	P	6230R SE
ATP314L	AL	L-A-09-000-002	3	LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 5, GREEN, 20 MA/STOVE PIPE LENS, LIGHT, INDICATOR; GREEN, 5 VOLT, 20 MA, STOVEPIPE LENS	0	P	6210P SE
ATT181X	AL	M-A-13-000-002	2	LIGHT	LIGHT, ELECTRICAL, QA 1, LIGHT, INDICATOR; TYPE EZC,WITH AMBER LENS,250 V ***	1	P	6210P SE
AVX645P	AL	M-A-02-000-002	1	LIGHT	LIGHT, ELECTRICAL, QA 0, LIGHT SOURCE, ASSY; PROJECTOR, TELE-PAT 2, C/W 2 EA ROLLE BASE STANDS	0	P	5840M SE
AWC408Q	AL	L-A-08-000-002	3	LIGHT	LIGHT, ELECTRICAL, QA 0, WARNING, RED, LIGHT, WARNING; LENS COLOR: RED ***	0	P	6210P SE
AWM594H	AL	M-A-03-000-002	3	LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 120, RED, SERIES C, AC VOLTS	0	P	6210P SE
AXM383Q	AL	P-A-LL-ET0-063	7	LIGHT	LIGHT, ELECTRICAL, QA 1, INDICATOR, 125 AC/DC, RED, LIGHT, INDICATOR; 125.000 VAC/DC, RED LENS, FOR HEAVY DUTY OIL TIGHT	1	C	6210P SE
AYJ115V	AL	L-A-13-000-002	1	LIGHT	LIGHT, ELECTRICAL, QA 0, LED, 5, SNAP-IN, RED, BI-PIN, LIGHT, INDICATOR; LIGHT EMITTING DIODE, 5 VOLTS,RED, 0.156 IUON	0	P	6210P SE
BAC436T	AL	L-A-15-000-002	8	LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 6S6, 125, 75, WITHOUT LENS, LIGHT, INDICATOR; INCANDESCANT, 125 VOLTS, 6S6 BULB, 75 WATTS, LESS	0	P	6210P SE
BGN856B	AL	L-A-09-000-002	8	LIGHT	LIGHT, ELECTRICAL, QA 3, LIGHT, INDICATOR; INCANDESCENT, WHITE LENS, 0.375 DIA X 1.25 IN LONG	3	P	6210P SE
BJJ622D	AL	M-A-11-000-002	2	LIGHT	LIGHT, ELECTRICAL, QA 3, LIGHT UNIT, EMERGENCY; 10 WATTS, REMOTE SURFACE MOUNTINDOOR/OUTDOOR	3	P	6210P SE
BKF624J	AL	I-A-17-000-002	2	LIGHT	LIGHT, ELECTRICAL, QA 0, LIGHT ASSY, INDICATOR; MAIN, FOR DYNATION MODEL 1100MTRANSMISSOMETER	0	P	6210P SE
BKR690W	AL	L-A-09-000-002	1	LIGHT	LIGHT, ELECTRICAL, QA 3, LIGHT, INDICATOR; PILOT, RED, 0.514 IN HOLE, FOR CONTROL PANEL ASSY	3	P	6210P SE
BKY658K	AL	L-A-09-000-002	10	LIGHT	LIGHT, ELECTRICAL, QA 0, PILOT, 120 AC/DC, LIGHT, INDICATOR; PILOT, PUSG TO TEST, TRANSFORMER TYPE, FULL VOLTAGE	0	P	6210P SE
BMA449P	AL	L-A-09-000-002	1	LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 250 DC, W/ LAMP/RESISTOR/RED CAP, LIGHT, INDICATOR; INDICATING LIGHT, 250 VDC, WITH LAMP, RESISTOR AND	0	P	6210P SE
BPM661L	AL	T-A-01-000-002	7	LIGHT	LIGHT, ELECTRICAL, QA 3, LIGHT, INDICATOR; INCANDESCENT, 125 VOLTS, 75 WATTS, WITH AMBER LENS	3	C	6210P SE
BPY778G	AL	P-A-LL-ET0-082	5	LIGHT	LIGHT, ELECTRICAL, QA 1, TRANSFORMER, 110/120, FRONT, OILTIGHT, LIGHT, INDICATOR; OIL TIGHT, HEAVY DUTY, FRONT MOUNTING, GE CAT #	1	C	6210P SE
BRM342Q	AC	-- --	2	LIGHT	LIGHT, ELECTRICAL, QA 1, LIGHT, INDICATOR; OIL TIGHT, HEAVY DUTY, FRONT MOUNTING, GE CAT #	1	B	6210P SE
BRM342Q	AL	L-A-03-000-002	7	LIGHT	LIGHT, ELECTRICAL, QA 1, LIGHT, INDICATOR; OIL TIGHT, HEAVY DUTY, FRONT MOUNTING, GE CAT #	1	B	6210P SE
BRM391B	AL	T-A-05-000-002	1	LIGHT	LIGHT, ELECTRICAL, QA 1, LIGHT, INDICATOR; OIL TIGHT, HEAVY DUTY, FRONT MOUNTING, GE CAT. NO.	1	C	6210P SE
BRM391B	AC	-- --	3	LIGHT	LIGHT, ELECTRICAL, QA 1, LIGHT, INDICATOR; OIL TIGHT, HEAVY DUTY, FRONT MOUNTING, GE CAT. NO.	1	C	6210P SE
BTV944N	AL	M-A-12-000-002	8	LIGHT	LIGHT, ELECTRICAL, QA 1, LIGHT, PANEL; PILOT, AMBER LENS, 600 VOLT PRIMARY ***	1	B	6210P SE
BXG856R	AL	L-A-13-000-002	2	LIGHT	LIGHT, ELECTRICAL, QA 0, LIGHT, INDICATOR; 4 LAMP, SEPERATE GROUND, VERTICAL BARRIER MOUNTING.	0	B	6210P SE
CBF475K	AL	L-A-03-000-002	2	LIGHT	LIGHT, ELECTRICAL, QA 0, TRANSFORMER, E, 120, YELLOW, OILTIGHT, LIGHT, INDICATOR; 120VAC,NEMA 13 OILTIGHT ENCLOSURE, C/W TRANSFORMER	0	C	6210P SE
CDN668P	AL	T-A-05-000-002	2	LIGHT	LIGHT, ELECTRICAL, QA 0, EMERGENCY, 120, NICKEL CADMIUM BATTERY, ; INPUT VOLTAGE: 120-277V, BATTERY TYPE: DRY (NICKEL	0	B	6210P SE
BLD904H	AL	F-A-04-302-000	18	LIME	LIME, TYPICAL, QA 0, HYDRATED, 50 LB, POWDER, LIME, HYDRATED; POWDER, FOR USE IN TREATMENT OF ACID AND	0		5610J SE
BQJ964B	AL	P-A-LL-ET0-108	5	LIMITER	LIMITER, ELECTRICAL, QA 1, NOISE, 15 MICROSECOND, 68 A/1 KV, SER/DIODE	1	C	6695D SE
BQQ827N	TR	-- --	3	LIMITER	LIMITER, TORQUE, QA 3, LIMITER, PLATE, FOR A LIMTORQUE TORQUE SWITCH	3	C	48200 SE
AAT020V	AL	A-A-01-000-001	14	LINE	LINE, TYPICAL, QA 2, LINE, DIESEL ENGINE; OIL, ROCKER ARM, LUBE OIL SYSTEM, FOR	2	P	29100 SE
BPW699N	AL	E-A-16-C05-A01	5	LINE	LINE, TYPICAL, QA 0, LINE, CIRCUIT BREAKER; AIR, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
ALE473K	AL	A-A-01-000-001	1	LINER	LINER, TYPICAL, QA 0, LINER, PUMP; SHELL, HALF, ENGINE SIDE, FOR DISCHARGE ASH PUMP, SIZE 8	0	P	4320U SE
ANE616B	AL	D-A-18-302-000	4	LINER	LINER, TYPICAL, QA 0, LINING, ; THRUST BEARING, ITEM 190, FOR INGERSOLL-RAND RAW WATER	0		4320U SE
ARJ539V	TR	-- --	2	LINER	LINER, TYPICAL, QA 0, LINER, ; VALVE, BONNET, REF 27, GOVERNOR VALVES, ILLUSTRATION	0	P	2825G SE
ATA012Y	AL	A-A-01-000-001	6	LINER	LINER, TYPICAL, QA 1, LINER, PUMP; IMPELLER, BRASS, REF 039, DWG 1F-7879, FOR ESSENTIAL RAW	1	P	4320U SE
ATQ391W	AL	D-B-09-202-001	1	LINER	LINER, TYPICAL, QA 0, WEAR PIECE, ASH DISPOSAL; PISTON, FOR AIR CYLINDER, MODEL GNAA-SL	0	P	4450C SE
AWV289P	AL	A-A-01-000-001	5	LINER	LINER, TYPICAL, QA 0, LINER, COMPRESSOR; STEEL, CYLINDER, FOR AIR CONDITIONING COMPRESSOR	0	P	4520N SE
AWV290J	AL	A-A-01-000-001	2	LINER	LINER, TYPICAL, QA 0, LINER, COMPRESSOR; STEEL, CYCLINDER, FOR AIR COMPRESSOR, MODEL	0	P	4520N SE
BDN702T	AL	A-A-01-000-001	1	LINER	LINER, TYPICAL, QA 0, LINER, VALVE; CYLINDER, FOR CASH REGULATING FLUID PRESSURE VALVE ***	0	P	48200 SE
BXJ938D	AL	F-A-12-101-000	2	LINER	LINER, TYPICAL, QA 3, LINER, VALVE; STAINLESS STEEL ,WITH SEAT, FOR 16 IN FLOW CONTROL VALV	3	C	48200 SE
BXT762F	AL	F-A-19-102-002	2	LINER	LINER, TYPICAL, QA 0, LINER, STEAM TURBINE; BEARING ***	0	B	2825G SE
BXT763D	AL	F-A-19-102-001	2	LINER	LINER, TYPICAL, QA 0, LINER, STEAM TURBINE; BEARING ***	0	B	2825G SE
BYA746R	AL	D-B-05-102-004	3	LINER	LINER, TYPICAL, QA 0, LINER, STEAM TURBINE; FOR LOW PRESSURE TURBINE ***	0	C	2825G SE
AEB504Q	AL	L-A-12-000-002	1	LINER	LINER, TYPICAL, QA 0, LINER, ; BEARING, T-9, FOR BEARING G-1,ON GENERATORS, S/N 180X374	0	P	6115F SE
AEB604L	AL	L-A-12-000-002	1	LINER	LINER, TYPICAL, QA 0, LINER, ; BEARING, T-10, FOR BEARING G-20N GENERATORS, S/N 180X374	0	P	6115F SE
AEB705E	AL	L-A-12-000-002	2	LINER	LINER, TYPICAL, QA 0, LINER, ; BEARING, T-3, 5 AND 7 ***	0	P	6115F SE
AYB152R	AL	M-A-09-000-002	1	LINER	LINER, TYPICAL, QA 2, LINER, VALVE; STAINLESS STEEL, AISI 410, WITH SEAT, FOR 16 IN 900 PSIG	2	P	48200 SE
CAX642Q	AL	L-A-03-000-002	1	LINER	LINER, TYPICAL, QA 3, VALVE, LINER, VALVE; W/FLATS, MOLDED EPDM, SPEC EPDM 60 DURO, FOR 10 IN TYPE	3	B	48200 SE
CDJ207J	AL	L-A-07-000-002	2	LINER	LINER, TYPICAL, QA 1, LINER, VALVE; ELASTOMETER, FOR 2 INCH BUTTERFLY VALVE, MODEL # 68-342	1	C	48200 SE
AQC101C	AL	A-A-01-000-001	2	LINING	LINING, TYPICAL, QA 0, LINING FRICTION, CRANE; SUPPORT, FOR 200.000 TON OVERHEAD TURBINE	0	C	3950F SE
BKC635W	AL	A-A-01-000-001	14	LINING	LINING, BRAKE, QA 0, LINING, BRAKE,OIL PURIFIER; WITH THREE MOUNTING SCREWS, FOR	0	P	4330N SE
APD219L	AC	-- --	8	LINING	LINING, BRAKE, QA 0, LINING, FRICTION,ELEVATOR; 12 IN, 65192GD BRAKE, FOR ELEVATOR ***	0	C	3960D SE
BBT032V	AL	M-A-01-000-002	16	LINING	LINING, BRAKE, QA 0, LINING FRICTION, HOIST; BRAKE, FIG 3, FOR WORM DRIVE HOIST, MODEL	0	C	3950F SE
AAT320Q	AL	A-A-01-000-001	26	LINK	LINK, ADJUSTABLE, QA 2, LINK ASSY, ; ADJUSTING, INJECTOR CONTROL, FOR ELECTRO-MOTIVE DIV	2	P	29100 SE
AJD127Q	AL	D-A-30-301-004	6	LINK	LINK, CHAIN, QA 0, COLD SHUT, CARBON STEEL, 3/8 IN LINK DIA, LINK, CHAIN COLD SHUT; MATERIAL: CARBON STEEL, LINK DIAMETER:	0		4010G SE
ANT220J	AL	A-A-01-000-001	6	LINK	LINK, TYPICAL, QA 2, LINK ASSY, ; CONTROL ROD, RIGHT BANK, FOR ELECTRO-MOTIVE DIV, GENERAL	2	P	29100 SE
AQC249A	AL	D-A-14-000-001	1	LINK	LINK, TYPICAL, QA 0, LINK, PUMP; UNIVERSAL, W/PIN, FOR ELECTRO-HYDRAULIC CONTROL PUMP	0	P	4320U SE

BJD295V	AL	P-A-LL-ET0-062	40	LINK	LINK, TYPICAL, QA 1, Z-BAR/BATTERY, D, INTERCELL CONNECTOR, , TERMINAL, SIZE CELLS 3-DCU-9	1	C	5935B SE
BJM268M	AL	F-A-10-101-001	53	LINK	LINK, TYPICAL, QA 1, LINK, BATTERY TERMINAL; COPPER LEAD PLATE,3 X 8.5 X 0.250 IN THICK FOR	1	P	5935B SE
BND620X	AL	A-A-01-000-001	132	LINK	LINK, TYPICAL, QA 3, CIRCUIT BREAKER, , STEEL SPRING, FOR 480 VOLT CIRCUIT BREAKERS	3	P	5925B SE
BNK885E	AL	F-A-10-202-003	2	LINK	LINK, TYPICAL, QA 0, GROUND BUS, 1 IN, 3 IN, 1/8 IN, COPPER, LINK, BUS; COPPER BAR, GROUND BUS, 1 X 0.125 X 3 IN LONG ***	0		6150E SE
BWW089A	AL	A-A-01-000-001	20	LINK	LINK, FUSE, QA 3, FUSE LINK, ELECTRICAL; 6 TO 30V, AC OR DC, LOW VOLTAGE, 3.2 AMP, 165	3	B	5920K SE
CET029N	AL	A-A-01-000-001	2	LINK	LINK, TYPICAL, QA 0, OFFSET, ***	0	C	4530F SE
AAT320Q	AL	M-A-08-000-002	12	LINK	LINK, ADJUSTABLE, QA 2, LINK ASSY, ; ADJUSTING, INJECTOR CONTROL, FOR ELECTRO-MOTIVE DIV	2	P	2910O SE
AGB250V	AL	L-A-09-000-002	1	LINK	LINK, CHAIN, QA 0, ROLLER/OFFSET/CONNECTING, 3/8 IN PITCH, ANSI 35	0	C	3040D SE
AGX414F	AL	L-A-09-000-002	6	LINK	LINK, TYPICAL, QA 0, LINK ASSY, ; FOR HERSEY GAGE 235A-13, S/N 425807, ON TURBINE LUBE OIL	0	P	6695D SE
ARC611D	AL	L-A-09-000-002	2	LINK	LINK, TYPICAL, QA 0, LINK ASSY, CONTROLLER; PILOT, FOR CONTROLLER, RATIO, AIR TO FUEL	0	P	6695D SE
AWK961T	AL	M-A-16-000-002	4	LINK	LINK, CONNECTING, QA 0, FOR PRESSURE INDICATOR, MODEL 200, S/N	0	P	6695D SE
AXP564A	AL	L-A-09-000-002	3	LINK	LINK, TYPICAL, QA 3, LINK, SOLENOID; METAL, FOR SUPPORT PLATE ASSY 5-42-7095, ON STERNS	3	P	5945D SE
AYG002B	AL	M-A-16-000-002	3	LINK	LINK, TYPICAL, QA 3, LINK, VALVE; STEEL, REF 4, FOR SWING CHECK VALVE, 1 IN, CLASS 600	3	P	48200 SE
AYH038F	AL	M-A-13-000-002	20	LINK	LINK, TYPICAL, QA 0, LINK, BATTERY TERMINAL; MATERIAL: STEEL, SIZE LENGTH: 01.500000 (1	0	P	5935B SE
AYH042Q	AL	M-A-13-000-002	8	LINK	LINK, TYPICAL, QA 0, LINK, BATTERY TERMINAL; MATERIAL: STEEL ***	0	P	5935B SE
AYM187J	AL	T-A-01-000-002	7	LINK	LINK, TYPICAL, QA 1, LINK, FLEXIBLE COUPLING; STEEL,FORGED, FOR FLEXIBLE COUPLING, MODEL	1	P	3040D SE
BDL584F	AL	M-A-16-000-002	16	LINK	LINK, TYPICAL, QA 2, LINK, BATTERY TERMINAL; INTERCELL CONNECTOR, "Z-BAR" TYPE, D SIZE	2	P	5935B SE
BDP306X	AL	L-A-09-000-002	7	LINK	LINK, TYPICAL, QA 3, BATTERY/TERMINAL, 1 IN, 13-1/4 IN, 0.120 IN, INTERCELL CONNECTOR, , 4 HOLES	3	B	5935B SE
BTN161H	AL	T-A-01-000-002	12	LINK	LINK, TYPICAL, QA 3, LINK ASSY, ; FOR PRESSURE UNIT, DIFFERENTIAL, MODEL 224 ***	3	C	7420T SE
BWA983P	AL	L-A-09-000-002	1	LINK	LINK, FUSE, QA 1, LINK, DAMPER; FUSEABLE, 165 DEGREES F, FOR PRESS MECHANICAL FIRE DAMP	1	C	4520N SE
BWG938X	AL	M-A-01-000-002	2	LINK	LINK, FUSE, QA 1, FUSIBLE LINK, FIRE; ELECTRO THERMAL LINK,	1	B	4210N SE
AVW237C	AL	A-A-01-000-001	7	LINKAGE	LINKAGE, TYPICAL, QA 3, LINKAGE ASSY, ; SINGLE, C/O PLATED STEEL BLADE BRACKETS AND BRASS	3	P	4140U SE
AWN049W	AL	A-A-01-000-001	16	LINKAGE	LINKAGE, TYPICAL, QA 3, BALL JOINT, ; MOTOR LINKAGE, .000.312 IN, FOR CONTROL DAMPER HEAVY DUTY	3	P	4520N SE
AJV387M	AL	L-A-01-000-002	3	LINKAGE	LINKAGE, TYPICAL, QA 2, LINKAGE, DAMPER,ELEC MOTOR; DAMPER, WITH CRANK ARM, FOR 0.500 IN DIA	2	P	6105D SE
AXN266P	AL	A-A-01-000-001	2	LOCK	LOCK, SECURING, QA 0, DOOR ASSY, ; LOCK, FOR ALLIED NUCLEAR DRY CLEANER, MODEL 478 ***	0	P	3405L SE
BTN399F	AL	D-A-30-301-001	1	LOCK	LOCK, SECURING, QA 0, LOCK ASSY, ; COMBINATION WITH TUBE RELOCK AND REGULAR CHANGE ***	0	C	4240P SE
AAT420L	AL	M-A-13-000-002	1	LOCK	LOCK, CYLINDER, QA 0, DIESEL ENGINE, ***	0	P	2910O SE
BVR280Y	AL	L-A-13-000-002	5	LOCK	LOCK, SECURING, QA 3, FOR JYC HR-2500E RECORDER, MODEL 3880, KEYLOCK ASSY, PRINTER	3	B	6695D SE
BJK567M	AL	T-A-01-000-002	14	LOCKPLATE	LOCKPLATE, MECHANICAL, QA 3, PLATE, VALVE; LOCKING, STAINLESS STEEL, FOR SWING CHECK VALVE, 3 IN	3	P	48200 SE
BQK151G	AL	L-A-09-000-002	23	LOCKPLATE	LOCKPLATE, MECHANICAL, QA 3, LOCKPLATE, GENERATOR; REFERENCE DWG. GE 529 D 186 ITEM NO. 12. FOR USE	3	C	6115F SE
AHK062Q	AL	D-A-02-102-002	2	LOCKSET	LOCKSET, SECURING, QA 0, RIM, BRASS, RIGHT HAND, LOCK SET, RIM; DOOR, BRASS MECHANISM, RIGHT HAND (RIGHT & LEFT HAND	0		4710Y SE
AXE587C	AL	A-A-01-000-001	4	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, RIM; MORTISE, ELECTRIFIED, W/FOUR WIRES, .000.625 IN, .024.000	3	P	4710Y SE
AXE588A	AL	A-A-01-000-001	10	LOCKSET	LOCKSET, SECURING, QA 3, RIM, 5/8 IN, LOCK SET, RIM; MORTISE, ELECTRIFIED, W/FOUR WIRES, .000.625 IN, .024.000	3	P	4710Y SE
AYG039J	AL	A-A-01-000-001	5	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, MORTISE; ELECTRIC, 24 VAC, 4 WIRE, RONDE DESIGN 8, BRASS	3	P	4710Y SE
BCW646G	AL	A-A-01-000-001	5	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, RIM; DOOR, CROSSBAR EXIT, US26D FINISH, FIRE EXIT FUNCTION	3	C	4710Y SE
BEK159X	AL	D-A-06-102-002	10	LOCKSET	LOCKSET, SECURING, QA 0, LOCK SET, MORTISE; DRAWER, DESK SERIES 400, MODELW4027236R ***	0		7195B SE
BEV760N	AL	A-A-01-000-001	2	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, MORTISE; HEAVY DUTY, LEFT HAND, UNILOC MODEL 540, MODERA	3	C	4710Y SE
BFT188C	AL	D-A-32-104-001	3	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, RIM; HEAVY DUTY, SERIES E, US26D FINISH, MODEL X561HG, 2.375	3	P	4710Y SE
BJE774A	AL	A-A-01-000-001	4	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, MORTISE; FOR KNOB, ON MORTISE LOCK, MODEL 5061 ***	3	P	4710Y SE
BLT463H	AL	F-A-04-202-001	11	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, RIM; PANEL LOCK FOR LEFT HAND DOOR, 1 3/8 IN WIDE X 3 IN HIGH	3		4710Y SE
BLT464F	AL	F-A-04-202-001	11	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, RIM; PANEL LOCK FOR RIGHT HAND DOOR, 1 3/8 IN X 3 IN HIGH WITH	3		4710Y SE
BNM209E	AL	F-A-04-202-002	1	LOCKSET	LOCKSET, SECURING, QA 0, MORTISE, 4-1/2 IN X 4-1/2 IN, SATIN CHROME US26D, RIGHT HAND REVERSE, LOCK SET, MORTISE; DOOR LOCKSET WHINGES, 4.5	0		4710Y SE
BPL292Y	AL	A-A-01-000-001	2	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, RIM; MODIFIED WITH ELECTRIC CYLINDER, WITH HANDLES (P/N	3	B	4710Y SE
BTN397K	AL	A-A-01-000-001	1	LOCKSET	LOCKSET, SECURING, QA 0, LOCK SET, RIM; EXIT DEVICE, LBL FINISH SERIES, 29 X LBL X 36, (T CUP)	0	C	4710Y SE
BWF167W	AL	F-B-02-101-000	3	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, MORTISE; DOOR, EXITER MORTISE DEVICE FOR SINGLE DOOR, FIRE	3		4710Y SE
BWP767T	AL	D-A-08-102-006	2	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, MORTISE; ELECTRIC MODIFIED, TVA SPECIAL, 24 VAC/DC, LHR, UL	3		4710Y SE
BXL960M	AL	A-A-01-000-001	7	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, RIM; DOOR,MORTISE,300 SERIES,SATIN CHROME, 2 KEYS,(US26D)	3	C	4710Y SE
BXN082H	AL	A-A-01-000-001	2	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, RIM; EXIT DEVICE, LHRB, YALE 2531X302 ***	3	C	4710Y SE
BXN094A	AL	1-B-14-000-001	2	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, GRE, LHR, CORBIN RUSSWIN P/N 5251GRE ***	3	C	4710Y SE
BXN111E	AL	1-B-14-000-001	5	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, MONO, GRE, LH, CORBIN RUSSWIN P/N UT5251	3	C	4710Y SE
BXN119X	AL	1-B-14-000-001	5	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, MONO, GRE, RH, CORBIN RUSSWIN P/N UT5251	3	C	4710Y SE
BXN145W	AL	1-B-14-000-001	5	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, MONO, GRE, RHR, CORBIN RUSSWIN P/N UT5251	3	C	4710Y SE
BXN147Q	AL	1-B-14-000-001	2	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, MONO, GRE, RH, CORBIN RUSSWIN P/N UT5255	3	C	4710Y SE
BXN148N	AL	1-B-14-000-001	4	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, MONO, GRE, RHR, CORBIN RUSSWIN P/N UT5255	3	C	4710Y SE
BXN154V	AL	1-B-14-000-001	4	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, MONO, GRE, LHR, CORBIN RUSSWIN P/N UT5255	3	C	4710Y SE
BXN158K	AL	A-A-01-000-001	4	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, MONO, GRE, LH, CORBIN RUSSWIN P/N UT5257	3	C	4710Y SE
BXN158K	AL	1-B-14-000-001	4	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, MONO, GRE, LH, CORBIN RUSSWIN P/N UT5257	3	C	4710Y SE
BXN160C	AL	1-B-14-000-001	3	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, MONO, GRE, RH, CORBIN RUSSWIN P/N UT5257	3	C	4710Y SE
BXN164Q	AL	1-B-14-000-001	1	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, MONO, GRE, RHR, CORBIN RUSSWIN P/N UT5257	3	C	4710Y SE
BXN169E	AL	1-B-14-000-001	3	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, MONO, GRE, LHR, CORBIN RUSSWIN P/N UT5257	3	C	4710Y SE
BXR211T	AL	A-A-01-000-001	3	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, DEADLOCKING LATCHBOLT, MAYFAIR DESIGN, SA	3	C	4710Y SE
BXR215J	AL	A-A-01-000-001	3	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, DEADLOCKING LATCHBOLT, MAYFAIR DESIGN, SB	3	C	4710Y SE
BXR225F	AL	A-A-01-000-001	4	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, DEADLOCKING LATCHBOLT, MAYFAIR DESIGN, SB	3	C	4710Y SE
BXR234E	AL	A-A-01-000-001	2	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, DEADLOCKING LATCHBOLT, MAYFAIR DESIGN, SA	3	C	4710Y SE
BXR243D	AL	A-A-01-000-001	3	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, DEADLOCKING LATCHBOLT, MAYFAIR DESIGN, SB	3	C	4710Y SE
BXR252C	AL	A-A-01-000-001	3	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, DEADLOCKING LATCHBOLT, MAYFAIR DESIGN, SA	3	C	4710Y SE
BXR267Y	AL	A-A-01-000-001	3	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, DEADLOCKING LATCHBOLT, MAYFAIR DESIGN, SB	3	C	4710Y SE
BXV096C	AL	A-A-01-000-001	4	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, MORTISE; EXIT DEVICE, HINGED-TYPE ANTI-FRICTION DEADLOCKING	3	C	4710Y SE
BXV985M	AL	A-A-01-000-001	6	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, MORTISE; CLASSROOM, ANSI NO.: F05, FUNCTION DESCRIPTION:	3	C	4710Y SE
BXV986K	AL	A-A-01-000-001	2	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, MORTISE; CLASSROOM, ANSI NO.: F05, FUNCTION DESCRIPTION:	3	C	4710Y SE
BXV988F	AL	A-A-01-000-001	6	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, MORTISE; CLASSROOM, ANSI NO.: F05, FUNCTION DESCRIPTION:	3	C	4710Y SE
BXV989D	AL	A-A-01-000-001	6	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, MORTISE; TYPE: DORMITORY, ENTRANCE OR STOREROOM, ANSI NO.:	3	C	4710Y SE
BXV991T	AL	A-A-01-000-001	6	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, MORTISE; TYPE: DORMITORY, ENTRANCE OR STOREROOM, ANSI NO.:	3	C	4710Y SE
BXV994L	AL	A-A-01-000-001	5	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, MORTISE; TYPE: DORMITORY, ENTRANCE OR STOREROOM, ANSI	3	C	4710Y SE
BXV996G	AL	A-A-01-000-001	3	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, MORTISE; TYPE: DORMITORY, ENTRANCE OR STOREROOM, ANSI NO:	3	C	4710Y SE

BXW786N	AL	A-A-01-000-001	4	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, RIM; EXIT DEVICE,LHR,MORTISE,FOR USE WITH A KNOB AND OUTSIDE	3	C	4710Y SE
BYA158B	AL	A-A-01-000-001	5	LOCKSET	LOCKSET, SECURING, QA 3, RIGHT HAND, , MORTISE, TRIM: CARMEL CRR, LEVER HANDLE, FINISH: 626 (US26D),	3	C	4710Y SE
BYP781L	AL	A-A-01-000-001	2	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, CYLINDRICAL; DORMITORY LOCK (F13),TRIM DESIGN: PINEHURST	3	C	4710Y SE
BYP784E	AL	A-A-01-000-001	2	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, CYLINDRICAL; DORMITORY LOCK (F13),TRIM DESIGN: PINEHURST	3	C	4710Y SE
AWY055Q	AL	M-A-05-000-002	1	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, RIM; ELECTRIC, STRIKE RIGHT HAND, FOR SPARE DOOR HARDWARE	3	P	4710Y SE
BCW284Q	AL	M-A-02-000-002	5	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, RIM; DOOR, CYLINDRICAL, US26D FINISH, COMPLETE WITH TWO EA	3	P	4710Y SE
BDD094V	AL	M-A-04-000-002	5	LOCKSET	LOCKSET, SECURING, QA 2, LOCK SET, RIM; DOOR, MORTISE, 300 SERIES, SATIN CHROME (US26D), WITH 2	2	P	4710Y SE
BEY716Y	AL	P-A-LL-ET0-063	3	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, MORTISE; UNILOC, HEAVY DUTY US26D SATIN CHROME FINISH, RIGHT	3	C	4710Y SE
BKN521Q	AL	M-A-01-000-002	2	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, MORTISE; RIGHT HAND, MODERA US26D FINISH WITH 15 N KEYWAY	3	P	4710Y SE
BXV104J	AL	T-A-12-000-002	3	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, MORTISE; EXIT DEVICE, HINGED-TYPE ANTI-FRICTION DEADLOCKING	3	C	4710Y SE
CFK412Y	AC	- - - -	1	LOCKSET	LOCKSET, SECURING, QA 3, LOCKSET, SECURING; TYPE: DOOR; MATERIAL: BRASS/BRONZE; FINISH: SATIN	3	C	4710Y SE
BVW770X	AL	F-A-10-202-005	6	LOUVER	LOUVER, DEFLECTOR, QA 3, LOUVER, HEATER; LOUVER PLATE KIT, LENGTH: 08.19 IN, WIDTH: 09.50 IN	3		4520N SE
CHF679X	AC	- - - -	20	LOUVER	LOUVER, DEFLECTOR, QA 3, LIGHT, 23-5/8 IN, 47-5/8 IN	3	C	6210P SE
ADX993N	AL	D-A-37-302-002	1	LUBRICANT	LUBRICANT, SILICONE, QA 0, 8 LB, PASTE, CAN, GREASE, GRAPHITE; BASIC INGREDIENT: SILICONE, CONTAINER SIZE: 8 LB	0	P	9150H SE
AGX691L	AL	8-A-07-000-001	2	LUBRICANT	LUBRICANT, OIL, QA 0, HYDRAULIC, 55 GAL, DRUM, TVA SPECIFICATION: 18.009	0	C	9150H SE
AXR590A	AL	Z-Z-ZZ-ZZZ-ZZZ	3	LUBRICANT	LUBRICANT, OIL, QA 3, LUBRICATING OIL, STEAM TURBINE; TVA STO-1, AGMA-0, ISO GRADE VG-32, 55	3	C	9150H SE
AYJ272B	AL	Z-Z-ZZ-ZZZ-ZZZ	2	LUBRICANT	LUBRICANT, OIL, QA 3, LUBRICATING OIL, GEAR; TVA EPRG-GR6, SULPHUR PHOSPHORUS ADDITIVE, 55	3	P	9150H SE
AYM302E	AL	Z-Z-ZZ-ZZZ-ZZZ	56	LUBRICANT	LUBRICANT, OIL, QA 0, ENGINE, 55 GAL, DRUM, SHC 626, SYNTHETIC FLEET EO 30, TVA LUBE CODE D02-30, (SAP CODE 1041069).	0	C	9150H SE
BAE679M	AL	Z-Z-ZZ-ZZZ-ZZZ	3	LUBRICANT	LUBRICANT, OIL, QA 3, LUBRICATING OIL, GEAR; TVA-TL-140, TRANSMISSION 5 GALLON CAN ***	3	P	9150H SE
BAG308G	AL	D-B-01-301-001	6	LUBRICANT	LUBRICANT, OIL, QA 3, LUBRICATING OIL, REFRIG COMPRESSOR; TVA CODE: REF-32, CONTAINER SIZE:	3		9150H SE
BCA624P	AL	D-B-01-301-002	9	LUBRICANT	LUBRICANT, OIL, QA 3, LUBRICATING OIL, GEAR; GRADE: AGMA-8EP, CONTAINER SIZE: 1 QUART	3		9150H SE
BFA087V	AL	A-A-01-000-001	1	LUBRICANT	LUBRICANT, THREAD, QA 0, ANTI-SEIZE, 1 OZ, GEL, TUBE, NEVER-SEEZ, FOR MSA MASK,	0	P	8030W SE
BFK464J	AL	Z-Z-ZZ-ZZZ-ZZZ	57	LUBRICANT	LUBRICANT, GREASE, QA 3, GREASE, GENERAL PURPOSE; GEAR LUBRICANT, CALCIUM BASE, NEBULA EP-0	3	P	9150H SE
BKN033W	AL	A-A-01-000-001	22	LUBRICANT	LUBRICANT, ALL PURPOSE, QA 0, SOLID FILM, 11 OZ, DRY GREASELESS	0	P	9150H SE
BKR414A	AL	D-B-01-301-002	130	LUBRICANT	LUBRICANT, GREASE, QA 0, VALVE, FLUID, STICK, GREASE, PLUG VALVE; TYPE: C, CONTAINER SIZE: 24 EA, CONTAINER TYPE:	0		9150H SE
BLL650W	AL	Z-Z-ZZ-ZZZ-ZZZ	6	LUBRICANT	LUBRICANT, GREASE, QA 3, GREASE, MOLYBDENUM DISULFIDE; GREASE, MULTI-PURPOSE, LITHIUM-12	3	P	9150H SE
BLV032Y	AL	Z-Z-ZZ-ZZZ-ZZZ	3	LUBRICANT	LUBRICANT, OIL, QA 3, LUBRICATING OIL, STEAM TURBINE; TVA STO-3, ISO VG-68, 55 GALLON DRUM	3	P	9150H SE
BLW673V	AL	D-B-01-301-001	2	LUBRICANT	LUBRICANT, OIL, QA 0, COMPRESSOR, 1 GL, LIQUID, LUBRICATING OIL, REFRIG COMPRESSOR; CONTAINER SIZE: 1.0 GAL ***	0		9150H SE
BRG099P	AL	A-A-01-000-001	1	LUBRICANT	LUBRICANT, ALL PURPOSE, QA 0, LUBRICATION, KIT; MIST COOLANT KIT ***	0	C	9150H SE
BYD519M	AL	A-A-01-000-001	37	LUBRICANT	LUBRICANT, THREAD, QA 3, 1 LB, CAN, COMPOUND, ANTISEIZE; THREAD LUBRICANT, PURE NICKEL,SPECIAL NUCLEAR	3	B	8030W SE
BYX378T	AL	Z-Z-ZZ-ZZZ-ZZZ	1	LUBRICANT	LUBRICANT, SILICONE, QA 2, INSULATING OIL, ELECTRICAL; SILICONE, DIMETHYL SILOXANE POLYMER	2	C	9150H SE
CAL244K	AL	Z-Z-ZZ-ZZZ-ZZZ	1	LUBRICANT	LUBRICANT, GREASE, QA 2, MULTIPURPOSE, 120 LB, *** KEG	2	C	9150H SE
CAQ807D	AL	Z-Z-ZZ-ZZZ-ZZZ	2	LUBRICANT	LUBRICANT, GREASE, QA 2, LITHIUM COMPLEX, 35 LB, PAIL, , GENERAL PURPOSE, RESISTANCE TO: WATER, NLGI GRADE: GRADE 2	2	C	9150H SE
CAT080T	AC	- - - -	4	LUBRICANT	LUBRICANT, OIL, QA 2, GEAR, 38 LB, PAIL, ISO VG-220, , GRADE: AGMA 5EP, TVA CODE: EPRG-5	2	C	9150H SE
CGQ798D	AL	5-A-02-101-000	12	LUBRICANT	LUBRICANT, ALL PURPOSE, QA 0, SPECIAL PURPOSE, PASTE, TUBE, 5 OZ TUBE, DMETHYL POLYSILICONE FOR SILVER PLATED JOINTS	0	C	9150H SE
CGR435D	AL	5-A-02-101-000	18	LUBRICANT	LUBRICANT, OIL, QA 0, COMPRESSOR, 4 LT, LIQUID, SAE 20, BOTTLE, PREMIUM	0	C	9150H SE
BBK894H	AC	- - - -	28	LUBRICANT	LUBRICANT, THREAD, QA 3, ANTI-SEIZE, 50 CC, TUBE, COMPOUND, SEALANT, NUCLEAR GRADE,HIGH PREFORMANCE, LOW HALOGEN	3	B	8030W SE
BGW926H	AL	M-A-06-000-002	1	LUBRICANT	LUBRICANT, SILICONE, QA 3, LUBRICANT, SOLID FILM; SILICONE, OPTICAL COUPLANT, HIGH CLARITY, LOW	3	B	9150H SE
CED369A	AL	T-A-01-000-002	51	LUBRICANT	LUBRICANT, THREAD, QA 3, CONDUCTIVE/ANTI-CORROSION, 1/2 LB, PASTE, CAN, ANTISEIZE, ** UL LISTED FOR USE ON CABLE CONNECTOR ASSEMBLIES OR BUS	3	B	8030W SE
AFP313T	AL	A-A-01-000-001	11	LUG	LUG, COMPRESSION, QA 0, LUG, TERMINAL; INSULATION FEATURE: INSULATED, INSULATION: PLASTIC	0	P	5940I SE
AFP413N	AL	A-A-01-000-001	10	LUG	LUG, COMPRESSION, QA 0, LUG, TERMINAL; INSULATION FEATURE: INSULATED, INSULATION: PLASTIC	0	P	5940I SE
AKP603R	AL	D-B-04-000-001	11	LUG	LUG, COMPRESSION, QA 0, STRAIGHT, #6-#5 AWG, 9/16 IN, COPPER, 1, NEUTRAL, LUG, TERMINAL; CONDUCTOR SIZE RANGE: 6- 5 AWG, INSULATION FEATURE:	0	C	5940I SE
ANP115K	AL	D-A-29-301-003	5	LUG	LUG, COMPRESSION, QA 0, RING TONGUE, #22-#16 AWG, #4, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD RING, CNDCT SIZE	0		5940I SE
AQB537A	AL	A-A-01-000-001	260	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; CONDUCTOR SIZE RANGE: 750 KCMIL, INSULATION FEATURE:	2	B	5940I SE
AQB551G	AL	A-A-01-000-001	1683	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT ONE HOLE	2	B	5940I SE
AQB569W	AL	A-A-01-000-001	188	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; CONDUCTOR SIZE RANGE: 500 KCMIL, INSULATION FEATURE:	2	B	5940I SE
ARC719Q	AL	1-A-04-129-001	1	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; INSULATED, STYLE CRIMP, MTG METHOD RING, CNDCT SIZE	2	P	5940I SE
ARC736Q	AC	- - - -	46	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD RING, CNDCT SIZE	2	P	5940I SE
ARC824V	AL	F-C-08-064-001	761	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; INSULATED, STYLE CRIMP, MTG METHOD RING, CNDCT SIZE	2	P	5940I SE
ARD871D	AL	1-B-11-135-001	1	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT ONE HOLE	2	P	5940I SE
ARG831A	AL	A-A-01-000-001	182	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT ONE HOLE	2	P	5940I SE
ARG930K	AL	A-A-01-000-001	229	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT TWO HOLE	2	C	5940I SE
ARJ971F	AL	A-A-01-000-001	38	LUG	LUG, COMPRESSION, QA 2, STRAIGHT, 750 KCMIL, 1/2 IN, 1, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT ONE HOLE,	2	P	5940I SE
ARK276W	AL	A-A-01-000-001	209	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT TWO HOLE	2	P	5940I SE
ARM619E	AL	A-A-01-000-001	314	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT ONE HOLE	2	P	5940I SE
ARW651E	AL	A-A-01-000-001	83	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT ONE HOLE	2	P	5940I SE
ARW653A	AL	A-A-01-000-001	151	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT ONE HOLE	2	P	5940I SE
ARW661B	AL	A-A-01-000-001	199	LUG	LUG, COMPRESSION, QA 2, #2/0 AWG, 3/8 IN, COPPER, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT TWO HOLE,	2	P	5940I SE
AVA505B	AL	A-A-01-000-001	14	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT ONE HOLE	2	P	5940I SE
AXE738H	AL	A-A-01-000-001	189	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT BLANK	2	P	5940I SE
AXJ690A	AL	D-B-04-000-001	16	LUG	LUG, COMPRESSION, QA 0, LUG, TERMINAL; 3/0-500 KCMIL, FOR AIR CIRCUITBREAKER, TYPE NB, 800	0	P	5940I SE
AYJ376Y	AC	- - - -	7496	LUG	LUG, COMPRESSION, QA 2, RING TONGUE, #22-#16 AWG, #6, , TERMINAL; UNINSULATED, STYLE CRIMP	2	P	5940I SE
AYK305J	AL	A-A-01-000-001	120	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT ONE HOLE	2	B	5940I SE
BAA566P	AL	A-A-01-000-001	47	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT BLANK	2	P	5940I SE
BAM172L	AL	A-A-01-000-001	386	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; CONDUCTOR SIZE RANGE: 300 KCMIL, INSULATION FEATURE:	2	P	5940I SE
BAY805R	AL	A-A-01-000-001	240	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; CONDUCTOR SIZE RANGE: 400 KCMIL, INSULATION FEATURE:	2	C	5940I SE
BAY806P	AL	A-A-01-000-001	200	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT ONE HOLE	2	B	5940I SE
BBF198T	AL	A-A-01-000-001	260	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT ONE HOLE	2	P	5940I SE
BCV905Q	AL	A-A-01-000-001	440	LUG	LUG, COMPRESSION, QA 2, STRAIGHT, #2 AWG, 1/2 IN, 1, BROWN, LUG, TERMINAL; CONDUCTOR SIZE RANGE: 2 AWG, INSULATION FEATURE:	2	P	5940I SE
BGY199C	AL	A-A-01-000-001	319	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT TWO HOLE	2	B	5940I SE
BKR439R	AL	A-A-01-000-001	101	LUG	LUG, COMPRESSION, QA 0, RING TONGUE, #6-#5 AWG, 1/4 IN	0	P	5940I SE
BKY862L	AL	F-A-04-202-003	148	LUG	LUG, COMPRESSION, QA 0, TERMINAL, QUICK DISCONNECT; MOUNTING TYPE: MALE AND FEMALE, TERMINAL	0		5940I SE
BLC618N	AL	F-A-04-202-001	18	LUG	LUG, COMPRESSION, QA 1, LUG, TERMINAL; CONDUCTOR SIZE RANGE: 22-16 AWG, INSULATION FEATURE:	1		5940I SE
BLE660Q	AL	A-A-01-000-001	60	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT TWO HOLE	2	B	5940I SE
BLH907N	AL	F-A-04-202-001	140	LUG	LUG, COMPRESSION, QA 1, LUG, TERMINAL; 1 HOLE, NO 5/16 BOLT HOLE, 16-14 AWG, TERMINAL	1		5940I SE

BLH916L	AL	F-A-04-202-001	11	LUG	LUG, COMPRESSION, QA 1, LUG, TERMINAL; 2 HOLE, 1/4 BOLT SIZE, 4 AWG, TERMINAL, NON-INSULATED	1		5940I SE
BLY472V	AL	F-A-10-301-002	101	LUG	LUG, COMPRESSION, QA 1, 500 KCMIL, BROWN, LUG, TERMINAL; TIN PLATED,500 KCMIL,COLOR KEY BROWN ***	1		5950N SE
BNR418F	AL	A-A-01-000-001	49	LUG	LUG, COMPRESSION, QA 1, LUG, TERMINAL; STYLE CRIMP, UNINSULATED, CNDCT SIZE 500 KCMIL, STUD	1	P	5940I SE
BNV061B	AL	F-A-04-202-005	25	LUG	LUG, COMPRESSION, QA 0, LUG, TERMINAL; STUD SIZE: 02.500000 (2 1/2), MOUNTING: 1-HOLE ***	0		5940I SE
BPE013K	AL	1-A-25-015-001	60	LUG	LUG, COMPRESSION, QA 0, LUG, TERMINAL; STUD SIZE: 00.687500 (11/16), MOUNTING: 2-HOLE ***	0	P	5940I SE
BPH157L	AL	F-A-08-302-003	79	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STRAIGHT 2-HOLE, 250 KCMIL, 1/2 IN STUD	2		5940I SE
BPJ909T	AL	A-A-01-000-001	5647	LUG	LUG, COMPRESSION, QA 1, LUG, TERMINAL; STYLE CRIMP, MTG METHOD RING, CNDCT SIZE 16-14 AWG NO 8	1	B	5940I SE
BQM609H	AL	A-A-01-000-001	75	LUG	LUG, COMPRESSION, QA 0, #16-#14 AWG, 0.970 IN, VINYL, BLUE, TERMINAL, QUICK DISCONNECT; INSULATION FEATURE: INSULATED, INSULATION:	0	C	5940I SE
BVB168M	AL	A-A-01-000-001	85	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; CONDUCTOR SIZE RANGE: 250 KCMIL, INSULATION FEATURE:	2	C	5940I SE
BVE029B	AL	F-A-08-302-003	2	LUG	LUG, COMPRESSION, QA 3, RING TONGUE, #16 AWG, #8-#10, CROMEL, 1, TERMINAL.	3		5940I SE
BVE909N	AL	F-A-08-302-004	10	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; CONDUCTOR SIZE RANGE: 750 KCMIL, INSULATION FEATURE:	2		5940I SE
BVT279Y	AL	A-A-01-000-001	30	LUG	LUG, COMPRESSION, QA 0, 350 KCMIL-#6 AWG, 3/8 IN, 90 DEG C, TIN PLATED ALUMINUM, LUG, SECURITY SYSTEM; TERMINAL LUG, BOLT SIZE 3/8 INCH, 350	0	C	6350B SE
BVX279F	AL	A-A-01-000-001	76	LUG	LUG, COMPRESSION, QA 0, LUG, TERMINAL BLOCK; BUTT SPLICE, SOLISTRAND, SIGHT-HOLE TYPE, #6 AWG	0	B	5940I SE
BWD495M	AL	D-B-16-000-001	53	LUG	LUG, TYPICAL, QA 3, LUG, HEATER; L SHAPE ***	3	B	5966A SE
BWF915F	AL	F-A-04-202-001	65	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; CONDUCTOR SIZE RANGE: 6- 5 AWG, INSULATION FEATURE:	2		5940I SE
BXD067V	AL	F-A-10-202-005	10	LUG	LUG, TYPICAL, QA 0, SUPPORT, *** DIAPHRAGM SUPPORT, RFPT	0	B	2825G SE
BYD439K	AL	F-A-04-202-001	50	LUG	LUG, COMPRESSION, QA 2, STRAIGHT, #6 AWG, 1/4 IN, TIN PLATED COPPER, BARE, LONG, 2, BLUE, , TERMINAL, BODY STYLE: CRIMP, UL LISTED, HOLES CE	2		5940I SE
BYE512Y	AL	F-A-08-302-003	200	LUG	LUG, COMPRESSION, QA 2, RING TONGUE, #18-#14 AWG, 1/2 IN, TIN PLATED COPPER, BARE, , TERMINAL, BODY STYLE: CRIMP, UL LISTED	2		5940I SE
BYM837X	AC	- - - -	2	LUG	LUG, COMPRESSION, QA 2, STRAIGHT, 400 KCMIL, 1/2 IN, TIN PLATED COPPER, 2, BLUE, , UNINSULATED, TERMINAL, BODY STYLE: CRIMP, UL LISTED, HOLE	2	C	5940I SE
CBL481Y	AL	F-A-08-302-006	3	LUG	LUG, TYPICAL, QA 0, WELDING, 2-1/2 IN, 1/4 IN, CARBON STEEL, 610 LB, 3/8 IN ROD, BLACK, *** FOR 3/8 INCH DIA ROD	0		4710Y SE
CBR514G	AL	F-A-08-302-005	2	LUG	LUG, TYPICAL, QA 0, WELDING, 1/2 IN, *** BP1052-50	0		4710Y SE
ACG002T	AL	L-A-01-000-002	22	LUG	LUG, TYPICAL, QA 1, LUG, ; CLOSURE, 004.750 X 002.500 X 002.125 IN, FOR HATCH DOOR UNITS 1	1	P	4470C SE
AFP407J	AL	M-A-03-000-002	78	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; CONDUCTOR SIZE RANGE: 4/0 AWG, INSULATION FEATURE:	2	B	5940I SE
AJY464E	AL	M-A-11-000-002	1	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD RING, CNDCT SIZE	2	P	5940I SE
AKP010N	AL	M-A-06-000-002	10	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; CONDUCTOR SIZE RANGE: 1/0 AWG, INSULATION FEATURE:	2	B	5940I SE
AKP010N	AL	M-A-12-000-002	640	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; CONDUCTOR SIZE RANGE: 1/0 AWG, INSULATION FEATURE:	2	B	5940I SE
ANP915J	AL	M-A-06-000-002	18	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD RING, CNDCT SIZE	2	P	5940I SE
ANP915J	AC	- - - -	1423	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD RING, CNDCT SIZE	2	P	5940I SE
APP604Y	AL	M-A-13-000-002	300	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD RING, CNDCT SIZE	2	B	5940I SE
AQB569W	AL	L-A-09-000-002	18	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; CONDUCTOR SIZE RANGE: 500 KCMIL, INSULATION FEATURE:	2	B	5940I SE
AQM039X	AL	M-A-11-000-002	59	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD RING, CNDCT SIZE	2	P	5940I SE
AQY678M	AL	M-A-13-000-002	25	LUG	LUG, COMPRESSION, QA 2, STRAIGHT, 500 KCMIL, 3/8 IN, WROUGHT COPPER, 2, BROWN, LUG, TERMINAL; CONDUCTOR SIZE RANGE: 500 KCMIL, INSULATION FE	2	B	5940I SE
ARC718T	AL	M-A-06-000-002	3	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; INSULATED, STYLE CRIMP, MTG METHOD RING, CNDCT SIZE	2	P	5940I SE
ARC736Q	AL	M-A-01-000-002	842	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD RING, CNDCT SIZE	2	P	5940I SE
ARC772L	AL	M-A-06-000-002	1	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; INSULATED, STYLE CRIMP, MTG METHOD RING, CNDCT SIZE	2	P	5940I SE
ARC818N	AL	M-A-03-000-002	620	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; INSULATED, STYLE CRIMP, MTG METHOD RING, CNDCT SIZE	2	P	5940I SE
ARG831A	AL	M-A-13-000-002	71	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT ONE HOLE	2	P	5940I SE
ARW653A	AL	M-A-07-000-002	1	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT ONE HOLE	2	P	5940I SE
ARW653A	AL	M-A-13-000-002	150	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT ONE HOLE	2	P	5940I SE
ARW660Q	AL	M-A-12-000-002	174	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT ONE HOLE	2	B	5940I SE
ARW661B	TR	- - - -	2	LUG	LUG, COMPRESSION, QA 2, #2/0 AWG, 3/8 IN, COPPER, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT TWO HOLE,	2	P	5940I SE
ARW701T	AL	L-A-09-000-002	5	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; CONDUCTOR SIZE RANGE: 2 AWG, INSULATION FEATURE:	2	B	5940I SE
AVA505B	AL	T-A-01-000-002	6	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT ONE HOLE	2	P	5940I SE
AWF034E	AL	M-A-12-000-002	372	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT BLANK	2	P	5940I SE
AWV344A	AL	L-A-09-000-002	30	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; CONDUCTOR SIZE RANGE: 6 AWG, INSULATION FEATURE:	2	C	5940I SE
AXC532G	AL	T-A-01-000-002	125	LUG	LUG, COMPRESSION, QA 2, STRAIGHT BLANK, #1/0 AWG, BARE, PINK, , TERMINAL; STYLE CRIMP, , 600 VOLT APPLICATION	2	P	5940I SE
AXE738H	AL	T-A-01-000-002	82	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT BLANK	2	P	5940I SE
AXN609L	AL	L-A-09-000-002	30	LUG	LUG, COMPRESSION, QA 2, RING TONGUE, #12-#10 AWG, 5/16 IN, COPPER, BARE, 1, , BODY STYLE: CRIMP, UL LISTED	2	B	5940I SE
AYH434G	AL	L-A-09-000-002	81	LUG	LUG, COMPRESSION, QA 0, #22-#16 AWG, TIN PLATED BRASS, VINYL, RED, TERMINAL, QUICK DISCONNECT; CRIMP, EXTERNAL TAB, 22-16 AWGINSULATED	0	P	5940I SE
BAM173J	AL	L-A-07-000-002	375	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT ONE HOLE	2	P	5940I SE
BAY311J	AL	M-A-16-000-002	17	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT ONE HOLE	2	P	5940I SE
BBG918D	AL	M-A-16-000-002	1408	LUG	LUG, COMPRESSION, QA 3, TERMINAL, QUICK DISCONNECT; CRIMP TYPE, TAB INTERNAL, 20-16 AWG WIRE	3	P	5940I SE
BDF381P	AL	L-A-09-000-002	1579	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD RING, CONDUCTOR	2	B	5940I SE
BFY511B	AL	M-A-03-000-002	3	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; INSULATED, STYLE CRIMP, MTG METHOD OPEN SLOT W/LIP	2	P	5940I SE
BGY199C	AL	L-A-02-000-002	180	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT TWO HOLE	2	B	5940I SE
BHG473L	AL	M-A-06-000-002	14	LUG	LUG, COMPRESSION, QA 1, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT TWO HOLE	1	P	5940I SE
BHJ149K	AL	M-A-12-000-002	29	LUG	LUG, COMPRESSION, QA 2, STRAIGHT, #2/0 AWG, 1/2 IN, 2, BLACK, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT TWO HOLE,	2	B	5940I SE
BHV024G	AL	M-A-16-000-002	968	LUG	LUG, COMPRESSION, QA 3, LUG, TERMINAL; UNINSULATED, ***	3	P	5940I SE
BHV160W	AL	L-A-09-000-002	65	LUG	LUG, COMPRESSION, QA 1, STRAIGHT, 400 KCMIL, 1/2 IN, COPPER, 1, BLUE, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT ONE HOLE,	1	P	5940I SE
BJD861L	AL	M-A-11-000-002	1580	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; INSULATED, STYLE CRIMP, MTG METHOD RING, CNDCT SIZE	2	P	5940I SE
BJD862J	AL	M-A-09-000-002	292	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; INSULATED, STYLE CRIMP, MTG METHOD RING, CNDCT SIZE	2	P	5940I SE
BKR022J	AL	M-A-01-000-002	3076	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; INSULATED, STYLE CRIMP, CNDCT SIZE 12-10 AWG, YELLOW	2	P	5940I SE
BNR230D	AL	L-A-09-000-002	70	LUG	LUG, COMPRESSION, QA 0, LUG, TERMINAL; BODY STYLE: CRIMP, MOUNTING: ANGLE-1-HOLE ***	0	P	5940I SE
BNR232X	AL	L-A-09-000-002	70	LUG	LUG, COMPRESSION, QA 0, LUG, TERMINAL; BODY STYLE: CRIMP, MOUNTING: ANGLE-1-HOLE ***	0	P	5940I SE
BNR233V	AL	L-A-09-000-002	20	LUG	LUG, COMPRESSION, QA 0, LUG, TERMINAL; BODY STYLE: CRIMP, MOUNTING: ANGLE-1-HOLE ***	0	P	5940I SE
BPG966P	AL	L-A-02-000-002	500	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, CRIMP, STRAIGHT 1-HOLE, 2/0 AWG, 5/16 IN	2	P	5940I SE
BPL961D	AL	L-A-09-000-002	6	LUG	LUG, COMPRESSION, QA 1, LUG, CIRCUIT BREAKER; COPPER-ALUMINUM, WIRE RANGE 6 TO 2/0 AWG	1	B	5925B SE
BPL970P	AL	L-A-09-000-002	1	LUG	LUG, COMPRESSION, QA 1, LUG, CIRCUIT BREAKER; COPPER-ALUMINUM, WIRE RANGE 4 AWG TO 300 MCM	1	B	5925B SE
BVE019E	AL	L-A-09-000-002	57	LUG	LUG, COMPRESSION, QA 3, LUG, TERMINAL; CONDUCTOR SIZE RANGE: 24-18 AWG, INSULATION FEATURE:	3	B	5940I SE
BVF162D	AL	L-A-09-000-002	1	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; CONDUCTOR SIZE RANGE: 750 KCMIL, INSULATION FEATURE:	2	B	5940I SE
BVR651A	AL	T-A-01-000-002	100	LUG	LUG, COMPRESSION, QA 0, LUG, TERMINAL; CONDUCTOR SIZE RANGE: 12-14 AWG, INSULATION FEATURE:	0	B	5940I SE
BWB130L	AL	T-A-01-000-002	38	LUG	LUG, COMPRESSION, QA 0, LUG, CONTROLLER; TERNINAL FLAG TONGUE FOR USE ON CONDENSATE POLISHER	0	B	6695D SE
BYB350R	AL	L-A-09-000-002	2	LUG	LUG, COMPRESSION, QA 2, STRAIGHT, #2 AWG, 1/4 IN, TIN PLATED COPPER, BARE, 1, BROWN, , TERMINAL, BODY STYLE: CRIMP, UL LISTED	2	C	5940I SE
BYB489E	AL	L-A-09-000-002	70	LUG	LUG, COMPRESSION, QA 2, STRAIGHT, #8 AWG, 1/4 IN, TIN PLATED COPPER, BARE, 2, , TERMINAL, BODY STYLE: CRIMP, UL LISTED, HOLES CENTER/CENTER:	2	C	5940I SE
BYD260G	AL	L-A-09-000-002	2	LUG	LUG, COMPRESSION, QA 2, STRAIGHT, 500 KCMIL, 1/2 IN, TIN PLATED COPPER, BARE, 2, BROWN, , TERMINAL, BODY STYLE: CRIMP, UL LISTED, HOLES CENT	2	C	5940I SE

BYM456A	AL	L-A-09-000-002	50	LUG	LUG, COMPRESSION, QA 2, STRAIGHT, 500 KCMIL, 1/2 IN, TIN PLATED COPPER, BARE, LONG, 2, BROWN, , TERMINAL, BODY STYLE: CRIMP, UL LISTED, HOLE	2	C	5940I SE
BYT789L	AL	L-A-09-000-002	300	LUG	LUG, COMPRESSION, QA 2, RING TONGUE, #22-#16 AWG, #4, TIN PLATED COPPER, BARE, , TERMINAL, BODY STYLE: CRIMP, UL LISTED	2	C	5940I SE
BYV173P	AL	L-A-09-000-002	2136	LUG	LUG, COMPRESSION, QA 2, RING TONGUE, #22-#16 AWG, #10, TIN PLATED COPPER, TERMINAL; INSULATION FEATURE: UNINSULATED, BODY STYLE: UL LISTED,	2	C	5940I SE
BYV227T	AL	L-A-09-000-002	83	LUG	LUG, COMPRESSION, QA 2, RING TONGUE, #4 AWG, 1/4 IN, TIN PLATED COPPER, BARE, TERMINAL, CRIMP, UL LISTED	2	C	5940I SE
BYV262Q	AL	L-A-09-000-002	169	LUG	LUG, COMPRESSION, QA 2, RING TONGUE, #22-#16 AWG, #10, TIN PLATED COPPER, BARE, , TERMINAL, CRIMP, UL LISTED	2	C	5940I SE
BYV428G	AL	L-A-09-000-002	3296	LUG	LUG, COMPRESSION, QA 2, RING TONGUE, #22-#16 AWG, 1/4 IN, TIN PLATED COPPER, BARE, , TERMINAL, CRIMP, UL LISTED	2	C	5940I SE
CAM644X	AL	L-A-09-000-002	13	LUG	LUG, COMPRESSION, QA 2, RING TONGUE, #22-#18 AWG, 1/4 IN, TIN PLATED COPPER, TEFZEL, NEUTRAL/RED STRIPE, , TERMINAL, BODY STYLE: CRIMP, UL L	2	C	5940I SE
CBE078R	AL	L-A-13-000-002	1000	LUG	LUG, COMPRESSION, QA 2, RING TONGUE, #22-#16 AWG, 3/8 IN, TIN PLATED COPPER, PVF2, NEUTRAL/RED STRIPE, , PRE-INSULATED DIAMOND GRIP (PIDG) T	2	C	5940I SE
CBE084Y	AL	L-A-13-000-002	1000	LUG	LUG, COMPRESSION, QA 2, RING TONGUE, #22-#16 AWG, 1/2 IN, TIN PLATED COPPER, PVF2, NEUTRAL/RED STRIPE, , PRE-INSULATED DIAMOND GRIP (PIDG) T	2	C	5940I SE
CBE127G	AL	L-A-13-000-002	1000	LUG	LUG, COMPRESSION, QA 2, RING TONGUE, #12-#10 AWG, 1/2 IN, TIN PLATED COPPER, PVF2, NEUTRAL/YELLOW STRIPE, , CRIMP, LUG LENGTH: 01.414	2	C	5940I SE
CDF928V	AL	L-A-03-000-002	2	LUG	LUG, COMPRESSION, QA 2, STRAIGHT, #2/0 AWG, 1/2 IN, TIN PLATED COPPER, BARE, LONG, 2, BLACK, , TERMINAL, BODY STYLE: CRIMP, UL LISTED, HOLES	2	C	5940I SE
CFN834L	AL	L-A-13-000-002	100	LUG	LUG, COMPRESSION, QA 3, RING TONGUE, #22-#16 AWG, #10, TIN PLATED COPPER, NYLON, RED, , PACKAGE QUANTITY 100	3	B	4710Z SE
AHK588T	AL	T-A-07-000-001	83	LUMBER	LUMBER, CONSTRUCTION, QA 0, PLYWOOD/INTERIOR, 3/8 IN X 4 FT, 8 FT (96 IN), AC, 3 PLY	0	P	5510R SE
ADW248X	AL	A-A-01-000-001	1	MAGNET	MAGNET, TYPICAL, QA 3, MAGNET, ; FOR LEEDS AND NORTHRUP SPEEDOMAX W RECORDER ***	3	P	6695D SE
BNH929Y	AL	D-A-32-104-001	1	MAGNET	MAGNET, TYPICAL, QA 3, MAGNET ASSY, ; ITEM 19, FOR METER, FLOW RATE IND, FLOAT TYPE, SIZE 8	3	B	6695D SE
BXN382E	AC	- - - -	4	MAGNET	MAGNET, TYPICAL, QA 1, ASSEMBLY, , FOR TARGET ROCK SOLENOID VALVES (VARIOUS), MODEL NO. 98H-001, IT.	1	B	48200 SE
BCQ803G	AL	M-A-15-000-002	9	MAGNET	MAGNET, TYPICAL, QA 1, MAGNET ASSY, ; FOR VALVE, MODEL 82UU-001, 1E HARSH PIECE PART ***	1	P	5965A SE
BLM073F	AL	M-A-16-000-002	4	MAGNET	MAGNET, TYPICAL, QA 3, MAGNET ASSY, ; METAL, ROUND, DWG ITEM 14, FOR3/8 IN TARGET ROCK	3	P	48200 SE
AMW771W	AL	A-A-01-000-001	17	MANIFOLD	MANIFOLD, MECHANICAL, QA 3, MANIFOLD,CONTROLLER, ; FOR CONTROLLER, LIQUID LEVEL, 12800 SERIES ***	3	P	6695D SE
AMW863P	AL	D-B-05-202-005	6	MANIFOLD	MANIFOLD, MECHANICAL, QA 0, MANIFOLD ASSY, ; FOR TESTER ***	0	P	6695D SE
BET444T	AL	D-B-11-201-000	2	MANIFOLD	MANIFOLD, MECHANICAL, QA 0, MANIFOLD, VALVE; STEEL, SPRAY PIPE, FOR FLY ASHDISPOSAL SYSTEM ***	0	P	4450C SE
BJA876N	AL	A-A-01-000-001	2	MANIFOLD	MANIFOLD, MECHANICAL, QA 0, MANIFOLD ASSY,CONTRO, ; FOR CONTROLLER, PNEUMATIC, QUICK SCAN, MODEL	0	P	6695D SE
BPG725E	AL	D-A-30-201-002	1	MANIFOLD	MANIFOLD, MECHANICAL, QA 1, MANIFOLD, VALVE; COMPLETE WITH SOLENOID VALVES,SOLENOID NO. 1 250 VDC,	1	C	48200 SE
BVL158A	AC	- - - -	1	MANIFOLD	MANIFOLD, MECHANICAL, QA 3, GAS DISTRIBUTION, *** MANIFOLD, CHGRG & TEST REFRIG; COMPRESSED GAS,PIPING MANIFOLD	3	C	4520N SE
BPY767E	AL	E-A-16-C04-G01	2	MANIFOLD	MANIFOLD, MECHANICAL, QA 0, MANIFOLD, CIRCUIT BREAKER; AIR DUCT, FOR AIR CIRCUIT BREAKER, MODEL	0	B	5925B SE
BPG725E	AL	L-A-04-000-002	1	MANIFOLD	MANIFOLD, MECHANICAL, QA 1, MANIFOLD, VALVE; COMPLETE WITH SOLENOID VALVES,SOLENOID NO. 1 250 VDC,	1	C	48200 SE
BQP567V	AL	M-A-15-000-002	7	MANIFOLD	MANIFOLD, MECHANICAL, QA 0, MANIFOLD, ; "RAD MAN" BREATHING AIR MANIFOLDS WITH MODIFICATIONS, WITH	0		6625D SE
AFX215V	AL	L-A-13-000-002	1	MANOMETER	MANOMETER, INSTRUMENT, QA 0, MANOMETER,INCLINED T, ; 0.05-0-0.25 IN WATER, 6 IN SCALE LENGTH,	0	P	6695D SE
ARK412F	AL	M-A-13-000-002	41	MASK	MASK, TYPICAL, QA 0, NOSEPIECE, OXYGEN MASK; RUBBER, SIZE MEDIUM, FOR ULTRAVUE FACEPIECE	0	P	4240P SE
AWC443M	AL	M-A-13-000-002	4	MASK	MASK, TYPICAL, QA 0, MASK, PAINT; TRIPLE, FOR TV MONITOR 6M917 ***	0	P	5840M SE
ARH251P	AL	D-A-12-201-000	38	MAT	MAT, FLOOR, QA 0, MATTING, FLOOR; MATERIAL: RUBBER, THICKNESS: 00.125 IN, WIDTH: 26.000	0		7220G SE
BYJ732V	AL	1-B-10-000-001	6	MAT	MAT, FLOOR, QA 0, ANTI-FATIGUE/RIBBED, 2 FT X 105 FT X 1/8 IN, LIGHT GREY, ANDERSEN, #FRH900-1/8	0	B	7220G SE
BYJ735M	AL	1-B-10-000-001	6	MAT	MAT, FLOOR, QA 0, ANTI-FATIGUE/RIBBED, 3 FT X 105 FT X 1/8 IN, LIGHT GREY, ANDERSEN , 1/8 IN THICK 3 FT	0	B	7220G SE
BCR329C	AL	A-A-01-000-001	3	MECHANISM	MECHANISM, LEVERING, QA 0, FLOAT MECHANISM, ; STAINLESS STEEL, FOR METER, FLOW RATE IND, FLOAT	0	P	6695D SE
BDJ208P	AL	A-A-01-000-001	3	MECHANISM	MECHANISM, TYPICAL, QA 0, MECHANISM, ; ARM DETENT PLASTIC, WITH BRASS INSERT, FOR MODEL ADM24E	0	P	7021A SE
BEF160D	AL	A-A-01-000-001	4	MECHANISM	MECHANISM, TYPICAL, QA 3, MECHANISM, CHECK SOURCE; CHECK, LESS SOURCE, FOR RADIATION MONITOR	3	B	6630D SE
BHY911E	AL	A-A-01-000-001	1	MECHANISM	MECHANISM, TYPICAL, QA 0, SYNCHRON MECHANISM, ACTUATOR; SYNCROSET ASSY, REF 7A, FOR VALVE	0	P	48200 SE
BPX372J	AL	A-A-01-000-001	6	MECHANISM	MECHANISM, TYPICAL, QA 3, MECHANISM, ; LIFTING, FOR "BILCO" TYPE S, STEEL ROOF SCUTTLE, SIZE 2	3	C	4710Y SE
BXY484W	AL	F-A-21-101-002	1	MECHANISM	MECHANISM, TYPICAL, QA 0, STEAM TURBINE, SERVO, STEAM TURBINE; ELECTRO-HYDRAULIC, FOR TURBINE THROTTLE AND	0	C	2825G SE
AXR220C	AL	M-A-15-000-002	1	MECHANISM	MECHANISM, TYPICAL, QA 1, TYPE: CIRCUIT BREAKER, POWER OPERATING MECHANISM FOR	1		5925B SE
AXR220C	AC	- - - -	2	MECHANISM	MECHANISM, TYPICAL, QA 1, TYPE: CIRCUIT BREAKER, POWER OPERATING MECHANISM FOR	1		5925B SE
BDC060X	AL	M-A-08-000-002	2	MECHANISM	MECHANISM, TYPICAL, QA 3, LOCKING MECHANISM, ; TAB, CARBON STEEL, DWG 11357, REF 32, FOR	3	P	48200 SE
BFX031M	AL	M-A-01-000-002	6	MECHANISM	MECHANISM, PRINT, QA 3, PRINT MECHANISM KIT, RECORDER; 24 POINTS, CONSISTS OF SUPPORT CASTING	3	P	6695D SE
BLT878K	AL	M-A-03-000-002	2	MECHANISM	MECHANISM, TYPICAL, QA 1, OPERATNG MECH ASSY, ; ELECTRICALLY OPERATED DRAWOUT,FOR ITE 480 VOLT	1	P	5925B SE
BPH498R	AL	M-A-15-000-002	2	MECHANISM	MECHANISM, TYPICAL, QA 1, TRIP MECHANISM, ; HOOK, FOR TOP MECHANISM THROTTLE TRIP, 3 IN VALVE	1		48200 SE
CBY855V	AL	M-A-15-000-002	3	MECHANISM	MECHANISM, SPRING, QA 1, MECHANISM, CIRCUIT BREAKER; OPERATING MECHANISM, SPRING TYPE FOR ABB	1		5925B SE
ABG817T	AL	A-A-01-000-001	55	MEDIA	MEDIA, FILTER, QA 0, FILTER MEDIA, ; CELITE, "DIATOMACEOUS EARTH" 50 LB BAG ***	0	P	9620Q SE
ARB421P	AL	L-A-09-000-002	6	MEDIA	MEDIA, FILTER, QA 0, PAPER, FILTER; ROUND, 100 EA TO BX 18-1/2 CM DIA ***	0	P	6630D SE
BPK095W	AL	L-A-09-000-002	500	MEDIA	MEDIA, FILTER, QA 0, PAPER, FILTER; 0.4 MICRON, 2.115 IN DIA., FOR WIDE RANGE MONITOR	0	C	6630D SE
AVB412C	AL	A-A-01-000-001	3	MEMBRANE	MEMBRANE, TYPICAL, QA 0, ANALYZER, 0.437 IN, RUBBER, SEPTUM, RUBBER; SILICONE RUBBER, INJECTION, 000.437 IN, 100 PER/PK	0	P	6630D SE
BGY010X	AL	D-A-25-301-000	20	MEMBRANE	MEMBRANE, TYPICAL, QA 3, FLEXIBLE REINFORCING SHEET, , FOR USE WITH SEALING COMPOUND	3		8030W SE
BKN447A	AL	F-A-08-302-005	3	MEMBRANE	MEMBRANE, TYPICAL, QA 0, MEMBRANE KIT, METER; FOR DISSOLVED OXYGEN SENSOR ***	0		6630D SE
BNQ983L	AL	F-A-10-202-001	200	MEMBRANE	MEMBRANE, TYPICAL, QA 0, SEPTUM, RUBBER; SILICON RUBBER, FOR POST ACCIDENT SAMPLING SYSTEM, GAS	0		6630D SE
BQJ830C	AL	F-A-11-202-001	2	MEMBRANE	MEMBRANE, TYPICAL, QA 0, CHROMATOGRAPH, 3/8 IN, SILICONE RUBBER, 40-250 DEG C, SEPTUM, RUBBER; SEPTA FOR VARIAN 3400 GAS CHROMATOGRAPH, 3/8"	0		6630D SE
BVQ255P	AL	D-B-01-301-002	4	MEMBRANE	MEMBRANE, TYPICAL, QA 0, MEMBRANE, SYNTHETIC RUBBER; ION EXCHANGE MEMBRANE, 10 EA PER PACKAGE	0		6630D SE
BYY489C	AL	F-A-02-301-000	3	MEMBRANE	MEMBRANE, TYPICAL, QA 0, VALVE, 40 MIL, 48 IN, 100 FT, MEMBRANE, VALVE; WATERPROOFING MEMBRANE, FLEXIBLE SHEETING, 40 MIL	0		48200 SE
AVB412C	AL	L-A-09-000-002	3	MEMBRANE	MEMBRANE, TYPICAL, QA 0, ANALYZER, 0.437 IN, RUBBER, SEPTUM, RUBBER; SILICONE RUBBER, INJECTION, 000.437 IN, 100 PER/PK	0	P	6630D SE
BVP663D	AL	L-A-09-000-002	1	MEMBRANE	MEMBRANE, TYPICAL, QA 0, MEMBRANE, ELECTRODE; AMMONIA, FOR ELECTRODE 13-299-96, 1 PK = 20 LOOSE	0	C	6630D SE
ACW134K	AL	5-B-01-301-000	1	METER	METER, ELECTRICAL, QA 0, METER, ; FRONT PANEL, READING 0 TO 1, FOR ENVIRONMENT ONE CORP	0	P	6630D SE
AFV702V	AL	D-A-32-104-001	1	METER	METER, ELECTRICAL, QA 0, VOLTMETER, VDC; INDICATING, GE TYPE DB-40, SCALE 0-300 VDC, WITH	0	P	6625D SE
AGD535M	AL	A-A-01-000-001	1	METER	METER, ELECTRICAL, QA 0, AMMETER, RECORDING; INDICATOR, DIRECT CURRENT LOAD, PERCENT 0 TO 150	0	P	6625D SE
ATH550J	AL	D-A-32-104-001	1	METER	METER, ELECTRICAL, QA 0, METER, TIME TOTALIZING; 440 VAC, 2.7 WATTS, 99.999.9 HOURS CAPACITY	0	P	6645E SE
ATL614P	AL	A-A-01-000-001	1	METER	METER, ELECTRICAL, QA 0, WATT HOUR, 120, 2.5, 3, METER, WATTHOUR; TYPE DS-63,120 V,2.5 AMP,3 W, 3 PHASE,RR,READING	0	P	6625D SE
ATW779D	AL	A-A-01-000-001	1	METER	METER, ELECTRICAL, QA 0, AMP/INDICATING, 0-3000, 0-50 MVDC, AMMETER, ; INDICATING, PANEL, 0-50 MV,DC,0-3000 SCALE, MODEL 250-4 ***	0	P	6625D SE
ATY650B	AL	D-A-32-104-001	6	METER	METER, ELECTRICAL, QA 0, VOLTAGE, LED DIGITAL, 1.999, PANEL, 4-1/2 IN, VOLTMETER, DIGITAL; PANEL MOUNTED,LED DIGITAL DISPLAY,4 1/2	0	P	6625D SE
AVF998X	AL	A-A-01-000-001	1	METER	METER, ELECTRICAL, QA 0, AMP/INDICATING, 0-50 MVDC, 0-3000 DC, AMMETER, ; INDICATING, CURRENT RELAY, 0-3000 DC AMPS, 0-50 MVDC ***	0	P	6625D SE
AVL391B	AL	A-A-01-000-001	2	METER	METER, TYPICAL, QA 0, SCALE, 0-100%, 1-1/2 IN, METER, SPECIAL SCALE; OUTPUT, PANEL TYPE, 0 TO 100 PCT OF 1.5 V, 1.5	0	P	6625D SE
AVN751W	AL	A-A-01-000-001	2	METER	METER, ELECTRICAL, QA 0, AMP, 0-100 MADC, VERTICAL, AMMETER, ; VERTICAL,0-100 MA DC,SUB DIVISION OF 20,TYPE 3 ***	0	P	6625D SE
AVX389F	AL	A-A-01-000-001	1	METER	METER, ELECTRICAL, QA 2, AMMETER, ; PICOAMP, LINEAR, DIAL INDICATE, POS OR NEG CURRENT, FULL	2	P	6625D SE
AWE235J	AL	A-A-01-000-001	1	METER	METER, ELECTRICAL, QA 0, FREQUENCY, 55-65 HZ, 120, PANEL, 3-1/2 IN, PANEL, SQ, POINTER TYPE, W/TRANSDUCER,	0	P	6625D SE
AWM403L	AL	A-A-01-000-001	1	METER	METER, ELECTRICAL, QA 0, SPECIAL SCALE, 0-5 VDC/0-14 PH, 115, 6 IN, METER, SPECIAL SCALE; INDICATING, 0 TO 14 PH, 006.000 IN FACE, FOR	0	P	6625D SE
AWT795D	AL	A-A-01-000-001	1	METER	METER, FLOW, QA 0, INDICATING, 5-24 X 10 SCFM, 1 IN, BRASS, THREADED, 10 IN, METER, FLOW RATE IND,FLT TY; 010.000 IN SCALE, 001.000 IN NPT B	0	P	6695D SE
AXP805F	AL	D-A-32-104-001	2	METER	METER, ELECTRICAL, QA 0, SPECIAL SCALE, 0-99999, 115, PANEL, METER, SPECIAL SCALE; 115.000 VAC, PANEL, RANGE 0-99999, SERIES 300	0	P	6625D SE
AXT448W	AL	A-A-01-000-001	2	METER	METER, FLOW, QA 0, METER, FLOW RATE IND,FLT TY; 1.2 TO 16.1 CFM, 070.000 DEG F14.7 PSIA	0	P	6695D SE
AYY585P	AL	5-B-02-101-000	1	METER	METER, ELECTRICAL, QA 0, SPECIAL SCALE, 0-500 PSI, 4-20 MADC, 4 IN	0	C	6625D SE

BBA543X	AL	A-A-01-000-001	4	METER	METER, TYPICAL, QA 0, METER, SPECIAL SCALE; INDICATING, 0 TO 100 SODIUM (MA), FOR SODIUM	0	P	6625D SE
BBA648F	AL	A-A-01-000-001	3	METER	METER, ELECTRICAL, QA 0, AMMETER, ; INDICATING, VERTICAL BLANK SCALE, MILLIAMPERES DC, FOR	0	P	6625D SE
BBD480P	AL	D-B-16-000-001	1	METER	METER, FLOW, QA 0, SAFEGUARD/ROTOMETER, 1-1/2 IN, STAINLESS STEEL, THREADED, METER, FLOW RATE IND,FLT TY; SAFEGUARD, ROTAMETER, 68.3 GPM WAT	0	P	6695D SE
BBF460K	AL	A-A-01-000-001	4	METER	METER, ELECTRICAL, QA 0, AMMETER, ; MICRO MHOS/CM SPECIFIC CONDUCTANCE 0 TO 16 MADC MOVEMENT	0	P	6625D SE
BBP159V	AL	A-A-01-000-001	2	METER	METER, TYPICAL, QA 0, METER, ARBITRARY SCALE; PERCENT, MINUS 20 THRU PLUS 3 DC, MINUS 100	0	P	6625D SE
BBQ330J	AL	A-A-01-000-001	2	METER	METER, ELECTRICAL, QA 0, AMMETER, ; INDICATING, 0 TO 50 AMPS AC ***	0	P	6625D SE
BBQ337Q	AL	A-A-01-000-001	1	METER	METER, ELECTRICAL, QA 0, AMMETER, ; INDICATING, DC, 0 TO 100 AMP ***	0	P	6625D SE
BBV334F	AL	A-A-01-000-001	1	METER	METER, FLOW, QA 0, METER, FLUID FLOW IND,DIGIT; 4 IN METER, WATER, TURBO, RANGE 15 TO	0	P	6695D SE
BBX916E	AL	A-A-01-000-001	1	METER	METER, ELECTRICAL, QA 0, VOLTMETER, VAC; INDICATING, 0 TO 175 VAC, C/W SIMPSON MULTI-BOX, MODEL	0	P	6625D SE
BCB445J	AL	A-A-01-000-001	2	METER	METER, ELECTRICAL, QA 0, AMMETER, ; PANEL TYPE, PROCESS VARIABLE, 1 MA ***	0	P	6625D SE
BCX490V	AL	1-B-08-000-001	1	METER	METER, FLOW, QA 0, ROTAMETER, 135 GPM, INLET/OUTLET, SS, THREADED, 5 IN, FLOW RATE IND, INLET AND OUTLET HORIZONTAL	0	P	6695D SE
BDH862W	AL	A-A-01-000-001	1	METER	METER, FLOW, QA 2, ANNUBAR, LIQUID FLOW; 6 IN NOM PIPE SIZE, SCHEDULE 40, ALL MATERIAL	2	P	6695D SE
BDV483H	AL	A-A-01-000-001	4	METER	METER, ELECTRICAL, QA 0, METER, ELECTRICAL FREQUENCY; RANGE 55 TO 65 HZ 1 PCT FOR INVERTER	0	P	6625D SE
BEV704N	AL	A-A-01-000-001	2	METER	METER, TYPICAL, QA 0, SPECIAL SCALE, 100-0-100 MADC, 2-1/2 IN, 2 %, METER, SPECIAL SCALE; INDICATING, SCALE 100 TO 0 TO 100 MADC, 2 PCT	0	P	6625D SE
BGV469Q	AL	A-A-01-000-001	2	METER	METER, ELECTRICAL, QA 0, SPECIAL SCALE, 0-5 DC/0-100 PSIG, HORIZONTAL/MAGNET, METER, SPECIAL SCALE; HORIZONTAL, SCALE 0 TO 5 VDC 0 TO 100 PS	0	P	6625D SE
BKQ246A	AL	D-A-04-201-002	1	METER	METER, FLOW, QA 0, METER, FLOW RATE IND,FLT TY; WITH NEEDLE VALVE, FOR MONITOR, CHLORIDE	0	P	6695D SE
BLL269C	AL	D-B-03-102-003	2	METER	METER, FLOW, QA 0, INDICATING, 5-50 GPM, 10-150, METER, FLOW RATE IND,FLT TY; LIQUID (WATER), IN-LINE FLOW RANGE 5 TO	0	P	6695D SE
BLR584A	AL	D-B-05-202-001	2	METER	METER, FLOW, QA 0, INDICATING, 0-31 X 10 GPM, 1/2 IN, STAINLESS STEEL, THREADED, 10 IN, METER, FLOW RATE IND,FLT TY; SCALE 0-31 X 10 GPM, 10	0	P	6695D SE
BLT181V	AL	D-A-32-104-001	4	METER	METER, ELECTRICAL, QA 3, VOLTMETER, VDC; HONEYWELL TYPE M53 OR CROMPTON TYPE 016-01V, 0 - 160	3	C	6625D SE
BMF181E	AL	A-A-01-000-001	1	METER	METER, FLOW, QA 0, METER, FLOW RATE IND,FLT TY; FOR DEHYDRATION UNIT, S/N 4379-1, 4847	0	P	6695D SE
BPK208L	AL	F-A-09-202-001	3	METER	METER, TYPICAL, QA 1, METER, SPECIAL SCALE; PANEL EDGEWISE, 4 TO 20 MA, BLNK SCALE, MODEL	1	P	6625D SE
BPQ074B	AL	D-A-04-201-002	1	METER	METER, FLOW, QA 0, FLOWMETER ASSY, ; FOR ANALYZER, SODIUM, TYPE 1811LL ***	0	A	6630D SE
BPQ404T	AL	D-A-32-104-001	5	METER	METER, FLOW, QA 0, FLOWMETER ASSY, ; 127 MM (5 IN) SCALE, 4 CFM MAXIMUM FLOW, BLOCK TYPE	0	C	6630D SE
BVB960G	AL	A-A-01-000-001	4	METER	METER, ELECTRICAL, QA 3, METER, ; BARGRAPH, NON STD DIGITAL=6400 TO 7400, DIGITAL TO BLANK	3	B	6630D SE
BWA697Q	AL	D-A-18-202-004	1	METER	METER, ELECTRICAL, QA 3, DIAL/INDICATING, 0-1.6 AC, 0-500 MA, INTERNATIONAL INST. MODEL 1122.	3		5210S SE
BWF663G	AL	D-A-18-301-004	1	METER	METER, ELECTRICAL, QA 1, METER, ELECTRICAL FREQUENCY; TYPE AB40, 120 VAC INPUT, 55 TO 65 HERTZ	1		6625D SE
BWF663G	AL	D-A-25-302-005	1	METER	METER, ELECTRICAL, QA 1, METER, ELECTRICAL FREQUENCY; TYPE AB40, 120 VAC INPUT, 55 TO 65 HERTZ	1		6625D SE
BWF663G	AL	D-B-25-302-003	1	METER	METER, ELECTRICAL, QA 1, METER, ELECTRICAL FREQUENCY; TYPE AB40, 120 VAC INPUT, 55 TO 65 HERTZ	1		6625D SE
BWH399W	AL	P-A-LL-ET0-110	1	METER	METER, FLOW, QA 2, METER, FLOW; TYPE: ANNUBAR; SIZE: 2 IN PIPE; MATERIAL: 316 STAINLESS	2	C	6695D SE
BWN509P	AL	F-A-11-202-001	1	METER	METER, FLOW, QA 1, METER, FLOW INDICATOR; FLOW ***	1	B	6695D SE
BWQ158F	AL	A-A-01-000-001	6	METER	METER, ELECTRICAL, QA 3, METER, ARBITRARY SCALE; DEVIATION,RANGE INDICATOR,ELECTRICAL,VALVE	3	B	6625D SE
BWR893B	AL	A-A-01-000-001	1	METER	METER, ELECTRICAL, QA 3, AMMETER, AC; INDICATING, TYPE AB-40, CT RATIO 300:1, 5 AMP FULL SCALE	3	B	6625D SE
BXB144P	AL	F-A-09-202-000	7	METER	METER, FLOW, QA 3, METER, FLOW INDICATOR; 2 INCH, DIFFERENTIAL PRESSURE, DIRECT READING	3	B	6695D SE
BXK914N	AL	A-A-01-000-001	2	METER	METER, FLOW, QA 3, METER, SPECIAL SCALE; 1-18 MEGOHMS/CM, FOR SPECIFIC RESISTANCE	3	B	6625D SE
BXP952R	AL	A-A-01-000-001	2	METER	METER, FLOW, QA 3, METER, FLOW RATE IND,FLT TY; GLASS TUBE NO R-2-15-AAA, MAX. PRESS: 200	3	B	6695D SE
BXV604X	AL	A-A-01-000-001	1	METER	METER, FLOW, QA 1, ELEMENT, RATE OF FLOW; PROBE ASSEMBLY KB12-316-HT-4-TSDE-22-NU FOR	1	B	6695D SE
BYD174X	AL	A-A-01-000-001	23	METER	METER, ELECTRICAL, QA 3, METER, TIME TOTALIZING; 40-130 VDC ***	3	B	6645E SE
BYR188L	AL	A-A-01-000-001	2	METER	METER, FLOW, QA 0, ROTAMETER, 0-250 GPM, 1/2 IN, STAINLESS STEEL, THREADED, METER, FLOW RATE IND,FLT TY; ROTAMETER,0-250 GPM H20,4-HCFB-1/2	0	B	6695D SE
CDJ881C	AL	A-A-01-000-001	8	METER	METER, TYPICAL, QA 3, ROTOMETER, ANALYZER; COMPLETE, MFG CODE B440, TUBE SIZE 5.65, 1-9 GPH	3	B	6630D SE
CEA657L	AC	- - -	4	METER	METER, FLOW, QA 3, METER, FLOW; STAINLESS STEEL, 1/4" NPT, WITH BI-STABLE CONTACT MODEL	3	B	6695D SE
CEH216F	AL	F-A-26-101-001	2	METER	METER, ELECTRICAL, QA 1, AMMETER, ELECTRICAL; VERTICAL MOUNTING, 0-1 DCMA, THREADED STUD	1	B	6625D SE
ACV426B	AL	L-A-09-000-002	1	METER	METER, ELECTRICAL, QA 0, AMMETER, ; INDICATING 0-75 A DC ***	0	P	6625D SE
AFV797L	AL	M-A-08-000-002	1	METER	METER, ELECTRICAL, QA 0, METER, ; DEVIATION, 003.500 KILOHMS, 025.000 MILLIAMPERES DC, FOR	0	P	6630D SE
AFV804K	AL	M-A-06-000-002	1	METER	METER, ELECTRICAL, QA 0, VOLTMETER, VDC; INDICATING, DC, 150-300 V SCALE, 1 PCT ACCURACY, FOR	0	P	6625D SE
AFW460Y	AL	L-A-13-000-002	2	METER	METER, FLOW, QA 0, ROTAMETER, 0-2.5 GPM, 5, HASTALLOY C, METER, FLOW RATE IND,FLT TY; (ROTOMETER), FLOAT 3/4-GS4-0, HASTELLOY	0	P	6695D SE
AFY577K	AL	L-A-09-000-002	3	METER	METER, TYPICAL, QA 0, METER, ; MICRO, 0-20 UA DC, SCALE 0-100 PPB, FOR DISSOLVED OXYGEN	0	P	6630D SE
ALV076H	AL	L-A-09-000-002	1	METER	METER, FLOW, QA 0, ELEMENT, RATE OF FLOW; ANNUBAR, 3 IN (2.9 IN), SCH80, DIETERICH	0	P	6695D SE
AQT553Y	AL	L-A-01-000-002	1	METER	METER, FLOW, QA 0, GAS VOLUME, 1 IN, 1.5 PSIG WORKING PRESSURE, THREADED, METER, FLOW RATE IND,FLT TY; GAS VOLUME, 1.5 PSIG WORKING PRESSURE	0	P	6695D SE
ARA306X	AL	M-A-16-000-002	1	METER	METER, ELECTRICAL, QA 2, FREQUENCY METER, ; 55 TO 65 HZ, 120 VOLTS AC, 4.5 IN SCALE, VERTICAL	2	P	6625D SE
ARJ929E	AL	M-A-09-000-002	2	METER	METER, ELECTRICAL, QA 3, METER, TIME TOTALIZING; HOUR, NON-RESET, CAT NO GH352.W/MOTOR, 1RPM	3	P	6645E SE
ATA565X	AL	M-A-07-000-002	4	METER	METER, ELECTRICAL, QA 0, AMP, 50 MV, 0-300, 4-1/2 IN SQ, AMMETER, ; MODEL 647, 50 MVFS, 0-300 AMP,4.500 IN SQUARE ***	0	P	6625D SE
ATG072D	AL	P-A-LL-ET0-063	5	METER	METER, ELECTRICAL, QA 0, AMP/INDICATING, 4-20 MA, PANEL, AMMETER, ; INDICATING, PANEL MOUNTED, 4-20 MA. INPUT, 92-98 SCALE, FOR	0	C	6625D SE
ATV027R	AL	M-A-11-000-002	1	METER	METER, ELECTRICAL, QA 1, VOLTAGE, 0-600/25-75 HZ, VOLTMETER, ; INDICATING, 0-600 RANGE, 25-75 HZ, TYPE KA-241, FOR	1	P	6625D SE
AVD820X	AL	M-A-09-000-002	1	METER	METER, ELECTRICAL, QA 1, VOLTMETER, VDC; INDICATING, 150 VDC SCALE, 100 OHMS/VOLTS, 3.5 IN	1	B	6625D SE
AVF956E	AL	M-A-03-000-002	3	METER	METER, FLOW, QA 0, INDICATING, 0-3 GPM, 1/4 IN, 316 STAINLESS STEEL, THREADED, METER, FLUID FLOW IND,DIGIT; EAGLE EYE, 0 TO 4 GPM, 0.25 IN M	0	P	6695D SE
AVX295Q	AL	P-A-LL-ET0-063	4	METER	METER, ELECTRICAL, QA 0, AMP/INDICATING, 0-100 LB, 50 MADC, AMMETER, ELECTRICAL; RELAY INDICATOR/SETPOINT, FULLSCALE CURRENT, 50	0	B	6625D SE
AWM268Y	AL	P-A-LL-ET0-063	2	METER	METER, TYPICAL, QA 0, METER, SPECIAL SCALE; MODEL DB40,DUAL SCALE, RANGE 0 TO 40, 0 TO 125	0	C	6630D SE
AWM512E	AL	M-A-06-000-002	2	METER	METER, ELECTRICAL, QA 3, VOLTMETER, VAC; 0 TO 150 VOLTS, PANEL MOUNTING ***	3	B	6625D SE
AWV016J	AL	M-A-06-000-002	1	METER	METER, ELECTRICAL, QA 3, AMMETER, ; SCALE 0 TO 300 AMPERES DC ***	3	B	6625D SE
AXP433R	AL	L-A-09-000-002	4	METER	METER, ELECTRICAL, QA 0, AMP, 1-10000000 MR/HR, PANEL, AMMETER, ; PANEL, RANGE 1-TO-10000000. MR/HR, FOR RADIATION DETECTION	0	P	6625D SE
AYG546A	AL	L-A-09-000-002	2	METER	METER, ELECTRICAL, QA 0, AMMETER, ; SCALE 10-0-10 AMPS, FOR RECORDERS, TYPE 520, 521, 530 AND	0	P	6625D SE
BAM633A	AL	L-A-09-000-002	1	METER	METER, ELECTRICAL, QA 0, VOLTAGE, VERTICAL, PLASTIC, VOLTMETER, ELECTRONIC; 40-0-40 MV INPUT,800-0-800 MVAR SCALE	0	P	6625D SE
BAY723T	AL	M-A-03-000-002	1	METER	METER, ELECTRICAL, QA 3, VOLTMETER, ELECTRONIC; 0 TO 7.5 VDC, FOR EMERGENCY LIGHTING SYSTEM 227	3	P	6625D SE
BAY723T	AL	M-A-01-000-002	13	METER	METER, ELECTRICAL, QA 3, VOLTMETER, ELECTRONIC; 0 TO 7.5 VDC, FOR EMERGENCY LIGHTING SYSTEM 227	3	P	6625D SE
BBH606W	AL	P-A-LL-ET0-063	70	METER	METER, FLOW, QA 0, 10-100 LPM AIR, 1/8 IN, 100 PSIG/130 DEG F MAX, THREADED, 2 IN, METER, FLOW RATE IND,FLT TY; RATE-MASTER, SERIES RM, SCAL	0	B	6695D SE
BCY452K	AL	M-A-10-000-002	2	METER	METER, ELECTRICAL, QA 2, METER, SPECIAL SCALE; 0 TO 10 MICROMHOS/CM, TO MEASURE SPECIFIC	2	P	6625D SE
BEK667A	AL	L-A-03-000-002	5	METER	METER, ELECTRICAL, QA 1, AMMETER, ; INDICATING, RANGE 0 TO 100 MADC, PANEL MOUNT, VERTICAL TYPE	1	P	6625D SE
BEK667A	AL	P-A-LL-ET0-042	10	METER	METER, ELECTRICAL, QA 1, AMMETER, ; INDICATING, RANGE 0 TO 100 MADC, PANEL MOUNT, VERTICAL TYPE	1	P	6625D SE
BEN144V	AL	T-A-12-000-002	2	METER	METER, ELECTRICAL, QA 3, AMP/INDICATING, AMMETER, ; INDICATING, DC, CENTER ZERO FULL SCALE DEFLECTION PLUS OR	3	B	6625D SE
BFA222R	AL	L-A-02-000-002	1	METER	METER, FLOW, QA 0, 0.6-4 GPM/RLOA 0.5-101, 1/2 IN, 316 STAINLESS STEEL, 115 VDC, THREADED, METER, FLOW RATE IND,FLT TY; 0.6 TO 4 GPM, RLOA 0	0	C	6695D SE
BFT968H	AL	T-A-05-000-002	2	METER	METER, FLOW, QA 1, ELEMENT, RATE OF FLOW; SENSOR, FOR MONITOR, RATE OF FLOW, MODEL	1	P	6695D SE
BGV596H	AL	L-A-02-000-002	1	METER	METER, FLOW, QA 0, RATE INDICATOR, SS, 70DP AT 70DEG F/SPGR 1.5, METAL TUBE, SIZE 3, 1 IN PIPE	0	P	6695D SE
BHE210B	AL	M-A-06-000-002	2	METER	METER, ELECTRICAL, QA 1, METER, SPECIAL SCALE; INDICATING, 0 TO 200 MICRO-AMPC. ***	1	P	6625D SE
BHQ347G	AL	M-A-16-000-002	1	METER	METER, ELECTRICAL, QA 1, METER, SPECIAL SCALE; INDICATING,PANEL MOUNT,INPUT 0 TO 10 VDC,DUAL	1	P	6625D SE
BJB597M	AL	M-A-02-000-002	4	METER	METER, FLOW, QA 0, ROTAMETER, 0.1-1 GPM, 1/2 IN, SS, THREADED, 10 IN, METER, FLOW RATE IND,FLT TY; ROTAMETER, INLET AND OUTLET HORIZONTAL	0	P	6695D SE

BJM754C	AL	M-A-10-000-002	2	METER	METER, ELECTRICAL, QA 1, AMMETER, ; INDICATING, VERTICAL, PANEL MOUNT, INPUT -1 TO 0 TO +1	1	P	6625D SE
BJT549K	AL	M-A-01-000-002	1	METER	METER, ELECTRICAL, QA 3, VOLTMETER, ; INDICATING,SELF-CONTAINED, MODEL KX-241,100-150 VDC,E,S 1	3	P	6625D SE
BKG876H	AL	L-A-09-000-002	2	METER	METER, ELECTRICAL, QA 3, METER, SPECIAL SCALE; 10 TO 50 MADC INPUT, SCALE LEGEND: PSI RANGE 0	3	P	6625D SE
BLE617E	AL	M-A-12-000-002	1	METER	METER, ELECTRICAL, QA 3, VOLTMETER, VAC; INDICATING, 55 TO 65 HZ, 120 VOLTS AC, 4.5"	3	B	6625D SE
BLL373H	AL	M-A-06-000-002	1	METER	METER, ELECTRICAL, QA 3, AMMETER, ; METER, 4-20 MADC INPUT, 0-100 SCALE, CHASSIS POWER 24V ***	3	P	6625D SE
BLV194D	AL	L-A-09-000-002	1	METER	METER, ELECTRICAL, QA 0, AMMETER, ; 0 TO 500 MADC, WITH RED LINE AT 325 MA ***	0	P	6625D SE
BLW570H	AL	T-A-06-000-002	2	METER	METER, FLOW, QA 3, MONITOR, ; VALVE FLOW MODULE, STEAM FLOW, FOR MAIN STEAM RELIEF VALVE	3	P	6695D SE
BNP520E	AL	M-A-06-000-002	2	METER	METER, ELECTRICAL, QA 0, AMMETER, ; 0 TO 100 MICRO AMP MOVEMENT, SCALE PAINTED 0 TO 5 MICROMHOS	0	P	6625D SE
BNQ618C	AL	M-A-09-000-002	1	METER	METER, FLOW, QA 1, ANNUBAR, LIQUID FLOW; 1 IN NOM PIPE SIZE, SCHEDULE 40, WITHOUT VALVES	1	P	6695D SE
BPK139C	AL	L-A-09-000-002	1	METER	METER, ELECTRICAL, QA 3, METER, SPECIAL SCALE; RANGE 30 TO 200 DEGREE F, RESCALE ABOVE METER	3	B	6625D SE
BPV836C	AL	L-A-02-000-002	2	METER	METER, FLOW, QA 1, FAST RESPONSE, 0.025-0.5 FT/SEC, SS, 1 IN MNPT, HORIZONTAL, COMPLETE WITH 5181 CIRCUIT BOARD, LEFT TO RIGHT FLOW, WITH PE	1	B	6695D SE
BPX235W	AL	L-A-09-000-002	2	METER	METER, FLOW, QA 3, ASSEMBLY, 0-0.64 GPM, #2, METER, FLOW RATE IND,FLT TY; SWITCH, ROTAMETER, SIZE #2, 1 IN MODEL,	3	B	6695D SE
BRQ812X	AL	M-A-04-000-002	4	METER	METER, ELECTRICAL, QA 3, METER, RELAY; RELAY, INPUT 70-0-70 VDC, SCALE 150-0-150 VDC, DSP	3	C	6630D SE
BTQ835B	AL	L-A-13-000-002	9	METER	METER, ELECTRICAL, QA 3, VOLTMETER, ; VOLTMETER 0-50 VDC RANGE FOR MODEL MA-2400 FIRE ALARM	3	B	6695D SE
BWR893B	AL	L-A-05-000-002	1	METER	METER, ELECTRICAL, QA 3, AMMETER, AC; INDICATING, TYPE AB-40, CT RATIO 300:1, 5 AMP FULL SCALE	3	B	6625D SE
BWX452M	AL	M-A-06-000-002	1	METER	METER, ELECTRICAL, QA 0, METER, ELECTRICAL FREQUENCY; PANEL, HORIZON LINE, SIZE 3-1/2", 0-50	0	B	6625D SE
BXG625D	AL	M-A-12-000-002	2	METER	METER, ELECTRICAL, QA 0, INDICATING, -33.3-0-100 MVDC, VERTICAL, AMMETER, INDICATING; INDICATING, VERTICAL MOUNT, INPUT -33.3 TO 0 TO	0	B	6625D SE
BXL256X	AL	L-A-13-000-002	3	METER	METER, ELECTRICAL, QA 0, AMMETER, RECORDING; SCALE OFF TO 20, 4 TO 20 MA, SCALE MULTIPLICATION	0	C	6625D SE
BXM976M	AL	M-A-01-000-002	2	METER	METER, TYPICAL, QA 3, METER, SPECIAL SCALE; 0-10 MICROMHOS/CM, FOR LEEDS & NORTHRUP MODEL	3	B	6625D SE
BXV911K	AL	M-A-01-000-002	1	METER	METER, ELECTRICAL, QA 3, AMMETER, ELECTRICAL; INDICATING, TYPE KA-241, TBS, CT EQUALS 400/1	3	B	6625D SE
BXW660Q	AL	M-A-15-000-002	2	METER	METER, ELECTRICAL, QA 3, METER, SPECIAL SCALE; INDICATING,RANGE 100 MA DC, 10-(1-7) CPM, FOR	3	B	6625D SE
BYC080E	AL	L-A-09-000-002	1	METER	METER, ELECTRICAL, QA 3, AMMETER, ELECTRICAL; VERTICAL EDGEWISE PANEL METER, INPUT 0 TO 3 MADC	3	B	6625D SE
BYG117T	AL	M-A-01-000-002	2	METER	METER, FLOW, QA 0, INDICATING, 1-9 GPH, 1/4 IN, 316 STAINLESS STEEL, MNPT, METER, FLOW RATE IND,FLT TY; 316SS,200 PSIG,200 DEG F,SIZE 55-65C	0	B	6695D SE
CAY985L	AL	L-A-09-000-002	12	METER	METER, ELECTRICAL, QA 3, AMMETER, INDICATING; 0-100%, FOR GEMAC RECORDERS, TYPE 520, 521, 530	3	C	6625D SE
CBB191N	AL	M-A-04-000-002	1	METER	METER, FLOW, QA 3, 115 AC, , RATE IND,FLT TY; MASS, MODEL 500-I-C-5SS-RAD, 0-5VDC OUTPUT, 0-5SLPM	3	B	6695D SE
CDF919W	AC	- - - -	1	METER	METER, FLOW, QA 0, METER, FLOW RATE IND,FLT TY; 1" BRASS FEMALE INLET,1" BRASS FEMALE	0	C	6695D SE
CDP043J	AL	L-A-03-000-002	1	METER	METER, ELECTRICAL, QA 1, METER, INDICATOR; INDICATING METER, 0-10VDC INPUT, SCALE 0-100% ***	1	B	6625D SE
CDX494T	AL	L-A-01-000-002	2	METER	METER, ELECTRICAL, QA 2, VARMETER, METER; TYPE AB-40, CYCLE 50/60 HZ, CODE E,J, AMPS 5, VOLTS	2	B	6625D SE
CEF534B	AC	- - - -	2	METER	METER, FLOW, QA 1, CLASS 3, ANNUBAR, *** LIQUID FLOW; NIPPLE SECTION - 10 ANNUBAR FLOW ELEMENT, 1.5"	1	B	6695D SE
CEV683V	AL	L-A-09-000-002	1	METER	METER, ELECTRICAL, QA 3, CURRENT/DC, 0-15 A	3	B	6625D SE
CEW217L	AL	L-A-09-000-002	2	METER	METER, TYPICAL, QA 3, INDICATING, DIGITAL, ** PRECISION DIGITAL CORPORATION METER WITH THE FOLLOWING FEATURES:	3	B	6625D SE
CFC267H	AL	L-A-09-000-002	1	METER	METER, ELECTRICAL, QA 3, METER, ELECTRICAL; TYPE: DIGITAL; AMPS: 4-20 MA; DISPLAY: DIGITAL ***	3	B	6625D SE
BXA075C	AL	M-A-06-000-002	1	MICROPROCESSOR	MICROPROCESSOR, TYPICAL, QA 0, MICROPROCESSOR, INVERTER; EXPANSION UNIT, SPARE PART FOR PREFERRED	0	B	6130S SE
CGQ148M	AL	P-A-LL-ET0-024	1	MICROPROCESSOR	MICROPROCESSOR, TYPICAL, QA 0, SERVICE AIR COMPRESSOR, FOR G SERVICE AIR COMPRESSOR,MODEL# 1CV14M2	0	B	6130S SE
BNC332W	AL	A-A-01-000-001	2	MILL	MILL, MACHINING, QA 0, CUTTER, MILLING METAL SPLIT; OUTSIDE DIAMETER: 06.000 IN (6), FACE	0	C	6945B SE
AND347H	AL	D-B-17-202-000	3	MIRROR	MIRROR, INSPECTION, QA 0, SAFETY, 18 IN, PLEXIGLASS, CONVEX, MIRROR, ; SAFETY AND SECURITY, SHATTER RESISTANT PLEXIGLASS, CONVEX	0		5680B SE
BJN400P	AL	D-A-08-402-000	8	MIRROR	MIRROR, INSPECTION, QA 0, MIRROR, GLASS; PLASTIC, 26 IN DIA, INDUSTRIALQUALITY, ROUND ***	0		5680B SE
BLH313K	AL	T-A-02-000-002	2	MIXER	MIXER, AGITATOR, QA 0, QUILL, ; MIXER, SS, FOR POLYELECTROLYTEMIXER, MODEL DS-13, S/N	0	P	3895E SE
BHJ418J	AL	A-A-01-000-001	2	MODEM	MODEM, COMMUNICATION, QA 0, MODEM, TELEPHONE; 115 VOLT, .25 AMP,1 PHASE WITH SYNCHRONOUS	0	P	5805M SE
BFQ729P	AL	M-A-10-000-002	1	MODEM	MODEM, COMMUNICATION, QA 0, MODEM, TELEPHONE; RACK MOUNT SYNCHRONOUS SHORT HAUL, S/N 1671,FOR	0	P	5805M SE
BFQ895W	AL	M-A-03-000-002	4	MODEM	MODEM, COMMUNICATION, QA 0, MODEM, TELEPHONE; MULIPLX,SUPERMUX 38018, WITH INDIVIDUAL	0	P	5805M SE
ARW333W	AL	D-B-16-000-001	3	MODULATOR	MODULATOR, ELECTRONIC, QA 0, MODULATOR, ; PHOTOCONDUCTIVE, RED, WHITE AND BLACK LEADS, FOR SODIUM	0	P	6630D SE
BBA539L	AL	T-A-12-000-002	4	MODULATOR	MODULATOR, ELECTRONIC, QA 0, MODULATOR, ; PHOTOCONDUCTIVE, FOR SODIUM ANALYZER, MODEL 2000B ***	0	P	6630D SE
ABY082Y	AL	D-A-32-104-001	1	MODULE	MODULE, ELECTRONIC, QA 3, MODULE, ; OSCILLATOR, FOR SOURCE RANGE-TEST CALIBRATE MODULE, W	3	P	5963B SE
AMD149V	AL	D-A-14-000-001	1	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, ; BATTERY CHARGER ASSY, FOR 30-191040-001 HALON 1301 FIRE	0	P	4210N SE
APF987V	AL	D-A-03-201-001	1	MODULE	MODULE, ELECTRONIC, QA 0, PROGRAMMER, PRECIPITATOR; FOR PRECIPITATOR ***	0	P	6625D SE
ARV369C	AL	D-B-04-000-001	2	MODULE	MODULE, ELECTRONIC, QA 3, MODULE, CONTROLLER; FOR COMPUTER STATION, MODEL 66-0, INPUT/OUTPUT 10	3	B	6695D SE
AVW808V	AL	A-A-01-000-001	1	MODULE	MODULE, ELECTRONIC, QA 0, PROGRAMMER, ; SAMPLE, 115.000 VOLTS AC, TYPE TVA 1-S1AN-14-173, FOR	0	P	6630D SE
AXN930V	AC	- - - -	1	MODULE	MODULE, ELECTRONIC, QA 3, FIRE PROTECTION SYSTEM, , INPUT DUAL, ION ZONE, MODEL ZU-35, CLASS A PYR-A-ALARM, WITH WIRING	3	P	5963B SE
BAM435E	AC	- - - -	2	MODULE	MODULE, ELECTRONIC, QA 0, ANALOG NEST, CONTROLLER; METAL, FOR SINGLE POWER SUPPLYON CONTROL SPEC	0		6695D SE
BCA625M	AL	D-A-07-012-001	1	MODULE	MODULE, ELECTRONIC, QA 3, MODULE, SERVO ASSY; REMOTE, GOVERNOR, 40 FT-LB, FOR TURBINE SPEED	3	P	5963B SE
BGF422H	AL	D-A-14-000-001	1	MODULE	MODULE, ELECTRONIC, QA 3, MODULE, RESISTOR; 12 VDC, RESISTOR, NEGATIVE GROUND ***	3	P	5963B SE
BGG852J	AL	D-A-14-000-001	1	MODULE	MODULE, ELECTRONIC, QA 3, MODULE, DIODE; DIODE, NEGATIVE GROUND, FOR LOW LEVEL RAD WASTE DIESEL	3	P	5963B SE
BHQ770G	AL	A-A-01-000-001	1	MODULE	MODULE, ELECTRONIC, QA 3, MODULE ASSY, ; MANUAL CALIBRATION AND DISPLAY, FOR EXPLOSIVE DETECTOR	3	C	5963B SE
BJD763L	AL	A-A-01-000-001	1	MODULE	MODULE, ELECTRONIC, QA 3, MODULE ASSY, ; MANUAL, CALIBRATION, FOR EXPLOSIVE DETECTOR, MODEL MARK	3	C	5963B SE
BLB195X	AL	D-A-04-201-002	2	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, PROBE; MEMBRANE/ELECTROLYTE, REPLACEMENT, FOR ORION PROBE	0	P	5963B SE
BLV787H	AL	D-A-16-000-001	2	MODULE	MODULE, ELECTRONIC, QA 3, MODULE, ; CPU, FOR ANNUNCIATOR. ***	3	P	5963B SE
BLV788F	AL	D-B-16-000-001	2	MODULE	MODULE, ELECTRONIC, QA 3, MODULE, ; RAM, PROGRAM STORAGE, FOR ANNUNCIATOR. ***	3	P	5963B SE
BLV789D	AL	D-B-16-000-001	2	MODULE	MODULE, ELECTRONIC, QA 3, MODULE, ; INTERRUPT, FOR ANNUNCIATOR. ***	3	P	5963B SE
BLV791T	AL	D-B-16-000-001	2	MODULE	MODULE, ELECTRONIC, QA 3, MODULE, ; CLOCK, FOR ANNUNCIATOR. ***	3	P	5963B SE
BLV792Q	AL	D-B-16-000-001	2	MODULE	MODULE, ELECTRONIC, QA 3, MODULE, ; PERIPHERAL I/O FOR ANNUNCIATOR ***	3	P	5963B SE
BLV793N	AL	D-B-16-000-001	2	MODULE	MODULE, ELECTRONIC, QA 3, MODULE, ; MULTIPLEXER, I/O, FOR ANNUNCIATOR. ***	3	P	5963B SE
BLV795J	AL	F-A-07-201-000	3	MODULE	MODULE, ELECTRONIC, QA 3, MODULE, ; FOR ANNUNCIATOR SYSTEM PANELS ***	3	P	5963B SE
BMB392M	AL	A-A-01-000-001	2	MODULE	MODULE, ELECTRONIC, QA 3, MODULE, ; AUXILIARY, FOR ANNUNCIATOR. ***	3	P	5963B SE
BMW108N	AL	F-A-12-201-006	4	MODULE	MODULE, ELECTRONIC, QA 0, DUAL MODEM	0	B	5963B SE
BNC248H	AL	D-A-32-104-001	1	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, ; CMA-CHA PANEL PLAS LAM GRAY, FOR DIONEX ADVANCED	0	P	5963B SE
BNE924Q	AL	Z-Z-ZZ-ZZZ-ZZZ	6	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, ; SWITCH, WAT-395, WAT-ASELBM, TAG HS-70-1A, HS-70-40A	0	P	5963B SE
BPQ080V	AL	D-A-04-201-002	1	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, OUTPUT; SIGNAL OUTPUT, FOR ANALYZER, SODIUM, TYPE 1811LL ***	0	A	6630D SE
BTP196Q	AC	- - - -	44	MODULE	MODULE, ELECTRONIC, QA 3, MODULE, FIRE PROTECTION; CONTROL CLASS B, ANALOG ADDRESSABLE DEVICE,	3	B	5963B SE
BVH537H	AC	- - - -	1	MODULE	MODULE, ELECTRONIC, QA 1, MODULE ASSY, SWITCH; WESTINGHOUSE TYPE OT-2, COMPLETE WITH OPERATOR	1	B	59300 SE
BVH539D	AL	A-A-01-000-001	1	MODULE	MODULE, ELECTRONIC, QA 1, MODULE ASSY, SWITCH; WESTINGHOUSE TYPE W2, COMPLETE WITH HANDLE, MWO	1	B	59300 SE
BVL647T	AL	D-B-16-000-001	1	MODULE	MODULE, ELECTRONIC, QA 3, MODULE, ANNUNCIATOR; ETHERNET ***	3	B	5963B SE
BXN156P	AL	F-A-15-301-001	1	MODULE	MODULE, ELECTRONIC, QA 3, MODULE, AMPLIFIER; SIGNAL DIFFERENCE AMPLIFIER,FOR NUCLEAR	3	B	5963B SE
CAE972G	AL	A-A-01-000-001	2	MODULE	MODULE, ELECTRONIC, QA 3, MODULE, ELECTRONIC; DC INTRANSISTOR OUT ***	3	B	5963B SE
CAE975A	AL	A-A-01-000-001	2	MODULE	MODULE, ELECTRONIC, QA 3, MODULE, ELECTRONIC; AC INRELAY OUT ***	3	B	5963B SE

CBV470B	AL	F-A-12-202-003	19	MODULE	MODULE, ELECTRONIC, QA 0, CHANNEL BANK, 4 WIRE XMIT ONLY (4W TO)	0	B	5805M SE
CEH135F	AL	D-A-34-101-002	1	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, DISPLAY; FOR FOSSIL AND HYDRO CONTROL ROOM CONSOLIDATION ***	0	B	5963B SE
CEH142J	AL	D-A-34-101-002	2	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, INPUT/OUTPUT; I/O MODULE, YOKOGAWA K9296BA. FOR CONTROL ROOM	0	B	5963B SE
CEW830F	AL	D-A-34-101-002	1	MODULE	MODULE, ELECTRONIC, QA 0, DISPLAY, ** FOR Z8A OXYGEN MONITORING SYSTEM,UNITS 1-4.AV8C-B.	0	C	6695D SE
CFE233Q	AL	D-A-04-101-000	1	MODULE	MODULE, ELECTRONIC, QA 3, MODULE, ELECTRONIC *** ULTRASONIC TRANSDUCER	3	B	5999D SE
CFF484R	AL	F-A-12-201-008	3	MODULE	MODULE, ELECTRONIC, QA 0, FEATURE PACKAGE FOR TITAN 530-1	0	C	5805M SE
CGE559K	AL	F-A-12-201-009	7	MODULE	MODULE, ELECTRONIC, QA 0, INTEGRATED ACCESS, 4 T1 OR PRI NETWORK INTERFACES	0	B	6695D SE
CKD369B	AL	F-A-12-202-003	1	MODULE	MODULE, ELECTRONIC, QA 0, HIGH SPEED INTERFACE (HIF), TYPE SC CONNNECTORS, HIF B02 - HIGH SPEED OC3 OPTICAL INTERFACE FOR ALCATEL 1603 SMX	0	B	5840M SE
CKD369B	AL	F-A-12-201-007	3	MODULE	MODULE, ELECTRONIC, QA 0, HIGH SPEED INTERFACE (HIF), TYPE SC CONNNECTORS, HIF B02 - HIGH SPEED OC3 OPTICAL INTERFACE FOR ALCATEL 1603 SMX	0	B	5840M SE
CKT515P	AL	D-A-04-402-000	48	MODULE	MODULE, ELECTRONIC, QA 0, FIBER WAVELENGTH REGENERATOR, FOR NETSTENDER 2060, 2.5 G, WITH 4 PORTS FOR SFP CONNECTORS (TO BE PURCHASED SEPERAT	0	B	5840M SE
CKY032E	AL	D-A-02-401-000	6	MODULE	MODULE, ELECTRONIC, QA 0, DWDM, 8 CHANNEL, FOR NETSTENDER 2060, MODULE 3 (CHANNELS 17-24), DOUBLE WIDTH, DWDM MUX/DMUX MODULE 3	0	C	5840M SE
CKY034A	AL	D-A-02-401-000	8	MODULE	MODULE, ELECTRONIC, QA 0, DWDM, 8 CHANNEL, FOR NETSTENDER 2060, MODULE 4 (CHANNELS 25-32), DOUBLE WIDTH, DWDM MUX/DMUX MODULE 4	0	C	5840M SE
CLF674M	AL	D-A-04-402-000	5	MODULE	MODULE, ELECTRONIC, QA 0, DS3 INTERFACE, 3 PORT, FOR FLASHWAVE 4100	0	C	5840M SE
ADL824W	AL	P-A-LL-ET0-042	2	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, ; VIDEO AMPLIFIER ***	0	B	6750J SE
ANF398M	AL	L-A-01-000-002	3	MODULE	MODULE, ELECTRONIC, QA 3, MODULE, ; BRIDGE DRIVE MAIN SPEED CONTROL, GP-100 SERIES, FOR REFUEL	3	C	5963B SE
ARD279M	AL	M-A-06-000-002	2	MODULE	MODULE, ELECTRONIC, QA 3, ALARM, 118, 50/60, , SINGLE HI ALARM UNIT, 113 VA, 1A FUSE, ID F-001, CONN CODE AL88-K45,	3	P	5963B SE
ARK994X	AL	M-A-09-000-002	1	MODULE	MODULE, ELECTRONIC, QA 2, MODULE, ; R/I MODIFIER,100.000 VOLTS, 024.000 VOLTAMPERES,060.000 HZ	2	P	5963B SE
ARV369C	AL	M-A-04-000-002	7	MODULE	MODULE, ELECTRONIC, QA 3, MODULE, CONTROLLER; FOR COMPUTER STATION, MODEL 66-0, INPUT/OUTPUT 10	3	B	6695D SE
ATD516V	AL	M-A-03-000-002	3	MODULE	MODULE, ELECTRONIC, QA 2, MODULE, ; ALARM, 118VAC, 212VA, SPECIAL DEVIATION DIFFERENCE, MODEL	2	P	5963B SE
ATD516V	AL	M-A-06-000-002	6	MODULE	MODULE, ELECTRONIC, QA 2, MODULE, ; ALARM, 118VAC, 212VA, SPECIAL DEVIATION DIFFERENCE, MODEL	2	P	5963B SE
ATD517R	AL	M-A-03-000-002	2	MODULE	MODULE, ELECTRONIC, QA 2, MODULE, ; ALARM, 118VAC, 212VA, DEVIATION DIFFERENCE, MODEL	2	P	5963B SE
ATQ301R	AL	P-A-LL-ET0-063	2	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, ; SENSE,MODEL ASM-6,FOR "E FIELD" INTRUSION DETECTION SYSTEM	0	B	5963B SE
AWF530N	AL	L-A-02-000-002	1	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, ; PEN MOTOR, FOR WIND SPEED AND DIRECTION METER, MODEL	0	P	5963B SE
AWQ516N	AL	L-A-02-000-002	1	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, ; SERVO, B404, FOR WIND SPEED AND DIRECTION RECORDER, MODELS	0	P	6695D SE
AXP026X	AC	- - - -	2	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, SENSOR; 0 TO 125/750 IN WATER, 316 STAINLESS STEEL, SILICONE	0	B	5963B SE
AXV555N	AL	I-A-17-000-002	1	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, INTERFACE; LOGIC INTERFACE, INPUT, FOR PROGRAMMABLE CONTROL	0	C	5963B SE
AXV556L	AL	I-A-17-000-002	2	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, INTERFACE; LOGIC INTERFACE, OUTPUT, FOR PROGRAMMABLE CONTROL	0	P	5963B SE
AXV557J	AL	I-A-17-000-002	4	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, INTERFACE; LOGIC INTERFACE, INPUT/OUTPUT,FOR PROGRAMMABLE	0	P	5963B SE
AXV559E	AL	I-A-17-000-002	2	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, OUTPUT; OUTPUT, FOR PROGRAMMABLE CONTROL SYSTEM, MODEL IPC-90	0	P	5999D SE
AXY784P	AL	M-A-01-000-002	1	MODULE	MODULE, ELECTRONIC, QA 2, MODULE, ; LIMITER, MINIMUM-MAXIMUM EXCITATION ***	2	P	5963B SE
BBQ458C	AL	T-A-05-000-002	3	MODULE	MODULE, ELECTRONIC, QA 1, MODULE, SENSOR; 0 TO 125/750 IN WATER, 316 STAINLESS STEEL, WITH 2	1	P	5963B SE
BDN039M	AL	M-A-09-000-002	4	MODULE	MODULE, ELECTRONIC, QA 2, MODULE, ; TIME DELAY, FOR FIRE PROTECTION ***	2	P	5963B SE
BHX660X	AL	V-A-14-000-002	16	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, ; BRANCH JUNCTION, W/SOLA CONSTANT VOLTAGE TRANSFORMER	0	P	5963B SE
BLV795J	AL	M-A-03-000-002	1	MODULE	MODULE, ELECTRONIC, QA 3, MODULE, ; FOR ANNUNCIATOR SYSTEM PANELS ***	3	P	5963B SE
BMD903D	AL	M-A-13-000-002	4	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, ; BANDPASS FILTER, 48 MHZ, S/N 19613-50 AND 18593-70 ***	0	P	5963B SE
BND008Q	AL	M-A-03-000-002	1	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, ; SWITCH, WBT-395, WBT-ASELBM ***	0	P	5963B SE
BNR064F	AL	M-A-04-000-002	10	MODULE	MODULE, ELECTRONIC, QA 1, MODULE, ALARM; ALARM DUAL, 117 VAC, 10 TO 50 MA INPUTS. P/N	1	P	5963B SE
BPV085N	AL	L-A-13-000-002	1	MODULE	MODULE, ELECTRONIC, QA 1, MODULE, TRANSMITTER; SERVO ASSY, REMOTE REFERENCE 41, DRAWING D-6252	1	C	5963B SE
BQH135Q	AL	M-A-10-000-002	1	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, ALARM; SINGLE DIFFERENCE LO ALARM, STYLE B, 118V,113VA,50/60	0	B	5963B SE
BQJ820F	AL	M-A-07-000-002	1	MODULE	MODULE, ELECTRONIC, QA 3, DELAY/C/W RELAY, FIRE PROTECTION SYSTEM, CONTROL PANEL BOARDS	3	B	5963B SE
BQL519N	AC	- - - -	1	MODULE	MODULE, ELECTRONIC, QA 3, SUPERVISION FOR SPRINKLER SYSTEM GATE VALVE, PYTRONICS	3	B	5963B SE
BRQ243B	AL	M-A-09-000-002	1	MODULE	MODULE, ELECTRONIC, QA 3, MODULE, TRANSMITTER; R/I MODIFIER,100 VOLTS, 24 VOLT-AMP, 60 HZ, 0.375	3	B	5963B SE
BTB472Q	AL	M-A-06-000-002	1	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, ASSY; ELECTRONIC PROTECTION, FOR ACPK-313-JH/2E, CRD EQUIPMENT	0	B	5963B SE
BTP176Y	AL	P-A-LL-ET0-108	15	MODULE	MODULE, ELECTRONIC, QA 3, MODULE, FIRE PROTECTION; CONTROL CLASS A OR B, ANALOG ADDRESSABLE	3	B	5963B SE
BVN582J	AL	T-A-12-000-002	2	MODULE	MODULE, ELECTRONIC, QA 3, CONTROLLER, 115 AC/75 DC, 7, 50/60, MODULE, CONTROLLER; 115 VAC, 50/60 HZ, 75 VDC ARM, 50 VDC FIELD, 7.0	3	B	5963B SE
BWE970P	AL	L-A-09-000-002	2	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, LIGHT; WITH LAMP, RESISTOR, AC OR DC 120PSB LAMP NO, VOLTS	0	C	5963B SE
BWE980L	AL	L-A-09-000-002	2	MODULE	MODULE, ELECTRONIC, QA 0, LIGHT/TRANSFORMER, 6, 50-60, MODULE, LIGHT; WITH LAMP, TRANSFORMER, AC ONLY, 50-60 HZ. 6 VOLTS, #12	0	C	5963B SE
BXF352V	AL	M-A-01-000-002	1	MODULE	MODULE, ELECTRONIC, QA 3, MODULE, DISPLAY; CHARACTER,W/CABLE ***	3	B	5963B SE
BYM618A	AL	L-A-13-000-002	2	MODULE	MODULE, ELECTRONIC, QA 0, INPUT, 120, 50/60, MODULE, INPUT; HIGH-DENSITY AC, SIXTEEN 120 VOLT, 50/60 HZ INPUTS.	0	C	5963B SE
CBJ284B	AC	- - - -	2	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, ALARM; EXTERNAL ALARM MODULE TEST FIXTURE WITH POWER SUPPLY.	0	B	5963B SE
CDB776D	AL	L-A-13-000-002	1	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, CONTROLLER; TRANSISTOR, FOR SQUARE D SERVICE BULLETIN 8804-4	0	B	5963B SE
CDT996H	AL	T-A-06-000-002	1	MODULE	MODULE, ELECTRONIC, QA 3, MODULE, ELECTRONIC CONTROL; FOR VIBRATION MONITOR, SERIES 4644, ON	3	B	5963B SE
CDW143X	AL	M-A-01-000-002	4	MODULE	MODULE, ELECTRONIC, QA 1, MODULE, CONVERSION; SQUARE ROOT, INPUT RANGE: 10 TO 50 MADC, OUTPUT	1	B	5963B SE
CJF286B	AL	L-A-14-000-002	1	MODULE	MODULE, ELECTRONIC, QA 3, CONTROL/ANALOG	3	B	5999D SE
ARP264F	AL	D-A-17-301-001	15	MOLDING	MOLDING, TRIM, QA 0, 3-3/16 IN X 0.100 IN, 50 IN, PLASTIC, BEIGE, MOLDING, PLASTIC; MATERIAL: PLASTIC, COLOR: BEIGE, WIDTH: 3.187 IN (3	0		5680B SE
ATY792B	AL	D-A-13-301-003	94	MOLDING	MOLDING, TRIM, QA 0, MOLDING, METAL; TUBE SOCKET, FLOOR SHOE, ADJUSTABLE, CAST IRON, TO	0		5670A SE
ARF266L	AL	D-A-34-101-001	1	MONITOR	MONITOR, TYPICAL, QA 0, MONITOR, THRUST POSITION; 0 TO 5 VDC ANALOG SIGNAL, MINUS 60 TO 0 TO	0	P	6695D SE
ARF268G	AL	D-A-34-101-001	1	MONITOR	MONITOR, TYPICAL, QA 0, MONITOR, SHELL EXPANSION; 0 TO 2000 MILS, 0 TO 5 VDC ANALOG SIGNAL	0	P	6695D SE
ARF269E	AL	D-A-34-101-001	1	MONITOR	MONITOR, TYPICAL, QA 0, MONITOR, DIFFERENTIAL EXPANSI; SCALED AT MINUS 200 TO PLUS 100 MILS	0	P	6695D SE
AWC325V	AL	A-A-01-000-001	3	MONITOR	MONITOR, VIDEO, QA 0, MONITOR, TELEVISION; POWER INPUT 120 VAC, 55WATT, FOR TELEVISION	0	P	5840M SE
BXL924E	AL	A-A-01-000-001	1	MONITOR	MONITOR, BATTERY, QA 3, MONITOR, BATTERY PROTECTOR; PRE-ALARM,SHUT-DOWN,FOR BATTERY AND	3	B	6625D SE
CDB736R	AL	A-A-01-000-001	1	MONITOR	MONITOR, COMPUTER, QA 0, MONITOR, COMPUTER; CRT SASSI, MODEL #14 RIT, SERIAL # A60-22401196 FOR	0	B	7021A SE
CDM679P	AL	D-A-35-401-000	1	MONITOR	MONITOR, TYPICAL, QA 0, MASS FLOW, RS-232C, 452-16-MT ELEMENT, (2) 4-20 MA & 0-5 VDC, SP = SPECIAL STEEL 12 X 12 X 6 NEMA 4 ENCLOSURE W/WIND	0		7021A SE
ADL124R	AL	L-A-01-000-002	1	MONITOR	MONITOR, VIDEO, QA 0, MONITOR, TELEVISION; SOLID STATE, MONOCHROMIC 9 IN DIAGONALLY MEASURED	0	P	5840M SE
ARA451K	AL	B-B-15-000-002	1	MONITOR	MONITOR, TYPICAL, QA 0, MONITOR, DIFFERENTIAL EXPANSI; EXPANSION, 0 TO 750 MILS, 0 TO 5 VDC	0	P	6695D SE
BLA493T	AL	L-A-01-000-002	1	MONITOR	MONITOR, TYPICAL, QA 0, MONITOR, RADIATION; FOOT, MODEL 120L. ***	0	P	6630D SE
BPH332W	AL	P-A-LL-ET0-108	2	MONITOR	MONITOR, TYPICAL, QA 3, MONITOR, ; OVERSPEED, RANGE 0 TO 5600 HZ, SINGLE SET POINT ADJUSTED TO	3	C	6625D SE
BYD898J	AL	L-A-03-000-002	1	MONITOR	MONITOR, TYPICAL, QA 3, MONITOR, SHAFT POSITION; BENTLY NEVADA SERIES 3300,WITHOUT SERIAL	3	B	6695D SE
CJB818Q	AL	L-A-14-000-002	4	MONITOR	MONITOR, VIDEO, QA 3, LCD, 15 IN, WITH RESISTIVE TOUCH SCREEN, RS-232 TOUCH SCREEN INTERFACE	3	B	6695D SE
CJB928H	AL	L-A-14-000-002	2	MONITOR	MONITOR, VIDEO, QA 3, FLAT PANEL, 17 IN, WITH RESISTIVE TOUCH SCREEN THAT IS SUPPORTED WITH MS-DOS, STANDARD	3	B	6695D SE
AEX077A	AL	5-A-02-101-000	2	MOP	MOP, FLOOR, QA 0, DUSTING, 53 IN, COTTON	0	C	7920P SE
BHF995T	AL	D-A-29-301-004	6	MOP	MOP, TYPICAL, QA 0, MOP, DUSTING; SIZE: 04.000000 (4) ***	0		7920P SE
BKN238K	AL	1-B-08-000-001	14	MOP	MOP, TYPICAL, QA 0, REFILL, RADN PARTICLE MOP; TACKY ROLLS REFILLS, 9 IN LG, 10 TACKY	0	P	4230E SE
BKN597N	AL	1-A-05-000-001	6	MOP	MOP, TYPICAL, QA 0, RADIOLOGICAL CONTROL, 18 IN, 6 FT (72 IN), TACKY ROLLER, 18 IN WIDTH (PH18), 6FT HANDLE (PH18), EXTPOLE (EP1)	0	P	4230E SE
BCR745X	AL	Z-Z-ZZ-ZZZ-ZZZ	76	MORTAR	MORTAR, ADHESIVE, QA 3, CEMENT, INSULATION; THERMAL, ALL PURPOSE, MINERAL FIBER WITH HYDRAULIC	3	B	5640H SE

ABY773C	AL	D-B-07-202-001	1	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; 2.7 WATTS, 115 VAC, TIMING, 10RPM	3	C	6105D SE
ABY773C	AL	D-B-16-000-001	6	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; 2.7 WATTS, 115 VAC, TIMING, 10RPM	3	C	6105D SE
AER973B	AL	5-B-01-202-000	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/3, 56, 115/230, 1, TEFC, 1 PH, 1/3 PH, 115/230 VAC, FRAME 56, TEFC, 1725	0	C	6105D SE
AGR293M	AL	A-A-01-000-001	2	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, CONTROL; 25 VOLTS 50 CYCLES, 120 VAC, BALANCING ***	3	P	6105D SE
AHR498W	AL	F-A-31-202-000	1	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 1900, 14.44, D225N, 250, 51, B, 40 DEG C, MOTOR, DIRECT CURRENT; ELECTRIC, FRAME D225N, 1900 RPM NOMINAL, 200	0	B	6105D SE
AHR696Q	AL	F-A-29-202-000	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3600, 7.9, 230/460, 21.4/10.7, 60, 3, RH, 1.0, 115 DEG C, MOTOR, ALTERNATING CURRENT; ELEC, 3600 RPM NOMINAL, 60	0	B	6105D SE
ARC647P	AL	A-A-01-000-001	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3525, 1/2, 143T, 230/460, 1/6/1.8, 3, F, 1, 65 DEG C, MOTOR, ALTERNATING CURRENT; 1/2 HP,230/460VAC,3PH MODEL TBEP	0	P	6105D SE
ARC912Y	AL	F-C-07-102-000	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3530, 25, 280 HPH, 230/460, 60/30, 3, B, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 25 HP, 230/460 VAC, 60/ 3	0	P	6105D SE
ATJ538P	AL	A-A-01-000-001	3	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3, 115, COUNTERCLOCKWISE, MOTOR, ALTERNATING CURRENT; TIMER, TYPE 117, 115 VAC, 2.7 WATT, 3 RPM	0	P	6105D SE
ATL359D	AL	A-A-01-000-001	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1800, 2, B184C, 230/460, 6.2/3.1, ATNF, F, 1.0, 40 DEG C, MOTOR, ALTERNATING CURRENT; ELEC,230/460VAC,6.2/3.1 AMP	0	P	6105D SE
ATL362Q	AL	A-A-01-000-001	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1550/1300, 1/20, 380/460, 0.7, 50/60, A, MOTOR, ALTERNATING CURRENT; ELECTRIC,FAN,CLASS A,0.050	0	P	6105D SE
AVF992A	AL	A-A-01-000-001	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1/60, 120, COUNTERCLOCKWISE, MOTOR, ALTERNATING CURRENT; 1/60 RPM,120 VAC,ROTATION LEFT,ON D10E02	0	P	6105D SE
AVL452H	AL	F-A-22-101-000	1	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 460 VAC, 3 PHASE, SERVICE FACTOR ONE	1	P	6105D SE
AVV659N	AL	A-A-01-000-001	4	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1550, 230, 0.3, *** 9 WATT	0	P	6105D SE
AVW251J	AL	A-A-01-000-001	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 0.04, 115, 1.4, *** MODEL KPT-F26, DWG ITEM 15, FOR HILLS-MCCANNA RAMCO ROTARY	0	P	6105D SE
AWB802R	AL	A-A-01-000-001	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 6, 115, 1, AI, 7-1/2, MOTOR, ALTERNATING CURRENT; CONTINUOUS DUTY, TYPE KYC-22T4, INSULATION	0	P	6105D SE
AWC029N	AL	A-A-01-000-001	3	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 115/230, 33, 50/60, *** THERMALLY PROTECTED, TYPE U21, FOR ICE CONDENSER ICE MACHINE	0	P	6105D SE
AWE739M	AL	A-A-01-000-001	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 30, 120, 50/60, MOTOR, ALTERNATING CURRENT; SYNCHRONOUS, 120 VAC, 30 RPM, 60/50 HZ,F	0	P	6105D SE
AWJ261W	AL	A-A-01-000-001	1	MOTOR	MOTOR, ELECTRIC, QA 0, MOTOR, ALTERNATING CURRENT; TYPE SERI, GEAR HEAD, CHART CRIVE, 003.000	0	P	6105D SE
AWL925R	AL	A-A-01-000-001	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 117, *** AGITATOR, WITH CABLE ASSY, FOR AMPEROMETRIC TITRATOR, SERIES A-790	0	P	6105D SE
AWM099J	AL	A-A-01-000-001	3	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 300, 24, 4-20 MA, *** 005.000 WATTS, 001.000 MICROFARADS, FOR TURBIDITY RECORDER, MODEL	0	P	6105D SE
AWM131T	AL	A-A-01-000-001	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 220, *** FOR AUTOMATIC PLANCHET CHANGER, MOD SSC-4	0	P	6105D SE
AXA688T	AL	A-A-01-000-001	2	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 2, 27, MOTOR, DIRECT CURRENT; 27 VDC, 4 WATTS, 0-2 RPM, FOR TEMPERATURE	0	P	6105D SE
AXC283B	AL	F-A-35-201-000	1	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 1900, L00186ARD, 250, 11.1, B, MOTOR, DIRECT CURRENT; 250.000 VDC, 011.100 AMPS, 1900.000 RPM	0	B	6105D SE
AXP791Y	AL	A-A-01-000-001	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 60, 110/120, *** 003.000 WATTS	0	P	6105D SE
AXQ342P	AL	A-A-01-000-001	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1425, 1/30, 117, 0.55, 1, A, MOTOR, ALTERNATING CURRENT; SERIES, 1 PH, 1/30 HP, 117.000 VAC	0	P	6105D SE
AXT243F	AL	A-A-01-000-001	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1550, 115, COUNTERCLOCKWISE, MOTOR, ALTERNATING CURRENT; 9 WATTS, 115 VAC, 1550 RPM, CCW ROTATION,	0	P	6105D SE
AXT244D	AL	A-A-01-000-001	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1550, 230, 0.35, COUNTERCLOCKWISE, MOTOR, ALTERNATING CURRENT; 055.000 W,CCW, 230.000 VAC, 000.350 AMP	0	P	6105D SE
AXV863B	AL	A-A-01-000-001	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/6, 48, 115, 4, 1, A, 40 DEG C, MOTOR, ALTERNATING CURRENT; 1 PHASE, 1/6 HP, 115 VAC, 4 AMPERES, 1725	0	P	6105D SE
AYX186B	AL	A-A-01-000-001	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1750, 3/4, 208/460, 2.45-2.4/1.2, 3, 1.25, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 0.75 HP, 208-230/460 VAC	0	P	6105D SE
AYY906Y	AL	F-A-35-201-000	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 865, 1, 182TD, 230/460, 4/2, 3, *** TYPE P	0	B	6105D SE
BAA538W	AL	A-A-01-000-001	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1600, 115, 0.32, MOTOR, ALTERNATING CURRENT; TYPE UIM8P15, 15 WATTS, 115 VAC, 0.32 AMP	0	P	6105D SE
BBM808V	AL	A-A-01-000-001	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1735, 10, 215T, 230/460, 26.4/13.2, 3, B, 40 DEG C, MOTOR, ALTERNATING CURRENT; LIFE LINE T, 3 PH, 10 HP, 230/460	0	P	6105D SE
BBM809R	AL	A-A-01-000-001	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1750, 7-1/2, 180TY, 230/460, 21/10.5, 60, 3, B, MOTOR, ALTERNATING CURRENT; TYPE P, 3 PH, 7.5 HP, 230/460 VAC, 21	0	P	6105D SE
BBM843Q	AL	A-A-01-000-001	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1750, 20, 256TC, 230/460, 54/27, 60, 3, B, 1.15, 40 DEG C, TYPE A, CONTINUOUS DUTY, DESIGN B, CODE G	0	P	6105D SE
BBM922W	AL	A-A-01-000-001	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1160, 10, 256T, 230/460, 28/14, 60, 3, TBFC, B, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; MODEL TBFC, 3 PH, 10 HP	0	P	6105D SE
BBM923T	AL	A-A-01-000-001	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 885, 40, 365T, 230/460, 100/50, 60, 3, TBFC, B, 1, MOTOR, ALTERNATING CURRENT; MODEL TBFC, 3 PH, 40 HP, 230/ 460	0	P	6105D SE
BBM935K	AL	A-A-01-000-001	2	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 3 PH, 9.45 HP, 230/460 VAC, 1655 RPM, 60	1	P	6105D SE
BBM936H	AL	A-A-01-000-001	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1735/860, 7.5/1.9, 213T, 460, 9.6/3.8, 60, 3, MOTOR, ALTERNATING CURRENT; TYPE PM, 3 PH, 7.5/1.9 HP, 460VAC	0	P	6105D SE
BBM941Q	AL	A-A-01-000-001	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3500, 10, 215TZ, 230/460, 24.4/12.2, 60, 3, TBFC, F, 1, MOTOR, ALTERNATING CURRENT; MODEL TBFC, 3 PH, 10 HP, 230/	0	P	6105D SE
BBP282W	AL	A-A-01-000-001	3	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 4000, 18, 2.8, MOTOR, DIRECT CURRENT; 30 WATTS, 18 VDC, 2.8 AMPS, 4000 R/M, PRINT	0	P	6105D SE
BBY048P	AL	A-A-01-000-001	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3545, 20, 254T, 230/460, 3, 40 DEG C, *** 60 HZ, CODE G, MAXIMUMAMBIENT	0	P	6105D SE
BCD920F	AL	A-A-01-000-001	1	MOTOR	MOTOR, ELECTRIC, QA 2, MOTOR, ALTERNATING CURRENT; TYPE P, 3 PH, 0.67 HP, 230/460VAC, 60 HZ	2	P	6105D SE
BCM301Q	AL	A-A-01-000-001	2	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 4000, 18, 2.8, MOTOR, DIRECT CURRENT; PRINT, 30 WATTS, 18 VDC, 2.8 AMPS, 4000 RPM	0	P	6105D SE
BCQ758R	AL	A-A-01-000-001	2	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 1725, 1/20, 115, 0.65, A, 40 DEG C, MOTOR, DIRECT CURRENT; 1/20 HP, 115 VDC, 0.65 AMP, 1725 RPM, DC HZ	0	P	6105D SE
BCR163L	AL	A-A-01-000-001	2	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 18, 2.8, MOTOR, DIRECT CURRENT; 30 WATTS, 18 VDC, 2.8 AMPS, PRINT, RIGHT REEL	0	P	6105D SE
BCV576G	AL	A-A-01-000-001	4	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1075, 1/2, 48, 230, 3.3, 60, 1, B, ***	0	P	6105D SE
BEG675T	AL	A-A-01-000-001	2	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; TYPE P, 0.33 HP, 230/460 VAC, 10/5 AMPS	1	P	6105D SE
BGA528T	AL	F-A-37-100-001	5	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; INDUCTION, 3 PH, 1/4 HP, 460 VAC, 0.56	1	P	6105D SE
BHA439K	AL	A-A-01-000-001	3	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 115/120, 75, ***	0	P	6105D SE
BHW662K	AL	Z-Z-ZZ-ZZZ-ZZZ	1	MOTOR	MOTOR, ELECTRIC, QA 0, MOTOR, ALTERNATING CURRENT; CHART DRIVE, 65 WATTS, 120 VACFOR	0	P	6105D SE
BHY811J	AL	F-A-04-101-000	2	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 3 PH, 5 HP, 460 VAC, 6.4 AMPS,1730 RPM	1	B	6105D SE
BJE690V	AL	D-B-07-301-000	3	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; SINGLE PHASE,60 HZ,115V, VARIABLE	3	P	6105D SE
BKK591J	AL	D-A-32-201-001	1	MOTOR	MOTOR, TYPICAL, QA 0, MOTOR ASSY, ELECTRIC; FOR RECORDER, MODEL 4081 ***	0	C	6105D SE
BLA080N	AL	A-A-01-000-001	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3515, 25, 256T, 230/460, 60/30, 3, MOTOR, ALTERNATING CURRENT; MODEL SBDP, 3 PHASE, 25 HP, 230/460 VAC	0	P	6105D SE
BLT448D	AL	F-A-23-000-001	1	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 3 PHASE, 3.3 HP, 460 VAC, 5-2 AMPS, 3400	1	P	6105D SE
BNC175J	AL	F-A-04-102-000	1	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 1900, 0.361, 250, 7.5, RH, 40 DEG C, MOTOR, DIRECT CURRENT; 250 VDC,1900 RPM,,361 HP,AMP 7.5, RISE 115 DEG	0	B	6105D SE
BND586P	AL	D-B-03-102-003	9	MOTOR	MOTOR, ELECTRIC, QA 0, AC, ** DESICCANT WHEEL DRIVE, FOR CARGO CAIRE DEHUMIDIFIER, MODEL HC-575	0	P	6105D SE
BPG776W	AL	F-B-05-101-000	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1780, 60, 364TS, 230/460, 3, B, 1, MOTOR, ALTERNATING CURRENT; 1780 RPM, 60 HP, 230/460 VOLTS, 3-PHASE	0	B	6105D SE
BQB071E	AL	D-B-14-000-001	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1550, 1/10, 120, 2.29, 60, 1, ** SHAFT TO BE CUT TO FIT BY TVA	0	B	6105D SE
BQG622J	AL	F-A-14-202-004	1	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; ELECTRIC, SYNCHRON, 120 VAC, 2 RPM, 3 W.	1	B	6105D SE
BQG622J	AL	F-A-19-201-000	1	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; ELECTRIC, SYNCHRON, 120 VAC, 2 RPM, 3 W.	1	B	6105D SE
BTF691P	AL	F-A-02-103-000	1	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 3 WATT, 120 VAC, 1/60 RPM, 60 HERTZ ***	1	B	6105D SE
BTF691P	AL	F-A-17-201-000	1	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 3 WATT, 120 VAC, 1/60 RPM, 60 HERTZ ***	1	B	6105D SE
BVC716B	AL	F-A-25-202-000	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 100, 405TS, 460, 3, MOTOR, ELECTRIC; TYPE: AC; VOLTS: 460; PHASE: 3; HP: 100; FRAME: 405TS	0	C	6105D SE
BVR274E	AC	- - - -	3	MOTOR	MOTOR, TYPICAL, QA 3, ASSEMBLY, RECORDER; CHART DRIVE, FOR JYC HR-2500E MODEL 3880	3	B	6695D SE
BVR305Y	AC	- - - -	4	MOTOR	MOTOR, TYPICAL, QA 3, ASSEMBLY, RECORDER; PRINTER DRIVE, FOR JYC HR-2500E MODEL 3880	3	B	6695D SE
BWV600P	AL	D-B-04-000-001	1	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 5 FT LB START TORQUE,1 FT LB RUN TORQUE	1	B	6105D SE
BWV600P	AL	F-A-31-302-000	1	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 5 FT LB START TORQUE,1 FT LB RUN TORQUE	1	B	6105D SE
BXL672F	AL	A-A-01-000-001	1	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; 3 PHASE, 0.65 208-220/440 VAC, 1725/1425	3	C	6105D SE
BXP241V	AL	A-A-01-000-001	7	MOTOR	MOTOR, TYPICAL, QA 3, MOTOR ASSY, RECORDER; PEN,RH ***	3	B	6695D SE
BXP242R	AL	A-A-01-000-001	7	MOTOR	MOTOR, TYPICAL, QA 3, MOTOR ASSY, RECORDER; PEN, LH, FOR SERIES MODEL 6400H ***	3	B	6695D SE
BYA087Y	PR	D-B-04-000-001	3	MOTOR	MOTOR, ELECTRIC, QA 1, AC, 3450, 230/460 AC, 60, 3, MOTOR, ALTERNATING CURRENT; 3 PH, 230/460 VAC, 60 HZ, 3450 RPM	1	B	6105D SE
BYF320E	AL	A-A-01-000-001	2	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ELECTRIC; TYPE: AC; VOLTS: 28/115; HERTZ: 60; PHASE: 1; RPM: 40	3	B	6105D SE
BYJ492M	AL	8-A-09-000-001	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3540, 50, 326TS, 460, 60, 3, TEFC, B, 40 DEG C, FOR GENERATOR STATOR COOLING WATER PUMP CAP CUF 6105-28	0	C	6105D SE

CAT551B	AL	A-A-01-000-001	3	MOTOR	MOTOR, ELECTRIC, QA 3, AC, 1-1/2, 145T, 120, 60, 1	3	B	6105D SE
CDF342T	AL	D-A-32-202-000	1	MOTOR	MOTOR, TYPICAL, QA 0, MOTOR, ALTERNATING CURRENT; 0.33 HORSEPOWER, 5 FOOT POUNDS STRARTING	0		6105D SE
CDV905B	AL	D-B-29-302-000	1	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, DIRECT CURRENT; 250 VOLT, HP SPCL, FRAME DS204, 1900 RPM, 17	3	B	6105D SE
CEM249B	AL	D-B-31-101-000	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1190, 300, 4000, 60, 3, *** FRAME 509US	0	B	6105D SE
CEV453D	AL	F-A-17-202-000	1	MOTOR	MOTOR, ELECTRIC, QA 1, DC, 1900, 0.361, ** FRAME D56A, ARM VOLTS 125 VDC, FIELD VOLTS 125 VDC, AMPS 3.8, DUTY	1	B	6105D SE
CEW515C	AL	D-A-22-201-000	1	MOTOR	MOTOR, ELECTRIC, QA 2, AC, 1725, 0.5, FC56C, 115, 9, 60, 1, 1	2		6105D SE
CFD154R	AL	F-A-33-201-000	1	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ELECTRIC; TYPE: AC; VOLTS: 460; RPM: 1770; HP: 30; FRAME: 324T;	3	B	6105D SE
CFD208X	AL	D-A-37-101-000	1	MOTOR	MOTOR, ELECTRIC, QA 3, 3565, 100, 405TS, 230/460, 60, 3, TEFC, F, WITH 120V HEATER	3	B	6105D SE
CGR223W	AL	D-A-30-202-000	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC/DC, B, LIFT MOTOR FOR THE 4 KV VERTICAL LIFT BREAKERS.	0	B	6105D SE
CHY266A	AL	D-A-32-102-000	1	MOTOR	MOTOR, ELECTRIC, QA 3, AC, 1775/886, 50/12.5, 326T, 460, 60.5/23.7, 3, TEFC, B, 1.15, CODE: H, TYPE: PM, DUTY: CONTINUOUS,	3		6105D SE
CJX769E	AL	D-A-22-101-000	1	MOTOR	MOTOR, ELECTRIC, QA 3, AC, 1775, 60, 364TS, 230/460, 148/74, 60, 3, DRIP-PROOF, 1.15, 40 DEG C, MOTOR TYPE COG5B, F/ RCW BOOSTER PUMP MODEL	3	B	4320U SE
CJX769E	AL	D-A-22-102-000	1	MOTOR	MOTOR, ELECTRIC, QA 3, AC, 1775, 60, 364TS, 230/460, 148/74, 60, 3, DRIP-PROOF, 1.15, 40 DEG C, MOTOR TYPE COG5B, F/ RCW BOOSTER PUMP MODEL	3	B	4320U SE
CKF658R	AL	F-A-05-201-001	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3555, 40, 286TSC, 200-230/460, 90.8/45.4, 60, 3, DP, B, 1.15, VERTICAL, CODE G, DESIGN B, TIME CONT, 7.5 MAX KVAR	0	B	6105D SE
CKV283D	AL	F-B-07-101-000	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3555, 40, L324TP16, 230/460, 98.8/49.4, 60, 3, TEFC, F, 1.15, 40 DEG C, NOT FOR USE ON SUMP PUMP	0	B	
AAR482P	AL	L-A-09-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1600, 115, 0.9, 1, MOTOR, ALTERNATING CURRENT; TYPE 1M-076, 1 PH, 115 VAC, 0.9 AMP, 1600	0	P	6105D SE
AAT607R	AL	L-A-07-000-002	4	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; 1/10 HP, 115 VAC, 3.25 AMPS, 1570 RPM,	3	P	6105D SE
ABR188H	AL	L-A-03-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/4, L48Y, 115/230, 2.6/5.2, 1, A, 40 DEG C, MOTOR, ALTERNATING CURRENT; DUTY MASTER, TYPE CS, FRAME L48Y	0	P	6105D SE
ABT706H	AL	M-A-03-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1/4, 115, *** SYNCHRONOUS 115 VAC	0	P	6105D SE
ACT008T	AL	M-A-02-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1755, 3, 184TY, 230/460, 3, 1.0, MOTOR, ALTERNATING CURRENT; TYPE BNF, 9.2/4.6 AMP, 3-PHASE1755 RPM, SF	0	P	6105D SE
ACT309M	AL	M-A-13-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1735, 5, 184T, 230/460 AC, 14.4/7.2, 3, B, **	0	P	6105D SE
ADT505F	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 3, 182T, 230/460, 8.6/4.3, 3, B, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; TYPE K, 3 PHASE, 3 HP, 230/460 VA	0	P	6105D SE
ADT709Y	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1745, 1, N1437, 115/230, 7.5, 1, MOTOR, ALTERNATING CURRENT; 1 PHASE, 1 HP, 115/208-230 VAC, 1745 RPM	0	P	6105D SE
ADT809T	AL	M-A-03-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 1725, 3/4, 56, 90, 8, F, 40 DEG C, MOTOR, DIRECT CURRENT; WOUND PM, 3/4 HP, 90 VDC, 8 AMPS, 1725 RPM, 40	0	P	6105D SE
AER675K	AL	M-A-08-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3450, 2, 56, 480, 3, *** FOR ITE 500 KV MOTOR OPERATED DISCONNECT SWITCH	0	P	6105D SE
AFT207B	AL	M-A-01-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1740, 25, 284T, 230/460, 60.8/30.4, 3, B, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; INDUCTION, TYPE RG, 3 PH, 2	0	P	6105D SE
AFT709J	AL	M-A-02-000-002	6	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/2, P56C, 460, 3, F, 1.25, MOTOR, ALTERNATING CURRENT; TYPE P, 1-.35 A, 1725 RPM, P56C FRAME, 3	0	P	6105D SE
AFT809E	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3450, 1/2, J56, 208/460, 3, .25, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PHASE, J 56 FRAME, CODE L, CONT DUTY	0	P	6105D SE
AFT901T	AL	L-A-09-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 24 RPH, 110, MOTOR, ALTERNATING CURRENT; CHART DRIVE, 110.000 VAC, 003.000 WATTS	0	P	6105D SE
AFW437E	AL	M-A-16-000-002	3	MOTOR	MOTOR, ELECTRIC, QA 2, MOTOR ASSY, ELECTRIC; FORCE, FOR TRANSMITTER, E10 SERIES, MODEL E11GH	2	P	6105D SE
AFY687C	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/6, 48, 115, 3.6, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; 1 PHASE, 1/6 HP, 115.000 VAC, 1725 RPM	0	P	6105D SE
AGT003C	AL	M-A-01-000-002	5	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1550, 115, 1.26, 5/16 IN DIA X 1-1/4 IN LG, COUNTERCLOCKWISE, MOTOR, ALTERNATING CURRENT; 115.000 VAC, 1550 RPM	0	P	6105D SE
AGT700A	AL	M-A-11-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1750, J564, 240/480, 3, *** TYPE SCT 3 P	0	P	6105D SE
AGT702T	AL	M-A-13-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1720, 10, 215T, 230/460, 27.6/13.8, MOTOR, ALTERNATING CURRENT; TYPE A, 10 HP, 230/460 VAC, 27.6/13.8	0	P	6105D SE
AGT802N	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 1140, 1/6, 56, 230, 0.94, B-R, 40 DEG C, MOTOR, DIRECT CURRENT; 1/6 HP, 230.000 VDC, 000.940 AMPS, 1140 RPM	0	P	6105D SE
AHR698L	AL	L-A-03-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 60/115, 1.7, 1, MOTOR, ALTERNATING CURRENT; 1 PHASE, .060.000 VAC, 115.000 VAC, FAN	0	P	6105D SE
ALR478G	AL	P-A-LL-ET0-100	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 450, 213TDZ, 460, 2.6, 3, K, F, 1, TORQUE: 8 FT/LBS, VERTICAL MOUNT.	0	B	6105D SE
ALR594E	AL	L-A-09-000-002	3	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 115, *** 7 WATTS, PRINT DRIVE	0	P	6105D SE
ALR899P	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725/1140, 1-1/3, 56, 460, 1.7, 3, A, 1.25, 40 DEG C, **	0	P	6105D SE
AMR376J	AL	P-A-LL-ET0-042	5	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1, 115, *** CHART DRIVE, FOR MODEL 8HG RECORDER RECORDER 115 VAC	0	B	6105D SE
AMR393J	AL	P-A-LL-ET0-030	2	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 7.5, DG56C, 250, B, MOTOR, DIRECT CURRENT; ELECTRIC, FRAME DG56C, CLASS B INSULATION, 1900	0	B	6105D SE
AMR395E	AC	- - -	3	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 1900, 0.351, 250, B, *** 5 FT/LB, FOR LIMITORQUE OPERATOR SMB-000, ORDER 345791A, SN 115294	0	B	6105D SE
AMR976R	AL	L-A-09-000-002	8	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3.6, 120, *** M-3520, TELECHRON, FOR TYPE 240 TIME METER	0	P	6105D SE
APR274E	AL	M-A-08-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, DIRECT CURRENT; 115 VDC, SPRING CHARGING, FOR 6900-V SHUTDOWN	1	B	6105D SE
AQG606Q	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 1725, 3/4, 90, 8.2, F, MOTOR, DIRECT CURRENT; 559 WATTS, 3/4 HP, 90 VDC, 8.2AMPS, 1725 RPM	0	P	6105D SE
AQQ821A	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1745, 10, 230/460, 26.6/13.3, 60, 3, TDR-BE, 1.15, MOTOR, ALTERNATING CURRENT; TYPE TDR-BE, 10 HP, 3 PH, 230/460	0	P	6105D SE
ARE141E	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1630, 1-1/2, 182TC, 460, 2.5, TDNV, 1, 90 DEG C, MOTOR, ALTERNATING CURRENT; TURNING GEAR, 1.500 HP, 460 VAC, 2.5	0	P	6105D SE
ARP339A	AL	T-A-01-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1/10, 115, MOTOR, ALTERNATING CURRENT; 2.7 WATTS, 115 VAC, 1/10 RPM, TIMER,	0	P	6105D SE
ARQ971G	AL	M-A-01-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 2850/3450, 1, J56J, 208/240, 3.2/1.6, SC, A, MOTOR, ALTERNATING CURRENT; TYPE SC, 1 HP, 208/220 VOLTS, 220/240	0	P	6105D SE
ARV466E	AL	M-A-02-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3450, 1-1/2, 143T, 230/460, 4.6/2.3, 3, T, B, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; MODEL 4602, 1.500 HP, 230/	0	P	6105D SE
ARW348F	AL	L-A-07-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1800, F56C, 230/460, 2.4/1.2, 60, 3, WEATHERPROOF, B, 75 DEG C, MOTOR, ALTERNATING CURRENT; INDUCTION, 1800 RPM	0	P	6105D SE
ARY306N	AL	M-A-02-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1, 56, 208/460, 3.6/3.4/1.7, 3, 40 DEG C, MOTOR, ALTERNATING CURRENT; 1 HP, 3 PH, 208/230/460 VAC, 3.6/3.4/	0	P	6105D SE
ATB480C	AL	M-A-02-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1750, 1, 143T, 230/460, 4/2, 3, F, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; MODEL SBFC,FRAME 143T,230/460 VAC	0	P	6105D SE
ATB480C	AL	M-A-03-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1750, 1, 143T, 230/460, 4/2, 3, F, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; MODEL SBFC,FRAME 143T,230/460 VAC	0	P	6105D SE
ATG817X	AL	M-A-11-000-002	3	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1, FB56C, 230/460, 3.2/1.6, 3, P, B, 40 DEG C, MOTOR, ALTERNATING CURRENT; FRAME FB56C, TYPE P, 1 HP, 3 PH, 230/4	0	P	6105D SE
ATG819R	AL	M-A-02-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3450, 1, FB56, 230/460, 3.2/1.6, 3, P, B, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; FRAME FB56, TYPE P, 1 HP, 3 PH	0	P	6105D SE
ATJ539M	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/2, M56C, 230/240, 2.1/1.1, 3, B, 40 DEG C, MOTOR, ALTERNATING CURRENT; ELECTRIC, TYPE P, CONT DUTY, 0.500	0	P	6105D SE
ATK524X	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/4, 208/440, 1.1/0.55, 50/60, 3, A, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 0.250 HP, 1725 RPM, INS	0	P	6105D SE
ATX570E	AL	M-A-13-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1445, 10, 215T, 380, 16.6, 50, 3, F, 1.0, 50 DEG C, MOTOR, ALTERNATING CURRENT; MODEL SBDP,STYLE	0	P	6105D SE
AVA155B	AL	M-A-01-000-002	3	MOTOR	MOTOR, TYPICAL, QA 3, MOTOR ASSY, ELECTRIC; PEN,(NITRONAL DRIVE UNIT),FOR E20S	3	B	6105D SE
AVA554W	AL	M-A-04-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 1, AC, 3400, 1.9, 460, RH, 1.0, MOTOR, ALTERNATING CURRENT; START 15 FT LB, RUN 3 FT LB, 1.9 HP	1	P	6105D SE
AVC457G	AL	M-A-03-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; INDUCTION, 1.500 HP, 230/460 VAC, 5/2.500	3	P	6105D SE
AVG818M	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3300/2800, 1/4, 230, 2.4/2.5, 1, COUNTERCLOCKWISE/CLOCKWISE, MOTOR, ALTERNATING CURRENT; 0.250 HP,3300/2800 RPM,2	0	P	6105D SE
AVH103V	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/2, 56C, 208/460, 2.1-2/1, 3, TEFC, 40 DEG C, MOTOR, ALTERNATING CURRENT; HP 0.5,208-230/460 VAC,FRAME 56C	0	P	6105D SE
AVH339W	AL	M-A-11-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/2, M56C, 230/460, 2.2/1.1, 3, B, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; TYPE P,0.500 HP,230/460VAC,3PH	0	P	6105D SE
AVJ303E	AL	M-A-01-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1140, 5, 215T, 230, 17/8.5, 3, B, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; CLASS B,3 PH, INSUL, FRAME 215 T, DESI	0	P	6105D SE
AVJ304C	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1745, 7-1/2, 213 JM, 230/460, 20.4/10.2, 3, B, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; TYPE A-4, 3 PH, 7.5 HP	0	P	6105D SE
AWC029N	AL	M-A-16-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 115/230, 33, 50/60, *** THERMALLY PROTECTED, TYPE U21, FOR ICE CONDENSER ICE MACHINE	0	P	6105D SE
AWM146D	AL	M-A-16-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 2, MOTOR, ALTERNATING CURRENT; CHART UPPER, TYPE 117, 1/30 RPM, 002.700	2	P	6105D SE
AWR957J	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1800, 56C, 460, 3.6, 3, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; 10 FT LB HP, 460.000 VAC, 003.600 AMPS	0	P	6105D SE
AWV924P	AL	M-A-02-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/3, EB56C, 115/230, 5.6/2.9, 1, B, 40 DEG C, MOTOR, ALTERNATING CURRENT; 1/3 HP, 115/230 VAC, NEMA DESIGN	0	P	6105D SE
AXB441Q	AL	P-A-LL-ET0-054	1	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 1900, 250, B, 75 DEG C, MOTOR, DIRECT CURRENT; 250 VDC, 1900 RPM, 25 FT/LB, 75 DEG C RISE	0	B	6105D SE
AXB686R	AL	M-A-02-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/4, L48, 115/230, 5.2/2.6, 1, B, 1.35, 40 DEG C, MOTOR, ALTERNATING CURRENT; 115/230 VAC, 1/4 HP, 1725 RPM	0	B	6105D SE
AXD172F	AL	X-A-04-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 3/60/460 VAC INSULATION CLASS H, TYPE RH	1	B	6105D SE
AXD407F	AL	M-A-01-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 5, 182TCZ, 230/460, 13.6/6.8, B, 1.15, MOTOR, ALTERNATING CURRENT; 5 HP, 13.6/6.8 AMPS, 230/460 VAC, 1.15 SF	0	P	6105D SE
AXQ324R	AL	T-A-01-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 0, MOTOR, ALTERNATING CURRENT; PEN DRIVE, WITH TWO LEADS, FORTEMPERATURE	0	P	6105D SE

AXQ453E	AL	M-A-04-000-002	3	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1625, 1/4, 115, 3.3, 1, COUNTERCLOCKWISE, MOTOR, ALTERNATING CURRENT; 1 PH, 1/4 HP, 115.000 VAC, 003.300 AMPS	0	P	6105D SE
AXR820K	AL	M-A-02-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1710, 2, 145T, 460, 3, 3, F, 1.15, *** DESIGN B, CODE J, COMPLETE WITH BALL BEARING ABMA-25BC02XP AND	0	P	6105D SE
AXT841T	AL	M-A-02-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 29, 6, 480, 3, *** C/W WORM AND WHEEL, FOR 6 HP MOTOR ACTUATOR, TYPE 14A/365, S/N	0	B	6105D SE
AXW878Q	AL	M-A-13-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3450, 1/2, C56J, 115/230, 8/4, 1, 2-1/2 IN, B, 40 DEG C, MOTOR, ALTERNATING CURRENT; 1 PH, 0.5 HP, 115/230 VAC, 3	0	P	6105D SE
AXW879N	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1, 7056, 230/460, 3.6/1.8, 3, A, 40 DEG C, *** MODEL SRFD74	0	P	6105D SE
AXX247P	AL	M-A-02-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3485, 5, 182JH, 230/460, 13.6/6.8, 3, B, 40 DEG C, ***	0	P	6105D SE
AXX967L	AL	M-A-13-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1800, XK56CZ, 230/460, 1.2/6, 3, MOTOR, ALTERNATING CURRENT; TYPE PN, 3-PHASE, 1800 RPM, 230/460 VAC	0	P	6105D SE
AXX971X	AL	M-A-02-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3520, 2, 145T, 230/460, 6/3, 3, A, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 2 HP, 230/460 VAC, 3520 RPM	0	P	6105D SE
AXY093A	AL	M-A-11-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/4, 2L4-48412, 115/230, 4.6/2.3, ***	0	P	6105D SE
AXY099X	AL	M-A-04-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1140, 5, 215T, 230/460, 3, B, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 5 HP, 230/460 VAC, 1140 RPM, 40 DEG	0	P	6105D SE
AYA052R	AL	M-A-02-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/2, L556, 208/460, 2/1, 3, B, 1.0, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 0.5 HP, 208-230/460 VAC, 2/1	0	P	6105D SE
AYA398X	AL	M-A-11-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3450, 2, T5607, 230/460, 5.6/2.8, 3, B, 1.0, MOTOR, ALTERNATING CURRENT; 3 PH, 2 HP, 230/460 VAC, 5.6/2.8 AMPS	0	P	6105D SE
AYA677R	AL	M-A-02-000-002	4	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1625, 1/15, 208/240, 0.6, 1, *** MODEL KA55HXRF5-7846, FOR FAN ON SINGER MODEL 15-15 HEATER UNIT	0	P	6105D SE
AYC742Y	AL	M-A-01-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 2, MOTOR, ALTERNATING CURRENT; 3 HP, 230/460 VAC, 9.3/4.65 AMPS, 1730	2	P	6105D SE
AYD422C	AL	M-A-05-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 24, 1.06, MOTOR, ALTERNATING CURRENT; INDUCTION WOUND, MODUTROL, 24 WATTS, 1.06	0	P	6105D SE
AYD530L	AL	M-A-04-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1750-865, 3-3/4, 182T, 460, 4.3/1.7, 3, B, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 3.75 HP, 460 VAC, 4.3/1.7	0	P	6105D SE
AYD936C	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1730, 1, B143T, 230/460 AC, 3.4/1.7, 3, B, 1.15, MOTOR, ALTERNATING CURRENT; DUTY MASTER, TYPE P, 3 PH, 1 HP, 230	0	P	6105D SE
AYD937A	AL	M-A-03-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 3, AC, 1/6, 115/230, 4.4/2.2, 1, A, 1.35, MOTOR, ALTERNATING CURRENT; TYPE CS, 1 PH, 1/6 HP, 115/230VAC, 4.4/2.2	3	P	6105D SE
AYD941K	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1730/860, 3/0.75, 182T, 460, 4.2/1.6, 3, 1.15, 40 DEG C, *** TYPE PM, TWO SPEED	0	P	6105D SE
AYE193V	AL	T-A-06-000-002	8	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1700/1800, 1/8, K48, 230/460, 0.45, 3, B, 1.0, 40 DEG C, MOTOR, AC; TYPE P, 3 PH, 0.125 HP, 230/460 VAC, NOM AMPS	0	C	6105D SE
AYG018T	AL	M-A-02-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1730, 5, 184T, 230/460 AC, 14/7, 3, B, TYPE P	0	P	6105D SE
AYH215W	AL	M-A-13-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725/1425, 1/2, AA66Y, 208/460, 2/1, 3, B, 0.35, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, THERMALLY PROTECTED	0	P	6105D SE
AYM549A	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1740, 1, 143T, 230/460, 3.2/1.6, 3, B, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 1 HP, 230/460 VAC, 3.2/1	0	P	6105D SE
AYM948V	AL	M-A-11-000-002	3	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1625, 115/230, 12.9/6.4, 1, *** INSULATED, REF 20, FOR TAIT RM SUMP PUMP, MODEL WH10, S/N 45331	0	P	6105D SE
AYQ962J	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/3, AC48, 115/230, 6.4/3.2, 1, A, 1.35, 40 DEG C, MOTOR, ALTERNATING CURRENT; INDUCTION WINDING, 1 PH, 1/3	0	P	6105D SE
AYW604R	AL	M-A-13-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/6, 48, 115, 1, A, 1, *** AMBIENT 40 DEG C	0	P	6105D SE
AYX559X	AL	M-A-05-000-002	14	MOTOR	MOTOR, ELECTRIC, QA 2, AC, 3440, 3, 145T, 230/460, 8/4, 3, B, 1.15, MOTOR, ALTERNATING CURRENT; STYLE 82A63296, 3 PH, 3 HP, 230/460 VAC,	2	P	6105D SE
BAB720E	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1715, 5, 184T, 460, 7.2, 3, B, 1.15, MOTOR, ALTERNATING CURRENT; LIFELINE T, MULTISPEED, 3 PH, 5 HP, 460	0	P	6105D SE
BAE621M	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3515, 5, 182TC, 230/460, 13.6/6.8, 3, B, 1.15, *** DESIGN B, CODE J	0	P	6105D SE
BAE669Q	AL	M-A-01-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, CONTROL; SERVO, CHART DRIVE, 60 IN/HR, 40 RPH, FOR TEMP	3	P	6105D SE
BAG905X	AL	M-A-03-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725/850, 2-1/4, 460, 3.15/1.05, 3, 40 DEG C, ***	0	P	6105D SE
BAJ789R	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1722, 3/4, 56C, 230/460, 3.44/1.72, 3, EXPLOSION PROOF, MOTOR, ALTERNATING CURRENT; 3 PH, EXPLOSIVE PROOF, 0.75 H	0	P	6105D SE
BAM261M	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1755, 3, 182HP, 230/460, 9.2/4.6, 3, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 3 HP, 230/460 VAC, 3/60 OD	0	P	6105D SE
BAR893T	AL	M-A-02-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1120/390, 15/5.6, 326TDZ, 460, 24/21, 3, B, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; INDUCTION, TYPE MTP-6, 3 PH	0	P	6105D SE
BAX863F	AC	- - -	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1800, 7-1/2, AFL-256U, 230/460, 19.6/9.8, 60, 3, MOTOR, ALTERNATING CURRENT; 3 PH, 7.5 HP, 230/460 VAC, 19.6/9.8	0	B	6105D SE
BBD178B	AL	M-A-03-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1730, 2, BC145T, 230/460, 6.4/3.2, 3, B, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; TYPE P, 3 PH, 1730 RPM, 6.4/	0	P	6105D SE
BBD178B	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1730, 2, BC145T, 230/460, 6.4/3.2, 3, B, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; TYPE P, 3 PH, 1730 RPM, 6.4/	0	P	6105D SE
BBD249E	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1745, 1-1/2, 145T, 230/460, 5.2/2.6, 3, TEFC, B, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 1.5 HP, 230/46	0	P	6105D SE
BBE524D	AL	M-A-13-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 6.4, 5, 184T, 460, 6.4, 3, F, 1.15, MOTOR, ALTERNATING CURRENT; TYPE PM, 3 PH, 5 HP, 460 VAC, 6.4 AMPS	0	P	6105D SE
BBE530X	AL	P-A-LL-ET0-043	8	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1140, 1/6, 48, 115/230, 1, A, 1.35, 40 DEG C, MOTOR, ALTERNATING CURRENT; 1 PH, 1/6 HP, 115/230 VAC, 1140 RPM, SF	0	B	6105D SE
BBF832W	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1730, 2, FJ145T, 230/460, 6.4/3.2, 3, F, 40 DEG C, MOTOR, ALTERNATING CURRENT; FRAME FJ145T, 1730 RPM, 2 HP, 230/	0	P	6105D SE
BBG359P	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 855, 1-1/2, 184T, 230/460, 5.6/2.8, 3, 1, *** ID PL86482E	0	P	6105D SE
BBH607T	AL	M-A-03-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 460 VAC, 0.33 HP, 3 PH, CLASS RH	1	B	6105D SE
BBH607T	TR	- - -	1	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 460 VAC, 0.33 HP, 3 PH, CLASS RH	1	B	6105D SE
BBM847G	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3490, 7-1/2, 213T, 230/460, 18.6/9.3, B, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; 7.5 HP, 230/460 VAC, 60 HZ	0	P	6105D SE
BBM924Q	AL	M-A-01-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, 1755, 7-1/2, 213T, 230/460, 20/10, 60, 3, B, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; TYPE A DP, 3 PH, 7.5 HP, 230	0	P	6105D SE
BBM925N	AL	M-A-01-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1750, 15, 254T, 230/460, 42/21, 60, 3, B, 40 DEG C, MOTOR, ALTERNATING CURRENT; TYPE A DP, 3 PH, 15 HP, 230/ 460	0	P	6105D SE
BBM927J	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3515, 7-1/2, L213HP10, 230/460, 20.4/10.2, 60, 3, B, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; VERTICAL, TYPE K, 3	0	P	6105D SE
BBM929E	AL	M-A-02-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1750, 15, 254T, 230/460, AC, 39.6/19.8, 60, 3, MOTOR, ALTERNATING CURRENT; 3 PH, 15 HP, 230/460 VAC, 39.6/19.8 AMP	0	P	6105D SE
BBM938D	AL	M-A-02-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 25, 407AT, 240, 84.8, F, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; STAB-SHUNT WOUND, 25 HP, 240 VAC, 84.8	0	P	6105D SE
BBM942N	AL	M-A-02-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3489, 20, 254T, 230/460, 50.6/25.3, 60, 3, B, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; MODEL 7BDP, 3 PH, 20 HP	0	P	6105D SE
BBM948A	AL	M-A-04-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3500, 15, 215HP, 230/460, 39.2/19.6, 60, 3, B, 1.15, 60 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 15 HP, 230/460 V	0	P	6105D SE
BBM951M	AL	M-A-04-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1150, 20, CS47, 230/460, 52/26, 60, 3, H, 60 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 20 HP, 230/460 VAC, 1150RPM	0	P	6105D SE
BBN583K	AL	M-A-09-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 1750/2300, 7-1/2, 240, 1.64/1.19, TEFC, F, 40 DEG C, MOTOR, DIRECT CURRENT; SHUNT WOUND, TYPE CD258AT, 7.5HP, 240	0	P	6105D SE
BBP940V	AL	L-A-09-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3450/2850, 3/4, 208/440, 2.8-2.9/1.45, 50/60, 3, TEFC, 40 DEG C, MOTOR ASSY, ELECTRIC; CONSIST OF DAYTON ELECTRIC	0	P	6105D SE
BBQ823F	AL	M-A-11-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/6, 115, 60, *** REF 20, FOR CLARKE CARPET MASTER SWEEPER, MODEL 576A, CAT	0	P	6105D SE
BBQ825B	AL	M-A-11-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/4, 48Z, 115, 4/6, 60, *** TYPICAL S/N AB84, FOR CLARKE CARPET MASTER SWEEPER, MODEL 576A	0	P	6105D SE
BBQ876R	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725/1425, 1/3, 230/460, 1.1/0.55-1.26/0.6, 50/60, 3, MOTOR, ALTERNATING CURRENT; 3 PH, THERMALLY PROTECTED, 1/3H	0	P	6105D SE
BCB011B	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3495, 3, 182T, 460, 4.7, 60, 3, TE, F, MOTOR, ALTERNATING CURRENT; MODEL TBFC, 3 PH, 3 HP, 460 VAC, 60 HZ	0	P	6105D SE
BCB017Y	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1730, 2, 145T, 460, 3, 60, 3, TBFC, F, 1.15, MOTOR, ALTERNATING CURRENT; MODEL TBFC, 3 PH, 2 HP, 460 VAC, 60 HZ	0	P	6105D SE
BCC207Y	AL	M-A-02-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 10, 256U, 230/460, 60, 3, R, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 10 HP, 230/460 VAC, 60 HZ, FRAME	0	P	6105D SE
BCC697H	AL	M-A-11-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3450, 1-1/2, 230, 60, 3, B, 6.5-6/3, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 1.5 HP, 230 VAC, 60 HZ, SFA	0	P	6105D SE
BCD331P	AL	M-A-03-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1425/1725, 1/2, 56-5, 230/460, 50/60, 3, 1.25, *** TYPE TS, MODEL PQE56T17D581F, FOR LAUNDRY THERMATIC DRYER	0	P	6105D SE
BCD923X	AL	M-A-13-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/2, 48, 115, 9, 60, 1, B, 1.25, 40 DEG C, MOTOR, ALTERNATING CURRENT; 1 PH, 1/2 HP, 115 VAC, 9 AMPS, 1725 R	0	P	6105D SE
BCG117A	AL	M-A-13-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1750, 3, 182T, 230/460, 8.4/4.2, 60, 3, 1.15, 40 DEG C	0	P	6105D SE
BCM683E	AL	M-A-11-000-002	3	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1100, 1/2, 48Z, 460, 1.6, 50/60, 1, B, ***	0	P	6105D SE
BCN430J	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/4, 56C, 208/460, 1.4-1.3/0.65, 60, 3, 1.7-1.6/0.8, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 1/4 HP, 20	0	P	6105D SE
BCR402X	AL	M-A-11-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1075, 1/3, 208/230, 2, 50/60, 1, REVERSIBLE, *** FOR VIC MODEL 478 DRY CLEANER, S/N 7910673-5	0	P	6105D SE
BCR404R	AL	M-A-11-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3340/3370/235, 7-1/2 / 5 / 1-1/2, 256U, 230, 19.2/12.8/10.3, 60, 1, B, 40 DEG C, MOTOR, ALTERNATING CURRENT; 1 PH	0	P	6105D SE
BCR772T	AL	M-A-02-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3515, 40, 286HPHA, 230/460, 94/47, 60, 3, B, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 40 HP, 230/460 VAC	0	P	6105D SE
BCV575J	AL	M-A-11-000-002	4	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1075, 1/4, 48Y, 230, 2, 60, 1, B, ***	0	P	6105D SE
BCX816C	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3450, 2, 56, 208/460, 3, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 2 HP, 208-230/460 VAC, 3450 RPM,	0	P	6105D SE
BD8019L	AL	M-A-11-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1600, 1, 230/460, 1, 3, *** FOR SUMP PUMP	0	P	6105D SE
BDC023Q	AL	M-A-11-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1075, 1/2, 230/370, 4.4, MOTOR, ALTERNATING CURRENT; 1/2 HP, 230 VAC, 4.4 AMPS, 7.5MFD/370 VAC	0	P	6105D SE
BEK329Y	AL	M-A-01-000-002	2	MOTOR	MOTOR, TYPICAL, QA 0, MOTOR, STEPPING; 1 OHM, TYPE PJ5F1-41B, PRINTER, GENICOM 3400 ***	0	P	6105D SE

BEK491M	AL	M-A-02-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1750, 3-1/2, 184T4, 220/440, 3, ***	0	P	6105D SE
BEX521K	AL	M-A-13-000-002	8	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1075, 1/8, 115, 3.2, CLOCKWISE, MOTOR, ALTERNATING CURRENT; SPLIT CAPACITOR TYPE,0.125 HP,115 VAC, 3.2	0	P	6105D SE
BFF983E	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 480/575, 1, 213T, 208/460, 6.6-6/3, 3, 1.15, MOTOR, ALTERNATING CURRENT; 3 PH, 1 HP, 208-230/460 VAC, 6.6-6/3 AMP	0	P	6105D SE
BFF984C	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1425/1725, 5, 184TZ, 208/460, 14-13/7-6.5, 3, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 5 HP, 208-230/416	0	P	6105D SE
BFM975E	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725/1425, 1/3, 56-4, 230/460, 3, A, 1.35, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 1/3 HP, 230/460 VAC, 1725/	0	P	6105D SE
BFM976C	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725/1425, 1/4, 56-4, 230/460, 3, A, 1.35, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 1/4 HP, 230/460 VAC, 1725/	0	P	6105D SE
BFN156E	AL	M-A-13-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1075, 1, 56Z, 200/230, 6.2, 1, 40 DEG C, ***	0	P	6105D SE
BFT268E	AL	R-A-07-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 3 PH,5 HP/1.25 HP,460 VAC 7.0/2.7	1	B	6105D SE
BFX465W	AL	L-A-03-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 3/4, 56, 230/460, 3, A, 1.25, *** TYPE P, CODE K	0	P	6105D SE
BGB179L	AL	B-A-11-000-002	4	MOTOR	MOTOR, TYPICAL, QA 0, MOTOR, CONTROL; SERVO, FOR TURBINE STOP VALVES ***	0	P	6105D SE
BGC178H	AL	M-A-04-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 120, 0.36, 160 DEG, MOTOR, ALTERNATING CURRENT; 27 WATTS, 120 VAC, 0.36 AMPS, DAMPER	0	P	6105D SE
BGC179F	AL	M-A-04-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1140, 1, 200/480, 5.5/2.5, 3, B, 60 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 1 HP, 200-240/440-480 VAC, 5.5-5/2.5	0	P	6105D SE
BGC180A	AL	M-A-04-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1075, M56Y, 200/230, 6.4, 1, B, 65 DEG C, MOTOR, ALTERNATING CURRENT; 1 PH, 200/230 VAC, 6.4 AMPS, 1075 RPM	0	P	6105D SE
BGC181W	AL	M-A-04-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 10, V256U, 230/460, 26/13, 3, 1.15, *** BLOWER, FOR AIR CONDITIONER MODEL 50M0028-620CC	0	P	6105D SE
BGW314H	TR	- - -	1	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, DIRECT CURRENT; 25 FT-LB TORQUE,250 VDC,1900 RPM,CLASS RH	1	B	6105D SE
BGX563N	AL	L-A-04-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 1, AC, 1800, 460, 3, RH, MOTOR, ALTERNATING CURRENT; 3 PH, 460 VAC, 1800 RPM, STARTING TORQUE	1	B	6105D SE
BGY197G	AL	L-A-08-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3/4, 115/230, 1, *** FORMODEL AD-65 DRYER	0	P	6105D SE
BHD441H	AL	M-A-04-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; 3 PH,7-1/2HP,230-460VAC 18.9/9.5 AMPS,3600	3	P	6105D SE
BHD442F	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 3, AC, 3490, 15, 254T, 230/460 AC, 36.3/18.2, 3, MOTOR, ALTERNATING CURRENT; 3 PH, 15 HP, 230/460 VAC, 36.3/18.2 AMPS,	3	P	6105D SE
BHF970N	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1700, 1/8, 230/460, 6.3/3.15, 3, *** FOR ACTUATORS, TYPE PB-2A	0	P	6105D SE
BHJ361M	AL	M-A-03-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1075, 1/4, 48, 208/230, 1, 1/2 IN, MOTOR, ALTERNATING CURRENT; 1 PH, 1/4 HP, 208/230 VAC, 1075 RPM, FRAME	0	P	6105D SE
BHK665V	AL	T-A-12-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 0, MOTOR, DIRECT CURRENT; 8 VDC, 8 OHMS RESISTANCE, 1.8 DEG ANGLE PER	0	P	6105D SE
BHL278X	AL	L-A-04-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, DIRECT CURRENT; 250 VDC, 1900 RPM, STARTING TORQUE 25 FT. LB	1	B	6105D SE
BHP297A	AL	L-A-02-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, DIRECT CURRENT; 250 VDC, UNIVERSAL, FOR AIR CIRCUIT BREAKER,	1	P	6105D SE
BHW529M	AL	M-A-03-000-002	7	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3450, 1/3, 56C, 115/230, 3, 1, 1.15, MOTOR, ALTERNATING CURRENT; TYPE 413L, 1 PH, 1/3 HP, 115/230 VAC, 3	0	P	6105D SE
BJE034A	AL	L-A-03-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; SYNCHRONOUS, 3 WATTS, 120 VAC,4 RPM ***	3	P	6105D SE
BJE562R	AL	M-A-01-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1750, 20, S256T, 230/460, 50/25, 3, *** TYPE SC, RIGID MOUNT, FOR CLIMATE CHANGER, MODEL MZ-41	0	P	6105D SE
BJG329M	AL	P-A-LL-ET0-098	2	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; TYPE P, 3 PH, 1 HP, 460 VAC, 870 RPM	1	C	6105D SE
BJK127J	AL	M-A-04-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 15 FT LB START TORQUE, 3 FT LBRUN TORQUE	1	P	6105D SE
BJL826J	AL	M-A-03-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3495, 7-1/2, 184TCHZ, 230/460, 3, *** TIME CONTINUOUS	0	P	6105D SE
BJN457D	AL	M-A-02-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3450, 1/3, 56C, 115/230, 1, 5/8 IN, A, 1.85, 40 DEG C, MOTOR, ALTERNATING CURRENT; 1 PH, 1/3 HP, 115/230 VAC, 345	0	P	6105D SE
BJY992D	AL	L-A-07-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; 1 PH, 1/8 HP, 115 VAC, 3450 RPM, FRAME 48	3	P	6105D SE
BKN704H	AL	L-A-09-000-002	4	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; CAM TIMER ***	3	B	6105D SE
BLH099H	AL	M-A-03-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; ELECTRIC, CLASS H, TYPE RH INSULATION	1	P	6105D SE
BND585R	AL	M-A-11-000-002	4	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 115, *** BED DRIVE, FOR DRYOMATIC DEHUMIDIFIER, MODEL R300	0	P	6105D SE
BND602M	AL	L-A-11-000-002	3	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3470, 2, 230/460, 60, 3, MOTOR, ALTERNATING CURRENT; 2 HP, 230/460 VOLTS, 60 HZ, 3470 RPM, 3	0	P	6105D SE
BNE752V	AL	M-A-13-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 1800, 3, 230/460, *** MODEL 5MR2548NT249EW1	0	P	6105D SE
BNF399C	AL	L-A-05-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 3, AC, 1785, 250, 5092, 4000, 33.7, 3, B, 1.15, MOTOR, ALTERNATING CURRENT; 3 PHASE, 250 HP, 4000 VAC, 33.7 AMPS, 40	3		6105D SE
BPL195W	AL	M-A-03-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, DIRECT CURRENT; 125 VDC, SPRING CHARGING, S/N L115691, FOR	3	B	6105D SE
BPM096G	AL	L-A-15-000-002	6	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 120, *** FOR REPAIR ON HEAT GUN, MODEL 46-021	0	B	6105D SE
BPM291V	AL	M-A-11-000-002	4	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1710/840, 2-1/4, 145T, 460, 3-2/1-2, 3, K, 3-8/1-4, MOTOR, ALTERNATING CURRENT; 3 PH, 2.25 HP, 460 VAC, 3-2/1-2 A	0	A	6105D SE
BPM387E	AL	M-A-16-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1-1/2, 56HZ, 115/230, 18/9, 60, 1, 7/8 IN DIA X 2-1/4 IN LG, 1.15, COUNTERCLOCKWISE/CLOCKWISE, 1, 40 DEG C	0	B	6105D SE
BPP101J	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3480, 19.87, C256YM, 230/460, 428/214, 60, 3, B, 1.0, MOTOR, ALTERNATING CURRENT; 3 PHASE, 19.87 HP, 230/460 VAC	0	B	6105D SE
BQM081P	AL	T-A-02-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 3 PHASE, 460 VAC, 1700 RPM, 2 FT/LB, TYPE	1	C	6105D SE
BRH573R	AL	M-A-08-000-002	1	MOTOR	MOTOR, TYPICAL, QA 3, MOTOR ASSY, RECORDER; CHART DRIVE, FOR MAIN CONTROL 1-RR-90-268 ***	3	B	6695D SE
BRK403A	AL	L-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; TYPE: CJ4NB, VOLTAGE: 460, AMPS: 1.8/4.4	3	C	6105D SE
BT A012P	AL	L-A-15-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/3, 56-7, 208, 2, 60, 3, A, MOTOR, ALTERNATING CURRENT; 1/3 HP, FRAME, 56-7, RPM 1725, PHASE 3, CY	0	B	6105D SE
BTB266V	AL	T-A-05-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1800, 480, 60, 3, 50 DEG C, *** MG 3500. REPAIRED., RISE. SERIAL NO. 3585013101. (ELEVATOR MOTOR	0	C	6105D SE
BTB378G	AL	T-A-05-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1800, 25, 460, 58, 60, 3, MOTOR, ALTERNATING CURRENT; 25 HP, 460 VOLTS, 58 AMPS, 1800 RPM, 60	0	C	6105D SE
BTK685X	AL	M-A-09-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR GEN SET, ; SPECIAL PEN, FOR MODEL 640 RECORDER ***	3	B	6695D SE
BVB797M	AL	M-A-02-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 5, 184T, 200/460, 15-13.2/6.6, 60, 3, F, 1.5, 40 DEG C, MOTOR, ALTERNATING CURRENT; INDUCTION, SQUIRREL CAG	0	B	6105D SE
BVP439J	AL	T-A-05-000-002	1	MOTOR	MOTOR, TYPICAL, QA 0, MOTOR, HOIST; TYPE 610167F, 25 HP, 780 RPM, FOR ELEVATOR S/N 22003 ***	0	C	3960D SE
BVR275C	AL	L-A-09-000-002	4	MOTOR	MOTOR, TYPICAL, QA 3, ASSEMBLY, , RECORDER, CARRIAGE DRIVE, FOR JYC HR-2500E MODEL 3880	3	B	6695D SE
BVR305Y	AL	L-A-13-000-002	1	MOTOR	MOTOR, TYPICAL, QA 3, ASSEMBLY, RECORDER; PRINTER DRIVE, FOR JYC HR-2500E MODEL 3880	3	B	6695D SE
BWL204Q	AL	M-A-02-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3555, 25, 284TS, 208/460, 57.8/28.9, 60, 3, F, MOTOR, ALTERNATING CURRENT; 25 HP,3555 RPM,60 HZ, SF 1.15, 200-230	0	B	6105D SE
BWL241H	AL	T-A-01-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; MOTOR, AC, 115 VAC, 6.0W, 4 POLES, FOR	3	B	6105D SE
BXK808N	AL	M-A-02-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 3/60/460 WITH CLASS B INSULATION, RATED	1	B	6105D SE
BXL544Q	AL	L-A-13-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 240, 40.0 MA, *** FERNSTEUERGERATE TYPE M35-450-1, 720 E/H, FOR GE MAC561 ELECTRIC	0	B	6105D SE
BXL599Y	AL	M-A-04-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; TYPE PM,3 PH,0.75 HP-1780 RPM, 1.88 HP-890	3	B	6105D SE
BXM273Q	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 3 PHASE, .33 HP,CLASS H INSULATION	1	B	6105D SE
BXM801T	AL	M-A-02-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; MODEL TBDP,3 PH, 10 HP, 230/460 VAC, 26/13	3	B	6105D SE
BXN037N	AL	M-A-11-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, MOTOR, ALTERNATING CURRENT; TYPE SBDP,3 PH,1 HP, 230/460VAC, 3.7/1.85	0	B	6105D SE
BXN091G	AL	M-A-13-000-002	20	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; TYPE SC,3 PH,THERMALLY PROTECTED, 1/3 HP	3	B	6105D SE
BXN318P	AL	M-A-02-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; START TORQUE, 80 LB FT,FRAME C215Y,2865	3	B	6105D SE
BXN650T	AL	M-A-02-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1745, 7-1/2, 213T, 460, 60, 3, B, 1.15, MOTOR, ALTERNATING CURRENT; 3 HP, 7.5 HP, 460 VAC, 1745 RPM, 60 HZ	0	B	6105D SE
BXT455Q	AL	M-A-01-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; 115 VAC, 9 W, 120 RPM, FOR MODEL M11E-48	3	B	6105D SE
BYB080K	AL	M-A-11-000-002	3	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; 5 HP, 230/460 VAC, 184T FRAME, 1735	3	B	6105D SE
CAL984A	AL	L-A-09-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; PACEMAKER, 1750 RPM, 15 HP, 230/480 VAC	1	B	6105D SE
CDF341W	AC	- - -	2	MOTOR	MOTOR, TYPICAL, QA 0, MOTOR, ALTERNATING CURRENT; 5 FOOT POUNDS STARTING TORQUE, 3 PHASE	0	B	6105D SE
CDF345L	AC	- - -	1	MOTOR	MOTOR, TYPICAL, QA 0, MOTOR, ALTERNATING CURRENT; 5.20 HORSEPOWER, 40 FOOT POUNDS STARTING	0	B	6105D SE
CDP307L	AL	M-A-02-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, FAN; 3HP, 230/460VOLT, 3485RPM, FRAME 182T, S.F. 1.15 MODEL	3	B	4140U SE
CDT887N	AL	L-A-12-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 1, AC, 1800, 460, 60, 3, RH, SMB-2 OPERATOR, ,STARTING TORQUE 80 FT-LBS, RUNNING TORQUE 16 FT-LBS, WITHOUT T DRAINS	1	B	6105D SE
CDV368A	AL	L-A-13-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; 3/4 HP, 1725 RPM, 230/460 VAC, 3 PHASE, 60	3	B	6105D SE
CDV409P	AL	L-A-13-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; 3/4 HP, 1725 RPM, 230/460 VAC, FRAME 56	3	B	6105D SE
CDV462J	AL	L-A-13-000-002	2	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; 1720 RPM, 230/460 VAC, 60 HZ, FRAME 182R2	3	B	6105D SE

CEH908J	AC	- - - -	1	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ELECTRIC; TYPE: DC; VOLTS: 250; RPM: 1900; HP: 1; INSULATION	3	B	6105D SE
CEJ131J	AL	L-A-07-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ELECTRIC; TYPE: AC; VOLTS: 230/460; HERTZ: 60; PHASE: 3; RPM:	3	B	6105D SE
CEL792T	AL	M-A-03-000-002	3	MOTOR	MOTOR, ELECTRIC, QA 1, AC, 1750, 1, 143T, 230/460, 4.1/2.05, 60, 3, TEFC-XT, RH/H, 1.15, 40 DEG C, RPM: 1800 NOMINAL	1	B	6105D SE
CGV259W	AL	L-A-06-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 3, DC, 2500, 3/4, NSS56C, 7.6, TEFC, F3, 1.0, 40 DEG C, VOLTS: 90 VDC, MOUNTING: C FACE WITH REMOVABLE BASE.	3	B	6105D SE
CHT919B	AL	L-A-04-000-002	1	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1770, 50, 326T, 460, 62, 60, 3, 1.15, 65 DEG C, INS. CLASS H, FOR USE ON SHUTDOWN BOARD CHILLERS	0	B	6105D SE
BPK918K	AL	L-A-09-000-002	21	MOVEMENT	MOVEMENT, GAUGE, QA 3, MOVEMENT, GAGE; STAINLESS STEEL, ROTARY GEARED, SINGLE, RATIO 12 TO	3	C	6695D SE
AEK219D	AL	D-A-08-401-000	25	NAIL	NAIL, METAL, QA 0, 6D, STEEL, CEMENT COATED, DIAMOND, SMOOTH, 10 LB BOXES	0		5305J SE
BBT292A	AL	D-A-04-302-004	19	NAIL	NAIL, METAL, QA 0, NAIL SET, ASSORTMENT; C/O 4 SIZES, 0.062, 0.093, 0.125 AND 0.156 IN	0		5120M SE
BGT777J	AL	D-A-14-201-000	144	NAIL	NAIL, METAL, QA 0, GUTTER SPIKE, STEEL, ***	0		5305J SE
ARA949H	AL	A-A-01-000-001	30	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 0, MARKING BLANK, PLASTIC, WHITE	0	C	9905K SE
AWL953L	AL	A-A-01-000-001	146	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 0, MARKING BLANK, 3 IN, 3/4 IN, LAMINATED PHENOLIC, WHITE, BLUE, PLATE, MARKING BLANK; LAMINATED PHENOLIC, BLU	0	B	9905K SE
AWR748V	AL	D-A-09-301-006	3	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 0, PLATE, IDENTIFICATION; VALVE, FOR OFFGAS CHILLER COMPRESSOR, MODEL	0		9905K SE
BBD597N	AL	A-A-01-000-001	2	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 3, PLATE, MARKING BLANK; NYLON, BLACK, 1000 EA PER PACKAGE ***	3	P	9905K SE
BGT353H	AL	A-A-01-000-001	17	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 3, BLACK, BLANK, , BLACK, FOR HANDSWITCHES ON FANS	3	P	59300 SE
BMB626N	AL	A-A-01-000-001	59	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 3, ESCUTCHEON, PLATE; NAMEPLATE, BLANK, WITH BLACK FACE ***	3	P	4710Y SE
BNM581Q	AL	D-A-20-402-005	4	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 0, PLATE, IDENTIFICATION; ID PLATES-UP OR DOWN ***	0		9905K SE
BNN206F	AL	D-A-20-402-002	6	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 0, PLATE, IDENTIFICATION; MARKER PLATE, (TURB STOPVLV CLOS SCRAM TRIP)	0		9905K SE
BPD164C	AL	1-A-25-015-001	2	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 0, PLATE, IDENTIFICATION; NAMEPLATE, "PROCEDURE FOR REMOVAL OF EXPLOSION	0	B	9905K SE
BVD217Q	AL	D-A-20-402-002	3	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 3, ESCUTCHEON, PLATE; STANDARD, BLANK, FOR SBM SWITCHES	3		4710Y SE
BVD227M	AL	D-A-09-302-006	10	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 3, ESCUTCHEON, PLATE; TARGET, BLANK, FOR SB SWITCHES ***	3		4710Y SE
AWM016H	AL	M-A-06-000-002	6	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 0, MARKING BLANK, 42 IN, 36 IN, LAMINATED PHENOLIC, WHITE, YELLOW, PLATE, MARKING BLANK; LAMINATED PHENOLIC, Y	0	P	9905K SE
BBD597N	AL	M-A-09-000-002	1100	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 3, PLATE, MARKING BLANK; NYLON, BLACK, 1000 EA PER PACKAGE ***	3	P	9905K SE
BVM170T	AL	T-A-01-000-002	20	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 3, NAMEPLATE, LEGEND PLATE; STANDARD, ENGRAVED "START", FOR WESTINGHOUSE	3	B	59300 SE
BWP434N	AL	L-A-02-000-002	1	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 3, LEGEND, SWITCH; SINGLE-SECTION, THREE PIECE, WHITE, COLORLESS CAP	3	B	59300 SE
BWP435L	AL	L-A-02-000-002	1	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 3, LEGEND, SWITCH; SINGLE-SECTION, THREE PIECE, WHITE, COLORLESS CAP	3	B	59300 SE
BWP499R	AL	L-A-02-000-002	2	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 3, LEGEND, SWITCH; SINGLE-SECTION, THREE PIECE, WHITE, COLORLESS CAP	3	B	59300 SE
BWP504W	AL	L-A-02-000-002	1	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 3, LEGEND, SWITCH; SINGLE-SECTION, THREE PIECE, WHITE, COLORLESS CAP	3	B	59300 SE
BWP508L	AL	L-A-02-000-002	1	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 3, LEGEND, SWITCH; SINGLE-SECTION, THREE PIECE, WHITE, COLORLESS CAP	3	B	59300 SE
BWP544F	AL	L-A-02-000-002	1	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 3, LEGEND, SWITCH; SINGLE-SECTION, THREE PIECE, WHITE, COLORLESS CAP	3	B	59300 SE
BWP545D	AL	L-A-02-000-002	1	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 3, LEGEND, SWITCH; SINGLE-SECTION, THREE PIECE, WHITE, COLORLESS CAP	3	B	59300 SE
BWP546B	AL	L-A-02-000-002	2	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 3, LEGEND, SWITCH; SINGLE-SECTION, THREE PIECE, WHITE, COLORLESS CAP	3	B	59300 SE
CFF537Y	AL	L-A-09-000-002	4	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 3, LEGEND, *** 1/2 ROUND LEGEND PLATE: BLACK WITH WHITE LETTERS, LEFT POSITION	3	C	59300 SE
CFK585Y	AL	L-A-09-000-002	1	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 3, NAMEPLATE, IDENTIFICATION *** REPLACEMENT FACEPLATE FOR G.E. TYPE SBM	3	C	59300 SE
CFK587T	AL	L-A-09-000-002	1	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 3, NAMEPLATE, IDENTIFICATION *** REPLACEMENT FACEPLATE FOR G.E. TYPE SBM	3	C	59300 SE
CFK588Q	AL	L-A-09-000-002	1	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 3, NAMEPLATE, IDENTIFICATION *** REPLACEMENT FACEPLATE FOR G.E. TYPE SBM	3	C	59300 SE
CFK589N	AL	L-A-09-000-002	1	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 3, NAMEPLATE, IDENTIFICATION *** REPLACEMENT FACEPLATE FOR G.E. TYPE SBM	3	C	59300 SE
BRF334N	AL	L-A-03-000-002	2	NEBULIZER	NEBULIZER, INSTRUMENT, QA 0, NEBULIZER, LABORATORY EQUIPMENT; HIGH SOLIDS NEBULIZER FOR: PLASMA 400	0	B	6630D SE
ARN850J	AL	A-A-01-000-001	2	NEEDLE	NEEDLE, TYPICAL, QA 0, SYRINGE, 20 GAUGE, 1 IN, STAINLESS STEEL, NEEDLE, HYPODERMIC; HYPODERMIC NEEDLE, STAINLESS STEEL, DISPOSABLE, 20	0	P	6505C SE
BNQ977F	AL	F-A-04-202-003	6	NEEDLE	NEEDLE, TYPICAL, QA 0, SYRINGE, 25 GAUGE, 5/8 IN, NEEDLE, ; SIZE 25, 5/8 IN LONG, GAS SAMPLE, FOR LUER-LOK HYPODERMIC	0		6630D SE
BNQ977F	AL	F-A-10-202-001	6	NEEDLE	NEEDLE, TYPICAL, QA 0, SYRINGE, 25 GAUGE, 5/8 IN, NEEDLE, ; SIZE 25, 5/8 IN LONG, GAS SAMPLE, FOR LUER-LOK HYPODERMIC	0		6630D SE
BNQ982N	AL	F-A-10-202-001	7	NEEDLE	NEEDLE, TYPICAL, QA 0, NEEDLE, ; LIQUID SAMPLE, 18G1, 12 PER PACKAGE, FOR POST ACCIDENT	0		6630D SE
BVD347B	AL	F-A-10-301-001	3	NEEDLE	NEEDLE, TYPICAL, QA 0, NEEDLE ASSY, PAINT SPRAY GUN; 65 FLUID NEEDLE, FOR THE BRINK MODEL 18	0		5130U SE
ARN850J	AL	T-A-01-000-002	19	NEEDLE	NEEDLE, TYPICAL, QA 0, SYRINGE, 20 GAUGE, 1 IN, STAINLESS STEEL, NEEDLE, HYPODERMIC; HYPODERMIC NEEDLE, STAINLESS STEEL, DISPOSABLE, 20	0	P	6505C SE
AAW609B	AL	D-A-04-202-002	2	NIPPLE	NIPPLE, TYPICAL, QA 0, 1/8 IN, *** FOR LARSON-LANE CONDENSATE ANALYZER, MODEL CH-16A	0		4730P SE
ABY492L	AL	A-A-01-000-001	2	NIPPLE	NIPPLE, CONDUIT, QA 3, CHASE NIPPLE, CONDUIT; COND TYPE ACCOM FIRST END RIGID METALLIC	3	P	5975B SE
AKW071W	AL	D-A-04-202-002	9	NIPPLE	NIPPLE, TYPICAL, QA 0, PUMP, *** PUMP CONNECTING, FOR DEADWEIGHT TESTER, DUAL RANGE, MODEL T-50	0		4730P SE
AKW170F	AL	D-A-04-202-002	8	NIPPLE	NIPPLE, TYPICAL, QA 0, TUBE/INLET, *** INLET TUBE, FOR DEADWEIGHT TESTER, DUAL RANGE, MODEL D-50 S/N 6752	0		4730P SE
AKW970E	AL	D-A-04-202-002	14	NIPPLE	NIPPLE, TYPICAL, QA 0, GLAND/MALE, *** FOR DEADWEIGHT TESTER, DUAL RANGE, MODEL T-50 S/N 6752	0		4730P SE
AQG340F	AL	A-A-01-000-001	1	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80, CARBON STEEL ASME SA 106 GR B K03006	1	C	4730P SE
ARV375H	AL	D-A-06-102-007	2	NIPPLE	NIPPLE, TYPICAL, QA 0, CYLINDER/GAS, 1/4 IN, 3 IN, BRASS, NIPPLE, GAS CYLINDER; BRASS, 000.250 IN NPT X 003.000 IN LONG, LEFT	0		4730P SE
ARY677H	AL	A-A-01-000-001	1	NIPPLE	NIPPLE, PIPE, QA 1, NIPPLE, PIPE; LONG, SCHEDULE 40, CARBON STEEL ASME SA 106 GR B K03006	1	P	4730P SE
ARY693K	AL	A-A-01-000-001	39	NIPPLE	NIPPLE, PIPE, QA 1, NIPPLE, PIPE; LONG, SCHEDULE 40, CARBON STEEL ASME SA 106 GR B K03006	1	P	4730P SE
ARY700X	AL	A-A-01-000-001	36	NIPPLE	NIPPLE, PIPE, QA 1, NIPPLE, PIPE; LONG, SCHEDULE 40, CARBON STEEL ASME SA 106 GR B K03006	1	P	4730P SE
ARY711C	AL	A-A-01-000-001	14	NIPPLE	NIPPLE, PIPE, QA 1, NIPPLE, PIPE; LONG, SCHEDULE 40, CARBON STEEL ASME SA 106 GR B K03006	1	P	4730P SE
ARY891F	AL	A-A-01-000-001	14	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, 2 IN, 4 IN, CS, 80, ASME SA106 GR B, STANDARD MILL FINISH, B36.10M, MNPT, SEAMLESS, ASTM SPEC: A733	1	B	4730P SE
ARY892D	AL	D-A-04-302-004	1	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; SCHEDULE 80, CARBON STEEL, AMSE SA 106 GR B K03006	1	B	4730P SE
ARY892D	AL	A-A-01-000-001	13	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; SCHEDULE 80, CARBON STEEL, AMSE SA 106 GR B K03006	1	B	4730P SE
ATA037E	AL	A-A-01-000-001	14	NIPPLE	NIPPLE, PIPE, QA 1, NIPPLE, PIPE; LONG, SCHEDULE 40, CARBON STEEL ASME SA 53 GR B K03005	1	P	4730P SE
ATA038C	AL	A-A-01-000-001	27	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; STYLE: LONG, MATERIAL: CARBON STEEL, 1 ST END NOM SIZE:	1	P	4730P SE
AWF577G	AL	D-A-16-201-002	3	NIPPLE	NIPPLE, TYPICAL, QA 0, CYLINDER/GAS, 1/4 IN, 3-1/2 IN, BRASS, NIPPLE, GAS CYLINDER; BRASS, 000.250 NPT X 003.500 INCH LONG, LEFT	0		4730P SE
AWF581R	AL	D-A-37-302-001	9	NIPPLE	NIPPLE, TYPICAL, QA 0, CYLINDER/GAS, 0.560 IN, 3-1/2 IN, BRASS, NIPPLE, GAS CYLINDER; BRASS, 000.562- 25 NGO X 003.500 INCH LONG, LEFT	0		4730P SE
AWM487J	AL	A-A-01-000-001	2	NIPPLE	NIPPLE, PIPE, QA 0, STEEL, *** FOR REGULATING FLUID PRESSURE VALVE, RANGE 10 TO 700 PSIG, P/N	0	P	6695D SE
AYT087K	AL	D-A-17-302-004	26	NIPPLE	NIPPLE, PIPE, QA 0, 1/2 IN, 1-1/8 IN, CPVC, CLOSE, 80, ASTM F437, *** FIRST END TYPE: THREADED EXTERNAL, SECOND END TYPE: THREADED	0		4730P SE
BAX022M	AL	D-A-17-302-005	3	NIPPLE	NIPPLE, PIPE, QA 0, 2 IN, 5-1/2 IN, CARBON STEEL, LONG, 40, ZINC COATED HOT DIP GALV, NIPPLE, PIPE; STYLE: LONG, MATERIAL: CARBON STEEL 1 ST	0		4730P SE
BAX031L	AL	D-A-17-302-005	20	NIPPLE	NIPPLE, PIPE, QA 0, 2 IN, 4-1/2 IN, CARBON STEEL, LONG, 40, ZINC COATED HOT DIP GALV, NIPPLE, PIPE; STYLE: LONG, MATERIAL: CARBON STEEL, 1 S	0		4730P SE
BCT744T	AL	A-A-01-000-001	9	NIPPLE	NIPPLE, PIPE, QA 0, 1/2 IN, 2-1/2 IN, BRASS, LONG, STANDARD, STANDARD MILL FINISH, MNPT	0	P	4730P SE
BCY254P	AL	D-A-17-302-005	15	NIPPLE	NIPPLE, PIPE, QA 0, 3/8 IN, 2-1/2 IN, STAINLESS STEEL, LONG, 40, AISI 316, STANDARD MILL FINISH, NIPPLE, PIPE; STYLE: LONG, MATERIAL: STAINL	0		4730P SE
BDQ541D	AL	D-A-17-302-005	8	NIPPLE	NIPPLE, PIPE, QA 0, 1/8 IN, 2 IN, SS, LONG, 40, ASTM A182 GR F316, NIPPLE, PIPE; STYLE: LONG, MATERIAL: STAINLESS STEEL 1 ST END NOM	0		4730P SE
BDV073V	AL	D-A-17-302-002	5	NIPPLE	NIPPLE, PIPE, QA 0, 1 IN, 5 IN, CPVC, LONG, 80, NIPPLE, PIPE; STYLE: LONG, MATERIAL: CPVC, 1 ST END NOM SIZE: 01.000	0		4730P SE
BEJ627V	AL	D-A-04-302-004	2	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80, CARBON STEEL ASME SA 106 GR B K03006	1	C	4730P SE
BET116C	AL	A-A-01-000-001	16	NIPPLE	NIPPLE, PIPE, QA 0, 1/2 IN, 1-1/8 IN, BRASS, CLOSE, STANDARD MILL FINISH, MNPT	0	C	4730P SE
BET800B	AL	A-A-01-000-001	92	NIPPLE	NIPPLE, CONDUIT, QA 3, RIGID, 1 IN, 2 IN, STEEL, , STYLE REGULAR, NPT, UL, LISTED	3	C	5975B SE
BFD932A	AL	D-A-17-302-002	4	NIPPLE	NIPPLE, PIPE, QA 0, 1-1/2 IN, CPVC, CLOSE, 80, NIPPLE, PIPE; STYLE: CLOSE, MATERIAL: CPVC, 1 ST END NOM SIZE: 01.500	0		4730P SE
BFD938X	AL	D-A-17-302-002	1	NIPPLE	NIPPLE, PIPE, QA 0, 1-1/2 IN, 4 IN, CPVC, LONG, 80, NIPPLE, PIPE; STYLE: LONG, MATERIAL: CPVC, 1 ST END NOM SIZE: 01.500	0		4730P SE
BFD939V	AL	D-A-17-302-002	8	NIPPLE	NIPPLE, PIPE, QA 0, 3/4 IN, CPVC, CLOSE, 80, NIPPLE, PIPE; STYLE: CLOSE, MATERIAL: CPVC, 1 ST END NOM SIZE: 00.750	0		4730P SE

BFD940N	AL	D-A-17-302-002	7	NIPPLE	NIPPLE, PIPE, QA 0, 1 IN, CPVC, CLOSE, 80, NIPPLE, PIPE; STYLE: CLOSE, MATERIAL: CPVC, 1 ST END NOM SIZE: 01.000	0		4730P SE
BFD946Y	AL	D-A-17-302-005	4	NIPPLE	NIPPLE, PIPE, QA 0, 2 IN, 4 IN, CPVC, LONG, 80, NIPPLE, PIPE; STYLE: LONG, MATERIAL: CPVC, 1 ST END NOM SIZE: 02.000	0		4730P SE
BFD947W	AL	D-A-17-302-002	5	NIPPLE	NIPPLE, PIPE, QA 0, 2 IN, 3 IN, CPVC, LONG, 80, NIPPLE, PIPE; STYLE: LONG, MATERIAL: CPVC, 1 ST END NOM SIZE: 02.000	0		4730P SE
BFD948T	AL	D-A-17-302-002	6	NIPPLE	NIPPLE, PIPE, QA 0, 2 IN, CPVC, CLOSE, 80, NIPPLE, PIPE; STYLE: CLOSE, MATERIAL: CPVC, 1 ST END NOM SIZE: 02.000	0		4730P SE
BFD949Q	AL	D-A-17-302-002	1	NIPPLE	NIPPLE, PIPE, QA 0, 1-1/2 IN, 3 IN, CPVC, LONG, 80, NIPPLE, PIPE; STYLE: LONG, MATERIAL: CPVC, 1 ST END NOM SIZE: 01.500	0		4730P SE
BHB330G	AL	D-A-06-102-003	1	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 40S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BHH356K	AL	A-A-01-000-001	22	NIPPLE	NIPPLE, PIPE, QA 0, 1/2 IN, 1-1/2 IN, BRASS, LONG, ** FIRST END TYPE: THREADED EXTERNAL, SECOND END TYPE: THREADED	0	C	4730P SE
BHH865X	AL	D-B-19-202-001	5	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; STYLE: HEX LONG, MATERIAL: STAINLESS STEEL, 1 ST END NOM	1		4730P SE
BJB866L	AL	A-A-01-000-001	6	NIPPLE	NIPPLE, PIPE, QA 3, NIPPLE, PIPE; HEX, STAINLESS STEEL AISI 316 S31600, END TYPE THREADED	3	P	4730P SE
BJK015L	AL	F-A-02-101-002	46	NIPPLE	NIPPLE, PIPE, QA 1, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK018E	AL	F-A-02-101-002	4	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK019C	AL	F-A-02-101-002	6	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK024K	AL	D-A-06-201-002	4	NIPPLE	NIPPLE, PIPE, QA 1, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK028B	AL	F-A-02-101-002	2	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK034G	AL	D-A-06-102-003	6	NIPPLE	NIPPLE, PIPE, QA 1, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK035E	AL	D-A-06-102-003	1	NIPPLE	NIPPLE, PIPE, QA 1, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK036C	AL	F-A-02-101-002	4	NIPPLE	NIPPLE, PIPE, QA 1, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK037A	AL	D-A-06-102-003	6	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK041K	AL	F-A-02-101-002	6	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK043F	AL	F-A-02-101-002	4	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK051G	AL	F-A-02-101-002	2	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK052E	AL	F-A-06-202-003	4	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK053C	AL	D-A-15-301-006	30	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK054A	AL	F-A-02-101-002	4	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK060T	AL	D-A-06-102-003	6	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK061D	AL	F-A-02-101-002	6	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK062B	AL	D-B-07-302-002	7	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK069W	AL	F-A-06-202-003	6	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK071A	AL	F-A-06-202-003	6	NIPPLE	NIPPLE, PIPE, QA 1, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK077X	AL	F-A-06-202-003	6	NIPPLE	NIPPLE, PIPE, QA 1, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK078V	AL	F-A-06-202-003	6	NIPPLE	NIPPLE, PIPE, QA 1, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK079R	AL	F-A-06-202-003	6	NIPPLE	NIPPLE, PIPE, QA 1, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK080L	AL	F-A-06-202-003	6	NIPPLE	NIPPLE, PIPE, QA 1, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK085Y	AL	F-A-06-202-003	8	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK086W	AL	F-A-06-202-003	6	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; CLOSE, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK088Q	AL	F-A-06-202-003	4	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK089N	AL	F-A-06-202-003	6	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK090H	AL	F-A-06-202-003	6	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK094X	AL	D-A-04-202-006	6	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK095V	AL	D-B-07-302-002	6	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJK096R	AL	F-A-06-202-003	6	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJY126V	AL	D-A-06-102-003	4	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJY127R	AL	F-A-02-101-002	6	NIPPLE	NIPPLE, PIPE, QA 1, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJY129M	AL	F-A-02-101-002	8	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJY130G	AL	F-A-02-101-002	5	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJY133Y	AL	F-A-02-101-002	8	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJY134W	AL	F-A-02-101-002	5	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BJY137N	AL	F-A-02-101-002	50	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BLA171H	AL	F-A-04-202-003	6	NIPPLE	NIPPLE, PIPE, QA 0, 1-1/2 IN, 2 IN, BRASS, LONG, STANDARD, STANDARD MILL FINISH, NIPPLE, PIPE; STYLE: LONG, MATERIAL: BRASS, 1 ST END NOM SI	0		4730P SE
BLN637Y	AL	F-A-06-202-003	1	NIPPLE	NIPPLE, PIPE, QA 1, NIPPLE, PIPE; PIPE, 0.25 IN MPT, FOR STANDBYDIESEL GENERATOR, MODEL	1		29100 SE
BNM899Q	AL	F-A-10-202-001	44	NIPPLE	NIPPLE, PIPE, QA 0, 1.0 IN, 4 IN, ZINC COATED HOT DIP GALV, ***	0		4730P SE
BQC735R	AL	A-A-01-000-001	4	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; STYLE: LONG, MATERIAL: CARBON STEEL, CLASS: STANDARD	1	C	4730P SE
BQC737M	AL	A-A-01-000-001	4	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; STYLE: LONG, MATERIAL: CARBON STEEL, CLASS: STANDARD	1	C	4730P SE
BQJ720K	AL	D-A-29-301-003	3	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, 1/2 IN, 3 IN, SS, HEX LONG, ASME SA479 TP 316, NIPPLE, PIPE; STYLE: MALE HEX LONG, MATERIAL: STAINLESS STEEL, 1	1		4730P SE
BQJ720K	AL	F-A-02-101-002	10	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, 1/2 IN, 3 IN, SS, HEX LONG, ASME SA479 TP 316, NIPPLE, PIPE; STYLE: MALE HEX LONG, MATERIAL: STAINLESS STEEL, 1	1		4730P SE
BQJ750A	AL	F-A-02-101-002	3	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; STYLE: MALE HEX LONG, MATERIAL: STAINLESS STEEL, 1 ST	1		4730P SE
BVA914H	AL	F-A-02-101-002	4	NIPPLE	NIPPLE, PIPE, QA 0, 1 IN, 2-1/2 IN, STAINLESS STEEL, LONG, 40S, ASTM A312 GR 316, NIPPLE, PIPE; STYLE: LONG, MATERIAL: STAINLESS STEEL, 1 ST	0		4730P SE
BVA994Q	AL	F-A-06-202-003	6	NIPPLE	NIPPLE, PIPE, QA 0, 1-1/2 IN, 1-3/4 IN, STAINLESS STEEL, CLOSE, 40S, ASTM A312 GR 316, NIPPLE, PIPE; STYLE: CLOSE, MATERIAL: STAINLESS STEEL	0		4730P SE
BVB002G	AL	F-A-02-101-002	5	NIPPLE	NIPPLE, PIPE, QA 0, 1-1/4 IN, 3 IN, STAINLESS STEEL, LONG, 40S, ASTM A312 GR 316, NIPPLE, PIPE; STYLE: LONG, MATERIAL: STAINLESS STEEL, 1 ST	0		4730P SE
BVB053X	AL	F-A-06-202-003	4	NIPPLE	NIPPLE, PIPE, QA 0, 1-1/2 IN, 3-1/2 IN, STAINLESS STEEL, LONG, 40S, ASTM A312 GR 316, NIPPLE, PIPE; STYLE: LONG, MATERIAL: STAINLESS STEEL	0		4730P SE
BVB058K	AL	F-A-06-202-003	4	NIPPLE	NIPPLE, PIPE, QA 0, 1-1/2 IN, 5 IN, STAINLESS STEEL, LONG, 40S, ASTM A312 GR 316, NIPPLE, PIPE; STYLE: LONG, MATERIAL: STAINLESS STEEL, 1 ST	0		4730P SE
BVB434T	AL	D-A-32-302-004	12	NIPPLE	NIPPLE, PIPE, QA 0, 1 IN, 1-1/2 IN, CPVC, CLOSE, 80, NIPPLE, PIPE; STYLE: CLOSE, MATERIAL: CPVC, 1 ST END NOM SIZE: 01.000	0		4730P SE
BVB806G	AL	D-A-06-201-002	5	NIPPLE	NIPPLE, PIPE, QA 0, 3/4 IN, 3 IN, STAINLESS STEEL, HEX LONG, ASME SA182 GR F316, NIPPLE, PIPE; STYLE: HEX, MATERIAL: STAINLESS STEEL, 1 ST E	0		4730P SE
BVC333V	AL	F-A-02-101-002	12	NIPPLE	NIPPLE, PIPE, QA 0, 1/4 IN, 4 IN, SS, HEX LONG, ASME SA182 GR F316, NIPPLE, PIPE; STYLE: LONG, MATERIAL: STAINLESS STEEL, 1 ST END NOM	0		4730P SE
BVC340A	AL	F-A-02-101-002	6	NIPPLE	NIPPLE, PIPE, QA 0, 3/8 IN, 2-1/2 IN, STAINLESS STEEL, HEX LONG, ASME SA182 GR F316, NIPPLE, PIPE; STYLE: LONG, MATERIAL: STAINLESS STEEL, 1	0		4730P SE
BVD248D	AL	F-A-02-101-002	3	NIPPLE	NIPPLE, PIPE, QA 0, 1/2 IN, STAINLESS STEEL, HEX LONG, ASME SA182 GR F316, NIPPLE, PIPE; STYLE: LONG, MATERIAL: STAINLESS STEEL, 1 ST END NOM	0		4730P SE
BWB149K	AL	A-A-01-000-001	20	NIPPLE	NIPPLE, PIPE, QA 3, NIPPLE, PIPE; STYLE: CLOSE, MATERIAL: BRASS, 1 ST END NOM SIZE: 00.375	3	B	4730P SE
BWN271X	AL	D-A-10-301-000	109	NIPPLE	NIPPLE, PIPE, QA 3, 1-1/4 IN, 3 IN, CS, LONG, 40, ASTM A733, ZINC COATED HOT DIP GALV, SEAMLESS	3		4730P SE
CAX761G	AL	D-A-04-401-002	2	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, 3/4 X 1/2, SS, MALE HEX, ASME SA479 TP 316, STANDARD MILL FINISH, MNPT	1		4730P SE
CBE654Q	AL	F-A-02-101-002	4	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, 1/2 IN, 3-1/2 IN, STAINLESS STEEL, 80S, ASME SA312 TP 316, STANDARD MILL FINISH, EXTERNAL NPT, SEAMLESS, ASTM A	1		4730P SE
CBH894L	AL	F-A-06-202-005	1	NIPPLE	NIPPLE, PIPE, QA 3, NIPPLE, PIPE; STYLE: LONG, MATERIAL: STAINLESS STEEL, 1 ST END NOM	3		4730P SE
CBH894L	AL	F-A-06-202-003	3	NIPPLE	NIPPLE, PIPE, QA 3, NIPPLE, PIPE; STYLE: LONG, MATERIAL: STAINLESS STEEL, 1 ST END NOM	3		4730P SE
CBH896G	AL	F-A-06-202-003	1	NIPPLE	NIPPLE, PIPE, QA 3, NIPPLE, PIPE; STYLE: CLOSE, MATERIAL: STAINLESS STEEL, 1 ST END NOM	3		4730P SE
ABY492L	AL	M-A-08-000-002	144	NIPPLE	NIPPLE, CONDUIT, QA 3, CHASE NIPPLE, CONDUIT; COND TYPE ACCOM FIRST END RIGID METALLIC	3	P	5975B SE
ACG287P	AL	L-A-01-000-002	1	NIPPLE	NIPPLE, PIPE, QA 0, 1/2 IN, 1-1/8 IN, CS, CLOSE, X STRONG, ASTM A106 GR B, BLACK, NIPPLE, PIPE; STYLE: CLOSE, MATERIAL: CARBON STEEL, 1 ST E	0	C	4730P SE

ADG167V	AL	A-A-01-000-002	10	NIPPLE	NIPPLE, PIPE, QA 0, 1/2 IN, 1-1/2 IN, IRON, LONG, ZINC COATED HOT DIP GALV, *** CONNECTION: MNPT; RATING: 150 LB	0	P	4730P SE
AEG366F	AL	L-A-09-000-002	1	NIPPLE	NIPPLE, PIPE, QA 0, 3 IN, 3 IN, CARBON STEEL, LONG, ASTM A53 GR B, ZINC COATED HOT DIP GALV, *** CONNECTION: MNPT; RATING: 150 LB	0	P	4730P SE
ARY693K	AL	M-A-04-000-002	1	NIPPLE	NIPPLE, PIPE, QA 1, NIPPLE, PIPE; LONG, SCHEDULE 40, CARBON STEEL ASME SA 106 GR B K03006	1	P	4730P SE
ARY711C	AL	M-A-02-000-002	10	NIPPLE	NIPPLE, PIPE, QA 1, NIPPLE, PIPE; LONG, SCHEDULE 40, CARBON STEEL ASME SA 106 GR B K03006	1	P	4730P SE
ATA053G	AL	M-A-04-000-002	10	NIPPLE	NIPPLE, PIPE, QA 1, NIPPLE, PIPE; LONG, SCHEDULE 40, CARBON STEEL ASME SA 53 GR B K03005	1	P	4730P SE
ATA133V	AL	M-A-16-000-002	103	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; STYLE: CLOSE, MATERIAL: CARBON STEEL, 1 ST END NOM SIZE:	1	B	4730P SE
ATA148E	AL	M-A-16-000-002	22	NIPPLE	NIPPLE, PIPE, QA 1, NIPPLE, PIPE; SCHEDULE 80, CARBON STEEL, ASME SA 106 GRADE B K03006	1	B	4730P SE
ATA154K	AL	M-A-02-000-002	30	NIPPLE	NIPPLE, PIPE, QA 1, NIPPLE, PIPE; CLOSE, SCHEDULE 80, CARBON STEEL ASME SA 106 GR B	1	C	4730P SE
BAG495M	AL	L-A-09-000-002	2	NIPPLE	NIPPLE, PIPE, QA 0, 1-1/2 IN, 3 IN, BRASS, LONG, STANDARD, NIPPLE, PIPE; STYLE: LONG, MATERIAL: BRASS, 1 ST END NOM SIZE: 01.500	0	P	4730P SE
BBQ967N	AL	L-A-09-000-002	3	NIPPLE	NIPPLE, PIPE, QA 3, NIPPLE, PIPE; INST. PIPE, HEX, BRASS, OUTSIDE STANDARD MILL FINISH	3	B	4730P SE
BCT744T	AL	L-A-09-000-002	2	NIPPLE	NIPPLE, PIPE, QA 0, 1/2 IN, 2-1/2 IN, BRASS, LONG, STANDARD, STANDARD MILL FINISH, MNPT	0	P	4730P SE
BEJ592L	AL	L-A-09-000-002	25	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80, CARBON STEEL ASME SA 106 GR B K03006	1	C	4730P SE
BEJ593J	AL	L-A-09-000-002	27	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80, CARBON STEEL ASME SA 106 GR B K03006	1	C	4730P SE
BEJ594G	AL	L-A-09-000-002	27	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80, CARBON STEEL ASME SA 106 GR B K03006	1	C	4730P SE
BEJ595E	AL	L-A-09-000-002	26	NIPPLE	NIPPLE, PIPE, QA 1, NIPPLE, PIPE; SCHEDULE 80, CARBON STEEL, ASME SA 106, GR B K03006	1	P	4730P SE
BEJ596C	AL	L-A-09-000-002	4	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80, CARBON STEEL ASME SA 106 GR B K03006	1	C	4730P SE
BEJ597A	AL	L-A-09-000-002	29	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80, CARBON STEEL ASME SA 106 GR B K03006	1	C	4730P SE
BEJ600W	AL	L-A-09-000-002	26	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80, CARBON STEEL ASME SA 106 GR B K03006	1	C	4730P SE
BEJ610Q	AL	L-A-09-000-002	5	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, 1/4 IN, 4-1/2 IN, CS, LONG, 80, ASME SA106 GR B/ASTM A733, BLACK, B36.10, NIPPLE, PIPE; LONG, SCHEDULE 80, CARB	1	C	4730P SE
BEJ611B	AL	L-A-09-000-002	25	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, 1/4 IN, 5 IN, CS, LONG, 80, ASME SA106 GR B/ASTM A733, BLACK, B36.10, NIPPLE, PIPE; LONG, SCHEDULE 80, CARBON S	1	C	4730P SE
BEJ617Y	AL	L-A-09-000-002	26	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80, CARBON STEEL ASME SA 106 GR B K03006	1	C	4730P SE
BEJ643X	AL	L-A-09-000-002	1	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; STYLE: LONG, MATERIAL: CARBON STEEL, 1 ST END NOM SIZE:	1	C	4730P SE
BEJ647M	AL	L-A-09-000-002	17	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, 1-1/4 IN, 5 IN, CS, LONG, 80, ASME SA106 GR B, BLACK, B36.10, NIPPLE, PIPE; STYLE: LONG, MATERIAL: CARBON STEEL	1	C	4730P SE
BET807H	AL	L-A-03-000-002	11	NIPPLE	NIPPLE, CONDUIT, QA 3, NIPPLE, ELECTRICAL CONDUIT; STEEL, GALVANIZED ZINC, TRADE SIZE 2.0 IN	3	P	5975B SE
BGP742M	AL	L-A-09-000-002	5	NIPPLE	NIPPLE, PIPE, QA 0, 1/4 IN, 3 IN, SS, LONG, AISI 304, ** FIRST END TYPE: THREADED EXTERNAL, SECOND END TYPE: THREADED	0	C	4730P SE
BNP982V	AL	M-A-06-000-002	5	NIPPLE	NIPPLE, PIPE, QA 3, NIPPLE, PIPE; 0.5 IN, ITEM 5, FOR VIKING VALVES, ON MODEL C-1 AS SHOWN	3	P	4730P SE
BVA079G	AL	L-A-09-000-002	3	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; STYLE: LONG, MATERIAL: STAINLESS STEEL, 1 ST END NOM	1	C	4730P SE
BVB047Q	AL	L-A-09-000-002	2	NIPPLE	NIPPLE, PIPE, QA 0, 1-1/2 IN, 3 IN, STAINLESS STEEL, LONG, 40S, ASTM A312 GR 316, NIPPLE, PIPE; STYLE: LONG, MATERIAL: STAINLESS STEEL, 1 ST	0	C	4730P SE
BVC421Y	AL	L-A-09-000-002	1	NIPPLE	NIPPLE, PIPE, QA 0, 1/2 IN, 6 IN, STAINLESS STEEL, HEX LONG, ASME SA182 GR F316, NIPPLE, PIPE; STYLE: LONG, MATERIAL: STAINLESS STEEL, 1 ST	0	C	4730P SE
CAM971E	AL	L-A-09-000-002	1	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, 1 IN, 5 IN, CS, 80, ASME SA106 GR B, STANDARD MILL FINISH, B36.10M, MNPT, SEAMLESS, ASTM A733	1	D	4730P SE
CAT237H	AL	L-A-09-000-002	2	NIPPLE	NIPPLE, CONDUIT, QA 3, CHASE, 4 IN, MALLEABLE IRON	3	C	5975B SE
CDL301G	AL	L-A-09-000-002	1	NIPPLE	NIPPLE, PIPE, QA 3, NIPPLE, PIPE; STYLE: CLOSE, MATERIAL: CARBON STEEL, 1 ST END NOM SIZE:	3	C	4730P SE
CEA612B	AL	M-A-08-000-002	1	NIPPLE	NIPPLE, PIPE, QA 2, NIPPLE, PIPE; CLOSE, 1/2 INCH NPT, BRASS, FOR 6 INCH-2W MDF VALVE	2	C	4730P SE
BLT622P	AL	D-A-06-201-002	2	NOSE	NOSE, TYPICAL, QA 3, NOSE, ; PLUNGER NOSE, TO FIT A 3 IN STAR VALVE ***	3		4210N SE
BRR817E	AL	A-A-01-000-001	11	NOTCHER	NOTCHER, TOOL, QA 0, NOTCHER, HAND; FOR MAKING 31 DEG "V" SHAPE CUTS IN SHEET METAL, 8 INCH	0	C	5120M SE
AEJ470M	AL	1-A-03-000-001	1	NOZZLE	NOZZLE, VALVE, QA 1, NOZZLE, VALVE; FOR WH 3/4-RV54SWB RELIEF VALVE, SPIN GAVBSRAA, G SPEC	1	C	48200 SE
ARM536J	AL	1-B-14-000-001	1	NOZZLE	NOZZLE, VALVE, QA 1, NOZZLE, VALVE; FOR 000.750-RV52SWB AUX RELIEF VALVE, SPIN GAVBSRAC	1	P	48200 SE
ATK558C	AL	A-A-01-000-001	1	NOZZLE	NOZZLE, VALVE, QA 1, NOZZLE, VALVE; STEEL, PC 2, FOR SAFETY VALVE, STYLE HB-86-BP, TYPE E	1	P	48200 SE
AVJ662G	AL	A-A-01-000-001	1	NOZZLE	NOZZLE, VALVE, QA 0, NOZZLE, VALVE; STEEL, ONE END THREADED, OTHER END FLANGED, FOR	0	P	48200 SE
AWD142Y	AL	A-A-01-000-001	1	NOZZLE	NOZZLE, VALVE, QA 1, STEEL, DWG REF 3, FOR SAFETY RELIEF VALVE, 000.750 X	1	P	48200 SE
AWY001H	AL	A-A-01-000-001	1	NOZZLE	NOZZLE, VALVE, QA 0, NOZZLE, VALVE; STEEL, FOR 4X6 SAFETY RELIEF VALVE, MODEL D32P, ORIFICE	0	P	48200 SE
AYV056R	AL	D-A-30-301-002	4	NOZZLE	NOZZLE, MECHANICAL, QA 0, NOZZLE, FIRE PROTECTION; BRASS, 0.75" MALE NPT THREADS, FOR FIRE	0		4210N SE
BBE318G	AL	D-A-24-202-006	3	NOZZLE	NOZZLE, MECHANICAL, QA 0, SPRAY, 1-1/2 IN, BRASS, FNPT, MULTIPLE FULL CONE, NOZZLE, SPRAY, FLUID EMULSION; BRASS, MULTIPLE FULL CONE SPRAY, 1	0	P	4730P SE
BDP974J	AL	A-A-01-000-001	2	NOZZLE	NOZZLE, MECHANICAL, QA 0, NOZZLE, WASH FOUNTAIN; SPRAYHEAD, FOR PORTABLE WATER WASH FOUNTAINS	0	P	4710W SE
BLE532N	AL	F-A-04-202-001	1	NOZZLE	NOZZLE, MECHANICAL, QA 3, JET, ; IRON BODY, 3/4 IN NPT INTERNAL THREADS, SUCTION AND DISCHARGE	3		4320U SE
BLF421T	AL	D-A-29-301-001	77	NOZZLE	NOZZLE, MECHANICAL, QA 3, SPRAY, 1 IN, FNPT, 0.39 IN, NOZZLE, ; CAST TYPE, FEMALE CONNECTION, .390 IN ORIFICE, SQUARE SPRAY,	3		4210N SE
BLR454P	AL	F-A-08-301-001	2	NOZZLE	NOZZLE, MECHANICAL, QA 0, WET, 2-1/2 IN, 14 IN, NOZZLE, ; WET, 2-1/2 IN DIA X 14 IN LONG, ATTACHMENT, FOR HEPA VACUUM.	0		79101 SE
BLR455M	AL	D-A-10-201-000	12	NOZZLE	NOZZLE, MECHANICAL, QA 0, DRY, 2-1/2 IN, 14 IN, NOZZLE, ; DRY, 2-1/2 IN DIA X 14 IN LONG ATTACHMENT, FOR HEPA VACUUM.	0		79101 SE
BNC307W	AL	F-A-10-202-001	24	NOZZLE	NOZZLE, MECHANICAL, QA 3, NOZZLE, SPRAY, LIQUID; SCREWED, BRASS, 0.75 IN MALE THREADED PIPE CONN	3		46109 SE
BPT268W	AL	A-A-01-000-001	1	NOZZLE	NOZZLE, VALVE, QA 1, NOZZLE, VALVE; ASME SA-479, TYPE 316 OR ASTM A638 GR. 660, FOR WH-3	1	C	48200 SE
BQT625Q	AL	F-A-27-101-000	171	NOZZLE	NOZZLE, MECHANICAL, QA 3, NOZZLE, SPRAY, LIQUID; BRASS, NON-AUTOMATIC FIXED PATTERN, 0.5 IN	3	B	46109 SE
BTE315R	PR	N-A-08-000-000	1	NOZZLE	NOZZLE, STEAM, QA 0, NOZZLE, PRIM, STEAM TURBINE; 1ST STAGE, TOP AND BOTTOM, FOR STEAM	0	N	2825G SE
BTQ619H	AL	F-A-11-301-000	15	NOZZLE	NOZZLE, MECHANICAL, QA 0, NOZZLE, CIRCUIT BREAKER; CONTACT, MOVING, FOR INTERRUPTER HEAD	0	B	5925B SE
BVD315Q	AL	F-A-02-101-001	4	NOZZLE	NOZZLE, AIR, QA 0, NOZZLE, PAINT SPRAY GUN; 63B FLUID X 63PB AIR NOZZLE, TYPE: PE, CARBON	0		5130U SE
BVD316N	AL	F-A-08-302-006	3	NOZZLE	NOZZLE, AIR, QA 0, NOZZLE, PAINT SPRAY GUN; 66 FLUID X 66SD AIR NOZZLE, CARBON STEEL	0		5130U SE
BWH158K	AL	F-A-08-301-001	2	NOZZLE	NOZZLE, MECHANICAL, QA 3, NOZZLE, POSITIONER; SPRAY NOZZLES, SCREWED, BRASS, 1/2" NPT MALE	3		6695D SE
BWH779J	AL	E-A-16-C03-H01	12	NOZZLE	NOZZLE, MECHANICAL, QA 0, COMP., FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BXM906C	AL	F-A-16-102-000	2	NOZZLE	NOZZLE, VALVE, QA 1, CLASS 2, NOZZLE, VALVE; ASME SA-182 GR. F316, FOR A 6 X 10 TYPE 3787 DRESSER	1	C	48200 SE
CAJ960E	AL	A-A-01-000-001	15	NOZZLE	NOZZLE, MECHANICAL, QA 3, NOZZLE, FIRE HOSE, WATER; BRASS, 125 GPM, 9 THREADS PER INCH, 1.5 IN	3	B	4210N SE
CKC905K	PR	N-A-13-048-000	1	NOZZLE	NOZZLE, TURBINE/SET, QA 0, BLOCK, BOLTED, 1, RT1606-D, WESTINGHOUSE, 150, KIF 1-4, SHF 1-10, SS, 47W408-13, DIFFUSION, AISI 403, REFURBISHED	0	C	2825G SE
AEJ370R	AL	M-A-08-000-002	2	NOZZLE	NOZZLE, VALVE, QA 1, NOZZLE, VALVE; FOR WH 3-RV56LWB RELIEF VALVE, SPIN GAVASRAD, E	1	P	48200 SE
AFN010L	AL	L-A-13-000-002	1	NOZZLE	NOZZLE, MECHANICAL, QA 0, NOZZLE, CIRCUIT BREAKER; FOR STATIC STARTING SUPPLY EQUIPMENT, ON	0	C	5925B SE
ANF793F	AL	T-A-02-000-002	1	NOZZLE	NOZZLE, MECHANICAL, QA 2, NOZZLE, ; SPRAY, FOR WH PRESSURIZER DWG 681J281G01, SPIN RCPCPR ***	2	P	4470C SE
APV935H	AL	L-A-09-000-002	6	NOZZLE	NOZZLE, AIR, QA 0, NOZZLE ASSY, PUMP; INSERT, FOR TRANSMITTER, PRESSURE, DIFFERENTIAL	0	P	6695D SE
ATK558C	AL	M-A-16-000-002	1	NOZZLE	NOZZLE, VALVE, QA 1, NOZZLE, VALVE; STEEL, PC 2, FOR SAFETY VALVE, STYLE HB-86-BP, TYPE E	1	P	48200 SE
ATN688F	AL	T-A-02-000-002	9	NOZZLE	NOZZLE, VALVE, QA 1, CLASS 2, NOZZLE, VALVE; STEEL, FLEXI, ITEM 2, FOR SAFETY VALVE, SIZE 6 X 10 IN	1	C	48200 SE
AVC198E	AL	L-A-09-000-002	3	NOZZLE	NOZZLE, MECHANICAL, QA 0, SAND BLAST, 1/4 IN, 5-1/4 IN, TUNGSTEN CARBIDE, NOZZLE, SAND BLAST; MATERIAL: TUNGSTEN CARBIDE, INSIDE DIAMETER:	0	B	4730P SE
AVY108E	AL	M-A-16-000-002	1	NOZZLE	NOZZLE, VALVE, QA 1, NOZZLE, VALVE; STEEL, DWG ITEM 3, FOR 000.750 X001.000 IN SAFETY	1	P	48200 SE
AWJ268E	AL	M-A-01-000-002	1	NOZZLE	NOZZLE, VALVE, QA 1, NOZZLE, VALVE; STAINLESS STEEL, REF 3, F OR 000.750 X 001.000 IN SAFETY	1	P	48200 SE
BAH834L	AL	M-A-01-000-002	2	NOZZLE	NOZZLE, MECHANICAL, QA 0, NOZZLE, FIRE HOSE, DRY CHEM; MALE, FORAY, FOR DRY POWDER FIRE	0	P	4210N SE
BTQ619H	AL	M-A-01-000-002	5	NOZZLE	NOZZLE, MECHANICAL, QA 0, NOZZLE, CIRCUIT BREAKER; CONTACT, MOVING, FOR INTERRUPTER HEAD	0	B	5925B SE
BVG970K	AL	L-A-09-000-002	1	NOZZLE	NOZZLE, VALVE, QA 3, NOZZLE, POSITIONER; ELECTROPNEUMATIC VALVE, MATERIAL TYPE BRASS, FOR	3	B	6695D SE
BWL854F	AL	L-A-09-000-002	12	NOZZLE	NOZZLE, MECHANICAL, QA 0, JET, FLOW METER; SUPPLY, FOR FLOW METER ***	0	B	6695D SE
BXM906C	AL	T-A-04-000-002	2	NOZZLE	NOZZLE, VALVE, QA 1, CLASS 2, NOZZLE, VALVE; ASME SA-182 GR. F316, FOR A 6 X 10 TYPE 3787 DRESSER	1	C	48200 SE
ABD551N	AL	D-A-02-102-005	6	NUT	NUT, TYPICAL, QA 0, PACKING NUT, ; PACKING, BRZ, ITEM 0, FOR 5 IN FIRE HYDRANT, DWG	0		4730P SE

ACA766A	AC	- - - -	1	NUT	NUT, TYPICAL, QA 0, TURBINE, 6.0 IN, *** FOR VARIOUS LOCATIONS ON TURBINE, S/N 170X374, 170X375, 170X425	0	P	2825G SE
AEF108C	AL	D-A-18-402-001	2	NUT	NUT, TYPICAL, QA 0, PUMP, *** THRUST, SHAFT SLEEVE COMPRESSION, FOR 16 IN X HVCN REACTOR	0	C	4320U SE
AEF907D	AL	D-A-18-402-001	1	NUT	NUT, TYPICAL, QA 0, PUMP, *** RADIAL, SHAFT SLEEVE COMPRESSION, FOR 16 IN X HVCN REACTOR	0	C	4320U SE
AFH063D	AL	D-A-10-302-006	2	NUT	NUT, HEX, QA 1, NUT,PLAIN,HEXAGON, ; BONNET, HT, PT 2-10, 001.750-8 UNC IN, FOR	1	C	48200 SE
AFH063D	AL	D-A-24-101-000	26	NUT	NUT, HEX, QA 1, NUT,PLAIN,HEXAGON, ; BONNET, HT, PT 2-10, 001.750-8 UNC IN, FOR	1	C	48200 SE
AHB993T	AL	D-B-09-202-001	2	NUT	NUT, LOCK, QA 0, BEARING, STEEL, N-08, RIGHT HAND, ROUND BEARING LOCKNUT	0	C	3110B SE
ALC503G	AL	D-A-10-302-005	1	NUT	NUT, LOCK, QA 3, NUT, PLAIN; BEARING, SERIES N-AN ***	3		5305J SE
AQN395B	AL	D-A-24-101-002	2	NUT	NUT, HEX, QA 1, NUT, PLAIN; NUT STYLE: HEAVY HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1		5305J SE
ARF011D	AL	D-A-04-302-004	21	NUT	NUT, TYPICAL, QA 0, NUT, BREATHING APPARATUS; RETAINING, FOR P-D VALVE ***	0		4240P SE
ARJ546Y	AL	A-A-01-000-001	2	NUT	NUT, TYPICAL, QA 0, NUT ASSY, ; THROTTLE VALVE, REF 38, CONSISTS OF 8 EACH SCREWS	0	P	2825G SE
ARL753F	AL	D-A-04-302-006	27	NUT	NUT, HEX, QA 0, STANDARD, 1/2 IN, 13, STEEL, UNC, *** SLOTTED, FOR AIR COMPRESSOR, MODEL VH-75, SIZE 14.5 X 9 X 6.5	0	P	4310I SE
ARL754D	AL	D-A-02-102-003	6	NUT	NUT, HEX, QA 0, STANDARD, 5/8 IN, 11, UNC, *** SUCTION VALVE COVER CAP, FOR AIR COMPRESSOR, MODEL VH-75, SIZE	0		4310I SE
ARN776Q	AL	D-A-32-302-004	4	NUT	NUT, TUBING, QA 0, 0.830 IN, BRASS, FEMALE NGO, *** END TYPE: THD INTERNAL SNG	0		4730P SE
ATJ486G	AL	A-A-01-000-001	1	NUT	NUT, TYPICAL, QA 0, VALVE, STEEL, *** YOKE, ITEM 20, FOR 14 INCH, 150 LB, GATE VALVE, FIG 5202WE, WITH	0	P	48200 SE
ATJ487E	AL	A-A-01-000-001	1	NUT	NUT, TYPICAL, QA 0, VALVE, STEEL, *** YOKE, ITEM 20, FOR GATEVALVE, 3 INCH, 150 LB, FIG 5202WE, DWG	0	P	48200 SE
ATJ488C	AL	A-A-01-000-001	1	NUT	NUT, TYPICAL, QA 0, VALVE, STEEL, *** YOKE, ITEM, FOR GATE VALVE, 4 INCH, 150 LB, FIG 5202WE, DWG	0	P	48200 SE
ATJ489A	AL	A-A-01-000-001	1	NUT	NUT, TYPICAL, QA 0, VALVE, STEEL, *** YOKE, ITEM 20, FOR GATEVALVE, 6 INCH, 150 LB, FIG 5202WE, DWG	0	P	48200 SE
ATJ491P	AL	A-A-01-000-001	1	NUT	NUT, TYPICAL, QA 0, VALVE, STEEL, *** YOKE, ITEM 20, FOR GATEVALVE, 8 INCH, 150 LB, FIG 5202WE, DWG	0	P	48200 SE
ATJ492M	AL	A-A-01-000-001	1	NUT	NUT, TYPICAL, QA 0, VALVE, STEEL, *** YOKE, ITEM 20, FOR GATEVALVE, 10 INCH, 150 LB, FIG 5202WE, DWG	0	P	48200 SE
ATJ493K	AL	A-A-01-000-001	1	NUT	NUT, TYPICAL, QA 0, VALVE, STEEL, *** YOLK, ITEM 20, FOR GATEVALVE, SIZE 12 INCH, 150 LB, FIG 5202WE	0	P	48200 SE
ATT644F	AL	A-A-01-000-001	1	NUT	NUT, TYPICAL, QA 0, VALVE, *** YOKE, ITEM 21, FOR 004.000 IN, 300 PSI, GATE VALVE, DRAWING	0	P	48200 SE
ATT645D	AL	A-A-01-000-001	1	NUT	NUT, TYPICAL, QA 0, VALVE, *** YOKE, ITEM 25, FOR 014.000 IN, 300 PSI, GATE VALVE, DRAWING	0	P	48200 SE
ATT646B	AL	A-A-01-000-001	1	NUT	NUT, TYPICAL, QA 0, VALVE, *** YOKE, ITEM 25, FOR 012.000 IN, 300 PSI, GATE VALVE, DRAWING	0	P	48200 SE
AVF565X	AL	A-A-01-000-001	24	NUT	NUT, HEX, QA 1, CLASS 2, NUT,PLAIN,HEXAGON, ; STAINLESS STEEL, ASME SA-194, GR 8, FINISHED	1	P	48200 SE
AVQ533W	AL	A-A-01-000-001	11	NUT	NUT, TYPICAL, QA 1, NUT, VALVE; STEEL,INLET STUD,PC 51,1.375 IN DIA,FOR NOZZLE,SIZE 6M6	1	P	48200 SE
AVR294F	AL	A-A-01-000-001	3	NUT	NUT, TYPICAL, QA 0, NUT, PUMP; STEEL SHAFT, SPECIAL, C/W SET SCREWS, 0.500 X 0.750 IN, 3	0	P	4320U SE
AVT764Y	AL	A-A-01-000-001	1	NUT	NUT, TYPICAL, QA 0, VALVE, STEEL, *** DWG REF 3, FOR 006.000 IN 300.000 PSI GLOBE VALVE FIG 318MY, REF	0	P	48200 SE
AWE647T	AL	A-A-01-000-001	3	NUT	NUT, TYPICAL, QA 0, VALVE, STEEL, *** ASTM A 439 TYPE D-2 YOKE, FOR 002.500 IN, 150 LB, GLOBE VALVE	0	P	48200 SE
AWE657P	AL	A-A-01-000-001	1	NUT	NUT, TYPICAL, QA 0, VALVE, BRONZE, *** ASTM A 439, YOKE, FOR 006.000 IN, 150 LB, GLOBE VALVE, CODE	0	P	48200 SE
AWF773G	AL	A-A-01-000-001	1	NUT	NUT, TYPICAL, QA 1, NUT, VALVE; BRASS, OPERATOR, TORKMATIC, SPIN NO ASVANS, FOR 008.000 IN, 1500 LB	1	P	48200 SE
AWG387G	AL	A-A-01-000-001	3	NUT	NUT, TYPICAL, QA 0, VALVE, STEEL, *** YOKE, FOR 010.000 IN, 300 LB GATE VALVES, ITEM CODE	0	P	48200 SE
AWL701H	AL	A-A-01-000-001	1	NUT	NUT, TYPICAL, QA 0, VALVE, BRONZE, *** YOKE, FOR 020.000 IN, 600.000 PSIG, T PATTERN, BW, GATE VALVE	0	P	48200 SE
AWL702F	AL	A-A-01-000-001	1	NUT	NUT, TYPICAL, QA 0, VALVE, BRONZE, *** YOKE, FOR 024.000 IN, 600.000 PSIG, T PATTEN, BW, GATE VALVE, ITEM	0	P	48200 SE
AWR780B	AL	P-A-LL-ET0-063	1	NUT	NUT, LOCK, QA 0, NUT, PUMP; SHAFT SLEEVE, C/W 2 EA SETSCREWS PN 109A2-S-90, FOR PUMP	0	C	4320U SE
AWX562M	AL	A-A-01-000-001	1	NUT	NUT, TYPICAL, QA 0, VALVE, STEEL, *** OPERATOR, TORKMATIC, FOR 006.000 IN, 900.000 PSI GATE VALVE, FIG	0	P	48200 SE
AXA249M	AL	A-A-01-000-001	1	NUT	NUT, TYPICAL, QA 0, VALVE, BRONZE, *** FOR 014.000 IN GATE VALVES, FIG G-743-0	0	P	48200 SE
AXA250G	AL	A-A-01-000-001	2	NUT	NUT, TYPICAL, QA 0, VALVE, BRONZE, *** FOR 012.000 IN GATE VALVES, FIG G-743-0	0	P	48200 SE
AXV320X	AL	A-A-01-000-001	1	NUT	NUT, TYPICAL, QA 0, VALVE, STEEL, *** FOR 2 IN, 600 PSIG GLOBE VALVE, FIG 6608	0	P	48200 SE
AXX984L	AL	A-A-01-000-001	4	NUT	NUT, TYPICAL, QA 1, NUT, VALVE; STEEL, YOKE ROD, REF 4, FOR 6X10 IN, SAFETY RELIEF VALVE	1	C	48200 SE
AYE549E	AL	1-B-09-135-001	1	NUT	NUT, HEX, QA 1, CLASS 2, HEAVY, 5/8 IN, 11, ALLOY STEEL, ASME SA194 GR 7, UNC, 2B, STANDARD MILL FINISH, B18.2.2	1	C	5305J SE
AYL143C	AL	1-A-14-009-001	1	NUT	NUT, HEX, QA 1, CLASS 2, HEAVY, 1-1/2 IN, 8, ALLOY STEEL, ASME SA194 GR 7, 8-UN, 2B, STANDARD MILL FINISH, B18.2.2	1	C	5305J SE
AYL144A	AL	1-B-11-135-001	1	NUT	NUT, HEX, QA 1, CLASS 2, NUT,PLAIN,HEXAGON, ; HEAVY, ALLOY STEEL, ASME SA 194 GR 7, 1.375- 8	1	C	5305J SE
AYQ566T	AL	D-A-28-101-007	10	NUT	NUT, TYPICAL, QA 0, PIPE HANGER, 1/2 IN, *** TIE ROD, SPECIAL THREAD SIZE, FOR HYDRAULIC SNUBBER, MODEL HSSA-10	0		4710Y SE
AYV346R	AL	D-A-12-301-001	10	NUT	NUT, TYPICAL, QA 0, PIPE HANGER, *** TIE ROD, FOR HYDRAULIC SNUBBERMODEL HSSA-20	0		4710Y SE
BAG209J	AL	D-A-10-302-005	1	NUT	NUT, LOCK, QA 3, NUT, PLAIN; BEARING, SERIES N-AN, 2.3622 IN BORE, 18 THREADS PER INCH	3		5305J SE
BBF164C	AL	D-A-06-201-003	26	NUT	NUT, TUBING, QA 3, NUT, TUBE COUPLING; CARBON STEEL, STANDARD MILL FINISH, FIRST ID .5 IN	3		4730P SE
BBF165A	AL	D-A-37-302-001	11	NUT	NUT, TUBING, QA 3, NUT, TUBE COUPLING; BRASS, STANDARD MILL FINISH, FIRST ID .25 IN SEAT	3		4730P SE
BBF200F	AL	D-A-06-102-004	130	NUT	NUT, TUBING, QA 3, NUT, TUBE COUPLING; BRASS, STANDARD MILL FINISH, TUBE OD 0.312 IN, END	3		4730P SE
BBF215M	AL	A-A-01-000-001	10	NUT	NUT, TUBING, QA 3, 1/2 IN, SS, COMPRESSION, ASME SA182 GR F316, FORGED, HEX, NUT, TUBE COUPLING; STAINLESS STEEL ASME SA 182 GR F316 S31600,	3	P	4730P SE
BBF289P	AL	D-A-16-201-002	106	NUT	NUT, TUBING, QA 3, NUT, TUBE COUPLING; BRASS, STANDARD MILL FINISH, FIRST ID .375 IN SEAT	3		4730P SE
BBF762P	AL	D-A-29-301-000	18	NUT	NUT, TUBING, QA 3, INVERTED NUT, TUBE COUPLING; BRASS, STANDARD MILL FINISH, FIRST ID	3		4730P SE
BBL307P	AL	1-B-09-135-001	1	NUT	NUT, HEX, QA 3, MACHINE, #10, 24, BRASS, UNC, 2B, STANDARD MILL FINISH, B18.6.3	3	P	5305J SE
BBQ011E	AL	D-A-04-202-003	8	NUT	NUT, TYPICAL, QA 0, 5 IN, 20, STAINLESS STEEL, UNF, NUT, PLAIN; STAINLESS STEEL, SIZE .5 IN, THD 20, UNF, 2B, RIGHT HAND	0		5305J SE
BCH901L	AL	D-A-06-102-005	3	NUT	NUT, HEX, QA 0, STANDARD, 7/8 IN, 9, SS, UNC, NUT,PLAIN,HEXAGON, ; STAINLESS STEEL, SIZE .875 IN, THREAD 9, UNC, REF	0		48200 SE
BCX842B	AL	1-B-11-135-001	1	NUT	NUT, HEX, QA 1, CLASS 2, HEAVY, 3/4 IN, 10, SS, ASME SA194 GR 6, UNC, 2B, B18.2.2	1	C	5305J SE
BDE734M	AL	A-A-01-000-001	22	NUT	NUT, HEX, QA 0, STANDARD, 1-1/4 IN, 7, CARBON STEEL, ASME SA194 GR 2/2H/2M, UNC, NUT,PLAIN,HEXAGON, ; CARBON STEEL ASME SA 194 GR 2.2H,2M K0	0	P	4320U SE
BDE737F	AL	A-A-01-000-001	3	NUT	NUT, HEX, QA 0, STANDARD, 2-1/2 IN, 8, CARBON STEEL, ASME SA194 GR 2/2H/2M, NUT,PLAIN,HEXAGON, ; CARBON STEEL ASME SA 194 GR 2.2H,2M K04002	0	P	4320U SE
BEK078L	AL	1-B-11-135-001	1	NUT	NUT, HEX, QA 1, CLASS 2, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J SE
BEL898H	AL	1-A-25-075-001	5	NUT	NUT, HEX, QA 1, HEAVY, 2 IN, 8, ALLOY STEEL, ASME SA194 GR 7, UNC, NUT,PLAIN,HEXAGON, ; ALLOY STEEL ASME SA 194 GR 7 G41400, SIZE 2.0 IN,	1	P	5305J SE
BET178M	AL	1-B-11-135-001	1	NUT	NUT, HEX, QA 1, CLASS 2, NUT,PLAIN,HEXAGON, ; ALLOY STEEL ASME SA 194 GR 7 G41400, SIZE 1.875	1	C	4320U SE
BET178M	AL	A-A-01-000-001	10	NUT	NUT, HEX, QA 1, CLASS 2, NUT,PLAIN,HEXAGON, ; ALLOY STEEL ASME SA 194 GR 7 G41400, SIZE 1.875	1	C	4320U SE
BEV340D	AL	1-B-09-135-001	1	NUT	NUT, HEX, QA 1, CLASS 2, NUT, PLAIN; ALLOY STEEL ASME SA 194 GR 7 G41400, SIZE 1.0 IN, 8, UNC	1	P	4320U SE
BEV340D	AL	A-A-01-000-001	7	NUT	NUT, HEX, QA 1, CLASS 2, NUT, PLAIN; ALLOY STEEL ASME SA 194 GR 7 G41400, SIZE 1.0 IN, 8, UNC	1	P	4320U SE
BEW677Q	AL	A-A-01-000-001	42	NUT	NUT, TYPICAL, QA 0, TURBINE, 1-1/2 IN, 3-1/2 IN, NUT, STEAM TURBINE; ROUND, SPECIAL EXTENSION, 1.5 IN DIA X 3.5 IN, FOR	0	P	2825G SE
BFA332J	AL	D-A-29-301-003	31	NUT	NUT, HEX, QA 0, STANDARD, 5/8 IN, 18, BRASS, UNF, NUT,PLAIN,HEXAGON, ; LEFT HAND, BRASS, WELDING, 0.625-18 THD UNF, B	0		3439D SE
BFN337A	AL	A-A-01-000-001	48	NUT	NUT, LOCK, QA 1, NUT, VALVE; SELF-LOCKING, CARBON STEEL, PHOSPHATE COATING, 0.125 IN ID	1	P	48200 SE
BGD948L	AL	A-A-01-000-001	11	NUT	NUT, HEX, QA 0, STANDARD, 1-7/8 IN, CS, ***	0	P	5305J SE
BGD949J	AL	1-B-09-135-001	1	NUT	NUT, HEX, QA 1, NUT,PLAIN,HEXAGON, ; CARBON STEEL, ASTM A563, GR A,0.75-10 UNC, ANSI	1	P	5305J SE
BGD961W	AL	1-B-11-135-001	1	NUT	NUT, HEX, QA 1, NUT,PLAIN,HEXAGON, ; CARBON STEEL, ASTM A563, GR A,0.875-9 UNC, NUT	1	P	5305J SE
BHD480J	AL	D-A-32-104-001	10	NUT	NUT, TYPICAL, QA 1, NUT, VALVE; PILOT, EXHAUST TUBE, ALUMINUM,FOR CONTROL VALVE ***	1	P	48200 SE
BHE823X	AL	A-A-01-000-001	1	NUT	NUT, TYPICAL, QA 1, NUT, ACTUATOR; STEM, PILOT BORE, FOR VALVE ACTUATOR, TYPE SMB-000 ***	1	P	48200 SE
BHF003P	AL	D-B-19-202-002	4	NUT	NUT, HEX, QA 3, NUT,PLAIN,HEXAGON, ; STEEL, TOP, 1.125-12 NF, FOR 12.00 IN FIRE PUMP	3		4730P SE
BHF015F	AL	A-A-01-000-001	3	NUT	NUT, HEX, QA 1, NUT, VALVE; JAM, FOR SOLENOID VALVE, MODEL79AB-003, CLASS 1680, DWG	1	P	48200 SE
BHF017B	AL	A-A-01-000-001	1	NUT	NUT, HEX, QA 1, NUT, VALVE; JAM, FOR SOLENOID VALVE, MODEL79AB-003, CLASS 1680, DWG	1	P	48200 SE
BHV917H	AL	1-A-04-129-001	9	NUT	NUT, HEX, QA 1, CLASS 2, NUT,PLAIN,HEXAGON, ; HEAVY, CARBON STEEL, ASME SA 194 GR 2H, 1.000-8	1	C	5305J SE

BHW421A	AL	A-A-01-000-001	8	NUT	NUT, LOCK, QA 1, LOCKNUT, ACTUATOR; STEEL, FOR VALVE ACTUATOR, TYPE SBD-00 ***	1	P	48200	SE
BJC595L	AL	F-A-04-202-001	5	NUT	NUT, LOCK, QA 3, NUT,SELFLOCKING,SQUA, ; CARBON STEEL, NOMINAL DIA .5 IN, WD ACROSS	3		5305J	SE
BJL661Q	AL	F-A-08-201-000	92	NUT	NUT, HEX, QA 0, HEAVY, 2-1/4 IN, CARBON STEEL, NUT,PLAIN,HEXAGON, ; DISCHARGE FLANGE, CARBON STEEL,2.25 IN DIA, HEAVY	0	C	4320U	SE
BJM721V	AL	F-A-08-302-001	54	NUT	NUT, HEX, QA 0, STANDARD, 1-3/8 IN, CARBON STEEL, *** COLUMN TO MOTOR SUPPORT, FOR PUMP, TYPE 79APMA, S/N 0268-99	0		4320U	SE
BJN138X	AL	D-A-12-202-002	31	NUT	NUT, LOCK, QA 1, SELF-LOCKING, 1/4 IN, CS, 20, UNC, GALVANIZED, WITHOUT SPRING, USE WITH P3300, P4000 & P4100 CHANNELS	1		5305J	SE
BJN139V	AL	D-A-10-302-006	1	NUT	NUT, LOCK, QA 1, NUT, STRUCT CHANNEL,LOCK; MATERIAL: CARBON STEEL, NOMINAL DIAMETER:	1		5305J	SE
BJN139V	AL	D-A-18-202-001	196	NUT	NUT, LOCK, QA 1, NUT, STRUCT CHANNEL,LOCK; MATERIAL: CARBON STEEL, NOMINAL DIAMETER:	1		5305J	SE
BJN616K	AL	A-A-01-000-001	1	NUT	NUT, TYPICAL, QA 1, NUT, ACTUATOR; BRASS, STEM, PILOT BORE, FOR VALVE ACTUATOR, TYPE	1	C	48200	SE
BJP488W	AL	D-A-12-202-006	8	NUT	NUT, HEX, QA 3, NUT,PLAIN,HEXAGON, ; JAM, STEEL, MILD, 0.75 IN, STANDARD THREAD, DWG	3		5305J	SE
BJP515L	AL	D-A-28-102-005	6	NUT	NUT, LOCK, QA 3, NUT,SELF-LOCKING,HEX, ; STEEL, MILD, 0.50 IN, DWG 3037-3, REF 3, FOR	3		5670A	SE
BJP516J	AL	F-A-08-302-006	1	NUT	NUT, LOCK, QA 3, NUT,SELF-LOCKING,HEX, ; STEEL, MILD, 0.375 IN, DWG 2084-5, REF 2, FOR	3		5670A	SE
BJT292Y	AL	1-A-02-129-001	1	NUT	NUT, HEX, QA 3, MACHINE SCREW, 3/8 IN, 16, BRASS, UNC	3	P	5305J	SE
BKG965J	AL	5-A-07-302-000	2	NUT	NUT, LOCK, QA 3, LOCKNUT, BEARING; STEEL, LINE BEARING, THREADED,1.5 IN, FOR	3	P	4320U	SE
BKN780B	AL	D-A-10-302-006	16	NUT	NUT, HEX, QA 3, NUT,PLAIN,HEXAGON, ; CARBON STEEL, NOMINAL DIA .25 IN, FOR SHUTDOWN	3		4520N	SE
BKR989M	AL	F-A-04-202-001	3	NUT	NUT, HEX, QA 1, NUT,PLAIN,HEXAGON, ; JAM, 0.4375-14, FOR ELECTRICALPENETRATION ***	1		5305J	SE
BKY709X	AL	A-A-01-000-001	8	NUT	NUT, TUBING, QA 1, NUT, DIESEL ENGINE; TUBE, 0.375 IN, FOR STANDBY DIESEL GENERATOR	1	C	29100	SE
BLD803P	AL	D-A-25-302-001	134	NUT	NUT, HEX, QA 1, HEAVY, 1/8 IN, 7, CS, ASME SA194 GR 2H, UNC, 2B, ZINC PLATED, NUT,PLAIN,HEXAGON, ; CARBON STEEL ASME SA 194 GR 2H K04002, NU	1		5305J	SE
BLE175L	AL	D-A-35-201-002	47	NUT	NUT, HEX, QA 1, NUT,PLAIN,HEXAGON, ; PLAIN, HEAVY HEX, 1-1/8", ASTMA563 GR D, 8	1		5305J	SE
BLG971H	AL	D-A-24-101-002	7	NUT	NUT, LOCK, QA 1, NUT,SELF-LOCKING,HEX, ; CARBON STEEL, ASTM A307-78, GRA, HEAVY HEX	1	C	5305J	SE
BLH578E	AL	1-B-05-135-001	1	NUT	NUT, HEX, QA 1, NUT,PLAIN,HEXAGON, ; CARBON STEEL, ASTM A563, GR A,0.25-20 UNC, ANSI	1	P	5305J	SE
BLL968H	AL	F-A-04-202-002	67	NUT	NUT, TUBING, QA 0, 9/16 IN, BRASS, *** THREAD QTY PER INCH: 18 THD/INCH, THREAD SERIES: UNF, THREAD	0		3433A	SE
BLL969F	AL	F-A-04-202-002	68	NUT	NUT, TUBING, QA 0, 9/16 IN, BRASS, LEFT HAND THREADS, NUT, HOSE COUPLING; MATERIAL: BRASS, NOMINAL SIZE: 00.562 IN (9/16)	0		3433A	SE
BLM083C	AL	D-A-02-102-001	44	NUT	NUT, TUBING, QA 1, NUT, TUBE COUPLING; 0.375 IN. STAINLESS STEEL, FORMOD TO RESIDUAL HEAT	1		4730P	SE
BLN557W	AL	A-A-01-000-001	6	NUT	NUT, LOCK, QA 1, NUT,SELF-LOCKING,HEX, ; ASTM A563 GRADE A, IN ACCORDANCE WITH ANSI	1	P	5305J	SE
BLT588W	AL	1-B-09-135-001	1	NUT	NUT, HEX, QA 1, CLASS 2, HEAVY, 1-1/4 IN, 8, SS, ASME SA194 GR 6, 8-UN, 2B, STANDARD MILL FINISH, B18.2.2	1	C	5305J	SE
BLY290D	AL	1-A-19-063-001	1	NUT	NUT, HEX, QA 2, NUT,PLAIN,HEXAGON, ; CARBON STEEL ASTM A307, 0.375 IN ***	2	P	5305J	SE
BNH425V	AL	D-A-18-202-001	160	NUT	NUT, TYPICAL, QA 1, 1/2 IN, 13, CS, UNISTRUT, THREAD CLASS 2B, ASTM A 576 GRADE 1015 "MODIFIED",	1		5975B	SE
BNJ229N	AL	1-A-25-045-001	2	NUT	NUT, TYPICAL, QA 0, 5/8 IN, *** WBT-902, WBT-CNINDP, NO 1195E79	0	P	4470C	SE
BNK968A	AL	1-A-08-129-001	1	NUT	NUT, HEX, QA 0, STANDARD, 1-1/4 IN, *** TG00704	0	P	5305J	SE
BNL115V	AL	1-A-25-015-001	33	NUT	NUT, TYPICAL, QA 0, NUT, ; NUT, 460B496-212 ***	0	P	5305J	SE
BNL254D	AL	1-A-25-045-001	1	NUT	NUT, TYPICAL, QA 0, NUT, ; NUT 460B496-010 ***	0	P	2825G	SE
BNL703B	AL	1-A-17-105-001	19	NUT	NUT, TYPICAL, QA 0, 7/8 IN, *** #1196E65, WBT-902, WBT-CNHDL D	0	P	5305J	SE
BNN212K	AL	D-A-22-401-000	93	NUT	NUT, HEX, QA 0, STANDARD, 7/8 IN, GR 2H, MK 17W925-128X	0		5305J	SE
BNN440H	AL	F-A-02-201-002	248	NUT	NUT, EYE, QA 0, 1/2 IN, ***	0		5305J	SE
BNP806H	AL	1-A-25-099-001	6	NUT	NUT, TYPICAL, QA 0, NUT, ; FLANGE ***	0	P	5130U	SE
BNT434C	AL	1-A-25-015-001	335	NUT	NUT, HEX, QA 0, NUT,PLAIN,HEXAGON, ; 0.625 IN DIA, NO 1193E14, WBT-902, WBT-CNHDM D ***	0	P	5305J	SE
BNT606A	AL	1-A-15-063-001	12	NUT	NUT, HEX, QA 0, NUT,PLAIN,HEXAGON, ; 0.5 IN DIA, NO 1196E65, WAT-902, WAT-CNHDL D ***	0	P	5305J	SE
BNT664T	AL	1-A-25-045-001	1	NUT	NUT, HEX, QA 0, STANDARD, 5/8 IN, *** NO 460B496-010	0	P	5305J	SE
BPB017T	AL	1-A-14-066-001	2	NUT	NUT, HEX, QA 0, STANDARD, 5/8 IN, 11, UNC, ***	0	P	5305J	SE
BPB019N	AL	1-A-14-066-001	1	NUT	NUT, HEX, QA 0, STANDARD, 3/4 IN, 10, UNC, ***	0	P	5305J	SE
BPC360W	AL	D-A-25-302-004	29	NUT	NUT, LOCK, QA 0, NUT,SELF-LOCKING,GAN, ; SPRING NUTS ***	0		5305J	SE
BPC443D	AL	D-A-12-202-005	12	NUT	NUT, ACORN, QA 1, NUT, PLAIN; 1-5/8-8, CARBON STEEL ASME SA 194, GRADE 2H, MARKED 2H	1		5305J	SE
BPC578M	AL	D-B-19-202-001	8	NUT	NUT, TUBING, QA 0, 3/8 IN, ***	0		4730P	SE
BPD106V	AL	1-A-17-105-001	1	NUT	NUT, HEX, QA 0, STANDARD, 3/4 IN, ***	0	P	5305J	SE
BPD206P	AL	1-A-08-129-001	5	NUT	NUT, TUBING, QA 0, 1/2 IN, COMPRESSION, ***	0	P	4730P	SE
BPD321N	AL	1-A-14-009-001	1	NUT	NUT, HEX, QA 0, 3/4 IN, ***	0	P	5305J	SE
BPE402J	AL	1-A-25-015-001	8	NUT	NUT, TYPICAL, QA 0, NUT, ; LID 138840, TG00654 ***	0	P	5305J	SE
BPM134C	AL	A-A-01-000-001	80	NUT	NUT, TYPICAL, QA 1, NUT, VALVE; BONNET, ASTM A-194 GR 2H, 1.25-8 UN-2A, FOR ANCHOR DARLING	1	C	48200	SE
BPW995J	AL	E-A-16-C02-B01	50	NUT	NUT, TYPICAL, QA 0, *** FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B	SE
BPX039K	AL	E-A-16-C02-D01	8	NUT	NUT, HEX, QA 0, *** FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B	SE
BPX067E	AL	E-A-16-C02-F01	22	NUT	NUT, TYPICAL, QA 0, NUT, CIRCUIT BREAKER; ADJUSTING, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B	SE
BPX105B	AL	E-A-16-C03-A01	17	NUT	NUT, TYPICAL, QA 0, CASTLE, FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B	SE
BQC485N	AC	- - - -	33	NUT	NUT, HEX, QA 1, CLASS 2, STANDARD, 3/4 IN, 10, CS, ASME SA194 GR 2H, UNC, 2B, B18.2.2	1	C	5305J	SE
BQC627W	AL	A-A-01-000-001	100	NUT	NUT, LOCK, QA 1, NUT, DIESEL ENGINE; LOCK HEAD TO LINER, FOR DIESEL ENGINE, MODEL	1	C	29100	SE
BQE159R	AL	A-A-01-000-001	2	NUT	NUT, HEX, QA 1, NUT, PUMP; PLAIN, HEXAGON, JAM, NUT CLASS HEAVY, CARBON STEEL, ASTM	1	C	4320U	SE
BQY679C	AL	1-A-03-000-001	4	NUT	NUT, TYPICAL, QA 0, TURBINE, *** SOCKET HD, FOR #1 BLADE RING GEN END, DWG. 731J502G01, ON	0	C	2825G	SE
BRE911F	AL	1-B-11-135-001	1	NUT	NUT, HEX, QA 1, CLASS 2, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: STAINLESS STEEL, NOMINAL	1	C	5305J	SE
BRG871N	AL	F-A-10-202-001	7	NUT	NUT, LOCK, QA 0, CONDUIT, 2 IN, STEEL, GALVANIZED, LOCKNUT, ELECTRICAL CONDUIT; TRADE SIZE: 02.000000 (2), MATERIAL:	0		5975B	SE
BTB493G	AL	D-A-06-102-001	2	NUT	NUT, HEX, QA 1, CLASS 2, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1		5305J	SE
BTD251Y	AL	1-B-05-135-001	1	NUT	NUT, HEX, QA 1, CLASS 2, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J	SE
BTE879A	AC	- - - -	2	NUT	NUT, HEX, QA 1, STANDARD, #6, 32, CS, UNC, 2B, B18.6.3	1	C	5305J	SE
BTF899Y	AL	1-B-09-135-001	1	NUT	NUT, HEX, QA 1, CLASS 2, HEAVY, 1-1/2 IN, 6, ALLOY STEEL, ASME SA194 GR 7, UNC, 2B, STANDARD MILL FINISH, B18.2.2	1	C	5305J	SE
BTH623Y	AL	1-B-11-135-001	1	NUT	NUT, HEX, QA 1, MACHINE, #4, 40, SS, UNC, 2B, B18.6.3	1	C	5305J	SE
BTL550V	AL	D-A-22-301-000	1	NUT	NUT, TYPICAL, QA 3, VALVE, APPLICATION: GLOBE VALVE, TYPE: YOKE NUT (STEM NUT), VALVE SIZE:	3	C	48200	SE
BTM089T	AL	A-A-01-000-001	3	NUT	NUT, HEX, QA 1, CLASS 2, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	B	5305J	SE
BTN388L	AL	1-A-02-129-001	1	NUT	NUT, HEX, QA 1, CLASS 2, HEAVY, 5/8 IN, 11, CS, ASME SA194 GR 2H, UNC, 2B, ZINC COATED MECHANICAL DEPOSITED, B18.2.2	1	C	5305J	SE
BTY897M	AL	D-B-19-202-001	4	NUT	NUT, TUBING, QA 1, CLASS 2, NUT, TUBE COUPLING; MATERIAL: STAINLESS STEEL, STYLE: HEX STANDARD	1		4730P	SE
BVA080B	AL	D-A-02-102-005	4	NUT	NUT, HEX, QA 1, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: BRASS, NOMINAL DIAMETER:	1		5305J	SE
BVA080B	AL	D-A-14-302-001	297	NUT	NUT, HEX, QA 1, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: BRASS, NOMINAL DIAMETER:	1		5305J	SE
BVA082V	AL	D-A-14-302-001	200	NUT	NUT, HEX, QA 1, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: BRASS, NOMINAL DIAMETER:	1		5305J	SE
BVC839T	AL	D-A-09-104-001	2	NUT	NUT, TYPICAL, QA 1, NUT, VALVE; YOKE, BLANK, FOR CRANE VALVES, MATERIAL ASTM B584 ALLOY	1	C	48200	SE
BVC967H	AL	1-A-02-129-001	1	NUT	NUT, TYPICAL, QA 1, CLASS 2, NUT, HEAT EXCHANGER; 1-1/8 IN-8 UN,ASME SA194 GR 6,ANSI B18.2.2,CLASS	1	B	4420B	SE
BVG988L	AL	D-B-16-000-001	3	NUT	NUT, HEX, QA 0, HEAVY, 1-3/4 IN, 8, ALLOY STEEL, ASME SA194 GR 7, UNC, B18.2, NUT, ACTUATOR; PLAIN,HEXAGON,ALLOY STEEL,ASME SA 194 GR 7,SIZE	0	B	48200	SE
BVH335X	AL	D-A-25-302-004	3	NUT	NUT, HEX, QA 1, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1		5305J	SE
BVP361X	AL	1-B-11-135-001	1	NUT	NUT, HEX, QA 1, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	B	5305J	SE

BVP896M	AL	F-A-10-202-002	100	NUT	NUT, HEX, QA 1, CLASS 2, HEAVY, 9/16 IN, 12, SS, ASME SA194 GR 8M, UNC, 2B, STANDARD MILL FINISH, B18.2.2	1		5305J SE
BVQ930N	AL	F-C-07-101-000	2	NUT	NUT, TYPICAL, QA 1, NUT, PUMP; THRUST, ITEM F040, FOR PACIFIC PUMP SAFETY INJECTION	1	B	4320U SE
BVR062L	AL	F-A-08-101-000	1	NUT	NUT, TYPICAL, QA 1, NUT, PUMP; THRUST, ITEM F040, FOR PACIFIC PUMP CHARGE SAFETY PUMP, TYPE	1	B	4320U SE
BVV348V	AL	A-A-01-000-001	8	NUT	NUT, TYPICAL, QA 3, NUT, VALVE; STEEL, ASTM A 439 TY D-2 YOKE, FOR 002.500 IN, 150 LB	3	B	48200 SE
BWH333V	AL	1-A-02-129-001	1	NUT	NUT, HEX, QA 1, MACHINE, #8, 32, SS, AISI 18-8, UNC, 2B, STANDARD MILL FINISH, B18.6.3	1	C	5305J SE
BWL784A	AC	- - -	1	NUT	NUT, TYPICAL, QA 3, NUT, VALVE; JAM, FOLLOWER, PT 6-15, FOR ANCHOR/DARLING EQUALIZER	3	C	48200 SE
BWQ616B	AL	E-A-16-C02-A01	11	NUT	NUT, HEX, QA 0, NUT, CIRCUIT BREAKER; NUT HEX, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BWQ624C	AL	E-A-16-C02-C01	20	NUT	NUT, TYPICAL, QA 0, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BWQ660K	AL	E-A-16-C02-D01	31	NUT	NUT, TYPICAL, QA 0, 10 MM, *** SPLIT, (CASTLE NUT 0), FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BWV338X	AL	1-B-11-135-001	1	NUT	NUT, HEX, QA 1, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J SE
BXF339K	AL	A-A-01-000-001	3	NUT	NUT, TYPICAL, QA 1, NUT, VALVE; DISK, DWG 1071240-1 AND MODEL 82AB-001 ***	1	B	48200 SE
BXG373E	AL	D-A-04-302-001	3	NUT	NUT, TYPICAL, QA 3, NUT, DOOR HARDWARE; ADJUSTING, FOR USE ON RUSSWIN SERIES 5000 / CORBIN	3		4710Y SE
BXG983J	AL	F-A-08-302-005	74	NUT	NUT, LOCK, QA 0, 1/4 IN, *** SELF-LOCKING, GAN, SPRING	0		5975B SE
BXH118R	AL	1-B-11-135-001	1	NUT	NUT, HEX, QA 1, CLASS 2, HEAVY, 1-1/8 IN, 8, SS, ASME SA194 GR 6, UN, 2B, STANDARD MILL FINISH, B18.2.2	1	C	5305J SE
BXJ232N	AL	P-A-LL-ET0-110	1	NUT	NUT, TYPICAL, QA 1, NUT, VALVE; DISK NUT, 3" SWING CHECK, CARBON STEEL BODY, BOLTED CAP	1	C	48200 SE
BXJ777B	AL	A-A-01-000-001	1	NUT	NUT, LOCK, QA 1, NUT, LOCK; ADJUSTING BOLT, FOR SAFETY RELIEF VALVE, 1 IN, STYLE	1	B	48200 SE
BXK825M	AL	A-A-01-000-001	2	NUT	NUT, TYPICAL, QA 3, NUT, VALVE; STEEL, RELEASE, REF 32, FOR 6 X 10, SAFETY RELIEF VALVE, TYPE	3	C	48200 SE
BXV281T	AL	P-A-LL-ET0-119	1	NUT	NUT, LOCK, QA 1, ALLOY STEEL, ASTM A194 GR 8, NUT, DISK VALVE; FOR POWELL FIG. 3061-A, 4 INCH, 300 LB., SWING CHECK	1	C	48200 SE
BYA423J	AL	A-A-01-000-001	14	NUT	NUT, HEX, QA 1, CLASS 2, NUT, VALVE; HEAVY HEX, 0.625-11 UNC, ASME SA-194 GR 2H, FOR 3" X 4"	1	C	48200 SE
BYB702A	AL	A-A-01-000-001	8	NUT	NUT, TYPICAL, QA 0, TURBINE, 2-1/2 IN, *** COUPLING	0	C	2825G SE
BYE447F	AL	A-A-01-000-001	13	NUT	NUT, TYPICAL, QA 3, NUT, BUSHING RETAINER ELE; 3/8" TINNEMAN NUT ***	3	C	5935B SE
BYG422M	AL	A-A-01-000-001	12	NUT	NUT, TYPICAL, QA 1, CLASS 2, NUT, SCALE; HEAVY, ALLOY STEEL ASME SA194 GR 6 2B, 1.25-8 UNC FOR	1	C	6670D SE
CAA472R	AL	F-A-29-202-000	18	NUT	NUT, HEX, QA 1, CLASS 2, HEAVY, 3/4 IN, 10, CS, ASME SA563 GR A, UNC, 2B, STANDARD MILL FINISH, B18.2.2	1	C	5305J SE
CAB832G	AL	F-A-08-302-001	1	NUT	NUT, HEX, QA 1, CLASS 2, HEAVY, 1-1/2 IN, 8, CS, ASME SA194 GR 2H, UNC, B18.2.2, NUT, PLAIN; NUT STYLE: HEAVY HEXAGON, MATERIAL: CARBON STEE	1		5305J SE
CAT685M	AL	F-A-07-201-000	3	NUT	NUT, TYPICAL, QA 1, CLASS 2, NUT, PUMP; 2", FOR RESIDUAL HEAT REMOVAL PUMP S/N 0674-70/71 DWG	1	C	4320U SE
CAY264R	AL	A-A-01-000-001	2	NUT	NUT, TYPICAL, QA 2, NUT, VALVE; ADJUSTMENT, SPARE PART FOR PRESSURE ACTUATED REGUALTING	2	C	48200 SE
CBH600D	AL	F-A-19-201-000	28	NUT	NUT, TYPICAL, QA 1, CLASS 2, NUT, VALVE; COVER STUD, FOR WALWORTH 16" SWING CHECK VALVE, WELDED	1	C	48200 SE
CBJ432N	AL	D-A-06-102-006	8	NUT	NUT, WING, QA 0, NUT, DOOR HARDWARE; WING NUT, 1/2 INCH-13 THD, BLOWER COMPARTMENT DOOR	0		4710Y SE
CBM464R	AL	D-A-24-302-000	1	NUT	NUT, LOCK, QA 1, CS, FOR CRANE'S GLOBE VALVE MODEL 5281WE-12"-300 #	1		48200 SE
CBR515E	AL	F-A-08-302-005	19	NUT	NUT, HEX, QA 0, STANDARD, 1/2 IN, NUT, PIPE HANGER; PLAIN, HEXAGON, .50 INCH.	0		4710Y SE
CBX545G	AL	A-A-01-000-001	1	NUT	NUT, LOCK, QA 3, LOCKNUT, PUMP; THRUST BEARING LOCKNUT FOR IDP 1 1/2 X 11A RWCU PUMPS	3	B	4320U SE
CBX547C	AL	A-A-01-000-001	3	NUT	NUT, TYPICAL, QA 3, PUMP, NUT, PUMP; SEAL GLAND TO STUFFING BOX FOR IDP 1 1/2 X 11A RWCU PUMP	3	B	4320U SE
CDC144E	AL	D-A-06-102-006	1	NUT	NUT, TYPICAL, QA 1, NUT, TUBE COUPLING; MATERIAL: BRASS, STYLE: UNION SHORT, NOMINAL SIZE:	1		4730P SE
CDF614K	AL	A-A-01-000-001	8	NUT	NUT, TYPICAL, QA 0, NUT, TORQUE; SUPER BOLT, 1-3/4"-8 THREADS PER INCH, CARBON STEEL ***	0	C	5305J SE
CDY856D	AL	D-A-16-201-002	236	NUT	NUT, HEX, QA 2, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: BRASS, NOMINAL DIAMETER: NO	2		5305J SE
CEC674A	AL	D-A-25-302-004	86	NUT	NUT, TYPICAL, QA 3, NUT, DOOR HARDWARE; TYPE: JACK NUT, SIZE: 1/4-20, FOR USE WITH OVERLY	3		5670A SE
CEG905X	AL	F-A-08-302-002	10	NUT	NUT, TUBING, QA 0, 1/4 IN, PLASTIC, POLY-FLO, *** 1/4" POLY-FLO WITH PLASTIC SLEEVES STYLE # 261-P-04	0		3040D SE
CEH406B	AL	F-A-04-202-006	7	NUT	NUT, TYPICAL, QA 0, ** GUARD NUT AND BOLT	0		6210P SE
CEL072L	AL	D-A-20-402-005	1	NUT	NUT, HEX, QA 3, NUT, HEX; TYPE: PLAIN; SIZE: #10; MATERIAL: CS; TPI: 32; SURF	3		5305J SE
CEL643C	AL	D-A-20-402-005	5	NUT	NUT, HEX, QA 3, NUT, HEX; TYPE: HEAVY/PLAIN; SIZE: 7/8 IN; MATERIAL: ALLOY STEEL; TPI:	3		5305J SE
CEV804B	AL	D-A-04-401-000	2	NUT	NUT, TUBING, QA 3, 2 IN, STAINLESS STEEL, FLARE, FLARE TUBE END NUT	3		4730P SE
CEY277P	AL	D-A-24-202-005	6	NUT	NUT, LOCK, QA 0, 1-1/2 IN, STEEL, CADMIUM PLATED, *** TEFLON LINED PIPE THREAD LOCKNUTS, WIDTH ACROSS FLATS 2 1/4"	0		5305J SE
CHX505Q	AL	D-B-17-302-001	1	NUT	NUT, TYPICAL, QA 1, SMART STEM, , MATERIAL UNS-C86300, FOR 3" - 900 LB DOUBLE DISC GATE VALVE WITH	1		48200 SE
ABE093C	AL	L-A-13-000-002	2	NUT	NUT, LOCK, QA 0, LOCKNUT, BEARING; PUMP, PT 240, FOR INGERSOLL-RAND CENTRIFUGAL PUMP	0	P	4320U SE
ABJ772C	AL	L-A-09-000-002	4	NUT	NUT, LOCK, QA 0, FLEX, *** FOR TARGET ROCK RELIEF VALVE, MODEL 67F, SIZE 6X10 IN, DWG	0	P	48200 SE
ACA260N	AL	L-A-09-000-002	1	NUT	NUT, TYPICAL, QA 0, VALVE, 1-1/4 IN, *** FOR VARIOUS LOCATIONS ON BFP TURBINE, S/N 122593 (5600), AND FDF	0	P	2825G SE
ACD622K	AC	- - -	150	NUT	NUT, LOCK, QA 0, NUT, ; SPEED, (GREEN), (SPRING CLIP NUT FOR CALL STATION COVER) NO 1	0	C	3960D SE
AED881E	AL	X-A-17-000-002	1	NUT	NUT, LOCK, QA 0, NUT, AIR COMPRESSOR; LOCK, PT 5-67-B, FOR SOOTBLOWING AIR COMPRESSOR	0	C	4310I SE
AEF894T	AL	L-A-09-000-002	1	NUT	NUT, TYPICAL, QA 3, VALVE, 5/16 IN, 18, SS, UNC, GEG-30707 C016, ITEM 100 GLAND FLANGE, ASTM F594 ALLOY GROUP 2 (USC S31600) CONDITION	3	P	48200 SE
AFE088C	AL	L-A-13-000-002	2	NUT	NUT, TYPICAL, QA 0, PUMP, *** IMPELLER, PT 304, FOR WATERBOY BACKWASH PUMP, FIG 3655, SIZE 1-1/2	0	P	4320U SE
AHX213K	AL	L-A-09-000-002	30	NUT	NUT, TYPICAL, QA 0, BRASS, *** MOVEMENT LINKAGE, FOR CONTROL-INDICATOR, 6 IN DIAL, 12 IN	0	C	6695D SE
AJA713T	AL	L-A-09-000-002	4	NUT	NUT, HEX, QA 0, JAM, *** INNER, FOR AXLE SERIES "C", 20 IN WHEEL AND DRUM ASSY	0	P	3950F SE
AJA813N	AL	L-A-09-000-002	4	NUT	NUT, HEX, QA 0, JAM, *** OUTER, FOR AXLE, SERIES "C", 20 IN WHEEL AND DRUM ASSY	0	P	3950F SE
AJD736Y	AL	L-A-03-000-002	11	NUT	NUT, LOCK, QA 2, LOCKNUT, BEARING; FOR COMPRESSOR ASSEMBLY OF CENTRIFUGAL SENTRY	2	P	4310I SE
AJH393E	AL	L-A-09-000-002	1	NUT	NUT, HEX, QA 1, NUT, PLAIN, HEXAGON, ; STAINLESS STEEL, 0.375 IN, BONNET, STUD, FOR	1	P	48200 SE
AMW064D	AL	M-A-08-000-002	10	NUT	NUT, TUBING, QA 0, NUT, TUBE COUPLING; UNION ***	0	P	4730P SE
AMY474Q	AL	L-A-04-000-002	1	NUT	NUT, TYPICAL, QA 0, VALVE, *** PUMP, FOR MODEL F3-PVA120-RS-10, ON ELECTRO-HYDRAULIC CONTROL	0	C	48200 SE
ANT421W	AL	M-A-03-000-002	3	NUT	NUT, TYPICAL, QA 2, NUT, ; MAIN BEARING STUD (UPPER), FOR ELECTRO-MOTIVE DIV, GENERAL	2	C	2910O SE
ANT521Q	AL	M-A-03-000-002	12	NUT	NUT, TYPICAL, QA 2, NUT, ; MAIN BEARING STUD (LOWER), FOR ELECTRO-MOTIVE DIV, GENERAL	2	P	2910O SE
ANT621L	AL	M-A-07-000-002	12	NUT	NUT, HEX, QA 2, NUT, PLAIN, HEXAGON, ; HEX, FOR DIESEL ENGINE, MODEL 16-645-E4 ***	2	P	2910O SE
ANY187M	AL	M-A-08-000-002	12	NUT	NUT, HEX, QA 1, NUT, PLAIN, HEXAGON, ; NUT, PLAIN, HEXAGON, 1-3/8-8 UN, STUD, FOR MAIN	1	P	48200 SE
APP982W	AL	L-A-09-000-002	20	NUT	NUT, TYPICAL, QA 2, NUT, ; THUMB, FOR MOLDED COVER ON WH TYPE MG-6 RELAY ***	2	P	5945D SE
ARE708L	AL	L-A-09-000-002	50	NUT	NUT, HEX, QA 1, HEAVY, 9/16 IN, 12, CS, ASME SA194 GR 2H, UNC, 2B, B18.2.2, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J SE
ARE709J	AL	L-A-03-000-002	6	NUT	NUT, HEX, QA 1, CLASS 2, HEAVY, 5/8 IN, 11, CS, ASME SA194 GR 2H, UNC, 2B, STANDARD MILL FINISH, B18.2.2	1	C	5305J SE
ARG056H	AL	M-A-03-000-002	1	NUT	NUT, TUBING, QA 0, 1/2 IN, STAINLESS STEEL, COMPRESSION, AISI 316, NUT, TUBE COUPLING; STAINLESS STEEL AISI 316 S31600, FIRST ID .5 IN	0	P	4730P SE
ARL753F	AL	L-A-03-000-002	5	NUT	NUT, HEX, QA 0, STANDARD, 1/2 IN, 13, STEEL, UNC, *** SLOTTED, FOR AIR COMPRESSOR, MODEL VH-75, SIZE 14.5 X 9 X 6.5	0	P	4310I SE
ARN918Y	AL	L-A-09-000-002	2	NUT	NUT, LOCK, QA 0, HEX, 5/16 IN, *** NOZZLE, FOR MINI- LINE 500 CONTROLLER	0	P	6695D SE
ATC762H	AL	T-A-01-000-002	24	NUT	NUT, TYPICAL, QA 2, NUT, ; 16 POINT, TIE ROD, COUNTER BORE, ON 3-1/4 AND 4IN BORE	2	P	5305J SE
ATH852N	AL	T-A-01-000-002	51	NUT	NUT, LOCK, QA 2, NUT, PLAIN, HEXAGON, ; 0.250 IN, LOCKING TYPE FOR TIEROD EXTENSION ON	2	P	5305J SE
ATH853L	AL	T-A-01-000-002	7	NUT	NUT, LOCK, QA 2, NUT, PLAIN, HEXAGON, ; 0.875 IN, 14 UN-3B, ASTM A108 GR 1137	2	P	5305J SE
ATT643H	AL	T-A-12-000-002	1	NUT	NUT, TYPICAL, QA 0, VALVE, *** YOKE, ITEM 25, FOR 018.000 IN, 300 PSI, GATE VALVE, DRAWING	0	P	48200 SE
AVH291Y	AL	T-A-12-000-002	1	NUT	NUT, TYPICAL, QA 0, VALVE, STEEL, *** YOKE, DWG. REF. 20, FOR 018.000 IN, 300 PSI, GATE VALVE ITEM NO	0	P	48200 SE
AVH536T	AL	L-A-09-000-002	11	NUT	NUT, TUBING, QA 0, 0.908 IN, BRASS, FEMALE NGO, HEX, NUT, TUBE COUPLING; MATERIAL: BRASS, STYLE: HEX STANDARD, NOMINAL	0	P	4730P SE
AVX782D	TR	- - -	2	NUT	NUT, TYPICAL, QA 0, STEEL, *** IT 72, C/W WASHER, FOR SUMP PUMP, MOD 3X4HBD-L, TY HBD-L, ASSY	0	P	5305J SE
AVX782D	AL	T-A-01-000-002	5	NUT	NUT, TYPICAL, QA 0, STEEL, *** IT 72, C/W WASHER, FOR SUMP PUMP, MOD 3X4HBD-L, TY HBD-L, ASSY	0	P	5305J SE

AVX860Y	AL	L-A-03-000-002	2	NUT	NUT, TYPICAL, QA 0, VALVE, STEEL, *** FOR 003.000 IN, DIAPHRAGM CONTROL VALVE, MODEL 3902-0, SERIAL 6890	0	P	48200	SE
AWD917W	AL	L-A-03-000-002	2	NUT	NUT, LOCK, QA 0, NUT, SLEEVE; SHAFT, COMPLETE WITH SCREW, P/N 115A2A22, FOR AUXILIARY	0	P	4320U	SE
AWE675M	AL	T-A-12-000-002	1	NUT	NUT, TYPICAL, QA 0, VALVE, BRONZE, *** ASTM B 584, YOKE, FOR 010.000 IN, 900 LB, GATE VALVE CODE	0	P	48200	SE
AWE678F	AL	T-A-12-000-002	1	NUT	NUT, TYPICAL, QA 0, VALVE, BRONZE, *** ASTM B584-862, YOKE, FOR 010.000 IN, 900 LB, GATE VALVE, CODE	0	P	48200	SE
AWG388E	AL	L-A-09-000-002	1	NUT	NUT, TUBING, QA 0, BRASS, *** FIRST END TYPE: THREADED EXTERNAL	0	P	4730P	SE
AWK859H	AL	L-A-07-000-002	1	NUT	NUT, LOCK, QA 0, 4.7244 IN, 12, N-24, *** PUMP HALF, FOR REACTOR RECIRCULATION PUMP, SIZE 28 X 28 X 35, TYPE	0	P	4320U	SE
AWN879V	AL	T-A-01-000-002	9	NUT	NUT, TYPICAL, QA 0, VALVE, #4, 40, STEEL, NUT, VALVE; STEEL, ARC, HOLLOW, SPECIAL, 4-40 UNF, FOR LEVEL CONTROL	0	P	48200	SE
AWR780B	AL	P-A-LL-ET0-063	1	NUT	NUT, LOCK, QA 0, NUT, PUMP; SHAFT SLEEVE, C/W 2 EA SETSCREWS PN 109A2-S-90, FOR PUMP	0	C	4320U	SE
AWV810J	AL	P-A-LL-ET0-063	28	NUT	NUT, TYPICAL, QA 0, VALVE, 1.0 IN, *** SPECIAL PURPOSE, FOR MAIN TURBINE BY-PASS VALVE, LOWER HEAD	0	C	48200	SE
AXP346L	AL	L-A-09-000-002	15	NUT	NUT, HEX, QA 3, NUT,PLAIN,HEXAGON, ; CARBON STEEL, SIZE .25 IN, UNC SOLENOID LINK, FOR	0	C	5305J	SE
AXP348G	AL	L-A-09-000-002	11	NUT	NUT, HEX, QA 3, NUT, PLAIN; BRASS, SIZE .312 IN, UNC, SLOTTED, FOR ELECTRIC BRAKE	3	P	61100	SE
AYE551V	AL	M-A-04-000-002	24	NUT	NUT, HEX, QA 1, CLASS 2, NUT,PLAIN,HEXAGON, ; HEAVY, ALLOY STEEL, ASME SA 194 GR 7, 0.500-13	1	C	5305J	SE
AYK651X	AL	L-A-09-000-002	1	NUT	NUT, TYPICAL, QA 0, TURBINE, 1-1/2 IN, 8, CARBON STEEL, 8-UN, NUT, STEAM TURBINE; CARBON STEEL, SIZE 1.500 IN 8 THD PER IN, UN, REF	0	P	2825G	SE
AYK798Y	AL	L-A-09-000-002	3	NUT	NUT, TYPICAL, QA 0, TURBINE, STEEL, *** REF 24, DWG 737E236, FOR TACHOMETER GENERATOR ON TURBINE, GE REQ	0	P	2825G	SE
BAP026C	AL	L-A-09-000-002	7	NUT	NUT, TYPICAL, QA 0, NUT, ; TIE ROD, 0.75 OD X 0.5 ID X 1 IN LONG, FOR AIR CYLINDER, MODEL	0	P	5305J	SE
BAV442J	AL	M-A-15-000-002	10	NUT	NUT, TYPICAL, QA 1, NUT, VALVE; YOKE, METALLIC, FOR GATE VALVE1 IN, DWG 3NC035, REV 2, FIG	1	P	48200	SE
BBF161J	AL	L-A-09-000-002	35	NUT	NUT, TUBING, QA 1, CLASS 2, 1/2 IN, SS, COMPRESSION, ASME SA479 TP 316, HEX	1	C	4730P	SE
BBF163E	AL	L-A-09-000-002	58	NUT	NUT, TUBING, QA 3, NUT, TUBE COUPLING; CARBON STEEL, STANDARD MILL FINISH, FIRST ID .375	3	P	4730P	SE
BBF171F	AL	L-A-09-000-002	1	NUT	NUT, TUBING, QA 3, NUT, TUBE COUPLING; BRASS, STANDARD MILL FINISH, FIRST ID .75 IN SEAT	3	P	4730P	SE
BBF203X	AL	L-A-09-000-002	55	NUT	NUT, TUBING, QA 3, NUT, TUBE COUPLING; BRASS, STANDARD MILL FINISH, FIRST ID .125 IN END	3	P	4730P	SE
BBF215M	AL	T-A-01-000-002	81	NUT	NUT, TUBING, QA 3, 1/2 IN, SS, COMPRESSION, ASME SA182 GR F316, FORGED, HEX, NUT, TUBE COUPLING; STAINLESS STEEL ASME SA 182 GR F316 S31600,	3	P	4730P	SE
BBF759C	AL	L-A-09-000-002	19	NUT	NUT, TUBING, QA 3, INVERTED NUT, TUBE COUPLING; BRASS, STANDARD MILL FINISH, FIRST ID .25	3	P	4730P	SE
BBR341W	AL	L-A-13-000-002	26	NUT	NUT, LOCK, QA 0, NUT, ; HEX HEAD, SELF-LOCKING, FOR GENERATOR ON TURBINE, S/N 170X374	0	P	6115F	SE
BCD639T	AL	M-A-07-000-002	13	NUT	NUT, HEX, QA 2, NUT,PLAIN,HEXAGON, ; CARBON STEEL, 1 IN, 14 THREADSPER INCH, ROCKER	2	P	29100	SE
BDP706D	AL	M-A-01-000-002	1006	NUT	NUT, TUBING, QA 0, 1/4 IN, BRASS, COMPRESSION, FLARELESS, NUT, TUBE COUPLING; MATERIAL: BRASS, NOMINAL SIZE: 00.250 IN (1/4)	0	P	4730P	SE
BFX571X	AL	L-A-03-000-002	2	NUT	NUT, TYPICAL, QA 0, VALVE, 3/8 IN, 16, CARBON STEEL, *** EYE BOLT, UNC, FOR GATE VALVE, 1.5 IN, 800 PSIG, FIG 596-2, DWG	0	P	48200	SE
BGB719E	AL	L-A-03-000-002	5	NUT	NUT, TYPICAL, QA 0, COUPLING, #10, 32, 1/4 IN, NUT, HOSE COUPLING; TEE, 10-32 X 0.25 IN THREADED SHAFT, FOR SELF	0	P	4730P	SE
BHD434E	AL	T-A-01-000-002	2	NUT	NUT, TYPICAL, QA 1, NUT,CAPSULE HOUSING, ; 0 TO 437-20 IN, FOR CAPSULE HOUSING, ON	1	P	6695D	SE
BHW420P	AL	M-A-12-000-002	4	NUT	NUT, LOCK, QA 1, LOCKNUT, ACTUATOR; STEEL, REF 125, FOR VALVE ACTUATOR, TYPE SBD-00	1	C	48200	SE
BHX391K	AL	L-A-09-000-002	70	NUT	NUT, HEX, QA 1, NUT,PLAIN,HEXAGON, ; 0.375-16 IN, MACHINE, FOR DIESEL ENGINE, MODEL	1	P	29100	SE
BJB883L	AL	M-A-07-000-002	6	NUT	NUT, HEX, QA 3, NUT,PLAIN,HEXAGON, ; STAINLESS STEEL, NUT CLASS JAM, NUMBER SIZE 10	3	P	48200	SE
BJC577N	AL	L-A-09-000-002	8	NUT	NUT, HEX, QA 1, NUT,PLAIN,HEXAGON, ; BRASS, NOMINAL DIA .375 IN, FOR TYPE A, EA OR EF	1	P	5305J	SE
BJD100J	AL	L-A-08-000-002	55	NUT	NUT, TYPICAL, QA 3, NUT, PUMP; HEX HEAD, 1.25 IN DIA, FOR CASING TO COLUMN, CASING TO	3	P	4320U	SE
BJQ679G	AL	T-A-01-000-002	11	NUT	NUT, HEX, QA 1, CLASS 2, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: STAINLESS STEEL, NOMINAL	1	C	5305J	SE
BJQ685M	AL	T-A-01-000-002	46	NUT	NUT, TYPICAL, QA 3, NUT, ; CARBON STEEL, CAGE, J-TYPE, 0.312-18 UNC ***	3	P	5305J	SE
BJQ720R	AL	M-A-06-000-002	2	NUT	NUT, TYPICAL, QA 3, NUT, VALVE; SLIDER, CARBON STEEL, FOR VALVE ACTUATOR, SIZE MDT-2-4 IN	3	C	48200	SE
BJT804Y	AL	L-A-03-000-002	66	NUT	NUT, LOCK, QA 0, LOCKNUT, ELECTRICAL CONDUIT; TRADE SIZE: 00.375000 (3/8), STYLE:	0	P	5975B	SE
BKA551D	AL	P-A-LL-ET0-078	7	NUT	NUT, TYPICAL, QA 3, NUT, ; STAINLESS STEEL, 1.25 IN LONG,0.562 IN DIA, FOR SRM/IRM	3	C	6630D	SE
BKB819P	AL	M-A-01-000-002	2	NUT	NUT, TYPICAL, QA 3, NUT, ACTUATOR; CARBON STEEL, SLIDER, RIGHT HAND, FOR VALVE ACTUATOR	3	B	48200	SE
BKB863L	AL	M-A-01-000-002	2	NUT	NUT, TYPICAL, QA 3, NUT, ACTUATOR; SLIDER, RIGHT-HAND, STEEL, REF 13, FOR MANUAL VALVE	3	B	48200	SE
BKQ679A	AL	L-A-09-000-002	4	NUT	NUT, HEX, QA 1, NUT,PLAIN,HEXAGON, ; CARBON STEEL, NOMINAL DIA .375 IN, THD 16, UNC	1	P	6140C	SE
BLA124T	AL	L-A-09-000-002	2	NUT	NUT, LOCK, QA 3, LOCKNUT, BEARING; BEARING, STEEL, MATERIAL CODE 056. ***	3	P	4320U	SE
BLA763P	AL	M-A-16-000-002	10	NUT	NUT, TYPICAL, QA 3, NUT, VALVE; STEM, FOR BALL VALVE, 0.75 IN,600 PSIG, BRONZE BODY, MODEL	3	P	48200	SE
BLC591G	AL	L-A-09-000-002	182	NUT	NUT, TYPICAL, QA 0, STAINLESS STEEL, *** FOR CONDENSATE FILTER DEMINERALIZER	0	P	4420B	SE
BLC591G	AL	L-A-14-000-002	514	NUT	NUT, TYPICAL, QA 0, STAINLESS STEEL, *** FOR CONDENSATE FILTER DEMINERALIZER	0	P	4420B	SE
BLG971H	AL	P-A-LL-ET0-064	20	NUT	NUT, LOCK, QA 1, NUT,SELF-LOCKING,HEX, ; CARBON STEEL, ASTM A307-78, GRA, HEAVY HEX	1	C	5305J	SE
BLG972F	AL	P-A-LL-ET0-064	20	NUT	NUT, LOCK, QA 1, NUT, LOCK; CARBON STEEL, DIA: 1.25, THREAD PER INCH: 7, THREAD SERIES:	1	C	5305J	SE
BLL140L	AL	M-A-09-000-002	67	NUT	NUT, HEX, QA 0, HEAVY, 1-5/8 IN, 8, CARBON STEEL, ASTM A563 GR A, UNC, NUT,PLAIN,HEXAGON, ; CARBON STEEL,ASTM A563,GR A 1.625 IN-8 UN,HEX	0	P	5305J	SE
BLL145Y	AL	M-A-09-000-002	61	NUT	NUT, HEX, QA 2, NUT,PLAIN,HEXAGON, ; CARBON STEEL,ASTM A563,GR B 0.370 IN-16 UN,HEX	2	P	5305J	SE
BMB540C	AL	T-A-01-000-002	9	NUT	NUT, LOCK, QA 0, LOCKNUT, BEARING; IMPELLER, 7/8-14, FOR ALUM POND SUMP PUMP "B". ***	0	P	4320U	SE
BNB825A	AL	M-A-04-000-002	1	NUT	NUT, EYE, QA 1, NUT, EYE; WELDLESS, CARBON STEEL, FORGED, TAP SIZE 2.5 IN, LCDS R/2	1	P	4710Y	SE
BNH986J	AL	T-A-01-000-002	1	NUT	NUT, TYPICAL, QA 3, NUT, ; 0.5 IN UNC ID, TYPE 316 STAINLESS STEEL, PARTS LIST ITEM 13	3	P	6695D	SE
BNP981X	AL	M-A-06-000-002	5	NUT	NUT, LOCK, QA 3, NUT, VALVE; LOCK, FOR VIKING VALVES, ITEM 3 ON MODEL C-1 AS SHOWN ON	3	P	48200	SE
BNP984P	AL	M-A-06-000-002	5	NUT	NUT, LOCK, QA 3, NUT, VALVE; SELF-LOCKING, FOR VIKING VALVES, ITEM 7 ON TECHNICAL DATA	3	P	48200	SE
BPH542H	AL	T-A-01-000-002	6	NUT	NUT, TYPICAL, QA 1, NUT, VALVE; BONNET, DWG W1653, FOR SWING CHECK VALVES, 3 IN, 150 LB	1	P	48200	SE
BPH617C	AL	P-A-LL-ET0-108	15	NUT	NUT, TYPICAL, QA 1, NUT, PUMP; STUD, DWG 624875XX, FOR COUPLING ASSY, PT 2, ON NUCLEAR	1	C	4320U	SE
BPR318D	AL	T-A-01-000-002	25	NUT	NUT, LOCK, QA 3, NUT, AIR COMPRESSOR; LOCK, HEX, 0.75 IN UNF, MODEL 304-32, SIZE 5.25 &	3	C	4310I	SE
BPT115N	AL	T-A-01-000-002	4	NUT	NUT, TYPICAL, QA 1, NUT, VALVE; DISK NUT PIN, P/N 265, MATERIAL A479-316, DWG W9123452	1	C	48200	SE
BRB684F	AL	T-A-01-000-002	27	NUT	NUT, TYPICAL, QA 1, CLASS 3, NUT, VALVE; BONNET, DWG# W1651, SA 194-2H FOR ANCHOR/DARLING 3.0 INCH	1	C	48200	SE
BRE145Y	AL	L-A-02-000-002	32	NUT	NUT, TYPICAL, QA 1, NUT, SHEET SPRING; NOMINAL DIAMETER: 0.164000 (NO. 8), MATERIAL SPEC:	1	C	5305J	SE
BRH589A	AL	T-A-01-000-002	24	NUT	NUT, TYPICAL, QA 3, NUT, VALVE; HANDLE FOR A .500 IN HANCOCK VALVE M/N 7130W ***	3	C	48200	SE
BRK109A	AL	L-A-09-000-002	1	NUT	NUT, TYPICAL, QA 3, NUT, VALVE; YOKE, FOR VELAN 4 IN. 900 LB. PRESSURE SEAL GATE VALVE FIG	3	B	48200	SE
BRT221B	AL	L-A-09-000-002	1	NUT	NUT, LOCK, QA 0, NUT, LOCK; LOCK NUT, FOR ASEA BROWN BOVERI MODEL DR 36 V 1750 D	0	C	5130U	SE
BTA989P	AL	L-A-15-000-002	24	NUT	NUT, HEX, QA 0, NUT, PIPE HANGER; NUT, HEXAGON	0	C	4710Y	SE
BTB756A	AL	L-A-03-000-002	136	NUT	NUT, HEX, QA 1, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: BRASS, NOMINAL DIAMETER:	1	C	5305J	SE
BDT793R	AL	T-A-01-000-002	2	NUT	NUT, TYPICAL, QA 3, NUT, PUMP; IMPELLER NUT, FOR A CRANE PUMP M/N GVE-15K-23H-1S ***	3	C	4320U	SE
BTE879A	AL	L-A-05-000-002	3	NUT	NUT, HEX, QA 1, STANDARD, #6, 32, CS, UNC, 2B, B18.6.3	1	C	5305J	SE
BTL550V	AL	L-A-09-000-002	1	NUT	NUT, TYPICAL, QA 3, VALVE, APPLICATION: GLOBE VALVE, TYPE: YOKE NUT (STEM NUT), VALVE SIZE:	3	C	48200	SE
BVA083R	AL	L-A-08-000-002	105	NUT	NUT, HEX, QA 1, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: BRASS, NOMINAL DIAMETER:	1	C	5305J	SE
BVH606R	AL	L-A-08-000-002	211	NUT	NUT, HEX, QA 1, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	D	5305J	SE
BVL149B	AL	L-A-09-000-002	1	NUT	NUT, TYPICAL, QA 1, NUT, VALVE; STEM, FOR WALWORTH CAST STEEL PRESSURE SEAL GATE VALVE, W/	1	C	48200	SE
BVP617L	AL	L-A-02-000-002	260	NUT	NUT, HEX, QA 1, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: BRASS, NOMINAL DIAMETER: NO	1	C	5305J	SE
BVV492L	AL	L-A-03-000-002	1	NUT	NUT, LOCK, QA 3, NUT, PUMP; SHAFT, W/NYLON LOCK RING, REF 14A, FOR 2-WTF-810, CRD	3	C	4320U	SE
BVX108C	AL	L-A-03-000-002	10	NUT	NUT, TYPICAL, QA 3, NUT, PUMP; NUT, PUMP, IMPELLER, FOR VERTICAL SUMP PUMP, FIG 4511, SIZE	3	C	4320U	SE
BWJ192E	AL	T-A-01-000-002	2	NUT	NUT, LOCK, QA 1, LOCKNUT, PUMP; LOCKNUT & WASHER, GEAR, FOR CENTRIFUGAL CHARGING PUMP	1	C	4320U	SE

BWJ397V	AL	L-A-13-000-002	2	NUT	NUT, TYPICAL, QA 3, NUT, VALVE; 24 NF-2, FOR HONEYWELL PNEUMATIC VALVE POSITIONER SIDE	3	C	48200	SE
BWJ679H	AL	L-A-05-000-002	1	NUT	NUT, TYPICAL, QA 3, NUT, VALVE; YOKE, CAST AUSTENITIC DUCTILE IRON, TYPE A439, FOR 16 IN.	3	C	48200	SE
BWJ685N	AL	L-A-05-000-002	1	NUT	NUT, TYPICAL, QA 3, NUT, VALVE; YOKE, ITEM 3, CAST AUSTENITIC DUCTILE IRON, TYPE A439, FOR	3	C	48200	SE
BWK929F	AL	L-A-13-000-002	2	NUT	NUT, LOCK, QA 3, LOCKNUT, POSITIONER; FOR CASHCO PNEUMATIC CONTROLLER MODEL 764T ***	3	B	6695D	SE
BWL784A	AL	L-A-13-000-002	3	NUT	NUT, HEX, QA 3, NUT, VALVE; JAM, FOLLOWER, PT 6-15, FOR ANCHOR/DARLING EQUALIZER	3	C	48200	SE
BWL799W	AL	L-A-13-000-002	4	NUT	NUT, TYPICAL, QA 3, NUT, VALVE; FOLLOWER, PT 6-10 FOR ANCHOR/DARLING EQUALIZER VALVE, 22 X	3	C	48200	SE
BWL805X	AL	L-A-13-000-002	12	NUT	NUT, TYPICAL, QA 3, NUT, VALVE; FOLLOWER, PT 6-10 AND/OR 6-15, FOR ANCHOR/DARLING SUCTION	3	C	48200	SE
BWQ947K	AL	P-A-LL-ET0-119	10	NUT	NUT, TYPICAL, QA 1, NUT, VALVE; BODY, FOR WM POWELL FIG. 1503WE GATE VALVE, 2-1/2", 150	1	C	48200	SE
BWX904D	AL	M-A-01-000-002	50	NUT	NUT, LOCK, QA 3, NUT, LOCK; SHAFT, ITEM 27 ***	3	C	4140U	SE
BXJ232N	AL	P-A-LL-ET0-110	2	NUT	NUT, TYPICAL, QA 1, NUT, VALVE; DISK NUT, 3" SWING CHECK, CARBON STEEL BODY, BOLTED CAP	1	C	48200	SE
BXN273K	AL	M-A-01-000-002	1	NUT	NUT, TYPICAL, QA 3, NUT, VALVE; BRONZE, YOKE, IT 17, FOR T-TYPE 4 IN, 150 PSI, GATE VALVE	3	C	48200	SE
BXQ749H	AL	L-A-13-000-002	4	NUT	NUT, TYPICAL, QA 0, *** FOR GE RECORDER, MODEL 8HG1A021041, TYPICAL S/N 431-4834	0	B	6695D	SE
BXV281T	AL	P-A-LL-ET0-119	1	NUT	NUT, LOCK, QA 1, ALLOY STEEL, ASTM A194 GR 8, NUT, DISK VALVE; FOR POWELL FIG. 3061-A, 4 INCH, 300 LB., SWING CHECK	1	C	48200	SE
BYB664N	AL	M-A-12-000-002	1	NUT	NUT, TYPICAL, QA 1, NUT, VALVE; ASTM A194 GRADE 6F, ITEM 11, FOR 4 IN ASME SEC III CLASS 2	1	C	48200	SE
BYC811Y	AL	L-A-03-000-002	47	NUT	NUT, LOCK, QA 3, CONDUIT, 3/4 IN, STEEL, ZINC PLATED, ,STYLE: STANDARD, CONDUIT TYPE ACCEPT: THICKWALL, U.L LISTED	3	C	5975B	SE
BYX990P	AL	L-A-09-000-002	1	NUT	NUT, LOCK, QA 3, LOCKNUT, BEARING; FOR BEARING W/BORE NO. 24, DIMENSION: 6-1/8" O.D.	3	C	3110B	SE
CAA861E	TR	- - - -	100	NUT	NUT, HEX, QA 1, 3/8 IN, CS, ELECTRO-GALVANIZED	1	C	5975B	SE
CAL598F	AL	P-A-LL-ET0-110	4	NUT	NUT, TYPICAL, QA 1, NUT, VALVE; BODY, STUD, FOR WM. POWELL 3", CLASS 150, SWING CHECK V	1	C	48200	SE
CAP707N	AL	L-A-11-000-002	1	NUT	NUT, TYPICAL, QA 1, NUT, ACTUATOR; YOKE, F/WALWORTH 24" PRESSURE SEAL ANGLE VALVE W/SMB-5T	1	C	48200	SE
CAP715N	AL	L-A-05-000-002	1	NUT	NUT, LOCK, QA 1, NUT, ACTUATOR; UPPER BEARING, F/WALWORTH 24" PRESSURE SEAL ANGLE VALVE	1	C	48200	SE
CBC405R	AL	L-A-11-000-002	1	NUT	NUT, TYPICAL, QA 1, NUT, PISTON ROD; FOR BERGEN-PATTERSON HYDRAULIC SHOCK ARRESTOR, MODEL:	1	C	4710Y	SE
CBE269V	AL	L-A-09-000-002	150	NUT	NUT, HEX, QA 2, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: BRASS, NOMINAL DIAMETER: NO	2	C	5305J	SE
CBH236V	AL	L-A-09-000-002	16	NUT	NUT, TYPICAL, QA 0, PUMP, CS, HEX, GLAND NUT, ITEM NO. 38, FOR CONDENSER TUBE CLEANING PUMP	0	C	4320U	SE
CBL964A	AL	L-A-09-000-002	6	NUT	NUT, HEX, QA 1, CLASS 2, HEAVY, 3/4 IN, 10, SS, ASME SA194 GR 6, UNC, 2B, STANDARD MILL FINISH, B18.2.2	1	C	5305J	SE
CBV936B	AL	L-A-08-000-002	9	NUT	NUT, HEX, QA 2, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: BRASS, NOMINAL DIAMETER: NO	2	C	5305J	SE
CBV941J	AL	L-A-09-000-002	305	NUT	NUT, HEX, QA 2, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: BRASS, NOMINAL DIAMETER: NO	2	C	5305J	SE
CDJ609X	AC	- - - -	20966	NUT	NUT, HEX, QA 2, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: BRASS, NOMINAL DIAMETER:	2	C	5305J	SE
CDM093D	AL	T-A-01-000-002	50	NUT	NUT, LOCK, QA 2, NUT, SELF-LOCK ASSEMB; LOCK NUT FOR DAMPER BLADE BOLT, SIZE: 1/4-20"	2	C	5305J	SE
CDQ188V	AL	L-A-09-000-002	40	NUT	NUT, HEX, QA 3, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	3	C	5305J	SE
CDR213J	AL	L-A-03-000-002	12	NUT	NUT, HEX, QA 1, CLASS 2, HEAVY, 1/2 IN, 13, CARBON STEEL, ASME SA563 GR A, UNC, 2B, CADMIUM PLATED, B18.2.2	1	C	5305J	SE
CEA253D	AL	M-A-12-000-002	64	NUT	NUT, HEX, QA 1, CLASS 2, HEAVY, 1-1/8 IN, 7, ALLOY STEEL, ASME SA194 GR 7, UNC, 2B, STANDARD MILL FINISH, B18.2.2	1	C	5305J	SE
CEA942M	AL	M-A-06-000-002	95	NUT	NUT, TYPICAL, QA 1, CLASS 2, 1-1/8 IN, 7, ALLOY STEEL, NUT, PLAIN; NUT STYLE: HEAVY HEXAGON, MATERIAL: ALLOY STEEL, NOMINAL	1	C	5305J	SE
CEH562V	AL	L-A-11-000-002	4	NUT	NUT, TYPICAL, QA 1, CLASS 1, NUT, *TYPICAL; TYPE: ASSEMBLY; SIZE: 2 IN; TPI: 8 *** SUPERBOLT TORQUE	1	C	48200	SE
CEJ050L	AL	L-A-07-000-002	20	NUT	NUT, HEX, QA 3, NUT, HEX; TYPE: HEAVY/PLAIN; SIZE: 1-1/2 IN; MATERIAL: SS; TPI: 6;	3	C	5305J	SE
CEQ530G	AL	L-A-03-000-002	63	NUT	NUT, HEX, QA 1, HEAVY, 1/4 IN, 20, CS, ASTM A194 GR 2H, UNC, 2B, STANDARD MILL FINISH, B18.2.2	1	C	5305J	SE
CFK896D	AL	L-A-11-000-002	1	NUT	NUT, TYPICAL, QA 0, VALVE, BRONZE, GEAR CENTER LOCKNUT, *** STEM, 64 SPLINE, REF LIMITORQUE 114, MATERIAL ASTM B584 GE C863000	0	C	48200	SE
CFW092Y	AL	L-A-09-000-002	1	NUT	NUT, TUBING, QA 3, STAINLESS STEEL, **	3	B	4730P	SE
BHX410M	AL	Z-Z-ZZ-ZZZ-ZZZ	20	OIL	OIL, TYPICAL, QA 0, QUENCHING, 5 GAL, CAN	0	P	9150H	SE
BLE969E	AL	Z-Z-ZZ-ZZZ-ZZZ	4	OIL	OIL, TYPICAL, QA 3, LUBRICATING OIL, ENGINE; ENGINE, INTERNAL COMBUSTION, PREMIUM, TVA	3	P	9150H	SE
AKY243Q	AL	L-A-09-000-002	1	OILER	OILER, AUTOMATIC, QA 0, AIR LINE, 3 IN, 150 PSI, OILER, AIRLINE; AIR LINE, LUBRICATOR, 150 LB 3 IN ***	0	P	5120M	SE
ATJ066X	AL	T-A-01-000-002	1	OILER	OILER, AUTOMATIC, QA 3, OILER, ; CONSTANT LEVEL, OPTO-MATIC, PLASTIC BOWL, 0.250IN NPT OUTLET, 8	3	P	5120M	SE
AXX350A	AL	M-A-16-000-002	1	OILER	OILER, AUTOMATIC, QA 2, OILER, AIRLINE; 1 QT CAPACITY, 1.5 IN, LUBRICATOR ***	2	P	2910C	SE
BAE606J	AL	T-A-05-000-002	28	OILER	OILER, AUTOMATIC, QA 0, OILER, ; FELT SEAL, FOR CAR DOOR ROLLER, ON PLANT ELEVATORS ***	0	C	3960D	SE
BTQ102Q	AL	F-B-03-102-000	1	OPERATOR	OPERATOR, TYPICAL, QA 0, OPERATOR, VALVE; COMPLETE, SMB000; ORDER # 337653A, SER # 97441A ***	0	C	48200	SE
BVC741C	AL	A-A-01-000-001	2	OPERATOR	OPERATOR, TYPICAL, QA 1, OPERATOR, VALVE; SHAFT SIZE 0.625 IN, FOR 6 IN BUTTERFLY VALVE, MODEL	1	B	48200	SE
CEC656C	AL	D-A-12-202-005	1	OPERATOR	OPERATOR, TYPICAL, QA 0, SIDE, GATE OPERATOR; CAVE, FOR MODEL NO. 570. ***	0		5660E	SE
CEC657A	AL	D-A-12-202-005	1	OPERATOR	OPERATOR, TYPICAL, QA 0, SIDE, GATE OPERATOR; PULLEY, FOR MODEL NO. 570. ***	0		5660E	SE
ARR236A	AL	T-A-05-000-002	1	OPERATOR	OPERATOR, TYPICAL, QA 0, OPERATOR, ; TYPE MOM W/O ATTENDANT, LH D054, 200-320 VDC, W/GE MOTOR	0	C	3960D	SE
AVD341Y	AL	L-A-09-000-002	1	OPERATOR	OPERATOR, SWITCH/TD, QA 0, LEVER/SPRING RETURN, 2, OIL TIGHT, CONTROL, ROTARY SWITCH; LEVER, SELECTOR, OIL TIGHT, 2 POSITION, SPRING	0	P	59300	SE
AVY388C	AL	A-A-01-000-001	1	ORIFICE	ORIFICE, TYPICAL, QA 3, ORIFICE, VALVE; STAINLESS STEEL, AISI 416, 0.75-1 IN, DWG IT 4, FOR 1	3	P	48200	SE
AWG619M	AL	A-A-01-000-001	1	ORIFICE	ORIFICE, TYPICAL, QA 0, ORIFICE, VALVE; STEEL, BY-PASS, REF 29, FOR AUTOMATIC RECIRCULATION	0	P	48200	SE
AWG664G	AL	A-A-01-000-001	1	ORIFICE	ORIFICE, STEAM, QA 0, ORIFICE, VALVE; STEEL, BY-PASS, REF 29, FOR AUTOMATIC RECIRCULATION	0	P	48200	SE
BDJ124W	AL	E-A-16-C01-A01	3	ORIFICE	ORIFICE, TYPICAL, QA 0, CIRCUIT BREAKER, 1/4 IN, 1/8 IN, 3/4 IN, STAINLESS STEEL, ***	0	C	5925B	SE
BLJ196P	AL	D-B-16-000-001	1	ORIFICE	ORIFICE, TYPICAL, QA 0, ORIFICE, VALVE; STEEL, BASE, FOR CONSOLIDATED 6 IN TYPE 19060/PI-1	0	P	48200	SE
CAM587F	AL	P-A-LL-ET0-119	4	ORIFICE	ORIFICE, TYPICAL, QA 1, ORIFICE, REGULATOR; ID: 1.469", FOR USE ON FUEL SUPPORT CASTING ***	1	C	6695D	SE
AVY388C	AL	M-A-01-000-002	3	ORIFICE	ORIFICE, TYPICAL, QA 3, ORIFICE, VALVE; STAINLESS STEEL, AISI 416, 0.75-1 IN, DWG IT 4, FOR 1	3	P	48200	SE
BDN027W	AL	L-A-10-000-002	9	ORIFICE	ORIFICE, TYPICAL, QA 0, FUEL ORIFICE, CONTROL, ; STAINLESS STEEL, PERIPHERAL, FOR CONTROL ROD	0	P	4470C	SE
BXR988R	AL	L-A-13-000-002	1	ORIFICE	ORIFICE, TYPICAL, QA 3, ORIFICE, VALVE; BRASS SEAT, FOR REGULATOR TYPE 95-L, ON COCHRAN	3	C	48200	SE
CAM587F	AL	P-A-LL-ET0-119	6	ORIFICE	ORIFICE, TYPICAL, QA 1, ORIFICE, REGULATOR; ID: 1.469", FOR USE ON FUEL SUPPORT CASTING ***	1	C	6695D	SE
CAM588D	AL	P-A-LL-ET0-119	4	ORIFICE	ORIFICE, TYPICAL, QA 1, ORIFICE, REGULATOR; ID 2.211", FOR USE ON FUEL SUPPORT CASTING ***	1	C	6695D	SE
CEB671M	AL	M-A-06-000-002	2	ORIFICE	ORIFICE, TYPICAL, QA 2, ORIFICE, VALVE; STAINLESS STEEL, FOR 6 INCH -2W-MDF VALVE, DEPICTED AS	2	C	48200	SE
CEC633Q	AL	L-A-05-000-002	2	ORIFICE	ORIFICE, TYPICAL, QA 3, ORIFICE, PUMP; CONDENSER VACUUM, 1 INCH, FOR ASSEMBLY CL-2003 HOGGING	3	C	4310I	SE
AAW623G	AL	A-A-01-000-001	76	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING, SPARE PART; RUBBER, FLANGE GASKET, FOR MODEL 224 AND	0	P	5730H	SE
AAV655Q	AL	A-A-01-000-001	3	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING, SPARE PART; IMPELLER, FOR SUBMERSIBLE PUMP, 2125.010-	0	P	5730H	SE
AAV656N	AL	A-A-01-000-001	7	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING, SPARE PART; UPPER BEARING COVER, FOR SUBMERSIBLE PUMP	0	P	5730H	SE
ABD340F	AL	A-A-01-000-001	1	O-RING	O-RING, TYPICAL, QA 3, PACKING, PREFORMED, O-, ; REF 4.2, FOR SENTRY CENTRIFUGAL REFRIGERATION	3	C	5730H	SE
ABE028P	AL	A-A-01-000-001	12	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING, SPARE PART; REF 2, FOR MECHANICAL SEAL, TYPE 8-1DBL	0	P	5730H	SE
ABE627A	AL	A-A-01-000-001	24	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING, SPARE PART; REF 11, FOR MECHANICAL SEAL, TYPE 8-1DBL	0	P	5730H	SE
ABG907T	AL	A-A-01-000-001	2	O-RING	O-RING, TYPICAL, QA 3, PACKING, PREFORMED, O-, ; (SEAL FRONT PLATED), ROTARY VANE MOTOR, 3 HP	3	C	6105D	SE
ACW657J	AL	A-A-01-000-001	5	O-RING	O-RING, TYPICAL, QA 3, FOR GENERAL ATOMIC RADIATION MONITOR, TVA SYSTEM 90	3	C	5730H	SE
ADA166W	AL	A-A-01-000-001	30	O-RING	O-RING, TYPICAL, QA 0, 1/16 IN, 1/2 IN, 5/8 IN, PACKING, O-RING; 000.062 THK X 000.500 ID X 000.625 IN OD, FOR 0.370D	0	P	2825G	SE
ADA266Q	AL	D-A-29-301-003	24	O-RING	O-RING, TYPICAL, QA 0, 3/32 IN, RUBBER, 5/8 IN, 13/16 IN, PACKING, O-RING, SPARE PART; BLACK RUBBER, 0.09375 THICK X 0.625 X	0		2825G	SE
ADE961H	AL	A-A-01-000-001	2	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING, SPARE PART; DURA, REF 38, FOR WASTE COLLECTOR PUMP AND	0	P	5730H	SE
ADJ531N	AL	A-A-01-000-001	2	O-RING	O-RING, TYPICAL, QA 0, 1/8 IN, VITON, 7 IN, 7-1/4 IN, PACKING, O-RING, SPARE PART; VITON, 000.125 THK X 007.000 X 007.250 IN	0	P	5730H	SE
ADV571V	AL	D-B-14-000-001	3	O-RING	O-RING, TYPICAL, QA 0, 1/16 IN, NITRILE, 7/32 IN, 11/32 IN, BUNA, RUBBER DS52-1, 20 EACH PER PACK, FOR TYPE 83L RELAY, ON	0	P	5730H	SE

ADW656E	AL	A-A-01-000-001	1	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; NITRILE 0.06 X 0.18 X 0.37 IN POSITIONER	3	P	5730H SE
AEE671L	AL	A-A-01-000-001	1	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING; "NON-ASBESTOS", DWG 568445MG, FOR MAIN FEED WATER	0	B	5730H SE
AEW572E	AL	A-A-01-000-001	2	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; SEAL TUBE, FOR ACTUATOR, MODEL C ***	3	C	5730H SE
AFB306N	AL	A-A-01-000-001	74	O-RING	O-RING, TYPICAL, QA 0, 3/32 IN, 11/16 IN, 3/4 IN, PACKING, O-RING,SPARE PART; 000.093 THK X 000.687 ID X 000.75 IN OD	0	P	5730H SE
AFB506E	AL	A-A-01-000-001	11	O-RING	O-RING, TYPICAL, QA 0, 210, 1/8 IN, 3/4 IN, 1 IN, PACKING, O-RING,SPARE PART; 000.125 THK X 000.750 ID X 001.000 IN OD	0	P	5730H SE
AFB606A	AL	A-A-01-000-001	5	O-RING	O-RING, TYPICAL, QA 0, 214, 1/8 IN, 1 IN, 1-1/4 IN, PACKING, O-RING,SPARE PART; 000.125 THK X 001.000 ID X 001.250 IN OD	0	P	5730H SE
AFN111C	AL	E-A-16-C02-A01	10	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING,SPARE PART; RUBBER, FOR STATIC CIRCUIT BREAKER, 23 KV	0	C	5925B SE
AFN310H	AL	E-A-16-C01-F01	8	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING,SPARE PART; RUBBER, FOR STATIC CIRCUIT BREAKER, 23 KV	0	C	5925B SE
AGV075C	AL	A-A-01-000-001	4	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING,SPARE PART; KNOB, FOR STATOR COOLING WATE TEMPERATURE	0	P	5730H SE
AGV175H	AL	A-A-01-000-001	3	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING,SPARE PART; (57-5), FOR CONTROLLER SERIES C 1, MODEL	0	P	5730H SE
AGW155J	AL	A-A-01-000-001	7	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; VITON A, FOR PRESSURE TRANSMITTER, MODEL E 11	3	C	6695D SE
AHB444W	AL	A-A-01-000-001	10	O-RING	O-RING, TYPICAL, QA 3, 3/16 IN, 3-7/8 IN, 4-1/4 IN, PACKING,PREFORMED,O-, ; 000.187 THICK X 003.875 ID X 004.250 IN OD,	3	C	5730H SE
AHD155R	AL	A-A-01-000-001	12	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; FOR INGERSOLL-RAND AIR COMPRESSOR, MODEL 253D	3	C	4310I SE
AHF114X	AL	A-A-01-000-001	1	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; RUBBER, FOR HYPOCHLORINATOR, MODEL A-747	0	P	5730H SE
AHJ064R	AL	A-A-01-000-001	2	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,VA-, ; O-RING, LOWER BEARING PLATE, FOR WALWORTH CO	3	C	48200 SE
AHN217F	AL	D-B-16-000-001	30	O-RING	O-RING, TYPICAL, QA 0, RUBBER, PACKING, SPARE PART; O-RING, RUBBER, FOR INTERRUPTER HEAD	0	P	5730H SE
AHN716W	AL	D-B-16-000-001	72	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING,SPARE PART; O-RING, RUBBER, FOR INTERRUPTER HEAD	0	P	5730H SE
AJD184C	AL	A-A-01-000-001	15	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; REF 24, FOR SERIES 500 MODEL PF05-002-31R001	0	C	5730H SE
AJD883H	AL	A-A-01-000-001	36	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; REF 8, FOR SERIES 500, MODEL PF05-002-31R001	0	C	5730H SE
AJD983D	AL	A-A-01-000-001	40	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; REF 13, FOR SERIES 500 MODEL PF05-002-31R001	0	C	5730H SE
AJF592J	AL	A-A-01-000-001	1	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; SEAL, FRONT PLATE, FOR WH FUEL TRANSFER	3	C	5730H SE
ALF317W	AL	A-A-01-000-001	3	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; FILTER, HC9401FUP13Z, ON (EHC) ELECTRO	0	C	5730H SE
ALK833M	AL	A-A-01-000-001	61	O-RING	O-RING, BULK, QA 0, RUBBER SECTION, ROUND; SOLID, NEOPRENE, SAE 120R CLASS 1, ASTM SB-712	0	P	5680B SE
AMD335Y	AL	A-A-01-000-001	1	O-RING	O-RING, TYPICAL, QA 3, OIL SUMP PUMP, FILE NO X-1526 A/B REPLACEMENT PART LIST FOR PCX-230-0 PKG CHILLER	3	P	5730H SE
AMJ231H	AL	A-A-01-000-001	1	O-RING	O-RING, TYPICAL, QA 3, NITRILE, FOR USE WITH FISHER ACTUATOR SIZE 80	3	B	5730H SE
APD396X	AL	A-A-01-000-001	4	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; RUBBER, CONNECTION HOUSING, FOR CENTRIFUGE OIL	0	P	5730H SE
ARG083E	AL	A-A-01-000-001	56	O-RING	O-RING, TYPICAL, QA 1, PACKING,PREFORMED,O-, ; RUBBER, E50 COMPOUND, ETHYLENEPROPYLENE, 0.125	1	P	5730H SE
ARQ943M	AL	A-A-01-000-001	1	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; 2-123, FOR BULKHEAD CONNECTOR,ON UNDERWATER	0	P	5730H SE
ARV084K	AL	A-A-01-000-001	2	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,PU-, ; O-RING, OIL-REAR, SN 9710500, FOR TYPE PH-206	3	P	4320U SE
ATK534T	AL	A-A-01-000-001	3	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; RUBBER, ITEM 6, BUNA N, REPLACEABLE	0	P	5730H SE
ATW665W	AL	D-B-09-202-001	4	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING,SPARE PART; RUBBER, PISTON, FOR AIR CYLINDER ASSEMBLY	0	P	4450C SE
ATW667Q	AL	D-B-09-202-001	6	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING,SPARE PART; VEGETABLE FIBER, PISTON BACK-UP, FOR AIR	0	P	4450C SE
AVF700Y	AL	D-B-09-202-001	1	O-RING	O-RING, TYPICAL, QA 0, RUBBER, BUNA, ROD BEARING, FOR AIR CYLINDER ON DRY FLYASH COLLECTOR,	0	P	5730H SE
AVG647N	AL	A-A-01-000-001	4	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; RUBBER, CLEANOUT COVER, FOR MFPT OIL FILTER	0	P	5730H SE
AVK554E	AL	A-A-01-000-001	2	O-RING	O-RING, TYPICAL, QA 0, TEFLON, 15/16 IN, 1 IN, PACKING, O-RING; MATERIAL: TEFLON (TFE), OUTSIDE DIAMETER: 01.000 IN (0	P	5730H SE
AVL058C	AL	A-A-01-000-001	10	O-RING	O-RING, TYPICAL, QA 3, RUBBER, , FOR BACK PRESSURE PILOT VALVE, MODEL 460710-200	3	P	5730H SE
AVP995T	AL	A-A-01-000-001	13	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING,SPARE PART; RUBBER, FOR SEPARATOR	0	C	5730H SE
AVW143M	AL	D-B-09-202-001	6	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING,SPARE PART; RUBBER, FOR AIR CYLINDER ROD BEARING	0	P	4450C SE
AWG479B	AL	A-A-01-000-001	11	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; REF 31, FOR 006.000 IN 3150-FL-2W ***	3	P	5730H SE
AWH402B	AL	A-A-01-000-001	5	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,VA-, ; O-RING,RUBBER, BACKUP, 0.1875THK X 11.5 ID X	3	P	5730H SE
AWM781J	AL	A-A-01-000-001	3	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; RUBBER, FOR MODEL 43AP PNEUMATIC CONTROLLER	3	P	6695D SE
AWQ317W	AL	A-A-01-000-001	4	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; RUBBER, PRESSURE, MACHINE, MODEL DOS-RAW-W	3	P	5730H SE
AXB439B	AL	F-A-06-202-004	20	O-RING	O-RING, TYPICAL, QA 0, 0.210 IN, NEOPRENE, 7.912 IN, PACKING,PREFORMED,O-, ; NEOPRENE, 000.210 IN THICK X 007.912 IN ID	0		5730H SE
AXD380K	AL	D-A-32-104-001	4	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; RUBBER, 003.500 X 002.500 ***	3	P	5730H SE
AXF509W	AL	A-A-01-000-001	2	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; FOR RADIATION MONITORING SYSTEM 0-RE-90-122	3	P	5730H SE
AXF525X	AL	A-A-01-000-001	9	O-RING	O-RING, TYPICAL, QA 0, RUBBER, 3-1/16 IN, 3-7/16 IN, PACKING,PREFORMED,O-, ; RUBBER, 003.062 ID X AXIAL FLOW PROPELLER	0	P	5730H SE
AXL832T	AL	A-A-01-000-001	16	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; FOR DOP TEST INSTRUMENT, MODEL FE259 ***	0	P	5730H SE
AXR015Q	AL	A-A-01-000-001	4	O-RING	O-RING, TYPICAL, QA 3, 1/8 IN, ETHYLENE PROPYLENE, 12 IN, 12-1/4 IN, ;SEAL RING INTERMEDIATE COVER; EPT-E740 PER ASTM D2000; 75- DUROMETER	3	P	5730H SE
AYJ574T	AL	D-B-16-000-001	29	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; VITON, FOR VALVE ACTUATOR, TYPICAL ORDER NO	3	B	48200 SE
AYT585C	AL	D-B-16-000-001	9	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,AC-, ; O-RING, VITON, REF 176, FOR VALVE ACTUATOR	3	P	48200 SE
BAR447J	AC	- - -	3	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; PISTON, FOR AIR CYLINDER, SERIES B, SINGLE END	0	P	5730H SE
BBB175V	AL	A-A-01-000-001	14	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; RUBBER, QUAD, REF 35, FOR PEDESTAL CRANE	0	P	3950F SE
BBK936V	AL	A-A-01-000-001	1	O-RING	O-RING, TYPICAL, QA 0, 1/8 IN, RUBBER, 1/4 IN, 1/2 IN, PACKING,PREFORMED,O-, ; RUBBER, 0.125 THICK X 0.25 ID X 0.5 IN OD, FOR	0	P	48200 SE
BBN221N	AL	E-A-16-C02-F01	11	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; RUBBER, FOR ISOLATOR BREAKER ***	0	P	5925B SE
BBN373Y	AL	A-A-01-000-001	1	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING,SPARE PART; RUBBER, FOR MASTER CONTROL UNIT, ON	0	C	5925B SE
BBN414B	AL	E-A-16-C01-H01	19	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; RUBBER, FOR EXTINCTION CHAMBEREXHAUST, ON	0	P	5925B SE
BBT704E	AL	A-A-01-000-001	54	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; ETHYLENE PROPYLENE, FOR RESISTOR CONTACT, DWG	0	C	5925B SE
BBT706A	AL	A-A-01-000-001	23	O-RING	O-RING, TYPICAL, QA 0, ETHYLENE PROPYLENE, PACKING,PREFORMED,O-, ; ETHYLENE PROPYLENE, FOR RESISTOR CONTACT, DWG	0	C	5925B SE
BCL687B	AL	D-B-09-202-001	3	O-RING	O-RING, TYPICAL, QA 0, RUBBER, FOR AIR CYLINDER 15212-1 ON FLY ASH DISPOSAL SYSTEM	0	P	4450C SE
BCL691L	AL	D-B-09-202-001	5	O-RING	O-RING, TYPICAL, QA 0, RUBBER, ROD BEARING, FOR AIR CYLINDER 15212-1 BAGHOUSE ON FLY ASH DISPOSAL	0	P	4450C SE
BCL692J	AL	D-B-09-202-001	5	O-RING	O-RING, TYPICAL, QA 0, RUBBER, PISTON SEAL, FOR AIR CYLINDER 15212-1 BAGHOUSE ON FLY ASH DISPOSAL	0	P	4450C SE
BDF633N	AL	A-A-01-000-001	50	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; RUBBER, 0.0625 THICK X 0.625 ID X 0.75 IN OD	3	P	5730H SE
BDP371H	AL	A-A-01-000-001	15	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; NEOPRENE, 1.8125 IN ID, ***	0	P	5730H SE
BDP371H	AL	P-A-LL-ET0-063	800	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; NEOPRENE, 1.8125 IN ID, ***	0	P	5730H SE
BED729D	AL	A-A-01-000-001	4	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; RUBBER, FOR MODEL 160 PEDESTAL CRANE, S/N	3	P	3950F SE
BEG649V	AL	A-A-01-000-001	7	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; FOR TRAIN GEARED LIMIT S/N 113899 AND 140638	3	P	48200 SE
BEQ934K	AL	A-A-01-000-001	15	O-RING	O-RING, TYPICAL, QA 3, 3/32 IN, BUNA-N, 1/2 IN, 11/16 IN, PACKING, PREFORMED	3	P	5730H SE
BFP042F	AL	A-A-01-000-001	2	O-RING	O-RING, TYPICAL, QA 0, PACKING, DRYER; O-RING, RUBBER, EXTRA LARGE, FOR CISELL CLOTHES	0	P	4440E SE
BGK786M	AL	A-A-01-000-001	11	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; RUBBER, REF 15 AND 27, FOR RECIPROCATING	3	P	5730H SE
BGK929R	AL	A-A-01-000-001	15	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; RUBBER, REF 121, FOR RECIPROCATING CHARGING	3	P	5730H SE
BGL507G	AL	A-A-01-000-001	470	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; AS-216, BUNA N, 1.0625 ID X 1.3125 IN OD ***	3	P	5730H SE
BGW207K	TR	- - -	6	O-RING	O-RING, TYPICAL, QA 3, 0.103 IN, VITON, 0.674 IN, 0.878 IN, PACKING, NUCLEAR GRADE, FOR TORQUE SWITCH ON VALVEACTUATOR,	3	P	48200 SE
BGX395H	AL	A-A-01-000-001	10	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,VL-, ; O-RING, RUBBER, FOR WATER REGULATING VALVE, 4	3	C	5730H SE
BHQ871Y	AL	5-A-07-202-000	12	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,DI-, ; O-RING, RUBBER, FOR FIRE PUMP ON DIESEL ENGINE	3	P	29100 SE
BHQ871Y	AL	A-A-01-000-001	24	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,DI-, ; O-RING, RUBBER, FOR FIRE PUMP ON DIESEL ENGINE	3	P	29100 SE

ARQ674N	AL	M-A-06-000-002	3	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; RUBBER, FOR CONDENSER, MODEL CGWA-10004-EA	0	P	4120A SE
ARQ943M	AL	L-A-13-000-002	4	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; 2-123, FOR BULKHEAD CONNECTOR,ON UNDERWATER	0	P	5730H SE
ARQ945H	AL	L-A-13-000-002	4	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; 2-036, FOR DOME, ON UNDERWATER CAMERA, MODEL	0	P	5730H SE
ARV086F	AL	T-A-01-000-002	2	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,PU, ; O-RING, OIL, FRONT, SN 9710500, FOR TYPE	3	P	4320U SE
ARV689R	AL	M-A-09-000-002	3	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; BLADE, BUNA N RUBBER, HEAT GASKET,FOR LUBE OIL	3	P	4320U SE
ATG182F	AL	L-A-13-000-002	18	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; BLACK RUBBER, FOR 500 ATB-550-38000-2Y, 3000	0	P	5730H SE
ATL433V	AL	T-A-05-000-002	2	O-RING	O-RING, TYPICAL, QA 3, RUBBER, PUMP CASING, COVER, ITEM 43, FOR RECIPROCATING CHARGING PUMP FLUID	3	B	5730H SE
ATL433V	AL	T-A-01-000-002	9	O-RING	O-RING, TYPICAL, QA 3, RUBBER, PUMP CASING, COVER, ITEM 43, FOR RECIPROCATING CHARGING PUMP FLUID	3	B	5730H SE
ATN791N	AL	M-A-02-000-002	3	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; RUBBER, LOWER, ITEM 3, POWERED REGULATOR VALVE	0	B	48200 SE
ATQ136D	AL	M-A-09-000-002	2	O-RING	O-RING, TYPICAL, QA 3, PACKING, O-RING; O-RING, RUBBER, FRONT AND REAROIL SEAL, ITEMS 76 AND	3	P	5730H SE
ATT805J	AL	T-A-01-000-002	10	O-RING	O-RING, TYPICAL, QA 0, BUNA-N, *** 2 PER SET	0	P	5730H SE
AVB278M	AL	T-A-01-000-002	6	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; RUBBER, GEAR SEAL, FOR STRAINER, MODEL VWS-13	0	B	4730P SE
AVK554E	AL	T-A-01-000-002	20	O-RING	O-RING, TYPICAL, QA 0, TEFLON, 15/16 IN, 1 IN, PACKING, O-RING; MATERIAL: TEFLON (TFE), OUTSIDE DIAMETER: 01.000 IN (0	P	5730H SE
AVK555C	AL	T-A-01-000-002	56	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; RUBBER, BUNA-N, 0.09375 THK X 3 ID X 3.1875 IN	3	P	5730H SE
AVR954Y	AL	T-A-01-000-002	321	O-RING	O-RING, TYPICAL, QA 3, 1/8 IN, RUBBER, 13/16 IN, 1-1/16 IN, PACKING,PREFORMED,VA,LVE, O-RING, RUBBER, FOR 0.5 IN CHECK VALVE,	3	B	5730H SE
AVV963K	AL	M-A-07-000-002	29	O-RING	O-RING, TYPICAL, QA 3, 1/16 IN, ETHYLENE PROPYLENE, 5/8 IN, 3/4 IN	3	B	5730H SE
AVV965F	AL	T-A-01-000-002	67	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; CHROMASSURE, ETHYLENE PROPYLENE, 0.062 THK X	3	P	5730H SE
AWF582P	AL	L-A-13-000-002	4	O-RING	O-RING, TYPICAL, QA 0, 3/16 IN, BUNA-N, 24-3/4 IN, PACKING,PREFORMED,O-, ; BUNA-N, BLACK RUBBER, 000.187 IN ID X 024.750	0	P	5730H SE
AWG477F	AL	T-A-01-000-002	1	O-RING	O-RING, TYPICAL, QA 3, PACKING, O-RING; REF 28, FOR 006.000 IN MDFS-3150-FL-2W ***	3	B	5730H SE
AWM781J	AL	M-A-11-000-002	3	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; RUBBER, FOR MODEL 43AP PNEUMATIC CONTROLLER	3	P	6695D SE
AWM783E	AL	M-A-04-000-002	3	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; RUBBER, FOR MODEL 43AP PNEUMATIC CONTROLLER	3	P	6695D SE
AWN494G	AL	M-A-09-000-002	50	O-RING	O-RING, BULK, QA 3, RUBBER ROUND SECTION, ; ETHYLENE PROPYLENE, ASTM D2000-70, 000.093 IN	3	P	5730H SE
AXF582H	AC	- - - -	1	O-RING	O-RING, TYPICAL, QA 3, PACKING, SINGLE RING; RUBBER, O-RING, FOR BUTTERFLY VALVE, 024.000 IN	3	P	5730H SE
AXJ208V	AL	M-A-16-000-002	2	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; EPR, FOR 14 IN BUTTERFLY VALVE,GENERIC DWG	3	P	5730H SE
AXJ235P	AL	M-A-09-000-002	3	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; RUBBER, ETHYLENE PROPYLENE, BACK-UP, REF 8	3	P	5730H SE
AXP173R	AL	T-A-01-000-002	17	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; TEFLON, FOR RAMPO FLOW MONITOR ***	0	P	5730H SE
AXQ332T	AL	T-A-01-000-002	1	O-RING	O-RING, TYPICAL, QA 3, 1/8 IN, RUBBER, 1-1/8 IN, 1-3/8 IN, CRANE, ; PACKING, PREFORMED; RUBBER, 0.125 THICK X 1.125 ID X 1.375 IN OD,	3	P	3950F SE
AXQ959D	AL	M-A-09-000-002	1	O-RING	O-RING, TYPICAL, QA 3, PACKING, O-RING; RUBBER, ETHYLENE PROPYLENE, FOR PULSATION, DWG 76739	3	P	5730H SE
AXR401X	AL	M-A-04-000-002	12	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; RUBBER, FOR MODEL 52A-SM4 CONSOTROL CONTROLLER	3	P	6695D SE
AYD995V	AL	L-A-13-000-002	6	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; RUBBER, CHAMBER, FOR AIR COMPRESSOR, MODEL	0	P	4310I SE
AYK913R	AL	T-A-02-000-002	207	O-RING	O-RING, TYPICAL, QA 0, 013, 1/16 IN, RUBBER, 7/16 IN, 9/16 IN, PACKING,PREFORMED,O-, ; AS-013, RUBBER, COMPOUND E-893-8, 0.0625 THICK	0	P	5730H SE
AYM268J	AL	M-A-15-000-002	23	O-RING	O-RING, TYPICAL, QA 3, PACKING, O-RING; RUBBER, FOR SAFETY RELIEF VALVE, 0.75 IN, 160 PSIG	3	P	5730H SE
AYQ497K	AL	L-A-13-000-002	1	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; NEOPRENE, FOR PNEUMATIC TRANSMITTER, MODEL	0	P	5730H SE
AYQ497K	AL	L-A-09-000-002	6	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; NEOPRENE, FOR PNEUMATIC TRANSMITTER, MODEL	0	P	5730H SE
AYY155H	AL	M-A-03-000-002	160	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; AS-020, ETHYLENE PROPYLENE, BLACK, BLACK	3	P	5730H SE
BAB060M	AL	L-A-13-000-002	1	O-RING	O-RING, TYPICAL, QA 0, 1/16 IN, VITON, 1/4 IN, 3/8 IN, PACKING, O-RING; MATERIAL: VITON, OUTSIDE DIAMETER: 00.375 IN (3/8)	0	C	5730H SE
BAP468L	AL	T-A-01-000-002	2	O-RING	O-RING, TYPICAL, QA 0, RUBBER, 1/8 IN, 4 IN, PACKING,PREFORMED,O-, ; RUBBER, 4 DIA X 0.125 IN THICK, FOR MAIN	0	P	2825G SE
BAQ214F	AL	M-A-03-000-002	13	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; RUBBER, FOR OIL FILTER AND PRESSURE REDUCING	3	P	6695D SE
BAQ996M	AL	T-A-01-000-002	12	O-RING	O-RING, TYPICAL, QA 0, 1/8 IN, RUBBER, 2-5/8 IN, PACKING,PREFORMED,O-, ; RUBBER, 0.125 THICK X 2.625 INID, FOR AIR	0	P	5130U SE
BAR447J	AL	L-A-13-000-002	10	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; PISTON, FOR AIR CYLINDER, SERIES B, SINGLE END	0	P	5730H SE
BAR447J	AL	L-A-09-000-002	26	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; PISTON, FOR AIR CYLINDER, SERIES B, SINGLE END	0	P	5730H SE
BAR643J	AL	M-A-12-000-002	4	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; RING, BACK-UP, EPR, FOR 8 IN VALVE, RATED AT	3	P	5730H SE
BAV344J	AL	M-A-04-000-002	1	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; AS-385, ETHYLENE PROPYLENE, 0.1875 THK X 16 ID	3	P	5730H SE
BBC850M	AL	T-A-01-000-002	6	O-RING	O-RING, TYPICAL, QA 0, 5/16 IN, NEOPRENE, 1 IN, 1-1/2 IN, PACKING,PREFORMED,O-, ; NEOPRENE, 0.3125 THICK X 1 ID X 1.5 IN OD	0	P	5730H SE
BBN373Y	AL	L-A-13-000-002	9	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING,SPARE PART; RUBBER, FOR MASTER CONTROL UNIT, ON	0	C	5925B SE
BBR760K	AL	L-A-03-000-002	4	O-RING	O-RING, TYPICAL, QA 3, PACKING, O-RING; PREFORMED, TEFLON, FOR GLOBE W/DIAPHRAGM ACTUATOR	3	B	5730H SE
BBW916K	AL	M-A-09-000-002	4	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; RUBBER, BLACK, FOR PH ASSEMBLY, DWG	3	P	6695D SE
BBX923H	AL	M-A-11-000-002	2	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; RUBBER, SILICONE, S604-70, 0.125 THICK X 4.75	3	P	5730H SE
BBX924F	AL	M-A-04-000-002	14	O-RING	O-RING, TYPICAL, QA 3, 1/16 IN, BUNA-N, 2-1/2 IN, 2-5/8 IN, , DIMENSIONS ARE NOMINAL SIZES	3	B	5730H SE
BBX924F	AL	M-A-09-000-002	14	O-RING	O-RING, TYPICAL, QA 3, 1/16 IN, BUNA-N, 2-1/2 IN, 2-5/8 IN, , DIMENSIONS ARE NOMINAL SIZES	3	B	5730H SE
BBX926B	AL	M-A-11-000-002	40	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; RUBBER, BUNA-N, 0.375 THICK X 2.625 ID X 2.75	3	P	5730H SE
BDX992H	AL	M-A-04-000-002	12	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; RUBBER, NEOPRENE, FOR MONITOR MODEL NO BCM-SRM	3	P	5730H SE
BED729D	AL	M-A-04-000-002	4	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; RUBBER, FOR MODEL 160 PEDESTAL CRANE, S/N	3	P	3950F SE
BEG404V	AL	L-A-13-000-002	1	O-RING	O-RING, TYPICAL, QA 0, 1/16 IN, SILICONE, 3/4 IN, PACKING,PREFORMED,O-, ; SILICONE, 0.0625 X 0.75 IN, DIGESTION VESSEL	0	P	6630D SE
BEG711H	AL	M-A-16-000-002	16	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; RUBBER, ETHYLENE-PROPYLENE TERPOLYMER, FOR	3	P	5730H SE
BEG714B	AL	M-A-16-000-002	36	O-RING	O-RING, TYPICAL, QA 3, PACKING, O-RING; RUBBER, ETHYLENE-PROPYLENE TERPOLYMER, FOR FILL VALVE	3	B	5730H SE
BEL391L	AL	M-A-16-000-002	2	O-RING	O-RING, TYPICAL, QA 3, PACKING, O-RING; RUBBER, ETHYLENE PROPYLENE, FOR CHARGING PUMP	3	P	5730H SE
BEM504X	AL	L-A-13-000-002	20	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; RUBBER, FIG 29, FOR FIRE EXTINGUISHER, MODEL	0	P	5730H SE
BEQ648L	AL	L-A-13-000-002	90	O-RING	O-RING, TYPICAL, QA 0, 0.700 IN, VITON, 0.614 IN, PACKING,PREFORMED,O-, ; RUBBER, VITON, 0.614 ***	0	P	5730H SE
BER994V	AL	M-A-09-000-002	4	O-RING	O-RING, TYPICAL, QA 3, PACKING, O-RING; FOR 4.00 INCH, 150 LB. BALL VALVE FOR ERCW HEADER	3	B	4730P SE
BET157X	AL	M-A-16-000-002	6	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; RUBBER, ETHYLENE PROPYLENE, FOR PULSATION	3	P	5730H SE
BFQ565J	TR	- - - -	1	O-RING	O-RING, TYPICAL, QA 1, O-RING, *TYPICAL *** SILICONE RUBBER, FOR USE ON 1" CLASS 1680 ASME	1	B	5730H SE
BFQ567E	AL	T-A-01-000-002	223	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; ETHYLENE PROPYLENE X 1.6875 IN OD, REF 30, FOR	3	P	5730H SE
BGF485Q	AL	M-A-09-000-002	2	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; BUNA-N, 0.07 THK X 0.5 ID X 0.625 IN OD, FOR	3	P	5730H SE
BGF486N	AL	M-A-09-000-002	2	O-RING	O-RING, TYPICAL, QA 3, 0.139 IN, BUNA-N, 2-1/2 IN, 2-3/4 IN, ,FOR NOBLE GAS DETECTOR, MODEL 1LPR400	3	P	5730H SE
BGF487L	AL	M-A-09-000-002	2	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; BUNA-N, 0.103 THK X 0.1875 ID X 0.375 IN OD	3	P	5730H SE
BGL507G	AL	T-A-05-000-002	37	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; AS-216, BUNA N, 1.0625 ID X 1.3125 IN OD ***	3	P	5730H SE
BGM628X	AL	L-A-13-000-002	1	O-RING	O-RING, TYPICAL, QA 0, PACKING,PREFORMED,O-, ; NEOPRENE, REF 456B, FOR CONDENSER CIRCULATING	0	C	5730H SE
BHF075W	AL	T-A-01-000-002	2	O-RING	O-RING, TYPICAL, QA 1, PACKING,PREFORMED,AC, ; KIT, O-RING,VITON,FOR ELECTRO HYDRAULIC	1	B	5730H SE
BHG264X	AL	M-A-06-000-002	4	O-RING	O-RING, TYPICAL, QA 3, PACKING, O-RING; PREFORMED, ACTUATOR O-RING, VITON, DRIVE SLEEVE, FOR	3	P	48200 SE
BHG355T	AL	L-A-13-000-002	6	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,DI, ; O-RING, RUBBER, 1.75 ID X 2.125 IN OD, FOR	3	B	2910O SE
BHM250T	AL	M-A-16-000-002	7	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; RUBBER, FOR MECHANICAL SEAL, TYPE 1B-RS,DWG	3	P	5730H SE
BHP084J	AL	L-A-03-000-002	5	O-RING	O-RING, TYPICAL, QA 3, PACKING, O-RING,SPARE PART; O-RING, NEOPRENE, 0.275 DIA X 16.25 IN ID,	3	B	5730H SE
BHQ400K	AL	T-A-01-000-002	4	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,PU, ; O-RING, RUBBER, ACCESS COVER, REF 133, FOR	3	P	5730H SE
BHQ405X	AL	T-A-01-000-002	6	O-RING	O-RING, TYPICAL, QA 3, PACKING,PREFORMED,O-, ; RUBBER, VALVE SEAL, REF 36, FOR RECIPROCATING	3	P	5730H SE

BHQ413X	AL	L-A-12-000-002	7	O-RING	O-RING, TYPICAL, QA 1, PACKING, O-RING, SPARE PART; PREFORMED, BACKUP RING, REF. 10-11, FOR SEAL	1	B	5730H SE
BHQ873T	AL	L-A-13-000-002	12	O-RING	O-RING, TYPICAL, QA 3, PACKING, PREFORMED, DI, ; O-RING, RUBBER, FOR FIRE PUMP ON DIESEL ENGINE	3	B	2910O SE
BHT317F	AL	M-A-04-000-002	4	O-RING	O-RING, TYPICAL, QA 3, PACKING, PREFORMED, FI, ; O-RING, RUBBER, VALVE STEM, REF 12, FOR 2.5	3	P	5730H SE
BHV986X	AL	M-A-02-000-002	4	O-RING	O-RING, TYPICAL, QA 3, PACKING, PREFORMED, AC, ; O-RING, RUBBER, REF 129, FOR ACTUATOR, TYPE	3	P	4820O SE
BHW608T	AL	L-A-09-000-002	1	O-RING	O-RING, TYPICAL, QA 3, 0.139 IN, VITON, 13 IN, FOR 14 IN CHEXTER CHECK VALVE	3	P	5730H SE
BJB896B	AL	M-A-02-000-002	5	O-RING	O-RING, TYPICAL, QA 3, PACKING, PREFORMED, O-, ; ETHYLENE PROPYLENE DIENE MONOMER, AS-113	3	P	5730H SE
BJB896B	AL	M-A-07-000-002	10	O-RING	O-RING, TYPICAL, QA 3, PACKING, PREFORMED, O-, ; ETHYLENE PROPYLENE DIENE MONOMER, AS-113	3	P	5730H SE
BJC847K	AL	L-A-13-000-002	2	O-RING	O-RING, TYPICAL, QA 3, PACKING, PREFORMED, O-, ; RUBBER, FOR FIRE PUMP, DIESEL ENGINE, MODEL	3	B	2910O SE
BJC848H	AL	L-A-13-000-002	2	O-RING	O-RING, TYPICAL, QA 3, PACKING, PREFORMED, O-, ; RUBBER, FOR FIRE PUMP, DIESEL ENGINE, MODEL	3	B	2910O SE
BJC849F	AL	L-A-13-000-002	2	O-RING	O-RING, TYPICAL, QA 3, PACKING, PREFORMED, O-, ; RUBBER, FOR FIRE PUMP, DIESEL ENGINE, MODEL	3	B	2910O SE
BJH266E	AL	T-A-06-000-002	3	O-RING	O-RING, TYPICAL, QA 3, PACKING, PREFORMED, O-, ; FOR CONOFLOW VALVE POSITIONER, MODEL GP50A2040	3	P	5730H SE
BJJ184B	AC	- - -	3	O-RING	O-RING, TYPICAL, QA 3, PACKING, PREFORMED, O-, ; BUNA N, BACKUP RING, REF 7, FOR 6 IN, CLASS	3	P	5730H SE
BJP615G	AL	T-A-01-000-002	6	O-RING	O-RING, TYPICAL, QA 3, PACKING, PREFORMED, O-, ; BUNA-N, ASTM D2000-70, 2BG7151314E14E34E51E61	3	P	5730H SE
BJP689J	AL	L-A-13-000-002	9	O-RING	O-RING, TYPICAL, QA 0, PACKING, PREFORMED, O-, ; STEM, FOR MUELLER VALVE, NO A-436 ***	0	C	5730H SE
BJP692X	AL	L-A-13-000-002	12	O-RING	O-RING, TYPICAL, QA 0, PACKING, PREFORMED, O-, ; HOSE NOZZLE ***	0	C	5730H SE
BJP706E	AL	L-A-13-000-002	6	O-RING	O-RING, TYPICAL, QA 0, PACKING, PREFORMED, O-, ; NOZZLE PUMPER, FOR MUELLER FIRE HYDRANT, NO.	0	C	5730H SE
BJR450P	AL	T-A-01-000-002	10	O-RING	O-RING, TYPICAL, QA 3, PACKING, PREFORMED, O-, ; FOR AUXILIARY CHARGING PUMPS ON FLOOD MODE	3	P	5730H SE
BJY951V	AL	T-A-01-000-002	1	O-RING	O-RING, TYPICAL, QA 3, PACKING, PREFORMED, O-, ; RUBBER, BUNA-N, REF 7, FOR VALVE, 8 IN, FIG	3	P	5730H SE
BKB351G	AL	L-A-13-000-002	35	O-RING	O-RING, TYPICAL, QA 0, PACKING, PREFORMED, O-, ; ** ***	0	C	5730H SE
BKG953R	AL	L-A-09-000-002	40	O-RING	O-RING, TYPICAL, QA 3, PACKING, O-RING; MOLY IMPG. BUNA, RUBBER, BLACK, PISTON, 0.3125 DIA	3	C	5730H SE
BLA592Q	AL	M-A-12-000-002	20	O-RING	O-RING, TYPICAL, QA 3, PACKING, O-RING; DRIVE SLEEVE, FOR VALVE ACTUATOR TYPE H1BC ***	3	C	4820O SE
BLP513C	AL	M-A-03-000-002	10	O-RING	O-RING, TYPICAL, QA 3, PACKING, PREFORMED, O-, ; RUBBER, FOR FORCE BALANCE TRANSMITTER, SERIES	3	P	6695D SE
BLP906R	AL	L-A-09-000-002	11	O-RING	O-RING, TYPICAL, QA 3, VITON, ACTUATOR, , PACKING , REF NO 80, FOR LIMITORQUE SMB-00 OPERATOR	3	C	4820O SE
BMF555Y	AL	L-A-09-000-002	1	O-RING	O-RING, TYPICAL, QA 0, PACKING, PREFORMED, O-, ; INJECTION NUT O-RING/B.U. RING ***	0	C	5730H SE
BNB579Y	AL	L-A-13-000-002	3	O-RING	O-RING, TYPICAL, QA 0, VITON, 5/8 IN, 3/4 IN, PACKING, PREFORMED, O-, ; VITON, 0.625 X 0.75 IN, FOR PUMP, 43-200	0	P	5730H SE
BNP170F	AL	L-A-13-000-002	1	O-RING	O-RING, TYPICAL, QA 0, PACKING, PREFORMED, O-, ; O-RING, FOR COMPRESSOR, FRESH AIR, MODEL SAC	0	C	4310I SE
BNP173X	AL	L-A-13-000-002	1	O-RING	O-RING, TYPICAL, QA 0, PACKING, PREFORMED, O-, ; O-RING, FOR COMPRESSOR, MODEL SAC25E3, 15 HP	0	C	4310I SE
BNR057C	AL	M-A-09-000-002	12	O-RING	O-RING, TYPICAL, QA 3, PACKING, ; PREFORMED, O-RING, VITON, UPPER COMPENSATOR, FOR SIZE SB-2	3	P	4820O SE
BNR749P	AL	L-A-09-000-002	568	O-RING	O-RING, TYPICAL, QA 3, PACKING, O-RING; BUNA-N, 2-232, FOR CONTINUOUS AIR MONITORING SYSTEM	3	B	5730H SE
BNR783P	AL	L-A-09-000-002	2	O-RING	O-RING, TYPICAL, QA 0, PACKING, PREFORMED, O-, ; FOR NORDSTROM / ROCKWELL 8 IN PLUG VALVE ***	0	C	5730H SE
BNR784M	AL	L-A-09-000-002	1	O-RING	O-RING, TYPICAL, QA 0, PLUG VALVE, , VALVE SIZE: 8", MANUFACTURER: NORDSTROM / ROCKWELL, VALVE FIGURE NO.	0	C	5730H SE
BPG727A	AL	L-A-09-000-002	842	O-RING	O-RING, TYPICAL, QA 3, PACKING, O-RING; BUNA-N, FOR CONTINUOUS AIR MONITOR, FOR SYSTEM 90.	3	B	5730H SE
BPT315E	AL	M-A-06-000-002	3	O-RING	O-RING, TYPICAL, QA 3, PACKING, O-RING, SPARE PART; RUBBER, ETHYLENE PROPYLENE TERPOLYMER	3	B	5730H SE
BRF370X	AL	L-A-03-000-002	9	O-RING	O-RING, TYPICAL, QA 0, PARTS KIT, LABORATORY EQUIPMENT; NEBULIZER KIT, O-RING, FOR GEM TIP	0	B	6630D SE
BRK367J	AL	L-A-07-000-002	2	O-RING	O-RING, TYPICAL, QA 1, PACKING, O-RING, SPARE PART; FOR TARGET ROCK 1/2 IN. SW SOLENOID VALVE	1	B	5730H SE
BRN153N	AL	L-A-13-000-002	20	O-RING	O-RING, TYPICAL, QA 1, PACKING, O-RING, SPARE PART; FOR ACCUMULATOR, GE PARTS LIST	1	B	5730H SE
BTP586B	AL	L-A-05-000-002	40	O-RING	O-RING, TYPICAL, QA 3, PACKING, O-RING, SPARE PART; PREFORMED, 2.75" OD X 2.375" ID X	3	C	5730H SE
BTP908G	AL	T-A-01-000-002	3	O-RING	O-RING, TYPICAL, QA 3, SEAL, VALVE; O-RING, BUNA-N, QUAD-RING FOR RELIEF VALVE MODEL	3	B	4820O SE
BTV225P	AL	P-A-LL-ET0-108	80	O-RING	O-RING, TYPICAL, QA 3, 0.139 IN, ETHYLENE PROPYLENE, 3-31/64 IN, 3.762 IN, , PACKING, O-RING, SPARE PART, FOR ROSEMOUNT 1152 TRANSMITTER	3	B	5730H SE
BVE587H	AL	L-A-03-000-002	2	O-RING	O-RING, TYPICAL, QA 3, PACKING, O-RING, SPARE PART; SLEEVE GASKET, REF 161H62, FOR HPCI MAIN	3	B	5730H SE
BVR952V	AL	T-A-01-000-002	650	O-RING	O-RING, TYPICAL, QA 3, TEFLON, BACKUP RING, SPLIT, .265 IN ID,	3	C	5730H SE
BWB788G	AL	L-A-09-000-002	5	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING, SPARE PART; EDTM, FOR HIAC ROYCO ABS MODEL PRESSURE	0	C	5730H SE
BWL772H	AL	T-A-01-000-002	3	O-RING	O-RING, TYPICAL, QA 0, PACKING, PREFORMED, NON-ASBESTOS,	0	B	5730H SE
BWY534E	AL	T-A-01-000-002	6	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING, SPARE PART; PLUG, RUBBER, FOR A GREER ACCUMULATOR	0	C	5730H SE
BXF663A	AL	T-A-01-000-002	10	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING, SPARE PART; NON-ASBESTOS, SPECIAL RING ARP234, TO BE	0	B	6630D SE
BXF876Q	AL	T-A-01-000-002	10	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING, SPARE PART; NON-ASBESTOS, TEFLON RING 024, TO BE USED	0	B	6630D SE
BXN509H	AL	L-A-13-000-002	2	O-RING	O-RING, TYPICAL, QA 0, 5/32 IN, RUBBER, 3/4 IN, 1 IN, PACKING, O-RING, SPARE PART; PREFORMED, RUBBER, 70 DURO, 0.15 THICK X	0	B	5730H SE
BXN512V	AL	L-A-13-000-002	1	O-RING	O-RING, TYPICAL, QA 0, TEFLON, 3/4 IN, 1 IN, PACKING, O-RING, SPARE PART; BODY TEFLON, 000.750 X 001.000 IN, FOR	0	B	5730H SE
BXN523N	AL	L-A-13-000-002	100	O-RING	O-RING, TYPICAL, QA 0, 1/8 IN, TEFLON, 2-3/8 IN, 2-5/8 IN, PACKING, O-RING, SPARE PART; TEFLON, 1/8 X 2-3/8 ID X 2-5/8 IN, BACK-UP	0	B	5730H SE
BXN525J	AL	L-A-13-000-002	97	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING, SPARE PART; PREFORMED, TEFLON ***	0	B	5730H SE
BXW920Q	AL	L-A-03-000-002	15	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING, SPARE PART; O-RING, FOR CAD N2 TANK RELIEF VALVE ***	0	C	5730H SE
BYJ904R	AL	L-A-09-000-002	10	O-RING	O-RING, TYPICAL, QA 3, PACKING, O-RING, SPARE PART; INTERMEDIATE PLATE BOLT, ITEM 48, DWG.	3	B	5730H SE
BYM382D	AC	- - -	31	O-RING	O-RING, TYPICAL, QA 1, RING, ACCUMULATOR; O-RING, CONTROL ROD DRIVE, HYDRAULIC CONTROL UNIT	1	C	4470C SE
BYM876K	AL	L-A-13-000-002	2	O-RING	O-RING, TYPICAL, QA 3, RING, ACCUMULATOR; O-RING, CONTROL ROD DRIVE, HYDRAULIC CONTROL UNIT	3	B	4470C SE
BYT349H	AL	L-A-09-000-002	2	O-RING	O-RING, TYPICAL, QA 0, POPPET STEM, , APPLICATION: DIFFERENTIAL GOVERNOR POPPET STEM O-RINGS, FIG. NO. 584	0	C	5730H SE
BYT357J	AL	L-A-09-000-002	2	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING, SPARE PART; BODY ***	0	C	5730H SE
CAE363A	AL	L-A-09-000-002	2	O-RING	O-RING, TYPICAL, QA 0, PACKING, COMPRESSOR; O-RING, TEFLON, 2802ZA, FOR BREATHING AIR	0	B	4310I SE
CAJ358E	AL	L-A-09-000-002	19	O-RING	O-RING, TYPICAL, QA 3, PACKING, O-RING, SPARE PART; QUAD RING, VITON, 0.125" X 0.812" X	3	B	5730H SE
CAJ832C	AL	L-A-13-000-002	1	O-RING	O-RING, TYPICAL, QA 3, PACKING, O-RING, SPARE PART; BACK-UP VITON "A" O-RING, FOR 16" DANIEL	3	B	5730H SE
CBA708H	AL	L-A-12-000-002	7	O-RING	O-RING, TYPICAL, QA 3, PACKING, O-RING, SPARE PART; BACK-UP RING, SECOND SEAL, ITEM NO.	3	B	5730H SE
CBD645Y	AL	L-A-09-000-002	5	O-RING	O-RING, TYPICAL, QA 3, PACKING, O-RING; MATERIAL: NITRILE, OUTSIDE DIAMETER: 05.125 IN (5	3	B	5730H SE
CBV367Q	AL	L-A-09-000-002	135	O-RING	O-RING, TYPICAL, QA 0, 0.254 IN, VITON, 0.114 IN, 0.070 IN, PACKING, O-RING, SPARE PART; VITON, 0.114, 0.070, 0.254 ***	0	B	6695D SE
CBV369L	AL	L-A-09-000-002	90	O-RING	O-RING, TYPICAL, QA 0, 0.316 IN, VITON, 0.176 IN, 0.070 IN, PACKING, O-RING, SPARE PART; VITON, 0.176, 0.070, 0.316 ***	0	B	6695D SE
CBV373X	AL	L-A-09-000-002	88	O-RING	O-RING, TYPICAL, QA 0, 0.070 IN, SILICONE, 0.208 IN, 0.348 IN, PACKING, O-RING, SPARE PART; SILICON, 0.208, 0.070, 0.348 ***	0	B	6695D SE
CDN786H	AL	L-A-09-000-002	2	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING, SPARE PART; O-RING USED FOR MOUNTING VICKERS	0	B	5730H SE
CEN549R	AL	L-A-03-000-002	1	O-RING	O-RING, TYPICAL, QA 3, O-RING, *TYPICAL *** FOR USE WITH JOHN CRANE SEAL ASSEMBLY, JOHN CRANE	3	C	5730H SE
CEN549R	AL	L-A-13-000-002	1	O-RING	O-RING, TYPICAL, QA 3, O-RING, *TYPICAL *** FOR USE WITH JOHN CRANE SEAL ASSEMBLY, JOHN CRANE	3	C	5730H SE
CFW096N	AL	L-A-09-000-002	4	O-RING	O-RING, TYPICAL, QA 3, VITON, *** NOMINAL: 1.720 ID, .118 W	3	B	5730H SE
ALK099E	AL	Z-Z-ZZ-ZZZ-ZZZ	1	OSCILLATOR	OSCILLATOR, ELECTRICAL, QA 0, OSCILLATOR, TELEPHONE; 1275 HZ, QUINDAR ELECTRONICS QO30 ***	0	C	5805M SE
ADG193T	AL	D-B-19-202-002	11	OUTLET	OUTLET, PIPE, QA 0, BRANCH CONNECTION, 12 - 10 IN, 1 IN, CS, ASTM A350 GR LF2, 80, FORGED, BLACK, OUTLET, PIPE; STYLE: SOCKOLET, MATERIAL: C	0		4730P SE
BGF253E	AL	D-A-17-302-004	8	OUTLET	OUTLET, PIPE, QA 0, LATERAL BRANCH CONNECTION, 1/2 IN, 1/2 IN, IRON, 150 LB, THREADED INTERNAL, GALVANIZED, LATERAL, PIPE; FITTING STYLE: 45	0		4730P SE
BGF254C	AL	D-A-17-302-004	6	OUTLET	OUTLET, PIPE, QA 0, LATERAL BRANCH CONNECTION, 3/4 IN, 3/4 IN, IRON, THREADED INTERNAL, GALVANIZED, LATERAL, PIPE; FITTING STYLE: 45 DEG, MA	0		4730P SE
BGF255A	AL	D-A-17-302-004	4	OUTLET	OUTLET, PIPE, QA 0, LATERAL BRANCH CONNECTION, 1 IN, 1 IN, IRON, 150 LB, THREADED INTERNAL, GALVANIZED, LATERAL, PIPE; FITTING STYLE: 45 DEG	0		4730P SE
BKH332M	AL	D-A-02-102-003	1	OUTLET	OUTLET, PIPE, QA 1, LATERAL, PIPE; 45 DEG, SCHEDULE 40S, STAINLESS STEEL ASME SA 182 GR	1		4730P SE
BKR115L	AL	D-A-20-402-004	9	OUTLET	OUTLET, PIPE, QA 1, CLASS 2, OUTLET, PIPE; THREDOLET, CLASS 3000, CARBON STEEL ASME SA 105 K03504	1		4730P SE

BLA937G	AL	D-A-28-102-004	9	OUTLET	OUTLET, PIPE, QA 3, OUTLET, PIPE; THREDOLET, CLASS 3000, CARBON STEEL ASTM A 105 K03504	3		4730P SE
BLC565H	AL	D-A-12-202-006	2	OUTLET	OUTLET, PIPE, QA 1, CLASS 2, OUTLET, PIPE; STYLE: REINFORCED BRANCH, MATERIAL: CARBON STEEL, RUN	1		4730P SE
BLQ630E	AL	Z-A-06-000-001	12	OUTLET	OUTLET, PIPE, QA 1, OUTLET, PIPE; WELDING, NIPOLET, FORGED CARBON STEEL, 36-.750 IN X	1	P	4730P SE
BNM583L	AL	D-A-32-401-001	1	OUTLET	OUTLET, PIPE, QA 0, BRANCH CONNECTION, 10 - 6 IN, 1 IN, CARBON STEEL, SOCKETWELD, FORGED, *** STYLE: SOCKOLET	0		4730P SE
BNN804T	AL	D-A-20-402-001	1	OUTLET	OUTLET, PIPE, QA 0, BRANCH CONNECTION, 36 - 20 IN, 2-1/2 IN, CS, THREADED INTERNAL, OUTLET, PIPE; STYLE: THREDOLET, MATERIAL: CARBON STEEL	0		4730P SE
BNN806N	AL	D-A-24-202-005	1	OUTLET	OUTLET, PIPE, QA 0, BRANCH CONNECTION, 4 - 3 1/2 IN, 1 1/2 IN, THREADED INTERNAL, OUTLET, PIPE; STYLE: THREDOLET, RUN END NOM SIZE: 4-3.5 I	0		4730P SE
BNT099N	AL	D-A-24-202-005	9	OUTLET	OUTLET, PIPE, QA 0, BRANCH CONNECTION, 3 IN, 1/2 IN, SOCKETWELD, *** STYLE: SOCKOLET	0		4730P SE
BNT100N	AL	D-A-22-401-000	4	OUTLET	OUTLET, PIPE, QA 0, LATERAL BRANCH CONNECTION, 4 IN, 2 1/2 IN, *** STYLE: ELBOLET	0		4730P SE
BNT106Y	AL	D-A-24-202-005	6	OUTLET	OUTLET, PIPE, QA 0, LATERAL BRANCH CONNECTION, 36-3 IN, 1 IN, OUTLET, PIPE; STYLE: ELBOLET, RUN END NOM SIZE: 04.000 IN (4) OUTLET	0		4730P SE
BNT107W	AL	D-A-22-401-000	5	OUTLET	OUTLET, PIPE, QA 0, BRANCH CONNECTION, 36 - 20 IN, 20 IN, CARBON STEEL, SOCKETWELD, ASTM A105, OUTLET, PIPE; STYLE: SOCKOLET, MATERIAL: CARB	0		4730P SE
BNT109Q	AL	D-A-26-102-000	6	OUTLET	OUTLET, PIPE, QA 0, BRANCH CONNECTION, 12 IN, 4 IN, CARBON STEEL, SOCKETWELD, ASTM A105, 80, *** STYLE: SOCKOLET	0		4730P SE
BNT507C	AL	D-A-32-401-003	14	OUTLET	OUTLET, PIPE, QA 0, BRANCH CONNECTION, 3 IN, 3/4 IN, SOCKETWELD, BLACK, OUTLET, PIPE; STYLE: WELDOLET, RUN END NOM SIZE: 03.000 IN (3) OUTL	0		4730P SE
BQC206N	AL	D-A-01-401-004	2	OUTLET	OUTLET, PIPE, QA 1, CLASS 2, BRANCH CONNECTION, 4 - 3 1/2 IN, 2 IN, CARBON STEEL, 3000 LB, ASME SA105, FORGED, STD MILL FINISH, *** OUTLET C	1		4730P SE
BQC218E	AL	D-A-06-402-003	2	OUTLET	OUTLET, PIPE, QA 1, CLASS 2, BRANCH CONNECTION, 36 - 8 IN, 2 IN, CARBON STEEL, 3000 LB, SOCKETWELD, ASME SA105, *** FIRST END TYPE: BUTTWELD	1		4730P SE
BQK196R	AL	D-A-04-401-002	2	OUTLET	OUTLET, PIPE, QA 1, CLASS 2, BRANCH CONNECTION, 36 - 10 IN, 1/2 IN, CS, 3000 LB, SOCKETWELD, ASME SA105, SOCKOLET	1		4730P SE
BQP674T	AL	A-A-01-000-001	1	OUTLET	OUTLET, PIPE, QA 1, CLASS 2, OUTLET, PIPE; STYLE: WELDOLET, MATERIAL: CARBON STEEL, RUN END NOM	1	C	4730P SE
BRX747L	AL	D-A-12-101-002	4	OUTLET	OUTLET, PIPE, QA 1, CLASS 2, BRANCH CONNECTION, 14 IN, 1 IN, CS, 3000 LB, SOCKETWELD, ASME SA105, FORGED	1		4730P SE
BTK030J	AL	D-A-18-202-004	1	OUTLET	OUTLET, PIPE, QA 3, BRANCH CONNECTION, 3-1/2 - 3 IN, 1 IN, CS, 300 LB, THREADED INTERNAL, ASTM A105, FORGED, THREDOLET	3		4730P SE
BTW415D	AL	A-A-01-000-001	1	OUTLET	OUTLET, PIPE, QA 1, CLASS 2, OUTLET, PIPE; STYLE: SOCKOLET, MATERIAL: STAINLESS STEEL, RUN END NOM	1	C	4730P SE
BVQ176K	AL	D-A-10-201-001	1	OUTLET	OUTLET, PIPE, QA 1, CLASS 2, OUTLET, PIPE; STYLE: PIPT, MATERIAL: CARBON STEEL, RUN END NOM SIZE:	1		4730P SE
BVT847K	AL	D-B-25-201-005	4	OUTLET	OUTLET, PIPE, QA 3, OUTLET, PIPE; STYLE: THREDOLET, MATERIAL: GALVANIZED STEEL, RUN END	3		4730P SE
BVT850A	AL	D-B-25-201-005	4	OUTLET	OUTLET, PIPE, QA 3, BRANCH CONNECTION, 4 IN, 2-1/2 IN, CS, 3000 LB, THREADED INTERNAL, ASTM A105, FORGED, GALVANIZED	3		4730P SE
BWY238J	AL	D-A-24-202-006	1	OUTLET	OUTLET, PIPE, QA 0, BRANCH CONNECTION, 4 IN, 4 IN, STAINLESS STEEL, BUTT WELD, ASTM A403 WP 304, 40S, MSS SP-97, OUTLET, PIPE; STYLE: WELDOL	0		4730P SE
CAB382M	AL	D-A-18-202-004	1	OUTLET	OUTLET, PIPE, QA 0, BRANCH CONNECTION, 18 - 10 IN, 1 1/2 IN, CARBON STEEL, 6000 LB, SOCKETWELD, ASME SA105, OUTLET, PIPE; STYLE: SOCKOLET, M	0		4730P SE
CAB384H	AL	D-A-18-202-004	1	OUTLET	OUTLET, PIPE, QA 0, BRANCH CONNECTION, 8 - 6 IN, 1 1/2 IN, CARBON STEEL, 6000 LB, SOCKETWELD, ASME SA105, OUTLET, PIPE; STYLE: SOCKOLET, MAT	0		4730P SE
CAV303T	AL	D-A-12-202-006	1	OUTLET	OUTLET, PIPE, QA 0, BRANCH CONNECTION, 24 IN, 1 1/2 IN, CARBON STEEL, 6000 LB, ASTM A105, ***	0		4730P SE
CDG622F	AL	A-A-01-000-001	2	OUTLET	OUTLET, PIPE, QA 3, OUTLET, PIPE; STYLE: WELDOLET, MATERIAL: CHROME MOLY STEEL, RUN END	3	C	4730P SE
CDL442W	AL	D-A-12-202-006	5	OUTLET	OUTLET, PIPE, QA 1, CLASS 2, REINFORCED BRANCH CONNECTION, 1-1/2 IN, 1 IN, CS, 3000 LB, SOCKETWELD, ASME SA105, FORGED, STANDARD MILL FINISH	1		4730P SE
CEB798W	AL	D-A-12-202-004	2	OUTLET	OUTLET, PIPE, QA 3, REINFORCED BRANCH CONNECTION, FLAT, 1-1/2 IN, CS, BUTTWELD X PLAIN END, ASTM A105, XS, FORGED, STANDARD MILL FINISH, MSS	3		4730P SE
CEN017J	AL	F-A-09-201-000	1	OUTLET	OUTLET, PIPE, QA 3, WELDOLET, *TYPICAL; SIZE: 3 IN X 2 IN; MATERIAL: NICKEL ALLOY;	3	C	4730P SE
CFC445K	AL	D-A-18-402-000	1	OUTLET	OUTLET, PIPE, QA 3, BRANCH CONNECTION, 36 - 20 IN, 4 IN, CS, BUTTWELD, ASTM A350 GR LF2, STD, STANDARD MILL FINISH	3		4730P SE
AVR897G	AL	L-A-13-000-002	2	OUTLET	OUTLET, PIPE, QA 0, BRANCH CONNECTION, 2 IN, 3/4 IN, CARBON STEEL, 3000 LB, SOCKETWELD, ASTM A105, FORGED, BLACK, OUTLET, PIPE; STYLE: SOCKO	0	P	4730P SE
BKR595B	AL	T-A-12-000-002	1	OUTLET	OUTLET, PIPE, QA 1, OUTLET, PIPE; SOCKOLET, CLASS 3000, OUTLET END SCHEDULE 40, CARBON	1	P	4730P SE
BLE354L	AL	M-A-07-000-002	8	OUTLET	OUTLET, PIPE, QA 1, CLASS 2, OUTLET, PIPE; LATROLET, PIPE OUTLET, S.S., 3000 LB, 3/4 IN SOCKET WELD	1	C	4730P SE
BPK115T	AL	T-A-12-000-002	3	OUTLET	OUTLET, PIPE, QA 0, BRANCH CONNECTION, 10 IN, 1 IN, CARBON STEEL, SOCKETWELD, FORGED, OUTLET, PIPE; STYLE: SOCKOLET, MATERIAL: FORGED STEEL	0	C	4730P SE
BQP674T	AL	T-A-12-000-002	1	OUTLET	OUTLET, PIPE, QA 1, CLASS 2, OUTLET, PIPE; STYLE: WELDOLET, MATERIAL: CARBON STEEL, RUN END NOM	1	C	4730P SE
CBE224J	AL	T-A-12-000-002	3	OUTLET	OUTLET, PIPE, QA 3, REINFORCED BRANCH CONNECTION, 2 IN, 1 IN, CS, BUTTWELD, ASTM A105, STD, FORGED, STANDARD MILL FINISH	3	C	4730P SE
CBP967L	AL	T-A-01-000-002	1	OUTLET	OUTLET, PIPE, QA 3, OUTLET, PIPE; STYLE: WELDOLET, MATERIAL: CARBON STEEL, RUN END NOM	3	C	4730P SE
CBP968J	AL	T-A-01-000-002	3	OUTLET	OUTLET, PIPE, QA 3, REINFORCED BRANCH CONNECTION, 10 IN, 6 IN, CS, BUTTWELD, ASTM A105, STD, FORGED, STANDARD MILL FINISH, MSS SP-97	3	C	4730P SE
CEC038X	AL	T-A-12-000-002	8	OUTLET	OUTLET, PIPE, QA 3, OUTLET, PIPE; STYLE: SOCKOLET, MATERIAL: STAINLESS STEEL, RUN END NOM	3	C	4730P SE
AGD642L	AL	D-A-08-401-000	4	OVERALLS	OVERALLS, PERSONAL, QA 0, PROTECTIVE/OIL/CHEMICAL, LARGE, RUBBER/VULTEX, BLACK, OVERALLS, CHEMICAL/OIL PROT; MATERIAL: RUBBER/VULTEX, SIZE:	0		8415B SE
AKD847F	AL	D-A-37-402-000	28	OVERALLS	OVERALLS, PERSONAL, QA 0, PROTECTIVE/SANDBLAST, MEDIUM, RUBBER, BLACK, OVERALLS, UTILITY; MATERIAL: RUBBER, SIZE: MEDIUM, TYPE: SANDBLAST	0	C	8415B SE
BAD877N	AL	M-A-03-000-002	5	OVERLOAD	OVERLOAD, TYPICAL, QA 0, HOIST, 5 TON, 460, OVERLOAD DEVICE, HOIST; LIMITER, FOR 460 VAC, 3 PH, 5 TONS, MODEL	0	C	3950F SE
BBR611R	AL	M-A-12-000-002	1	OVERLOAD	OVERLOAD, TYPICAL, QA 0, HOIST, 10 TON, 460, OVERLOAD DEVICE, HOIST; LIMITER, FOR 460 VAC, 3 PH, 10 TON, ELECTRIC	0	C	3950F SE
BDK129D	AC	-- --	3	PACK	PACK, TYPICAL, QA 2, POWER PACK, ; BLADE, CONSISTING OF POWER PACK 9503110 AND GASKET KIT	2	P	6130S SE
AKP380X	AL	M-A-08-000-002	18	PACK	PACK, TYPICAL, QA 1, POWER PACK, ; C/W ARMATURE, MAGNET AND FRAME, SIZE 3 AND 4, FOR	1	P	6130S SE
BDK128F	AC	-- --	8	PACK	PACK, TYPICAL, QA 2, DIESEL GENERATOR, POWER PACK, POWER PACK, ; FORK, FOR DIESEL GENERATOR ***	2	P	6130S SE
BDK128F	AL	T-A-06-000-002	8	PACK	PACK, TYPICAL, QA 2, DIESEL GENERATOR, POWER PACK, POWER PACK, ; FORK, FOR DIESEL GENERATOR ***	2	P	6130S SE
BDK129D	AL	T-A-06-000-002	7	PACK	PACK, TYPICAL, QA 2, POWER PACK, ; BLADE, CONSISTING OF POWER PACK 9503110 AND GASKET KIT	2	P	6130S SE
BDK129D	AC	-- --	8	PACK	PACK, TYPICAL, QA 2, POWER PACK, ; BLADE, CONSISTING OF POWER PACK 9503110 AND GASKET KIT	2	P	6130S SE
ACJ770M	AL	A-A-01-000-001	22	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING,PREFORMED,RI, ; INCONEL WIRE INSERTED, CARBON JACKETED	3	C	5730H SE
ACJ947W	AL	A-A-01-000-001	22	PACKING	PACKING, PREFORMED, QA 0, GRAFOIL, ***	0	P	5730H SE
AFJ088P	AL	A-A-01-000-001	3	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SINGLE RING; RING, BLUE ASBESTOS, BRAIDED, SQUARE, EIGHT	3	P	5730H SE
AGJ548J	AL	A-A-01-000-001	5	PACKING	PACKING, PREFORMED/SET, QA 0, RING, 4, *** REF 15, FOR VALVE, TYPE 5500W-1, SIZE 1/2 & 3/4 IN, 600 LB AT 910	0	C	48200 SE
AJA267P	AL	A-A-01-000-001	3	PACKING	PACKING, PREFORMED/SET, QA 0, RING, PACKING STEAM TURBIN; W/SPRINGS AND PINS, C/O 1 RINGDWG	0	P	2825G SE
AKJ389R	AL	A-A-01-000-001	5	PACKING	PACKING, PREFORMED/SET, QA 0, RING, 2 IN, ASBESTOS/GRAPHITE, 2, *** FOR O-ISV-12-736, FIG 3484-R, SIZE 2 IN, BLOW OFF 200 PSI, BASIC	0	C	5730H SE
AKK955D	AL	A-A-01-000-001	23	PACKING	PACKING, BULK, QA 0, BRAIDED, 5/16 IN, 5/16 IN, *** MATERIAL: NON-ASBESTOS, FABRICATION: MULTI-LOK BRAID	0	B	5730H SE
ALF716E	AL	A-A-01-000-001	5	PACKING	PACKING, PREFORMED, QA 0, 3-3/16 IN, 3-3/8 IN, *** FOR FILTER, HC9401FUP13 Z, ON (EHC) ELECTRO HYDRAULIC CONTROL	0	P	5730H SE
ALJ573T	AL	A-A-01-000-001	6	PACKING	PACKING, PREFORMED/SET, QA 0, RING, 2-1/8 IN, 3 IN, 7/16 IN, GRAPHITE, 9, PACKING, SET,SPARE PART; GRAPHITE, NINE RINGS PER SET, C/O TWO BRAIDED	0	P	48200 SE
ANJ369D	AL	A-A-01-000-001	16	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING,PREFORMED,RI, ; PACKING, PREFORMED, NON-ASBESTOS, 10 RINGS PER	3	B	5730H SE
APE096V	AL	D-B-16-000-001	1	PACKING	PACKING, PREFORMED/SET, QA 3, PUMP, SS, FOR MECHANICAL SEAL, TYPE 1B-RS, DWG C-125933 ON CHARGING PUMP MODEL/	3	C	5730H SE
AQG401B	AL	A-A-01-000-001	1	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SINGLE RING; SPLIT RING, ASBESTOS, 12 PER SET, FOR 010.000 IN	3	C	5730H SE
AQG408W	AL	A-A-01-000-001	2	PACKING	PACKING, MECHANICAL, QA 0, PACKING, VALVE; SPLIT RING, ASBESTOS, FOR 008.000 INCH GLOBE VALVE	0	C	48200 SE
AQR696D	AL	A-A-01-000-001	549	PACKING	PACKING, BULK, QA 3, PACKING, MATERIAL; MULTI-LOCK BRAID, GRAPHITE YARN, 0.125 IN SQ	3	P	5730H SE
AQX820X	AL	1-A-08-000-001	49	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SINGLE RING; RING, SPLIT, 0.5 THICK X 3 ID X 4 IN OD, C/O	3	B	5730H SE
ARL221H	AL	A-A-01-000-001	15	PACKING	PACKING, MECHANICAL, QA 0, 1 IN, 1 IN, GRAPHITE, PACKING, MATERIAL; MATERIAL: YARN/ULTRA-GRAPH, WIDTH: 01.000 IN (1)	0	P	5730H SE
ATC511B	AL	1-B-14-000-001	2	PACKING	PACKING, PREFORMED/SET, QA 0, RING, PACKING STEAM TURBIN; STEAM, N-3, GRV 1,2 & 3, FOR GE TURBINE	0	P	2825G SE
ATD703X	AL	D-B-16-000-001	2	PACKING	PACKING, MECHANICAL, QA 0, PACKING, TENSIONER; OUTER, ITEM 64, FOR REACTOR PRESSURE VESSEL STUD	0	P	5730H SE
ATQ396J	AL	D-B-09-202-001	1	PACKING	PACKING, PREFORMED, QA 0, RING, 7/8 IN, 1-1/4 IN, 3/16 IN, RUBBER, ROD, FOR AIR CYLINDER, MODEL GNAA-SL, 4 IN BORE, 100 LB WP, STP-6,	0	P	4450C SE
ATQ397G	AL	D-B-09-202-001	2	PACKING	PACKING, PREFORMED, QA 0, RING, 3-3/4 IN, 4 IN, 1/8 IN, RUBBER, PISTON, FOR AIR CYLINDER, MODEL GNAA-SL, 4 IN BORE, 100 PSI WP,	0	P	4450C SE
ATR339R	AL	A-A-01-000-001	4	PACKING	PACKING, PREFORMED/SET, QA 0, V-RING, ASBESTOS, 10, PACKING, VALVE; PREFORMED RING, ASBESTOS FIBER, 10 RINGS PER SET, FOR	0	P	5730H SE
ATV316V	AL	A-A-01-000-001	3	PACKING	PACKING, PREFORMED/SET, QA 0, RING, WHITE COMPRESS ASBESTOS, 6, *** ITEM 1, FOR 1.5 IN, AIR OPERATED VALVE, MODEL 535C, TRIM T-316	0	P	5730H SE
ATW659P	AL	D-B-09-202-001	5	PACKING	PACKING, BULK, QA 0, PACKING, MATERIAL,SPARE PART; FIBER, PISTON, STRIP-WEAR, FORCYLINDER	0	C	4450C SE
AVV908W	AL	D-B-09-202-001	2	PACKING	PACKING, MECHANICAL, QA 0, BACK ASSY, ASH DISPOSAL; ROD PACKING, AIR CYLINDER 15111-3, FOR	0	P	4450C SE
AWC536E	AL	1-B-14-000-001	26	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, O-RING; PACKING SET, C/O SIX DIE FORMED SPLIT RINGS, 4 IN ID	3	C	5730H SE

AWE669G	AL	A-A-01-000-001	1	PACKING	PACKING, PREFORMED/SET, QA 0, RING, GRAPHITE, 6, *** FOR 010.000 IN, 150 LB, GLOBE VALVE, CODE 5-5275-50-100-18A S/N	0	P	48200	SE
AWK333Q	AL	A-A-01-000-001	18	PACKING	PACKING, PREFORMED, QA 3, PACKING, SINGLE RING; RUBBER, FOR 024.000 IN N-MK IIBUTTERFLY VALVE	3	C	5730H	SE
AXR012Y	AL	A-A-01-000-001	4	PACKING	PACKING, PREFORMED, QA 3, PACKING, SINGLE RING; ASBESTOS, 004.000 ID X 004.750IN OD, EPT	3	P	5730H	SE
AXR909Q	AL	A-A-01-000-001	5	PACKING	PACKING, BULK, QA 3, PACKING, MATERIAL; ULTRA GRAPHITE YARN, IMPREGNATED WITH SUBMICRON	3	P	5730H	SE
AXX065L	AL	A-A-01-000-001	2	PACKING	PACKING, PREFORMED, QA 0, RING, SS, RING, VALVE; TYPE 316, PACKING BOX, 0.5 IN STEM, FOR	0	P	48200	SE
AYV444R	AL	A-A-01-000-001	1	PACKING	PACKING, PREFORMED, QA 0, RING, PACKING STEAM TURBIN; DIAPHRAGM, STAGE 11, FOR TURBINE, GE REQ	0	P	2825G	SE
BAQ985T	AL	D-A-32-104-001	9	PACKING	PACKING, PREFORMED, QA 0, 10 IN, 5/16 IN, FIBER/RUBBER, PACKING,PREFORMED,RI, ; RING, FIBER AND RUBBER, 0.3125 THICK X 13 IN	0	P	5730H	SE
BBQ191T	AL	A-A-01-000-001	4	PACKING	PACKING, PREFORMED, QA 3, PACKING,PREFORMED,RI, ; SPLIT, DIE FORMED, GRAFOIL, 0.5 THK X 2.5625	3	C	5730H	SE
BCV662P	AL	A-A-01-000-001	3	PACKING	PACKING, PREFORMED, QA 0, RING, PACKING STEAM TURBIN; DIAPHRAGM, NEW DESIGN, STAGE 11, (GE), FOR	0	P	2825G	SE
BCY561E	AL	A-A-01-000-001	4	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING,PREFORMED,RI, ; RING, GRAPHITED ASBESTOS, NINE RINGS PER SET	3	P	5730H	SE
BDA625F	AL	A-A-01-000-001	1	PACKING	PACKING, PREFORMED/SET, QA 0, RING, PACKING STEAM TURBIN; DIAPHRAGM, STAGE 8, LP (C), (GE), NEW	0	B	2825G	SE
BDA626D	AL	D-A-31-401-000	1	PACKING	PACKING, PREFORMED, QA 0, RING, PACKING STEAM TURBIN; DIAPHRAGM, STAGE 8, LP (C), (TE), NEW	0	C	2825G	SE
BDA626D	AL	A-A-01-000-001	2	PACKING	PACKING, PREFORMED, QA 0, RING, PACKING STEAM TURBIN; DIAPHRAGM, STAGE 8, LP (C), (TE), NEW	0	C	2825G	SE
BDK235E	AL	D-A-22-201-000	1	PACKING	PACKING, PREFORMED/SET, QA 0, 12, RING, PACKING STEAM TURBIN; DIAPHRAGM, STAGE 8, (LP-B), TE, NEW STYLE,	0	C	2825G	SE
BET817D	AL	A-A-01-000-001	3	PACKING	PACKING, PREFORMED/SET, QA 0, PACKING,PREFORMED,RI, ; RING, BRAIDED ASBESTOS, W/TEFLON, 0.5 THICK X	0	P	48200	SE
BEY313M	AL	D-B-09-202-001	5	PACKING	PACKING, PREFORMED, QA 0, VALVE, TEFLON, *** U-RING, SEAL	0	P	4450C	SE
BFL546B	AL	A-A-01-000-001	1	PACKING	PACKING, PREFORMED/SET, QA 0, RING, 4, *** CYLINDER, FOR ERCW CRANE	0	P	3950F	SE
BFT247N	AL	A-A-01-000-001	128	PACKING	PACKING, BULK, QA 3, PACKING, MATERIAL; SQUARE, VALVE STEM, PBI FIBER YARN REINFORCED WITH	3	P	5730H	SE
BGW205P	AL	A-A-01-000-001	7	PACKING	PACKING, PREFORMED/SET, QA 0, PACKING,PREFORMED,VL, ; RING, C/O TWO EA GRAFOIL, TWO EA ASBESTOS YARN	0	P	48200	SE
BHP904G	AL	A-A-01-000-001	2	PACKING	PACKING, PREFORMED/SET, QA 1, O-RING, 8, KIT CONTAINS EIGHT VARIOUS SIZES, FOR ROTAMETER, MODEL 1350	1	C	5730H	SE
BJL399B	AL	A-A-01-000-001	3	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING,PREFORMED,O-, ; ASBESTOS FREE, C/O SEVEN EACH PER SET, 1.125	3	C	5730H	SE
BJP608E	AL	F-C-08-064-001	4	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING,PREFORMED,RI, ; ASBESTOS FREE, NUCLEAR GRADE, 0.375 CROSS	3	P	5730H	SE
BKY564W	AL	A-A-01-000-001	3	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING,PREFORMED,RI, ; ASBESTOS, GRAPHITE IMPREGNATED, REF 14, FOR	3	P	5730H	SE
BLE145X	AL	A-A-01-000-001	2	PACKING	PACKING, BULK, QA 3, PACKING, MATERIAL; PACKING MATERIAL, NON-ASBESTOS, BRAIDED INCONEL	3	C	5730H	SE
BLH034E	AL	A-A-01-000-001	2	PACKING	PACKING, PREFORMED/SET, QA 0, *** FOR KEROTEST 1.5 IN VALVE, 316STAINLESS STEEL, SCH 40, BUTT WELD	0	P	5730H	SE
BLT619C	AL	A-A-01-000-001	5	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING,PREFORMED,RI, ; GRAPHITIC, NON ASBESTOS CORRUGATED RIBBON	3	P	5730H	SE
BMF573W	AL	A-A-01-000-001	15	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING SET, ; VALVE, CONFIGURED IN NO 6300 AND 524, 3 X 4, SIX RINGS	3	P	5730H	SE
BNB886M	AL	A-A-01-000-001	1	PACKING	PACKING, PREFORMED/SET, QA 3, SPLIT-RING, 1-1/16 IN, 1-5/8 IN, 1/4 IN, GRAPHITE, CONSISTING OF THREE BRAIDED AND THREE DIE-FORMED,	3	B	5730H	SE
BNB886M	AL	5-A-07-202-000	1	PACKING	PACKING, PREFORMED/SET, QA 3, SPLIT-RING, 1-1/16 IN, 1-5/8 IN, 1/4 IN, GRAPHITE, CONSISTING OF THREE BRAIDED AND THREE DIE-FORMED,	3	B	5730H	SE
BNB989B	AL	A-A-01-000-001	1	PACKING	PACKING, PREFORMED/SET, QA 3, SPLIT-RING, 3/8 IN, 3/4 IN, 3/16 IN, GRAPHITE, 7, C/O 3 RINGS BRAIDED & 4 RINGS DIE FORMED GRAPHITE,	3	B	5730H	SE
BNC276C	AL	A-A-01-000-001	17	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING,PREFORMED,RI, ; SPLIT, GRAPHITE, STYLE 524 AND6300, 0.25 TH X	3	P	5730H	SE
BNC281K	AL	A-A-01-000-001	2	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING,PREFORMED,RI, ; SPLIT, GRAPHITE, STYLE 524 AND6300, 0.375	3	P	5730H	SE
BPR938E	AL	F-A-02-103-000	8	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET,SPARE PART; SPLIT, GRAPHITE, SIX PER SET, 2.750 X 3.750 X	3	A	5730H	SE
BPR997X	AL	A-A-01-000-001	3	PACKING	PACKING, PREFORMED/SET, QA 3, RING, 2-3/8 IN, 3-3/8 IN, 1/2 IN, GRAPHITE, 6, C/O 3 RINGS BRAIDED AND 3 RINGS DOE-FORMED GRAPHITE,	3	B	5730H	SE
BPT232J	AL	A-A-01-000-001	27	PACKING	PACKING, PREFORMED, QA 3, PACKING, SINGLE RING,SPARE PA; 1.000 X 1.625 ***	3	A	5730H	SE
BPT234E	AL	A-A-01-000-001	19	PACKING	PACKING, PREFORMED/SET, QA 3, RING, 1 IN, 2 IN, 1/2 IN, GRAPHITE, 6, C/O 3 RINGS BRAIDED & 3 RINGS DIE-FORMED GRAPHITE,	3	B	5730H	SE
BPT240Y	AL	1-B-12-000-001	20	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET,SPARE PART; SEVEN RINGS PER SET, 1.000 X 2.125 X 7 ***	3	A	5730H	SE
BPT244B	AL	A-A-01-000-001	13	PACKING	PACKING, PREFORMED, QA 3, PACKING, SINGLE RING,SPARE PA; 1.125 X 1.875 X 6 ***	3	A	5730H	SE
BPT333C	AL	A-A-01-000-001	14	PACKING	PACKING, PREFORMED/SET, QA 3, RING, 1-1/4 IN, 2-1/4 IN, 1/2 IN, GRAPHITE, 6, C/O 3 RINGS BRAIDED & 3 RINGS DIE-FORMED GRAPHITE,	3	B	5730H	SE
BPV656E	AL	A-A-01-000-001	10	PACKING	PACKING, PREFORMED/SET, QA 3, RING, 3/8 IN, 9/16 IN, 0.094 IN, GRAPHITE, 7, C/O 3 RINGS BRAIDED & 4 RINGS DIE-FORMED GRAPHITE,	3	B	5730H	SE
BPW913F	AL	D-B-16-000-001	3	PACKING	PACKING, PREFORMED/SET, QA 3, RING, 3 IN, 4-1/8 IN, 9/16 IN, 6, C/O 3 RINGS BRAIDED GRAPHITE AND 3 RINGS DIE-FORMED GRAPHITE	3	B	5730H	SE
BQH773P	AL	A-A-01-000-001	6	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET,SPARE PART; PREFORMED SET, 6 RINGS PER SET, 3 EACH	3	B	5730H	SE
BQR111X	AL	D-A-18-302-005	49	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET,SPARE PART; GRAPHITE 0.312 TK X 1.25 IDX 1.875 OD	3		48200	SE
BRV757V	AL	A-A-01-000-001	2	PACKING	PACKING, PREFORMED/SET, QA 3, SPLIT-RING, 1-1/4 IN, 2-1/8 IN, 7/16 IN, 6, C/O 3 RINGS BRAIDED GRAPHITE AND 3 RINGS DIE-FORMED GRAPHITE	3	B	5730H	SE
BRX981C	AL	F-A-07-201-000	3	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET; PREFORMED SET,6 RINGS PER,C/O 3 COMPOSITE RINGS	3	B	5730H	SE
BTF853P	AL	A-A-01-000-001	6	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET; JOHN CRANE 287I NON-ASBESTOS PACKING FOR 8" 600#	3	B	48200	SE
BTG199N	AL	F-A-12-101-000	3	PACKING	PACKING, PREFORMED, QA 0, RING, PACKING; GRAFOIL RING, ARGO STYLE 6300, SIZE 9.683 ID X 11.683	0	C	5730H	SE
BTG251F	AL	A-A-01-000-001	7	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET,SPARE PART; JOHN CRANE 287I NON ASBESTOS FOR 3" 600#	3	B	48200	SE
BTG285X	AL	A-A-01-000-001	7	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET; JOHN CRANE 287I NON-ASBESTOS, FOR 6" 600# WALWORTH GATE	3	B	48200	SE
BTG396L	AL	A-A-01-000-001	7	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET; JOH CRANE 287I FOR 20" 600# WALWORTH GATE VALVE, ITEM	3	B	48200	SE
BTG406D	AL	A-A-01-000-001	7	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET; JOHN CRANE 287I FOR 24" 600# WALWORTH GATE VALVE, ITEM	3	B	48200	SE
BTH124H	AL	D-A-07-012-001	4551	PACKING	PACKING, BULK, QA 3, PACKING, MATERIAL,SPARE PART; 10# ROLL, 1/8 BULK MATERIAL, STYLE 524,	3	B	5730H	SE
BTH132J	AL	D-A-07-012-001	770	PACKING	PACKING, BULK, QA 3, PACKING, MATERIAL,SPARE PART; 10# ROLL, 3/16 BULK MATERIAL, STYLE 524	3	B	5730H	SE
BTH225B	AL	F-B-08-103-000	150	PACKING	PACKING, BULK, QA 3, PACKING, MATERIAL,SPARE PART; 10# ROLL, 3/8 BULK MATERIAL, STYLE 524	3	B	5730H	SE
BTH225B	AL	D-A-07-012-001	360	PACKING	PACKING, BULK, QA 3, PACKING, MATERIAL,SPARE PART; 10# ROLL, 3/8 BULK MATERIAL, STYLE 524	3	B	5730H	SE
BTH232E	AL	F-B-08-103-000	80	PACKING	PACKING, BULK, QA 3, PACKING, MATERIAL,SPARE PART; 10# ROLL, 1/2 BULK MATERIAL, STYLE 524	3	B	5730H	SE
BVC631K	AL	D-B-16-000-001	18	PACKING	PACKING, PREFORMED, QA 3, PACKING, SINGLE RING,SPARE PA; NITRILE,FOR FISHER ELECTRO-PNEUMATIC	3	B	5730H	SE
BVE761V	AL	A-A-01-000-001	2	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET,SPARE PART; PRESSURE SEAL ANGLE VALVE, 24 IN, 600 LB, FIG	3	C	5730H	SE
BVV668E	AL	A-A-01-000-001	2	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET,RING,SPARE PART; 5 RING SET 7.750" I.D. X 8.500" O.D. X	3	B	5730H	SE
BWD572X	AL	F-A-08-102-000	1	PACKING	PACKING, BULK, QA 3, PACKING, MATERIAL,SPARE PART; NUCLEAR GRADE BRAIDED GRAPHITE, ARGO	3	B	5730H	SE
BWD575P	AL	F-A-10-101-001	2	PACKING	PACKING, BULK, QA 3, PACKING, MATERIAL,SPARE PART; NUCLEAR GRADE BRAIDED GRAPHITE, ARGO	3	B	5730H	SE
BWD576M	AL	F-A-09-202-000	1	PACKING	PACKING, BULK, QA 3, PACKING, MATERIAL,SPARE PART; NUC GR BRAIDED GRAPHITE, ARGO STYLE	3	B	5730H	SE
BWD577K	AL	F-A-08-102-000	1	PACKING	PACKING, BULK, QA 3, PACKING, MATERIAL,SPARE PART; NUCLEAR GRADE BRAIDED GRAPHITE, ARGO	3	B	5730H	SE
BWY963N	AC	- - -	28	PACKING	PACKING, BULK, QA 3, PACKING, MATERIAL,SPARE PART; SQUARE, GRAPHITE IMPREGNATED, 0.75' IN	3	B	5730H	SE
BXQ619Y	AL	A-A-01-000-001	2	PACKING	PACKING, PREFORMED/SET, QA 0, RING, 1.575 IN, 2.362 IN, 6, ***	0	B	5730H	SE
BYP688A	AC	- - -	1	PACKING	PACKING, PREFORMED, QA 0, VALVE, *** ITEM #23, FOR A 2 INCH MASONELAN CONTROL VALVE, MODEL 38-20521.	0	C	5730H	SE
CBG689T	AC	- - -	1	PACKING	PACKING, PREFORMED, QA 0, PACKING, VALVE; DWG P2989 PC-25. ***	0	C	5730H	SE
CCA604P	AL	1-A-03-000-001	1	PACKING	PACKING, MECHANICAL, QA 3, PACKING, PUMP; STUFFING BOX, FOR DELAVAL M/N 350 M-P 16/14D, COMPONENT	3	C	5730H	SE
CED808B	AL	A-A-01-000-001	2	PACKING	PACKING, MECHANICAL, QA 0, PACKING, PUMP; OUTER, FOR BIACH EPN PUMP, ON REACTOR HEAD TENSIONING	0	C	5730H	SE
CKG999R	AL	D-A-30-201-000	1	PACKING	PACKING, PREFORMED, QA 0, RING, TURBINE END, FOR TURBINE 170 X 374, 170 X 375, 170 X 425, SQN 2431	0		2825G	SE
AAV258J	AL	I-A-15-000-002	12	PACKING	PACKING, PREFORMED, QA 0, CUP, 4.0 IN, LEATHER, ***	0	C	5730H	SE
ACJ071V	AL	M-A-08-000-002	5	PACKING	PACKING, PREFORMED/SET, QA 0, VALVE, GRAPHITE/ASBESTOS, 9, PACKING,PREFORMED,RI, ; ASBESTOS, GRAPHITE IMPREGNATED, ITEM 17, 9	0	C	48200	SE
ACJ168M	AL	L-A-02-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING,PREFORMED,RI, ; VALVE, 12 RINGS P/SET, FOR WM POWELL CO, GATE	3	C	5730H	SE
ADA367J	AC	- - -	3	PACKING	PACKING, PREFORMED/SET, QA 0, 8, RING, PACKING STEAM TURBIN; DIAPHRAGM, STAGE 6, (DFTE), STAGE 5 (GE),	0	C	2825G	SE
ADE152K	AL	L-A-03-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 3, V-RING, 1-7/8 IN, 2-3/4 IN, 0.437 IN, 3, *** PACKING FOR BOX PLUNGER, UNION PUMP COMPANY TYPE DT-60, SHOP ORDE	3	C	5730H	SE

AEJ611J	AL	L-A-09-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 0, RING, 1-1/4 IN, 2-1/4 IN, 10, ***	0	P	5730H SE
AFK454W	AL	L-A-03-000-002	13	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SINGLE RING; GRAFOIL, SIX RINGS PER SET 0.5 THICK X 3 ID X 4	3	B	5730H SE
AGJ467J	AL	L-A-09-000-002	2	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SINGLE RING; STUFFING BOX, 12 RINGS PER SET, FOR 001.250 IN	3	P	5730H SE
AGJ648E	AL	M-A-08-000-002	2	PACKING	PACKING, PREFORMED/SET, QA 3, RING, PACKING; 4 RINGS PER SET, REF 15, FOR VALVE, TYPE 5500W-1, 1 IN	3	P	48200 SE
AGJ722W	AL	T-A-01-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 0, RING, 3/4 IN, GRAPHITE, 7, ***	0	P	5730H SE
AHJ045X	AL	M-A-08-000-002	12	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SINGLE RING; RING, ASBESTOS/GRAPHITE, FIVE RINGS PER SET, FOR	3	P	5730H SE
AJJ276D	AL	M-A-08-000-002	16	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SINGLE RING; NON-ASBESTOS, 11 RINGS PER SET, FOR 4-G57 MANUAL	3	C	5730H SE
AJJ579T	AL	M-A-06-000-002	14	PACKING	PACKING, PREFORMED/SET, QA 0, RING, GRAPHITE, 9, *** FOR 18 IN GATE VALVE, USAS 300 AT 850 DEG F, FIG 5206WE, DWG	0	P	48200 SE
AJK057B	AL	M-A-08-000-002	58	PACKING	PACKING, PREFORMED, QA 3, PACKING, SINGLE RING; DIE MOLDED RIBBON PACK, GRAPHITE, 000.385 THK X	3	P	5730H SE
AJK956H	AL	T-A-01-000-002	27	PACKING	PACKING, PREFORMED, QA 3, PACKING, SINGLE RING; DIE MOLDED RIBBON-PACK, GRAPHITE, 000.562 THK X	3	P	5730H SE
AKX904C	AL	L-A-09-000-002	9	PACKING	PACKING, PREFORMED, QA 0, RING, ; NIPPLE, PACKING, REF K-8, FOR THE CLARK-RELIANCE CORP 404RS	0	P	48200 SE
ALF716E	AL	L-A-13-000-002	1	PACKING	PACKING, PREFORMED, QA 0, 3-3/16 IN, 3-3/8 IN, *** FOR FILTER, HC9401FUP13 Z, ON (EHC) ELECTRO HYDRAULIC CONTROL	0	P	5730H SE
ALJ573T	AL	T-A-01-000-002	2	PACKING	PACKING, PREFORMED/SET, QA 0, 2-1/8 IN, 3 IN, 7/16 IN, GRAPHITE, 9, PACKING, SET, SPARE PART; GRAPHITE, NINE RINGS PER SET, C/O TWO BRAIDED	0	P	48200 SE
ALJ972C	AL	M-A-16-000-002	4	PACKING	PACKING, PREFORMED/SET, QA 0, VALVE, IMPREGNATED GRAPHITE, 6, PACKING, VALVE; PREFORMED, ASB, GRAPHITE IMPREGNATED, 6 RINGS/SET, FOR	0	P	48200 SE
ALK150X	AL	M-A-08-000-002	22	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SINGLE RING; GRAFOIL, DIE MOLDED RIBBON PACK, 0.375 THICK X	3	P	5730H SE
AMJ813T	AL	M-A-08-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 0, RING, 1-3/4 IN, 2-1/2 IN, 3/8 IN, NON-ASBESTOS, 8, ***	0	P	5730H SE
AMJ862D	AL	M-A-08-000-002	2	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SINGLE RING; RING, (10 RINGS PER SET) GRAPHITE IMPREGNATED	3	P	48200 SE
ANE990X	AL	L-A-13-000-002	3	PACKING	PACKING, PREFORMED, QA 0, PUMP, 1-3/8 IN, 1-15/16 IN, PLASTIC, PACKING, PUMP; V-RING, PLASTIC COMPOSITION, FIVE PIECES EQUAL ONE	0	P	5730H SE
ANJ519L	AL	L-A-09-000-002	3	PACKING	PACKING, PREFORMED/SET, QA 0, VALVE, GRAPHITE, 6, PACKING, SINGLE RING; RING, SPLIT, GRAPHITE, SIX PER SET, FOR CONTROL	0	P	5730H SE
ANJ651L	AL	L-A-13-000-002	4	PACKING	PACKING, PREFORMED/SET, QA 0, RING, 1 IN, 1-1/2 IN, 3, ***	0	P	5730H SE
ARH567V	AL	T-A-01-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 0, PUMP, GRAPHITE/ASBESTOS, 6, PACKING, PUMP; GRAPHITE IMPREGNATED ASBESTOS, 6 FT PER SET, FOR RAW	0	P	5730H SE
ARL221H	AL	M-A-07-000-002	1	PACKING	PACKING, MECHANICAL, QA 0, 1 IN, 1 IN, GRAPHITE, PACKING, MATERIAL; MATERIAL: YARN/ULTRA-GRAPH, WIDTH: 01.000 IN (1)	0	P	5730H SE
ARN795L	AL	L-A-05-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 0, RING, PACKING STEAM TURBIN; DIAPHRAGM, STAGE 10, LPC, (TE), 12	0	C	2825G SE
ARN796J	AL	L-A-05-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 0, RING, PACKING STEAM TURBIN; DIAPHRAGM, STAGE, 11 & 13, DFB, DFC, GE, 12	0	C	2825G SE
ARN801M	AL	L-A-05-000-002	2	PACKING	PACKING, PREFORMED, QA 0, RING, PACKING STEAM TURBIN; DIAPHRAGM, STAGE 14, DFA, (TE), & STAGE 14	0	C	2825G SE
ARV880F	AL	M-A-07-000-002	7	PACKING	PACKING, PREFORMED/SET, QA 3, RING SET, ; HP CARBON, TAPER FACE COMPRESSION AND SINGLE PIECE OIL	3	P	4310I SE
ATN493Y	AL	T-A-01-000-002	4	PACKING	PACKING, PREFORMED, QA 1, PACKING, PREFORMED, AC, ; RING, VITON, FOR ACTUATOR, SIZE SMB-4, DWG	1	C	48200 SE
ATQ094R	AL	M-A-13-000-002	21	PACKING	PACKING, PREFORMED, QA 0, RING, 30 IN, 33 IN, 3/4 IN, NEOPRENE, ***	0	P	5730H SE
ATQ096M	AL	M-A-15-000-002	3	PACKING	PACKING, PREFORMED, QA 0, RING, 30 IN, 33 IN, 3/4 IN, NEOPRENE, ***	0	P	5730H SE
ATV316V	AL	T-A-01-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 0, RING, WHITE COMPRESS ASBESTOS, 6, *** ITEM 1, FOR 1.5 IN, AIR OPERATED VALVE, MODEL 535C, TRIM T-316	0	P	5730H SE
AVC156Y	AL	M-A-03-000-002	228	PACKING	PACKING, PREFORMED, QA 3, PACKING, SINGLE RING; RING, ASBESTOS AND GRAPHITE, 2.750 OD X 2 ID X	3	P	5730H SE
AVP656H	AL	T-A-01-000-002	12	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, PREFORMED, O-, ; RUBBER, CONSISTING OF 2 RUBBER RINGS AND 2	3	C	5730H SE
AVV209P	AL	T-A-05-000-002	3	PACKING	PACKING, PREFORMED, QA 0, RUBBER, *** FOR OIL DRAULIC JACK MODEL 8-S, ON DOVER ELEVATOR, JOB 24052	0	C	3960D SE
AWA454T	AL	M-A-13-000-002	1	PACKING	PACKING, BULK, QA 0, 1/2 IN, 600 IN, 1/8 IN, POLYURETHANE FOAM, ***	0	P	5730H SE
AWC536E	AL	M-A-12-000-002	40	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, O-RING; PACKING SET, C/O SIX DIE FORMED SPLIT RINGS, 4 IN ID	3	C	5730H SE
AWE669G	AL	M-A-16-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 0, RING, GRAPHITE, 6, *** FOR 010.000 IN, 150 LB, GLOBE VALVE, CODE 5-5275-50-100-18A S/N	0	P	48200 SE
AWF405F	AL	M-A-07-000-002	16	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SINGLE RING; RING, SPLIT, GRAFOIL, EIGHT PER SET, PC 6, FOR	3	C	5730H SE
AWX377G	AL	T-A-01-000-002	7	PACKING	PACKING, PREFORMED, QA 3, PACKING, SINGLE RING; GRAFOIL, 002.625 IN OD X 001.625 IN ID X 000.500	3	P	5730H SE
AXP114A	AL	L-A-03-000-002	1	PACKING	PACKING, MECHANICAL, QA 0, PACKING STRIP, STEAM TURBINE; GLAND, REF 39, CASE G8452, SEQ0000-033	0	C	2825G SE
AXT929C	AL	M-A-07-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 3, NEOPRENE, 5, , FOR 16 IN HENRY PRATT NUCLEAR MK II BUTTERFLY VALVES, TYPICAL	3	C	5730H SE
AXX065L	AL	L-A-09-000-002	4	PACKING	PACKING, PREFORMED, QA 0, RING, SS, RING, VALVE; TYPE 316, PACKING BOX, 0.5 IN STEM, FOR	0	P	48200 SE
AYA750M	AL	L-A-09-000-002	2	PACKING	PACKING, PREFORMED/SET, QA 0, 1/2 IN, GRAPHITE, 6, ** C-RING, FOR MAIN CONDENSER VACUUM PUMP, TYPE AT2004E, 500 RPM	0	P	4310I SE
AYC920C	AL	M-A-09-000-002	12	PACKING	PACKING, PREFORMED, QA 3, PACKING, PREFORMED, RI, ; SQUARE, SPLIT RING, GRAFOIL, 0.375 THK X 1.25	3	P	5730H SE
AYR135H	AL	M-A-07-000-002	4	PACKING	PACKING, PREFORMED/SET, QA 2, PACKING, SINGLE RING; RING, GRAPHITE, FOUR RINGS PER SET, FOR CONTROL	2	P	5730H SE
BCJ705F	AC	- - - -	1	PACKING	PACKING, PREFORMED, QA 0, RING, PACKING STEAM TURBIN; DIAPHRAGM, NEW DESIGN, STAGE 10, DFA 10 12	0	B	2825G SE
BCT131W	AL	L-A-03-000-002	3	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING ASSORTMENT, PREFORMED; SET C/O 100 EA O-RINGS, 0.0625 THICK X	3	C	5730H SE
BDK235E	AL	L-A-14-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 0, 12, RING, PACKING STEAM TURBIN; DIAPHRAGM, STAGE 8, (LP-B), TE, NEW STYLE,	0	C	2825G SE
BFT247N	AL	T-A-01-000-002	16	PACKING	PACKING, BULK, QA 3, PACKING, MATERIAL; SQUARE, VALVE STEM, PBI FIBER YARN REINFORCED WITH	3	P	5730H SE
BFY341A	AL	L-A-03-000-002	21	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING ASSORTMENT, PREFORMED; RING, GRAFOIL, ASBESTOS FREE, 0.3125	3	C	5730H SE
BGR191N	AL	T-A-01-000-002	3	PACKING	PACKING, PREFORMED/SET, QA 0, VALVE, 1-1/4 IN, 2 IN, 3/8 IN, GRAPHITE, 2, PACKING, VALVE; RING, GRAPHITE, ASBESTOS FREE, 0.375 THK X 1.25 ID	0	C	5730H SE
BGW391Y	AL	L-A-09-000-002	3	PACKING	PACKING, BULK, QA 3, PACKING, MATERIAL; SQUARE, BRAIDED ASBESTOS JACKET OVER PLASTIC CORE	3	P	5730H SE
BHA710B	AL	P-A-LL-ET0-078	10	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, PREFORMED, VA, ; RING, 10 EACH PER SET, FOR 4 IN STAINLESS	3	C	5730H SE
BHA897L	AL	P-A-LL-ET0-062	5	PACKING	PACKING, PREFORMED, QA 3, PACKING, MATERIAL; SQUARE, SUPER GRAPHITE, NUCLEAR, ASBESTOS FREE	3	C	5730H SE
BHJ633E	AL	M-A-09-000-002	2	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, PREFORMED, RI, ; RING, GRAFOIL AND ASBESTOS, 0.25 THK X 0.875	3	P	5730H SE
BJC316K	AL	T-A-01-000-002	3	PACKING	PACKING, PREFORMED/SET, QA 0, RING, 3/8 IN, 2 IN, 1-1/4 IN, GRAPHITE LAMINATE ZINC, 2, PACKING, PREFORMED, RI, ; GRAPHITE 17D16, 17, (GRAPHITE	0	C	5730H SE
BJL399B	AL	T-A-01-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, PREFORMED, O-, ; ASBESTOS FREE, C/O SEVEN EACH PER SET, 1.125	3	C	5730H SE
BJP236Q	AL	M-A-16-000-002	8	PACKING	PACKING, PREFORMED, QA 3, RING, VALVE; PACKING RETAINER, 1.062 IN ID, FOR VALVE, DWG C-5520, REF	3	P	48200 SE
BJP434L	AL	L-A-09-000-002	3	PACKING	PACKING, PREFORMED, QA 3, PACKING, MATERIAL; ROUND, GRAPHITE, FOR ACCESS DOOR, WATER TIGHT ***	3	P	5730H SE
BJP608E	AL	T-A-01-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, PREFORMED, RI, ; ASBESTOS FREE, NUCLEAR GRADE, 0.375 CROSS	3	P	5730H SE
BJP814A	AL	M-A-02-000-002	33	PACKING	PACKING, PREFORMED, QA 3, PACKING, PREFORMED, RI, ; GRAFOIL, CARTRIDGE, REF 10, FOR 2 IN GATE	3	C	5730H SE
BJT555Q	AL	L-A-09-000-002	2	PACKING	PACKING, PREFORMED/SET, QA 0, RING, 1/2 IN, 7/8 IN, 1/4 IN, TEFLON, *** FOR FISHER GOVERNOR VALVE, TYPE 1B-BFC, SIZE 3, BODY SIZE 1 IN	0	P	5730H SE
BKD126D	AL	M-A-16-000-002	9	PACKING	PACKING, PREFORMED/SET, QA 0, PACKING, PREFORMED, RI, ; GRAPHITE, ASBESTOS FREE, SPLITTING, TEN EACH	0	P	48200 SE
BLA147E	AL	M-A-01-000-002	10	PACKING	PACKING, PREFORMED/SET, QA 0, RING, 7, *** LESS THAN 200 PPM LEACHABLE CHLORIDES, FOR KEROTEST GLOBE VALVE, 1	0	P	5730H SE
BLH008G	AL	L-A-09-000-002	2	PACKING	PACKING, PREFORMED, QA 0, PUMP, *** FOR 2-PMP-20-001	0	P	5730H SE
BLH324E	AL	M-A-16-000-002	12	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, PREFORMED, RI, ; VALVE STEM, C/O ONE EACH TOP AND BOTTOM	3	P	5730H SE
BLH611B	AL	M-A-16-000-002	4	PACKING	PACKING, PREFORMED, QA 1, PACKING, PREFORMED, RI, ; FOR MECHANICAL SHAFT SEAL ASSEMBLY ON SAFETY	1	P	4320U SE
BLK896M	AL	T-A-01-000-002	6	PACKING	PACKING, PREFORMED/SET, QA 0, RING, 1.0 IN, 1-1/2 IN, 1/4 IN, 5, *** SET CONSISTS OF THREE RINGS GTPI NO 010201 AND TWO RINGS ONECI NO	0	P	5730H SE
BLR572H	AL	P-A-LL-ET0-064	2	PACKING	PACKING, PREFORMED, QA 1, SEAL, ; ROD SEAL, V-PACKING, SK-3-3-82-500, PART NO 48, FOR MECHANICAL	1	C	5730H SE
BMF572Y	AL	M-A-12-000-002	6	PACKING	PACKING, PREFORMED/SET, QA 3, VALVE, 1-1/4 IN, 1-5/8 IN, 3/16 IN, GRAPHITE, C/O 3 RINGS BRAIDED & 3 RINGS DIE-FORMED GRAPHITE,	3	B	5730H SE
BNB976L	AL	L-A-09-000-002	2	PACKING	PACKING, PREFORMED/SET, QA 3, SPLIT-RING, 1-5/8 IN, 2-5/8 IN, 1/2 IN, GRAPHITE, 6, C/O 3 RINGS BRAIDED & 3 RINGS DIE-FORMED GRAPHITE,	3	B	5730H SE
BNB983P	AL	T-A-01-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 3, SPLIT-RING, 1-1/16 IN, 1-9/16 IN, 1/4 IN, GRAPHITE, 6, C/O 3 RINGS BRAIDED & 3 RINGS DIE-FORMED GRAPHITE.	3	B	5730H SE
BNB989B	AL	T-A-01-000-002	6	PACKING	PACKING, PREFORMED/SET, QA 3, SPLIT-RING, 3/8 IN, 3/4 IN, 3/16 IN, GRAPHITE, 7, C/O 3 RINGS BRAIDED & 4 RINGS DIE FORMED GRAPHITE,	3	B	5730H SE
BNB992N	AL	T-A-01-000-002	7	PACKING	PACKING, PREFORMED/SET, QA 3, SPLIT-RING, 3/8 IN, 7/8 IN, 1/4 IN, GRAPHITE, 7, C/O 3 RINGS BRAIDED & 4 RINGS DIE-FORMED GRAPHITE	3	B	5730H SE
BNC276C	AL	M-A-06-000-002	9	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, PREFORMED, RI, ; SPLIT, GRAPHITE, STYLE 524 AND 6300, 0.25 TH X	3	P	5730H SE
BNC281K	AL	M-A-12-000-002	8	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, PREFORMED, RI, ; SPLIT, GRAPHITE, STYLE 524 AND 6300, 0.375	3	P	5730H SE

BNC283F	AC	- - - -	8	PACKING	PACKING, PREFORMED/SET, QA 3, SPLIT-RING, 1-3/8 IN, 2-1/8 IN, 3/8 IN, GRAPHITE, 6, C/O 3 RINGS BRAIDED & 3 RINGS DIE-FORMED GRAPHITE,	3	B	5730H SE
BNQ660Q	AL	T-A-01-000-002	2	PACKING	PACKING, PREFORMED/SET, QA 0, VALVE, RUBBER/TEFLON, 2, *** SEAL, C/O ONE EACH TEFLON RING AND ONE EACH RUBBER O-RING, FOR 8	0	C	48200 SE
BPH487Y	AL	P-A-LL-ET0-108	10	PACKING	PACKING, PREFORMED, QA 0, 44 IN, 45 IN, 1/2 IN, ** MATERIAL: NEOPRENE	0	C	5730H SE
BPR816W	AC	- - - -	12	PACKING	PACKING, PREFORMED/SET, QA 3, RING, 5/8 IN, 1-3/16 IN, 7	3	A	5730H SE
BPR835Q	AL	M-A-09-000-002	10	PACKING	PACKING, PREFORMED/SET, QA 3, RING, 3/8 IN, 13/16 IN, 7/32 IN, GRAPHITE, 7, C/O 3 RINGS BRAIDED & 4 RINGS DIE-FORMED GRAPHITE,	3	B	5730H SE
BPR855J	AL	M-A-06-000-002	6	PACKING	PACKING, PREFORMED/SET, QA 3, RING, 13/16 IN, 1-5/16 IN, 1/4 IN, GRAPHITE, 7, C/O 3 RINGS BRAIDED & 4 RINGS DIE-FORMED GRAPHITE,	3	B	5730H SE
BPR861P	AL	M-A-03-000-002	20	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET, SPARE PART; SIX RINGS WITH BUSHING, .875 X 1.125 ***	3	A	5730H SE
BPR988Y	AL	M-A-09-000-002	20	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET, SPARE PART; SIX RINGS WITH BUSHING, 2.312 X 3.250 X 6 ***	3	A	5730H SE
BPR997X	AL	M-A-06-000-002	4	PACKING	PACKING, PREFORMED/SET, QA 3, RING, 2-3/8 IN, 3-3/8 IN, 1/2 IN, GRAPHITE, 6, C/O 3 RINGS BRAIDED AND 3 RINGS DIE-FORMED GRAPHITE,	3	B	5730H SE
BPT006K	AL	M-A-09-000-002	32	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET, SPARE PART; SEVEN RINGS PER SET, 0.312 X 0.500 X 7R/ST	3	A	5730H SE
BPT012P	AL	M-A-09-000-002	10	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET, SPARE PART; SEVEN RINGS PER SET, 0.375 X 0.562 ***	3	A	5730H SE
BPT232J	AL	M-A-09-000-002	12	PACKING	PACKING, PREFORMED, QA 3, PACKING, SINGLE RING, SPARE PA; 1.000 X 1.625 ***	3	A	5730H SE
BPT234E	AL	M-A-06-000-002	9	PACKING	PACKING, PREFORMED/SET, QA 3, RING, 1 IN, 2 IN, 1/2 IN, GRAPHITE, 6, C/O 3 RINGS BRAIDED & 3 RINGS DIE-FORMED GRAPHITE,	3	B	5730H SE
BPT240Y	AL	M-A-06-000-002	16	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET, SPARE PART; SEVEN RINGS PER SET, 1.000 X 2.125 X 7 ***	3	A	5730H SE
BPT244B	AL	M-A-06-000-002	10	PACKING	PACKING, PREFORMED, QA 3, PACKING, SINGLE RING, SPARE PA; 1.125 X 1.875 X 6 ***	3	A	5730H SE
BPT277V	AL	M-A-12-000-002	29	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET, SPARE PART; SIX RINGS WITH BUSHING, 1.625 X 2.625 X 6 ***	3	A	5730H SE
BPT284Y	AL	M-A-09-000-002	6	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET, SPARE PART; SIX RINGS 1.500 X 2.250 X 6 ***	3	A	5730H SE
BPT284Y	AL	M-A-02-000-002	27	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET, SPARE PART; SIX RINGS 1.500 X 2.250 X 6 ***	3	A	5730H SE
BPV656E	AL	T-A-01-000-002	2	PACKING	PACKING, PREFORMED/SET, QA 3, RING, 3/8 IN, 9/16 IN, 0.094 IN, GRAPHITE, 7, C/O 3 RINGS BRAIDED & 4 RINGS DIE-FORMED GRAPHITE,	3	B	5730H SE
BPW303C	AL	L-A-04-000-002	3	PACKING	PACKING, BULK, QA 3, PACKING, MATERIAL; MATERIAL: BRD COT/LUB EXT GPH, SHAPE: SQUARE	3	B	5730H SE
BPW319V	AL	L-A-04-000-002	1	PACKING	PACKING, BULK, QA 3, PACKING, MATERIAL; MATERIAL: BRD COT/LUB EXT GPH, SHAPE: SQUARE	3	B	5730H SE
BQT761G	AL	T-A-01-000-002	6	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET; PREFORMED SET, 6 RINGS PER SET, C/O 3 COMPOSITE RINGS	3	C	5730H SE
BQW920P	AL	L-A-09-000-002	4	PACKING	PACKING, PREFORMED/SET, QA 3, RING, 1-1/4 IN, 1-7/8 IN, 5/16 IN, COMPOSITE/GRAPHITE, 6, C/O 3 COMPOSITE RINGS CONTAINING NUCLEAR GRADE CARBO	3	B	5730H SE
BRC288J	AL	M-A-01-000-002	6	PACKING	PACKING, MECHANICAL, QA 0, FILLING DEVICE, ; TEST FITTING, FILL VALVE, TO FILL THE RVLIS	0	B	6130S SE
BRE976J	AL	L-A-09-000-002	2	PACKING	PACKING, PREFORMED/SET, QA 3, SPLIT-RING, 524/6300J, 2-5/16 IN, 3-5/16 IN, 1/2 IN, 6, C/O 3 RINGS ARGO 524 & 3 RINGS DIE-FORMED GRAPHITE	3	B	5730H SE
BRE982P	AL	L-A-09-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 3, SPLIT-RING, 524/6300J, 2-7/16 IN, 3-7/16 IN, 1/2 IN, 6, C/O 3 RINGS ARGO #524 & 3 RINGS DIE-FORMED GRAPHITE	3	B	5730H SE
BRF309N	AL	L-A-09-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 3, SPLIT-RING, 4-1/2 IN, 6 IN, GRAPHITE, 6, C/O 3 RINGS BRAIDED GRAPHITE AND 3 RINGS DIE-FORMED GRAPHITE	3	B	5730H SE
BRF651A	AC	- - - -	2	PACKING	PACKING, PREFORMED/SET, QA 3, SPLIT-RING, 7/8 IN, 1-5/16 IN, GRAPHITE, 6, , GRAPHITE, COMPLETE WITH 3 EACH BRAIDED GRAPHITE AND 3 DIE- FORME	3	B	5730H SE
BRF670H	AL	L-A-09-000-002	4	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET, RING, SPARE PART; PREFORMED, SPLIT RING, GRAPHITE, SIZE:	3	B	5730H SE
BRF692V	AL	L-A-09-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 3, SPLIT-RING, 524/6300J, 1-3/8 IN, 2-5/16 IN, 15/32 IN, 6, C/O 3 RINGS ARGO 524 AND 3 RINGS DIE-FORMED GRAPHITE	3	B	5730H SE
BRJ773C	AL	L-A-12-000-002	4	PACKING	PACKING, PREFORMED, QA 1, PACKING, MATERIAL, SPARE PART; U-CUP (PKG PREFORMED) NITRILE, DRAWING	1	C	5730H SE
BRV244R	AL	L-A-09-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 3, SPLIT-RING, 524-3/6300J-4, 1-1/16 IN, 2-3/16 IN, 9/16 IN, 7, C/O 3 RINGS ARGO 524 & 4 RINGS ARGO 6300J	3	C	5730H SE
BRV245P	AL	L-A-09-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 3, SPLIT-RING, 524-3/6300J-4, 1-1/8 IN, 2-1/2 IN, 11/16 IN, 7, C/O 3 RINGS ARGO 524 & 4 RINGS ARGO 6300J	3	C	5730H SE
BRV247K	AL	L-A-09-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET, SPARE PART; SPLIT RING, GRAPHITE, SIZE: 0.500 X 0.797 X	3	B	5730H SE
BRV250A	AL	L-A-09-000-002	3	PACKING	PACKING, PREFORMED/SET, QA 3, SPLIT-RING, 524/6300J, 5/8 IN, 1-3/16 IN, 9/32 IN, GRAPHITE, 6, ,3 EA STYLES #524-3 & 6300J-3	3	B	5730H SE
BRV257G	AL	L-A-09-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET, SPARE PART; SPLIT RING, GRAPHITE, SIZE: 1.750 X 2.250 X	3	B	5730H SE
BRV259C	AL	L-A-07-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 3, SPLIT-RING, 524/6300J, 2-1/2 IN, 3-3/4 IN, 5/8 IN, 6, C/O 3 RINGS ARGO #524 & 3 RINGS ARGO #6300J	3	B	5730H SE
BRX962G	AL	T-A-01-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 3, RING, 1-3/8 IN, 2 IN, 5/16 IN, COMPOSITE/GRAPHITE, 6, C/O 3 COMPOSITE RINGS CONTAINING NUCLEAR GRADE CARBON AN	3	B	5730H SE
BTM163J	AL	M-A-03-000-002	2	PACKING	PACKING, PREFORMED/SET, QA 3, RING, 15/16 IN, 2-5/16 IN, 11/16 IN, 7, C/O 3 RINGS BRAIDED GRAPHITE AND 4 RINGS DIE-FORMED GRAPHITE	3	B	5730H SE
BTM207R	AL	M-A-06-000-002	8	PACKING	PACKING, PREFORMED/SET, QA 3, RING, 7/8 IN, 1-3/4 IN, 7/16 IN, 6, C/O 3 RINGS BRAIDED GRAPHITE AND 3 RINGS DIE-FORMED GRAPHITE	3	B	5730H SE
BTM210F	AL	M-A-12-000-002	9	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING SET, PREFORMED, SPLIT RING; GRAPHITE, 6 RINGS PER SET, C/O 3	3	B	5730H SE
BVA718H	AL	L-A-09-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET, SPARE PART; PACKING SET, FOR HAMMEL DAHL VALVES, CAT. NO	3	C	5730H SE
BVB750V	AL	P-A-LL-ET0-082	6	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET, O-RING, SPARE PT; PREFORMED, 2.50 X 3.25 IN OD, 11 RING	3	C	48200 SE
BVE399J	AL	L-A-09-000-002	2	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET, SPARE PART; ASB-INCON-GPH, 0.25 X 0.50 X 1.0 IN, 10 RINGS	3	C	5730H SE
BVE411P	AL	L-A-09-000-002	15	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET, SPARE PART; 3/4 IN VALVE, FOR WITHDRAWAL & SCRAM	3	C	5730H SE
BVF154C	AL	L-A-09-000-002	9	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SINGLE RING; MATERIAL: GRAFOIL, INSIDE DIAMETER: 01.750 IN (3	B	5730H SE
BVF979T	AL	L-A-09-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET, SPARE PART; CHAPMAN GATE VALVE, 14 IN, 150 LB, 5 RINGS	3	C	48200 SE
BVG447P	AL	L-A-09-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET, SPARE PART; ASBESTOS FREE, SQUARE, BRAIDED INCONEL WIRE	3	C	5730H SE
BVG452Y	AL	L-A-09-000-002	2	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET, SPARE PART; RING, CARBON YARN, INCONEL WIRE .62 X 3.25 X	3	C	5730H SE
BVG479A	AL	L-A-13-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET, SPARE PART; ATWOOD MORRILL TESTABLE CHECK VALVE, 14 IN	3	C	48200 SE
BVL026J	AL	L-A-09-000-002	3	PACKING	PACKING, PREFORMED/SET, QA 0, V-RING, TEFLON, *** FOR 8 INCH MODULATING BALL VALVE.	0	C	5730H SE
BVL027G	AL	L-A-09-000-002	1	PACKING	PACKING, MECHANICAL, QA 0, PACKING, VALVE; FEMALE ADAPTOR, TFE, FOR 8 INCH MODULATING BALL VALVE.	0	C	5730H SE
BVM823V	AL	L-A-09-000-002	1	PACKING	PACKING, PREFORMED, QA 0, *** FOR 8 INCH FISHER CONTROL STEAM SEAL CONTROL VALVE MODEL #657R-AR.	0	C	5730H SE
BVN230X	AL	L-A-03-000-002	45	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET, SPARE PART; GRAFOIL, FOR WHITEY COMPANY VALVES SS-7RF8	3	C	5730H SE
BVV962E	AL	T-A-01-000-002	4	PACKING	PACKING, PREFORMED, QA 3, PACKING, SINGLE RING; TYPE: RING, MATERIAL: NEOPRENE, AMERICAN	3	C	5730H SE
BWE562V	AL	L-A-02-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET, SPARE PART; FOR ACTUATOR, MODEL 7400, VALVE MODEL	3	C	5730H SE
BWJ051P	AL	L-A-09-000-002	11	PACKING	PACKING, PREFORMED, QA 3, PACKING, VALVE; CUP, ITEM 16, FOR 2.0 INCH. CARDOX DISCHARGE CONTROL	3	B	4210N SE
BWY963N	AL	L-A-13-000-002	9	PACKING	PACKING, BULK, QA 3, PACKING, MATERIAL, SPARE PART; SQUARE, GRAPHITE IMPREGNATED, 0.75" IN	3	B	5730H SE
BXF394B	AL	T-A-01-000-002	12	PACKING	PACKING, MECHANICAL, QA 0, 0.080 IN, 0.080 IN, 0.050 IN, COTTON/GRAPHITE/NON-ASB, PACKING, SCREEN, CONDENSER WTR; COTTON GRAPHITE, NON ASBEST	0	C	46109 SE
BXG128V	AL	L-A-13-000-002	4	PACKING	PACKING, BULK, QA 0, PACKING, MATERIAL, SPARE PART; E-34914, FOR GATE VALVE, 2 IN. ***	0	B	5730H SE
BYM965L	AL	L-A-09-000-002	926	PACKING	PACKING, BULK, QA 3, SQUARE, 7/16 IN, 7/16 IN, 10 LB, ROLL, NUCLEAR GRADE, ASBESTOS FREE, BRAIDED GRAPHITE YARN	3	B	5730H SE
CAB914E	AL	L-A-09-000-002	3	PACKING	PACKING, PREFORMED, QA 0, *** FOR VALVE STEM OF PACIFIC FIGURE-350, SIZE 3 INCH	0	C	5730H SE
CAW903W	AL	L-A-09-000-002	3	PACKING	PACKING, PREFORMED/SET, QA 0, PACKING, SET, SPARE PART; REF. 14 ON VENDOR DWG. 5360-01, PART NO.	0	B	5730H SE
CBG689T	AL	L-A-09-000-002	1	PACKING	PACKING, PREFORMED, QA 0, PACKING, VALVE; DWG P2989 PC-25. ***	0	C	5730H SE
CBJ964L	AL	L-A-09-000-002	4	PACKING	PACKING, PREFORMED, QA 3, RING, PACKING; FOR 1" VELAN GATE VALVE FIG. W5-2A54B-13M, DWG.	3	C	5730H SE
CBL665L	AL	L-A-02-000-002	1	PACKING	PACKING, PREFORMED, QA 0, PACKING, VALVE; ITEM NO. 13, FOR 4 INCH BUTTERFLY VAVLE, TYPE A31A	0	B	5730H SE
CBL665L	AL	L-A-09-000-002	1	PACKING	PACKING, PREFORMED, QA 0, PACKING, VALVE; ITEM NO. 13, FOR 4 INCH BUTTERFLY VAVLE, TYPE A31A	0	B	5730H SE
CBL665L	AL	L-A-13-000-002	1	PACKING	PACKING, PREFORMED, QA 0, PACKING, VALVE; ITEM NO. 13, FOR 4 INCH BUTTERFLY VAVLE, TYPE A31A	0	B	5730H SE
CBX551M	AL	L-A-09-000-002	13	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, PUMP; O-RING SET, REF 456G, F H, FOR IDP 1 1/2 X 11A RWCU PUMP	3	B	5730H SE
CDD708M	AL	M-A-01-000-002	1	PACKING	PACKING, MECHANICAL, QA 3, PACKING, VALVE; SET, W / SPACER, FOR 6" CONTROL VALVE, CONTROL	3	C	5730H SE
CDF169E	AC	- - - -	1	PACKING	PACKING, PREFORMED, QA 0, RING, PACKING STEAM TURBIN; DIAPHRAGM 14TH STAGE TURBINE END, SN #	0	C	2825G SE
CDF171V	AL	L-A-05-000-002	1	PACKING	PACKING, PREFORMED, QA 0, RING, PACKING STEAM TURBIN; STM N-8, GRV 1, TURBINE SERIAL NUMBER	0	C	2825G SE
CDP902F	AL	T-A-01-000-002	4	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, VALVE; 5 RINGS PER SET, C/O OF 3 DIE FORMED SPLIT RINGS, 2	3	C	5730H SE
CEC444V	AL	L-A-13-000-002	2	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET, O-RING, SPARE PT; MATERIAL: GRAFOIL, FOR 2" SOCKET END	3	B	5730H SE
CEC447M	AL	L-A-13-000-002	2	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, O-RING, SPARE PART; ENDS, MATERIAL: BRAIDED GRAPHITE, FOR 2"	3	B	5730H SE

CEC450C	AL	L-A-13-000-002	2	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET,O-RING,SPARE PT; MATERIAL: GRAFOIL, FOR 6"-900 WELD ENDS	3	B	5730H SE
CEC452W	AL	L-A-13-000-002	2	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, O-RING,SPARE PART; ENDS, MATERIAL: BRAIDED GRAPHITE, FOR	3	B	5730H SE
CEY448N	AL	L-A-09-000-002	1	PACKING	PACKING, MECHANICAL, QA 3, PACKING, *TYPICAL; TYPE: GATE *** 3 PACKING RINGS OF GRAFOIL AND 2 END	3	B	48200 SE
CFD264J	AL	L-A-09-000-002	2	PACKING	PACKING, PREFORMED, QA 3, PACKING, PREFORMED *** FOR 4 INCH WILLIAM POWELL GATE VALVE, MODEL	3	B	5730H SE
CJD594A	AL	L-A-05-000-002	1	PACKING	PACKING, PREFORMED, QA 0, , RING, STEAM TURBINE, DIAPHRAGM, STAGE 10, TURBINE END (TE), GENERAL	0	C	5730H SE
CJP248A	AL	L-A-14-000-002	1	PACKING	PACKING, PREFORMED/SET, QA 0, 12, 8 (LP-8) STAGE GENERATOR END DIAPHRAGM	0	C	2825G SE
AAW503V	AL	D-A-04-302-005	11	PAD	PAD, INK, QA 0, INKING PAD, RECORDING INSTRUMENT; INK PAD, 24 POINT, WHEEL TYPE, FOR	0	B	7510U SE
AEX669R	AL	D-A-02-102-004	5	PAD	PAD, INK, QA 0, INKING PAD, RECORDING INSTR; BLUE, 24 PER PACKAGE, FOR MULTI-RITER	0		7510U SE
AEX867M	AL	D-A-02-102-004	6	PAD	PAD, INK, QA 0, INKING PAD, RECORDING INSTR; BLACK, 24 PER PACKAGE, FOR MULTI-RITER	0		7510U SE
AFX062H	AL	D-A-02-102-004	6	PAD	PAD, INK, QA 0, INKING PAD, RECORDING INSTR; GREEN, 24 PER PACKAGE, FOR MULTI-RITER	0		7510U SE
AFX065B	AL	D-A-02-102-004	6	PAD	PAD, INK, QA 0, INKING PAD, RECORDING INSTR; RED, 24 PER PACKAGE, FOR MULTI-RITER	0		7510U SE
AFX263G	AL	D-A-02-102-004	5	PAD	PAD, INK, QA 0, INKING PAD, RECORDING INSTRUMENT; PURPLE, ONE PER PACK ***	0		7510U SE
AFX263G	AL	D-A-32-302-002	5	PAD	PAD, INK, QA 0, INKING PAD, RECORDING INSTRUMENT; PURPLE, ONE PER PACK ***	0		7510U SE
AFX760D	AL	D-A-02-102-004	6	PAD	PAD, INK, QA 0, INKING PAD, RECORDING INSTR; BROWN, 24 PER PACKAGE, FOR MULTI-RITER	0		7510U SE
AFX965F	AL	D-A-02-102-004	6	PAD	PAD, INK, QA 0, INKING PAD, RECORDING INSTRUMENT; VIOLET, 24 PER PACKAGE, FOR	0		7510U SE
AFY749G	AL	1-B-10-000-001	200	PAD	PAD, TYPICAL, QA 0, PAD, DISPOSABLE; STEP-OFF, DISPOSABLE, HEAVYWEIGHT PAPER, 38 X 25, 4	0	C	7220G SE
ARB704C	AL	D-A-22-402-000	4	PAD	PAD, TYPICAL, QA 0, CLEANING/TAPE HEAD, 2-1/2 IN, 3 IN, 91% ISOPROPYL ALCOHOL, CLEANING PAD, MAGNITIC TAPE HD; 91 PERCENT ISOPROPYL ALCOHOL	0		7920P SE
BCL694E	AL	D-B-19-202-002	12	PAD	PAD, TYPICAL, QA 0, WEAR PAD, AIR MASK; HARNESS, FOR AIR MASK, MODEL 401, P/N 461947 ***	0		4240P SE
BGQ869P	AL	D-A-16-402-000	12	PAD	PAD, TYPICAL, QA 0, FLOOR POLISHING, 18 IN DIA, TAN, PAD, FLOOR POLISHING; BUFFING, 18 IN DIA,TAN, THICK LINE ***	0		79101 SE
BGQ870J	AL	D-A-08-401-000	4	PAD	PAD, TYPICAL, QA 0, FLOOR POLISHING, 22 IN DIA, TAN, PAD, FLOOR POLISHING; BUFFING, 22 IN, TAN, THICK LINE ***	0		79101 SE
BGQ874Y	AL	D-B-01-302-000	6	PAD	PAD, TYPICAL, QA 0, FLOOR POLISHING, 16 IN DIA, TAN, PAD, FLOOR POLISHING; BUFFING, 16 IN DIA, TAN, THICKLINE ***	0		79101 SE
BHC994C	AL	D-B-01-302-000	1	PAD	PAD, TYPICAL, QA 0, FLOOR POLISHING, 20 IN DIA, 1 IN, PAD, FLOOR POLISHING; BURNISHING, 1 IN THK X 20 IN DIA ***	0		79101 SE
BLD719B	AL	D-A-16-201-000	6	PAD	PAD, TYPICAL, QA 0, PAD, BREATHING APPARATUS; BACK, FOR SCBA KITS ***	0	C	4240P SE
BLE264M	AL	D-A-08-201-000	10	PAD	PAD, TYPICAL, QA 0, PAD ASSY, ; LEFT SHOULDER, FOR SCUBA CUSTOM 4500 II ***	0	C	4220I SE
BLE265K	AL	D-A-08-201-000	10	PAD	PAD, TYPICAL, QA 0, PAD ASSY, ; RIGHT SHOULDER, FOR SCUBA CUSTOM 4500 II ***	0	C	4220I SE
AJQ181R	AL	L-A-09-000-002	33	PAD	PAD, TYPICAL, QA 0, PAD, ; TRANSISTOR, FOR AREA RADIATION MONITORING SYSTEM, INDICATOR AND	0	P	5961B SE
APR099W	AL	L-A-09-000-002	3	PAD	PAD, TYPICAL, QA 0, PAD, ; THRUST, REF 6, DWG 37149-51418-3, FOR COOLING TOWER PUMP MOTOR	0	P	6105D SE
APR598K	AL	L-A-09-000-002	1	PAD	PAD, TYPICAL, QA 0, PAD, ; THRUST, W/THERMOCOUPLE HOLES, REF 28, DWG 37149-51418-3, FOR	0	P	6105D SE
AYR576J	AL	T-A-02-000-002	3	PAD	PAD, TYPICAL, QA 0, PAD, THRUST, BEARING; SIX PADS PER SET, 17 IN, DWG D-010-236, FOR ALLIS	0	P	2825G SE
BLD719B	AL	P-A-LL-ET0-064	20	PAD	PAD, TYPICAL, QA 0, PAD, BREATHING APPARATUS; BACK, FOR SCBA KITS ***	0	C	4240P SE
BLE264M	AL	P-A-LL-ET0-074	20	PAD	PAD, TYPICAL, QA 0, PAD ASSY, ; LEFT SHOULDER, FOR SCUBA CUSTOM 4500 II ***	0	C	4220I SE
BLE265K	AL	P-A-LL-ET0-074	20	PAD	PAD, TYPICAL, QA 0, PAD ASSY, ; RIGHT SHOULDER, FOR SCUBA CUSTOM 4500 II ***	0	C	4220I SE
BWK003Y	AL	L-A-04-000-002	1	PAD	PAD, TYPICAL, QA 3, MOUNTING PAD, ELEC-ELECTR CMPNT; RUBBER MOUNTING PAD FOR REACTOR	3	B	5999D SE
BWQ758N	AL	L-A-09-000-002	1	PAD	PAD, TYPICAL, QA 3, PAD, DISK VALVE; DISK, FOR GLOBE VALVE, 1.500 IN WITH EXTENDED BONNET	3	C	48200 SE
AFX283A	AL	D-A-02-302-000	4	PAINT	PAINT, COATING, QA 0, PAINT, LATEX; COLOR: DOVER WHITE, GLOSS: FLAT, APPLICATION: INTERIOR	0		5610V SE
ALX273E	AL	D-A-02-302-000	8	PAINT	PAINT, COATING, QA 0, OIL, LIQUID, GLOSS DARK BLUE, 1 GAL, CAN, PAINT, ENAMEL; COLOR: DARK BLUE, GLOSS DESIGNATION: FULL GLOSS	0		5610V SE
AMX777B	AL	D-A-12-201-000	3	PAINT	PAINT, COATING, QA 0, ENAMEL, LIQUID, ORANGE, 1 GL, CAN, PAINT, ENAMEL; COLOR: ORANGE, CONTAINER SIZE: 1 GALLON, APPLICATION:	0		5610V SE
ATX865F	AL	D-A-02-302-000	9	PAINT	PAINT, COATING, QA 0, LATEX, LIQUID, FLAT WHITE, PAINT, LATEX; COLOR: WHITE, GLOSS: FLAT, APPLICATION: INTERIOR ***	0		5610V SE
BGT235P	AL	D-A-08-201-000	3	PAINT	PAINT, COATING, QA 0, ENAMEL, LIQUID, OSHA SAFETY RED, 1 GAL, CONTAINER SIZE: 1 GALLON	0		5610V SE
BGT381C	AL	D-A-08-201-000	26	PAINT	PAINT, COATING, QA 0, ENAMEL, LIQUID, SEMIGLOSS JORDON ALMOND, 1 GL, CAN, PAINT, ENAMEL; COLOR: JORDON ALMOND, GLOSS DESIGNATION: SEMIGLOSS	0		5610V SE
BMW243F	AL	5-A-02-101-000	18	PAINT	PAINT, COATING, QA 0, ENAMEL, LIQUID, ALUMINUM, 11 OZ	0	C	5610V SE
CDF570Q	AL	T-A-01-000-002	2	PAINT	PAINT, COATING, QA 3, CHEMICAL & CORROSION RESISTANCE, 2-PART, WHITE, 5 GAL KIT, PAIL, THERMO-LAG 311, WATER BASE, TOP COAT, CONSISTING OF P	3	B	5640H SE
BXB090N	AL	D-A-11-301-007	20	PAN	PAN, TYPICAL, QA 0, DRIP POCKET, DECONTAMINATION UNIT; CATCH CONTAINMENTS, FUNNEL SHAPED	0		4230E SE
BXB149D	AL	D-A-11-301-008	19	PAN	PAN, TYPICAL, QA 0, DRIP POCKET, DECONTAMINATION UNIT; 18 INCH DIAMETER, CATCH CONTAINMENT	0		4230E SE
CDX116V	AL	M-A-01-000-002	49	PAN	PAN, TYPICAL, QA 0, PAN, DRIP; 6 INCH, YELLOW, NO DRAIN DEVICE REQUIRED ***	0	C	7920P SE
AAY881F	AC	- - - -	1	PANEL	PANEL, TYPICAL, QA 0, PANEL, DAMPER DRIVE; RIGHT SIDE, FOR RC4 DAMPER DRIVE ***	0	C	6695D SE
AAY981B	AC	- - - -	2	PANEL	PANEL, TYPICAL, QA 0, PANEL, DAMPER DRIVE; LEFT SIDE, FOR RC4 DAMPER DRIVE ***	0	C	6695D SE
AWY245W	AL	A-A-01-000-001	5	PANEL	PANEL, CONTROL, QA 0, PANEL ASSY, ; CONTROL, FOR RCA CLOSED CIRCUIT TV CAMERA, MANUAL	0	P	5840M SE
BER765B	AL	A-A-01-000-001	2	PANEL	PANEL, CONTROL, QA 0, PANEL, POWER DISTRIBUTION; 24 VAC, 8 VA, SINGLE ZONE, LOGIC, THREE	0	P	61100 SE
BGA007F	AL	A-A-01-000-001	15	PANEL	PANEL, TYPICAL, QA 3, 10-7/8 IN, 12-3/4 IN, STEEL, BLANK, , COLOR: WHITE	3	C	5975B SE
CKL621P	TR	- - - -	2	PANEL	PANEL, TYPICAL, QA 0, FILLER, FOR NETSTENDER 2060	0	C	5840M SE
CKL621P	AL	D-A-04-402-000	11	PANEL	PANEL, TYPICAL, QA 0, FILLER, FOR NETSTENDER 2060	0	C	5840M SE
CNG010R	AL	6-C-30-000-102	21	PANEL	PANEL, TYPICAL, QA 0, SOLAR "BP SOLAREX", 27 IN, 4 FT (48 IN), SILICON/ALUMINUM FRAME, 600 VDC PER MODULE, 1-1/2 IN THK, PHOTOVOLTAIC MODULE	0		6117C SE
CNG010R	AL	6-C-30-000-101	23	PANEL	PANEL, TYPICAL, QA 0, SOLAR "BP SOLAREX", 27 IN, 4 FT (48 IN), SILICON/ALUMINUM FRAME, 600 VDC PER MODULE, 1-1/2 IN THK, PHOTOVOLTAIC MODULE	0		6117C SE
CNG010R	AL	6-C-32-000-101	36	PANEL	PANEL, TYPICAL, QA 0, SOLAR "BP SOLAREX", 27 IN, 4 FT (48 IN), SILICON/ALUMINUM FRAME, 600 VDC PER MODULE, 1-1/2 IN THK, PHOTOVOLTAIC MODULE	0		6117C SE
CNG010R	AL	6-C-32-000-102	36	PANEL	PANEL, TYPICAL, QA 0, SOLAR "BP SOLAREX", 27 IN, 4 FT (48 IN), SILICON/ALUMINUM FRAME, 600 VDC PER MODULE, 1-1/2 IN THK, PHOTOVOLTAIC MODULE	0		6117C SE
CNG010R	AL	6-C-32-000-103	36	PANEL	PANEL, TYPICAL, QA 0, SOLAR "BP SOLAREX", 27 IN, 4 FT (48 IN), SILICON/ALUMINUM FRAME, 600 VDC PER MODULE, 1-1/2 IN THK, PHOTOVOLTAIC MODULE	0		6117C SE
CNG010R	AL	6-C-34-000-101	36	PANEL	PANEL, TYPICAL, QA 0, SOLAR "BP SOLAREX", 27 IN, 4 FT (48 IN), SILICON/ALUMINUM FRAME, 600 VDC PER MODULE, 1-1/2 IN THK, PHOTOVOLTAIC MODULE	0		6117C SE
CNG010R	AL	6-C-34-000-102	36	PANEL	PANEL, TYPICAL, QA 0, SOLAR "BP SOLAREX", 27 IN, 4 FT (48 IN), SILICON/ALUMINUM FRAME, 600 VDC PER MODULE, 1-1/2 IN THK, PHOTOVOLTAIC MODULE	0		6117C SE
CNG010R	AL	6-C-34-000-103	36	PANEL	PANEL, TYPICAL, QA 0, SOLAR "BP SOLAREX", 27 IN, 4 FT (48 IN), SILICON/ALUMINUM FRAME, 600 VDC PER MODULE, 1-1/2 IN THK, PHOTOVOLTAIC MODULE	0		6117C SE
CNG010R	AL	6-C-36-000-101	36	PANEL	PANEL, TYPICAL, QA 0, SOLAR "BP SOLAREX", 27 IN, 4 FT (48 IN), SILICON/ALUMINUM FRAME, 600 VDC PER MODULE, 1-1/2 IN THK, PHOTOVOLTAIC MODULE	0		6117C SE
CNG010R	AL	6-C-36-000-102	36	PANEL	PANEL, TYPICAL, QA 0, SOLAR "BP SOLAREX", 27 IN, 4 FT (48 IN), SILICON/ALUMINUM FRAME, 600 VDC PER MODULE, 1-1/2 IN THK, PHOTOVOLTAIC MODULE	0		6117C SE
CNG010R	AL	6-C-36-000-103	36	PANEL	PANEL, TYPICAL, QA 0, SOLAR "BP SOLAREX", 27 IN, 4 FT (48 IN), SILICON/ALUMINUM FRAME, 600 VDC PER MODULE, 1-1/2 IN THK, PHOTOVOLTAIC MODULE	0		6117C SE
CNG010R	AL	6-C-38-000-101	36	PANEL	PANEL, TYPICAL, QA 0, SOLAR "BP SOLAREX", 27 IN, 4 FT (48 IN), SILICON/ALUMINUM FRAME, 600 VDC PER MODULE, 1-1/2 IN THK, PHOTOVOLTAIC MODULE	0		6117C SE
CNG010R	AL	6-C-38-000-102	36	PANEL	PANEL, TYPICAL, QA 0, SOLAR "BP SOLAREX", 27 IN, 4 FT (48 IN), SILICON/ALUMINUM FRAME, 600 VDC PER MODULE, 1-1/2 IN THK, PHOTOVOLTAIC MODULE	0		6117C SE
CNG010R	AL	6-C-38-000-103	36	PANEL	PANEL, TYPICAL, QA 0, SOLAR "BP SOLAREX", 27 IN, 4 FT (48 IN), SILICON/ALUMINUM FRAME, 600 VDC PER MODULE, 1-1/2 IN THK, PHOTOVOLTAIC MODULE	0		6117C SE
AVC731N	AL	M-A-09-000-002	2	PANEL	PANEL, TYPICAL, QA 1, PANEL ASSY, ; SUB-ASSY, NUCLEAR, G.L. FINGER BASE, 2-TRAIN, FOR	1	P	48104 SE
BBV307K	AL	M-A-11-000-002	16	PANEL	PANEL, TYPICAL, QA 0, PANEL, ALARM INDICATING; EQUIPPED FOR SIX CIRCUITS WITH24 VDC RELAYS	0	P	6350B SE
BCR411V	AL	M-A-16-000-002	2	PANEL	PANEL, CONTROL, QA 0, PANEL, ; CONTROL, FOR MODEL 478 DRY CLEANER, S/N 7910673-5 ***	0	P	3405L SE
BHW116F	AL	M-A-13-000-002	8	PANEL	PANEL, TYPICAL, QA 0, PANEL, TERMINAL, ; BACK BOARD, PURPLE, WITH BRACKETS, FOR TELEPHONE	0	P	5805M SE
BNH001J	AL	P-A-LL-ET0-064	5	PANEL	PANEL, CONTROL, QA 1, PANEL, ; CONTROL, ELECTRICAL, FOR LAMARCHE BATTERY CHARGER, MODEL	1	B	61100 SE
BPK182B	AL	L-A-03-000-002	3	PANEL	PANEL, TYPICAL, QA 0, SOUND CONTROLLING, 24 IN (2 FT), 4 FT (48 IN), SONEL NATURAL, SOUND CONTROLLING, BATT; SONEL NATURAL, CHARCOAL BEIGE B	0	P	5640H SE
BVJ237Q	AL	P-A-LL-ET0-085	1	PANEL	PANEL, CONTROL, QA 3, PANEL, COMMUNICATIONS EQUIP; FCC MATRIX SWITCHPANEL ***	3	C	5840M SE
BYR683A	AL	L-A-09-000-002	4	PANEL	PANEL, TYPICAL, QA 3, BLANK, 6-7/8 IN, 6-3/4 IN, STEEL, , THICKNESS: 14 GA	3	C	5975B SE
CDX362C	AL	M-A-01-000-002	2	PANEL	PANEL, CONTROL, QA 0, PANEL, ELECTRICAL CONTROL; TEMPERATURE CONTROL, FOR ABGTS ***	0	B	61100 SE

CDX363A	AL	M-A-01-000-002	2	PANEL	PANEL, CONTROL, QA 0, PANEL, ELECTRICAL CONTROL; HEATER CONTROL, FOR EGTS ***	0	B	61100	SE
CDX369X	AL	M-A-03-000-002	2	PANEL	PANEL, CONTROL, QA 0, PANEL, ELECTRICAL CONTROL; HEATER/HUMIDITY CONTROL, FOR THE ABGTS ***	0	B	61100	SE
CDX426C	AL	M-A-03-000-002	3	PANEL	PANEL, CONTROL, QA 0, PANEL, ELECTRICAL CONTROL; WESTINGHOUSE DWG 100A4792-4 ***	0	B	61100	SE
AQP448B	AL	D-A-22-402-000	50	PAPER	PAPER, TYPICAL, QA 0, THERMAL/PRINTER, 8-1/2 IN, 100 FT, PAPER, THERMAL; PRINTER, 8.5 IN WIDE X 100 FT ROLL FOOT ROLL ***	0		75300	SE
ARB569N	AL	D-A-12-201-000	10	PAPER	PAPER, TYPICAL, QA 0, PHOTOGRAPHIC, 8 IN, 100 FT, STANDARD THICKNESS, (10 MINIMUM)	0		75300	SE
BKB476V	AL	D-B-03-302-000	18	PAPER	PAPER, TYPICAL, QA 0, PAPER, WRAPPING, WAXED; WAXTEX, 100 FT ROLL ***	0		8135F	SE
BVQ974N	AL	D-B-03-301-000	3	PAPER	PAPER, TYPICAL, QA 0, PAPER, PRINTER; CH, (A-SIZE), 4 ROLLS PER BOX, FOR SEIKO INSTRUMENTS	0		75300	SE
AKX268D	AL	L-A-08-000-002	1	PAPER	PAPER, TYPICAL, QA 0, PREFORATED, 12.840 IN, 11 IN, WHITE, 3200 SHEETS/BOX, PAPER, PRINTER; WHITE, PREFORATED BOTH SIDES, CUSTOMIZED, 12.843	0	B	75300	SE
AMV624F	AL	L-A-09-000-002	7	PAPER	PAPER, TYPICAL, QA 0, LABORATORY, 6 IN, 6 IN, SMOOTH, 500 SHEETS/BOX, PAPER, LABORATORY; SMOOTH TEXTURED, 6 WIDE X 6 INLONG, SUFFICIENT BODY	0	P	6630D	SE
BBE411T	AL	M-A-07-000-002	4	PAPER	PAPER, TYPICAL, QA 0, COPYING/THERMOGRAPHIC, 8-1/2 IN, 150 FT, DRY-SILVER, PAPER, COPYING THERMOGRAPIC; COLOR: DRY-SILVER, WIDTH: 8.500 IN	0	P	75300	SE
BLT911G	AL	M-A-03-000-002	7	PAPER	PAPER, TYPICAL, QA 0, THERMAL, 8-1/2 IN, 98.400 IN, 6 ROLLS/CASE, PAPER, THERMAL; RECORDING, 8.5 IN X 98.4 FT X 1 IN, 6 ROLLS PER CASE	0	P	75300	SE
BXK800J	AC	- - - -	4	PAWL	PAWL, TYPICAL, QA 1, CIRCUIT BREAKER, , DRIVING, ML-13 MECHANISM, GE P/N Q0213X0702R016, FOR 6.9KV MAGNA	1	B	5925B	SE
AVK545F	AL	M-A-01-000-002	2	PAWL	PAWL, TYPICAL, QA 0, PAWL, ; STEEL, IT 14 SEC H, FOR LOAD BRAKE/GEAR CASE, ON 2 TON	0	P	3950F	SE
BBL314R	AL	M-A-01-000-002	2	PAWL	PAWL, TYPICAL, QA 0, PAWL, ; FOR LOAD BRAKE/GEAR CASE, ON 1-TON HOIST, 460 VAC, 3 PH, MODEL	0	P	3950F	SE
BBL323Q	AL	M-A-01-000-002	2	PAWL	PAWL, TYPICAL, QA 0, PAWL, ; FOR LOAD BRAKE/GEAR CASE, ON 6-TON HOIST, 460 VAC, 3 PH, MODEL	0	P	3950F	SE
BFN845N	AL	L-A-09-000-002	9	PAWL	PAWL, TYPICAL, QA 3, VALVE, PAWL, ; CLAPPER LATCH, FOR 3 IN HIDROMATIC DELUGE VALVE, MODEL G ***	3	P	4210N	SE
ABW071E	AL	D-A-04-302-005	8	PEN	PEN, INSTRUMENT, QA 0, RECORDER/DISPOSABLE, BLACK, 5/PACKAGE, PEN, RECORDER; DISPOSABLE, BLACK, 5 PER PKG, FOR X-Y RECORDER, MODEL	0		7510U	SE
ABW670C	AL	D-A-04-301-004	19	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; DISPOSABLE, RED, FOR X-Y RECORDER, MODEL 9035B, AND/OR	0		7510U	SE
AEY677M	AL	D-A-30-301-002	2	PEN	PEN, INSTRUMENT, QA 0, RECORDER, RED, 3/PACK, METAL, FOR MODEL 220S, 121RE & 123RE RECORDER, STYLE C,	0		7510U	SE
AEY777H	AL	D-A-30-301-002	11	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; METAL, BLUE, FOR MODEL 220S SERIES RECORDERS AND MODEL	0		7510U	SE
AFW876K	AL	A-A-01-000-001	4	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; GREEN, FOR SPEEDOMAX M RECORDER ***	0	P	7510U	SE
AGV496W	AL	D-B-17-202-000	1	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; X-3, FOR RECORDER, TEMPERATURE, MODEL M, S/N	0		7510U	SE
AGV796G	AL	D-B-17-202-000	2	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; FIBER TIP, FOR ADJUSTABLE-ZERO, ADJUSTABLE-RANGE (AZAR)	0		7510U	SE
AJW340N	AL	D-A-04-202-007	12	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; X1, FOR RECORDER ***	0		7510U	SE
AJW440J	AL	D-A-04-202-007	12	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; X2 ***	0		7510U	SE
AJW540E	AL	D-A-04-202-002	13	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; X3 ***	0		7510U	SE
AJW674D	AL	D-B-17-202-000	10	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; X1, FOR SPEEDOMAX M RECORDER ***	0		7510U	SE
ALW631K	AL	D-A-30-301-001	2	PEN	PEN, INSTRUMENT, QA 0, RECORDER/DISPOSABLE, RED, 2/PACKAGE, FOR FISCHER RECORDER, SERIES 51-1340, 6 IN X 6 IN, AND/OR SERIES	0	C	7510U	SE
AMW154M	AL	D-A-04-202-002	1	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; STYLUS, INNER, FOR RECORDER, STRIP CHART, ELECTRONIC, 4	0		7510U	SE
ARH641A	AL	D-A-30-301-002	6	PEN	PEN, INSTRUMENT, QA 0, RECORDER/PLOTTER, RED, 3/PACKAGE, PEN, RECORDER; PLOTTER, RED, 3 PER PACK, FOR 7035B X-Y PLOTTER	0		7510U	SE
ATR729C	AL	D-A-30-301-003	10	PEN	PEN, INSTRUMENT, QA 0, RECORDER/DISPOSABLE, VIOLET, FIBER TIP, 6/PACKAGE, NIB LENGTH 0.6 IN,	0	P	7510U	SE
BAA147C	AL	A-A-01-000-001	50	PEN	PEN, INSTRUMENT, QA 0, RECORDER, RED, 5/PACKAGE, PEN, RECORDER; RED, 5 PER PG, FOR RECORDER, 8-CHANNEL, MODEL MC6715	0	P	7510U	SE
BAA154F	AL	A-A-01-000-001	105	PEN	PEN, INSTRUMENT, QA 0, RECORDER, ORANGE, 5/PACKAGE, PEN, RECORDER; ORANGE, 5 PER PG, FOR RECORDER, 8-CHANNEL, MODEL	0	P	7510U	SE
BQ457L	AL	D-A-04-302-006	42	PEN	PEN, INSTRUMENT, QA 3, PEN, RECORDER; GREEN, CARTRIDGE DISPOSABLE 1.375 X 0.6250 X 0.1250 IN	3		7510U	SE
BEN526D	AL	D-A-04-301-004	160	PEN	PEN, INSTRUMENT, QA 0, RECORDER/DISPOSABLE, GREEN, 5/PACKAGE, PEN, RECORDER; DISPOSABLE, GREEN, 0.562 IN NIB LENGTH, UNIVERSAL	0		7510U	SE
BJB705E	AL	A-A-01-000-001	10	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; RED, NO. 2 ***	0	P	7510U	SE
BJV760X	AL	D-A-06-201-001	30	PEN	PEN, INSTRUMENT, QA 0, RECORDER/DISPOSABLE, BLACK, FIBER TIP, 3/PACKAGE, PEN, RECORDER; DISPOSABLE, FIBER TIP, BLACK, 3 PER PKG, FOR RECORDE	0		7510U	SE
BKD380A	AL	D-A-06-201-001	6	PEN	PEN, INSTRUMENT, QA 3, RECORDER/DISPOSABLE, GREEN, 3 PER PKG, FOR SPEEDOMAX RECORDER, MODEL M	3		7510U	SE
BKD381W	AL	D-A-06-201-001	7	PEN	PEN, INSTRUMENT, QA 3, RECORDER/DISPOSABLE, BLUE, 3/PACKAGE, , DISPOSABLE, FOR SPEEDMAX RECORDER, MODEL M	3	B	7510U	SE
BKD384N	AL	D-A-06-201-001	11	PEN	PEN, INSTRUMENT, QA 3, PEN, RECORDER; DISPOSABLE, GREEN, THREE PER PKG, FOR RECORDERS ***	3		7510U	SE
BQP602M	AL	D-A-32-302-005	6	PEN	PEN, INSTRUMENT, QA 0, RECORDER, BLUE, PEN, RECORDER; COLOR: BLUE	0	C	7510U	SE
BQP607B	AL	D-A-30-301-001	3	PEN	PEN, INSTRUMENT, QA 0, RECORDER, RED	0	C	7510U	SE
BXD600R	AL	D-A-30-301-001	10	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; COLOR: GREEN ***	0	B	7510U	SE
BYL115A	QP	- - - -	109	PEN	PEN, INSTRUMENT, QA 3, RECORDER/DISPOSABLE, GREEN, 3/PACKAGE	3		7510U	SE
BYL121F	AC	- - - -	224	PEN	PEN, INSTRUMENT, QA 3, RECORDER/DISPOSABLE, BLUE, 3/PACKAGE	3	B	7510U	SE
BYL123B	AL	A-A-01-000-001	30	PEN	PEN, INSTRUMENT, QA 3, RECORDER/DISPOSABLE, VIOLET, 3/PACKAGE	3	B	7510U	SE
CAQ776W	AL	D-A-04-201-002	6	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; DISPOSAL, BLUE, FOR FISHER PORTER 100 MM RECORDERS/	0	C	7510U	SE
CAQ777T	AL	D-A-04-201-002	6	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; DISPOSAL, RED, FOR FISHER PORTER 100 MM RECORDER	0	C	7510U	SE
CAQ778Q	AL	D-A-04-201-002	8	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; DISPOSAL, GREEN, FOR FISHER PORTER 100 MM RECORDER/	0	C	7510U	SE
AAW018Q	AL	L-A-09-000-002	2	PEN	PEN, INSTRUMENT, QA 0, PEN ASSY, ; 1 OZ, FOR RECORDER, CONDUCTIVITY, SODIUM, BECKMAN MODEL	0	P	6695D	SE
AHW430V	AL	M-A-08-000-002	4	PEN	PEN, TYPICAL, QA 3, PEN ASSY, ; GREEN, FOR RECORDER, MODEL 6410HF-0, 6410HF-0-A, 6420HF-0	3	P	6695D	SE
ALW177F	AL	M-A-08-000-002	4	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; X2 ***	0	P	7510U	SE
ANV669J	AL	L-A-09-000-002	5	PEN	PEN, INSTRUMENT, QA 0, PEN ASSY, ; BLUE, FOR RECEIVER-RECORDER, 3 TO 15 PSIG SIGNAL, MODEL	0	P	6695D	SE
AYH220F	AL	L-A-09-000-002	7	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; DISPOSABLE, BLUE INK, 0.25 IN NIB LENGTH, FOR FLAT BED	0	P	7510U	SE
BCD955G	AL	L-A-09-000-002	1	PEN	PEN, INSTRUMENT, QA 0, RECORDER/DISPOSABLE, RED, FIBER TIP, 3/PACKAGE, PEN, RECORDER; DISPOSABLE, FIBER TIP, RED, 3 PER PACKAGE, FOR PLOTTER	0	P	7510U	SE
BCD958A	AL	L-A-09-000-002	1	PEN	PEN, INSTRUMENT, QA 0, RECORDER/DISPOSABLE, BLUE, FIBER TIP, 3/PACKAGE, PEN, RECORDER; DISPOSABLE, FIBER TIP, BLUE, 3 PER PACKAGE, FOR PLOTT	0	P	7510U	SE
BJR342F	AL	L-A-09-000-002	35	PEN	PEN, INSTRUMENT, QA 0, RECORDER, BLACK, FIBER TIP, PEN, RECORDER; BLACK, FIBER TIP, LINE WIDTH 0.33 MM ***	0	P	7510U	SE
BRY225E	AL	T-A-03-000-002	1	PEN	PEN, INSTRUMENT, QA 3, RECORDER/INK MARKER, RED, 3/PACKAGE, FOR RADIATION MONITORS	3	A	7510U	SE
BTH967X	AL	M-A-06-000-002	72	PEN	PEN, INSTRUMENT, QA 3, PEN, RECORDER; ASSY, TIP, FELT, 10 PER PKG, FOR RECORDER, SPEEDOMAX M	3	B	7510U	SE
ACT875J	AL	D-A-30-301-002	3	PENDANT	PENDANT, MOUNTING, QA 0, PENDANT, MOUNTING; LIGHTING FIXTURE, RELAMP CHAMP 11, FOR CROUSE-HINDS	0	P	6210P	SE
ACT875J	AL	L-A-09-000-002	2	PENDANT	PENDANT, MOUNTING, QA 0, PENDANT, MOUNTING; LIGHTING FIXTURE, RELAMP CHAMP 11, FOR CROUSE-HINDS	0	P	6210P	SE
AET478G	AL	L-A-08-000-002	4	PENDANT	PENDANT, MOUNTING, QA 0, LIGHTING FIXTURE, PENDANT, FIXTURE; LIGHTING FIXTURE, RELAMP CHAMP 11 ***	0	P	6210P	SE
AET578C	AL	L-A-09-000-002	1	PENDANT	PENDANT, MOUNTING, QA 0, PENDANT, FIXTURE; LIGHTING FIXTURE, RELAMP CHAMP 11 ***	0	P	6210P	SE
BNH989C	AL	D-B-03-302-000	2	PENETRANT	PENETRANT, TYPICAL, QA 3, INSPECTION PENETRANT, WATER WASHABLE; WATER WASHABLE, 5 GALLON CAN	3		6810H	SE
BFG582V	AL	D-A-12-101-001	2	PENETRATION	PENETRATION, ELECTRICAL, QA 1, CONDUIT SEAL ASSEMBLY, #14 AWG, 2, 72 IN X 300 IN, .075 IN MALE, FITTINGS BOTH ENDS, 0.375 IN FEED THROUGH,	1	C	5975B	SE
BJC512K	AL	D-B-10-109-000	3	PENETRATION	PENETRATION, ELECTRICAL, QA 1, PENETRATION, ELECTRICAL; FEED THRU SUBASSEMBLY, 24 CONDUCTORS, 12 AWG	1	C	5975B	SE
BKT013E	AL	W-A-09-000-002	2	PENETRATION	PENETRATION, ELECTRICAL, QA 1, PENETRATION, ELECTRICAL; FEEDTHROUGH SUBASSEMBLY, COAX 2C/RG59 ***	1	C	5975B	SE
BKT014C	AL	D-B-10-109-000	2	PENETRATION	PENETRATION, ELECTRICAL, QA 1, PENETRATION, ELECTRICAL; FEEDTHROUGH SUBASSEMBLY, COAX 2C/RG59 ***	1	C	5975B	SE
BLT632L	AL	F-A-13-301-000	30	PENETRATION	PENETRATION, ELECTRICAL, QA 1, SEAL ASSEMBLY, #14 AWG, 8, 18 IN X 300 IN, ON DEVICE END & CABLE END, SOLID COPPER CONDUCTOR, INSULATED WITH	1	B	5975B	SE
BTC070A	AL	A-A-01-000-001	2	PENETRATION	PENETRATION, ELECTRICAL, QA 1, PENETRATION, ELECTRICAL; 2/0 AWG, 1C, LESS N-34025-01----INCOMPLETE	1	B	4470C	SE
BVD256E	AL	F-A-33-302-000	9	PENETRATION	PENETRATION, ELECTRICAL, QA 1, PENETRATION, ELECTRICAL; 2/0 AWG 1/C FEEDTHROUGH KIT ***	1	B	4470C	SE
BEJ585H	AL	M-A-01-000-002	3	PENETRATION	PENETRATION, ELECTRICAL, QA 1, ECSA ASSEMBLY, #14 AWG, 2, 18 IN X 300 IN, , CONDUIT SEAL ASSEMBLY, SOLID CONDUCTORS INSULATED WITH KAPTON, 1	1	P	5975B	SE
BJB382B	AL	W-A-09-000-002	2	PENETRATION	PENETRATION, ELECTRICAL, QA 1, PENETRATION, ELECTRICAL; FEED THRU SUB ASSEMBLY, 36 CONDUCTORS, 16 AWG	1	B	5975B	SE
BJC502P	PR	W-A-01-000-002	3	PENETRATION	PENETRATION, ELECTRICAL, QA 1, PENETRATION, ELECTRICAL; FEED THRU SUBASSEMBLY, 1 CONDUCTOR, 2/10 AWG	1	C	5975B	SE
BJC503M	AL	W-A-05-000-002	1	PENETRATION	PENETRATION, ELECTRICAL, QA 1, PENETRATION, ELECTRICAL; FEED THRU SUBASSEMBLY, 3 CONDUCTORS, 2 AWG	1	C	5975B	SE

BJC504K	PR	W-A-05-000-002	1	PENETRATION	PENETRATION, ELECTRICAL, QA 1, PENETRATION, ELECTRICAL; FEED THRU SUBASSEMBLY, 12 CONDUCTORS, 8 AWG	1	C	5975B SE
BJC505H	AL	W-A-05-000-002	1	PENETRATION	PENETRATION, ELECTRICAL, QA 1, PENETRATION, ELECTRICAL; FEED THRU SUBASSEMBLY, 19 CONDUCTORS, 10 AWG	1	C	5975B SE
BJC506F	PR	W-A-05-000-002	4	PENETRATION	PENETRATION, ELECTRICAL, QA 1, PENETRATION, ELECTRICAL; FEED THRU SUBASSEMBLY, 24 CONDUCTORS, 12 AWG	1	C	5975B SE
BJC507D	PR	W-A-05-000-002	13	PENETRATION	PENETRATION, ELECTRICAL, QA 1, PENETRATION, ELECTRICAL; FEED THRU SUBASSEMBLY, 24 CONDUCTORS, 12 AWG	1	P	5975B SE
BJC508B	PR	W-A-05-000-002	1	PENETRATION	PENETRATION, ELECTRICAL, QA 1, PENETRATION, ELECTRICAL; FEED THRU SUBASSEMBLY, 30 CONDUCTORS, 16 D-TP	1	C	5975B SE
BJC513H	PR	W-A-05-000-002	2	PENETRATION	PENETRATION, ELECTRICAL, QA 1, PENETRATION, ELECTRICAL; FEED THRU SUBASSEMBLY, 36 CONDUCTORS, 16	1	C	5975B SE
BJC514F	PR	W-A-05-000-002	1	PENETRATION	PENETRATION, ELECTRICAL, QA 1, PENETRATION, ELECTRICAL; FEED THRU SUBASSEMBLY, 25/4 CONDUCTOR, 12	1	C	5975B SE
BKT007A	TR	- - - -	1	PENETRATION	PENETRATION, ELECTRICAL, QA 1, FEED THRU SUBASSY COAXIAL, RG216/U, FEEDTHROUGH ASSEMBLY KIT CONSISTS OF: 1 EA COAX FEEDTHROUGH ASSEMBLY	1	C	5975B SE
BKT011J	AL	W-A-09-000-002	1	PENETRATION	PENETRATION, ELECTRICAL, QA 1, PENETRATION, ELECTRICAL; FEEDTHROUGH SUBASSEMBLY, COAX 1C/RG59 ***	1	C	5975B SE
BKT012G	AL	W-A-09-000-002	1	PENETRATION	PENETRATION, ELECTRICAL, QA 1, PENETRATION, ELECTRICAL; FEEDTHROUGH SUBASSEMBLY, COAX 2C/RG59 ***	1	C	5975B SE
BMA510T	AL	L-A-03-000-002	6	PENETRATION	PENETRATION, ELECTRICAL, QA 1, CONDUIT SEAL ASSEMBLY, #16 AWG, 4, 3/4 IN, SS, 4- 1C NUMBER 16 AWG SOLID COPPER CONDUCTORS, CLASS 1E LOCA/HEL	1	P	5975B SE
BTC070A	AL	M-A-05-000-002	1	PENETRATION	PENETRATION, ELECTRICAL, QA 1, PENETRATION, ELECTRICAL; 2/0 AWG, 1C, LESS N-34025-01----INCOMPLETE	1	B	4470C SE
BVD258A	AL	M-A-05-000-002	2	PENETRATION	PENETRATION, ELECTRICAL, QA 1, PENETRATION, ELECTRICAL; 350 MCM 1/C FEEDTHROUGH KIT ***	1	B	4470C SE
BXK732W	AL	M-A-13-000-002	20	PENETRATION	PENETRATION, ELECTRICAL, QA 1, PENETRATION, ELECTRICAL; SEAL ASSY, 8 CONDUCTOR, 14 AWG, 1 IN NPT MALE	1	B	4470C SE
CDX399L	AL	M-A-01-000-002	7	PENETRATION	PENETRATION, ELECTRICAL, QA 0, PENETRATION, ELECTRICAL; SEAL ASSEMBLY ***	0	B	4470C SE
BEJ548P	AL	A-A-01-000-001	1	PILOT	PILOT, TYPICAL, QA 2, PILOT, VALVE; WITH BLOCK ASSY, FOR CONTROLLER, POSITIONER, TYPE	2	C	6695D SE
AAV464F	AL	P-A-LL-ET0-047	4	PILOT	PILOT, TYPICAL, QA 0, PILOT ASSY, CONTROLLER; 50 PSIG, FOR CONTROLLER, POSITIONER	0	C	6695D SE
BTD975K	AL	L-A-03-000-002	1	PILOT	PILOT, TYPICAL, QA 3, PILOT, CONTROLLER; SUB-ASSEMBLY, NORMALLY DE-ENERGIZED, INCLUDING	3	C	6695D SE
BWJ336G	AL	T-A-01-000-002	14	PILOT	PILOT, TYPICAL, QA 0, PILOT, CONTROLLER; 0-RING ***	0	B	6695D SE
BWJ341P	AL	T-A-01-000-002	10	PILOT	PILOT, TYPICAL, QA 0, PILOT, CONTROLLER; DIAPHRAGM DISC ***	0	B	6695D SE
BXR851M	AL	T-A-01-000-002	1	PILOT	PILOT, TYPICAL, QA 0, PILOT, POSITIONER; S/A, (DIRECT ACTION, STD. CAPACITY, IDENT "D") FOR	0	C	6695D SE
CBP833A	AL	L-A-09-000-002	1	PILOT	PILOT, TYPICAL, QA 3, PILOT ASSY, RELAY; 0-20 PSI, FOR LOW PRESSURE CONTROLLER, MODEL	3	B	5945D SE
ACE677L	AL	A-A-01-000-001	2	PIN	PIN, TYPICAL, QA 0, PIN, STRAIGHT HEADLESS; LENGTH: 00.625000 (5/8) ***	0	P	4320U SE
ACJ454L	AL	A-A-01-000-001	12	PIN	PIN, RETAINING, QA 2, PIN, VALVE; VALVE, FOR PNEUMATIC ACTUATED BELLOW SEALED VALVE, TYPE	2	P	48200 SE
ADV374X	AL	D-A-27-202-012	2	PIN	PIN, LOCK, QA 0, GROOVED/HEADLESS, 1/16 IN, 1/4 IN, ZINC PLATED STEEL, PIN, GROOVED HEADLESS; GROOVE, STL B1112 ZNPL, FOR FISHER VALVE	0		48200 SE
ADW240R	AL	A-A-01-000-001	3	PIN	PIN, LOCK, QA 3, PIN, GROOVED HEADLESS; FOR RECORDER, SPEEDOMAX H ***	3	P	6695D SE
AFJ486L	AL	A-A-01-000-001	10	PIN	PIN, TYPICAL, QA 3, PIN, VALVE; FOR WH AIR OPERATED VALVE, SIZE 002.000IN, FIG 2-IA58RG	3	P	48200 SE
AKJ632B	AL	A-A-01-000-001	1	PIN	PIN, HINGE, QA 0, PIN, VALVE; HINGE, IT 5S, FOR CHECK VALVE, SIZE 004.000IN, CAT 1601-4	0	P	48200 SE
ANJ047T	AL	A-A-01-000-001	1	PIN	PIN, RETAINING, QA 0, PIN, VALVE; ROLLER, IT 11, FOR SENTRY VALVE, SIZE 004.000IN, MOD 3000	0	P	48200 SE
ANR390X	AC	- - - -	4	PIN	PIN, TYPICAL, QA 0, PIN, ; FOR BRAKE ***	0	P	5840M SE
ANY088E	AL	A-A-01-000-001	2	PIN	PIN, LOCK, QA 3, PIN, SPRING; ROLL, FOR MAIN STEAM ATMOSPHERIC RELIEF VALVE, 8 IN, 600	3	P	4410C SE
APW654L	AC	- - - -	2	PIN	PIN, TYPICAL, QA 0, PIN, VALVE; FOR CONTROLLER, MODEL 77-40, RANGE 040.000 MA, B/M	0	P	48200 SE
AQR232Q	AL	D-A-08-102-008	4	PIN	PIN, LOCK, QA 0, ROLL, 5/16 IN, 1 IN, STEEL, PIN, SPRING; MATERIAL: STEEL, DIAMETER: 00.312500 (5/16) LENGTH:	0		5305J SE
ARC467R	AL	D-A-17-302-003	300	PIN	PIN, COTTER, QA 0, PIN, COTTER; MATERIAL: STAINLESS STEEL, SIZE DIAMETER: 0.187 IN (0		5305J SE
ARC468P	AL	D-A-17-302-003	4	PIN	PIN, COTTER, QA 0, PIN, COTTER; MATERIAL: STAINLESS STEEL, SIZE DIAMETER: 0.130 IN SIZE	0		5305J SE
ATL086D	AL	A-A-01-000-001	1	PIN	PIN, LOCK, QA 0, PIN, VALVE; STEEL, ROLLER, VALVE, 001.000 DIA X 007.500IN LG, FOR	0	P	48200 SE
ATW711G	AL	A-A-01-000-001	1	PIN	PIN, HINGE, QA 0, PIN, VALVE; PIVOT, ASTM A276 TYPE 410, FOR 16"-300 LB, LIST 323B OR	0	C	48200 SE
ATX795A	AL	A-A-01-000-001	1	PIN	PIN, HINGE, QA 0, PIN, VALVE; PIVOT, A276-003, FOR 006.000IN 150 PSI, CHECK VALVE, DWG	0	P	48200 SE
AVB837B	AL	A-A-01-000-001	1	PIN	PIN, HINGE, QA 0, PIN, HINGE VALVE; REF 12, FOR SWING CHECK VALVE, 4 IN, ANSI CLASS 150	0	P	48200 SE
AVE332T	AL	A-A-01-000-001	6	PIN	PIN, TYPICAL, QA 0, PIN, STRAIGHT HEADLESS; MATERIAL: STEEL ***	0	P	48200 SE
AVE786J	AL	A-A-01-000-001	1	PIN	PIN, HINGE, QA 0, PIN, VALVE; STAINLESS STEEL TYPE 316, ASTM A 582, HINGE, ITEM SS	0	P	48200 SE
AWC603T	AL	A-A-01-000-001	11	PIN	PIN, TYPICAL, QA 0, PIN, TAPERED PLAIN; MATERIAL: STEEL ***	0	P	48200 SE
AYQ620T	AL	D-B-09-202-001	2	PIN	PIN, LOCK, QA 0, SPRING, 1/2 IN, 1-1/2 IN, CS	0	C	4450C SE
BAN323L	AL	A-A-01-000-001	18	PIN	PIN, RETAINING, QA 3, PIN, VALVE; BREAKABLE, ALUMINUM, FOR ANGLEVALVE, 1.5 IN, THREADED	3	P	48200 SE
BBJ812K	AL	A-A-01-000-001	2	PIN	PIN, LOAD, QA 0, PIN, ; PAWL, LOAD BRAKE, IT 23, ILL HL-71C-63, FOR WIRE ROPE HOIST CAT	0	P	3950F SE
BBW330X	AL	A-A-01-000-001	1	PIN	PIN, RETAINING, QA 0, PIN, VALVE; GUIDE, STAINLESS STEEL, FOR SAFETY RELIEF VALVE, SIZE 0.75	0	P	48200 SE
BDA047L	AL	D-A-28-101-004	73	PIN	PIN, TYPICAL, QA 0, PIN, TAPERED PLAIN; MATERIAL: ALUMINUM ***	0		5305J SE
BDJ151R	AL	E-A-16-C02-C01	13	PIN	PIN, LOCK, QA 0, 5/32 IN, 1-1/4 IN, STEEL, ***	0	P	5925B SE
BDN703Q	AL	A-A-01-000-001	1	PIN	PIN, TYPICAL, QA 0, PIN, VALVE; WRIST, FOR CASH REGULATING FLUID PRESSURE VALVE ***	0	P	48200 SE
BET443W	AL	D-B-09-202-001	1	PIN	PIN, TYPICAL, QA 0, PIN, ASH DISPOSAL; STEEL, ACTUATING, FOR DRY FLY ASH DISPOSAL SYSTEM	0	P	4450C SE
BEY932Q	AL	D-B-09-202-001	1	PIN	PIN, TYPICAL, QA 0, PIN, ASH DISPOSAL; PIVOT, STAINLESS STEEL, HOLE THRU EACH END, FOR FLY	0	P	4450C SE
BFR536L	AL	A-A-01-000-001	1	PIN	PIN, RETAINING, QA 1, PIN, VALVE; HANGER, STAINLESS STEEL TYPE 410, FOR SWING CHECK VALVE	1	P	48200 SE
BGD770F	AL	A-A-01-000-001	58	PIN	PIN, COTTER, QA 3, PIN, COTTER; CARBON STEEL, SHAFT DIA .187 IN, UNDERHEAD LG 2.5 IN	3	P	5305J SE
BGF908P	AL	A-A-01-000-001	2	PIN	PIN, TYPICAL, QA 0, PIN, STRAIGHT HEADLESS; MATERIAL: STAINLESS STEEL ***	0	P	5305J SE
BGM031Q	AL	D-A-04-202-008	30	PIN	PIN, RETAINING, QA 3, PIN, TAPERED PLAIN; CARBON STEEL, LENGTH 4.0 IN, TAPER MAJOR DIA .25	3		5305J SE
BGM032N	AL	D-A-04-302-004	76	PIN	PIN, RETAINING, QA 3, PIN, TAPERED PLAIN; CARBON STEEL, LENGTH 4.0 IN, TAPER MAJOR DIA .25	3		5305J SE
BHE152K	AL	1-B-14-000-001	1	PIN	PIN, TYPICAL, QA 1, PIN, VALVE; FOR SOLENOID VALVE, MODEL 82KK-001, CLASS 2158, DWG	1	P	48200 SE
BHE152K	AL	1-A-03-000-001	21	PIN	PIN, TYPICAL, QA 1, PIN, VALVE; FOR SOLENOID VALVE, MODEL 82KK-001, CLASS 2158, DWG	1	P	48200 SE
BHN381T	AL	D-A-02-102-011	19	PIN	PIN, LOCK, QA 3, PIN, SPRING; REF 79, FOR VALVE ACTUATOR TYPE SMB-000 ***	3		48200 SE
BHW475J	AL	1-A-03-000-001	1	PIN	PIN, RETAINING, QA 1, PIN, VALVE; STAINLESS STEEL ASME SA479 TYPE 316, FOR SAFETY RELIEF	1	P	48200 SE
BJJ174E	AL	A-A-01-000-001	1	PIN	PIN, RETAINING, QA 0, PIN, VALVE; STAINLESS STEEL ASTM A276 TYPE 410, PIVOT, FOR CHECK	0	P	48200 SE
BJP524K	AL	D-A-01-401-004	4	PIN	PIN, TYPICAL, QA 3, STRAIGHT/HEADED, 1/2 IN, STEEL, SPIDER, . VENDOR DWG. NO. 3037-3, FOR WATER TIGHT EQUIPMENT, ON ACCESS DOORS	3		5670A SE
BLC723R	AL	D-A-15-301-006	15	PIN	PIN, DOWEL, QA 3, PIN, STRAIGHT HEADLESS; DOWEL, COVER LOCATING, 0.50 X 2.75 IN, FOR	3		2825G SE
BNC814A	AL	1-B-09-009-001	13	PIN	PIN, TYPICAL, QA 0, PIN, ; MALE AND FEMALE, WAT-902 CNHDPC, FOR PLUG EXT ***	0	P	4470C SE
BNH655A	AL	D-A-06-302-003	4	PIN	PIN, DOWEL, QA 3, PIN, STRAIGHT HEADLESS; DOWEL PIN, 0.25 DIAMETER X 0.5IN LONG, FOR	3		5305J SE
BNQ724D	AL	D-B-16-000-001	13	PIN	PIN, TYPICAL, QA 1, PIN, GOVERNOR, ; LINKAGE WOODWARD GOVERNOR BETWEEN THE ACTUATOR OUTPUT	1	P	29100 SE
BPL097K	AL	A-A-01-000-001	2	PIN	PIN, HINGE, QA 1, PIN, HINGE VALVE; ASTM A564-630, TYPE 17-4 PH STAINLESS STEEL, FOR 24	1	C	48200 SE
BQM102L	AL	A-A-01-000-001	2	PIN	PIN, HINGE, QA 1, PIN, VALVE; HINGE, STEEL, ASTM A582-416T, FOR ASME SECTION III, CLASS 3	1	B	48200 SE
BRE848V	AL	E-A-16-C02-F01	2	PIN	PIN, LOCK, QA 0, PIN, CIRCUIT BREAKER; LOCKING, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
BVB179G	AL	A-A-01-000-001	2	PIN	PIN, HINGE, QA 1, PIN, SNUBBER; PIVOT, CHROME PLATED, ASTM A 434, CLASS BD, NOMINAL 5.0 IN	1	B	4710Y SE
BWQ411X	AL	E-A-16-C01-C01	32	PIN	PIN, LOCK, QA 0, PIN, CIRCUIT BREAKER; THREADED, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BWQ418F	AL	E-A-16-C01-D01	137	PIN	PIN, LOCK, QA 0, PIN, CIRCUIT BREAKER; LOCKING, 4 X 18 MM, FOR CIRCUIT BREAKER, TYPE	0	C	5925B SE
BWQ419D	AL	E-A-16-C01-E01	101	PIN	PIN, LOCK, QA 0, PIN, CIRCUIT BREAKER; LOCKING, 4 X 22 MM, FOR CIRCUIT BREAKER, TYPE	0	C	5925B SE
BWQ423N	AL	E-A-16-C01-E01	102	PIN	PIN, LOCK, QA 0, PIN, CIRCUIT BREAKER; LOCKING, 6 X 40 MM, FOR CIRCUIT BREAKER, TYPE	0	C	5925B SE
BWQ424L	AL	E-A-16-C01-E01	40	PIN	PIN, LOCK, QA 0, PIN, CIRCUIT BREAKER; LOCKING, 4 X 28 MM, FOR CIRCUIT BREAKER, TYPE	0	C	5925B SE

BWQ450Y	AL	E-A-16-C01-G01	23	PIN	PIN, LOCK, QA 0, PIN, CIRCUIT BREAKER; SPLIT, 2.5 X 25 STNR, FOR CIRCUIT BREAKER, TYPE	0	C	5925B SE
BWQ630W	AL	E-A-16-C02-C01	28	PIN	PIN, LOCK, QA 0, PIN, CIRCUIT BREAKER; LOCKING, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BWQ633B	AL	E-A-16-C02-C01	27	PIN	PIN, LOCK, QA 0, PIN, CIRCUIT BREAKER; LOCKING, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BWQ640R	AL	E-A-16-C02-D01	41	PIN	PIN, LOCK, QA 0, CIRCUIT BREAKER; LOCKING, 4 X 40, FOR CIRCUIT BREAKER, TYPE	0	C	5925B SE
BWQ665X	AL	E-A-16-C02-D01	42	PIN	PIN, LOCK, QA 0, PIN, CIRCUIT BREAKER; LOCKING, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BWQ669M	AL	E-A-16-C02-E01	83	PIN	PIN, LOCK, QA 0, PIN, CIRCUIT BREAKER; LOCKING, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BWQ693Q	AL	E-A-16-C02-H01	30	PIN	PIN, LOCK, QA 0, PIN, CIRCUIT BREAKER; LOCKING, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BWQ695L	AL	E-A-16-C03-A01	7	PIN	PIN, LOCK, QA 0, PIN, CIRCUIT BREAKER; SPLIT, FOR CIRCUIT BREAKER, TYPE DR36SC1750D ***	0	C	5925B SE
BXA789D	AL	A-A-01-000-001	2	PIN	PIN, TYPICAL, QA 0, PIN, COMPRESSOR; CROSSHEAD, FOR STATION AIR COMPRESSOR D, MFG BY	0	B	4310I SE
BXC043F	AL	A-A-01-000-001	3	PIN	PIN, DRIVE, QA 3, PIN, PUMP; DRIVE,IT 18, FOR MECHANICAL SEAL, TYPE I-B,ON CHARGE/SAFETY	3	B	4320U SE
BXT069L	AL	A-A-01-000-001	1	PIN	PIN, TYPICAL, QA 3, PIN, PUMP; CROSSHEAD, HT203, A534-4720, FOR RECIPROCATING PUMP, SIZE	3	B	4320U SE
BYA282A	AL	A-A-01-000-001	4	PIN	PIN, TYPICAL, QA 1, PIN, VALVE; DISC, ASTM A637 GR 718, FOR WESTINGHOUSE MANUAL AND MOTOR	1	C	48200 SE
BYA421N	AL	A-A-01-000-001	1	PIN	PIN, RETAINING, QA 3, PIN, VALVE; ADJUSTABLE RING, 416 SS, FOR 3" X 4" 150 PSI, ASME SECTION	3	C	48200 SE
BYB963C	AL	A-A-01-000-001	2	PIN	PIN, HINGE, QA 1, PIN, PIVOT; PIVOT PIN, ASTM A637 GR 718, WESTINGHOUSE SWING CHECK	1	C	5120M SE
BYE597V	AL	D-B-07-201-001	1	PIN	PIN, RETAINING, QA 1, CLASS 1, VALVE, STEEL, , DISK, FOR WESTINGHOUSE MANUAL AND MOTOR OPERATED GATE VALVES	1	C	48200 SE
CAM440R	AC	- - - -	1	PIN	PIN, LOCK, QA 3, PIN, ACTUATOR; ROLL, CARBON STEEL, REF 122, FOR DRIVE LINKAGE, ON	3	C	48200 SE
CBN221F	AC	- - - -	1	PIN	PIN, TYPICAL, QA 0, PIN, VALVE; FOR 6 INCH 300 LB CHECK VALVE, ANCHOR DARLING DWG 9524564	0	C	48200 SE
CDT213D	AL	1-B-14-000-001	2	PIN	PIN, DOWEL, QA 3, DOWEL, ELECTRIC MOTOR; WITH WASHER, NUT, MICARTA WASHER AND TUBE FOR	3	B	6105D SE
CED063R	AL	A-A-01-000-001	12	PIN	PIN, TYPICAL, QA 1, CLASS 2, PIN, SPARE PART; STRAIGHT HEADLESS, STEEL, ASME SA 193 B7, 1.50 " DIA	1	C	5305J SE
CFD306X	AC	- - - -	19	PIN	PIN, TYPICAL, QA 1, ROLL, FOR USE WITH 52STA SWITCH MECHANISM FOR SIEMENS VERTICAL LIFT BREAKERS	1	B	5925B SE
CFE660G	AL	D-A-28-060-001	210	PIN	PIN, TURBINE, QA 0, LOCKING, HP, *** BLADE, LARGE, NO OTHER DESCRIPTION AVAILABLE AT THIS TIME	0	C	2825G SE
CFE663Y	AL	D-A-28-060-001	1800	PIN	PIN, TURBINE, QA 0, LOCKING, HP, *** BLADE, SMALL, NO OTHER DESCRIPTION AVAILABLE AT THIS TIME	0	C	2825G SE
CFY623Q	AL	D-B-17-201-001	8	PIN	PIN, TYPICAL, QA 1, PIN, *TYPICAL *** TAPERED LOAD PIN, NOMINAL DIAMETER: 1 1/2 INCH	1	C	3040D SE
AAT123F	AL	M-A-13-000-002	48	PIN	PIN, RETAINING, QA 0, PIN, ; CAM FOLLOWER, FOR DIESEL ENGINE, MODEL 20-645-E4 ***	0	P	2910O SE
AAV864Y	AL	L-A-13-000-002	2	PIN	PIN, RETAINING, QA 0, PIN, VALVE; THREADED, STROKE ADJUSTMENT, FOR PNEUMATIC VALVE	0	P	48200 SE
AAV864Y	AL	L-A-08-000-002	19	PIN	PIN, RETAINING, QA 0, PIN, VALVE; THREADED, STROKE ADJUSTMENT, FOR PNEUMATIC VALVE	0	P	48200 SE
ABG200H	AL	L-A-03-000-002	556	PIN	PIN, COTTER, QA 3, PIN, COTTER; FOR GE REFUEL PLATFORM FUEL GRAPPLE, PARTS LIST 731E635	3	C	4470C SE
ACE775L	AL	L-A-09-000-002	2	PIN	PIN, TYPICAL, QA 0, PIN, PUMP; PUMP, IT 9, FOR SERIES 500, MODEL PF05-002-31L-001, AND/OR	0	P	4320U SE
ACJ173W	AL	L-A-03-000-002	1	PIN	PIN, TYPICAL, QA 1, PIN, VALVE; HANGER, FOR VELAN VALVE CORP, BOLTED BONNET SWING CHECK	1	P	48200 SE
AFG986A	AL	M-A-08-000-002	20	PIN	PIN, COTTER, QA 3, CS, PIN, COTTER; FOR HYDRAULIC SHOCK SUPPRESSORS, 1000000.000 LB CAPACITY	3	P	5305J SE
AGX415D	AL	L-A-09-000-002	1	PIN	PIN, TYPICAL, QA 0, PIN, ; FOR HERSEY GAGE 235A-13, SN 425807, ON TURBINE LUBE OIL TANKS	0	P	6695D SE
AJB204C	AL	L-A-09-000-002	3	PIN	PIN, TYPICAL, QA 0, PIN, STEAM TURBINE; BLADE, STAGE 11, FOR TURBINE, S/N 170X374 (5600)	0	C	2825G SE
AKH955P	AL	L-A-09-000-002	21	PIN	PIN, TYPICAL, QA 0, PIN, ; PILOT NOZZLE, FOR VALVE POSITIONER, MODEL J-13-15, DWG J-1, REF	0	P	6695D SE
AKW279D	AL	M-A-08-000-002	4	PIN	PIN, LOCK, QA 3, PIN, GROOVED HEADLESS; FOR RECORDER ***	3	P	6695D SE
AMJ940Y	AL	M-A-08-000-002	3	PIN	PIN, TYPICAL, QA 0, PIN, VALVE; PLUG, FOR CONTROL VALVE, SIZE 8 IN, MODEL 37-10174, AIR TO	0	P	48200 SE
AMJ976X	AL	L-A-09-000-002	5	PIN	PIN, RETAINING, QA 3, PIN, ACTUATOR; ROLLER, FORK, ITEM 38, FOR TYPE SMB4 & SMB4T ***	3	P	48200 SE
AMW858G	AL	M-A-08-000-002	1	PIN	PIN, LOCK, QA 0, PIN, SPRING; MATERIAL: STAINLESS STEEL, DIAMETER: 00.062500 (1/16)	0	P	6695D SE
AMY572Q	AL	L-A-04-000-002	2	PIN	PIN, TYPICAL, QA 0, PIN, PUMP; BEARING CYLINDER, FOR MODEL F3-PVA120-RS-10, ON	0	C	4320U SE
APJ921B	AL	L-A-13-000-002	4	PIN	PIN, LOCK, QA 0, VALVE, 3/16 IN, 3/8 IN, PIN, VALVE; GROOVE, SA-479-316, FOR FISHER DIAPHRAGM CONTROL VALVE	0	P	48200 SE
APW654L	AL	L-A-13-000-002	2	PIN	PIN, TYPICAL, QA 0, PIN, VALVE; FOR CONTROLLER, MODEL 77-40, RANGE 040.000 MA, B/M	0	P	48200 SE
AQF260J	AL	M-A-08-000-002	5	PIN	PIN, HINGE, QA 2, PIN, VALVE; HINGE, W/O-RING GROOVES, FOR CHECK VALVE, 8 IN, SIZE	2	P	48200 SE
AQF265W	AL	T-A-05-000-002	1	PIN	PIN, HINGE, QA 1, 416 SS, O-RING GROOVES W/ O-RINGS, SIZE 2-123, BUNA-N, 70 DURO, DWG	1	B	48200 SE
AQR216N	AL	L-A-03-000-002	494	PIN	PIN, LOCK, QA 0, 1/16 IN, 1/2 IN, STEEL, ***	0	C	5305J SE
AQR220B	AL	L-A-03-000-002	286	PIN	PIN, LOCK, QA 0, ROLL, 1/8 IN, 3/4 IN, STEEL, PIN, SPRING; MATERIAL: STEEL, DIAMETER: 00.125000 (1/8) LENGTH:	0	B	5305J SE
AQR225M	AL	L-A-03-000-002	372	PIN	PIN, LOCK, QA 0, ROLL, 3/16 IN, 1-1/2 IN, STEEL, PIN, SPRING; MATERIAL: STEEL, DIAMETER: 00.187500 (3/16) LENGTH:	0	P	5305J SE
AQR228F	AL	L-A-03-000-002	931	PIN	PIN, LOCK, QA 0, ROLL, 1/4 IN, 1-1/2 IN, STEEL, PIN, SPRING; MATERIAL: STEEL, DIAMETER: 00.250000 (1/4) LENGTH:	0	P	5305J SE
AQR236G	AL	L-A-03-000-002	21	PIN	PIN, LOCK, QA 0, ROLL, 3/8 IN, 3 IN, STEEL, PIN, SPRING; MATERIAL: STEEL, DIAMETER: 00.375000 (3/8) LENGTH:	0	P	5305J SE
AQT963B	AL	L-A-09-000-002	4	PIN	PIN, RETAINING, QA 0, PIN, STEAM TURBINE; PACKING SUPPORT, FOR VARIOUS LOCATIONS ON TURBINE	0	P	2825G SE
AQX596W	AC	- - - -	7	PIN	PIN, LOCK, QA 0, PIN, CONTROLLER; RIVOT, FOR CONTROLLER, PNEUMATIC, ELECTRIC CONTROL	0	C	6695D SE
ARC433B	AL	L-A-09-000-002	17	PIN	PIN, TYPICAL, QA 0, PIN, STEAM TURBINE; PACKING SUPPORT, LP SEVERAL LOCATIONS ON TURBINE	0	P	2825G SE
ARV622T	AL	M-A-13-000-002	8	PIN	PIN, TYPICAL, QA 2, PIN, ; IDLER, STEEL, 0.750 X 2.312 IN LG, FOR ROTATION TANDEM DIESEL	2	P	6115F SE
ATA817W	AL	M-A-16-000-002	2	PIN	PIN, RETAINING, QA 2, PIN, VALVE; WEDGE,STAINLESS STEEL,0.500 X 4.750IN,FOR 12IN,1500LB,	2	P	48200 SE
ATE352T	AL	T-A-01-000-002	7	PIN	PIN, TYPICAL, QA 3, PIN, STRAIGHT HEADLESS; DISC NUT,MATERIAL A276 TYPE 304,FOR 12IN SWING	3	P	48200 SE
ATN583X	AL	Z-Z-ZZ-ZZZ-ZZZ	510	PIN	PIN, TYPICAL, QA 0, STEAM TURBINE, 11/32 IN, 5-1/8 IN, PIN, STEAM TURBINE; DOVETAIL, 0.34 X 5.125 IN LG, FOR TURBINE, S/N	0	P	2825G SE
AWN086N	AL	T-A-01-000-002	3	PIN	PIN, TYPICAL, QA 3, PIN, VALVE; METALLIC, FOR 004.000 IN SWINGCHECK VALVE, FIG 5353WE, REF	3	P	48200 SE
AXB354K	AL	T-A-01-000-002	1	PIN	PIN, RETAINING, QA 0, PIN, VALVE; BRASS, UPPER, RING, FOR 006.000 IN SAFETY VALVE, TYPE	0	P	48200 SE
AXB414V	AL	T-A-01-000-002	1	PIN	PIN, RETAINING, QA 0, PIN, VALVE; LOWER, RING, FOR 006.000 IN SAFETY VALVE, TYPE 1511Q-02-20	0	P	48200 SE
AXP038N	AL	L-A-09-000-002	10	PIN	PIN, TYPICAL, QA 3, PIN, BRAKE,ELECTRIC; STEEL, PIVOT, SOLENOID LEVER, FOR SUPPORT PLATE	3	P	61100 SE
AXP039L	AL	L-A-03-000-002	12	PIN	PIN, TYPICAL, QA 3, PIN, BRAKE,ELECTRIC; STEEL, BEARING, FOR SUPPORT PLATE ASSY, PN	3	P	61100 SE
AXP555B	AL	L-A-09-000-002	6	PIN	PIN, LOCK, QA 3, PIN, REFUEL PLATFORM; PIVOT, SOLENOID LEVER, FOR SUPPORT PLATE ASSY	3	P	4470C SE
AXP721L	AL	L-A-03-000-002	98	PIN	PIN, DOWEL, QA 3, PIN, SPRING; DOWEL, 0.312 X 1.75 IN LONG, FOR INDOOR METALCLAD	3	P	5305J SE
AXQ785L	AL	L-A-09-000-002	6	PIN	PIN, LOCK, QA 3, PIN, REFUEL PLATFORM; STEEL, PIVOT, LEVER ARM, FOR SUPPORT PLATE ASSY	3	P	4470C SE
AXQ786J	AL	L-A-09-000-002	6	PIN	PIN, LOCK, QA 3, PIN, REFUEL PLATFORM; STEEL, SPLIT, PIVOT, SPRING STUD, FOR SUPPORT	3	P	4470C SE
AXT918H	AL	M-A-02-000-002	4	PIN	PIN, TYPICAL, QA 1, STRAIGHT/HEADLESS, SS, , SQUEEZE PINS, ASME SA-479 TYPE 316, FOR 16 IN NUCLEAR MK II	1	C	48200 SE
AXT952H	AL	M-A-16-000-002	2	PIN	PIN, LOCK, QA 3, PIN, GROOVED HEADLESS; LONGITUDINAL GROOVES, STAINLESS STEEL, QA LG	3	P	48200 SE
AYB091A	AL	M-A-16-000-002	3	PIN	PIN, RETAINING, QA 3, PIN, VALVE; STAINLESS STEEL, STRAIGHT, FORAIR OPERATED CONTROL VALVE	3	P	48200 SE
BAN323L	AL	T-A-02-000-002	10	PIN	PIN, RETAINING, QA 3, PIN, VALVE; BREAKABLE, ALUMINUM, FOR ANGLEVALVE, 1.5 IN, THREADED	3	P	48200 SE
BAP223K	AL	T-A-01-000-002	30	PIN	PIN, RETAINING, QA 0, PIN, VALVE; BREAKABLE, ALUMINUM, FOR ANGLE VALVE, 2.5 IN, THREADED	0	P	48200 SE
BCK158C	AL	M-A-16-000-002	3	PIN	PIN, TYPICAL, QA 2, PIN, VALVE; SPIRAL, FOR SAFETY RELIEF VALVE, 3 IN, FLANGE, ANSI CLASS	2	P	48200 SE
BCR630T	AL	L-A-03-000-002	4	PIN	PIN, TYPICAL, QA 0, PIN, VALVE; DISK HOLDER, P-140-2, STAINLESS STEEL, FOR CHECK VALVE ***	0	P	48200 SE
BDN958M	AL	L-A-03-000-002	5	PIN	PIN, LOCK, QA 0, 3/16 IN, 1-1/2 IN, STEEL, PIN, SPRING; MATERIAL: STEEL, DIAMETER: 00.187500 (3/16) LENGTH:	0	P	48200 SE
BEB936J	AL	M-A-06-000-002	18	PIN	PIN, TYPICAL, QA 3, PIN, HANDWHEEL; DETENTION, REF 8, FOR HANDWHEEL ON ACTUATOR NO N-378	3	P	4710Y SE
BHE135K	TR	- - - -	3	PIN	PIN, TYPICAL, QA 1, PIN, VALVE; FOR SOLENOID VALVE, MODEL 79AB-003, ANSI CLASS 1680, DWG	1	P	48200 SE
BHE182A	AL	M-A-06-000-002	1	PIN	PIN, TYPICAL, QA 1, PIN, STRAIGHT HEADLESS; FOR SOLENOID VALVE, MODEL 82UU-001, ANSI CLASS	1	P	48200 SE
BHT217K	AL	M-A-16-000-002	6	PIN	PIN, RETAINING, QA 1, PIN, VALVE; STEM AND DISK, STANLESS STEEL 17-4PHC-H1100, ASME SA564 GR	1	C	48200 SE

BHT218H	AL	M-A-01-000-002	5	PIN	PIN, RETAINING, QA 1, PIN, VALVE; STEM AND DISK, STAINLESS STEEL 17-4PHC-H1100, ASME SA564 GR	1	P	48200	SE
BJD122V	AL	L-A-02-000-002	23	PIN	PIN, HINGE, QA 1, PIN, HINGE VALVE; WITHOUT SPRING, STAINLESS STEEL, TYPE 316, REF 5	1	P	48200	SE
BJH175H	AL	L-A-09-000-002	45	PIN	PIN, TYPICAL, QA 0, STEAM TURBINE, 5/16 IN, 6 IN, PIN, STEAM TURBINE; 0.3125 DIA X 6 IN LONG, DOVETAIL, FOR STEAM	0	P	2825G	SE
BJK922V	AL	L-A-13-000-002	8	PIN	PIN, DOWEL, QA 1, STRAIGHT/HEADLESS, STEEL, , REF 42, FOR VALVE ACTUATOR, TYPE SMB-00	1	B	48200	SE
BJM614W	AL	L-A-03-000-002	2	PIN	PIN, TYPICAL, QA 3, PIN, STRAIGHT HEADLESS; STAINLESS STEEL GR 410, ROUND, FOR RCIC	3	B	48200	SE
BJQ342L	AL	L-A-09-000-002	9	PIN	PIN, TYPICAL, QA 3, PIN, VALVE; LOCATING, FOR 3.00 IN HYDROMATIC DELUGE VALVE, MODEL G ***	3	P	48200	SE
BJX595W	AL	L-A-02-000-002	14	PIN	PIN, HINGE, QA 1, PIN, VALVE; HINGE, STAINLESS STEEL TYPE 316, FOR CHECK VALVE, 3 IN	1	C	48200	SE
BKB973D	AL	M-A-09-000-002	10	PIN	PIN, TYPICAL, QA 3, PIN, STRAIGHT HEADLESS; CARBON STEEL, SHAFT DIA .375 IN, EFFECTIVE LG	3	P	48200	SE
BKB974B	AL	M-A-09-000-002	10	PIN	PIN, TYPICAL, QA 3, PIN, STRAIGHT HEADLESS; CARBON STEEL, SHAFT DIA .5 IN, EFFECTIVE LG	3	P	48200	SE
BKC087Q	AL	L-A-03-000-002	7	PIN	PIN, DOWEL, QA 3, PIN, PUMP; TAPER, CASING DOWEL, STEEL, MATERIAL CODE 056, FOR	3	P	4320U	SE
BKH423J	AL	M-A-16-000-002	3	PIN	PIN, HINGE, QA 1, PIN, HINGE VALVE; ALLOY STEEL, ASTM A479-410-3, FOR SWING CHECK VALVE	1	C	48200	SE
BKN292D	AL	M-A-16-000-002	6	PIN	PIN, RETAINING, QA 1, PIN, VALVE; STEM/DISK, STAINLESS STEEL SA564 GR 630, DWG ITEM #6, FOR	1	P	48200	SE
BLA132V	AL	L-A-09-000-002	2	PIN	PIN, TYPICAL, QA 3, PIN, PUMP; LOWER CASING FOOT, CARBON STEEL 1018, SAE 1018, ASTM A108.	3	P	4320U	SE
BLA670A	AL	L-A-09-000-002	1	PIN	PIN, TYPICAL, QA 3, PIN, VALVE; EYE BOLT, FOR GATE VALVE, 2.5 IN, FIG 1503WE, S/N 47569	3	P	48200	SE
BLC500T	AL	M-A-16-000-002	6	PIN	PIN, LOCK, QA 3, PIN, VALVE; STOP, GROOVE, STEEL, FOR CONTROL VALVE, MODEL 38-20761	3	P	48200	SE
BLC585B	AL	L-A-09-000-002	1582	PIN	PIN, TYPICAL, QA 0, PIN, ; STAINLESS STEEL, SPIRAL, FOR CONDENSATE FILTER DEMINERALIZER	0	P	4420B	SE
BLD851B	AL	T-A-01-000-002	298	PIN	PIN, LOCK, QA 3, PIN, SPRING; ROLL, CARBON STEEL, NO 9, COILED, STANDARD DUYP, 0.375 X	3	P	5305J	SE
BLD857Y	AL	T-A-01-000-002	302	PIN	PIN, LOCK, QA 3, PIN, SPRING; CARBON STEEL, LENGTH 1.0 IN, SHAFT DIA .375 IN, ROLL, NO	3	P	5305J	SE
BLE875P	AL	M-A-16-000-002	4	PIN	PIN, RETAINING, QA 3, PIN, VALVE; STAINLESS STEEL, FOR 1/2 INCH ITT GRINNELL DIAPHRAGM	3	P	48200	SE
BLM040A	AL	M-A-16-000-002	12	PIN	PIN, TYPICAL, QA 3, PIN, VALVE; VALVE, STAINLESS STEEL 300 SERIES, DWG ITEM 48, SIZE .125	3	P	48200	SE
BLN810N	AL	L-A-09-000-002	4	PIN	PIN, TYPICAL, QA 1, PIN, VALVE; SPIROL, PC 37, FOR SOLENOID VALVE, 3/4", MODEL 100, STYLE	1	B	48200	SE
BLP121X	AL	L-A-03-000-002	4	PIN	PIN, LOCK, QA 0, PIN, SPRING; DIAMETER: 00.500000 (1/2), LENGTH: 04.000000 (4) ***	0	P	5305J	SE
BLV774T	AL	M-A-16-000-002	6	PIN	PIN, RETAINING, QA 3, PIN, VALVE; WORM GEAR TO SHAFT, SPRING, FOR MODEL 2KE KENNETH ELLIOT	3	P	48200	SE
BMD102G	AL	L-A-03-000-002	29	PIN	PIN, CLEVIS, QA 3, PIN, STRAIGHT,HEADED; CLEVIS, STEEL, ZINC PLATED, BRIGHT CROMATE FINSH	3	P	5305J	SE
BND444C	AL	T-A-01-000-002	2	PIN	PIN, RETAINING, QA 3, PIN, VALVE; LOWER RING, FOR SAFETY RELIEF VALVE, SIZE 4 X 6 IN, SET AT	3	P	48200	SE
BND445A	AL	T-A-01-000-002	1	PIN	PIN, RETAINING, QA 3, PIN, VALVE; UPPER RING, FOR SAFETY RELIEF VALVE, SIZE 4 X 6 IN, SET AT	3	P	48200	SE
BND558W	AL	M-A-16-000-002	21	PIN	PIN, RETAINING, QA 1, PIN, VALVE; THRUST COLLAR, STAINLESS STEELTYPE 302, FOR BUTTERFLY	1	P	48200	SE
BNE393X	AL	M-A-03-000-002	8	PIN	PIN, TYPICAL, QA 0, PIN, ; TERMINATION, WBT-320, WBT- X1ELTE ***	0	P	4470C	SE
BPH144X	AL	L-A-09-000-002	3	PIN	PIN, COTTER, QA 3, PIN, PUMP; COTTER, .062 IN DIA X 1.00 IN LONG, FOR HYDRAULIC TRIP	3	C	4320U	SE
BPL083Y	AL	T-A-01-000-002	3	PIN	PIN, HINGE, QA 1, PIN, VALVE; PIVOT, FOR 4 IN CHECK VALVE, MODEL NO 421JBB1, S/N 28551	1	C	48200	SE
BPM653K	AL	M-A-03-000-002	1	PIN	PIN, HINGE, QA 3, PIN, HINGE VALVE; FOR 3 INCH NIBCO SWING CHECK VALVE, FIG 908-W, ITEM	3	C	48200	SE
BPM656D	AL	M-A-03-000-002	4	PIN	PIN, RETAINING, QA 3, PIN, VALVE; BRASS, FOR NIBCO SWING CHECK VALVE, 3 IN, FIG 908-W, TVA	3	B	48200	SE
BPN736A	AL	L-A-13-000-002	12	PIN	PIN, TYPICAL, QA 3, PIN, ACTUATOR; CLUTCH ROLLER, FOR OPERATOR, SIZE SMB-00, DWG	3	C	48200	SE
BPW876T	AL	L-A-03-000-002	575	PIN	PIN, LOCK, QA 0, ROLL, 3/16 IN, 2 IN, STAINLESS STEEL, PIN, SPRING; MATERIAL: STAINLESS STEEL, DIAMETER: 00.187500 (3/16)	0	C	5305J	SE
BQL454Q	AL	T-A-01-000-002	1	PIN	PIN, RETAINING, QA 1, VALVE, , THRUST COLLAR, NICKEL STAINLESS STEEL ALLOY, MATERIAL TY 302,	1	C	48200	SE
BTQ518P	AL	L-A-03-000-002	1	PIN	PIN, LOCK, QA 3, PIN, PUMP; DRIVE LOCK, 416 STAINLESS STEEL, HPFP JOCKEY PUMP, SERI AL	3	C	4320U	SE
BVL031R	AL	L-A-09-000-002	2	PIN	PIN, HINGE, QA 1, PIN, VALVE; HINGE, L.H. ASSEMBLY, MATERIAL: ASTM A182 TY F316, REF.	1	C	48200	SE
BVL032P	AL	L-A-09-000-002	2	PIN	PIN, HINGE, QA 1, PIN, VALVE; HINGE, R.H. ASSEMBLY, MATERIAL: ASTM A182 TY F316, REF.	1	C	48200	SE
BVP797P	AL	T-A-01-000-002	844	PIN	PIN, CONNECTOR, QA 2, PIN, CONNECTOR; WIRE SIZE RANGE 28-24 AWG, CRIMP TYPE, BRASS WITH GOLD	2	B	5935B	SE
BVVW655J	AL	P-A-LL-ET0-119	10	PIN	PIN, TYPICAL, QA 3, PIN, REFUEL PLATFORM; GIMBAL EP REF 8, FOR SERVICE AND HANDLING SYSTEM	3	C	4470C	SE
BWL782E	AL	L-A-13-000-002	1	PIN	PIN, RETAINING, QA 3, PIN, VALVE; WEDGE, PT 82-14, FOR ANCHOR/DARLING SUCTION VALVE, 28 X 24	3	C	48200	SE
BWL792B	AL	L-A-13-000-002	1	PIN	PIN, RETAINING, QA 3, PIN, VALVE; WEDGE, PT 82-14, FOR ANCHOR/DARLING EQUALIZER VALVE, 22 X	3	C	48200	SE
BWM241C	AL	L-A-13-000-002	7	PIN	PIN, CLEVIS, QA 3, PIN, VALVE; STAINLESS STEEL, ASTM A276, TYPE 410, 0.25 DIA. X 01.50 IN	3	C	48200	SE
BXC559L	AL	T-A-01-000-002	70	PIN	PIN, LOCK, QA 3, SPRING, 1/2 IN, 2 IN, SS	3	C	5305J	SE
BXG227R	AL	M-A-01-000-002	8	PIN	PIN, CLEVIS, QA 0, PIN, LIFTING RIG; IT 28,FOR LIFT, MODEL SLD-20812-12,20000 LB	0	C	3950F	SE
BXH773Q	AL	M-A-01-000-002	2	PIN	PIN, RETAINING, QA 1, PIN, VALVE; TAPER,WAFER TO SHAFT,17-4PH,ASTM A-564 GR 630,FOR JAMES	1	C	48200	SE
BXL438P	AL	L-A-09-000-002	85	PIN	PIN, LOCK, QA 3, PIN, SPRING; MATERIAL: CARBON STEEL, DIAMETER: 00.250000 (1/4)	3	C	5305J	SE
BXN283G	AL	L-A-09-000-002	1	PIN	PIN, LOAD, QA 0, PIN, CONNECTOR; LINK ***	0	C	5935B	SE
BXN373F	AL	M-A-03-000-002	1	PIN	PIN, TYPICAL, QA 1, PIN, VALVE; TARGET ROCK P/N 102865-2 ***	1	B	48200	SE
BXR539P	AL	L-A-09-000-002	805	PIN	PIN, LOCK, QA 3, PIN, VALVE; GROOVED, DRIV-LOK, TYPE D, SIZE: 1/2" LONG X .1875 (3/16")	3	C	48200	SE
CAC888F	AL	L-A-09-000-002	80	PIN	PIN, CONNECTOR, QA 3, PIN, CONNECTOR; ELECTRICAL, MALE, FOR 18 AWG WIRE SIZE ***	3	B	5935B	SE
CAL657R	AL	L-A-03-000-002	6	PIN	PIN, RETAINING, QA 3, DOWEL, DIESEL ENGINE; F/IDLER GEAR STUBSHAFT BRACKET, F/GENERAL MOTORS	3	C	2910O	SE
CAM440R	AL	L-A-13-000-002	1	PIN	PIN, LOCK, QA 3, PIN, ACTUATOR; ROLL, CARBON STEEL, REF 122, FOR DRIVE LINKAGE, ON	3	C	48200	SE
CAY794V	AL	M-A-06-000-002	2	PIN	PIN, RETAINING, QA 1, STEM/DISC, POSISEAL WAFER BUTTERFLY VALVE, SA-564 GR. 630 COND. H1100, 17-4 PH, FOR A 6", 150 PSIG, TYPE 1144,	1	C	48200	SE
CBD749J	AL	L-A-09-000-002	1	PIN	PIN, TYPICAL, QA 0, PIN, ACTUATOR; STEEL, REFERENCE DWG NO. CV5518, FIGURE 4. ***	0	C	48200	SE
CBP641K	AL	L-A-09-000-002	188	PIN	PIN, LOCK, QA 3, PIN, SPRING; 7/32" DIAMETER X 1-1/8" LONG, STEEL, FOR EMERGENCY FIRE	3	B	4730P	SE
CDC538Q	AL	L-A-09-000-002	6	PIN	PIN, TYPICAL, QA 1, VALVE, SS, HINGE; FOR TILTING DISK CHECK VALVE, CRANE MODEL 123A	1	C	5120M	SE
CDH484V	AC	- - - -	2	PIN	PIN, HINGE, QA 1, PIN, VALVE; SWING CHECK, SIZE: 6 INCH, HINGE PIN, P/N: 041, A/D DWG	1	C	48200	SE
CDL267L	AC	- - - -	4	PIN	PIN, LOCK, QA 1, PIN, SPRING; 1/8" X 0.625", AISI 420, IN ACCORDANCE WITH ANSI B18.8. 2	1	C	5305J	SE
CEJ893Y	AL	L-A-03-000-002	3	PIN	PIN, TYPICAL, QA 0, VALVE, PIN, *TYPICAL; TYPE: VALVE/PLUG/STEM *** PIN FOR VALVE STEM TO PLUG	0	C	48200	SE
CEJ895T	AL	L-A-03-000-002	3	PIN	PIN, TYPICAL, QA 0, VALVE, FOR VALVE STEM TO PLUG	0	C	48200	SE
CEY140Y	AL	L-A-13-000-002	11	PIN	PIN, TYPICAL, QA 3, PIN, *TYPICAL; TYPE: ALIGNING *** SPIRAL, STAINLESS STEEL, ALIGNMENT	3	C	48200	SE
CFB789P	AL	L-A-09-000-002	5	PIN	PIN, TYPICAL, QA 3, PIN, *TYPICAL *** NAME PLATE STOP PIN, MATERIAL: CARBON STEEL, PLATED	3	C	48104	SE
CFD306X	AL	L-A-09-000-002	2	PIN	PIN, TYPICAL, QA 1, ROLL, FOR USE WITH 52STA SWITCH MECHANISM FOR SIEMENS VERTICAL LIFT BREAKERS	1	B	5925B	SE
CFY623Q	AL	P-A-LL-ET0-019	7	PIN	PIN, TYPICAL, QA 1, PIN, *TYPICAL *** TAPERED LOAD PIN, NOMINAL DIAMETER: 1 1/2 INCH	1	C	3040D	SE
AAC118G	AL	A-A-01-000-001	11	PIPE	PIPE, SEAMLESS, ELBOW, PIPE; 90 DEG STANDARD RADIUS, CLASS 6000, CARBON STEEL ASME SA	1	P	4730P	SE
AAC591M	AL	1-B-10-000-001	1	PIPE	PIPE, SEAMLESS, QA 1, CLASS 2, 2 IN, SS, RANDOM, 160, PLAIN, ASME SA376 TP 304, STANDARD MILL FINISH, B36.10M	1	D	4710Z	SE
AAC591M	AL	1-A-03-000-001	4	PIPE	PIPE, SEAMLESS, QA 1, CLASS 2, 2 IN, SS, RANDOM, 160, PLAIN, ASME SA376 TP 304, STANDARD MILL FINISH, B36.10M	1	D	4710Z	SE
ACG128C	AL	9-A-01-003-001	24	PIPE	PIPE, SEAMLESS, QA 0, 3/4 IN, SS, RANDOM, 40S, PLAIN, ASTM A312 TP 304, STANDARD MILL FINISH	0	C	4710Z	SE
AKG423Y	AL	9-A-01-003-001	21	PIPE	PIPE, SEAMLESS, QA 0, 12 IN (1 FT), CS, RANDOM, EXTRA STRONG, BUTTWELD, ASTM A53 GR B, BLACK	0	C	4710Z	SE
AMG735Y	AL	A-A-01-000-001	58	PIPE	PIPE, SEAMLESS, QA 1, CLASS 2, PIPE, METALLIC; NOMINAL DIAMETER: 01.000 IN (1), SCHEDULE: 40,	1	C	4710Z	SE
AND946T	AL	D-A-02-102-006	13	PIPE	PIPE, TYPICAL, QA 0, PIPE, FIRE PROTECTION; DISCHARGE, MODEL H HORN, FOR MODEL R-51 FIRE	0		4210N	SE
BHD479P	AL	D-A-32-104-001	9	PIPE	PIPE, TYPICAL, QA 1, PIPE, METALLIC; PILOT, EXHAUST, CARBON STEEL ASTM A120, FOR CONTROL	1	P	48200	SE
BJC224Q	AL	D-A-34-301-000	400	PIPE	PIPE, TYPICAL, QA 0, 3/4 IN, RANDOM, PLASTIC, 40, PLAIN, ***	0		4710Z	SE
BJL995T	AL	D-A-34-301-000	400	PIPE	PIPE, TYPICAL, QA 0, 3/4 IN, PLASTIC, PLAIN, ASTM D 2239, ***	0		4710Z	SE

BNG852D	AL	1-A-25-129-001	2 PIPE	PIPE, TYPICAL, QA 0, 1.0 IN, 56.0 IN, CAST IRON, BLACK, ***	0	P	4710Z SE
BYL078C	AL	A-A-01-000-001	60 PIPE	PIPE, SEAMLESS, QA 3, PIPE, METALLIC; NOMINAL DIAMETER: 00.500 IN (1/2), SCHEDULE: SCHEDULE	3	C	4710Z SE
BYM219Q	AL	A-A-01-000-001	1 PIPE	PIPE, TYPICAL, QA 3, PIPE, PUMP; DISCHARGE, FOR VORTEX PUMP MODEL 5K1450264746 S/N 28731-2	3	C	4320U SE
CBQ316R	AL	A-A-01-000-001	204 PIPE	PIPE, SEAMLESS, QA 3, 10 IN, ALLOY STEEL, RANDOM, 40, PLAIN, ASTM A335 GR P22, STANDARD MILL FINISH, B36.10M	3	D	4710Z SE
CDG090Q	AL	A-A-01-000-001	20 PIPE	PIPE, SEAMLESS, QA 3, PIPE, METALLIC; NOMINAL DIAMETER: 10.000 IN (10), SCHEDULE: SCHEDULE	3	D	4710Z SE
CDG097Y	AL	A-A-01-000-001	20 PIPE	PIPE, SEAMLESS, QA 3, PIPE, METALLIC; NOMINAL DIAMETER: 12.000 IN (12), SCHEDULE: STD	3	D	4710Z SE
CDG099T	AL	A-A-01-000-001	20 PIPE	PIPE, SEAMLESS, QA 3, PIPE, METALLIC; NOMINAL DIAMETER: 14.000 IN (14), SCHEDULE: SCHEDULE	3	D	4710Z SE
CDG100T	AL	A-A-01-000-001	20 PIPE	PIPE, SEAMLESS, QA 3, PIPE, METALLIC; NOMINAL DIAMETER: 14.000 IN (14), SCHEDULE: STD	3	D	4710Z SE
CDG102B	AL	A-A-01-000-001	7 PIPE	PIPE, SEAMLESS, QA 3, PIPE, METALLIC; NOMINAL DIAMETER: 16.000 IN (16), SCHEDULE: SCHEDULE	3	D	4710Z SE
CDG108Y	AL	A-A-01-000-001	20 PIPE	PIPE, SEAMLESS, QA 3, PIPE, METALLIC; NOMINAL DIAMETER: 16.000 IN (16), SCHEDULE: STD	3	D	4710Z SE
CDG109W	AL	A-A-01-000-001	20 PIPE	PIPE, SEAMLESS, QA 3, PIPE, METALLIC; NOMINAL DIAMETER: 18.000 IN (18), SCHEDULE: STD	3	D	4710Z SE
CDG110N	AL	A-A-01-000-001	20 PIPE	PIPE, SEAMLESS, QA 3, PIPE, METALLIC; NOMINAL DIAMETER: 20.000 IN (20), SCHEDULE: SCHEDULE	3	D	4710Z SE
CDG117W	AL	A-A-01-000-001	26 PIPE	PIPE, SEAMLESS, QA 3, PIPE, METALLIC; NOMINAL DIAMETER: 20.000 IN (20), SCHEDULE: SCHEDULE	3	D	4710Z SE
CDG118T	AL	A-A-01-000-001	21 PIPE	PIPE, SEAMLESS, QA 3, PIPE, METALLIC; NOMINAL DIAMETER: 20.000 IN (20), SCHEDULE: STD	3	D	4710Z SE
CDG119Q	AL	A-A-01-000-001	20 PIPE	PIPE, WELDED, QA 3, PIPE, METALLIC; NOMINAL DIAMETER: 24.000 IN (24), SCHEDULE: SCHEDULE	3	D	4710Z SE
CDG120K	AL	A-A-01-000-001	23 PIPE	PIPE, SEAMLESS, QA 3, PIPE, METALLIC; NOMINAL DIAMETER: 24.000 IN (24), SCHEDULE: SCHEDULE	3	D	4710Z SE
CDG125X	AL	A-A-01-000-001	20 PIPE	PIPE, WELDED, QA 3, PIPE, METALLIC; NOMINAL DIAMETER: 24.000 IN (24), SCHEDULE: STD	3	D	4710Z SE
CDG126V	AL	A-A-01-000-001	20 PIPE	PIPE, WELDED, QA 3, PIPE, METALLIC; NOMINAL DIAMETER: 28.000 IN (28), SCHEDULE: STD	3	D	4710Z SE
CDG127R	AL	A-A-01-000-001	20 PIPE	PIPE, WELDED, QA 3, PIPE, METALLIC; NOMINAL DIAMETER: 32.000 IN (32), SCHEDULE: SPECIAL	3	D	4710Z SE
CFC463H	AL	F-B-02-101-000	1 PIPE	PIPE, TYPICAL, QA 0, 4 IN, CARBON STEEL, 40, FLANGED, ASTM A53 GR A TP S, *** SPOOL, POLYPROPYLENE LINED, 300 LB DUCTILE IRON LAP JOINT FLAN	0	C	4710Z SE
CKG401V	AC	- - - -	40 PIPE	PIPE, WELDED, QA 3, 36 IN (3 FT), 0.500 IN, CHROME MOLY STEEL, RANDOM, PLAIN, ASTM A691 GR 2-1/4CR CL 42, STANDARD MILL FINISH, SCHEDULE XS	3	C	4710Z SE
AXQ397X	AL	M-A-04-000-002	3 PIPE	PIPE, TYPICAL, QA 0, PIPE ASSY, ; STEEL, FLEXIBLE, C/C 6120, WITH 1 IN RADIAL DEFLECTION	0	P	5950N SE
BEY290J	AL	M-A-01-000-002	1 PIPE	PIPE, TYPICAL, QA 0, FIRE HOSE; CHROME FINISH, 2.50 IN HOSE END TO 1.50	0	P	4210N SE
BRD606T	AC	- - - -	20 PIPE	PIPE, SEAMLESS, QA 1, PIPE, METALLIC; NOMINAL DIAMETER: 01.000 IN (1), SCHEDULE: 40	1	D	4710Z SE
BTM386X	AL	L-A-13-000-002	1 PIPE	PIPE, SEAMLESS, QA 1, CLASS 1, 1 IN, SS, RANDOM, 160, PLAIN, ASME SA376 TP 304, STANDARD MILL FINISH, B36.10M	1	D	4710Z SE
ANV020C	AL	A-A-01-000-001	5 PIPET	PIPET, TUBING, QA 0, 5.0 ML, PYREX, *** TRANSFER	0	P	6630D SE
AAV138W	AL	L-A-09-000-002	2 PIPET	PIPET, TUBING, QA 0, PIPET, MEASURING; POLYPROPYLENE, PLUNGER TYPE, CALIBRATED, EPPENDORF	0	P	6630D SE
BCW494D	AL	L-A-09-000-002	2 PIPET	PIPET, TUBING, QA 0, POLYTHYLENE, *** BELLOW-ACTION BULB, 1.5 M.L	0	P	6630D SE
ADV935F	AL	A-A-01-000-001	3 PIPETTE	PIPETTE, LABORATORY, QA 0, PIPETTE, ; EPPENDORF, STANDARD, FIXED VOLUME, 1000 MICROLITER ***	0	P	6630D SE
AEV733M	AL	A-A-01-000-001	1 PIPETTE	PIPETTE, LABORATORY, QA 0, PIPET, MEASURING; 025.000 MICROLITER ***	0	P	6630D SE
AEV833H	AL	A-A-01-000-001	3 PIPETTE	PIPETTE, LABORATORY, QA 0, PIPET, MEASURING; 500.000 MICROLITER ***	0	P	6630D SE
AGV434K	AL	A-A-01-000-001	4 PIPETTE	PIPETTE, LABORATORY, QA 0, PIPET, VOLUMETRIC; CALIBRATED, 3 MILLILITER TEMPERED ENDS, CLASS A	0	P	6630D SE
AGV838T	AL	A-A-01-000-001	7 PIPETTE	PIPETTE, LABORATORY, QA 0, VOLUMETRIC, KIMAX, 10 ML, PIPET, VOLUMETRIC; KIMAX, 10 ML, TYPE 1, CLASS A, UNSERIALIZED, ***	0	P	6630D SE
AHV730L	AL	A-A-01-000-001	9 PIPETTE	PIPETTE, LABORATORY, QA 0, PIPET, VOLUMETRIC; 005.000 MILLILITERS, TYPE I, CLASS A, COLOR CODED	0	P	6630D SE
AMV329H	AL	A-A-01-000-001	1 PIPETTE	PIPETTE, LABORATORY, QA 0, PIPET, VOLUMETRIC; CLASS A, SERIALIZED, COLOR CODED, STYLE 37010, 5 ML	0	P	6630D SE
AMV426K	AL	A-A-01-000-001	2 PIPETTE	PIPETTE, LABORATORY, QA 0, PIPET, VOLUMETRIC; TYPE I, CLASS A, 001.000 MILLILITER, COLOR CODED	0	P	6630D SE
ARD563Q	AL	A-A-01-000-001	1 PIPETTE	PIPETTE, LABORATORY, QA 0, PIPET, MEASURING; SET, CONSISTS OF PART NUMBERS P-43508 AND P-43509, FOR	0	P	6630D SE
ARN284E	AL	A-A-01-000-001	4 PIPETTE	PIPETTE, LABORATORY, QA 0, PIPET, VOLUMETRIC; 002.000 MILLILITER ***	0	P	6630D SE
ARQ170Y	AL	A-A-01-000-001	1 PIPETTE	PIPETTE, LABORATORY, QA 0, PIPET, MEASURING; PUSH-BUTTON, EPPENDORF, P/N 3190, 20 UL ***	0	C	6630D SE
ARQ171H	AL	A-A-01-000-001	2 PIPETTE	PIPETTE, LABORATORY, QA 0, PIPET, MEASURING; PUSHBUTTON, 200.000 MILLILITER EPPENDORF ***	0	P	6630D SE
ARR279P	AL	A-A-01-000-001	15 PIPETTE	PIPETTE, LABORATORY, QA 0, VOLUMETRIC, GLASS, 0.5 ML, PIPET, VOLUMETRIC; GLASS, 000.500 MILLILITERS, CLASS A, COLOR-CODED	0	P	6630D SE
ARR549L	AL	A-A-01-000-001	6 PIPETTE	PIPETTE, LABORATORY, QA 0, VOLUMETRIC, GLASS, 4 ML, PIPET, VOLUMETRIC; GLASS, CLASS A, COLOR CODED, TEMPERED TIP, SIZE 4	0	P	6630D SE
ARX032W	AL	A-A-01-000-001	4 PIPETTE	PIPETTE, LABORATORY, QA 0, PIPET, VOLUMETRIC; CLASS A, SERIALIZED, COLOR CODED, STYLE 37010	0	P	6630D SE
ARX033T	AL	A-A-01-000-001	2 PIPETTE	PIPETTE, LABORATORY, QA 0, PIPET, VOLUMETRIC; CLASS A, SERIALIZED, COLOR CODED, STYLE 37010	0	P	6630D SE
ARX034Q	AL	A-A-01-000-001	6 PIPETTE	PIPETTE, LABORATORY, QA 0, PIPET, VOLUMETRIC; CLASS A, SERIALIZED, COLOR CODED, STYLE 37010	0	P	6630D SE
AVT820T	AL	A-A-01-000-001	4 PIPETTE	PIPETTE, LABORATORY, QA 0, PIPET, MEASURING; DIGITAL, 10-100 MICROLITER, EPPENDORF BRAND ***	0	C	6630D SE
BAM968A	AL	A-A-01-000-001	2 PIPETTE	PIPETTE, LABORATORY, QA 0, VOLUMETRIC, KIMAX, 100 ML, PIPET, VOLUMETRIC; 100 ML, KIMAX, COLOR CODED, TEMPERED TIP, TYPE 1	0	P	6630D SE
BEV579X	AL	A-A-01-000-001	10 PIPETTE	PIPETTE, LABORATORY, QA 0, PIPET, DROPPING; RUBBER, BLACK, FILLER TYPE, W/THREE BALL VALVES	0	P	6630D SE
ADV134J	AL	L-A-09-000-002	6 PIPETTE	PIPETTE, LABORATORY, QA 0, PIPET, AUTOMATIC; DISPENSING, AUTOMATIC, 1 MILLILITER ***	0	P	6630D SE
ADV334A	AL	L-A-09-000-002	7 PIPETTE	PIPETTE, LABORATORY, QA 0, PIPET, AUTOMATIC; DISPENSING, AUTOMATIC, 5 ML ***	0	P	6630D SE
ADV732X	AL	L-A-09-000-002	6 PIPETTE	PIPETTE, LABORATORY, QA 0, PIPETTE, ; AUTOMATIC, 002.000 MILLILITER ***	0	P	6630D SE
ARX026P	AL	T-A-01-000-002	12 PIPETTE	PIPETTE, LABORATORY, QA 0, PIPET, VOLUMETRIC; CLASS A, SERIALIZED, COLOR CODED, STYLE 37010	0	P	6630D SE
AMD438L	AL	D-A-32-104-001	3 PISTON	PISTON, MECHANICAL, QA 0, PISTON, COMPRESSOR; C/W RINGS RNG37 ***	0	C	4310I SE
ANF157C	AL	5-B-01-301-000	6 PISTON	PISTON, MECHANICAL, QA 0, DAMPER OPERATOR; FOR DAMPER OPERATOR, MODEL HA-133-300, DWG	0	C	4410C SE
ATR114J	AL	A-A-01-000-001	1 PISTON	PISTON, MECHANICAL, QA 0, PISTON, VALVE; STAINLESS STEEL, TYPE 410, REF10, FOR 005.000 IN	0	P	48200 SE
ATR116E	AL	A-A-01-000-001	1 PISTON	PISTON, MECHANICAL, QA 0, PISTON, VALVE; REF 10, FOR 003.000 IN PRESSURE REGULATOR VALVE, TYPE	0	P	48200 SE
ATW964J	AL	A-A-01-000-001	1 PISTON	PISTON, MECHANICAL, QA 0, PISTON, VALVE; STEEL, FOR 001.000 IN, FIG 12C2-316 CHECK VALVE, 3000	0	P	48200 SE
ATW965G	AL	A-A-01-000-001	1 PISTON	PISTON, MECHANICAL, QA 0, PISTON, VALVE; STEEL, COLMONY 4, FOR 002.000 IN, ANSI 1500 PSI, CHECK	0	P	48200 SE
ATW966E	AL	A-A-01-000-001	1 PISTON	PISTON, MECHANICAL, QA 0, PISTON, VALVE; STEEL, FOR 002.000 IN, CHECK VALVE, FIG 12C2-316 ***	0	P	48200 SE
AVP137A	AL	D-B-16-000-001	60 PISTON	PISTON, MECHANICAL, QA 0, PISTON, COMPRESSOR; C/O CONNECTING ROD, P/N 595C016G01, PISTON, P/N	0	P	4310I SE
AWN728H	AL	A-A-01-000-001	2 PISTON	PISTON, MECHANICAL, QA 0, PISTON ASSY, VALVE; STEEL, FOR PNEUMATIC ACTUATOR, MOD R70-80, ON	0	P	48200 SE
AWN729F	AL	A-A-01-000-001	1 PISTON	PISTON, MECHANICAL, QA 0, PISTON ASSY, VALVE; STEEL, W/ROLLER, FOR PNEUMATIC ACTUATOR, MODEL	0	P	48200 SE
AWN730A	AL	A-A-01-000-001	1 PISTON	PISTON, MECHANICAL, QA 0, PISTON ASSY, VALVE; STEEL, W/ROLLER, FOR PNEUMATIC ACTUATOR, MOD R960C	0	P	48200 SE
AWN731W	AL	A-A-01-000-001	1 PISTON	PISTON, MECHANICAL, QA 0, PISTON ASSY, VALVE; STEEL, W/ROLLER, FOR PNEUMATIC ACTUATOR, MOD	0	P	48200 SE
AXN012E	AL	D-A-14-000-001	1 PISTON	PISTON, MECHANICAL, QA 0, PISTON, ; DWG 509E404AB, FOR REACTOR FEED PUMP TURBINE, S/N'S 122593	0	P	2825G SE
BBN384R	AL	E-A-16-C05-C01	5 PISTON	PISTON, MECHANICAL, QA 0, PISTON, CIRCUIT BREAKER; FOR MASTER CONTROL UNIT, ON GENERATOR	0	C	5925B SE
BDN714J	AL	A-A-01-000-001	1 PISTON	PISTON, MECHANICAL, QA 0, PISTON ASSY, VALVE; BRASS, FOR CASH REGULATING FLUID PRESSURE VALVE	0	P	48200 SE
BPW751F	AL	E-A-16-C06-A01	9 PISTON	PISTON, MECHANICAL, QA 0, PISTON, CIRCUIT BREAKER; PISTON, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
BRE461L	AL	E-A-16-C05-E01	12 PISTON	PISTON, MECHANICAL, QA 0, PISTON, CIRCUIT BREAKER; FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BRE514R	AL	E-A-16-C06-D01	1 PISTON	PISTON, MECHANICAL, QA 0, PISTON ASSY, CIRCUIT BREAKER; FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
BRE514R	AL	E-A-16-C06-C01	14 PISTON	PISTON, MECHANICAL, QA 0, PISTON ASSY, CIRCUIT BREAKER; FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
BXN171V	AL	A-A-01-000-001	3 PISTON	PISTON, MECHANICAL, QA 3, PISTON ASSY, CIRCUIT BREAKER; TUBE ASSY, FOR 3000 & 3750 AMP, G.E.	3	B	5925B SE
BYF605K	AC	- - - -	2 PISTON	PISTON, MECHANICAL, QA 1, PISTON, *TYPICAL *** ACTUATOR, ITEM 2-30 ON DWG. 65590, FOR G H BETTIS	1	C	48200 SE
AEJ423K	AL	L-A-09-000-002	1 PISTON	PISTON, MECHANICAL, QA 0, PISTON, VALVE; FOR HYDROLINE MFG CO OPERATOR, DWG 808-174-3B-C, ON	0	P	48200 SE
AEW869N	AL	L-A-09-000-002	1 PISTON	PISTON, MECHANICAL, QA 0, PISTON/CYL ASSY, ; 000.100 AREA, FOR DEAD WEIGHT TESTER, MODEL TQ50	0	P	6695D SE

ANG473W	AL	L-A-13-000-002	2	PISTON	PISTON, MECHANICAL, QA 1, PISTON ASSY, CYLINDER; COMPLETE WITH PISTON ROD, PISTON, LOCK PIN OR	1	P	4710Y SE
ARC970V	AL	L-A-03-000-002	1	PISTON	PISTON, MECHANICAL, QA 0, PISTON, COMPRESSOR; STEEL, FOR TRANE AIR COMPRESSOR MODEL	0	P	4310I SE
AWW388G	AL	M-A-16-000-002	1	PISTON	PISTON, MECHANICAL, QA 1, PISTON, VALVE; STEEL, THREADED, FOR 000.750 IN, 015.000 PSIG, SAFETY	1	P	48200 SE
AYK736M	AL	M-A-16-000-002	10	PISTON	PISTON, MECHANICAL, QA 0, PISTON ASSY, ; AIR MOTOR, COMPLETE WITH RING, FOR INGERSOLL RAND AIR	0	P	29100 SE
BAP022L	AL	L-A-09-000-002	1	PISTON	PISTON, MECHANICAL, QA 0, PISTON, LINEAR ACTUATING CYL; ALUMINUM, 4.5 IN DIA WITH TWO RING	0	P	3040D SE
BAR441Y	AL	L-A-13-000-002	1	PISTON	PISTON, MECHANICAL, QA 0, PISTON, LINEAR ACTUATING CYL; STEEL, FOR AIR CYLINDER, SERIES B	0	P	3040D SE
BHT611F	AL	L-A-09-000-002	2	PISTON	PISTON, MECHANICAL, QA 0, PUMP, 7/16 IN, 5-5/16 IN, ALLOY STEEL, PISTON, PUMP; OUTER, ALLOY STEEL, 5.312 IN OD, 0.4375 IN THREADED HOLE	0	P	4320U SE
BHX541T	AL	L-A-09-000-002	1	PISTON	PISTON, MECHANICAL, QA 0, PUMP, 1/2 IN, 3-1/4 IN, CARBON STEEL, PISTON, PUMP; OUTER, CARBON STEEL, 3.25 IN DIA, WITH HEX CAP AND 0.5	0	P	4320U SE
BUN437K	AL	L-A-13-000-002	1	PISTON	PISTON, MECHANICAL, QA 0, SECOND STAGE, 2-5/8 IN, 10 IN, 6 IN, PISTON, COMPRESSOR; SECOND STAGE, 10 OD X 6 IN LG, WITH 2.625 IN HOLE	0	P	4310I SE
BLD613V	AL	L-A-09-000-002	1	PISTON	PISTON, MECHANICAL, QA 0, PISTON, COMPRESSOR; LOW PRESSURE, FOR AIR COMPRESSOR ***	0	P	4310I SE
BLD614R	AL	L-A-09-000-002	3	PISTON	PISTON, MECHANICAL, QA 0, PISTON, COMPRESSOR; HIGH PRESSURE, FOR AIR COMPRESSOR ***	0	P	4310I SE
BLL391F	AL	L-A-04-000-002	2	PISTON	PISTON, MECHANICAL, QA 0, PISTON, PUMP; YOKE HOLDING, FOR VICKERS 1-B EHC PUMP ***	0	C	4320U SE
BLP591P	AL	L-A-04-000-002	1	PISTON	PISTON, MECHANICAL, QA 0, PISTON, PUMP; STAINLESS STEEL, STROCKING, FOR 1-B END PUMP ***	0	C	4320U SE
BMD661A	AL	L-A-09-000-002	5	PISTON	PISTON, MECHANICAL, QA 0, PISTON, ; 1.25 IN, FOR HYPOCHLORITE SYSTEM. ***	0	P	6630D SE
BWG201K	AL	L-A-05-000-002	2	PISTON	PISTON, MECHANICAL, QA 3, PISTON, LINEAR ACTUATING CYL; BRONZE PISTON, FOR SHEFFER AIR CYLINDER	3	C	3040D SE
BWL076W	AL	M-A-01-000-002	1	PISTON	PISTON, MECHANICAL, QA 3, PISTON ASSY, ACTUATOR; FOR BETTIS ACTUATOR CB315SR80 ***	3	B	48200 SE
CAC945X	AL	L-A-09-000-002	1	PISTON	PISTON, MECHANICAL, QA 0, PISTON, VALVE; MODEL 15840-WP, S/N 255363, FOR ATKOMATIC VALVE. ***	0	B	48200 SE
CFV809T	AC	- - - -	3	PISTON	PISTON, MECHANICAL, QA 1, CYLINDER, *** LINEAR ACTUATING CYLINDER: LESS PISTON ROD, LOCK PIN, PISTON RING	1	C	4710Y SE
BDG428J	AL	A-A-01-000-001	4	PIVOT	PIVOT, TYPICAL, QA 0, PIVOT ASSY, DOOR CLOSURE; ARM AND SPRING, W/RED AND BLACK, WHITE WIRE	0	P	7021A SE
BXQ750C	AL	L-A-13-000-002	4	PIVOT	PIVOT, TYPICAL, QA 0, PIVOT, RECORDER; POST, FOR GE RECORDER, MODEL 8HG1A021041, TYP S/N	0	B	6695D SE
ACV833X	AL	A-A-01-000-001	5	PLANCHET	PLANCHET, TYPICAL, QA 0, PLANCHET, METALLIC; ALUMINUM, 002.000 IN DIA X 000.125 IN THICK, 100	0	P	6630D SE
AYH844W	AL	A-A-01-000-001	699	PLANCHET	PLANCHET, TYPICAL, QA 0, PLANCHET, ; STAINLESS STEEL, 2 DIA X 0.312 IN DEEP ***	0	P	6630D SE
AHK965N	AL	D-A-02-102-003	3	PLATE	PLATE, TYPICAL, QA 0, KICKPLATE, DOOR; ELECTRIC, US 260 24 VAC ***	0		4710Y SE
AKH456A	AC	- - - -	10	PLATE	PLATE, TYPICAL, QA 0, PLATE, VALVE; CAPSULE, FOR CONOFLOW REVERSAL VALVE POSITIONER, MODEL	0	P	48200 SE
ANT066D	AL	D-A-12-202-003	14	PLATE	PLATE, TYPICAL, QA 0, FACE, PLEXIGLASS, FACEPLATE ASSY, ; PLEXIGLASS, FOR CRAFTSWELD EQUIPMENT CORP GENERAL	0		6210P SE
ATW089X	AL	A-A-01-000-001	1	PLATE	PLATE, BACK, QA 0, BACKPLATE, ; HASTELLOY C, FOR PUMP, MODEL R5P1-3101CV56, PEDESTAL	0	P	4320U SE
BAV136R	AL	A-A-01-000-001	2	PLATE	PLATE, LEVELING, QA 0, PLATE, PUMP; STEEL, LEVELING, 12 PER SET, REF 653, ITEM 25, FOR	0	P	4320U SE
BBJ806F	AL	A-A-01-000-001	2	PLATE	PLATE, TYPICAL, QA 0, PLATE, BACKING, BRAKE, ; MAGNETIC LOAD, FOR WIRE ROPE HOIST, CAT NO	0	P	3950F SE
BEX432J	AL	D-B-16-000-001	2	PLATE	PLATE, TYPICAL, QA 0, STACK, VALVE; PLATE, METALLIC, FOR GLOBE VALVE, 8 IN, ANSI CLASS 600	0	P	48200 SE
BFV865N	AL	A-A-01-000-001	14	PLATE	PLATE, TYPICAL, QA 3, PLATE, RECORD, ACCELER, ; SET OF THREE, FOR ACCELEROMETER, ELEC	3	P	6695D SE
BHG982Y	AL	A-A-01-000-001	1	PLATE	PLATE, TYPICAL, QA 3, ACTUATOR, , SPRING CARTRIDGE, CAP, REF 71, FOR VALVE TYPE SMB-1 OPERATOR	3	C	48200 SE
BKB531E	AL	A-A-01-000-001	3	PLATE	PLATE, TYPICAL, QA 2, VACUUM PUMP; DRIVE END, REF 2, GRAY IRON, ASTM A-159, FOR	2	P	4310I SE
BKN578T	AL	A-A-01-000-001	3	PLATE	PLATE, TYPICAL, QA 0, PLATE, PUMP; SIDE, REF 1212, FOR PUMP, TYPEGRM-2-1/2, PARTS LIST	0	P	4320U SE
BME049A	AL	1-B-03-072-001	1	PLATE	PLATE, TYPICAL, QA 0, PLATE, ; MTG, SEISMIC, 1WA72DD, 2-8143, WBT-220, WBT-ASVANS ***	0	P	5975B SE
BME110N	AL	1-B-03-072-001	1	PLATE	PLATE, TYPICAL, QA 0, PLATE, ; MTG, SEISMIC, 1IA88RD, 2-8876C, WBT-220, WBT-ASVANS ***	0	P	5975B SE
BME129M	AL	1-B-03-072-001	1	PLATE	PLATE, TYPICAL, QA 0, PLATE, ; MTG, SEISMIC, 3/4IA78RD, 2-8843, WBT-220, WBT-ASVANS ***	0	P	5975B SE
BME166F	AL	1-B-03-072-001	1	PLATE	PLATE, TYPICAL, QA 0, PLATE, ; MTG, SEISMIC, 3/4IA78RD, 2-8879B, WBT-220, WBT-ASVANS ***	0	P	5975B SE
BMV789P	AL	1-B-03-072-001	5	PLATE	PLATE, TYPICAL, QA 0, PLATE, ; JACKSCREW PLATE, WAT-42, WAT- RCR1R1 ***	0	P	5975B SE
BRX319A	AC	- - - -	1	PLATE	PLATE, TYPICAL, QA 0, DISTRIBUTING, GALVANIZED STEEL, AIR WASH AREA 139-116 IN, ** PLATES, AIR WASHER; DISTRIBUTING PLATE 50% CLEAR AREA AIR	0	C	4140U SE
BTG312M	AL	A-A-01-000-001	1	PLATE	PLATE, TYPICAL, QA 1, CLASS 2, PLATE, VALVE; DISC PLATE, ASTM A105 FOR 1" 1500# Y-TYPE WALWORTH GLOBE	1	B	48200 SE
BVH911K	AL	F-A-05-302-001	136	PLATE	PLATE, MOUNTING, QA 1, PLATE, MOUNTING; BAFFLE, FOR SHROUDING 1 IN VENTING HOLE, C/W MOUNTING	1	B	6695D SE
BXL250M	AL	A-A-01-000-001	6	PLATE	PLATE, TYPICAL, QA 3, PLATE, PUMP; DRIVE END, ASTM A-159, GRAY IRON, FOR VACUUM PUMP IN	3	C	4320U SE
BXT890H	AL	F-A-21-101-002	11	PLATE	PLATE, LEVELING, QA 0, PLATE, PUMP; LEVELING, REFERENCE # 653 ON BYRON JACKSON DWG # 1F-7458	0	B	4320U SE
BXT894X	AL	F-A-21-101-002	11	PLATE	PLATE, TYPICAL, QA 0, PLATE, PUMP; ROCKER, REFERENCE # 657 ON DWG 1F-7458, REV B, FOR BYRON	0	B	4320U SE
CDR898N	AL	1-A-03-000-001	2	PLATE	PLATE, TYPICAL, QA 3, PLATE, VALVE; ACTUATOR, ALUMINUM, FOR 1 INCH ITT GRINNELL DIAPHRAGM	3	C	48200 SE
CDR908F	AL	1-A-03-000-001	1	PLATE	PLATE, TYPICAL, QA 3, PLATE, VALVE; FINGER, STEEL, FOR 1 INCH ITT GRINNELL DIAPHRAGM VALVE	3	C	48200 SE
CGP623N	AL	F-A-29-202-000	1	PLATE	PLATE, VALVE, QA 2, LOWER BEARING PLATE, ASTM A36, FOR WALWORTH CAST STEEL PRESSURE SEAL	2	C	48200 SE
CHG541N	AL	D-A-25-302-005	4	PLATE	PLATE, SEAL, QA 0, STRAINER	0	C	4730P SE
CHG541N	AL	D-B-25-302-001	4	PLATE	PLATE, SEAL, QA 0, STRAINER	0	C	4730P SE
CJY875A	AL	D-A-20-302-003	2	PLATE	PLATE, MOUNTING, QA 1, SWITCH, 52STA SWITCH ACTUATOR, DWG D980122 ITEM 18	1		5975B SE
ACE975C	AL	L-A-03-000-002	8	PLATE	PLATE, ORIFICE, QA 0, PLATE, PUMP; PORT, CCW, IT 33, FOR SERIES 500, MODEL PF05-002-31L001	0	P	4320U SE
AJD784K	AL	L-A-03-000-002	20	PLATE	PLATE, TYPICAL, QA 0, PLATE, PUMP; CAM, ITEM 16, FOR SERIES 500, MODEL PF05-002-31R001, 3500	0	P	4320U SE
AJD984B	AL	L-A-03-000-002	19	PLATE	PLATE, TYPICAL, QA 0, PLATE, PUMP; PORT, ITEM 33, FOR SERIES 500, MODEL PF05-002-31R001	0	P	4320U SE
AJJ782X	AL	L-A-09-000-002	1	PLATE	PLATE, SEAL, QA 1, PLATE, ACTUATOR; RETAINER, SEAL, REF 26, FOR LIMITORQUE VALVE	1	P	48200 SE
AKD232M	AL	L-A-09-000-002	4	PLATE	PLATE, TYPICAL, QA 0, PLATE, AIR COMPRESSOR; COMPRESSION, FOR UNIT MODEL NC-175-3B	0	P	4310I SE
AKH456A	AL	L-A-13-000-002	3	PLATE	PLATE, TYPICAL, QA 0, PLATE, VALVE; CAPSULE, FOR CONOFLOW REVERSAL VALVE POSITIONER, MODEL	0	P	48200 SE
AKP589P	AL	M-A-08-000-002	19	PLATE	PLATE, TYPICAL, QA 0, REAR END, PLATE, ; REAR END, FOR INGERSOLL-RAND AIR STARTER, SIZE 150 BMP, MODEL	0	P	5975B SE
ALJ727R	AL	M-A-08-000-002	3	PLATE	PLATE, TYPICAL, QA 1, PLATE, VALVE; STAINLESS STEEL, ASTM A240, TYPE 347, FOR SWING CHECK	1	P	48200 SE
AMD530C	AL	L-A-01-000-002	1	PLATE	PLATE, SEAL, QA 0, PLATE, AIR COMPRESSOR; END, FOR SEAL HOUSING ASSY ON UNIT NC-175	0	P	4310I SE
AMV375A	AL	L-A-13-000-002	3	PLATE	PLATE, TYPICAL, QA 0, PLATE, ; SWITCH, FOR GE RECORDER, TYPE HG, MODEL 8HG1A20924, TYPICAL	0	P	5975B SE
APE139D	AL	M-A-16-000-002	1	PLATE	PLATE, KEEPER, QA 3, PLATE, PUMP; OUTER RETAINING, DWG A29712, MTL CODE 014, FOR	3	P	4320U SE
AQD344B	AL	L-A-09-000-002	2	PLATE	PLATE, TYPICAL, QA 0, PLATE, AIR COMPRESSOR; RETAINER, FOR SENTRY CENTRIFUGAL UNIT NC175	0	P	4310I SE
ARN848R	AL	L-A-13-000-002	2	PLATE	PLATE, TYPICAL, QA 0, PLATE, RETAINING BRG; UPPER, L-SHAPED WITH BUSHING, FOR MINI-LINE 500	0	P	6695D SE
ATB537X	AL	T-A-05-000-002	3	PLATE	PLATE, MOUNTING, QA 0, PLATE ASSY, ; TOP, 4 CONTACT, FOR TYPE 65082 CONTACTOR ***	0	C	61100 SE
ATB538V	AL	T-A-05-000-002	3	PLATE	PLATE, MOUNTING, QA 0, PLATE ASSY, ; BOTTOM, 4 CONTACT, FOR TYPE 65082 CONTACTOR ***	0	C	61100 SE
ATB539R	AL	T-A-05-000-002	3	PLATE	PLATE, MOUNTING, QA 0, PLATE ASSY, ; TOP, 1 CONTACT, FOR TYPE 65082 CONTACTOR ***	0	C	61100 SE
ATB540L	AL	T-A-05-000-002	4	PLATE	PLATE, MOUNTING, QA 0, PLATE ASSY, ; BOTTOM, 1 CONTACT, FOR TYPE 65082 CONTACTOR ***	0	P	61100 SE
ATB545Y	AL	T-A-05-000-002	4	PLATE	PLATE, MOUNTING, QA 0, PLATE ASSY, ; TOP, 3 CONTACT, FOR TYPE 65082 CONTACTOR ***	0	P	61100 SE
AWH377E	AL	L-A-13-000-002	1	PLATE	PLATE, MOUNTING, QA 0, SUBPLATE, STEAM TURBINE; EHC FLUSHING VALVE, FOR TURBINE, S/N 170X374	0	P	2825G SE
AWX869T	AL	T-A-12-000-002	2	PLATE	PLATE, TYPICAL, QA 0, PLATE, PUMP; STEEL, REAR, FOR SUMP PUMP, SIZE 35, FORM 5604, AND/OR	0	B	4320U SE
AXE491R	AL	L-A-09-000-002	2	PLATE	PLATE, MOUNTING, QA 0, PLATE, ; MOUNTING, FOR SPEEDOMAX W RECORDER ***	0	P	5975B SE
AXP330F	AL	L-A-09-000-002	2	PLATE	PLATE, TYPICAL, QA 3, PLATE, ; STEEL, PRESSURE, 007.375 IN OD, 002.000 IN CENTER HOLE, FOR	3	P	5975B SE
AXR408F	AL	M-A-10-000-002	2	PLATE	PLATE, BACK, QA 2, BACKPLATE ASSY, ; STEEL, FOR CONTROLLER, PROPORTIONL PLUS RT, MODEL	2	P	6695D SE
BAN858C	AL	T-A-05-000-002	30	PLATE	PLATE, MOUNTING, QA 0, PLATE, ; MOUNTING, CARBON, FRO PUSH BUTTON, ON DOVER ELEVATOR ***	0	C	5975B SE
BBM109N	AL	M-A-12-000-002	6	PLATE	PLATE, TYPICAL, QA 0, PLATE, BACKING BRAKE, CRANE; FRICTION, MOTOR BRAKE, FOR FILTER LIFTING	0	C	3950F SE

BFV865N	AL	M-A-02-000-002	6 PLATE	PLATE, TYPICAL, QA 3, PLATE, RECORD, ACCELER. ; SET OF THREE, FOR ACCELEROMETER, ELEC	3	P	6695D SE
BGF014P	AL	L-A-09-000-002	1 PLATE	PLATE, TYPICAL, QA 0, PLATE, VALVE; BRONZE, FOR AUTOMATIC PILOT VALVE ON SEWAGE EJECTOR ***	0	P	48200 SE
BGQ263W	AL	M-A-01-000-002	2 PLATE	PLATE, MOUNTING, QA 0, PLATE, MOUNTING LAMPHOLDER; MATERIAL: ALUMINUM, COLOR: WHITE, LENGTH:	0	P	6210P SE
BHA272X	AL	M-A-03-000-002	15 PLATE	PLATE, SEAL, QA 3, PLATE, ACTUATOR; LIMITER, TORQUE, MAXIMUM SETTING 3.25, FOR TORQUE	3	C	48200 SE
BLA577L	AL	M-A-16-000-002	2 PLATE	PLATE, TYPICAL, QA 3, PLATE, VALVE; CAST IRON, A-126 CLASS A, COVER, DWG A-8008, REF 4, FOR	3	P	48200 SE
BND952Q	AL	T-A-01-000-002	1 PLATE	PLATE, TYPICAL, QA 3, PLATE, VALVE; POSITION INDICATOR, FOR A 20 IN BUTTERFLY VALVE, N-MK II	3	P	48200 SE
BNP229W	AL	L-A-03-000-002	3 PLATE	PLATE, TYPICAL, QA 0, PLATE, AIR COMPRESSOR; VALVE COVER, REF 98, FOR AIR COMPRESSOR, 15 HP	0	P	4310I SE
BNP714M	AL	T-A-01-000-002	1 PLATE	PLATE, KEEPER, QA 3, PLATE, CHILLER; OIL FILTER RETAINING, FOR GLYCOL CHILLER. ***	3	C	4520N SE
BPH774V	AL	T-A-01-000-002	5 PLATE	PLATE, TYPICAL, QA 3, ACTUATOR, LIMITER, MAX SETTING 2.25, PC 46F, FOR TORQUE SWITCH ASSEMBLY, TYPICAL	3	C	48200 SE
BQV979F	AL	L-A-03-000-002	2 PLATE	PLATE, MOUNTING, QA 2, PLATE, CHILLER; TUBE SUPPORTS, FOR WORTHINGTON SENTRY CENTRIFUGAL	2	C	4520N SE
BVN410V	AL	T-A-01-000-002	7 PLATE	PLATE, TYPICAL, QA 3, PLATE, ACTUATOR; LIMITER, FOR LIMITORQUE ACTUATOR TYPE SMB-000 ***	3	B	48200 SE
BVN455R	AL	T-A-01-000-002	4 PLATE	PLATE, TYPICAL, QA 3, PLATE, ACTUATOR; LIMITER, FOR LIMITORQUE ACTUATOR TYPES SMB-0 THRU	3	B	48200 SE
BVN460C	AL	T-A-01-000-002	6 PLATE	PLATE, TYPICAL, QA 3, PLATE, ACTUATOR; LIMITER, FOR LIMITORQUE ACTUATOR TYPES SMB-0 THRU	3	B	48200 SE
BVN462W	AL	T-A-01-000-002	4 PLATE	PLATE, TYPICAL, QA 3, PLATE, ACTUATOR; LIMITER, FOR LIMITORQUE ACTUATORS TYPES SMB-0 THRU	3	B	48200 SE
BVN544T	AL	M-A-12-000-002	2 PLATE	PLATE, TYPICAL, QA 3, PLATE, PUMP; RETAINER, FOR PACIFIC SAFETY INJECTION PUMPS 400 GPM, 2700	3	C	4320U SE
BVR602Q	AL	T-A-01-000-002	1 PLATE	PLATE, SEAL, QA 0, PLATE, ACTUATOR; LOCKING, FOR A VALVE M/N 37-10173, 3.00" ACTUATOR ***	0	C	48200 SE
BWK927K	AL	L-A-13-000-002	2 PLATE	PLATE, MOUNTING, QA 3, PLATE, MOUNTING; SUBASSEMBLY FOR SENSOR, FOR CASHCO PNEUMATIC	3	B	6695D SE
BXC931T	AL	M-A-01-000-002	4 PLATE	PLATE, MOUNTING, QA 3, PLATE, AIR COMPRESSOR; MOUNTING, FOR SEMI-HERMETIC RECIPROCATING	3	C	4310I SE
BXQ697A	AL	L-A-13-000-002	2 PLATE	PLATE, TYPICAL, QA 0, PLATE ASSY, SWITCH; FOR GE RECORDER, MODEL 8HG1A021041, TYP SN	0	B	59300 SE
BXV311C	AL	M-A-12-000-002	2 PLATE	PLATE, SEAL, QA 3, PLATE, PUMP; GLAND PLATE, FOR MECHANICAL SEAL, FOR INGERSOLL PUMP	3	C	4320U SE
BYQ783B	AL	M-A-01-000-002	6 PLATE	PLATE, MOUNTING, QA 3, PLATE, MOUNTING LAMPHOLDER; MATERIAL: ALUMINUM, COLOR: WHITE, LENGTH:	3	B	6210P SE
CAN382W	AL	L-A-13-000-002	1 PLATE	PLATE, TYPICAL, QA 0, PLATE, VALVE; INDICATING, FOR USE ON ZONE SWITCH ON HPCI TESTABLE	0	C	48200 SE
CBV385N	AL	L-A-03-000-002	3 PLATE	PLATE, TYPICAL, QA 2, PLATE, CHILLER; THRUST PLATE, FOR SHAFT BEARING ASSEMBLY, FIG 3.6, FOR	2	C	4520N SE
CEB658D	AL	M-A-08-000-002	4 PLATE	PLATE, TYPICAL, QA 2, PLATE, VALVE; MANUAL ADJUSTMENT, ZINC PLATED STEEL, FOR 6 INCH-2W- MDF	2	C	48200 SE
CEL325T	AL	B-S-BS-LAB-002	352 PLATE	PLATE, TYPICAL, QA 1, PLATE, *TYPICAL; MATERIAL: CARBON STEEL ASTM-A36 *** THICKNESS:	1	D	9520Z SE
CFD541J	AL	J-A-12-101-000	2 PLATE	PLATE, TYPICAL, QA 0, PULVERIZER, EL70, FOR 7-1/2" MAIN SHAFT, REBUILT ASSEMBLY, REBUILT TOP BEARING PLATE FOR EL70 PULVERIZERS. ASSEMBLIES	0	C	4420H SE
BFM720V	AL	A-A-01-000-001	1 PLATFORM	PLATFORM, TYPICAL, QA 0, PLATFORM, FURNACE. ; SOLID PYROLYTIC GRAPHITE, 50 PER PKG, FOR GRAPHITE	0	P	6630D SE
BHC027P	AL	V-A-10-000-002	4 PLATFORM	PLATFORM, TYPICAL, QA 0, FUEL HANDLING PLATFO. ; AUXILIARY, WITH PARTS, FOR MOVING FUEL ***	0	P	4470C SE
AAN532J	AL	A-A-01-000-001	8 PLUG	PLUG, PIPE, QA 1, PLUG, PIPE; HEXAGON PLUG, STAINLESS STEEL ASME SA 182 GR F316 S31600	1	P	4730P SE
ADN999E	AL	A-A-01-000-001	1 PLUG	PLUG, ELECTRICAL, QA 0, 125, 15, 2 CONTACTS, MALE, CONNECTOR, PLUG ELECTRICAL; LOCKING METHOD: TWISTLOCK, VOLTAGE RATING:	0	P	5935B SE
AEN499W	AL	D-A-02-102-006	3 PLUG	PLUG, ELECTRICAL, QA 0, POWER, 250/600, 3 PIN, 30, STRAIGHT, CONNECTOR, PLUG ELECTRICAL; CONNECTOR TYPE: POWER, BODY STYLE:	0		5935B SE
AEN798J	AL	D-A-27-301-001	8 PLUG	PLUG, ELECTRICAL, QA 0, POWER, 125/250, 3 PIN, 30, STRAIGHT, CONNECTOR, PLUG ELECTRICAL; CONNECTOR TYPE: POWER, BODY STYLE:	0		5935B SE
AEN798J	AL	D-B-17-202-000	19 PLUG	PLUG, ELECTRICAL, QA 0, POWER, 125/250, 3 PIN, 30, STRAIGHT, CONNECTOR, PLUG ELECTRICAL; CONNECTOR TYPE: POWER, BODY STYLE:	0		5935B SE
AEY252N	AL	D-A-04-301-001	30 PLUG	PLUG, PIPE, QA 0, 3/8 IN, MNPT, BRASS, ***	0		4710Y SE
AFG868G	AL	D-A-32-401-001	24 PLUG	PLUG, PIPE, QA 0, 1/2 IN, SQUARE, MNPT, IRON, ASTM A197, BLACK, *** SOLID, MALLEABLE	0		4730P SE
AFN511V	AL	E-A-16-C02-A01	2 PLUG	PLUG, TYPICAL, QA 0, CIRCUIT BREAKER; WATER DRAIN, FOR STATIC STARTING SUPPLY	0	C	5925B SE
AJP116A	AL	A-A-01-000-001	8 PLUG	PLUG, ELECTRICAL, QA 0, CONNECTOR, RECEPTACLE ELECT; CONNECTOR TYPE: COAXIAL ***	0	P	5935B SE
AKP918Y	AL	A-A-01-000-001	5 PLUG	PLUG, ELECTRICAL, QA 0, CONNECTOR, RECEPTACLE ELECT; 48 CONTACT, LONG MALE TURNABLEPHENOLIC	0	P	5935B SE
AMP312P	AL	D-A-04-202-003	19 PLUG	PLUG, ELECTRICAL, QA 2, 1 CONTACT, CONNECTOR, PLUG ELECTRICAL; ONE CONTACT, MALE BOTH ENDS, SPECIAL ***	2	C	5935B SE
ANF450R	AL	A-A-01-000-001	10 PLUG	PLUG, TYPICAL, QA 0, PLUG. ; MIXING, MC, FOR FABER TYPE "C" OIL BURNER, SN 15069, ON E.	0	P	4530F SE
ANJ040L	AL	D-B-31-302-000	1 PLUG	PLUG, VALVE, QA 0, PLUG ASSY, VALVE; VALVE, C/O PLUG 010138-011-163, PLUG STEM	0		48200 SE
ANJ921H	TR	- - - -	1 PLUG	PLUG, VALVE, QA 0, PLUG, VALVE; THROTTLE, 004.000 IN, STELLITESEAT 316 STAINLESS	0	P	48200 SE
APG463R	AL	D-A-10-302-005	12 PLUG	PLUG, HOSE, QA 0, STEM, HOSE; MALE, 1.520 IN, NO CLAMP, FOR BOSS COUPLINGS, STYLE X-34 AND	0		4730P SE
ATQ563R	AL	A-A-01-000-001	1 PLUG	PLUG, VALVE, QA 0, PLUG, ROTARY VALVE; TEFLON COATED, SEMI-STEEL, A-126, CLASS B, FOR	0	P	48200 SE
ATQ842M	AL	A-A-01-000-001	1 PLUG	PLUG, VALVE, QA 0, PLUG, VALVE; STAINLESS STEEL TY 416, ITEM 76 FOR 3 IN, AIR OPERATED	0	C	48200 SE
ATQ843K	AL	A-A-01-000-001	1 PLUG	PLUG, VALVE, QA 0, PLUG, VALVE; STAINLESS STEEL TY 316, ITEM 98, STELLITE, FOR AIR	0	C	48200 SE
ATR014D	AL	A-A-01-000-001	1 PLUG	PLUG, VALVE, QA 0, PLUG, VALVE; STAINLESS STEEL, TYPE 316, FOR 003.000 IN, AIR OPERATED	0	P	48200 SE
ATR015B	AL	A-A-01-000-001	1 PLUG	PLUG, VALVE, QA 0, PLUG, VALVE; STAINLESS STEEL, TYPE 416, REF26, FOR 001.500 AIR	0	P	48200 SE
ATR020X	AL	A-A-01-000-001	1 PLUG	PLUG, VALVE, QA 0, PLUG, VALVE; STAINLESS STEEL, TYPE 316, ITEM 118, FOR 6 IN AIR OPERATED	0	P	48200 SE
ATR021G	AL	A-A-01-000-001	1 PLUG	PLUG, VALVE, QA 0, PLUG, VALVE; STAINLESS STEEL, TYPE 416, REF6, FOR 001.000 IN, MODEL	0	P	48200 SE
ATR643N	AL	D-A-32-104-001	2 PLUG	PLUG, ELECTRICAL, QA 0, CONNECTOR, PLUG ELECTRICAL; MALE, CORD ***	0	P	5935B SE
ATV193H	AL	J-B-12-009-001	2 PLUG	PLUG, VALVE, QA 0, PLUG, VALVE; STEEL, REF 4, FOR 003.000 IN, 600 PSI, CAMFLEX 2 AIR	0	P	48200 SE
ATV194F	AL	A-A-01-000-001	1 PLUG	PLUG, VALVE, QA 0, PLUG, VALVE; STAINLESS STEEL, REF 4, FOR CAMBLEX II CONTROL VALVE, 4	0	P	48200 SE
ATY837F	AL	A-A-01-000-001	1 PLUG	PLUG, VALVE, QA 0, PLUG, ROTARY VALVE; FOR AIR OPERATED, MODEL 47-21724, 002.000 IN, S/N	0	P	48200 SE
AVA391Y	AL	A-A-01-000-001	1 PLUG	PLUG, VALVE, QA 0, PLUG, ROTARY VALVE; STEEL, FOR 2-WAY, 004.000 IN, FIG A1925, SERIAL	0	P	48200 SE
AVB241D	AL	A-A-01-000-001	1 PLUG	PLUG, VALVE, QA 0, PLUG, ROTARY VALVE; STEEL, FOR MOTOR OPERATED CONTROL, 006.000 IN, CL	0	P	48200 SE
AVB744J	AL	A-A-01-000-001	1 PLUG	PLUG, VALVE, QA 0, PLUG, VALVE; V 600, DWG 129, FOR 003.000 IN AIR OPERATED CONTROL VALVE	0	P	48200 SE
AVE308Q	AL	A-A-01-000-001	1 PLUG	PLUG, VALVE, QA 0, PLUG, ROTARY VALVE; STEEL, FOR 001.500 IN, AIR OPERATED CONTROL, MODEL	0	P	48200 SE
AVE309N	AL	A-A-01-000-001	1 PLUG	PLUG, VALVE, QA 0, PLUG, ROTARY VALVE; STEEL, FOR 002.000 IN, AIR OPERATED CONTROL, MOD	0	P	48200 SE
AVF215R	AL	A-A-01-000-001	1 PLUG	PLUG, VALVE, QA 0, PLUG, ROTARY VALVE; STEEL, REF 4, FOR 002.000 IN, AIR OPERATED	0	P	48200 SE
AVF225N	AL	A-A-01-000-001	3 PLUG	PLUG, VALVE, QA 0, PLUG, ROTARY VALVE; STEEL, REF 4, FOR AIR OPERATED CONTROL, 001.000 IN	0	P	48200 SE
AVH816L	AL	A-A-01-000-001	1 PLUG	PLUG, VALVE, QA 0, PLUG ASSY, VALVE; STEEL, C/W PLUG 011470-460-215, STEM 010868-225-215	0	P	48200 SE
AVJ558B	AL	A-A-01-000-001	1 PLUG	PLUG, VALVE, QA 0, PLUG, VALVE; DWG REF 58, FOR 006.000 IN MOTOR OPERATED VALVE, CLASS	0	P	48200 SE
AVX012N	AL	A-A-01-000-001	1 PLUG	PLUG, VALVE, QA 0, PLUG, ROTARY VALVE; ***	0	P	48200 SE
AVX825M	AL	A-A-01-000-001	1 PLUG	PLUG, VALVE, QA 0, PLUG, VALVE; VALVE, STEEL, TYPE 416, ITEM 66, FOR 002.500 IN AIR	0	P	48200 SE
AVX950X	AL	A-A-01-000-001	1 PLUG	PLUG, VALVE, QA 0, PLUG, VALVE; STEEL, FOR 001.000 IN, 3 WAY, THD, AIR OPERATED CONTROL	0	P	48200 SE
AVY672F	AL	A-A-01-000-001	1 PLUG	PLUG, VALVE, QA 0, PLUG, VALVE; STAINLESS STEEL, TYPE 316, FOR 004.000 IN AIR OPERATED	0	P	48200 SE
AVY813P	AL	A-A-01-000-001	1 PLUG	PLUG, VALVE, QA 0, PLUG, VALVE; STAINLESS STEEL, FOR 004.000 IN, 900 LB, GLOBE VALVE, AIR	0	C	48200 SE
AWC796K	AL	A-A-01-000-001	1 PLUG	PLUG, VALVE, QA 1, PLUG, VALVE; STEEL, HEAT 03995-21, REF N00215-902, FOR 002.000 INCH	1	P	48200 SE
AWC863Y	AL	A-A-01-000-001	1 PLUG	PLUG, VALVE, QA 0, PLUG, VALVE; STEEL, 2 PORT, FOR HOMESTEAD 002.000 IN, TYPE 606, 3 WAY	0	P	48200 SE
AWN517Y	AL	A-A-01-000-001	395 PLUG	PLUG, ELECTRICAL, QA 3, CONNECTOR, PLUG ELECTRICAL; 25 PIN, MALE ***	3	P	5935B SE
AXB423T	AL	D-A-13-301-004	3 PLUG	PLUG, ELECTRICAL, QA 3, 31 CONTACTS, CONNECTOR, RECEPTACLE ELECT; 31 CONTACTS, SHELL SIZE 20 MALE ***	3		5935B SE
AYF328R	AL	A-A-01-000-001	1 PLUG	PLUG, VALVE, QA 1, PLUG, VALVE; STAINLESS STEEL AISI 316, REF 70, FOR DIAPHRAGM CONTROL	1	C	48200 SE
AYJ164E	AL	D-A-04-302-004	4 PLUG	PLUG, PIPE, QA 0, 3/8 IN, HEX, MNPT, BRASS, PLUG, PIPE; STYLE: HEX HEAD, MATERIAL: BRASS, NOMINAL SIZE: 00.375 IN	0		4730P SE
AYM339M	AL	A-A-01-000-001	30 PLUG	PLUG, ELECTRICAL, QA 0, CONNECTOR, PLUG ELECTRICAL; POWER STRAIGHT, 10 PIN, GREEN MALE ***	0	P	5935B SE

BAC346V	AL	A-A-01-000-001	3	PLUG	PLUG, ELECTRICAL, QA 0, 125/250, 15/10, W/ CORDGRIP, CONNECTOR, PLUG ELECTRICAL; 125/250 VAC, 15/10 AMPS, CAP, TWO WIRE	0	C	5935B SE
BAD439F	AL	D-A-02-102-004	4	PLUG	PLUG, ELECTRICAL, QA 3, 3 PIN, STRAIGHT, CONNECTOR, PLUG ELECTRICAL; STRAIGHT PLUG,SOLID SHELL SIZE 10SL 3	3		5935B SE
BAG917M	AC	- - -	2	PLUG	PLUG, PIPE, QA 1, PLUG, PIPE; SQUARE HEAD SOLID, CLASS 3000, CARBON STEEL ASME SA 105	1	D	4730P SE
BBF678C	AL	D-A-06-201-003	8	PLUG	PLUG, TUBING, QA 3, PLUG, TUBE FITTING THREAD; BRASS, STANDARD MILL FINISH, FIRST ID .125	3		4730P SE
BBF683K	AL	D-A-15-301-006	10	PLUG	PLUG, TUBING, QA 3, PLUG, TUBE FITTING THREAD; BRASS, STANDARD MILL FINISH, FIRST ID .375	3		4730P SE
BBF684H	AL	D-A-15-301-006	9	PLUG	PLUG, TUBING, QA 3, PLUG, TUBE FITTING THREAD; BRASS, STANDARD MILL FINISH, FIRST ID .5 IN	3		4730P SE
BCM292X	AL	A-A-01-000-001	1	PLUG	PLUG, ELECTRICAL, QA 0, CONNECTOR, PLUG ELECTRICAL; CONNECTOR TYPE: POWER, BODY STYLE:	0	P	5935B SE
BCY944X	AL	A-A-01-000-001	1	PLUG	PLUG, VALVE, QA 1, CLASS 3, PLUG, VALVE; STAINLESS STEEL ASME SA479 TYPE 316, REF 15, FOR ASME SEC	1	B	48200 SE
BDE405A	AL	D-A-06-102-002	10	PLUG	PLUG, TUBING, QA 0, 1/2 IN, COPPER, SWEAT, ***	0		4730P SE
BDQ677K	AL	D-A-17-302-002	4	PLUG	PLUG, PIPE, QA 0, 1-1/2 IN, SQUARE, MNPT, CPVC, 80, *** SOLID	0		4730P SE
BEQ465W	AL	A-A-01-000-001	1	PLUG	PLUG, VALVE, QA 0, PLUG, VALVE; REF 15, FOR CONTROL VALVE, 8 IN, ANSI CLASS 600	0	C	48200 SE
BEW919T	AL	D-A-10-302-004	5	PLUG	PLUG, ELECTRICAL, QA 0, CONNECTOR, MALE; UHF, MALE, SUITABLE FOR 30 AND 150 MHZ ***	0		4730P SE
BEY610T	AL	D-B-09-202-001	1	PLUG	PLUG, VALVE, QA 0, PLUG, VALVE; STEEL, FOR DRY FLY ASH SYSTEM,REF A5394, TAG 814J ***	0	P	4450C SE
BFD957R	AL	D-A-17-302-002	9	PLUG	PLUG, PIPE, QA 0, 3/4 IN, SQUARE, MNPT, CPVC, 80, *** SOLID	0		4730P SE
BFD958P	AL	D-A-17-302-002	15	PLUG	PLUG, PIPE, QA 0, 1/2 IN, SQUARE, MNPT, CPVC, 80, *** SOLID	0		4730P SE
BFL750P	AL	A-A-01-000-001	1	PLUG	PLUG, ELECTRICAL, QA 0, CONNECTOR, PLUG ELECTRICAL; CONNECTOR TYPE: POWER, BODY STYLE:	0	P	5935B SE
BFN088V	AL	A-A-01-000-001	3	PLUG	PLUG, ELECTRICAL, QA 0, CONNECTOR, PLUG ELECTRICAL; CONNECTOR TYPE: SUBMINIATURE, NO CONTACTS:	0	P	5935B SE
BGA804X	AL	D-A-04-301-001	1	PLUG	PLUG, ELECTRICAL, QA 3, GENERAL PURPOSE, 10 PIN, STRAIGHT, CONNECTOR, PLUG ELECTRICAL; GENERAL PURPOSE, STRAIGHT 10 PIN ***	3		5935B SE
BGA808M	AL	D-A-06-102-002	1	PLUG	PLUG, ELECTRICAL, QA 1, COAXIAL, 1 PIN, STRAIGHT, CONNECTOR, PLUG ELECTRICAL; CONNECTOR TYPE: COAXIAL, BODY STYLE:	1		5935B SE
BGC102L	AL	A-A-01-000-001	300	PLUG	PLUG, ELECTRICAL, QA 0, CONNECTOR, PLUG ELECTRICAL; CONNECTOR TYPE: COAXIAL ***	0	P	5935B SE
BJC767H	AL	F-A-07-101-000	1	PLUG	PLUG, VALVE, QA 1, 18 IN, 150 PSI, CS, WEDGE, ; PLUG, CARBON STEEL, FOR GATE VALVE, 18 IN, 150 PSIG, STELLITE	1	C	48200 SE
BKC280K	AL	A-A-01-000-001	9	PLUG	PLUG, ELECTRICAL, QA 1, CONNECTOR, TFE INSULATED, , 50 OHM IMPEDANCE, TRIAXIAL, FEMALE, BULKHEAD RECEPTACLE,	1	P	5935B SE
BKN798C	AL	D-B-25-302-004	18	PLUG	PLUG, ELECTRICAL, QA 1, COAXIAL, CONNECTOR, BNC, MALE	1	C	5935B SE
BKR748C	AL	D-A-16-201-003	2	PLUG	PLUG, PIPE, QA 3, 4 IN, HEX, MNPT, IRON, ASTM A197 GR F22000, PLUG, PIPE; HEXAGON PLUG, MALLEABLE IRON ASTM A 197 F22000, END TYPE	3		4730P SE
BLD409V	AL	D-A-15-301-006	4	PLUG	PLUG, PIPE, QA 1, PLUG, PIPE; 0.375 - .025 ORIFICE BRASS, FOR DIESEL ENGINE ***	1		29100 SE
BMD633F	AL	1-A-03-000-001	1	PLUG	PLUG, VALVE, QA 3, PLUG, VALVE; FOR REGULATING VALVE, 1 IN, MODEL 40C, 200 TO 450 PSIG	3	P	48200 SE
BMF540P	AL	D-A-04-302-001	4	PLUG	PLUG, PIPE, QA 0, STAINLESS STEEL, ***	0		4730P SE
BNF213M	AL	A-A-01-000-001	3	PLUG	PLUG, PIPE, QA 3, PLUG, PIPE; STANDARD PIPE THREAD, FOR LIMITORQUE SB-00 ACTUATOR ***	3	P	48200 SE
BNG821Q	AL	1-A-17-105-001	7	PLUG	PLUG, TYPICAL, QA 0, 3/4 IN, *** (270A365-005)	0	P	4470C SE
BNV413F	AL	D-A-24-101-001	8	PLUG	PLUG, HOSE, QA 0, QUICK DISCONNECT, ***	0		4730P SE
BPL215H	AL	A-A-01-000-001	10	PLUG	PLUG, TUBING, QA 3, PLUG,TUBE, ; "POP-A-PLUG" TYPE, FOR 0.75 IN OD TUBE, STAINLESS STEEL	3	C	6695D SE
BPW714M	AL	E-A-16-C01-D01	54	PLUG	PLUG, TYPICAL, QA 0, PLUG, CIRCUIT BREAKER; SCREW, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
BPW985M	AL	E-A-16-C02-B01	3	PLUG	PLUG, TYPICAL, QA 0, PLUG, CIRCUIT BREAKER; SCREW, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
BQP423L	AL	D-B-16-000-001	11	PLUG	PLUG, TUBING, QA 0, PLUG,TUBE, ; POP-A-PLUG TYPE ***	0	C	4420B SE
BRE723G	AL	E-A-16-C02-C01	5	PLUG	PLUG, TYPICAL, QA 0, *** FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BRE920R	AL	E-A-16-C03-A01	6	PLUG	PLUG, TYPICAL, QA 0, *** FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BRF326M	AL	F-A-07-201-000	1	PLUG	PLUG, VALVE, QA 1, PLUG, VALVE; BODY, ASME SA 105, FOR 4 IN CAST STEEL SWING CHECK	1	C	48200 SE
BRH375X	AL	A-A-01-000-001	13	PLUG	PLUG, TYPICAL, QA 0, PLUG, VENT; MATERIAL: BRASS, SIZE: 02.000000 (2) ***	0	C	4320U SE
BRH376V	AL	D-A-30-301-004	1	PLUG	PLUG, TYPICAL, QA 0, PLUG, DRUM; POLYETHYLENE/STAINLESS STEEL, FOR VERTICAL DRUMS,	0	C	8110L SE
BRH376V	AL	D-B-16-000-001	14	PLUG	PLUG, TYPICAL, QA 0, PLUG, DRUM; POLYETHYLENE/STAINLESS STEEL, FOR VERTICAL DRUMS,	0	C	8110L SE
BRP172D	AL	D-A-04-401-002	2	PLUG	PLUG, PIPE, QA 3, STYLE: SQ HD SOLID, MATERIAL: CARBON STEEL, NOMINAL:	3		4730P SE
BTB491L	AL	D-A-06-102-002	2	PLUG	PLUG, ELECTRICAL, QA 2, 3 PIN, #22-#16 AWG, STRAIGHT, CONNECTOR, PLUG ELECTRICAL; STRAIGHT, MS/STANDARD, SOCKET TYPE, 3	2	B	5935B SE
BTK697N	AL	D-A-10-302-003	2	PLUG	PLUG, ELECTRICAL, QA 3, GROUNDING, 125, 5-15P, NYLON, 15, 2 POLE/3 WIRE, PLUG, ELECTRICAL; 2 POLE, 3 WIRE, GROUNDING, 15A, MALE, NYLON, 125V	3		5935B SE
BTV480J	AL	D-A-12-101-002	2	PLUG	PLUG, PIPE, QA 3, PLUG, PIPE; STYLE: SQ HD CORED, MATERIAL: MALLEABLE IRON, NOMINAL:	3		4730P SE
BVA203L	AL	F-A-09-201-000	1	PLUG	PLUG, PIPE, QA 0, PLUG, TEST PIPE; MATERIAL: RUBBER, NOMINAL SIZE: 01.000 IN (1), OD	0	B	4730P SE
BVB769T	AL	D-B-07-302-002	138	PLUG	PLUG, ELECTRICAL, QA 3, COAXIAL, 1 PIN, CRIMP, PLUG, ELECTRICAL; STANDARD SINGLE CRIMP BNC SERIES ***	3		5935B SE
BVJ679P	AL	D-A-27-201-004	18	PLUG	PLUG, ELECTRICAL, QA 0, 9 CONTACTS, CONNECTOR, COMPUTER, D SUBMINIATURE, 9 PIN PLUG, SOLDER POT	0		7021A SE
BVJ679P	AL	D-A-32-401-005	18	PLUG	PLUG, ELECTRICAL, QA 0, 9 CONTACTS, CONNECTOR, COMPUTER, D SUBMINIATURE, 9 PIN PLUG, SOLDER POT	0		7021A SE
BVJ699H	AL	D-A-10-302-006	6	PLUG	PLUG, ELECTRICAL, QA 0, 9 CONTACTS, CONNECTOR, COMPUTER; D SUBMINIATURE, 9 PIN PLUG, INSULATION	0		7021A SE
BVJ846Y	AL	D-A-06-102-002	13	PLUG	PLUG, ELECTRICAL, QA 3, COAXIAL, 5000, 1 PIN, 5, STRAIGHT, CONNECTOR, PLUG ELECTRICAL; CONNECTOR TYPE: COAXIAL, BODY STYLE: STR	3		5935B SE
BVK746X	AL	A-A-01-000-001	4	PLUG	PLUG, TYPICAL, QA 1, PLUG,SENSOR, ; STAINLESS STEEL, FOR HIGH VOLUME SEALED SENSOR, MODEL	1	C	6695D SE
BVQ636B	AL	D-A-10-302-004	1	PLUG	PLUG, ELECTRICAL, QA 1, CONNECTOR, PLUG ELECTRICAL; CONNECTOR TYPE: POWER, BODY STYLE: STR	1		5935B SE
BVR174J	AL	D-A-18-202-001	50	PLUG	PLUG, TYPICAL, QA 3, BUTTON, PLUG; MATERIAL: STEEL, SIZE: 01.000000 (1), STYLE: SNAP-IN	3		5975B SE
BVR181M	AL	D-A-12-202-004	95	PLUG	PLUG, CONDUIT, QA 3, BUTTON, PLUG; MATERIAL: STEEL, SIZE: 01.500000 (1 1/2), STYLE:	3		5975B SE
BVR550V	AC	- - -	50	PLUG	PLUG, PIPE, QA 1, 1/8 IN, MNPT, SS, , HEX, COUNTERSUNK, FOR NAMCO EA180 OR EA 740 LIMIT SWITCHES, CLASS 1E	1	B	4730P SE
BVR550V	AL	F-A-22-101-000	776	PLUG	PLUG, PIPE, QA 1, 1/8 IN, MNPT, SS, , HEX, COUNTERSUNK, FOR NAMCO EA180 OR EA 740 LIMIT SWITCHES, CLASS 1E	1	B	4730P SE
BVV841M	AL	D-A-22-401-000	6	PLUG	PLUG, HOSE, QA 0, PLUG, HOSE; LENGTH: 02.500000 (2 1/2) ***	0		4730P SE
BWE242E	AL	A-A-01-000-001	1	PLUG	PLUG, ELECTRICAL, QA 1, CONNECTOR, PLUG ELECTRICAL; COAXIAL, STRAIGHT PLUG, BAYONET LOCK	1	B	5935B SE
BWE242E	AL	F-A-02-103-000	5	PLUG	PLUG, ELECTRICAL, QA 1, CONNECTOR, PLUG ELECTRICAL; COAXIAL, STRAIGHT PLUG, BAYONET LOCK	1	B	5935B SE
BWE269R	AL	D-A-06-102-002	5	PLUG	PLUG, ELECTRICAL, QA 3, CONNECTOR, PLUG ELECTRICAL; CONNECTOR TYPE: SUBMINIATURE, BODY STYLE:	3		5935B SE
BWG678X	AL	F-A-09-201-000	4	PLUG	PLUG, TUBING, QA 3, PLUG, TUBE REPAIR; MATERIAL: STAINLESS STEEL, TUBE SIZE ACCOM: 0.750	3	C	4730P SE
BWJ683T	AL	A-A-01-000-001	4	PLUG	PLUG, VALVE, QA 3, PLUG, VALVE; STEEL, FOR PLUG VALVE, FIGURE 129F, MODEL 9055055 SIZE 6	3	B	48200 SE
BXR016F	AL	A-A-01-000-001	1	PLUG	PLUG, VALVE, QA 3, PLUG, VALVE; STAINLESS STEEL,TYPE 316, 005.000 X 002.000 IN,000.375 IN	3	C	48200 SE
BXY782L	AL	A-A-01-000-001	1	PLUG	PLUG, PIPE, QA 3, PLUG, PIPE; 2 IN, 150 LB MALLEABLE IRON, ASTM A197, IN ACCORDANCE WITH	3	C	4730P SE
BXY787A	AC	- - -	3	PLUG	PLUG, ELECTRICAL, QA 1, CONNECTOR, PLUG ELECTRICAL; ELECTRICAL, COAXIAL, BNC TYPE, MALE ***	1	B	5935B SE
BYE071R	AL	A-A-01-000-001	5	PLUG	PLUG, TYPICAL, QA 1, PLUG, STEAM TURBINE; STEAM RING,FOR MODEL GS-2 TERRY TURBINE,S/N	1	C	2825G SE
BYF738Y	AL	1-A-03-000-001	1	PLUG	PLUG, VALVE, QA 1, PLUG ASSY, VALVE; PLUG/STEM ASSEMBLIES, PINNED ASSEMBLIES, PLUG - ASTM	1	C	48200 SE
BYQ781F	AL	D-B-19-202-001	1	PLUG	PLUG, TUBING, QA 3, PLUG, TUBE FITTING THREAD; MATERIAL: STAINLESS STEEL, NOMINAL SIZE:	3		4730P SE
CAF647N	AC	- - -	15	PLUG	PLUG, PIPE, QA 1, CLASS 2, 3/8 IN, HEX, MNPT, SS, ASME SA182 GR F304, STANDARD MILL FINISH, FORGED, B16.11	1	D	4730P SE
CAF675H	AC	- - -	1	PLUG	PLUG, ELECTRICAL, QA 3, CONNECTOR, CABLE; STRAIGHT PLUG, 7 CONTACTS,CONTACT SIZE:16 ***	3	B	5975B SE
CAP201P	AL	D-A-14-000-001	20	PLUG	PLUG, TUBING, QA 1, CLASS 2, STAINLESS STEEL, TYPE 304, FOR CONTAINMENT SPRAY HEAT EXCHANGER;	1	C	4420B SE
CDD267Q	AL	D-A-12-202-004	3	PLUG	PLUG, PIPE, QA 3, PLUG, PIPE; STYLE: SQ HD CORED, MATERIAL: MALLEABLE IRON, NOMINAL	3		4730P SE
CDD330P	AL	D-A-15-301-006	1	PLUG	PLUG, PIPE, QA 3, PLUG, PIPE; STYLE: HEX HEAD, MATERIAL: BRASS, NOMINAL SIZE: 01.000 IN	3		4730P SE
CDE906C	AL	A-A-01-000-001	6	PLUG	PLUG, VALVE, QA 0, DWG 10/1.4.3.1 ALT 15, A58007, FOR 1-1/2" LESLIE VALVE,	0	B	48200 SE
CDN967D	AL	F-A-05-102-000	129	PLUG	PLUG, TYPICAL, QA 1, PLUG, HEAT EXCHANGER; FOR RHR HEAT EXCHANGERS, REMOTE TUBE PLUGGING,	1	C	4420B SE

CDQ774E	AL	A-A-01-000-001	10	PLUG	PLUG, VALVE, QA 1, CLASS 2, PLUG, VALVE; ASME SA-479 GR 316, FOR USE IN 1/4"-18 NPT ADAPTER ***	1	C	48200	SE
CDV045R	AL	D-A-12-202-006	3	PLUG	PLUG, PIPE, QA 0, 1/2 IN, HEX, MNPT, BRASS, ***	0		4730P	SE
CED272R	AL	1-B-14-000-001	1	PLUG	PLUG, VALVE, QA 0, PLUG, VALVE; ITEM 6, FOR 3 INCH GLOBE VALVE, ITT HAMMEL DAHL, MODEL	0	C	48200	SE
CEH863D	AL	D-A-12-202-003	10	PLUG	PLUG, HOSE, QA 0, 1/4 IN, *** FEMALE Q.C., ST/ST	0		4730P	SE
CEJ868X	AL	D-A-06-301-000	4	PLUG	PLUG, PIPE, QA 1, CLASS 2, PLUG, PIPE; NOMINAL SIZE: 1-1/2 IN; MATERIAL: SS; HEAD: HEX;	1		4730P	SE
CEM381B	AL	D-A-32-401-003	8	PLUG	PLUG, PIPE, QA 0, 1-1/2 IN, SQUARE, MNPT, 125 LB, STANDARD MILL FINISH, CAST, PLUG, PIPE; NOMINAL SIZE: 1-1/2 IN; RATING: 125 LB; HEAD: SQUA	0		4730P	SE
CFD822A	AL	D-A-04-401-007	3	PLUG	PLUG, PIPE, QA 3, PLUG, PIPE; NOMINAL SIZE: 1/4 IN; MATERIAL: BRASS; HEAD: SQUARE;	3		4730P	SE
CFH932E	AL	F-A-24-102-000	4	PLUG	PLUG, TYPICAL, QA 1, FILL, *** OIL, FOR GENERAL CONTROLS MODEL NH91J6002N23 HYDRAMOTOR	1	B	6695D	SE
CJQ874B	AL	D-B-25-302-003	4	PLUG	PLUG, PIPE, QA 3, 4 IN, SS, PLUG BODY, EXPANSION RANGE 3.6" TO 4.25",	3		4730P	SE
AAN542F	AL	M-A-01-000-002	2	PLUG	PLUG, PIPE, QA 1, 1-1/2 IN, HEX, MNPT, SS, ASME SA182 GR F316, STANDARD MILL FINISH, FORGED, B16.11, , ASME SECTION III CLASS 2	1	P	4730P	SE
ABB217D	AL	L-A-09-000-002	1	PLUG	PLUG, ELECTRICAL, QA 0, CONNECTOR, RECEPTACLE ELECT; 3 PIN, FOR WOODWARD GOVERNOR CO ACTUATOR	0	P	5935B	SE
ABN891F	AL	L-A-09-000-002	4	PLUG	PLUG, ELECTRICAL, QA 0, CONNECTOR, PLUG ELECTRICAL; CONNECTOR TYPE: COAXIAL, BODY STYLE: STR	0	C	5935B	SE
ACN390B	AL	L-A-02-000-002	202	PLUG	PLUG, ELECTRICAL, QA 0, CONNECTOR, PLUG ELECTRICAL; COAXIAL, BNC, ANGLE, TEFLON INS	0	P	5935B	SE
ACR867N	AL	M-A-16-000-002	100	PLUG	PLUG, TYPICAL, QA 3, BUTTON, PLUG; STEEL, BLANK, SNAP-IN, 0.50 IN, FOR CLOSING KNOCKOUTS IN	3	P	5975B	SE
ADP610C	AL	L-A-09-000-002	4	PLUG	PLUG, ELECTRICAL, QA 3, CONNECTOR, PLUG ELECTRICAL; THREE CONTACTS, ***	3	P	5935B	SE
AEG887J	AL	L-A-09-000-002	4	PLUG	PLUG, VALVE, QA 0, SAE, PLUG, VENT; PORT, SAE, FOR VALVE BODY ASSY (MANIFOLD CONFIGURATION) ON	0	P	4710Y	SE
AEP010M	AL	L-A-03-000-002	1	PLUG	PLUG, ELECTRICAL, QA 1, GENERAL PURPOSE, 3 PIN, STRAIGHT, CONNECTOR, PLUG ELECTRICAL; CONNECTOR TYPE: GENERAL PURPOSE, BODY	1	B	5935B	SE
AEP510A	AL	L-A-09-000-002	2	PLUG	PLUG, ELECTRICAL, QA 0, CONNECTOR, PLUG ELECTRICAL; NO CONTACTS: 6 ***	0	P	5935B	SE
AFG568W	AL	L-A-09-000-002	9	PLUG	PLUG, PIPE, QA 0, 1/4 IN, SQUARE, MNPT, IRON, ASTM A197, GALVANIZED, *** SOLID, MALLEABLE	0	C	4730P	SE
AFG769J	AL	L-A-09-000-002	85	PLUG	PLUG, PIPE, QA 0, 1 IN, SQUARE, MNPT, IRON, ASTM A197, GALVANIZED, ** COUNTERSUNK, MALLEABLE	0	C	4730P	SE
AHJ544L	AL	T-A-06-000-002	2	PLUG	PLUG, VALVE, QA 1, PLUG ASSY, VALVE; VALVE, C/O 1 EA PLUG 010116-008-1N3, 1 EA STEM	1	P	48200	SE
AHP112Q	AL	L-A-09-000-002	6	PLUG	PLUG, ELECTRICAL, QA 0, CONNECTOR, PLUG ELECTRICAL; CONNECTOR TYPE: GENERAL PURPOSE, NO	0	P	5935B	SE
AHP911R	AL	L-A-09-000-002	6	PLUG	PLUG, ELECTRICAL, QA 0, PLUG, TELEPHONE, MALE ***	0	P	5935B	SE
AMP113X	AL	L-A-09-000-002	18	PLUG	PLUG, ELECTRICAL, QA 0, CONNECTOR, PLUG ELECTRICAL; NO CONTACTS: 12 ***	0	P	5935B	SE
ANW026F	AL	M-A-03-000-002	6	PLUG	PLUG, TYPICAL, QA 2, PLUG, ; 316 STAINLESS STEEL, FOR ELECTRONIC TRANSMITTER MODELS	2	P	6695D	SE
APJ273L	AL	L-A-15-000-002	3	PLUG	PLUG, VALVE, QA 1, PLUG, VALVE; FOR RELIEF VALVE, SIZE 006.000X 010.000 IN, MODEL 67F	1	P	48200	SE
AQL583L	AL	T-A-05-000-002	1	PLUG	PLUG, PIPE, QA 1, PLUG, PIPE; VALVE, FOR GLOBE VALVE, SIZE 2 IN, 1500 LB, STNLS STL	1	P	4730P	SE
ARF613R	AL	L-A-09-000-002	2	PLUG	PLUG, TYPICAL, QA 0, *** FOR BEARING RING INSULATION, 0.370IN DIA X 0.370IN LONG, GE 26 DWG	0	P	6115F	SE
ARK853G	AL	T-A-04-000-002	1	PLUG	PLUG, VALVE, QA 1, , ASSEMBLY, ASME SECTION III CLASS 2, C/O 1EA P/N 169763-G GUIDE	1	B	48200	SE
ATC900C	AL	L-A-09-000-002	1	PLUG	PLUG, VALVE, QA 0, PLUG, ROTARY VALVE; FOR MODEL F3-CF-16-C-10, AND/OR CT-06-C-40 ***	0	P	48200	SE
ATQ564P	AL	M-A-15-000-002	2	PLUG	PLUG, VALVE, QA 0, PLUG, ROTARY VALVE; TEFLON COATED, SEMI-STEEL, A-126, CLASS B, FOR	0	P	48200	SE
ATT598V	AL	M-A-16-000-002	1	PLUG	PLUG, BANANA, QA 0, CONNECTOR, PLUG ELECTRICAL; DUAL,BANANA,BLACK ***	0	P	5935B	SE
AVB386J	AL	M-A-13-000-002	198	PLUG	PLUG, TUBING, QA 3, PLUG, TUBE REPAIR; RUBBER, OD .875 IN ***	3	P	4730P	SE
AVD191P	AL	L-A-09-000-002	3	PLUG	PLUG, ELECTRICAL, QA 0, CONNECTOR, 730, 10 CONTACTS/7-1/2 CURRENT, CONNECTOR, PLUG ELECTRICAL; LOCKING METHOD: CABLE CLAMP, VOLTAGE	0	P	5935B	SE
AVH819E	AL	M-A-01-000-002	2	PLUG	PLUG, VALVE, QA 1, 1 IN, SS, PLUG, ROTARY VALVE, TY 316, CONTROL,W/SPRING DIAPHRAGM ACTUATOR,	1	P	48200	SE
AVT797F	AL	T-A-01-000-002	2	PLUG	PLUG, ELECTRICAL, QA 0, GENERAL PURPOSE, 6 PIN, SOLID SHELL, CONNECTOR, PLUG ELECTRICAL; GENERAL PURPOSE, STRAIGHT 6 PIN CONTACTS	0	P	5935B	SE
AVX990H	AL	L-A-09-000-002	2	PLUG	PLUG, ELECTRICAL, QA 0, MALE, 115, 9, 4 PIN, CONNECTOR, PLUG ELECTRICAL; 4 PINS, MALE, 9A, 115VAC ***	0	P	5935B	SE
AVY389A	AL	M-A-16-000-002	1	PLUG	PLUG, VALVE, QA 1, PLUG, VALVE; FOR 1 IN CONTROL VALVE, TYPE 98H, S/N 5569735	1	P	48200	SE
AWC796K	AL	T-A-02-000-002	1	PLUG	PLUG, VALVE, QA 1, PLUG, VALVE; STEEL, HEAT 03995-21, REF N00215-902, FOR 002.000 INCH	1	P	48200	SE
AWE524B	AL	M-A-01-000-002	1	PLUG	PLUG, VALVE, QA 1, PLUG, VALVE; STAINLESS STEEL ASME SA479 TYPE 316, FOR GLOBE VALVE, 2	1	P	48200	SE
AWH447K	AL	T-A-05-000-002	4	PLUG	PLUG, VALVE, QA 1, PLUG, VALVE; STEEL, SPECIFICATION Z-3407-B AND Z-3406-B, FOR GLOBE	1	P	48200	SE
AWH973X	AL	M-A-16-000-002	2	PLUG	PLUG, ELECTRICAL, QA 0, CONNECTOR, PLUG ELECTRICAL; 15 PIN, FOR BAILEY GE/MAC 530 & 531	0	P	5935B	SE
AYM878N	AL	M-A-16-000-002	16	PLUG	PLUG, ELECTRICAL, QA 2, CONNECTOR, PLUG ELECTRICAL; GENERAL PURPOSE, STRAIGHT, 7 PIN, SOCKET	2	P	5935B	SE
AYR899R	AL	M-A-10-000-002	2	PLUG	PLUG, ELECTRICAL, QA 2, PLUG ASSY, ; SNAP IN, ADAPTER TYPE, FOR RECORDER MODEL 54 ***	2	P	6695D	SE
BAG917M	AL	M-A-08-000-002	25	PLUG	PLUG, PIPE, QA 1, PLUG, PIPE; SQUARE HEAD SOLID, CLASS 3000, CARBON STEEL ASME SA 105	1	D	4730P	SE
BBA632Y	AL	M-A-16-000-002	4	PLUG	PLUG, VALVE, QA 3, PLUG, VALVE; DISC, VALVE & HOLDER ASSEMBLY,BRASS AND VITON, FOR	3	P	48200	SE
BBE946J	AL	M-A-16-000-002	6	PLUG	PLUG, VALVE, QA 2, PLUG, VALVE; WITH STEM, FOR REGULATING FLUID PRESS VALVE, 0.25 IN, 250	2	P	48200	SE
BDF189F	AL	M-A-01-000-002	3	PLUG	PLUG, VALVE, QA 1, PLUG, VALVE; HEX HEAD, THREADED, STEEL, FOR SWING CHECK VALVE, 16 IN	1	P	48200	SE
BEA264F	AL	M-A-10-000-002	4	PLUG	PLUG, TYPICAL, QA 2, PLUG, SENSOR, ; STAINLESS STEEL, FOR TRANSMITTER, PRESSURE, MODEL 752	2	P	6695D	SE
BEB931W	AL	L-A-02-000-002	1	PLUG	PLUG, VALVE, QA 0, 1-1/2 IN, 600 PSIG, STAINLESS STEEL, SOCKETWELD, PLUG, VALVE; CV28, EQUALS 0/1, COLD BOX, STAINLESS STEEL, FOR	0	P	48200	SE
BEE641N	AL	M-A-04-000-002	1	PLUG	PLUG, TUBING, QA 1, PLUG, TUBE FITTING THREAD; STAINLESS STEEL ASME SA 479 TP 316 S31600	1	P	4730P	SE
BEH107W	AL	M-A-10-000-002	1	PLUG	PLUG, VALVE, QA 1, PLUG, VALVE; STAINLESS STEEL, FOR GLOBE VALVE, 6 IN, MODEL 37-10132	1	P	48200	SE
BEV954X	AL	M-A-01-000-002	2	PLUG	PLUG, VALVE, QA 1, PLUG, VALVE; VALVE, STEEL, FOR SOLENOID POWER OPERATED RELIEF VALVE	1	P	48200	SE
BEW632F	AL	M-A-07-000-002	31	PLUG	PLUG, TUBING, QA 3, PLUG, TUBING; TYPE: HEX; NOMINAL SIZE: 1/8 IN; MATERIAL: SS; SURFACE	3	C	4730P	SE
BFL750P	AL	T-A-01-000-002	19	PLUG	PLUG, ELECTRICAL, QA 0, CONNECTOR, PLUG ELECTRICAL; CONNECTOR TYPE: POWER, BODY STYLE:	0	P	5935B	SE
BGM884B	AL	M-A-16-000-002	200	PLUG	PLUG, TYPICAL, QA 3, BUTTON, PLUG; STEEL, RUSTPROOF, SNAP-IN, CAP-TITE, 1.25 IN DIA, FOR	3	P	5975B	SE
BGP395G	AL	M-A-01-000-002	1	PLUG	PLUG, VALVE, QA 1, CLASS 3, PLUG, VALVE; ASME SA 479 TP316 W/STELLITE, FOR 3" GLOBE VALVE,MODEL	1	C	48200	SE
BGP397C	AL	M-A-01-000-002	2	PLUG	PLUG, VALVE, QA 1, PLUG, VALVE; STAINLESS STEEL TYPE 316, FOR GLOBE VALVE, 1 IN, MODEL	1	P	48200	SE
BGP680W	AL	M-A-16-000-002	14	PLUG	PLUG, VALVE, QA 1, PLUG, VALVE; VENT, STAINLESS STEEL, ASME SA479 TYPE 316, FOR CONTROL	1	C	48200	SE
BGQ500M	AL	M-A-16-000-002	100	PLUG	PLUG, TYPICAL, QA 3, BUTTON, PLUG; BLANK, SNAP IN, 2 IN, STEEL, ASTM A108, FOR CONDUIT AND	3	P	5975B	SE
BGR604Q	AL	L-A-09-000-002	41	PLUG	PLUG, PIPE, QA 3, 1/2 IN, SQUARE, MNPT, IRON, ASTM A197, B16.14, PLUG, PIPE; STYLE: SQ HD SOLID, MATERIAL: MALLEABLE IRON, NOMINAL:	3	C	4730P	SE
BGR929T	AL	T-A-01-000-002	120	PLUG	PLUG, TYPICAL, QA 0, 1/4 IN, NYLON, HEX, PLUG, MACHINE THREAD; BLACK NYLON, 0.125 ID X 0.250-28 THD OD, HEX	0	P	6630D	SE
BGW756G	AL	L-A-09-000-002	2	PLUG	PLUG, ELECTRICAL, QA 0, CONNECTOR, PLUG ELECTRICAL; CONNECTOR TYPE: COAXIAL, NO CONTACTS: 14	0	P	5935B	SE
BHE430W	AL	L-A-09-000-002	2	PLUG	PLUG, TYPICAL, QA 0, PLUG, MONITOR; FILTER CARTRIDGE ASSEMBLY, IODINE CHANNEL, FOR	0	P	6630D	SE
BHE648M	AL	T-A-01-000-002	23	PLUG	PLUG, PIPE, QA 1, PLUG, PIPE; CFR 10 CFR 50.49, CFR 10 CFR 21 ***	1	P	4730P	SE
BHJ517G	AL	M-A-09-000-002	1	PLUG	PLUG, ELECTRICAL, QA 3, CONNECTOR, RECEPTACLE ELECT; GENERAL PURPOSE, STRAIGHT 15 PIN, 125	3	P	5935B	SE
BHR135T	AL	M-A-01-000-002	4	PLUG	PLUG, VALVE, QA 1, PLUG, ROTARY VALVE; STAINLESS STEEL TYPE 316, FOR GLOBE VALVE,1.5 & .5	1	P	48200	SE
BJE901Y	AL	T-A-01-000-002	7	PLUG	PLUG, ELECTRICAL, QA 0, POWER, 250, 30, STRAIGHT, CONNECTOR, PLUG ELECTRICAL; CONNECTOR TYPE: POWER, BODY STYLE:	0	P	5935B	SE
BJK475T	AL	M-A-16-000-002	75	PLUG	PLUG, VALVE, QA 3, PLUG, VENT; FLUORCARBON ELASTOMER, 0.221 ID X 0.289 OD X 0.31 IN LONG	3	P	4320U	SE
BKB828N	AL	M-A-11-000-002	5	PLUG	PLUG, VALVE, QA 3, PLUG, VALVE; EXPANSION, STEEL, REF 2, FOR MANUAL VALVE ACTUATOR, SIZE	3	P	48200	SE
BKE835A	AL	L-A-09-000-002	3	PLUG	PLUG, ELECTRICAL, QA 3, CONNECTOR, PLUG ELECTRICAL; MALE, FOR MODEL CRM-71S, RADIATION	3	P	5935B	SE
BLC717L	AL	L-A-09-000-002	7	PLUG	PLUG, TYPICAL, QA 3, PLUG, DIESEL ENGINE; CARBON STEEL, 0.375 IN NPT, FOR STANDBY DIESEL	3	P	2910O	SE
BLC931J	AL	L-A-09-000-002	8	PLUG	PLUG, TYPICAL, QA 1, PLUG, ; 0.375 IN MPT, SQUARE SOCKET, FOR STANDBY DIESEL ENGINE, MODEL	1	P	2910O	SE
BLV624E	AL	T-A-04-000-002	2	PLUG	PLUG, VALVE, QA 1, CLASS 3, PLUG, VALVE; CORROSION RESISTANT, ASME SA564 GR 630, TYPE 17-4 PH, FOR	1	C	48200	SE
BNN923H	AL	L-A-09-000-002	86	PLUG	PLUG, BANANA, QA 2, ADAPTER, CONNECTOR; TERMINAL STRIP BANANA JACK, NICKEL PLATED BRASS	2	P	5935B	SE

BNN925D	AL	L-A-09-000-002	102	PLUG	PLUG, BANANA, QA 2, ADAPTER, CONNECTOR; TERMINAL STRIP BANANA JACK, NICKEL PLATED BRASS	2	P	5935B SE
BNP238V	AL	L-A-09-000-002	33	PLUG	PLUG, BANANA, QA 2, ADAPTER, CONNECTOR; TERMINAL STRIP BANANA JACK, NICKEL PLATED BRASS	2	P	5935B SE
BNP239R	AL	L-A-09-000-002	35	PLUG	PLUG, BANANA, QA 2, ADAPTER, CONNECTOR; TERMINAL STRIP BANANA JACK, NICKEL PLATED BRASS	2	P	5935B SE
BNP240L	AL	L-A-09-000-002	500	PLUG	PLUG, BANANA, QA 2, ADAPTER, CONNECTOR; TERMINAL STRIP BANANA JACK, NICKEL PLATED BRASS	2	P	5935B SE
BNP248Q	AL	L-A-09-000-002	76	PLUG	PLUG, BANANA, QA 2, ADAPTER, CONNECTOR; TERMINAL STRIP BANANA JACK, NICKEL PLATED BRASS	2	P	5935B SE
BNP249N	AL	L-A-09-000-002	76	PLUG	PLUG, BANANA, QA 2, ADAPTER, CONNECTOR; TERMINAL STRIP BANANA JACK, NICKEL PLATED BRASS	2	P	5935B SE
BNP250H	AL	L-A-09-000-002	100	PLUG	PLUG, BANANA, QA 2, ADAPTER, CONNECTOR; TERMINAL STRIP BANANA JACK, NICKEL PLATED BRASS	2	P	5935B SE
BNQ650V	AL	T-A-06-000-002	2	PLUG	PLUG, VALVE, QA 0, PLUG, VALVE; VALVE, FOR 8 IN VALVE, MODEL 500SHC32EA95, S/N	0	P	48200 SE
BNR766P	AL	T-A-05-000-002	1	PLUG	PLUG, VALVE, QA 1, PLUG, VALVE; STAINLESS STEEL, ASME SA479, TYPE 316	1	P	48200 SE
BPJ854Q	AL	M-A-08-000-002	1	PLUG	PLUG, VALVE, QA 0, WEDGE, ; FOR VALVE, 2 IN, MODEL NO W08-2054W-02TY, DWG NO 23-05 ***	0	P	48200 SE
BPL214K	AL	M-A-15-000-002	20	PLUG	PLUG, TUBING, QA 3, PLUG, TUBE, ; "POP-A-PLUG" TYPE STAINLESS STEEL FOR 0.625 IN OD X 18	3	C	6695D SE
BPL215H	AL	M-A-02-000-002	10	PLUG	PLUG, TUBING, QA 3, PLUG, TUBE, ; "POP-A-PLUG" TYPE, FOR 0.75 IN OD TUBE, STAINLESS STEEL	3	C	6695D SE
BQD021K	AL	T-A-01-000-002	1	PLUG	PLUG, TYPICAL, QA 3, PLUG ASSY, ; 125 VAC, 48 IN LONG, POWER, FOR RECORDER, MODELS T101-E7	3	C	6695D SE
BQN194E	AL	M-A-06-000-002	1	PLUG	PLUG, VALVE, QA 0, STEM, BAL, FOR 4 IN FISHER CONTROL GATE VALVE, MODEL	0	C	48200 SE
BQQ180T	AL	P-A-LL-ET0-081	3	PLUG	PLUG, VALVE, QA 1, PLUG, VALVE; FOR A 6" POWELL, BUTT WELD GLOBE VALVE 150 LB, FIG NO.	1	C	48200 SE
BRK054Y	AL	M-A-01-000-002	2	PLUG	PLUG, VALVE, QA 0, PLUG & STEM ASSY, ; FOR MODEL EC VALVES,C/O PLUG, WITH STELLITE TIP	0	C	48200 SE
BTA440N	AL	L-A-09-000-002	6	PLUG	PLUG, ELECTRICAL, QA 0, ALUMINUM, CONNECTOR, PLUG ELECTRICAL; ALUMINUM, QUARTER TURN, MALE PLUG, FOR 2	0	C	5935B SE
BTM389P	AL	T-A-01-000-002	6	PLUG	PLUG, PIPE, QA 0, PLUG ASSY, PIPE; 2.00" SCH 40 STEEL, BULL PLUG, VICTAULIC STYLE 90	0	C	4730P SE
BTQ141D	AL	M-A-06-000-002	1	PLUG	PLUG, VALVE, QA 0, PLUG, VALVE; 2 INCH, SEMISTEEL, TAPERED PLUG, WITH 2-INCH SQUARE HEAD	0	C	48200 SE
BTQ795W	AL	L-A-09-000-002	1	PLUG	PLUG, ELECTRICAL, QA 3, CONNECTOR, FIRE ALARM SYSTEM; 9 PIN MALE, FOR MODEL MA-2400 FIRE ALARM	3	B	6350B SE
BVA716M	AL	L-A-09-000-002	2	PLUG	PLUG, VALVE, QA 3, PLUG, VALVE; PLUG, FOR HAMMEL DAHL VALVE, CAT. NO. V803, FITS 3/4 IN	3	C	48200 SE
BVA720A	AL	L-A-09-000-002	2	PLUG	PLUG, VALVE, QA 3, PLUG, VALVE; PLUG, FOR HAMMEL DAHL VALVE, CAT NO. V803, FITS 1/2 IN	3	C	48200 SE
BVB741H	AL	M-A-12-000-002	2	PLUG	PLUG, PIPE, QA 0, PLUG, TEST PIPE; MATERIAL: CARBON STEEL, NOMINAL SIZE: 02.000 IN (2)	0	C	4730P SE
BVB832E	AL	M-A-15-000-002	20	PLUG	PLUG, ELECTRICAL, QA 3, CONNECTOR, PLUG ELECTRICAL; COAXIAL, TYPE N PLUG, RIGHT ANGLE ***	3	B	5935B SE
BVC804F	AL	L-A-13-000-002	4	PLUG	PLUG, ELECTRICAL, QA 3, PLUG, ELECTRICAL; STRAGHT PLUG, SOLID SHELL, SOCKET TYPE ***	3	B	5935B SE
BVC806B	AL	L-A-13-000-002	5	PLUG	PLUG, ELECTRICAL, QA 3, PLUG, ELECTRICAL; ANGLE PLUG, SPLIT SHELL, PIN TYPE ***	3	B	5935B SE
BVE467V	AL	L-A-09-000-002	4	PLUG	PLUG, ELECTRICAL, QA 3, COAXIAL, BAYONET LOCK, CONNECTOR,	3	B	6695D SE
BVF862G	AL	T-A-05-000-002	1	PLUG	PLUG, VALVE, QA 0, PLUG, VALVE; 10 IN, TAG #, 1.2-LCV-06-106-A,FOR 10 IN GLOBE,VALVE, MFG	0	B	48200 SE
BVJ886J	AL	L-A-09-000-002	8	PLUG	PLUG, TYPICAL, QA 3, PLUG, COUPLING; GREASE, 1/8" NPT X 1/4" LONG, ALLEN SOCKET HEAD	3	C	3040D SE
BVK697G	AL	L-A-09-000-002	2	PLUG	PLUG, VALVE, QA 3, PLUG, PRESSURE CONTROLLER; VALVE PLUG, BRASS, FOR CONTROLLER MODEL	3	B	6695D SE
BVW099D	AL	L-A-02-000-002	8	PLUG	PLUG, PIPE, QA 1, 7/8 IN, HEX, MNPT, SS, PLUG, PIPE; STYLE: HEXAGON PLUG, MATERIAL: STAINLESS STEEL, NOMINAL:	1	C	4730P SE
BWC583X	AL	L-A-09-000-002	2	PLUG	PLUG, ELECTRICAL, QA 0, CONNECTOR, PLUG ELECTRICAL; NO CONTACTS: 36 ***	0	C	5935B SE
BXE007A	AL	L-A-02-000-002	4	PLUG	PLUG, TUBING, QA 3, HEX, 1/4 IN, SS, COMPRESSION, PLUG, TUBE FITTING THREAD; MATERIAL: STAINLESS STEEL, NOMINAL SIZE:	3	C	4730P SE
CAD599H	AL	R-A-05-000-002	1	PLUG	PLUG, CORE, QA 1, PLUG, MONITOR; CORE PLATE PLUG, FOR REACTOR VESSEL, DWG # 131C8585	1	B	6630D SE
CAF675H	AL	L-A-07-000-002	1	PLUG	PLUG, ELECTRICAL, QA 3, CONNECTOR, CABLE; STRAIGHT PLUG, 7 CONTACTS,CONTACT SIZE:16 ***	3	B	5975B SE
CAK018Q	AL	L-A-09-000-002	51	PLUG	PLUG, PIPE, QA 1, CLASS 2, 3/8 IN, HEX, MNPT, SS, ASME SA182 GR F316, STANDARD MILL FINISH, B16.11	1	D	4730P SE
CAN591K	TR	- - -	10	PLUG	PLUG, PIPE, QA 1, CLASS 2, 1/4 IN, HEX, MNPT, SS, ASME SA479 TP316, STANDARD MILL FINISH	1	C	4730P SE
CAP580Y	AL	T-A-12-000-002	97	PLUG	PLUG, TUBING, QA 1, CLASS 3, PLUG, TUBE,HEAT EXCHANGER; TAPERED FOR JOSEPH OATS ASME SECTION III	1	C	4420B SE
CAR698H	AL	L-A-09-000-002	3	PLUG	PLUG, TUBING, QA 1, CLASS 2, HEX, 1/2 IN, SS, ASME SA479 GR 316, STANDARD MILL FINISH	1	C	4730P SE
CBR965E	AL	L-A-09-000-002	2	PLUG	PLUG, ELECTRICAL, QA 2, CONNECTOR, PLUG ELECTRICAL; CONNECTOR TYPE: CABLE CONNECTING, BODY	2	B	5935B SE
CBY266F	AL	M-A-01-000-002	22	PLUG	PLUG, TUBING, QA 0, PLUG, TUBE,HEAT EXCHANGER; TORQ'N SEAL, .570" TO .590" RANGE, CARBON	0	C	4420B SE
CDX409D	AL	M-A-03-000-002	1	PLUG	PLUG, VALVE, QA 0, PLUG, VALVE; 4 INCH CLASS 900 COPEES VULCAN VALVE ***	0	C	48200 SE
CEM090Q	AL	L-A-13-000-002	3	PLUG	PLUG, TYPICAL, QA 0, PLUG, *TYPICAL; TYPE: ASSEMBLY *** PLUG/STEM ASSEMBLY FOR FISHER	0	B	48104 SE
CFP976T	AL	L-A-13-000-002	1	PLUG	PLUG, ELECTRICAL, QA 3, COAXIAL, STRAIGHT, 1 CONTACT, ** LOCKING METHOD: TWISTLOCK	3	B	5935B SE
CFW088M	AL	L-A-09-000-002	2	PLUG	PLUG, PIPE, QA 3, PLUG, PIPE; NOMINAL SIZE: 9/16 IN; MATERIAL: SS; HEAD: SOCKET ***	3	B	4730P SE
CHJ853Q	AL	R-A-03-000-002	1	PLUG	PLUG, VALVE, QA 0, 4 IN, 300 PSI, SS/STELLITE, FOR HEATER LEVEL CONTROL VALVE, TYPE 1400,	0	C	48200 SE
AKF606W	AL	D-B-16-000-001	2	PLUNGER	PLUNGER, TYPICAL, QA 3, PLUNGER, PUMP; PUMP, SA-479, TYPE 304 STNLS STL, FOR RECIPROCATING	3	C	4320U SE
BFN853P	AL	D-A-04-302-003	15	PLUNGER	PLUNGER, VALVE, QA 3, PLUNGER, DETENT; DIFFERENTIAL UNIT, FOR 3.00 INCH HIDROMATIC DELUGE	3		4710Y SE
BGG855C	AL	P-A-LL-ET0-063	2	PLUNGER	PLUNGER, TYPICAL, QA 1, PLUNGER, PUMP; STAINLESS STEEL, ASTM A276, TYPE 304L, HARD GROUND	1	C	4320U SE
BHE148A	AL	A-A-01-000-001	1	PLUNGER	PLUNGER, VALVE, QA 1, PLUNGER, DETENT; FOR SOLENOID VALVE, MODEL 82KK-001, CLASS 2158, DWG	1	P	4710Y SE
BHE148A	AL	1-B-14-000-001	1	PLUNGER	PLUNGER, VALVE, QA 1, PLUNGER, DETENT; FOR SOLENOID VALVE, MODEL 82KK-001, CLASS 2158, DWG	1	P	4710Y SE
BLM046J	AL	A-A-01-000-001	1	PLUNGER	PLUNGER, VALVE, QA 1, SOLENOID, , DETENT; STAINLESS STEEL, ANNEALED, AND CHROME PLATED,DWG ITEM 11,	1	B	4710Y SE
BXF342Y	AL	F-A-12-101-000	2	PLUNGER	PLUNGER, VALVE, QA 1, PLUNGER, VALVE; LOWER,DWG 1071240-1 AND MODEL 82AB-001 ***	1	B	48200 SE
AWG959W	AL	M-A-12-000-002	3	PLUNGER	PLUNGER, TYPICAL, QA 0, PLUNGER, ; RATCHET, FOR 3/4 TON COME- ALONG, MODEL B ***	0	P	3950F SE
BGG855C	AL	P-A-LL-ET0-063	5	PLUNGER	PLUNGER, TYPICAL, QA 1, PLUNGER, PUMP; STAINLESS STEEL, ASTM A276, TYPE 304L, HARD GROUND	1	C	4320U SE
BJC794E	AL	L-A-03-000-002	4	PLUNGER	PLUNGER, VALVE, QA 0, PLUNGER, DETENT; STEEL, FOR PLUG VALVE, 3 IN, 150 PSIG, FIG 0366BW	0	P	4710Y SE
BKC384V	AL	L-A-09-000-002	1	PLUNGER	PLUNGER, TYPICAL, QA 0, PLASTIC, THREADED, CYLINDRICAL/HOLLOW, PLUNGER, ; CLEAR PLASTIC, CYLINDRICAL SHAPED ONE END AND WITH MALE	0	P	6630D SE
BLT534L	AL	L-A-09-000-002	2	PLUNGER	PLUNGER, TYPICAL, QA 0, PUMP, 1 IN, 1750 PSI, PLUNGER, PUMP; 1 IN, REF 12, FOR PUMP, PDII, SIZE 1-P, 64 GPH, 1750	0	P	4320U SE
BXY610X	AL	M-A-03-000-002	1	PLUNGER	PLUNGER, VALVE, QA 1, SS, MATERIAL SPEC: 410 STAINLESS STEEL, ANNEALED CHROME PLATED, FOR	1	C	48200 SE
APW320X	AL	L-A-09-000-002	7	POINT	POINT, TYPICAL, QA 0, PIVOT, ALUMINUM, POINT ASSY, PIVOT, ALUMINUM, FOR FISHER CONTROLS CO VALVE	0	P	48200 SE
ABX014M	AL	D-A-04-202-002	2	POINTER	POINTER, INSTRUMENT, QA 0, POINTER ASSY, ; DWG 933635, PRIMARY, FOR YARWAY REACTOR WATER LEVEL	0		6695D SE
ACX102W	AL	D-A-04-202-007	6	POINTER	POINTER, INSTRUMENT, QA 0, POINTER, DIAL; FOR DURAGUAGES 4-1/2 IN, NO 1279A ***	0		6695D SE
ACX103T	AL	D-A-04-202-007	3	POINTER	POINTER, INSTRUMENT, QA 0, POINTER, DIAL; GAGE, ADJUSTABLE, FOR ASHCROFT MODEL 1383 TEST GAGE	0		6695D SE
APV762N	AL	D-A-04-202-007	2	POINTER	POINTER, INSTRUMENT, QA 0, POINTER ASSY, ; BLACK, FOR FOXBORO CONSOTROL CONTROLLER, MODEL	0		6695D SE
ARQ815Y	AL	D-A-13-401-003	3	POINTER	POINTER, INSTRUMENT, QA 0, POINTER, DIAL; INDICATING, FOR TYPE T1150, PNEUMATIC CONTROLLER, 0-20	0		6695D SE
AGX915Q	AL	L-A-09-000-002	1	POINTER	POINTER, INSTRUMENT, QA 0, POINTER, DIAL; FOR HERSEY GAGE 235A-13, SN 425807, ON TURBINE LUBE OIL	0	P	2825G SE
AJW475K	AL	L-A-09-000-002	1	POINTER	POINTER, INSTRUMENT, QA 0, POINTER, DIAL; FOR LEEDS AND NORTHRUP SPEEDOMAX W MULTI-RANGE RECORDER	0	P	6695D SE
APV862J	AL	L-A-09-000-002	1	POINTER	POINTER, INSTRUMENT, QA 0, POINTER ASSY, ; RED, FOR FOXBORO CONSOTROL CONTROLLER, MODEL 52A-SM2	0	P	6695D SE
AWQ596X	AL	T-A-01-000-002	3	POINTER	POINTER, INSTRUMENT, QA 0, POINTER, DIAL; STEEL, SCALE INDICATING FOR RECORDER MODEL E1124E ***	0	P	6695D SE
AXR431K	AL	M-A-10-000-002	10	POINTER	POINTER, INSTRUMENT, QA 2, POINTER ASSY, ; STEEL, RED, FOR MODEL 52A-SM4 CONSOTROL CONTROLLER ***	2	P	6695D SE
AXR432H	AL	M-A-10-000-002	5	POINTER	POINTER, INSTRUMENT, QA 2, POINTER ASSY, ; STEEL, BLACK, FOR MODEL 52A-SM4 CONSOTROL CONTROLLER	2	P	6695D SE
BGW575L	AL	M-A-16-000-002	2	POINTER	POINTER, INSTRUMENT, QA 3, POINTER, DIAL; FLYWHEEL, INDICATING, ENGINE TYPE S16E4, FOR DUAL AIR	3	P	29100 SE
BPN613T	AL	M-A-16-000-002	3	POINTER	POINTER, INSTRUMENT, QA 3, POINTER, DIAL; ADJUSTABLE, FOR CONTROL INDICATOR, MODEL 1224-2 ***	3	C	6695D SE
BPP166L	AL	M-A-16-000-002	9	POINTER	POINTER, INSTRUMENT, QA 3, POINTER, DIAL; WHITE,FOR MODEL 227 ***	3	C	6695D SE
BPP168G	AL	M-A-16-000-002	8	POINTER	POINTER, INSTRUMENT, QA 3, POINTER, DIAL; METAL, WHITE, 4.125 IN LG, FOR MODEL 224 AND/OR 288A	3	C	6695D SE

CAY174T	AL	1-A-04-009-001	2 POLE	POLE, TYPICAL, QA 1, POLE UNIT, SWITCH,DISCONNECT; SINGLE PHASE, MODEL HPLC, FOR DISCONNECT	1	B	61100 SE
CAY174T	AL	A-A-01-000-001	3 POLE	POLE, TYPICAL, QA 1, POLE UNIT, SWITCH,DISCONNECT; SINGLE PHASE, MODEL HPLC, FOR DISCONNECT	1	B	61100 SE
AXX783Y	AL	A-A-01-000-001	1 POPPET	POPPET, VALVE, QA 0, POPPET, VALVE; VALVE TOP, COMPLETE WITH PLUNGER, FOR 0.75 IN PIPE SIZE	0	P	48200 SE
AEQ987E	AL	L-A-02-000-002	26 POPPET	POPPET, VALVE, QA 0, POPPET, ; COMPRESSION 2.5, FOR VALVE BODY ASSY (MANIFOLD	0	P	4710Y SE
BBQ039P	AL	D-A-04-201-002	2 PORT	PORT, TYPICAL, QA 0, PORT, ; PLASTIC, STANDARD INJECTION, WITH ONE MALE THREADED AND ONE	0	P	6630D SE
ARE287H	AL	M-A-04-000-002	2 POSITIONER	POSITIONER, TYPICAL, QA 2, CONTROLLER, POSITIONER; ELECTRONIC CONSOTROL, PROPORTIONAL	2	P	6695D SE
ARL093N	AL	M-A-13-000-002	3 POSITIONER	POSITIONER, TYPICAL, QA 2, CONTROLLER, POSITIONER; CONNECTING ROD, WOOD BLOCK WITH STEEL GUIDE ON	2	P	6695D SE
BVT928K	AL	T-A-01-000-002	1 POSITIONER	POSITIONER, TYPICAL, QA 0, POSITIONER ASSY, ACTUATOR; C/W SIGHT GLASS, M/N 3375, S/N 207160	0	C	48200 SE
BXF164W	AL	L-A-03-000-002	1 POSITIONER	POSITIONER, TYPICAL, QA 0, CONTROLLER, POSITIONER; WITH GAUGES, HIGH TEMPERATURE CONSTRUCTION	0	C	6695D SE
CAW179T	AL	I-A-17-000-002	1 POSITIONER	POSITIONER, PNEUMATIC, QA 0, POSITIONER, PNEUMATIC; ASSEMBLY,POSITIONER BETA,MK1,AIR/RET,MANIFOLD	0		6695D SE
AYB919N	AL	A-A-01-000-001	1 POST	POST, TYPICAL, QA 0, POST, VALVE; STAINLESS STEEL, GUIDE, FOR 6 IN 150 PSIG AIR OPERATED	0	P	48200 SE
BTK733D	AL	M-A-04-000-002	5 POST	POST, TYPICAL, QA 3, POST, RECORDER; REAR COVER, TEFLON, FOR RECORDER, MULTIPLE PURPOSE	3	B	6695D SE
CAM820F	AL	M-A-12-000-002	18 POST	POST, TYPICAL, QA 3, POST, BINDING ELECTRICAL; BLACK ***	3	B	5940I SE
AWC765Y	AL	A-A-01-000-001	10 POTENTIOMETER	POTENTIOMETER, TYPICAL, QA 0, VARIABLE, 2 K, +/- 10%, 1, 0.5, CERMET, RESISTOR, VARIABLE, NONWIREWOUN; RESISTOR STYLE: TRIMMER POT SQUELCH	0	C	5905I SE
ARM138Y	AL	L-A-13-000-002	2 POTENTIOMETER	POTENTIOMETER, TYPICAL, QA 0, VARIABLE, 20 K, +/- 10%, 20, 1, RESISTOR, VARIABLE, WIRE WOUND; RESISTOR STYLE: POTENTIOMETER, OHMS	0	P	5905I SE
AXX884Q	AL	M-A-12-000-002	4 POTENTIOMETER	POTENTIOMETER, TYPICAL, QA 0, VARIABLE, 20 K, +/- 10%, 22, RESISTOR, VARIABLE, NONWIREWOUN; RESISTOR STYLE: RECTANGULAR, OHMS	0	P	5905I SE
BPM301L	AL	P-A-LL-ET0-028	1 POTENTIOMETER	POTENTIOMETER, TYPICAL, QA 1, POTENTIOMETER, ; EQUALIZE VOLTAGE ADJUST, FOR 250 VOLTS MAIN BATTERY	1	B	5905I SE
BPM301L	AL	L-A-13-000-002	3 POTENTIOMETER	POTENTIOMETER, TYPICAL, QA 1, POTENTIOMETER, ; EQUALIZE VOLTAGE ADJUST, FOR 250 VOLTS MAIN BATTERY	1	B	5905I SE
BTQ010Y	AL	L-A-13-000-002	9 POTENTIOMETER	POTENTIOMETER, TYPICAL, QA 3, RESISTOR, VARIABLE; POTENTIOMETER, TRIMMING, SIDE ADJUST, 2 KOHMS	3	B	5905I SE
ACV046C	AL	A-A-01-000-001	2 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; FOR MODEL 940, SN 100099 ***	0	P	61100 SE
AEW750V	AL	5-B-01-301-000	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; FOR MONITOR, GENERATOR CONDITION, CAT NO.	0	P	61100 SE
ARD179R	AL	A-A-01-000-001	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 3, POWER SUPPLY, ELECTRICAL; REGULATED, INPUT 105-132 V, 57-63 HZ, PLUS	3	P	61100 SE
ARD179R	AL	D-A-04-201-001	9 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 3, POWER SUPPLY, ELECTRICAL; REGULATED, INPUT 105-132 V, 57-63 HZ, PLUS	3	P	61100 SE
ARD430P	AL	A-A-01-000-001	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, 26 DC, 112/124, 13/15, 65, POWER SUPPLY, ELECTRICAL; 112 TO 124 VAC, 13 TO 15 AMPS INPUT, 26 VDC	0	P	61100 SE
ARD592H	AL	1-B-08-000-001	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, 105/125, 5 DC, 0.250, 50/420, POWER SUPPLY, ELECTRICAL; PANEL TYPE, OUTPUT 5 VOLTS DIRECT	0	P	61100 SE
ARV790G	AL	1-B-08-000-001	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; ELEC ***	0	P	61100 SE
ATY899Q	AL	A-A-01-000-001	3 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, 4.2/15.8, 1.3, 3.5, 50/440, POWER SUPPLY, ELECTRICAL; INPUT:50-440HZ,1.300 AMP,	0	P	61100 SE
ATY926G	AL	A-A-01-000-001	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, 100/130, 48 DC, 4, POWER SUPPLY, ELECTRICAL; OUTPUT:48 VDC,4 AMP,INPUT:100/130 VAC, FOR	0	P	61100 SE
AVB481Q	AL	A-A-01-000-001	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; HIGH VOLTAGE, FOR MODEL 987-514, POLYSPEC	0	P	61100 SE
AXE204Q	AL	A-A-01-000-001	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; METALLIC, FOR MA-1 MONITOR RACK ON ALARM	0	P	61100 SE
BBC831E	AL	A-A-01-000-001	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER ASSY, VALVE; W/BULB AND CAPILLARY TUBE, FOREXPANSION VALVE, 14	0	P	48200 SE
BBJ912F	AL	A-A-01-000-001	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; FOR PROGRAMMABLE CONTROLLER, P/N BCT-30 ***	0	P	61100 SE
BBJ913D	AL	A-A-01-000-001	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; FOR PROGRAMMABLE CONTROLLER, P/N BCT-30 ***	0	P	61100 SE
BBJ914B	AL	A-A-01-000-001	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; FOR PROGRAMMABLE CONTROLLER, P/N BCT-30 ***	0	P	61100 SE
BBJ920V	AL	A-A-01-000-001	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; FOR PROGRAMMABLE CONTROLLER, P/N BCT-30 ***	0	P	61100 SE
BDG400M	AL	A-A-01-000-001	4 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; FOR ALARM-MONITOR, MODEL HS-2S ***	0	P	61100 SE
BFY447R	AL	A-A-01-000-001	4 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; 115 VOLTS, MODEL 992, TABLE TOP ENCLOSURE	0	P	61100 SE
BHK580F	AL	D-A-32-104-001	2 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; 15 VAC INPUT, 3.5 LONG X 2.5 WIDE X 0.875 IN	0	P	61100 SE
BJG688Q	AL	A-A-01-000-001	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; 24 VOLTS, 15 AMPS, REGULATED, FOR SIMULATOR	0	P	61100 SE
BJN107A	AL	A-A-01-000-001	2 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; VAC INPUT, VDC OUTPUT, FR SERIES, FOR SINGER	0	P	61100 SE
BJN112G	AL	A-A-01-000-001	3 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; VAC INPUT, VDC OUTPUT, FR SERIES, FOR SINGER	0	P	61100 SE
BLV786K	AL	D-B-16-000-001	2 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 3, POWER SUPPLY, ELECTRICAL; FOR ANNUNCIATOR. ***	3	P	61100 SE
BMA683F	AL	1-B-11-072-001	6 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY UNIT, ; EMERGENCY LIGHT. ***	0	P	61100 SE
BMB388C	AL	F-A-02-103-000	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 3, POWER SUPPLY, ELECTRICAL; SURFACE MOUNT, 115-7-1000 W, FOR	3	P	61100 SE
BMB388C	AL	F-A-14-202-004	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 3, POWER SUPPLY, ELECTRICAL; SURFACE MOUNT, 115-7-1000 W, FOR	3	P	61100 SE
BNF108K	AC	- - - -	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 3, POWER SUPPLY, ELECTRICAL; MODEL U-24, 120 VAC INPUT, 24VDC AT 5 AMPS	3	B	61100 SE
BQC440Q	AL	F-C-07-101-000	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 1, 10-50 MADC, 10-50 MADC, ISOLATED, SUPPLY VOLTAGE 117 VAC PLUS 10 % TOLERANCE	1	B	5805M SE
BRQ233E	AL	F-A-10-101-001	2 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 3, POWER SUPPLY ASSY, ; REGULATED, FOR WH NUCLEAR TEST INSTRUTMENTS, SPIN	3	B	6695D SE
BTQ071Y	AL	D-A-32-201-002	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 3, POWER SUPPLY, ELECTRICAL; DC VOLTS OUTPUTS, +5 V @ 30 A, -5 V @ 1.75	3		61100 SE
BVB939V	AL	A-A-01-000-001	14 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 1, POWER SUPPLY, ELECTRICAL; 12V DC, 3.4 AMPS ***	1	B	61100 SE
BWE960T	AL	F-A-27-101-000	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 3, 110/120, 48 DC, 4.3, POWER SUPPLY, MODULE; 48 VDC, 4.3 AMP OUTPUT; 110/120 VAC INPUT, FOR	3	B	5963B SE
BXL094L	AL	D-B-01-060-001	11 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; FOR CONTROLS ***	0	B	61100 SE
BXV679W	AL	A-A-01-000-001	15 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 3, POWER SUPPLY, ELECTRICAL; FOXBORO STYLE C, 118V, 63-95V OUTPUT, 10-50	3	B	61100 SE
CAE971J	AL	A-A-01-000-001	2 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 3, POWER SUPPLY, ELECTRICAL; AUXILIARY ***	3	B	61100 SE
CBE422E	AL	A-A-01-000-001	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 1, POWER SUPPLY, MONITORING SYSTEM; +15VDC TO -15VDC, ACOPIAN, MODIFIED	1	B	6695D SE
CDB734X	AL	A-A-01-000-001	2 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; SWITCHING, EMACS MODEL # ET2-4200U, FCC	0	B	61100 SE
CEA661X	AC	- - - -	4 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 3, POWER SUPPLY, ELECTRICAL; WITH RELAY FOR KDG/KDF SERIES FLOWMETERS.	3	B	61100 SE
CEG920C	AL	A-A-01-000-001	2 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 3, 115/230, 24 DC, 50/60, DUAL OUTPUT, *** OUTPUT AMPS: 200 MA/SUPPLY SECTION; MOLDED ABS CASE MATERIAL;	3	B	61100 SE
CEH137B	AL	D-A-34-101-002	3 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, DISPLAY MODULE, DISPLAY MODULE. YOKOGAWA K9296KA. FOR FOSSIL AND HYDRO CONTROL	0	B	61100 SE
AAT310V	AL	L-A-09-000-002	2 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; PCA ***	0	P	61100 SE
AFA265E	AC	- - - -	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, 97/139, 15, 46/65, 23.5 V +/- 2 V, POWER SUPPLY, ELECTRICAL; VOLTAGE 23.5 PLUS OR MINUS 2 VOLT, CURRENT	0	B	61100 SE
AFA265E	AL	L-A-13-000-002	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, 97/139, 15, 46/65, 23.5 V +/- 2 V, POWER SUPPLY, ELECTRICAL; VOLTAGE 23.5 PLUS OR MINUS 2 VOLT, CURRENT	0	B	61100 SE
AFA365A	AC	- - - -	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, 97/136, 12, 46/65, 31 V +/- 5 V, POWER SUPPLY, ELECTRICAL; VOLTAGE 31 PLUS OR MINUS 5 VOLT, CURRENT 12	0	P	61100 SE
AFA365A	AL	L-A-13-000-002	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, 97/136, 12, 46/65, 31 V +/- 5 V, POWER SUPPLY, ELECTRICAL; VOLTAGE 31 PLUS OR MINUS 5 VOLT, CURRENT 12	0	P	61100 SE
AMF593X	AL	M-A-06-000-002	2 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 1, POWER SUPPLY, ELECTRICAL; PLUS 300 TO 2500 VDC, 0-10 MA, FOR NUCLEAR	1	P	61100 SE
AMV276C	AL	L-A-09-000-002	2 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; DC, FOR GE BOILER FEED PUMP AND FD FAN SPEED	0	P	61100 SE
ARE817E	AC	- - - -	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; CONSTANT CURRENT, MODEL TP-135, 115 VAC	0	B	61100 SE
ATJ215G	AL	I-A-17-000-002	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; 900 VOLTS, FOR SO2 MONITOR, MODEL SM-810 ***	0	P	61100 SE
ATY278R	AL	T-A-12-000-002	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, 120, 45 DC, 4-20 MA, POWER SUPPLY, ELECTRICAL; DC, TYPE 55 GL, INPUT POWER 120 VAC, OUTPUT	0	P	61100 SE
ATY898T	AL	T-A-12-000-002	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, 105/125, 27/29, 3.62, 6, POWER SUPPLY, ELECTRICAL; INPUT:105-125 VOLTS,50-440 HZ,3.62	0	P	61100 SE
AVB481Q	AL	T-A-12-000-002	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; HIGH VOLTAGE, FOR MODEL 987-514, POLYSPEC	0	P	61100 SE
AVB482N	AL	M-A-03-000-002	2 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; LOW VOLTAGE, FOR MODEL 987-514, POLYSPEC	0	P	61100 SE
AVH323C	AL	T-A-12-000-002	2 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 3, POWER SUPPLY, ELECTRICAL; ELECTRICAL, 120 VAC INPUT TO 24 VAC OUTPUT	3	P	61100 SE
AVY122K	AL	T-A-12-000-002	1 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; P-100 STAND ALONE, FOR MODULE, ASYNCHRONOUS	0	P	61100 SE
BAC293N	AL	M-A-13-000-002	2 POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; HIGH VOLTAGE, FOR X-RAY MACHINE, TYPE	0	P	61100 SE

BAM750H	AL	T-A-12-000-002	2	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; ELECTRICAL, FOR VIBRATION MONITOR, SERIES	0	P	61100 SE
BAP557M	AL	M-A-06-000-002	1	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 2, POWER SUPPLY, ELECTRICAL; PROVIDES REGULATED 120 VDC POWER TO INTEGRAL	2	P	61100 SE
BAX737L	AL	T-A-12-000-002	1	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; WITH OVERVOLTAGE PROTECTION, FOR CRT	0	P	61100 SE
BAX742V	AL	T-A-12-000-002	1	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; FOR HECON-PRINTER, ON PRESSDUCTOR PIN	0	P	61100 SE
BBP301L	AL	M-A-06-000-002	2	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 2, POWER SUPPLY, ELECTRICAL; 5 VDC, MODEL 2CC-5-90, FOR MULTILARM V	2	P	61100 SE
BCE916M	AL	T-A-12-000-002	1	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; 115 VAC, REDUNDANT, 790 CONTROLLERS NEST	0	P	61100 SE
BCK163K	AL	T-A-12-000-002	2	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, 100/130, 125 DC, 2, POWER SUPPLY, ELECTRICAL; 100/130 VAC INPUT, 125 VDC OUTPUT, 2 AMPS	0	P	61100 SE
BED469D	AL	T-A-12-000-002	1	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, 115, 1500 VA, 750, POWER SUPPLY, ELECTRICAL; 115 VAC, INPUT 1500 VA, OUTPUT750 WATT, FOR	0	P	61100 SE
BEK105N	AL	M-A-13-000-002	1	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; LOGIC, TYPE 937, FOR ANNUNCIATOR SYSTEM ***	0	P	61100 SE
BEK106L	AL	M-A-13-000-002	4	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; LAMP, FOR ANNUNCIATOR SYSTEM ***	0	P	61100 SE
BEY935J	AL	M-A-06-000-002	4	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 2, POWER SUPPLY, ELECTRICAL; 120 VAC, FOR ANNUNCIATOR PANELS ***	2	P	61100 SE
BGJ532T	AL	L-A-15-000-002	1	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; 480 VOLTS, 70 LONG X 57 WIDE X80 IN HIGH	0	P	61100 SE
BHT045D	AL	L-A-03-000-002	2	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, BATTERY POWER SUPPLY, ; 24 VDC, 6 AMP HOUR, FOR HALON SYSTEM CONTROL	0	P	6130S SE
BLV261Q	AC	- - - -	1	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 3, SWITCHING, , FOR RADIATION MONITOR, MODEL DAM-4	3	P	61100 SE
BLV261Q	AL	L-A-05-000-002	3	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 3, SWITCHING, , FOR RADIATION MONITOR, MODEL DAM-4	3	P	61100 SE
BLW683Q	AL	L-A-12-000-002	1	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, SYSTEM, POWER,AC; UNINTERRUPTIBLE, 1 PHASE, 5 KVA ***	0	P	61100 SE
BNR240A	AL	L-A-09-000-002	4	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 3, POWER SUPPLY, ELECTRICAL; POWER SUPPLY, SEMI-CONDUCTOR CIRCUITS ***	3	B	61100 SE
BPH399V	AL	L-A-09-000-002	2	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; TRIPLE OUTPUT, 90 TO 250 VAC INPUT	0	B	61100 SE
BQH342K	AL	L-A-13-000-002	1	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 1, POWER SUPPLY, ELECTRICAL; FOR P.R.N.M.8 ***	1	B	61100 SE
BQH342K	AL	P-A-LL-ET0-025	1	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 1, POWER SUPPLY, ELECTRICAL; FOR P.R.N.M.8 ***	1	B	61100 SE
BRA674P	AL	R-A-07-000-002	1	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 1, POWER ASSY, DIESEL GENERATOR; FORK, FOR ELECTRO-MOTIVE DIV, GENERAL	1	B	6115F SE
BTK168J	AL	P-A-LL-ET0-123	1	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 1, 24, POWER SUPPLY, ELECTRICAL;	1	B	61100 SE
BVR322X	AL	L-A-09-000-002	5	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 3, POWER SUPPLY, MODULE; 24 VOLT, FOR JYC HR-2500E RECORDER MODEL 3880	3	B	5963B SE
BXV724J	AL	M-A-12-000-002	36	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 3, POWER SUPPLY, ELECTRICAL; FOXBORO STYLE C, 118V, 52V OUTPUT, 10-50 MA	3	B	61100 SE
BYA109R	AL	M-A-01-000-002	2	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 3, POWER SUPPLY, ELECTRICAL; LINEAR, 24V, 12 AMP ***	3	B	61100 SE
CAQ886M	AL	L-A-15-000-002	46	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; ION CHAMBER, FOR LOCAL POWER RANGE MONITOR	0	C	61100 SE
CFG863C	AL	R-A-03-000-002	1	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 3, 24 DC, **	3	B	6350B SE
CDK459G	AL	F-A-15-302-004	1	PREAMPLIFIER	PREAMPLIFIER, TYPICAL, QA 3, PREAMPLIFIER, ELECTRICAL; PREAMP/PULSER ASSEMBLY ***	3	B	61100 SE
AFD447Q	AL	5-A-02-101-000	2	PRESERVER	PRESERVER, LIFE, QA 0, VEST, UNICELLULAR PLASTIC FOAM, INDIAN ORANGE, LIFE PRESERVER, VEST; VEST, BUOYANT, UNICELLULAR PLASTIC FOAM, U S	0		4220I SE
AFD447Q	AL	D-A-16-402-000	5	PRESERVER	PRESERVER, LIFE, QA 0, VEST, UNICELLULAR PLASTIC FOAM, INDIAN ORANGE, LIFE PRESERVER, VEST; VEST, BUOYANT, UNICELLULAR PLASTIC FOAM, U S	0		4220I SE
AEX789F	AL	D-A-02-302-000	2	PRIMER	PRIMER, COATING, QA 0, PAINT, LIQUID, 1 GL, PRIMER, COATING; CONTAINER SIZE: 1 GALLON ***	0		5610V SE
CBR335G	AC	- - - -	7	PRIMER	PRIMER, COATING, QA 3, CLEAR AMBER, , SEALER KIT, KOLOR-POXY PRIMER/SEALER,TWO COMPONENT KIT CONSISTS OF:	3	B	8030W SE
CBR335G	AL	A-A-01-000-001	20	PRIMER	PRIMER, COATING, QA 3, CLEAR AMBER, , SEALER KIT, KOLOR-POXY PRIMER/SEALER,TWO COMPONENT KIT CONSISTS OF:	3	B	8030W SE
CEF462A	AL	- - - -	2	PRIMER	PRIMER, COATING, QA 3, ADHESIVE, 13.5 OZ, CAN, , SEALANT, FOR ADHESION OF RTV SILICONE RUBBER TO VARIOUS SUBSTRATES	3	B	8040A SE
CEF462A	AL	T-A-01-000-002	1	PRIMER	PRIMER, COATING, QA 3, ADHESIVE, 13.5 OZ, CAN, , SEALANT, FOR ADHESION OF RTV SILICONE RUBBER TO VARIOUS SUBSTRATES	3	B	8040A SE
BBJ911H	AL	A-A-01-000-001	1	PRINTER	PRINTER, TYPICAL, QA 0, PRINTER ASSY, ; COMPLETE WITH PRINTED CIRCUIT BOARD, FOR PROGRAMMABLE	0	P	7021A SE
BKL207A	AL	D-A-32-201-001	1	PRINTER	PRINTER, TYPICAL, QA 0, PRINTER ASSY FOR RECORDER, MULTIPLE PURPOSE, HYBRID, MODEL	0	P	6695D SE
AQB678P	AL	P-A-LL-ET0-063	3	PRINTER	PRINTER, TYPICAL, QA 0, MULTIPRINTER ASSY, ; FOR GE RECORDER, MULTIPLE PURPOSE, MODELS	0	C	6695D SE
BAR606R	AL	M-A-16-000-002	1	PRINTER	PRINTER, TYPICAL, QA 2, PRINTER, AUTOMATED DATA PROCE; MINI PANEL, MOUNT THERMAL, 20 COLUMNS	2	P	7020R SE
BXL894W	AL	L-A-13-000-002	2	PRINTER	PRINTER, TYPICAL, QA 0, MULTIPRINTER ASSY, RECORDER; FOR GE RECORDER, MULTIPLE PURPOSE, 16	0	C	6695D SE
CJB937G	AL	L-A-12-000-002	2	PRINTER	PRINTER, TYPICAL, QA 3, LINE PRINTER, T6215, 1500 LPM, SERIES LJ	3	C	7021A SE
AWD325N	AL	A-A-01-000-001	4	PROBE	PROBE, VIBRATION, QA 0, PROBE, PROXIMITY; TYPE LG, WITH 1 EACH 420 IN TWO PROBE CABLE, FOR	0	P	6695D SE
BAP295R	AL	A-A-01-000-001	3	PROBE	PROBE, TYPICAL, QA 0, PROBE, ; DISSOLVED OXYGEN, MODEL 60, S/N 2102 WITH 10 IN CABLE, FOR	0	P	6630D SE
BBN116K	AL	A-A-01-000-001	2	PROBE	PROBE, TEMPERATURE, QA 0, PROBE, ; OXYGEN-TEMPERATURE, FOR OXYGEN ANALYZER ***	0	P	6630D SE
BPV144A	AL	D-A-04-201-002	1	PROBE	PROBE, TEMPERATURE, QA 0, PROBE, TEMPERATURE; FOR USE WITH MODELS 160, 180 AND 180C ORION	0	A	6695D SE
BWV789V	AL	A-A-01-000-001	3	PROBE	PROBE, VIBRATION, QA 3, PROBE, PROXIMITY; CASE LENGTH 4 IN, OVERALL LENGTH 18 IN, CASE THREAD	3	B	6695D SE
CFF882D	AL	D-A-34-101-001	1	PROBE	PROBE, VIBRATION, QA 0, PROBE, VIBRATION *** FOR UNITS 1-4 TURBINE SUPERVISORY INSTRUMENTATION	0	B	6625D SE
CGT424D	AL	D-A-18-302-000	1	PROBE	PROBE, TYPICAL, QA 3, DETECTOR/ASSEMBLY, PASSIVE MAGNETIC PICKUP	3		6695D SE
CGT424D	AL	D-A-18-302-001	19	PROBE	PROBE, TYPICAL, QA 3, DETECTOR/ASSEMBLY, PASSIVE MAGNETIC PICKUP	3		6695D SE
ARE270E	AL	M-A-07-000-002	3	PROBE	PROBE, TEMPERATURE, QA 0, PROBE, ; CONDUCTIVITY, TEMPERATURE COMPENSATOR RANGE KF, 025.000	0	P	6630D SE
BGL691V	AL	M-A-10-000-002	4	PROBE	PROBE, TYPICAL, QA 2, PROBE ASSEMBLY, DETECTOR; STEEL, END TYPE, FOR NOBLE GASDETECTOR	2	P	6630D SE
BGP094M	AL	L-A-03-000-002	2	PROBE	PROBE, TYPICAL, QA 0, KIT/MEMBRANE, PROBE KIT, ; MEMBRANE, DISSOLVED OXYGEN ***	0	P	6630D SE
BKN452H	AL	P-A-LL-ET0-064	1	PROBE	PROBE, TYPICAL, QA 0, PROBE, OXYGEN; FOR DISSOLVED OXYGEN SENSOR ***	0	B	6630D SE
BKR359P	AL	L-A-13-000-002	1	PROBE	PROBE, TYPICAL, QA 0, PROBE ASSY, MONITOR/ANALYZER; 24 IN, RETRACTABLE, LPR, THREEELEMENTS	0	P	6630D SE
BNH352W	AL	P-A-LL-ET0-064	3	PROBE	PROBE, TYPICAL, QA 1, PROBE, ; GENERAL PURPOSE FLEXIBLE, WITH1 IN NPT PROCESS CONNECTION AND	1	C	59300 SE
BQC133N	AL	L-A-09-000-002	18	PROBE	PROBE, TYPICAL, QA 3, PROBE, ; POLARIZATION, FOR 14 IN PIPE. 3 ELEMENTS, PROJECTING, 316	3	B	6695D SE
BQJ387P	AL	L-A-09-000-002	2	PROBE	PROBE, VIBRATION, QA 0, PROXIMITOR, VIBRATION; 14 MM-9 METER WITH CALIBRATION FOR 304 S.S. ***	0	B	6695D SE
BVT081B	AL	M-A-12-000-002	1	PROBE	PROBE, LEVEL, QA 1, PROBE, LEVEL DETECTOR; COMPLETE WITH NOZZLE ASSY, FOR CONTROL ROOM	1	B	6695D SE
BXG871X	AL	L-A-13-000-002	3	PROBE	PROBE, LEVEL, QA 0, PROBE, LEVEL DETECTOR; SST, 00.250 X 15.750 IN OVERAL LENGTH, W/SST	0	B	6695D SE
BXH927P	AL	M-A-12-000-002	1	PROBE	PROBE, TYPICAL, QA 1, PROBE, SWITCH; SENSOR HEAD, WITH 3 IN 150 LB RAISED FACE FLANGE 6 IN	1	B	59300 SE
CKL611T	AL	D-A-04-402-000	19	PROCESSOR	PROCESSOR, COMMUNICATION, QA 0, CONTROL, SYSTEM CONTROL PROCESSOR CIRCUIT PACK FOR NETSTENDER 2060	0	C	5840M SE
AYT620G	AL	M-A-10-000-002	95	PROD	PROD, TYPICAL, QA 0, PROD, TEST; MINIATURE, NEEDLE TIP TO IN-LINE BANANA JACK, BLACK ***	0	P	6625D SE
AYT623Y	AL	M-A-10-000-002	92	PROD	PROD, TYPICAL, QA 0, PROD, TEST; MINIATURE, NEEDLE TIP TO IN-LINE BANANA JACK, RED ***	0	P	6625D SE
AVR180A	AL	J-B-12-009-001	3	PROTECTOR	PROTECTOR, SURGE, QA 0, PROTECTOR, ELECTRICAL; SURGE,OVER VOLTAGE,3-47 VDC, FOR POWER SUPPLY	0	P	5975B SE
AXV713Y	AL	D-A-28-101-007	5	PROTECTOR	PROTECTOR, SURGE, QA 0, ABSORBER/OVERVOLTAGE, 28, 25, 32.2MIN-35.8V/-20-75DEG C, SILICON CARBIDE ELEMENT, ABSORBER, OVERVOLTAGE; 28 VOLTS, 2	0		5920K SE
BLD302E	AL	D-A-11-301-003	590	PROTECTOR	PROTECTOR, HEARING, QA 0, PLUG, EAR; SMALL ***	0		6505C SE
CAH082R	AL	D-A-12-202-001	1	PROTECTOR	PROTECTOR, SURGE, QA 0, LIGHTNING, PROTECTOR, ELECTRICAL; LIGHTNING PROTECTION DEVICE, POLYPHASER 1SB50	0		5975B SE
CDT297C	AC	- - - -	10	PROTECTOR	PROTECTOR, SURGE, QA 0, TRANSIENT, 120/208, 80 KA, 3 PH, NEMA 4X ENCLOSURE	0	B	5975B SE
CET995D	AL	D-A-04-401-007	4	PROTECTOR	PROTECTOR, TYPICAL, QA 3, QUICK DISCONNECT, 1/2" COUPLER PROTECTORS, POLYURETHANE	3		4730P SE
ARP853V	AL	T-A-01-000-002	88	PROTECTOR	PROTECTOR, HEARING, QA 0, PLUG, EXTRA SMALL, W/ KEYCHAIN, PLUG, EAR; DEFENDERS, EXTRA SMALL, 1 PAIRIN PLASTIC CASE WITH KEY	0	C	6505C SE
BBY170F	AL	L-A-13-000-002	200	PROTECTOR	PROTECTOR, HEARING, QA 0, PLUG, MEDIUM (REGULAR), SILICONE RUBBER, W/O CORDS, ORANGE, THREE FLANGE TYPE, MEDIUM, WITHOUT	0	C	6505C SE
BRX764L	AL	L-A-03-000-002	1	PROTECTOR	PROTECTOR, TYPICAL, QA 0, MOTOR, 120 AC, PROTECTOR, THERM-OVULD ELEC MOTO; MOTOR, 120VAC, FOR INCORE INSTR RM	0	B	6105D SE
BTN262B	AL	T-A-12-000-002	7	PROTECTOR	PROTECTOR, TYPICAL, QA 3, PROTECTOR, ELECTRICAL; MOTOR CIRCUIT, MOLDED CASE, 600V AC. ***	3	B	5975B SE
ANJ091P	AL	D-A-12-201-000	6	PULLER	PULLER, FUSE, QA 0, PLIER, 0-600 A, FUSE; STYLE: PLIER TYPE, TYPE: NO 2-DRY PLACES, FUSE SIZE:	0		5120M SE
BBE403T	AL	L-A-09-000-002	4	PULLER	PULLER, FUSE, QA 0, MIDGET/PLIER, 1/4 IN - 1/2 IN, NYLON, YELLOW	0	P	5120M SE

AJC594X	AL	A-A-01-000-001	2	PULLEY	PULLEY, DRIVE, QA 0, PULLEY, DUST SEAL TRIPPER; DUST, (OUTFIT), FOR DUST SEAL TRIPPER	0	P	3040D SE
ALD109F	PR	2-A-16-057-001	1	PULLEY	PULLEY, SHEAVE, QA 0, PULLEY, GROOVE; SHEAVE, WROUGHT STEEL, W/BRONZE BUSHING, FOR BARGE	0	C	3040D SE
BAA504F	AL	A-A-01-000-001	1	PULLEY	PULLEY, DRIVE, QA 0, 1-7/8 IN, 7 IN, CAST IRON, 3, PULLEY, GROOVE; MATERIAL: CAST IRON, OUTSIDE DIAMETER: 07.000 IN (7)	0	P	3040D SE
BAA900J	AL	A-A-01-000-001	7	PULLEY	PULLEY, DRIVE, QA 0, 1-3/4 IN, 6-1/4 IN, CAST IRON, 2, PULLEY, GROOVE; MATERIAL: CAST IRON, OUTSIDE DIAMETER: 06.250 IN (6)	0	P	3040D SE
BAE634C	AL	A-A-01-000-001	2	PULLEY	PULLEY, DRIVE, QA 0, PULLEY, GROOVE; NUMBER OF GROOVES: 5 ***	0	P	3040D SE
BAN718W	AL	A-A-01-000-001	2	PULLEY	PULLEY, DRIVE, QA 2, PULLEY, GROOVE; CAST IRON, THREE GROOVES, BUSHING TYPE Q2 ,VARIABLE	2	P	3040D SE
BAT776R	AL	A-A-01-000-001	7	PULLEY	PULLEY, DRIVE, QA 0, PULLEY, GROOVE; MATERIAL: CAST IRON, NUMBER OF GROOVES: 2 ***	0	P	3040D SE
BBD290W	AL	A-A-01-000-001	1	PULLEY	PULLEY, DRIVE, QA 0, 2-3/8 IN, 12-1/2 IN, CAST IRON, 4, PULLEY, GROOVE; MATERIAL: CAST IRON, OUTSIDE DIAMETER: 12.500 IN (12)	0	P	3040D SE
BBD291F	AL	A-A-01-000-001	1	PULLEY	PULLEY, DRIVE, QA 0, 1-3/4 IN, 9-3/4 IN, CAST IRON, 4, PULLEY, GROOVE; MATERIAL: CAST IRON, OUTSIDE DIAMETER: 09.750 IN (9)	0	P	3040D SE
BBK886G	AL	A-A-01-000-001	1	PULLEY	PULLEY, DRIVE, QA 0, PULLEY, GROOVE; NUMBER OF GROOVES: 1 ***	0	P	3950F SE
BBQ879K	AL	A-A-01-000-001	1	PULLEY	PULLEY, DRIVE, QA 2, PULLEY, GROOVE; CAST IRON, THREE GROOVES, C/W P2 BUSHING, 1.625 IN	2	P	3040D SE
BBT543B	AL	A-A-01-000-001	7	PULLEY	PULLEY, DRIVE, QA 0, 5/8 IN, 3.150 IN, CAST IRON, 1, PULLEY, GROOVE; CAST IRON, SINGLE GROOVE, TYPEFHP, 3.15 OD X 0.625 IN	0	P	3040D SE
BBT864N	AL	A-A-01-000-001	3	PULLEY	PULLEY, DRIVE, QA 1, PULLEY, GROOVE; CAST IRON, TWO GROOVES, BORE 1.125 IN, FOR USE ON	1	P	3040D SE
BCE996W	AL	A-A-01-000-001	1	PULLEY	PULLEY, DRIVE, QA 0, 2-3/8 IN, CAST IRON, 6, PULLEY, GROOVE; MATERIAL: CAST IRON, BORE DIAMETER: 02.375 IN (2)	0	P	3040D SE
BDR135K	AL	1-B-14-000-001	1	PULLEY	PULLEY, DRIVE, QA 0, 1-3/8 IN, CAST IRON, 2, PULLEY, GROOVE; MATERIAL: CAST IRON, BORE DIAMETER: 01.375 IN (1)	0	C	3040D SE
BDR135K	AL	A-A-01-000-001	5	PULLEY	PULLEY, DRIVE, QA 0, 1-3/8 IN, CAST IRON, 2, PULLEY, GROOVE; MATERIAL: CAST IRON, BORE DIAMETER: 01.375 IN (1)	0	C	3040D SE
BEG874L	AL	A-A-01-000-001	4	PULLEY	PULLEY, TYPICAL, QA 3, PULLEY, CRANE; FOR 160 PEDESTAL CRANE, S/N 167-8-73, INTAKE PUMPING	3	C	3950F SE
BFR271Y	AL	A-A-01-000-001	1	PULLEY	PULLEY, TYPICAL, QA 0, PULLEY, PUMP; STEP, SHAFT DIA 0.5 IN BORE, GROOVE, FOR METERING PUMPS	0	C	3040D SE
BJH866M	AL	A-A-01-000-001	3	PULLEY	PULLEY, DRIVE, QA 0, 1-11/16 IN, CAST IRON, 2, PULLEY, GROOVE; MATERIAL: CAST IRON, BORE DIAMETER: 01.6875 IN(1)	0	P	3040D SE
BJH867K	AL	A-A-01-000-001	2	PULLEY	PULLEY, DRIVE, QA 0, 1-3/8 IN, CAST IRON, 3, PULLEY, GROOVE; MATERIAL: CAST IRON, BORE DIAMETER: 01.375 IN (1)	0	P	3040D SE
BLE879F	AL	A-A-01-000-001	2	PULLEY	PULLEY, DRIVE, QA 1, PULLEY, GROOVE; CAST IRON, TWO GROOVE, VARIABLE PITCH, 1.625 IN BORE	1	P	3040D SE
BLN610Y	AL	A-A-01-000-001	6	PULLEY	PULLEY, DRIVE, QA 1, 1-1/8 IN, 6 IN, CAST IRON, 2, PULLEY, GROOVE; TWO GROOVE, CAST IRON, VARIABLE SPEED, 6 OD X 1.125 IN	1	C	3040D SE
BRE685X	AL	A-A-01-000-001	3	PULLEY	PULLEY, DRIVE, QA 3, PULLEY, GROOVE; 2 GROOVES, 1.375 IN BORE, B SECTION,COUNTER CLOCKWISE	3	B	4310I SE
BXJ408C	AL	A-A-01-000-001	2	PULLEY	PULLEY, DRIVE, QA 3, PULLEY, COMPANION; 6 GROOVE, C/W TYPE Q3 BUSHING,FOR MOTOR SHAFT	3	C	3040D SE
BXJ867A	AL	A-A-01-000-001	49	PULLEY	PULLEY, SHEAVE, QA 3, MOTOR, 1-1/8 IN, 2, , ADJUSTABLE, C/W A-2 BUSHING W/1-1/8" BORE	3	C	6105D SE
BXY868A	AL	A-A-01-000-001	2	PULLEY	PULLEY, DRIVE, QA 0, PULLEY, FAN; BROWNING PART NO. 3B300R1, (TO BE USED ON A 3 11/16"	0	B	4140U SE
BXY873H	AL	A-A-01-000-001	1	PULLEY	PULLEY, DRIVE, QA 0, PULLEY, FAN; TO BE USED ON 3 11/16 IN SHAFT ***	0	B	4140U SE
BXY890W	AL	A-A-01-000-001	1	PULLEY	PULLEY, DRIVE, QA 0, PULLEY, MOTOR; TO BE USED ON 3 11/16 IN SHAFT ***	0	B	6105D SE
CAA736H	AL	A-A-01-000-001	1	PULLEY	PULLEY, DRIVE, QA 3, PULLEY, FAN; 5 GROOVE, 4.4375 IN BORE, TO INCLUDE U1 BUSHING AND KEY	3	B	4410C SE
CAV300C	AL	A-A-01-000-001	1	PULLEY	PULLEY, DRIVE, QA 3, PULLEY, AIR CONDITIONER; 2-7/8 IN, WITH 3/4 IN KEYWAY ***	3	C	4520N SE
CBJ884J	AL	D-A-21-202-005	8	PULLEY	PULLEY, SHEAVE, QA 2, CAST IRON, 3, , FAN, GRIPBELT SHEAVE, WITHOUT BUSHING, 5.3 INCH O.D., TYPE 13-SOL	2	C	4140U SE
CDF820V	AL	A-A-01-000-001	4	PULLEY	PULLEY, SHEAVE, QA 2, FAN, 10.600 IN, CAST IRON, 3, , GRIPBELT SHEAVE, WITHOUT BUSHING, TYPE 16-ARM	2	C	4140U SE
CDY018D	AL	A-A-01-000-001	2	PULLEY	PULLEY, TYPICAL, QA 3, PULLEY, CRANE; 6" OD, 1-1/2" BORE WITH BRONZE BUSHING, FOR ICE	3	C	3950F SE
CGY589P	AL	D-A-24-301-000	1	PULLEY	PULLEY, SHEAVE, QA 3, GROOVE, 28 IN, 27.900 IN, CAST IRON, 8	3		3040D SE
ADW540D	AL	L-A-09-000-002	26	PULLEY	PULLEY, SHEAVE, QA 3, PULLEY, ; BALL BEARING, FOR LEEDS AND NORTHRUP SPEEDOMAX H RECORDER	3	P	6695D SE
AJW781C	AL	L-A-13-000-002	3	PULLEY	PULLEY, DRIVE, QA 0, PULLEY, ; SERVO MOTOR, FOR MODEL FS11D6D ***	0	P	3040D SE
AKD618Y	AC	- - - -	6	PULLEY	PULLEY, SHEAVE, QA 0, ASSEMBLY/TRACK, SHEAVE ASSY, ; TRACK, TYPE "A" TRACK, DWG L-6222-A ***	0	C	3960D SE
AMV776P	AL	L-A-09-000-002	37	PULLEY	PULLEY, DRIVE, QA 0, CAT AD-18-2, FOR PEN CARRIAGE ASSY 2146K40, ON GE STRIP	0	P	6695D SE
ATR250M	AL	M-A-16-000-002	3	PULLEY	PULLEY, DRIVE, QA 2, PULLEY, GROOVE; FAN,5 IN DIAMETER,FOR VACUUM PUMP,OIL-LESS,TYPE	2	P	4310I SE
AXP799E	AL	T-A-12-000-002	3	PULLEY	PULLEY, DRIVE, QA 0, PULLEY, FLAT; DRIVE MOTOR, FOR PERTEC DISK DRIVE, MODEL D3300 AND/OR	0	P	3040D SE
AXX599P	AL	M-A-10-000-002	1	PULLEY	PULLEY, DRIVE, QA 0, PULLEY, GROOVE; CAST IRON, THREE GROOVES, FAN ***	0	C	3040D SE
AXX600E	AL	M-A-10-000-002	3	PULLEY	PULLEY, DRIVE, QA 0, PULLEY, GROOVE; CAST IRON, TWO GROOVES, FAN ***	0	P	3040D SE
AXX604T	AL	M-A-10-000-002	3	PULLEY	PULLEY, DRIVE, QA 0, PULLEY, GROOVE; MATERIAL: CAST IRON, NUMBER OF GROOVES: 3 ***	0	P	3040D SE
AXX605Q	AL	M-A-10-000-002	1	PULLEY	PULLEY, DRIVE, QA 0, PULLEY, GROOVE; MATERIAL: CAST IRON, NUMBER OF GROOVES: 3 ***	0	P	3040D SE
AXX606N	AL	M-A-03-000-002	3	PULLEY	PULLEY, DRIVE, QA 0, PULLEY, GROOVE; MATERIAL: CAST IRON, NUMBER OF GROOVES: 3 ***	0	P	3040D SE
AXX607L	AL	M-A-03-000-002	1	PULLEY	PULLEY, DRIVE, QA 0, PULLEY, GROOVE; MATERIAL: CAST IRON, NUMBER OF GROOVES: 2 ***	0	P	3040D SE
AXX616J	AL	M-A-03-000-002	1	PULLEY	PULLEY, DRIVE, QA 0, PULLEY, GROOVE; MATERIAL: CAST IRON, NUMBER OF GROOVES: 2 ***	0	P	3040D SE
BAN719T	AL	M-A-15-000-002	1	PULLEY	PULLEY, DRIVE, QA 2, PULLEY, GROOVE; CAST IRON, FIVE GROOVES, BORE FINISHED 2.375 IN	2	P	3040D SE
BBA321G	AL	M-A-03-000-002	1	PULLEY	PULLEY, DRIVE, QA 0, PULLEY, GROOVE; MATERIAL: CAST IRON, NUMBER OF GROOVES: 3 ***	0	P	3040D SE
BBA323C	AL	M-A-07-000-002	3	PULLEY	PULLEY, DRIVE, QA 0, 9-3/4 IN, CAST IRON, 3, PULLEY, GROOVE; MATERIAL: CAST IRON, OUTSIDE DIAMETER: 09.750 IN (9)	0	P	3040D SE
BBD693T	AL	M-A-02-000-002	1	PULLEY	PULLEY, DRIVE, QA 2, PULLEY, GROOVE; CAST IRON, TWO GROOVES, LESS BUSHING ***	2	C	3040D SE
BBQ870H	AL	M-A-15-000-002	2	PULLEY	PULLEY, DRIVE, QA 0, 1-7/16 IN, CAST IRON, 2, PULLEY, GROOVE; MATERIAL: CAST IRON, BORE DIAMETER: 01.4375 IN (1)	0	P	3040D SE
BBQ892V	AL	M-A-01-000-002	1	PULLEY	PULLEY, TYPICAL, QA 0, PULLEY, HOIST; STEEL, LOAD, REF 32, FOR CHAINHOIST, RATCHET LEVER	0	P	3950F SE
BBQ904G	AL	M-A-01-000-002	2	PULLEY	PULLEY, TYPICAL, QA 0, PULLEY, HOIST; STEEL, LOAD, REF 37, FOR CHAINHOIST, RATCHET LEVER	0	P	3950F SE
BBT543B	AL	L-A-13-000-002	2	PULLEY	PULLEY, DRIVE, QA 0, 5/8 IN, 3.150 IN, CAST IRON, 1, PULLEY, GROOVE; CAST IRON, SINGLE GROOVE, TYPEFHP, 3.15 OD X 0.625 IN	0	P	3040D SE
BEQ719P	AL	L-A-13-000-002	4	PULLEY	PULLEY, DRIVE, QA 0, VARIABLE, 4 IN, 1, PULLEY, GROOVE; OUTSIDE DIAMETER: 04.000 IN (4) NUMBER OF GROOVES: 1	0	P	3040D SE
BFJ642R	AL	L-A-07-000-002	2	PULLEY	PULLEY, DRIVE, QA 0, 9-3/4 IN, CAST IRON, 1, PULLEY, GROOVE; MATERIAL: CAST IRON, OUTSIDE DIAMETER: 09.750 IN (9)	0	P	3040D SE
BFJ643P	AL	L-A-07-000-002	1	PULLEY	PULLEY, DRIVE, QA 0, 4.970 IN, CAST IRON, 1, PULLEY, GROOVE; MATERIAL: CAST IRON, OUTSIDE DIAMETER: 04.970 IN	0	P	3040D SE
BFR271Y	AL	T-A-01-000-002	1	PULLEY	PULLEY, TYPICAL, QA 0, PULLEY, PUMP; STEP, SHAFT DIA 0.5 IN BORE, GROOVE, FOR METERING PUMPS	0	C	3040D SE
BFX626Y	AL	M-A-16-000-002	4	PULLEY	PULLEY, DRIVE, QA 3, PULLEY, GROOVE; THREE GROOVES, FOR SERVO ASSY 351663 ON CONTROLLER	3	P	6695D SE
BJF268L	AL	L-A-13-000-002	2	PULLEY	PULLEY, DRIVE, QA 0, PULLEY, GROOVE; 8 IN DIAMETER, FOR HUSTLER TRACTOR, 72 IN 3 WAY ROTARY	0	P	3040D SE
BJW037V	AL	L-A-07-000-002	1	PULLEY	PULLEY, DRIVE, QA 0, 4-1/2 IN, 9-3/4 IN, PULLEY, GROOVE; OUTSIDE DIAMETER: 09.750 IN (9 3/4), BORE DIAMETER:	0	P	3040D SE
BJW038R	AL	L-A-13-000-002	2	PULLEY	PULLEY, SHEAVE, QA 0, PULLEY, GROOVE; SHEAVE ***	0	P	3040D SE
BJW038R	AL	L-A-09-000-002	3	PULLEY	PULLEY, SHEAVE, QA 0, PULLEY, GROOVE; SHEAVE ***	0	P	3040D SE
BLC501D	AL	T-A-05-000-002	2	PULLEY	PULLEY, SHEAVE, QA 0, SHEAVE, ; OVERHEAD, FOR DOVER ELEVATOR ***	0	C	3960D SE
BND434F	AL	L-A-09-000-002	2	PULLEY	PULLEY, SHEAVE, QA 3, PULLEY, GROOVE; 2 GROOVES, 2.84 IN BORE DIA, GRIBELT SHEAVE ***	3	P	3040D SE
BND436B	AL	L-A-09-000-002	3	PULLEY	PULLEY, SHEAVE, QA 3, PULLEY, GROOVE; SHEAVE ASSEMBLY INCLUDES 2 GROOVE GRIBELT SHEAVE	3	P	3040D SE
BNF086Q	AL	L-A-09-000-002	1	PULLEY	PULLEY, DRIVE, QA 3, PULLEY, GROOVE; 2 GROOVE, FOR "A" BELT, ON SHUTDOWN BOARD ROOMS	3	P	3040D SE
BNF098H	AL	L-A-15-000-002	2	PULLEY	PULLEY, DRIVE, QA 0, PULLEY, FLAT; POSITIVE DRIVE, FOR TIMING BELT, NOTE: FIELD VERIFIED	0	P	3040D SE
BQP047D	AL	L-A-15-000-002	2	PULLEY	PULLEY, DRIVE, QA 0, PULLEY, GROOVE; NUMBER OF GROOVES: 4 ***	0	C	3040D SE
BVJ964Q	AL	L-A-09-000-002	1	PULLEY	PULLEY, SHEAVE, QA 3, PULLEY, FAN; FOR SPREADING ROOM SUPPLY FANS, 2 GROOVE, VARIABLE PITCH	3	C	4140U SE
BWY029J	AL	T-A-01-000-002	1	PULLEY	PULLEY, DRIVE, QA 3, PULLEY, FAN; PULLEY,FAN, SINGLE GROOVE, CAST IRON, REQUIRES TYPE 'H'	3	C	4140U SE
BXQ756L	AL	L-A-13-000-002	12	PULLEY	PULLEY, DRIVE, QA 0, PULLEY, RECORDER; FOR BRACKET, FOR GE RECORDER, MODEL 8HG1A021041, TYP	0	B	6695D SE
BYC051A	AL	L-A-03-000-002	2	PULLEY	PULLEY, DRIVE, QA 3, PULLEY, MOTOR; PURGE UNIT DRIVE MOTOR, FOR WORTHINGTON CHILLER MODEL	3	B	6105D SE
CAQ294F	AL	M-A-02-000-002	1	PULLEY	PULLEY, DRIVE, QA 2, 1-1/8 IN, CAST IRON, 2, ; FOR USE ON SAFETY-RELATED EQUIPMENT COOLERS, SYSTEM 30	2	C	3040D SE

CLT163N	AL	V-A-01-000-000	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 3: PACKING LIST #V0070936: PACKAGE# D000084 01478.00001	0	C	4460A SE
CLT166G	AL	A-S-LA-B01-001	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 6	0	C	4460A SE
CLT167E	AL	A-S-LA-B01-001	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 7	0	C	4460A SE
CLT169A	AL	2-B-IS-LE0-000	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 2 OF 6 FOR GRINDING BALLS 11 PALLETS=22 DRUMS PKG V0070942	0	C	4460A SE
CLT171P	AL	2-B-IS-LE0-000	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 3 OF 6 FOR GRINDING BALLS 11 PALLETS=22 DRUMS PKG V0070943	0	C	4460A SE
CLT175F	AL	2-B-IS-LE0-000	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 4 OF 6 FOR GRINDING BALLS 11 PALLETS=22 DRUMS PKG V0070944	0	C	4460A SE
CLT176D	AL	2-B-IS-LE0-000	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 5 OF 6 GRINDING BALLS 11 PALLETS=22 DRUMS PKG V0070945	0	C	4460A SE
CLT177B	AL	2-B-IS-LE0-000	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 6 OF 6 GRINDING BALLS 10PALLETS =20 DRUMS PKG V0070946	0	C	4460A SE
CLT194B	AL	3-A-04-000-000	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 23;LIST V0070975 , PKG # D00084 01478 00114, 00115, 00116	0	C	4460A SE
CLT200P	AL	3-A-04-000-000	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 24;LIST V0070980 23 PACKAGES SEE NOTES FOR LOCATION	0	C	4460A SE
CLT208V	AL	3-A-04-000-000	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 27;LIST # 80002826 PACKAGES # D0000084.19281.00001, .00002	0	C	
CLT215X	AL	3-A-04-000-000	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 30; PKG LIST V0071016 PKG #150,151	0	C	4460A SE
CLT217R	AL	3-A-04-000-000	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 32; PKG LIST V0071018 , V0071019, CONT	0	C	4460A SE
CLT219M	AL	3-A-04-000-000	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 34:PACK LIST # V0071033 PKG #1478.00169,00170,00171,00172	0	C	4460A SE
CLT220G	AL	3-A-04-000-000	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 35:PACK LIST # V0071034 PKG #1478.00173,00174,00175	0	C	4460A SE
CLT223Y	AL	2-B-IS-LE0-000	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 36: GRINDING BALLS 11 PALLETS 22 DRUMS PKG LIST #V0071051	0	C	4460A SE
CLT227N	AL	3-A-04-000-000	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 40	0	C	4460A SE
CLT161T	AL	V-A-05-000-002	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 1; PACKING LIST #V0070937 PACKAGE NUMBERS 4 AND 5	0	C	4460A SE
CLT164L	AL	V-A-07-000-002	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 4:PACKING LIST #V0070937; PACKAGE # D000084 01478.00002& .3	0	C	4460A SE
CLT165J	AL	V-A-07-000-002	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 5 PKG LIST V0070938 PKG#D00084 01478.00071	0	C	4460A SE
CLT168C	AL	V-A-07-000-002	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 8; PKG LIST#V0070946: PKG #00061	0	C	4460A SE
CLT181L	AL	V-A-07-000-002	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 14; PKG LIST # V0070947 PKG #00075	0	C	4460A SE
CLT182J	AL	V-A-07-000-002	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 15; PACK LIST V0070948,PKG # 00079-00083	0	C	4460A SE
CLT183G	AL	V-A-07-000-002	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 16; PACK LIST V0070949, PKG# 00087	0	C	4460A SE
CLT184E	AL	V-A-07-000-002	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 17; PACK LIST # V0070952 PKG # .000088	0	C	4460A SE
CLT186A	AL	V-A-07-000-002	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 18; PICK LIST # V0070953 PKG # 00089& 00090	0	C	4460A SE
CLT190Y	AL	V-A-03-000-002	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 19; LIST V0070958PKG # D000084.1478.00091-00092	0	C	4460A SE
CLT191H	AL	V-A-05-000-002	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 20; PACKING LIST #V0070967 PKG #S 00094, 00095.00096, 0009	0	C	4460A SE
CLT192F	AL	V-A-05-000-002	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 21;LIST# V0070971 PKGS#D000084 01478-00098 THRU 00105	0	C	4460A SE
CLT193D	AL	V-A-05-000-002	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 22; LIST # V0070972 PKGS #D000084 01478-00106 THRU 00113	0	C	4460A SE
CLT201A	AL	V-A-03-000-002	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 25; LIST # V007981 PKG # D000084.01478.00117-00120	0	C	4460A SE
CLT207X	AL	V-A-01-000-002	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 26; LIST # V0070985 TOTAL 26 PALLETS	0	C	4460A SE
CLT209R	AL	V-A-05-000-002	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 28: PKG LIST V0070988 PKG #147	0	C	4460A SE
CLT210K	AL	V-A-05-000-002	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 29; PKG LIST V0071008 PKG # 148, 149	0	C	4460A SE
CLT216V	AL	V-A-07-000-002	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 31; PACKING LSIT V0071017PACKAGES 84 01478.00152, & .0015	0	C	4460A SE
CLT218P	AL	V-A-05-000-002	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 33; PACKING LIST V0071028 PACKAGES 8401478.00168	0	C	4460A SE
CLT224W	AL	V-A-05-000-002	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 37; PACK LIST# V0071052 PKG#1478.00189	0	C	4460A SE
CLT225T	AL	V-A-05-000-002	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 38;PACK LIST #V00710153 PKG # 1478.00190	0	C	4460A SE
CLT226Q	AL	V-A-05-000-002	1	PULVERIZER	PULVERIZER, LIMESTONE, QA 0, BALL MILL, TRUCK LOAD 39;PACK LIST #V0071054 PKG # 1478.00093	0	C	4460A SE
AHE070Y	AL	D-B-03-102-001	4	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; VOLTAGE: 115 ***	0	P	4320U SE
AJD381A	AL	F-A-19-101-006	1	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; VANE, V3234-15-2-1AA10-S214, FOR WEINMAN HYDRAULIC	0	P	4320U SE
APE962H	AL	D-B-19-102-000	1	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; DESIGN MEDIUM: WATER ***	0	C	4320U SE
AQF055Y	AL	F-B-06-101-002	1	PUMP	PUMP, CENTRIFUGAL, QA 2, PUMP, CENTRIFUGAL; 31.2 GPM, 217 FT HD, 460 VAC, 3 PH, 11 KW, 15.8 AMP	2	B	4320U SE
AQW358J	AL	D-B-17-202-000	2	PUMP	PUMP, HAND, QA 0, HYDRAULIC, PUMP, HYDRAULIC, RAM, HAND D; DESIGN MEDIUM: ACID ***	0	C	4320U SE
AVX124L	AL	A-A-01-000-001	7	PUMP	PUMP, VACUUM, QA 0, PUMP, VACUUM, ROTARY; MAIN, FOR ENTRY SCAN NITRATE SNIFFER, EXPLOSION	0	C	4310I SE
AWJ003B	AL	P-A-LL-ET0-062	1	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; SUBMERSIBLE, DRAINAGE, 13 HP, 3 PH, 3400 RPM	0	C	4320U SE
AWW561W	TR	- - - -	1	PUMP	PUMP, SUMP, QA 0, 1-1/2 IN, 1 IN, 150 PSI, PUMP, SUMP; CENTRIFUGAL, 25 GPM, 115FT/HD, 3600 RPM, SIZE 1 IN OUTLET X	0	C	4320U SE
AXP783X	AL	A-A-01-000-001	1	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; HORSEPOWER: 0.25 ***	0	P	4520N SE
AYY431K	AL	D-B-16-000-001	1	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; INLET SIZE: 04.000 IN (4), OUTLET SIZE: 04.000 IN	0	P	4320U SE
BBL281E	AL	F-B-25-115-001	2	PUMP	PUMP, CENTRIFUGAL, QA 0, 100 GPM, PUMP, CENTRIFUGAL; CAPACITY (GPM): 100, DESIGN MEDIUM: WATER ***	0	P	4320U SE
BCL907Q	AC	- - - -	2	PUMP	PUMP, CENTRIFUGAL, QA 3, PUMP, CENTRIFUGAL; 3 LOBE ROTARY BLOWER, TOP DRIVE, WITH CASE TO INLET	3	P	4320U SE
BCM681J	AL	A-A-01-000-001	1	PUMP	PUMP, TYPICAL, QA 0, PUMP, ROTARY; COMPLETE, MODEL 1AM-NCC-12 ***	0	P	4320U SE
BCR972J	AL	A-A-01-000-001	1	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; CAPACITY (GPM): 85, TOTAL DISCHARGE: 15 FT OUTLET	0	P	4320U SE
BDH612L	AL	A-A-01-000-001	1	PUMP	PUMP, CENTRIFUGAL, QA 0, 3 IN, 3 IN, 100 GPM, PUMP, CENTRIFUGAL; CAPACITY (GPM): 100, INLET SIZE: 03.000 IN (3)	0	B	4320U SE
BEB953J	AL	F-A-26-102-000	1	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP UNIT, CENTRIFUGAL; DUPLEX SUBMERSIBLE SEWAGE EJECTION, 1.5 HP	0	P	4320U SE
BFX921W	AL	D-A-28-060-001	2	PUMP	PUMP, TYPICAL, QA 0, 2-1/2 IN, 3 IN, MNPT X HOSE, PUMP UNIT, PNEUMATIC; SLUDGE, MUD HEN, AIR OPERATED, 2.5 IN MPT ON ONE	0	P	4320U SE
BKP019H	AL	A-A-01-000-001	1	PUMP	PUMP, TYPICAL, QA 1, PUMP, COOLANT, ENGINE; INTERNAL LUBE, FOR ELECTRO- MOTIVE DIVISION	1	C	2910O SE
BLA548V	AL	A-A-01-000-001	1	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; VOLTAGE: 115 ***	0	P	6630D SE
BLD753B	AL	A-A-01-000-001	1	PUMP	PUMP, VACUUM, QA 3, PUMP, VACUUM, ROTARY; CARBON VANE, OIL-LESS, CLOSE COUPLED ***	3	P	4310I SE
BLH107P	AL	D-B-07-202-003	1	PUMP	PUMP, TYPICAL, QA 0, PUMP, LUBRICANT TRANSFER; STAINLESS STEEL POLYPROPYLENE, 40 IN, DRUM	0	P	5120M SE
BLH107P	AL	D-B-16-000-001	1	PUMP	PUMP, TYPICAL, QA 0, PUMP, LUBRICANT TRANSFER; STAINLESS STEEL POLYPROPYLENE, 40 IN, DRUM	0	P	5120M SE
BNB359D	AL	A-A-01-000-001	3	PUMP	PUMP, TYPICAL, QA 1, PUMP, FUEL, ELECTRICAL; ASM FUEL OIL, FLANGED CONNECTIONS 3.6 GPM @	1	C	2910O SE
BNB368C	AL	D-A-05-101-002	5	PUMP	PUMP, TYPICAL, QA 1, PUMP, FUEL, ELECTRICAL; OIL, FLANGED CONNECTION, 3.6 GPM AT 1200 RPM	1	C	2910O SE
BND460R	AL	A-A-01-000-001	1	PUMP	PUMP, TYPICAL, QA 0, PUMP, ROTARY; DESIGN MEDIUM: FUEL OIL ***	0	P	4320U SE
BNE857D	AL	1-B-14-000-001	2	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMPING UNIT, CENTRIFUGAL; AUX DUPLEX, B/F 1732-22-9813, S/N 42449-4	0	P	4320U SE
BNQ946T	AL	1-A-03-000-001	1	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; INLET SIZE: 06.000 IN (6), OUTLET SIZE: 06.000 IN	0	P	4320U SE
BNR706B	AL	D-A-35-201-003	3	PUMP	PUMP, HAND, QA 0, HYDRAULIC, HIGH, PUMP, HYDRAULIC, RAM, HAND D; MASTERFLEX, HIGH CAPACITY, WITH BRACKET	0	P	6630D SE
BPG959L	AL	F-B-06-101-001	1	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; HORSEPOWER: 10, REVOLUTIONS PER MIN: 3550, INLET	0	P	4320U SE
BPQ264F	AL	D-A-04-201-002	1	PUMP	PUMP, TYPICAL, QA 0, PUMP ASSY, ANALYZER; AIR, FOR ANALYZER, SODIUM, MODEL 1811 LL ***	0	C	4320U SE
BQQ144K	AL	D-B-23-301-000	1	PUMP	PUMP, CENTRIFUGAL, QA 0, 1-1/2 IN, 1 IN, 5 GPM, PUMP, CENTRIFUGAL; CAPACITY (GPM): 5, DESIGN MEDIUM: CHEMICAL	0	B	4320U SE
BQY575Q	AL	P-A-LL-ET0-095	1	PUMP	PUMP, CENTRIFUGAL, QA 3, 2-1/2 IN, 1-1/2 IN, 10 IN, 3, 40 GPM, *** PUMP UNIT, CENTRIFUGAL; PUMP: TYPE H2, SIZE 2.5 (2-1/2) X 1.5	3	C	4320U SE
BRD680Q	AL	D-B-05-202-007	2	PUMP	PUMP, TYPICAL, QA 0, PUMP, ROTARY; DESIGN MEDIUM: CHEMICAL ***	0	B	4320U SE
BTK960D	AL	A-A-01-000-001	2	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; CAPACITY: 300, PRESSURE RATING: 15 PSI, DESIGN	0	C	4320U SE
BTP969T	AL	A-A-01-000-001	1	PUMP	PUMP, TYPICAL, QA 0, PUMP, FLUID DRIVE; CHEMICAL, 4 AMP, 115V AC, 50/60 HZ ***	0	B	6630D SE
BVD760E	AL	D-A-06-402-003	1	PUMP	PUMP, HAND, QA 0, PUMP, HAND OPERATED; MASTERFLEX L/S HAND PUMP, ACCEPTS ONLY MASTERFLEX	0		6630D SE

BVE965B	AL	A-A-01-000-001	1 PUMP	PUMP, CENTRIFUGAL, QA 0, 1/2 IN, 1/2 IN, 100 PSI, PUMP, CENTRIFUGAL; CAPACITY (GPM): 216, PRESSURE RATING: 100 PSI	0	C	4320U SE
BWN474F	AL	F-A-27-101-000	1 PUMP	PUMP, TYPICAL, QA 3, PUMP ASSY, RADIATION DETECTOR; WITH 1-1/2 HP,117VAC MOTOR, FOR AREA	3	B	6630D SE
BXV727C	AL	F-A-19-102-002	1 PUMP	PUMP, TYPICAL, QA 0, PUMP, COOLANT, ENGINE; BELLOWS, MODEL MB-21, WITH MOTOR, 115 VAC, 50/60	0	C	2910O SE
BXX054J	AL	A-A-01-000-001	1 PUMP	PUMP, TYPICAL, QA 0, PUMP, WATER SAMPLING; REPLACEMENT, FOR PACESETTER DRAWDOWN ASSY, P/N	0	B	4320U SE
BYE619C	AL	A-A-01-000-001	1 PUMP	PUMP, TYPICAL, QA 0, 12 IN, 12 IN, 16 IN, PUMP, LUBRICANT TRANSFER; OIL, SHAFT DRIVEN, CCW ROTATION, CAST STEEL	0	C	5120M SE
BYE619C	AL	F-A-12-101-000	1 PUMP	PUMP, TYPICAL, QA 0, 12 IN, 12 IN, 16 IN, PUMP, LUBRICANT TRANSFER; OIL, SHAFT DRIVEN, CCW ROTATION, CAST STEEL	0	C	5120M SE
CAW109H	AL	D-A-34-401-000	1 PUMP	PUMP, SUMP, QA 3, 35 GPM, PUMP, SUMP; VERTICAL, CAPACITY (GPM): 35, TOTAL HEAD: 50 FT, TYPICAL	3	C	4320U SE
CAW109H	AL	Z-A-10-000-001	1 PUMP	PUMP, SUMP, QA 3, 35 GPM, PUMP, SUMP; VERTICAL, CAPACITY (GPM): 35, TOTAL HEAD: 50 FT, TYPICAL	3	C	4320U SE
CAW109H	AL	1-A-03-000-001	1 PUMP	PUMP, SUMP, QA 3, 35 GPM, PUMP, SUMP; VERTICAL, CAPACITY (GPM): 35, TOTAL HEAD: 50 FT, TYPICAL	3	C	4320U SE
CBH899A	AL	A-A-01-000-001	1 PUMP	PUMP, SCREW, QA 0, OIL, 4 IN, 4 IN, AIR SIDE SEAL OIL, S/N 589124,	0	C	4320U SE
CBP650X	AL	F-A-05-101-000	1 PUMP	PUMP, TYPICAL, QA 0, PUMP, DIESEL GENERATOR; DRUM PUMP, ELECTRIC, 22 GALLON PER MINUTE. ***	0	B	2910O SE
CHD919E	AL	D-B-05-301-000	2 PUMP	PUMP, GEAR, QA 0, 3 IN, 3 IN, ROTARY, DESIGN MEDIUM OIL, INLET SIZE 3 IN, OUTLET SIZE 3 IN	0	B	4320U SE
CJX729T	AL	D-B-17-101-000	1 PUMP	PUMP, CENTRIFUGAL, QA 3, LEFT HAND ROTATION, 12 IN (1 FT), 10 IN, 9-13/16 IN, 1, 2400 GPM, @ 70 FT TDH, RCW BOOSTER PUMP, TYP.SN# 0968-65,	3	C	4320U SE
CJX729T	AL	Y-A-03-303-000	1 PUMP	PUMP, CENTRIFUGAL, QA 3, LEFT HAND ROTATION, 12 IN (1 FT), 10 IN, 9-13/16 IN, 1, 2400 GPM, @ 70 FT TDH, RCW BOOSTER PUMP, TYP.SN# 0968-65,	3	C	4320U SE
CKJ731T	AL	F-C-38-WAL-002	2 PUMP	PUMP, TYPICAL, QA 0, W-150X500X2, BUILDING HEATING SYSTEM DRAIN PUMP, MODEL 1-1/2X5W, SERIAL NUMBER 0269-89/90, PUMP ONLY	0	C	4810U SE
CKV362H	AL	D-A-11-401-001	1 PUMP	PUMP, TYPICAL, QA 3, PUMP/MOTOR COMBINATION, APPLICATION: SEWAGE LIFT PUMP, PUMP MODEL: HPGH300M4-2, PUMP S/N:	3	C	4810U SE
AFE979H	AL	M-A-04-000-002	1 PUMP	PUMP, CENTRIFUGAL, QA 3, PUMP, CENTRIFUGAL; MODEL MB-111, SAMPLE, S/N 687, COMPLETE ASSEMBLY	3	P	4320U SE
AHD680H	AL	I-A-13-000-002	1 PUMP	PUMP, TYPICAL, QA 0, PUMP, ROTARY; DESIGN MEDIUM: OIL, INLET SIZE: 01.500 IN (1 1/2)	0	P	4320U SE
AHD883P	AC	- - - -	1 PUMP	PUMP, TYPICAL, QA 0, 1 IN, 1 IN, PISTON, AXIAL, CONSTANT VOLUME, 2.48 GPM @ 1200 RPM,	0	B	4320U SE
AME963V	AL	L-A-02-000-002	1 PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; INLET SIZE: 03.000 IN (3), OUTLET SIZE: 03.500 IN	0	P	4320U SE
AQD378R	AL	L-A-09-000-002	2 PUMP	PUMP, TYPICAL, QA 0, PUMP, ROTARY; DESIGN MEDIUM: OIL ***	0	P	4320U SE
AVQ746B	AL	M-A-09-000-002	3 PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; INLET SIZE: 01.250 IN (1 1/4), OUTLET SIZE: 01.500	0	P	4320U SE
AXT528Y	AL	M-A-01-000-002	1 PUMP	PUMP, RECIPROCATING, QA 0, PUMP, RECIPROCATING; 7.2 TO 26.1 GPH, WITH POSITIVE45 PSIG PRESSURE	0	P	4320U SE
AYV112K	AL	M-A-13-000-002	1 PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP UNIT, CENTRIFUGAL; 0.5 HP, COMPLETE WITH MOTOR, 3450/2850 RPM	0	P	4320U SE
AYV113H	AL	M-A-11-000-002	1 PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP UNIT, CENTRIFUGAL; 1/3 HP, COMPLETE WITH MOTOR, 3450/2850 RPM	0	P	4320U SE
BBC715G	AL	M-A-03-000-002	1 PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; CAPACITY (GPM): 350 ***	0	P	4320U SE
BBK992H	AL	M-A-02-000-002	1 PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; CAPACITY (GPM): 20, VOLTAGE: 115 ***	0	P	4320U SE
BBL281E	AL	M-A-03-000-002	1 PUMP	PUMP, CENTRIFUGAL, QA 0, 100 GPM, PUMP, CENTRIFUGAL; CAPACITY (GPM): 100, DESIGN MEDIUM: WATER ***	0	P	4320U SE
BDJ954J	AL	M-A-01-000-002	1 PUMP	PUMP, RECIPROCATING, QA 3, PUMP, RECIPROCATING; 115 VAC, 50/60 HZ, 0.2 AMP, 60/72 RPM, SINGLE	3	B	6695D SE
BDJ957C	AL	L-A-02-000-002	2 PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; CAPACITY (GPM): 19, HORSEPOWER: 1.5 ***	0	P	4320U SE
BEX583W	AL	M-A-02-000-002	2 PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; HORSEPOWER: 0.5, REVOLUTIONS PER MIN: 3450	0	P	4320U SE
BEX584T	AL	M-A-12-000-002	1 PUMP	PUMP, TYPICAL, QA 0, PUMP, ROTARY; REVOLUTIONS PER MIN: 49, VOLTAGE: 115 ***	0	P	4320U SE
BFX531A	AL	M-A-09-000-002	1 PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP UNIT, CENTRIFUGAL; THREADED, WITH GE ELECTRIC JETPUMP MOTOR, 1/2	0	C	4320U SE
BGC627E	AL	T-A-05-000-002	1 PUMP	PUMP, CENTRIFUGAL, QA 2, PUMP, CENTRIFUGAL; DIESEL GENERATOR, FRESH WATER COOLING APPLICATION	2	C	2910O SE
BGM990P	AL	B-A-11-000-002	1 PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; 3540 GPM, FLANGE ENDS, SIZE NCP12Y2-250/208	0	P	4320U SE
BGT017Q	AL	P-A-LL-ET0-074	2 PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; HORSEPOWER: 2, VOLTAGE: 250 ***	0	C	4320U SE
BLE967J	AL	L-A-09-000-002	2 PUMP	PUMP, GEAR, QA 3, PUMP DRIVING GEAR, STEAM TURBINE; PUMP DRIVING GEAR, FOR RCIC TURBIN	3	P	2825G SE
BNB286E	AL	M-A-03-000-002	1 PUMP	PUMP, TYPICAL, QA 1, PUMP ASSY, ; WITH MOTOR, FOR DAMPER ACTUATOR, MODEL NH92G2002N167	1	P	4310I SE
BNB368C	AL	P-A-LL-ET0-064	4 PUMP	PUMP, TYPICAL, QA 1, PUMP, FUEL, ELECTRICAL; OIL, FLANGED CONNECTION, 3.6 GPM AT 1200 RPM	1	C	2910O SE
BPG778Q	AL	A-A-01-000-002	1 PUMP	PUMP, TYPICAL, QA 0, PUMP, ROTARY; PRESSURE RATING: 75 PSI, DESIGN MEDIUM: OIL HORSEPOWER:	0	C	4320U SE
BTQ451X	AL	P-A-LL-ET0-085	1 PUMP	PUMP, TYPICAL, QA 0, PUMP, METERING; SIMPLEX, 5/8" PLUNGER, ALLOY 20 MATERIAL, 117 STOKES	0	C	4320U SE
CAJ708E	AL	M-A-07-000-002	1 PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; WITH RELIEF VALVE, MIN CAPACITY 200 GPM, DESIGN PRESS	0	B	4320U SE
CDV453K	AL	L-A-09-000-002	1 PUMP	PUMP, TYPICAL, QA 0, PUMP, AUXILIARY OIL; RIGHT HAND ROTATION, MODEL NO. PVA-120. ***	0	B	2825G SE
ABD484B	AL	L-A-03-000-002	5 PURIFIER	PURIFIER, TYPICAL, QA 0, AIR CLEANER, INTAKE, ; POROSINT, FOR HYPER-AIR ENGR, BREATHING AIR	0	P	4310I SE
BLP208J	AL	M-A-10-000-002	1 PURIFIER	PURIFIER, TYPICAL, QA 0, CENTRIFUGAL, OIL, COMPLETE SYSTEM	0	P	4330N SE