

CATID	QTY_TYPE	LOCATION	QTY_IN_BIN	NAME	CAT_DESC	QA	STG_LEVEL	COM CODE
BYQ645P	AL	L-A-01-000-002	3	QUADRANT	QUADRANT, TYPICAL, QA 3, QUADRANT, DAMPER CONTROL; SET, 1/2", CONSISTING OF DIE CAST HANDLE	3	C	4520N SE
ARD976Y	AL	M-A-13-000-002	48	RACE	RACE, BEARING, QA 2, RACE, ; INNER, FOR GM DIESEL GENERATOR ***	2	P	2910O SE
ATF952W	AL	L-A-03-000-002	9	RACE	RACE, BEARING, QA 0, RING, BEARING OUTER; J SERIES, 3.2283 IN, 82 MM OD ***	0	P	3110B SE
ATF953T	AL	L-A-13-000-002	1	RACE	RACE, BEARING, QA 0, RING, BEARING OUTER; J SERIES, 3.5433 IN OD, 90 MM OD ***	0	P	3110B SE
ANF557V	AL	5-B-01-301-000	4	RACK	RACK, TYPICAL, QA 0, RACK, BOILER; FOR DAMPER OPERATOR, MODEL HA-133-300, DWG SH-5101, ON	0	C	4410C SE
BLM342P	AL	D-B-27-302-000	2	RACK	RACK, TYPICAL, QA 3, FIRE, W/WRENCHES, RACK, FIRE HOSE; SWINGING WALL, FOR 1.5 IN FIREHOSE, WITH WRENCHES ***	3		4210N SE
BWG986J	AL	D-A-14-202-000	6	RACK	RACK, TYPICAL, QA 0, BARREL, RACK, STORAGE,BARREL; ACTION ***	0		7125E SE
AVB160Q	AL	L-A-09-000-002	8	RACK	RACK, TYPICAL, QA 0, RACK, TEST TUBE.LABORATORY; POLYETHYLENE, SUPPORT, 12 PLACE HOLDER	0	P	6630D SE
CEV592Y	AL	F-A-12-202-004	1	RADIO	RADIO, COMMUNICATION, QA 0, MICROWAVE,SPREAD SPECTRUM, 5.725-5.850 GHZ RANGE, A2 CHANNEL PLAN, DIGITAL 4XT1, UNLICENSED RADIO	0	B	5805M SE
CDX217M	AL	F-B-10-101-000	90	RAIL	RAIL, TYPICAL, QA 3, RAIL, MOUNTING; G-TYPE DIN RAIL, 3 FT LENGTHS. ***	3	C	4710Y SE
AYT413A	AL	D-A-02-102-004	1	RATCHET	RATCHET, MECHANICAL, QA 0, RATCHET, ; STEEL, FOR COUNTERCLOCKWISE GATEHOUSE TURNSTILE, MODEL	0		5660E SE
BBJ813H	AL	A-A-01-000-001	1	RATCHET	RATCHET, MECHANICAL, QA 0, RATCHET ASSY, ; METALLIC, IT 30, ILL HL-71C-63 FOR WIRE ROPE HOIST	0	P	3950F SE
BBK879D	AL	A-A-01-000-001	2	RATCHET	RATCHET, MECHANICAL, QA 0, RATCHET WHEEL, ; REF 30, ILLUSTRATION HL-71C-64FOR WIRE ROPE HOIST	0	P	3950F SE
BCY706F	AL	A-A-01-000-001	1	RATCHET	RATCHET, MECHANICAL, QA 0, RATCHET UNIT, ; HOIST, FOR HOIST MODEL 06, 3 TON, S/N 532-06-3197 ***	0	P	3950F SE
BBL310D	AL	M-A-12-000-002	2	RATCHET	RATCHET, MECHANICAL, QA 0, RATCHET, ; WITH LINING, FOR LOAD BRAKE, ON 1-TON HOIST, 460 VAC, 3 PH	0	P	3950F SE
BBL317K	AL	M-A-12-000-002	3	RATCHET	RATCHET, MECHANICAL, QA 0, RATCHET, ; WITH LINING, FOR LOAD BRAKE, ON 2-TON HOIST, 460 VOLTS, 3	0	P	3950F SE
BBX909C	AL	M-A-12-000-002	3	RATCHET	RATCHET, MECHANICAL, QA 0, RATCHET, HOIST; WITH BUSHING, FOR 3/4 TON COME A-LONG, MODEL B ***	0	P	3950F SE
BEG585V	AL	D-A-32-104-001	3	REACTOR	REACTOR, ELECTRICAL, QA 0, REACTOR ASSY, ; COIL PCR, FOR ION CHROMATOGRAPHIC ANALYZER, MODEL 8000	0	P	6630D SE
BNH164X	AL	A-A-01-000-001	2	REACTOR	REACTOR, ELECTRICAL, QA 1, REACTOR, ; CURRENT LIMITING, 1200 AMPS, 0.015 OHM, 60 HZ, SINGLE	1	P	5950N SE
BXC405H	AL	D-A-32-104-001	3	REACTOR	REACTOR, ELECTRICAL, QA 3, REACTOR, ELECTRICAL; SATURABLE, FOR SQUARE ROOT CONVERTER, FOXBORO	3	B	5950N SE
BXV907B	AL	A-A-01-000-001	1	REACTOR	REACTOR, ELECTRICAL, QA 3, REACTOR, ELECTRICAL; 600 VAC, 1600 AMPS, 0.010 OHM, CONTINUOUS, TYPE	3	B	5950N SE
ANQ023A	AL	L-A-09-000-002	3	REACTOR	REACTOR, ELECTRICAL, QA 0, REACTOR, ; FILTER CHOKE, L3, 4 UH, 6 AMP, BELL INDUSTRIES J W MILLER	0	P	5950N SE
ANQ123F	AL	L-A-09-000-002	3	REACTOR	REACTOR, ELECTRICAL, QA 0, REACTOR, ; FILTER CHOKE, L1, L2, 50 UH, 8 AMP, BELL INDUSTRIES J W	0	P	5950N SE
ARV535M	AL	M-A-03-000-002	2	REACTOR	REACTOR, ELECTRICAL, QA 2, REACTOR, ; CURRENT LIMITING, 1 PHASE CONTINOUS DUTY, INDOOR SERVICE	2	P	5950N SE
AVV346C	AL	M-A-04-000-002	1	REACTOR	REACTOR, ELECTRICAL, QA 2, REACTOR, ; CONTINUOUS, TYPE MSP, 600 VOLT, 1200 AMP, 0.010 OHM, 60 HZ	2	P	5950N SE
AWX545M	AL	M-A-10-000-002	2	REACTOR	REACTOR, ELECTRICAL, QA 2, REACTOR, ; CHOKE, INPUT SATURABLE, FOR MODEL 66C SUMMING AMPLIFIER	2	P	5950N SE
BWG793X	AL	L-A-09-000-002	2	REACTOR	REACTOR, ELECTRICAL, QA 3, REACTOR, ELECTRICAL; CHOKE, 501374, FOR RPIS POWER SUPPLY, MODELS	3	C	5950N SE
BXA605K	AL	L-A-05-000-002	1	REACTOR	REACTOR, ELECTRICAL, QA 3, REACTOR, ELECTRICAL; COIL, FOR MODEL A65-11-25-24V-A1, SN B90098 ***	3	C	5950N SE
AWC891R	AL	A-A-01-000-001	1	READER	READER, TAPE, QA 0, READER,TAPE, ; FORMAT, 12 CHANNEL, FOR BUFFERED CHAIN PRINTER, MODEL	0	P	7021A SE
AWC895H	AL	A-A-01-000-001	4	READER	READER, TAPE, QA 0, READER,TAPE, ; FORMAT, 3 CHANNEL, FOR BUFFERED CHAIN PRINTER, MODEL	0	P	7021A SE
BEM330F	AL	M-A-10-000-002	6	READER	READER, CARD, QA 0, READER, CARD; 12 VAC, 1.0 AMP INPUT, OUTSIDEWEATHER PROOF CASE ***	0	P	6350B SE
AVM488N	AL	A-A-01-000-001	3	RECEIVER	RECEIVER, COMMUNICATION, QA 0, RECEIVER ASSY, ; SENSOR, FOR LR 2865 DISK DRIVE COMPUTER, P/N	0	P	7021A SE
AXR434D	AL	M-A-10-000-002	2	RECEIVER	RECEIVER, PNEUMATIC, QA 2, RECEIVER ASSY, ; FOR MODEL 52A-SM4 CONSOTROL CONTROLLER ***	2	P	6695D SE
BFE155R	AL	T-A-12-000-002	2	RECEIVER	RECEIVER, ELECTRONIC, QA 0, TRANSCIEVER, DATA.AUDIO FREQUENCY; INTERFACE, DATA OVER VOICE CARRIER	0	P	5805M SE
AHP518V	AL	A-A-01-000-001	20	RECEPTACLE	RECEPTACLE, ELECTRICAL, QA 0, CONNECTOR, RECEPTACLE ELECT; NUMBER CONTACTS: 10 ***	0	P	5935B SE
AJN393L	AL	A-A-01-000-001	1	RECEPTACLE	RECEPTACLE, ELECTRICAL, QA 0, 250, 30, W/THD CAP/2 POLE/FERALOY, SINGLE GANG, 2 POLE, CAST FERALOY, WITH THREADED CAP	0	P	5935B SE
AQD096T	AL	D-A-32-302-001	4	RECEPTACLE	RECEPTACLE, ELECTRICAL, QA 0, LAMPHOLDER, 120, W/ MOUNTING CAP/100 W, STRAIGHT THREAD TYPE, 3-3/4 IN	0		6210P SE
ARK566K	AL	A-A-01-000-001	50	RECEPTACLE	RECEPTACLE, ELECTRICAL, QA 0, CONNECTOR, RECEPTACLE ELECT; BULKHEAD, COAXIAL, UG254A/U ***	0	P	5935B SE
ARL716M	AL	A-A-01-000-001	58	RECEPTACLE	RECEPTACLE, ELECTRICAL, QA 0, CONNECTOR, RECEPTACLE ELECT; CONNECTOR TYPE: COAXIAL ***	0	P	5935B SE
BDB272H	AL	A-A-01-000-001	24	RECEPTACLE	RECEPTACLE, ELECTRICAL, QA 0, CONNECTOR, RECEPTACLE ELECT; SINGLE FIBER OPTIC, INTER CONNECTION ***	0	P	5825F SE
BDB272H	AL	D-A-08-102-006	25	RECEPTACLE	RECEPTACLE, ELECTRICAL, QA 0, CONNECTOR, RECEPTACLE ELECT; SINGLE FIBER OPTIC, INTER CONNECTION ***	0	P	5825F SE
BNN828B	AL	D-A-24-202-006	2	RECEPTACLE	RECEPTACLE, ELECTRICAL, QA 0, CONNECTOR, RECEPTACLE ELECT; CONNECTOR ***	0		5935B SE
BTR048L	AL	A-A-01-000-001	50	RECEPTACLE	RECEPTACLE, ELECTRICAL, QA 0, POWER, 250, 20, 4 CONTACTS, CONNECTOR, RECEPTACLE ELECT; CONNECTOR TYPE: POWER, CONN BODY STYLE:	0	B	5935B SE
BXJ549Q	AC	- - - -	1	RECEPTACLE	RECEPTACLE, ELECTRICAL, QA 0, RECEPTACLE, ELECTRICAL; BOX MOUNTING, 26 CONTACTS, CRIMP CONTACTS	0	B	5935B SE
CAB286H	AC	- - - -	2	RECEPTACLE	RECEPTACLE, ELECTRICAL, QA 2, LAMPHOLDER, , INDICATOR RECEPTACLE, FOR GENERAL ELECTRIC TYPE ET-16	2	B	6210P SE
CDN685P	AL	A-A-01-000-001	4	RECEPTACLE	RECEPTACLE, ELECTRICAL, QA 0, DUPLEX, 5-20R, GRAY, W/ STAINLESS STEEL COVER, RECEPTACLE, ELECTRICAL; DUPLEX, GR FAULT, NEMA 5-20R, GRAY, WIT	0	C	5935B SE
AHP119A	AL	L-A-09-000-002	1	RECEPTACLE	RECEPTACLE, ELECTRICAL, QA 0, CONNECTOR, RECEPTACLE ELECT; 4 CONTACTS ***	0	P	5935B SE
ATY105T	AL	L-A-09-000-002	3	RECEPTACLE	RECEPTACLE, ELECTRICAL, QA 0, PRINTED CIRCUIT, 600, 5, 36 PIN, STRAIGHT, CONNECTOR, RECEPTACLE ELECT; PRINTED CIRCUIT, STRAIGHT 600 VAC, 5 A	0	P	5935B SE
AWD639Y	AL	L-A-09-000-002	73	RECEPTACLE	RECEPTACLE, ELECTRICAL, QA 0, CONNECTOR, 125/250, 15/6, CONNECTOR, RECEPTACLE ELECT; RECESSED POWER, 15A 125V 6A 250V EUROPEAN	0	P	5935B SE
AXG131E	AL	T-A-01-000-002	3	RECEPTACLE	RECEPTACLE, ELECTRICAL, QA 0, GENERAL PURPOSE, 18 PIN, STRAIGHT FLANGE MOUNT, CONNECTOR, RECEPTACLE ELECT; CONNECTOR TYPE: GENERAL PURPOSE	0	P	5935B SE
BDW717D	AL	L-A-09-000-002	5	RECEPTACLE	RECEPTACLE, ELECTRICAL, QA 0, CONNECTOR, RECEPTACLE ELECT; CONNECTOR TYPE: GENERAL PURPOSE, NUMBER	0	P	5935B SE
BEY131V	AL	L-A-09-000-002	20	RECEPTACLE	RECEPTACLE, ELECTRICAL, QA 0, CONNECTOR, RECEPTACLE ELECT; CONNECTOR TYPE: GENERAL PURPOSE, NUMBER	0	P	5935B SE
BLT157Q	AL	L-A-09-000-002	1	RECEPTACLE	RECEPTACLE, ELECTRICAL, QA 0, CONNECTOR, RECEPTACLE ELECT; NUMBER CONTACTS: 5 ***	0	P	5935B SE
BVM085W	AL	T-A-01-000-002	3	RECEPTACLE	RECEPTACLE, ELECTRICAL, QA 0, RECEPTACLE, ELECTRICAL; TWIST LOCK AC PLUG FOR USE ON THE EAGLE 21 MMI	0	B	5935B SE
BWC584V	AL	L-A-09-000-002	2	RECEPTACLE	RECEPTACLE, ELECTRICAL, QA 0, CONNECTOR, RECEPTACLE ELECT; NUMBER CONTACTS: 36 ***	0	C	5935B SE
BXJ139C	AC	- - - -	1	RECEPTACLE	RECEPTACLE, ELECTRICAL, QA 3, CONNECTOR, PLUG ELECTRICAL; CONNECTOR TYPE: CABLE CONNECTING, BODY	3	B	5935B SE
BXJ549Q	AL	L-A-13-000-002	2	RECEPTACLE	RECEPTACLE, ELECTRICAL, QA 0, RECEPTACLE, ELECTRICAL; BOX MOUNTING, 26 CONTACTS, CRIMP CONTACTS	0	B	5935B SE
BXJ550K	AL	L-A-13-000-002	10	RECEPTACLE	RECEPTACLE, ELECTRICAL, QA 0, RECEPTACLE, ELECTRICAL; BOX MOUNTING, 26 CONTACTS, CRIMP CONTACTS	0	B	5935B SE
BYR088F	AL	M-A-16-000-002	25	RECEPTACLE	RECEPTACLE, ELECTRICAL, QA 3, CONNECTOR, RECEPTACLE ELECT; PRINTED CIRCUIT, 12 CONTACTS, FEMALE	3	B	5935B SE
CAC572B	AL	L-A-09-000-002	4	RECEPTACLE	RECEPTACLE, ELECTRICAL, QA 3, TWIST-LOCK, 125, 15, 3, CONNECTOR TYPE: POWER.	3	B	5935B SE
CAN872B	AL	L-A-09-000-002	1	RECEPTACLE	RECEPTACLE, ELECTRICAL, QA 0, CONNECTOR, RECEPTACLE ELECT; PC JACK RECEPTACLE 50 SMB CONNECTOR TYPE	0	B	5935B SE
BJA515P	AL	F-A-08-013-001	2	RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; HORIZONTAL, WITH SCRIBER ASSY WEIGHTS P/N 120129	3	P	6630D SE
BJA516M	AL	F-A-08-013-001	1	RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; HORIZONTAL, WITH SCRIBER ASSY WEIGHT P/N 120129	3	P	6630D SE
BJA517K	AL	F-A-08-013-001	2	RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; HORIZONTAL, WITH SCRIBER ASSY WEIGHTS P/N 120129	3	P	6630D SE
BJA518H	AL	F-A-08-013-001	2	RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; HORIZONTAL, WITH SCRIBER ASSY WEIGHTS P/N 120129	3	P	6630D SE
BJA519F	AL	F-A-08-013-001	2	RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; HORIZONTAL, WITH SCRIBER ASSY WEIGHTS P/N 120129	3	P	6630D SE
BJA520A	AL	F-A-08-013-001	2	RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; HORIZONTAL, WITH SCRIBER ASSY WEIGHTS P/N 120129	3	P	6630D SE
BJA521W	AL	F-A-08-013-001	2	RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; HORIZONTAL, WITH SCRIBER ASSY WEIGHTS P/N 120129	3	P	6630D SE
BJA522T	AL	F-A-08-013-001	2	RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; HORIZONTAL, WITH SCRIBER ASSY WEIGHTS P/N 120129	3	P	6630D SE
BJA527G	AL	F-A-08-013-001	2	RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; VERTICAL, WITH SCRIBER ASSY WEIGHTS P/N 120129	3	P	6630D SE
BJA528E	AL	F-A-08-013-001	2	RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; PASSIVE TYPE PSR 1200H/V, VERTICAL, WITH SCRIBER	3	P	6630D SE
BJA529C	AL	F-A-08-013-001	1	RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; VERTICAL, WITH SCRIBER ASSY WEIGHTS P/N 120129	3	P	6630D SE
BJA531R	AL	F-A-08-013-001	2	RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; VERTICAL, WITH SCRIBER ASSY WEIGHTS P/N 120129	3	P	6630D SE
BJA532P	AL	F-A-08-013-001	2	RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; VERTICAL, WITH SCRIBER ASSY WEIGHTS P/N 120129	3	P	6630D SE

BJA533M	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; VERTICAL, WITH SCRIBER ASSY WEIGHTS P/N 120129	3	P	6630D SE
BJA534K	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; VERTICAL, WITH SCRIBER ASSY WEIGHTS P/N 120129	3	P	6630D SE
BJA535H	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; VERTICAL, WITH SCRIBER ASSY WEIGHTS P/N 120129	3	P	6630D SE
BJA536F	AL	A-A-01-000-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; VERTICAL, WITH SCRIBER ASSY WEIGHT P/N 120129	3	P	6630D SE
BJA536F	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; VERTICAL, WITH SCRIBER ASSY WEIGHT P/N 120129	3	P	6630D SE
BJA537D	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; VERTICAL, WITH SCRIBER ASSY WEIGHT P/N 120129	3	P	6630D SE
BJA541N	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; VERTICAL, WITH SCRIBER ASSY WEIGHTS P/N 120129	3	P	6630D SE
BLP483T	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 9-H, FOR PASSIVE HORIZONTAL SEISMIC RECORDER	3	P	6630D SE
BLP484Q	AL	A-A-01-000-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 1-H-A, FOR ACTIVE HORIZONTAL SEISMIC	3	P	6630D SE
BLP484Q	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 1-H-A, FOR ACTIVE HORIZONTAL SEISMIC	3	P	6630D SE
BLP485N	AL	A-A-01-000-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 2-H-A, FOR ACTIVE HORIZONTAL SEISMIC	3	P	6630D SE
BLP487J	AL	A-A-01-000-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 4-H-A, FOR ACTIVE HORIZONTAL SEISMIC	3	P	6630D SE
BLP487J	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 4-H-A, FOR ACTIVE HORIZONTAL SEISMIC	3	P	6630D SE
BLP488G	AL	A-A-01-000-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 5-H-A, FOR ACTIVE HORIZONTAL SEISMIC	3	P	6630D SE
BLP488G	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 5-H-A, FOR ACTIVE HORIZONTAL SEISMIC	3	P	6630D SE
BLP489E	AL	A-A-01-000-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 6-H-A, FOR ACTIVE HORIZONTAL SEISMIC	3	P	6630D SE
BLP489E	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 6-H-A, FOR ACTIVE HORIZONTAL SEISMIC	3	P	6630D SE
BLP491V	AL	A-A-01-000-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 7-H-A, FOR ACTIVE HORIZONTAL SEISMIC	3	P	6630D SE
BLP491V	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 7-H-A, FOR ACTIVE HORIZONTAL SEISMIC	3	P	6630D SE
BLP492R	AL	A-A-01-000-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 8-H-A, FOR ACTIVE HORIZONTAL SEISMIC	3	P	6630D SE
BLP492R	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 8-H-A, FOR ACTIVE HORIZONTAL SEISMIC	3	P	6630D SE
BLP493P	AL	A-A-01-000-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 9-H-A, FOR ACTIVE HORIZONTAL SEISMIC	3	P	6630D SE
BLP493P	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 9-H-A, FOR ACTIVE HORIZONTAL SEISMIC	3	P	6630D SE
BLP494M	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 10-H-A, FOR ACTIVE HORIZONTAL SEISMIC	3	P	6630D SE
BLP495K	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 11-H-A, FOR ACTIVE HORIZONTAL SEISMIC	3	P	6630D SE
BLP496H	AL	A-A-01-000-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 12-H-A, FOR ACTIVE HORIZONTAL SEISMIC	3	P	6630D SE
BLP496H	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 12-H-A, FOR ACTIVE HORIZONTAL SEISMIC	3	P	6630D SE
BLP520T	AL	A-A-01-000-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 2-V-A, FOR ACTIVE VERTICAL SEISMIC RECORDER	3	P	6630D SE
BLP520T	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 2-V-A, FOR ACTIVE VERTICAL SEISMIC RECORDER	3	P	6630D SE
BLP521D	AL	A-A-01-000-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 3-V-A, FOR ACTIVE VERTICAL SEISMIC RECORDER	3	P	6630D SE
BLP521D	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 3-V-A, FOR ACTIVE VERTICAL SEISMIC RECORDER	3	P	6630D SE
BLP522B	AL	A-A-01-000-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 4-V-A, FOR ACTIVE VERTICAL SEISMIC RECORDER	3	P	6630D SE
BLP522B	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 4-V-A, FOR ACTIVE VERTICAL SEISMIC RECORDER	3	P	6630D SE
BLP528Y	AL	A-A-01-000-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 5-V-A, FOR ACTIVE VERTICAL SEISMIC RECORDER	3	P	6630D SE
BLP528Y	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 5-V-A, FOR ACTIVE VERTICAL SEISMIC RECORDER	3	P	6630D SE
BLP530P	AL	A-A-01-000-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 7-V-A, FOR ACTIVE VERTICAL SEISMIC RECORDER	3	P	6630D SE
BLP530P	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 7-V-A, FOR ACTIVE VERTICAL SEISMIC RECORDER	3	P	6630D SE
BLP531A	AL	A-A-01-000-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 8-V-A, FOR ACTIVE VERTICAL SEISMIC RECORDER	3	P	6630D SE
BLP531A	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 8-V-A, FOR ACTIVE VERTICAL SEISMIC RECORDER	3	P	6630D SE
BLP537X	AL	A-A-01-000-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 9-V-A, FOR ACTIVE VERTICAL SEISMIC RECORDER	3	P	6630D SE
BLP537X	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 9-V-A, FOR ACTIVE VERTICAL SEISMIC RECORDER	3	P	6630D SE
BLP538V	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 10-V-A, FOR ACTIVE VERTICALSEISMIC RECORDER	3	P	6630D SE
BLP539R	AL	F-A-08-013-001	1 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 11-V-A, FOR ACTIVE VERTICALSEISMIC RECORDER	3	P	6630D SE
BLP540L	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 12-V-A, FOR ACTIVE VERTICALSEISMIC RECORDER	3	P	6630D SE
BLP549N	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 10-H, FOR PASSIVE HORIZONTAL SEISMIC	3	P	6630D SE
BLP554X	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 11-H, FOR PASSIVE HORIZONTAL SEISMIC	3	P	6630D SE
BLP555V	AL	A-A-01-000-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 12-H, FOR PASSIVE HORIZONTAL SEISMIC	3	P	6630D SE
BLP555V	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, REED ASSY,RECORDER, ; NO 12-H, FOR PASSIVE HORIZONTAL SEISMIC	3	P	6630D SE
BXE772A	AL	A-A-01-000-001	1 RECORDER	RECORDER, INSTRUMENT, QA 0, MULTI-PURPOSE, 107.51-121.43, 115, 60 IN/HR, RECORDER, MULTIPLE PURPOSE; RANGE 107.51 TO 121.43 OHMS,18020 DEG	0	B	6695D SE
CAW700N	AL	A-A-01-000-001	1 RECORDER	RECORDER, INSTRUMENT, QA 3, MULTIPOINT, 24 POINT, , MULTI-POINT, UR1800 SERIES, MODEL NO. 437024, WITH IC MEMORY CARD	3	B	6695D SE
CDJ134J	AL	F-A-08-013-001	2 RECORDER	RECORDER, INSTRUMENT, QA 3, RECORDER, RECORDER; PEAK SHOCK RECORDER, SEISMIC ***	3	B	6695D SE
CEY978Q	AL	F-A-19-102-003	1 RECORDER	RECORDER, INSTRUMENT, QA 3, RECORDER, *TYPICAL; TYPE: PROGRAMMABLE; VOLTS: 117; RATING: 60 HZ;	3	B	6695D SE
BED705W	AL	L-A-03-000-002	1 RECORDER	RECORDER, INSTRUMENT, QA 0, RECORDER, TIME; PROGRAMMABLE, 10 AMP BELL CIRCUIT, 4 DIGIT LED DISPLAY	0	P	6645E SE
BTK711P	AL	M-A-04-000-002	2 RECORDER	RECORDER, INSTRUMENT, QA 3, RECORDER, MULTIPLE PURPOSE; ELECTRONIC, 4 IN WIDE STRIP CHART, 10 TO	3	B	6695D SE
BVN468G	AL	L-A-09-000-002	1 RECORDER	RECORDER, INSTRUMENT, QA 3, RECORDER, FLOW; GMAC, OUTPUT INDICATOR, STANDARD METER, HORIZONTAL	3	B	6695D SE
BWP554C	AL	M-A-01-000-002	1 RECORDER	RECORDER, INSTRUMENT, QA 0, RECORDER, PH; CORRDATA REMOTE DATA COLLECTOR FOR SAMPLING FOR THE	0	B	6630D SE
AQF387E	AL	D-A-32-104-001	9 RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, RECTIFIER, SEMICONDUCTOR DEVICE; SILICON, CONTROLLED RECTIFIER,FAST	0	P	5961B SE
ATY450K	AL	A-A-01-000-001	4 RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, SEMICONDUCTOR DEVICE, THYRISTOR; SILICON CONTROL, 380 AMPS, 600VOLT	0	P	5961B SE
AWY875T	AL	A-A-01-000-001	29 RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, RECTIFIER, SEMICONDUCTOR DEVICE; SILICON, 2500 VRRM, 3 AMPS, TWO AXIAL	0	P	5961B SE
BDN758X	AL	A-A-01-000-001	4 RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 3, RECTIFIER, SEMICONDUCTOR DEVICE; SILICON, 400 PRV, 300 AMPS, DO-9 PKG	3	P	5961B SE
BQJ947B	AL	F-A-09-202-001	14 RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 1, SEMICONDUCTOR DEVICE, CONTROL RECTIFIER; ITEM SCR419-21, SCI PARTS	1	B	5961B SE
BRD947Y	AL	F-C-08-064-001	6 RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 3, RECTIFIER, SEMICONDUCTOR DEVICE; SILICON,CONTROL,THREADED STUD, WITH	3	B	5961B SE
BTE442J	AL	F-A-09-202-001	5 RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 3, SEMICONDUCTOR DEVICE, THYRISTOR; FOR WH ROD CONTROL POWER CABINET	3	B	5961B SE
BVD415L	AC	- - - -	2 RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, SEMICONDUCTOR DEVICE, CONTROL RECTIFIER; SCR MODULE ***	0	B	5961B SE
BXY019F	AC	- - - -	1 RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 1, RECTIFIER, BATTERY CHARGER; ASSEMBLY, FOR C&D CHARGER MODEL	1	B	6130S SE
BYX776E	AL	A-A-01-000-001	8 RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 1, SEMICONDUCTOR DEVICE, THYRISTOR; SILICON, THRU 0839-6,STUD SIZE 1-1/8	1	B	5961B SE
ABQ076Q	AL	L-A-03-000-002	3 RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 3, RECTIFIER, SEMICONDUCTOR DEVICE; SILICON, 600 VOLTS, 40 AMPS, DO-5	3	P	5961B SE
ABQ990E	AL	L-A-09-000-002	6 RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 3, RECTIFIER, SEMICONDUCTOR DEVICE; SILICON, 800 PRV, 250 AMPS, THREADED	3	P	5961B SE
ABR808E	AL	L-A-03-000-002	26 RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, SEMICONDUCTOR, 400, 8, SILICON, HERMETICALLY SEALED METAL, RECTIFIER, SEMICONDUCTOR DEVICE; SILICON CONT	0	P	5961B SE
ABT449A	AL	L-A-09-000-002	1 RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, RECTIFIER, ; METALLIC, FOR CURRENT LIMIT PANEL ON GE GENERATOR ***	0	P	6130S SE
ACT048D	AL	L-A-09-000-002	2 RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, RECTIFIER, ; METALLIC, INTERNATIONAL RECTIFIER CORP ***	0	P	6130S SE
ADQ975J	AL	M-A-06-000-002	4 RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, RECTIFIER, SEMICONDUCTOR DEVICE; SILICON, 1000 VRRM, 150 AMPS, DO-8	0	P	5961B SE
AEQ679G	AL	L-A-09-000-002	4 RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 3, SEMICONDUCTOR DEVICE, DIODE; SILICON, AXIAL-LEAD RECTIFIER 400 VOLTS	3	P	5961B SE
AEW349H	AL	L-A-09-000-002	1 RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, SEMICONDUCTOR DEVICE, THYRISTOR; SILICON, FOR HEWLETT PACKARD 5050B	0	P	5961B SE
AFQ377T	AL	L-A-03-000-002	9 RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 3, RECTIFIER, SEMICONDUCTOR DEVICE; SILICON, 1000 VRRM, 2 AMPS, DO-204AP	3	P	5961B SE

AGQ571Q	AL	L-A-09-000-002	2	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, RECTIFIER, SEMICONDUCTOR DEVICE; SILICON, FULL WAVE BRIDGE ***	0	P	5961B SE
AHT244P	AL	L-A-09-000-002	5	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 3, RECTIFIER, SEMICONDUCTOR DEVICE; BRIDGE, TELMAR INC, FOR SLC	3	P	5961B SE
AJQ882T	AL	L-A-09-000-002	1	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 3, SEMICONDUCTOR DEVICE, DIODE; SILICON, RECTIFIER, 200 VOLTS, 3 AMPS	3	P	5961B SE
AKQ485Y	AL	L-A-09-000-002	8	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 3, RECTIFIER, SEMICONDUCTOR DEVICE; SILICON, 200 VRRM, 6 AMPS, DO-4 PKG	3	P	5961B SE
AKW168N	AL	L-A-13-000-002	3	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, SEMICONDUCTOR DEVICE, RECTIFIER BRIDGE; SILICON, RECTIFIER BRIDGE	0	B	5961B SE
ALQ482Y	AL	L-A-09-000-002	2	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 3, RECTIFIER, SEMICONDUCTOR DEVICE; SILICON, 600 VOLTS, 1 AMP, TWOAXIAL	3	P	5961B SE
ALQ563Y	AL	L-A-09-000-002	5	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, SEMICONDUCTOR, 6, SILICON, HERMETICALLY SEALED METAL, SEMICONDUCTOR DEVICE, DIODE; SILICON, 1000 PRV, 6	0	P	5961B SE
ALT941E	AL	M-A-08-000-002	1	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, RECTIFIER ASSY, ; BRIDGE, C/O 1 RECTIFIER 54523 & 2 TERMINALS PA6305	0	P	6130S SE
AMQ283Y	AL	L-A-03-000-002	1	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 3, SEMICONDUCTOR DEVICE, DIODE; SILICON, 9.4 VOLTS, 10 AMPS, 1 WATT, TWO	3	P	5961B SE
AMQ563Q	AL	L-A-09-000-002	1	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 3, SEMICONDUCTOR DEVICE, THYRISTOR; SILICON, JUNCTION	3	P	5961B SE
AMQ969V	AL	L-A-03-000-002	1	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, SEMICONDUCTOR, 12, SILICON, 400 MILLIWATT, SEMICONDUCTOR DEVICE, DIODE; SILICON, ZENER, 175 DEG C, TWO	0	P	5961B SE
ANQ763A	AL	L-A-09-000-002	5	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 3, RECTIFIER, SEMICONDUCTOR DEVICE; SILICON, BRIDGE ***	3	P	5961B SE
APT039A	AC	- - - -	1	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, RECTIFIER, ; METALLIC #8, IRC E500L+, FOR DOVER CONTROL BAY ELEVATOR	0	C	6130S SE
APT138H	AL	L-A-09-000-002	1	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, RECTIFIER, SEMICONDUCTOR DEVICE; SILICON, FULL WAVE BRIDGE CORP PUFF	0	P	5961B SE
ARM805J	AL	L-A-03-000-002	3	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, RECTIFIER, METALLIC; BRIDGE ***	0	P	6130S SE
AWY875T	AL	L-A-03-000-002	1	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, RECTIFIER, SEMICONDUCTOR DEVICE; SILICON, 2500 VRRM, 3 AMPS, TWO AXIAL	0	P	5961B SE
AYH062J	AL	T-A-05-000-002	4	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, EXCITER, 250, 6, RECTIFIER, ELEVATOR; EXCITER, GEARED, 3 PH, 6 AMPS, 250 VOLTS, DIODE	0	C	6130S SE
AYV436Q	AL	L-A-03-000-002	3	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 3, SEMICONDUCTOR DEVICE, THYRISTOR; SILICON, JUNCTION CONTACT, PNP	3	P	5961B SE
BAE104B	AL	L-A-09-000-002	1	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, SEMICONDUCTOR DEVICE, DIODE; SILICON, RECTIFIER, TWO AXIAL LEADS, PKG	0	P	5961B SE
BAT693X	AL	M-A-16-000-002	6	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, SEMICONDUCTOR DEVICE, DIODE; SILICON, RECTIFIER, DO-27 PKG,TWO AXIAL	0	P	5961B SE
BAX528X	AL	T-A-01-000-002	2	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, RECTIFIER, SEMICONDUCTOR DEVICE; SILICON, DIODE TYPE ***	0	P	5961B SE
BGN736M	AL	L-A-03-000-002	4	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 3, RECTIFIER, SEMICONDUCTOR DEVICE; SILICON, FULL WAVE BRIDGE, 50 VOLTS	3	P	5961B SE
BLE596V	AL	M-A-01-000-002	3	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 1, SEMICONDUCTOR DEVICE, THYRISTOR; SILICON, RECTIFIER TYPE, TWO	1	B	5961B SE
BLF409H	AL	L-A-09-000-002	3	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, CONTROL, 480, 30, SILICON, 50/60 HZ, CONTROLLER, PNEUMATIC; SILICON CONTROL RECTIFIER, 480 V, 50/60 HZ	0	P	6695D SE
BPX261V	AL	L-A-03-000-002	1	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 3, SEMICONDUCTOR, SILICON, RECTIFIER, MAXIMUM OUTPUT CURRENT	3	C	5961B SE
BQY069Y	AL	L-A-09-000-002	3	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 3, RECTIFIER, ; BRIDGE ***	3	C	5905I SE
BVD414N	AL	L-A-09-000-002	3	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, SEMICONDUCTOR DEVICE, CONTROL RECTIFIER; SCR MODULE ***	0	B	5961B SE
BWK224N	AL	L-A-09-000-002	2	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, RECTIFIER, METALLIC; FWL 600, SI 7027 AC, 4 PRONG ***	0	B	6130S SE
BXA455B	AL	L-A-13-000-002	1	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 3, SEMICONDUCTOR DEVICE, CONTROL RECTIFIER; SILICON CONTROLLED (SCR), 200	3	B	5961B SE
BXG337J	AL	L-A-09-000-002	1	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, SEMICONDUCTOR, 8.25, SILICON, SEMICONDUCTOR DEVICE, DIODE; DIODE, SILICON, 8.25 V, FOR 5050B DIGITAL	0	B	5961B SE
BXG414T	AL	L-A-09-000-002	1	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, SEMICONDUCTOR DEVICE, DIODE; SILICON, FOR: 5050B DIGITAL RECORDER. ***	0	B	5961B SE
BXG422V	AL	L-A-09-000-002	1	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, SEMICONDUCTOR DEVICE, DIODE; SILICON, FOR: 5050B DIGITAL RECORDER ***	0	B	5961B SE
BXG425M	AL	L-A-09-000-002	1	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, SEMICONDUCTOR, 4.35, SILICON, SEMICONDUCTOR DEVICE, DIODE; SILICON, 4.53 V, FOR: 5050B DIGITAL	0	B	5961B SE
BXG426K	AL	L-A-09-000-002	1	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, SEMICONDUCTOR DEVICE, DIODE; SILICON, 50 PIV, FOR: 5050B DIGITAL	0	B	5961B SE
BXG427H	AL	L-A-09-000-002	1	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, SEMICONDUCTOR DEVICE, DIODE; SILICON, FOR: SCALER-TIMER MODEL 5201L	0	B	5961B SE
BXG716A	AL	L-A-09-000-002	2	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, SEMICONDUCTOR, 100 REVERSE, 70, SILICON, 1 THREADED STUD/1 TAB LUG, SEMICONDUCTOR DEVICE, DIODE; SILICON	0	C	5961B SE
BXY019F	AC	- - - -	2	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 1, RECTIFIER, BATTERY CHARGER; ASSEMBLY, FOR C&D CHARGER MODEL	1	B	6130S SE
AAL557C	AL	D-A-04-202-003	2	REDUCER	REDUCER, PIPE, QA 1, REDUCER, PIPE; CONCENTRIC, SCHEDULE 160, CARBON STEEL ASME SA 234 GR	1		4730P SE
ACG896X	AL	D-B-19-202-002	1	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 1 IN, 3/4 IN, SOCKETWELD, SOCKETWELD, CS, 3000 LB, ASTM A105, BLACK, FORGED, SOCKETWELD, **	0		4730P SE
ACY483F	AL	1-A-25-099-001	1	REDUCER	REDUCER, PIPE, QA 1, CLASS 2, REDUCER, PIPE; CONCENTRIC, SCHEDULE 80, STAINLESS STEEL ASME SA 403 WP	1	P	4730P SE
AGG567Q	AL	D-A-04-301-004	12	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 3/8 IN, 1/4 IN, FNPT, FNPT, MALLEABLE IRON, 150 LB, ASTM A197, BLACK, FNPT, ***	0		4730P SE
AJF594E	AL	A-A-01-000-001	70	REDUCER	REDUCER, PIPE, QA 1, REDUCER, PIPE; STAINLESS STEEL TY 316, 000.625 X 000.312 IN, SPECIAL	1	P	4730P SE
AJG091T	AL	A-A-01-000-001	4	REDUCER	REDUCER, PIPE, QA 1, REDUCER, PIPE; CONCENTRIC, CLASS 3000, STAINLESS STEEL, END TYPE	1	P	4730P SE
AJG591F	AL	A-A-01-000-001	2	REDUCER	REDUCER, PIPE, QA 1, CLASS 2, REDUCER, PIPE; CONCENTRIC, CLASS 3000, STAINLESS STEEL, END TYPE	1	P	4730P SE
AJG781A	TR	- - - -	10	REDUCER	REDUCER, PIPE, QA 1, CLASS 2, CONCENTRIC, 1 IN, 1/2 IN, SOCKETWELD, SOCKETWELD, SS, 3000 LB, ASME SA182 GR F304, STANDARD MILL FINISH, FORGE	1		4730P SE
AJY688P	AL	A-A-01-000-001	4	REDUCER	REDUCER, PIPE, QA 1, REDUCER, PIPE; CONCENTRIC, CLASS 6000, CARBON STEEL ASME SA 105	1	P	4730P SE
AJY688P	AL	D-A-04-302-006	6	REDUCER	REDUCER, PIPE, QA 1, REDUCER, PIPE; CONCENTRIC, CLASS 6000, CARBON STEEL ASME SA 105	1	P	4730P SE
AKY786H	AL	A-A-01-000-001	4	REDUCER	REDUCER, PIPE, QA 1, CLASS 2, REDUCER, PIPE; CONCENTRIC, SCHEDULE 40S, STAINLESS STEEL ASME SA 403	1	P	4730P SE
ALY484V	AL	A-A-01-000-001	2	REDUCER	REDUCER, PIPE, QA 1, REDUCER, INSERT; CLASS 6000, CARBON STEEL ASME SA 105 K03504, END TYPE	1	C	4730P SE
APG485F	AL	D-A-02-102-003	1	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 3/4 IN, 1/2 IN, SOCKETWELD, SOCKETWELD, CS, 3000 LB, ASTM A105, BLACK, FORGED, SOCKETWELD	0		4730P SE
AQW785Y	AL	A-A-01-000-001	2	REDUCER	REDUCER, PIPE, QA 1, REDUCER, PIPE; CONCENTRIC, CLASS 6000, CARBON STEEL ASME SA 105	1	P	4730P SE
ATQ601D	AL	D-A-13-302-001	1	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 4.0 IN, 1 1/2 IN, SOCKET WELD, SOCKET WELD, CARBON STEEL, 3000 LB, ASTM A105, BLACK, FORGED, SOCKETWELD, **	0		4730P SE
ATQ602B	AL	D-A-06-302-002	2	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 6.0 IN, 1 1/2 IN, SOCKET WELD, SOCKET WELD, CARBON STEEL, 3000 LB, ASTM A105, BLACK, SOCKETWELD, ***	0		4730P SE
ATT357J	AL	D-A-10-302-004	1	REDUCER	REDUCER, PIPE, QA 1, REDUCER, PIPE; CONCENTRIC, EXTRA STRONG, CARBON STEEL ASME SA 234 GR	1		4730P SE
BAY102W	AL	A-A-01-000-001	7	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 12 IN (1 FT), 8 IN, BUTTWELD, BUTTWELD, CS, 40, ASTM A234 GR WPB, STANDARD MILL FINISH, BUTTWELD	0	P	4730P SE
BBB177P	AL	D-A-06-201-003	4	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 1 1/2 IN, 1/2 IN, FNPT, FNPT, STAINLESS STEEL, 3000 LB, ASME SA182 GR F316, STANDARD MILL FINISH, FORGED, F	0		4730P SE
BDD466R	AL	D-A-06-302-004	3	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 1.0 IN, 3/4 IN, SOCKET, SOCKET, PVC, 80, STANDARD MILL FINISH, SOCKET, ***	0		4730P SE
BDD469K	AL	D-A-13-302-001	20	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 1-1/2 IN, 3/4 IN, SOCKET, SOCKET, PVC, 80, STANDARD MILL FINISH, SOCKET, ***	0		4730P SE
BDD472Y	AL	D-A-13-302-001	13	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 1-1/2 IN, 1 1/4 IN, SOCKET, PVC, 80, STANDARD MILL FINISH, SOCKET, ***	0		4730P SE
BDD476N	AL	D-A-04-302-002	6	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 2.0 IN, 1 1/2 IN, SOCKET, SOCKET, PVC, 80, STANDARD MILL FINISH, SOCKET, ***	0		4730P SE
BDQ678H	AL	D-A-17-302-004	6	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 1 1/2 IN, 3/4 IN, SOCKET, SOCKET, CPVC, 80, MOLDED, SOCKET, REDUCER, PIPE; STYLE: CONCENTRIC, MATERIAL: CPV	0		4730P SE
BDQ679F	AL	D-A-17-302-004	4	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 1 1/4 IN, 1 IN, SOCKET, SOCKET, CPVC, 80, ASTM F439, MOLDED, SOCKET, REDUCER, PIPE; STYLE: CONCENTRIC, MATE	0		4730P SE
BDW384E	AL	A-A-01-000-001	6	REDUCER	REDUCER, TUBING, QA 3, REDUCER, TUBE; STAINLESS STEEL ASTM A 182 GR F316 S31600, FIRST ID .75	3	P	4730P SE
BEE859T	AL	D-A-32-104-001	2	REDUCER	REDUCER, TUBING, QA 0, 1-1/2 IN X 1.0 IN, SS, TUBE, AISI 316, ***	0	P	4730P SE
BFV919R	AL	D-A-17-302-001	30	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 3/8 IN, 1/8 IN, FNPT, FNPT, CARBON STEEL, 3000 LB, ASTM A105, BLACK, FORGED, FNPT, ***	0		4730P SE
BFV920L	AL	D-A-17-302-001	9	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 3/8 IN, 1/4 IN, FNPT, FNPT, CARBON STEEL, 3000 LB, ASTM A105, FNPT, ***	0		4730P SE
BFV935V	AL	A-A-01-000-001	2	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 1-1/2 IN, 3/4 IN, FNPT, FNPT, CS, 3000 LB, ASTM A105, STANDARD MILL FINISH, FORGED, FNPT	0	C	4730P SE
BFV938M	AL	D-A-17-302-001	5	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 2.0 IN, 1 1/4 IN, FNPT, FNPT, CARBON STEEL, 3000 LB, ASTM A105, BLACK, FORGED, FNPT, ***	0		4730P SE
BGJ687W	AL	D-A-13-302-001	2	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 1-1/4 IN, 3/4 IN, FNPT, FNPT, STAINLESS STEEL, 3000 LB, ASTM A182 GR F316, FORGED, FNPT, ***	0		4730P SE
BLD360A	AL	A-A-01-000-001	12	REDUCER	REDUCER, TUBING, QA 1, CLASS 2, STRAIGHT, 3/8 IN X 1/4 IN, SS, COMPRESSION X PLAIN, ASME SA479 TP316, STANDARD MILL FINISH	1	C	4730P SE
BLM691X	AL	D-A-18-202-002	2	REDUCER	REDUCER, PIPE, QA 1, REDUCER, PIPE; PIPE CONCENTRIC, CS SCH 40, SA105 BUTT-WELD, 5 X 4 IN	1		4730P SE
BMY745C	AL	D-A-04-401-002	35	REDUCER	REDUCER, TUBING, QA 0, 1/2 IN X 3/8 IN, SS, ***	0		4730P SE
BNL021V	AL	1-A-08-129-001	3	REDUCER	REDUCER, TYPICAL, QA 0, REDUCER ASSY, ; REDUCER, TG00725 ***	0	P	4730P SE
BNN256Y	AL	1-A-08-129-001	1	REDUCER	REDUCER, PIPE, QA 0, NIPPLE, PIPE; 1 IN HSG-13-3, TG00763, (1 IN PIPE WITH REDUCER WELDED	0	P	4730P SE
BNN555L	AL	D-A-22-401-000	5	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 4 IN, 1 1/2 IN, REDUCER, ; CONCENTRIC, 4 X 1-1/2, S/160, WPB-JB6SB. ***	0		4730P SE

BNP366J	AL	D-A-06-201-001	2	REDUCER	REDUCER, PIPE, QA 3, REDUCER, PIPE; CONCENTRIC, CLASS 150, MALLEABLE IRON, ASTM A197, END	3		4730P SE
BQP769F	AL	A-A-01-000-001	2	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 6 IN, 4 IN, BUTT WELD, BUTT WELD, CARBON STEEL, ASTM A234 GR WPB, BLACK, STD, BUTT WELD, ***	0	C	4730P SE
BQT720A	AL	D-A-32-302-004	8	REDUCER	REDUCER, TYPICAL, QA 0, HOSE, 1/2 IN X 1/4 IN, PLASTIC, REDUCER, HOSE; PLASTIC, SLIP-ON, 1/2 X 1/4 IN ***	0		4730P SE
BTB349P	AL	A-A-01-000-001	2	REDUCER	REDUCER, PIPE, QA 3, REDUCER, PIPE; STYLE: CONCENTRIC, MATERIAL: CARBON STEEL, FIRST END	3	D	4730P SE
BTF205W	AL	A-A-01-000-001	8	REDUCER	REDUCER, PIPE, QA 1, CLASS 2, INSERT, 2 IN, 1 IN, PLAIN, SOCKETWELD, SS, 3000 LB, ASME SA182 GR F304, STANDARD MILL FINISH, FORGED, MSS SP-7	1	C	4730P SE
BTL389W	AL	A-A-01-000-001	1	REDUCER	REDUCER, PIPE, QA 0, 2 IN, 1 IN, SOCKET WELD, FNPT, STAINLESS STEEL, 3000 LB, ASTM A182 GR F316, SOCKETWELD X FNPT, *** STYLE: STRAIGHT	0	C	4730P SE
BTY386F	AL	D-B-25-201-005	10	REDUCER	REDUCER, TUBING, QA 3, COUPLING, 1-1/2 IN X 1 IN, COPPER, SOLDER, B16.22	3		4730P SE
BTY387D	AL	D-B-25-201-005	9	REDUCER	REDUCER, TUBING, QA 3, COUPLING, 1-1/2 IN X 1/2 IN, COPPER, SOLDER, B16.22	3		4730P SE
BVB424X	AL	D-A-32-302-004	2	REDUCER	REDUCER, PIPE, QA 0, 2.0 IN, 1 IN, FNPT, CPVC, 80, SWEAT X FNPT, *** STYLE: STRAIGHT	0		4730P SE
BVE730J	AL	1-A-05-000-001	2	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 10 IN, 6 IN, BUTT WELD, BUTT WELD, STAINLESS STEEL, 40S, ASTM A403 TP304L, BUTT WELD, ***	0	C	4730P SE
BVG287K	AL	A-A-01-000-001	10	REDUCER	REDUCER, PIPE, QA 3, REDUCER, INSERT; MATERIAL: CARBON STEEL, 1 ST END NOM SIZE: 01.250 IN	3	C	4730P SE
BVT774L	AL	D-B-25-201-005	5	REDUCER	REDUCER, PIPE, QA 3, CONCENTRIC, 4 IN, 2-1/2 IN, BUTTWELD, BUTTWELD, CS, 40, ASTM A234 GR WPB, HOT DIPPED GALVANIZED, B16.9, BUTTWELD	3		4730P SE
BWH446E	AL	A-A-01-000-001	25	REDUCER	REDUCER, TYPICAL, QA 0, HOSE, 3/8 IN X 1/4 IN, POLY-FLO, REDUCER, HOSE; UNION .375" X .250", POLY-FLO FLARELESS TUBE FITTING	0	C	4730P SE
BXK087N	AL	D-A-20-402-005	1	REDUCER	REDUCER, PIPE, QA 3, CONCENTRIC, 3 IN, 2-1/2 IN, BUTTWELD, BUTTWELD, CS, 40, ASTM A234 GR WPB, BLACK, SEAMLESS, B16.9	3		4730P SE
CAA585C	AL	D-A-32-401-003	2	REDUCER	REDUCER, TUBING, QA 0, 3/8 IN X 1/4 IN, STAINLESS STEEL, COMPRESSION X PLAIN, ASME SA479 TP316, STANDARD MILL FINISH, *** STYLE: W/CTR WRENC	0		4730P SE
CAV564W	AL	D-A-09-302-006	7	REDUCER	REDUCER, TUBING, QA 1, CLASS 2, W/CTR WRENCH FAC, 1/2 IN X 3/8 IN, SS, STUB X COMPRESSION, ASME SA479 TP316, STANDARD MILL FINISH	1		4730P SE
CDD583E	AL	A-A-01-000-001	6	REDUCER	REDUCER, PIPE, QA 3, REDUCER, PIPE; STYLE: CONCENTRIC, MATERIAL: ALLOY STEEL, FIRST END NOM	3	C	4730P SE
CDL013B	AL	A-A-01-000-001	1	REDUCER	REDUCER, PIPE, QA 3, REDUCER, PIPE; STYLE: CONCENTRIC, MATERIAL: CHROME MOLY ALLOY, FIRST	3	C	4730P SE
CEA701D	AL	F-A-09-201-000	1	REDUCER	REDUCER, PIPE, QA 3, REDUCER, PIPE; STYLE: CONCENTRIC, MATERIAL: ALLOY STEEL, FIRST END NOM	3	C	4730P SE
CEA733Y	AL	F-A-11-201-000	3	REDUCER	REDUCER, PIPE, QA 3, REDUCER, PIPE; STYLE: CONCENTRIC, MATERIAL: ALLOY STEEL, FIRST END NOM	3	C	4730P SE
CEA734W	AL	F-A-11-201-000	1	REDUCER	REDUCER, PIPE, QA 3, REDUCER, PIPE; STYLE: CONCENTRIC, MATERIAL: ALLOY STEEL, FIRST END NOM	3	C	4730P SE
CEA742X	AL	F-A-11-201-000	1	REDUCER	REDUCER, PIPE, QA 3, REDUCER, PIPE; STYLE: ECCENTRIC, MATERIAL: ALLOY STEEL, FIRST END NOM	3	C	4730P SE
CEM056D	AL	1-A-03-000-001	4	REDUCER	REDUCER, PIPE, QA 1, CLASS 2, CONCENTRIC, 3 IN, 2 IN, BUTTWELD, BUTTWELD, SS, 160, ASME SA403 WP 304, STANDARD MILL FINISH, SEAMLESS, B16.9	1	C	4730P SE
CEM056D	AL	1-B-14-000-001	4	REDUCER	REDUCER, PIPE, QA 1, CLASS 2, CONCENTRIC, 3 IN, 2 IN, BUTTWELD, BUTTWELD, SS, 160, ASME SA403 WP 304, STANDARD MILL FINISH, SEAMLESS, B16.9	1	C	4730P SE
CEP637P	AL	F-A-09-201-000	2	REDUCER	REDUCER, PIPE, QA 3, 2 IN, 1/2 IN, SOCKETWELD, SOCKETWELD, ALLOY STEEL, 3000 LB, STANDARD MILL FINISH, FORGED, B16.11, , ASTM B462 UNS N0802	3	C	4730P SE
CFA267V	AL	D-A-06-402-010	23	REDUCER	REDUCER, TUBING, QA 3, 2 IN X 1-1/2 IN, COPPER, STANDARD MILL FINISH, B16.22, *** FITTING REDUCER, WROT COPPER PRESSURE FITTING, FTG X C, FO	3		4730P SE
CFE243M	AL	D-A-35-201-002	40	REDUCER	REDUCER, TUBING, QA 3, CONCENTRIC, 3/4 IN X 1/4 IN, COPPER, SOLDER, STANDARD MILL FINISH, B16.22, *** REDUCING COUPLING	3		4730P SE
CFG260N	AL	A-A-01-000-001	8	REDUCER	REDUCER, PIPE, QA 1, CLASS 2, CONCENTRIC, 3 IN, 2 IN, BUTTWELD, BUTTWELD, CS, 160, ASME SA234 GR WPB	1	C	4730P SE
CFG266Y	AL	- - - -	6	REDUCER	REDUCER, PIPE, QA 1, CLASS 2, CONCENTRIC, 4 IN, 3 IN, BUTTWELD, BUTTWELD, CS, 160, ASME SA234 GR WPB	1	C	4730P SE
AAA585T	AL	M-A-08-000-002	1	REDUCER	REDUCER, PIPE, QA 1, CONCENTRIC, 3 IN, 2 IN, BUTTWELD, BUTTWELD, SS, 40S, ASME SA403 WP 316, STANDARD MILL FINISH, FORGED, B16.9, BUTTWELD	1	P	4730P SE
AAB575Q	AL	M-A-08-000-002	3	REDUCER	REDUCER, PIPE, QA 1, REDUCER, PIPE; CONCENTRIC, SCHEDULE 40S, STAINLESS STEEL ASME SA 403	1	P	4730P SE
AAF632J	AL	M-A-10-000-002	15	REDUCER	REDUCER, PIPE, QA 1, REDUCER, INSERT; PLAIN, CLASS 3000, CARBON STEEL ASME SA 105 K03504	1	C	4730P SE
ACY582D	AL	M-A-08-000-002	8	REDUCER	REDUCER, PIPE, QA 1, CONCENTRIC, 1 IN, 1/2 IN, SOCKETWELD, SOCKETWELD, SS, 6000 LB, ASME SA182 GR F304, STANDARD MILL FINISH, FORGED, B16.11	1	P	4730P SE
AEY855P	AL	M-A-08-000-002	24	REDUCER	REDUCER, PIPE, QA 1, 1 IN, 1/2 IN, SOCKETWELD, SOCKETWELD, CS, 3000 LB, ASME SA105, BLACK, FORGED, B16.11, SOCKETWELD, REDUCER, PIPE; CLASS	1	P	4730P SE
AFG283D	AL	L-A-09-000-002	5	REDUCER	REDUCER, PIPE, QA 1, REDUCER, PIPE; CONCENTRIC, CLASS 3000, CARBON STEEL, END TYPE	1	P	4730P SE
AJG091T	AL	M-A-06-000-002	1	REDUCER	REDUCER, PIPE, QA 1, REDUCER, PIPE; CONCENTRIC, CLASS 3000, STAINLESS STEEL, END TYPE	1	P	4730P SE
AJG691B	AL	T-A-12-000-002	4	REDUCER	REDUCER, PIPE, QA 1, REDUCER, PIPE; CONCENTRIC, CLASS 3000, STAINLESS STEEL ASME SA 182 GR	1	P	4730P SE
APG842H	AL	M-A-09-000-002	10	REDUCER	REDUCER, PIPE, QA 3, REDUCER, PIPE; MALE/FEMALE, WALL THICKNESS NOT RATED, STAINLESS STEEL	3	P	4730P SE
AQG355N	AL	M-A-08-000-002	7	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 1/2 IN, 1/8 IN, FNPT, FNPT, MALLEABLE IRON, 150 LB, ASTM A197, BLACK, FNPT, ***	0	C	4730P SE
AQW875X	AL	L-A-09-000-002	40	REDUCER	REDUCER, TUBING, QA 0, 3/8 IN X 1/4 IN, STAINLESS STEEL, 37 DEG FLARED, AISI 316 GR S31600, REDUCER, TUBE; STAINLESS STEEL AISI 316 S31600	0	P	4730P SE
BBW511E	AL	T-A-01-000-002	15	REDUCER	REDUCER, TUBING, QA 3, REDUCER, TUBE; STAINLESS STEEL ASME SA 479 TP 316 S31600, FIRST ID .5	3	P	4730P SE
BDD473W	AL	L-A-09-000-002	1	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 2.0 IN, 3/4 IN, SOCKET, SOCKET, PVC, 80, STANDARD MILL FINISH, SOCKET, ***	0	P	4730P SE
BDD474T	AL	L-A-09-000-002	1	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 2.0 IN, 1 IN, SOCKET, SOCKET, PVC, 80, STANDARD MILL FINISH, SOCKET, ***	0	P	4730P SE
BLJ221K	AL	M-A-04-000-002	100	REDUCER	REDUCER, PIPE, QA 3, REDUCER, PIPE; HEX, BRASS, MALE, END TYPE THREADED EXTERNAL	3	P	4730P SE
BLP649J	AL	L-A-09-000-002	1	REDUCER	REDUCER, TUBING, QA 2, REDUCER, TUBE; COPPER, ASTM B68, ANSI B16.22, 1.125 X 0.625 IN, SOLDER	2	P	4730P SE
BRH164B	AL	L-A-09-000-002	11	REDUCER	REDUCER, TUBING, QA 3, REDUCER, TUBE; STYLE: CONCENTRIC, MATERIAL: COPPER, FIRST END NOM	3	C	4730P SE
BTR189B	AL	T-A-12-000-002	1	REDUCER	REDUCER, PIPE, QA 1, CLASS 2, REDUCER, PIPE; STYLE: CONCENTRIC, MATERIAL: STAINLESS STEEL, FIRST END	1	C	4730P SE
BTT409K	AL	L-A-06-000-002	1	REDUCER	REDUCER, PIPE, QA 3, REDUCER, PIPE; STYLE: CONCENTRIC, MATERIAL: CARBON STEEL, FIRST END	3	D	4730P SE
BTW700T	AL	T-A-12-000-002	11	REDUCER	REDUCER, PIPE, QA 3, CONCENTRIC, 2 IN, 1-1/2 IN, FNPT, FNPT, MALLEABLE IRON, 150 LB, ASTM A197, BLACK	3	B	4730P SE
BVE919J	AL	T-A-12-000-002	2	REDUCER	REDUCER, PIPE, QA 1, CLASS 2, REDUCER, PIPE; STYLE: CONCENTRIC, MATERIAL: STAINLESS STEEL, FIRST END	1	D	4730P SE
BVK954N	AL	T-A-01-000-002	1	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 4 IN, 3 IN, BUTT WELD, BUTT WELD, STAINLESS STEEL, 80S, ASTM A182 GR F304, BUTT WELD, ***	0	C	4730P SE
BXB885C	AL	T-A-01-000-002	4	REDUCER	REDUCER, TUBING, QA 0, COUPLING, 5/16 IN X 1/4 IN, SS, COMPRESSION, ***	0	D	4730P SE
BXY768E	AL	T-A-12-000-002	34	REDUCER	REDUCER, PIPE, QA 3, REDUCER, PIPE; STYLE: CONCENTRIC, MATERIAL: MALLEABLE IRON, FIRST END	3	C	4730P SE
BYJ331E	AL	M-A-01-000-002	4	REDUCER	REDUCER, PIPE, QA 3, CONCENTRIC, 3 IN, 1-1/4 IN, BUTTWELD, BUTTWELD, CS, ASME SA234 GR WPB, BUTTWELD, REDUCER, PIPE; STYLE: CONCENTRIC, MATE	3	C	4730P SE
BYT506W	AL	T-A-03-000-002	2	REDUCER	REDUCER, TYPICAL, QA 3, SPECIAL, DUCTILE IRON, REDUCER, SPECIAL; DUCTILE IRON, CEMENT LINED, EQUAL TO ENAMELINE,	3	D	4730P SE
CAC083H	AL	T-A-03-000-002	2	REDUCER	REDUCER, PIPE, QA 3, REDUCER, FIRE PROTECTION; DUCTILE IRON, CEMENT LINED, EQUAL TO	3	C	4210N SE
CAR285B	AL	T-A-12-000-002	3	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 6 IN, 3 IN, BUTTWELD, BUTTWELD, CS, ASTM A234 GR WPB, BLACK, STD, BUTTWELD	0	C	4730P SE
CDE613T	AL	M-A-12-000-002	2	REDUCER	REDUCER, PIPE, QA 3, REDUCER, PIPE; STYLE: CONCENTRIC, MATERIAL: STAINLESS STEEL, FIRST END	3	C	4730P SE
CDL012D	AL	M-A-15-000-002	4	REDUCER	REDUCER, PIPE, QA 3, REDUCER, PIPE; STYLE: CONCENTRIC, MATERIAL: CHROME MOLY ALLOY, FIRST	3	C	4730P SE
CEV381C	AL	L-A-09-000-002	1	REDUCER	REDUCER, PIPE, QA 1, CLASS 2, REDUCER, PIPE; TYPE: CONCENTRIC; PIPE SIZE:FIRST END: 3 IN; PIPE	1	C	4730P SE
CFW087P	AL	L-A-09-000-002	4	REDUCER	REDUCER, TUBING, QA 3, UNION, STAINLESS STEEL, *** 1.875 012 UNF MALE TO 1.312 -12 UNF FEMALE, STL	3	B	4730P SE
AWR217V	AL	A-A-01-000-001	1	REEL	REEL, TYPICAL, QA 0, REEL ASSY, ; STORAGE, 600.000 VOLTS, 150.000 FPM, FOR INCORE DETECTOR	0	P	6630D SE
BBV538Y	AL	1-B-08-000-001	2	REEL	REEL, TYPICAL, QA 0, REELING MACH, CABLE; 250 VAC, 4 AMP, 18/3 SJO CABLEYELLOW, SWIVEL	0	P	3895E SE
BCR955J	AL	A-A-01-000-001	2	REEL	REEL, TYPICAL, QA 0, REELING MACH, CABLE; SPRING LOADED, RATCHET STOP, W/ 600 VOLT, 9 AMP	0	P	3895E SE
BHC264J	AL	A-A-01-000-001	2	REEL	REEL, TYPICAL, QA 0, REELING MACHINE,CABL, ; SPRING, FOR CASK LOADING PIT LOCKING THIMBLE	0	P	3895E SE
BNM799W	AL	D-A-09-301-002	1	REEL	REEL, CABLE, QA 0, CABLE, ; CABLE REEL WITH PIVOT BASE ***	0		6145G SE
BNM799W	AL	D-B-21-401-000	1	REEL	REEL, CABLE, QA 0, CABLE, ; CABLE REEL WITH PIVOT BASE ***	0		6145G SE
BNM799W	AL	D-B-21-402-000	1	REEL	REEL, CABLE, QA 0, CABLE, ; CABLE REEL WITH PIVOT BASE ***	0		6145G SE
AFT974X	AL	D-A-37-402-000	2	REFLECTOR	REFLECTOR, LIGHTING, QA 0, REFLECTOR, LIGHT; REFLECTOR STYLE: DOME ***	0		6210P SE
ARP540W	AL	D-A-22-402-000	6	REFLECTOR	REFLECTOR, LIGHTING, QA 0, REFLECTOR, LIGHT FIXTURE; DOME, FIBERGLASS, REINFORCED POLYESTER, FOR	0		6210P SE
ARP541F	AL	D-A-22-402-000	14	REFLECTOR	REFLECTOR, LIGHTING, QA 0, REFLECTOR, LIGHT FIXTURE; DOME, 30 DEGREE ANGLE, FIBERGLASS REINFORCED	0	C	6210P SE
BNM032H	AL	D-A-10-101-000	4	REFLECTOR	REFLECTOR, TYPICAL, QA 0, ASSEMBLY, HIGH BAY MERCURY, 1000 WATTS, REFLECTOR ASSY, ; HIGH BAY MERCURY UNIT, 1000 WATT, COMPLETE UNIT	0		6210P SE
AFT075P	AL	L-A-06-000-002	11	REFLECTOR	REFLECTOR, LIGHTING, QA 0, REFLECTOR, LIGHT; REFLECTOR STYLE: DOME ***	0	P	6210P SE
AVD183N	AL	T-A-01-000-002	9	REFLECTOR	REFLECTOR, TYPICAL, QA 0, REFLECTOR, ; HEAT, WASHER TYPE, W/4 LOCKING TABS ***	0	P	3439D SE
BCF558G	AL	L-A-06-000-002	2	REFLECTOR	REFLECTOR, LIGHTING, QA 0, REFLECTOR, LIGHT; REFLECTOR STYLE: DOME ***	0	P	6210P SE

ATT615N	AL	A-A-01-000-001	18	REFRACTORY	REFRACTORY, SOLID, QA 0, BRICK, REFRACTORY,SPEC SHAP; BURNER,ROCKSPAR C,THROAT,TYPE RN,FOR	0	P	9350L SE
ATT616L	AL	A-A-01-000-001	56	REFRACTORY	REFRACTORY, SOLID, QA 0, STRAIGHT/FIRE, 4-1/2 IN, 12 IN, 2-1/2 IN, BRICK, BRICK, REFRACTORY,STRAIGHT; FIRE,(BULL RING),LEHIGH NO 1 ARCH,12 X	0	P	9350L SE
ATT617J	AL	A-A-01-000-001	48	REFRACTORY	REFRACTORY, SOLID, QA 0, STRAIGHT/FIRE, 4-1/2 IN, 12 IN, 2-1/2 IN, BRICK, BRICK, REFRACTORY,STRAIGHT; FIRE,(BULL RING),LEHIGH NO 2 ARCH,12 X	0	P	9350L SE
AA8706Y	AL	I-A-09-000-002	13	REFRACTORY	REFRACTORY, SOLID, QA 0, STRAIGHT, 4-1/2 IN, 9 IN, 2-1/2 IN, BRICK, CARBON, BRICK, REFRACTORY,STRAIGHT; CARBON, FOR LINING COLD WELL UNDER	0	P	9350L SE
ABY706W	AL	I-A-09-000-002	2	REFRACTORY	REFRACTORY, TYPICAL, QA 0, REFRACTORY, CLAY; FIRE CLAY, POWERED, DRY MILLED,100 LB BAG	0	P	9350L SE
ARR302Q	AL	D-B-14-000-001	3	REGULATOR	REGULATOR, VOLTAGE, QA 1, AUTOMATIC, FOR 4400 KW TANDEM DIESEL ENGINE GENERATOR SET, SYSTEM 82	1	P	61100 SE
ATQ306F	AL	A-A-01-000-001	3	REGULATOR	REGULATOR, VOLTAGE, QA 0, REGULATOR, VOLTAGE; FIELD,FOR "E FIELD"INTRUSION DETECTION SYSTEM ***	0	P	61100 SE
AWG202Q	AL	A-A-01-000-001	1	REGULATOR	REGULATOR, PRESSURE, QA 0, 3/4 IN, 25-75 PSI, 75 PSIG, THREADED, CARBON STEEL, REGULATOR, PRESSURE; 000.750 IN, THREADED, 25-75 PSI, CARBON	0	P	6695D SE
AWL573Y	AL	A-A-01-000-001	18	REGULATOR	REGULATOR, PRESSURE, QA 0, REGULATOR, PRESSURE; OXYGEN, 2 STAGE, 4000 PSIG, 200 PSIG DELIVERY	0	P	6695D SE
AWM725W	AL	A-A-01-000-001	4	REGULATOR	REGULATOR, PRESSURE, QA 0, NITROGEN, 1 IN, 0-30 PSI, W/RELIEF VALVE, REGULATOR, PRESSURE; MANIFOLD, NITROGEN/OXYGEN, C/WRELIEF VALVE	0	P	6695D SE
AWN366R	AL	A-A-01-000-001	4	REGULATOR	REGULATOR, PRESSURE, QA 0, ACETYLENE, 7/8 IN, 15 PSIG MAX, REGULATOR, PRESSURE; ACETYLENE, STATION, 015.000 PSIG MAXIMUM DELIVERY	0	P	6695D SE
AXW813M	AL	A-A-01-000-001	2	REGULATOR	REGULATOR, PRESSURE, QA 0, 3/4 IN, 300 PSIG, FNPT, SET AT 117 PSIG, REGULATOR, PRESSURE; .750 IN, END TYPE THREADED INTERNAL, MAX OPR	0	P	6695D SE
BAH135F	AL	A-A-01-000-001	1	REGULATOR	REGULATOR, PRESSURE, QA 3, REGULATOR, PRESSURE; .25 IN, END TYPE THREADED INTERNAL, NPT, MAX OPR	3	P	6695D SE
BBD328J	AL	A-A-01-000-001	3	REGULATOR	REGULATOR, PRESSURE, QA 0, 1/4 IN, FNPT	0	B	6695D SE
BCA986L	AL	A-A-01-000-001	1	REGULATOR	REGULATOR, PRESSURE, QA 0, 1/8 IN, 200 PSIG/175 DEG F, STEEL BODY/W/ACTUATOR, REGULATOR, PRESSURE; 0.125 IN, TUBE TYPE END, 200 PSIG, STEEL	0	P	6695D SE
BDN723H	AL	A-A-01-000-001	1	REGULATOR	REGULATOR, PRESSURE, QA 0, 3/8 IN, 130-200 PSIG, 400 PSIG, FNPT, BRONZE BODY/SET 150 PSIG, REGULATOR, PRESSURE; .37 IN, END TYPE THREADED IN	0	P	6695D SE
BDW376D	AL	A-A-01-000-001	1	REGULATOR	REGULATOR, PRESSURE, QA 0, 2 IN, 75-170 PSI, 400 PSIG, FNPT, BRONZE BODY/SET 130 PSIG, REGULATOR, PRESSURE; 2.0 IN, END TYPE THREADED INTERN	0	P	6695D SE
BJB336J	AL	D-A-32-104-001	1	REGULATOR	REGULATOR, PRESSURE, QA 1, AIR, 1/4 IN, 10-250 PSI, INLET AND OUTLET, ALUMINUM BODY, , MAX INLET: 450 PSIG, MAX OUTLET: 250 PSIG, MAX TEMP:	1	C	6695D SE
BKD590Y	AL	A-A-01-000-001	2	REGULATOR	REGULATOR, PRESSURE, QA 0, OXYGEN, 3/8 IN, 50-250 PSIG, 400 PSI, NPT, BRONZE/SET 150 PSIG, REGULATOR, PRESSURE; 0.375 IN PIPE, BRONZE, MAXIM	0	P	6695D SE
BKF865V	AL	F-A-27-202-000	1	REGULATOR	REGULATOR, PRESSURE, QA 0, 3-WAY, 1/2 IN, 8-11 PSIG, FLARED, REGULATOR, PRESSURE; 0.5 IN, FLARE, RANGE 8 TO 11 PSIG, 3-WAY, CV 1.6	0	C	6695D SE
BLD723L	AL	D-A-28-101-008	2	REGULATOR	REGULATOR, PRESSURE, QA 0, AIR, REGULATOR, AIR PRESSURE DEMAND; FOR SCBA KITS ***	0	C	4240P SE
BLV721G	AL	A-A-01-000-001	7	REGULATOR	REGULATOR, PRESSURE, QA 2, REGULATOR, PRESSURE; NITROGEN, 100 PSIG MAXIMUM INLET PRESSURE, 3.5	2	P	6695D SE
BNA997H	AL	1-A-14-129-001	1	REGULATOR	REGULATOR, PRESSURE, QA 0, REGULATOR, PRESSURE; 2 IN 250 PSIG INLET ***	0	P	6695D SE
BNB789K	TR	- - - -	2	REGULATOR	REGULATOR, PRESSURE, QA 3, AIR, BRASS, COMPLETE	3	P	6695D SE
BNB789K	AL	V-A-14-000-001	3	REGULATOR	REGULATOR, PRESSURE, QA 3, AIR, BRASS, COMPLETE	3	P	6695D SE
BNV656L	AL	D-B-25-401-000	4	REGULATOR	REGULATOR, TYPICAL, QA 0, MICRO COMPUTER, REGULATOR, ; MICRO/MIN COMPUTER ***	0		7021A SE
BPQ073D	AL	D-A-04-201-002	1	REGULATOR	REGULATOR, PRESSURE, QA 0, REGULATOR, PRESSURE; FOR ANALYZER, SODIUM, TYPE 1811LL ***	0	A	6695D SE
BTA115N	AL	1-B-08-000-001	2	REGULATOR	REGULATOR, PRESSURE, QA 0, REDUCING, 1/2 IN, 13-30 PSI, 250 PSI, FNPT, REGULATOR, PRESSURE; PRESSURE, 0.5 INCH FNPT, 35 PSI INLET, 30 PSI	0	C	6695D SE
BXA049D	AL	A-A-01-000-001	1	REGULATOR	REGULATOR, VOLTAGE, QA 0, REGULATOR, INVERTER; VOLTAGE, SPARE PART FOR PREFERRED INVERTER MODEL	0	B	6130S SE
BXQ306M	TR	- - - -	1	REGULATOR	REGULATOR, PRESSURE, QA 1, REGULATOR, PRESSURE; WITH 10 MICRON FILTER, 0-25PSIG OUTPUT RANGE	1	B	6695D SE
CBA811P	AL	A-A-01-000-001	1	REGULATOR	REGULATOR, PRESSURE, QA 0, REDUCING, 1 IN, SET AT 100 PSI, REGULATOR, PRESSURE; 1" PRESSURE REDUCING REGULATOR, WITH A MONEL	0	B	6695D SE
CDR878W	AL	A-A-01-000-001	1	REGULATOR	REGULATOR, PRESSURE, QA 0, TWO STAGE, INLET AND OUTLET, W/ INLET FILTER/ADJ NUT, REGULATOR, PRESSURE; 2 STAGE, INLET & OUTLET UNION CONNECTI	0	C	6695D SE
ALH315N	AL	M-A-02-000-002	1	REGULATOR	REGULATOR, PRESSURE, QA 0, WATER, 2 IN, 160-260 PSI, 260 PSI, FLANGED, WATER, MODEL 1500, S/N CA54	0	P	48200 SE
ALV982T	AL	L-A-09-000-002	18	REGULATOR	REGULATOR, PRESSURE, QA 0, AIR, 1/4 IN, FPT, REGULATOR, PRESSURE; "AIRSET",000.250 IN FPT BOTH ENDS, W/DRAIN COCK	0	P	6695D SE
AMW755T	AL	L-A-13-000-002	2	REGULATOR	REGULATOR, PRESSURE, QA 0, NULLMATIC, 1/4 IN, 0-30 PSIG, THREE-WAY, REGULATOR, PRESSURE; SUPPLY,NULLMATIC,000.250 IN, 3-WAY,0 TO 100	0	P	6695D SE
AVH292W	AL	M-A-16-000-002	1	REGULATOR	REGULATOR, PRESSURE, QA 2, REGULATOR, PRESSURE; WITH PANEL MOUNTED PRESSURE PILOT,LOADING,0-30	2	P	6695D SE
AVH292W	AL	M-A-10-000-002	2	REGULATOR	REGULATOR, PRESSURE, QA 2, REGULATOR, PRESSURE; WITH PANEL MOUNTED PRESSURE PILOT,LOADING,0-30	2	P	6695D SE
AVT045N	AL	M-A-01-000-002	1	REGULATOR	REGULATOR, PRESSURE, QA 0, 1/2 IN, 60 PSIG, THREADED, PVC, REGULATOR, PRESSURE; PLASTIC, 0.500 IN THD PVC, 60 LB INLET, MODEL	0	P	6695D SE
AWL575T	AL	M-A-12-000-002	10	REGULATOR	REGULATOR, PRESSURE, QA 0, REGULATOR ASSY, ; PRESSURE, ARGON, HELIUM, 2 STAGE, INLET CONNECTION	0	P	6695D SE
AWL601M	AL	M-A-06-000-002	3	REGULATOR	REGULATOR, PRESSURE, QA 0, INERT, GAS TYPE, ARGON, HELIUM, NITROGEN,	0	P	6695D SE
AWM817P	AL	M-A-16-000-002	4	REGULATOR	REGULATOR, PRESSURE, QA 3, REGULATOR, PRESSURE; PRESSURE ADJUSTING, 000.250 ININLET, 200.000	3	P	6695D SE
BAJ001P	AL	M-A-01-000-002	2	REGULATOR	REGULATOR, PRESSURE, QA 0, REGULATOR, PRESSURE; THREADED INTERNAL, 3000 PSIG, FOR DRY CHEMICAL	0	P	6695D SE
BAJ002M	AL	M-A-01-000-002	1	REGULATOR	REGULATOR, PRESSURE, QA 0, REGULATOR, PRESSURE; NITROGEN CYLINDER, FOR DRY CHEMICAL FIRE	0	P	6695D SE
BAV516F	AL	M-A-01-000-002	1	REGULATOR	REGULATOR, PRESSURE, QA 0, ADJUSTABLE, 3/4 IN, 20-70 PSI, 300 PSIG/200 DEG F, FNPT, BRONZE BODY, REGULATOR, PRESSURE; .75 IN, END TYPE THREA	0	P	6695D SE
BCW671H	AL	M-A-01-000-002	1	REGULATOR	REGULATOR, PRESSURE, QA 0, ADJUSTABLE, 1/4 IN, 300-3000 PSIG, REGULATOR, PRESSURE; 0.25 IN, 300 TO 3000 PSIG, ADJUSTABLE ***	0	P	6695D SE
BFX513C	AL	P-A-LL-ET0-063	1	REGULATOR	REGULATOR, PRESSURE, QA 0, AIR, 100-1000 PSIG, 1000 PSIG MAX, 10-35 GPM, STAINLESS STEEL BODY, REGULATOR, PRESSURE; BODY MATL STAINLESS STEE	0	C	6695D SE
BFX514A	AL	P-A-LL-ET0-063	2	REGULATOR	REGULATOR, PRESSURE, QA 0, AIR, 200-2500 PSIG, 2500 PSIG MAX, 5 GPM, STAINLESS STEEL BODY, REGULATOR, PRESSURE; BODY MATL STAINLESS STEEL AI	0	C	6695D SE
BGB724M	AL	B-A-11-000-002	2	REGULATOR	REGULATOR, PRESSURE, QA 0, REGULATOR, PRESSURE; 250 PSIG ***	0	P	6695D SE
BJP317Q	AL	M-A-01-000-002	3	REGULATOR	REGULATOR, PRESSURE, QA 3, REGULATOR, ; PRESSURE, PNEUMATIC, INPUT 0 TO 300 PSIG, OUTPUT 1 TO 60	3	B	6695D SE
BKA769H	AL	L-A-01-000-002	5	REGULATOR	REGULATOR, PRESSURE, QA 0, DIFFERENTIAL/RELIEF, 1/2 IN, THREADED, REGULATOR, ; DIFFERENTIAL, 0.5 IN, FOR STEAM ATOMIZING OIL BURNER	0	P	6695D SE
BKB010D	AL	T-A-01-000-002	2	REGULATOR	REGULATOR, PRESSURE, QA 1, REGULATOR, PRESSURE; 0.5 TO 15 PSI, SUPPLY PRESSURE RECOMMENDED 75	1	P	6695D SE
BKF865V	AC	- - - -	19	REGULATOR	REGULATOR, PRESSURE, QA 0, 3-WAY, 1/2 IN, 8-11 PSIG, FLARED, REGULATOR, PRESSURE; 0.5 IN, FLARE, RANGE 8 TO 11 PSIG, 3-WAY, CV 1.6	0	C	6695D SE
BLD723L	AL	P-A-LL-ET0-064	8	REGULATOR	REGULATOR, PRESSURE, QA 0, AIR, REGULATOR, AIR PRESSURE DEMAND; FOR SCBA KITS ***	0	C	4240P SE
BQD482P	AC	- - - -	3	REGULATOR	REGULATOR, VOLTAGE, QA 1, REGULATOR, VOLTAGE; FOR SOURCE RANGE AND POWER RANGE MONITOR, FOR	1	B	61100 SE
BQP838N	AL	L-A-09-000-002	1	REGULATOR	REGULATOR, PRESSURE, QA 0, HYDROGEN, 35 - 100 PSI, 75 PSI, 400 PSI INLET, REGULATOR, PRESSURE; GENERATOR GAS, (HYDROGEN) WITH 35 TO 100 PSIG	0	B	6630D SE
BQR198N	AL	P-A-LL-ET0-082	2	REGULATOR	REGULATOR, PRESSURE, QA 0, REGULATOR, PRESSURE; MODEL 15 LHX 0-2000 PSI OUT-PUT, FIG	0	C	6695D SE
BQV248P	AL	L-A-02-000-002	3	REGULATOR	REGULATOR, PRESSURE, QA 0, REGULATOR, PRESSURE; OUTPUT 0 TO 1000 PSI, MODEL 15 LHX, BASIC FIG	0	C	6695D SE
BXB467Y	AL	M-A-02-000-002	1	REGULATOR	REGULATOR, PRESSURE, QA 3, REGULATOR, PRESSURE; MANIFOLD,HYDROGEN OR ARGON,COMPLETE WITH TWO	3	B	6695D SE
BXN893L	AL	M-A-01-000-002	2	REGULATOR	REGULATOR, PRESSURE, QA 3, REGULATOR, PRESSURE; VALVE, PRESSURE REGULATOR, TYPE 316 SST	3	C	6695D SE
BYM803G	AL	L-A-07-000-002	1	REGULATOR	REGULATOR, PRESSURE, QA 0, FILTER, 1/4 IN, 2-120 PSI, FNPT, PRESSURE GUAGE OPTIONAL, FIRECHILD MODEL 65A,	0	C	6695D SE
CAE630Q	AL	L-A-09-000-002	1	REGULATOR	REGULATOR, PRESSURE, QA 3, REGULATOR, PRESSURE; L TEC WELDING & CUTTING MDL# 998335, FOR USE ON	3	C	6695D SE
CAF109L	AL	L-A-09-000-002	4	REGULATOR	REGULATOR, VOLTAGE, QA 0, REGULATOR, VOLTAGE; FOR SECURITY SYSTEM, I.C. PART NO. MAX 633. ***	0	B	61100 SE
ABP358W	AL	D-B-07-201-001	3	RELAY	RELAY, PNEUMATIC, QA 0, RELAY, PNEUMATIC; ADV TRANSMITTER, FOR PNEUMATIC PRESSURE	0	P	6695D SE
ACP530G	AL	D-A-32-104-001	6	RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 24, 50 DC, PLUG-IN, 1, RELAY, ELECTROMAGNETIC; PLUG-IN TYPE FOR MLC, 50 VDC, COIL, CONTACT	0	P	5945D SE
ADP082N	AL	D-A-30-101-006	1	RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 440, 2, 60, RELAY, ELECTROMAGNETIC; LOW VOLTAGE, TYPE MA, 2 AUX CONTACTS, 60 HZ	0	P	5945D SE
ADP294G	AL	D-A-30-101-006	1	RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC/RESET, 600, 250 DC, 10/11, RELAY, ELECTROMAGNETIC; OPEN TYPE, 600 VAC, 10 AMPS, 250 VDC, 11 AMPS	0	P	5945D SE
ADP794V	AL	D-A-30-101-006	1	RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC/RESET, 600, 250 DC, 50/47, 25 HP, RELAY, ELECTROMAGNETIC; OPEN TYPE, 600 VAC, 47 AMPS, 250 VDC, 50 AMP	0	P	5945D SE
AEP946Q	AL	D-A-32-202-000	2	RELAY	RELAY, TIME DELAY, QA 0, SOLID STATE, 48/125/250 DC, 0.03-1 SEC, RELAY, SOLID STATE; TIME DELAY, 48/125/250 VDC, 0.03 TO 1 SECOND	0		5945D SE
AGP180Q	AL	A-A-01-000-001	1	RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 600, 230, 60, 3 PHASE, RELAY, ELECTROMAGNETIC; 600.000 VAC, REVERSING, TWO SPEED, NEMA SIZE	0	P	5945D SE
AHP332A	AL	D-A-30-101-006	2	RELAY	RELAY, OVERLOAD, QA 0, 600, 5, THERMAL, RELAY, THERMAL; AC 600.0 VOLTS, 5.0 AMPS, OVERLOAD ***	0	P	5945D SE
AJT498H	AL	D-B-14-000-001	2	RELAY	RELAY, CONTROL, QA 0, ELECTROMAGNETIC, 125 DC, 500, W/PIN ARM, RELAY, ELECTROMAGNETIC; 125 VDC, 500 OHMS, ANNUNCIATOR, WIRING DIAGRAM	0	P	5945D SE
AKY460V	AL	A-A-01-000-001	4	RELAY	RELAY, CONTROL, QA 1, RELAY, ELECTROMAGNETIC; GENERAL PURPOSE, ENCLOSED, 125/250 VAC, 3PDT	1	P	5945D SE
AKY861X	AL	A-A-01-000-001	2	RELAY	RELAY, AUXILIARY, QA 1, RELAY, ELECTROMAGNETIC; AUXILIARY TRIPPING RELAY,125V DC,14 MAIN	1	P	5945D SE
ALP249A	AL	Z-Z-ZZ-ZZZ-ZZZ	2	RELAY	RELAY, TYPICAL, QA 0, RELAY, ELECTROMAGNETIC; TELEPHONE ***	0	P	5945D SE
AMP380H	AL	D-A-34-101-000	1	RELAY	RELAY, OVERLOAD, QA 1, 4-12/40-60, ELECTROMAGNETIC, RELAY, ELECTROMAGNETIC; 4 TO 12 AMPS, 40 TO 160 AMPS INSTANTANEOUS	1	P	5945D SE

AMP880W	AL	A-A-01-000-001	3	RELAY	RELAY, AUXILIARY, QA 1, RELAY, ELECTROMAGNETIC; AUXILIARY RELAY, 125V DC, SIX REVERSIBLE	1	P	5945D SE
APP436Q	AL	A-A-01-000-001	2	RELAY	RELAY, AUXILIARY, QA 1, RELAY, ELECTROMAGNETIC; AUXILIARY, GE TYPE HEA, GE 125 VDC ***	1	P	5945D SE
ARN642E	AL	A-A-01-000-001	4	RELAY	RELAY, AUXILIARY, QA 1, RELAY, ELECTROMAGNETIC; DC 250.0 VOLTS, AUXILIARY, TYPE MG-6, IL	1	P	5945D SE
ARN847V	AC	- - - -	4	RELAY	RELAY, TYPICAL, QA 1, GENERAL PURPOSE/ENCLOSED, 240, 125 DC, 11 PIN, 3 PDT, RELAY ELECTROMAGNETIC; GENERAL PURPOSE, ENCLOSED, 240VAC, 3PDT,	1	B	5945D SE
ARW855X	AL	D-A-32-104-001	1	RELAY	RELAY, TIME DELAY, QA 0, ELECTROMAGNETIC, 120, 0-120 SEC, 15, RELAY, ELECTROMAGNETIC; TIME DELAY, AC 120.0 VOLTS, 15.0 AMPS, RANGE 0	0	P	5945D SE
ATA684M	AL	A-A-01-000-001	3	RELAY	RELAY, OVERLOAD, QA 1, RELAY, ELECTROMAGNETIC; OVERCURRENT RELAY VERY INVERSE TIME CURVE, 1	1	P	5945D SE
ATB458R	AL	A-A-01-000-001	1	RELAY	RELAY, OVERLOAD, QA 1, RELAY, ELECTROMAGNETIC; OVERCURRENT RELAY, INVERSE TIME CURVE	1	P	5945D SE
ATE345P	AL	A-A-01-000-001	1	RELAY	RELAY, AUXILIARY, QA 0, ELECTROMAGNETIC, 250 DC, ELECTRIC RESET, RELAY, ELECTROMAGNETIC; ELECTRIC RESET AUXILIARY, 250 VOLT, DC42 FLUSH	0	P	5945D SE
ATL265N	AL	D-A-32-104-001	1	RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 600, 2 NO 2 NC, RELAY, ELECTROMAGNETIC; 600 VAC, 10 AMPS, 2NO-2NC CONTACTS, TYPE	0	P	5945D SE
ATL548A	AL	A-A-01-000-001	2	RELAY	RELAY, TIME DELAY, QA 1, RELAY, ELECTROMAGNETIC; TIME DELAY, AC 120.0 VOLTS, RANGE 25 TO 55	1	B	5945D SE
ATR240Q	AL	A-A-01-000-001	8	RELAY	RELAY, CONTROL, QA 1, RELAY, ELECTROMAGNETIC; INDUSTRIAL, DC 250.0 VOLTS, POLE QTY 4, 10.0	1	P	5945D SE
ATT611Y	AL	A-A-01-000-001	3	RELAY	RELAY, AUXILIARY, QA 1, RELAY, ELECTROMAGNETIC; AUXILIARY RELAY, 62.5 VOLT DC, SIX REVERSIBLE	1	P	5945D SE
ATT980A	AL	A-A-01-000-001	4	RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 240 AC/110 DC, 120, 5, SPDT/ 0.1/0.1667 HP/ 1 PH, RELAY, ELECTROMAGNETIC; AC 240.0 VOLTS, DC 110.0 VO	0	P	5945D SE
AVY093N	AL	A-A-01-000-001	2	RELAY	RELAY, LATCHING, QA 0, 600, ELECTROMAGNETIC, 6, RELAY, ELECTROMAGNETIC; LATCHING-TYPE, AC 600.0 VOLTS, 6.0 AMPS ***	0	P	5945D SE
AVY094L	AL	A-A-01-000-001	1	RELAY	RELAY, LATCHING, QA 0, 600, ELECTROMAGNETIC, 20, RELAY, ELECTROMAGNETIC; LATCHING-TYPE, AC 600.0 VOLTS, 20.0 AMPS ***	0	P	5945D SE
AWD981K	AL	A-A-01-000-001	1	RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; METERING TYPE, AC 115.0 VOLTS, TYPE IAV, SET	1	P	5945D SE
AXP302A	AL	D-A-32-104-001	2	RELAY	RELAY, TYPICAL, QA 0, GENERAL PURPOSE, 120, 5, 4 PDT, RELAY, ELECTROMAGNETIC; GENERAL PURPOSE, ENCLOSURE ENCAPSULATED, AC	0	P	5945D SE
AXQ098Y	AL	A-A-01-000-001	5	RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 600, 30, RELAY, ELECTROMAGNETIC; AC 600.0 VOLTS, 30.0 AMPS, TYPE 30-B0-20 ***	0	P	5945D SE
AXQ872R	AL	A-A-01-000-001	6	RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; PLUG-IN, ENCLOSURE ENCAPSULATED, DC 110.0	1	P	5945D SE
AXV601B	AL	A-A-01-000-001	3	RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 250, 6, SPST, RELAY, ELECTROMAGNETIC; AC 250.0 VOLTS, 6, POLE QTY 1, THROW POSN 1, 6.0	0	P	5945D SE
BAB090C	AL	D-A-18-301-001	1	RELAY	RELAY, LATCHING, QA 1, RELAY, ELECTROMAGNETIC; MAGNETIC LATCHING, 600 VAC MAX, 2-POLE, 7200	1	P	5945D SE
BAL760K	AL	A-A-01-000-001	5	RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 115, 10, RELAY, ELECTROMAGNETIC; AC 115.0 VOLTS, 10.0 AMPS ***	0	P	5945D SE
BAQ651Q	AL	A-A-01-000-001	7	RELAY	RELAY, TYPICAL, QA 0, GENERAL PURPOSE, 24 DC, 700, 4 PDT, RELAY, ELECTROMAGNETIC; GENERAL PURPOSE, DC 24.0 VOLTS, COIL IMPED	0	P	5945D SE
BBF584M	AC	- - - -	2	RELAY	RELAY, SOLID STATE, QA 0, 184/280 DC, 8 PIN PLUG-IN, DPDT, RELAY, SOLID STATE; PLUG-IN, ENCLOSED, 184 TO 280 VDC PICKUP, 180 TO	0	B	5945D SE
BBQ780J	AL	D-A-32-104-001	4	RELAY	RELAY, TIME DELAY, QA 1, RELAY, ELECTROMAGNETIC; RELAY, TIME DELAY, 120 VAC DPDT, 4 AMPS, RANGE 0.6	1	P	5945D SE
BBR519D	AL	P-A-LL-ET0-063	1	RELAY	RELAY, OVERLOAD, QA 1, RELAY, ELECTROMAGNETIC; 120 VAC, 10 AMPS, 12 TERMINALS, ADJUSTABLE	1	B	5945D SE
BDF001L	AL	1-A-04-009-001	1	RELAY	RELAY, TIME DELAY, QA 1, RELAY, ELECTROMAGNETIC; TIME DELAY, DC 125.0 VOLTS, POLE QTY 2, THROW	1	B	5945D SE
BED620F	AL	A-A-01-000-001	2	RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; MERCURY WETTED CONTACT, POLE QTY 2, THROW POSN	1	P	5945D SE
BEQ061C	AL	A-A-01-000-001	2	RELAY	RELAY, TIME DELAY, QA 0, SOLID STATE, 120, 0.5-30 SEC, RELAY, SOLID STATE; TIME DELAY, 120 VAC, SPDT, STATIC MECHANISM, RANGE	0	P	5945D SE
BFA016K	AL	Z-A-06-000-001	2	RELAY	RELAY, SOLID STATE, QA 0, RELAY, SOLID STATE; 120 VAC, PROTECTIVE, UNDER FREQUENCY, STYLE	0	P	5945D SE
BGP632W	AL	A-A-01-000-001	7	RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; GENERAL PURPOSE, ENCLOSURE ENCAPSULATED, DC	1	P	5945D SE
BHY731G	AC	- - - -	9	RELAY	RELAY, AUXILIARY, QA 1, RELAY, ELECTROMAGNETIC; DC 125.0 VOLTS, 5 NO-5NC CONTACTS, AUXILIARY	1	P	5945D SE
BUL926E	AL	A-A-01-000-001	24	RELAY	RELAY, TYPICAL, QA 0, ENCLOSURE ENCAPSULATED, 24 DC, 3, 650, DPDT, RELAY, ELECTROMAGNETIC; GENERAL PURPOSE, ENCLOSURE ENCAPSULATED, DC	0	P	5945D SE
BKN435H	AL	1-B-08-000-001	2	RELAY	RELAY, AUXILIARY, QA 0, ELECTROMAGNETIC, 250 DC, 14 NO 2 NC, RELAY, ELECTROMAGNETIC; DC 250.0 VOLTS, 14NO-2NC CONTACTS, AUXILIARY	0	P	5945D SE
BKR919B	AL	D-A-20-401-000	4	RELAY	RELAY, TYPICAL, QA 1, ELECTROMAGNETIC/HFA, 250 DC, 250 DC, 6 NO, BACK, 12, 7780, CONVERTIBLE CONTACTS, SELF RESET, CONTACT CODE: 60, CENTURY	1	B	5945D SE
BLC537N	AC	- - - -	3	RELAY	RELAY, AUXILIARY, QA 1, ELECTROMAGNETIC, 125 DC, BACK, 6 REVERSIBLE CONTACTS, *** ELECTROMAGNETIC; SURFACE MOUNTED, 4 WIDE X 6 IN LONG, TYPE	1	B	5945D SE
BLH297N	AC	- - - -	1	RELAY	RELAY, TIME DELAY, QA 1, ELECTROMAGNETIC, 250, 0.5-5 SEC, RELAY, ELECTROMAGNETIC; TIME-DELAY, DC 250.0 VOLTS, POLE QTY 2, THROW	1	B	5945D SE
BLT163X	AL	F-A-27-102-000	4	RELAY	RELAY, TIME DELAY, QA 1, RELAY, SOLID STATE; TIME DELAY, 48/125 VDC, 1 PHASE, OVERVOLTAGE,	1	B	5945D SE
BNH311B	AL	F-A-09-202-000	4	RELAY	RELAY, CONTROL, QA 1, RELAY, SOLID STATE; UNDERVOLTAGE, 150 VAC, 50/60 HZ, PICKUP TAP RANGE	1	P	5945D SE
BNQ870D	AL	A-A-01-000-001	1	RELAY	RELAY, SOLID STATE, QA 1, RELAY, SOLID STATE; GENERAL PURPOSE, ENCLOSURE OPEN, AC 120.0 VOLTS	1	P	5945D SE
BPH502Y	AL	A-A-01-000-001	1	RELAY	RELAY, AUXILIARY, QA 1, RELAY, ELECTROMAGNETIC; AUXILIARY RELAY, 125 VDC, SIX REVERSABLE	1	P	5945D SE
BPM350H	AL	D-A-32-202-001	1	RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; 250 VDC, DESIGNATED "X", FOR MODEL AK-15/25	1		5945D SE
BPP813D	TR	- - - -	1	RELAY	RELAY, TIME DELAY, QA 1, RELAY, ELECTROMAGNETIC; TIME DELAY, 120 VAC, 4PDT, RANGE 2 TO 20	1	B	5945D SE
BPP813D	AL	A-A-01-000-001	10	RELAY	RELAY, TIME DELAY, QA 1, RELAY, ELECTROMAGNETIC; TIME DELAY, 120 VAC, 4PDT, RANGE 2 TO 20	1	B	5945D SE
BPR183A	AL	F-A-02-103-000	1	RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; CONTROL CONTACT RATING 12 AFL, 60 ALR, 120	1	B	5945D SE
BPR183A	AL	F-A-14-202-004	1	RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; CONTROL CONTACT RATING 12 AFL, 60 ALR, 120	1	B	5945D SE
BPY434H	AL	D-A-32-104-001	6	RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; DPDT, FOR GENERAL ATOMIC MONITORING EQUIPMENT	1	B	5945D SE
BQJ574Q	AL	D-B-16-000-001	3	RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 600 DC, 240 DC, 5, 8 POLE, RELAY, ELECTROMAGNETIC; 600 VDC, 8-POLE, 240 VDC COIL, FOR MAIN	0	B	5945D SE
BQL680T	AL	F-A-26-101-000	1	RELAY	RELAY, POWER, QA 1, RELAY, ELECTROMAGNETIC; UNDERFREQUENCY, TYPE 81, COMPLETE WITH 1 EA	1	B	5945D SE
BRP921X	AL	A-A-01-000-001	2	RELAY	RELAY, LATCHING, QA 1, 125 DC, ELECTROMAGNETIC, RELAY, ELECTROMAGNETIC; LATCHING, 125VDC, 4-POLE	1	B	5945D SE
BTJ947Y	AL	A-A-01-000-001	1	RELAY	RELAY, OVERLOAD, QA 1, RELAY, ELECTROMAGNETIC; OVERCURRENT, TYPE CO-8, OVERCURRENT UNIT 4-12	1	B	5945D SE
BTQ976Q	AL	D-B-04-000-001	1	RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; VOLTAGE 120V, 60 HZ, CLASS 1E, SCHMATIC	1	B	5945D SE
BTQ976Q	AL	F-A-23-000-001	1	RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; VOLTAGE 120V, 60 HZ, CLASS 1E, SCHMATIC	1	B	5945D SE
BTQ976Q	AL	F-C-07-101-000	1	RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; VOLTAGE 120V, 60 HZ, CLASS 1E, SCHMATIC	1	B	5945D SE
BTQ992T	AC	- - - -	2	RELAY	RELAY, TYPICAL, QA 3, RELAY, ELECTROMAGNETIC; RELAY FOR EDERER CRANES, 125/180 TONS ***	3	C	5945D SE
BTQ994N	AC	- - - -	6	RELAY	RELAY, OVERLOAD, QA 3, RELAY, THERMAL; OVERLOAD RELAY, 2 AMP, 600 V MAX, FOR EDERER CRANES	3	C	5945D SE
BTY151T	AC	- - - -	2	RELAY	RELAY, TYPICAL, QA 1, ELECTROMAGNETIC, 300/600, 120, 3 NO 1 NC, 5/2.5, 60, 4 POLE, RELAY, ELECTROMAGNETIC; 120 V 60 HZ COIL, 4 POLE, CONTACT	1	B	5945D SE
BTY164H	AL	A-A-01-000-001	4	RELAY	RELAY, TYPICAL, QA 1, ELECTROMAGNETIC, 115/125 DC, 4 POLE, RELAY, ELECTROMAGNETIC; 700DC-R400Z1, 115/125 VDC COIL, CONTACT RATING	1	B	5945D SE
BTY173G	AL	A-A-01-000-001	10	RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; 700-R800A1, 120VAC COIL, CONTACT RATING B300	1	B	5945D SE
BTY802C	AL	1-A-04-009-001	1	RELAY	RELAY, TIME DELAY, QA 3, RELAY, ELECTROMAGNETIC; TIME DELAY, 120VAC, RANGE 5-50 SEC ***	3	B	5945D SE
BTW659G	AL	A-A-01-000-001	8	RELAY	RELAY, LATCHING, QA 1, RELAY, ELECTROMAGNETIC; LATCHING, 115/125VDC COIL, CONTACT P300,4	1	B	5945D SE
BTW942M	AC	- - - -	10	RELAY	RELAY, CONTROL, QA 1, RELAY, ELECTROMAGNETIC; UTILITY AUXILIARY CONTROL, 125 VDC NOMINAL	1	B	5945D SE
BVB724H	AC	- - - -	2	RELAY	RELAY, TIME DELAY, QA 1, ELECTROPNEUMATIC, 120, 1-10 MIN, **	1	B	5945D SE
BVB726D	AC	- - - -	1	RELAY	RELAY, TIME DELAY, QA 1, ELECTROPNEUMATIC, 120, 1.500-15 SEC, , POLE QTY 2, THROW POSN 2	1	B	5945D SE
BVF504C	AL	F-A-02-103-000	1	RELAY	RELAY, TYPICAL, QA 1, ELECTROMAGNETIC, 125 DC, SURFACE MOUNT, FRONT, HGA 14 SERIES	1	B	5945D SE
BVF504C	AL	A-A-01-000-001	2	RELAY	RELAY, TYPICAL, QA 1, ELECTROMAGNETIC, 125 DC, SURFACE MOUNT, FRONT, HGA 14 SERIES	1	B	5945D SE
BVH875W	AL	A-A-01-000-001	4	RELAY	RELAY, LATCHING, QA 1, RELAY, ELECTROMAGNETIC; LATCHING, 120VAC, 4 POLE, 4 NO, SEISMIC QUAL 4.1	1	B	5945D SE
BVH877Q	AL	A-A-01-000-001	3	RELAY	RELAY, LATCHING, QA 1, RELAY, ELECTROMAGNETIC; LATCHING, 115/120 VAC COIL, 6 POLE, 6 NO, SEISMIC	1	B	5945D SE
BVP814J	AL	A-A-01-000-001	4	RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; 120 VAC COIL NEMA B300 CONTACT RATING, 8-POLE	1	B	5945D SE
BWD970W	AL	P-A-LL-ET0-113	1	RELAY	RELAY, AUXILIARY, QA 1, RELAY, ELECTROMAGNETIC; 125VDC, AUXILIARY, TWO SPDT CONTACTS	1	B	5945D SE
BWJ228K	AC	- - - -	3	RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; 115 VAC, FOR FOXBORO 40N-706B, TYPE 70	1	B	5945D SE
BWR322P	AL	E-A-16-C04-E01	2	RELAY	RELAY, TYPICAL, QA 0, RELAY, CIRCUIT BREAKER; DELAY, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BXD945A	AL	A-A-01-000-001	1	RELAY	RELAY, CONTROL, QA 3, RELAY, ELECTROMAGNETIC; 120VAC, CONTROL, WITH FOUR AUXILIARY REVERSIBLE	3	B	5945D SE
BXG184H	AC	- - - -	1	RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 600, 2 NO, 10, RELAY, ELECTROMAGNETIC; AC 600V, 10.0 AMPS, MACHINE TOOL, 2 NO	0	B	5945D SE
BXG185F	AC	- - - -	4	RELAY	RELAY, TIME DELAY, QA 0, ELECTROMAGNETIC, 600, 1 NO 1 NC, 0.2-180 SEC, 15, RELAY, ELECTROMAGNETIC; TIME DELAY, AC 600V, 15.0 AMPS, 1NO-1NC	0	B	5945D SE

BXT901W	AL	D-B-04-000-001	1	RELAY	RELAY, PNEUMATIC, QA 3, RELAY, ELECTROPNEUMATIC; CURRENT IN 10-50 MADC, INPUT RESISTANCE 26	3	B	5945D SE
BYE416T	AL	D-B-07-202-002	1	RELAY	RELAY, LATCHING, QA 1, RELAY, ELECTROMAGNETIC; MAGNETIC, LATCHING RELAY, ALLEN BRADLEY, TYPE	1	B	5945D SE
BYE416T	AL	F-A-07-201-000	1	RELAY	RELAY, LATCHING, QA 1, RELAY, ELECTROMAGNETIC; MAGNETIC, LATCHING RELAY, ALLEN BRADLEY, TYPE	1	B	5945D SE
CAA994T	AL	1-A-03-000-001	2	RELAY	RELAY, OVERLOAD, QA 2, THERMAL OVERLOAD RELAY, SIZE 3, NON-COMPENSATED, FOR TYPE SE STARTER,	2	B	5945D SE
CAA994T	AC	- - -	5	RELAY	RELAY, OVERLOAD, QA 2, THERMAL OVERLOAD RELAY, SIZE 3, NON-COMPENSATED, FOR TYPE SE STARTER,	2	B	5945D SE
CAH899G	AL	A-A-01-000-001	4	RELAY	RELAY, TYPICAL, QA 3, RELAY, ELECTROMAGNETIC; DWG 45N1680-1 ***	3	B	5945D SE
CAJ195G	AL	A-A-01-000-001	13	RELAY	RELAY, TYPICAL, QA 3, RELAY, ELECTROMAGNETIC; DC12 ***	3	B	5945D SE
CAV862L	AL	A-A-01-000-001	1	RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; 2.5-7.5A5-150A/2-8A, GE CATALOG 12IFC66KD1A	1	B	5945D SE
CBA722N	AL	A-A-01-000-001	2	RELAY	RELAY, TYPICAL, QA 3, RELAY, ELECTROMAGNETIC; 250 V DC, WESTINGHOUSE MG-6, STYLE 289B359A21	3	B	5945D SE
CBH382G	AL	D-B-17-302-000	3	RELAY	RELAY, CONTROL, QA 3, RELAY, SOLID STATE; OVERVOLTAGE/UNDERVOLTAGE, SINGLE PHASE, 55 TO 160	3		5945D SE
CBJ410C	AL	D-B-14-000-001	3	RELAY	RELAY, TYPICAL, QA 0, RELAY, SECURITY SYSTEM; MOTOR, 25 AMP, FOR MAXIMUM SECURITY BARRIER	0	C	6350B SE
CEV033T	AL	F-A-08-061-001	1	RELAY	RELAY, AUXILIARY, QA 0, RELAY, AUXILIARY; TYPE: AUXILIARY; VOLTS: 250 DC *** HIGH-SPEED	0	C	5945D SE
CFA274Y	AL	F-A-08-061-001	1	RELAY	RELAY, TIME DELAY, QA 3, ELECTROPNEUMATIC, 120, 1 DPDT, 1-10 MIN, 60, OFF DELAY	3	B	5945D SE
CFA275W	AL	F-A-08-061-001	1	RELAY	RELAY, TYPICAL, QA 3, RELAY, *TYPICAL; TYPE: ALARM; VOLTS: 120 AC *** 10-50MA INPUT.	3	B	5945D SE
CFA276T	AL	F-A-08-061-001	1	RELAY	RELAY, TYPICAL, QA 3, ALARM, 24 DC, *** 4-20MA INPUT. UNIT ALSO EXCITES THE LOOP 2 WIRE TRANSMITTER.	3	B	5945D SE
CFA279L	AL	F-A-08-061-001	1	RELAY	RELAY, TYPICAL, QA 3, RELAY, *TYPICAL *** 120VAC, WITH PRE-WIRED PANEL BASE, SUPPORT CASE	3	B	5945D SE
CFW085V	AC	- - -	1	RELAY	RELAY, TYPICAL, QA 3, RELAY, *TYPICAL; TYPE: ELECTROMAGNETIC; COIL VOLTS: 24; AMPS: 3;	3	B	5945D SE
CGX571G	AL	D-B-17-201-000	1	RELAY	RELAY, TYPICAL, QA 1, OVERCURRENT, INVERSE LONG TIME, INSTANTANEOUS UNIT 6 - 150 AMP, HIGH DROP OUT 2 - 8	1		5945D SE
CKJ020Y	AL	D-B-07-301-000	1	RELAY	RELAY, TYPICAL, QA 0, SUDDEN PRESSURE, MONITOR SPECIAL SENSOR	0	B	5975B SE
CKK250H	AL	D-A-20-302-000	1	RELAY	RELAY, TIME DELAY, QA 1, OVERVOLTAGE, 5.4-20, 1 NO, TIME DELAY 0.75 - 7.5 SEC AT 200% OF TAP SETTING OR 4 SEC @ 10X DIAL	1		5945D SE
ABP151K	AC	- - -	11	RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 110, 20, RELAY, ELECTROMAGNETIC; 110 VDC; 1 HP-120 VAC; 2 HP-240 VAC; 1 PH-25	0	C	5945D SE
ABP250W	AC	- - -	26	RELAY	RELAY, TYPICAL, QA 0, RELAY, ELECTROMAGNETIC; AC 115.0 VOLTS, FOR CONTROL BAY ELEVATOR, JOB	0	C	5945D SE
ABP380F	AL	M-A-15-000-002	1	RELAY	RELAY, CONTROL, QA 0, ELECTROMAGNETIC, 110, 31/24-52/0, 5, 60, RELAY, ELECTROMAGNETIC; OUT-OF-STEP, 56, FORM B2, 5 AMP, 110 V, 60 CY	0		5945D SE
ABP390C	AL	L-A-03-000-002	5	RELAY	RELAY, TYPICAL, QA 3, RELAY, ELECTROMAGNETIC; GENERAL PURPOSE, ENCLOSED, 120VAC, 24 VDC	3	P	5945D SE
ABP550G	AC	- - -	4	RELAY	RELAY, TYPICAL, QA 0, RELAY, ELECTROMAGNETIC; LABELED PF, FOR CONTROL BAY ELEVATOR, JOB	0	C	5945D SE
ABP650C	AC	- - -	6	RELAY	RELAY, CONTROL, QA 0, RELAY, ELECTROMAGNETIC; MOTOR FIELD CONTROL, LINE 409, FOR CONTROL BAY	0	C	5945D SE
ABP651Y	AC	- - -	11	RELAY	RELAY, CONTROL, QA 0, ELECTROMAGNETIC, 110 DC, RELAY, ELECTROMAGNETIC; DC 110.0 VOLTS, LABELED BR AND MO, FOR CONTROL	0	C	5945D SE
ACP233B	AL	L-A-13-000-002	1	RELAY	RELAY, OVERLOAD, QA 0, RELAY, THERMAL; OVERLOAD ***	0	P	5945D SE
ACP854A	AL	L-A-13-000-002	4	RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 120, PLUG-IN, RELAY, ELECTROMAGNETIC; PLUG-IN, 120 VAC, STANDARD, FOR SCAM PANALARM	0	P	5945D SE
ACP990D	AL	L-A-03-000-002	2	RELAY	RELAY, TYPICAL, QA 0, RELAY, ELECTROMAGNETIC; DC 7.0 VOLTS, FOR STATALARM ANNUNCIATOR	0	P	5945D SE
ADP086E	AL	L-A-13-000-002	1	RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 600, 120, 2 POLE/ W/ CONTACT BLOCK, RELAY, ELECTROMAGNETIC; AC 600.0 VOLTS, POLE QTY 2, CLASS J, 120	0	P	5945D SE
ADP187H	AL	L-A-03-000-002	1	RELAY	RELAY, TIME DELAY, QA 3, RELAY, ELECTROMAGNETIC; TIME DELAY, 0.2 TO 20 SEC RANGE, 2 NO CONTACTS	3	P	5945D SE
ADP383H	AL	L-A-03-000-002	1	RELAY	RELAY, TIME DELAY, QA 0, ELECTROMAGNETIC, 120, 1-300 SEC, RELAY, ELECTROMAGNETIC; TIME DELAY, 1-300 SECONDS 120 VAC ***	0	P	5945D SE
ADP992P	AL	L-A-03-000-002	2	RELAY	RELAY, TYPICAL, QA 0, RELAY, ELECTROMAGNETIC; ARMATURE 24 VDC ***	0	P	5945D SE
AEF784Q	AL	M-A-02-000-002	3	RELAY	RELAY, TIME DELAY, QA 1, RELAY, ELECTROMAGNETIC; TIME DELAY, RANGE 20 TO 200 SECONDS, CONTACT	1	P	5945D SE
AEV070E	AL	L-A-09-000-002	1	RELAY	RELAY, PNEUMATIC, QA 0, RELAY ASSY, PNEUMATIC; REF 4, FOR TRANSDUCER, ELECTRO-PHEUMATIC, TYPE	0	P	6695D SE
AFD004K	AC	- - -	1	RELAY	RELAY, CONTROL, QA 0, RELAY, ELECTROMAGNETIC; 220 VAC, REVERSE PHASE, RPR, LINE 393, TYPE	0	C	5945D SE
AFD104Q	AC	- - -	3	RELAY	RELAY, TIME DELAY, QA 0, ELECTROMAGNETIC, 115, 2-12 SEC, PLUG IN, 60, RELAY, ELECTROMAGNETIC; TIME DELAY, RANGE 2-12 SECONDS, PLUG IN TYPE	0	C	5945D SE
AFD204L	AC	- - -	2	RELAY	RELAY, TIME DELAY, QA 0, RELAY, ELECTROMAGNETIC; TIMER ASSY, LABELED SET 62837-1, SD-1385-1	0	C	5945D SE
AFP354C	AL	L-A-03-000-002	2	RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 250 DC, DPDT, RELAY, ELECTROMAGNETIC; DC 250.0 VOLTS, POLE QTY 2, THROW POSN 2, COIL	0	P	5945D SE
AFP857H	AL	L-A-13-000-002	2	RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 115, 2 NO 2 NC, RELAY, ELECTROMAGNETIC; AC 115.0 VOLTS, 2NO-2NC CONTACTS ***	0	P	5945D SE
AGP224K	AL	M-A-04-000-002	9	RELAY	RELAY, TIME DELAY, QA 1, ELECTROMAGNETIC, 120, 0.5-5 SEC, RELAY, ELECTROMAGNETIC; TIME DELAY, 120 VAC, DPDT, RANGE 0.5 TO 5	1	B	5945D SE
AGP390D	AL	L-A-03-000-002	1	RELAY	RELAY, TIME DELAY, QA 0, RELAY, ELECTROMAGNETIC; TIME DELAY ***	0	P	5945D SE
AGP398H	AL	L-A-03-000-002	6	RELAY	RELAY, TYPICAL, QA 0, RELAY, ELECTROMAGNETIC; 4 WIRE CONTACT ***	0	P	5945D SE
AHP086M	AL	M-A-06-000-002	2	RELAY	RELAY, AUXILIARY, QA 0, ELECTROMAGNETIC, 125 DC, BACK, 3.5/15, SELF RESET/SPST, RELAY, ELECTROMAGNETIC; AUXILIARY RELAY, 125V DC, TWO SPDT CON	0	P	5945D SE
AHP584E	AL	L-A-13-000-002	1	RELAY	RELAY, AUXILIARY, QA 0, ELECTROMAGNETIC, 115, 1 NO 1 NC, RELAY, ELECTROMAGNETIC; AC 115.0 VOLTS, 1NO-1NC CONTACTS, AUXILIARY	0	P	5945D SE
AHP780R	AL	P-A-LL-ET0-042	1	RELAY	RELAY, CONTROL, QA 0, RELAY, ELECTROMAGNETIC; INDUSTRIAL CONTROL 115 VAC ***	0	B	5945D SE
AJP132C	AL	L-A-03-000-002	1	RELAY	RELAY, OVERLOAD, QA 0, 115/230, 30, THERMAL, RELAY, THERMAL; AC 230.0 VOLTS, POLE QTY 1, 30.0 AMPS, OVERLOAD	0	P	5945D SE
AJP532V	AL	L-A-03-000-002	3	RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 115, 50/60, RELAY, ELECTROMAGNETIC; AC PILOT DUTY ONLY, 115 V COIL, 50/60 CY	0	P	5945D SE
AJP541T	AL	L-A-13-000-002	1	RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 115, PLUG-IN, RELAY, ELECTROMAGNETIC; PLUG-IN TYPE, KURMAN INST CORP, FOR SCHUTTE	0	P	5945D SE
AKP081K	AL	L-A-03-000-002	3	RELAY	RELAY, TYPICAL, QA 3, RELAY, ELECTROMAGNETIC; FLASHER, F1, FOR VICTOREEN VAMP AREA RADIATION	3	P	5945D SE
AKP271P	AL	L-A-09-000-002	40	RELAY	RELAY, TYPICAL, QA 0, RELAY, ELECTROMAGNETIC; INPUT, FOR SPEEDOMAX W RECORDER ***	0	P	5945D SE
AKP338H	AC	- - -	5	RELAY	RELAY, OVERLOAD, QA 0, 600, THERMAL, RELAY, THERMAL; 600 VAC, OVERLOAD, FOR MAGNETIC CONTROLLER, ON CONTROL	0	C	5945D SE
AKP773Y	AL	L-A-03-000-002	9	RELAY	RELAY, TYPICAL, QA 0, RELAY, ELECTROMAGNETIC; MERCURY CONTACT, FOR GE PAC SYSTEM, 4DP400-AFO	0	P	5945D SE
AKP873T	AL	L-A-03-000-002	9	RELAY	RELAY, TYPICAL, QA 0, RELAY, ELECTROMAGNETIC; MERCURY CONTACT, FOR GE PAC SYSTEM	0	P	5945D SE
AKP972Q	AL	L-A-03-000-002	4	RELAY	RELAY, TYPICAL, QA 0, RELAY, ELECTROMAGNETIC; PLUG IN, GAIN, MICRO-SCAN, FOR GE PAC SYSTEM	0	P	5945D SE
AKY061M	AL	M-A-10-000-002	6	RELAY	RELAY, TYPICAL, QA 2, RELAY, ELECTROMAGNETIC; FOR CURRENT TO AIR TRANSDUCER, MODEL 69AT-1 ***	2	P	5945D SE
AKY460V	AL	M-A-02-000-002	6	RELAY	RELAY, CONTROL, QA 1, RELAY, ELECTROMAGNETIC; GENERAL PURPOSE, ENCLOSED, 125/250 VAC, 3PDT	1	P	5945D SE
AKY462C	AL	M-A-07-000-002	3	RELAY	RELAY, TYPICAL, QA 0, RELAY, ELECTROMAGNETIC; CONTACTOR, STARTER, REVERSING 110/120 VAC ***	0	P	5945D SE
ALP476Y	AL	T-A-12-000-002	1	RELAY	RELAY, TIME DELAY, QA 1, RELAY, ELECTROMAGNETIC; AUXILIARY RELAY, 2 FORM C CONTACTS, 125 VDC	1	B	5945D SE
ALP479Q	AL	L-A-03-000-002	1	RELAY	RELAY, CONTROL, QA 0, ELECTROMAGNETIC, 115, 2 NO 6 NC, 60, RELAY, ELECTROMAGNETIC; INDUSTRIAL CONTROL, 2 NO & 6 NC CONTACTS	0	P	5945D SE
ALP781R	AL	L-A-03-000-002	5	RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 115, PLUG-IN, RELAY, ELECTROMAGNETIC; PLUG-IN, NORTH AMERICAN PHILIPS CONTROL CORP	0	P	5945D SE
ALP875G	AL	L-A-03-000-002	4	RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC/ARMATURE, 115, 5, RELAY, ELECTROMAGNETIC; ARMATURE 5 AMP, 115 VAC ***	0	B	5945D SE
ALP878A	AL	L-A-13-000-002	1	RELAY	RELAY, CONTROL, QA 0, ELECTROMAGNETIC, 300, 115, 3 NO 5 NC, 60, RELAY, ELECTROMAGNETIC; INDUSTRIAL CONTROL, 3 NO & 5 NC CONTACTS	0	P	5945D SE
AMP080L	AL	L-A-03-000-002	1	RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 6 DC, 1000, SPDT, RELAY, ELECTROMAGNETIC; DC 6.0 VOLTS, COIL IMPED 1000.0 OHMS, POLE QTY	0	P	5945D SE
AMP676G	AL	L-A-09-000-002	1	RELAY	RELAY, OVERLOAD, QA 0, RELAY, THERMAL; AC 115.0 VOLTS, POLE QTY 1, THROW POSN 2, OVERLOAD	0	B	5945D SE
ANP633W	AL	L-A-03-000-002	3	RELAY	RELAY, TYPICAL, QA 0, RELAY, ELECTROMAGNETIC; (INSERT FOR VOLTAGE SENSITIVE RELAY), FOR GE	0	P	5945D SE
ANP652Q	AL	M-A-07-000-002	1	RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC/TELEPHONE, 115 AC/250 DC, 2, EXPLOSION PROOF, WITH COIL PS37361-4	0	P	5945D SE
ANP789W	AL	M-A-16-000-002	9	RELAY	RELAY, TYPICAL, QA 2, RELAY, ELECTROMAGNETIC; DPDT, 10 A 120 VAC ***	2	P	5945D SE
APP180D	AL	L-A-13-000-002	2	RELAY	RELAY, TYPICAL, QA 0, RELAY, ELECTROMAGNETIC; 115 VDC ***	0	P	5945D SE
APP249P	AC	- - -	4	RELAY	RELAY, CONTROL, QA 0, ELECTROMAGNETIC, 120, RELAY, ELECTROMAGNETIC; AC 120.0 VOLTS, FOR CONTROL BAY ELEVATOR, JOB	0	C	3960D SE
APP272W	AL	M-A-02-000-002	5	RELAY	RELAY, TYPICAL, QA 3, RELAY, ELECTROMAGNETIC; DC 24.0 VOLTS, COIL IMPED 485.0 OHMS, ALARM	3	P	5945D SE
APP346R	AL	L-A-03-000-002	9	RELAY	RELAY, TYPICAL, QA 0, GENERAL PURPOSE/ENCLOSED, 110 DC, 8 PIN, 10, DPDT/ OCTAL BASE, RELAY, ELECTROMAGNETIC; GENERAL PURPOSE, ENCLOSURE ENCA	0	P	5945D SE
APP349K	AL	L-A-03-000-002	5	RELAY	RELAY, POWER, QA 0, ELECTROMAGNETIC, 115, 25, DPST, RELAY, ELECTROMAGNETIC; AC 115.0 VOLTS, POLE QTY 2, THROW POSN 1, 25.0	0	C	5945D SE
APP448H	AL	L-A-09-000-002	2	RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 120, 1 PHASE, RELAY, ELECTROMAGNETIC; AC 120.0 VOLTS, 1 PHASE ***	0	P	5945D SE

APP571J	AL	L-A-03-000-002	1 RELAY	RELAY, TYPICAL, QA 0, RELAY, ELECTROMAGNETIC; SERIES A 24 VDC ***	0	P	5945D SE
APP974V	AL	L-A-09-000-002	1 RELAY	RELAY, TYPICAL, QA 0, UNDERVOLTAGE, 48 DC, 1 NO 1 NC, RELAY, ELECTROMAGNETIC; UNDERVOLTAGE RELAY, 48 VOLT DC, 38-54 VOLT	0	P	5945D SE
AQQ543C	AL	L-A-03-000-002	3 RELAY	RELAY, TYPICAL, QA 0, ASSEMBLY, 115, 500, W/ TRANSFORMER, RELAY ASSY, ; C/W TRANSFORMER, 5 IN LG, 3 IN W, FOR AUX BOILER 115 V	0	P	5945D SE
AQT398G	AL	M-A-06-000-002	1 RELAY	RELAY, TIME DELAY, QA 0, ELECTROMAGNETIC, 240, 6-60 MIN, RELAY, ELECTROMAGNETIC; TIME DELAY, AC 240.0 VOLTS, RANGE 6 TO 60	0	P	5945D SE
AQY770D	AL	L-A-09-000-002	1 RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 300, 120, RELAY, ELECTROMAGNETIC; MAGNETIC LATCHING, ENCLOSED, 300 VAC, 4-POLE	0	P	5945D SE
AQY775P	AL	L-A-09-000-002	23 RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 120, 2 POLE, RELAY, ELECTROMAGNETIC; ENCLOSURE OPEN, AC 120.0 VOLTS, POLE QTY 2 ***	0	P	5945D SE
AQY776M	AL	T-A-05-000-002	2 RELAY	RELAY, TYPICAL, QA 0, RELAY, ELECTROMAGNETIC; ARMATURE 120 VAC ***	0	C	3960D SE
ARJ061E	AL	T-A-05-000-002	2 RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; ROTARY, 10 AMP, COIL VOLTAGE, 115 VAC AC, 60	1	B	5945D SE
ARM292L	AL	L-A-09-000-002	1 RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 30 DC, 28 DC, 7, DPDT, RELAY, ELECTROMAGNETIC; ADJUSTABLE DROPOUT,0.5 TO 5 SECONDS,DOUBLE	0	P	5945D SE
ARN847V	AL	M-A-11-000-002	170 RELAY	RELAY, TYPICAL, QA 1, GENERAL PURPOSE/ENCLOSED, 240, 125 DC, 11 PIN, 3 PDT, RELAY ELECTROMAGNETIC; GENERAL PURPOSE, ENCLOSED, 240VAC, 3PDT,	1	B	5945D SE
ARR498B	AL	M-A-01-000-002	1 RELAY	RELAY, TIME DELAY, QA 3, RELAY, ELECTROMAGNETIC; TIME DELAY, AC 120.0 VOLTS, POLE QTY 2, DWG	3	P	5945D SE
ARY581Y	AL	M-A-11-000-002	25 RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; GENERAL PURPOSE, ENCLOSED, 240VDC, 3PDT, 24	1	B	5945D SE
ATC676A	AL	M-A-06-000-002	8 RELAY	RELAY, CONTROL, QA 1, RELAY, ELECTROMAGNETIC; DC 250.0 VOLTS, 10.0 AMPS, CONTROL, 8NO	1	P	5945D SE
ATE344R	AL	M-A-12-000-002	2 RELAY	RELAY, TYPICAL, QA 3, RELAY, ELECTROMAGNETIC; 10 AMP, 600 VOLT MAX, WITH COIL 22D11G95A, 7.7	3	P	5945D SE
ATJ152E	AL	M-A-08-000-002	1 RELAY	RELAY, TYPICAL, QA 1, ELECTROMAGNETIC, 24 DC, 3, DPDT	1	P	5945D SE
ATL268G	AL	M-A-06-000-002	1 RELAY	RELAY, TIME DELAY, QA 0, ELECTROMAGNETIC, 120, 6-60 MIN, RELAY, ELECTROMAGNETIC; TIME DELAY, AC 120.0 VOLTS, RANGE 6 TO 60	0	P	5945D SE
ATN206X	AL	M-A-12-000-002	2 RELAY	RELAY, TIME DELAY, QA 3, RELAY, ELECTROMAGNETIC; TIME DELAY, AC 600.0 VOLTS, 3 MINUTE	3	P	5945D SE
ATT045W	AL	M-A-01-000-002	1 RELAY	RELAY, TYPICAL, QA 3, RELAY, ELECTROMAGNETIC; MACHINE TOOL, 10 A,600 VAC MAX,92/115 VAC,50/60	3	P	5945D SE
ATT046T	AL	M-A-12-000-002	2 RELAY	RELAY, TYPICAL, QA 3, RELAY, ELECTROMAGNETIC; AC 600.0 VOLTS, 10.0 AMPS, FOR 125 TON OET	3	P	5945D SE
AVJ643L	AL	T-A-02-000-002	2 RELAY	RELAY, AUXILIARY, QA 0, ELECTROMAGNETIC, 115, FRONT, 60, 6 REVERSIBLE CONTACTS, RELAY, ELECTROMAGNETIC; AUXILIARY RELAY, 115V 60HZ, 6 REVERS	0	P	5945D SE
AVN908N	AL	M-A-08-000-002	1 RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 240 DC, 1.1, RELAY, ELECTROMAGNETIC; DC 240.0 VOLTS, 1.1 AMPS, AUTO STOP TRIP, TYPE	0	P	5945D SE
AVT196A	AL	L-A-13-000-002	2 RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 120 AC/125 DC, 2/10	0	P	5945D SE
AVX154B	AL	M-A-01-000-002	2 RELAY	RELAY, CONTROL, QA 3, RELAY, ELECTROMAGNETIC; AC 480.0 VOLTS, POLE QTY 2, CONTROL, FOR HOIST	3	P	5945D SE
AWA455Q	AL	L-A-03-000-002	1 RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 28 DC, 2, 5000, DPDT, RELAY, ELECTROMAGNETIC; DC 28.0 VOLTS, COIL IMPED 5000.0 OHMS, POLE	0	P	5945D SE
AWH516T	AL	M-A-06-000-002	1 RELAY	RELAY, TIME DELAY, QA 3, RELAY, ELECTROMAGNETIC; TIME DELAY, ENCLOSURE OPEN, 600 VAC, SERIES B	3	P	5945D SE
AWR332V	AL	L-A-03-000-002	28 RELAY	RELAY, TYPICAL, QA 0, RELAY, ELECTROMAGNETIC; SPECIAL PURPOSE, FOR SECURITY SYSTEM ***	0	P	5945D SE
AXE638M	AL	M-A-08-000-002	3 RELAY	RELAY, REED, QA 0, RELAY, REED; DC 6.0 VOLTS ***	0	P	5945D SE
AXF225A	AL	M-A-06-000-002	6 RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 120, 30, DPDT, RELAY, ELECTROMAGNETIC; 120 VAC, DPDT, 30 AMPS, WITH MOUNTING BRACKET	0	P	5945D SE
AXM457M	AL	P-A-LL-ET0-063	2 RELAY	RELAY, OVERLOAD, QA 0, 600 AC/DC, 30, THERMAL, 1 NO, RELAY, THERMAL; AC 600.0 VOLTS, DC 600.0 VOLTS, POLE QTY 3, ENCLOSURE	0	B	5945D SE
AXV509Y	AL	M-A-12-000-002	1 RELAY	RELAY, CONTROL, QA 3, RELAY, ELECTROMAGNETIC; AC 480.0 VOLTS, CONTROL, HEAVY DUTY, FOR	3	P	5945D SE
AXV607Y	AL	L-A-09-000-002	1 RELAY	RELAY, CONTROL, QA 0, ELECTROMAGNETIC, 250, 35, DPDT, RELAY, ELECTROMAGNETIC; AC 250.0 VOLTS, POLE QTY 2, THROW POSN 2, 35.0	0	P	5945D SE
AXW860P	AL	M-A-01-000-002	1 RELAY	RELAY, TIME DELAY, QA 1, ELECTROMAGNETIC, 125 DC, 5-50 SEC, ENCLOSURE ENCAPSULATED, PANELS	1	B	5945D SE
AYH796D	AL	T-A-05-000-002	2 RELAY	RELAY, TIME DELAY, QA 0, RELAY, ELECTROMAGNETIC; TIMER ASSEMBLY, TLT 62838-1, FOR FREIGHT	0	C	5945D SE
BBH201P	AL	M-A-08-000-002	4 RELAY	RELAY, TYPICAL, QA 0, RELAY, ELECTROMAGNETIC; GENERAL PURPOSE, ENCLOSURE OPEN, DC 24.0	0	P	5945D SE
BBQ173W	AL	M-A-01-000-002	2 RELAY	RELAY, LATCHING, QA 3, RELAY, ELECTROMAGNETIC; MAGNETIC LATCHING, ENCLOSED, 300 VAC, 8-POLE	3	P	5945D SE
BBR043V	AL	M-A-06-000-002	7 RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; GENERAL PURPOSE, ENCLOSURE ENCAPSULATED, AC	1	P	5945D SE
BBV657N	AL	M-A-10-000-002	6 RELAY	RELAY, TYPICAL, QA 2, RELAY, SOLID STATE; AC 120.0 VOLTS, DC 32.0 VOLTS, 10.0 AMPS, FOR PH	2	P	5945D SE
BBX459G	AL	M-A-15-000-002	1 RELAY	RELAY, CONTROL, QA 0, RELAY, ELECTROMAGNETIC; LTC CONTROL BACK-UP, S/N 2659 ***	0	P	5945D SE
BBX908E	AL	M-A-16-000-002	3 RELAY	RELAY, TYPICAL, QA 2, RELAY, SOLID STATE; PLUG-IN, 120 VAC, 5 VDC, FOR EBERLINE INSTRUMENT	2	P	5945D SE
BCD224Q	AL	M-A-12-000-002	5 RELAY	RELAY, TYPICAL, QA 3, RELAY, ELECTROMAGNETIC; ENCLOSED, 125 VAC, SPDT, 8 AMPS, 8 FLA, 18	3	P	5945D SE
BCV340R	AL	M-A-06-000-002	3 RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; PLUG-IN, ENCLOSURE ENCAPSULATED, DC 24.0	1	P	5945D SE
BCV341C	AL	M-A-06-000-002	4 RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; PLUG-IN, ENCLOSURE ENCAPSULATED, DC 24.0	1	P	5945D SE
BCW529L	AL	M-A-16-000-002	4 RELAY	RELAY, REED, QA 3, RELAY, REED; ALARM RESPONSE, SIGMA, FOR LEEDS & NORTHRUP TRENDS CAN 1000	3	B	5945D SE
BCX484B	AL	M-A-13-000-002	5 RELAY	RELAY, TYPICAL, QA 0, RELAY, ELECTROMAGNETIC; 250 VDC, TYPE AR, TL 41-759, FOR 500 KV AIR	0	P	5945D SE
BDD856C	AL	M-A-01-000-002	2 RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; 115 VAC, 12PDT ***	1	P	5945D SE
BDD856C	AL	M-A-03-000-002	2 RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; 115 VAC, 12PDT ***	1	P	5945D SE
BDH849L	AL	M-A-01-000-002	4 RELAY	RELAY, TIME DELAY, QA 1, RELAY, ELECTROMAGNETIC; TIME DELAY, AC 120.0 VOLTS, DC 110.0 VOLTS	1	P	5945D SE
BDL632Y	AL	M-A-16-000-002	5 RELAY	RELAY, REED, QA 1, RELAY, REED; ENCLOSURE ENCAPSULATED, DC 24.0 VOLTS, POLE QTY 1, THROW	1	P	5945D SE
BEA224V	AL	P-A-LL-ET0-053	1 RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; 480 VAC, 40 AMPS CONTINUOUS, 20 TO 80 AMPS	1	P	5945D SE
BEA224V	AL	L-A-12-000-002	5 RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; 480 VAC, 40 AMPS CONTINUOUS, 20 TO 80 AMPS	1	P	5945D SE
BEC808P	AL	M-A-16-000-002	18 RELAY	RELAY, REED, QA 3, RELAY, REED; DC 5.0 VOLTS, POLE QTY 1, THROW POSN 2, .5 AMPS ***	3	P	5945D SE
BED819C	AL	M-A-16-000-002	4 RELAY	RELAY, REED, QA 3, RELAY, REED; DC 5.0 VOLTS, POLE QTY 1, THROW POSN 1, 8 PIN	3	P	5945D SE
BEL615Q	AL	M-A-16-000-002	2 RELAY	RELAY, REED, QA 3, RELAY, REED; 12 VDC, 160 OHMS, FOR MSR REHEAT CONTROLLER, TYPE N2M-1-R	3	P	5945D SE
BEQ916M	AL	L-A-13-000-002	3 RELAY	RELAY, TYPICAL, QA 0, GENERAL PURPOSE/ENCLOSED, 110, 8 PIN PLUG-IN, 10, DPDT, RELAY, ELECTROMAGNETIC; GENERAL PURPOSE, ENCLOSURE ENCAPSULATE	0	P	5945D SE
BEY990M	AL	L-A-09-000-002	3 RELAY	RELAY, TYPICAL, QA 0, RELAY, ELECTROMAGNETIC; AC 480.0 VOLTS, 125 VA, COMPRESSOR FAULT, FOR	0	P	5945D SE
BFA015M	AL	M-A-10-000-002	3 RELAY	RELAY, SOLID STATE, QA 0, RELAY, SOLID STATE; 120 VAC, PROTECTIVE, STATIC SYNCHRONISM RATED	0	P	5945D SE
BFP872E	AL	L-A-03-000-002	1 RELAY	RELAY, PNEUMATIC, QA 0, RELAY, PNEUMATIC; AMPLIFYING, FOR TRANSMITTER, PNEUMATIC	0	P	6695D SE
BGM385X	AL	M-A-16-000-002	8 RELAY	RELAY, SOLID STATE, QA 3, RELAY, SOLID STATE; AC 120.0 VOLTS, 40.0 AMPS ***	3	P	5945D SE
BGQ336V	AL	L-A-03-000-002	13 RELAY	RELAY, TIME DELAY, QA 3, RELAY, ELECTROMAGNETIC; TIME DELAY, 115 VAC, 125 VDC, UNDERFREQUENCY	3	P	5945D SE
BGR870D	AL	L-A-03-000-002	3 RELAY	RELAY, TYPICAL, QA 0, RELAY, ELECTROMAGNETIC; EMERGENCY HEAT ***	0	P	5945D SE
BGR885L	AL	L-A-03-000-002	2 RELAY	RELAY, TYPICAL, QA 0, RELAY, ELECTROMAGNETIC; DEFROST ***	0	P	5945D SE
BHP076H	AL	L-A-09-000-002	2 RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 125, 24, 1 NO 1 NC, 12, 1 POLE, RELAY, ELECTROMAGNETIC; AC 125.0 VOLTS, 12.0 AMPS, 1NO-1NC CONTACT, 2	0	P	5945D SE
BHQ741C	AL	M-A-15-000-002	5 RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; AC 115.0 VOLTS, TYPE MG-6, FOR ERCW DUPLEX	1		5945D SE
BHQ802K	AL	M-A-16-000-002	4 RELAY	RELAY, SOLID STATE, QA 3, RELAY, SOLID STATE; AC 120.0 VOLTS, DC 32.0 VOLTS, 8 FLA, 48 LRA ***	3	C	5945D SE
BHR055F	AL	P-A-LL-ET0-078	2 RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; 115 VDC ***	1	B	5945D SE
BHV833P	AL	M-A-01-000-002	2 RELAY	RELAY, AUXILIARY, QA 0, RELAY ASSY, ; HEAD, NON-BLEED, FOR TRANSMITTER, PRESSURE, FLOW, MODEL	0	P	6695D SE
BJC028F	AL	M-A-06-000-002	1 RELAY	RELAY, TIME DELAY, QA 1, RELAY, ELECTROMAGNETIC; TIME DELAY, AC 120.0 VOLTS, POLE QTY 2, THROW	1	B	5945D SE
BJC031T	AL	T-A-05-000-002	2 RELAY	RELAY, TIME DELAY, QA 1, ELECTROMAGNETIC, 125 DC, DPDT, 0.5-5 SEC, ** ON-DELAY RELAY; WITH AUXILIARY SWITCH, ONE INSTANTANEOUS FORM C	1	B	5945D SE
BJQ579L	AL	M-A-01-000-002	4 RELAY	RELAY, LATCHING, QA 3, RELAY, ELECTROMAGNETIC; LATCHING-TYPE, ENCLOSURE ENCAPSULATED, AC	3	P	5945D SE
BJR502L	AL	L-A-03-000-002	3 RELAY	RELAY, TYPICAL, QA 3, RELAY, ELECTROMAGNETIC; DC 24.0 VOLTS, POLE QTY 2, THROW POSN 2	3	P	5945D SE
BJW895M	AL	L-A-03-000-002	5 RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; 115 VAC COIL, 60 HZ, 8PDT, CONTACT RATING 10	1	B	5945D SE
BKE806J	AL	L-A-03-000-002	4 RELAY	RELAY, TIME DELAY, QA 0, ELECTROMAGNETIC, 125 DC, 1.5-15 SEC, RELAY, ELECTROMAGNETIC; TIME DELAY, DC 125.0 VOLTS, POLE QTY 2, THROW	0	P	5945D SE
BKM958M	AL	P-A-LL-ET0-064	2 RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; ENCLOSURE OPEN, AC 600.0 VOLTS, POLE QTY 6	1	B	5945D SE
BKQ808T	AL	M-A-07-000-002	1 RELAY	RELAY, TYPICAL, QA 0, SUDDEN PRESSURE, 250 DC, W/ LEAD ASSEMBLY, RELAY, ELECTROMAGNETIC; 250 VDC, SUDDEN PRESSURE, WITHLEAD ASSEMBLY	0	B	5945D SE
BLD149T	AL	P-A-LL-ET0-078	1 RELAY	RELAY, TIME DELAY, QA 1, RELAY, ELECTROMAGNETIC; TIME DELAY, AC 120.0 VOLTS, DC 24.0 VOLTS	1	B	5945D SE

BLD485A	AL	P-A-LL-ET0-078	1 RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; SET POINT 120 VAC, DROPOUT CALIBRATION RANGE	1	B	5945D SE
BLF101E	AC	- - -	1 RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; CLASS J, 600 VOLTS AC MAX, 125VDC ***	1	P	5945D SE
BLQ222J	AL	T-A-05-000-002	2 RELAY	RELAY, CONTROL, QA 0, RELAY, ELECTROMAGNETIC; CURRENT SENSING, TYPE COD, RANGE 2 TO 6 AMPS	0	P	5945D SE
BLR472M	AL	T-A-05-000-002	5 RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; 120 VDC, 6-POLE, ARD CONTACTS, WESTINGHOUSE	1	P	5945D SE
BLR472M	AL	T-A-01-000-002	17 RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; 120 VDC, 6-POLE, ARD CONTACTS, WESTINGHOUSE	1	P	5945D SE
BLT777R	AL	T-A-05-000-002	1 RELAY	RELAY, TYPICAL, QA 0, OUT-OF-STEP, 120, 5, 0/0.5/1.0/2.5/4.0, RELAY, ELECTROMAGNETIC; OUT-OF-STEP, TYPE GSY, RANGE 120 VOLTS, 5 AMP	0	P	5945D SE
BLV024X	AL	M-A-06-000-002	6 RELAY	RELAY, TIME DELAY, QA 1, ELECTROMAGNETIC, 120, 2 DOUBLE POLE DOUBLE THROW, 20-200 SEC	1	B	5945D SE
BLV785M	AL	M-A-03-000-002	2 RELAY	RELAY, TYPICAL, QA 3, RELAY, ; WATCGDOG, FOR ANNUNCIATOR. ***	3	P	5945D SE
BLY105Q	AL	L-A-03-000-002	1 RELAY	RELAY, AUXILIARY, QA 0, RELAY, ELECTROMAGNETIC; AUXILIARY, FOR CIRCUIT BREAKERUNIT 1-2-3, 6900	0	P	5945D SE
BMB607V	AL	P-A-LL-ET0-064	1 RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; 230 VAC, "Y", 25 CYCLES, AK-15/25, FOR TYPE AK	1	B	5945D SE
BMD201E	AL	L-A-09-000-002	17 RELAY	RELAY, TYPICAL, QA 3, RELAY, ELECTROMAGNETIC; 24 VDC, END-OF-LINE, ONE FORM "A" CONTACT 1	3	P	5945D SE
BNF088L	AL	L-A-03-000-002	2 RELAY	RELAY, CONTROL, QA 1, RELAY, SOLID STATE; UNDERVOLTAGE, TYPE 27N, WITH APICKUP VOLTAGE OF	1	P	5945D SE
BNF088L	AL	L-A-07-000-002	13 RELAY	RELAY, CONTROL, QA 1, RELAY, SOLID STATE; UNDERVOLTAGE, TYPE 27N, WITH APICKUP VOLTAGE OF	1	P	5945D SE
BNM201Y	AL	L-A-12-000-002	2 RELAY	RELAY, TYPICAL, QA 0, RELAY, ELECTROMAGNETIC; RELAY, FSCM-98403 ***	0	P	5945D SE
BNM455X	AL	L-A-09-000-002	1 RELAY	RELAY, TIME DELAY, QA 1, RELAY, SPARE PART; DELAY RANGE .55 TO 15 SECONDS TAG #PANEL	1	P	5945D SE
BNP956W	AC	- - -	2 RELAY	RELAY, TIME DELAY, QA 1, RELAY, SOLID STATE; TIMING, ON DELAY, 1.0 TO 30 MINUTES, INTERNAL	1	B	5945D SE
BNQ870D	AL	M-A-01-000-002	1 RELAY	RELAY, SOLID STATE, QA 1, RELAY, SOLID STATE; GENERAL PURPOSE, ENCLOSURE OPEN, AC 120.0 VOLTS	1	P	5945D SE
BNR844X	AL	L-A-03-000-002	1 RELAY	RELAY, TYPICAL, QA 0, RELAY, ELECTROMAGNETIC; RELAY. ***	0	P	5945D SE
BNW286N	AL	P-A-LL-ET0-108	24 RELAY	RELAY, TYPICAL, QA 1, ELECTROMAGNETIC, 300, 120, 4 NO, 4 POLE	1	B	5945D SE
BPK197X	AL	L-A-09-000-002	1 RELAY	RELAY, TYPICAL, QA 0, RELAY, ELECTROMAGNETIC; 230/250 VDC ***	0	P	5945D SE
BPK861N	AL	M-A-08-000-002	4 RELAY	RELAY, OVERLOAD, QA 3, RELAY, THERMAL; 3-POLE, 100 AMPS, OVERLOAD ***	3	B	5945D SE
BPL108K	AL	P-A-LL-ET0-085	4 RELAY	RELAY, TIME DELAY, QA 0, ELECTROMAGNETIC, 115, 1 NO 1 NC, RELAY, ELECTROMAGNETIC; TIME DELAY, 115 VAC, PNEUMATIC, 1NO-1NC TIMED	0	B	5945D SE
BPP820V	AL	M-A-04-000-002	10 RELAY	RELAY, TIME DELAY, QA 1, RELAY, ELECTROMAGNETIC; TIME DELAY, 120 VAC, 4PDT, RANGE 10 TO 100	1	B	5945D SE
BPQ156J	AL	L-A-09-000-002	1 RELAY	RELAY, TYPICAL, QA 3, RELAY, ELECTROMAGNETIC; 24.0 VOLTS, DPDT, 8 PIN, SOCKET MOUNT	3	B	5945D SE
BQD230Y	AL	T-A-05-000-002	2 RELAY	RELAY, CONTROL, QA 0, RELAY, ELECTROMAGNETIC; OVERCURRENT, TYPE CO-7 ***	0	C	5945D SE
BRB116M	AC	- - -	2 RELAY	RELAY, TIME DELAY, QA 1, RELAY, ELECTROMAGNETIC; TIME DELAY, CAT. NO. EGPBNC2004003, REF GPBN (1	B	5945D SE
BRB116M	AL	L-A-03-000-002	6 RELAY	RELAY, TIME DELAY, QA 1, RELAY, ELECTROMAGNETIC; TIME DELAY, CAT. NO. EGPBNC2004003, REF GPBN (1	B	5945D SE
BRF791R	AL	L-A-15-000-002	1 RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 120, 10, DPDT, RELAY, ELECTROMAGNETIC; WITH DPDT CONTACTS RATED 10A AT 250 VAC, COIL	0	B	5945D SE
BTB995P	AL	T-A-12-000-002	1 RELAY	RELAY, OVERLOAD, QA 1, RELAY, THERMAL; 600VAC,NEMA 3, OVERLOAD,REPLACEMENT,HAND-AUTO RESET	1	B	5945D SE
BTE887B	AL	T-A-02-000-002	4 RELAY	RELAY, AUXILIARY, QA 1, RELAY, ELECTROMAGNETIC; AUXILIARY, 125VDC, CODE 51, FIVE N.O. CONTACTS	1	B	5945D SE
BTP231H	AL	L-A-09-000-002	7 RELAY	RELAY, CONTROL, QA 3, RELAY, CONTROL MODULE; SINGLE SPDT RELAY WITH LED MOUNTED IN METAL	3	B	5963B SE
BTQ065R	AL	M-A-06-000-002	3 RELAY	RELAY, OVERLOAD, QA 3, RELAY, THERMAL; AC 600.0 VOLTS, DC 230.0 VAC, POLE QTY 1 THROW POSN 2	3	B	5945D SE
BTV166D	AL	M-A-01-000-002	7 RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; 700DC-R220Z1, 115/125 VDC COIL, CONTACT RATING	1	B	5945D SE
BTV171L	AL	T-A-02-000-002	16 RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; 700DC-R130Z1, 115/125 VDC COIL, CONTACT RATING	1	B	5945D SE
BTV181H	AL	T-A-02-000-002	19 RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; 120 VAC COIL, CONTACT RATING B300, 8-POLE	1	B	5945D SE
BTW658J	AL	T-A-02-000-002	2 RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; 120VAC COIL,CONTACT RATING B300,8 POLE,NC	1	B	5945D SE
BTX197P	AL	M-A-15-000-002	5 RELAY	RELAY, AUXILIARY, QA 1, RELAY, ELECTROMAGNETIC; AUXILIARY RELAY, TYPE MG-6, SPIN BOP ***	1		5945D SE
BVE941R	AL	M-A-06-000-002	1 RELAY	RELAY, PNEUMATIC, QA 0, RELAY, PNEUMATIC; AMPLIFYING, MODEL 661A2R, VARIABLE PRESSURE OUTPUT	0	B	6695D SE
BVG904N	AL	P-A-LL-ET0-108	1 RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; FOR AK-2-25 CIRCUIT BREAKERS,230 VOLTS AC, "X"	1	B	5945D SE
BVG904N	AL	L-A-13-000-002	2 RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; FOR AK-2-25 CIRCUIT BREAKERS,230 VOLTS AC, "X"	1	B	5945D SE
BVJ130N	AL	L-A-03-000-002	1 RELAY	RELAY, TIME DELAY, QA 1, RELAY, TIMER; MULTIPULSE, 60 MINUTE REPEAT CYCLE, 120/VAC MOTOR, 60HZ	1	B	5945D SE
BVR739V	AL	L-A-03-000-002	2 RELAY	RELAY, TIME DELAY, QA 1, ELECTROPNEUMATIC, 250 DC, DPDT, 1.5-15 SEC, ON-DELAY	1	B	5945D SE
BVV131T	AL	L-A-01-000-002	2 RELAY	RELAY, TIME DELAY, QA 1, ELECTROPNEUMATIC, 240, DPDT, 5-50 SEC, 60, OFF DELAY	1	B	5945D SE
BWG221C	AL	L-A-03-000-002	1 RELAY	RELAY, TYPICAL, QA 0, RELAY, SPARE PART; SPDT, 24 VDC, FOR 1989 OPTION BOARD SD-0373500-C	0	C	5945D SE
BWH614K	AL	T-A-05-000-002	3 RELAY	RELAY, CONTROL, QA 1, RELAY, ELECTROMAGNETIC; RELAY, ELECTROMAGNETIC, CONTROL, 100 - 140	1	B	5945D SE
BWM320V	AL	M-A-06-000-002	3 RELAY	RELAY, TYPICAL, QA 3, RELAY, HEAVY EQUIPMENT; RELAY, LIGHT/HEAVY, FOR DOWN IN TRANSFER, AND	3	B	29100 SE
BWQ668P	AL	M-A-06-000-002	1 RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 250, 208/230, 18, 1-2 HP, RELAY, ELECTROMAGNETIC; AC 250.0 VOLTS, 18.0 AMPS, 1 TO 2 HP, COIL	0	C	5945D SE
BXA045M	AL	M-A-06-000-002	1 RELAY	RELAY, TYPICAL, QA 0, RELAY, INVERTER; OVER/UNDER VOLTAGE, SPARE PART FOR PREFERRED	0	B	6130S SE
BXA046K	AL	M-A-08-000-002	1 RELAY	RELAY, CONTROL, QA 0, RELAY, INVERTER; CONTROL, 120VAC, SPARE PART FOR PREFERRED INVERTER	0	B	6130S SE
BXA047H	AL	M-A-08-000-002	1 RELAY	RELAY, TYPICAL, QA 0, RELAY, INVERTER; OVER TEMPERATURE, SPARE PART FOR PREFERRED INVERTER	0	B	6130S SE
BXA472B	AL	L-A-13-000-002	4 RELAY	RELAY, TYPICAL, QA 3, RELAY, ELECTROMAGNETIC; FOR USE ON WALTER KIDDE CO CABLE TRAY, FIRE	3	C	5945D SE
BXB522H	AL	M-A-01-000-002	2 RELAY	RELAY, OVERLOAD, QA 1, RELAY, THERMAL; OVERLOAD, FAST TRIP, 3 POLE, SIZE 1, NORMALLY CLOSED	1	B	5945D SE
BXF509M	PR	T-A-02-000-002	6 RELAY	RELAY, TYPICAL, QA 1, ELECTROMAGNETIC, 125 DC, RELAY, ELECTROMAGNETIC; 125VDC COIL ***	1	B	5945D SE
BXG179A	AL	L-A-13-000-002	6 RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 1.6, FIELD LOSS, DC OPERATING COIL	0	B	5945D SE
BXG181P	AL	L-A-13-000-002	6 RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 3.2, FIELD LOSS, DC OPERATING COIL.	0	B	5945D SE
BXG184H	AL	L-A-13-000-002	11 RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 600, 2 NO, 10, RELAY, ELECTROMAGNETIC; AC 600V, 10.0 AMPS, MACHINE TOOL, 2 NO	0	B	5945D SE
BXG185F	AL	L-A-13-000-002	2 RELAY	RELAY, TIME DELAY, QA 0, ELECTROMAGNETIC, 600, 1 NO 1 NC, 0.2-180 SEC, 15, RELAY, ELECTROMAGNETIC; TIME DELAY, AC 600V, 15.0 AMPS, 1NO-1NC	0	B	5945D SE
BXG660N	AL	L-A-03-000-002	1 RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 600, 10, RELAY, ELECTROMAGNETIC; AC 600.0 VOLTS, 10.0 AMPS ***	0	C	5945D SE
BXL509V	AL	L-A-13-000-002	5 RELAY	RELAY, TYPICAL, QA 0, RELAY, ELECTROMAGNETIC; PLUG-IN, W/COIL W88CPX-8, FOR LUNDELL	0	B	5945D SE
BXL525W	AL	L-A-13-000-002	4 RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 250 DC, 4 NO 4 NC, RELAY, ELECTROMAGNETIC; BULLETIN 200, TYPE EX, 4 POLES, SERIES A,	0	B	5945D SE
BXL529L	AL	L-A-13-000-002	3 RELAY	RELAY, POWER, QA 0, ELECTROMAGNETIC, 230, 25, RELAY, ELECTROMAGNETIC; POWER, 230VAC, 25 AMP, 1 HP ***	0	B	5945D SE
BXL530F	AL	L-A-13-000-002	8 RELAY	RELAY, TIME DELAY, QA 0, ELECTROMAGNETIC, 110/120, 50/60, RELAY, ELECTROMAGNETIC; ARMATURE, TIME DELAY, SERIES A, COIL 120/110V	0	B	5945D SE
BXL535R	AL	L-A-13-000-002	6 RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 30 DC, 3, 5, 2500, RELAY, ELECTROMAGNETIC; DC 30.0 VOLTS, POLE QTY 2, THROW POSN 2, COIL	0	B	5945D SE
BXM717E	AL	L-A-13-000-002	12 RELAY	RELAY, TYPICAL, QA 0, GENERAL PURPOSE, 115, 38 DC, 5, DPDT, RELAY, ELECTROMAGNETIC; GENERAL PURPOSE, ENCLOSED, 115VAC, 38VDC	0	C	5945D SE
BXM726D	AL	L-A-13-000-002	4 RELAY	RELAY, REED, QA 0, RELAY, REED; MERCURY WETTED CONTACT, FOR HGRECORDERS XR-47-20	0	C	5945D SE
BXM727B	AL	L-A-13-000-002	7 RELAY	RELAY, CONTROL, QA 0, RELAY, ELECTROMAGNETIC; TEMPERATURE CONTROL ***	0	C	5945D SE
BYR467G	AL	L-A-03-000-002	1 RELAY	RELAY, AUXILIARY, QA 1, RELAY, ELECTROMAGNETIC; AUXILIARY RELAY,48 VDC,TWO SPDT CONTACTS,SELF	1	B	5945D SE
BYY476M	AL	L-A-09-000-002	1 RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 600, 125 DC, 2 NO, RELAY, ELECTROMAGNETIC; 125 VDC COIL & 2NO CONTACTS, DC CONTACT, B3F	0	B	5945D SE
CAC452M	AL	L-A-03-000-002	1 RELAY	RELAY, TYPICAL, QA 3, RELAY, ELECTROMAGNETIC; 600 VDC LINE VOLTAGE,50 AMPS, 230/250V	3	C	5945D SE
CAD345H	AL	L-A-09-000-002	1 RELAY	RELAY, CONTROL, QA 0, ELECTROMAGNETIC, 600, 250 DC, 5, RELAY, ELECTROMAGNETIC; CONTROL, 250V DC COIL, CONTACT RATING 5 AMPS	0	B	5945D SE
CAE486R	AL	L-A-03-000-002	3 RELAY	RELAY, TYPICAL, QA 3, RELAY, MOISTURE DETECTOR; 120VAC PRIMARY/500VAC SECONDARY, FOR USE	3	B	6695D SE
CAP689W	AL	L-A-03-000-002	1 RELAY	RELAY, LATCHING, QA 0, 300, 115, 5 NO 3 NC, 10, 60, RELAY, ELECTROMAGNETIC; LATCH, 5 NO & 3 NC CONTACTS, W/115 V, 60 CY	0	C	5945D SE
CAV861N	AL	T-A-04-000-002	1 RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; 1-12A/6-150A, GE CATALOG 121FC53BD1A ***	1	B	5945D SE
CBB264M	AL	L-A-09-000-002	1 RELAY	RELAY, AUXILIARY, QA 0, RELAY, GENERATOR; AUXILIARY RELAY, IDENTIFICATION NO. FPH1411001R0226.	0	B	6115F SE
CBR758K	AL	M-A-16-000-002	48 RELAY	RELAY, AUXILIARY, QA 0, ASEA AUXILIARY TRIPPING RELAY, RXMH2, 125 VDC, 8 N.O. CONTACTS	0	C	5945D SE

CBT539T	AL	M-A-16-000-002	54	RELAY	RELAY, AUXILIARY, QA 0, 125 DC, 2 NO 2 NC, SELF RESET/COMBIFLEX, TYPE RXME-1	0	C	5945D SE
CDE471L	AL	L-A-09-000-002	1	RELAY	RELAY, TYPICAL, QA 2, RELAY, ELECTROMAGNETIC; GENERAL PURPOSE, DPDT CONTACTS RATED AT	2	B	5945D SE
CDH089Q	AL	M-A-06-000-002	4	RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; GENERAL PURPOSE, ENCLOSED, 240 VAC, 3PDT, 24	1	B	5945D SE
CDH808W	AL	L-A-09-000-002	1	RELAY	RELAY, TYPICAL, QA 2, RELAY, ELECTROMAGNETIC; GENERAL PURPOSE, 115/120 VAC 60 HZ COIL, SPST	2	B	5945D SE
CDH810L	AL	L-A-09-000-002	1	RELAY	RELAY, TYPICAL, QA 2, RELAY, ELECTROMAGNETIC; 120 VAC 60 HZ COIL, SPDT CONTACTS, N.O.	2	B	5945D SE
CDH853N	AL	L-A-09-000-002	3	RELAY	RELAY, TYPICAL, QA 2, RELAY, ELECTROMAGNETIC; MICRORELAY, PLUG-IN TYPE FOR PROPORTIONAL	2	B	5945D SE
CDH854L	AL	L-A-13-000-002	1	RELAY	RELAY, CONTROL, QA 2, RELAY, ELECTROMAGNETIC; MICRORELAY, PLUG IN TYPE FOR CHILLER MOTOR	2	B	5945D SE
CDT385F	AL	R-A-03-000-002	1	RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; TIME-OVERCURRENT RELAY WITH VOLTAGE RESTRAINT	1	C	5945D SE
CEB151G	AL	T-A-05-000-002	3	RELAY	RELAY, OVERLOAD, QA 0, RELAY, THERMAL; K74 OVERLOAD RELAY FOR DOVER CONTACTOR MODEL 75535 FOR	0	C	5945D SE
CEB152E	AL	T-A-05-000-002	3	RELAY	RELAY, OVERLOAD, QA 0, RELAY, THERMAL; BI-METAL OVERLOAD RELAY (LESS HEATER) FOR DOVER	0	C	5945D SE
CEJ102T	AL	L-A-09-000-002	9	RELAY	RELAY, CONTROL, QA 3, SOLID STATE, 1 NC, *** AMPS: 25, CONTROL VOLT: 3-32 VDC	3	P	5945D SE
CEK085G	AL	L-A-09-000-002	2	RELAY	RELAY, TYPICAL, QA 2, RELAY, *TYPICAL; TYPE: ISOLATION; VOLTS: 120 AC/28 DC; COIL VOLTS: 12	2	B	5945D SE
CEM829Q	AL	L-A-13-000-002	1	RELAY	RELAY, TYPICAL, QA 2, RELAY, *TYPICAL; TYPE: ELECTROMAGNETIC; VOLTS: 600; COIL VOLTS: 115;	2	B	5945D SE
CFD758Q	AL	L-A-03-000-002	2	RELAY	RELAY, TYPICAL, QA 1, ELECTROMAGNETIC, 600 AC/600 DC, 12 NO, *** OPEN FRAME, SCREW MOUNTED, COIL VOLTAGE: OPTIMIZED FOR 115-120 VAC	1	B	5945D SE
CFD760H	AL	L-A-09-000-002	1	RELAY	RELAY, TYPICAL, QA 1, ELECTROMAGNETIC, 600 AC/600 DC, 8 NO, ** OPEN FRAME, SCREW MOUNTED, COIL VOLTAGE: OPTIMIZED FOR 115-120 VAC	1	B	5945D SE
CFD764X	AL	L-A-09-000-002	2	RELAY	RELAY, TYPICAL, QA 1, ELECTROMAGNETIC, 600 AC/600 DC, 6 NO, *** OPEN FRAME, SCREW MOUNTED, COIL VOLTAGE: OPTIMIZED FOR 115-120VAC	1	B	5945D SE
CFD773W	AL	L-A-09-000-002	4	RELAY	RELAY, TIME DELAY, QA 1, SOLID STATE, 120 AC/120 DC, DPDT, 8 PIN PLUG-IN, *** OPERATE DELAY, DIGITAL TIMER, TIMING RANGE: .1 - 102.3 SECONDS	1	B	5945D SE
CFD777L	AL	L-A-09-000-002	2	RELAY	RELAY, TYPICAL, QA 1, TIMING, 120 AC/120 DC, 8 PIN PLUG-IN, *** INTERVAL TIMER, DIGITAL, TIMING RANGE: .1 - 102.3 SECONDS, CONTACT	1	B	5945D SE
CFD778J	AL	L-A-09-000-002	4	RELAY	RELAY, TYPICAL, QA 1, TIMING, 120 AC/120 DC, 8 PIN PLUG-IN, *** INTERVAL TIMER, DIGITAL, TIMING RANGE: 1 - 1023 MINUTES, CONTACT	1	B	5945D SE
CFE180Y	AL	L-A-03-000-002	3	RELAY	RELAY, TYPICAL, QA 2, RELAY, *TYPICAL; TYPE: VOLTAGE; COIL VOLTS: 240; HERTZ: 60;	2	B	5945D SE
CFL615B	AL	L-A-13-000-002	1	RELAY	RELAY, TYPICAL, QA 3, UNDERVOLTAGE, 120, *** TYPE SVF3, DROPOUT VOLTAGE RANGE 30-45, 3 PHASE	3	B	5945D SE
CFW085V	AL	L-A-09-000-002	2	RELAY	RELAY, TYPICAL, QA 3, RELAY, *TYPICAL; TYPE: ELECTROMAGNETIC; COIL VOLTS: 24; AMPS: 3;	3	B	5945D SE
CGM932K	AC	- - - -	30	RELAY	RELAY, TYPICAL, QA 3, ELECTROMAGNETIC, 36 DC, 4 NO 4 NC, 14 SOLDER PINS, METAL	3	B	5945D SE
CHA521V	AC	- - - -	16	RELAY	RELAY, TIME DELAY, QA 3, 120, 1-30 SEC, , ON-DELAY, MAGNETIC BLOWOUT.	3	C	5945D SE
BVL660E	AL	A-A-01-000-001	1	REPEATER	REPEATER, TYPICAL, QA 3, REPEATER, ANNUNCIATOR; X508D11 RS485 ***	3	B	6350B SE
ALW258F	AL	M-A-06-000-002	10	REPEATER	REPEATER, TYPICAL, QA 1, REPEATER, CURRENT; INPUT RANGE: 10 TO 50 MADC (ACROSS 100 OHM	1	B	6695D SE
BVW397E	AL	A-A-01-000-001	17	RESET	RESET, ELECTRICAL, QA 3, RESETTING DEVICE, POWER,ELECTRIC; BAR ASSY FOR THERMAL OVERLOADS ON	3	B	61100 SE
BHY480T	AL	A-A-01-000-001	1	RESIN	RESIN, TYPICAL, QA 0, ION EXCHANGE COMPOUND, CATION/HYDROGEN, 1 LB, BOTTLE, ION EXCHANGE, COMPOUND; RESIN, HYDROGEN FORM, ACID CATION, 200-4	0	C	6810H SE
BWT031L	AL	F-D-12-101-000	20	RESIN	RESIN, TYPICAL, QA 3, ION EXCHANGE COMPOUND, ** ANION/CATION, MIXED BED RESIN, NUCLEAR GRADE, 1:1 CHEMICAL	3	B	6810H SE
BWT031L	AL	F-D-12-102-000	20	RESIN	RESIN, TYPICAL, QA 3, ION EXCHANGE COMPOUND, ** ANION/CATION, MIXED BED RESIN, NUCLEAR GRADE, 1:1 CHEMICAL	3	B	6810H SE
BWT031L	AL	F-D-14-101-000	20	RESIN	RESIN, TYPICAL, QA 3, ION EXCHANGE COMPOUND, ** ANION/CATION, MIXED BED RESIN, NUCLEAR GRADE, 1:1 CHEMICAL	3	B	6810H SE
CLG387K	AL	D-A-18-401-000	6	RESIN	RESIN, TYPICAL, QA 0, ION EXCHANGE COMPOUND, 10 LB, BAG, QA/0, RESIN, POWDERED ION EXCHANGE RESIN, CATION-GEL,	0	C	
ABL383D	AL	A-A-01-000-001	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, FIXED,WIRE WOUND; ONE OHMS,300 WATTS,10 PCT TOL ***	2	P	5905I SE
ACL073D	AL	A-A-01-000-001	86	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, FIXED, 2000, 0.25, +/- 1 %, METAL, MIL TYPE RNR65C2001FM	3	P	5905I SE
ACL371E	AL	A-A-01-000-001	4	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,FILM; SOLID CYLINDRICAL, METAL, TWO AXIAL LEADS, 825	3	P	5905I SE
ACL689E	AL	A-A-01-000-001	16	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 100, 1, +/- 10 %, RESISTOR, VARIABLE,WIRE WOUND; POTENTIOMETER, 100 OHMS, ONE WATT, 10	0	P	5905I SE
ACL863Q	AL	A-A-01-000-001	8	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, FIXED,FILM; 100 OHMS, TWO WATTS, 0.1 PERCENT TOLERANCE. ***	2	B	5905I SE
ACL871R	AL	A-A-01-000-001	21	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 1 K, 0.25, +/- 1 %, *** RESISTOR, FIXED,WIRE WOUND	0	P	5905I SE
ADL668G	AL	A-A-01-000-001	11	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,WIRE WOUND; SOLID CYLINDRICAL, TWO AXIAL LEADS, 1 OHM	3	P	5905I SE
ADL763N	AL	A-A-01-000-001	42	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 2 K, 0.25, +/- 1 %, *** RESISTOR, FIXED,WIRE WOUND	0	P	5905I SE
ADL953H	AC	- - - -	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, ELECTRICAL DEVICE; TYPE: COMPOSITION; WATTS: 0.5; OHMS: 51	3	B	5905I SE
ADL961J	AL	A-A-01-000-001	9	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 100, 10, +/- 1 %, *** RESISTOR, FIXED,WIRE WOUND; RESISTOR STYLE: PRECISION	0	P	5905I SE
AEL092W	AL	A-A-01-000-001	53	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 10 K, 2, *** RESISTOR, VARIABLE,WIRE WOUND; RESISTOR STYLE: POTENTIOMETER	0	P	5905I SE
AEL093T	AL	D-B-03-102-002	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 4.2, +/- 5 %, *** RESISTOR ASSY, ; (RESISTING STACK), C/O 23 RESISTORS, MOUNTED ON	0	P	5905I SE
AEL194X	AL	A-A-01-000-001	25	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 10 K, *** RESISTOR, VARIABLE,WIRE WOUND; POTENTIOMETER, ADJUSTABLE, FOR	0	P	5905I SE
AEL373X	AL	A-A-01-000-001	7	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 5 K, +/- 10 %, PRINTED CIRCUIT, *** RESISTOR, VARIABLE,NONWIREWOUN; RESISTOR STYLE: TRIMMER POT	0	P	5905I SE
AEL456R	AL	D-B-04-000-001	10	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, COMPOSITION, 100 K, 0.5, +/- 5 %, *** RESISTOR, FIXED,COMPOSITION; CARBON	0	P	5905I SE
AEL578B	AL	D-B-04-000-001	24	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, COMPOSITION, 33 K, 0.5, +/- 10 %, *** RESISTOR, FIXED,COMPOSITION; CARBON	0	P	5905I SE
AEL872B	AL	A-A-01-000-001	20	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 2 K, 1, +/- 10 %, WIRE LEADS, *** RESISTOR, VARIABLE,NONWIREWOUN; RESISTOR STYLE: TRIMMER POT	0	P	5905I SE
AFL174X	AL	5-A-07-302-000	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 1, RESISTOR, FIXED,WIRE WOUND; 200 OHMS, FIVE PERCENT TOLERANCE. ***	1	B	5905I SE
AFL778W	AL	A-A-01-000-001	7	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 5, 5, +/- 5 %, CYLINDRICAL, AXIAL LEAD, *** RESISTOR, FIXED,WIRE WOUND; INSULATION: VITREOUS ENAME	0	P	5905I SE
AFL779T	AL	A-A-01-000-001	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, VARIABLE,WIRE WOUND; PANEL, POTENTIOMETER, SINGLE- TURN	2	B	5905I SE
AFL841G	AL	A-A-01-000-001	9	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 2 K, 0.5, +/- 10 %, *** RESISTOR, VARIABLE,NONWIREWOUN; PANEL/POTENTIOMETER, 2ND RESISTOR	0	P	5905I SE
AFL878Q	AL	A-A-01-000-001	5	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 25 K, 2, +/- 5 %, SOLDER TAB, *** RESISTOR, VARIABLE,WIRE WOUND; RESISTOR STYLE: POTENTIOMETER	0	P	5905I SE
AHL168C	AL	A-A-01-000-001	103	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,FILM; SOLID CYLINDRICAL, METAL, TWO AXIAL LEADS, 75	3	P	5905I SE
AJL377W	AL	A-A-01-000-001	25	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 100, +/- 0.1 %, ***	0	P	5905I SE
AJL873G	AL	A-A-01-000-001	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 10, 5, +/- 5 %, CYLINDRICAL, AXIAL LEAD, *** RESISTOR, FIXED,WIRE WOUND; INSULATION: VITREOUS ENAM	0	P	5905I SE
AKL374W	AL	A-A-01-000-001	99	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, FIXED,FILM; RESISTOR STYLE: SOLID CYLINDRICAL, OHMS RATING:	2	B	5905I SE
AKL579A	AL	D-B-04-000-001	4	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 4.3 K, 0.25, +/- 5 %, *** RESISTOR, FIXED,FILM	0	P	5905I SE
ALL572J	AL	A-A-01-000-001	86	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,WIRE WOUND; SOLID CYLINDRICAL, TWO AXIAL LEADS, 50	3	P	5905I SE
ALL778X	AL	A-A-01-000-001	87	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,WIRE WOUND; 2 K OHM, 1 WATT, 1 PCT, TOLERANCE, MILS	3	P	5905I SE
ALL786Y	AL	A-A-01-000-001	43	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 250 K, 10, +/- 1 %, *** RESISTOR, FIXED,WIRE WOUND	0	P	5905I SE
ALL878R	AL	A-A-01-000-001	40	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 5 K, 1, +/- 0.1 %, *** RESISTOR, FIXED,WIRE WOUND	0	P	5905I SE
ALL984T	AL	A-A-01-000-001	190	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, FIXED,FILM; 070.590 KILOHMS, 000.250 WATT, 000.100 PCT TOL	2	P	5905I SE
AML464F	AL	A-A-01-000-001	95	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 1, +/- 2 %, CYLINDRICAL/SOLID, AXIAL LEAD, *** RESISTOR, FIXED,FILM	0	P	5905I SE
ANL164M	AL	A-A-01-000-001	95	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 0.5, +/- 1 %, *** RESISTOR, FIXED,FILM; RESISTOR STYLE: PRECISION	0	P	5905I SE
ANL460W	AL	A-A-01-000-001	82	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,FILM; 931 OHM, 0.125 WATT, 1 PCT TOLERANCE, MILS	3	P	5905I SE
APL424F	AL	D-B-25-302-004	8	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 10, PANEL, POTENTIOMETER, WITH SPST SWITCH,	0		5905I SE
AQG455J	AL	D-B-04-000-001	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 1.2 K, 7, +/- 5 %, *** BROWN	0	P	5905I SE
AQG456G	AL	D-B-04-000-001	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 75, 0.5, +/- 1 %, *** BROWN	0	P	5905I SE
AQG458C	AL	D-B-04-000-001	12	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 4.75, 0.5, +/- 1 %, *** RESISTOR, FIXED,FILM	0	P	5905I SE
AQG475C	AL	D-B-04-000-001	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 95.3 K, 0.5, +/- 1 %, *** BROWN	0	P	5905I SE
AQG490V	AL	D-B-04-000-001	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 3.92 K, 0.5, +/- 1 %, *** RESISTOR, FIXED,FILM; RESISTOR STYLE: PRECISION	0	P	5905I SE
AQG516Q	AL	D-B-04-000-001	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 6 K, 5, +/- 5 %, RESISTOR, ; FIXED, SAGE RW74U 6001F 7746, BROWN 6 K OHM, 5 W, 5 PCT	0	P	5905I SE
AQG517N	AL	D-B-04-000-001	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 9.53 K, 0.5, +/- 1 %, RESISTOR, ; FIXED, CGW NA65TO, BLACK 9.53 K OHM, 1/2 W, 1 PCT TOL ***	0	P	5905I SE

ATD202L	AL	D-B-04-000-001	50	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, COMPOSITION, 43 K, 0.5, +/- 5 %, CYLINDRICAL/SOLID, *** RESISTOR, FIXED, COMPOSITION; TEMPERATURE: 70 DEG	0	P	5905I SE
ATF130K	AL	5-B-01-301-000	5	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 5 K, 5, +/- 3 %, *** RESISTOR, FIXED, WIRE WOUND	0	P	5905I SE
AVA830A	AL	A-A-01-000-001	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, VARIABLE, NONWIREWOUND; PANEL, POTENTIOMETER, THREE SOLDERABLE	2	P	5905I SE
AVB710F	AL	A-A-01-000-001	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 100, +/- 5 %, CERAMIC CASE, RESISTOR, FIXED, WIRE WOUND; RESISTOR STYLE: CERAMIC CASE, OHMS RATING:	0	P	5905I SE
AVY903P	AL	A-A-01-000-001	101	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, COMPOSITION, 350, 120, 0.5, +/- 5 %, *** RESISTOR, FIXED, COMPOSITION; CARBON	0	P	5905I SE
AWC770H	AL	A-A-01-000-001	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 82, 2.25, +/- 5 %, CYLINDRICAL/SOLID, *** RESISTOR, FIXED, WIRE WOUND	0	P	5905I SE
AWK861Y	AC	- - -	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 7.5, 0.25, +/- 1 %, AXIAL LEAD, *** RESISTOR, FIXED, FILM; RESISTOR STYLE: PRECISION	0	P	5905I SE
AWV784D	AL	A-A-01-000-001	46	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, COMPOSITION, 33, 0.25, +/- 2 %, *** RESISTOR, FIXED, COMPOSITION; RESISTOR FEATURES: CARBON	0	P	5905I SE
AWW559F	AL	A-A-01-000-001	7	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, COMPOSITION, 2 K, 0.25, +/- 5 %, *** RESISTOR, FIXED, COMPOSITION; RESISTOR FEATURES: CARBON	0	P	5905I SE
BCD335F	AL	A-A-01-000-001	24	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 3.5 K, 10, RECTANGULAR, AXIAL LEAD, *** RESISTOR, FIXED, WIRE WOUND	0	P	5905I SE
BDF849Y	AL	D-A-32-104-001	4	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, RESISTOR, VARIABLE, NONWIREWOUND; RECTANGULAR, PRINTED CIRCUIT BOARD	0	P	5905I SE
BFT704M	AL	A-A-01-000-001	5	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 120, 5, +/- 1 %, CYLINDRICAL, AXIAL LEAD, *** RESISTOR, FIXED, WIRE WOUND	0	P	5905I SE
BFT705K	AL	A-A-01-000-001	5	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 1.5 K, 3, +/- 1 %, CYLINDRICAL, AXIAL LEAD, *** RESISTOR, FIXED, WIRE WOUND	0	P	5905I SE
BFT734B	AL	A-A-01-000-001	5	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, COMPOSITION, 470, 0.5, +/- 5 %, CYLINDRICAL, AXIAL LEAD, *** RESISTOR, FIXED, COMPOSITION; RESISTOR FEATUR	0	P	5905I SE
BJB036M	AL	A-A-01-000-001	20	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 10 K, 10, +/- 5 %, CYLINDRICAL, RADIAL LEAD, *** RESISTOR, FIXED, WIRE WOUND; RESISTOR STYLE: THRU	0	P	5905I SE
BME875H	AL	F-A-29-201-000	5	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 1, RESISTOR, FIXED, WIRE WOUND; 3500 OHMS, 25 WATTS. ***	1	B	5905I SE
BQB244J	AL	E-A-16-C08-D01	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, RESISTOR, CIRCUIT BREAKER; RESORBIT, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
BTK704M	AL	F-C-08-064-001	17	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED, COMPOSITION; CARBON, 010.000 KILOHMS, 000.500 WATT	3	B	5905I SE
BTK707F	AL	F-C-08-064-001	5	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED, COMPOSITION; CARBON, 016.000 KILOHMS, 000.500 WATT	3	B	5905I SE
BTQ921J	AC	- - -	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED, WIRE WOUND; 1.5 OHMS, FOR EDERER CRANE, 125/180 TON	3	C	5905I SE
BTQ922G	AC	- - -	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED, WIRE WOUND; 000.130 OHM RESISTOR, EDERER CRANE 125/180	3	C	5905I SE
BTQ924C	AC	- - -	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED, WIRE WOUND; 8.5 OHMS, EDERER CRANES, 125/180 TONS ***	3	C	5905I SE
BTQ931F	AC	- - -	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED, WIRE WOUND; 00.40 OHM RESISTOR BARGE-UNLOADING CRANE	3	C	5905I SE
BWN537H	AL	F-A-14-202-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 1, RESISTOR, VARIABLE, SPARE PART; POTENTIOMETER, POWER DRIVEN, MODEL	1		5905I SE
CAB400T	AC	- - -	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, FIXED, 100, 100, +/- 5 %, VITREOUS ENAMEL/TUBULAR, SOLDER LUGS, , WIRE WOUND	2	B	5905I SE
CDX868B	AL	D-A-20-301-006	5	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 1, RESISTOR, CONTROLLER; SENSITIVITY AUX. PIN FOR 15 DEGREE SENSITIVITY	1		5905I SE
ABL056K	AL	L-A-03-000-002	5	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 23.7 K, 0.5, +/- 1 %, *** RESISTOR, FIXED, FILM	0	P	5905I SE
ABL150G	AL	L-A-03-000-002	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 19.6 K, +/- 1 %, *** RESISTOR, VARIABLE, WIRE WOUND	0	P	5905I SE
ABL172T	AL	L-A-09-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 1.2 K, 7, +/- 5 %, *** RESISTOR, FIXED, FILM	0	P	5905I SE
ABL268D	AL	L-A-09-000-002	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED, FILM; FIXED, CARBON FILM, 10% TOLERANCE 56 OHM 1/8 W	3	P	5905I SE
ABL345M	AL	L-A-09-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED, WIRE WOUND; 096.000 OHMS, 755.000 WATTS ***	3	P	5905I SE
ABL356G	AL	L-A-03-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED, COMPOSITION; CARBON, 24 KILOHMS, 0.5 WATT, FIVE	3	P	5905I SE
ABL372J	AL	L-A-03-000-002	4	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 10 K, *** RESISTOR, VARIABLE, WIRE WOUND; RESISTOR STYLE: POTENTIOMETER	0	P	5905I SE
ABL435L	AL	L-A-03-000-002	9	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, ELECTRICAL DEVICE; TYPE: COMPOSITION; WATTS: 0.5; OHMS: 20;	3	B	5905I SE
ABL640Y	AL	L-A-03-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 750, 200, *** RESISTOR, FIXED, WIRE WOUND	0	P	5905I SE
ABL699H	AL	L-A-03-000-002	5	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 50 K, *** RESISTOR, VARIABLE, WIRE WOUND; RESISTOR STYLE: POTENTIOMETER	0	P	5905I SE
ABL838X	AL	L-A-03-000-002	34	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, ELECTRICAL DEVICE; TYPE: COMPOSITION; WATTS: 0.5; OHMS: 24;	3	B	5905I SE
ABL938R	AL	L-A-09-000-002	8	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED, COMPOSITION; FIXED, CARBON, INSULATED, 5 PCT	3	P	5905I SE
ABL972R	AL	L-A-09-000-002	5	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 1.25 K, 25, *** RESISTOR, FIXED, WIRE WOUND	0	P	5905I SE
ACL166F	AL	L-A-03-000-002	97	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED, COMPOSITION; CARBON, 22 OHMS, 0.5 WATT, 10 PERCENT	3	B	5905I SE
ACL239E	AL	L-A-03-000-002	36	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED, COMPOSITION; SOLID CYLINDRICAL, CARBON, TWOAXIAL	3	P	5905I SE
ACL256E	AL	L-A-03-000-002	7	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 40.2 K, 5, +/- 1 %, *** RESISTOR, FIXED, WIRE WOUND	0	P	5905I SE
ACL266B	AL	L-A-09-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED, COMPOSITION; CARBON, 1.8 KILOHMS, 0.5 WATT, 10 PERCENT	3	P	5905I SE
ACL682W	AL	L-A-03-000-002	7	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 1 K, 0.75, +/- 10 %, RECTANGULAR, PRINTED CIRCUIT, RESISTOR, VARIABLE, NONWIREWOUND; RESISTOR STY	0	P	5905I SE
ACL762Y	AL	L-A-13-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 14.8 K, 0.25, +/- 1 %, *** RESISTOR, FIXED, WIRE WOUND	0	P	5905I SE
ACL944Q	AL	L-A-09-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 1 K, 3, +/- 3 %, RESISTOR, FIXED, WIRE WOUND; INDUCTIVE, ONE KILOHM, THREE WATTS, THREE	0	P	5905I SE
ACL945N	AL	L-A-09-000-002	84	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 1 K, 0.5, +/- 1 %, ** RESISTOR, FIXED, FILM; RESISTOR STYLE: METAL	0	B	5905I SE
ACL958D	AL	L-A-03-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 49.9 K, 0.10, +/- 0.1 %, RESISTOR, FIXED, FILM; OHMS RATING: 49.9 KOHMS, WATTAGE: 0.100 WATT	0	P	5905I SE
ADL233L	AL	L-A-03-000-002	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED, COMPOSITION; CARBON, 43 OHMS, 0.5 WATT, FIVE PERCENT	3	P	5905I SE
ADL238A	AL	L-A-09-000-002	4	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 50, 1.5, +/- 20 %, *** RESISTOR, VARIABLE, WIRE WOUND; POTENTIOMETER	0	P	5905I SE
ADL335C	AL	L-A-03-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 50, *** RESISTOR, VARIABLE, NONWIREWOUND; RESISTOR STYLE: POTENTIOMETER	0	P	5905I SE
ADL351E	AL	L-A-03-000-002	7	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 50, 0.25, +/- 1 %, RESISTOR, FIXED, FILM; OHMS RATING: 50 KOHMS, WATTAGE: 0.25 WATT	0	P	5905I SE
ADL458V	AL	L-A-09-000-002	4	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 68.1 K, 0.25, +/- 1 %, *** RESISTOR, FIXED, FILM; FOR GE MAC DIFFERENTIAL PRESSURE TRANSMITTER	0	P	5905I SE
ADL482Y	AL	L-A-09-000-002	4	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, *** RESISTOR, VARIABLE, WIRE WOUND; POTENTIOMETER, REV 0, FOR GE MAC	0	P	5905I SE
ADL555X	AL	L-A-03-000-002	21	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED, COMPOSITION; 56 KILOHMS, TWO WATTS, FIVE PERCENT	3	P	5905I SE
ADL558P	AL	L-A-13-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 68.1 K, 0.5, +/- 1 %, *** RESISTOR, FIXED, FILM	0	P	5905I SE
ADL650F	AL	L-A-03-000-002	24	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 50 K, *** RESISTOR, VARIABLE, WIRE WOUND; RESISTOR STYLE: POTENTIOMETER	0	P	5905I SE
ADL654V	AL	L-A-09-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 51.1 K, 0.75, +/- 1 %, *** RESISTOR, FIXED, FILM; FOR GE MAC DIFFERENTIAL PRESSURE TRANSMITTER	0	P	5905I SE
ADL655R	AL	L-A-09-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 56.2 K, 0.25, +/- 1 %, *** RESISTOR, FIXED, FILM; FOR GE MAC DIFFERENTIAL PRESSURE TRANSMITTER	0	P	5905I SE
ADL664Q	AL	L-A-09-000-002	4	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 21, *** RESISTOR, FIXED, FILM	0	P	5905I SE
ADL685G	AL	M-A-10-000-002	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, VARIABLE, WIRE WOUND; PANEL MOUNTING, 200 OHMS, 0.25 WATT, 5	2	P	5905I SE
ADL849C	AL	L-A-03-000-002	19	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, COMPOSITION, 1.3 K, 0.5, +/- 5 %, CYLINDRICAL, *** RESISTOR, FIXED, COMPOSITION	0	P	5905I SE
ADL953H	AL	L-A-13-000-002	94	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, ELECTRICAL DEVICE; TYPE: COMPOSITION; WATTS: 0.5; OHMS: 51	3	B	5905I SE
AEL043A	AL	L-A-09-000-002	8	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED, COMPOSITION; CARBON, 1.5 KILOHMS, ONE WATT, FIVE	3	P	5905I SE
AEL133J	AL	L-A-03-000-002	40	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED, COMPOSITION; CARBON, 56 OHMS, 0.5 WATT, FIVE PERCENT	3	P	5905I SE
AEL235A	AL	L-A-09-000-002	8	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED, COMPOSITION; CARBON, 62 OHMS, ONE WATT, FIVE PERCENT	3	P	5905I SE
AEL249Y	AL	L-A-03-000-002	24	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED, COMPOSITION; CARBON, 1.8 OHMS, TWO WATTS, FIVE PERCENT	3	P	5905I SE
AEL268T	AL	L-A-09-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 5 K, 5, +/- 10 %, *** RESISTOR, VARIABLE, WIRE WOUND; TRIMMER POTENTIOMETER	0	P	5905I SE
AEL387J	AL	L-A-09-000-002	32	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, COMPOSITION, 350, 220, 0.5, +/- 5 %, CYLINDRICAL, (2) AXIAL LEADS, RESISTOR, FIXED, COMPOSITION; SOLID CYL	0	P	5905I SE
AEL459K	AL	L-A-09-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 110 K, 0.25, +/- 1 %, *** RESISTOR, FIXED, FILM; METAL	0	P	5905I SE
AEL468J	AL	L-A-09-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, RESISTOR, VARIABLE, WIRE WOUND; POTENTIOMETER, TRIMPOT, CERAMIC, TWO	0	P	5905I SE
AEL651V	AL	L-A-03-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, COMPOSITION, 91 K, 1, +/- 5 %, *** RESISTOR, FIXED, COMPOSITION; RESISTOR FEATURES: CARBON	0	P	5905I SE
AEL736K	AL	L-A-03-000-002	11	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED, COMPOSITION; CARBON, INSULATED, 68 OHMS, 0.5 WATT	3	P	5905I SE
AEL754H	AL	L-A-03-000-002	79	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, COMPOSITION, 250, 100 K, 0.25, +/- 5 %, CYLINDRICAL/SOLID, AXIAL LEAD, , FIXED, TEMPERATURE: 70 DEGREE C	2	B	5905I SE
AEL838B	AL	L-A-03-000-002	12	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED, COMPOSITION; CARBON, 75 OHMS, 1/4 WATT, 5 PERCENT	3	P	5905I SE

AFL344Y	AL	L-A-03-000-002	12	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,COMPOSITION; SOLID CYLINDRICAL, CARBON, TWOAXIAL	3	P	5905I SE
AFL353X	AL	L-A-09-000-002	38	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 180 K, 0.5, RESISTOR, ; VARIABLE, MINIATURE, CARD MOUNT, SM 8036, 1376728	0	P	5905I SE
AFL426W	AL	L-A-03-000-002	21	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 0.25, +/- 1 %, *** RESISTOR, FIXED,FILM; RESISTOR STYLE: METAL	0	P	5905I SE
AFL629E	AL	L-A-03-000-002	8	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, POTENTIOMETER, *** RESISTOR, UNDERWATER TV; CTS 1377231, FOR UNDER WATER TV SYSTEM	0	P	5905I SE
AFL653H	AL	L-A-09-000-002	9	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,COMPOSITION; 180.000 KILOHMS, 002.000 WATTS, 010.000	3	P	5905I SE
AFL795W	AL	M-A-10-000-002	4	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, VARIABLE,WIRE WOUND; TWO KILOHMS, 0.25 WATT, FIVE PERCENT	2	P	5905I SE
AFL843C	AL	L-A-03-000-002	13	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 2 K, 0.5, +/- 1 %, *** RESISTOR, FIXED,FILM	0	P	5905I SE
AFL852B	AL	L-A-03-000-002	9	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, ELECTRICAL DEVICE; TYPE: COMPOSITION; WATTS: 0.5; OHMS: 180	3	B	5905I SE
AGL051Y	AL	L-A-03-000-002	19	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,COMPOSITION; SOLID CYLINDRICAL, CARBON, TWO AXIAL	3	P	5905I SE
AGL054Q	AL	L-A-03-000-002	5	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 500 K, 0.25, +/- 1 %, *** RESISTOR, FIXED,FILM	0	P	5905I SE
AGL157P	AL	L-A-09-000-002	24	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 750 K, 0.25, +/- 1 %, *** RESISTOR, FIXED,FILM; METAL	0	P	5905I SE
AGL178F	AL	L-A-03-000-002	9	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, COMPOSITION, 220, 0.25, +/- 5 %, *** RESISTOR, FIXED,COMPOSITION	0	P	5905I SE
AGL179D	AL	L-A-03-000-002	98	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,COMPOSITION; 5 PCT TOLERANCE, 4.7K OHM, 1/2 WATT. ***	3	B	5905I SE
AGL256M	AL	L-A-03-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, ELECTRICAL DEVICE; TYPE: COMPOSITION; WATTS: 0.5; OHMS: 620	3	B	5905I SE
AGL259F	AL	L-A-03-000-002	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 1 M, 0.25, +/- 0.1 %, , METAL PRECISION, ULTRA-HIGH STABILITY FILM.	0	P	5905I SE
AGL287A	AL	L-A-09-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 500 K, *** TRIMPOT	0	P	5905I SE
AGL349E	AL	L-A-09-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 2.65 K, +/- 0.25 %, *** RESISTOR, FIXED,WIRE WOUND; FOR BECKINST WATER QUALITY	0	P	5905I SE
AGL435M	AL	L-A-03-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 100, 3, +/- 1 %, *** MOLDED, TYPE 884 RITEOHM	0	P	5905I SE
AGL498W	AL	M-A-04-000-002	5	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,COMPOSITION; 350.000 VOLTS, 120.000 KILOHMS 000.500	3	P	5905I SE
AGL678T	AL	L-A-03-000-002	67	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, COMPOSITION, 390 K, 0.25, +/- 5 %, *** RESISTOR, FIXED,COMPOSITION	0	P	5905I SE
AGL777Q	AL	L-A-09-000-002	31	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, RESISTOR, ; FIXED 910 OHM ***	0	P	5905I SE
AGL839W	AL	L-A-03-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, ; FIXED, CARBON, 5% TOLERANCE 110 OHM 1 W ***	3	P	5905I SE
AGL887H	AL	L-A-03-000-002	13	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,COMPOSITION; SOLID CYLINDRICAL, CARBON, TWOAXIAL	3	P	5905I SE
AGL984K	AL	L-A-03-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 55 K, 6.5, +/- 5 %, *** CARBON	0	P	5905I SE
AHL036L	AL	L-A-09-000-002	4	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 150, 1.5, +/- 20 %, *** 1377242	0	P	5905I SE
AHL043P	AL	L-A-09-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 3 K, +/- 5 %, *** CTG 68A7004A100G3000EA	0	P	5905I SE
AHL066B	AL	L-A-03-000-002	88	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,COMPOSITION; 007.500 OHMS, 000.500 WATT, CARBON	3	B	5905I SE
AHL246J	AL	L-A-09-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 3.01 K, +/- 1 %, RESISTOR, FIXED,WIRE WOUND; 003.010 KILOHMS, 001.000 PCT TOL, VITREOUS	0	P	5905I SE
AHL253M	AL	L-A-03-000-002	16	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,COMPOSITION; SOLID CYLINDRICAL, CARBON, TWOAXIAL	3	P	5905I SE
AHL356B	AL	L-A-03-000-002	49	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, COMPOSITION, 3 M, 0.5, +/- 10 %, *** RESISTOR, FIXED,COMPOSITION; RESISTOR FEATURES: CARBON	0	P	5905I SE
AHL631F	AL	L-A-09-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, ; FIXED, CARBON, 5% TOLERANCE 120 OHM 2 W ***	3	P	5905I SE
AHL852Y	AL	L-A-03-000-002	4	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, ELECTRICAL DEVICE; TYPE: COMPOSITION; WATTS: 0.5; OHMS: 1.3	3	B	5905I SE
AHL867H	AL	L-A-09-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 350, 3, +/- 5 %, RESISTOR, VARIABLE,WIRE WOUND; PANEL, POTENTIOMETER, SINGLE- TURN	0	P	5905I SE
AHL956J	AL	L-A-03-000-002	8	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, ELECTRICAL DEVICE; TYPE: COMPOSITION; WATTS: 0.5; OHMS: 3.9	3	B	5905I SE
AHL982H	AL	L-A-09-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 10 M, +/- 1 %, *** RESISTOR, FIXED,FILM	0	P	5905I SE
AJL038A	AL	L-A-03-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 200, *** RESISTOR, FIXED,WIRE WOUND	0	P	5905I SE
AJL060W	AL	L-A-03-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,COMPOSITION; CARBON, 2.7 KILOHMS, TWO WATTS, FIVE	3	P	5905I SE
AJL069Y	AL	L-A-03-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, 5.5, 7, +/- 5 %, ***	0	P	5905I SE
AJL136K	AL	L-A-03-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 200, 3, +/- 5 %, *** CARBON	0	P	5905I SE
AJL548V	AL	L-A-09-000-002	9	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 4.99 K, +/- 1 %, *** RESISTOR, FIXED,WIRE WOUND; VITREOUS ENAMEL, KM5	0	P	5905I SE
AJL649M	AL	L-A-09-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 5 K, *** (TRIMMER), CIRCUIT TRIM, FOR BAILEY METER CO 721 COMBUSTION	0	P	5905I SE
AJL748K	AL	L-A-09-000-002	13	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, VARIABLE,WIRE WOUND; PANEL MOUNT, POTENTIOMETER, 5 KILOHMS	3	P	5905I SE
AJL767F	AL	L-A-09-000-002	7	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 150, +/- 20 %, *** RESISTOR, VARIABLE,WIRE WOUND; POTENTIOMETER	0	P	5905I SE
AJL931W	AL	L-A-03-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 200, *** RESISTOR, VARIABLE,WIRE WOUND; RESISTOR STYLE: POTENTIOMETER	0	P	5905I SE
AJL952L	AL	L-A-09-000-002	9	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, ELECTRICAL DEVICE; TYPE: COMPOSITION; WATTS: 0.5; OHMS: 15	3	B	5905I SE
AKL221N	AL	L-A-09-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, RESISTOR, ; FIXED, SAGE 3 W, 1300 S, 1500-3, 7208, TYPE S SILICONE ***	0	P	5905I SE
AKL331F	AL	L-A-03-000-002	9	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 220, 5, +/- 3 %, CYLINDRICAL, AXIAL LEAD, *** RESISTOR, FIXED,WIRE WOUND	0	P	5905I SE
AKL333B	AL	L-A-03-000-002	11	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 249, 0.5, +/- 1 %, *** RESISTOR, FIXED,WIRE WOUND	0	P	5905I SE
AKL387K	AL	L-A-09-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, 300.0 DC, *** RESISTOR, VOLTAGE SENSITIVE; MIDWEST COMPONENTS INC	0	P	5905I SE
AKL472W	AL	L-A-03-000-002	5	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, ; FIXED, 10 PCT TOLERANCE 33 K OHM 2 W ***	3	P	5905I SE
AKL572Q	AL	L-A-09-000-002	27	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 4595, 10 K, 1, +/- 10 %, RECTANGULAR, (4) PRINTED CIRCUIT PINS, RESISTOR, VARIABLE,NONWIREWOUN;	0	P	5905I SE
AKL731Y	AL	L-A-13-000-002	4	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 221, 3, +/- 1 %, MOLDED, *** TYPE 884 RITE	0	P	5905I SE
AKL772G	AL	L-A-09-000-002	13	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 4.5 K, 5, +/- 5 %, *** "BLUE JACKET"	0	P	5905I SE
AKL789Y	AL	L-A-03-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, RESISTOR, VARIABLE,WIRE WOUND; RESISTOR STYLE: POTENTIOMETER, OHMS	0	P	5905I SE
AKL871E	AL	L-A-03-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 2.5 K, 5, +/- 10 %, ***	0	P	5905I SE
AKL872C	AL	L-A-09-000-002	9	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 4 K, 5, +/- 5 %, *** SPRAGUE "BLUE JACKET"	0	P	5905I SE
AKL888W	AL	L-A-03-000-002	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 1 M, 0.25, +/- 1 %, CYLINDRICAL, *** RESISTOR, FIXED,FILM	0	P	5905I SE
AKL889T	AL	L-A-03-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, *** RESISTOR, VARIABLE,WIRE WOUND; RESISTOR STYLE: POTENTIOMETER	0	P	5905I SE
AKL932L	AL	L-A-03-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 240, 2, *** RESISTOR, FIXED,WIRE WOUND	0	P	5905I SE
AKL971A	AL	L-A-03-000-002	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 5 K, 10, +/- 10 %, ***	0	P	5905I SE
ALL180F	AL	L-A-03-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 500 K, *** RESISTOR, VARIABLE,WIRE WOUND; RESISTOR STYLE: POTENTIOMETER	0	P	5905I SE
ALL221G	AL	L-A-03-000-002	7	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 5, +/- 1 %, CYLINDRICAL, AXIAL LEAD, *** RESISTOR, FIXED,WIRE WOUND	0	P	5905I SE
ALL239W	AL	L-A-03-000-002	4	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, ; FIXED, CARBON, 10 PCT TOLERANCE 390 OHM 2 W ***	3	P	5905I SE
ALL241A	AL	L-A-03-000-002	9	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 5 K, 50, *** RESISTOR, ADJUSTABLE; INSULATION: VITREOUS ENAMELED	0	P	5905I SE
ALL247X	AL	L-A-03-000-002	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, ; FIXED, CARBON, 5 PCT TOLERANCE 6200 OHM 1/4 W ***	3	P	5905I SE
ALL369F	AL	L-A-03-000-002	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 40, 0.75, RESISTOR, ; FIXED 40 OHM 3/4 W ***	0	P	5905I SE
ALL445R	AL	L-A-09-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,COMPOSITION; 5.6 KILOHMS, TWO WATTS, 10 PERCENT	3	P	5905I SE
ALL527P	AL	L-A-13-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 1, 3, +/- 10 %, *** RESISTOR, FIXED,WIRE WOUND	0	P	5905I SE
ALL727F	AL	L-A-03-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 1, 10, +/- 3 %, *** RESISTOR, FIXED,WIRE WOUND	0	P	5905I SE
ALL770R	AL	L-A-09-000-002	5	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, *** RESISTOR, VARIABLE,WIRE WOUND; FOR UNIT PREFERRED MG SET	0	P	5905I SE
ALL831L	AL	L-A-09-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 300, 40, +/- 5 %, *** RESISTOR, FIXED,WIRE WOUND; STRIP, FOR DC POWER SUPPLY, MODEL	0	P	5905I SE
ALL833G	AL	L-A-03-000-002	4	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,COMPOSITION; CARBON, 330.000 OHMS 002.000 WATTS	3	P	5905I SE
ALL836A	AL	L-A-03-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, ; FIXED, CARBON, 5% TOLERANCE 360 OHM 2 W ***	3	P	5905I SE
ALL930X	AL	L-A-03-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, ; FIXED, CARBON, 5% TOLERANCE 300 OHM 1 W ***	3	P	5905I SE
AML188D	AL	L-A-03-000-002	22	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, COMPOSITION, 68 K, 0.25, +/- 5 %, *** RESISTOR, FIXED,COMPOSITION	0	P	5905I SE

AML236W	AL	L-A-03-000-002	71	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, +/- 1 %, *** RESISTOR, FIXED,FILM	0	P	5905I SE
AML239N	AL	L-A-09-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 500, +10/-5 %, *** RESISTOR, VARIABLE,WIRE WOUND	0	P	5905I SE
AML246R	AL	L-A-03-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,COMPOSITION; SOLID CYLINDRICAL, CARBON, TWO AXIAL	3	P	5905I SE
AML259G	AL	L-A-03-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 250, 4, +/- 10 %, *** RESISTOR, VARIABLE,WIRE WOUND; PANEL	0	P	5905I SE
AML285F	AL	L-A-03-000-002	5	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, VARIABLE,NONWIREWOUN; TRIMMER, POTENTIOMETER, CARBON50	3	P	5905I SE
AML946W	AL	L-A-09-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 10 K, 0.5, +/- 1 %, CYLINDRICAL, RESISTOR, FIXED,FILM; SOLID CYLINDRICAL, VITREOUS ENAMEL, KM5, 10	0	P	5905I SE
AML988C	AL	L-A-03-000-002	8	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 5 M, *** RESISTOR, VARIABLE,WIRE WOUND; RESISTOR STYLE: POTENTIOMETER	0	P	5905I SE
ANL044N	AL	L-A-03-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 10 K, *** HELITRIM, FOR PACKARD TYPE/TAPE UNIT ON PULSE HEIGHT ANALYZER	0	P	5905I SE
ANL144V	AL	L-A-09-000-002	5	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, RESISTOR, ; FIXED, SAGE 13005, 10K-3, 7304 TYPE S SILICONE 10 K OHM	0	P	5905I SE
ANL247H	AL	L-A-09-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 10 K, 0.5, *** POTENTIOMETER, SUPERSEDES GE L8205216G10 GE 44A337916-108	0	P	5905I SE
ANL251T	AL	L-A-09-000-002	4	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 25 K, 0.10, +/- 1 %, RESISTOR, FIXED,FILM; 025.000 KILOHMS, 000.100 WATT,001.000 PCT	0	P	5905I SE
ANL323V	AL	L-A-03-000-002	44	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,COMPOSITION; CARBON, 5% TOLERANCE 4.7 OHM, 1 WATT, MAX	3	B	5905I SE
ANL341R	AL	L-A-03-000-002	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 10 K, 0.125, *** RESISTOR, FIXED,FILM	0	P	5905I SE
ANL371G	AL	L-A-03-000-002	12	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 400, 20, 1, +/- 10 %, (3) PRINTED CIRCUIT PINS, RESISTOR, VARIABLE,NONWIREWOUN; TRIMMER, POTENT	0	P	5905I SE
ANL426H	AL	L-A-03-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,COMPOSITION; CARBON, INSULATED, 5.1 OHMS, ONE WATT	3	P	5905I SE
ANL469Y	AL	L-A-03-000-002	41	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, COMPOSITION, 10, 0.25, +/- 5 %, CYLINDRICAL, AXIAL LEAD, *** RESISTOR, FIXED,COMPOSITION; RESISTOR FEATUR	0	P	5905I SE
ANL541H	AL	L-A-03-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 10 K, *** POTENTIOMETER, TYPE XNT201R1-03B, NO RR 9167, 137216, EBERLINE	0	P	5905I SE
ANL570M	AL	L-A-09-000-002	4	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 2, +/- 5 %, RESISTOR, VARIABLE,WIRE WOUND; PANEL, POTENTIOMETER, SINGLE- TURN	0	P	5905I SE
ANL669N	AL	L-A-03-000-002	8	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, COMPOSITION, 51, 0.25, +/- 5 %, CYLINDRICAL, *** RESISTOR, FIXED,COMPOSITION	0	P	5905I SE
ANL687L	AL	L-A-09-000-002	8	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, ; FIXED, 10 PCT TOLERANCE 15 MEG OHM 1/2 W ***	3	P	5905I SE
ANL939K	AL	L-A-03-000-002	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, +/- 5 %, *** RESISTOR, FIXED,FILM	0	P	5905I SE
ANL945Q	AL	L-A-09-000-002	4	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 10 K, 1, RESISTOR, VARIABLE,WIRE WOUND; POTENTIOMETER, 10 KILOHMS, ONE WATT.	0	P	5905I SE
ANL953R	AL	L-A-09-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 200, 70, +/- 3 %, *** RESISTOR, FIXED,WIRE WOUND	0	P	5905I SE
APL158A	AL	L-A-03-000-002	29	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, ; FIXED, 5% TOLERANCE 27 K OHM 1 W ***	3	P	5905I SE
APL162K	AL	L-A-03-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, COMPOSITION, 1.5 K, 0.25, +/- 5 %, CYLINDRICAL, *** RESISTOR, FIXED,COMPOSITION	0	P	5905I SE
APL253G	AL	L-A-09-000-002	5	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 10 K, +/- 1 %, *** RESISTOR, FIXED,FILM	0	P	5905I SE
APL432G	AL	L-A-13-000-002	8	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 600, 2, +/- 5 %, *** RESISTOR, VARIABLE,WIRE WOUND; RESISTOR STYLE: CHASSIS MOUNT	0	P	5905I SE
APL459V	AL	L-A-09-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, ; FIXED, 10 PCT TOLERANCE, TMI/4, (7418) 82 OHM 1/2 W ***	3	P	5905I SE
APL560J	AL	L-A-03-000-002	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, COMPOSITION, 200, 0.25, +/- 5 %, CYLINDRICAL, AXIAL LEAD, *** RESISTOR, FIXED,COMPOSITION	0	P	5905I SE
APL564Y	AL	L-A-03-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 20 K, 3, *** RESISTOR, VARIABLE,WIRE WOUND; RESISTOR STYLE: POTENTIOMETER	0	P	5905I SE
APL576P	AL	L-A-09-000-002	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 125/250, 3/1, RESISTOR, ; VARIABLE, CTS TYPE RCC, 3 AMP, 125 V, 1 AMP, 250 V ***	0	P	5905I SE
APL664T	AL	L-A-03-000-002	25	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,COMPOSITION; SOLID CYLINDRICAL, 20 KILOHMS,0.25 WATT	3	P	5905I SE
APL764N	AL	L-A-03-000-002	19	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,COMPOSITION; SOLID CYLINDRICAL, 22 KILOHKMS0.25 WATT	3	P	5905I SE
APL926N	AL	L-A-03-000-002	9	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 10, 0.25, +/- 5 %, ** RESISTOR, FIXED,WIRE WOUND	0	P	5905I SE
APL937H	AL	L-A-09-000-002	4	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 750, *** CLAROSTAT	0	P	5905I SE
AQC787D	AL	M-A-11-000-002	7	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, FIXED,WIRE WOUND; SOLID CYLINDRICAL, TWO AXIAL LEADS, 150	2	P	5905I SE
AQC836T	AL	L-A-09-000-002	20	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 100, 40, RESISTOR, ; FIXED STRIP OHM HEATER 100 OHM, 40 W ***	0	P	5905I SE
AQC837Q	AL	L-A-09-000-002	17	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 150, 40, RESISTOR, ; FIXED, STRIP OHM HEATER 150 OHM 40 W ***	0	P	5905I SE
AQD734X	AL	L-A-09-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 75, 50, *** RV1 VOLTAGE DIVIDER	0	P	5905I SE
AQG446K	AL	M-A-06-000-002	10	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 1, 0.125, +/- 0.1 %, CYLINDRICAL/SOLID, RESISTOR, FIXED,WIRE WOUND; RESISTOR STYLE: SOLID CYLINDRI	0	P	5905I SE
AQG447H	AL	M-A-06-000-002	10	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 8, 0.08, +/- 0.1 %, *** RESISTOR, FIXED,FILM	0	P	5905I SE
AQG449D	AL	M-A-06-000-002	18	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 16, 0.08, +/- 0.1 %, *** RESISTOR, FIXED,FILM	0	P	5905I SE
AQG451T	AL	M-A-06-000-002	16	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 4, 0.08, +/- 0.1 %, *** RESISTOR, FIXED,FILM	0	P	5905I SE
AQG452Q	AL	M-A-06-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 20, 0.25, +/- 1 %, RECTANGULAR, RESISTOR, ; FIXED, GREEN, RECTANGULAR 20 OHM, 1/4 W, 1 PCT TOL ***	0	P	5905I SE
AQG453N	AL	M-A-06-000-002	17	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 64, 0.08, +/- 0.1 %, *** BLACK	0	P	5905I SE
AQG454L	AL	M-A-06-000-002	18	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 32, 0.08, +/- 0.1 %, *** BLACK	0	P	5905I SE
AQG457E	AL	M-A-06-000-002	10	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 1.21 K, 0.5, +/- 1 %, *** BROWN	0	P	5905I SE
AQG459A	AL	M-A-06-000-002	13	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 40.2, 0.5, +/- 1 %, CYLINDRICAL/SOLID, AXIAL LEAD, *** RESISTOR, FIXED,FILM	0	P	5905I SE
AQG472J	AL	M-A-06-000-002	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 75 K, 25, +/- 1 %, CYLINDRICAL/SOLID, AXIAL LEAD, *** RESISTOR, FIXED,WIRE WOUND	0	P	5905I SE
AQG481H	AL	M-A-06-000-002	8	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 5.11 K, 0.5, +/- 1 %, *** DK BROWN	0	P	5905I SE
AQG509N	AL	M-A-06-000-002	8	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 6 K, 3, +/- 5 %, *** GREY	0	P	5905I SE
AQG513Y	AL	M-A-06-000-002	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 30 K, 0.5, +/- 1 %, *** CD300B	0	P	5905I SE
AQM980G	AL	L-A-09-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 75, 25, *** DIVIDOHM 210-25K-40	0	P	5905I SE
AQN457F	AL	T-A-01-000-002	7	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 3 K, 5, +/- 5 %, CYLINDRICAL/VITREOUS ENAMEL, AXIAL LEAD, RESISTOR, FIXED,WIRE WOUND; RESISTOR STY	0	P	5905I SE
AQT197T	AL	L-A-13-000-002	5	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 5.6 K, 0.25, +/- 1 %, ***	0	P	5905I SE
AQY242V	AL	L-A-03-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 500, 0.5, +/- 10 %, RESISTOR, VARIABLE,NONWIREWOUN; RESISTOR STYLE: POTENTIOMETER, OHMS	0	P	5905I SE
ARD888V	AL	M-A-16-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 500, *** RESISTOR, VARIABLE,WIRE WOUND; FOR LEEDS NORTHROP MONITOR 7070-5	0	P	5905I SE
ARN516K	AL	L-A-03-000-002	12	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, *** RESISTOR, VOLTAGE SENSITIVE; FOR REACTOR RECIRCULATING	0	P	5905I SE
ARQ791J	AL	L-A-09-000-002	12	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 325, 250 K, +/- 3 %, RESISTOR, VARIABLE,NONWIREWOUN; POTENTIOMETER, 3500 SERIES, 10 TURN	0	P	5905I SE
ARQ875C	AL	L-A-03-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 50 K, *** RESISTOR, VARIABLE,WIRE WOUND	0	P	5905I SE
ATA008N	AL	T-A-01-000-002	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,COMPOSITION; ELECTRICAL, 240 OHM, 5 PCT TOL, 0.500	3	P	5905I SE
ATF129Q	AL	T-A-01-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 1 K, 2, +/- 0.25 %, RESISTOR, VARIABLE,WIRE WOUND; PANEL	0	P	5905I SE
ATG433G	AL	T-A-01-000-002	51	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, FIXED,COMPOSITION; CARBON, AS-1/4, 10 OHM, 0.250 WATT, 1 PCT	2	P	5905I SE
ATG607A	AL	L-A-03-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 10, 100, *** RESISTOR, FIXED,WIRE WOUND	0	P	5905I SE
ATN673W	AL	T-A-01-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 3595, 75, 175, +/- 5 %, VITREOUS ENAMEL/TUBULAR, SOLDER COATED RADIAL LUGS, *** RESISTOR, FIXED,WI	0	P	5905I SE
ATP286Y	AL	L-A-03-000-002	5	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 300, 1 K, 50, RESISTOR, VARIABLE,WIRE WOUND; RESISTOR STYLE: POTENTIOMETER, OHMS	0	P	5905I SE
ATP287W	AL	L-A-03-000-002	76	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,COMPOSITION; SOLID CYLINDRICAL, CARBON, TWOAXIAL	3	P	5905I SE
ATP302W	AL	L-A-03-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, POTENTIOMETER, 300, 10 K, 50, RESISTOR, VARIABLE,WIRE WOUND; RESISTOR STYLE: POTENTIOMETER, OHMS	0	P	5905I SE
ATP311T	AL	L-A-03-000-002	7	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, POTENTIOMETER, 300, 500 K, 50, RESISTOR, VARIABLE,WIRE WOUND; RESISTOR STYLE: POTENTIOMETER, OHMS	0	P	5905I SE
ATV375B	AL	M-A-16-000-002	11	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, FIXED,COMPOSITION; SOLID CYLINDER, TWO AXIAL LEADS, 3.6	2	P	5905I SE
AVA745M	AL	L-A-09-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, POTENTIOMETER, 0.21, *** RESISTOR, VARIABLE,WIRE WOUND	0	P	5905I SE
AVA830A	AL	T-A-01-000-002	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, VARIABLE,NONWIREWOUN; PANEL, POTENTIOMETER, THREE SOLDERABLE	2	P	5905I SE
AVB654K	AL	M-A-06-000-002	13	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 30.1 K, 0.5, +/- 1 %, *** RESISTOR, FIXED,FILM	0	P	5905I SE
AVC379A	AL	M-A-06-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 495, 20, 5, +/- 5 %, VITREOUS ENAMEL/MOLDED, AXIAL LEAD, *** RESISTOR, FIXED,FILM	0	P	5905I SE
AVJ443W	AL	L-A-03-000-002	4	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,COMPOSITION; CARBON, 6.2 K OHM, 0.500 W, 5 PCT	3	P	5905I SE

AVY903P	AL	L-A-09-000-002	76	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, COMPOSITION, 350, 120, 0.5, +/- 5 %, *** RESISTOR, FIXED,COMPOSITION; CARBON	0	P	5905I SE
AVY913K	AL	L-A-09-000-002	75	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, COMPOSITION, 350, 470, 0.5, +/- 5 %, *** RESISTOR, FIXED,COMPOSITION; CARBON	0	B	5905I SE
AVY979L	AL	L-A-09-000-002	368	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, COMPOSITION, 250, 220 K, 0.5, +/- 5 %, *** RESISTOR, FIXED,COMPOSITION; CARBON	0	P	5905I SE
AWD432M	AL	L-A-03-000-002	10	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, COMPOSITION, 470, 1, +/- 5 %	0	P	5905I SE
AWD433K	AL	L-A-03-000-002	11	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, COMPOSITION, 1 K, 0.5, *** RESISTOR, FIXED,COMPOSITION; RESISTOR FEATURES: CARBON	0	B	5905I SE
AWD442J	AL	L-A-03-000-002	9	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, COMPOSITION, 560, 0.5, *** RESISTOR, FIXED,COMPOSITION; RESISTOR FEATURES: CARBON	0	P	5905I SE
AWD837T	AL	L-A-03-000-002	20	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 6.8 K, 0.5, +/- 10 %, RESISTOR, FIXED,COMPOSITION; OHMS RATING: 6.8 KOHMS, WATTAGE: 0.50	0	C	5905I SE
AWE565W	AL	L-A-03-000-002	7	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 5.0, 12, +/- 5 %, RESISTOR, FIXED,WIRE WOUND; RESISTOR STYLE: THRU HOLE CYL, OHMS	0	P	5905I SE
AWE566T	AL	L-A-03-000-002	20	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 25, 8, *** RESISTOR, FIXED,WIRE WOUND	0	P	5905I SE
AWK861Y	AL	L-A-13-000-002	60	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 7.5, 0.25, +/- 1 %, AXIAL LEAD, *** RESISTOR, FIXED,FILM; RESISTOR STYLE: PRECISION	0	P	5905I SE
AWK901E	AL	T-A-01-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, 500, 160, *** FOR ELECTRIC CONTROL, ON AUXILIARY BUILDING CRANE	0	B	5905I SE
AWL305R	AL	M-A-16-000-002	12	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, 130 RMS/175 VDC, DISK, (2) RADIAL LEADS, RESISTOR, VOLTAGE SENSITIVE; DISK, METAL OXIDE, TWO RADIAL LEADS	0	P	5905I SE
AWX183X	AL	M-A-16-000-002	20	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, FIXED,COMPOSITION; CARBON, 560.000 OHMS, 000.500 WATTS	2	P	5905I SE
AWX340K	AL	M-A-16-000-002	4	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, FIXED,COMPOSITION; CARBON, 001.800 KILOHMS, 000.500 WATTS	2	P	5905I SE
AXG604X	AL	M-A-10-000-002	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, FIXED,COMPOSITION; CARBON, 015.000 KILOHMS, 000.250 WATT	2	P	5905I SE
AXM413A	AL	L-A-03-000-002	34	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 10 K, +/- 5 %, RESISTOR, VARIABLE,WIRE WOUND; RESISTOR STYLE: POTENTIOMETER, OHMS	0	P	5905I SE
AXW438M	AL	L-A-09-000-002	12	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, VARIABLE, 500, 0.22, 25, RESISTOR, VARIABLE,WIRE WOUND; 500 OHMS, 25 WATTS, 0.22 AMPS,(STANDARD	2	P	5905I SE
AXX366F	AL	M-A-06-000-002	16	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, COMPOSITION, 6.8 K, 0.5, +/- 5 %, CYLINDRICAL/SOLID, *** RESISTOR, FIXED,COMPOSITION; RESISTOR FEATURES:	0	P	5905I SE
AYB526A	AL	L-A-09-000-002	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 1 K, 0.5, +/- 10 %, RECTANGULAR, RESISTOR, VARIABLE,WIRE WOUND; RECTANGULAR, POTENTIOMETER, E-Z-	0	P	5905I SE
AYD943F	AL	M-A-06-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, ADJUSTABLE; RESISTOR STYLE: THRU HOLE CYL, OHMS RATING: 350	2	B	5905I SE
AYH063G	AL	T-A-05-000-002	66	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 5 K, 25, +/- 5 %, CYLINDRICAL/VITREOUS ENAMEL, RADIAL LUG, RESISTOR, FIXED,WIRE WOUND; RESISTOR ST	0	C	5905I SE
BAC336Y	AL	L-A-13-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 100, +/- 10 %, CYLINDRICAL, *** RESISTOR, FIXED,WIRE WOUND	0	P	5905I SE
BAC761F	AL	L-A-13-000-002	82	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, ELECTRICAL DEVICE; TYPE: COMPOSITION; WATTS: 0.5; OHMS: 240;	3	B	5905I SE
BAC890F	AL	L-A-13-000-002	94	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, COMPOSITION, 5.1 K, 0.5, +/- 5 %, CYLINDRICAL, (2) AXIAL LEADS	3	B	5905I SE
BAE249F	AL	L-A-03-000-002	18	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,COMPOSITION; SOLID CYLINDRICAL, CARBON, 1500 OHMS, 0.5	3	P	5905I SE
BAG405J	AL	L-A-03-000-002	5	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,COMPOSITION; SOLID CYLINDRICAL, CARBON, 27 KILOHMS	3	P	5905I SE
BAH035A	AL	L-A-03-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,COMPOSITION; SOLID CYLINDRICAL, CARBON, TWO AXIAL	3	P	5905I SE
BAH103X	AL	L-A-03-000-002	40	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, FIXED,COMPOSITION; RESISTOR STYLE: SOLID CYLINDRICAL, OHMS	2	B	5905I SE
BAJ269L	AL	L-A-03-000-002	22	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,COMPOSITION; SOLID CYLINDRICAL, CARBON, TWO AXIAL	3	P	5905I SE
BAN758G	AL	L-A-03-000-002	30	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,FILM; SOLID CYLINDRICAL, METAL, PRECISION, TWO AXIAL	3	P	5905I SE
BBY991T	AL	L-A-03-000-002	25	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,FILM; SOLID CYLINDRICAL, TWO AXIAL LEADS, 4300 OHMS	3	P	5905I SE
BCJ593Y	AL	L-A-03-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, *** RESISTOR, VARIABLE,WIRE WOUND; RESISTOR STYLE: CHASSIS MOUNT	0	P	5905I SE
BDF849Y	AL	M-A-06-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, RESISTOR, VARIABLE,NONWIREWOUN; RECTANGULAR, PRINTED CIRCUIT BOARD	0	P	5905I SE
BDJ820K	AL	M-A-16-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, FIXED,COMPOSITION; SOLID CYLINDRICAL, CARBON, TWOAXIAL	2	P	5905I SE
BDK115Q	AL	M-A-16-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, FIXED,FILM; SOLID CYLINDRICAL, TWO AXIAL LEADS, 3.3 KILOHMS	2	P	5905I SE
BDK205Q	AL	M-A-16-000-002	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, FIXED,FILM; SOLID CYLINDRICAL, TWO AXIAL LEADS, 24.9	2	P	5905I SE
BDK211W	AL	M-A-16-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, FIXED,FILM; SOLID CYLINDRICAL, TWO AXIAL LEADS, 12.1	2	P	5905I SE
BDK306J	AL	M-A-16-000-002	11	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, VARIABLE,NONWIREWOUN; RECTANGULAR, TRIMMER POTENTIOMETER	2	P	5905I SE
BDK415C	AL	M-A-16-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, VARIABLE,NONWIREWOUN; RECTANGULAR, TRIMMER POTENTIOMETER	2	P	5905I SE
BDL214H	AL	M-A-04-000-002	8	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,WIRE WOUND; THUR HOLE CYLINDRICAL, TWO THREADED SCREW	3	P	5905I SE
BDL736J	AL	M-A-16-000-002	8	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 1, RESISTOR, FIXED,COMPOSITION; SOLID CYLINDRICAL, CARBON, TWO AXIAL	1	P	5905I SE
BDL861F	AL	M-A-03-000-002	5	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 1, RESISTOR, FIXED,FILM; SOLID CYLINDRICAL, TWO AXIAL LEADS, 825 OHMS	1	P	5905I SE
BEA072F	AL	M-A-04-000-002	15	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, FIXED, 470, +/- 2 %, RESISTOR NETWORK, FIXED; 15 EA RESISTOR, 16 DUAL-IN- LINE PINS, 470	3	P	5905I SE
BEQ871H	AL	L-A-03-000-002	4	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, COMPOSITION, 82 M, 0.25, +/- 5 %, CYLINDRICAL, (2) AXIAL LEADS, *** RESISTOR, FIXED,COMPOSITION; CARBON	0	P	5905I SE
BFC493F	AL	L-A-03-000-002	10	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,FILM; SOLID CYLINDRICAL, TWO AXIAL LEADS, 64.9	3	P	5905I SE
BHG443X	AL	M-A-16-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, VARIABLE,WIRE WOUND; PANEL, POTENTIOMETER, THREE SOLDERABLE	2	P	5905I SE
BJR572X	AL	L-A-03-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, VARIABLE,WIRE WOUND; 100 K, POTENTIOMETER, FOR ALARM MONITOR	3	P	5905I SE
BJR573V	AL	L-A-03-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, VARIABLE,WIRE WOUND; 200 K, POTENTIOMETER, FOR ALARM MONITOR	3	P	5905I SE
BJR574R	AL	L-A-03-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, VARIABLE,WIRE WOUND; 200 K, POTENTIOMETER, FOR ALARM MONITOR	3	P	5905I SE
BJR575P	AL	L-A-03-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, VARIABLE,WIRE WOUND; 5 K, POTENTIOMETER, FOR ALARM MONITOR	3	P	5905I SE
BJR576M	AL	L-A-03-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, VARIABLE,WIRE WOUND; 1 K, POTENTIOMETER, FOR ALARM MONITOR	3	P	5905I SE
BJR577K	AL	L-A-03-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, VARIABLE,WIRE WOUND; 2 K, POTENTIOMETER, FOR ALARM MONITOR	3	P	5905I SE
BJR578H	AL	L-A-03-000-002	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, VARIABLE,WIRE WOUND; 10 K, POTENTIOMETER, FOR ALARM MONITOR	3	P	5905I SE
BJR579F	AL	L-A-03-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, VARIABLE,WIRE WOUND; 200 K, POTENTIOMETER, FOR ALARM MONITOR	3	P	5905I SE
BJR580A	AL	L-A-03-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, VARIABLE,WIRE WOUND; 5 K, POTENTIOMETER, FOR ALARM MONITOR	3	P	5905I SE
BJY139J	AL	L-A-03-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,FILM; SOLID CYLINDRICAL, TWO AXIAL LEADS, END OF LINE	3	P	5905I SE
BKA673Y	AL	L-A-03-000-002	208	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, FIXED,COMPOSITION; SOLID CYLINDRICAL, CARBON, TWOAXIAL	2	P	5905I SE
BLC631Y	AL	T-A-01-000-002	4	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, ASSEMBLY, *** RESISTOR ASSY, ; FOR POWER SUPPLY, CONVERTER, WELDING, MODEL 300	0	P	5905I SE
BPT832R	AL	T-A-01-000-002	26	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, ADJUSTABLE; 12 WATT, 400 OHMS, POWER, MAX AMPS 0.17 ***	3	C	5905I SE
BPV832L	AL	L-A-09-000-002	44	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, COMPOSITION, 62, 0.5, +/- 5 %, *** RESISTOR, FIXED,COMPOSITION; RESISTOR FEATURES: CARBON	0	B	5905I SE
BQQ820G	AL	L-A-03-000-002	49	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, FIXED,COMPOSITION; SOLID CYLINDRICAL, CARBON, TWO AXIAL	2	B	5905I SE
BQR380D	AL	L-A-03-000-002	13	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 56.2 K, 0.25, +/- 1 %, *** RESISTOR, FIXED,FILM; RESISTOR STYLE: METAL	0	C	5905I SE
BRG560K	AL	L-A-03-000-002	21	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,WIRE WOUND; VOLTAGE SENSITIVE (VARISTOR), 31 VDC, 6	3	B	5905I SE
BTD949L	AL	L-A-09-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, VARIABLE,NONWIREWOUN; POTENTIOMETER, HELITRIM, FIVE KILOHMS	3	C	5905I SE
BTY924D	AL	L-A-09-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR BOX, ELECTRONIC; RESISTOR BOX, FOR TERRY TURBINE TYPE GS	3	C	5905I SE
BVA841J	AL	P-A-LL-ET0-108	20	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 1, RESISTOR, VARIABLE; 200K OHMS ***	1	B	5905I SE
BVH214A	AL	L-A-03-000-002	8	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,COMPOSITION; 8.00 OHMS, 3.0 WATTS, DALE TYPE RS-2B	3	B	5905I SE
BVT503M	AL	L-A-09-000-002	4	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, FIXED, 250, 0.5, +/- 0.1 %, CYLINDRICAL/SOLID, (2) AXIAL LEADS, , FILM; TEMPERATURE: 70 DEG C	2	B	5905I SE
BVV656G	AL	L-A-09-000-002	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,WIRE WOUND; FIXED, FOR SERVICE AND HANDLING EQUIPMENT	3	C	5905I SE
BWK214R	AL	L-A-09-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 1 K, *** RESISTOR, VARIABLE,NONWIREWOUN; RESISTOR STYLE: POTENTIOMETER	0	C	5905I SE
BXC325E	AL	L-A-09-000-002	97	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED,FILM; RESISTOR STYLE: SOLID CYLINDRICAL, OHMS RATING:	3	B	5905I SE
BXC956A	AL	L-A-09-000-002	10	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, FIXED,COMPOSITION; RESISTOR STYLE: SOLID CYLINDRICAL, OHMS	2	B	5905I SE
BXE911N	AL	L-A-09-000-002	5	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, VARIABLE,WIRE WOUND; RESISTOR STYLE: POTENTIOMETER, OHMS	2	B	5905I SE
BXG209W	AL	L-A-09-000-002	35	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, RESISTOR, VARIABLE,SPARE PART; POTENTIOMETER, 250 KILOHMS. ***	0	B	5905I SE
BXG335N	AL	L-A-03-000-002	23	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 250, 0.5, +/- 0.1 %, RESISTOR, FIXED,SPARE PART; FILM, METAL, 250.000 OHMS, 000.500 WATT	0	B	5905I SE

BXG434L	AL	L-A-13-000-002	12	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 300, 0.25, +/- 20 %, (3) CONTACT PINS, RESISTOR, VARIABLE, SPARE PART; TRIMMER, POTENTIOMETER, V	0	B	5905I SE
BXJ505E	AL	L-A-03-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 560, 10, +/- 5 %, *** RESISTOR, FIXED, SPARE PART; WIRE WOUND	0	B	5905I SE
BXK806T	AL	T-A-01-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, *** RESISTOR, VARIABLE, SPARE PART; FOR AUX BLDG WTR CHILLER	0	B	5905I SE
BXN983K	AL	L-A-03-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED, COMPOSITION; RESISTOR STYLE: PRECISION, OHMS RATING:	3	B	5905I SE
BYG272E	AL	L-A-03-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, FIXED, WIRE WOUND; RESISTOR STYLE: RECTANGULAR, OHMS RATING:	2	B	5905I SE
BYH844M	AL	L-A-09-000-002	58	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, FIXED, 2.2 K, 0.5, +/- 5 %, CYLINDRICAL/SOLID, (2) AXIAL LEADS, , FILM;	2	B	5905I SE
BYK734J	AL	L-A-09-000-002	85	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 2.2 K, 0.25, +/- 5 %, *** RESISTOR, FIXED, SPARE PART; CARBON	0	C	5905I SE
CAB400T	AL	L-A-09-000-002	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, FIXED, 100, 100, +/- 5 %, VITREOUS ENAMEL/TUBULAR, SOLDER LUGS, , WIRE WOUND	2	B	5905I SE
CAC086B	AL	L-A-09-000-002	22	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, FIXED, 100, 25, +/- 5 %, SILICONE COATED/TUBULAR, , WIRE WOUND; RESISTOR STYLE: POWER	2	B	5905I SE
CAC994G	AL	L-A-09-000-002	11	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, FIXED, 625, 1.5 K, 25, +/- 5 %, VITREOUS ENAMEL/CERAMIC, SOLDER COATED RADIAL LUGS, , COMPOSITION; RESIST	2	B	5905I SE
CAG843H	AL	L-A-09-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, FIXED, 200, 100, 0.25, +/- 0.01 %, EPOXY/ENCAPSULATED, AXIAL LEAD, , WIRE WOUND.	2	B	5905I SE
CAN284W	AL	L-A-13-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, VARIABLE, WIRE WOUND; RESISTOR STYLE: POTENTIOMETER, OHMS	3	B	5905I SE
CAN284W	AL	L-A-09-000-002	6	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, VARIABLE, WIRE WOUND; RESISTOR STYLE: POTENTIOMETER, OHMS	3	B	5905I SE
CAN587A	AL	L-A-09-000-002	7	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, RESISTOR, VARIABLE, SPARE PART; POTENTIOMETER, 10K OHM, POSITION FEED	0	C	5905I SE
CAX204J	AL	L-A-03-000-002	68	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED, FILM; RESISTOR STYLE: SOLID CYLINDRICAL, OHMS RATING:	3	B	5905I SE
CBE852L	AL	L-A-03-000-002	14	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, COMPOSITION, 27 M, 0.25, +/- 5 %, CYLINDRICAL, (2) AXIAL LEADS, *** RESISTOR, FIXED, COMPOSITION; CARBON	0	C	5905I SE
CBW471Q	AL	L-A-09-000-002	24	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 20, 0.5, +/- 1 %, RESISTOR, FIXED, FILM; MIL TYPE RN METAL FILM PRECISION RESISTOR, 20	0	B	5905I SE
CBW472N	AL	L-A-09-000-002	19	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 49.9, 0.5, +/- 1 %, RESISTOR, FIXED, FILM; MIL TYPE RN METAL FILM PRECISION RESISTOR, 49.9	0	B	5905I SE
CDQ904W	AL	M-A-12-000-002	36	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, FIXED, 50, 0.40, +/- 0.05 %, PRECISION/SILICONE COATED, (2) AXIAL LEADS, , WIRE WOUND	2	B	5905I SE
CDW829T	AL	L-A-13-000-002	348	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED, FILM; RESISTOR STYLE: METAL, OHMS RATING: 150 OHMS	3	B	5905I SE
CDW895D	AL	L-A-03-000-002	450	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED, FILM; RESISTOR STYLE: METAL, OHMS RATING: 51.1 KOHMS	3	B	5905I SE
CDW900V	AL	L-A-09-000-002	50	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, FIXED, FILM; RESISTOR STYLE: METAL, OHMS RATING: 49.9 OHMS	3	B	5905I SE
CEH880Q	AL	L-A-09-000-002	1	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 0-500, 0.22, 25, +/- 10 %, CYLINDRICAL/VITREOUS ENAMEL, (2) FIXED LUGS W/1 ADJUSTABLE LUG, RESI	0	B	5905I SE
CEJ105L	AC	- - - -	2	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, *TYPICAL; TYPE: FIXED/WIRE WOUND; WATTS: 5; OHMS: 5 K;	3	B	5905I SE
CEJ105L	AL	L-A-09-000-002	5	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, *TYPICAL; TYPE: FIXED/WIRE WOUND; WATTS: 5; OHMS: 5 K;	3	B	5905I SE
CEJ108E	AL	L-A-09-000-002	28	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, *TYPICAL; TYPE: FIXED/WIRE WOUND; WATTS: 5; OHMS: 3 K;	3	B	5905I SE
CEK940N	AL	L-A-03-000-002	3	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, *TYPICAL; TYPE: FIXED/COMPOSITION/CARBON; VOLTS: 600 DC;	2	B	5905I SE
CEL785P	AL	L-A-09-000-002	66	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, RESISTOR, *TYPICAL; TYPE: WIRE WOUND; OHMS: 820; TOLERANCE: +/- 1 %;	2	B	5905I SE
CFM114M	AL	L-A-09-000-002	30	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, 220, 0.25, +/- 1 %, PRECISION, (2) AXIAL LEADS, ** METAL FILM.	0	B	5905I SE
CFM399H	AL	L-A-13-000-002	80	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, COMPOSITION, 250, 47 K, 0.25, +/- 5 %, CYLINDRICAL/SOLID/MOLDED, (2) AXIAL LEADS, , FIXED CARBON	2	B	5905I SE
CFX169R	AL	L-A-13-000-002	16	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, ELECTRICAL DEVICE; TYPE: FIXED; WATTS: 1; OHMS: 22;	3	B	5905I SE
CFX170L	AL	L-A-13-000-002	13	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 3, RESISTOR, ELECTRICAL DEVICE; TYPE: FIXED; WATTS: 1; OHMS: 200;	3	B	5905I SE
AQW321A	AL	D-A-32-201-000	11	RESPIRATOR	RESPIRATOR, CARTRIDGE, QA 0, AIR FILTERING, MEDIUM, ULTRA TWIN MASK, SIZE MEDIUM, WITHOUT CARTRIDGE OR FILTERS	0		4240P SE
AVL881R	AL	D-A-37-402-000	34	RESPIRATOR	RESPIRATOR, CARTRIDGE, QA 0, AIR FILTERING, MEDIUM, BELT-MOUNTED, COMFO II, GMC-S, COMPLETE, BLACK	0	C	4240P SE
BUN187G	AL	D-A-10-301-000	3	RESPIRATOR	RESPIRATOR, CARTRIDGE, QA 0, AIR FILTERING, SMALL, AIR FILTERING	0		4240P SE
BLE390V	AL	D-A-06-201-000	7	RESPIRATOR	RESPIRATOR, CARTRIDGE, QA 0, AIR FILTERING, FILTER TYPE: CARTRIDGE	0		4240P SE
CJV036V	AL	D-A-37-202-000	92	RESPIRATOR	RESPIRATOR, AIR FILTERING, QA 0, LARGE, ULTRAVUE, FACEPIECE	0	C	4240P SE
CJX014V	AL	D-A-16-301-004	5	RESPIRATOR	RESPIRATOR, AIR FILTERING, QA 0, FOR OPTIMAIR-6APAPR, BLOWER UNIT, ASSEMBLY, OPTIMAIR 6A PAPR LESS FACEPIECE, INCLUDES:	0		4240P SE
AWE062E	AL	L-A-08-000-002	1	RESPIRATOR	RESPIRATOR, CARTRIDGE, QA 0, AIR FILTERING, SMALL, RUBBER/ALUMINUM, REPLACEABLE CARTRIDGE	0	P	4240P SE
AWE062E	AL	I-A-09-000-002	2	RESPIRATOR	RESPIRATOR, CARTRIDGE, QA 0, AIR FILTERING, SMALL, RUBBER/ALUMINUM, REPLACEABLE CARTRIDGE	0	P	4240P SE
BGT446A	AL	I-A-09-000-002	11	RESPIRATOR	RESPIRATOR, AIR FILTERING, QA 0, HALF MASK, SIZE MEDIUM	0	P	4240P SE
BGX671K	AL	I-A-09-000-002	5	RESPIRATOR	RESPIRATOR, AIR FILTERING, QA 0, HALF-MASK, SIZE LARGE	0	P	4240P SE
AWX102R	AL	A-A-01-000-001	9	RESTRICTOR	RESTRICTOR, TYPICAL, QA 0, RESTRICTOR, ; BACKFEED, ARGON, FOR EXPLOSIVE VAPOR DETECTOR, MODEL 75	0	C	6630D SE
AWX103P	AL	A-A-01-000-001	9	RESTRICTOR	RESTRICTOR, TYPICAL, QA 0, RESTRICTOR, ; STRAIGHT, FOR EXPLOSIVE VAPOR DETECTOR, MODEL 75 ***	0	C	6630D SE
BCD351H	AL	A-A-01-000-001	9	RESTRICTOR	RESTRICTOR, TYPICAL, QA 0, RESTRICTOR, ; MAIN, ARGON, TYPE 15-150, FOR DETECTOR, EXPLOSIVE, MODEL	0	C	6630D SE
CAR150E	AL	A-A-01-000-001	14	RESTRICTOR	RESTRICTOR, TYPICAL, QA 3, RESTRICTOR, DETECTOR; NITROGEN, FOR EXPLOSION DETECTOR ***	3	B	6630D SE
ADY991M	AL	M-A-11-000-002	18	RESTRICTOR	RESTRICTOR, TYPICAL, QA 2, RESTRICTOR, FLUID FLOW; PLASTIC IN-LINE, 0.007 IN DIA, FOR INSERTING	2	P	4730P SE
AWM295V	AL	M-A-10-000-002	2	RESTRICTOR	RESTRICTOR, TYPICAL, QA 2, RESTRICTOR ASSY, ; METALLIC, FOR PNEUMATIC CONTROLLER, MOD 43AP ***	2	P	6695D SE
BWQ331R	AL	L-A-09-000-002	3	RESTRICTOR	RESTRICTOR, TYPICAL, QA 3, RESTRICTOR, ; FOR 3 IN HYDROMATIC DELUGE VALVE, MODEL G ***	3	P	4210N SE
ANF656R	AL	5-B-01-301-000	4	RETAINER	RETAINER, TYPICAL, QA 0, BEARING, FOR DAMPER OPERATOR, MODEL HA-133-300	0	C	4530F SE
ARM984N	AC	- - - -	7	RETAINER	RETAINER, TYPICAL, QA 0, RETAINER, BEARING; NUT, REV 1, FOR IN-VESSEL RACK, 729E269G7 ***	0	C	4470C SE
AYC971F	AL	D-B-07-202-002	1	RETAINER	RETAINER, TYPICAL, QA 2, RETAINER, VALVE; STAINLESS STEEL, 2 PER SET, REF 51, FOR 4 IN 200	2	P	48200 SE
AYC971F	AL	D-B-16-000-001	1	RETAINER	RETAINER, TYPICAL, QA 2, RETAINER, VALVE; STAINLESS STEEL, 2 PER SET, REF 51, FOR 4 IN 200	2	P	48200 SE
BFM784M	AL	D-B-19-202-002	9	RETAINER	RETAINER, TYPICAL, QA 0, PLASTIC, PLASTIC, FOR GAS AND VAPOR CARTRIDGES AND PREFILTER COMBINATIONS	0		4240P SE
BLQ283X	AL	D-B-05-202-006	16	RETAINER	RETAINER, TYPICAL, QA 0, RETAINER, BEARING; DISK, SS, 2, YGFS, FOR 2 IN, 600 LB, Y-TYPE, GLOBE	0	P	48200 SE
BPR874E	AL	F-A-09-302-000	10	RETAINER	RETAINER, TYPICAL, QA 1, RETAINER, BALL BEARING; BRONZE, B584-836, DWG D2081 ITEM 652, FOR	1	C	4320U SE
BVL289T	AL	D-B-16-000-001	3	RETAINER	RETAINER, TYPICAL, QA 3, RETAINER, VALVE; DISK, STEEL, REF 6, FOR ATWOOD & MORRILL GATE VALVES	3	C	48200 SE
ABJ639E	AL	M-A-06-000-002	1	RETAINER	RETAINER, TYPICAL, QA 0, RETAINER, VALVE; DISK, REF 8, FOR CLA-VAL CO VALVE, SIZE 002.500IN	0	P	48200 SE
ACE176B	AL	L-A-03-000-002	12	RETAINER	RETAINER, TYPICAL, QA 0, RETAINER, PUMP; SEAL, IT 22, FOR SERIES 500, MODEL PF05-002-31L001	0	P	4320U SE
AJP485A	AL	M-A-08-000-002	16	RETAINER	RETAINER, TYPICAL, QA 1, RETAINER, BEARING; SHIFT RING, FOR AIR STARTER, SIZE 150 BMP, MODEL	1	P	29100 SE
ALX415L	AL	L-A-09-000-002	3	RETAINER	RETAINER, TYPICAL, QA 0, ASSEMBLY, W/ PLUNGER/DISK, RETAINER ASSY, ; PLUNGER AND DISK, FOR 70B REGULATOR	0	P	6695D SE
AME272P	AL	T-A-05-000-002	2	RETAINER	RETAINER, TYPICAL, QA 1, RETAINER, PACKING; GLAND, BRONZE, REF 100, FOR COOLING WATER PUMP	1	P	4320U SE
AMY773E	AL	L-A-04-000-002	1	RETAINER	RETAINER, TYPICAL, QA 0, RETAINER, PUMP; PUMP, FOR MODEL F3-PVA120-RS-10, ON ELECTRO-HYDRAULIC	0	C	4320U SE
AQY145R	AL	P-A-LL-ET0-063	45	RETAINER	RETAINER, TYPICAL, QA 0, BEARING, RETAINER, BEARING; KEY, STEAM DEFLECTOR, STAGE 2, FOR TURBINE, S/N	0	C	2825G SE
AWH284M	AL	L-A-13-000-002	1	RETAINER	RETAINER, TYPICAL, QA 0, RETAINER, BALL BEARING; VALVE END, FOR MOTOR, MODEL FRD225N, 14.44 HP	0	P	6105D SE
AXC017P	AC	- - - -	1	RETAINER	RETAINER, TYPICAL, QA 1, RETAINER, VALVE; DISK, UPPER, STAINLESS STEEL ASTM A240 TYPE 410, REF	1	P	48200 SE
AXC017P	AL	T-A-01-000-002	1	RETAINER	RETAINER, TYPICAL, QA 1, RETAINER, VALVE; DISK, UPPER, STAINLESS STEEL ASTM A240 TYPE 410, REF	1	P	48200 SE
BAG685G	AL	M-A-07-000-002	4	RETAINER	RETAINER, TYPICAL, QA 3, RETAINER, SEAL; STAINLESS STEEL, AISI 316, ASTM A276, FOR CENTRIFUGAL	3	P	4320U SE
BCV242E	AL	M-A-16-000-002	2	RETAINER	RETAINER, TYPICAL, QA 3, RETAINER, VALVE; STEEL, SEAL, REF 4, FOR CHECK VALVE, MODEL 8 IN, SIZE	3	P	48200 SE
BGJ529F	AL	L-A-09-000-002	1	RETAINER	RETAINER, TYPICAL, QA 1, ACTUATOR, , SPLIT RING, REF 27, FOR VALVE ACTUATOR, TYPE SMB-1	1	C	48200 SE
BHX544L	AL	L-A-13-000-002	1	RETAINER	RETAINER, TYPICAL, QA 0, BEARING, 2-1/2 IN, 2-5/8 IN, RETAINER, BALL BEARING; METAL, 2.5 DIA X 2.625 IN LG, DESIGN 10, WITH	0	P	4320U SE
BPR874E	AL	M-A-04-000-002	7	RETAINER	RETAINER, TYPICAL, QA 1, RETAINER, BALL BEARING; BRONZE, B584-836, DWG D2081 ITEM 652, FOR	1	C	4320U SE
BPY589K	AL	L-A-02-000-002	14	RETAINER	RETAINER, TYPICAL, QA 1, PUMP, DISCHARGE, FOR CONTROL ROD DRIVE, HYDRAULIC CONTROL UNIT FOR	1	B	4320U SE
BQQ989V	AL	L-A-03-000-002	11	RETAINER	RETAINER, TYPICAL, QA 3, FILTER, RETAINER, FILTER; FOR REPLACEMENT FILTER RETAINER ON DETECTOR ASSEMBLY	3	C	6630D SE
BRD301H	AL	L-A-03-000-002	35	RETAINER	RETAINER, TYPICAL, QA 0, FILTER, RETAINER, FILTER; FILTER PAPER	0	C	6695D SE

BTF028E	AL	M-A-06-000-002	5	RETAINER	RETAINER, TYPICAL, QA 3, RETAINER, SPRING; FOR MODEL M SPEEDOMAX RECORDER, S/N E73-39802-3-1	3	C	6695D SE
BTG370J	AL	M-A-01-000-002	4	RETAINER	RETAINER, TYPICAL, QA 3, RETAINER, VALVE; BACKSEAT RETAINER ASTM A182 GRADE F6 MOD, FOR 1"	3	B	48200 SE
BWN378B	AL	M-A-01-000-002	1	RETAINER	RETAINER, TYPICAL, QA 3, CLASS 2, RETAINER, VALVE; STEEL, REF 5, TWO PER SET, FOR 3 IN BALL VALVE, 1500	3	C	48200 SE
BXC406F	AL	T-A-01-000-002	250	RETAINER	RETAINER, TYPICAL, QA 3, RETAINER, NUT AND BOLT; MATERIAL: CARBON STEEL, SIZE: 00.250000 (3	C	4710Y SE
CEH429X	AL	L-A-03-000-002	1	RETAINER	RETAINER, TYPICAL, QA 0, RETAINER, *TYPICAL; TYPE: BEARING *** FOR KIELEY-MUELLER ACTUATOR	0	C	48200 SE
ARR280J	AL	A-A-01-000-001	6	RETRIEVER	RETRIEVER, TYPICAL, QA 0, RETRIEVER, LABORATORY EQUIPMENT; STIRRING BAR, MAGNETIC, PLASTIC ***	0	P	66300 SE
BLD067K	AL	F-A-10-301-003	1	RHEOSTAT	RHEOSTAT, TYPICAL, QA 1, RHEOSTAT ASSY, ; MOTOR DRIVEN MRV, FOR DIESEL GENERATORS, SYSTEM NO 82	1	B	5905I SE
BQC594H	AL	L-A-09-000-002	1	RHEOSTAT	RHEOSTAT, TYPICAL, QA 3, RHEOSTAT, ; WIRE WOUND ELEMENT, 25 WATT, 10K OHM, 500 VOLT, UNID:	3	B	5905I SE
CBG467D	AL	L-A-13-000-002	2	RHEOSTAT	RHEOSTAT, TYPICAL, QA 2, WIRE WOUND, 0.316, 25, 250, 1/4 IN, , VARIABLE TRIMMER RESISTOR, 300 DEG ROTATION,	2	B	5905I SE
AEL804X	AL	D-A-30-301-002	4	RIBBON	RIBBON, TYPICAL, QA 0, TELETYPewriter, BLACK, 1/2 YD, 12 YD, CLOTH/NYLON, RIBBON, TELETYPewriter; MATERIAL: CLOTH/NYLON, RIBBON TYPE: TELETY	0		7510U SE
AJX268K	AL	A-A-01-000-001	5	RIBBON	RIBBON, TYPICAL, QA 0, TELETYPewriter, BLACK, 1/2 IN, 12 YD, NYLON, RIBBON, TELETYPewriter; MATERIAL: NYLON, RIBBON TYPE: ACT, RIBBON	0	P	7510U SE
AJX467D	AL	A-A-01-000-001	18	RIBBON	RIBBON, TYPICAL, QA 0, TYPEWRITER/DECWRITER, BLACK-RED, NYLON, RIBBON, TYPEWRITER; MATERIAL: NYLON, RIBBON TYPE: ADLER, COLOR:	0	P	7510U SE
AJX969L	AL	A-A-01-000-001	3	RIBBON	RIBBON, TYPICAL, QA 0, COMPUTING MACHINE, BLACK, 1/2 IN, 18 YD, NYLON, RIBBON, COMPUTING MACHINE; MATERIAL: NYLON, RIBBON TYPE: TERMINET	0	P	7510U SE
AJX969L	AL	D-A-30-301-003	13	RIBBON	RIBBON, TYPICAL, QA 0, COMPUTING MACHINE, BLACK, 1/2 IN, 18 YD, NYLON, RIBBON, COMPUTING MACHINE; MATERIAL: NYLON, RIBBON TYPE: TERMINET	0	P	7510U SE
AKX633G	AL	D-A-02-102-004	4	RIBBON	RIBBON, TYPICAL, QA 0, RIBBON, CALCULATOR; TYPE: WANG ***	0		7510U SE
AMX235G	AL	D-A-30-301-004	11	RIBBON	RIBBON, TYPICAL, QA 0, RIBBON, TYPEWRITER; NYLON, RED AND BLACK, FOR SELECTRIC I/O	0		7510U SE
AQD207N	AL	D-A-30-301-003	17	RIBBON	RIBBON, TYPICAL, QA 0, TELETYPewriter, BLACK, 1 IN, 3 YD, NYLON, RIBBON, TELETYPewriter; NYLON, BLACK, 1 IN WIDE X 3 YARDS LONG, ON 3	0	P	7510U SE
AQD208L	AL	D-A-09-402-004	24	RIBBON	RIBBON, TYPICAL, QA 0, CALCULATOR, BLACK, 10 YD, 3 YD, NYLON, RIBBON, CALCULATOR; MATERIAL: NYLON, SIZE: 14 X 10 YARDS, COLOR: BLACK	0		7510U SE
AQE853G	AL	D-A-30-301-003	16	RIBBON	RIBBON, TYPICAL, QA 0, CALCULATOR, BLACK, 1/2 YD, 40 YD, RIBBON, CALCULATOR; TYPE: DECWRITER, SIZE: 0.5 X 40 YARDS, COLOR:	0		7510U SE
ARL189J	AL	D-A-30-301-003	18	RIBBON	RIBBON, TYPICAL, QA 0, RIBBON, TYPEWRITER; RIBBON STYLE: SINGLE SPOOLE ***	0		7510U SE
AYX251T	AL	D-A-30-301-002	2	RIBBON	RIBBON, TYPICAL, QA 0, COMPUTING MACHINE, CARTRIDGE, PRINTER, FOR GE TERMI-NET 200	0	P	7510U SE
BBN816N	AL	D-A-30-301-003	10	RIBBON	RIBBON, TYPICAL, QA 0, RIBBON, COMPUTING MACHINE; RIBBON TYPE: DIGITAL EQUIPMENT, COLOR:	0		7510U SE
BGT801H	AL	D-A-02-102-004	10	RIBBON	RIBBON, TYPICAL, QA 0, BLACK, 2 IN, NYLON, RIBBON, COMPUTING MACHINE; MATERIAL: NYLON, RIBBON TYPE: OKIDATA	0		7510U SE
BQG812D	AL	A-A-01-000-001	12	RIBBON	RIBBON, TYPICAL, QA 0, PRINTER, RED/BLACK, NYLON, RIBBON, PRINTER; RIBBON MATERIAL: NYLON, RIBBON TYPE: ANADEX, COLOR:	0	C	7510U SE
BRF711J	AL	A-A-01-000-001	3	RIBBON	RIBBON, SET, QA 0, LABEL KIT, ; LABEL AND RIBBON, 3 IN LONG X 1 IN WIDE ***	0	C	6695D SE
AQD207N	AL	L-A-09-000-002	11	RIBBON	RIBBON, TYPICAL, QA 0, TELETYPewriter, BLACK, 1 IN, 3 YD, NYLON, RIBBON, TELETYPewriter; NYLON, BLACK, 1 IN WIDE X 3 YARDS LONG, ON 3	0	P	7510U SE
AYC359X	AL	M-A-10-000-002	4	RIBBON	RIBBON, TYPICAL, QA 0, CALCULATOR, 14 IN, 10 YD, NYLON, RIBBON, CALCULATOR; MATERIAL: NYLON, SIZE: 14 X 10 YARDS ***	0	P	7510U SE
ABE896E	AL	A-A-01-000-001	1	RING	RING, WEAR, QA 0, RING,WEARING, ; STUFFING BOX EXTENSION, REF 7DFOR STATOR WATER COOLER	0	P	4320U SE
ABF762Y	AL	5-B-01-301-000	4	RING	RING, RETAINING, QA 0, RING, RETAINING; C-TYPE, PISTON SEAL, FOR DAMPER OPERATOR, MODEL	0	P	4520N SE
ACE641A	AC	- - - -	4	RING	RING, TYPICAL, QA 1, RING, PUMP; SPLIT, SHAFT, IDP MTL CODE 021 (ASTM A 276), FOR	1	B	4320U SE
ADH492B	AL	D-A-34-101-002	1	RING	RING, SEAL, QA 0, RING, SEAL; REF SEVEN, VA900C, FOR CONSOLIDATED SAFETY VALVE, 2-1/2	0	P	48200 SE
AEE728H	AL	J-B-12-009-001	1	RING	RING, RETAINING, QA 0, RING, RETAINING; THRUST BEARING, REF 109, FOR SIZE 8 X 13S, S/N	0	P	4320U SE
AEE764D	AC	- - - -	1	RING	RING, WEAR, QA 0, RING, PUMP; CASING WEAR, PT 3, FOR TURBINE AND REACTOR BUILDING	0	P	4320U SE
AFE799K	AL	D-A-04-301-004	4	RING	RING, RETAINING, QA 0, RING, PUMP; PREFORMED, CRANE LAST, FOR JOHN CRANE TYPE 8B1, 2 IN DIA	0		4320U SE
AFE823H	AC	- - - -	1	RING	RING, RETAINING, QA 0, RING, PUMP; SPLIT, REF 252, FOR BUILDING HEATING SYSTEM DRAIN PUMP	0	P	4320U SE
AFN413V	AL	E-A-16-C01-D01	33	RING	RING, SEAL, QA 0, SEAL, CIRCUIT BREAKER; RING, FOR STATIC STARTING SUPPLY EQUIPMENT, ON	0	C	5925B SE
AFN711K	AL	E-A-16-C02-E01	166	RING	RING, RETAINING, QA 0, RING, CIRCUIT BREAKER; LOCKING, SAFETY, FOR STATIC STARTING SUPPLY	0	P	5925B SE
AFN713F	AL	E-A-16-C01-H01	87	RING	RING, SEAL, QA 0, SEAL, CIRCUIT BREAKER; RING, FOR STATIC STARTING SUPPLY EQUIPMENT, ON	0	C	5925B SE
AHJ850Q	AC	- - - -	2	RING	RING, RETAINING, QA 1, RETAINER, VALVE; SEAT RING, FOR GLOBE VALVE, STAINLESS STEEL, 2 IN	1	P	48200 SE
AJE688A	AL	D-B-16-000-001	8	RING	RING, WEAR, QA 0, RING,WEARING, ; BRONZE, SUCTION, REF 103, METAL 1104, FOR WATER	0	P	4320U SE
AJE988X	AL	D-B-16-000-001	8	RING	RING, WEAR, QA 0, RING,WEARING, ; BRONZE, DISCHARGE, REF 127, METAL 1104, FOR WATER	0	P	4320U SE
AKE797Y	AL	D-B-16-000-001	11	RING	RING, RETAINING, QA 0, RING, PUMP; THRUST, 416 STNLS STL, FOR VERTICAL RAW COOLING WATER	0	P	4320U SE
AKE897T	AL	A-A-01-000-001	4	RING	RING, RETAINING, QA 0, RETAINER, PUMP; THRUST RING, BRONZE, FOR VERTICAL RAW COOLING WATER	0	P	4320U SE
ALD471W	AL	A-A-01-000-001	2	RING	RING, TYPICAL, QA 0, RING, COMPRESSOR; RIDER, FOR AIR COMPRESSOR MODEL XLE-NL, PACKAGED "L"	0	P	4310I SE
AMB700Q	AL	A-A-01-000-001	29	RING	RING, SEGMENT, QA 0, RING SEGMENT, STEAM TURBINE; STEAM DEFLECTOR, STAGE 12, (DFB), (TE)	0	C	2825G SE
AMY646M	AL	A-A-01-000-001	1	RING	RING, RETAINING, QA 1, RING, RETAINING; INTERNAL, IMPELLER STEEL, FOR MODEL MTD76, SN	1	P	4320U SE
ANA663N	AL	1-B-14-000-001	26	RING	RING, SEGMENT, QA 0, RING SEGMENT, STEAM TURBINE; STEAM DEFLECTOR, STAGE 13,(GE)(DFB), FOR	0	P	2825G SE
APJ422X	AL	A-A-01-000-001	2	RING	RING, RETAINING, QA 0, RING, RETAINING; SA-240-316,FOR DIAPHRAGM CONTROL VALVE,657R-8-UR	0	P	48200 SE
AQB325R	AL	D-A-37-402-000	1	RING	RING, TYPICAL, QA 0, RING, LENS; LENS, FOR ULTRAVUE RESPIRATOR ***	0		4240P SE
AQB325R	AL	D-A-30-301-004	50	RING	RING, TYPICAL, QA 0, RING, LENS; LENS, FOR ULTRAVUE RESPIRATOR ***	0		4240P SE
AQD263B	AL	A-A-01-000-001	6	RING	RING, SEAL, QA 0, RING, SEAL; INTERSTAGE DIAPHRAGM, 4TH, 5TH AND 6TH STAGE, IL 1150-495	0	P	2825G SE
AQN444Q	AL	A-A-01-000-001	3	RING	RING, RETAINING, QA 0, RING, RETAINING; GOVERNOR VALVE, IL 1250-4/03-A ILL 33, FOR TURBINE	0	P	2825G SE
ARJ833V	AL	A-A-01-000-001	1	RING	RING, SEAL, QA 0, RING, SEAL; REF 7, FIG 1, IL 1150-579, FOR BEARING BRACKET INLET, ON	0	P	2825G SE
ARJ839F	AL	D-A-14-000-001	11	RING	RING, SEAL, QA 0, RING, GLAND SEAL, ; 5 THRU 8, REF 5, FIG 1, IL 1250-4013-A, FOR MAIN	0	P	2825G SE
ARN159H	AL	A-A-01-000-001	1	RING	RING, TYPICAL, QA 0, RING, ; LEVEL, 090.000 MM, FOR CENTRIFUGE OIL PURIFIER, TYPE	0	P	4330N SE
ATA025M	AL	A-A-01-000-001	5	RING	RING, RETAINING, QA 1, PUMP; SPLIT, COUPLING, REF 256-2, DWG IF-7879, , FOR ESSENTIAL RAW	1	C	4320U SE
ATA026K	AL	A-A-01-000-001	8	RING	RING, WEAR, QA 1, PUMP, *** CASE, BRASS, REF 207, 14.750 OD X 14 IN ID, FOR ERCW PUMP, SIZE	1	C	4320U SE
ATD631V	AL	1-B-14-000-001	3	RING	RING, RETAINING, QA 0, RING, RETAINING; SNAP, INNER, FIRST STAGE, ITEM 62, FOR REACTOR	0	P	4470C SE
ATD632R	AL	1-B-14-000-001	3	RING	RING, RETAINING, QA 0, RING, RETAINING; SNAP, INNER, 2ND STAGE, ITEM 63, FOR REACTOR PRESSURE	0	P	4470C SE
ATD633P	AL	1-B-14-000-001	3	RING	RING, RETAINING, QA 0, RING, RETAINING; SNAP, ITEM 22, FOR REACTOR PRESSURE VESSEL STUD	0	P	4470C SE
ATN271H	AL	A-A-01-000-001	4	RING	RING, RETAINING, QA 0, RING, PUMP; STEEL, SPLIT, REF 256, ITEM 39, FOR HOTWELL PUMP, MODEL	0	C	4320U SE
ATN381A	AL	A-A-01-000-001	10	RING	RING, QUAD, QA 3, ACTUATOR, VITON, , FOR VALVE TYPE SMB-3 OPERATOR	3	C	48200 SE
ATP845L	AL	A-A-01-000-001	3	RING	RING, WEAR, QA 0, RING,WEARING, ; STEEL, RADIAL END, FOR TURBINEDRIVEN MAIN FEED PUMP	0	C	4320U SE
ATP846J	AC	- - - -	2	RING	RING, WEAR, QA 0, RING,WEARING, ; COVER, THRUST END, FOR TURBINE DRIVEN MAIN FEED PUMP	0	C	4320U SE
ATP849C	AL	A-A-01-000-001	2	RING	RING, WEAR, QA 0, RING,WEARING, ; CASE,SMALL DIAMETER, REF 205-1ITEM 7, FOR STAND-BY	0	P	4320U SE
ATP851R	AL	A-A-01-000-001	1	RING	RING, WEAR, QA 0, RING,WEARING, ; CASE,LARGE DIAMETER, REF 205, ITEM 16, FOR STAND-BY	0	C	4320U SE
ATP853M	AL	A-A-01-000-001	4	RING	RING, WEAR, QA 0, RING,WEARING, ; REF 424, ITEM 9, FOR HOTWELL PUMP, MODEL 28KXFH, TYPE	0	C	4320U SE
ATR091T	AL	A-A-01-000-001	4	RING	RING, SEAL, QA 0, SEAL RING, ; BACKUP,STAINLESS STEEL TYPE 316,ITEM 120,FOR 6IN AIR	0	P	48200 SE
ATW675R	AL	D-B-09-202-001	3	RING	RING, RETAINING, QA 0, SNAP, ROD BEARING, FOR AIR CYLINDER 14594-4, 15787,	0	P	4450C SE
ATW701L	AL	A-A-01-000-001	4	RING	RING, RETAINING, QA 0, RING, RETAINING; PACKING, TEFLON, FOR SIZE 3HCFB ROTAMETER, DWG	0	C	5305J SE
ATY439V	AL	A-A-01-000-001	2	RING	RING, SEAL, QA 0, SEAL RING, ELECTRIC MOTOR; FLYWHEEL,FOR REACTOR COOLANT PUMP	0	B	6105D SE
AVB552V	AL	D-A-02-202-002	450	RING	RING, RETAINING, QA 0, PLASTIC, RING, RETAINING; PLASTIC,DWG 18389,ITEM 3A,FOR 20IN,MODEL A,PRESSURE	0	P	4730P SE
AVJ665A	AL	A-A-01-000-001	1	RING	RING, ADJUSTING, QA 0, RING, ; ADJUSTABLE,FOR SAFETY RELIEF VALVE,003.000IN,TY 1906KT/SPEC	0	P	48200 SE
AVR797L	AL	A-A-01-000-001	2	RING	RING, ADJUSTING, QA 0, RING, ; BRASS,LOWER,ADJUSTING,FOR SAFETY RELIEF VALVE,002.000IN,	0	P	48200 SE
AVW181D	AL	D-B-09-202-001	2	RING	RING, TYPICAL, QA 0, ASH DISPOSAL; SLEEVE, CARBON, 2.375 ID X 3.25 IN OD, FOR	0	C	4450C SE

AVX123N	AL	A-A-01-000-001	1 RING	RING, ADJUSTING, QA 0, RING, ; ***	0	P	48200 SE
AWC538A	AL	A-A-01-000-001	5 RING	RING, WEAR, QA 2, RING,WEARING, ; BRONZE, CASE, REF ITEM 20, DWGD-66449, FOR CENTRIFUGAL	2	P	4320U SE
AWC538A	AL	Z-A-06-000-001	5 RING	RING, WEAR, QA 2, RING,WEARING, ; BRONZE, CASE, REF ITEM 20, DWGD-66449, FOR CENTRIFUGAL	2	P	4320U SE
AWD166G	AL	A-A-01-000-001	1 RING	RING, WEAR, QA 3, RING,WEARING, ; BOWL, BRONZE, FOR PUMP, TYPE VPD, 3 STAGE, 1590 GPM	3	P	4320U SE
AWD167E	AL	A-A-01-000-001	5 RING	RING, WEAR, QA 3, RING,WEARING, ; BRONZE, IMPELLER, REF 681, FOR VERTICAL PUMP, MODEL	3	B	4320U SE
AWE087X	AL	A-A-01-000-001	2 RING	RING, ADJUSTING, QA 0, RING, ; BRONZE, ADJUSTING, UPPER, FOR 002.000 IN, FIG 1543-J SAFETY	0	P	48200 SE
AWG626Q	AL	A-A-01-000-001	1 RING	RING, TYPICAL, QA 0, RING, ; STEEL, GUIDE, REF 7, FOR AUTOMATIC RECIRCULATION CONTROL CHECK	0	P	48200 SE
AWG656F	AL	A-A-01-000-001	1 RING	RING, TYPICAL, QA 0, RING, ; STEEL, GUIDE, REF 7, FOR AUTOMATIC RECIRCULATION CONTROL CHECK	0	P	48200 SE
AWN732T	AL	A-A-01-000-001	1 RING	RING, TYPICAL, QA 0, RING, ; STEEL, LOCATOR, FOR PNEUMATIC ACTUATOR, MOD R6200C60, ON	0	P	48200 SE
AWQ249K	AL	A-A-01-000-001	2 RING	RING, TYPICAL, QA 0, RING, ; BRONZE, REGULATOR, FOR 002.000IN RELIEF VALVE, FIG 6000-JI	0	P	48200 SE
AWR785M	AL	P-A-LL-ET0-050	1 RING	RING, TYPICAL, QA 0, RING, PUMP; IMPELLER, FOR PUMP TYPE 79APMAS/N 0268-99/100/101 ***	0	C	4320U SE
AXF394J	PR	N-B-01-FLO-OR0	2 RING	RING, SEAL, QA 0, RING, SEAL; SEAL, LOW PRESSURE DUMMY, DWG 501C373, GROUP 1	0	C	2825G SE
AXN562K	AL	D-B-25-302-003	1 RING	RING, WEAR, QA 0, RING, PUMP; CASING WEAR, REF 6, WITH ROLL PIN 25Z138162, FOR PUMP	0	C	4320U SE
AXQ275C	AL	A-A-01-000-001	1 RING	RING, RETAINING, QA 0, RING, ; DISK STEM, DWG 5, FOR 008.000 IN GLOBE VALVE DA-25231, CAT	0	P	48200 SE
AXY464A	AL	D-A-02-202-001	6 RING	RING, TYPICAL, QA 0, RING, ELEC MOTOR; BRASS, OIL, SHAFT AND OPPOSITEEND, FOR CONDENSATE	0	B	6105D SE
AYL197L	AL	A-A-01-000-001	3 RING	RING, SEAL, QA 0, RING, SEAL; INNER, REF 27, FOR GLOBE VALVESIZE 6 IN, BUTTWELD, ANSI	0	P	48200 SE
BAA511H	AL	A-A-01-000-001	1 RING	RING, TYPICAL, QA 0, SLIP RING ASSY, CRANE; STEEL, FOR PETTIBONE PEDESTAL CRANE, MODEL 130	0	C	3950F SE
BAG511J	AL	A-A-01-000-001	1 RING	RING, RETAINING, QA 0, RING, ; SEAT, BRASS, FOR BALL VALVE, 3 IN, FLANGE ENDS, 150 PSIG	0	P	48200 SE
BAM042Q	AL	A-A-01-000-001	1 RING	RING, SEAL, QA 0, RING, SEAL; SPRING, FOR GLOBE VALVE, 3 IN,TYPE 667-ET, PNEUMATIC	0	P	48200 SE
BAM884G	AL	A-A-01-000-001	24 RING	RING, PISTON, QA 0, RING,PISTON, ; CARBON STEEL, REF 5, FOR HYDRAULIC CYLINDER	0	P	48200 SE
BAM887A	AL	A-A-01-000-001	24 RING	RING, PISTON, QA 0, RING,PISTON, ; STEEL, REF 5, FOR HYDRAULIC CYLINDER, TJ-33170384-008	0	P	48200 SE
BAM893F	AL	A-A-01-000-001	24 RING	RING, PISTON, QA 0, RING,PISTON, ; STEEL, REF 5, FOR HYDRAULIC CYLINDER, TJ-28172636-007	0	P	48200 SE
BAT730X	AL	A-A-01-000-001	4 RING	RING, PISTON, QA 0, RING,PISTON, ; LIST 40265, FOR MODEL 15T4 COMPRESSOR AND MODEL	0	P	4310I SE
BAX805Y	AL	A-A-01-000-001	4 RING	RING, SEAL, QA 0, SEAL RING, METAL; TUNGSTEN CARBON STEEL, FOR MECHANICAL SEAL, P/N	0	P	4320U SE
BBB174X	AL	A-A-01-000-001	8 RING	RING, BACKING, QA 0, RING, ; TEFLON, SPIRAL, BACK-UP, REF 34, FOR PEDESTAL CRANE, MODEL 160	0	P	3950F SE
BBH624R	AL	A-A-01-000-001	1 RING	RING, RETAINING, QA 0, RING, ; SEAT, METALLIC, REF 8, FOR SWING CHECK VALVE, 2.5 IN, 300	0	P	48200 SE
BBN250T	AL	E-A-16-C01-F01	13 RING	RING, SEAL, QA 0, SEAL, CIRCUIT BREAKER; RUBBER, KOMMA RING, FOR EXTINCTION CHAMBER	0	C	5925B SE
BBN374W	AL	E-A-16-C01-A01	9 RING	RING, SEAL, QA 0, SEAL, ; RUBBER, RING, FOR ISOLATOR VALVE, ON GENERATOR BREAKER ***	0	C	5925B SE
BBN395L	AL	E-A-16-C03-A01	21 RING	RING, SEAL, QA 0, SEAL, ; RUBBER, RING, FOR REPLENISHINGVALVE, P/N 8320, ON GENERATOR	0	P	5925B SE
BBT569Q	AL	A-A-01-000-001	10 RING	RING, RETAINING, QA 0, RING, RETAINING; STEEL, FOR LUBE OIL CENTRIFUGAL PURIFIER, MODEL	0	P	4330N SE
BDC584Q	AL	D-B-16-000-001	10 RING	RING, QUAD, QA 3, ACTUATOR, VITON, QUAD-RING, VITON, FOR ACTUATOR TYPE SMB-000	3	C	48200 SE
BDE562Q	AL	A-A-01-000-001	8 RING	RING, SEAL, QA 0, COMPRESSION RING,GAS, ; METAL, OUTER, 0.1875 THK X 16 ID X 21.75 IN	0	P	5730H SE
BDJ155H	AL	E-A-16-C02-E01	3 RING	RING, RETAINING, QA 0, 3/4 IN, 2-3/8 IN, 2-5/8 IN, TEFLON, ***	0	C	5925B SE
BDJ162L	AL	E-A-16-C02-G01	11 RING	RING, RETAINING, QA 0, 3/8 IN, 3/4 IN, STAINLESS STEEL, ***	0	P	5925B SE
BDJ719W	AL	A-A-01-000-001	1 RING	RING, SEGMENT, QA 0, RING SEGMENT, STEAM TURBINE; SEAL, FOR HIGH PRESSURE TURBINE BLADE	0	P	2825G SE
BDJ736W	AL	A-A-01-000-001	8 RING	RING, SEGMENT, QA 0, RING SEGMENT, STEAM TURBINE; SEAL, FOR HIGH PRESSURE TURBINE BLADE	0	P	2825G SE
BDQ614C	AL	D-A-02-201-008	90 RING	RING, BACKING, QA 0, WELDING, 6 IN, CARBON STEEL, RING, WELDING,PIPE JOINT; MATERIAL: CARBON STEEL, NOMINAL SIZE:	0		4730P SE
BDX885J	AL	A-A-01-000-001	1 RING	RING, SEAL, QA 0, SEAL RING, METAL; CAGE, STEEL, FOR CENTRIFUGAL PUMP, 48X47SV, S/N	0	P	4320U SE
BDX885J	AL	1-B-12-000-001	1 RING	RING, SEAL, QA 0, SEAL RING, METAL; CAGE, STEEL, FOR CENTRIFUGAL PUMP, 48X47SV, S/N	0	P	4320U SE
BEL639A	AL	D-B-09-202-001	1 RING	RING, RETAINING, QA 0, 3/8 IN, BOLTED, 9-1/8 IN, 12-1/8 IN, STEEL, RING, RETAINING; STEEL, EIGHT BOLT HOLES, 12.125 OD X 9.125 ID X 0.375	0	C	4450C SE
BGL508E	AL	A-A-01-000-001	10 RING	RING, SEAL, QA 3, SEAL, PLAIN; GLYDE-RING, PLASTIC, BLUE, 1 DIA X 0.125 IN WIDTH	3	P	5730H SE
BGN668C	AL	A-A-01-000-001	5 RING	RING, RETAINING, QA 0, RING, RETAINING; REF 21, FOR CENTRIFUGAL PUMP, MODEL UMC-4-20, DWG	0	P	4320U SE
BGX819D	AL	A-A-01-000-001	100 RING	RING, RETAINING, QA 1, RING, RETAINING; SNAP, FOR AIR CIRCUIT BREAKER ***	1	P	5925B SE
BHE146E	AL	1-B-14-000-001	1 RING	RING, PISTON, QA 1, VALVE, FOR SOLENOID VALVE, MODEL 82KK-001, ANSI CLASS 2158,	1	P	48200 SE
BHN030T	AL	A-A-01-000-001	2 RING	RING, LANTERN, QA 3, RING, LANTERN; STAINLESS STEEL, ASTM A479, TYPE 304, FOR STAINLESS	3	C	4320U SE
BHR216T	AL	D-A-01-401-004	25 RING	RING, TYPICAL, QA 0, RING, LENS; SMALL, GRAY, FOR ULTRAVUE FACEPIECE ***	0	P	4240P SE
BHR217Q	AL	D-A-01-401-004	25 RING	RING, TYPICAL, QA 0, RING, LENS; LARGE, GOLD, FOR ULTRAVUE FACEPIECE ***	0	P	4240P SE
BJA668X	AL	A-A-01-000-001	1 RING	RING, TYPICAL, QA 0, RING, PUMP; CAM, FOR RECIPROCATING PUMP, MODEL T5SC-022-1, ON THE MAIN	0	P	4320U SE
BJQ621G	AL	A-A-01-000-001	765 RING	RING, SPACER, QA 3, SPACER, RING; BRASS,0.219 IN X 0.313 IN OD X 0.109 IN PLUS OR MINUS	3	P	5305J SE
BKF149N	AL	A-A-01-000-001	1 RING	RING, WEAR, QA 1, RING,WEARING, ; IMPELLER, LEFT, BRASS, REF 61,DWG F470A, S/N 705961	1	P	4320U SE
BKG015X	AL	A-A-01-000-001	2 RING	RING, TYPICAL, QA 0, RING, FIRE HYDRANT; STAND PIPE BREAKING, CAST IRON, FOR HYDRANT, MODEL	0	P	4210N SE
BKN874N	AL	D-A-04-302-003	4 RING	RING, SEAL, QA 3, RING, DOOR; OUTER RING & INTERLOCKING ASSYVERTICAL MOUNT, DLR W/2 TURN	3		4710Y SE
BKN877G	AL	D-A-04-302-003	6 RING	RING, SEAL, QA 3, RING, DOOR; OUTER RING & INTERLOCK ASSY, HORIZONTAL MOUNT,RING SIZE	3		4710Y SE
BLC808J	TR	- - - -	20 RING	RING, TYPICAL, QA 1, RING, DIESEL ENGINE; SEAT, CYLINDER HEAD, 0.617 X 0.192 THICK, FOR	1	C	29100 SE
BLE612Q	AL	D-B-16-000-001	3 RING	RING, ADJUSTING, QA 0, RING, VALVE; ADJUSTING, FOR SAFETY RELIEF VALVE, 6 IN, TYPE 19060/PI-1	0	P	48200 SE
BLJ198K	AL	F-A-22-101-000	9 RING	RING, RETAINING, QA 1, RING, RETAINING; SPLIT RINGS, AISI, TYPE 410, DWG ITEM 252A, FOR	1	P	4320U SE
BLN606B	AL	D-B-07-201-001	4 RING	RING, RETAINING, QA 0, RING,LOCKING, ; BRASS, ON SEPARATOR, S/N 2937050, FOR LAB OIL SYSTEM	0	P	4330N SE
BLR818B	AL	A-A-01-000-001	2 RING	RING, RETAINING, QA 2, RING, PUMP; STAINLESS STEEL, SPLIT, IMPELLER, 1ST STAGE, REF 256, DWG	2	P	4320U SE
BNL832Y	AL	1-A-13-063-001	2 RING	RING, BACKING, QA 0, RING, WELDING,PIPE JOINT; WELD RING, TG00186, NOTE: POSSIBLE (CAQR).	0	P	4730P SE
BNR770C	AL	D-A-12-301-001	4 RING	RING, ADJUSTING, QA 3, RING, ALIGNMENT,PIPE; 1-1/2 IN ADJUSTABLE PIPE RING ***	3		4730P SE
BPQ251Q	AL	F-A-08-202-001	1 RING	RING, QUAD, QA 3, ACTUATOR, VITON, , REF 129, FOR VALVE TYPE SMB-4 OPERATOR	3	C	48200 SE
BPW697T	AL	E-A-16-C01-A01	15 RING	RING, SEAL, QA 0, RING, SEAL; SEAL RING, FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D ***	0	C	5925B SE
BPW697T	AL	E-A-16-C01-B01	15 RING	RING, SEAL, QA 0, RING, SEAL; SEAL RING, FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D ***	0	C	5925B SE
BPW752D	AL	E-A-16-C03-A01	31 RING	RING, RETAINING, QA 0, CIRCUIT BREAKER, GUARD, FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BPW905F	AL	E-A-16-C01-H01	77 RING	RING, RETAINING, QA 0, RING, RETAINING; RETAINING RING, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
BPW955Y	AL	E-A-16-C02-A01	32 RING	RING, RETAINING, QA 0, RING HALF, CIRCUIT BREAKER; LOCK, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
BPW960H	AL	E-A-16-C07-A01	30 RING	RING, RETAINING, QA 0, ADAPTER, ADAPTER, FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BPW984P	AL	E-A-16-C07-E01	2 RING	RING, RETAINING, QA 0, CIRCUIT BREAKER, MOUNTING, FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BPW999A	AL	E-A-16-C07-C01	12 RING	RING, TYPICAL, QA 0, RING, CIRCUIT BREAKER; RING, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
BPX026W	AL	E-A-16-C07-C01	9 RING	RING, TYPICAL, QA 0, CIRCUIT BREAKER; I.D. NO HAGT444576P1, FOR POWER CIRCUIT	0	C	5925B SE
BPX102H	AL	E-A-16-C03-A01	29 RING	RING, TYPICAL, QA 0, RING, CIRCUIT BREAKER; SUPPORT, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
BPX103F	AL	E-A-16-C03-A01	21 RING	RING, TYPICAL, QA 0, RING, CIRCUIT BREAKER; GUARD, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
BQC474V	AL	A-A-01-000-001	6 RING	RING, SEAL, QA 3, SEAL RING, PUMP; BRONZE BOWL AND BELL, FOR VERTICAL RAW COOLING WATER	3	C	4320U SE
BQM780H	AL	F-C-07-101-000	695 RING	RING, RETAINING, QA 3, 1-3/16 IN, 0.500 IN HIGH,FOR 12 IN STRAINER,MODEL	3	B	4730P SE
BQM859Q	AL	D-B-07-202-001	1 RING	RING, RETAINING, QA 0, RING, VALVE; RETAINING, ITEM 13 ON ATWOOD & MORRILL DRAWING 13565-01-H	0	C	48200 SE

BQM859Q	AL	F-A-19-102-002	1 RING	RING, RETAINING, QA 0, RING, VALVE; RETAINING, ITEM 13 ON ATWOOD & MORRILL DRAWING 13565-01-H	0	C	48200 SE
BQM859Q	AL	D-B-16-000-001	4 RING	RING, RETAINING, QA 0, RING, VALVE; RETAINING, ITEM 13 ON ATWOOD & MORRILL DRAWING 13565-01-H	0	C	48200 SE
BRE329L	AL	E-A-16-C01-A01	9 RING	RING, RETAINING, QA 0, RING, CIRCUIT BREAKER; RETAINING, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
BRE371M	AL	E-A-16-C01-B01	5 RING	RING, SEAL, QA 0, SEAL, CIRCUIT BREAKER; RING, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
BRE434P	AL	E-A-16-C01-D01	21 RING	RING, SEAL, QA 0, SEAL, CIRCUIT BREAKER; RING, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
BRF129P	AL	F-A-26-101-000	10 RING	RING, TYPICAL, QA 3, RING, VALVE; DISK STEM, ASTM A182, GRADE F6, MODIFIED, FOR 150 LB	3	C	48200 SE
BRY437Y	AL	D-B-16-000-001	23 RING	RING, RETAINING, QA 3, RING, RETAINING; LOCKING, STANDARD, FOR RUNDEL SERIES PR1 PILOT LIGHT	3	C	6250D SE
BTF893B	AL	A-A-01-000-001	1 RING	RING, TYPICAL, QA 3, RING, VALVE; RING FOR 8" 600# WALWORTH GATE VALVE, ITEM CODE	3	B	48200 SE
BTF893B	AL	F-A-31-302-000	2 RING	RING, TYPICAL, QA 3, RING, VALVE; RING FOR 8" 600# WALWORTH GATE VALVE, ITEM CODE	3	B	48200 SE
BTR458A	AL	F-B-08-103-000	8 RING	RING, SEAL, QA 3, RING, VALVE; PRESSURE SEAL, FOR 6" GATE VALVE, 900LB, VELAN DRAWINGS	3	C	48200 SE
BVB155Y	AL	A-A-01-000-001	6 RING	RING, RETAINING, QA 1, RING, PUMP; IMPELLER, FOR INGERSOLL RAND MODEL 3HMTA-9	1	B	4320U SE
BVD126V	AL	F-A-11-202-001	1 RING	RING, TYPICAL, QA 3, RING, PUMP; BEARING, STEEL, ASTM A576, TYPE 1045, FOR DELAVAL 350 HP MOTOR	3	B	4320U SE
BVD126V	AL	F-A-23-000-001	5 RING	RING, TYPICAL, QA 3, RING, PUMP; BEARING, STEEL, ASTM A576, TYPE 1045, FOR DELAVAL 350 HP MOTOR	3	B	4320U SE
BVD133Y	AL	A-A-01-000-001	4 RING	RING, RETAINING, QA 3, RING, PUMP; MATERIAL: AL-BRONZE, ASTM B148, GR 9D; IMPELLER WEAR RING	3	B	4320U SE
BVD517C	AC	-- --	2 RING	RING, WEAR, QA 3, RING, WEARING; BRONZE, CASE, REF IT 20, DWG D-66449, FOR CENTRIFUGAL	3	B	4320U SE
BVF782E	AL	F-A-08-101-000	3 RING	RING, OIL, QA 3, RING, PUMP; OIL, PART 087, DWG F-4704, REV 4, FOR COOLING WATER PUMP	3	C	4320U SE
BVK509D	AL	F-A-19-101-007	1 RING	RING, SEAL, QA 3, PUMP/UPPER, BRONZE, SEAL RING, PUMP; RCIC CONDENSATE PUMP, UPPER SEAL RING, DWG UK-	3	C	4310I SE
BVL302Y	AL	A-A-01-000-001	2 RING	RING, SEAL, QA 3, RING, SEAL; STEEL, REF 9, FOR GATE VALVE, 4 IN, DWG 15159-01 ***	3	B	48200 SE
BVL303W	AL	A-A-01-000-001	3 RING	RING, BACKING, QA 3, RING, VALVE; BACKING, REF 10, STAINLESS STEEL, FOR GATE VALVE, 4 IN	3	B	48200 SE
BWF359K	AC	-- --	1 RING	RING, RETAINING, QA 3, RING, RETAINING; STAINLESS STEEL RETAINING RING, GPE CONTROLS, MODEL	3	C	48200 SE
BWH525J	AL	A-A-01-000-001	3 RING	RING, LANTERN, QA 3, RING, LANTERN; STEEL, SPIN ASVANS, REV 5, FOR 3 IN, 1500 PSI MANUAL GATE	3	B	4320U SE
BWM185V	AL	D-B-14-000-001	1 RING	RING, RETAINING, QA 0, RING, RETAINING; EXT. 2.00" FISHER GLOBE VALVE, M/N 667ET, S/N	0	C	48200 SE
BWQ410B	AL	E-A-16-C01-C01	30 RING	RING, TYPICAL, QA 0, RING, CIRCUIT BREAKER; SUPPORT, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BWQ422Q	AL	E-A-16-C01-E01	59 RING	RING, RETAINING, QA 0, RING, CIRCUIT BREAKER; RETAINING, FOR CIRCUIT BREAKER, TYPE	0	C	5925B SE
BWQ588M	AL	E-A-16-C01-H01	52 RING	RING, TYPICAL, QA 0, RING, CIRCUIT BREAKER; GUARD, L-SHAPE, FOR CIRCUIT BREAKER, TYPE	0	C	5925B SE
BWQ688H	AL	E-A-16-C02-H01	1 RING	RING, SEAL, QA 0, CIRCUIT BREAKER, CIRCUIT BREAKER; RING, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BXB243M	AL	F-A-27-101-000	3 RING	RING, SPACER, QA 1, RING, PUMP; STEEL, SUCTION SPACER, DWG A61894, FOR TYPE JHF, 3 IN, CHARGE	1	B	4320U SE
BXF335V	AL	A-A-01-000-001	1 RING	RING, PISTON, QA 1, RING, VALVE; PISTON, DWG 1071240-1 AND MODEL 82AB-001 ***	1	B	48200 SE
BXJ923T	AL	F-A-05-202-001	5 RING	RING, TYPICAL, QA 3, RING, ACTUATOR; STAINLESS STEEL, FOR 16 IN FLOW CONTROL VALVE, TYPE	3	C	48200 SE
BXN275F	AL	A-A-01-000-001	2 RING	RING, SEAL, QA 3, RING, VALVE; TEFLON SEAL, REF 7, FOR BUTTERFLY VALVE, SIZE 14 IN, 175	3	B	48200 SE
BXN632H	AL	A-A-01-000-001	16 RING	RING, LANTERN, QA 0, RING, PUMP; LANTERN, SEAL, BEARING HOUSING, ITEM 27, FOR PUMP MODEL	0	B	4320U SE
BXN935Y	AL	A-A-01-000-001	1 RING	RING, ADJUSTING, QA 3, RING, VALVE; STEEL, ADJUSTING, PC 12, FOR SAFETY VALVE, 6 IN, SIZE 6M6	3	B	48200 SE
BYA784H	AL	A-A-01-000-001	1 RING	RING, SEAL, QA 0, RING, STEAM TURBINE; OIL SEAL ASSY ***	0	C	2825G SE
BYE445K	AL	A-A-01-000-001	13 RING	RING, RETAINING, QA 3, RING, LOCK, SERRATED; 3/8" SPLIT HEX LOCK RING ***	3	C	5305J SE
BYP506C	AL	E-A-16-C07-B01	6 RING	RING, RETAINING, QA 0, PLASTIC, SLOTTED, PLASTIC, SLOTTED	0	C	5305J SE
CAF323H	AL	E-A-16-C06-E01	9 RING	RING, SEAL, QA 0, SEAL, CIRCUIT BREAKER; RING, FOR CIRCUIT BREAKER, TYPE DR36SC1750D ***	0	C	5925B SE
CAN396H	AL	D-A-22-201-000	4 RING	RING, SEAL, QA 0, GLAND, RING, PUMP; GLAND SEAL, FOR REACTOR FEEDWATER PUMP, PUMP TYPE HVCN ***	0		4320U SE
CAN753K	AC	-- --	1 RING	RING, TYPICAL, QA 3, RING, PUMP; SPLIT, SECONDARY SEAL, DWG. 641084XX, FOR REACTOR RECIRC.	3	C	4320U SE
CAT605F	AL	A-A-01-000-001	1 RING	RING, ADJUSTING, QA 3, , SS, FOR DRESSER RELIEF VALVES, SERIES 1910K/P1-1-(1-1-1-2)-XNC3001,	3	B	48200 SE
CAW413D	AL	5-A-17-201-000	4 RING	RING, PISTON, QA 1, RING, VALVE; PISTON, VALVE ASSEMBLY NO. 7567F-000, PARTS LIST PL7567	1	C	48200 SE
CDM415T	AL	A-A-01-000-001	1 RING	RING, SEAL, QA 1, VALVE, FOR 150#, 6" POSI-SEAL BUTTERFLY VALVE, ORIG. CONT# 76K51-83264-1, DWG	1	B	48200 SE
CDR624W	AL	5-A-07-302-000	2 RING	RING, TYPICAL, QA 2, RING, CHILLER; OUTLET RING FOR DUNHAM BUSH CHILLER, PCX120-0Q, SERIAL	2	C	4520N SE
CEG846J	AL	1-B-14-000-001	1 RING	RING, WEAR, QA 3, PUMP, , PUMP CASING, FOR GOULDS PUMP MODEL 3405, SPENT FUEL PIT	3	C	4320U SE
CEJ715P	AL	F-A-14-202-004	1 RING	RING, WEAR, QA 1, PUMP, *** WITH 0.030" STOCK IN BORE, FOR CENTRIFUGAL CHARGING PUMPS	1	C	4320U SE
CEJ778Y	AC	-- --	19 RING	RING, SEGMENT, QA 3, RING, SEGMENT; TYPE: STEAM TURBINE/STEAM DEFL; NO. OF SEGMENTS: 20 ***	3	C	2825G SE
CEL101J	AL	D-A-11-401-005	2 RING	RING, TYPICAL, QA 3, RING, *TYPICAL *** SEAT RING, FOR ANCHOR DARLING 4" 600 LB CONTROL	3	C	48200 SE
CFJ939T	AL	D-A-24-302-000	2 RING	RING, TYPICAL, QA 1, RING, *TYPICAL *** SEAT RING, FOR 3 INCH WELD ENDS CARBON STEEL SWING	1	C	48200 SE
CHG302A	AL	D-B-17-302-001	1 RING	RING, VALVE, QA 3, SEAT, FOR 10 INCH GLOBE VALVE, PACIFIC FIG. NO. 160-U-WE	3		48200 SE
CHH859H	AL	D-B-25-302-003	1 RING	RING, SEAL, QA 1, VALVE, SEAL PROTECTOR RING, ITEM #20, FOR 4" 150-LB VEE-BALL TYPE FISHER	1		48200 SE
CHN146X	AL	D-A-18-301-001	1 RING	RING, KIT/SET, QA 3, SEAT RING SUBASSEMBLY, CONSIST OF SEAT RING P/N 013 AND	3		48200 SE
CJB234K	AL	D-A-24-302-000	2 RING	RING, VALVE, QA 1, SEAT, STEEL, MATERIAL SPEC: SA105 WITH NOREM, FOR 3 INCH 300 # WELD END CARBON	1		48200 SE
CKC724N	AL	D-B-19-302-001	1 RING	RING, VALVE, QA 3, BODY SEAT RING, FOR 2 1/2 INCH SWING CHECK VALVE, CRANE FIGURE #	3		48200 SE
CLD829W	AL	D-A-18-101-001	20 RING	RING, RETAINING, QA 1, SNAP, FOR 52STA/MJ SWITCH LINKAGE, GE BREAKER COMPARTMENT, ZINC PLATING W/	1	B	5935H SE
CLG420V	AL	D-A-21-202-002	1 RING	RING, TYPICAL, QA 3, SEAT, FOR 8" GATE VALVE, FIG NO. 25023WE, WILLIAM POWELL DWG 041321	3		48100 SE
CLG420V	AL	D-B-15-302-003	1 RING	RING, TYPICAL, QA 3, SEAT, FOR 8" GATE VALVE, FIG NO. 25023WE, WILLIAM POWELL DWG 041321	3		48100 SE
AAT125B	AL	M-A-07-000-002	5 RING	RING, RETAINING, QA 2, RING, RETAINING; WATER PUMP, FOR ELECTRO-MOTIVEDIV, GENERAL MOTORS	2	P	2910O SE
AAT425Y	AL	M-A-03-000-002	4 RING	RING, RETAINING, QA 2, RING, GENERATOR; SNAP, CARRIER, FOR ELECTRO-MOTIVE DIV, GENERAL MOTORS	2	C	6115F SE
ABD441X	AL	L-A-09-000-002	4 RING	RING, RETAINING, QA 0, RING, RETAINING; EXTERNAL, REF 2.3, FOR SENTRY CENTRIFUGAL	0	P	4520N SE
ABD580T	AL	M-A-06-000-002	1 RING	RING, PISTON, QA 2, RING PISTON, COMPRESSOR; FOR 004.000 IN MODEL ESV-NL, TYPE EXV-1P-NL	2	C	4310I SE
ABD641M	AL	L-A-09-000-002	4 RING	RING, RETAINING, QA 0, RING, COMPRESSOR; E, BOWED, REF 10.9, FOR SENTRY CENTRIFUGAL	0	P	4310I SE
ABD680N	AL	M-A-06-000-002	1 RING	RING, TYPICAL, QA 2, RING, COMPRESSOR; RIDER, FOR MODEL 4 IN ESV-NL, 7 X 4, TYPE ESV-1P-NL	2	P	4310I SE
ABE140J	AL	L-A-14-000-002	10 RING	RING, RETAINING, QA 0, SEAL, RETAINER, BEARING; SEAL RING, FOR REACTOR FEEDWATER PUMP, TYPE HVCN,	0	C	4320U SE
ABE202C	AL	M-A-02-000-002	2 RING	RING, RETAINING, QA 0, RING, OIL PURIFIER; RUBBER, WITH RETAINING RING, FOR CENTRIFUGE OIL	0	P	4330N SE
ABE512V	AL	L-A-13-000-002	3 RING	RING, WEAR, QA 0, RING, WEARING, ; SUCTION, FOR PUMP, MODEL 3655, SIZE 4 X 4-7, S/N	0	P	4320U SE
ABE612P	AL	L-A-13-000-002	2 RING	RING, WEAR, QA 0, RING, WEARING, ; SUCTION, FOR PUMP, MODEL 3655, SIZE 2-1/2 X 3-13, S/N	0	P	4320U SE
ABH078Q	AL	L-A-03-000-002	2 RING	RING, PISTON, QA 0, VALVE, 2-1/2 IN, TEFLON/CARBON, RING, VALVE; PISTON, TEFLON CARBON, 2.5 IN, FOR CONTROL VALVE (BAILEY	0	P	48200 SE
ABW318F	AL	L-A-09-000-002	37 RING	RING, RETAINING, QA 0, RING, RETAINING; H777055, FOR FLOW METER RECORDER, MODEL 2550 MODEL	0	P	6695D SE
ABW508B	AL	M-A-06-000-002	3 RING	RING, RETAINING, QA 0, CYLINDER, 9/16 IN, 3/4 IN, RING, RETAINING; CYLINDER, 0.75 X 0.562 IN, FOR PRESSURE DEAD WEIGHT	0	P	6695D SE
ACB518Q	AL	M-A-08-000-002	168 RING	RING, SEGMENT, QA 0, RING SEGMENT, STEAM TURBINE; SEAL, FOR BLADING #1 LP GOV END, DWG	0	P	2825G SE
ACB718G	AL	M-A-08-000-002	48 RING	RING, SEGMENT, QA 0, RING SEGMENT, STEAM TURBINE; SEAL, FOR BLADE ROW 3R, ON TURBINE, S/N	0	P	2825G SE
ACD082G	AL	M-A-08-000-002	7 RING	RING, TYPICAL, QA 3, RING SET, COMPRESSOR; STANDARD, FOR QUINCY AIR COMPRESSOR, MODEL	3	C	4310I SE
ACD696M	AL	L-A-13-000-002	2 RING	RING, TYPICAL, QA 0, RING, PUMP; VOLUTE, FOR NUCLEAR RESIDUAL HEAT REMOVAL PUMP, SIZE 18 X	0	P	4320U SE
ACE427C	AL	L-A-03-000-002	2 RING	RING, WEAR, QA 0, RING, PUMP; CASING, FIRST STAGE, PT 6, FOR TYPE 2GTR, SN C68-181 THRU	0	P	4320U SE
ACG001W	AL	L-A-09-000-002	2 RING	RING, RETAINING, QA 0, RING, RETAINING; REV 2, FOR NEUTRON MONITORING SYSTEM ***	0	P	4470C SE
ADE024K	AL	L-A-03-000-002	1 RING	RING, WEAR, QA 0, RING, PUMP; CASING, SECOND STAGE, PT 6, FOR TYPE 2GTR, SN C68-181 THRU	0	P	4320U SE

ADE424C	AL	L-A-03-000-002	1 RING	RING, WEAR, QA 0, RING,WEARING, ; CASING, REF 7B, FOR BUILDING HEATING SYSTEM DRAIN	0	P	4320U SE
ADE824V	AL	L-A-03-000-002	1 RING	RING, WEAR, QA 0, RING,WEARING, ; CASING, REF 7C, FOR INJECTION WATER PUMP, TYPE 1X7W	0	C	4320U SE
ADJ233Y	AL	M-A-08-000-002	1 RING	RING, RETAINING, QA 0, RING, ; SPIT, 4 IN, 300 PSIG STAINLESS STEEL 17-PH, H900 HEAT TESTED	0	P	48200 SE
AEB239G	AL	M-A-08-000-002	7 RING	RING, SEAL, QA 0, SEAL, ; RING, FOR FILTER 350A069H01, ON ICE CONDENSER PACKAGE CHILLER	0	P	4520N SE
AEC772Q	AL	I-A-09-000-002	1 RING	RING, TYPICAL, QA 0, RING, ASH DISPOSAL; 012.000 IN, MIDDLE, FOR COUPLING ASSY A-5162 ***	0	P	4450C SE
AEE123L	AL	L-A-03-000-002	1 RING	RING, TYPICAL, QA 0, RING, PUMP; IMPELLER, SECOND STAGE, PT 4, FOR TYPE 2GTR, SN C68-181	0	P	4320U SE
AEE169V	AL	L-A-03-000-002	1 RING	RING, WEAR, QA 3, RING, PUMP; CASING, WEAR, BRONZE, ASTM B144-52, 3D, REF 3, FOR CLOSED	3	C	4320U SE
AEE720D	AL	L-A-13-000-002	1 RING	RING, RETAINING, QA 0, RING, PUMP; IMPELLER, FIRST STAGE, PT 4, FOR TYPE 2GTR, SN C68-181	0	P	4320U SE
AFE028Y	AL	L-A-13-000-002	1 RING	RING, WEAR, QA 0, RING,WEARING, ; IMPELLER BACK HUB, REF 7B, FORSTATOR COOLING PUMP	0	C	4320U SE
AFE787T	AL	L-A-13-000-002	1 RING	RING, WEAR, QA 0, RING,WEARING, ; CASING, REF 103, FOR WATERBOY BACKWASH PUMP, FIG 3655	0	P	4320U SE
AFE823H	AL	L-A-13-000-002	1 RING	RING, RETAINING, QA 0, RING, PUMP; SPLIT, REF 252, FOR BUILDING HEATING SYSTEM DRAIN PUMP	0	P	4320U SE
AGD180C	AL	L-A-03-000-002	4 RING	RING, TYPICAL, QA 0, RING, COMPRESSOR; COMPRESSION, FOR TYPE 2HBC20, MODEL CASFFHVXX, PT	0	P	4310I SE
AHJ133A	AL	M-A-08-000-002	5 RING	RING, PISTON, QA 0, RING,PISTON, ; FOR REDUCING VALVE, SIZE 002.500IN, S/N 72-4631-136 ***	0	P	48200 SE
AHX413B	AL	L-A-09-000-002	38 RING	RING, SPACER, QA 0, SPACER, MOVEMENT LINKAGE; BRASS, RING, FOR CONTROL- INDICATOR	0	P	6695D SE
AJD585R	AL	L-A-09-000-002	10 RING	RING, RETAINING, QA 0, RING, RETAINING; SNAP, ITEM 21, FOR SERIES 500, MODEL PF05-002-31R001	0	P	5305J SE
AJF906N	AL	L-A-03-000-002	15 RING	RING, RETAINING, QA 0, SNAP, RING, RETAINING; SNAP, PT 12, FOR CONDENSATE DRAIN SUMP PUMP, FIG	0	P	4320U SE
AJJ684X	AL	M-A-08-000-002	6 RING	RING, RETAINING, QA 3, RING, RETAINING; REF 88, FOR VALVE OPERATOR TYPE SMB-3 ***	3	P	48200 SE
AJJ685V	AL	L-A-09-000-002	1 RING	RING, RETAINING, QA 3, SPLIT, REF 27, FOR LIMITORQUE VALVE OPERATOR,	3	P	48104 SE
AKD392Y	AL	L-A-07-000-002	1 RING	RING, WEAR, QA 0, PUMP, *** CASE, DWG IF-586-1-2, FOR REACTOR RECIRCULATING PUMP, MODEL DVSS	0	C	4320U SE
AKD591Q	AL	L-A-12-000-002	6 RING	RING, BACKING, QA 3, RING, PUMP; BACK-UP, DWG 153194ZZ, FOR PRIMARY SEAL ASSY SU-7375, PT	3	C	4320U SE
AKD745P	AL	L-A-09-000-002	3 RING	RING, RETAINING, QA 0, RING, RETAINING; BRONZE, FOR AWWA DRY TOP TRAFFIC MODEL COMPRESSION	0	P	4210N SE
AKE804X	AL	L-A-03-000-002	2 RING	RING, WEAR, QA 0, RING, PUMP; WEARING, CASING, REF 16, FOR SCREEN WASH AND FILTER PLANT	0	P	4320U SE
AKG579Y	AL	L-A-03-000-002	5 RING	RING, PISTON, QA 1, RING,PISTON, ; FOR BERGEN-PATERSON HYDRAULIC SNUBBER, MODEL HSSA-20	1	P	4710Y SE
ALJ250Y	AL	M-A-16-000-002	2 RING	RING, TYPICAL, QA 3, RING, VALVE; DELTA, POLYETHYLENE, UHMW, FORPLUG VALVE, 2 IN, 255 PSIG	3	P	48200 SE
AMA063C	AC	- - - -	28 RING	RING, SEGMENT, QA 0, STEAM TURBINE, 28, RING SEGMENT, STEAM TURBINE; STEAM DEFLECTOR, STAGE 10, (DFA),(TE),	0	C	2825G SE
AMA161M	AC	- - - -	51 RING	RING, SEGMENT, QA 0, RING SEGMENT, STEAM TURBINE; STEAM DEFLECTOR, STAGE 8, (DFA), (TE)	0	C	2825G SE
AMA264B	AL	L-A-03-000-002	60 RING	RING, SEGMENT, QA 0, RING SEGMENT, STEAM TURBINE; STEAM DEFLECTOR, STAGE 11, (DFA), (GE &	0	C	2825G SE
ANB302K	AL	L-A-03-000-002	1 RING	RING, SEAL, QA 0, PACKING/STEAM, RING, PACKING STEAM TURBIN; STEAM, N-3,7 &8, GROOVE 1,2, & 3, FOR	0	C	2825G SE
ANB708N	AL	W-A-05-000-000	1 RING	RING, TYPICAL, QA 0, RING, ; BEARING, T-1 ***	0	C	6115F SE
ANE873N	AL	L-A-09-000-002	3 RING	RING, RETAINING, QA 0, RING, RETAINING; FOR IMO PUMP, TYPE DMA3NB-462,DWG SF-5476, 2 HALVES	0	P	4320U SE
ANF300E	AL	L-A-07-000-002	2 RING	RING, SEAL, QA 0, SEAL RING, PUMP; BEARING COVER, REF 73D, FOR DISTILLATE TANK PUMP	0	P	4320U SE
ANJ373N	AL	L-A-13-000-002	1 RING	RING, RETAINING, QA 3, ACTUATOR, , FOR SIDE MOUNTED HANDWHEEL, TYPE SMB-00 AND SMB-0	3	P	48200 SE
APE989W	AL	L-A-13-000-002	2 RING	RING, TYPICAL, QA 0, RING, PUMP; SPLIT, PT 252, FOR CENTRIFUGAL PUMP, SIZE 0573-16 THRU 27	0	P	4320U SE
APE989W	AL	L-A-02-000-002	3 RING	RING, TYPICAL, QA 0, RING, PUMP; SPLIT, PT 252, FOR CENTRIFUGAL PUMP, SIZE 0573-16 THRU 27	0	P	4320U SE
APV268Y	AL	L-A-09-000-002	85 RING	RING, RETAINING, QA 0, RING, RETAINING; FOR CONSTROL CONTROLLER, MODEL 52A-SM2, 222A6802P0001	0	P	6695D SE
APV468N	AL	L-A-09-000-002	5 RING	RING, RETAINING, QA 0, RING, RETAINING; FOR INTEGRATOR, MODEL 14AEP ***	0	P	6695D SE
AQD719R	AL	L-A-09-000-002	2 RING	RING, RETAINING, QA 0, RING, CHILLER; LOCK, BRACKET, FOR WORTHINGTON SENTRY CENTRIFUGAL UNIT	0	P	4520N SE
ARD080F	AL	M-A-06-000-002	10 RING	RING, RETAINING, QA 2, RING, PUMP; SPLIT, SHAFT, ITEM D005, FOR PACIFIC PUMP CHARGE-SAFETY	2	P	4320U SE
ARF533P	AL	L-A-09-000-002	1 RING	RING, SEGMENT, QA 0, RING, ; SEGMENT,OUTER,6 PC-1 EA RING, FOR BEARING RING INSULATION, GE	0	P	6115F SE
ARG864T	AL	M-A-08-000-002	25 RING	RING, RETAINING, QA 0, STEEL, RING, RETAINING; STEEL, FOR ULTRAVUE RESPIRATOR ***	0	P	4240P SE
ARK989N	AL	M-A-16-000-002	4 RING	RING, SEAL, QA 0, RING, ; SEAL,DELTA,TEFLON,1.375IN OD X1.250IN ID,ITEM 10,FOR TUFLINE	0	P	48200 SE
ARL395F	AL	L-A-03-000-002	2 RING	RING, RETAINING, QA 0, RING, RETAINING; STAINLESS STEEL,FOR STYLE 5001FIRE HYDRANT ***	0	P	4210N SE
ARP396X	AL	L-A-09-000-002	23 RING	RING, RETAINING, QA 0, RING, RETAINING; EXTERNAL,FOR MOTOR-GENERATOR POSITIONER,ELECTRIC	0	P	6695D SE
ARV802R	AL	M-A-13-000-002	8 RING	RING, RETAINING, QA 2, RING, RETAINING; OUTER, FOR ROTATION TANDEM DIESEL GENERATOR BGMP JOB	2	C	29100 SE
ARV803P	AL	M-A-13-000-002	8 RING	RING, RETAINING, QA 2, RING, RETAINING; INNER, FOR ROTATION TANDEM DIESEL GENERATOR BGMP JOB	2	P	29100 SE
ATA028F	AL	M-A-01-000-002	3 RING	RING, RETAINING, QA 1, RING, PUMP; SPLIT, IMPELLER, 1ST STAGE, STAINLESS STEEL, REF 256, DWG	1	C	4320U SE
ATF030E	AL	M-A-16-000-002	1 RING	RING, RETAINING, QA 3, RING, ; SPLIT,STEEL,CODE 37815-005- 5211-001,3.250 OD X 2.187 ID X	3	P	48200 SE
ATN370T	AL	M-A-08-000-002	1 RING	RING, QUAD, QA 3, ACTUATOR, VITON, , PACKING, FOR LIMITORQUE TYPE SMB-00 OPERATOR	3	B	48200 SE
ATN379W	AL	M-A-12-000-002	16 RING	RING, QUAD, QA 3, ACTUATOR, VITON, , FOR VALVE TYPE SMB-2 OPERATOR	3	C	48200 SE
ATN381A	AL	M-A-09-000-002	11 RING	RING, QUAD, QA 3, ACTUATOR, VITON, , FOR VALVE TYPE SMB-3 OPERATOR	3	C	48200 SE
ATR089D	AL	M-A-01-000-002	4 RING	RING, SEAL, QA 0, SEAL RING, ; CARBON GRAPHITE, ITEM 102, FOR6 IN AIR OPERATED VALVE	0	P	48200 SE
ATW701L	AL	L-A-13-000-002	2 RING	RING, RETAINING, QA 0, RING, RETAINING; PACKING, TEFLON, FOR SIZE 3HCFB ROTAMETER, DWG	0	C	5305J SE
ATX784F	AL	M-A-13-000-002	8 RING	RING, SEGMENT, QA 0, RING SEGMENT, ELECTRIC MOTOR; PLASTIC, INSULATING, FOR REACTOR COOLANT	0	B	6105D SE
AVC743F	AL	M-A-16-000-002	4 RING	RING, TYPICAL, QA 3, RING, ; DISC STEM STAINLESS STEEL ASTM182, EXELLO, 002.500 IN, GLOBE	3	P	48200 SE
AVD721L	AL	M-A-15-000-002	2 RING	RING, RETAINING, QA 0, RING, RETAINING; STEEL, FOR 3 INCH AIR OPERATEDVALVE, MODEL 35-35500	0	P	48200 SE
AVD791Y	AL	M-A-04-000-002	24 RING	RING, SEAL, QA 2, SEAL RING, VALVE; CARBON STEEL, PISTON, DWG REF 18, FOR 012.000 IN	2	P	48200 SE
AVK561H	AL	M-A-06-000-002	4 RING	RING, SEAL, QA 0, 1-9/16 IN, 2 IN, CARBON STEEL, SEAL RING, METAL; CARBON STEEL, 1.5625 ID X 2 IN OD, FOR PUMP, SIZE	0	B	4320U SE
AVM531G	AL	M-A-01-000-002	1 RING	RING, TYPICAL, QA 0, RING, PUMP; DRIVE, STEEL, FOR PORTABLE DIESEL PUMP, MODEL 200CCD-1, 10	0	P	4320U SE
AVN947B	AL	M-A-06-000-002	5 RING	RING, RETAINING, QA 0, RING, RETAINING; STAINLESS STEEL,FOR FISHER 546 PNEUMATIC POSITIONER	0	P	48200 SE
AVP368N	AL	M-A-09-000-002	1 RING	RING, TYPICAL, QA 3, BRONZE, WIPER, ROD, PREFORMED, FOR HYDRAULIC SNUBBER, TOTAL STROKE 3.5 IN.	3	P	4410C SE
AVT054M	TR	- - - -	2 RING	RING, PISTON, QA 2, RING,PISTON, ; STEEL, FOR SOLENOID OPERATED GLOBE VALVE, Y PATTERN	2	P	48200 SE
AVY526T	AL	L-A-09-000-002	6 RING	RING, SEAL, QA 0, SEAL RING, ; TEFLON, FOR CONTROL VALVE, CAST STEEL BODY, 001.500 IN	0	P	48200 SE
AWF407B	AL	M-A-06-000-002	2 RING	RING, PISTON, QA 2, RING,PISTON, ; CARBON STEEL, FOR AIR OPERATED CONTROL VALVE, SIZE 3	2	P	48200 SE
AWH400T	AL	M-A-10-000-002	1 RING	RING, RETAINING, QA 2, RING, RETAINING; STEEL, REF 3, FOR BUTTERFLY VALVE, SIZE 012.000 IN	2	P	48200 SE
AWM207L	AL	M-A-16-000-002	3 RING	RING, WEAR, QA 2, RING,WEARING, ; IMPELLER FRONT, DWG 71-220-126FOR BANDW CONTAINMENT	2	P	4320U SE
AWM785A	AL	M-A-10-000-002	6 RING	RING, RETAINING, QA 2, RING, RETAINING; STEEL, FOR MODEL 43AP PNEUMATIC CONTROLLER ***	2	P	6695D SE
AXP046P	AL	L-A-09-000-002	12 RING	RING, RETAINING, QA 3, RING, RETAINING; STEEL, 000.125 IN, FOR SUPPORTPLATE ASSY, PN	3	P	61100 SE
AXP122B	AL	M-A-06-000-002	3 RING	RING, PISTON, QA 0, RING,PISTON, ; STEEL, REF 26, FOR 008.000 IN VALVE, FIG 5301, S/N	0	P	48200 SE
AXQ356C	AL	M-A-07-000-002	1 RING	RING, TYPICAL, QA 2, SLIP RING ASSY, ; STEEL, FOR MOTOR DRIVEN CABLE REELING MACHINE	2	P	3895E SE
AXT953F	AL	M-A-16-000-002	2 RING	RING, RETAINING, QA 2, INTERNAL, SNAP, STEEL, RING, RETAINING; INTERNAL, STEEL, SNAP, SIZE 45-50-60, REF 11, FOR 2	2	P	48200 SE
AXV977V	AL	M-A-10-000-002	10 RING	RING, RETAINING, QA 2, RING, RETAINING; STEEL, FOR FORCE BALANCE TRANSMITTER, SERIES E ***	2	P	6695D SE
AXY412X	AL	L-A-07-000-002	4 RING	RING, SEAL, QA 0, RING, SEAL; REF 29, FOR STOP VALVES 1 THRU4, DWG 754E264, ON TURBINE	0	P	2825G SE
BAM042Q	AL	M-A-08-000-002	1 RING	RING, SEAL, QA 0, RING, SEAL; SPRING, FOR GLOBE VALVE, 3 IN,TYPE 667-ET, PNEUMATIC	0	P	48200 SE
BAN322N	AL	M-A-04-000-002	11 RING	RING, RETAINING, QA 3, RING, ; LOCK, INDICATOR, BRASS, FOR VALVE, 1.5 IN, THREADED INTERNAL	3	P	48200 SE
BAN857E	AL	T-A-05-000-002	34 RING	RING, RETAINING, QA 0, RING, RETAINING; STEEL, FOR PUSH BUTTON, ON DOVER ELEVATOR ***	0	C	3960D SE

BAP691H	AL	M-A-16-000-002	2 RING	RING, LANTERN, QA 2, RING, LANTERN; TWO RINGS PER SET, STAINLESS STEEL, FOR VALVE, 3 IN	2	P	48200 SE
BAR644G	AL	M-A-01-000-002	3 RING	RING, SEAL, QA 3, SEAL RING, VALVE; TEFZEL, FOR VALVE, 8 IN, 300 PSIG, 720 PSIG WOG, DWG	3	P	48200 SE
BAT605N	AL	M-A-06-000-002	1 RING	RING, TYPICAL, QA 0, RING, ; STAINLESS STEEL, FOR GLOBE VALVE, SIZES 0.5, AND 1 IN, TYPE	0	P	48200 SE
BBA509Y	AL	M-A-16-000-002	1 RING	RING, TYPICAL, QA 2, RING, ; SEAT, FOR VALVE, 2 IN, TYPE 667-SS-95, AIR ACTUATOR, DWG	2	P	48200 SE
BBL501V	AL	M-A-11-000-002	10 RING	RING, TYPICAL, QA 1, , CAGE, BRASS, ASTM B584, ALLOY 932, REF 236, DRAWING 1F-7879, FOR	1	C	4320U SE
BDJ719W	AL	M-A-08-000-002	15 RING	RING, SEGMENT, QA 0, RING SEGMENT, STEAM TURBINE; SEAL, FOR HIGH PRESSURE TURBINE BLADE	0	P	2825G SE
BDJ727X	AL	M-A-08-000-002	30 RING	RING, SEGMENT, QA 0, RING SEGMENT, STEAM TURBINE; SEAL, FOR HIGH PRESSURE TURBINE BLADE	0	P	2825G SE
BDJ729R	AL	M-A-08-000-002	24 RING	RING, SEGMENT, QA 0, RING SEGMENT, STEAM TURBINE; SEAL, FOR HIGH PRESSURE TURBINE BLADE	0	P	2825G SE
BDJ730L	AL	M-A-08-000-002	24 RING	RING, SEGMENT, QA 0, RING SEGMENT, STEAM TURBINE; SEAL, FOR HIGH PRESSURE TURBINE BLADE	0	P	2825G SE
BDJ735Y	AL	M-A-08-000-002	30 RING	RING, SEGMENT, QA 0, RING SEGMENT, STEAM TURBINE; SEAL, FOR HIGH PRESSURE TURBINE BLADE	0	P	2825G SE
BDJ736W	AL	M-A-08-000-002	16 RING	RING, SEGMENT, QA 0, RING SEGMENT, STEAM TURBINE; SEAL, FOR HIGH PRESSURE TURBINE BLADE	0	P	2825G SE
BDJ737T	AL	M-A-08-000-002	36 RING	RING, SEGMENT, QA 0, RING SEGMENT, STEAM TURBINE; SEAL, FOR HIGH PRESSURE TURBINE BLADE	0	P	2825G SE
BDJ738Q	AL	M-A-08-000-002	15 RING	RING, SEGMENT, QA 0, RING SEGMENT, STEAM TURBINE; SEAL, FOR HIGH PRESSURE TURBINE BLADE	0	P	2825G SE
BDJ739N	AL	M-A-08-000-002	24 RING	RING, SEGMENT, QA 0, RING SEGMENT, STEAM TURBINE; SEAL, FOR HIGH PRESSURE TURBINE BLADE	0	C	2825G SE
BDM681C	AL	P-A-LL-ET0-063	1 RING	RING, TYPICAL, QA 0, PUMP, 13-7/8 IN, 1-1/2 IN, RING, PUMP; IMPELLER, 13.875 DIA X 1.5 IN WD, REF 4, FOR CENTRIFUGAL	0	P	4320U SE
BDM681C	AL	Z-Z-ZZ-ZZZ-ZZZ	3 RING	RING, TYPICAL, QA 0, PUMP, 13-7/8 IN, 1-1/2 IN, RING, PUMP; IMPELLER, 13.875 DIA X 1.5 IN WD, REF 4, FOR CENTRIFUGAL	0	P	4320U SE
BEA407L	AL	M-A-16-000-002	2 RING	RING, LANTERN, QA 3, RING, LANTERN; STAINLESS STEEL, FOR GLOBE VALVE, 6 IN, MODEL 37-10132	3	P	4320U SE
BGB710C	AL	B-A-11-000-002	1 RING	RING, TYPICAL, QA 0, RING, OPERATING,FAN; SLIP, GENERATOR ROTOR, FOR TURBINE ***	0	P	2825G SE
BGE031W	AL	M-A-06-000-002	20 RING	RING, RETAINING, QA 1, RING, RETAINING; REF 111, FOR SIDE MOUNTED HANDWHEEL, ON VALVE	1	P	48200 SE
BGG299G	AL	L-A-02-000-002	26 RING	RING, QUAD, QA 3, ACTUATOR, VITON, REF. 94 FOR SMB-1 ACTUATOR,	3	B	48200 SE
BGL784L	AL	L-A-09-000-002	2 RING	RING, TYPICAL, QA 0, RING, PUMP; CASTING, FOR CENTRIFUGAL PUMP,SIZE 4-LR-10 ***	0	P	4320U SE
BGP303H	AL	L-A-09-000-002	13 RING	RING, QUAD, QA 3, ACTUATOR, VITON, , REF 79, FOR VALVE TYPE SMB-00 OPERATOR, DWG 01-403-0035-4 AND	3	C	48200 SE
BGP310Y	AL	P-A-LL-ET0-078	23 RING	RING, QUAD, QA 1, PACKING,PREFORMED,AC, ; RING, QUAD, VITON, REF 94, FOR VALVE ACTUATOR	1	C	48200 SE
BGV786C	AL	L-A-03-000-002	2 RING	RING, RETAINING, QA 0, RING, RETAINING; BRASS, REF 9, FOR SWITCH, LIQUID LEVEL, MODEL	0	P	6695D SE
BHF001V	AL	L-A-09-000-002	3 RING	RING, SEAL, QA 3, RING, SEAL; CAST IRON, TOP FOR 12.00 IN FIRE PUMP STRAINER, SERIES 590	3	P	4730P SE
BHF002R	AL	L-A-09-000-002	3 RING	RING, SEAL, QA 3, RING, SEAL; CAST IRON, LOWER, FOR 12.00 INFIRE PUMP STRAINER, SERIES	3	P	4730P SE
BHG630A	AL	M-A-12-000-002	20 RING	RING, QUAD, QA 3, ACTUATOR, VITON, , PREFORMED, FOR VALVE TYPE SMB-00 OPERATOR	3	B	48200 SE
BHG630A	AL	M-A-09-000-002	23 RING	RING, QUAD, QA 3, ACTUATOR, VITON, , PREFORMED, FOR VALVE TYPE SMB-00 OPERATOR	3	B	48200 SE
BHT449X	AL	M-A-16-000-002	3 RING	RING, RETAINING, QA 1, ; REF 83, FOR VALVE OPERATOR TYPE SB-2, AND SMB-2	1	C	48200 SE
BJE659A	AL	L-A-09-000-002	3 RING	RING, RETAINING, QA 0, RING, RETAINING; SNAP, METALLIC, 0.062 IN THICKSIZE 3 ***	0	P	4320U SE
BJF619H	AL	M-A-06-000-002	1 RING	RING, SEAL, QA 3, RING, SEAL; URETHANE, DWG 2203-401AXX-604,FOR BUTTERFLY VALVE, 3 IN	3	P	48200 SE
BJG680L	AL	M-A-06-000-002	1 RING	RING, RETAINING, QA 3, RING, RETAINING; ASTM A516, GRADE 70, 7 ID X 10OD X 0.375 IN THICK	3	P	48200 SE
BJM517T	AC	-- --	1 RING	RING, TYPICAL, QA 0, RING, ASH DISPOSAL; MIDDLE, FOR DRY FLY ASH COLLECTOR ***	0	P	4450C SE
BJM619J	AL	L-A-09-000-002	1 RING	RING, VALVE, QA 3, RING, VALVE; VITON 470, GRADE 90, DUROMETER FOR RCIC TESTABLE CHECK	3	P	48200 SE
BJN807D	AL	M-A-12-000-002	2 RING	RING, TYPICAL, QA 3, RING, VALVE; GUIDE, INCONEL OR MONEL STEEL, FOR CROSBY RELIEF VALVE.	3	C	48200 SE
BKA306V	AL	M-A-16-000-002	2 RING	RING, RETAINING, QA 3, RING, VALVE; SNAP, STEEL, FOR MAIN STEAM HEADER POWER RELIFE VALVE	3	P	48200 SE
BKN878E	AL	L-A-03-000-002	5 RING	RING, SEAL, QA 3, RING, DOOR; OUTER RING & INTERLOCK ASSY, VERTICAL MOUNT, RING SIZE	3	P	4710Y SE
BKR301Q	AL	M-A-16-000-002	4 RING	RING, QUAD, QA 3, ACTUATOR, BUNA-N, , O-RING, REF 16, FOR 2.86:1 SPUR GEAR, FOR LIMITORQUE	3	C	48200 SE
BLC808J	AL	M-A-07-000-002	76 RING	RING, TYPICAL, QA 1, RING, DIESEL ENGINE; SEAT, CYLINDER HEAD, 0.617 X 0.192 THICK, FOR	1	C	29100 SE
BLE599M	AL	M-A-08-000-002	13 RING	RING, TYPICAL, QA 0, RING, ; CLAMPING, FOR TITRATOR, SYSTEM 260. ***	0	P	6630D SE
BLH710L	AL	T-A-06-000-002	6 RING	RING, RETAINING, QA 3, RING, RETAINING; RETAINING RING, CS (NI PITD) ASTM A515 GR 70 ***	3	P	48200 SE
BLH729K	AL	M-A-15-000-002	12 RING	RING, SEAL, QA 3, SEAL RING, VALVE; SEAL RING, TEFZEL, P/N 2224-301 OR 111351-330 ***	3		48200 SE
BLJ223F	AL	M-A-08-000-002	67 RING	RING, RETAINING, QA 0, RING, RETAINING; METAL, 0.125 WIDE X 1 IN OD ***	0	P	5305J SE
BLM964L	AL	L-A-09-000-002	2 RING	RING, RETAINING, QA 0, RING, PUMP; RETAINING, SPIROLOX, FOR PUMP, CNTRIFUGAL, TYPE ANL-V	0	C	4320U SE
BLR573F	AL	P-A-LL-ET0-064	2 RING	RING, RETAINING, QA 1, RING, SHOCK ARRESTOR; METAL, C-RING, CYLINDER TUBE AND HEAD MANIFOLD	1	C	4710Y SE
BLR609M	AL	M-A-01-000-002	3 RING	RING, TYPICAL, QA 2, RING, PUMP; CAGE, BRASS, REF 236, DWG 1F-7879, FOR ESSENTIAL RAW	2	P	4320U SE
BMD680H	AL	L-A-09-000-002	35 RING	RING, RETAINING, QA 0, RING, RETAINING; FOR HYPOCHLORITE SYSTEM. ***	0	P	46109 SE
BNB227Y	AL	P-A-LL-ET0-064	2 RING	RING, VALVE, QA 1, RING, VALVE; DELTA, FOR 6 IN, 900 LBS, TESTABLE CHECK VALVE ***	1	C	48200 SE
BND453B	AL	M-A-06-000-002	2 RING	RING, ADJUSTING, QA 3, RING, ; LOWER ADJUSTING, FOR SAFETY RELIEF VALVE, SIZE 4 X 6 IN, SET	3	P	48200 SE
BNF118F	AL	M-A-06-000-002	1 RING	RING, ADJUSTING, QA 0, RING, VALVE; ADJ, FOR CONSOLIDATED SAFETY RELIEF VALVE, SIZE 4 X 6	0	P	48200 SE
BNF227A	AL	T-A-01-000-002	1 RING	RING, SEAL, QA 1, SS, SILVER PLATED, A276, TYP 316 COND A, 4.26 IN OD, FOR 3 IN SWING CHECK VALVE	1	P	48200 SE
BNF227A	AL	T-A-05-000-002	1 RING	RING, SEAL, QA 1, SS, SILVER PLATED, A276, TYP 316 COND A, 4.26 IN OD, FOR 3 IN SWING CHECK VALVE	1	P	48200 SE
BNF231K	AL	T-A-01-000-002	1 RING	RING, SEAL, QA 1, VALVE, SS, SILVER PLATED, A276, TYP 316, COND A, 4.265 IN OD, FOR 3 IN SWING CHECK VALVE	1	P	48200 SE
BNF231K	AL	T-A-05-000-002	1 RING	RING, SEAL, QA 1, VALVE, SS, SILVER PLATED, A276, TYP 316, COND A, 4.265 IN OD, FOR 3 IN SWING CHECK VALVE	1	P	48200 SE
BNF232H	AC	-- --	1 RING	RING, SEAL, QA 1, RING, SEAL; STAINLESS STEEL, ASTM A276, TYPE 316, CONDITION A, SILVER	1	P	48200 SE
BNF232H	AL	T-A-01-000-002	1 RING	RING, SEAL, QA 1, RING, SEAL; STAINLESS STEEL, ASTM A276, TYPE 316, CONDITION A, SILVER	1	P	48200 SE
BNP582C	AL	T-A-01-000-002	1 RING	RING, TYPICAL, QA 1, RING, VALVE; NOZZLE, TYPE 316 STAINLESS STEEL, ASTM A-276, DWG ITEM 3	1	P	48200 SE
BNQ659X	AL	M-A-08-000-002	1 RING	RING, LANTERN, QA 0, RING, ; LANTERN, STEEL, FOR 8 IN VALVE, MODEL 500SHC32EA95, S/N	0	P	48200 SE
BPH037M	AL	L-A-09-000-002	2 RING	RING, RETAINING, QA 0, RING, RETAINING; TOOL, FOR ENGD AHL PEAK ACCELERATION RECORDER, MODEL	0	P	6695D SE
BPK006P	AL	M-A-06-000-002	1 RING	RING, TYPICAL, QA 0, RING, VALVE; DISC, FOR CROSBY VALVE, SIZE 2J3, SET PRESSURE 110 PSIG	0	P	48200 SE
BPK278X	AL	L-A-12-000-002	6 RING	RING, RETAINING, QA 3, RING, PUMP; LOCK, ROTATING FACE, ITEM 9-S-124, FOR SECONDARY SEAL ASSY	3	B	4320U SE
BPQ251Q	AL	M-A-13-000-002	2 RING	RING, QUAD, QA 3, ACTUATOR, VITON, , REF 129, FOR VALVE TYPE SMB-4 OPERATOR	3	C	48200 SE
BPT489C	AL	M-A-06-000-002	2 RING	RING, RETAINING, QA 0, RING, RETAINING; STEEL, FOR ACTUATOR SIZE SMC-04, VALVE NO.	0	B	48200 SE
BPX263P	AL	M-A-06-000-002	200 RING	RING, TYPICAL, QA 3, RING, REACTOR INSTRUMENTS; PIG TAIL DOCKING, FOR INCORE INSTR. SYSTEM	3	C	4470C SE
BPY640R	AL	T-A-06-000-002	3 RING	RING, TYPICAL, QA 3, RING ASSY, VALVE; RING ASSY, VALVE, ASME SA182 GR.F316 OR ASTM A351	3	C	48200 SE
BQD096K	AL	M-A-08-000-002	1 RING	RING, SEAL, QA 0, RING, VALVE; SEAL, 316 SS, FOR MASONEILAN CONTROLL BALL II VALVE, 8	0	C	48200 SE
BQD131M	AL	M-A-06-000-002	1 RING	RING, SEAL, QA 0, RING, VALVE; SEAL, 316 SS, FOR MASONEILAN CONTROL BALL II VALVE, 12	0	C	48200 SE
BQE762C	AL	M-A-09-000-002	1 RING	RING, RETAINING, QA 3, REF 73, FOR SMB-000 ACTUATOR.	3	B	48200 SE
BQN233Y	AL	M-A-08-000-002	1 RING	RING, SEAL, QA 0, FOR A 4.00" FISHER CONTROL GATE VALVE, M/N 657-ET S/N	0	C	48200 SE
BQY297T	AL	T-A-12-000-002	4 RING	RING, RETAINING, QA 1, RING, PUMP; STEEL, SPLIT, IMPELLER, REF 725, FOR VERTICAL PUMP, MODEL	1	B	4320U SE
BRF560Q	AL	L-A-09-000-002	36 RING	RING, RETAINING, QA 3, RING, RETAINING; BEARING ADAPTER, FOR PACIFIC PUMP, 50 GPM @ 90 TDH,	3	B	4320U SE
BRH017F	AL	M-A-12-000-002	3 RING	RING, WEAR, QA 1, RING, PUMP; STEEL,CASING, FOR AUXILIARY FEEDWATER PUMP, SIZE 5HMTA-5	1	C	4320U SE
BTD863Y	AL	L-A-03-000-002	1 RING	RING, WEAR, QA 1, RING, WEARING; C.S. PUMP ***	1	B	4320U SE
BTQ477B	AL	L-A-03-000-002	10 RING	RING, WEAR, QA 3, RING, PUMP; DIFFUSER, WEAR RING, BRONZE, HPPF JOCKEY PUMP, SERIAL N O	3	C	4320U SE
BVB147X	AL	T-A-12-000-002	4 RING	RING, RETAINING, QA 1, RING, PUMP; IMPELLER BUSHING, FOR INGERSOLL RAND MODEL 3HMTA-9	1	B	4320U SE

BVC209X	AL	M-A-06-000-002	4 RING	RING, TYPICAL, QA 0, RING, FILTER; MOUNTING RING FOR CUNO FILTER, TYPE EG-1, P/N 12323-01	0	C	4330N SE
BVH554H	AL	M-A-01-000-002	11 RING	RING, TYPICAL, QA 1, RING, GENERATOR; SHIFT, CONSISTING OF TWO HALVES, FOR INGERSOLL RAND	1	C	6115F SE
BVK513M	AL	L-A-13-000-002	2 RING	RING, SEAL, QA 3, PUMP/LOWER, BRONZE, SEAL RING, PUMP; RCIC CONDENSATE PUMP, LOWER SEAL RING, DWG UK-	3	C	4310I SE
BVM596C	AL	T-A-01-000-002	140 RING	RING, RETAINING, QA 3, EXTERNAL, EXTERNAL SERIES 5304, HEAVY DUTY, FOR USE WITH BASIC ENGINEERS	3	C	5305J SE
BVM602D	AL	T-A-01-000-002	140 RING	RING, RETAINING, QA 3, EXTERNAL, EXTERNAL, SERIES 5304, HEAVY DUTY, FOR USE WITH BASIC ENGINEERS LOAD	3	C	5305J SE
BVM603B	AL	T-A-01-000-002	140 RING	RING, RETAINING, QA 3, EXTERNAL, EXTERNAL, SERIES 5304, HEAVY DUTY, FOR USE WITH BASIC ENGINEERS LOAD	3	C	5305J SE
BVM609Y	AL	T-A-01-000-002	40 RING	RING, RETAINING, QA 3, RING, RETAINING; RING, RETAINING, EXTERNAL, SERIES 5304, HEAVY DUTY	3	C	5305J SE
BVM617Y	AL	T-A-01-000-002	15 RING	RING, RETAINING, QA 3, RING, RETAINING; RING, RETAINING, EXTERNAL, SERIES 5304, HEAVY DUTY	3	C	5305J SE
BVM627V	AL	T-A-01-000-002	15 RING	RING, RETAINING, QA 3, RING, RETAINING; RING, RETAINING, EXTERNAL, SERIES 5304, HEAVY DUTY	3	C	5305J SE
BVN509X	AL	T-A-01-000-002	1 RING	RING, WEAR, QA 0, RING, PUMP; IMPELLER WEAR, FOR A WORTHINGTON PUMP M/N 4656345B, 46F &	0	C	4320U SE
BVV551Y	AL	L-A-09-000-002	10 RING	RING, BACKING, QA 3, RING, PUMP; RING,PUMP BACKUP, REF 21, FOR 2-WTF-810, S/N 1620675, CRDS	3	C	4320U SE
BVW569B	AL	L-A-03-000-002	30 RING	RING, RETAINING, QA 3, RING, RETAINING; SNAP RING, REF 172, FOR 2-WTF-810, S/N 1620675, CRDS	3	C	4320U SE
BWD530R	AL	L-A-12-000-002	1 RING	RING, SEAL, QA 3, RING, MECHANICAL SEAL; LOCK, ROTATING FACE, ITEM NUMBER 8-S-124, FOR	3	C	4320U SE
BWE380D	AL	L-A-03-000-002	31 RING	RING, PISTON, QA 0, RING, PISTON; FOR VACUUM PRIMING PUMP, MODEL SYCT500-1, S/N	0	C	4320U SE
BWE423A	AL	L-A-03-000-002	3 RING	RING, PISTON, QA 0, RING, PISTON; TEFLON, FOR VACUUM PUMP, 1/2 HP, MODEL SYCT-500-1, S/N	0	C	4320U SE
BWF359K	AL	L-A-13-000-002	110 RING	RING, RETAINING, QA 3, RING, RETAINING; STAINLESS STEEL RETAINING RING, GPE CONTROLS, MODEL	3	C	48200 SE
BWL510V	AL	B-B-15-000-002	1 RING	RING, WEAR, QA 0, RING, PUMP; IMPELLER WEAR RING, FOR 5-9 D.C. TURNING GEAR OIL PUMP	0	C	4320U SE
BWR130C	AL	L-A-09-000-002	3 RING	RING, SEAL, QA 3, RING, SEAL; PRESSURE, FOR 10 IN PRESSURE SEAL GATE VALVE, MODEL L90	3	C	48200 SE
BWW192T	AL	L-A-03-000-002	1 RING	RING, VALVE, QA 3, RING, VALVE; JUNK, FOR EDWARDS TESTABLE CHECK VALVE, FIG 970, JMMNY	3	C	48200 SE
BXA435H	AL	M-A-08-000-002	10 RING	RING, RETAINING, QA 3, RING, RETAINING; STAINLESS, DISC, FOR LONERGAN D-10 SERIES RELIEF	3	C	48200 SE
BXJ923T	AL	M-A-15-000-002	2 RING	RING, TYPICAL, QA 3, RING, ACTUATOR; STAINLESS STEEL, FOR 16 IN FLOW CONTROL VALVE, TYPE	3	C	48200 SE
BXK298J	AL	L-A-13-000-002	2 RING	RING, SEAL, QA 1, PENETRATION/INNER, SEAL, PENETRATION; STYLE: O-RING CONTINUOUS WITH NO TWIST,	1	B	5975B SE
BXK299G	AL	L-A-13-000-002	2 RING	RING, SEAL, QA 1, PENETRATION/OUTER, SEAL, PENETRATION; STYLE: O-RING CONTINUOUS WITH NO TWIST,	1	B	5975B SE
BYF254M	AL	M-A-06-000-002	2 RING	RING, TYPICAL, QA 3, RING, VALVE; TORQUE, FOR 3" VACCUM RELIEF VALVE, MODEL LD246-15, ASME	3	C	48200 SE
BYM371J	AL	L-A-13-000-002	10 RING	RING, TYPICAL, QA 1, ACCUMULATOR, *** BACKING RING, FOR CONTROL ROD DRIVE HYDRAULIC CONTROL UNIT, SYSTEM	1	B	4470C SE
CAC581A	AL	L-A-09-000-002	3 RING	RING, TYPICAL, QA 3, RING, CYLINDER; FOR TOMKINS JOHNSON MODEL SH-1DE MAIN HOIST EQUALIZER	3	C	3950F SE
CAL488N	AL	L-A-13-000-002	2 RING	RING, SEAL, QA 3, SEAL RING, PUMP; MATERIAL: DURAMATE, SEAL DWG: 2D-85368 ITEM NO 3	3	B	4320U SE
CAL583W	AL	L-A-07-000-002	1 RING	RING, SEAL, QA 3, RING, SEAL; PROTECTOR, FOR FISHER CONTROL VALVE, MODEL: 657-8-UR	3	B	48200 SE
CAL884E	AL	L-A-05-000-002	1 RING	RING, SEAL, QA 0, RING, PACKING STEAM TURBIN; DIAPHRAGM, FOR UNIT 2 MAIN TURBINE	0	C	2825G SE
CAN753K	AL	L-A-13-000-002	1 RING	RING, TYPICAL, QA 3, RING, PUMP; SPLIT, SECONDARY SEAL, DWG. 641084XX, FOR REACTOR RECIRC.	3	C	4320U SE
CAN753K	AL	L-A-03-000-002	2 RING	RING, TYPICAL, QA 3, RING, PUMP; SPLIT, SECONDARY SEAL, DWG. 641084XX, FOR REACTOR RECIRC.	3	C	4320U SE
CAW420V	AL	L-A-09-000-002	2 RING	RING, SEAL, QA 1, RING, SEAL; MAIN, VALVE ASSEMBLY NO. 7567F-000, PARTS LIST PL7567F-	1	C	48200 SE
CAW420V	AL	L-A-13-000-002	3 RING	RING, SEAL, QA 1, RING, SEAL; MAIN, VALVE ASSEMBLY NO. 7567F-000, PARTS LIST PL7567F-	1	C	48200 SE
CBV383T	AL	L-A-03-000-002	10 RING	RING, RETAINING, QA 2, RING, RETAINING; COUPLING, FOR WORTHINGTON (REACTOR BLDG) WATER	2	C	4520N SE
CBV384Q	AL	L-A-03-000-002	3 RING	RING, SPACER, QA 3, RING, COMPRESSOR; SPLIT, FRONT SPACER, FOR UNIT MODEL NC-175	3	C	4310I SE
CBY165M	AL	L-A-09-000-002	3 RING	RING, RETAINING, QA 3, RING, RETAINING; SNAP RING, FOR 4KV TYPE MC-4.76 SWITCHGEAR AUXILIARY	3	C	61100 SE
CDK081Y	AL	L-A-09-000-002	4 RING	RING, TYPICAL, QA 3, RING, VALVE; CARBON, DELTA, FOR TUFLINE PLUG VALVE, 150 LB, FIGURE	3	C	48200 SE
CEY467J	AL	L-A-09-000-002	1 RING	RING, TYPICAL, QA 3, ACTUATOR, BRASS, , SPRING, REF 17, FOR LIMITORQUE TYPE SB-1, SBD-1, AND SMB-1	3	C	48200 SE
CFD322Y	AL	L-A-09-000-002	1 RING	RING, TYPICAL, QA 3, RING, *TYPICAL *** DISC SEAT RING, FOR 6" CARBON STEEL BUTT WELD GLOBE	3	B	48200 SE
CFJ939T	AL	P-A-LL-ET0-014	2 RING	RING, TYPICAL, QA 1, RING, *TYPICAL *** SEAT RING, FOR 3 INCH WELD ENDS CARBON STEEL SWING	1	C	48200 SE
CFW342B	AL	L-A-09-000-002	1 RING	RING, TYPICAL, QA 1, RING, TYPICAL ROTATING FACE, THIS IS A PART OF THE TWO STAGE	1	C	4320U SE
AMF798B	AL	F-A-27-201-000	128 RIVET	RIVET, TYPICAL, QA 1, SPLIT, 1/8 IN, 1/2 IN, STAINLESS STEEL, *** SPLIT; AISI 304, FOR GE CONTROL ROD DRIVE POSITIONER INDICATOR	1	C	5305J SE
AQX604R	AL	D-A-08-102-007	2 RIVET	RIVET, TYPICAL, QA 0, RIVET, BLIND; DIAPHRAGM PACKING, SEQUENCE 2494, FOR 1100 MW TURBINE	0		2825G SE
AQX605P	AL	D-A-13-301-003	1 RIVET	RIVET, TYPICAL, QA 0, RIVET, BLIND; DIAPHRAGM PACKING, SEQUENCE 2444, FOR 1100 MW TURBINE	0		2825G SE
ARE728D	AL	A-A-01-000-001	2 RIVET	RIVET, TYPICAL, QA 0, RIVET, STEAM TURBINE; DIAPHRAM PACKING,SEQUENCE 2444FOR 1100 MW	0	C	2825G SE
BBR586X	AL	A-A-01-000-001	5703 RIVET	RIVET, TYPICAL, QA 3, RIVET, BLIND; CARBON STEEL, CADMIUM PLATED, 0.125 OD X 0.328 IN LG	3	P	5305J SE
BCR433H	AL	1-B-12-000-001	9000 RIVET	RIVET, TYPICAL, QA 3, RIVET, BLIND; STAINLESS STEEL, TYPE 304, POP, DOMED HEAD, 0.125 DIA X	3	P	5305J SE
BDB883K	AL	1-B-12-000-001	11896 RIVET	RIVET, TYPICAL, QA 3, RIVET, BLIND; STAINLESS STEEL TYPE 304, POP,DOMED HEAD, 0.125 DIA X	3	P	5305J SE
BDC521H	AL	1-A-04-129-001	1 RIVET	RIVET, TYPICAL, QA 3, SOLID, 0.469 IN, FLAT, ZINC PLATED CS, RIVET, SOLID; ZINC PLATED, TINNERS, FLAT HEAD, 0.241 TO 0.232 IN SHANK	3	P	5305J SE
BDM742J	AL	D-A-32-302-004	1449 RIVET	RIVET, TYPICAL, QA 0, BLIND, 3/16 IN, 0.565 IN, DOME, ALUMINUM, 0.251 - 3/8 IN, 250/BOX, RIVET, BLIND; 5052 ALUMINUM BODY W/COATED CARBON ST	0		5305J SE
BJJ932X	AL	1-B-12-000-001	10366 RIVET	RIVET, TYPICAL, QA 3, RIVET, BLIND; CARBON STEEL, 0.187 DIA X 0.75IN LONG, WITH CARBON STEEL	3	P	5305J SE
BJJ937K	AL	A-A-01-000-001	1957 RIVET	RIVET, TYPICAL, QA 3, RIVET, BLIND; STAINLESS STEEL, 0.156 DIA X 0.125 IN LONG, WITH CARBON	3	P	5305J SE
BJJ937K	AL	1-B-12-000-001	2800 RIVET	RIVET, TYPICAL, QA 3, RIVET, BLIND; STAINLESS STEEL, 0.156 DIA X 0.125 IN LONG, WITH CARBON	3	P	5305J SE
BJJ938H	AL	A-A-01-000-001	1949 RIVET	RIVET, TYPICAL, QA 3, RIVET, BLIND; STAINLESS STEEL, 0.156 DIA X 0.25 IN LONG, WITH CARBON	3	P	5305J SE
BJJ938H	AL	1-B-12-000-001	2800 RIVET	RIVET, TYPICAL, QA 3, RIVET, BLIND; STAINLESS STEEL, 0.156 DIA X 0.25 IN LONG, WITH CARBON	3	P	5305J SE
BJJ949C	AL	A-A-01-000-001	2242 RIVET	RIVET, TYPICAL, QA 3, RIVET, BLIND; ALUMINUM, 0.125 DIA X 0.25 IN LONG, WITH ALUMINUM	3	P	5305J SE
BJJ990T	AL	1-B-12-000-001	2500 RIVET	RIVET, TYPICAL, QA 3, RIVET, BLIND; ALUMINUM, 0.187 DIA X 0.75 IN LONG, WITH CARBON STEEL	3	P	5305J SE
BJJ991D	AL	1-B-12-000-001	1900 RIVET	RIVET, TYPICAL, QA 3, RIVET, BLIND; ALUMINUM, 0.187 DIA X 0.875 INLONG, WITH CARBON STEEL	3	P	5305J SE
BJJ991D	AL	A-A-01-000-001	2000 RIVET	RIVET, TYPICAL, QA 3, RIVET, BLIND; ALUMINUM, 0.187 DIA X 0.875 INLONG, WITH CARBON STEEL	3	P	5305J SE
BKG098Y	AL	D-A-06-102-001	455 RIVET	RIVET, TYPICAL, QA 3, BLIND, 1/8 IN, 0.337 IN, PROTRUDING, CS, 0.094 - 3/16 IN, PLATED, CHERRY Q,	3		5305J SE
BRM413V	AL	A-A-01-000-001	1009 RIVET	RIVET, TYPICAL, QA 2, RIVET, SOLID; CARBON STEEL, ASTM A 31, GRADE A, CADMIUM PLATED, ANSI	2	B	5305J SE
CFN804Y	AL	A-A-01-000-001	100 RIVET	RIVET, TYPICAL, QA 1, BLIND, 1/8 IN, 5/8 IN, CARBON STEEL, *** WITH CARBON STEEL MANDREL, IN ACCORDANCE WITH IFI 114	1	C	5305J SE
BBR586X	AL	M-A-16-000-002	4500 RIVET	RIVET, TYPICAL, QA 3, RIVET, BLIND; CARBON STEEL, CADMIUM PLATED, 0.125 OD X 0.328 IN LG	3	P	5305J SE
BBX870P	AL	L-A-03-000-002	175 RIVET	RIVET, TYPICAL, QA 0, BLIND, 1/8 IN, 0.170 IN, ALUMINUM, 500/BOX, RIVET, BLIND; ALUMINUM BODY, STEEL STEM, POP, 0.125 DIA X 0.17 IN LG	0	C	5305J SE
BJJ929J	AL	M-A-06-000-002	2500 RIVET	RIVET, TYPICAL, QA 3, RIVET, BLIND; CARBON STEEL, 0.187 DIA X 0.5 IN LONG,W ITH CARBON STEEL	3	P	5305J SE
BJJ949C	AL	M-A-04-000-002	1 RIVET	RIVET, TYPICAL, QA 3, RIVET, BLIND; ALUMINUM, 0.125 DIA X 0.25 IN LONG, WITH ALUMINUM	3	P	5305J SE
BVX430H	AL	T-A-01-000-002	166 RIVET	RIVET, TYPICAL, QA 3, RIVET, BLIND; ALUMINUM ALLOY 2117-T4 ***	3	C	5305J SE
AEC224Q	AL	A-A-01-000-001	50 ROD	ROD, WELDING, QA 1, ROD, WELDING; 000.093 DIA X 036.000 IN LONG,AWS CLASS RCUZN-C ***	1	P	3439D SE
AEJ623B	AL	Z-Z-ZZ-ZZZ-ZZZ	4 ROD	ROD, TIE, QA 0, ROD, VALVE; TIE, FOR HYDROLINE MFG CO, OPERATOR, DWG 808-174-3B-C, ON	0	P	48200 SE
AKD252F	AL	D-A-23-012-001	1 ROD	ROD, PISTON, QA 0, CONNECTING ROD, COMPRESSOR; PISTON, LP W/NUT, ILLUSTRATION 560, FOR	0	P	4310I SE
AKD352B	AL	D-B-16-000-001	2 ROD	ROD, PISTON, QA 0, CONNECTING ROD, COMPRESSOR; PISTON, HP W/NUT, ILLUSTRATION 660, FOR	0	P	4310I SE
ATE806E	AL	1-B-14-000-001	1 ROD	ROD, THREADED, QA 1, 7 IN, 64.57 IN, CONTINUOUS, RPV HEAD, COMPLETE WITH MK-28 NUT, P/N 30616-1050-32, AND	1	P	4470C SE
ATN749M	AL	A-A-01-000-001	2 ROD	ROD, PISTON, QA 0, CONNECTING ROD,PISTO, ; COMPLETE,FOR CONTROL AIR COMPRESSOR,SIZE	0	C	4310I SE
ATQ313H	AL	A-A-01-000-001	86 ROD	ROD, THREADED, QA 1, CLASS 2, ROD, CONTINUOUS THREAD; ALLOY STEEL, ASME SA-193 GR B7, 0.250-20 UNC X	1	C	5305J SE
ATQ314F	AL	A-A-01-000-001	15 ROD	ROD, THREADED, QA 1, CLASS 2, ROD, CONTINUOUS THREAD; ALLOY STEEL, ASME SA 193 GR B7, 0.437-14 UNC X	1	C	5305J SE

AXX983N	AL	A-A-01-000-001	2	ROD	ROD, TYPICAL, QA 1, ROD, VALVE; STEEL ASME SA193 GRADE 6, YOKEREF 3, FOR 6X10 IN, SAFETY	1	P	48200	SE
AYW473D	AL	J-B-12-009-001	7	ROD	ROD, TYPICAL, QA 0, ROD, ELECTRIC MOTOR; DISTRIBUTING, FOR AVES400/160 SERVOMOTOR, DWG	0	P	6105D	SE
BBN108K	AL	D-B-05-102-001	3	ROD	ROD, TYPICAL, QA 0, ROD, TURBINE; CONNECTING, REF 36, IL1250-4153, REF 36, IL1250-4267	0	C	2825G	SE
BCR253K	AL	D-B-09-202-001	1	ROD	ROD, PISTON, QA 0, ROD, ASH DISPOSAL; STEEL, FOR AIR CYLINDER, DWG 4-4751B, ON BAGHOUSE	0	C	4450C	SE
BCR254H	AL	D-B-09-202-001	1	ROD	ROD, TYPICAL, QA 0, ROD, ASH DISPOSAL; STEEL, FOR AIR CYLINDER, DWG 2-4419A, ON BAGHOUSE	0	P	4450C	SE
BDJ132X	AL	E-A-16-C04-F01	3	ROD	ROD, TYPICAL, QA 0, ASSEMBLY, 15-1/8 IN, STAINLESS STEEL, W/ COUPLING, ***	0	C	5925B	SE
BDJ132X	AL	E-A-16-C04-D01	16	ROD	ROD, TYPICAL, QA 0, ASSEMBLY, 15-1/8 IN, STAINLESS STEEL, W/ COUPLING, ***	0	C	5925B	SE
BDN712N	AL	A-A-01-000-001	1	ROD	ROD, TYPICAL, QA 0, CONNECTING ROD, VALVE; STEEL, FOR CASH REGULATING FLUID PRESSURE VALVE	0	P	48200	SE
BEG951W	AL	A-A-01-000-001	2	ROD	ROD, LIFT, QA 0, ROD, LIFT; STEEL, FOR 20,000 LB CAPACITY HYDRAULIC PLATFORM LIFT	0	P	3040D	SE
BEN427F	AL	A-A-01-000-001	3	ROD	ROD, PISTON, QA 0, ROD, PISTON,LIN ACT CYL; STAINLESS STEEL, 4.12 IN LONG,THREADED END OF	0	P	3040D	SE
BHE151M	AL	1-B-14-000-001	1	ROD	ROD, TYPICAL, QA 1, DISK ASSY, ; ROD, FOR SOLENOID VALVE, MODEL 82KK-001, CLASS 2158,DWG	1	P	48200	SE
BHE188X	AL	D-A-32-104-001	1	ROD	ROD, TYPICAL, QA 1, ROD, VALVE; FOR SOLENOID VALVE, MODEL 82UU-001, ANSI CLASS 1707, DWG	1	P	48200	SE
BHE197W	AL	A-A-01-000-001	2	ROD	ROD, TYPICAL, QA 1, ROD, VALVE; DISK, FOR SOLENOID VALVE, MODEL 82UU-001, ANSI CLASS 1707	1	P	48200	SE
BLC508Y	AL	D-A-11-302-004	40	ROD	ROD, BRAZING, QA 2, BRAZING ALLOY, COPPER; BARE, FILLER METAL, COPPER ALLOY ASME SFA 5.8	2		3439D	SE
BLC582H	AL	D-B-15-302-000	24	ROD	ROD, TYPICAL, QA 0, STRAIGHT/HEADLESS, 5 FT (60 IN), SS, **	0	C	4710Y	SE
BLM035P	AL	A-A-01-000-001	5	ROD	ROD, TYPICAL, QA 1, VALVE, SS, ; TYPE 316,FOR 3/8 & 1/2 IN SOLENOID VALVE, MODEL 82KK-002/003, DWG	1	B	48200	SE
BLN786D	AL	D-A-11-301-012	60	ROD	ROD, BRAZING, QA 2, BRAZING ALLOY, PHOSPHOR COPPER; LENGTH: 18.000000 (18), DIAMETER:	2		3439D	SE
BLN791L	AL	D-A-11-302-005	40	ROD	ROD, BRAZING, QA 2, BRAZING ALLOY, PHOSPHOR COPPER; LENGTH: 18.000000 (18), DIAMETER:	2		3439D	SE
BLR654F	AL	D-A-02-201-005	54	ROD	ROD, TYPICAL, QA 0, NON-METALLIC/ROUND, 1/8 IN, 6 FT, NYLON, ***	0		5680B	SE
BMF667K	AL	A-A-01-000-001	24	ROD	ROD, THREADED, QA 1, CLASS 2, ROD, CONTINUOUS THREAD; STAINLESS STEEL, ASME SA564, TP 630, H1100	1	P	5305J	SE
BMF668H	AL	A-A-01-000-001	30	ROD	ROD, THREADED, QA 1, CLASS 2, ROD, CONTINUOUS THREAD; STAINLESS STEEL, ASME SA564, TP 630, H1100	1	P	5305J	SE
BND065B	TR	- - -	41	ROD	ROD, TYPICAL, QA 0, ASSEMBLY, ROD ASSY, ; HEAVY DRIVE ROD ASSY, DWG 9743D90-GO1 S/N 4179,4186,	0	C	4470C	SE
BPL002T	AL	Z-A-12-000-001	200	ROD	ROD, THREADED, QA 1, CLASS 2, 1 IN, 12 FT (144 IN), SS, 8, CONTINUOUS, ASME SA193 GR B8M CL 1, UNC, 2A, STANDARD MILL FINISH	1	C	5305J	SE
BPX157N	AL	E-A-16-C07-D01	8	ROD	ROD, TYPICAL, QA 0, ASSY, TENSION, FOR GENERATOR CIRCUIT BREAKER,	0	C	5925B	SE
BRE875Q	AL	E-A-16-C02-G01	23	ROD	ROD, TYPICAL, QA 0, ROD ASSY, CIRCUIT BREAKER; CONTACT, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B	SE
BTR833A	AL	A-A-01-000-001	6	ROD	ROD, TYPICAL, QA 2, CONNECTING ROD, COMPRESSOR; COMPLETE, REFERENCE 3-41, FOR AIR	2	C	4310I	SE
BVD080V	AL	1-B-13-135-001	1	ROD	ROD, THREADED, QA 1, CLASS 2, ROD, THREADED; TYPE: CONTINUOUS; DIAMETER: 1-1/8 IN; LENGTH: 18-1/2	1	C	4420B	SE
BVE939C	AL	F-A-06-101-000	5	ROD	ROD, TYPICAL, QA 1, ROD, VALVE; ROD DISC ASSEMBLY FOR SOLENOID VALVE, 2357 PSI, 3/8 INCH	1	C	48200	SE
BVL305Q	AL	A-A-01-000-001	2	ROD	ROD, TYPICAL, QA 3, ROD, VALVE; YOKE, STAINLESS STEEL, STEM, REF 17, FOR 4 IN GATE VALVE	3	B	48200	SE
BVN628L	AL	A-A-01-000-001	1	ROD	ROD, TYPICAL, QA 0, CONNECTING ROD, COMPRESSOR; COMPLETE, REF NO. 3-51, FOR C * S AIR	0	C	4310I	SE
BXA785M	AL	A-A-01-000-001	2	ROD	ROD, TYPICAL, QA 0, CONNECTING ROD, COMPRESSOR; CONNECTING ROD P/N 42166033 AND CAP,P/N	0	B	4310I	SE
BXN186E	AL	A-A-01-000-001	3	ROD	ROD, TYPICAL, QA 3, ROD ASSY, CIRCUIT BREAKER; OPERATING, FOR 3000 & 3750 AMP, G.E. 6.9 KV	3	C	5925B	SE
BXY378V	AL	A-A-01-000-001	2	ROD	ROD, TYPICAL, QA 1, ROD, RADIATION MONITOR; C1-36 CHECK SOURCE ROD P/N 02810242-001 FOR	1	C	6630D	SE
BYF039G	AL	E-A-16-C02-H01	8	ROD	ROD, TYPICAL, QA 0, ROD, CIRCUIT BREAKER; STAINLESS STEEL, 15.125 IN LG, FOR CIRCUIT	0	C	5925B	SE
BYT499X	AL	1-A-03-000-001	6	ROD	ROD, THREADED, QA 1, CLASS 2, 1 IN, RANDOM, ALLOY STEEL, 8, CONTINUOUS, ASME SA193 GR B7, UNC, 2A, STANDARD MILL FINISH, B1.1	1	C	5305J	SE
CAB949T	AL	D-B-19-202-001	1	ROD	ROD, TYPICAL, QA 1, CLASS 2, VALVE, 2-1/2 IN, ALLOY STEEL, ROD, VALVE; ASME SA 193 GR B7, PLAIN, 2.5" DIAMETER ***	1		48200	SE
CBE228A	AL	1-A-03-000-001	10	ROD	ROD, PIPE SUPPORT, QA 1, ROD, PIPE HANGER; BERGEN PATERSON, CONTINUOUS THREAD, 5/8" DIA	1	C	4710Y	SE
CEA951L	AL	A-A-01-000-001	84	ROD	ROD, THREADED, QA 1, CLASS 2, 1-1/8 IN, 10 FT (120 IN), ALLOY STEEL, 7, CONTINUOUS, ASME SA193 GR B7, UNC, 2A, B1.1, ROD, CONTINUOUS THREAD;	1	C	5305J	SE
ABD181X	AL	T-A-06-000-002	6	ROD	ROD, TYPICAL, QA 2, CONNECTING ROD, COMPRESSOR; FOR COMPRESSOR, MODEL 4 IN ESV-NL, TYPE	2	C	4310I	SE
ABD245X	AL	L-A-09-000-002	2	ROD	ROD, TYPICAL, QA 0, ROD ASSY, ; CONNECTING, W/PISTON, INTEGRAL CONNECTING ROD, ECCENTRIC	0	P	4520N	SE
ACG099F	AL	L-A-13-000-002	1	ROD	ROD, PISTON, QA 0, ROD, PISTON,LIN ACT CYL; FOR 003.250 X 005.000 IN STROKE LYNAIR	0	P	3040D	SE
AEJ923Y	AL	L-A-09-000-002	6	ROD	ROD, TIE, QA 0, ROD, VALVE; TIE, FOR HYDROLINE MFG CO, OPERATOR, DWG 808-174-3B-C, ON	0	P	48200	SE
AEV656D	AL	L-A-13-000-002	2	ROD	ROD, TIE, QA 0, TIE ROD, CONTROL DRIVE; FOR ELECTRIC CONTROL DRIVE, TYPE RC 6100BX	0	C	6695D	SE
AFE039R	AL	L-A-09-000-002	1	ROD	ROD, TYPICAL, QA 0, ROD, PUMP; CONNECTING, FOR MILROYAL DIAPHRAGM ACID PUMP, MODEL A, S/N	0	P	4320U	SE
AKC412Q	AL	I-A-09-000-002	5	ROD	ROD, BRAZING, QA 0, BRAZING ALLOY, SILVER; WIDTH: 0.750, THICKNESS: 0.010, PHYSICAL FORM:	0	C	3439D	SE
AKK034H	AL	M-A-08-000-002	4	ROD	ROD, TYPICAL, QA 0, NON-METALLIC/ROUND, 1/2 IN, TEFLON, SOLID CENTER	0	C	5680B	SE
ALD517Y	AC	- - -	1	ROD	ROD, TYPICAL, QA 0, ROD, ; C/W SPRING, FOR HATCH DOOR CLOSER ***	0	P	3960D	SE
ALD517Y	AL	L-A-08-000-002	1	ROD	ROD, TYPICAL, QA 0, ROD, ; C/W SPRING, FOR HATCH DOOR CLOSER ***	0	P	3960D	SE
ALD517Y	AL	L-A-07-000-002	2	ROD	ROD, TYPICAL, QA 0, ROD, ; C/W SPRING, FOR HATCH DOOR CLOSER ***	0	P	3960D	SE
ARN286A	AL	M-A-16-000-002	4	ROD	ROD, PIPE SUPPORT, QA 2, ROD, CONTINUOUS THREAD; SPRING, FOR 0.750 AIR OPERATEDDIAPHRAGM VALVE	2	P	48200	SE
ARW160D	AL	L-A-09-000-002	1	ROD	ROD, PISTON, QA 0, ROD, ; PISTON, FOR AUTOMATIC PISTON VALVE, SO 251928, ON CLOWCORP	0	P	4630Y	SE
ATF781X	AL	L-A-15-000-002	1	ROD	ROD, WELDING, QA 0, ROD, ; ARC, FOR 500 KV CIRCUIT BREAKER ***	0	C	5925B	SE
AVJ653H	AL	M-A-01-000-002	1	ROD	ROD, TYPICAL, QA 0, NON-METALLIC/ROUND, 1 IN, TEFLON, SOLID CENTER	0	P	5680B	SE
AVJ654F	AL	M-A-01-000-002	2	ROD	ROD, TYPICAL, QA 0, NON-METALLIC/ROUND, 1-1/2 IN, TEFLON, SOLID CENTER, ***	0	P	5680B	SE
AVJ656B	AL	M-A-11-000-002	9	ROD	ROD, TYPICAL, QA 0, NON-METALLIC/ROUND, 3 IN, TEFLON, SOLID CENTER, ***	0	P	5680B	SE
AXL212R	AL	M-A-10-000-002	1	ROD	ROD, TYPICAL, QA 2, ROD, VALVE; STEEL, REF 16, DIAPHRAGM, STEM, ACTUATOR, FOR VALVE	2	P	48200	SE
AXM918B	AL	L-A-09-000-002	2	ROD	ROD, PISTON, QA 0, ROD, TURBINE; HP SV PISTON, REF 17, DWG 501E369ED, FOR REACTOR FEED	0	P	2825G	SE
AXP335R	AL	L-A-09-000-002	3	ROD	ROD, TYPICAL, QA 3, ROD, BRAKE,ELECTRIC; STEEL, RELEASE, FOR ELECTRIC BRAKE, MODEL	3	P	61100	SE
AXR440X	AL	M-A-10-000-002	5	ROD	ROD, TYPICAL, QA 2, ROD, ; STEEL, SETTING, FOR MODEL 52A-SM4 CONSOTROL CONTROLLER ***	2	P	6695D	SE
AXR441G	AL	M-A-10-000-002	5	ROD	ROD, TYPICAL, QA 2, ROD, ; STEEL, FOR MODEL 52A-SM4 CONSOTROL CONTROLLER ***	2	P	6695D	SE
BAP025E	AL	L-A-09-000-002	11	ROD	ROD, TIE, QA 0, TIE ROD, TENSIONING THD END; DIA SIZE: 00.437 IN (7/16), LENGTH SIZE:	0	P	3040D	SE
BCW666A	AL	M-A-03-000-002	1	ROD	ROD, TYPICAL, QA 1, ROD, VALVE; FOR POWER OPERATED RELIEF VALVE, SIZE 3 X 3 IN, 2500 LB	1	P	48200	SE
BDJ132X	AL	L-A-03-000-002	7	ROD	ROD, TYPICAL, QA 0, ASSEMBLY, 15-1/8 IN, STAINLESS STEEL, W/ COUPLING, ***	0	C	5925B	SE
BDV003J	AL	M-A-01-000-002	2	ROD	ROD, TYPICAL, QA 1, CLASS 1, ROD, VALVE; PILOT DISK, STAINLESS STEEL TYPE 316, FOR SOLENOID	1	B	48200	SE
BEN427F	AL	M-A-06-000-002	3	ROD	ROD, PISTON, QA 0, ROD, PISTON,LIN ACT CYL; STAINLESS STEEL, 4.12 IN LONG,THREADED END OF	0	P	3040D	SE
BHF394M	AL	L-A-02-000-002	3	ROD	ROD, TYPICAL, QA 3, CONNECTING ROD, VALVE; STEEL, GRADE 1018, ENDURION COAT, FOR CHECK	3	P	48200	SE
BJN750T	AL	L-A-01-000-002	155	ROD	ROD, TYPICAL, QA 3, ROD, ; GALV STEEL, 0.312 X 34.00 IN LONG, FOR MODEL BF 50 COIL DAMPER	3	P	4520N	SE
BTJ750X	AL	L-A-13-000-002	2	ROD	ROD, THREADED, ROD, PIPE HANGER; CARBON STEEL, MACHINE THREADED, RIGHT AND LEFT HAND,	1	C	4710Y	SE
BVX203J	AL	M-A-08-000-002	1	ROD	ROD, TYPICAL, QA 0, ROD, CONNECTING,SWITCH; CONNECTING ROD AND HITCH PIN, 11 INCHES, FOR	0	C	59300	SE
BWA732H	AL	L-A-02-000-002	1	ROD	ROD, PISTON, QA 0, ASSEMBLY, WITH NUTS, FOR NORDBERG COMPRESSOR, MODEL VH100.	0	C	4310I	SE
BWG203F	AL	L-A-07-000-002	1	ROD	ROD, PISTON, QA 3, ROD, CYLINDER; STAINLESS STEEL ROD, FOR SHEFFER AIR CYLINDER, MODEL	3	C	4420H	SE
BYT531W	AL	M-A-08-000-002	4	ROD	ROD, TYPICAL, QA 1, ROD, VALVE; YOKE, REPLACEMENTS FOR MAIN STEAM ISOLATION VALVES, VALVE	1		48200	SE
CAD695M	AC	- - -	5	ROD	ROD, TYPICAL, QA 3, ROD, ACTUATOR; VALVE, ROD GLAND REBUILD KIT FOR PARKER HYDRAULIC	3	C	48200	SE
CBC404V	AL	L-A-11-000-002	1	ROD	ROD, PISTON, QA 1, ROD, PISTON; FOR BERGEN-PATTERSON HYDRAULIC SHOCK ARRESTOR, MODEL:	1	C	4710Y	SE
CBE326A	AL	L-A-03-000-002	1	ROD	ROD, TYPICAL, QA 0, ROD, VALVE; ACTUATOR, PC 5, FOR TILTING DISK CHECK VALVE, FIG 770	0	C	48200	SE

CBF732R	AL	L-A-09-000-002	1	ROD	ROD, TYPICAL, QA 0, ROD ASSY, CIRCUIT BREAKER; OPERATING, FOR GE MAGNEBLAST AIR CIRCUIT	0	C	5925B SE
CBF733P	AL	L-A-09-000-002	10	ROD	ROD, TYPICAL, QA 0, ROD ASSY, CIRCUIT BREAKER; OPERATING, FOR GE MAGNEBLAST CIRCUIT	0	C	5925B SE
CBV042C	AC	- - -	10	ROD	ROD, THREADED, QA 1, 1-13/16 IN, RANDOM, CS, 16, CONTINUOUS, ASTM A36, UN, 2A	1	D	5305J SE
CBV042C	AL	L-A-03-000-002	33	ROD	ROD, THREADED, QA 1, 1-13/16 IN, RANDOM, CS, 16, CONTINUOUS, ASTM A36, UN, 2A	1	D	5305J SE
CEE758R	AC	- - -	10	ROD	ROD, THREADED, QA 1, ROD, CONTINUOUS THREAD; MATERIAL: ALLOY STEEL, NOMINAL DIAMETER: 2.250	1	C	5305J SE
BPX173Q	AL	D-A-32-401-004	2	RODEND	RODEND, TYPICAL, QA 0, WELDED EYE, 3/8 IN, 8 IN, THREADED, ROD, WELDED EYE; SIZE: 00.375000 (3/8), LENGTH: 08.000000 (8)	0		4710Y SE
BRJ223G	AL	D-A-28-101-008	2	RODEND	RODEND, TYPICAL, QA 0, WELDED EYE, 7/8 IN, 24 IN, CARBON STEEL, THREADED, ROD, WELDED EYE; MATERIAL: CARBON STEEL, SIZE: 00.875000 (7/8)	0		4710Y SE
AJB689P	AL	L-A-03-000-002	2	RODEND	RODEND, TYPICAL, QA 3, BEARING, PLAIN,ROD END; FEMALE, RIGHT HAND THREAD, WITH LUBE FITTING	3	P	3110B SE
AKB181N	AL	L-A-03-000-002	7	RODEND	RODEND, TYPICAL, QA 3, BEARING, PLAIN,ROD END; MALE, RIGHT HAND THREAD, WITH LUBE FITTING	3	P	3110B SE
APG474L	AL	P-A-LL-ET0-063	1	RODEND	RODEND, TYPICAL, QA 1, BEARING, PLAIN SPHERICAL; ROD, FOR SNUBBER, DWG AH1372C,ITEM 10, 4 IN	1	C	4710Y SE
AYD348X	AL	M-A-03-000-002	1	RODEND	RODEND, TYPICAL, QA 2, BEARING ASSY, ; ROD END, FOR CONTROL VALVE, TYPE 657-8-SS84, SPRING	2	P	48200 SE
ANC499Y	AL	8-A-03-000-001	22	ROLLER	ROLLER, TYPICAL, QA 0, CONVEYOR, 6 IN, 32-3/4 IN, RUBBER, RETURN, TYPE HG,	0	P	3910K SE
ATL718B	AL	8-A-03-000-001	24	ROLLER	ROLLER, IDLER, QA 0, CONVEYOR, 7 IN, STEEL, ROLLER, CONVEYOR; RETURN, TYPE SDXG, LEFT HAND, HEAVY DUTY, STEEL	0	P	3910K SE
BBA355Y	AL	D-A-32-104-001	2	ROLLER	ROLLER, TYPICAL, QA 0, ROLLER ASSY, ; ROLL CHART CASSETTE, TYPE 2A, 30 MINUTE GEAR RATIO, FOR	0	P	6695D SE
BYF626A	AL	A-A-01-000-001	2	ROLLER	ROLLER, TYPICAL, QA 3, REROLL MECH, RECORDER; METAL, FOR MODEL M11E-48 RECORDER, RANGE	3	C	6695D SE
AFW777M	AL	M-A-08-000-002	1	ROLLER	ROLLER, TYPICAL, QA 0, ROLLER, RECORDER; CHART DRIVE, FOR RECORDER, TEMPERATURE, MINIATURE	0	C	6695D SE
ALD817J	AL	T-A-05-000-002	2	ROLLER	ROLLER, TYPICAL, QA 0, ROLLER ASSY, ; RETRACTABLE SAFETY EDGE CLOSE ***	0	P	3960D SE
AWH582D	AL	P-A-LL-ET0-063	4	ROLLER	ROLLER, TYPICAL, QA 3, ROLLER ASSY, ; AUXILIARY HOIST, ON REFUEL PLATFORM CRANE ***	3	C	3950F SE
BAB370F	AL	L-A-09-000-002	2	ROLLER	ROLLER, TYPICAL, QA 0, ROLLER, RECORDER; PAPER DRIVE, FOR TEMPERATURE RECORDER, MODEL 5050B	0	P	6695D SE
BHV629N	AL	M-A-12-000-002	2	ROLLER	ROLLER, TYPICAL, QA 3, ROLLER ASSY, ; STEEL, ENGLISH, FOR RECORDER, MULTIPLE PURPOSE	3	P	6695D SE
BRJ904Q	AL	L-A-01-000-002	56	ROLLER	ROLLER, TYPICAL, QA 0, PAINT, 6-1/2 IN, MOHAIR/PLASTIC, COVER, PAINT ROLLER; COVER LENGTH: 07.000 IN (7), COVER MATERIAL:	0	C	8020F SE
CBB768Q	AL	L-A-09-000-002	2	ROLLER	ROLLER, TYPICAL, QA 0, ROLLER KIT, LABORATORY EQUIPMENT; FOR SPAETEC PUMP. PRT NO.	0	B	6630D SE
ALD222J	AL	D-A-12-201-001	2	ROPE	ROPE, WIRE, QA 3, 3/16 IN, 40 FT, SS, 7 X 19, ROPE, WIRE; STAINLESS STEEL, 0.187 IN, 7 X19 STRANDS, 480 IN LG,	3		4010G SE
AMD123E	AL	A-A-01-000-001	450	ROPE	ROPE, WIRE, QA 0, REGULAR LAY, 5/8 IN, IMPROVED PLOW STEEL, 6 X 37 FIBER, PREFORMED	0	C	4010G SE
APD020E	AL	Z-Z-ZZ-ZZZ-ZZZ	68	ROPE	ROPE, WIRE, QA 0, RIGHT REGULAR LAY, 1/2 IN, EXTRA IMPROVED PLOW STEEL, 8 X 19 FIBER, BRIGHT SURFACE	0	P	4010G SE
AQM725M	AL	1-A-11-105-001	3	ROPE	ROPE, WIRE, QA 0, CABLE ASSY, HOIST; WIRE, 000.375IN DIA X 160.000 FT 005.000IN LG, FOR	0	P	3950F SE
AVK645B	AL	1-A-11-105-001	1	ROPE	ROPE, WIRE, QA 0, WIRE ROPE ASSY, HOIST; STEEL, FOR HOIST, 460 VAC, 3 PH, MODEL	0	P	3950F SE
BBR545C	AL	A-A-01-000-001	1	ROPE	ROPE, WIRE, QA 0, WIRE ROPE ASSY, HOIST; STEEL, FOR 2-TON HOIST, 460 VAC, 3 PHASE, MODEL	0	P	3950F SE
BBR608F	AL	A-A-01-000-001	1	ROPE	ROPE, WIRE, QA 0, WIRE ROPE ASSY, HOIST; STEEL, LIFT, 44 FT LG, FOR 460 VAC, 3 PH, 5	0	P	3950F SE
BCY555Q	AL	D-B-03-301-000	1	ROPE	ROPE, WIRE, QA 0, 5/16 IN, EXTRA IMPROVED PLOW STEEL, 7 X 19 STEEL, 9800 LB	0	C	4010G SE
BCY708B	AL	A-A-01-000-001	2	ROPE	ROPE, WIRE, QA 0, HOIST, 7/16 IN, 210-1/2 FT, WIRE ROPE ASSY, ; CABLE, 0.4375 IN X 210.5 FT, W/END CONNECTIONS, FOR	0	P	3950F SE
BDL556L	AL	1-A-17-105-001	3	ROPE	ROPE, WIRE, QA 0, HOIST, 1/2 IN, 263 FT 5 IN, 20000 LB, CABLE ASSY, HOIST; WIRE, 0.5 IN X 263 FT 5 IN, FOR ELECTRIC HOIST	0	P	3950F SE
BGG458N	AL	A-A-01-000-001	1	ROPE	ROPE, WIRE, QA 0, WIRE ROPE ASSY, ; LIFT, SPECIAL, S/O 185, SPIN FH5TRC, G/O	0	P	3950F SE
BVP318Y	AL	D-A-09-302-000	2	ROPE	ROPE, WIRE, QA 3, REGULAR LAY, 5/8 IN, 161 FT, IMPROVED PLOW STEEL, 6 X 37, ROPE, HEAVY EQUIPMENT; WIRE ROPE, EXTRA IMPROVED PLOW STEEL, 6 X	3		29100 SE
CDK396E	AL	A-A-01-000-001	1	ROPE	ROPE, WIRE, QA 3, WIRE ROPE ASSY, CRANE; SLING, TVA MARK #44N354-1 MK 2, LD 32, (SEE	3	D	3950F SE
BGC258K	AL	L-A-01-000-002	1000	ROPE	ROPE, TYPICAL, QA 0, FIBROUS, 3/16 IN, MANILA, 450 LB, ROPE, FIBROUS; MATERIAL: MANILA, ROPE DIAMETER: 00.187500 (3/16)	0	P	4020W SE
BTR869L	AL	L-A-01-000-002	2	ROPE	ROPE, WIRE, QA 3, ASSEMBLY, 1/4 IN, 100 FT, SS, 18 X 7, WIRE ROPE ASSY, ; 18-8 STAINLESS STEEL, 000.250 IN X 018.000 X 7 STR	3	C	3950F SE
ATV858N	AL	D-B-16-000-001	2	ROTOR	ROTOR, PUMP, QA 0, ROTOR, PUMP; REF 20, C/W SHAFT, FOR VIKING AUXILIARY BOILER FUEL OIL	0	P	4320U SE
BJK164C	AL	A-A-01-000-001	1	ROTOR	ROTOR, PUMP, QA 3, ROTOR, PUMP; WITH SHAFT, IRON AND STEEL, 22.25 IN, 4.5 IN WITH 0.5 IN	3	P	4320U SE
BLT937X	AL	1-B-08-000-001	1	ROTOR	ROTOR, PUMP, QA 0, ROTOR, MOTOR; WINDING, C/W SHAFT, FOR CONDENSER CIRCULATING WATER PUMP	0	B	6105D SE
BPH120P	AL	F-A-19-201-000	1	ROTOR	ROTOR, TYPICAL, QA 0, ROTOR SET, ; CLASS A/CARBON/CERAMIC/STD, 316 STAINLESS STEEL, FOR	0	P	6695D SE
BXL085M	AL	A-A-01-000-001	3	ROTOR	ROTOR, PUMP, QA 3, ROTOR, PUMP; FOR GAS STRIPPER FEED PUMP,150 PSI AT 200 DEG F, S/N	3	B	4320U SE
BXL373R	AL	A-A-01-000-001	3	ROTOR	ROTOR, PUMP, QA 3, ROTOR, PUMP; STAINLESS STEEL TYPE 316, 006.00 IN LG, PUMP, SHAFT, FOR	3	C	4320U SE
BXM294G	AL	F-A-08-102-000	2	ROTOR	ROTOR, TYPICAL, QA 1, ROTOR, FAN; ALUMINUM, TIP DIA. 17.900", FOR MODEL 18-14-1770 &	1	C	4140U SE
CAQ798J	AL	A-A-01-000-001	4	ROTOR	ROTOR, PUMP, QA 2, ROTOR, VACUUM PUMP; FOR VACUUM PUMP,MODEL 1550-V136B ***	2	B	4310I SE
CAX089D	AL	A-A-01-000-001	1	ROTOR	ROTOR, PUMP, QA 3, ROTOR, PUMP; FOR FUEL OIL TRANSFER VIKING PUMP MODEL SL4124 ***	3	C	4320U SE
CDY448W	AL	S-A-03-000-001	1	ROTOR	ROTOR, GENERATOR, QA 0, ROTOR, GENERATOR; WESTINGHOUSE, SN 48P550-2, FOR KINGSTON UNITS 1-4,	0	C	6115F SE
AFE628F	AL	L-A-03-000-002	1	ROTOR	ROTOR, PUMP, QA 0, ROTOR, PUMP; FOR MULTI-VANE SUMP PUMP, SIZE 251, S/N 2128 ***	0	P	4320U SE
AJV108M	AL	M-A-08-000-002	2	ROTOR	ROTOR, TYPICAL, QA 0, ROTOR, VOLTMETER; TELECHRON TYPE B13, 1/2 RPM, 60 CY, MODEL 612-M3182	0	P	6625D SE
ARR420W	AL	M-A-07-000-002	2	ROTOR	ROTOR, TYPICAL, QA 0, ROTOR, ; DRIVE,ITEM 1 AND 2,FOR BLOWER PACKAGE,MD PNEUMATIC,MODEL	0	P	4140U SE
ARR601E	AL	M-A-16-000-002	3	ROTOR	ROTOR, PUMP, QA 2, ROTOR, VACUUM PUMP; FOR VACUUM PUMP MODEL 1550-V136B ***	2	P	4310I SE
AWG022G	AL	L-A-11-000-002	1	ROTOR	ROTOR, PUMP, QA 0, ROTOR, PUMP; METAL, COMPLETE, FOR AUXILIARY BOILER FEED PUMP, TYPE	0	C	4320U SE
BFG129G	AL	M-A-07-000-002	1	ROTOR	ROTOR, TYPICAL, QA 0, ROTOR, MOTOR; WINDING, FOR HEATING AND COOLING COMPRESSOR, SYSTEM 31	0	P	6105D SE
BHK605F	AL	T-A-05-000-002	1	ROTOR	ROTOR, PUMP, QA 0, ROTOR, VACUUM PUMP; STAINLESS STEEL, FOR VACUUM PUMP, TYPE RP, SIZE	0	C	4310I SE
BNB362Q	AL	M-A-03-000-002	6	ROTOR	ROTOR, POWER, QA 1, ROTOR, ; ASM, INCLUDES ROTOR, SHAFT ANDKEY, FOR DIESEL ENGINE MODEL	1	P	29100 SE
BPH120P	AL	M-A-03-000-002	8	ROTOR	ROTOR, TYPICAL, QA 0, ROTOR SET, ; CLASS A/CARBON/CERAMIC/STD, 316 STAINLESS STEEL, FOR	0	P	6695D SE
BRL491C	AL	M-A-09-000-002	2	ROTOR	ROTOR, TYPICAL, QA 3, ROTOR ASSY, BRAKE,MAGNETIC; STEEL,REF 903,FOR MAGNETIC BRAKE, TYPE	3	C	61100 SE
BXW328M	AL	M-A-15-000-002	2	ROTOR	ROTOR, PUMP, QA 1, ROTOR, PUMP; JOURNAL, ROTOR; FOR REACTOR COOLANT PUMP, WESTINGHOUSE	1		4320U SE
BXY585N	AL	M-A-12-000-002	3	ROTOR	ROTOR, PUMP, QA 1, ROTOR, PUMP; STEEL, STANDARD, FOR ROTARY OIL PUMP, TUTHILL MODEL 1-L	1	C	4320U SE
BLP997T	AL	D-A-35-201-000	10	RUNNER	RUNNER, TYPICAL, QA 3, LEAD JOINT, 2-1/2 FT, FITS PIPE 4 IN-6 IN, RUNNER, LEAD JOINT; RUNNING ROPE, JOINT RUN 0.75 IN DIA, LENGTH 2 FT 6	3	P	5120M SE
BVD171N	AL	D-A-17-401-003	33	RUNNER	RUNNER, TYPICAL, QA 0, CROSS/TILE, 2 FT, WHITE, RUNNER, CEILING TILE; CROSS, 2 FT LONG, WHITE (FLAT) ***	0		5670A SE
BVL596H	AL	T-A-01-000-002	1	SADDLE	SADDLE, TYPICAL, QA 0, SADDLE, PIPE COVER PROTECTN; MATERIAL: CARBON STEEL, INSULATION	0	C	4710Y SE
BKA749P	AL	A-A-01-000-001	49	SAND	SAND, TYPICAL, QA 0, BLASTING, 50 LB, BAG	0	P	6950A SE
AMX013R	AL	D-A-25-202-000	2	SCALE	SCALE, TYPICAL, QA 0, DIAL, 4 FT 10 IN, 1/8 IN, DIAL, SCALE; 304 STAINLESS STEEL, 0.125 IN GRADUATIONS, ENGRAVED, 4 FT	0		6695D SE
AXF430L	AL	D-A-13-301-004	2	SCALE	SCALE, TYPICAL, QA 0, DIAL, SCALE; TAPE, CASCADE, FOR CONTROLLER ***	0		6695D SE
AXY757T	AL	D-A-17-302-001	8	SCALE	SCALE, TYPICAL, QA 0, SCALE, ; SIZE 0 TO 100 PCT, NAMEPLATE, FULL STROKE INDICATING, FOR	0		4320U SE
BEB107V	AL	D-B-19-202-002	1	SCALE	SCALE, TYPICAL, QA 0, SCALE ASSY, ; C/O METAL BASE,RETAINING DEVICE, AND UNSEALED GLASS	0		7021A SE
BVL583T	AL	A-A-01-000-001	2	SCALE	SCALE, TYPICAL, QA 3, SCALE, FLOW INDICATOR; FOR LIQUID LEVEL GAUGE, TYPE C INV, 144 IN OF	3	B	6695D SE
ART517W	AL	M-A-16-000-002	10	SCALE	SCALE, TYPICAL, QA 2, SCALE, ; METER, FACE, 10-1 TO 10 4 MR/HR, FOR MODEL 1136, TYPE BV	2	P	6625D SE
AXF356T	AL	L-A-09-000-002	3	SCALE	SCALE, TYPICAL, QA 0, DIAL, CONTROL; COUNTING, 0-9 GRADUATED ***	0	P	5905I SE
AXT205Q	AL	M-A-10-000-002	2	SCALE	SCALE, TYPICAL, QA 2, RANGE UNIT, ; 0 TO 150 DEG F, 030.000 VDC NOMINAL, OUTPUT 4 TO 20	2	P	6695D SE
BLN354B	AL	M-A-08-000-002	1	SCALE	SCALE, TYPICAL, QA 3, SCALE, ; FOR VX-252 VERTICAL SCALE INDICATOR, 0 TO MINUS 10 IN OF	3	P	6695D SE
BPN989C	AL	M-A-16-000-002	6	SCALE	SCALE, TYPICAL, QA 3, DIAL, CONTROL; C/W KNOB, FOR TEMPERATURE GAGES, ON AUXILIARY BUILDING	3	C	6695D SE
BVA533X	AL	M-A-08-000-002	1	SCALE	SCALE, TYPICAL, QA 3, SCALE, TEMP INDICATOR; RANGE 50-150 DEG-F,UNIFORM,FOR FOXBORO MODEL	3	B	6695D SE
CBC792N	AL	L-A-09-000-002	1	SCALE	SCALE, TYPICAL, QA 3, SCALE, FLOW INDICATOR; FOR YOKOGAWA VERTICAL TYPE 180 INDICATOR	3	B	6695D SE

CFC183P	AL	L-A-09-000-002	13	SCALE	SCALE, TYPICAL, QA 3, ELECTRICAL/METER, FOR YOKOGAWA VERTICAL MOUNTED TYPE 180 AMMETER, BLANK	3	B	6625D SE
BLE698K	AL	M-A-06-000-002	1	SCANNER	SCANNER, TYPICAL, QA 0, SCANNER, ; SWITCH, ELECTRIC SCANNER, FOR BETAMAX III FRISKERS. ***	0	P	6695D SE
BLE699H	AL	M-A-08-000-002	1	SCANNER	SCANNER, TYPICAL, QA 0, SCANNER, ; PBT, SWITCH, ELECTRIC POWER BLOCK, FOR BETAMAX III	0	P	6695D SE
ANV629Y	AL	D-A-06-102-004	1	SCOOP	SCOOP, TYPICAL, QA 0, SCOOP, KITCHEN; STAINLESS STEEL, 9.5 IN LONG, ONE PIECE CONSTRUCTION.	0		5120M SE
ARH244L	AL	D-A-13-301-004	3	SCOOP	SCOOP, TYPICAL, QA 0, SCOOP, SCALE; PLASTIC, DISPOSABLE, WEIGH BOAT, MICRO, LARGE, 4.875	0		6670D SE
BKD349Q	AL	D-A-06-402-003	3	SCOOP	SCOOP, TYPICAL, QA 0, SCOOP, LABORATORY; POLYPROPYLENE, 5 X 2 X 2 IN, BOWL, 12 EA PER	0		6630D SE
BAM886C	AL	A-A-01-000-001	6	SCRAPER	SCRAPER, TYPICAL, QA 0, SCRAPER,ROD, ; ROD, REF 19, C/O TWO METAL RINGS AND ONE RUBBER RING	0	P	48200 SE
BAM892H	AL	A-A-01-000-001	12	SCRAPER	SCRAPER, TYPICAL, QA 0, SCRAPER,ROD, ; ROD, REF 19, C/O TWO METAL RINGS AND ONE RUBBER RING	0	P	48200 SE
ACG985Y	AL	D-A-02-102-008	3	SCREEN	SCREEN, WIRE, QA 0, STEAM TRAP, SS, FOR YARWAY STEAM TRAP	0		4730P SE
AWC424R	AL	A-A-01-000-001	2	SCREEN	SCREEN, TYPICAL, QA 0, SCREEN ASSY, ; OIL, FOR COMPRESSOR MODEL 6RL1-2500-TSK, B/M 100 ***	0	P	4520N SE
BAT869J	AL	1-A-03-000-001	2	SCREEN	SCREEN, TYPICAL, QA 0, SCREEN, ; VALVE, FOR LOW PRESSURE STOP VALVE, ON BFP TURBINE, S/N	0	P	2825G SE
BHV757D	AL	D-A-26-402-000	3	SCREEN	SCREEN, WIRE, QA 0, STRAINER, SS, 100 X 100, FOR HAYWARD STRAINER	0		4730P SE
BNG987M	AL	F-A-19-201-000	4	SCREEN	SCREEN, TYPICAL, QA 3, SCREEN, ELECTRIC MOTOR; BRACKET, RODENT, TO FIT FAN END OF MOTOR	3	B	6105D SE
BNT628Y	AL	1-A-15-063-001	3	SCREEN	SCREEN, TYPICAL, QA 0, SCREEN, ; STAINLESS STEEL, 2 IN, 4491-811 ***	0	P	4470C SE
BXR603A	AL	D-A-35-201-001	1	SCREEN	SCREEN, WIRE, QA 0, STRAINER, FOR YARWAY MODEL 921, 2 INCH WYE STRAINER	0		4730P SE
CED465E	AL	A-A-01-000-001	52	SCREEN	SCREEN, WIRE, QA 0, 24 IN (2 FT), 8 FT APPROX, SCREEN, TRAVELING WATER; WIRE MESH, APPROX 24 IN WIDE X APPROX 8 FT	0	C	46109 SE
ACG086Q	AL	L-A-13-000-002	2	SCREEN	SCREEN, WIRE, QA 0, STEAM TRAP, SS, TYPE 304 STAINLESS, FOR IMPULSE STEAM TRAP, SERIES	0	P	4730P SE
ANV729T	AL	L-A-09-000-002	2	SCREEN	SCREEN, TYPICAL, QA 0, SCREEN, FUNNEL,LABORATORY; SUPPORT, STAINLESS STEEL, FOR LAB FUNNEL	0	P	6630D SE
AWC424R	AL	M-A-03-000-002	1	SCREEN	SCREEN, TYPICAL, QA 0, SCREEN ASSY, ; OIL, FOR COMPRESSOR MODEL 6RL1-2500-TSK, B/M 100 ***	0	P	4520N SE
AXP994G	AL	M-A-10-000-002	10	SCREEN	SCREEN, TYPICAL, QA 2, SCREEN, ; DISK, FOR 000.250 IN CONNECTION, 316 SST, ON SERIES E FORCE	2	P	6695D SE
AXW371V	AL	L-A-07-000-002	2	SCREEN	SCREEN, TYPICAL, QA 0, SCREEN ASSY, DIESEL ENGINE; METALLIC, ADAPTER TRAP TYPE, FOR MODEL	0	P	29100 SE
AYF848Y	AL	M-A-01-000-002	1	SCREEN	SCREEN, WIRE, QA 3, SCREEN, ; STAINLESS STEEL, AISI 304, SUCTION, TYPE 1, DWG C-31307-1	3	P	4470C SE
BCR768H	AL	M-A-10-000-002	25	SCREEN	SCREEN, TYPICAL, QA 0, SCREEN, COVER,OVERLAY; RED, PLASTIC, MASKING, 40 W X 150 IN LG ROLL	0	P	6750J SE
BGE713B	AL	M-A-07-000-002	5	SCREEN	SCREEN, TYPICAL, QA 0, SCREEN,LINT,DRYER, ; COMPLETE, FOR DRYER, MODEL 37CE ***	0	P	3405L SE
BJB685Q	AL	T-A-05-000-002	4	SCREEN	SCREEN, TYPICAL, QA 3, SCREEN ASSY, DIESEL ENGINE; ADAPTER, FOR EXHAUST CHAMBER ASSEMBLY, PL	3	P	29100 SE
AAV668Y	AL	D-A-04-202-002	2	SCREW	SCREW, TYPICAL, QA 0, SCREW, ; CAM FOLLOWER ARM, FOR HONEYWELL PNEUMATIC VALVE POSITIONER,	0		5305J SE
AAV868N	AL	D-A-04-202-002	4	SCREW	SCREW, TYPICAL, QA 0, SCREW, ; PILOT ASSY, FOR HONEYWELL PNEUMATIC VALVE POSITIONER, SIDE	0		5305J SE
AAV970B	AL	D-A-04-202-007	3	SCREW	SCREW, TYPICAL, QA 0, SCREW, ; ORIFICE, FOR INTEGRATOR, PNEUMATIC, FLOW, MODEL 14A-EPF MODEL	0		6695D SE
ACW911Y	AL	D-A-04-202-007	1	SCREW	SCREW, MACHINE, QA 0, #10, 1/2 IN, 32, FILLISTER HEAD, UNF, SCREW, MACHINE; HEAD STYLE: FILLISTER, NOMINAL DIAMETER: NO 10 (0.190	0		5305J SE
ADB410J	AL	A-A-01-000-001	15	SCREW	SCREW, TURBINE, QA 0, FOR GLAND #2, DWG IL-1250-4013, ON WH TURBINE,	0	P	2825G SE
ADB618E	AL	A-A-01-000-001	3	SCREW	SCREW, TURBINE, QA 0, SCREW, VALVE; GOVERNOR VALVE STEAM CHEST, REF 47, DWG IL 1250-4103,	0	P	2825G SE
AEK424C	AL	D-A-04-202-004	7	SCREW	SCREW, CAP, QA 1, 3/4 IN, 5 IN, 10, HEX, ALLOY STEEL, ASME SA193 GR B7, UNC, 2A, SCREW,CAP,HEXAGON H, ; ALLOY STEEL ASME SA 193, GR B7, 0.75	1		5305J SE
AFA789B	AC	- - - -	16	SCREW	SCREW, TURBINE, QA 0, SCREW, VALVE; COVER, REF 41, IL1250-487, FOR INTERCEPTOR VALVE, ON	0	P	2825G SE
AFF698L	AL	D-A-08-102-007	8	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; EVERDUR, 000.375 X 001.250 IN LG, FOR CONTROL	1	C	4470C SE
AFW354J	AL	A-A-01-000-001	18	SCREW	SCREW, MACHINE, QA 0, #6, 1/4 IN, 32, ROUND HEAD, CARBON STEEL, UNC, SCREW, MACHINE; HEAD STYLE: ROUND, MATERIAL: CARBON STEEL, NOMINAL	0	P	5305J SE
AGW271G	AL	1-B-09-135-001	1	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 0.75-10 UNC	1	P	5305J SE
AGW271G	AL	A-A-01-000-001	198	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 0.75-10 UNC	1	P	5305J SE
ALF392E	AL	A-A-01-000-001	7	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; ALLOY STEEL ASME SA 193 GR B7 G41400, NOMINAL	1	P	5305J SE
AQG027Y	AL	A-A-01-000-001	57	SCREW	SCREW, TYPICAL, QA 0, #6, 7/8 IN, 32, SCREW, ; LENS RING, 6-32 UNC X 0.875 IN, FOR ULTRAVUE RESPIRATOR ***	0	P	5305J SE
AQN372P	AL	A-A-01-000-001	8	SCREW	SCREW, TURBINE, QA 0, SCREW, STEAM TURBINE; NOZZLE BLOCK, ILL 4, IL 1250-4012, FOR MAIN	0	P	2825G SE
AQP832A	AL	D-A-06-302-004	364	SCREW	SCREW, MACHINE, QA 0, 1/4 IN, 1-1/2 IN, 20, ROUND HEAD, BRASS, UNC, SLOTTED, B18.6.3, ***	0		5305J SE
ARJ450P	AL	A-A-01-000-001	80	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; ALLOY STEEL ASME SA 193 GR B7 G41400, NOMINAL	1	P	5305J SE
ARJ730H	AL	D-B-05-102-003	46	SCREW	SCREW, TURBINE, QA 0, SCREW, STEAM TURBINE; RETAINING, D03, LEVELING LINK,REF 2, FOR THRUST	0	P	2825G SE
ARL040P	AL	D-B-16-000-001	299	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; CARBON STEEL, 0.50-20 X 2.75 IN LG, NF, FOR	1	P	29100 SE
ARN858N	AL	D-A-04-202-002	4	SCREW	SCREW, MACHINE, QA 0, #10, 5/8 IN, 32, FILLISTER HEAD, CARBON STEEL, UNF, SCREW, MACHINE; HEAD STYLE: FILLISTER, MATERIAL: CARBON STEEL NOMI	0		5305J SE
ATE057K	AL	D-A-04-202-004	18	SCREW	SCREW, CAP, QA 0, 1/4 IN, 1 IN, 20, HEX, *** ITEM 35, FOR ACB, 0.250-20THD X 1.00 INCH	0		5925B SE
ATJ235A	AL	5-B-01-301-000	1	SCREW	SCREW, TYPICAL, QA 0, SCREW, ACTUATOR; BEARING RETAINER,0.4375 X 0.75IN,KEY 30,FOR OHOSCC	0	C	48200 SE
AWB941A	AL	D-A-13-401-002	20	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: ALLOY STEEL, NOMINAL	1		5305J SE
AWC236T	AL	D-A-13-302-001	42	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: ALLOY STEEL, NOMINAL	1		5305J SE
AWD861X	AL	D-A-15-301-004	3	SCREW	SCREW, SOCKET, QA 0, 7/16 IN, 1-1/4 IN, STEEL, SCREW,CAP,SOCKET HEA, ; STEEL, LOCK, IMPELLER, 000.437X 001.250 IN	0		4320U SE
AWR779G	AL	D-A-15-301-004	6	SCREW	SCREW, SET, QA 0, 1/2 IN, 1/2 IN, 13, ALLOY STEEL, UNC, *** INTERNAL DRIVE STYLE: ALLEN, HEAD STYLE: SOCKET	0		5305J SE
AWX965Y	AL	D-A-13-302-011	68	SCREW	SCREW, CAP, QA 0, 3/8 IN, 1.188 IN, 24, HEX, BRASS, UNF, *** FOR COUPLING SERIES HL, SIZE 10-10	0		3040D SE
AYG969D	AL	D-A-17-302-001	18	SCREW	SCREW, CAP, QA 0, 1 IN, 3 IN, 8, HEX, CARBON STEEL, ASTM A449 GR5, UNC, SCREW,CAP,HEXAGON H, ; CARBON STEEL ASTM A 449 K04200 NOMINAL DIA 1.	0		6105D SE
AYG973N	AL	D-A-17-302-001	30	SCREW	SCREW, CAP, QA 0, 1/2 IN, 1-3/4 IN, 13, HEX, CARBON STEEL, UNC, SCREW,CAP,HEXAGON H, ; CARBON STEEL, NOMINAL DIA .5 IN, THREAD 13	0		6105D SE
AYK647L	AL	D-A-13-302-011	12	SCREW	SCREW, TURBINE, QA 0, HEX, 1/2 IN, 1-1/2 IN, 13, CARBON STEEL, UNC, SCREW,CAP,HEXAGON H, ; CARBON STEEL, SIZE 0.500 IN-13UNC, 1.500 IN LG	0		2825G SE
AYK649G	AL	D-A-08-102-007	1	SCREW	SCREW, SET, QA 0, 3/8 IN, 1-1/4 IN, 24, CARBON STEEL, UNF, *** THD SERIES/DIRECTION: UNF-RIGHT	0		5305J SE
AYT908F	AL	D-A-13-302-011	1	SCREW	SCREW, CAP, QA 0, #8, 3/8 IN, 32, HEX, CS, UNC, FOR FLOW METER, MODEL MARK V-72P5YD, S/N 7988	0		6695D SE
BBE965E	AL	D-A-16-201-002	2	SCREW	SCREW, MACHINE, QA 3, SCREW, MACHINE; ROUND HEAD, BRASS, NUMBER SIZE 4, NOMINAL DIA .112 IN	3		5305J SE
BBK953V	AL	1-A-04-129-001	1	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; CARBON STEEL, NOMINAL DIA .375 IN, THREAD 16	1	P	5305J SE
BBK953V	AL	A-A-01-000-001	1967	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; CARBON STEEL, NOMINAL DIA .375 IN, THREAD 16	1	P	5305J SE
BBP459F	AL	D-A-06-302-004	248	SCREW	SCREW, MACHINE, QA 3, 1/4 IN, 1-1/2 IN, 20, ROUND HEAD, BRASS, UNC, SLOTTED, B18.6.3	3		5305J SE
BBV718W	AL	D-A-08-102-007	1117	SCREW	SCREW, SET, QA 0, 1/4 IN, 5 IN, 20, CUP, SS, HEX SOCKET, UNC	0		5305J SE
BBV727V	AL	D-A-06-102-004	662	SCREW	SCREW, SET, QA 0, 1/4 IN, 1/4 IN, 20, CUP, SS, UNC, INTERNAL DRIVE STYLE: HEXAGON, HEAD STYLE: SOCKET	0		5305J SE
BBV729P	AL	D-A-06-102-004	44	SCREW	SCREW, SET, QA 0, #8, 5/16 IN, 32, CUP, ALLOY STEEL, HEX SOCKET, UNC	0		5305J SE
BBW463Y	AL	D-A-04-301-005	112	SCREW	SCREW, TAPPING, QA 0, 3/4 IN, #7, CARBON STEEL, SLOTTED, SCREW,TAPPING,THD FO, ; FLAT HEAD, CARBON STEEL, NOMINAL DIA .151 IN	0		5305J SE
BBX682D	AL	D-A-13-302-001	284	SCREW	SCREW, MACHINE, QA 0, #4, 1/4 IN, 40, BINDING HEAD, CARBON STEEL, UNC, SLOTTED, SCREW, MACHINE; HEAD STYLE: BINDING, MATERIAL: CARBON STEEL	0		5305J SE
BBX904N	AL	D-A-06-302-004	1038	SCREW	SCREW, SET, QA 0, 1/4 IN, 5/16 IN, 28, CUP, ALLOY STEEL, HEX SOCKET, UNF, HEAT TREATED, SCREW, SET; INTERNAL DRIVE STYLE: HEXAGON, MATERIAL:	0		5305J SE
BBX905L	AL	D-A-16-201-002	948	SCREW	SCREW, SET, QA 0, 5/16 IN, 3/8 IN, 24, CUP, ALLOY STEEL, UNF, SCREW, SET; INTERNAL DRIVE STYLE: HEXAGON, MATERIAL: ALLOY STEEL	0		5305J SE
BBY029V	AL	D-B-16-000-001	3	SCREW	SCREW, TURBINE, QA 0, SCREW, SHULDER; STEEL, FOR BEARING INSULATION,DWG 6573D94GR1, ON	0	P	6115F SE
BDA081L	AL	D-A-17-302-001	6	SCREW	SCREW, SOCKET, QA 0, 1/2 IN, 1 IN, NYLON, SCREW,CAP,SOCKET HEA, ; NOMINAL DIA .5 IN, FASTENER 1.0 IN, MOTOR	0		3950F SE
BDC565W	AL	D-A-06-201-003	8	SCREW	SCREW, WOOD, QA 0, #6, 3/4 IN, FLAT COUNTERSUNK, BRASS, SCREW, WOOD; HEAD STYLE: FLAT, INTERNAL DRIVE STYLE: CROSS RECESS	0		5305J SE
BDC566T	AL	D-A-04-202-008	12	SCREW	SCREW, WOOD, QA 0, #7, 3/4 IN, FLAT COUNTERSUNK, BRASS, SCREW, WOOD; HEAD STYLE: FLAT, INTERNAL DRIVE STYLE: CROSS RECESS	0		5305J SE
BDC569L	AL	D-A-13-302-001	9	SCREW	SCREW, WOOD, QA 0, #10, 1.0 IN, FLAT COUNTERSUNK, BRASS, *** INTERNAL DRIVE STYLE: CROSS RECESS	0		5305J SE
BDR523A	AL	1-B-11-135-001	1	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW,CAP,HEXAGON H, ; HEXAGON HEAD, ANSI B18, 2.1 SIZE 0.750 IN - 10	1	B	5305J SE
BEG963M	AL	D-A-08-102-008	92	SCREW	SCREW, SET, QA 3, SCREW, SET; STAINLESS STEEL, ASTM F880, TYPE-300 SERIES, CW, CUP POINT	3		5305J SE

BEN509E	AL	W-A-01-000-001	2	SCREW	SCREW, TYPICAL, QA 0, STEEL, ***	0	P	48200	SE
BFD912G	AL	D-A-13-302-001	4	SCREW	SCREW, WOOD, QA 0, #7, 1 IN, FLAT COUNTERSUNK, BRASS, SCREW, WOOD; HEAD STYLE: FLAT, INTERNAL DRIVE STYLE: CROSS RECESS	0		5305J	SE
BFG962H	AL	D-A-22-402-000	73	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1		5305J	SE
BFH253A	AL	1-B-09-135-001	1	SCREW	SCREW, MACHINE, QA 1, CLASS 2, SCREW, MACHINE; HEAD STYLE: HEXAGON, MATERIAL: STAINLESS STEEL	1	C	5305J	SE
BFH253A	AL	A-A-01-000-001	250	SCREW	SCREW, MACHINE, QA 1, CLASS 2, SCREW, MACHINE; HEAD STYLE: HEXAGON, MATERIAL: STAINLESS STEEL	1	C	5305J	SE
BFH315E	AL	D-A-22-402-000	80	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: ALLOY STEEL, NOMINAL	1		5305J	SE
BFM876G	AL	A-A-01-000-001	15	SCREW	SCREW, MACHINE, QA 0, #5, 1/2 IN, 40, FILLISTER HEAD, BRASS, UNC, *** FOR SELF- CONTAINED BREATHING APPARATUS, MODEL 401	0	P	5305J	SE
BFV785L	AL	1-A-25-075-001	150	SCREW	SCREW, SET, QA 0, 3/4 IN, 3.0 IN, 10, CUP, CARBON STEEL, SQUARE HEAD, UNC, CASE HARDENED, B18.6.2, ***	0	P	5305J	SE
BFW012Y	AL	A-A-01-000-001	300	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; PAN HEAD, STAINLESS STEEL, TYPE 302, GEN PURPOSE 18-8	1	B	5305J	SE
BGC071T	AL	A-A-01-000-001	796	SCREW	SCREW, CAP, QA 2, SCREW,CAP,HEXAGON H, ; CARBON STEEL ASTM A 307 GR A, NOMINAL DIA .5	2	P	5305J	SE
BGE219K	AL	1-B-09-135-001	1	SCREW	SCREW, CAP, QA 2, SCREW,CAP,HEXAGON H, ; CARBON STEEL ASTM A 307 GR A, NOMINAL DIA .375	2	P	5305J	SE
BGE245J	AL	1-A-04-129-001	95	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; CARBON STEEL ASME SA 307 GR A, NOMINAL DIA .625	1	P	5305J	SE
BGE323Q	AL	1-B-11-135-001	1	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW,CAP,HEXAGON H, ; ALLOY STEEL ASME SA 354 GR BD , NOMINAL DIA	1	P	5305J	SE
BGH529L	AL	1-B-11-135-001	1	SCREW	SCREW, CAP, QA 0, 5/8 IN, 3-1/4 IN, HEX, BRONZE, *** FOR H2 SEAL RING, ON 1183 MEGA WATT GENERATOR	0	P	6115F	SE
BHA799L	AL	1-A-21-063-001	1	SCREW	SCREW, MACHINE, QA 3, SCREW, MACHINE; HEXAGON HEAD, CARBON STEEL, NOMINAL DIA .25 IN, THD	3	P	5305J	SE
BHP180B	AL	D-A-16-201-001	10	SCREW	SCREW, CAP, QA 1, CLASS 2, 3/8 IN, 1-1/2 IN, 16, HEX, CS, ASME SA307 GR A, UNC, 2A, ZINC PLATED, B18.2.1	1	C	5305J	SE
BHV852K	AL	A-A-01-000-001	40	SCREW	SCREW, TYPICAL, QA 3, SCREW, CONTROLLER; COVER, FOR CONTROLLER, PNEUMATIC, SERIES RP908A ***	3	P	6695D	SE
BHY642F	AL	1-A-03-000-001	187	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL ASME SA 193 GR B6 S41000	1	P	5305J	SE
BJE190G	AL	D-A-02-102-005	2	SCREW	SCREW, CAP, QA 3, SCREW,CAP,HEXAGON H, ; CARBON STEEL, 0.375 X 0.5 IN LONG, FOR DIESEL	3		29100	SE
BJE195T	AL	D-A-10-302-004	23	SCREW	SCREW, CAP, QA 3, 3/8 IN, 4 IN, HEX, CS, SCREW,CAP,HEXAGON H, ; CARBON STEEL, 0.375 X 4 IN LONG, 1.25 IN	3		29100	SE
BJE667B	AL	D-A-09-401-005	145	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1		5305J	SE
BJK578G	AL	1-A-03-000-001	200	SCREW	SCREW, TYPICAL, QA 3, SCREW, CAP; HEAD STYLE: FLAT COUNTERSUNK, MATERIAL: STAINLESS STEEL,	3	C	5305J	SE
BJL459K	AL	D-A-13-301-004	388	SCREW	SCREW, MACHINE, QA 3, SCREW, MACHINE; ROUND HEAD, CARBON STEEL SAE GRADE 1, ZINC PLATED	3		5305J	SE
BJL476K	AL	D-A-06-201-001	59	SCREW	SCREW, MACHINE, QA 1, #8, 5/8 IN, 32, ROUND HEAD, CS, UNC, STANDARD MILL FINISH, SLOTTED, B18.6.3	1		5305J	SE
BJR221V	AL	D-A-08-102-008	137	SCREW	SCREW, SET, QA 3, #6, 3/8 IN, 32, CUP, ALLOY STEEL, HEX SOCKET, UNC	3		5305J	SE
BJR222R	AL	D-A-08-102-008	150	SCREW	SCREW, SET, QA 3, #6, 1/2 IN, 32, CUP, ALLOY STEEL, HEX SOCKET, UNC	3		5305J	SE
BJR226H	AL	D-A-08-102-007	149	SCREW	SCREW, SET, QA 3, #8, 5/8 IN, 32, CUP, ALLOY STEEL, HEX SOCKET, UNC	3		5305J	SE
BJR244F	AL	D-A-08-102-008	35	SCREW	SCREW, SET, QA 3, SCREW, SET; ALLOY STEEL, NOMINAL DIA .25 IN, THD 28, UNF, FASTENER LG	3		5305J	SE
BJR245D	AL	D-A-08-102-008	172	SCREW	SCREW, SET, QA 3, SCREW, SET; ALLOY STEEL, NOMINAL DIA .25 IN, THD 28, UNF, FASTENER LG	3		5305J	SE
BJR254C	AL	D-A-06-302-003	174	SCREW	SCREW, SET, QA 3, 5/16 IN, 3/8 IN, 18, CUP, ALLOY STEEL, HEX SOCKET, UNC, B18.3	3		5305J	SE
BJR263B	AL	D-A-06-302-003	145	SCREW	SCREW, SET, QA 3, SCREW, SET; ALLOY STEEL, NOMINAL DIA .312 IN, THD 24, UNF, FASTENER LG	3		5305J	SE
BJR270R	AL	D-A-04-202-004	147	SCREW	SCREW, SET, QA 3, SCREW, SET; ALLOY STEEL, NOMINAL DIA .312 IN, THD 24, UNF, FASTENER LG	3		5305J	SE
BJR272A	AL	D-A-08-102-008	170	SCREW	SCREW, SET, QA 3, SCREW, SET; ALLOY STEEL, NOMINAL DIA .312 IN, THD 24, UNF, FASTENER LG	3		5305J	SE
BJR286Y	AL	D-A-06-102-001	73	SCREW	SCREW, SET, QA 3, 3/8 IN, 3/8 IN, 16, CUP, ALLOY STEEL, UNC	3		5305J	SE
BJR295X	AL	D-A-08-102-008	172	SCREW	SCREW, SET, QA 3, SCREW, SET; ALLOY STEEL, NOMINAL DIA .375 IN, THD 24, UNF, FASTENER LG	3		5305J	SE
BJR305N	AL	D-A-16-201-002	154	SCREW	SCREW, SET, QA 3, 5/8 IN, 1/2 IN, 11, CUP, ALLOY STEEL, HEX SOCKET, UNC, B18.3	3		5305J	SE
BJR309E	AL	D-A-06-302-003	203	SCREW	SCREW, SET, QA 3, 5/8 IN, 1-1/4 IN, 11, CUP, ALLOY STEEL, UNC, SCREW, SET; ALLOY STEEL, NOMINAL DIA .625 IN, THD 11, UNC, FASTENER LG	3		5305J	SE
BJR312Q	AL	D-A-06-102-001	160	SCREW	SCREW, SET, QA 3, SCREW, SET; ALLOY STEEL, NOMINAL DIA .625 IN, THD 18, UNF, FASTENER LG	3		5305J	SE
BJR331L	AL	D-A-08-102-008	188	SCREW	SCREW, SET, QA 3, SCREW, SET; STAINLESS STEEL, NOMINAL DIA .375 IN, THD 16, UNC	3		5305J	SE
BKB570F	AL	D-A-02-102-011	79	SCREW	SCREW, MACHINE, QA 3, SCREW, MACHINE; FILLISTER HEAD, CARBON STEEL, NUMBER SIZE 10, NOMINAL	3		4710Y	SE
BKC749D	AL	D-A-35-201-004	698	SCREW	SCREW, CAP, QA 3, 5/16 IN, 1/2 IN, 18, HEX, BRASS, UNC, B18.2.1	3		5305J	SE
BKN967F	AL	D-A-13-401-004	15	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; CARBON STEEL ASME SA 307 GR A, NOMINAL DIA .875	1		5305J	SE
BKN967F	AL	D-A-09-402-008	60	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; CARBON STEEL ASME SA 307 GR A, NOMINAL DIA .875	1		5305J	SE
BKN969B	AL	D-A-10-302-003	10	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; CARBON STEEL ASME SA 307 GR A, NOMINAL DIA .875	1		5305J	SE
BKN969B	AL	D-A-27-202-014	13	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; CARBON STEEL ASME SA 307 GR A, NOMINAL DIA .875	1		5305J	SE
BKN973L	AL	D-A-14-302-001	10	SCREW	SCREW, CAP, QA 1, SCREW, CAP; CARBON STEEL, ASME SA307, GR A, ZINC COATED, 1-8 UNC-2A X	1		5305J	SE
BKQ685F	AL	A-A-01-000-001	11	SCREW	SCREW, TYPICAL, QA 0, VALVE, 5/16 IN, 3/8 IN, SCREW, VALVE; RETAINING, 0.3125 X 0.375, FORCHECK VALVE, ON	0	P	48200	SE
BKR923L	AL	A-A-01-000-001	80	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL ASME SA 193 GR B8 S30400	1	P	5305J	SE
BKY673P	AL	D-A-06-102-001	6	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STEEL, 0.4375 X 1 IN LONG, MANIFOLD BLOCK, FOR	1		29100	SE
BKY676H	AL	D-A-28-101-005	61	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; PIPE FLANGE, 0.75-10UNC X 3.25IN LONG, FOR	1		29100	SE
BKY827N	AL	D-A-06-201-001	8	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1		5305J	SE
BKY827N	AL	D-A-16-201-000	233	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1		5305J	SE
BLA855J	AL	D-A-20-402-005	87	SCREW	SCREW, SOCKET, QA 0, #10, 1 IN, 24, STEEL, UNC, NOMINAL DIA .19 IN	0		5305J	SE
BLD021C	AL	D-A-13-302-011	12	SCREW	SCREW, THUMB, QA 3, SCREW, FINGER; STAINLESS STEEL, KNURLED HEAD,0.25-20 UNC X 1.1875 IN	3		5305J	SE
BLD804M	AL	D-A-27-202-023	50	SCREW	SCREW, CAP, QA 1, 7/8 IN, 2-1/2 IN, 9, HEX, CS, ASME SA307 GR A, UNC, 2A, ZINC PLATED, SCREW,CAP,HEXAGON H, ; CARBON STEEL ASME SA 307 GR A,	1		5305J	SE
BLD808D	AL	D-A-27-202-019	55	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; CARBON STEEL ASME SA 307 GR A, NOMINAL DIA .875	1		5305J	SE
BLD811P	AL	D-A-14-302-001	25	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1		5305J	SE
BLD812M	AL	D-A-14-302-000	63	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1		5305J	SE
BLD816D	AL	D-A-14-302-000	50	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1		5305J	SE
BLF062K	AL	D-B-16-000-001	5	SCREW	SCREW, TYPICAL, QA 0, SCREW, VALVE; ADJ, COMPRESSION, FOR SAFTY RELIEF VALVE, 6 IN, TYPE	0	C	48200	SE
BLH164A	AL	1-B-09-135-001	1	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; SCREW, MACHINE, CARBON STEEL, CROSS RECESSED, TYPE 1	1	C	5305J	SE
BLH171D	AL	1-B-09-135-001	1	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; SCREW, MACHINE, CARBON STEEL, CROSS RECESSED, TYPE 1	1	P	5305J	SE
BLH171D	AL	A-A-01-000-001	300	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; SCREW, MACHINE, CARBON STEEL, CROSS RECESSED, TYPE 1	1	P	5305J	SE
BLH369P	AL	D-B-16-000-001	110	SCREW	SCREW, CAP, QA 0, 1/2 IN, 6 IN, 13, HEX, STAINLESS STEEL, ASTM A193 GR B8, UNC, **	0	C	5305J	SE
BLJ030W	AL	1-B-05-135-001	1	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; CAP, HEX HEAD, CARBON STEEL, CADMIUM PLATED	1	P	5305J	SE
BLJ251A	AL	1-A-04-129-001	1	SCREW	SCREW, CAP, QA 2, SCREW,CAP,HEXAGON H, ; CARBON STEEL, ASTM A449, TYPE 1, 0.625 IN-11	2	P	5305J	SE
BLJ251A	AL	A-A-01-000-001	400	SCREW	SCREW, CAP, QA 2, SCREW,CAP,HEXAGON H, ; CARBON STEEL, ASTM A449, TYPE 1, 0.625 IN-11	2	P	5305J	SE
BLJ365T	AL	1-A-04-129-001	1	SCREW	SCREW, CAP, QA 2, SCREW,CAP,HEXAGON H, ; CARBON STEEL, ASTM A449, TYPE 1, 0.875-9 UNC X	2	P	5305J	SE
BLJ365T	AL	A-A-01-000-001	300	SCREW	SCREW, CAP, QA 2, SCREW,CAP,HEXAGON H, ; CARBON STEEL, ASTM A449, TYPE 1, 0.875-9 UNC X	2	P	5305J	SE
BLK970F	AL	1-B-09-135-001	1	SCREW	SCREW, CAP, QA 2, SCREW,CAP,HEXAGON H, ; CAP, HEX HEAD, GALVANIZED, CARBON STEEL ASTM	2	P	5305J	SE
BLL431X	AL	D-A-14-302-001	49	SCREW	SCREW, MACHINE, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: FLAT FILLISTER, MATERIAL: ALLOY STEEL, NOMINAL	1		5305J	SE
BLL441T	AL	D-A-14-302-001	61	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEAVY HEXAGON, MATERIAL: ALLOY STEEL, NOMINAL	1		5305J	SE
BLL442Q	AL	D-A-27-202-004	94	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEAVY HEXAGON, MATERIAL: ALLOY STEEL, NOMINAL	1		5305J	SE
BLL448C	AL	D-A-12-101-000	11	SCREW	SCREW, CAP, QA 1, 1-3/4 IN, 5-1/2 IN, 5, HEX, CS, ASTM A354, UNC, SCREW, CAP; HEX HEAD CAP, TRACE: GG32, MATERIAL: 4140, HARDNESS: 36	1		5305J	SE
BLL449A	AL	D-A-04-202-004	11	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEX HEAD CAP, TRACE: 3G8, MATERIAL: 4140, HARDNESS 37RC	1		5305J	SE

BLM226R	AL	1-B-09-135-001	1 SCREW	SCREW, CAP, QA 3, SCREW,CAP,HEXAGON H, ; CAP, BRASS, HEX HEAD, 0.375-16UNC X 1.50 IN	3	P	5305J SE
BLM309N	AL	1-B-09-135-001	1 SCREW	SCREW, MACHINE, QA 3, SCREW, MACHINE; MACHINE, BRASS, ROUND HEAD, 0.375-16 UNC 1.25 IN ***	3	P	5305J SE
BLM314W	AL	1-B-09-135-001	1 SCREW	SCREW, CAP, QA 3, SCREW,CAP,HEXAGON H, ; CAP, BRASS, HEX HEAD, 0.25-20 UNC X 0.5 IN ***	3	P	5305J SE
BLM315T	AL	1-B-09-135-001	1 SCREW	SCREW, CAP, QA 3, SCREW,CAP,HEXAGON H, ; CAP, BRASS, HEX HEAD, 0.25-20 UNC X 0.75 IN ***	3	P	5305J SE
BLM316Q	AL	1-B-09-135-001	1 SCREW	SCREW, CAP, QA 3, SCREW,CAP,HEXAGON H, ; CAP, BRASS, HEX HEAD, 0.25-20 UNC X 1 IN ***	3	P	5305J SE
BLM317N	AL	1-B-09-135-001	1 SCREW	SCREW, CAP, QA 3, SCREW,CAP,HEXAGON H, ; CAP, BRASS, HEX HEAD, 0.25-20 UNC X 1.5 IN ***	3	P	5305J SE
BLM469Y	AL	1-B-11-135-001	1 SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; CAP, SOCKET HEAD, SELF-LOCKINGASME SA574 ALLOY STEEL, PER	1	P	5305J SE
BLM470R	AL	D-B-01-401-002	22 SCREW	SCREW, SOCKET, QA 1, SCREW,CAP,SOCKET HEA, ; CAP, SOCKET HEAD, ALLOY STEEL ASME SA574, PER	1	P	5305J SE
BLM471C	AL	1-B-05-135-001	1 SCREW	SCREW, SOCKET, QA 1, CLASS 2, SCREW,CAP,SOCKET HEA, ; CAP, SOCKET HEAD, ALLOY STEEL ASME SA574, PER	1	P	5305J SE
BLM472A	AL	1-B-11-135-001	1 SCREW	SCREW, SOCKET, QA 1, CLASS 2, SCREW,CAP,SOCKET HEA, ; CAP, SOCKET HEAD, ALLOY STEEL ASME SA574, PER	1	P	5305J SE
BLM478X	AL	1-A-04-129-001	1 SCREW	SCREW, SOCKET, QA 1, 5/8 IN, 2-1/2 IN, 11, ALLOY STEEL, UNC, ASME SA574, B18.3	1	P	5305J SE
BLM480N	AL	1-B-05-135-001	1 SCREW	SCREW, SOCKET, QA 1, SCREW,CAP,SOCKET HEA, ; CAP, SOCKET HEAD, ALLOY STEEL ASME SA574, PER	1	P	5305J SE
BLM488T	AL	1-B-11-135-001	1 SCREW	SCREW, SOCKET, QA 1, CLASS 2, SCREW,CAP,SOCKET HEA, ; CAP, HEX SOCKET HEAD, ASME SA574 ALLOY STEEL	1	P	5305J SE
BLM489Q	AL	1-B-05-135-001	1 SCREW	SCREW, SOCKET, QA 1, SCREW,CAP,SOCKET HEA, ; CAP, HEX SOCKET HEAD, ALLOY STEEL ASME SA574	1	P	5305J SE
BLM511T	AL	1-B-05-135-001	1 SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; CAP, HEX HEAD, CARBON STEEL, ASTM A449,CL	1	C	5305J SE
BLN450T	AL	1-B-11-135-001	1 SCREW	SCREW, TYPICAL, QA 0, 15/16 IN, CARBON STEEL, *** FOR 747 RED HEAD ROTO HAMMER	0	P	5305J SE
BLN687F	AL	D-A-14-302-000	44 SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEAVY HEXAGON, MATERIAL: STAINLESS STEEL	1		5305J SE
BLN691Q	AL	D-A-14-302-000	56 SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEAVY HEXAGON, MATERIAL: STAINLESS STEEL	1		5305J SE
BLP187Y	AL	D-A-24-101-001	5 SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 0.75-10 UNC	1		5305J SE
BLP198R	AL	D-A-09-402-002	13 SCREW	SCREW, CAP, QA 1, 3/4 IN, 3-1/4 IN, 10, HEX, SS, ASME SA193 GR B8, UNC, 2A, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 0.75-	1		5305J SE
BLP200E	AL	D-A-10-302-003	25 SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 0.875-9 UNC	1		5305J SE
BLP200E	AL	D-A-24-101-001	44 SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 0.875-9 UNC	1		5305J SE
BLP202Y	AL	D-A-13-401-004	19 SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 0.875-9 UNC	1		5305J SE
BLP202Y	AL	D-A-09-402-010	40 SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 0.875-9 UNC	1		5305J SE
BLP203W	AL	D-A-27-202-018	46 SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 0.875-9 UNC	1		5305J SE
BLP204T	AL	D-A-10-302-003	14 SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 0.875-9 UNC	1		5305J SE
BLP204T	AL	D-A-24-101-000	82 SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 0.875-9 UNC	1		5305J SE
BLP221R	AL	D-A-10-302-003	100 SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; ALLOY STEEL, ASME SA193, GR B7, 0.875-9 UNC 2A	1		5305J SE
BLP222P	AL	D-A-09-401-001	460 SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; ALLOY STEEL, ASME SA193, GR B7, 0.875-9 UNC 2A	1		5305J SE
BLP223M	AL	D-A-13-401-004	25 SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; ALLOY STEEL, ASME SA193, GR B7, 0.875-9 UNC 2A	1		5305J SE
BLP223M	AL	D-A-09-401-004	400 SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; ALLOY STEEL, ASME SA193, GR B7, 0.875-9 UNC 2A	1		5305J SE
BLP226F	AL	D-A-02-102-005	5 SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEAVY HEXAGON, MATERIAL: ALLOY STEEL, NOMINAL	1		5305J SE
BLP226F	AL	D-A-14-302-000	131 SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEAVY HEXAGON, MATERIAL: ALLOY STEEL, NOMINAL	1		5305J SE
BLP227D	AL	D-A-13-401-004	24 SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; ALLOY STEEL, ASME SA193, GR B7, 0.875-9 UNC 2A	1		5305J SE
BLP227D	AL	D-A-09-401-002	423 SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; ALLOY STEEL, ASME SA193, GR B7, 0.875-9 UNC 2A	1		5305J SE
BLP232L	AL	D-A-10-302-003	20 SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 0.875-9 UNC	1		5305J SE
BLP232L	AL	D-A-24-101-000	42 SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 0.875-9 UNC	1		5305J SE
BLP233J	AL	D-A-04-202-004	50 SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEAVY HEXAGON, MATERIAL: STAINLESS STEEL	1		5305J SE
BLP280L	AL	D-A-27-202-008	75 SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEAVY HEXAGON, MATERIAL: STAINLESS STEEL	1		5305J SE
BLP333E	AL	D-A-06-102-001	10 SCREW	SCREW, CAP, QA 1, SCREW, CAP; DIAMETER: 1 IN; LENGTH: 1-1/4 IN; TPI: 8; MATERIAL: SS;	1		5305J SE
BLP333E	AL	D-A-16-201-000	40 SCREW	SCREW, CAP, QA 1, SCREW, CAP; DIAMETER: 1 IN; LENGTH: 1-1/4 IN; TPI: 8; MATERIAL: SS;	1		5305J SE
BLP334C	AL	D-A-27-202-022	74 SCREW	SCREW, CAP, QA 1, CLASS 1, SCREW, CAP; DIAMETER: 1 IN; LENGTH: 1-1/2 IN; TPI: 8; MATERIAL: SS;	1		5305J SE
BLP335A	AL	D-A-24-101-000	60 SCREW	SCREW, CAP, QA 1, CLASS 1, SCREW, CAP; DIAMETER: 1 IN; LENGTH: 1-3/4 IN; TPI: 8; MATERIAL: SS;	1		5305J SE
BLP439X	AL	D-A-13-401-004	1 SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 1-8 UNC 2A	1		5305J SE
BLP439X	AL	D-A-09-402-001	61 SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 1-8 UNC 2A	1		5305J SE
BLP440Q	AL	D-A-09-402-003	60 SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 1-8 UNC 2A	1		5305J SE
BLP441B	AL	D-A-14-302-000	41 SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEAVY HEXAGON, MATERIAL: STAINLESS STEEL	1		5305J SE
BLP457V	AL	D-A-27-202-013	65 SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 1-8 UNC 2A	1		5305J SE
BLP458R	AL	D-A-27-202-020	60 SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 1-8 UNC 2A	1		5305J SE
BLP464Y	AL	D-A-06-302-003	6 SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; ALLOY STEEL, ASME SA193, GR B7, 1-8 UNC 2A X	1		5305J SE
BLP701C	AL	D-A-01-401-007	57 SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1		5305J SE
BLQ459J	AL	D-A-10-302-003	18 SCREW	SCREW, CAP, QA 1, SCREW, CAP; DIAMETER: 7/8 IN; LENGTH: 1 IN; TPI: 9; MATERIAL: CS;	1		5305J SE
BLQ459J	AL	D-A-24-101-000	80 SCREW	SCREW, CAP, QA 1, SCREW, CAP; DIAMETER: 7/8 IN; LENGTH: 1 IN; TPI: 9; MATERIAL: CS;	1		5305J SE
BLQ464R	AL	D-A-27-202-021	37 SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEAVY HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1		5305J SE
BLQ466M	AL	D-A-09-401-003	62 SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEAVY HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1		5305J SE
BLQ467K	AL	D-A-10-302-003	18 SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEAVY HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1		5305J SE
BLQ467K	AL	D-A-27-202-016	63 SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEAVY HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1		5305J SE
BLQ493J	AL	A-A-01-000-001	247 SCREW	SCREW, CAP, QA 1, SCREW, CAP; CAP SCREWS,P/N 146-002X AND FLAT WASHERS,P/N 297-1000-0	1	P	4710Y SE
BLV517F	AL	1-B-11-135-001	1 SCREW	SCREW, CAP, QA 2, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASTM F593-86,ALLOY 316	2	P	5305J SE
BME305W	AL	1-A-25-129-001	4 SCREW	SCREW, TYPICAL, QA 0, JACK, 1-1/2 IN, 3-3/8 IN, 12, *** FOR REACTORCOOLANT PUMP ELECTRIC MOTOR, S/N 3582P192 AND 3A82P192	0	P	6105D SE
BNB423Y	AL	D-A-04-202-004	49 SCREW	SCREW, CAP, QA 1, SCREW, CAP; ALLOY STEEL, ASTM A193, GR B7,1-8 UNC-2A X 1.25 IN LG	1		5305J SE
BNJ073J	AL	1-A-25-045-001	2 SCREW	SCREW, MACHINE, QA 0, #10, 3/8 IN, 32, FILLISTER HEAD, BRASS, UNF, SCREW, MACHINE; HEAD STYLE: FILLISTER, MATERIAL: BRASS NOMINAL	0	P	5305J SE
BNL025K	AL	1-A-08-129-001	4 SCREW	SCREW, TYPICAL, QA 0, JACKSCREW, ; 1 IN JACKSCREW, TG-00685 ***	0	P	4470C SE
BNN320V	AL	D-A-16-201-001	72 SCREW	SCREW, CAP, QA 0, 3/8 IN, 1-1/2 IN, 16, HEX, CARBON STEEL, UNC, SCREW,CAP,HEXAGON H, ; 3/8-16 NC X 1-1/2 IN, GRADE 2 LOW CARBON. ***	0		5305J SE
BNN322C	AL	D-A-24-202-002	100 SCREW	SCREW, CAP, QA 0, 7/8 IN, 2-3/4 IN, 9, HEX, CARBON STEEL, UNC, SCREW,CAP,HEXAGON H, ; 7/8-9 NC X 2-3/4 IN, GRADE 2 LOW CARBON. ***	0		5305J SE
BNP752D	AL	D-A-20-402-005	7 SCREW	SCREW, SOCKET, QA 1, SOCKET, 1-1/8 IN, 3-1/2 IN, 7, UNC, 3A, SOCKET, ALLOY STEEL, ASTM A540, GR B23,CLASS 5,	1	C	5305J SE
BNQ040E	AL	D-A-02-102-003	3 SCREW	SCREW, CAP, QA 3, SCREW, CAP; CAPSCREW, FOR HANDWHEEL COLLAR FOR ADAPTO GEAR OPERATOR	3		48200 SE
BNQ505T	AL	1-B-05-135-001	1 SCREW	SCREW, CAP, QA 2, 1/4 IN, 1-1/4 IN, 20, HEX, SS, ASTM F593, UNC, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASTM F593-86,ALLOY 304/316,	2	P	5305J SE
BNQ506Q	AL	1-B-11-135-001	1 SCREW	SCREW, CAP, QA 2, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASTM F593-86,ALLOY 304/316	2	P	5305J SE
BNQ509J	AL	1-A-04-129-001	1 SCREW	SCREW, CAP, QA 2, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASTM F593-86,ALLOY 304/316	2	C	5305J SE
BNQ510C	AL	1-A-04-129-001	1 SCREW	SCREW, CAP, QA 2, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASTM F593-86,ALLOY 304/316	2	C	5305J SE
BNQ511Y	AL	1-B-05-135-001	1 SCREW	SCREW, CAP, QA 2, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASTM F593-86,ALLOY 304	2	C	5305J SE
BNQ515N	AL	1-B-11-135-001	1 SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; CARBON STEEL, ASTM A449, TYPE 1, CADMIUM	1	P	5305J SE
BNQ515N	AL	A-A-01-000-001	188 SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; CARBON STEEL, ASTM A449, TYPE 1, CADMIUM	1	P	5305J SE
BNR855Q	AL	D-A-24-202-001	100 SCREW	SCREW, CAP, QA 0, 7/8 IN, 2-1/2 IN, 9, HEX, CS, UNC, SCREW,CAP,HEXAGON H, ; LOW CARBON, GRADE 2, 7/8-9 NCX 2-1/2.	0		5305J SE

BNW296K	AL	D-A-20-402-005	114	SCREW	SCREW, CAP, QA 1, SCREW, CAP; 0.25 IN DIA, 20 UNC, 10, FOR SMB-2 ***	1		48200	SE
BPA865W	AL	D-A-20-402-005	6	SCREW	SCREW, SOCKET, QA 1, 3/4 IN, 28 IN, 10, UNC, SCREW,CAP,SOCKET HEA, ; 0.75-10 UNC X 28 IN LG	1		48200	SE
BPA868N	AL	D-A-20-402-005	43	SCREW	SCREW, CAP, QA 1, 3/8 IN, 28 IN, 16, UNC, SCREW, CAP; 0.375-16 UNC X 28, FOR SMB-00	1		48200	SE
BPB029K	AL	1-A-08-129-001	1	SCREW	SCREW, SET, QA 0, 1/2 IN, 2 IN, ***	0	P	5305J	SE
BPC615A	AL	D-A-20-402-005	62	SCREW	SCREW, SOCKET, QA 1, SCREW, SHOULDER; SOCKET HEAD, SHOULDER, SMB-2, 3,4, 3/8 IN-16 X 8 ***	1		48200	SE
BPW904H	AL	1-B-09-135-001	1	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; HEAD STYLE: PAN, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J	SE
BPW989D	AL	E-A-16-C07-B01	193	SCREW	SCREW, TYPICAL, QA 0, CIRCUIT BREAKER, 10 MM, 60 MM, SCREW, CIRCUIT BREAKER; M10 X 60, CHEESEHEAD, FOR POWER CIRCUIT	0	C	5925B	SE
BPX010P	AL	E-A-16-C02-D01	36	SCREW	SCREW, TYPICAL, QA 0, CIRCUIT BREAKER, *** CHEESEHEAD, FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B	SE
BPX020L	AL	E-A-16-C02-D01	84	SCREW	SCREW, TYPICAL, QA 0, CIRCUIT BREAKER, CIRCUIT BREAKER; CHEESEHEAD, I.D. NO NB314856P258, FOR POWER	0	C	5925B	SE
BPX051X	AL	E-A-16-C02-E01	39	SCREW	SCREW, SOCKET, QA 0, HEX, *** SOCKET HEAD, FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B	SE
BPX061T	AL	E-A-16-C02-E01	119	SCREW	SCREW, CAP, QA 0, 10 MM, 60 MM, HEX, FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B	SE
BPX064L	AL	E-A-16-C08-B01	81	SCREW	SCREW, CAP, QA 0, 10 MM, 55 MM, HEX, ** FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B	SE
BPX068C	AL	D-B-16-000-001	171	SCREW	SCREW, MACHINE, QA 3, SCREW, RADIATION MONITOR; PAN HEAD, CADMIUM PLATED, NO 8-32 X 1 IN	3	C	6630D	SE
BQD527V	AL	D-A-06-102-001	621	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; HEAD STYLE: ROUND, MATERIAL: BRASS, NOMINAL DIAMETER:	1		5305J	SE
BQR286R	AL	1-B-11-135-001	1	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	B	5305J	SE
BQX909V	AL	1-B-05-135-001	1	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J	SE
BQX909V	AL	1-B-11-135-001	1	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J	SE
BRN018K	AL	A-A-01-000-001	195	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; HEAD STYLE: TRUSS, MATERIAL: CARBON STEEL, NOMINAL	1	B	5305J	SE
BTA962C	AC	- - -	70	SCREW	SCREW, MACHINE, QA 0, 1/4 IN, 1-1/4 IN, FLAT COUNTERSUNK, ASTM A325, PHILLIPS, SCREW, PIPE HANGER; MACHINE, CROSS RECESSED, FLAT HEAD, 1/4"	0	C	4710Y	SE
BTF157C	AL	F-A-08-101-000	102	SCREW	SCREW, TYPICAL, QA 1, TARGET ROCK SOLENOID VALVE, #10, 1 IN, 32, SS, HEX, FOR MODEL # 82KK-001 (WBN) & 77DD-040 (SQN)	1	C	48200	SE
BTG682K	AL	1-B-05-135-001	1	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J	SE
BTH709M	AL	D-A-24-101-001	331	SCREW	SCREW, MACHINE, QA 1, #6, 1/2 IN, 32, FLAT COUNTERSUNK, SS, AISI 18-8, UNC, 2A, CROSS RECESS, B18.6.3	1		5305J	SE
BTH710F	AL	D-A-14-302-001	499	SCREW	SCREW, MACHINE, QA 1, #6, 3/4 IN, 32, FLAT COUNTERSUNK, SS, AISI 18-8, UNC, 2A, CROSS RECESS, B18.6.3	1		5305J	SE
BTH753H	AL	D-A-14-302-001	326	SCREW	SCREW, MACHINE, QA 1, #12, 3/4 IN, 24, FLAT COUNTERSUNK, SS, AISI 18-8, UNC, 2A, SLOTTED, B18.6.3	1		5305J	SE
BTM952N	AL	1-B-13-135-001	1	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; HEAD STYLE: FILLISTER, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J	SE
BTM952N	AL	D-B-16-000-001	497	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; HEAD STYLE: FILLISTER, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J	SE
BTP664H	AL	D-A-17-302-003	196	SCREW	SCREW, MACHINE, QA 0, #8, 1-1/2 IN, 32, ROUND HEAD, CARBON STEEL, UNC, ZINC PLATED, SLOTTED, ***	0		5305J	SE
BTQ081V	AL	1-A-04-129-001	1	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J	SE
BTQ622W	AL	F-A-17-201-000	300	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: ALLOY STEEL, NOMINAL	1	C	5305J	SE
BTT772Y	AL	1-B-13-135-001	1	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J	SE
BTW923R	AL	A-A-01-000-001	126	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J	SE
BTY003J	AL	A-A-01-000-001	1	SCREW	SCREW, CAP, QA 1, CLASS 2, 1/2 IN, 1-1/4 IN, 13, HEX, SS, ASME SA193 GR B6, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1	C	5305J	SE
BTY993R	AL	D-A-09-302-006	635	SCREW	SCREW, CAP, QA 1, 1/4 IN, 1-1/2 IN, 20, HEX, BRASS, UNC, 2A, B18.6.3	1		5305J	SE
BTY995M	AL	D-A-14-302-001	200	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; HEAD STYLE: PAN, MATERIAL: BRASS, NOMINAL DIAMETER:	1		5305J	SE
BTY998F	AL	D-A-18-402-000	34	SCREW	SCREW, MACHINE, QA 1, 5/16 IN, 3/4 IN, 18, HEX HEAD, BRASS, UNC, 2A, STANDARD MILL FINISH, B18.6.3	1		5305J	SE
BTY999D	AL	D-A-35-201-004	200	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; HEAD STYLE: PAN, MATERIAL: BRASS, NOMINAL DIAMETER:	1	C	5305J	SE
BVA004H	AL	D-A-14-302-001	97	SCREW	SCREW, MACHINE, QA 1, 5/16 IN, 1 IN, 18, HEX HEAD, BRASS, UNC, 2A, STANDARD MILL FINISH, B18.6.3	1		5305J	SE
BVA013F	AL	D-A-14-302-001	299	SCREW	SCREW, CAP, QA 1, 5/16 IN, 1-1/2 IN, 18, HEX, BRASS, UNC, 2A, B18.6.3	1		5305J	SE
BVA030T	AL	D-A-32-401-004	196	SCREW	SCREW, CAP, QA 1, 7/16 IN, 1 IN, 14, HEX, BRASS, UNC, 2A, B18.2.1	1		5305J	SE
BVA038Y	AL	D-B-25-201-005	200	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: BRASS, NOMINAL DIAMETER:	1		5305J	SE
BVA050L	AL	D-A-06-402-004	150	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: BRASS, NOMINAL DIAMETER:	1	C	5305J	SE
BVA055Y	AL	D-A-06-402-006	150	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: BRASS, NOMINAL DIAMETER:	1	C	5305J	SE
BVA060H	AL	D-B-07-302-002	60	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: BRASS, NOMINAL DIAMETER:	1		5305J	SE
BVA064X	AL	D-A-06-402-001	150	SCREW	SCREW, CAP, QA 1, 5/8 IN, 1-1/2 IN, 11, HEX, BRASS, UNC, 2A, B18.2.1	1	C	5305J	SE
BVA068M	AL	D-A-06-402-002	148	SCREW	SCREW, CAP, QA 1, 3/4 IN, 2 IN, 10, HEX, BRASS, UNC, 2A, B18.2.1	1	C	5305J	SE
BVA084P	AL	D-A-04-301-005	91	SCREW	SCREW, MACHINE, QA 1, #6, 7/8 IN, 32, PAN HEAD, CS, UNC, 2A, ZINC PLATED, SLOTTED, B18.6.3	1		5305J	SE
BVA755B	AL	D-A-16-201-001	5	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1		5305J	SE
BVB526M	AL	D-B-07-302-002	97	SCREW	SCREW, MACHINE, QA 1, SCREW (METRIC), MACHINE; HEAD STYLE: PAN, MATERIAL: CARBON STEEL	1		5305J	SE
BVB529F	AL	D-B-29-302-000	10	SCREW	SCREW, CAP, QA 1, CLASS 1, SCREW, CAP; DIAMETER: 2-1/2 IN; LENGTH: 12 IN; TPI: 8; MATERIAL: ALLOY	1	C	5305J	SE
BVG931J	AL	D-B-16-000-001	248	SCREW	SCREW, MACHINE, QA 1, SCREW, CONTROL PANEL; MACHINE, NO 10, HEX HEAD, WITH ATTACHED WASHER	1	C	61100	SE
BVH790G	AL	A-A-01-000-001	149	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J	SE
BVK048D	AL	1-B-13-135-001	1	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J	SE
BVK063H	AL	1-B-13-135-001	1	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J	SE
BVK066B	AL	1-B-13-135-001	1	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J	SE
BVK074C	AL	1-B-13-135-001	1	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J	SE
BVK080W	AL	A-A-01-000-001	242	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J	SE
BVK110P	AL	D-A-20-402-005	4	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1		5305J	SE
BVK126W	AL	1-A-02-129-001	1	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J	SE
BVK126W	AL	1-B-11-135-001	1	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J	SE
BVK128Q	AL	1-B-11-135-001	1	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J	SE
BVK299W	AL	1-B-13-135-001	1	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J	SE
BVK343L	AL	A-A-01-000-001	400	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J	SE
BVK380R	AL	1-B-13-135-001	1	SCREW	SCREW, CAP, QA 1, 1/2 IN, 2-1/4 IN, 13, HEX, CS, ASTM A307 GR A, UNC, CADMIUM PLATED, B18.2.1, THREADED FULL LENGTH	1	C	5305J	SE
BVL000H	AL	D-A-17-302-003	800	SCREW	SCREW, MACHINE, QA 0, #8, 1 IN, 32, HEX HEAD, CS, UNF, SCREW, MACHINE; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	0		5305J	SE
BVL009K	AL	D-A-17-302-003	300	SCREW	SCREW, MACHINE, QA 0, #8, 1/2 IN, 32, HEX HEAD, CS, UNC	0		5305J	SE
BVL013V	AL	D-A-17-302-003	500	SCREW	SCREW, MACHINE, QA 0, #10, 1 IN, 32, HEX HEAD, CARBON STEEL, UNF, SCREW, MACHINE; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	0		5305J	SE
BVL021W	AL	D-A-17-302-003	384	SCREW	SCREW, MACHINE, QA 0, #10, 1/2 IN, 32, HEX HEAD, CARBON STEEL, UNF, SCREW, MACHINE; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	0		5305J	SE
BVL501Q	AL	A-A-01-000-001	293	SCREW	SCREW, TYPICAL, QA 1, TERMINAL SCREW ASSEMBLY, , FOR EA180 SERIES LIMIT SWITCH	1	B	59300	SE
BVL502N	AL	A-A-01-000-001	280	SCREW	SCREW, TYPICAL, QA 1, EA740 SERIES LIMIT SWITCH TERMINAL SCREW ASSY	1	B	59300	SE
BVL810M	AL	A-A-01-000-001	600	SCREW	SCREW, MACHINE, QA 1, 1/4 IN, 1 IN, 20, ROUND HEAD, CS, UNC, CADMIUM PLATED, SLOTTED, B18.6.3, SCREW, MACHINE; HEAD STYLE: ROUND, MATERIAL:	1	C	5305J	SE
BVN726L	AL	D-A-24-101-000	175	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: STAINLESS STEEL, NOMINAL	1		5305J	SE
BVN731V	AL	D-A-24-101-000	59	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: STAINLESS STEEL, NOMINAL	1		5305J	SE
BVP075M	AL	D-A-30-301-002	1	SCREW	SCREW, TYPICAL, QA 0, SCREW, HYDRANT,FIRE; OPERATING,IT 5, DWG 51974 ON ZURN MODEL Z-1315	0		4210N	SE
BVR434J	AL	D-A-14-302-001	19	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1		5305J	SE
BVT162L	AL	A-A-01-000-001	13	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; HEAD STYLE: ROUND, MATERIAL: CARBON STEEL, NOMINAL	1	B	5305J	SE

BWJ981J	AL	D-B-16-000-001	48	SCREW	SCREW, MACHINE, QA 1, SCREW, VALVE; PAN HEAD,6-32 X 0.625 IN,S/S,FOR TERMINAL BLOCK, ON	1	C	48200	SE
BWQ390N	AL	E-A-16-C01-A01	50	SCREW	SCREW, SET, QA 0, *** FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B	SE
BWQ673Y	AL	E-A-16-C02-E01	50	SCREW	SCREW, TYPICAL, QA 0, CIRCUIT BREAKER, *** COUNTERS, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B	SE
BWQ675T	AL	E-A-16-C02-F01	42	SCREW	SCREW, TYPICAL, QA 0, CIRCUIT BREAKER, *** INSULATING, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B	SE
BWV825J	AL	A-A-01-000-001	18	SCREW	SCREW, SOCKET, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: SOCKET, MATERIAL: STAINLESS STEEL, NOMINAL	1	C	5305J	SE
BWV826G	AL	1-A-02-129-001	1	SCREW	SCREW, SOCKET, QA 1, CLASS 2, HEX, #10, 1-1/4 IN, 24, SS, UNC, ASME SA193 GR B8M, B18.3	1	C	5305J	SE
BXD132L	AL	D-A-20-402-002	8	SCREW	SCREW, TYPICAL, QA 0, 1/4 IN, 1-3/4 IN, 20, CS, ROUND, SLOTTED, , ZINC PLATED	0		48200	SE
BXE453T	AL	A-A-01-000-001	40	SCREW	SCREW, TYPICAL, QA 1, SCREW, LOCK,CAM AND CHART; STEEL, FOR AUX FEEDWATER PUMP, MODEL	1	C	6695D	SE
BXP108Y	AL	1-A-02-129-001	1	SCREW	SCREW, SOCKET, QA 1, SCREW, CAP; SOCKET HEAD, 7/16-20 X 1 1/4 IN, ALLOY STEEL ASTM A574	1	B	5305J	SE
BXP108Y	AL	A-A-01-000-001	10	SCREW	SCREW, SOCKET, QA 1, SCREW, CAP; SOCKET HEAD, 7/16-20 X 1 1/4 IN, ALLOY STEEL ASTM A574	1	B	5305J	SE
BXR415A	AL	A-A-01-000-001	100	SCREW	SCREW, SOCKET, QA 1, SCREW, CAP; SOCKET HEAD, 3/8 - 16 UNC X 1 IN LONG, 316 STAINLESS	1	C	5305J	SE
BXR422D	AL	A-A-01-000-001	100	SCREW	SCREW, SOCKET, QA 1, SCREW, ACTUATOR; SOCKET, 1/4 - 20 UNC X 7/16 IN LG, STAINLESS STEEL	1	C	48200	SE
BYD461T	AL	A-A-01-000-001	94	SCREW	SCREW, SOCKET, QA 1, SCREW, CAP; SOCKET, BUTTON CAP, 1/4-20 X 1/2" ***	1	C	5305J	SE
BYF245N	AL	A-A-01-000-001	8	SCREW	SCREW, SET, QA 3, SCREW, VALVE; SET SCREW, #4-40 X 1/4 IN, 304 STAINLESS STEEL, FOR 3 IN	3	C	48200	SE
BYM889A	AL	D-A-20-402-005	17	SCREW	SCREW, CAP, QA 1, CLASS 2, 3/4 IN, 1-1/2 IN, 10, HEX, SS, ASME SA193 GR B8, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1		5305J	SE
BYR453V	AL	D-B-14-000-001	74	SCREW	SCREW, CAP, QA 1, CLASS 2, 3/8 IN, 1-3/4 IN, 16, HEX, ALLOY STEEL, ASME SA193 GR B7, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1	C	5305J	SE
BYY588A	AL	D-A-35-201-004	30	SCREW	SCREW, CAP, QA 1, CLASS 2, 3/8 IN, 4 IN, 16, HEX, CS, ASME SA307 GR A, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1		5305J	SE
CAC037Q	AL	D-A-20-402-002	24	SCREW	SCREW, CAP, QA 1, 3/8 IN, 3-1/2 IN, 16, HEX, CS, ASTM A307 GR A, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1		5305J	SE
CAD399R	AL	F-A-08-013-001	3	SCREW	SCREW, CAP, QA 3, SCREW, RECORDER; CAP,HEX SOCKET HEAD,CRES,4-40 UNC-2A X 1/4 LG ***	3	B	6695D	SE
CAD403Y	AL	F-A-08-013-001	6	SCREW	SCREW, SET, QA 3, SCREW, RECORDER; SET, NO 2-56 UNC-2A X 1/4 IN ***	3	B	6695D	SE
CAF133N	AL	D-A-35-201-004	1	SCREW	SCREW, TAPPING, QA 1, SCREW, TAPPING; HEAD STYLE: FLAT COUNTERSUNK, MATERIAL: CARBON STEEL	1	C	5305J	SE
CAF537X	AL	E-A-16-C05-E01	5	SCREW	SCREW, CAP, QA 0, HEX, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B	SE
CAL255E	AL	D-A-35-201-004	8	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J	SE
CAP123G	AL	D-A-14-302-001	20	SCREW	SCREW, TAPPING, QA 1, HEX, 3/4 IN, #10, CS, ASTM A548 GR 1022, ZINC PLATED, SLOTTED, B18.6.4, POINT STYLE: GIMLET TYPE AB, SURFACE TREATMENT	1	C	5305J	SE
CAP151B	AL	F-A-08-013-001	3	SCREW	SCREW, SET, QA 3, SCREW, SET; CUP POINT,CRES,NO 2-56 UNC-2A X 3/8 IN,FOR PSR1200 ***	3	B	5305J	SE
CAP167V	AL	F-A-08-013-001	25	SCREW	SCREW, CAP, QA 3, SCREW, RECORDER; CAP,HEX,SOC HD,CRES,4-40 UNC-2A X 3/8 IN LONG FOR PSR	3	B	6695D	SE
CAP170J	AL	F-A-08-013-001	12	SCREW	SCREW, CAP, QA 3, SCREW, RECORDER; CAP,HEX, SOC HD, CRES, 4-40 UNC-2A X 3/16 IN FOR PSR	3	B	6695D	SE
CAP174Y	AL	F-A-08-013-001	6	SCREW	SCREW, CAP, QA 3, SCREW, RECORDER; CAP,HEX , SOC HD, CRES,4-40 UNC-2A X 1-3/8 IN FOR PSR	3	B	6695D	SE
CBA361W	AL	D-B-25-302-004	1	SCREW	SCREW, SOCKET, QA 1, SCREW, PUMP; SOCKET HEAD CAP, STAINLESS STEEL, IMPELLER NUT LOCK	1	C	4320U	SE
CBA443X	AL	D-A-18-202-001	99	SCREW	SCREW, MACHINE, QA 0, #10, 2-1/2 IN, 24, HEX HEAD, SS, AISI 18-8, B18.6.3	0		5305J	SE
CBD686G	AL	D-A-35-201-004	159	SCREW	SCREW, MACHINE, QA 2, SCREW, MACHINE; HEAD STYLE: FLAT, MATERIAL: STAINLESS STEEL, NOMINAL	2	C	5305J	SE
CBD688C	AL	D-A-35-201-004	150	SCREW	SCREW, MACHINE, QA 2, SCREW, MACHINE; HEAD STYLE: HEXAGON, MATERIAL: BRASS, NOMINAL	2	C	5305J	SE
CBE288P	AL	D-A-35-201-002	212	SCREW	SCREW, TAPPING, QA 2, SCREW, TAPPING; HEAD STYLE: FLAT, MATERIAL: CARBON STEEL, NOMINAL	2	C	5305J	SE
CBV853F	AL	F-B-08-103-000	569	SCREW	SCREW, MACHINE, QA 2, SCREW, MACHINE; HEAD STYLE: PAN, MATERIAL: BRASS, NOMINAL DIAMETER: NO	2	C	5305J	SE
CBW565F	AL	D-A-35-201-004	468	SCREW	SCREW, MACHINE, QA 2, SCREW, MACHINE; HEAD STYLE: PAN, MATERIAL: STAINLESS STEEL, NOMINAL	2	C	5305J	SE
CBW832J	AL	D-A-20-402-005	163	SCREW	SCREW, MACHINE, QA 2, SCREW, MACHINE; HEAD STYLE: HEXAGON, MATERIAL: STAINLESS STEEL	2		5305J	SE
CBY314Y	AL	D-A-16-201-002	16	SCREW	SCREW, CAP, QA 1, CLASS 2, 1/4 IN, 1-1/2 IN, 20, HEX, ALLOY STEEL, ASME SA354 GR BD, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1		5305J	SE
CDY854H	AL	D-A-16-201-002	136	SCREW	SCREW, MACHINE, QA 2, SCREW, MACHINE; HEAD STYLE: PAN, MATERIAL: BRASS, NOMINAL DIAMETER: NO	2		5305J	SE
CEL068B	AL	D-A-20-402-002	1	SCREW	SCREW, SET, QA 3, #10, 1/2 IN, 24, CUP, ALLOY STEEL	3		5305J	SE
CEM585T	AL	D-A-14-301-001	2	SCREW	SCREW, CAP, QA 1, SCREW, CAP; DIAMETER: 1-3/4 IN; LENGTH: 8-1/2 IN; TPI: 8; MATERIAL:	1	C	5305J	SE
CEM585T	AL	D-A-14-301-002	7	SCREW	SCREW, CAP, QA 1, SCREW, CAP; DIAMETER: 1-3/4 IN; LENGTH: 8-1/2 IN; TPI: 8; MATERIAL:	1	C	5305J	SE
CEN328A	AL	D-B-19-202-001	2	SCREW	SCREW, SOCKET, QA 0, 5/8 IN, 2 IN, 11, CS, UNC, ASTM A574, HEAD: SOCKET; THREAD DIRECTION: RIGHT HAND	0		5305J	SE
CGM492M	AL	D-B-21-104-001	1	SCREW	SCREW, TYPICAL, QA 1, VALVE, STEEL	1	C	48200	SE
ADY554C	AL	L-A-09-000-002	2	SCREW	SCREW, CAP, QA 3, 5/16 IN, 1 IN, SOCKET, SCREW, NEUTRON MONITOR; CAP, SOCKET HEAD, 0.3125 X 1 IN, FOR NEUTRON	3	C	4470C	SE
AFF698L	AL	P-A-LL-ET0-042	40	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; EVERDUR, 000.375 X 001.250 IN LG, FOR CONTROL	1	C	4470C	SE
AFF705K	AL	M-A-08-000-002	2	SCREW	SCREW, MACHINE, QA 0, 1/4 IN, 1-1/2 IN, ***	0	P	4320U	SE
AFF592V	AL	L-A-09-000-002	6	SCREW	SCREW, TYPICAL, QA 0, SCREW, ; ADJUSTING, FOR TYPE HFA RELAY ***	0	P	5945D	SE
AFW138Q	AL	M-A-16-000-002	12	SCREW	SCREW, TYPICAL, QA 2, SCREW ASSY, ; ZERO, FOR FOXBORO CO TRANSMITTER, SERIES E10 ***	2	P	6695D	SE
AHX313F	AL	L-A-09-000-002	31	SCREW	SCREW, TYPICAL, QA 0, BRASS, *** MOVEMENT LINKAGE, 0 TO 80, FOR CONTROL-INDICATOR, DIFFERENTIAL	0	P	6695D	SE
AKW045X	AL	L-A-09-000-002	9	SCREW	SCREW, TYPICAL, QA 0, *** FOR GE RECORDER, MULTIPLE PURPOSE, TYPE HG, MODEL 8HG1A20924	0	P	6695D	SE
ALD194W	AL	L-A-12-000-002	5	SCREW	SCREW, CAP, QA 1, SCREW, CAP; SOCKET HEAD PRESSURE REDUCING CELL, FOR SEAL CARTRIDGE	1	C	4320U	SE
ALF393C	AL	M-A-10-000-002	15	SCREW	SCREW, TYPICAL, QA 3, STEEL, SCREW, DRIVE; PRIMARY INSERT, STYLE 70001DA4BT, FOR STEAM GENERATOR,	3	C	4410C	SE
ALJ155D	AL	M-A-08-000-002	4	SCREW	SCREW, SOCKET, QA 1, SCREW,CAP,SOCKET HEA, ; STEEL, 000.250 X 000.750 IN LG, FOR VALVE	1	P	48200	SE
ALJ855G	AL	M-A-08-000-002	8	SCREW	SCREW, SOCKET, QA 1, SCREW, CAP; HEAD STYLE: SOCKET, MATERIAL: ALLOY STEEL, NOMINAL	1	C	5305J	SE
AMW964H	AL	M-A-08-000-002	2	SCREW	SCREW, SOCKET, QA 0, SCREW,CAP,SOCKET HEA, ; HUB, FOR DEADWEIGHT TESTER TYPE T ***	0	P	5305J	SE
ANN567L	AL	L-A-09-000-002	19	SCREW	SCREW, MACHINE, QA 0, 5/8 IN, 2.0 IN, 11, UNC, ***	0	P	5305J	SE
ANW926K	AL	M-A-09-000-002	8	SCREW	SCREW, TYPICAL, QA 2, SCREW, VENT,TRANSMITTER; 316 STAINLESS STEEL, FOR TRANSMITTER	2	P	6695D	SE
AQV549G	AL	L-A-03-000-002	5	SCREW	SCREW, MACHINE, QA 0, 5/16 IN, 3/8 IN, STEEL, ***	0	P	5305J	SE
AQX356H	AL	L-A-09-000-002	12	SCREW	SCREW, TURBINE, QA 0, SCREW, STEAM TURBINE; FLAT HEAD, FOR STEAM DEFLECTOR(DFTE DFGE), STAGE	0	C	2825G	SE
ARB218L	AL	M-A-03-000-002	12	SCREW	SCREW, CAP, QA 2, SCREW,CAP,HEXAGON H, ; 0.37 X 4.5 IN LONG, FOR DIESEL ENGINE, MODEL	2	P	29100	SE
ARB242P	AL	L-A-03-000-002	566	SCREW	SCREW, MACHINE, QA 0, 3/8 IN, 1-1/2 IN, 16, ROUND HEAD, BRASS, UNC, SLOTTED	0	P	5305J	SE
ARC935J	AL	M-A-16-000-002	5	SCREW	SCREW, SET, QA 1, SCREW, SET; HOUSING,UPPER SEAL,SPIN RCPDAFOR REACTOR COOLANT PUMP	1	P	4470C	SE
ARH450W	AL	M-A-08-000-002	199	SCREW	SCREW, CAP, QA 0, HEX, *** SPECIAL, FOR DIESEL ENGINE, MODEL 20-645-E4	0	P	29100	SE
ARJ480E	AL	T-A-01-000-002	47	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; ALLOY STEEL ASME SA 193 GR B7 G41400, NOMINAL	1	P	5305J	SE
ARJ485Q	AL	T-A-01-000-002	30	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; ALLOY STEEL ASME SA 193 GR B7 G41400, NOMINAL	1	C	5305J	SE
ARJ735V	AL	M-A-03-000-002	30	SCREW	SCREW, TURBINE, QA 0, SCREW, CAP; REFERENCE 21, FOR THROTTLE VALVE, IL 1250-4017B AND REHEAT	0	C	2825G	SE
ARJ952K	AL	M-A-13-000-002	8	SCREW	SCREW, CAP, QA 2, SCREW,CAP,HEXAGON H, ; CARBON STEEL, 000.500-20 X 002.250 IN LG, NF	2	P	29100	SE
ARL024A	AL	M-A-03-000-002	100	SCREW	SCREW, CAP, QA 2, SCREW,CAP,HEXAGON H, ; STEEL, 000.250 X 002.750 IN LG, NC, MAIN	2	P	29100	SE
ARL031D	AL	M-A-13-000-002	16	SCREW	SCREW, SET, QA 2, SCREW, GENERATOR; KNURLED ALLEN HEAD, 000.375 X 000.750 IN LG, NC	2	P	29100	SE
ARL039W	AL	M-A-13-000-002	4	SCREW	SCREW, CAP, QA 2, SCREW,CAP,HEXAGON H, ; STEEL, 000.875 X 003.000 IN LG, NF, C/W WASHER	2	P	29100	SE
ARL999E	AL	L-A-09-000-002	9	SCREW	SCREW, SOCKET, QA 0, 3/4 IN, 2 IN, 10, UNC, SCREW,CAP,SOCKET HEA, ; HEX 8320, SUPPLEMENTAL EQUIP, 0.75-10 UNC X 2	0	P	4320U	SE
ARN860F	AL	L-A-09-000-002	214	SCREW	SCREW, MACHINE, QA 0, #10, 7/8 IN, 32, FILLISTER HEAD, CARBON STEEL, UNF, SCREW, MACHINE; HEAD STYLE: FILLISTER, MATERIAL: CARBON STEEL NOMI	0	P	5305J	SE
ARN889B	AL	L-A-09-000-002	57	SCREW	SCREW, MACHINE, QA 0, #10, 1 IN, 32, FILLISTER HEAD, STAINLESS STEEL, UNF, SCREW, MACHINE; HEAD STYLE: FILLISTER, MATERIAL: STAINLESS STEEL	0	P	5305J	SE
ARQ305P	AL	T-A-01-000-002	5	SCREW	SCREW, TYPICAL, QA 2, SCREW, VALVE; BELLOW SUPPORT, 18-8 S. S., FOR CONTROL VALVE, DWG NO.	2	C	48200	SE
ATE414Y	AL	P-A-LL-ET0-063	6	SCREW	SCREW, TYPICAL, QA 1, SCREW, PUMP; DWG Z-6315 ITEM 32, WEARING RING RETAINING SCREW, FOR MDL	1	C	4320U	SE

AVF599C	AL	M-A-16-000-002	2	SCREW	SCREW, TYPICAL, QA 2, SCREW, ; BRASS,ZERO ADJUSTMENT, FOR MOD T-25DD TRANSDUCER,10-50 MA DC	2	P	6625D SE
AWB959N	AL	L-A-03-000-002	2	SCREW	SCREW, SOCKET, QA 0, 5/8 IN, 1-3/4 IN, 11, UNC, SCREW, SELF-LOCKING; CAP, SOCKET HEAD, 000.625-11UNC X 001.750 IN, REF	0	P	4320U SE
AWH663D	AL	T-A-01-000-002	50	SCREW	SCREW, MACHINE, QA 3, SCREW, MACHINE; STEEL, CADMIUM PLATED, NO 8-32 UNC X 000.250 IN LONG	3	P	5305J SE
AWK313Y	AL	L-A-13-000-002	7	SCREW	SCREW, CAP, QA 0, 1 IN, 2 IN, HEX, STEEL, SCREW,CAP,HEXAGON H, ; STEEL, SPEICAL PURPOSE, 001.000 DIA X 0002.000	0	P	5305J SE
AWP102Q	AL	T-A-01-000-002	135	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: STAINLESS STEEL, NOMINAL	1	C	5305J SE
AWV953G	AL	T-A-05-000-002	277	SCREW	SCREW, TYPICAL, QA 0, SCREW ASSY, ; C/O SAFETY STUD AND BINDING HEAD, FOR ELEVATORS ***	0	C	3960D SE
AWW286Q	AL	T-A-01-000-002	38	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: STAINLESS STEEL, NOMINAL	1	C	5305J SE
AWX960L	AL	P-A-LL-ET0-063	98	SCREW	SCREW, CAP, QA 0, 7/16 IN, 2-1/16 IN, 20, HEX, BRASS, UNF, SCREW,CAP,HEXAGON H, ; BRASS, 000.437 IN - 20 UNF X 002.062 IN LONG	0	C	3040D SE
AWY408V	AL	M-A-16-000-002	36	SCREW	SCREW, MACHINE, QA 3, SCREW, MACHINE; ROUND HEAD, PHILLIPS, 4-40 X 000.250 IN, 10 PER	3	P	5305J SE
AXF559C	AL	T-A-01-000-002	22	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; ALLOY STEEL ASME SA 193 GR B7 G41400, NOMINAL	1	P	5305J SE
AXP082K	AL	L-A-09-000-002	18	SCREW	SCREW, MACHINE, QA 0, 1/4 IN, 1-1/4 IN, 28, ROUND HEAD, CARBON STEEL, ***	0	P	5305J SE
AXP347J	AL	L-A-09-000-002	15	SCREW	SCREW, CAP, QA 3, SCREW, CAP; CARBON STEEL, NOMINAL DIA .25 IN, FASTENER LG 1.375 IN	3	P	61100 SE
AXP351V	AL	L-A-09-000-002	11	SCREW	SCREW, MACHINE, QA 3, SCREW, MACHINE; 1/4" DIA, FOR SUPPORT PLATE ASSY ON ELECTRIC BRAKE	3	P	5305J SE
AXX982Q	AL	M-A-16-000-002	2	SCREW	SCREW, CAP, QA 1, SCREW, VALVE; HEX HEAD, STEEL ASME SB164 CLASS A, REF 10, FOR 6X10 IN	1	P	48200 SE
AYF722M	AL	L-A-03-000-002	41	SCREW	SCREW, MACHINE, QA 0, #10, 3/4 IN, 32, SS, UNF	0	P	5305J SE
BBE983C	AL	L-A-03-000-002	474	SCREW	SCREW, MACHINE, QA 3, SCREW, MACHINE; PAN HEAD, BRASS, NOMINAL DIA .312 IN, THREAD 18, UNC	3	P	5305J SE
BBL607B	AL	L-A-09-000-002	10	SCREW	SCREW, TYPICAL, QA 2, SCREW, POSITIONER; SEALING, FOR POSITIONER, MODEL74N ***	2	C	48200 SE
BBV726X	AL	L-A-03-000-002	307	SCREW	SCREW, SET, QA 1, 1/4 IN, 3/8 IN, 20, HALF DOG, ALLOY STEEL, HEX SOCKET, ASTM F912, UNC, 2A, B18.3	1	P	5305J SE
BCA742H	AL	L-A-03-000-002	20	SCREW	SCREW, MACHINE, QA 0, #8, 1/4 IN, 32, *** FOR SELF-CONTAINED BREATHING APPARATUS	0	P	5305J SE
BCF307B	AL	L-A-09-000-002	12	SCREW	SCREW, MACHINE, QA 0, #10, 1/4 IN, 32, PAN HEAD, BRASS, UNF, SCREW, MACHINE; PAN HEAD, BRASS, 10-32X 0.25 IN NPT, FOR SELF	0	P	5305J SE
BDE738D	AL	M-A-01-000-002	22	SCREW	SCREW, CAP, QA 1, CLASS 3, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA 193, GR B6 S41000	1	C	4320U SE
BDK964A	AL	M-A-11-000-002	1	SCREW	SCREW, TAPPING, QA 3, SCREW,TAPPING,THD FO, ; CARBON STEEL, AISI 1020, SAE G10200, TYPE T	3	P	5305J SE
BEM324Y	AL	L-A-03-000-002	65	SCREW	SCREW, MACHINE, QA 3, #6, 3/8 IN, 32, PAN HEAD, CS, UNC, ZINC PLATED, CROSS RECESS, B18.6.3	3	C	5305J SE
BEP523E	AL	M-A-03-000-002	34	SCREW	SCREW, CAP, QA 1, SCREW,CAP,FLAT HEAD, ; CARBON STEEL, ASME SA307, GRADE A, SLOTTED	1	P	5305J SE
BEY035E	AL	T-A-02-000-002	52	SCREW	SCREW, SOCKET, QA 0, HEX, 7/8 IN, 3 IN, 9, ALLOY STEEL, UNC, HEAT TREATED, SCREW,CAP,SOCKET HEA, ; ALLOY STEEL, NOMINAL DIA .875 IN, THREAD	0	P	5305J SE
BFH384T	AL	M-A-03-000-002	200	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; FLAT HEAD, STAINLESS STEEL AISI 304 S30400, NUMBER	1	P	5305J SE
BFH405E	AL	M-A-03-000-002	600	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; STAINLESS STEEL, TYPE 302 OR 304, FLAT HEAD, NO 10-24	1	P	5305J SE
BFQ527T	AL	L-A-03-000-002	1	SCREW	SCREW, SET, QA 0, #2, 1/8 IN, #6, UNC, SCREW SET, ; FLUTED HEAD 2-56 X 0.125 IN, FOR TRANSMITTER, PRESSURE	0	P	6695D SE
BFR507W	AL	- - - -	30	SCREW	SCREW, SET, QA 1, SCREW, SET; STAINLESS STEEL AISI 316 S31600, NOMINAL DIA .25 IN	1	B	5305J SE
BFR507W	AL	M-A-11-000-002	30	SCREW	SCREW, SET, QA 1, SCREW, SET; STAINLESS STEEL AISI 316 S31600, NOMINAL DIA .25 IN	1	B	5305J SE
BFR806J	AL	M-A-03-000-002	200	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; PAN HEAD, STAINLESS STEEL, NUMBER SIZE 10, THD 24	1	P	5305J SE
BFW012Y	AL	M-A-03-000-002	400	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; PAN HEAD, STAINLESS STEEL, TYPE 302, GEN PURPOSE 18-8	1	B	5305J SE
BGE245J	AL	M-A-12-000-002	49	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; CARBON STEEL ASME SA 307 GR A, NOMINAL DIA .625	1	P	5305J SE
BHD388T	AL	T-A-01-000-002	2	SCREW	SCREW, SOCKET, QA 1, SCREW,CAP,SOCKET HEA, ; 0.099-48 X 0.187 IN, FOR TRANSMITTER	1	P	6695D SE
BHF667C	AL	T-A-01-000-002	210	SCREW	SCREW, CAP, QA 2, SCREW, CAP; DIAMETER: 1/4 IN; LENGTH: 3/4 IN; TPI: 20; MATERIAL: CS;	2	P	5305J SE
BHJ847T	AL	M-A-09-000-002	355	SCREW	SCREW, TAPPING, QA 3, SCREW,TAPPING,THD FO, ; PAN HEAD, CARBON STEEL, NUMBER SIZE 8, NOMINAL	3	P	5305J SE
BHK993A	AL	M-A-16-000-002	150	SCREW	SCREW, MACHINE, QA 3, SCREW, MACHINE; STEEL, CADMIUM PLATED, NO 4-40 UNC X 0.375 IN LONG	3	P	5305J SE
BHP340F	AL	T-A-01-000-002	45	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8M S31600	1	P	5305J SE
BHP880E	AL	L-A-09-000-002	35	SCREW	SCREW, LAG, QA 0, HEX, 1/4 IN, 1-1/2 IN, CS, **	0	P	5305J SE
BHV852K	AL	L-A-09-000-002	31	SCREW	SCREW, TYPICAL, QA 3, SCREW, CONTROLLER; COVER, FOR CONTROLLER, PNEUMATIC, SERIES RP908A ***	3	P	6695D SE
BHX790G	AL	L-A-03-000-002	111	SCREW	SCREW, MACHINE, QA 3, SCREW, MACHINE; SLOTTED, 0.75 DIA X 3 IN LONG,THREADED, GROOVE 0.25 IN	3	P	61100 SE
BJE199J	AL	L-A-09-000-002	5	SCREW	SCREW, CAP, QA 3, SCREW, DIESEL ENGINE; CAP, HEXAGON H, CARBON STEEL, 0.25 X 1 IN LONG	3	C	29100 SE
BJL749A	AL	T-A-01-000-002	18	SCREW	SCREW, TYPICAL, QA 3, SCREW, VALVE; STEEL, ZINC PLATED, 0.3125 DIA X 1.5 IN LONG, REF 19, DWG	3	P	48200 SE
BJR243H	AL	L-A-03-000-002	4	SCREW	SCREW, SET, QA 3, SCREW, SET; ALLOY STEEL, NOMINAL DIA .25 IN, THD 28, UNF, FASTENER LG	3	P	5305J SE
BJV808H	AL	T-A-01-000-002	6	SCREW	SCREW, TYPICAL, QA 3, SCREW, VALVE; STAINLESS STEEL, AISI 303, SILVER PLATED, ADJUSTMENT	3	P	48200 SE
BJY999Y	AL	T-A-01-000-002	20	SCREW	SCREW, TYPICAL, QA 3, SCREW, VALVE; HANDWHEEL, STEEL, REF 12, FOR DIAPHRAGM STOP VALVE, 0.75	3	P	48200 SE
BKB568N	AL	L-A-09-000-002	42	SCREW	SCREW, MACHINE, QA 3, SCREW, MACHINE; FILLISTER HEAD, CARBON STEEL, NUMBER SIZE 8, NOMINAL	3	P	4710Y SE
BKE221E	AL	T-A-01-000-002	12	SCREW	SCREW, TYPICAL, QA 3, SCREW, VALVE; ALLOY STEEL ASTM A193 GR B8M CLASS 2, DWG	3	C	48200 SE
BKT083Q	AL	L-A-09-000-002	573	SCREW	SCREW, TAPPING, QA 3, PAN HEAD, 1-1/2 IN, #10, CS, ZINC PLATED, SLOTTED, B18.6.4, AB	3	C	5305J SE
BKY585L	AL	L-A-03-000-002	325	SCREW	SCREW, TYPICAL, QA 2, SCREW, ; 6-32, CARBON STEEL, FOR RHR WATER PUMP DISCHARGE PRESSURE	2	P	6695D SE
BKY587G	AL	L-A-03-000-002	311	SCREW	SCREW, TYPICAL, QA 2, SCREW, ; 8-32, CARBON STEEL, FOR RHR SERVICE WATER PUMP DISCHARGE	2	P	6695D SE
BLD889H	AL	M-A-02-000-002	99	SCREW	SCREW, SET, QA 3, SCREW, SET; NOMINAL DIA 0.3125 IN, THD 24 UNC, FASTENER LG 0.375 IN	3	C	5305J SE
BLF354F	AL	M-A-02-000-002	505	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; FLAT HEAD, COUNTERSUNK, CROSS RECESSED, TYPE 1 OR 2	1	P	5305J SE
BLJ364W	AL	M-A-09-000-002	276	SCREW	SCREW, CAP, QA 2, SCREW,CAP,HEXAGON H, ; CARBON STEEL, ASTM A449, TYPE 1, 0.75-16 UNF X	2	P	5305J SE
BLL095A	AL	M-A-09-000-002	120	SCREW	SCREW, CAP, QA 2, SCREW,CAP,HEXAGON H, ; CARBON STEEL ASTM A449 TYPE 1,CAP H/H 0.875-9	2	P	5305J SE
BLM318L	AL	M-A-02-000-002	3900	SCREW	SCREW, CAP, QA 3, SCREW,CAP,HEXAGON H, ; CAP, BRASS, HEX HEAD, 0.375-16 UNC X 0.5 IN ***	3	P	5305J SE
BLM319J	AL	M-A-02-000-002	1000	SCREW	SCREW, CAP, QA 3, SCREW,CAP,HEXAGON H, ; CAP, BRASS, HEX HEAD, 0.375-16 UNC X 0.75 IN	3	P	5305J SE
BLM371G	AL	L-A-03-000-002	3	SCREW	SCREW, SET, QA 1, #10, 1/4 IN, 32, CUP, BRASS, HEX SOCKET, UNF, 3A, B18.6.3, ASTM B16 HARD TEMPER H04, DWG GEG-30707 C016 ITEM 180, TRAVEL S	1	P	48200 SE
BLP343B	AL	L-A-02-000-002	335	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 0.5-13 UNC	1	P	5305J SE
BLP567L	AL	M-A-16-000-002	20	SCREW	SCREW, MACHINE, QA 3, SCREW, MACHINE; INSTRUMENT, SLOTTED, NO HEAD, FOR TRANSMITTER	3	P	6695D SE
BLQ391T	AL	L-A-03-000-002	90	SCREW	SCREW, MACHINE, QA 0, 1/4 IN, PHILLIPS, *** FOR INTEGRATOR, PNEUMATIC, MODEL 14A-EP.	0	P	6695D SE
BLV267C	AL	M-A-03-000-002	3	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; FLISTER HEAD, NO 8-32 UNC X 0.25 IN LG, FOR TUBE	1	P	4710Y SE
BMA896X	AL	L-A-03-000-002	7	SCREW	SCREW, CAP, QA 0, 1/4 IN, 1-1/4 IN, 20, HEX, SCREW, ; CAP, PLATED, 0.25-20 X 1.25 IN, SO WAT-902, SPIN WAT-CNSSTS	0	P	5305J SE
BNH378A	AL	M-A-16-000-002	160	SCREW	SCREW, TYPICAL, QA 3, SCREW, ; SCREW, FOR TOP COVER OF SPING-3/4 RADIATION MONITOR. ***	3	P	6630D SE
BNQ518G	AL	M-A-12-000-002	122	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; CARBON STEEL, ASTM A449, TYPE 1, CADMIUM	1	P	5305J SE
BPH242X	AL	T-A-01-000-002	5	SCREW	SCREW, CAP, QA 3, SCREW,CAP,HEXAGON H, ; 1/4 IN-20 X 0.75 IN LONG, NO 2 SEAL STOP, DWG	3	P	4320U SE
BRX261F	AL	L-A-03-000-002	25	SCREW	SCREW, CAP, QA 1, CLASS 2, 1/4 IN, 1 IN, 20, HEX, CS, ASME SA307 GR A, UNC, 2A, ZINC COATED/MECH. DEPOSIT	1	C	5305J SE
BRY390A	AL	M-A-15-000-002	6	SCREW	SCREW, SET, QA 1, SCREW, PUMP; MATL:318, 5/16-24 X 1/2 IN, FOR SIZE 3HMTA-9,500 GPM, 2950	1	B	4320U SE
BT962C	AL	L-A-15-000-002	30	SCREW	SCREW, MACHINE, QA 0, 1/4 IN, 1-1/4 IN, FLAT COUNTERSUNK, ASTM A325, PHILLIPS, SCREW, PIPE HANGER; MACHINE, CROSS RECESSED, FLAT HEAD, 1/4"	0	C	4710Y SE
BTD872X	AL	P-A-LL-ET0-108	2	SCREW	SCREW, CAP, QA 1, SCREW, PUMP; CAP, FOR CORE SPRAY PUMP, MODEL CVDS, 12 X 16 X 14-1/2	1	C	4320U SE
BTH789V	AL	L-A-09-000-002	495	SCREW	SCREW, TAPPING, QA 3, SCREW, TAPPING; HEAD STYLE: PAN, MATERIAL: STAINLESS STEEL, NOMINAL	3	C	5305J SE
BTH790N	AL	L-A-09-000-002	495	SCREW	SCREW, TAPPING, QA 3, 3/8 IN, #6, SS, CROSS RECESSED, B18.6.4, SCREW, TAPPING; HEAD STYLE: PAN, MATERIAL: STAINLESS STEEL, NOMINAL	3	C	5305J SE
BTH796Y	AL	L-A-09-000-002	288	SCREW	SCREW, TAPPING, QA 3, 1/2 IN, #6, SS, CROSS RECESSED, B18.6.4, SCREW, TAPPING; HEAD STYLE: PAN, MATERIAL: STAINLESS STEEL, NOMINAL	3	C	5305J SE
BTH797W	AL	L-A-09-000-002	271	SCREW	SCREW, TAPPING, QA 3, PAN HEAD, 3/4 IN, #6, SS, AISI 18-8, CROSS RECESSED, B18.6.4, AB	3	C	5305J SE
BTH798T	AL	L-A-09-000-002	495	SCREW	SCREW, TAPPING, QA 3, SCREW, TAPPING; HEAD STYLE: PAN, MATERIAL: STAINLESS STEEL, NOMINAL	3	C	5305J SE

BTH799Q	AL	L-A-09-000-002	495	SCREW	SCREW, TAPPING, QA 3, SCREW, TAPPING; HEAD STYLE: PAN, MATERIAL: STAINLESS STEEL, NOMINAL	3	C	5305J SE
BTH805R	AL	L-A-09-000-002	345	SCREW	SCREW, TAPPING, QA 3, 1-1/2 IN, #8, SS, CROSS RECESSED, B18.6.4, SCREW, TAPPING; HEAD STYLE: PAN, MATERIAL: STAINLESS STEEL, NOMINAL	3	C	5305J SE
BTH806P	AL	L-A-09-000-002	495	SCREW	SCREW, TAPPING, QA 3, SCREW, TAPPING; HEAD STYLE: PAN, MATERIAL: STAINLESS STEEL, NOMINAL	3	C	5305J SE
BTH807M	AL	L-A-09-000-002	15	SCREW	SCREW, TAPPING, QA 3, PAN HEAD, 1/2 IN, #10, SS, AISI 18-8, CROSS RECESSED, B18.6.4, AB, TPI: 16	3	C	5305J SE
BTH813R	AL	L-A-09-000-002	360	SCREW	SCREW, TAPPING, QA 3, 1-1/4 IN, #12, SS, CROSS RECESSED, B18.6.4, PAN, MATERIAL, NOMINAL DIAMETER: 0.216, GIMLET TYPE AB	3	C	5305J SE
BTH814P	AL	L-A-09-000-002	395	SCREW	SCREW, TAPPING, QA 3, SCREW, TAPPING; HEAD STYLE: PAN, MATERIAL: STAINLESS STEEL, NOMINAL	3	C	5305J SE
BTH815M	AL	L-A-09-000-002	381	SCREW	SCREW, TAPPING, QA 3, PAN HEAD, 1-1/2 IN, 1/4 IN, SS, AISI 18-8, CROSS RECESSED, B18.6.4, AB, TPI: 14	3	C	5305J SE
BTK743A	AL	M-A-04-000-002	4	SCREW	SCREW, MACHINE, QA 3, SCREW, RECORDER; MACHINE, FLAT HEAD, BRASS, NO 10-32 UNF X 000.531 IN	3	B	6695D SE
BTK766X	AL	M-A-06-000-002	194	SCREW	SCREW, MACHINE, QA 3, SCREW, RECORDER; MACHINE, PAN HEAD, CARBON STEEL, NUMBER SIZE 4	3	B	6695D SE
BTR859P	AL	P-A-LL-ET0-082	10	SCREW	SCREW, TYPICAL, QA 1, SCREW, CIRCUIT BREAKER; AK-2A-50S-2 QUICK CLOSING RELEASE LATCH CAM	1	C	5925B SE
BTT442L	AL	L-A-09-000-002	2	SCREW	SCREW, CAP, QA 3, SCREW, VALVE; ALLEN, SPARE PART, FOR ADAPTO-GEAR OPERATOR ***	3	B	48200 SE
BTT446C	AL	L-A-09-000-002	1	SCREW	SCREW, CAP, QA 3, SCREW, VALVE; CAP, SPARE PART, FOR ADAPTO-GEAR OPERATOR ***	3	B	48200 SE
BTT452H	AL	L-A-09-000-002	1	SCREW	SCREW, CAP, QA 3, SCREW, VALVE; CAP, SPARE PART, FOR ADAPTO-GEAR OPERATOR ***	3	B	48200 SE
BTY230T	AL	M-A-12-000-002	9	SCREW	SCREW, SOCKET, QA 1, SCREW, CAP; HEAD STYLE: SOCKET, MATERIAL: STAINLESS STEEL, NOMINAL	1	C	5305J SE
BTY934A	AL	L-A-03-000-002	664	SCREW	SCREW, MACHINE, QA 1, #8, 3/4 IN, 32, PAN HEAD, BRASS, UNC, 2A, SLOTTED, B18.6.3	1	C	5305J SE
BTY969N	AL	L-A-03-000-002	627	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; HEAD STYLE: PAN, MATERIAL: BRASS, NOMINAL DIAMETER:	1	C	5305J SE
BTY990B	AL	L-A-09-000-002	364	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; HEAD STYLE: PAN, MATERIAL: BRASS, NOMINAL DIAMETER:	1	C	5305J SE
BVA050L	AL	L-A-09-000-002	50	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: BRASS, NOMINAL DIAMETER:	1	C	5305J SE
BVA055Y	AL	L-A-09-000-002	50	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: BRASS, NOMINAL DIAMETER:	1	C	5305J SE
BVA064X	AL	L-A-09-000-002	95	SCREW	SCREW, CAP, QA 1, 5/8 IN, 1-1/2 IN, 11, HEX, BRASS, UNC, 2A, B18.2.1	1	C	5305J SE
BVA068M	AL	L-A-09-000-002	50	SCREW	SCREW, CAP, QA 1, 3/4 IN, 2 IN, 10, HEX, BRASS, UNC, 2A, B18.2.1	1	C	5305J SE
BVA926A	AL	L-A-08-000-002	24	SCREW	SCREW, MACHINE, QA 1, 1/4 IN, 1 IN, 20, HEX HEAD, SS, AISI 18-8, UNC, 2A, B18.6.3	1	C	5305J SE
BVB529F	AL	L-A-03-000-002	1	SCREW	SCREW, CAP, QA 1, CLASS 1, SCREW, CAP; DIAMETER: 2-1/2 IN; LENGTH: 12 IN; TPI: 8; MATERIAL: ALLOY	1	C	5305J SE
BVG428V	AL	T-A-01-000-002	6	SCREW	SCREW, CAP, QA 1, 1/2 IN, 2-1/2 IN, 13, HEX, SS, ASTM A193 GR B8 CL 1, UNC, 2A, B18.2.1	1	C	48200 SE
BVH515V	AL	T-A-01-000-002	4	SCREW	SCREW, SOCKET, QA 0, FLAT COUNTERSUNK, FOR MAIN STEAM DUMP VALVE ACTUATORS MODEL NO. D100-160	0	C	48200 SE
BVL951P	AL	L-A-03-000-002	4	SCREW	SCREW, TYPICAL, QA 3, PUMP, STEEL, SCREW, PUMP; SCREW FOR COUPLING PN# 0556A10215A001-K-9,	3	C	4320U SE
BWD028C	AL	L-A-09-000-002	1	SCREW	SCREW, CAP, QA 3, HEX, SCREW, CONTROLLER; FOR CONTROLLER, POSITIONER, VALVE, MODELS 7000	3	C	6695D SE
BWH058E	AL	L-A-07-000-002	19	SCREW	SCREW, TAPPING, QA 1, 3/4 IN, #8, CS, SLOTTED, B18.6.4, SCREW, TAPPING; HEAD STYLE: PAN, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J SE
BWK665P	AL	T-A-01-000-002	73	SCREW	SCREW, CAP, QA 0, 5/16 IN, 1 IN, 18, HEX, BRASS, SCREW, TRANSFORMER; 5/16", 18 THREAD PER INCH, HEX CAP, BRASS, FOR	0	C	5950N SE
BWK932T	AL	L-A-03-000-002	2	SCREW	SCREW, MACHINE, QA 3, SCREW, CONTROLLER; MACHINE SCREW, FOR DIAL, 5-40 X 0.25 IN, FOR CASHCO	3	B	6695D SE
BWM993V	AL	T-A-01-000-002	28	SCREW	SCREW, THUMB, QA 3, SCREW, FINGER; SCREW, KNURLED HEAD FINGER, DIAMETER: 0.312" NOMINAL	3	C	5305J SE
BWN607P	AL	T-A-01-000-002	38	SCREW	SCREW, SOCKET, QA 0, 1/2 IN, 2-3/4 IN, 13, CS, ASTM A574, ***	0	D	48200 SE
BXD133J	AL	L-A-09-000-002	8	SCREW	SCREW, TYPICAL, QA 0, VALVE, FOR HEATER DRAIN LEVEL CONTROL VALVE, POSITION TYPE 3560.	0	C	48200 SE
BYG274A	AL	M-A-12-000-002	1	SCREW	SCREW, TYPICAL, QA 3, SCREW, VALVE; GLAND SCREW, ASTM A193 GR B7, FOR 1 1/2 IN, 600 PSI	3	C	48200 SE
BYL311A	AL	L-A-03-000-002	11	SCREW	SCREW, CAP, QA 1, CLASS 2, 1/4 IN, 1-1/2 IN, 20, HEX, ALLOY STEEL, ASME SA193 GR B7, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1	C	5305J SE
BYL500K	AL	M-A-01-000-002	1700	SCREW	SCREW, CAP, QA 1, CLASS 2, 5/16 IN, 1-1/2 IN, 18, HEX, SS, ASME SA193 GR B8M CLASS 1, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1	C	5305J SE
BYL571F	AL	L-A-13-000-002	15	SCREW	SCREW, CAP, QA 1, CLASS 2, 3/8 IN, 1 IN, 16, HEX, ALLOY STEEL, ASME SA193 GR B7, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1	C	5305J SE
BYL626G	AL	L-A-06-000-002	38	SCREW	SCREW, CAP, QA 1, CLASS 2, 3/8 IN, 1-1/2 IN, 16, HEX, SS, ASME SA193 GR B6, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1	C	5305J SE
BYL699L	AL	L-A-06-000-002	200	SCREW	SCREW, MACHINE, QA 1, CLASS 2, SCREW, MACHINE; HEAD STYLE: HEXAGON, MATERIAL: STAINLESS STEEL	1	C	5305J SE
BYM799B	AL	L-A-09-000-002	10	SCREW	SCREW, CAP, QA 1, CLASS 2, 5/8 IN, 3 IN, 11, HEAVY HEX, SS, ASME SA193 GR B8M, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1	C	5305J SE
BYR494D	AL	L-A-09-000-002	12	SCREW	SCREW, CAP, QA 1, CLASS 2, 3/4 IN, 4 IN, 10, HEAVY HEX, ALLOY STEEL, ASME SA193 GR B7, UNC, 2A, PLAIN, B18.2.1	1	C	5305J SE
BYR566E	AL	L-A-05-000-002	175	SCREW	SCREW, CAP, QA 1, CLASS 2, 1 IN, 6 IN, 8, HEAVY HEX, SS, ASME SA193 GR B8M, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1	C	5305J SE
BYR732P	AL	L-A-09-000-002	8	SCREW	SCREW, TYPICAL, QA 3, SCREW, SWITCH; (MOUNTING HARDWARE) CONSISTING OF 2 SCREWS, 2 NUTS AND	3	C	59300 SE
BYX761V	AL	P-A-LL-ET0-119	1	SCREW	SCREW, TYPICAL, QA 0, VALVE, *** FOR OUTLET CONTROL VALVE	0	C	48200 SE
CAA563N	AL	L-A-13-000-002	34	SCREW	SCREW, MACHINE, QA 1, 5/16 IN, 1 IN, HEX HEAD, CS, ELECTROGALVANIZED, SLOTTED	1	C	5305J SE
CAA808K	AL	L-A-08-000-002	14	SCREW	SCREW, CAP, QA 1, 1/2 IN, 1-1/2 IN, HEX, CS, ELECTROGALVANIZED, UNISTRUT	1	C	5305J SE
CAB818A	AL	L-A-09-000-002	78	SCREW	SCREW, CAP, QA 1, CLASS 2, 5/16 IN, 1-1/2 IN, 18, HEX, CS, ASME SA307 GR B, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1	C	5305J SE
CAC294D	AL	L-A-09-000-002	2	SCREW	SCREW, CAP, QA 1, 1/2 IN, 4-1/2 IN, 13, HEX, CS, ASTM A307 GR A, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1	C	5305J SE
CAG207F	AL	L-A-09-000-002	80	SCREW	SCREW, CAP, QA 3, BOLT, VALVE; ITEM 26 ON DRAWING C4988-8H, FOR AVCO MODEL C4988-8H	3	C	48200 SE
CAL323P	AL	L-A-09-000-002	8788	SCREW	SCREW, TAPPING, QA 3, PAN, #12, SS, CROSS RECESSED, B18.6.4, , FASTENER LENGTH: 1/2", THREAD PER INCH: 14, FOR USE ON DIAMOND POWER	3	C	5305J SE
CAM830C	AL	P-A-LL-ET0-119	16	SCREW	SCREW, SET, QA 1, SCREW, VALVE; SET, F/RETAINING RING TO DISC, 14"-900# TESTABLE CHECK	1	C	48200 SE
CAP123G	AL	P-A-LL-ET0-110	40	SCREW	SCREW, TAPPING, QA 1, HEX, 3/4 IN, #10, CS, ASTM A548 GR 1022, ZINC PLATED, SLOTTED, B18.6.4, POINT STYLE: GIMLET TYPE AB, SURFACE TREATMENT	1	C	5305J SE
CBA361W	AL	L-A-09-000-002	4	SCREW	SCREW, SOCKET, QA 1, SCREW, PUMP; SOCKET HEAD CAP, STAINLESS STEEL, IMPELLER NUT LOCK	1	C	4320U SE
CBA704R	AL	L-A-01-000-002	1	SCREW	SCREW, TYPICAL, QA 1, SCREW, CIRCUIT BREAKER; RACKING, FOR AIR BLAST CIRCUIT BREAKER, 5 KV	1	C	5925B SE
CBD672V	AL	L-A-03-000-002	200	SCREW	SCREW, MACHINE, QA 2, SCREW, MACHINE; HEAD STYLE: PAN, MATERIAL: BRASS, NOMINAL DIAMETER: NO	2	C	5305J SE
CBD678F	AL	L-A-09-000-002	550	SCREW	SCREW, MACHINE, QA 2, SCREW, MACHINE; HEAD STYLE: PAN, MATERIAL: STAINLESS STEEL, NOMINAL	2	C	5305J SE
CBW555J	AL	L-A-09-000-002	300	SCREW	SCREW, MACHINE, QA 2, SCREW, MACHINE; HEAD STYLE: PAN, MATERIAL: STAINLESS STEEL, NOMINAL	2	C	5305J SE
CBW558C	AL	L-A-09-000-002	600	SCREW	SCREW, MACHINE, QA 2, SCREW, MACHINE; HEAD STYLE: PAN, MATERIAL: STAINLESS STEEL, NOMINAL	2	C	5305J SE
CBX703R	AL	L-A-09-000-002	4	SCREW	SCREW, CAP, QA 3, #10, 1/2 IN, 32, HEX, CS, UNC, , FOR LIMITORQUE ACTUATOR	3	C	48200 SE
CBY166K	AL	L-A-09-000-002	3	SCREW	SCREW, CAP, QA 3, SCREW, SWITCHBOARD; HEX CAP SCREW, FOR 4KV TYPE MC-4.76 SWITCHGEAR	3	C	61100 SE
CEG296V	AL	L-A-03-000-002	70	SCREW	SCREW, SET, QA 3, SCREW, SET; DIAMETER: 1/4 IN; LENGTH: 5/16 IN; TPI: 20; MATERIAL: SS;	3	C	5305J SE
CEG297R	AL	L-A-03-000-002	70	SCREW	SCREW, SET, QA 3, SCREW, SET; DIAMETER: #10; LENGTH: 3/16 IN; TPI: 24; MATERIAL: SS;	3	C	5305J SE
CEK095D	AL	L-A-13-000-002	2	SCREW	SCREW, TURBINE, QA 3, SCREW, *TYPICAL; TYPE: TURBINE; DIAMETER: 5/16 IN; LENGTH: 1-1/2 IN	3	C	2825G SE
CEQ526V	AL	L-A-09-000-002	50	SCREW	SCREW, CAP, QA 1, 1/4 IN, 2-1/2 IN, 20, HEX, ALLOY STEEL, ASTM A193 GR B7, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1	C	5305J SE
CFD953T	AL	L-A-09-000-002	81	SCREW	SCREW, MACHINE, QA 3, SCREW, MACHINE; DIAMETER: #2; LENGTH: 1 IN; TPI: 56; MATERIAL: SS;	3	C	5305J SE
CFJ947V	AC	- - -	8	SCREW	SCREW, SET, QA 3, SCREW, SET *** FOR 3 INCH WELD ENDS CARBON STEEL SWING CHECK VALVE,	3	C	48200 SE
AWE137J	AL	A-A-01-000-001	8	SCRIBER	SCRIBER, TYPICAL, QA 3, SCRIBER, ; 000.001 IN SHANK, FOR PEAK SHOCK RECORDER, MODEL PSR	3	P	6630D SE
CAP184V	AL	F-A-08-013-001	10	SCRIBER	SCRIBER, TYPICAL, QA 3, SCRIBER ASSY, RECORDER; REEDS 4-12, .0020 IN THICK, FOR PSR 1200 ***	3	B	6695D SE
AAT427T	AL	A-A-01-000-001	25	SEAL	SEAL, OIL/GREASE, QA 3, SEAL, DIESEL ENGINE; OIL, (FUEL TRANSFER PUMP), FOR ELECTRO-MOTIVE	3	P	29100 SE
AEE187R	AL	A-A-01-000-001	4	SEAL	SEAL, OIL/GREASE, QA 3, SEAL, PLAIN; OIL, INBOARD, REF 333A, FOR BORIC ACID TRANSFER PUMP	3	P	4320U SE
AEE675C	AL	1-B-14-000-001	2	SEAL	SEAL, MECHANICAL, QA 0, SEAL, MECHANICAL; MECHANICAL, BASIC, U-4500, DWG 207383, FOR	0	P	4320U SE
AEK148A	AL	A-A-01-000-001	4	SEAL	SEAL, OIL/GREASE, QA 0, SEAL, PLAIN ENCASED; STYLE: OIL ***	0	P	3110B SE
AHK641H	AL	A-A-01-000-001	2	SEAL	SEAL, OIL/GREASE, QA 0, 2.875 IN, 3.750 IN, DOUBLE LIP, 0.375 IN, RUBBER, SEAL, PLAIN ENCASED; ELEMENT MATERIAL: RUBBER, STYLE: DOUBLE LIP	0	P	3110B SE
AKF824H	AL	5-B-01-301-000	3	SEAL	SEAL, TYPICAL, QA 0, SEAL, BOILER; ADJUSTOR, FOR DAMPER OPERATOR,MODEL HA-133-300, DWG	0	P	4410C SE
AKJ834Y	AL	A-A-01-000-001	3	SEAL	SEAL, TYPICAL, QA 3, VALVE, SEAL, ; SEAL, SOFT, REF 4, FOR CHECK VALVE, SIZE 3 IN, CAT 1601-3,	3	P	48200 SE

AKJ934T	AL	A-A-01-000-001	3 SEAL	SEAL, TYPICAL, QA 3, VALVE, SOFT, IT 4, FOR CHECK VALVE, SIZE 6 IN, CAT 1601-6,	3	C	48200 SE
ALF095B	AL	A-A-01-000-001	3 SEAL	SEAL, TYPICAL, QA 2, SEAL, ; RUNNER, FOR WH REACTOR COOLANT PUMP MOTOR, SPIN RCPCPX, DWG	2	P	6105D SE
ANF700X	AL	A-A-01-000-001	5 SEAL	SEAL, SHAFT, QA 0, SEAL, ; METAL WITH RUBBER LIP, LIP LINE BEARING, REF 47, FOR	0	P	4320U SE
APX086H	AL	D-A-37-302-001	198 SEAL	SEAL, TYPICAL, QA 0, SEAL, STRAPPING; STAINLESS STEEL, SCRU-LOKT, 0.375 IN WD ***	0		8415B SE
AQC130F	AL	A-A-01-000-001	1 SEAL	SEAL, SHAFT, QA 3, SEAL, ; SHAFT, ASSEMBLY REPLACEMENT, FOR HERMETIC TURBOPAK UNIT, MODEL	3	P	4320U SE
AQN443T	AL	A-A-01-000-001	18 SEAL	SEAL, OIL/GREASE, QA 3, SEAL, PLAIN ENCASED; OIL, DWG 7503-8A, PC 7 ***	3	P	3110B SE
ARL743J	AL	A-A-01-000-001	1 SEAL	SEAL, OIL/GREASE, QA 0, PUMP, SEAL KIT, PUMP; GREASE, DWG VW12177, FOR 15HH PUMP ***	0	P	4320U SE
ARR368Q	AL	A-A-01-000-001	2 SEAL	SEAL, TYPICAL, QA 0, SEAL KIT, ; 09944, FOR BEARING LIFT PUMP, MODEL MICI 024, 2 INCHES, SN	0	P	4320U SE
ATQ928B	AL	D-B-09-202-001	2 SEAL	SEAL, TYPICAL, QA 0, RUBBER, SEAL, PLAIN; MATERIAL: RUBBER	0	P	4450C SE
ATV961X	AL	D-B-09-202-001	2 SEAL	SEAL, TYPICAL, QA 0, SEAL KIT, CYLINDER; METAL, RUBBER AND TEFLON ROD, FOR AIR CYLINDER	0	P	4450C SE
ATW143V	AL	A-A-01-000-001	4 SEAL	SEAL, TYPICAL, QA 0, SEAL, ; VITON, FACE, FOR PUMP, MODEL R5P1-3101CV56,PEDESTAL MOUNTED	0	P	4320U SE
ATX579G	AL	A-A-01-000-001	5 SEAL	SEAL, MECHANICAL, QA 0, SEAL, MECHANICAL; SHAFT DIAMETER: 02.000 IN (2) ***	0	P	5730H SE
AVM496P	AL	1-B-14-000-001	10 SEAL	SEAL, TYPICAL, QA 0, SEAL, VALVE; SEGMENT, STRIP, BEARING,17.188 IN ID, DWG IT 49, FOR	0	B	48200 SE
AVV009N	AL	A-A-01-000-001	2 SEAL	SEAL, TYPICAL, QA 0, SEAL, PUMP; STEEL, DWG ITEM 60, FOR IMPELLER DWG ITEM 31, P/N 277-	0	P	4320U SE
AWM401Q	AL	A-A-01-000-001	4 SEAL	SEAL, TYPICAL, QA 0, SEAL, ; TEFLON, REF 4, FOR 000.500 IN,600.000 PSIG, BALL VALVE	0	P	48200 SE
AWN388F	AL	A-A-01-000-001	2 SEAL	SEAL, OIL/GREASE, QA 0, SEAL, PLAIN ENCASED,SPARE; INBOARD, METAL, TEFLON AND RUBBER, FOR	0	P	3110B SE
AWR877G	AL	A-A-01-000-001	1 SEAL	SEAL, MECHANICAL, QA 0, PUMP, 1-5/16 IN, 1-3/4 IN, SEAL, MECHANICAL; MECHANICAL, 1.3125 SHAFT DIA X1.75 HOUSING BORE X	0	P	4320U SE
AWX876X	AL	A-A-01-000-001	10 SEAL	SEAL, TYPICAL, QA 0, SEAL, PUMP; WATER, FOR SUMP PUMP, SIZE 35, FORM 5604, AND/OR MODEL 235	0	B	4320U SE
AXA121G	AL	A-A-01-000-001	4 SEAL	SEAL, MECHANICAL, QA 0, GLAND, ; RYTON, FOR LAZARAN REFERENCE ELECTRODE, ON PH ANALYZER CAT NO	0	P	6630D SE
AXN276L	AL	A-A-01-000-001	3 SEAL	SEAL, MECHANICAL, QA 0, SEAL, MECHANICAL; MECHANICAL, FOR ALLIED NUCLEAR DRY CLEANER,MODEL 478	0	P	5730H SE
AXN734G	AL	A-A-01-000-001	40 SEAL	SEAL, SHAFT, QA 0, PUMP, 7/8 IN, NEOPRENE, SEAL, PLAIN; NEOPRENE, WITH SPRING TENSION COLLAR, 000.875 IN SHAFT	0	P	4320U SE
AYQ499F	AC	- - -	20 SEAL	SEAL, TYPICAL, QA 3, SEAL, PLAIN; RUBBER, BLACK, 3 IN, FOR FLEXIBLE HOSE CONNECTIONS ***	3	P	2910O SE
BAC798P	AL	A-A-01-000-001	2 SEAL	SEAL, TYPICAL, QA 0, SEAL, PLAIN; SHAFT DIAMETER: 00.875 IN (7/8) ***	0	P	5730H SE
BBL886B	AL	A-A-01-000-001	16 SEAL	SEAL, SEGMENT, QA 0, SEAL, ; SEGMENT, BLADE ROW 6-C, FOR TURBINE, S/N 13A4491-1 (6200) ***	0	P	2825G SE
BBN244A	AL	E-A-16-C01-E01	4 SEAL	SEAL, TYPICAL, QA 0, SEAL, CIRCUIT BREAKER; RUBBER, MAIN, FOR EXTINCTION CHAMBER VALVE, ON	0	C	5925B SE
BBN385P	AL	E-A-16-C03-B01	17 SEAL	SEAL, TYPICAL, QA 0, SEAL, ; RUBBER, FOR CONTROL VALVE, P/N8390, ON GENERATOR BREAKER ***	0	P	5925B SE
BBN386M	AL	E-A-16-C03-B01	15 SEAL	SEAL, TYPICAL, QA 0, SEAL, ; RUBBER, FOR SERVO BLOCKING VALVE, P/N 8370, ON GENERATOR	0	P	5925B SE
BBN396J	AL	E-A-16-C03-B01	36 SEAL	SEAL, PRESSURE, QA 0, SEAL, ; RUBBER, FOR PRESSURE SWITCH P/N 8410, ON GENERATOR BREAKER ***	0	P	5925B SE
BBN454Y	AL	E-A-16-C03-A01	18 SEAL	SEAL, TYPICAL, QA 0, SEAL, ; RUBBER, FOR FILTER ASSY, P/N 8845, ON GENERATOR BREAKER ***	0	P	5925B SE
BBN952E	AL	A-A-01-000-001	1 SEAL	SEAL, MECHANICAL, QA 0, SEAL, MECHANICAL; MECHANICAL, COMPLETE, TYPE DOUBLE RO, DWG 2D-161205	0	P	4320U SE
BCD907W	AL	A-A-01-000-001	16 SEAL	SEAL, TYPICAL, QA 0, SEAL, PLAIN; NEOPRENE, FOR MAIN GENERATOR ROTOR, DWG 614F395-1 ***	0	P	6115F SE
BEQ864E	AL	A-A-01-000-001	2 SEAL	SEAL, TYPICAL, QA 0, SEAL, VALVE; PLUG, PLASTIC, FOR GLOBE VALVE8 IN, ANSI CLASS 600	0	B	48200 SE
BFN964E	AL	A-A-01-000-001	8 SEAL	SEAL, MECHANICAL, QA 3, SEAL, MECHANICAL; MECHANICAL, BELLOWS TYPE, 1.5 IN SHAFT DIA ***	3	P	5730H SE
BFN965C	AL	A-A-01-000-001	9 SEAL	SEAL, MECHANICAL, QA 0, SEAL, MECHANICAL; SHAFT DIAMETER: 01.125 IN (1 1/8) ***	0	P	5730H SE
BFR192T	AL	A-A-01-000-001	3 SEAL	SEAL, MECHANICAL, QA 0, SEAL, MECHANICAL; MECHANICAL, FOR CENTRIFUGAL PUMP, SIZE 3 X 1.5 X 8	0	P	4320U SE
BGA117G	AL	A-A-01-000-001	10 SEAL	SEAL, MECHANICAL, QA 0, SEAL, MECHANICAL; SHAFT DIAMETER: 00.625 IN (5/8), HOUSING BORE:	0	P	5730H SE
BGB131H	AL	A-A-01-000-001	6 SEAL	SEAL, OIL/GREASE, QA 3, SEAL, PLAIN ENCASED; OIL, LOW SPEED, FOR POLAR CRANE MAIN HOIST, FRAME	3	P	3110B SE
BGB132F	AL	A-A-01-000-001	6 SEAL	SEAL, OIL/GREASE, QA 3, SEAL, PLAIN ENCASED; DOUBLE LIP, 2.25 SHAFT DIA X 3.005 HOUSING BORE X	3	P	3110B SE
BGQ059J	AL	D-A-02-102-003	4 SEAL	SEAL, TYPICAL, QA 0, SEAL, FACEPIECE; RUBBER, INFLATIBLE, SMALL, PERIAHERAL, FOR RESPRIATOR	0		4240P SE
BGR301B	AL	A-A-01-000-001	2 SEAL	SEAL, OIL/GREASE, QA 3, SEAL, PLAIN ENCASED; DOUBLE LIP, 4.5 SHAFT DIA X 5.5 HOUSING BORE X	3	P	3110B SE
BGR972R	AL	A-A-01-000-001	3 SEAL	SEAL, OIL/GREASE, QA 3, SEAL, PLAIN ENCASED; OIL, SPIN NO FHSITS, FOR LOAD MONITOR, ON FUEL	3	P	3110B SE
BHD594P	AL	D-B-16-000-001	3 SEAL	SEAL, SHAFT, QA 3, SEAL, PLAIN ENCASED; SINGLE LIP, TURCITE P-42, VARISEAL, REF 25, DWG	3	P	5730H SE
BHP309Y	AL	Z-Z-ZZ-ZZZ-ZZZ	3 SEAL	SEAL, DOOR, QA 3, SEAL, DOOR; AUTOMATIC DOOR BOTTOM, 2.312 IN WIDE X 0.875 IN THICK X 60	3	C	5730H SE
BHX164Y	AL	A-A-01-000-001	3 SEAL	SEAL, DOOR, QA 3, SEAL, DOOR; RUBBER, C/O ONE K10025, ONE K10026, AND TWO K10027, FOR	3	P	4710Y SE
BJK138D	AL	A-A-01-000-001	1 SEAL	SEAL, MECHANICAL, QA 3, SEAL, MECHANICAL; MECHANICAL, STANDARD, BUNA-N, COMPLETE, REF 12, FOR	3	P	4320U SE
BJK644X	AL	A-A-01-000-001	6 SEAL	SEAL, TYPICAL, QA 0, SEAL, SET; RUBBER, C/O ONE EACH SEAL, 6.25 X 4 IN AND ONE EACH STRIP 2	0	P	5730H SE
BKN176F	AL	A-A-01-000-001	11 SEAL	SEAL, OIL/GREASE, QA 3, SEAL, PLAIN; OIL, BUNA N, FOR LIMITORQUE MOTORIZED OPERATOR, TYPE	3	P	48200 SE
BKR395K	AL	D-A-10-201-002	100 SEAL	SEAL, TYPICAL, QA 0, SEAL, STRAPPING; BUCKLE, STAINLESS STEEL, 0.75 IN WD,FOR 0.75 IN WD	0		8135F SE
BLT082L	AL	P-A-LL-ET0-064	1 SEAL	SEAL, TYPICAL, QA 1, SEAL, VALVE; SEAL HOUSING, USE FOR METAL TO METAL SEAL, 10-5/8 X 7-5/8	1	B	48200 SE
BLT628B	AL	F-A-33-302-000	11 SEAL	SEAL, FEEDTHROUGH, QA 1, ELECTRICAL CONDUCTOR, #14 AWG, 18 IN X 300 IN, 8, MNPT FITTING ON BOTH ENDS, , ASSY, 0.75 IN FEED THRU, 0.75 IN NPT	1	B	5975B SE
BNH124A	AL	D-A-21-202-002	1 SEAL	SEAL, TYPICAL, QA 2, SEAL, ASSEMBLY; FOR COMPRESSOR IN CONTROL BAY CHILLERS, SN 84K68F006A	2		4520N SE
BPD359W	AL	1-A-19-105-001	1 SEAL	SEAL, MECHANICAL, QA 0, SEAL, MECHANICAL; MECHANICAL, WITH GLAND ***	0	P	5730H SE
BPD568K	AL	D-A-28-060-001	3 SEAL	SEAL, TYPICAL, QA 0, SEALS, ; FOR LP TURBINE (SPARES) ***	0	P	2825G SE
BPK908P	AL	D-A-13-012-001	1 SEAL	SEAL, TYPICAL, QA 1, SEAL, ASSEMBLY; CARTRIDGE ASSY, PT10, C/W PRIMARY ASSY PT8, SU7375	1	B	4320U SE
BPV997K	AL	A-A-01-000-001	5 SEAL	SEAL, SHAFT, QA 3, SEAL, PLAIN ENCASED,SPARE; SINGLE LIP, VITON, FOR SMB-4 LIMITORQUE	3	B	48200 SE
BPW704R	AL	E-A-16-C05-A01	42 SEAL	SEAL, TYPICAL, QA 0, SEAL, CIRCUIT BREAKER; COPPER, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
BPX121C	AL	E-A-16-C03-B01	6 SEAL	SEAL, TYPICAL, QA 0, SEAL, CIRCUIT BREAKER; SEAL, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
BRE424T	AL	E-A-16-C01-D01	37 SEAL	SEAL, TYPICAL, QA 0, SEAL, CIRCUIT BREAKER; FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D ***	0	C	5925B SE
BTW246A	AL	F-D-08-101-000	1 SEAL	SEAL, TYPICAL, QA 3, SEAL, PUMP; STEEL, FLYWHEEL, FOR WESTINGHOUSE REACTOR COOLANT PUMP	3	B	4320U SE
BTW246A	AL	F-D-10-101-000	1 SEAL	SEAL, TYPICAL, QA 3, SEAL, PUMP; STEEL, FLYWHEEL, FOR WESTINGHOUSE REACTOR COOLANT PUMP	3	B	4320U SE
BVH609K	AL	A-A-01-000-001	2 SEAL	SEAL, FEEDTHROUGH, QA 1, SEAL ASSY, ELECTRIC CONDUCTOR; 8 CONDUCTOR,NO 12 AWG 0.750 IN	1	B	5975B SE
BVM831W	AL	D-B-16-000-001	5 SEAL	SEAL, TYPICAL, QA 0, 7/8 IN, 144 IN, 1/8 IN, NEOPRENE, SEAL, VALVE; EXTRUDED,SOLID,NEOPRENE,60 DUROMETER,NOMINAL DIMENSIONS	0	B	48200 SE
BVN502C	AL	A-A-01-000-001	1 SEAL	SEAL, SHAFT, QA 0, SEAL, PUMP; LIP, FOR A WORTHING PUMP MODEL DO-1011, S/N'S 4656345B	0	C	4320U SE
BVP564F	AL	A-A-01-000-001	30 SEAL	SEAL, TYPICAL, QA 1, SEAL, DAMPER; ETHYLENE PROPYLENE DI-CONJUGATED MONOMER,EDPM-3, CLOSED	1	B	4410C SE
BWD491X	AL	D-B-09-201-001	2 SEAL	SEAL, TYPICAL, QA 3, SEAL, VALVE; PLAIN,TEFZEL,FLUOROPOLYMER RESIN,REF 10,FOR BUTTERFLY	3	B	48200 SE
BWF622Y	AL	A-A-01-000-001	3 SEAL	SEAL, SHAFT, QA 3, SEAL, SHAFT; FOR THE LOAD TAP CHANGER ON COMMON STATION SERVICE	3	B	5950N SE
BXE175W	AL	A-A-01-000-001	2 SEAL	SEAL, MECHANICAL, QA 0, SEAL, MECHANICAL,SPARE PAR; FOR GOULDS PUMP MODEL 3196-ST-6 ***	0	C	4320U SE
BXK244A	AL	A-A-01-000-001	4 SEAL	SEAL, SHAFT, QA 3, PUMP, SEAL ASSY, PUMP; SHAFT,FOR DEAN BROS PUMP,1X1-1/2 X 6 PH201, S/N	3	B	4320U SE
BXN008Y	AL	F-A-10-201-005	1 SEAL	SEAL, TYPICAL, QA 1, SEAL, DAMPER; FOR PRESS-NPPBT, BLADE GASKET, 1/4" THK X 1" OR 1/4" THK	1	B	4410C SE
BXN506P	AL	D-A-20-301-001	1 SEAL	SEAL, LABYRINTH, QA 0, SEAL, LABYRINTH; OIL, HIGH SPEED, REF 744, FOR MODEL 4110HS, RATIO	0	B	5730H SE
BXN678Q	AL	A-A-01-000-001	12 SEAL	SEAL, MECHANICAL, QA 0, SEAL ASSY, PUMP; MECHANICAL SEAL ASSY,TYPE 21,C/W ROTARY SEAL MO1624	0	B	4320U SE
BXP020E	AL	A-A-01-000-001	1 SEAL	SEAL, TYPICAL, QA 1, SEAL, VALVE; TEFZEL,FOR 24 IN BUTTERFLY VALVE, OM DWG 12408,ITEM #8	1	B	48200 SE
BXV270B	AL	A-A-01-000-001	2 SEAL	SEAL, TYPICAL, QA 1, VALVE, CS, FOR CONTROL VALVE,TYPE 657-8-SS84,SPRING SET 4 PSIG,30 PSIG TO	1	B	48200 SE
BXX845V	AL	F-A-19-102-001	2 SEAL	SEAL, TYPICAL, QA 0, SEAL, VACUUM PUMP; ROCKER SEAL, FOR BEACH-RUSS ROTARY PISTON VACUUM	0	B	4310I SE
BYB052D	AL	A-A-01-000-001	1 SEAL	SEAL, DOOR, QA 3, SEAL, ASSEMBLY; J CORNER SEAL ITEM NO. 13 ON DWG E-0012-2, FOR	3	B	5730H SE

BYB053B	AL	A-A-01-000-001	1 SEAL	SEAL, DOOR, QA 3, SEAL, ASSEMBLY; J SIDE SEAL, ITEM NO 14 ON DWG E-0012-2, FOR AUXILIARY	3	B	5730H SE
BYB059Y	AL	A-A-01-000-001	1 SEAL	SEAL, DOOR, QA 3, SEAL, ASSEMBLY; WEDGE TYPE SEALS NO 15 ON DWG E-0012-2, FOR AUXILIARY	3	B	5730H SE
BYB060R	AL	A-A-01-000-001	1 SEAL	SEAL, DOOR, QA 3, SEAL, ASSEMBLY; J TOPS FOR SEALS, NO 17 ON DWG E-0012-2, FOR AUXILIARY	3	B	5730H SE
BYJ643T	AL	F-A-17-201-000	1 SEAL	SEAL, TYPICAL, QA 0, SEAL, SHAFT; KIT, BULLGEAR, FOR 1CV SERVICE AIR COMPRESSOR, INGERSOLL	0	C	4310I SE
CAL017M	AL	F-A-08-102-000	1 SEAL	SEAL, MECHANICAL, QA 1, SEAL, MECHANICAL, SPARE PAR; MECHANICAL, DWG 1D-178177, FOR SPENT FUEL	1	B	4320U SE
CAL017M	AL	F-A-23-000-001	5 SEAL	SEAL, MECHANICAL, QA 1, SEAL, MECHANICAL, SPARE PAR; MECHANICAL, DWG 1D-178177, FOR SPENT FUEL	1	B	4320U SE
CAT364A	AL	D-A-10-302-005	2 SEAL	SEAL, TYPICAL, QA 0, PISTON SEAL KIT, DOOR; SKR551205 ***	0		5670A SE
CBJ678M	AL	E-A-16-C06-B01	4 SEAL	SEAL, TYPICAL, QA 0, CIRCUIT BREAKER, RUBBER, FOR REPLENISHING VALVE, P/N 2900, ON	0	C	5925B SE
CBL883A	AL	F-A-02-103-000	1 SEAL	SEAL, MECHANICAL, QA 1, , FOR 1976 MODEL AL623N WASTE GAS COMPRESSOR, TEST NUMBERS	1	B	4310I SE
CBX150K	AL	A-A-01-000-001	5 SEAL	SEAL, TYPICAL, QA 1, SEAL, HATCH; MOLDED CORNER SEAL, DRAWING 44N326, FOR AUX BLDG HATCH	1	B	5670A SE
CEE872V	AL	F-A-15-302-006	3 SEAL	SEAL, TYPICAL, QA 3, SEAL, VALVE; GRAPHITE BONNET SEAL KIT, FOR 4-INCH 900 LB, BORG WARNER	3	B	48200 SE
CEH405D	AL	D-B-19-202-001	8 SEAL	SEAL, TYPICAL, QA 0, SEAL, *TYPICAL; TYPE: GLAND *** GLAND SEAL	0		6210P SE
CFJ795Q	AL	A-A-01-000-001	8700 SEAL	SEAL, TYPICAL, QA 0, CLASS N, ANTIPIPFERAGE, 24 IN, 2 PLY, STAINLESS STEEL, *** SEAL IS ALUMINUM.	0	B	4710Y SE
CFM762Q	AC	- - - -	1 SEAL	SEAL, TYPICAL, QA 2, NEOPRENE, *** GATE, SPECIFICATION NEOPRENE 501, SIZE PER BOTTOM SEAL TYPICAL	2	B	5730H SE
CFW529T	AL	C-A-39-048-001	4 SEAL	SEAL, MECHANICAL, QA 0, 2, TUNGSTEN CARBIDE, FACES(BOTH) WITH VITON O-RINGS, FOR SHAFT SIZE 4.5",	0		5730H SE
CGR193B	AC	- - - -	22 SEAL	SEAL, TYPICAL, QA 1, SNUBBER, SS	1	C	48200 SE
CGT645W	AL	D-B-09-301-000	25000 SEAL	SEAL, TYPICAL, QA 0, ANTIPIPFERAGE, 2-3/4 IN, GALVANIZED, SINGLE CLIP	0	C	5680B SE
CHH317N	AL	D-A-18-302-000	1 SEAL	SEAL, TYPICAL, QA 3, PROTECTOR, FOR 12" FISHER CONTROL VEE-BALL VALVE, MODEL: V150, SERIES B	3		48200 SE
AAT427T	AL	L-A-03-000-002	2 SEAL	SEAL, OIL/GREASE, QA 3, SEAL, DIESEL ENGINE; OIL, (FUEL TRANSFER PUMP), FOR ELECTRO-MOTIVE	3	P	2910O SE
AAT527N	AL	T-A-05-000-002	4 SEAL	SEAL, OIL/GREASE, QA 3, SEAL, DIESEL ENGINE; OIL, (LUBE OIL SCAVENGING AND FUEL OIL PUMP), FOR	3	B	2910O SE
AAT627J	AL	L-A-15-000-002	2 SEAL	SEAL, TYPICAL, QA 3, DIESEL ENG. LUBE OIL SCAVENGING & FUEL OIL PUMP, FOR ELECTRO-MOTIVE DIV, GENERAL MOTORS CORP	3	P	2910O SE
ABB616Y	AL	L-A-09-000-002	2 SEAL	SEAL, SHAFT, QA 0, SEAL, ; SHAFT, BM 24539, PC #46337 ***	0	P	2825G SE
ABE292F	AL	L-A-13-000-002	1 SEAL	SEAL, MECHANICAL, QA 0, SEAL, MECHANICAL; SHAFT DIAMETER: 00.938 IN (15/16) ***	0	P	5730H SE
ABE413X	AL	L-A-03-000-002	1 SEAL	SEAL, MECHANICAL, QA 0, SEAL, MECHANICAL; SHAFT DIAMETER: 01.750 IN (1 3/4) ***	0	P	4320U SE
ABE707D	AL	L-A-03-000-002	3 SEAL	SEAL, MECHANICAL, QA 0, SEAL, MECHANICAL; SHAFT DIAMETER: 02.000 IN (2) ***	0	P	5730H SE
ABK542Q	AL	L-A-03-000-002	2 SEAL	SEAL, OIL/GREASE, QA 0, 1.250 IN, 2.129 IN, 61791, DOUBLE LIP, 0.250 IN, STEEL/RUBBER, PLAIN ENCASED	0	P	3110B SE
ACE976A	AL	L-A-03-000-002	11 SEAL	SEAL, TYPICAL, QA 0, SEAL KIT, PUMP; PUMP, FOR SERIES 500, MODEL PF05-002-31L001, AND/OR	0	P	4320U SE
ADK144Q	AL	T-A-05-000-002	2 SEAL	SEAL, OIL/GREASE, QA 0, 1.313 IN, 2.500 IN, SINGLE LIP, 0.375 IN, STEEL/RUBBER	0	P	3110B SE
ADK542C	AL	L-A-03-000-002	2 SEAL	SEAL, OIL/GREASE, QA 0, 0.875 IN, 1.503 IN, 60867, DOUBLE LIP, 0.250 IN, RUBBER, PLAIN ENCASED	0	P	3110B SE
AFT823K	AL	M-A-02-000-002	1 SEAL	SEAL, TYPICAL, QA 0, SEAL, ; NEOPRENE, REF 39, DWG 638F479-3, REF 9, DWG 45A9807, FOR	0	P	6115F SE
AFY340Y	AL	L-A-02-000-002	1750 SEAL	SEAL, TYPICAL, QA 0, SEAL, IDENTIFICATION BADGE; DUAL BOND, FOR PERSONNEL IDENTIFICATION	0	P	9905K SE
AGD493B	AL	L-A-12-000-002	2 SEAL	SEAL, TYPICAL, QA 3, SEAL, ASSEMBLY; ROTATING FACE BODY, ITEM NO 8-S-15-1, FOR PRIMARY SEAL	3	B	4320U SE
AGE465B	AL	L-A-03-000-002	1 SEAL	SEAL, MECHANICAL, QA 3, SEAL, ; MECHANICAL, DWG# 2D-117898, 1.750 IN SINGLE RO DURA SEAL, 1-	3	C	4320U SE
AGE465B	AL	L-A-13-000-002	1 SEAL	SEAL, MECHANICAL, QA 3, SEAL, ; MECHANICAL, DWG# 2D-117898, 1.750 IN SINGLE RO DURA SEAL, 1-	3	C	4320U SE
AGG080P	AL	M-A-08-000-002	1 SEAL	SEAL, TYPICAL, QA 2, SEAL KIT, ; CYLINDER, BORE SIZE 2 IN, FOR MODEL BE-410N HYDRAULIC	2	P	4710Y SE
AHE390M	AL	L-A-13-000-002	6 SEAL	SEAL, TYPICAL, QA 0, SEAL, ; WATER, FOR SIZE 251 PORTABLE SUMP PUMP ***	0	P	4320U SE
AHE390M	AL	L-A-03-000-002	10 SEAL	SEAL, TYPICAL, QA 0, SEAL, ; WATER, FOR SIZE 251 PORTABLE SUMP PUMP ***	0	P	4320U SE
AHH674C	AL	P-A-LL-ET0-042	2 SEAL	SEAL, TYPICAL, QA 2, SILICONE RUBBER, VALVE; PALLET, 50 DUROMETER, FOR 18" VACUUM BREAKER	2	B	48200 SE
AJK054H	AL	M-A-11-000-002	1 SEAL	SEAL, OIL/GREASE, QA 3, SEAL, PLAIN ENCASED; DOUBLE LIP, 3 IN SHAFT DIA X 4.003 IN HOUSING	3	P	3110B SE
AJK354E	AL	M-A-07-000-002	15 SEAL	SEAL, OIL/GREASE, QA 3, SEAL, PLAIN ENCASED; OIL, 5 IN SHAFT DIA X 6.25 IN HOUSING BORE X 0.5	3	P	3110B SE
AJK445B	AC	- - - -	4 SEAL	SEAL, OIL/GREASE, QA 0, 2.625 IN, 3.628 IN, 65447, DOUBLE LIP, 3/8 IN, STEEL/RUBBER	0	B	3110B SE
AJK754X	AL	M-A-07-000-002	9 SEAL	SEAL, OIL/GREASE, QA 3, 5.000 IN, 6.749 IN, 0.500 IN, SEAL, PLAIN ENCASED; OIL, 5 IN SHAFT DIA X 6.749 INHOUSING BORE X 0.5	3	P	3110B SE
AKJ834Y	AL	M-A-07-000-002	2 SEAL	SEAL, TYPICAL, QA 3, VALVE, SEAL, ; SEAL, SOFT, REF 4, FOR CHECK VALVE, SIZE 3 IN, CAT 1601-3,	3	P	48200 SE
ALD895X	AL	L-A-12-000-002	8 SEAL	SEAL, TYPICAL, QA 3, SEAL, ASSEMBLY; SECONDARY, ITEM NO 9-S, FOR RECIRCULATING PUMP,MODEL	3	C	4320U SE
ALK153C	AL	M-A-06-000-002	2 SEAL	SEAL, OIL/GREASE, QA 3, SEAL, PLAIN ENCASED; OIL ***	3	P	3110B SE
ALK852H	AL	M-A-06-000-002	1 SEAL	SEAL, OIL/GREASE, QA 3, 5.500 IN, 6.507 IN, 68122, DOUBLE LIP, 0.562 IN, SEAL, PLAIN ENCASED; OIL,	3	P	3110B SE
ALK853F	AL	M-A-06-000-002	4 SEAL	SEAL, OIL/GREASE, QA 3, SEAL, PLAIN ENCASED; NITRILE, OIL ***	3	P	3110B SE
AMK140T	AL	T-A-01-000-002	3 SEAL	SEAL, OIL/GREASE, QA 3, SEAL, PLAIN ENCASED; OIL, FOR BAILEY VALVE POSITIONER, TYPE 5321030A14	3	P	3110B SE
ANK048K	AL	L-A-03-000-002	1 SEAL	SEAL, OIL/GREASE, QA 0, SEAL, PLAIN ENCASED; ELEMENT MATERIAL: RUBBER AND STEEL ***	0	P	3110B SE
APA466J	AL	L-A-13-000-002	2 SEAL	SEAL, OIL/GREASE, QA 0, SEAL, ; OIL, (SECONDARY OPER CYLINDER, DWG 509E230CD), FOR GE BF PUMP	0	P	4320U SE
APF494K	AL	L-A-13-000-002	2 SEAL	SEAL, PRESSURE, QA 3, SEAL, ; INFLATABLE, FULLY MOLDED, FABRIC REINFORCED ELASTOMER, 60 PSI	3	P	5730H SE
APJ522R	AL	L-A-09-000-002	27 SEAL	SEAL, TYPICAL, QA 0, SEAL, VALVE; SHIM, MONEL-ANNEALED, FOR FISHER DIAPHRAGM CONTROL VALVE	0	C	48200 SE
AQC130F	AL	M-A-03-000-002	1 SEAL	SEAL, SHAFT, QA 3, SEAL, ; SHAFT, ASSEMBLY REPLACEMENT, FOR HERMETIC TURBOPAK UNIT, MODEL	3	P	4320U SE
AQN443T	AL	M-A-07-000-002	9 SEAL	SEAL, OIL/GREASE, QA 3, SEAL, PLAIN ENCASED; OIL, DWG 7503-8A, PC 7 ***	3	P	3110B SE
AQX867P	AL	T-A-05-000-002	4 SEAL	SEAL, OIL/GREASE, QA 0, SEAL, ; OIL, WORM SHAFT ***	0	C	3960D SE
ARL743J	AL	L-A-03-000-002	1 SEAL	SEAL, OIL/GREASE, QA 0, PUMP, SEAL KIT, PUMP; GREASE, DWG VW12177, FOR 15HH PUMP ***	0	P	4320U SE
ARR368Q	AL	M-A-16-000-002	2 SEAL	SEAL, TYPICAL, QA 0, SEAL KIT, ; 09944, FOR BEARING LIFT PUMP, MODEL MICI 024, 2 INCHES, SN	0	P	4320U SE
ARR388J	AL	T-A-01-000-002	1 SEAL	SEAL, SHAFT, QA 0, SINGLE LIP/SPRING, 1-3/4 IN, 5/16 IN WD, RUBBER	0	P	5730H SE
ARV734F	AL	M-A-01-000-002	15 SEAL	SEAL, MECHANICAL, QA 3, SEAL, MECHANICAL; MECHANICAL, COMPLETE, FOR ROTATION TANDEM DIESEL	3	P	2910O SE
ARW075F	AL	M-A-02-000-002	4 SEAL	SEAL, OIL/GREASE, QA 0, SEAL, PLAIN ENCASED, SPARE; OIL, FOR REULAND BOOM ROTATION MOTOR, 0.75	0	C	3110B SE
ARW633G	AL	M-A-09-000-002	4 SEAL	SEAL, MECHANICAL, QA 3, SEAL, MECHANICAL; MECHANICAL, COMPLETE, 1.75 IN SHAFT SIZE, DWG	3	P	5730H SE
ARX167E	AL	M-A-08-000-002	3 SEAL	SEAL, OIL/GREASE, QA 3, SEAL, PLAIN ENCASED; DOUBLE LIP, 5 SHAFT DIA X 6.007 HOUSING BORE X	3	P	3110B SE
ARX183G	AL	M-A-08-000-002	2 SEAL	SEAL, OIL/GREASE, QA 3, SEAL, PLAIN ENCASED; OIL, FOR 10 TON AUXILIARY BLDG BRIDGE CRANE ***	3	P	3110B SE
ARY835R	AL	M-A-02-000-002	2 SEAL	SEAL, TYPICAL, QA 0, SEAL, CONDENSER; RUBBER, FOR 480 VOLT MOTOR CONTROL CENTER ON ICE	0	P	4420B SE
ATJ222K	AL	M-A-04-000-002	7 SEAL	SEAL, OIL/GREASE, QA 3, SEAL, PLAIN ENCASED; OIL ***	3	P	3110B SE
ATL191R	AL	M-A-08-000-002	2 SEAL	SEAL, OIL/GREASE, QA 3, SEAL, PLAIN ENCASED; SINGLE LIP, SPRING LOADED, 4.75 SHAFT DIA X 5.751	3	P	3110B SE
AVN496J	AL	M-A-08-000-002	3 SEAL	SEAL, OIL/GREASE, QA 3, 4.625 IN, 5.756 IN, 67657, DOUBLE LIP, 0.562 IN, SEAL, PLAIN ENCASED; OIL, FOR MAIN HOIST ASSY OF 175 TON REACTOR BL	3	P	3110B SE
AVQ159T	AL	T-A-05-000-002	8 SEAL	SEAL, TYPICAL, QA 3, SEAL, ACTUATOR; YOKE, REF 24, FOR HEAVY DUTY ACTUATOR, 521C-SR80, ON	3	B	48200 SE
AVR277F	AL	L-A-03-000-002	4 SEAL	SEAL, OIL/GREASE, QA 0, 2.375 IN, 3.543 IN, SINGLE LIP, 0.438 IN, RUBBER, SEAL, PLAIN ENCASED; ELEMENT MATERIAL: RUBBER, STYLE: SINGLE LIP,	0	B	3110B SE
AVX116K	AL	T-A-05-000-002	2 SEAL	SEAL, OIL/GREASE, QA 3, SEAL, PLAIN ENCASED; OIL, FOR MANIPULATOR CRANE ***	3	P	3110B SE
AWX699R	AL	M-A-09-000-002	6 SEAL	SEAL, TYPICAL, QA 2, SEAL, ; POLYETHYLENE, STEM, FOR 001.000 IN BALL VALVE, ASME SECTION	2	P	48200 SE
AXN734G	AL	T-A-01-000-002	6 SEAL	SEAL, SHAFT, QA 0, PUMP, 7/8 IN, NEOPRENE, SEAL, PLAIN; NEOPRENE, WITH SPRING TENSION COLLAR, 000.875 IN SHAFT	0	P	4320U SE
AYF368D	AL	M-A-07-000-002	2 SEAL	SEAL, MECHANICAL, QA 3, SEAL, MECHANICAL; MECHANICAL, RUBBER, 0.75 IN, C/W METAL RETAINER, FOR	3	P	2910O SE
AYF391J	AL	M-A-07-000-002	6 SEAL	SEAL, TYPICAL, QA 3, SEAL, PLAIN ENCASED; RUBBER, FOR VALVE, AIR START, 1.5 IN, FNPT, MODEL	3	P	48200 SE
AYM282Q	AL	M-A-03-000-002	7 SEAL	SEAL, TYPICAL, QA 3, SEAL, ; TEFLON, (FLUOROCARBON), PISTON REF 16, FOR CARDIX 1 IN VALVE	3	P	4210N SE

AYM285J	AL	M-A-03-000-002	8 SEAL	SEAL, TYPICAL, QA 3, SEAL, PLAIN; TEFLON, (FLUOROCARBON), PISTONREF 9, TWO PER SET, FOR	3	P	4210N SE
AYM580V	AL	M-A-02-000-002	6 SEAL	SEAL, OIL/GREASE, QA 3, SEAL, PLAIN ENCASED; SINGLE LIP, OIL STRAINER TANK SHAFT, FOR DIESEL	3	P	2910O SE
AYM858W	AL	M-A-11-000-002	70 SEAL	SEAL, TYPICAL, QA 3, SEAL, ; FLAT, RUBBER AND STEEL, WASHER TYPE, FOR RADIATION MONITOR ***	3	P	6630D SE
AYQ501Q	AL	L-A-09-000-002	55 SEAL	SEAL, OIL/GREASE, QA 3, SEAL, PLAIN; RUBBER, BLACK, 1 IN ***	3	P	2910O SE
AYY042M	AL	M-A-07-000-002	9 SEAL	SEAL, TYPICAL, QA 3, SEAL, PLAIN; ROUND, VITON, FOR VALVE ACTUATOR, TYPE SB3 AND SB4 ***	3	P	4820O SE
BAC797R	AL	T-A-01-000-002	2 SEAL	SEAL, TYPICAL, QA 0, SEAL, PLAIN; SHAFT DIAMETER: 00.750 IN (3/4) ***	0	P	5730H SE
BBL680B	AL	M-A-12-000-002	2 SEAL	SEAL, TYPICAL, QA 0, SEAL, ; PISTON, RUBBER, FOR ACTUATOR, MODEL AR53B, 500 PSIG DESIGN, 10	0	P	5730H SE
BCW798Q	AL	M-A-12-000-002	2 SEAL	SEAL, MECHANICAL, QA 0, SEAL, MECHANICAL; MECHANICAL, COMPLETE, TYPE CR0-P, C/O (1 EA) 316SS	0	P	5730H SE
BEE395B	AL	M-A-11-000-002	2 SEAL	SEAL, SHAFT, QA 3, SEAL, PLAIN ENCASED; SINGLE LIP, WIPER, FOR MODEL 160 PEDESTAL CRANE	3	P	3950F SE
BEH138G	AL	M-A-04-000-002	4 SEAL	SEAL, SHAFT, QA 3, SEAL, PLAIN ENCASED; DOUBLE LIP, SPRING LOADED, 4 IN SHAFT DIA X 4.625	3	P	3950F SE
BEH262F	AL	T-A-01-000-002	1 SEAL	SEAL, MECHANICAL, QA 0, SEAL, MECHANICAL; SHAFT DIAMETER: 01.875 IN (1 7/8) ***	0	P	5730H SE
BEY071A	AL	L-A-13-000-002	1 SEAL	SEAL, OIL/GREASE, QA 0, 1.250 IN, 2.129 IN, DOUBLE LIP, 0.250 IN, PLAIN ENCASED	0	P	3110B SE
BFQ178R	AL	P-A-LL-ET0-042	2 SEAL	SEAL, FEEDTHROUGH, QA 1, SEAL ASSY, CONDUIT; INSTRUMENT, 0.75 IN MALE AND FEMALE HUBS, SIX EA	1	B	5975B SE
BFV020G	AL	L-A-03-000-002	1 SEAL	SEAL, TYPICAL, QA 0, SEAL, ACTUATOR; THREAD, FOR VALVE ACTUATOR, MODEL 3325, SERIES 3300	0	P	4820O SE
BGP544R	AL	L-A-09-000-002	5 SEAL	SEAL, OIL/GREASE, QA 3, SEAL, PLAIN; OIL, VITON, REF 96 AND 87, FOR VALVE ACTUATOR, TYPE SMB-3	3	B	4820O SE
BGR972R	AL	M-A-07-000-002	1 SEAL	SEAL, OIL/GREASE, QA 3, SEAL, PLAIN ENCASED; OIL, SPIN NO FHSITS, FOR LOAD MONITOR, ON FUEL	3	P	3110B SE
BGX421B	AL	P-A-LL-ET0-078	4 SEAL	SEAL, MECHANICAL, QA 0, SEAL, MECHANICAL; SHAFT DIAMETER: 01.375 IN (1 3/8) ***	0	B	5730H SE
BHB881Y	AL	L-A-09-000-002	1 SEAL	SEAL, TYPICAL, QA 1, SEAL, ASSEMBLY; BELLOW, STAINLESS STEEL, FOR TWO STAGE SAFETY RELIEF	1	P	4820O SE
BHD592V	AL	M-A-08-000-002	1 SEAL	SEAL, SHAFT, QA 0, 5-1/2 IN, 6-1/2 IN, 9/16 IN WD, SEAL, PLAIN ENCASED; SHAFT DIAMETER: 05.500 IN (5 1/2), HOUSING BORE:	0	P	5730H SE
BHK320A	AL	M-A-03-000-002	15 SEAL	SEAL, TYPICAL, QA 0, VALVE, 15 FT, NEOPRENE, SEAL, RUBBER SPL SHAPE; J-TYPE, NEOPRENE, 15 FT PER ROLL, FOR ROCKWELL	0	P	4820O SE
BHQ392B	AL	T-A-01-000-002	6 SEAL	SEAL, OIL/GREASE, QA 3, SEAL, PLAIN ENCASED; KLOZURE, SPRING, RUBBER, REF 151, FOR	3	P	3110B SE
BHQ867M	AL	L-A-13-000-002	4 SEAL	SEAL, TYPICAL, QA 3, SEAL, DIESEL ENGINE; CARTRIDGE SEAL FOR DIESEL FIRE PUMP, MODEL	3	B	2910O SE
BHX164Y	AL	M-A-03-000-002	1 SEAL	SEAL, DOOR, QA 3, SEAL, DOOR; RUBBER, C/O ONE K10025, ONE K10026, AND TWO K10027, FOR	3	P	4710Y SE
BJD097N	AL	L-A-13-000-002	2 SEAL	SEAL, TYPICAL, QA 3, FILTER, OIL, DIESEL ENGINE; SHELL, FOR DIESEL ENGINE, MODEL NT-855-F2,	3	B	2910O SE
BJE943D	AL	L-A-03-000-002	1 SEAL	SEAL, OIL/GREASE, QA 0, 1.000 IN, 1.500 IN, SINGLE LIP/SPRING, 0.312 IN, SEAL, PLAIN ENCASED; STYLE: SGL LIP/SPRING, SHAFT DIAMETER: 01.000	0	P	3110B SE
BJN011D	AC	- - - -	2 SEAL	SEAL, OIL/GREASE, QA 3, 3.625 IN, 4.626 IN, SINGLE LIP, 0.438 IN, PLAIN ENCASED	3	P	3110B SE
BJR127K	AL	T-A-01-000-002	12 SEAL	SEAL, TYPICAL, QA 3, SEAL, PLAIN; RUBBER, BLACK, O.25 WIDE X 0.625 ID X 1.063 IN OD ***	3	P	5730H SE
BJV638F	AL	L-A-13-000-002	1 SEAL	SEAL, TYPICAL, QA 0, SEAL KIT, ; AIR BREATHING COMPRESSOR, PURIFICATION SYSTEM ***	0	P	4310I SE
BKF903F	AL	M-A-16-000-002	6 SEAL	SEAL, TYPICAL, QA 3, SEAL, VALVE; TEFLON, REF 3, FOR BALL VALVE, 1 IN, SOCKETWELD, 600 PSIG	3	P	4820O SE
BKN315V	AL	L-A-02-000-002	8 SEAL	SEAL, TYPICAL, QA 3, SEAL, PLAIN; TEFLON, SOFT, MACHINED, FOR 4 IN, 150 PSIG, FIG 1601C	3	P	4820O SE
BKN315V	AL	P-A-LL-ET0-078	20 SEAL	SEAL, TYPICAL, QA 3, SEAL, PLAIN; TEFLON, SOFT, MACHINED, FOR 4 IN, 150 PSIG, FIG 1601C	3	P	4820O SE
BLL778N	AL	M-A-04-000-002	10 SEAL	SEAL, OIL/GREASE, QA 3, SEAL, PLAIN ENCASED; PLAIN, ENCASED OIL, LIP MATERIAL NITRILE, .625 X	3	P	3110B SE
BLQ145A	AL	M-A-04-000-002	12 SEAL	SEAL, OIL/GREASE, QA 3, SEAL, DIESEL ENGINE; STRAINER, FUEL OIL, RUBBER, FOR DIESEL ENGINE	3	B	2910O SE
BLR571K	AL	L-A-13-000-002	3 SEAL	SEAL, TYPICAL, QA 1, SEAL, ; ROD SEAL, BACK-UP RING, FOR MECHANICAL SHOCK ARRESTOR, MODEL	1	C	5730H SE
BLT082L	AL	P-A-LL-ET0-064	2 SEAL	SEAL, TYPICAL, QA 1, SEAL, VALVE; SEAL HOUSING, USE FOR METAL TO METAL SEAL, 10-5/8 X 7-5/8	1	B	4820O SE
BLX686D	AL	L-A-03-000-002	4 SEAL	SEAL, TYPICAL, QA 0, COUPLING, 1-1/2 IN, RUBBER, SEAL, PLAIN, SPARE PART; RUBBER, 1.5 IN, FOR DODGE- WALDRON COUPLING ON	0	C	3110B SE
BMF646V	AL	M-A-03-000-002	2 SEAL	SEAL, TYPICAL, QA 3, SEAL, VALVE; FOR POSI SEAL CONTROL VALVE, KENNETH ELLIOTT DWG A8005-6	3	P	4820O SE
BNP167Q	AL	L-A-13-000-002	1 SEAL	SEAL, OIL/GREASE, QA 0, SEAL, ; OIL SEAL, FOR COMPRESSOR, FRESH AIR, MODEL SAC 25E3, 15 HP	0	P	4310I SE
BNP167Q	AL	L-A-03-000-002	2 SEAL	SEAL, OIL/GREASE, QA 0, SEAL, ; OIL SEAL, FOR COMPRESSOR, FRESH AIR, MODEL SAC 25E3, 15 HP	0	P	4310I SE
BNR531K	AL	L-A-09-000-002	489 SEAL	SEAL, TYPICAL, QA 0, SEAL, ; ALUMINUM, TEAR-OFF, FOR POST ACCIDENT SAMPLING SYSTEM (GAS AND	0	P	6630D SE
BQK538P	AL	M-A-03-000-002	3 SEAL	SEAL, TYPICAL, QA 3, SEAL, PLAIN, SPARE PART; FLAT, RUBBER AND STEEL, WASHER TYPE, FOR	3	B	6630D SE
BRG314P	AL	P-A-LL-ET0-085	2 SEAL	SEAL, FEEDTHROUGH, SEAL, ASSEMBLY; CONDUIT, STAINLESS STEEL, 0.5 (1/2) INCH CONNECTION,	1	C	5730H SE
BVD956H	AL	L-A-09-000-002	9 SEAL	SEAL, TYPICAL, QA 1, SEAL KIT, SNUBBER; SEAL KIT, SNUBBER, REPAIR, COMPLETE WITH PISTON	1	C	4710Y SE
BVE569K	AL	T-A-01-000-002	5 SEAL	SEAL, TYPICAL, QA 3, SEAL, PLAIN, SPARE PART; EVAPORATOR, FOR TRANE CHILLER ***	3	C	4520N SE
BVE603F	AL	P-A-LL-ET0-086	1 SEAL	SEAL, TYPICAL, QA 1, SEAL, VALVE; HOUSING, FOR TILTING DISK CHECK VALVE, 14 IN, 150 PSIG	1	C	4820O SE
BVE603F	AL	P-A-LL-ET0-108	2 SEAL	SEAL, TYPICAL, QA 1, SEAL, VALVE; HOUSING, FOR TILTING DISK CHECK VALVE, 14 IN, 150 PSIG	1	C	4820O SE
BVF583L	AL	L-A-09-000-002	1900 SEAL	SEAL, TYPICAL, QA 3, SEAL, STRAPPING; STAINLESS STEEL, 0.75 IN WD, FOR 0.75 IN WD	3	C	8135F SE
BVP566B	AL	M-A-01-000-002	25 SEAL	SEAL, TYPICAL, QA 1, SEAL, DAMPER; JAMB, SS ***	1	B	4410C SE
BVV252E	AC	- - - -	1 SEAL	SEAL, FEEDTHROUGH, QA 1, SEAL ASSY, ELECTRIC CONDUCTOR; TYPE ECSA, FEEDTHRU DIAMETER: 0.750	1	B	5975B SE
BWN338P	AC	- - - -	2 SEAL	SEAL, TYPICAL, QA 3, SEAL KIT, VALVE; MSIV, 26 INCH VALVE, DWG 20851-H, FOR 20" CYLINDER.	3	B	4820O SE
BWN338P	AL	L-A-01-000-002	2 SEAL	SEAL, TYPICAL, QA 3, SEAL KIT, VALVE; MSIV, 26 INCH VALVE, DWG 20851-H, FOR 20" CYLINDER.	3	B	4820O SE
BWQ007W	AL	M-A-06-000-002	1 SEAL	SEAL, TYPICAL, QA 1, VALVE, CAST STEEL, FOR 4 IN, 900 LB, Y-TYPE GLOBE VALVE, ASTM A296, GRADE	1	B	4820O SE
BWV761J	AL	M-A-06-000-002	4 SEAL	SEAL, TYPICAL, QA 3, SEAL, VALVE; METALLIC, PC 24, FOR AIR OPERATED ASME SECTION III CLASS	3	B	4820O SE
BXT152B	AC	- - - -	4 SEAL	SEAL, TYPICAL, QA 0, SEAL, VALVE; TEFLON, FOR BUTTERFLY VALVE, 006.000 IN, 150.000 PSIG	0	C	4820O SE
BXT152B	AL	L-A-13-000-002	6 SEAL	SEAL, TYPICAL, QA 0, SEAL, VALVE; TEFLON, FOR BUTTERFLY VALVE, 006.000 IN, 150.000 PSIG	0	C	4820O SE
BYJ153C	AL	L-A-09-000-002	3 SEAL	SEAL, TYPICAL, QA 3, SEAL, VALVE; MOLD 660, FOR CHARLES WHEATLEY CO. CHECK VALVE, 4", 500	3	B	4820O SE
BYK444V	AL	M-A-01-000-002	3 SEAL	SEAL, TYPICAL, QA 3, SEAL, ASSEMBLY; STEEL, FOR 2-WAY SOLENOID VALVE, 0.75 IN, NPT, P/N	3	B	4820O SE
CAA921N	AL	L-A-09-000-002	1 SEAL	SEAL, TYPICAL, QA 3, SEAL, VALVE; STEM, FOR 2 INCH WATER REGULATING 2-WAY VALVE, DIRECT A	3	B	4820O SE
CAE577N	AL	L-A-09-000-002	1 SEAL	SEAL, MECHANICAL, QA 0, PUMP, SEAL, MECHANICAL, SPARE PAR; FOR LUBE OIL TRANSFER PUMP	0	B	4320U SE
CAK497T	AL	L-A-09-000-002	1 SEAL	SEAL, OIL/GREASE, QA 0, SEAL, PUMP; OIL, IN BOARD, REFERENCE CARVER PUMP ITEM NO. 15, AMERTAP	0	B	4320U SE
CAK500D	AL	L-A-09-000-002	3 SEAL	SEAL, OIL/GREASE, QA 0, SEAL, PUMP; OIL, OUT BOARD, REFERENCE CARVER PUMP ITEM NO. 16, AMERTAP	0	B	4320U SE
CAV920C	AL	L-A-13-000-002	1 SEAL	SEAL, TYPICAL, QA 3, SEAL, CYLINDER; SLIPPER, VIRGIN TEFLON, .125 THK X 7.028 IN OD, FOR	3	C	5730H SE
CBE545X	AL	L-A-09-000-002	2 SEAL	SEAL, LABYRINTH, QA 0, RING, CHILLER; LABYRINTH, 12.5 OD X 9.5 IN ID, FOR CHILLER, MODEL	0	C	4520N SE
CBR338A	AL	P-A-LL-ET0-110	34 SEAL	SEAL, TYPICAL, QA 3, SEAL, ACTUATOR; ROD SEAL, VITON, FOR ATWOOD AND MORRILL MAIN STEAM	3	C	4820O SE
CBW257T	AL	I-A-09-000-002	1 SEAL	SEAL, TYPICAL, QA 0, SEAL KIT, ANALYZER; ORIFICE AND SEAL KIT FOR THE BOILER O2 AND CO	0	C	6695D SE
CDD653K	AL	M-A-01-000-002	1 SEAL	SEAL, TYPICAL, QA 3, SEAL, VALVE; METAL, FOR 6" CONTROL VALVE, CONTROL COMPONENTS INC PAR T	3	C	4820O SE
CDM069A	AL	L-A-09-000-002	9 SEAL	SEAL, TYPICAL, QA 1, SNUBBER, ETHYLENE PROPYLENE, *** FOR 50 KIP HYDRAULIC SNUBBER, 5.0 INCH BORE, 6 INCH STROKE	1	B	4710Y SE
CDM609E	AL	L-A-09-000-002	9 SEAL	SEAL, TYPICAL, QA 1, SNUBBER, ETHYLENE PROPYLENE, *** FOR 70 KIP HYDRAULIC SNUBBER, 6.0 INCH BORE, 6 INCH STROKE	1	B	4710Y SE
CDN227N	AC	- - - -	8 SEAL	SEAL, TYPICAL, QA 3, SEAL ASSY, ACTUATOR; HOUSING ASSEMBLY C/O: SEAL HSG	3	C	4820O SE
CEW817V	AL	L-A-09-000-002	1 SEAL	SEAL, TYPICAL, QA 1, SNUBBER, ETHYLENE PROPYLENE, *** FOR 130 KIP HYDRAULIC SNUBBER, 8.0 INCH BORE, 6 INCH STROKE	1	B	4710Y SE
CEX398G	AL	L-A-13-000-002	1 SEAL	SEAL, TYPICAL, QA 3, SEAL, TYPICAL; TYPE: PUMP BEARING COVER SEAL RING, FOR	3	B	4320U SE
CJT401E	AL	L-A-14-000-002	4 SEAL	SEAL, TYPICAL, QA 0, CONDENSATE BOOSTER PUMP, RCS/RSC/EPR, KIT, SPLIT MECHANICAL, CHESTERTON, (SPK), RSC/RSC/EPR	0	C	5730H SE
AVP547N	AL	A-A-01-000-001	55 SEALANT/ADHESIVE	SEALANT/ADHESIVE, TYPICAL, QA 3, GENERAL PURPOSE, 3 OZ, BOTTLE, PLIOBOND 20, , BRUSH TOP BOTTLE, THERMOSETTING ADHESIVE, INDUSTRIAL CONTACT	3	B	8040A SE
BBA922M	AL	A-A-01-000-001	35 SEALANT/ADHESIVE	SEALANT/ADHESIVE, TYPICAL, QA 3, SILICONE, COMPOUND, 10.3 OZ, DOWCORNING, CLEAR, RUBBER, NON-CORROSIVE, ROOM TEMP CURING	3	B	8040A SE
BJM893X	AC	- - - -	1 SEALANT/ADHESIVE	SEALANT/ADHESIVE, TYPICAL, QA 3, SILICONE RUBBER/PASTE, 10.1 OZ, CARTRIDGE, RTV 738, WHITE, , NON-CORROSIVE, NONSLUMPING ELECTRICAL SEALANT	3	B	8040A SE

BVL498H	AL	D-B-27-102-000	4	SEALANT/ADHESIVE	SEALANT/ADHESIVE, PENETRATION, QA 3, SEALANT/ADHESIVE, PENETRATION *** FOR CONDUIT, SILICONE COMPOUND	3	B	5975B SE
BVL498H	AL	D-B-29-101-000	12	SEALANT/ADHESIVE	SEALANT/ADHESIVE, PENETRATION, QA 3, SEALANT/ADHESIVE, PENETRATION *** FOR CONDUIT, SILICONE COMPOUND	3	B	5975B SE
BVL498H	AL	D-B-29-102-000	12	SEALANT/ADHESIVE	SEALANT/ADHESIVE, PENETRATION, QA 3, SEALANT/ADHESIVE, PENETRATION *** FOR CONDUIT, SILICONE COMPOUND	3	B	5975B SE
BWC406M	AL	A-A-01-000-001	3	SEALANT/ADHESIVE	SEALANT/ADHESIVE, TYPICAL, QA 3, EPOXY; PART A & B, EPY500, 50 GRAM PK (5-10 GRAM PACKS)	3	B	8040A SE
BKH511E	AL	D-B-27-101-000	95	SEALANT/ADHESIVE	SEALANT/ADHESIVE, TYPICAL, QA 3, MASTIC, 5 GAL, BUCKET, GRAY, FOR CALCIUM SILICATE PIPE INSULATION, SPRAY GRADE, CORK FILLED	3	B	8030W SE
BHT311V	AL	T-A-01-000-002	32	SEALANT/ADHESIVE	SEALANT/ADHESIVE, TYPICAL, QA 3, SYNTHETIC RUBBER BASE, 1 PINT, CAN, ARMAFLEX, FOR USE ON FOAM RUBBER INSULATION, , BRUSH TOP	3	B	8040A SE
BJM893X	AC	- - - -	4	SEALANT/ADHESIVE	SEALANT/ADHESIVE, TYPICAL, QA 3, SILICONE RUBBER/PASTE, 10.1 OZ, CARTRIDGE, RTV 738, WHITE, , NON-CORROSIVE, NONSLUMPING ELECTRICAL SEALANT	3	B	8040A SE
BLD776Y	AL	T-A-01-000-002	9	SEALANT/ADHESIVE	SEALANT/ADHESIVE, TYPICAL, QA 3, HIGH TEMPERATURE, 10.1 OZ, CARTRIDGE, RTV 106, RED	3	B	8030W SE
BTK373H	AL	L-A-09-000-002	8	SEALANT/ADHESIVE	SEALANT/ADHESIVE, TYPICAL, QA 3, PIPE, *** COMPOUND; ANAEROBIC ADHESIVE/SEALENTS, LOCTITE, PIPE SEALENT	3	B	8030W SE
ABJ781B	AC	- - - -	2	SEAT	SEAT, VALVE, QA 1, SEAT RING, VALVE; FOR 3/4-IA58RE AIR OPERATED VALVE, SPIN GAVBAOBC, E	1	C	48200 SE
AEJ459X	AC	- - - -	4	SEAT	SEAT, VALVE, QA 1, SEAT, VALVE; RING, LOWER, FOR MASONELAN VALVE, 6 IN, MODEL 37-10132	1	P	48200 SE
ALJ841V	AL	D-B-25-302-002	1	SEAT	SEAT, VALVE, QA 0, CONTROL, 8 IN, SEAT, VALVE; C/O 1 EA UPPER AND 1 EA LOWER, FOR CONTROL VALVE, TYPE	0	C	48200 SE
ANJ103M	AL	8-A-09-000-001	2	SEAT	SEAT, VALVE, QA 0, INJECTION, 103.227.627.500/004, COMPLETE, DWG 3818347A, FOR INJECTION VALVE IS (32) DWG 3813797	0	B	48200 SE
APA467G	PR	N-A-01-FLO-ORO	12	SEAT	SEAT, VALVE, QA 0, SEAT, STEAM TURBINE; FOR CONTROL VALVES 2 TO 4 & 6,ON TURBINE,S/N	0	C	2825G SE
APA568A	AL	D-A-13-401-001	1	SEAT	SEAT, VALVE, QA 0, SEAT, STEAM TURBINE; LPCV VALVE SEAT, REF 10, FOR VALVE GEAR ASSY DWG	0	C	2825G SE
ATJ358R	AL	A-A-01-000-001	5	SEAT	SEAT, VALVE, QA 0, SEAT, VALVE; FOR 010.000 IN, 150 PSI GATE VALVE, DWG SK-1956-45E, MARK	0	P	48200 SE
ATL349G	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, SEAT, VALVE; BODY,FOR CHECK,002.500 IN, FLANGED END,NO 147X ***	0	P	48200 SE
ATR202N	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, SEAT ASSY, VALVE; COMPLETE WITH DISK,FOR GLOBE VALVE,002.000 IN,MODEL	0	P	48200 SE
ATR851F	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, GATE, 6 IN, 7 IN, STEEL, 6 IN, 150 PSI, 15-OW-U, SEAT, VALVE; STEEL,ITEM 18,007.000 IN OD X 006.000 IN ID,FOR 006.000	0	P	48200 SE
ATT701Y	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, 3-WAY, STEEL/STELLITE, 2 IN, SEAT, VALVE; STEEL, STELLITE, ITEM 11, CONSISTS OF 2 EA PER SET, FOR	0	P	48200 SE
ATT703T	AL	1-A-04-009-001	2	SEAT	SEAT, VALVE, QA 0, GATE, 24 IN, 300 PSI, SEAT, VALVE; RING,ITEM 15,FOR 024.000 IN GATE VALVE,300 PSI,DRAWING	0	P	48200 SE
ATV220L	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, CONTROL, STEEL, 2 IN, 600 PSI, SEAT, VALVE; STEEL,RING,ITEM 2,FOR 002.000 IN,600 PSI,CAMFLEX AIR	0	P	48200 SE
ATW165H	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, GLOBE, 4 IN, 250 PSI, SEAT, VALVE; ITEM 22, FOR 4 IN PRESS. OPERATED HYTROL GLOBE VALVE, NO	0	C	48200 SE
ATW166F	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, SEAT, VALVE; ITEM 22, FOR 2 IN PRESS OPERATED HYTROL GLOBE VALVE NO	0	P	48200 SE
ATW442H	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, CONTROL, 6 IN, 600 PSI, SEAT, VALVE; ITEM 57,FOR 006.000 IN MOTOR OPERATED CONTROL VALVE,CLASS	0	P	48200 SE
ATW767L	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, STEEL, 6 IN, 150 PSI, SEAT, VALVE; RING,LARGE BODY,FOR 006.000 IN AIR OPERATED VALVE, MODEL	0	P	48200 SE
ATY635V	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, CHECK, 416 STAINLESS STEEL A473, 4 IN, 150 PSI, 1561AWE, SEAT, VALVE; STAINLESS STEEL,ASTM A 473,TY 416,RING,FOR 004.000	0	P	48200 SE
AVB209A	AL	A-A-01-000-001	6	SEAT	SEAT, VALVE, QA 1, SEAT, VALVE; STAINLESS STEEL ASTM A582,416,REF 2,FOR 000.500 IN 600	1	P	48200 SE
AVB827E	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, SEAT, VALVE; RING,BODY,ITEM 6,FOR 008.000 IN GATE VALVE,CAT 47-1/2XUF	0	P	48200 SE
AVC047T	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, CONTROL, 1-1/2 IN, 600 PSI, SEAT, VALVE; RING,ITEM 2,FOR 001.500 IN, CAMFLEX AIR OPERATED CONTROL	0	P	48200 SE
AVD059E	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, CONTROL, 440 STAINLESS STEEL, 2 IN, 3-15 PSI, SEAT, VALVE; STEEL,UPPER,FOR 002.000 IN CONTROL VALVE,MODEL 37-101718	0	P	48200 SE
AVD062R	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, RING, VALVE; SEAT, STEEL, FOR CAM-FLEX CONTROL VALVE, 3 IN, MODEL	0	P	48200 SE
AVD499T	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, STEEL, 14 IN, 300 PSI, SEAT, VALVE; STEEL,ITEM 14,FOR 014.000 IN AIR OPERATED VALVE,300 PSI	0	P	48200 SE
AVE152W	AL	A-A-01-000-001	4	SEAT	SEAT, VALVE, QA 0, GATE, BRONZE, 3 IN, G-680, SEAT, VALVE; BRONZE,ITEM 16,FOR 003.000 IN GATE VALVE,FIG.G-680 ***	0	P	48200 SE
AVE161V	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, GATE, BRONZE, 6 IN, 623, SEAT, VALVE; BRONZE,ITEM 19,FOR 006.000 IN GATE VALVE,FIG.623 ***	0	P	48200 SE
AVE335L	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, CHECK, STEEL, 4 IN, SEAT, VALVE; STEEL,THREADED,ITEM 6,FOR 004.000 IN SWING CHECK VALVE	0	P	48200 SE
AVE763Y	AL	A-A-01-000-001	4	SEAT	SEAT, VALVE, QA 0, GATE, BRONZE, 3 IN, 125 PSI, 1792, SEAT, VALVE; BRONZE,FOR 003.000 IN GATE VALVE,MODEL STAR,FIG 1792,THD	0	P	48200 SE
AVE821B	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, CHECK, STEEL, 4 IN, 150 PSI, 1561A, SEAT, VALVE; STEEL,FOR 004.000 IN SWING CHECK VALVE,FIG 1561A,DWG	0	P	48200 SE
AVH094P	AL	D-B-14-000-001	1	SEAT	SEAT, VALVE, QA 0, GATE, STEEL, 24 IN, 600 PSI, SEAT, VALVE; STEEL,FOR 024.000 IN GATE VALVE,600 PSI,CODE	0	P	48200 SE
AVH397E	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, GATE, CARBON STEEL/13 % CHROME, 3 IN, 150 PSI, SEAT, VALVE; CARBON STEEL, WITH 13 PCT CR FACING, RING TYPE, ITEM 18	0	P	48200 SE
AVH398C	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, GATE, CARBON STEEL, 4 IN, 150 PSI, 1513-63-207, SEAT, VALVE; CARBON STEEL,W/HARDEND FACING,ITEM 18,FOR 004.000 IN,150	0	P	48200 SE
AVH399A	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, CHECK, STAINLESS STEEL/CHROME, 3 IN, 150 PSI, SEAT, VALVE; STAINLESS STEEL,13 PCT CHROME,RING,IT 12,FOR 003.000	0	P	48200 SE
AVJ420L	AL	A-A-01-000-001	2	SEAT	SEAT, VALVE, QA 0, GATE, BRONZE, 6 IN, 200 LB, G-743-0, SEAT, VALVE; BRONZE,RING,ITEM 15,FOR 006.000 IN GATE VALVE AWWA CLASS	0	P	48200 SE
AVT706E	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, GLOBE, 2 IN, 150 PSI, SEAT, VALVE; UPPER,FOR T-TYPE GLOBE VALVE, 002.000 IN,FLG,MODEL	0	P	48200 SE
AVT707C	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, GLOBE, 4 IN, 150 LB/11-30 LB, SEAT, VALVE; UPPER,FOR T-TYPE GLOBE VALVE, 004.000 IN,FLG,MODEL	0	P	48200 SE
AVV036J	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, GATE, STEEL, 12 IN, 600 PSI, 5232WE, SEAT, VALVE; STEEL,RING,REF 14,FOR 012.000 IN,600.000 PSI, BUTT WELD	0	P	48200 SE
AVV014P	AL	D-B-09-202-001	3	SEAT	SEAT, VALVE, QA 0, EQUALIZER, 2 IN, FOR 2 IN EQUALIZER VALVE ASSEMBLY, ON BAGHOUSE DRY ASH	0	P	4450C SE
AVW865E	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, GATE, CARBON STEEL A105, 6 IN, 900 LB, SEAT, VALVE; STEEL, RING, ASTM A105, ITEM 10, FOR 006,000 INCH, 900	0	P	48200 SE
AWA359L	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, BALL, PLASTIC, 2 IN, 303-S6-CS-6, SEAT, VALVE; PLASTIC, DWG REF 4, FOR BALL VALVE, 002.000 IN, FIG	0	P	48200 SE
AWC604Q	AL	A-A-01-000-001	2	SEAT	SEAT, VALVE, QA 0, ASSEMBLY, RUBBER, 12 IN, L-300-CS-CS-6, SEAT ASSY, VALVE; RUBBER, DWG 13, FOR 012.000 INCH DIAPHRAGM TYPE	0	P	48200 SE
AWC608G	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, ASSEMBLY, RUBBER, 8 IN, L-300-CS-CS-6, SEAT ASSY, VALVE; RUBBER, DWG 13, FOR 008.000 INCH DIAPHRAGM TYPE	0	P	48200 SE
AWE673R	AL	D-B-09-201-000	2	SEAT	SEAT, VALVE, QA 0, GATE, CARBON STEEL A105, 10 IN, 900 LB, SEAT, VALVE; STEEL, ASTM A 105, RING, FOR 010.000 IN, 900 LB, GATE	0	P	48200 SE
AWM571X	AL	A-A-01-000-001	8	SEAT	SEAT, VALVE, QA 0, BALL, TEFLON, 3/4 IN, 600 PSIG, SEAT, VALVE; TEFLON, REF 3, FOR 000.750 IN,600.000 PSIG BALL VALVE	0	P	48200 SE
AWM573R	AL	A-A-01-000-001	14	SEAT	SEAT, VALVE, QA 0, BALL, TEFLON, 2 IN, 850 PSIG, C-1122-GG, SEAT, VALVE; TEFLON, REF 3, FOR 002.000 IN,850.000 MAX PSIG, 450.000	0	P	48200 SE
AXA203F	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, GATE, BRONZE, 14 IN, SEAT, VALVE; BRONZE, FOR 014.000 IN GATE VALVE ***	0	P	48200 SE
AXD504H	AL	P-A-LL-ET0-063	1	SEAT	SEAT, VALVE, QA 0, GLOBE, 17-4 PH/630 SS SA564, 3 IN, SEAT RING, VALVE; STAINLESS STEEL, ASME SA 564- 630-17-4 PH, FOR GLOBE	0	C	48200 SE
AXW835B	AL	A-A-01-000-001	2	SEAT	SEAT, VALVE, QA 0, BRASS, 4 IN, 30-250 PSI, SEAT, VALVE; BRASS, FOR TEMPERATURE CONTROLLED VALVE, 4 IN, 30-250	0	P	48200 SE
AYP274D	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, RING, ; SEAT, STAINLESS STEEL, REF 13 FOR GLOBE VALVE, SIZE 6 IN	0	P	48200 SE
BAP224H	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, RING, VALVE; SEAT, STAINLESS STEEL, REF 12, FOR SWING CHECK VALVE, 4	0	C	48200 SE
BBF665M	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 1, RING, VALVE; SEAT, STEEL, FOR SWING CHECK VALVE, 4 IN, DWG	1	P	48200 SE
BEG255H	AL	1-B-14-000-001	1	SEAT	SEAT, VALVE, QA 0, SEAT, VALVE; RING, STAINLESS STEEL, FOR VALVE, 6 IN, MODEL 35-35400	0	P	48200 SE
BEX388T	AL	D-B-16-000-001	1	SEAT	SEAT, VALVE, QA 0, GLOBE, 316 STAINLESS STEEL, 8 IN, 600 LB, SEAT, VALVE; RING, METALLIC, REF 13, FOR GLOBE VALVE, 8 IN, ANSI CLASS	0	C	48200 SE
BGF224M	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, SEAT, VALVE; STEEL, STELLITED, REF 8, FOR GATE VALVE, MODEL 47W401-10	0	P	48200 SE
BHA999C	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, CONTROL, STEEL, 3/4 IN, 600 PSI, RING, STEEL, FOR FISHER CONTROL VALVE, TYPE 657ES, SIZE 30 ACTUATOR,	0	P	48200 SE
BHL143M	AC	- - - -	7	SEAT	SEAT, VALVE, QA 0, GATE, 24 IN, 300 PSIG, SEAT, VALVE; RING,FOR GATE VALVE,24 IN 300 PSIG AT 850 DEG F,MODEL	0	P	48200 SE
BHY625F	AL	X-B-11-144-001	1	SEAT	SEAT, VALVE, QA 0, BUTTERFLY, RUBBER, 8 IN, SEAT ASSY, VALVE; RUBBER, C/O VARIOUS O-RINGS, FOR BUTTERFLY VALVE, 8	0	P	48200 SE
BJC425E	AL	A-A-01-000-001	2	SEAT	SEAT, VALVE, QA 0, SEAT, HYDRANT,FIRE; BRASS, FOR FIRE HYDRANT, MODELB-62-B, 5.25 IN	0	P	4210N SE
BJJ175C	AL	A-A-01-000-001	1	SEAT	SEAT, VALVE, QA 0, CHECK, CARBON STEEL, 3 IN, 175 PSIG, SEAT, VALVE; CARBON STEEL, FOR CHECK VALVE,3 IN, 175 PSIG WOG, LIST 23	0	P	48200 SE
BKC519Y	AL	A-A-01-000-001	2	SEAT	SEAT, VALVE, QA 0, SEAT, VALVE; RING, METALLIC, REF 14, FOR CONRTOL VALVE, 1 IN, MODEL	0	P	48200 SE
BLC590X	AL	D-A-18-302-000	497	SEAT	SEAT, SPRING, QA 0, HELICAL COMPRESS, SS, SEAT, HELICAL COMPRESS SPG; STAINLESS STEEL, FOR CONDENSATE FILTER	0		46109 SE
BMD634D	AL	1-A-03-000-001	1	SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; RING, ORFICE, FOR REGULATING VALVE, 1 IN, MODEL 40C, 200	3	P	48200 SE
BNR714B	AL	Z-A-06-000-001	12	SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; RING RETAINER. ***	3	P	48200 SE
BPQ957F	AL	A-A-01-000-001	7	SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; RING, FOR VALVE, GLOBE, THROTLR, 4 IN ***	3	C	48200 SE
BPW733H	AL	E-A-16-C05-E01	9	SEAT	SEAT, TYPICAL, QA 0, SEAT, CIRCUIT BREAKER; SEAT, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
BQC499B	AL	D-B-16-000-001	3	SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; RESILIENT,ETHYLENE PROPYLENE, FOR 8 IN. TILTING DISC	3	B	48200 SE

BRE264N	AL	E-A-16-C04-F01	2 SEAT	SEAT, VALVE, QA 0, RELIEF, FOR PRESSURE REDUCING SAFETY RELIEF VALVE, P/N MRV60-150,	0	C	48200 SE
BTF848G	AL	A-A-01-000-001	1 SEAT	SEAT, VALVE, QA 1, RING, VALVE; SEAT PART #0670976 FOR 16" GATE VALVE, 600#, ITEM CODE	1	B	48200 SE
BTF848G	AL	F-A-05-302-000	2 SEAT	SEAT, VALVE, QA 1, RING, VALVE; SEAT PART #0670976 FOR 16" GATE VALVE, 600#, ITEM CODE	1	B	48200 SE
BTF972F	AL	A-A-01-000-001	1 SEAT	SEAT, VALVE, QA 3, RING, VALVE; SEAT RING FOR 10" 600# WALWORTH GATE VALVE, ITEM CODE	3	B	48200 SE
BTF972F	AL	F-A-22-101-000	1 SEAT	SEAT, VALVE, QA 3, RING, VALVE; SEAT RING FOR 10" 600# WALWORTH GATE VALVE, ITEM CODE	3	B	48200 SE
BTG053A	AL	A-A-01-000-001	1 SEAT	SEAT, VALVE, QA 3, RING, VALVE; RING, SEAT FOR 12" 600# WALWORTH GATE VALVE, ITEM CODE	3	B	48200 SE
BTG053A	AL	F-A-31-302-000	1 SEAT	SEAT, VALVE, QA 3, RING, VALVE; RING, SEAT FOR 12" 600# WALWORTH GATE VALVE, ITEM CODE	3	B	48200 SE
BTG253B	AL	A-A-01-000-001	2 SEAT	SEAT, VALVE, QA 3, RING, VALVE; SEAT RING MATERIAL ASTM A105, FOR 3" 600# WALWORTH GATE	3	B	48200 SE
BTG399E	AL	A-A-01-000-001	1 SEAT	SEAT, VALVE, QA 3, RING, VALVE; SEAT RING ASTM A105 FOR 20" 600# WALWORTH GATE VALVE	3	B	48200 SE
BTG399E	AL	F-A-05-302-000	1 SEAT	SEAT, VALVE, QA 3, RING, VALVE; SEAT RING ASTM A105 FOR 20" 600# WALWORTH GATE VALVE	3	B	48200 SE
BTR994H	AL	D-A-18-301-001	1 SEAT	SEAT, VALVE, QA 1, SEAT, VALVE; FOR 3 IN GATE VALVE, FIGURE 3003, 300 PSIG, DWG 035951-	1		48200 SE
BVA700H	AL	D-A-15-401-006	4 SEAT	SEAT, VALVE, QA 0, GATE, SS/STELLITE, 8 IN, 600 LB, 6023WE, MATERIAL, STAINLESS STEEL ASTM A 182 GR F6A CLASS 2 WITH 11 1/2% -	0	C	48200 SE
BVH994L	AL	F-A-21-101-001	2 SEAT	SEAT, VALVE, QA 0, RING, VALVE; SEAT, FOR 4 IN VALVE ***	0	B	48200 SE
BVW367P	AL	A-A-01-000-001	8 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; STEEL, RING, FOR 2.5 IN, 150 LB, GLOBE VALVE, GLOBE	3	B	48200 SE
BWK038A	AL	A-A-01-000-001	1 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; STAINLESS STEEL,TYPE 316,1 IN, BOTTOM,REF 32,FOR 1 IN	3	B	48200 SE
BWL587C	AC	- - - -	4 SEAT	SEAT, VALVE, QA 1, SEAT, VALVE; BACK, SA-479 TP316, SPIN ASVAN(S) SERIES FOR WESTINGHOUSE	1	B	48200 SE
BWW077H	AL	F-A-22-101-000	1 SEAT	SEAT, VALVE, QA 0, CONTROL, 1 IN, 900 LB, SEAT, VALVE; CAGE, FOR 1 IN FLOW CONTROL VALVE, WKM 900 LB, CARBON	0	C	48200 SE
BWY783Q	AC	- - - -	8 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; RENEWABLE, FOR 1 IN CHECK VALVE, JOHN HANCOCK MODEL 558	3	C	48200 SE
BXL048V	AL	F-A-21-101-001	1 SEAT	SEAT, VALVE, QA 0, RING, VALVE; SEAT VALVE, FOR 1-1/2 IN, S/N 70-116119 THRU 116130 ***	0	C	48200 SE
BXM309Y	AL	A-A-01-000-001	2 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; RING,WITH STELLITE, ASME A515-70, FOR SWING CHECK VALVE,4	3	C	48200 SE
BXW617E	AL	D-B-07-201-003	1 SEAT	SEAT, VALVE, QA 0, SEAT, RING; ASTM A105, MODEL 5206-WE, DWG 1968-22-C, ITEM CODE	0	C	48200 SE
BXW617E	AL	D-B-14-000-001	1 SEAT	SEAT, VALVE, QA 0, SEAT, RING; ASTM A105, MODEL 5206-WE, DWG 1968-22-C, ITEM CODE	0	C	48200 SE
CAE394Y	AL	D-B-23-104-001	1 SEAT	SEAT, VALVE, QA 1, CLASS 3, SEAT, VALVE; RING,COGRA HARD FACED,CARBON STEEL,SA-105,DWG SK- 1952-72	1	C	48200 SE
CAJ158N	AL	D-A-18-301-001	3 SEAT	SEAT, VALVE, QA 3, GLOBE, 8 IN, 8-3/4 IN, CS, 8 IN, 150 PSI, 5312WE, WALWORTH 8 IN STOP GLOBE VALVE, DWG A-12381-M-1-D, BFN VALVE NO.	3		48200 SE
CAL924W	AL	A-A-01-000-001	3 SEAT	SEAT, VALVE, QA 0, SEAT RING, RING, VALVE; SEAT,DWG SK-1959-36, IT 19,FOR 5206WE CAST CARBON STEEL,	0	B	48200 SE
CBC864P	AL	A-A-01-000-001	1 SEAT	SEAT, VALVE, QA 1, VALVE, 4 IN, 150 LB, , RING; FOR MASONILAN SS VALVE, MATERIAL: ASTM A479 TP 316 WITH NO.	1	B	48200 SE
CDH474Y	AL	A-A-01-000-001	2 SEAT	SEAT, VALVE, QA 1, SEAT RING, VALVE; SWING CHECK, SIZE: 6 INCH, P/N: 013, A/D DWG:	1	C	48200 SE
CDY474V	AC	- - - -	1 SEAT	SEAT, VALVE, QA 1, SEAT, RING; FOR 20"X 16"X 16"-150 WELD ENDS CARBON STEEL LIFT CHECK	1	C	48200 SE
CDY683J	AL	A-A-01-000-001	2 SEAT	SEAT, VALVE, QA 0, RING, VALVE; SEAT RING, ITEM #19, FOR WALWORTH MODEL 5206WE GATE	0	C	48200 SE
CFD696L	AL	D-A-33-202-000	2 SEAT	SEAT, VALVE, QA 1, SEAT, VALVE *** SEAT RING, MATERIAL: STAINLESS STEEL, A182 GR F6, FOR	1	C	48200 SE
CHB499L	AL	D-A-21-202-002	1 SEAT	SEAT, TYPICAL, QA 1, VALVE, SEAT INSERT, FOR 2" 150 POUND WELD ENDS SWING CHECK VALVE, POWELL FIG	1		48200 SE
CHX499P	AL	D-A-30-201-000	1 SEAT	SEAT, VALVE, QA 1, SS, 12 IN (1 FT), SEAT RING, FOR POWELL 300 # SWING CHECK VALVE, POWELL FIG 3061-A	1		48200 SE
CLA659B	AL	D-B-25-302-001	1 SEAT	SEAT, VALVE, QA 3, CHECK, VALVE, SEAT RING, WILLIAM POWELL 8" SWING CHECK VALVE, MODEL 6061WE,	3		48100 SE
CLD437E	AL	D-B-09-202-001	2 SEAT	SEAT, VALVE, QA 0, FOR STYLE IV ROTARY VALVE	0	C	4450C SE
ADB316Y	AL	M-A-15-000-002	34 SEAT	SEAT, VALVE, QA 0, RING, VALVE; VALVE, C/W 6 EA BUTTONS AND 1 EA SPRING, FOR INTERCEPTOR	0		2825G SE
AEB918V	AL	M-A-15-000-002	2 SEAT	SEAT, VALVE, QA 0, SEAT, STEAM TURBINE; IL 1250-4103, COMPLETE WITH ONE SET OF ROTATION	0		2825G SE
AFB010D	AL	M-A-08-000-002	1 SEAT	SEAT, TYPICAL, QA 0, SEAT, STEAM TURBINE; STAINLESS STEEL, 41.5 IN OD, REF 25 ***	0	P	2825G SE
AFJ538V	AL	M-A-08-000-002	1 SEAT	SEAT, VALVE, QA 0, SEAT, VALVE; BRONZE, REF 9, FOR VALVE, SIZE002.500 IN, CAT 7100KH	0	P	48200 SE
AHH097F	AL	L-A-13-000-002	7 SEAT	SEAT, VALVE, QA 0, BUTTERFLY, EPDM, 4 IN, SEAT, VALVE; EPDM, REF 58, FOR NORRIS BUTTERFLY VALVE, 004.000 IN, ON	0	P	48200 SE
AHJ378B	AL	L-A-09-000-002	2 SEAT	SEAT, VALVE, QA 0, GATE, 1-1/2 IN, 900 PSI, W07-7054B-13MY, SEAT, VALVE; FOR BOLTED BONNET GATE VALVE, 001.500 IN, 900 PSI, FIG	0	P	48200 SE
AKJ353F	AL	L-A-09-000-002	1 SEAT	SEAT, VALVE, QA 0, GLOBE, 6 IN, 150 PSI, 1551WE, SEAT, VALVE; FOR POWELL GLOBE VALVE, FIG 1551WE MODIFIED,SIZE 006.000	0	P	48200 SE
AKJ753Y	AL	L-A-03-000-002	3 SEAT	SEAT, VALVE, QA 0, GATE, 4 IN, 150 PSI, 1503WE, SEAT, VALVE; FOR POWELL GATE VALVE, 004.000 IN, 150 PSI, FIG 1503WE	0	P	48200 SE
AKJ847M	AL	L-A-09-000-002	2 SEAT	SEAT, VALVE, QA 0, 1-1/2 IN, 2 IN, 600 PSI, SEAT, VALVE; FOR CHECK VALVE, TYPE 5580, SIZE 001.500 IN, 600 PSI	0	P	48200 SE
ALJ044D	AL	L-A-09-000-002	1 SEAT	SEAT, VALVE, QA 0, GLOBE, STEEL, 6 IN, SEAT, VALVE; STEEL, FOR GLOBE VALVE, 6 IN, DWG M-30, MODEL 3000, S/N	0	P	48200 SE
ALJ486M	AL	M-A-06-000-002	1 SEAT	SEAT, VALVE, QA 0, CHECK, MONEL, 18 IN, SEAT, VALVE; MONEL, REF 2, FOR STD CHECK VALVE, 018.000 IN, ID B1850	0	P	48200 SE
ALJ745P	AL	T-A-05-000-002	1 SEAT	SEAT, VALVE, QA 0, SEAT, VALVE; SMALL BORE, FOR VALVE, MOD 37-10134, SIZE 010.000 IN, 600	0	P	48200 SE
ALJ745P	AL	M-A-08-000-002	2 SEAT	SEAT, VALVE, QA 0, SEAT, VALVE; SMALL BORE, FOR VALVE, MOD 37-10134, SIZE 010.000 IN, 600	0	P	48200 SE
ALJ841V	AL	L-A-14-000-002	2 SEAT	SEAT, VALVE, QA 0, CONTROL, 8 IN, SEAT, VALVE; C/O 1 EA UPPER AND 1 EA LOWER, FOR CONTROL VALVE, TYPE	0	C	48200 SE
ALJ961H	AL	M-A-06-000-002	1 SEAT	SEAT, VALVE, QA 0, SEAT, VALVE; FOR POWELL 002.000 IN VALVE, FIG 2612 ***	0	P	48200 SE
AMY951G	AL	M-A-08-000-002	1 SEAT	SEAT, VALVE, QA 0, GLOBE, 1-1/2 IN, 2000 PSI, SEAT, VALVE; FOR GLOBE CHECK VALVE, TYPE 5580W, SIZE 001.500 IN, A105	0	P	48200 SE
ANJ240M	AL	T-A-01-000-002	3 SEAT	SEAT, VALVE, QA 0, CONTROL, 10 IN, 6-30 PSI, SEAT, VALVE; REF 2, FOR CONTROL VALVE, MOD 37-10134, SIZE 010.000 IN	0	P	48200 SE
ANY455N	AL	L-A-06-000-002	1 SEAT	SEAT, VALVE, QA 1, GATE, FORGED MONEL SB564, 12 IN (1 FT), 300 PSI, 5206WE, SEAT, VALVE; COMPOSITION A PER FED SPEC QQ-N-288, FOR GATE VALVE	1	P	48200 SE
APE696C	AL	M-A-16-000-002	1 SEAT	SEAT, TYPICAL, QA 3, SEAT, ; ASTM B390, FOR MECHANICAL SEAL, TYPE IB-RS, DWG C-15933	3	P	5730H SE
ARH910L	AL	L-A-09-000-002	4 SEAT	SEAT, VALVE, QA 0, SEAT, VALVE; INHALATION, FOR ULTRA TWIN RESPIRATOR ***	0	P	48200 SE
ATH588D	AC	- - - -	1 SEAT	SEAT, VALVE, QA 2, SEAT, VALVE; FOR 001.500 IN CONTROL VALVE, MOD 37-20771, TYPICAL S/N	2	P	48200 SE
ATJ358R	AL	M-A-04-000-002	1 SEAT	SEAT, VALVE, QA 0, SEAT, VALVE; FOR 010.000 IN, 150 PSI GATE VALVE, DWG SK-1956-45E, MARK	0	P	48200 SE
ATJ465Q	AL	T-A-12-000-002	5 SEAT	SEAT, VALVE, QA 0, GATE, STEEL, 3 IN, 150/300 PSI, SEAT, VALVE; STEEL,FIG 17,FOR GATE,003.000 IN,150 PSI,FIG 5202WE, DWG	0	P	48200 SE
ATJ466N	AL	T-A-12-000-002	1 SEAT	SEAT, VALVE, QA 0, CHECK, STEEL, 6 IN, 150/300 PSI, 5202WE, SEAT, VALVE; STEEL,ITEM 17,FOR GATE,006.000 IN,150 PSI,FIG 5202WE,DWG	0	P	48200 SE
ATR196M	AC	- - - -	1 SEAT	SEAT, VALVE, QA 1, SEAT, VALVE; RING,FOR 004.000 CONTROL VALVE MODEL 37-20771,S/N	1	P	48200 SE
ATR196M	AL	M-A-16-000-002	2 SEAT	SEAT, VALVE, QA 1, SEAT, VALVE; RING,FOR 004.000 CONTROL VALVE MODEL 37-20771,S/N	1	P	48200 SE
ATR196M	AL	T-A-05-000-002	2 SEAT	SEAT, VALVE, QA 1, SEAT, VALVE; RING,FOR 004.000 CONTROL VALVE MODEL 37-20771,S/N	1	P	48200 SE
ATW765Q	AL	M-A-01-000-002	1 SEAT	SEAT, VALVE, QA 0, SEAT, VALVE; RING,FOR 004.000 IN AIR OPERATED CONTROL VALVE,MODEL	0	P	48200 SE
AVH012L	AL	M-A-01-000-002	7 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; RING,BODY,ITEM 4,FOR 002.500 IN GLOBE VALVE 143-0.500,DWG	3	P	48200 SE
AVN635Y	AL	M-A-01-000-002	1 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; RING, ITEM 5, FOR 010.000 IN, SWING CHECK VALVE CAST	3	P	48200 SE
AVQ916C	AL	T-A-12-000-002	1 SEAT	SEAT, VALVE, QA 0, GLOBE, 6 IN, 300 PSI, SEAT, VALVE; RING,ITEM 18,FOR 006.000 IN, T-PATTERN GLOBE VALVE,300	0	P	48200 SE
AVV032T	AL	M-A-01-000-002	1 SEAT	SEAT, VALVE, QA 0, GATE, STEEL, 6 IN, 600 PSIG, SEAT, VALVE; STEEL, RING, REF 14, FOR GATE VALVE, 6 IN, 600 PSIG	0	P	48200 SE
AWB082P	AL	M-A-01-000-002	6 SEAT	SEAT, VALVE, QA 0, SEAT, VALVE; STEEL, PLUNGER, FOR UL48 MODEL3 WAY VALVE ON COMPRESSOR	0	P	48200 SE
AWB149T	AL	M-A-15-000-002	1 SEAT	SEAT, VALVE, QA 0, STOP, CARBON STEEL, 10 IN, 300 LB, SEAT, VALVE; CARBON STEEL, FOR 010.000 IN, 300 LB, STOP VALVE, IL	0		48200 SE
AWE640L	AL	T-A-12-000-002	5 SEAT	SEAT, VALVE, QA 0, RING, STEEL, 2-1/2 IN, 150 PSI, SEAT, VALVE; STEEL, RING, FOR 002.500 IN, 150 LB, GLOBE VALVE, CODE 5-	0	P	48200 SE
AWE654X	AL	T-A-12-000-002	1 SEAT	SEAT, VALVE, QA 0, GLOBE, CARBON STEEL A105, 6 IN, 150 LB, SEAT, VALVE; STEEL, ASTM A105, RING, FOR 006.000 IN, 150 LB, GLOBE	0	P	48200 SE
AWF458Q	AL	M-A-16-000-002	4 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; RING, VALVE, FOR 2 IN DIAPHRAGM CONTROL VALVE, CLASS	3	P	48200 SE
AWF485M	AL	M-A-01-000-002	1 SEAT	SEAT, VALVE, QA 0, CONTROL, STEEL, 75 PSI, SEAT, VALVE; STEEL, FOR BOILER FEED CONTROL VALVE, MODEL 53, 75 PSI	0	P	48200 SE
AWM571X	AL	M-A-04-000-002	14 SEAT	SEAT, VALVE, QA 0, BALL, TEFLON, 3/4 IN, 600 PSIG, SEAT, VALVE; TEFLON, REF 3, FOR 000.750 IN,600.000 PSIG BALL VALVE	0	P	48200 SE
AWX622X	AL	T-A-01-000-002	1 SEAT	SEAT, VALVE, QA 3, CHECK, A105 CS, 4 IN, 900 LB, 5353WE, SEAT, VALVE; STAINLESS STEEL, ASTM A105, RING, FOR 004.000 IN, BW,	3	P	48200 SE
AXC019K	AL	M-A-15-000-002	5 SEAT	SEAT, VALVE, QA 1, SEAT, VALVE; RING, STAINLESS STEEL ASTM ASTM A182 GR F304, 12 OD X	1		48200 SE

AXP130P	AL	M-A-12-000-002	1 SEAT	SEAT, VALVE, QA 3, SEAT RING, ; STAINLESS STEEL, 002.000 X 002.937 IN, REF 49, FOR	3	P	48200 SE
AXP374F	AL	M-A-15-000-002	1 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; STEEL, RING, REF 20, FOR 003.000 IN GLOBE VALVE, MODEL	3	P	48200 SE
AXV815N	AL	M-A-06-000-002	1 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; STAINLESS STEEL, RING TYPE, 4.5 OD X 3.5 IN ID, FOR GLOBE	3	P	48200 SE
AYH990W	AL	M-A-16-000-002	3 SEAT	SEAT, VALVE, QA 2, SEAT ASSY, VALVE; STAINLESS STEEL ASME SA 479 TYPE 316, C/O SPOOL P/N	2	P	48200 SE
BDD921V	AL	M-A-01-000-002	1 SEAT	SEAT, VALVE, QA 1, SEAT, VALVE; STAINLESS STEEL, FOR CHECK VALVE, 8 IN, ANSI CLASS 150	1	P	48200 SE
BEH108T	AL	M-A-16-000-002	1 SEAT	SEAT, VALVE, QA 1, SEAT, VALVE; RING, UPPER, STAINLESS STEEL, FOR GLOBE VALVE, 6 IN	1	P	48200 SE
BEH109Q	AL	M-A-16-000-002	1 SEAT	SEAT, VALVE, QA 1, SEAT, VALVE; RING, LOWER, STAINLESS STEEL, FOR GLOBE VALVE, 6 IN	1	P	48200 SE
BEL906E	AL	M-A-06-000-002	1 SEAT	SEAT, VALVE, QA 2, SEAT, VALVE; RING, STAINLESS STEEL, FOR VALVE, 4 IN, ANSI CLASS 900	2	P	48200 SE
BEQ467Q	AL	M-A-16-000-002	2 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; VALVE SEAT RING FOR 1" 150 MODEL 20721 MASONIILAN VALVE.	3	P	48200 SE
BGJ077F	AL	L-A-03-000-002	1 SEAT	SEAT, VALVE, QA 0, GATE, CARBON STEEL/STELLITE, 1-1/2 IN, 800 PSIG, 596-2, SEAT, VALVE; RING, CARBON, STELLITE NO 5, REF 17, FOR GATE VALVE	0	P	48200 SE
BHD484Y	AL	M-A-14-000-002	3 SEAT	SEAT, VALVE, QA 1, SEAT, VALVE; PILOT, FOR CONTROL VALVE ***	1	P	48200 SE
BHJ805C	AL	M-A-04-000-002	1 SEAT	SEAT, VALVE, QA 1, SEAT, VALVE; RING, STAINLESS STEEL ASME SA240 TYPE 304L, W/STELLITE	1	P	48200 SE
BHJ805C	AC	- - - -	2 SEAT	SEAT, VALVE, QA 1, SEAT, VALVE; RING, STAINLESS STEEL ASME SA240 TYPE 304L, W/STELLITE	1	P	48200 SE
BHX903K	AL	L-A-09-000-002	6 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; RING, STELLITE FACE, 18 IN ID, FOR GATE VALVE, 18 IN, PSIG	3	P	48200 SE
BJK511H	AL	L-A-09-000-002	1 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; STAINLESS STEEL, 10 ID X 13 INOD, EXTERNAL THREADED, FOR	3	P	48200 SE
BKR539M	AL	T-A-01-000-002	3 SEAT	SEAT, VALVE, QA 1, SEAT, VALVE; RING, STAINLESS STEEL ASTM A182 GRADE F316, WITH STELLITE	1	P	48200 SE
BKY640J	AL	L-A-03-000-002	10 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; POLYETHYLENE, FOR BALL VALVE, 1.5 IN, MODEL BWS-2236UU	3	P	48200 SE
BLD572F	AL	L-A-03-000-002	1 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; RING, STAINLESS STEEL AISI 316MALE THREADS, FOR CONTROL	3	P	48200 SE
BLQ398C	AL	O-A-03-000-002	1 SEAT	SEAT, VALVE, QA 1, SEAT, VALVE; RING SEAT, FOR POWELL GATE VALVE, SIZE 10 IN ASTM A217	1	C	48200 SE
BMB610H	AL	T-A-01-000-002	2 SEAT	SEAT, VALVE, QA 1, SEAT, VALVE; RING, ASTM A182, GRADE F316, WITH STELLITE FACE, DWG	1	P	48200 SE
BMD062P	AL	P-A-LL-ET0-064	4 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; RING, FOR GLOBE VALVE, 6 IN, 150 PSIG, FIG 1531WE	3	C	48200 SE
BPJ855N	AL	M-A-08-000-002	1 SEAT	SEAT, VALVE, QA 0, SEAT, VALVE; FOR VALVE, 2 IN, MODEL NO W08-2054W-02TY, DWG NO 23-05	0	P	48200 SE
BPL134H	AL	T-A-06-000-002	3 SEAT	SEAT, VALVE, QA 1, SEAT, VALVE; FOR BORG-WARNER 4 IN CHECK VALVE, MODEL 421JBB1, S/N	1	C	48200 SE
BPP787K	AL	M-A-16-000-002	2 SEAT	SEAT, VALVE, QA 3, SEAT RING, ; FOR 3 IN CONTROL VALVE, MODEL 37-20721, TYPICAL S/N	3	C	48200 SE
BPV565H	TR	- - - -	3 SEAT	SEAT, VALVE, QA 1, AIR OPERATED, 410 SS, SEAT, VALVE; WITH LINER, 12 X 8 IN, 410 STAINLESS STEEL/HT, FOR AIR	1		48200 SE
BPV720B	AL	P-A-LL-ET0-014	50 SEAT	SEAT, TYPICAL, QA 3, SEAT, ; ELEMENT, FOR ELECTRO-MOTIVE DIV GENERAL MOTORS STANDARD	3	C	29100 SE
BQG608D	AL	M-A-16-000-002	2 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; BUNA-N, FOR 4 IN BUTTERFLY VALVE SERIES NE-H, TVA 26-966	3	B	48200 SE
BQX522K	AL	L-A-09-000-002	1 SEAT	SEAT, VALVE, QA 0, SEAT, VALVE; METAL, KEY-9, FOR: PRESSURE CONTROL VALVE TO JET STEAM	0	C	48200 SE
BQX589J	AL	P-A-LL-ET0-081	5 SEAT	SEAT, TYPICAL, QA 1, GOVERNOR LEVER, SEAT, STEAM TURBINE; GOVERNOR LEVER, FOR: CONTROLS STEAM SUPPLY TO	1	C	2825G SE
BTW032L	AL	M-A-01-000-002	54 SEAT	SEAT, VALVE, QA 1, SEAT, VALVE; BRONZE, FOR 6 IN THERMOSTATIC CONTROL VALVE, MODEL	1	C	29100 SE
BVA715P	AL	L-A-09-000-002	2 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; VALVE SEAT, FOR HAMMEL DAHL VALVE, CAT. NO. V803, FITS	3	C	48200 SE
BVJ406W	AL	M-A-12-000-002	3 SEAT	SEAT, VALVE, QA 1, CLASS 2, SEAT, VALVE; STAINLESS STEEL, REF 35, FOR 1 IN 600 PSIG CONTROL	1	B	48200 SE
BWD322M	AL	L-A-13-000-002	1 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; ITEM 5, FOR GATE, CAST STEEL, 24.00 IN., 150 PSI, FIG 5	3	C	48200 SE
BWF556H	AL	M-A-15-000-002	1 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; STEEL, ITEM 17, FOR GATE 12.0" 150 PSI, FIG 5202WE, DWG	3	B	48200 SE
BWH111E	AL	L-A-09-000-002	8 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; FOR HANCOCK MODEL 950W-3 SIZES 1.25" AND 1.50", 600 LB.	3	C	48200 SE
BWJ688G	AL	P-A-LL-ET0-119	2 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; TYPE: CHECK; MATERIAL: SS; VALVE SIZE: 3/4 IN *** FOR	3	C	48200 SE
BWL179V	AL	L-A-13-000-002	7 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; 1.00 IN RING, PT 11, FOR 1.50 IN CONTROL VALVE, TYPE 70	3	C	48200 SE
BWL180N	AL	L-A-13-000-002	1 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; STELLITE 316 STAINLESS STEEL RING, FOR 1.00 IN VENT VAL	3	C	48200 SE
BWN157V	AL	M-A-01-000-002	2 SEAT	SEAT, VALVE, QA 3, SEAT, RING; FOR 2.0 IN FISHER GLOBE VALVE, 200 PSI, 200 DEG F TYPE	3	C	48200 SE
BWQ760F	AL	L-A-13-000-002	1 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; REF 4, FOR SWING CHECK VALVE 10.00 IN., 150 PSIG, CAST	3	C	48200 SE
BWR131Y	AL	L-A-09-000-002	2 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; TYPE: CHECK; MATERIAL: 410 STAINLESS STEEL; VALVE SIZE: 2	3	C	48200 SE
BXR296P	AL	M-A-01-000-002	1 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; STAINLESS STEEL, ASME SA316 COCR-A,3.437 IN ORIFICE REF	3	B	48200 SE
BYF677Q	AL	M-A-15-000-002	18 SEAT	SEAT, VALVE, QA 1, RING, VALVE; SEAT, ASTM A564, GR 630 COND H900, STAINLESS, TO REPLAC E	1		48200 SE
CAA918B	AL	L-A-09-000-002	1 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; O-RING, FOR 2 INCH WATER REGULATING 2-WAY VALVE, DIRECT	3	B	48200 SE
CAK306X	AL	M-A-15-000-002	1 SEAT	SEAT, VALVE, QA 1, GATE, 4 IN, SEAT, VALVE; IT 3, FOR 4 IN GATE VALVE, IT CODE 6-5247-57-040-01N, ASME	1	B	48200 SE
CAL603J	AL	L-A-07-000-002	1 SEAT	SEAT, VALVE, QA 1, SEAT, RING; VALVE, FOR WM. POWELL 3", CLASS 150, SWING CHECK VALVE	1	C	48200 SE
CAN999J	AL	P-A-LL-ET0-119	1 SEAT	SEAT, VALVE, QA 1, SEAT RING, VALVE; FOR 4", 300 LB, WALWORTH GLOBE VALVE, FIG. 5281WE	1	C	48200 SE
CAW945B	AL	L-A-09-000-002	1 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; HARDFACED, FOR WKM VALVE, MODEL NO. 70-28-1DRT, 2" 600	3	C	48200 SE
CBH642G	AL	M-A-06-000-002	1 SEAT	SEAT, VALVE, QA 1, SEAT, VALVE; ASTM A216 GR.WCB W/HARDFACING OR ASTM A105 W/ HARDFACING	1	C	48200 SE
CDF704K	AL	L-A-09-000-002	6 SEAT	SEAT, SPRING, QA 1, CLASS 3, SEAT, SPRING *** VALVE, FOR 1-INCH CHECK VALVE, 300 LB, STAINLESS	1	C	48200 SE
CEE335N	AL	L-A-09-000-002	1 SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; NEOPRENE, CL-21, W/O RINGS, REF 2 DWG SAM-1512, FOR	3	B	48200 SE
CEG270R	AL	R-A-05-000-002	1 SEAT	SEAT, VALVE, QA 1, SEAT, VALVE; TYPE: RING; MATERIAL: CARBON STEEL SA515; VALVE SIZE: 10	1	C	48200 SE
CEH826K	AL	L-A-03-000-002	1 SEAT	SEAT, VALVE, QA 0, WATER REGULATING, SEAT, VALVE; TYPE: WATER REGULATING *** SEAT, LOWER, FOR KIELLEY AND	0	C	48200 SE
CFF664P	AL	L-A-09-000-002	2 SEAT	SEAT, VALVE, QA 3, SEAT RING, 2-5/16 IN, COCR-A, 2 IN, FOR VALVE ACTUATOR, SIZE 40, TYPE 667ED, TYPICAL SERIAL NUMBER	3	C	48200 SE
AEW050F	AL	D-A-32-104-001	1 SENSOR	SENSOR, GAS, QA 0, SENSOR, ; ELECTROCHEMICAL, FOR ENERGETICS SCIENCE INC CARBON MONOXIDE	0	P	6630D SE
AEW050F	AL	D-A-02-202-002	6 SENSOR	SENSOR, GAS, QA 0, SENSOR, ; ELECTROCHEMICAL, FOR ENERGETICS SCIENCE INC CARBON MONOXIDE	0	P	6630D SE
AXT414E	AL	A-A-01-000-001	3 SENSOR	SENSOR, TYPICAL, QA 1, SENSOR, ; LOAD, FOR CONTROL ASSY, TYPE 2301, P/N 8270-871, S/N	1	P	6695D SE
BGX330R	AL	A-A-01-000-001	1 SENSOR	SENSOR, TEMPERATURE, QA 0, SENSOR, TEMPERATURE; 300 TO 800 DEG F, 3 TO 15 PSIG OUTPUT, PLAIN	0	P	6695D SE
BLF241W	AL	F-C-07-101-000	1 SENSOR	SENSOR, TEMPERATURE, QA 1, SENSOR, TEMPERATURE; ROOM, SOLID STATE SPACE SENSING THERMOSTAT, MINUS	1	B	6695D SE
BLP547T	AL	A-A-01-000-001	2 SENSOR	SENSOR, TYPICAL, QA 3, SENSOR ASSY, ; VERTICAL, FOR SEISMIC RECORDER, MODEL PAR400 ***	3	P	6630D SE
BLP547T	AL	F-A-08-013-001	2 SENSOR	SENSOR, TYPICAL, QA 3, SENSOR ASSY, ; VERTICAL, FOR SEISMIC RECORDER, MODEL PAR400 ***	3	P	6630D SE
BLP548Q	AL	A-A-01-000-001	2 SENSOR	SENSOR, TYPICAL, QA 3, SENSOR ASSY, ; HORIZONTAL, FOR SEISMIC RECORDER, MODEL PAR400 ***	3	P	6630D SE
BLP548Q	AL	F-A-08-013-001	2 SENSOR	SENSOR, TYPICAL, QA 3, SENSOR ASSY, ; HORIZONTAL, FOR SEISMIC RECORDER, MODEL PAR400 ***	3	P	6630D SE
BPR135M	AL	D-A-04-201-002	2 SENSOR	SENSOR, TEMPERATURE, QA 0, SENSOR, TEMPERATURE; FOR ANALYZER, SODIUM, TYPE 1811 LL ***	0	C	6695D SE
BTD026W	AL	A-A-01-000-001	2 SENSOR	SENSOR, TYPICAL, QA 1, SENSOR, CIRCUIT BREAKER; CURRENT, 100A, 480VAC, FOR WESTINGHOUSE	1	B	5925B SE
BTP070H	AL	L-A-03-000-002	89 SENSOR	SENSOR, TEMPERATURE, QA 3, SENSOR, TEMPERATURE; THERMAL, FOR FIRE PROTECTION, ANALOG, RATE OF	3	B	6695D SE
BVG850X	AL	A-A-01-000-001	2 SENSOR	SENSOR, TYPICAL, QA 3, SENSOR, CONTROL MODULE; QUICK STEM, 3/4 IN ***	3	B	5963B SE
BVH519K	AL	A-A-01-000-001	1 SENSOR	SENSOR, MOVEMENT, QA 1, SENSOR, VIBRATION; /BELLOWS, HIGH VOLUME ***	1	B	6695D SE
BVK226Q	AL	D-B-14-000-001	14 SENSOR	SENSOR, TYPICAL, QA 0, SENSOR, SECURITY SYSTEM; " A ", FOR ECSI-INFRARED ***	0	B	6350B SE
BVK229J	AL	F-A-15-301-000	7 SENSOR	SENSOR, TYPICAL, QA 0, SENSOR, SECURITY SYSTEM; " B ", FOR ECSI-INFRARED ***	0	B	6350B SE
BVK229J	AL	D-B-16-000-001	19 SENSOR	SENSOR, TYPICAL, QA 0, SENSOR, SECURITY SYSTEM; " B ", FOR ECSI-INFRARED ***	0	B	6350B SE
BVK258B	AL	F-A-15-301-000	8 SENSOR	SENSOR, TYPICAL, QA 0, SENSOR, SECURITY SYSTEM; "CC", CONSISTS OF A SINGLE 4 EYE INFRARED	0	B	6350B SE
CAV892B	AL	A-A-01-000-001	1 SENSOR	SENSOR, TYPICAL, QA 3, ELECTRONIC ASSY, ELECTRICAL; FOR SENSOR, MODEL	3	B	5999D SE
CAX265W	AL	F-A-05-102-000	1 SENSOR	SENSOR, TYPICAL, QA 3, MOISTURE, MODEL 137 S WITH CASE NUMBER D6067-B. SUPPLY WITH CALIBRATION	3	B	6695D SE
AFW587T	AL	L-A-03-000-002	7 SENSOR	SENSOR, TEMPERATURE, QA 0, SENSOR, TEMPERATURE; 72.5 IN LENGTH, 316 STAINLESS STEEL GLAND, 17-4	0	P	6695D SE

ATV446E	AL	M-A-01-000-002	1	SENSOR	SENSOR, TYPICAL, QA 1, CIRCUIT BREAKER, 150, CURRENT, 4 X 7 IN PLASTIC CASE WITH 0.5 X 3 IN OPENING THRU CENTER,	1	B	5925B SE
AXV917E	AL	M-A-07-000-002	4	SENSOR	SENSOR, TEMPERATURE, QA 0, SENSOR, TEMPERATURE; RANGE -30 TO 250 DEG F, 18 IN ***	0	P	6695D SE
BEG902B	AL	L-A-13-000-002	3	SENSOR	SENSOR, CONDUCTIVITY, QA 0, OXYGEN, SENSOR, CONDUCTIVITY; PH DISSOLVED OXYGEN, STAINLESSSTEEL, W/50 FT	0	P	6630D SE
BGB166X	AL	B-A-11-000-002	4	SENSOR	SENSOR, TEMPERATURE, QA 0, SENSOR, TEMPERATURE; VARIOUS SIZES, WITH ACCESSORIES, FOR TURBINE ***	0	P	6695D SE
BKP142V	AL	P-A-LL-ET0-078	8	SENSOR	SENSOR, TEMPERATURE, QA 0, SENSOR, TEMPERATURE; FOR DIRECT APPLICATION ON MARK22 CALIBRATOR	0	C	6695D SE
BVK804B	AL	L-A-09-000-002	1	SENSOR	SENSOR, TYPICAL, QA 3, ASSEMBLY/RECORDER, CHART DRIVE, JYC MODEL 4082 HR2400, CMPL 3760-01E PAGE 12 ITEM 31	3	B	6695D SE
BWK926M	AL	L-A-13-000-002	2	SENSOR	SENSOR, TYPICAL, QA 3, SENSOR, FLOW; PNEUMATIC, SUBASSEMBLY, FOR CASCO CONTROLLER MODEL 764T	3	B	6695D SE
BXD476K	TR	- - -	1	SENSOR	SENSOR, TYPICAL, QA 3, 50/60 HZ, 117 AC, +/- 10%, 5 AMPS 117/230, CONTROL, CONDUCTIVITY, SENSING ON-OFF DEVICE	3	B	6695D SE
BXE073V	AL	M-A-06-000-002	1	SENSOR	SENSOR, TYPICAL, QA 3, SENSOR, MONITOR; SIZE 7/8" ***	3	C	6630D SE
AMD517Q	AC	- - -	10	SEPARATOR	SEPARATOR, TYPICAL, QA 0, SEPARATOR, ELEVATOR; BLACK PLASTIC, PI ***	0	C	3960D SE
CAF573R	AL	L-A-01-000-002	1	SEPARATOR	SEPARATOR, TYPICAL, QA 2, OIL, SEPARATOR, OIL; 26" LONG, 8" OD, FOR USE ON WORTHINGTON MODEL	2	C	4330N SE
BWL075Y	AL	L-A-07-000-002	1	SERVER	SERVER, COMPUTER, QA 0, NETWORK, TERMINAL SERVER, COMPUTER; DEC/SERVER 200/MC, S/N AG947JDC59 ***	0	C	7021A SE
AKD924P	AL	1-A-03-000-001	6	SHACKLE	SHACKLE, CHAIN, QA 0, SCREW PIN, 1-1/4 IN, 3-1/4 IN, 1-1/4 IN, GALVANIZED FORGED STEEL, 12 TON	0	C	4030C SE
AMY842M	AL	D-A-30-301-002	12	SHACKLE	SHACKLE, CHAIN, QA 0, SCREW PIN, 7/16 IN, 1.16, 7/16 IN, GALVANIZED FORGED STEEL, 1-1/2 TON	0	C	4030C SE
APD126V	AL	1-A-03-000-001	1	SHACKLE	SHACKLE, CHAIN, QA 0, SCREW PIN, 1-3/4 IN, 5 IN, 1-3/4 IN, GALVANIZED FORGED STEEL, 25 TON (50000 LBS)	0	C	4030C SE
APD225R	AL	D-A-30-301-002	5	SHACKLE	SHACKLE, CHAIN, QA 0, SCREW PIN, 3/16 IN, 0.60, 3/16 IN, GALVANIZED FORGED STEEL, 1/3 TON	0		4030C SE
ABY655J	AL	D-B-07-202-002	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, PUMP; STNLS STL, FOR VORTEX MODEL 1-1/2 X 3 SCP, 150 GPM, 330	0	P	4320U SE
ACF507A	AL	D-B-02-401-001	1	SHAFT	SHAFT, TYPICAL, QA 3, , PUMP, 105.25 IN LG, UPPER SECTION, REF 34A, FOR PUMP, MODEL	3	P	4320U SE
AFV358F	AL	J-B-12-009-001	5	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, VALVE; ROLLER, FOR BAILEY METER PISTON TYPE VALVE MOTOR, TYPE	0	P	48200 SE
AHE324P	AL	D-B-08-502-000	2	SHAFT	SHAFT, DRIVE, QA 0, PUMP, 67-1/2 IN, 3 IN, SHAFT, PUMP; REF 10, 003.000 X 067.500 IN, W/KEY, IMPELLER TO SHAFT	0	C	4320U SE
AJE693H	AL	A-A-01-000-001	2	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, PUMP; STAINLESS STEEL TYPE 416, 001.250 DIA X 216.500 IN LG	0	P	4320U SE
APF200C	AL	D-A-14-000-001	3	SHAFT	SHAFT, DRIVE, QA 0, SHAFT, PUMP; REF 6, FOR PUMP, MODEL BPO, SIZE	0	P	4320U SE
AQC128N	AC	- - -	1	SHAFT	SHAFT, TYPICAL, QA 1, SHAFT, ; MAIN, HIGH SPEED, FOR HERMETIC TURBOPAK UNIT, MODEL	1	P	4520N SE
AQW429M	AL	D-B-10-110-000	1	SHAFT	SHAFT, DRIVE, QA 0, SHAFT ASSY, PUMP; PUMP, UPPER, C/O 1 EA 700D10X47-17 SHAFT; 1 EA	0	C	4320U SE
ARH165G	AL	1-B-14-000-001	1	SHAFT	SHAFT, DRIVE, QA 0, SHAFT, PUMP; DRIVEN, 1272, FOR DOUBLE HELICAL ROTARY PUMP, SYMBOL 4	0	P	4320U SE
ATA064B	AL	A-A-01-000-001	2	SHAFT	SHAFT, TYPICAL, QA 1, SS, , PUMP, TOP COLUMN, ASTM A479, GRADE XM19, REF 403, DWG IF-7879,	1	C	4320U SE
ATA070V	AL	A-A-01-000-001	2	SHAFT	SHAFT, TYPICAL, QA 1, SHAFT, PUMP; PUMP, ASTM A479, GRADE XM19, REF 167, DWG 1F-7879, FOR	1	C	4320U SE
ATA470L	AL	D-A-32-104-001	1	SHAFT	SHAFT, DRIVE, QA 0, SHAFT ASSY, GEAR DRIVE; PIN,IMMEDIATE, FOR THE FILTER GEAR BOX ENCLOSED	0	P	3040D SE
ATA475Y	AL	D-A-32-104-001	1	SHAFT	SHAFT, DRIVE, QA 0, SHAFT ASSY, GEAR DRIVE; HIGH SPEED, FOR THE FILTER GEAR BOX ENCLOSED	0	P	3040D SE
ATB514A	AL	D-B-07-202-002	1	SHAFT	SHAFT, TYPICAL, QA 2, , PUMP, STRAIGHT, FITS THE FOLLOWING PUMPS:MODEL25HP4, EB11, S/N	2	P	4320U SE
ATG307N	AL	A-A-01-000-001	1	SHAFT	SHAFT, DRIVE, QA 0, CRANKSHAFT, COMPRESSOR; COMPLETE, FOR AIR COMPRESSOR, MODEL XLE, SIZE	0	P	4310I SE
ATK554L	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, ; REF 3, 416 STAINLESS STEEL, 000.812IN OD X 018.125IN LONG	0	P	48200 SE
ATN299T	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, PUMP; STEEL, ITEM 1, REF 410, FOR HOTWELL PUMP, MODEL 28KXFH	0	C	4320U SE
ATQ780W	AL	Z-A-11-000-001	1	SHAFT	SHAFT, CAM, QA 2, CAMSHAFT, ENGINE; 16 CYLINDER, RIGHT BANK, FOR POWER SYSTEM DIVISION	2	P	29100 SE
ATR002M	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, ; DIAPHRAGM, 17-4PH, ITEM 132, FOR 003.000IN AIR OPERATED	0	P	48200 SE
ATR003K	AL	A-A-01-000-001	1	SHAFT	SHAFT, DRIVE, QA 0, SHAFT, ; DRIVE,DIAPHRAGM,17-4PH,REF 121 FOR 006.000IN AIR OPERATED	0	P	48200 SE
ATR004H	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, ; STAINLESS STEEL,TYPE 316,ITEM 142, FOR AIR OPERATED VALVE, SN	0	P	48200 SE
ATV226W	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, VALVE; STEEL,REF 8, FOR 001.000IN, 600.000 PSI,CAMFLEX 2 AIR	0	P	48200 SE
ATV227T	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, VALVE; STEEL,REF 8, FOR 001.500IN,600PSI, CAMFLEX 2 AIR	0	P	48200 SE
ATV228Q	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, VALVE; STEEL,REF 8, FOR 002.000IN, 600.000 PSI,CAMFLEX 2 AIR	0	P	48200 SE
ATV230H	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, VALVE; STEEL,REF 8, FOR 004.000IN, 600.000 PSI,CAMFLEX 2 AIR	0	P	48200 SE
AVA587D	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, STRAIGHT; STEEL,ITEM 3, FOR FAN,MODEL CB 9-1/2 A,SN 75-363 ***	0	P	4140U SE
AVC653G	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, ; STEEL, DWG M-30, FOR 003.000IN SENTRY PISTON OPERATED FLOW	0	P	48200 SE
AVD361Q	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, VALVE; STEEL, FOR 006.000IN AIR OPERATED CONTROL, MOD 3535400	0	P	48200 SE
AVD919Y	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, ; STEEL , DWG REF 3, FOR 014.000IN, MONO FLANGE,MK II BUTTERFLY	0	P	48200 SE
AVE147M	AL	A-A-01-000-001	2	SHAFT	SHAFT, TYPICAL, QA 1, SHAFT, VALVE; STAINLESS SA 564 TY 630,ITEM 4 001.000IN X 016.375IN, HT	1	C	48200 SE
AVE336J	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, VALVE; STEEL, REF 12, FOR 004.000IN SWING CHECK VALVE, MODEL	0	P	48200 SE
AVE365B	AL	A-A-01-000-001	1	SHAFT	SHAFT, DRIVE, QA 0, SHAFT, STRAIGHT; STEEL,SPECIAL, FOR FAN,MODEL P-660-A ***	0	C	4140U SE
AVE370X	AL	Z-A-03-000-001	1	SHAFT	SHAFT, DRIVE, QA 0, SHAFT, STRAIGHT; STEEL,SPECIAL, FOR FAN,MODEL P730-2, ***	0	C	4140U SE
AVF649P	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, ; STEEL,REF 8, FOR 028.000IN, 300.000 PSI SWING CHECK VALVE, DWG	0	P	48200 SE
AVF650J	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, ; STEEL,REF 6, FOR 024.000IN, 300.000 PSI SWING CHECK VALVE, DWG	0	P	48200 SE
AVF654Y	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, VALVE; STEEL, REF 8, FOR SWING CHECK VALVE, 20 IN, 300 PSIG	0	P	48200 SE
AVF655W	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, ; STEEL,REF 8, FOR 016.000IN, 300.000 PSI CHECK VALVE,DWG	0	P	48200 SE
AVF656T	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, ; STEEL,REF 7, FOR 016.000IN, 600.000 PSI CHECK VALVE,DWG	0	P	48200 SE
AVF657Q	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, ; STEEL,REF 8, FOR 012.000IN, 300.000 PSI SWING CHECK VALVE, DWG	0	P	48200 SE
AVF658N	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, ; STEEL,REF 8, FOR 008.000IN, 300.000 PSI SWING CHECK VALVE, DWG	0	P	48200 SE
AVF659L	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, ; STEEL,REF 9, FOR 006.000IN, 900.000 PSI SWING CHECK VALVE, DWG	0	P	48200 SE
AVF660F	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, ; STEEL,REF 7, FOR 006.000IN, 300.000 PSI SWING CHECK VALVE, DWG	0	P	48200 SE
AVF663X	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, ; STEEL,REF 5, FOR 024.000IN, 300.000 PSI SWING CHECK VALVE, DWG	0	P	48200 SE
AVF864K	AC	- - -	2	SHAFT	SHAFT, TYPICAL, QA 0, EXTENSION, REF 34, MOTOR, FOR TURBINE CONTROLS,IL1150-462,	0	P	2825G SE
AVV335H	AL	Z-A-03-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, PUMP; STEEL, FOR PUMP SIZE 48X475V, FT HD 98, GPM 102500, RPM	0	P	4320U SE
AVW018F	AL	D-B-09-202-001	1	SHAFT	SHAFT, TYPICAL, QA 0, GATE, 1-1/2 IN, 6-1/2 IN, WITH SQUARED ENDS, FOR ASH DISPOSAL	0	C	4450C SE
AWD404V	AL	A-A-01-000-001	2	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, ; MANUAL, STEEL, FOR VALVE ACTUATOR, 25 AMPERE, 115 VOLT MODEL	0	P	48200 SE
AWN359N	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, VALVE; STEEL, STUD, FOR 048.000 IN BUTTERFLY VALVE, 125.000	0	P	48200 SE
AWN360H	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, VALVE; STEEL, FOR 054.000 IN BUTTERFLY VALVE, 125.000 PSIG	0	P	48200 SE
AWN364X	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, VALVE; STEEL, FOR 048.000 IN BUTTERFLY VALVE, 125.000 PSIG	0	P	48200 SE
AWN734N	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, ACTUATOR; STEEL, OUTPUT, FOR PNEUMATIC ACTUATOR, MODEL R120-80	0	P	48200 SE
AWN735L	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, VALVE; STEEL, OUTPUT, FOR PNEUMATIC ACTUATOR, MOD R960C, ON	0	P	48200 SE
AWW560A	AL	A-A-01-000-001	1	SHAFT	SHAFT, DRIVE, QA 0, CRANKSHAFT, ; STEEL, FOR D AND E ICE CONDENSING COMPRESSOR, MODEL	0	P	4520N SE
AXC444D	AL	A-A-01-000-001	3	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, STRAIGHT; STEEL, COMPLETE WITH KEYS FOR FAN MODELS 135E, 122D	0	P	4140U SE
AXC445B	AL	A-A-01-000-001	3	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, STRAIGHT; STEEL, COMPLETE WITH KEYS FOR FAN MODELS 270H, 245K	0	P	4140U SE
AXC450X	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, STRAIGHT; STEEL, COMPLETE WITH KEYS FOR FAN MODEL 182K P/N	0	P	4140U SE
AXC451G	AL	A-A-01-000-001	3	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, STRAIGHT; STEEL, COMPLETE WITH KEYS FOR FAN MODELS 330H, 330K	0	P	4140U SE
AXC452E	AL	A-A-01-000-001	2	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, STRAIGHT; STEEL, COMPLETE WITH KEYS FOR FAN MODELS 365K, AND	0	P	4140U SE
AXC453C	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, STRAIGHT; STEEL, COMPLETE WITH KEYS FOR FAN MODEL P445 P/N	0	P	4140U SE

AXC454A	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, STRAIGHT; STEEL, COMPLETE WITH KEYS FOR FAN MODEL P402 P/N	0	P	4140U SE
AXC460T	AL	A-A-01-000-001	3	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, STRAIGHT; STEEL, COMPLETE WITH KEYS FOR FAN MODELS 200G, 222H	0	P	4140U SE
AXC461D	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, STRAIGHT; STEEL, COMPLETE WITH KEYS FOR FAN MOEL 3005 P/N	0	P	4140U SE
AXT913V	AL	A-A-01-000-001	2	SHAFT	SHAFT, TYPICAL, QA 1, SHAFT, VALVE; STAINLESS STEEL, ASME SA564 GRADE 630, 0.625 IN DIA, REF	1	P	48200 SE
AXT914R	AL	A-A-01-000-001	1	SHAFT	SHAFT, DRIVE, QA 1, SHAFT, VALVE; STAINLESS STEEL, ASME SA564 GRADE 630, CONSIST OF ONE	1	P	48200 SE
AXT916M	AL	A-A-01-000-001	1	SHAFT	SHAFT, DRIVE, QA 1, SHAFT, VALVE; STAINLESS STEEL, ASME SA564 GRADE 630, CONSIST OF TOP	1	P	48200 SE
AXT917K	AL	A-A-01-000-001	1	SHAFT	SHAFT, DRIVE, QA 1, SHAFT, VALVE; STAINLESS STEEL, ASME SA564 GRADE 630, TOP P/N 930388	1	P	48200 SE
AXV723V	AL	A-A-01-000-001	1	SHAFT	SHAFT, DRIVE, QA 1, SHAFT, VALVE; STAINLESS STEEL, ASME SA564, GRADE 630, CONSIST OF TOP	1	P	48200 SE
AYX034R	AL	D-A-33-202-000	1	SHAFT	SHAFT, DRIVE, QA 0, SHAFT, PUMP; FOR MOISTURE SEPARATOR DRAIN PUMP, TYPE 6X10A, S/N	0	C	4320U SE
BAB374V	AL	A-A-01-000-001	1	SHAFT	SHAFT, DRIVE, QA 0, SHAFT, ; PAPER DRIVE, FOR TEMPERATURE RECORDER, MODEL 5050B, DIGITAL	0	P	6695D SE
BAF884F	AL	1-A-03-000-001	2	SHAFT	SHAFT, TYPICAL, QA 2, SHAFT, GEAR REDUCER; STEEL,LOW SPEED, REF 5, C/W GEAR 224C366H01, REF	2	P	4320U SE
BAT678R	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 2, SHAFT, PUMP; STAINLESS STEEL, AISI 316, 20 IN LG, REF 34, FOR	2	P	4320U SE
BBF639N	AL	A-A-01-000-001	2	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT ASSY, ; STEEL, C/W WHEEL, FOR EXHAUST FAN, MODEL HPC-1050, S/N	0	P	4140U SE
BBT567W	AL	A-A-01-000-001	2	SHAFT	SHAFT, DRIVE, QA 0, SHAFT, ; PUMP DRIVE, CENTRIFUGE WITH O-RING, FOR LUBE OIL CENTRIFUGAL	0	P	4330N SE
BBT568T	AL	A-A-01-000-001	2	SHAFT	SHAFT, DRIVE, QA 0, SHAFT, ; MACHINE DRIVE, CENTRIFUGE, FORLUBE OIL CENTRIFUGAL PURIFIER	0	P	4330N SE
BBX194T	AL	Z-A-03-000-001	2	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, STRAIGHT; STEEL, HOLLOW, 116 IN LONG, 1.437 IN BEARING SIZE	0	P	4520N SE
BCD654Y	AL	S-A-08-000-001	1	SHAFT	SHAFT, CAM, QA 2, CAMSHAFT, ENGINE; STEEL, LEFT HAND ROTATION, LEFT BANK, FOR DIESEL	2	C	29100 SE
BDA130N	AL	A-A-01-000-001	3	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT ASSY, BRAKE,ELECTRIC; DISC, FOR WRIGHT HOIST, FRAME 3, 6-TON	0	P	61100 SE
BDF274Q	AL	Z-A-03-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, FAN; STEEL, FOR FAN ON TYPE M-6 AIRHANDLING UNIT, S/N K76J00413	0	P	4140U SE
BDK314J	AL	A-A-01-000-001	3	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, PUMP; STAINLESS STEEL, WITH KEY, FOR CENTRIFUGAL PUMP, SIZE 3 X	0	P	4320U SE
BEK223F	AL	1-A-25-099-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT ASSY, ; ALLOY 20, 1.5 X 84 IN LONG, W/COUPLING WASHER, HEX HEAD	0	P	5130U SE
BGC368C	AL	A-A-01-000-001	2	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, FAN; STEEL, BLOWER, FOR AIR CONDITIONER, MODEL 50M0028-620CC	0	P	4140U SE
BHA291R	AL	A-A-01-000-001	1	SHAFT	SHAFT, DRIVE, QA 0, CRANKSHAFT, ; STEEL, C/W PLUGS, FOR REFRIGERATION COMPRESSOR, MODEL	0	P	4520N SE
BJP462F	AL	D-A-08-102-007	1	SHAFT	SHAFT, TYPICAL, QA 3, SHAFT, ; STEEL, AISI 1018, 1.00 IN DIA,DWG 3037-3, REV2, FOR WATER	3		4710Y SE
BKK568D	AL	D-A-32-201-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT ASSY, RECORDER; CLEAR GLASS, FOR RECORDER, MULTIPLE PURPOSE	0	P	6695D SE
BLR821N	AL	A-A-01-000-001	1	SHAFT	SHAFT, DRIVE, QA 2, SHAFT, PUMP; STEEL, TOP COLUMN, REF 403, FOR ESSENTIAL RAW COOLING	2	P	4320U SE
BMD541L	AL	F-C-03-101-000	9	SHAFT	SHAFT, TYPICAL, QA 1, SHAFT, PUMP; COLUMN, ASME SA479 GR 316, SIZE 3.437 OD X 98 IN LG, FOR	1	P	4320U SE
BMD541L	AL	F-B-04-101-000	10	SHAFT	SHAFT, TYPICAL, QA 1, SHAFT, PUMP; COLUMN, ASME SA479 GR 316, SIZE 3.437 OD X 98 IN LG, FOR	1	P	4320U SE
BPK116Q	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 1, SHAFT, PUMP; STEEL, ASTM A582, TYPE 416, REF 660, DWG D-2081, FOR	1	P	4320U SE
BQA541H	AL	A-A-01-000-001	4	SHAFT	SHAFT, TYPICAL, QA 1, SHAFT, PUMP; WATER, FOR STANDARD ROTATION TANDEM DIESEL ENGINE, BGMD	1	C	29100 SE
BQC470F	AL	A-A-01-000-001	3	SHAFT	SHAFT, TYPICAL, QA 3, SHAFT, PUMP; 416 STAINLESS STEEL, FOR VERTICAL RAW COOLING WATER PUMP	3	C	4320U SE
BQN882Q	AL	D-B-16-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, PUMP; FOR TURBINE OIL PUMP, MODEL 3171, SIZE 8 X 10.11L, S/N	0	C	4320U SE
BQN882Q	AL	F-A-02-103-000	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, PUMP; FOR TURBINE OIL PUMP, MODEL 3171, SIZE 8 X 10.11L, S/N	0	C	4320U SE
BRH385T	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, COMPRESSOR; REPAIR PART FOR SPACE COOLER, MFG: TRANE, MODEL:	0	B	4310I SE
BRT963X	AL	J-B-12-009-001	8	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, COUPLING; 1.500 IN DIA, 15.250 IN LENGTH WITH KEYWAY ONE END	0	C	3040D SE
BTF621D	AL	F-A-39-055-002	4	SHAFT	SHAFT, TYPICAL, QA 1, SHAFT, PUMP; SLEEVE, FOR MOTOR DRIVEN AUXILIARY FEEDWATER PUMP MODEL	1	B	4320U SE
BTR645B	AL	F-A-27-202-000	1	SHAFT	SHAFT, TYPICAL, QA 2, SHAFT, FAN; INTERNAL, FOR YORK AIR HANDLING UNIT, MODEL A-20-V, REF.	2	C	4140U SE
BVM827K	AL	A-A-01-000-001	1	SHAFT	SHAFT, DRIVE, QA 1, SHAFT, PUMP; STRAIGHT, FOR COMPONENT COOLING PUMP, DELAVAL TYPE	1	C	4320U SE
BWW249P	AL	F-A-17-301-000	1	SHAFT	SHAFT, DRIVE, QA 0, CRANKSHAFT ASSY, AIR COMPRESSOR; C/O CRANKSHAFT,DOWEL-PUMP	0	B	4310I SE
BXX956J	AL	A-A-01-000-001	3	SHAFT	SHAFT, TYPICAL, QA 3, SHAFT, FAN; 1-1/2 IN X 25 IN LONG, FOR GREENHECK MODEL CBE-36-30, S/N	3	C	4140U SE
BXN928V	AL	A-A-01-000-001	4	SHAFT	SHAFT, TYPICAL, QA 3, SHAFT, VALVE; DOG,IT 23, FOR SAFETY VALVE,STYLE 6MX6HB-86-BP, ASSY	3	B	48200 SE
BXP370V	AL	F-C-02-301-000	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, PUMP; TOP COLUMN, REF#403, ASTM A276 TP. 410 H.T., FOR	0	C	4320U SE
BXX956J	AL	F-A-15-201-000	1	SHAFT	SHAFT, DRIVE, QA 3, SHAFT, STRAIGHT; STEEL, SPECIAL, FOR FAN MODEL P730-2, P/N	3	C	4140U SE
BYA776G	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 3, SHAFT, PUMP; STAINLESS STEEL, AISI 316, REF34, FOR CENTRIFUGAL PUMP	3	C	4320U SE
BYL815D	AL	F-A-25-102-000	5	SHAFT	SHAFT, TYPICAL, QA 3, SHAFT, PUMP; FOR MODEL PH206 PUMP, SIZE 1 X 1-1/2 X 6, S/N 119267 ,AND	3	C	4320U SE
CAG481R	AL	1-A-03-000-001	1	SHAFT	SHAFT, DRIVE, QA 0, SHAFT, VACUUM PUMP; FOR NASH VACUUM PUMP MODEL NO. CL-2003, TEST	0	B	4310I SE
CAH761E	AL	D-B-17-201-000	1	SHAFT	SHAFT, TYPICAL, QA 3, SHAFT, PUMP; MATERIAL: ASTM A564 TYPE 630 CONDITION H1150, FOR INGER	3	B	4320U SE
CAK102E	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 1, SHAFT, VALVE; 2-1/4 X 11-1/16, FOR 18" BUTTERFLY VALVE MODEL NSL2FII	1	C	48200 SE
CBA384G	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 1, CLASS 3, SHAFT, VALVE; TOP, ASME SA564, GRADE/TYPE 630, FOR HENRY PRATT 20"	1	C	48200 SE
CBW295J	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 3, SHAFT ASSY, VALVE; FLEXIBLE W/ REQUIRED O-RINGS, 3/4" X 132" LONG ***	3	B	48200 SE
CDF784R	AL	A-A-01-000-001	1	SHAFT	SHAFT, TYPICAL, QA 0, PUMP, SS, LESS SLEEVE, TYPE 316, COMES WITH	0	C	4320U SE
AAT329T	AL	M-A-07-000-002	4	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, ; ROCKER ARM, EXHAUST VALVE, FOR ELECTRO-MOTIVE DIV, GENERAL	0	P	29100 SE
ABE814B	AL	M-A-06-000-002	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, PUMP; STEEL, REF 122, FOR SAMPLING WATER SUPPLY PUMP, MODEL	0	P	4320U SE
ABY358Q	AL	L-A-13-000-002	1	SHAFT	SHAFT, DRIVE, QA 0, SHAFT, PUMP; DRIVEN, REF PT 2, FOR TURNING GEAR OIL PUMP, TYPE CNJ-62	0	P	4320U SE
ACE476Y	AL	L-A-09-000-002	11	SHAFT	SHAFT, DRIVE, QA 0, SHAFT, PUMP; REF 35, FOR SERIES 500, MODEL PF05-002-31L001 AND/OR	0	P	4320U SE
AGY370F	AL	M-A-07-000-002	2	SHAFT	SHAFT, TYPICAL, QA 2, SHAFT, ; FOR SPEEDOMAX MODEL H ***	2	P	6695D SE
AHE489N	AL	M-A-01-000-002	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, PUMP; IMPELLER, IT 4, FOR POTABLE WATER PUMP, FIG 5922, SN	0	P	4320U SE
AJD136P	AL	L-A-09-000-002	3	SHAFT	SHAFT, DRIVE, QA 0, SHAFT, COMPRESSOR; DRIVE, VANE, FOR UNIT MODEL NC-175-3B, COMPRESSOR	0	P	4310I SE
AKD108P	AL	L-A-13-000-002	1	SHAFT	SHAFT, DRIVE, QA 3, SHAFT, ; FLEXIBLE, WITH NYLON SET SCREWS, DWG21966-35, SS WHITE, MODEL	3	P	3950F SE
ANF872K	AL	M-A-01-000-002	2	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, ; 063.500IN LG, DWG AM60.1009, AND/OR AMERTAP TUBE CLEANER	0	P	4420B SE
ANT228N	AL	M-A-13-000-002	3	SHAFT	SHAFT, TYPICAL, QA 2, SHAFT, PUMP; WATER, FOR STANDARD ROTATION TANDEM DIESEL ENGINE, BGMD	2	P	29100 SE
AQD434A	AL	M-A-01-000-002	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, PUMP; BOWL, 416 STNLS STL, FOR SUBMERSIBLE TURBINE TYPE WELL	0	P	4320U SE
AQD440T	AL	M-A-01-000-002	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, PUMP; BOWL, 416 STNLS STL, FOR SUBMERSIBLE TURBINE TYPE WELL	0	P	4320U SE
AQV673F	AL	L-A-04-000-002	1	SHAFT	SHAFT, DRIVE, QA 0, SHAFT, PUMP; PUMP, FOR MODEL F3-PVA 120 ELECTRO-HYDRAULIC CONTROL	0	C	4320U SE
AQW427R	AL	W-B-01-037-002	1	SHAFT	SHAFT, DRIVE, QA 0, SHAFT, PUMP; PUMP, PUMP END, C/O 1 EA-47APM10X1-17, SHAFT; 1 EA	0	C	4320U SE
ARH166E	AL	M-A-01-000-002	2	SHAFT	SHAFT, DRIVE, QA 0, SHAFT, PUMP; DRIVING, 1271, FOR DOUBLE HELICAL ROTARY PUMP, SYMBOL 4	0	P	4320U SE
ARH939G	AL	M-A-01-000-002	1	SHAFT	SHAFT, DRIVE, QA 0, SHAFT, PUMP; WORM, FOR FR141-144 CONTROLLEDVOLUMN PUMP (HYDRAZINE)	0	P	4320U SE
ARM887L	AL	L-A-09-000-002	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, ; STAINLESS STEEL, FLEX, WITH PLATED FITTINGS, FOR IN VESSEL	0	P	4470C SE
ATG307N	AL	M-A-05-000-002	1	SHAFT	SHAFT, DRIVE, QA 0, CRANKSHAFT, COMPRESSOR; COMPLETE, FOR AIR COMPRESSOR, MODEL XLE, SIZE	0	P	4310I SE
ATX540P	AL	M-A-01-000-002	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, ; STAINLESS STEEL TYPE 316, MOTOR, REF 32, FOR BALL COLLECTING	0	P	4420B SE
ATX602H	AL	M-A-12-000-002	2	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, PUMP; SAE1141 STEEL, REF 7, FOR WEMCO PUMP, 200.000 GPM, HD FT	0	P	4320U SE
AVA586F	AL	M-A-01-000-002	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, STRAIGHT; STEEL,ITEM 7,FOR FAN,MODEL CB 13-3/4 BB,SN 75-480 ***	0	P	4140U SE
AVJ798N	AL	M-A-01-000-002	4	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, ; STEEL,FOR 008.000IN,150.000 PSI BUTTERFLY VALVE,MODEL	0	P	48200 SE
AVJ799L	AL	M-A-01-000-002	2	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, ; STEEL, FOR 010.000IN AIR OPERATED BUTTERFLY VALVE, MODEL	0	P	48200 SE
AVM525B	AL	M-A-01-000-002	1	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, PUMP; STEEL, FOR PORTABLE DIESEL PUMP, MODEL 200CCD-1, 10 X 10	0	P	4320U SE

AVR802P	AL	M-A-16-000-002	1 SHAFT	SHAFT, TYPICAL, QA 1, SHAFT, VALVE; STEEL, DWG REF 5, FOR 016.000 IN FLANG, CHECK VALVE, DWG	1	P	48200 SE
AVW910F	AL	M-A-01-000-002	3 SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, VALVE; ***	0	P	48200 SE
AWC156Q	AL	M-A-16-000-002	1 SHAFT	SHAFT, TYPICAL, QA 1, SHAFT, ; STEEL, FOR CHECK VALVE, SIZE 006.000 IN, 150 PSIG, DWG	1	P	48200 SE
AWG449L	AL	M-A-01-000-002	2 SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, STRAIGHT; STAINLESS STEEL, TYPE 430, FORTHROTTLER FLAP, DWG	0	P	4420B SE
AWQ429H	AL	M-A-16-000-002	4 SHAFT	SHAFT, TYPICAL, QA 2, SHAFT, VALVE; BRONZE, BEARING, REF 14, FOR 036.000 IN BUTTERFLY VALVE	2	P	48200 SE
AWV280M	AL	M-A-03-000-002	1 SHAFT	SHAFT, DRIVE, QA 0, CRANKSHAFT, ; STEEL, C/W MAGNETIC PLUG, FOR AIR CONDITIONING	0	P	4520N SE
AWW583J	AL	M-A-01-000-002	1 SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, ; STEEL, FOR 480.000 VOLTS, ELECTRICAL BOARD ROOM PRESSURIZING	0	P	4140U SE
AXA551N	PR	W-A-02-000-002	1 SHAFT	SHAFT, DRIVE, QA 0, PUMP, CS, SHAFT, PUMP; CARBON STEEL, PUMP, REF 10A FOR PUMP TYPE 79APMA S/N	0	C	4320U SE
AXA552L	AL	A-A-06-000-002	1 SHAFT	SHAFT, DRIVE, QA 0, SHAFT, PUMP; CARBON STEEL, DRIVER, REF 10C FOR PUMP TYPE 79APMA S/N	0	C	4320U SE
AXV723V	AL	M-A-03-000-002	1 SHAFT	SHAFT, DRIVE, QA 1, SHAFT, VALVE; STAINLESS STEEL, ASME SA564, GRADE 630, CONSIST OF TOP	1	P	48200 SE
AXV728H	AL	M-A-03-000-002	2 SHAFT	SHAFT, TYPICAL, QA 1, SHAFT, VALVE; STAINLESS STEEL, ASME SA564 GRADE 630, REF 3, FOR 4 IN	1	P	48200 SE
AYA747Y	AL	M-A-03-000-002	2 SHAFT	SHAFT, TYPICAL, QA 2, SHAFT, VALVE; STEEL, HINGE, REF 5.0, 0.1875 X 3.5 IN LG, FOR PRESSURE	2	P	48200 SE
AYF857X	AL	M-A-01-000-002	1 SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, VALVE; STEEL, FLAT ENDS, FOR BUTTERFLY VALVE, SIZE 12 IN, TYPE	0	P	48200 SE
AYK733V	AL	M-A-09-000-002	12 SHAFT	SHAFT, DRIVE, QA 0, SHAFT, STRAIGHT; STEEL, GEAR-PLANET, FOR INGERSOLL RAND AIR STARTER	0	P	29100 SE
AYX034R	AL	L-A-14-000-002	2 SHAFT	SHAFT, DRIVE, QA 0, SHAFT, PUMP; FOR MOISTURE SEPARATOR DRAIN PUMP, TYPE 6X10A, S/N	0	C	4320U SE
BAN974A	AL	L-A-09-000-002	5 SHAFT	SHAFT, TYPICAL, QA 3, SHAFT, RECORDER; STAINLESS STEEL, PUSH, SOLENOID, FOR RECORDER	3	P	6695D SE
BBN900E	AL	M-A-12-000-002	1 SHAFT	SHAFT, PINION, QA 0, SHAFT, HOIST; PINION, FOR 1.5 TON COME-ALONGHOIST ***	0	P	3950F SE
BCA536L	AL	M-A-15-000-002	1 SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, ; STEEL, FAN, FOR AIR CONDITIONER, MODEL 40BA009300, S/N	0	P	4520N SE
BCD631B	AL	M-A-07-000-002	4 SHAFT	SHAFT, TYPICAL, QA 2, SHAFT, ; ROCKER ARM, FOR DIESEL ENGINE, MODEL 16-645-E4B ***	2	P	29100 SE
BCD650J	AL	B-A-12-000-002	1 SHAFT	SHAFT, CAM, QA 2, CAMSHAFT, ENGINE; STEEL, RIGHT HAND ROTATION, LEFT BANK, FOR DIESEL	2	P	29100 SE
BCV243C	AL	M-A-16-000-002	1 SHAFT	SHAFT, TYPICAL, QA 3, SHAFT, VALVE; STAINLESS STEEL, AISI 304, HEAT TREAT NO 18282, REF 5	3	P	48200 SE
BET393H	AL	M-A-15-000-002	1 SHAFT	SHAFT, PINION, QA 0, SHAFT ASSY, HOIST; MOTOR PINION, FOR 3000 LB CAPACITY FUEL HANDLING	0	P	3950F SE
BFD805J	AL	L-A-13-000-002	1 SHAFT	SHAFT, DRIVE, QA 0, PUMP, 18 IN, 2 IN, STAINLESS STEEL, SHAFT, PUMP; STAINLESS STEEL, 2 OD X 18 IN LG, FOR CENTRIFUGAL PUMP	0	B	4320U SE
BFD805J	AL	P-A-LL-ET0-044	1 SHAFT	SHAFT, DRIVE, QA 0, PUMP, 18 IN, 2 IN, STAINLESS STEEL, SHAFT, PUMP; STAINLESS STEEL, 2 OD X 18 IN LG, FOR CENTRIFUGAL PUMP	0	B	4320U SE
BGK509H	AL	M-A-06-000-002	1 SHAFT	SHAFT, TYPICAL, QA 1, SHAFT, VALVE; STAINLESS STEEL, ASTM A564, TY630, COND H1100, REF 5	1	P	48200 SE
BGK510B	AC	- - - -	1 SHAFT	SHAFT, TYPICAL, QA 1, SHAFT, VALVE; STAINLESS STEEL, ASTM A564, TY630, COND H1100, REF 5	1	P	48200 SE
BHD850B	TR	- - - -	1 SHAFT	SHAFT, TYPICAL, QA 0, ASSEMBLY, 60 FT, SHAFT ASSY, TUBE CLEANING; 60 FT LONG, WITH QUICK DISCONNECT, FOR	0	C	5130U SE
BHG690P	AL	M-A-06-000-002	1 SHAFT	SHAFT, TYPICAL, QA 2, SHAFT, ACTUATOR; TORQUE, STEEL, STRESS PROOF FOR VALVE ACTUATOR, MODEL	2	P	48200 SE
BJP138Q	AL	M-A-06-000-002	1 SHAFT	SHAFT, DRIVE, QA 1, SHAFT, VALVE; STAINLESS STEEL ASTM A564 GR 630, SIZE 0.375 X 2.25 IN	1	P	48200 SE
BKB835R	AL	M-A-09-000-002	3 SHAFT	SHAFT, TYPICAL, QA 3, SHAFT, ACTUATOR; SCREW, STEEL, REF 17, FOR MANUAL VALVE ACTUATOR, SIZE	3	P	48200 SE
BKB868A	AL	M-A-15-000-002	4 SHAFT	SHAFT, TYPICAL, QA 3, SHAFT, ACTUATOR; SCREW, RIGHT-HAND, STEEL, REF 16, FOR MANUAL VALVE	3	B	48200 SE
BKB871M	AL	M-A-15-000-002	2 SHAFT	SHAFT, TYPICAL, QA 3, SHAFT, ACTUATOR; SCREW, STEEL, REF 19, FOR MANUAL VALVE ACTUATOR, SIZE	3	C	48200 SE
BKB872K	AL	M-A-04-000-002	6 SHAFT	SHAFT, TYPICAL, QA 3, SHAFT, ACTUATOR; SCREW, STEEL, REF 17, FOR MANUAL VALVE ACTUATOR, SIZE	3	P	48200 SE
BMF595J	AL	M-A-03-000-002	1 SHAFT	SHAFT, TYPICAL, QA 3, SHAFT, CRANE; ROLLER, ZINC PLATED STEEL, 0.625 IN, FOR 12 IN ROLLER	3	P	3950F SE
BNN901W	AL	T-A-03-000-002	1 SHAFT	SHAFT, TYPICAL, QA 2, SHAFT, VALVE; FOR 32 IN, 600 LB MAINSTEAM CHECK VALVES, ASTM A276	2	P	48200 SE
BTE016T	AL	L-A-15-000-002	1 SHAFT	SHAFT, DRIVE, QA 3, SHAFT, PUMP; DWG NO 06006434 R5, FOR PACO PUMP MODEL 2" YO TYPE SL	3	C	4320U SE
BTK749X	AL	M-A-06-000-002	2 SHAFT	SHAFT, TYPICAL, QA 3, SHAFT, RECORDER; GEAR, STEEL, FOR RECORDER, MULTIPLE PURPOSE, CONTROL	3	B	6695D SE
BTR857V	AL	L-A-09-000-002	1 SHAFT	SHAFT, TYPICAL, QA 3, SHAFT, HOIST; FOR FUEL GRAPPLE ASSY ON REFUEL PLATFORM. ***	3	C	3950F SE
BVD858H	AL	L-A-13-000-002	1 SHAFT	SHAFT, IDLER, QA 3, SHAFT, HOIST; FIRST IDLER, DWG C-11407, FOR REFUEL FLOOR OVERHEAD	3	C	3950F SE
BVF586E	AL	T-A-03-000-002	1 SHAFT	SHAFT, TYPICAL, QA 3, SHAFT, STRAIGHT; SHAFT, STRAIGHT, STAINLESS STEEL TYPE 316, 1.00 DIA X	3	C	5130U SE
BVR283D	AL	L-A-13-000-002	4 SHAFT	SHAFT, TYPICAL, QA 3, ASSY, RECORDER; PRINTER, FOR JYC HR-2500E MODEL 3880	3	B	6695D SE
BWG634J	AL	L-A-05-000-002	1 SHAFT	SHAFT, TYPICAL, QA 3, SHAFT, GEAR REDUCER; JACK SHAFT, LOW SPEED, FOR TRIPLE REDUCTION	3	C	6105D SE
BWH033Y	AL	M-A-08-000-002	1 SHAFT	SHAFT, TYPICAL, QA 2, SHAFT, RECORDER; STAINLESS STEEL, PUSH, FOR SOLENOID P/N 102128, MODEL	2	B	6695D SE
BWN805K	AL	L-A-13-000-002	2 SHAFT	SHAFT, TYPICAL, QA 3, SHAFT, PUMP; SLEEVE, FOR CRD PUMP, S/N 1620680 ***	3	B	4320U SE
BWV922L	AL	P-A-LL-ET0-110	1 SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, BALL COLLECTOR; FOR CONDENSER SYSTEM, COLLECTOR SIZE #55, ITEM	0	C	4420B SE
BXP584W	AL	M-A-01-000-002	2 SHAFT	SHAFT, PINION, QA 3, SHAFT, HOIST; STEEL, MOTOR PINION, CATALOG 240D116S ***	3	C	3950F SE
BYL815D	AL	M-A-01-000-002	1 SHAFT	SHAFT, TYPICAL, QA 3, SHAFT, PUMP; FOR MODEL PH206 PUMP, SIZE 1 X 1-1/2 X 6, S/N 119267 AND	3	C	4320U SE
CBQ135X	AC	- - - -	3 SHAFT	SHAFT, TYPICAL, QA 1, VALVE, SS, TYPE 410, FOR F/24 IN, 900 LB CHECK VALVE, DRAWING: 20788-H ITEM NO. 6	1	C	48200 SE
ARQ312R	AL	7-A-05-101-001	2 SHEETING	SHEETING, TYPICAL, QA 0, SOLID, 48 IN, 8 FT, 1 IN, URETHANE, SHEET, PLASTIC; MATERIAL: URETHANE, WIDTH: 48.0 IN, THICKNESS: 1.000	0	C	5680B SE
BFE119X	AL	D-B-07-302-000	5 SHEETING	SHEETING, TYPICAL, QA 0, ENGRAVING, 12 IN (1 FT), 4 FT (48 IN), 1/16 IN, LAMINATED PLASTIC, RED/WHITE	0	P	5680B SE
BFP494L	AL	D-A-18-202-005	12 SHEETING	SHEETING, TYPICAL, QA 0, 2 FT, 30 FT, SCOTCHAL, WHITE, ENGINEER, SHEET, PLASTIC; MATERIAL: SCOTCHAL, WIDTH: 24.0 IN, LENGTH: 10 YDS	0		5680B SE
BFW470L	AL	D-A-04-302-004	20 SHEETING	SHEETING, TYPICAL, QA 0, DRY TRANSFER, SHEET; COLOR: BLACK, BACKGROUND COLOR: BLACK ***	0		7510U SE
BFW480H	AL	D-A-04-302-004	20 SHEETING	SHEETING, TYPICAL, QA 0, DRY TRANSFER, SHEET; COLOR: BLACK, BACKGROUND COLOR: BLACK ***	0		7510U SE
BFW484X	AL	D-A-04-302-004	20 SHEETING	SHEETING, TYPICAL, QA 0, DRY TRANSFER, SHEET; COLOR: BLACK, BACKGROUND COLOR: BLACK ***	0		7510U SE
BFW485V	AL	D-A-04-302-004	16 SHEETING	SHEETING, TYPICAL, QA 0, DRY TRANSFER, SHEET; MATERIAL: PLASTIC, COLOR: BLACK ***	0		7510U SE
BGR983L	AL	D-B-11-301-000	3 SHEETING	SHEETING, TYPICAL, QA 0, COUNTERTOP, 48 IN, 12 FT, FORMICA, WOODGRAIN/WALNUT, SHEET, PLASTIC; MATERIAL: FORMICA, WIDTH: 48.0 IN, LENGTH: 144	0		5680B SE
BQL073V	AL	A-A-01-000-001	20 SHEETING	SHEETING, TYPICAL, QA 0, COVER, 2 FT, 4 FT, PLASTIC, SHEET, PLASTIC; MATERIAL: PLASTIC, WIDTH: 24.0 IN, LENGTH: 48.0 IN	0	C	5680B SE
BQL073V	AL	D-A-02-301-000	30 SHEETING	SHEETING, TYPICAL, QA 0, COVER, 2 FT, 4 FT, PLASTIC, SHEET, PLASTIC; MATERIAL: PLASTIC, WIDTH: 24.0 IN, LENGTH: 48.0 IN	0	C	5680B SE
BVD274C	AL	D-B-16-000-001	23 SHEETING	SHEETING, TYPICAL, QA 3, ENGRAVING, 2 FT (24 IN), 4 FT (48 IN), 1/16 IN, LAMACOID, ORANGE/WHITE, SHEET, PLASTIC; ENGRAVING, LAMACOID, ORANGE	3	C	5680B SE
CAF539R	AL	E-A-16-C05-C01	3 SHEETING	SHEETING, TYPICAL, QA 0, CIRCUIT BREAKER; SAFING, 3.9375 IN LG, 0.8125 IN WD, FOR	0	C	5925B SE
CMP348K	AL	A-S-CS-LAB-001	350 SHEETING	SHEETING, TYPICAL, QA 0, 19.5 MIL, FILL ASSEMBLY FOR PAF COOLING TOWERS 1,2,3, MVC 20, 25MIL STARTING	0	C	5640H SE
APK949F	AC	- - - -	4 SHEETING	SHEETING, TYPICAL, QA 3, RUBBER SHEET, SOLID, CLOTH INSERT; BUNA N, COTTON INSERT, 0.0625 X 45	3	P	5730H SE
BAD258K	AL	M-A-10-000-002	4 SHEETING	SHEETING, TYPICAL, QA 0, CONDUCTIVE, 2 FT, 3 FT, 0.540 IN, RUBBER, RUBBER SHEET, CELLULAR; TYPE: CONDUCTIVE, THICKNESS: 00.540 IN, WIDTH:	0	P	5680B SE
BFE111E	AL	M-A-01-000-002	5 SHEETING	SHEETING, TYPICAL, QA 0, ENGRAVING, 12 IN (1 FT), 4 FT (48 IN), 1/16 IN, LAMINATED PLASTIC, BLACK/WHITE	0	P	5680B SE
BFE112C	AL	M-A-01-000-002	5 SHEETING	SHEETING, TYPICAL, QA 0, ENGRAVING, 12 IN (1 FT), 4 FT (48 IN), 1/16 IN, LAMINATED PLASTIC, WHITE/BLACK	0	P	5680B SE
BFE120Q	AL	L-A-06-000-002	55 SHEETING	SHEETING, TYPICAL, QA 0, 12 IN, 4 FT, 5/8 IN, LAMINATED PLASTIC, ORANGE/WHITE, SHEET, PLASTIC; MATERIAL: LAMINATED, WIDTH: 12.0 IN, THICKNES	0	P	5680B SE
BVH383J	AL	L-A-04-000-002	7 SHEETING	SHEETING, TYPICAL, QA 3, 48 IN (4 FT), 1/8 IN, NEOPRENE, RUBBER SHEET, SOLID; BLACK, NYLON CLOTH INSERT, 0.125 THICK	3	B	5680B SE
CKL608G	AL	D-A-04-402-000	3 SHELF	SHELF, COMMUNICATION, QA 0, DWDM, SHELF ASSEMBLY FOR NETSTENDER 2060, INCLUDES FILLER PANELS FOR MSI, CU	0	C	5840M SE
CLD552E	AL	D-A-04-402-000	10 SHELF	SHELF, TYPICAL, QA 0, CABLE MANAGEMENT, SLACK FIBER STORAGE PANEL/TRAY, FOR 23" RACK MOUNT WITH 2.2" RECESS	0	C	5840M SE
ADC740P	AL	I-A-09-000-002	4 SHELF	SHELF, TYPICAL, QA 0, LIFTING, PATT K-43, FOR PENN CRUSHER CO SIZE 168 X	0	P	3660B SE
BRG136M	AC	- - - -	1 SHELL	SHELL, TYPICAL, QA 0, SHELL, AIR COMPRESSOR; AFTER COOLER, OUTER SHELL TO ENCLOSE INTEGRAL	0	C	4310I SE
BVJ689L	AL	D-A-10-201-001	20 SHELL	SHELL, TYPICAL, QA 0, SHELL, COMPUTER; D SUBMINIATURE, FOR 9 PIN CONNECTOR. ***	0		7021A SE
AAT629E	AL	M-A-03-000-002	4 SHELL	SHELL, BEARING, QA 0, SHELL, ; BEARING BRACKET, CAMSHAFT END, FOR ELECTRO-MOTIVE DIV	0	P	29100 SE
AJY361Q	AL	L-A-09-000-002	581 SHELL	SHELL, ELECTRICAL CONNECTOR, QA 0, DATAPHONE HOOD, PHENOLIC, SHELL STYLE: DATAPHONE HOOD, SHELL MATERIAL: PHENOLIC	0	P	5935B SE
AQR432G	AL	L-A-09-000-002	1 SHELL	SHELL, TYPICAL, QA 0, FILTER DRIER, 1-3/8 IN, FEMALE FITTINGS, SHELL, ; FILTER DRIER, REPLACEABLE CORE, CATCH-ALL, 001.375 IN OD	0	P	4440E SE

BAR904H	AL	L-A-09-000-002	1	SHELL	SHELL, ELECTRICAL CONNECTOR, QA 0, SHELL, ELECTRICAL CONNECTOR; WITH CABLE CLAMPS, SCREWS AND BOLTS, FOR	0	B	5935B SE
BAR904H	AL	M-A-06-000-002	10	SHELL	SHELL, ELECTRICAL CONNECTOR, QA 0, SHELL, ELECTRICAL CONNECTOR; WITH CABLE CLAMPS, SCREWS AND BOLTS, FOR	0	B	5935B SE
BJA960D	AL	L-A-09-000-002	70	SHELL	SHELL, TYPICAL, QA 0, SHELL, ELECTRICAL CONNECTOR; SHELL STYLE: RIGHT ANGLE, SHELL MATERIAL:	0	P	5935B SE
BVJ680J	AL	L-A-09-000-002	10	SHELL	SHELL, TYPICAL, QA 0, SHELL, COMPUTER; SHELL, D SUBMINIATURE, FOR 15 PIN CONNECTOR. ***	0	B	7021A SE
BNP834B	AL	D-A-37-201-000	1	SHIELD	SHIELD, TYPICAL, QA 1, SHIELD, TRANSIENT; MODEL 160-2 HAS TWO (2) KITS,	1	C	6130S SE
BQA435G	AL	A-A-01-000-001	11	SHIELD	SHIELD, TYPICAL, QA 0, SHIELD, ; ARC, FOR MAGNETIC CONTACTOR ***	0	C	61100 SE
BQB412P	AL	A-A-01-000-001	88	SHIELD	SHIELD, TYPICAL, QA 1, SHIELD, EXPANSION; DROP IN ANCHOR, CARBON STEEL, ZINC PLATED, HDI	1	C	4710Y SE
BQB412P	AL	1-A-05-000-001	305	SHIELD	SHIELD, TYPICAL, QA 1, SHIELD, EXPANSION; DROP IN ANCHOR, CARBON STEEL, ZINC PLATED, HDI	1	C	4710Y SE
ADT007N	AL	L-A-09-000-002	1	SHIELD	SHIELD, TYPICAL, QA 0, SHIELD, ; END, FOR INDUCTION MOTOR, MODEL 5K213AK9, 10 HP, 230/460	0	P	6105D SE
AVB761J	AL	L-A-09-000-002	22	SHIELD	SHIELD, TYPICAL, QA 0, SHIELD, CIRCUIT BREAKER; FRONT,LOWER RUNNER,REF NO 8, FOR MAGNE-BLAST	0	P	5925B SE
BEW000Q	AL	M-A-10-000-002	3	SHIELD	SHIELD, TYPICAL, QA 2, SHIELD ASSY, ; CARTRIDGE, FOR RADIATION MONITORS, MODELS SPING-3 AND	2	P	6630D SE
BGD531N	AL	M-A-07-000-002	1	SHIELD	SHIELD, TYPICAL, QA 1, SHIELD, TRANSIENT; CUSTOMER INTERFACE, MOD 160-2,WITH 3 EA CHARGE	1	P	6695D SE
BQM369A	AL	M-A-01-000-002	651	SHIELD	SHIELD, TYPICAL, QA 1, SHIELD, EXPANSION; DROP IN ANCHOR, CARBON STEEL, ZINC PLATED, HDI	1	C	4710Y SE
BTJ571J	AL	M-A-09-000-002	4	SHIELD	SHIELD, TYPICAL, QA 3, SHIELD, MULTIMETER; ACRYLIC PLASTIC FOR ROTAMETER MODEL 1305, 0-24	3	B	6625D SE
BVT900N	AL	M-A-06-000-002	481	SHIELD	SHIELD, TYPICAL, QA 3, SHIELD, ROTARY SWITCH; 10-3/8" X 4-7/8" FOR W2 AND OT2 SWITCHES	3	B	59300 SE
CDD393K	AL	L-A-03-000-002	5	SHIELD	SHIELD, TYPICAL, QA 1, SHIELD, CIRCUIT BREAKER; POWER SHIELD MASTER, RATING 225, STANDARD	1	B	5925B SE
CEB878Y	AL	L-A-07-000-002	8	SHIELD	SHIELD, TYPICAL, QA 0, EXPANSION, 3/4 IN, 8 IN, STAINLESS STEEL, SHIELD, EXPANSION; HILTI KWIK BOLT II, SIZE 3/4 INCH, LENGTH 8 INCHES	0	C	4710Y SE
APY928Y	AL	D-A-30-301-004	1	SHIM	SHIM, STOCK, QA 0, 6 IN, 100 IN, 0.015 IN, BRASS, SOLID, ASTM B36 ALLOY 6	0	P	9520Z SE
AVC258N	AL	A-A-01-000-001	10	SHIM	SHIM, SET, QA 3, STEEL, 3 PER SET, ITEM#18, FOR DELAVAL ESSENTIAL RAW COOLING WATER WORM GEAR	3	C	4730P SE
AVL410D	AL	D-A-32-401-000	2	SHIM	SHIM, STOCK, QA 0, 12 IN (1 FT), 50 IN, 0.012 IN, SS, SHIM STOCK, SOLID; MATERIAL: STAINLESS STEEL, THICKNESS: 0.012, WIDTH:	0	C	9520Z SE
AYD752N	AL	1-B-14-000-001	3	SHIM	SHIM, SET, QA 0, SHIM SET, ; REF 4-2, C/O 5 EA SHIMS, P/N U12-126910XP, 0.010 IN THK, 2	0	P	4310I SE
BDK312N	AL	A-A-01-000-001	4	SHIM	SHIM, TYPICAL, QA 0, SHIM, PRECUT; FOR CENTRIFUGAL PUMP, SIZE 3 X 1-1/2 X 6 HOC, S/N	0	P	4320U SE
BJE204M	AL	D-A-10-302-004	63	SHIM	SHIM, TYPICAL, QA 3, 0.075 IN, SS, 2 IN, 2 IN, SHIM, ; STAINLESS STEEL, SQUARE, PRECUT, 2 IN X 2 IN X 0.075 IN THICK	3		5305J SE
BJE206H	AL	D-A-10-302-004	19	SHIM	SHIM, TYPICAL, QA 3, 0.025 IN, SS, 2 IN, 2 IN, SHIM, ; STAINLESS STEEL, SQUARE, PRECUT, 2 IN X 2 IN X 0.025 IN THICK	3		5305J SE
BJE211P	AL	D-A-10-302-004	32	SHIM	SHIM, TYPICAL, QA 3, 0.004 IN, SS, 2 IN, 2 IN, SHIM, ; STAINLESS STEEL, SQUARE, PRECUT, 2 IN X 2 IN X 0.004 IN THICK	3		5305J SE
BJE217B	AL	D-A-06-201-001	28	SHIM	SHIM, TYPICAL, QA 3, SHIM, ; STAINLESS STEEL, SQUARE, PRECUT, 3 IN X 3 IN X 0.005 IN THICK	3		5305J SE
BJE250Q	AL	D-A-15-301-007	46	SHIM	SHIM, TYPICAL, QA 3, 1/8 IN, SS, 5 IN, 5 IN, SHIM, PRECUT; STAINLESS STEEL, SQUARE, 5 IN X 5 IN X 0.125 IN THICK	3		5305J SE
BJE251B	AL	D-A-13-302-010	74	SHIM	SHIM, TYPICAL, QA 3, 0.075 IN, SS, 5 IN, 5 IN, SHIM, ; STAINLESS STEEL, SQUARE, PRECUT, 5 IN X 5 IN X 0.075 IN THICK	3		5305J SE
BJE259T	AL	D-B-19-202-001	53	SHIM	SHIM, TYPICAL, QA 3, 1/64 IN, SS, 5 IN, 5 IN, SHIM, ; STAINLESS STEEL, SQUARE, PRECUT, 5 IN X 5 IN X 0.015 IN THICK	3		5305J SE
BJE268R	AL	D-B-19-202-001	9	SHIM	SHIM, TYPICAL, QA 3, SHIM, PRECUT; STAINLESS STEEL, SQUARE, 5 IN X 5 IN X 0.003 IN THICK	3		5305J SE
BJG169H	AL	D-A-06-201-001	14	SHIM	SHIM, TYPICAL, QA 3, SHIM, PRECUT; STAINLESS STEEL 300 SERIES, 3" X 3" X 0.015" THICK, 3/4"	3		5305J SE
BJG170C	AL	D-A-06-201-001	24	SHIM	SHIM, TYPICAL, QA 3, SHIM, ; PRECUT, STAINLESS STEEL 304, 3 IN X 3 IN X 0.125 IN THICK,	3		5305J SE
BJG176L	AL	D-A-13-302-009	92	SHIM	SHIM, TYPICAL, QA 3, 0.050 IN, SS, 5 IN, 5 IN, SHIM, ; PRECUT, STAINLESS STEEL, 5 IN X 5 IN X 0.050 IN THICK ***	3		5305J SE
BKG192G	AL	1-B-10-000-001	10	SHIM	SHIM, TYPICAL, QA 0, SHIM, ; SPACER, 46 X 8 X 0.005 IN THK CF STAINLESS STEEL, FOR	0	P	2825G SE
BKG193E	AL	1-B-10-000-001	10	SHIM	SHIM, TYPICAL, QA 0, SHIM, ; SPACER, 45 X 8 X 0.005 IN THK CF STAINLESS STEEL, FOR	0	P	2825G SE
BKG194C	AL	1-B-10-000-001	15	SHIM	SHIM, TYPICAL, QA 0, SHIM, ; SPACER, 31 X 8 X 0.005 IN THK CF STAINLESS STEEL, ITEN 5 AND	0	P	2825G SE
BKG208W	AL	1-B-10-000-001	10	SHIM	SHIM, TYPICAL, QA 0, SHIM, ; SPACER, 46 X 8 X 0.018 IN THK,CF STAINLESS STEEL,ITEM 12 ON	0	P	2825G SE
BKG209T	AL	1-B-10-000-001	10	SHIM	SHIM, TYPICAL, QA 0, SHIM, ; SPACER, 45 X 8 X 0.018 IN THK CF STAINLESS STEEL, ITEM 13 ON	0	P	2825G SE
BKG210L	AL	1-B-10-000-001	15	SHIM	SHIM, TYPICAL, QA 0, SHIM, ; SPACER, 31 X 8 X 0.018 IN THK CF STAINLESS STEEL, ITEM 14 AND	0	P	2825G SE
BKG215Y	AL	1-B-10-000-001	8	SHIM	SHIM, TYPICAL, QA 0, SHIM, ; SPACER, 50 X 8 X 0.018 IN THK CF STAINLESS STEEL, ITEM 15 AND	0	P	2825G SE
BMV988H	AL	1-B-05-072-001	39	SHIM	SHIM, TYPICAL, QA 0, SHIM, ; 1213E79 IT 44, S.O. WBI902 CNSSTS. ***	0	P	5305J SE
BNA607T	AL	1-B-05-072-001	24	SHIM	SHIM, TYPICAL, QA 0, SHIM, ; 1213E09, IT 41, SO WAT 902, CNSSLS ***	0	P	5305J SE
BPW688V	AL	E-A-16-C01-B01	37	SHIM	SHIM, TYPICAL, QA 0, SHIM, PRECUT; SHIM, FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D ***	0	C	5925B SE
BPW967P	AL	E-A-16-C07-A01	10	SHIM	SHIM, TYPICAL, QA 0, SHIM, PRECUT; SHIM, FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D ***	0	C	5925B SE
BPX082J	AL	E-A-16-C02-G01	141	SHIM	SHIM, TYPICAL, QA 0, SHIM, PRECUT; FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D ***	0	C	5925B SE
BRE611V	AL	E-A-16-C02-B01	10	SHIM	SHIM, TYPICAL, QA 0, SHIM, PRECUT; FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D ***	0	C	5925B SE
BWH773Y	AL	E-A-16-C02-D01	105	SHIM	SHIM, TYPICAL, QA 0, SHIM, PRECUT; FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D ***	0	C	5925B SE
BWN883X	AL	D-A-18-202-004	8	SHIM	SHIM, TYPICAL, QA 3, DOOR HINGE, 0.065 IN, GALVANIZED STEEL, 5 IN, 1-7/16 IN, SHIM, PRECUT; DOOR HINGE, STEEL, GALVANIZED, 5" X 1-7/16" X .0	3		5670A SE
BWN884V	AL	D-A-18-202-004	8	SHIM	SHIM, TYPICAL, QA 3, DOOR HINGE, 0.028 IN, GALVANIZED STEEL, 5 IN, 1-7/16 IN, SHIM, PRECUT; DOOR HINGE, STEEL, GALVANIZED, 5" X 1-7/16" X .0	3		5670A SE
BXF946X	AL	1-B-10-000-001	1	SHIM	SHIM, TYPICAL, QA 3, SHIM, PRECUT; STAINLESS STEEL,SLOTTED,3 X 3 X 13/16 IN ***	3	C	5305J SE
CBM819E	AL	A-A-01-000-001	1	SHIM	SHIM, STOCK, QA 3, SHIM STOCK, LAMINATED; BRASS,24"X 48",.002" LAMINATIONS,.126 NOMINAL	3	C	9520Z SE
AME973Q	AL	M-A-08-000-002	1	SHIM	SHIM, TYPICAL, QA 3, SHIM, ; PUMP, REF 080, DWG F-4704 REV 4, FOR COOLING WATER PUMP, TYPE	3	P	4320U SE
ANY419T	AL	M-A-09-000-002	3	SHIM	SHIM, STOCK, QA 0, 6 IN, 50 IN, 0.001 IN, STAINLESS STEEL, SHIM STOCK, SOLID; MATERIAL: STAINLESS STEEL, THICKNESS: 0.001, WIDTH:	0	P	9520Z SE
APW640B	AL	L-A-09-000-002	38	SHIM	SHIM, TYPICAL, QA 0, SHIM, ; FOR GE MAC RECORDER, TYPICAL MODEL 531112AAKL3TTF ***	0	P	6695D SE
AXY423Q	AL	L-A-09-000-002	1	SHIM	SHIM, STOCK, QA 3, 12 IN (1 FT), 50 IN, 0.006 IN, SS, , STYLE: SOLID, MATERIAL SPEC: ASTM A666 TYPE 300-SERIES	3	P	9520Z SE
BBL046F	AL	M-A-08-000-002	2	SHIM	SHIM, STOCK, QA 0, SHIM, PRECUT; CARBON STEEL, 0.62 THK X 8 ID X 11.5 IN OD, FOR VACUUM	0	C	4310I SE
BDK312N	AL	M-A-08-000-002	7	SHIM	SHIM, TYPICAL, QA 0, SHIM, PRECUT; FOR CENTRIFUGAL PUMP, SIZE 3 X 1-1/2 X 6 HOC, S/N	0	P	4320U SE
BJE209B	AL	L-A-09-000-002	48	SHIM	SHIM, TYPICAL, QA 3, 0.010 IN, SS, 2 IN, 2 IN, SHIM, PRECUT; STAINLESS STEEL, SQUARE, PRECUT, 2 IN X 2 IN X 0.010 IN	3	C	5305J SE
BJG172W	AL	L-A-09-000-002	41	SHIM	SHIM, TYPICAL, QA 3, SHIM, ; PRECUT, STAINLESS STEEL 304, 3 IN X 3 IN X 0.100 IN THICK,	3	P	5305J SE
BJG174Q	AL	L-A-09-000-002	13	SHIM	SHIM, TYPICAL, QA 3, 0.100 IN, SS, 4 IN, 4 IN, SHIM, ; PRECUT, STAINLESS STEEL 304, 4 IN X 4 IN X 0.100 IN THICK,	3	P	5305J SE
BLH890P	AL	L-A-03-000-002	40	SHIM	SHIM, TYPICAL, QA 3, SS, , PRECUT, LINER, FOR HPCI GLAND SEAL CONDESATE PUMP	3	C	4320U SE
BWL466Q	AL	L-A-13-000-002	85	SHIM	SHIM, TYPICAL, QA 3, SHIM, PRECUT; BRASS, FOR TWO STAGE SAFETY RELIEF VALVE ***	3	C	48200 SE
CAN080F	AL	L-A-09-000-002	17	SHIM	SHIM, TYPICAL, QA 3, SHIM, PRECUT; SHAFT BEARING ASSEMBLY, FIG 3 PARTS LIST REF NO 3.4, FOR	3	C	4310I SE
CHH855R	AL	L-A-14-000-002	10	SHIM	SHIM, TYPICAL, QA 1, SPACER, MATERIAL: MONEL, SHIM SEAL, ITEM #17, FOR 4" 150-LB VEE-BALL TYPE	1	C	48200 SE
ADE340X	AL	D-A-14-000-001	1	SHOE	SHOE, TYPICAL, QA 0, SHOE, BEARING; 008.000 IN, 12 PER SET, FOR REACTOR FEEDWATER PUMP	0	B	3110B SE
BWQ685P	AL	E-A-16-C02-G01	27	SHOE	SHOE, TYPICAL, QA 0, SHOE, CIRCUIT BREAKER; CLAMPING, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
ADF388G	AL	L-A-14-000-002	2	SHOE	SHOE, MECHANICAL, QA 0, SHOE, BEARING; FLUID DRIVE,REF 2D TWELVE PER SET 12 PER SET ***	0	C	4320U SE
ALD610L	AC	- - - -	4	SHOE	SHOE, TYPICAL, QA 0, SHOE, ; GUIDE, LEFT HAND ***	0	C	3960D SE
ALD810C	AC	- - - -	4	SHOE	SHOE, TYPICAL, QA 0, SHOE, ; GUIDE, RH ***	0	C	3960D SE
CFW950Y	AC	- - - -	30	SHOE	SHOE, THRUST, QA 3, SHOE, THRUST *** THRUST BEARING SHOES (PLAIN), FOR MG SET FLUID DRIVE	3	C	6115F SE
ADD843W	AL	1-A-05-000-001	8640	SHOES	SHOES, FOOTWEAR, QA 0, COVERS/DISPOSABLE, LARGE, POLYETHYLENE, YELLOW, COVERS, FOOTWEAR,DISPOSABLE; MATERIAL: POLYETHYLENE, SIZE: LARGE	0	P	8415B SE
AND544F	AL	D-B-14-000-001	10	SHOES	SHOES, FOOTWEAR, QA 0, GYMNASIUM, 8, COTTON/OXFORD, BLACK, FULL CUSHION/RUBBER SOLE, SHOES, GYMNASIUM; BLACK, SIZE 8, OXFORD WITH TONGUE AND	0	P	8415B SE
AND644B	AL	D-B-14-000-001	9	SHOES	SHOES, FOOTWEAR, QA 0, GYMNASIUM, 9, COTTON/OXFORD, BLUE, FULL CUSHION/RUBBER SOLE, SHOES, GYMNASIUM; CLEAN ROOM (GYMNASIUM), OXFORD W/TONGU	0	P	8415B SE
BDT843J	AL	A-A-01-000-001	500	SHOES	SHOES, FOOTWEAR, QA 0, COVERS, FOOTWEAR,DISPOSABLE; COLOR: GREEN ***	0	P	8415B SE
BRB951J	AL	D-A-10-301-000	1	SHOES	SHOES, FOOTWEAR, QA 0, MENS, 8-1/2 WIDE, BLACK, NO SLIP/OIL RESISTANT, SHOES, MEN'S; SHOE SIZE: 8 1/2, SHOE WIDTH: WIDE, COLOR: BLACK SOLE	0		8415B SE

ADA754B	AL	D-A-14-000-001	8	SHROUD	SHROUD, TYPICAL, QA 0, FIRST STAGE/BAND, 1-3/4 IN, 7-1/4 IN, 3/16 IN, BAND, ; SHROUD, FIRST STAGE, 000.187 THK X 001.750 W X 007.250 IN	0	P	2825G SE
BDK315G	AL	D-B-16-000-001	2	SHROUD	SHROUD, TYPICAL, QA 0, SHROUD, PUMP; STAINLESS STEEL, AISI 316, PLATE, FOR CENTRIFUGAL PUMP	0	P	4320U SE
BEM597T	AL	L-A-13-000-002	6	SHROUD	SHROUD, TYPICAL, QA 0, SHROUD, VACUUM CLEANER; INNER GUN HOUSING, FOR SAND BLASTER/VACUUM	0	P	79101 SE
BFK725G	AL	M-A-08-000-002	8	SHROUD	SHROUD, TYPICAL, QA 0, SHROUD FAN, PRINTER; PLASTIC, BLACK, FOR LINE PRINTER ***	0	P	7021A SE
CFE666Q	AL	D-B-06-000-001	90	SHROUD (COVER)	SHROUD (COVER), TURBINE, QA 0, SHROUD (COVER), TURBINE *** BLADE, NO OTHER DESCRIPTION AVAILABLE AT	0	C	2825G SE
BBQ328R	AL	A-A-01-000-001	2	SHUNT	SHUNT, TYPICAL, QA 0, SHUNT, INSTRUMENT; RESISTANCE, 100 AMPS, 50 MV, REF DESIGNATOR SH1	0	P	6625D SE
ABP594G	AL	L-A-09-000-002	1	SHUNT	SHUNT, TYPICAL, QA 0, SHUNT, ; CONTACT, FOR SPEEDTRONIC CONTROL SYSTEM RELAY ***	0	P	5945D SE
AHW481Y	AL	L-A-09-000-002	2	SHUNT	SHUNT, TYPICAL, QA 0, SHUNT ASSY, ; FOR ELECTRO-PNEUMATIC CONTROL, (RELAY), MODEL 445-B1	0	P	6695D SE
ANP268R	AL	L-A-09-000-002	1	SHUNT	SHUNT, TYPICAL, QA 0, SHUNT, ; FOR GE RELAY ***	0	P	5945D SE
BTQ987K	AL	L-A-13-000-002	1	SHUNT	SHUNT, TYPICAL, QA 3, SHUNT, RELAY; FOR GE RELAY ON EDERER CRANES, 125/180 TONS ***	3	C	5945D SE
AXQ313Y	AL	T-A-12-000-002	4	SHUTTER	SHUTTER, TYPICAL, QA 0, SHUTTER ASSY, ; C/W CAM, FOR PROJECTOR MOTION PICTURE, SOUND, GRAFLEX	0	P	6750J SE
ADY344P	AL	A-A-01-000-001	100	SIGN	SIGN, CAUTION, QA 0, PREPRINTED, 8 IN, 11 IN, MAGENTA/YELLOW, CAUTION, SIGN, PREPRINTED; PERMA, 3 POCKET RADIOLOGICAL ZONE SIGN WITH THE WOR	0	P	9905K SE
ADY444K	AL	D-A-17-302-001	97	SIGN	SIGN, CAUTION, QA 0, PREPRINTED, 4 IN, 6 IN, MAGENTA/YELLOW, HOT SPOT MREM/HR, SIGN, PREPRINTED; PRESSURE SENSITIVE, W/WORDING "HOT SPOT MRE	0		9905K SE
ADY896F	AL	D-A-17-401-008	1	SIGN	SIGN, CAUTION, QA 0, PREPRINTED, 7 IN, 10 IN, BUTYRATE, BLACK/YELLOW, CAUTION-RADIOACTIVE, AREA, SIGN, PREPRINTED; RADIATION, BUTYRATE MATER	0	C	9905K SE
ADY896F	AL	D-B-16-000-001	99	SIGN	SIGN, CAUTION, QA 0, PREPRINTED, 7 IN, 10 IN, BUTYRATE, BLACK/YELLOW, CAUTION-RADIOACTIVE, AREA, SIGN, PREPRINTED; RADIATION, BUTYRATE MATER	0	C	9905K SE
AFY043G	AL	A-A-01-000-001	12	SIGN	SIGN, CAUTION, QA 0, 10 IN, 14 IN, FIBERGLASS, RECTANGULAR, BLACK/YELLOW, CAUTION HEARING, PROTECTION REQUIRED, SIGN, ; "CAUTION, HEARING PR	0	P	9905K SE
AFY243H	AL	A-A-01-000-001	23	SIGN	SIGN, CAUTION, QA 0, 10 IN, 14 IN, FIBERGLASS, YELLOW/BLACK, CAUTION, SIGN, ; PREPRINTED "CAUTION", BLACK LOWER PORTION LEFT BLANK	0	P	9905K SE
AFY343D	AL	A-A-01-000-001	45	SIGN	SIGN, IDENTIFICATION, QA 0, 10 IN, 14 IN, FIBERGLASS, WHITE/RED, DANGER, SIGN, ; DANGER, BASIC PURPOSE, FIBER GLASS, WHITE ON RED, 10 X 14 X	0	P	9905K SE
AFY442B	AL	D-B-14-000-001	9	SIGN	SIGN, CAUTION, QA 0, 10 IN, 14 IN, FIBERGLASS, RECTANGULAR, RED/BLACK/WHITE, DANGER,NO SMOKING,NO, OPEN FLAME NO SPARK, SIGN, ; "DANGER, NO	0	P	9905K SE
AFY442B	AL	A-A-01-000-001	24	SIGN	SIGN, CAUTION, QA 0, 10 IN, 14 IN, FIBERGLASS, RECTANGULAR, RED/BLACK/WHITE, DANGER,NO SMOKING,NO, OPEN FLAME NO SPARK, SIGN, ; "DANGER, NO	0	P	9905K SE
AFY743W	AL	A-A-01-000-001	16	SIGN	SIGN, IDENTIFICATION, QA 0, 10 IN, 14 IN, FIBERGLASS, WHITE/RED, DANGER FUEL STORAGE, NO SMOKING, SIGN, ; "DANGER, FUEL STORAGE, NO SMOKING"	0	P	9905K SE
AFY842T	AL	A-A-01-000-001	7	SIGN	SIGN, CAUTION, QA 0, 10 IN, 14 IN, FIBERGLASS, RECTANGULAR, YELLOW/BLACK, CAUTION CLOSE CLEARANCE, SIGN, ; "CAUTION, CLOSE CLEARANCE", RECTA	0	P	9905K SE
AFY843Q	AL	A-A-01-000-001	24	SIGN	SIGN, CAUTION, QA 0, 14 IN, 20 IN, FIBERGLASS, RECTANGULAR, WHITE/RED, DANGER MAN WORKING, ABOVE, SIGN, ; "DANGER, MAN WORKING ABOVE", RECTA	0	P	9905K SE
AMY438W	AL	D-B-07-302-000	4445	SIGN	SIGN, CAUTION, QA 0, INSERT, 1-1/2 IN, 8 IN, RECTANGLE, MAGENTA ON YELLOW, RADIATION AREA, INSERT, SIGN; SIGN, "RADIATION AREA", MAGENTA LET	0		9905K SE
BFG767F	AL	A-A-01-000-001	20	SIGN	SIGN, CAUTION, QA 0, 8 IN, 10 IN, FIBERGLASS, WHITE/BLACK, TEMPORARY SHIELDING, SIGN, ; TEMPORARY SHIELDING,FIBERGLASS,BLACK LETTERING ON WH	0	P	9905K SE
BKC576J	AL	D-A-10-102-001	100	SIGN	SIGN, CAUTION, QA 0, SELF-ADHESIVE, DIAMOND, BLACK/WHITE/YELLOW, RADIOACTIVE, SIGN, ; PLACARD, SELF-ADHESIVE,DIAMONDSHAPED, TOP PORTION YELL	0		9905K SE
BLR752F	AL	D-B-07-302-001	24	SIGN	SIGN, IDENTIFICATION, QA 0, BLANK, 8 IN, 12-1/4 IN, PLASTIC, YELLOW, SIGN, BLANK; PLASTIC, YELLOW, 3-POCKETS, 8 X 12.25 IN, FOR INSERTS ***	0		9905K SE
BLR760V	AL	D-A-13-401-001	8	SIGN	SIGN, CAUTION, QA 0, INSERT, SIGN; "NOTIFY RADCON PRIOR TO ENTRY", (5 EACH PER PACK) ***	0		9905K SE
BLR763A	AL	D-A-08-102-008	8	SIGN	SIGN, CAUTION, QA 0, INSERT, SIGN; "AIRBORNE RADIOACTIVITY AREA", (5 EACH PER PACK) ***	0		9905K SE
BLR770Q	AL	D-A-08-102-008	8	SIGN	SIGN, CAUTION, QA 0, INSERT, SIGN; "RADIOACTIVE MATERIALS AREA", (5 EACH PER PACK) ***	0		9905K SE
BPM118A	AL	1-B-08-000-001	150	SIGN	SIGN, CAUTION, QA 0, CUSTOM PRINTED, 12 IN, 12 IN, TRIANGLE, MAGENTA/YELLOW, ENTRY, SIGN, ; CUSTOM PRINTED, CENTER LETTERING TO SAY, "DANGER	0	C	9905K SE
BTA979T	AL	1-B-08-000-001	40	SIGN	SIGN, CAUTION, QA 0, SIGN, PREPRINTED; 5 POCKET, LEXON RAD HAZARD SIGNS WITH GROMMETS ON	0	C	9905K SE
BWD602G	AL	A-A-01-000-001	100	SIGN	SIGN, CAUTION, QA 0, INSERT, LEXAN, MAGENTA/YELLOW, HIGH RADIATION AREA, INSERT, SIGN; LEXAN, YELLOW BACKGROUND WITH MAGENTA LETTERS (ALL	0	B	9905K SE
BWD612C	AL	A-A-01-000-001	100	SIGN	SIGN, CAUTION, QA 0, INSERT, LEXAN, MAGENTA/YELLOW, HIGH CONTAMINATION AREA, INSERT, SIGN; LEXAN, YELLOW BACKGROUND WITH MAGENTA LETTERS (AL	0	B	9905K SE
BWD613A	AL	A-A-01-000-001	100	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT, LEXAN, MAGENTA/YELLOW, PERSONNEL DOSIMETRY, REQUIRED FOR ENTRY, INSERT, SIGN; LEXAN, YELLOW BACKGROUND W	0	B	9905K SE
BWD619X	AL	A-A-01-000-001	100	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT, LEXAN, MAGENTA/YELLOW, EATING/DRINKING AND, SMOKING PROHIBITED, INSERT, SIGN; LEXAN, YELLOW BACKGROUND W	0	B	9905K SE
BWD627Y	AL	A-A-01-000-001	75	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT, LEXAN, MAGENTA/YELLOW, RADCON COVERAGE, REQUIRED FOR ENTRY, INSERT, SIGN; LEXAN, YELLOW BACKGROUND WITH	0	B	9905K SE
BWD628W	AL	A-A-01-000-001	100	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT, LEXAN, MAGENTA/YELLOW, INSERT, SIGN; LEXAN, YELLOW BACKGROUND WITH MAGENTA LETTERS (ALL	0	B	9905K SE
BWD630M	AL	A-A-01-000-001	75	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT, LEXAN, MAGENTA/YELLOW, "RESPIRATOR REQUIRED", INSERT, SIGN; LEXAN, YELLOW BACKGROUND WITH MAGENTA LETTER	0	B	9905K SE
BWD637V	AL	A-A-01-000-001	75	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT, LEXAN, MAGENTA/YELLOW, "OVERHEAD", INSERT, SIGN; LEXAN, YELLOW BACKGROUND WITH MAGENTA LETTERS (ALL	0	B	9905K SE
BWD638R	AL	A-A-01-000-001	75	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT, LEXAN, MAGENTA/YELLOW, "UNDER GRATING", INSERT, SIGN; LEXAN, YELLOW BACKGROUND WITH MAGENTA LETTERS (ALL	0	B	9905K SE
BWD640J	AL	A-A-01-000-001	75	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT, LEXAN, MAGENTA/YELLOW, "UNDER HERCULITE", INSERT, SIGN; LEXAN, YELLOW BACKGROUND WITH MAGENTA LETTERS (A	0	B	9905K SE
BWD647Q	AL	A-A-01-000-001	75	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT, LEXAN, MAGENTA/YELLOW, "INSIDE SINK", INSERT, SIGN; LEXAN, YELLOW BACKGROUND WITH MAGENTA LETTERS (ALL	0	B	9905K SE
BWD649L	AL	A-A-01-000-001	75	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT, LEXAN, MAGENTA/YELLOW, "INSIDE CABINET", INSERT, SIGN; LEXAN, YELLOW BACKGROUND WITH MAGENTA LETTERS (AL	0	B	9905K SE
BWD653X	AL	A-A-01-000-001	75	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT, LEXAN, MAGENTA/YELLOW, "INSIDE BOX", INSERT, SIGN; LEXAN, YELLOW BACKGROUND WITH MAGENTA LETTERS (ALL	0	B	9905K SE
BWD654V	AL	A-A-01-000-001	75	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT, LEXAN, MAGENTA/YELLOW, "IN TRENCH", INSERT, SIGN; LEXAN, YELLOW BACKGROUND WITH MAGENTA LETTERS (ALL	0	B	9905K SE
BWD679B	AL	A-A-01-000-001	75	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT, LEXAN, MAGENTA/YELLOW, "ABOVE TAPE", INSERT, SIGN; LEXAN, YELLOW BACKGROUND WITH MAGENTA LETTERS (ALL	0	B	9905K SE
BWD681Q	AL	A-A-01-000-001	75	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT, LEXAN, MAGENTA/YELLOW, "UNDERNEATH", INSERT, SIGN; LEXAN, YELLOW BACKGROUND WITH MAGENTA LETTERS (ALL	0	B	9905K SE
BWD683L	AL	A-A-01-000-001	100	SIGN	SIGN, CAUTION, QA 0, INSERT, VINYL, MAGENTA/YELLOW, HIGH RADIATION AREA, INSERT, SIGN; VINYL, SELF ADHESIVE, YELLOW BACKGROUND WITH MAGENTA	0	B	9905K SE
BWD685G	AL	A-A-01-000-001	100	SIGN	SIGN, CAUTION, QA 0, INSERT, VINYL, MAGENTA/YELLOW, "RADIATION AREA", INSERT, SIGN; VINLY, SELF ADHESIVE, YELLOW BACKGROUND WITH MAGENTA	0	B	9905K SE
BWD688A	AL	A-A-01-000-001	100	SIGN	SIGN, CAUTION, QA 0, INSERT, VINYL, MAGENTA/YELLOW, AREA, INSERT, SIGN; VINYL, SELF ADHESIVE, YELLOW BACKGROUND, WITH MAGENTA	0	B	9905K SE
BWD693H	AL	A-A-01-000-001	100	SIGN	SIGN, CAUTION, QA 0, INSERT, VINYL, MAGENTA/YELLOW, HIGH CONTAMINATION AREA, INSERT, SIGN; VINYL, SELF ADHESIVE, YELLOW BACKGROUND WITH MAGE	0	B	9905K SE
BWD695D	AL	A-A-01-000-001	100	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT, VINYL, MAGENTA/YELLOW, PERSONNEL DOSIMETRY, REQUIRED FOR ENTRY, INSERT, SIGN; VINYL, SELF ADHSIVE, YELLO	0	B	9905K SE
BWD700V	AL	A-A-01-000-001	100	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT, VINYL, MAGENTA/YELLOW, RWP REQUIRED FOR ENTRY, INSERT, SIGN; VINYL, SELF ADHSIVE, YELLOW BACKGROUND WITH	0	B	9905K SE
BWD702C	AL	A-A-01-000-001	75	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT, VINYL, MAGENTA/YELLOW, RADCON COVERAGE, REQUIRED FOR ENTRY, INSERT, SIGN; VINYL, SELF ADHESIVE, YELLOW B	0	B	9905K SE
BWD703A	AL	A-A-01-000-001	200	SIGN	SIGN, IDENTIFICATION, QA 0, VINYL, YELLOW, GENERAL AREA DOSE, INSERT, SIGN; VINYL, SELF ADHESIVE, YELLOW BACKGROUND WITH MAGENTA	0	B	9905K SE
BWD709X	AL	A-A-01-000-001	75	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT, VINYL, MAGENTA/YELLOW, "RESPIRATOR REQUIRED", INSERT, SIGN; VINYL, SELF ADHESIVE, YELLOW BACKGROUND WITH	0	B	9905K SE
BWD720L	AL	A-A-01-000-001	75	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT, VINYL, MAGENTA/YELLOW, "OVERHEAD", INSERT, SIGN; VINYL, SELF ADHESIVE, YELLOW BACKGROUND WITH MAGENTA	0	B	9905K SE
BWD727T	AL	A-A-01-000-001	175	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT, VINYL, MAGENTA/YELLOW, "UNDER GRATING", INSERT, SIGN; VINYL, SELF ADHSEIVE, YELLOW BACKGROUND WITH MAGEN	0	B	9905K SE
BWD729N	AL	A-A-01-000-001	75	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT, VINYL, MAGENTA/YELLOW, "UNDER HERCULITE", INSERT, SIGN; VINYL, SELF ADHESIVE, YELLOW BACKGROUND WITH MAG	0	B	9905K SE
BWD730H	AL	A-A-01-000-001	75	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT, VINYL, MAGENTA/YELLOW, "TOP OF LADDER", INSERT, SIGN; VINYL, SELF ADHESIVE, YELLOW BACKGROUND WITH MAGEN	0	B	9905K SE
BWD734X	AL	A-A-01-000-001	75	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT, VINYL, MAGENTA/YELLOW, "INSIDE SINK", INSERT, SIGN; VINYL, SELF ADHESIVE, YELLOW BACKGROUND WITH MAGENTA	0	B	9905K SE
BWD737P	AL	A-A-01-000-001	75	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT, VINYL, MAGENTA/YELLOW, "INSIDE CABINET", INSERT, SIGN; VINYL, SELF ADHESIVE, YELLOW BACKGROUND WITH MAGE	0	B	9905K SE
BWD738M	AL	A-A-01-000-001	75	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT, VINYL, MAGENTA/YELLOW, "INSIDE BOX", INSERT, SIGN; VINYL, SELF ADHESIVE, YELLOW BACKGROUND WITH MAGENTA	0	B	9905K SE
BWD750B	AL	A-A-01-000-001	75	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT, VINYL, MAGENTA/YELLOW, "IN TRENCH", INSERT, SIGN; VINYL, SELF ADHESIVE, YELLOW BACKGROUND WITH MAGENTA	0	B	9905K SE
BWD762Q	AL	A-A-01-000-001	100	SIGN	SIGN, CAUTION, QA 0, INSERT, VINYL, MAGENTA/YELLOW, RADIOLOGICALLY CONTROLLED, INSERT, SIGN; VINYL, SELF ADHESIVE, YELLOW BACKGROUND WITH MA	0	B	9905K SE
AEY845T	AL	M-A-08-000-002	1143	SIGN	SIGN, CAUTION, QA 0, SELF-ADHESIVE, VINYL, CONTAMINATED WASTE, SIGN, ; CONTAMINATED WASTE, SELF-STICKING, ON B-50 VINYL CLOTH ***	0	P	9905K SE
AFY242K	AL	M-A-08-000-002	10	SIGN	SIGN, CAUTION, QA 0, 7 IN, 10 IN, FIBERGLASS, RECTANGULAR, WHITE/RED, DANGER HIGH VOLTAGE, "DANGER, HIGH VOLTAGE", RECTANGULAR, FIBER GLASS,	0	P	9905K SE
AKD119H	AC	- - - -	3	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT/ELEVATOR, B, INSERT, ELEVATOR; PI, MARKED "B" ***	0	C	3960D SE
AKD219D	AC	- - - -	1	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT/ELEVATOR, NO 1, INSERT, ELEVATOR; PI, MARKED NO 1 ***	0	C	3960D SE
AKD619W	AC	- - - -	1	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT/ELEVATOR, NO 2, INSERT, ELEVATOR; PI, MARKED NO 2 ***	0	C	3960D SE
AKD719Q	AC	- - - -	3	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT/ELEVATOR, NO 3, INSERT, ELEVATOR; PI, MARKED NO 3 ***	0	C	3960D SE
AKD819L	AC	- - - -	3	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT/ELEVATOR, UP ARROW, INSERT, ELEVATOR; PI, MARKED "UP ARROW" ***	0	C	3960D SE
AKD919G	AC	- - - -	2	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT/ELEVATOR, DOWN ARROW, INSERT, ELEVATOR; PI, MARKED "DOWN ARROW" ***	0	C	3960D SE
AMY937A	AL	M-A-08-000-002	149	SIGN	SIGN, CAUTION, QA 0, INSERT, 1-1/2 IN, 8 IN, MAGENTA/YELLOW, HIGH RADIATION AREA, INSERT, SIGN; SIGN, "HIGH RADIATION AREA", 1.5 X 8 IN, MAG	0	P	9905K SE

ARH681X	AL	T-A-05-000-002	1	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT/ELEVATOR, NO 5, INSERT, ELEVATOR; PLATE, MARKED 5 ***	0	C	3960D SE
BAE607G	AL	T-A-05-000-002	2	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT/ELEVATOR, 1C, INSERT, ; POSITION INDICATOR, WITH MARKING 1C, FOR PLANT ELEVATORS ***	0	P	3960D SE
BAE607G	AL	L-A-13-000-002	3	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT/ELEVATOR, 1C, INSERT, ; POSITION INDICATOR, WITH MARKING 1C, FOR PLANT ELEVATORS ***	0	P	3960D SE
BAE608E	AL	T-A-05-000-002	2	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT/ELEVATOR, 2C, INSERT, ; POSITION INDICATOR, WITH MARKING 2C, FOR PLANT ELEVATORS ***	0	P	3960D SE
BAE608E	AL	L-A-13-000-002	3	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT/ELEVATOR, 2C, INSERT, ; POSITION INDICATOR, WITH MARKING 2C, FOR PLANT ELEVATORS ***	0	P	3960D SE
BAE609C	AL	L-A-13-000-002	2	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT/ELEVATOR, 3C, INSERT, ; POSITION INDICATOR, WITH MARKING 3C, FOR PLANT ELEVATORS ***	0	P	3960D SE
BAE609C	AL	T-A-05-000-002	2	SIGN	SIGN, IDENTIFICATION, QA 0, INSERT/ELEVATOR, 3C, INSERT, ; POSITION INDICATOR, WITH MARKING 3C, FOR PLANT ELEVATORS ***	0	P	3960D SE
BLR753D	AL	L-A-03-000-002	3	SIGN	SIGN, CAUTION, QA 0, INSERT, SIGN; "HIGH RADIATION AREA", (5 EACH PER PACK) ***	0	C	9905K SE
BXA948K	AL	L-A-09-000-002	20	SIGN	SIGN, CAUTION, QA 0, INSERT, 1-1/2 IN, 8 IN, LEXAN/STYRENE, MAGENTA/YELLOW, PERSONNEL DOSIMETRY, REQUIRED FOR ENTRY, SIGN, PREPRINTED; INSE	0	C	9905K SE
BLA858C	AL	D-B-19-202-001	300	SILENCER	SILENCER, TYPICAL, QA 3, SILENCER, ; RUBBER, HOLE SIZE 0.281 IN, FOR METAL DOOR FRAME ***	3	P	5670A SE
BLA858C	AL	L-A-09-000-002	10	SILENCER	SILENCER, TYPICAL, QA 3, SILENCER, ; RUBBER, HOLE SIZE 0.281 IN, FOR METAL DOOR FRAME ***	3	P	5670A SE
BHB438G	AL	D-A-16-201-001	4	SILICA	SILICA, TYPICAL, QA 0, CONCENTRATOR, IONS; HPIC-AG5, COLUMN, SILICA, FOR ION GAS ANALYZER	0		6630D SE
BQL116D	AL	D-A-11-301-011	2	SIPHON	SIPHON, AIR, QA 0, EDUCTOR, 1-1/2 IN X 1-1/2 IN, BRASS, 95 GPM, EDUCTOR, ; BY PASS FOAM, 1.50 INCH INLET 1.50 INCH OUTLET, 95 GPM	0		4210N SE
CGR313V	AL	L-A-11-000-002	1	SKIRT	SKIRT, TYPICAL, QA 1, VALVE, DISC SKIRT, FOR WALWORTH ANGLE VALVE, VALVE SIZE 24 IN, VALVE RATING	1	C	48200 SE
ABR832G	AL	D-A-04-201-002	4	SLEEVE	SLEEVE, INSULATING, QA 0, ELECTRICAL/NONSHRINKABLE, 3/16 IN, 36 IN (3 FT), BLACK, WALL THICKNESS 0.030 IN	0	P	5970B SE
AGE996B	AL	D-B-16-000-001	2	SLEEVE	SLEEVE, SHAFT, QA 0, SLEEVE, SHAFT,PUMP; DISTANCE, PART 58, FOR MODEL 1.50 8WN, SPECIFIC	0	P	4320U SE
AGF092A	AL	D-A-02-102-004	49	SLEEVE	SLEEVE, INSULATING, QA 0, 1/4 IN, 2-3/4 IN, SILICONE/FIBERGLASS, SLEEVE, ; INSULATION W/WIRE, SIZE #3(1/4 OD) X 2-3/4 LG, GRADE HC-3,	0		5970B SE
AKE821W	AL	D-A-24-302-000	1	SLEEVE	SLEEVE, SHAFT, QA 0, SLEEVE, SHAFT,PUMP; REF 8, FOR MAIN RAW COOLING WATER PUMP 14AFV	0	P	4320U SE
AVR292K	AL	A-A-01-000-001	3	SLEEVE	SLEEVE, SHAFT, QA 0, SLEEVE, SHAFT,PUMP; STEEL, OUTER, FOR CONDENSER CIRCULATING PUMP, SIZE	0	P	4320U SE
AVR293H	AL	A-A-01-000-001	6	SLEEVE	SLEEVE, SHAFT, QA 0, SLEEVE, SHAFT,PUMP; STEEL, INNER, FOR CONDENSER CIRCULATING PUMP, SIZE	0	P	4320U SE
AWA366P	AL	A-A-01-000-001	3	SLEEVE	SLEEVE, TYPICAL, QA 0, SLEEVE, VALVE; BRASS, DWG REF 3, FOR DIAPHRAGM VALVE, 003.000 IN, DWG	0	P	48200 SE
AWA367M	AL	A-A-01-000-001	1	SLEEVE	SLEEVE, TYPICAL, QA 0, SLEEVE, VALVE; BRASS, DWG REF 3, DWG SVA-6-1, FOR DIAPHRAGM VALVE	0	P	48200 SE
AWC982N	AL	A-A-01-000-001	1	SLEEVE	SLEEVE, SHAFT, QA 0, SLEEVE, VALVE; DRIVE, REF 4, FOR VALVE ACTUATOR, TYPE TN 20-107MB30	0	P	48200 SE
AWQ376C	AL	D-A-12-301-001	4	SLEEVE	SLEEVE, INSULATING, QA 0, ELECTRICAL, 3/32 IN X 6 IN, POLYOLEFIN/ SHRINKABLE, RED, INSULATION SLEEVING, ELECTRICAL; IRRADIATED POLYOLEFIN, 0	0		5970B SE
AWQ382H	AL	D-A-02-102-004	1	SLEEVE	SLEEVE, INSULATING, QA 0, ELECTRICAL, 1/4 IN X 6 IN, POLYOLEFIN, BLACK, INSULATION SLEEVING, ELECTRICAL; IRRADIATED POLYOLEFIN, 000.250 X	0		5970B SE
BAA107R	AL	A-A-01-000-001	1	SLEEVE	SLEEVE, SHAFT, QA 0, SLEEVE, SHAFT,PUMP; STEEL, COUPLING, REF 217, ITEM34, FOR CONDENSATE	0	C	4320U SE
BAN288V	AL	A-A-01-000-001	6	SLEEVE	SLEEVE, TYPICAL, QA 0, SLEEVE, CYLINDER; STEEL, SLEEVE, CUSHION, ROD END, FOR HYDRAULIC	0	P	48200 SE
BAN873G	AL	A-A-01-000-001	6	SLEEVE	SLEEVE, TYPICAL, QA 0, SLEEVE, CYLINDER; CUSHION, ROD END, REF 12, FOR HYDRAULIC CYLINDER	0	P	48200 SE
BAY986R	AL	A-A-01-000-001	4000	SLEEVE	SLEEVE, TYPICAL, QA 3, SLEEVE, MARKER CABLE; 0.125 DIA X 1.75 IN LONG, WHITE, THERMOFIT, 5000	3	B	5975B SE
BBA902W	AL	A-A-01-000-001	1500	SLEEVE	SLEEVE, TYPICAL, QA 3, SLEEVE, MARKER CABLE; 0.375 DIA X 1.50 IN LONG, WHITE, THERMOFIT, 1500	3	P	5975B SE
BBN288M	AL	D-A-32-302-004	151	SLEEVE	SLEEVE, COMPRESSION, QA 0, SLEEVE, CLINCH TUBE FITTING; MATERIAL: PE POLY, SIZE: 00.250000 (0		4730P SE
BEN885G	AL	A-A-01-000-001	1	SLEEVE	SLEEVE, TYPICAL, QA 0, SLEEVE, ACTUATOR; CLUTCH, FOR ACTUATOR, TYPE SMC-04, ORDER NO 3H2766A	0	B	48200 SE
BEP837N	AL	A-A-01-000-001	3	SLEEVE	SLEEVE, COUPLING, QA 3, SLEEVE, SEAL,COUPLER; GLASS FABRIC BOOT, W/ALUMINIZED FACING, 15 OD	3	P	5730H SE
BGX292V	AL	A-A-01-000-001	100	SLEEVE	SLEEVE, TYPICAL, QA 0, TUBE, 3/16 IN, BRASS, *** SEAT TYPE: FLARELESS	0	P	4730P SE
BHK184C	AL	A-A-01-000-001	2	SLEEVE	SLEEVE, TYPICAL, QA 3, SLEEVE, VALVE; YOKE, BRASS B21-464, REF 017, FOR GATE VALVE, 3 IN	3	P	48200 SE
BHN482L	AC	- - -	6	SLEEVE	SLEEVE, TYPICAL, QA 1, SLEEVE, ACTUATOR; DRIVE, ITEM 4, FOR VALVE ACTUATOR, TYPE SMB-00 ***	1	C	48200 SE
BJC530W	AL	D-A-12-301-000	2	SLEEVE	SLEEVE, INSULATING, QA 1, ELECTRICAL, 1-3/16 IN, 1.325 IN, 40 IN, INSULATION SLEEVING, ELECTRICAL; (HEAT SHRINK TUBING), RUBBER, 1.187	1		5970B SE
BLC214F	AL	F-A-07-101-004	47	SLEEVE	SLEEVE, TYPICAL, QA 0, SLEEVE, HEAVY EQUIPMENT; RUBBER, 0.375 IN, FOR 3-C CONTROL AIR	0	P	29100 SE
BLC215D	AL	F-A-07-101-004	40	SLEEVE	SLEEVE, TYPICAL, QA 0, SLEEVE, HEAVY EQUIPMENT; RUBBER, 0.25 IN, FOR 3-C CONTROL AIR	0	P	29100 SE
BPG605R	AL	F-A-04-102-000	40	SLEEVE	SLEEVE, PROTECTIVE, QA 3, HALF FACE/REMOVABLE, SLEEVE, ; SLEEVE, HALF, FACE, REMOVABLE,USED TO COVER JPRM CABLE	3	C	4710Y SE
BRA664T	AL	A-A-01-000-001	3	SLEEVE	SLEEVE, PROTECTIVE, QA 0, FLEXIBLE MESH, 4 IN X 6 IN, 164 FT, PLASTIC, SLEEVE, THREAD PROTECTOR; MATERIAL: PLASTIC, NOMINAL SIZE: 04.00-6.00	0	B	4710Y SE
BTM830G	AL	A-A-01-000-001	4	SLEEVE	SLEEVE, TYPICAL, QA 3, SLEEVE, SEAL,COUPLER; GLASS FABRIC BOOT, WITH ALUMINIZED FACING, 43	3	C	5730H SE
BTM833Y	AL	A-A-01-000-001	3	SLEEVE	SLEEVE, TYPICAL, QA 3, SLEEVE, SEAL,COUPLER; GLASS FABRIC BOOT, W/ALUMINIZED FACING 10" OD	3	C	5730H SE
BTM837N	AL	A-A-01-000-001	5	SLEEVE	SLEEVE, TYPICAL, QA 3, SLEEVE, SEAL,COUPLER; GLASS FABRIC BOOT W/ALUMINIZED FACING, 11"OD	3	C	5730H SE
BTM843V	AL	A-A-01-000-001	4	SLEEVE	SLEEVE, TYPICAL, QA 3, SLEEVE, SEAL,COUPLER; GLASS FABRIC BOOT, W/ALUMINIZED FACING, 43" OD	3	C	5730H SE
BTM844R	AL	A-A-01-000-001	5	SLEEVE	SLEEVE, TYPICAL, QA 3, SLEEVE, SEAL,COUPLER; GLASS FABRIC BOOT, W/ALUMINIZED FACING, 23" OD	3	C	5730H SE
BTY466H	AL	D-B-27-401-000	66	SLEEVE	SLEEVE, INSULATING, QA 3, INSULATION SLEEVING, THERMAL; INSULATION SLEEVING, THERMAL, PIPE	3		5640H SE
BTY481M	AL	D-B-27-401-000	60	SLEEVE	SLEEVE, INSULATING, QA 3, INSULATION SLEEVING, THERMAL; PIPE COVERING, CALCIUM SILICATE, SPLIT	3		5640H SE
BVD515G	AL	F-A-08-101-000	1	SLEEVE	SLEEVE, SPLIT, QA 3, SLEEVE, SHAFT,PUMP; RIGHT SLEEVE, SHAFT, STEEL, REF 18, DWG D66449	3	B	4320U SE
BVE604D	AL	D-A-09-104-001	3	SLEEVE	SLEEVE, SHAFT, QA 1, SLEEVE, SHAFT,PUMP; SHAFT, REF S-1, FOR HPCI MAIN LINE PUMP, 10 X 12 X	1	C	4320U SE
BVF798Y	AL	F-C-07-101-000	1	SLEEVE	SLEEVE, SHAFT, QA 3, SLEEVE, SHAFT,PUMP; SHAFT, LEFT SLEEVE, STEEL, REF ITEM 25, DWG	3	B	4320U SE
BVH527L	AL	D-B-16-000-001	4	SLEEVE	SLEEVE, TYPICAL, QA 1, SLEEVE, VALVE; 304 SST, ASTM A 269, ANNEALED, TYPE 308 ***	1	C	48200 SE
BVP760T	AL	A-A-01-000-001	12	SLEEVE	SLEEVE, TYPICAL, QA 0, SLEEVE, HOIST; LOAD, #32, FOR 3/4 TON COFFING HOIST ***	0	B	3950F SE
BXT932G	AL	D-B-07-102-002	1	SLEEVE	SLEEVE, TYPICAL, QA 1, , ACTUATOR, DRIVE, FOR USE ON LIMITORQUE SB-4 OPERATORS, REF. 11	1	C	48200 SE
BYA081B	AL	A-A-01-000-001	1	SLEEVE	SLEEVE, COUPLING, QA 1, SLEEVE, COUPLING; FOR TURBINE DRIVEN FW PUMP S/N 0874141, KOPPERS FAST	1	C	4320U SE
BYX847H	AL	D-B-27-104-001	1	SLEEVE	SLEEVE, SHAFT, QA 1, SLEEVE, SHAFT,PUMP; FOR B AND W CONTAINMENT SPRAY PUMP, SYSTEM 72	1	B	4320U SE
BYX847H	AL	F-A-22-101-000	1	SLEEVE	SLEEVE, SHAFT, QA 1, SLEEVE, SHAFT,PUMP; FOR B AND W CONTAINMENT SPRAY PUMP, SYSTEM 72	1	B	4320U SE
CAC642G	AL	D-A-13-301-004	38	SLEEVE	SLEEVE, INSULATING, QA 3, NUCLEAR, 3/16 IN, 2200 DEG C, SLEEVING, NUCLEAR BRAID; PIPE SIZE: 00.1875 IN (3/16), TEMP RATING:	3		5970B SE
CAD101F	AL	D-A-10-102-000	96	SLEEVE	SLEEVE, INSULATING, QA 3, INSULATION SLEEVING, THERMAL; MATERIAL: CALCIUM SILICATE, INSULATION	3		5640H SE
CAQ705M	AL	D-A-32-202-000	100	SLEEVE	SLEEVE, INSULATING, QA 3, ELECTRICAL/HEAT SHRINKABL, 5-35 KV, , INSULATION SLEEVE, E, STYLE: SINGLE LEG	3		5970B SE
CBE147A	AL	A-A-01-000-001	1	SLEEVE	SLEEVE, TYPICAL, QA 3, SLEEVE, VALVE; STAINLESS STEEL, REF 19, FOR SWING CHECK VALVE, 20 IN	3	C	48200 SE
CEV810T	AL	D-A-04-401-000	2	SLEEVE	SLEEVE, TYPICAL, QA 3, TYPE: TUBE; MATERIAL: SS , FLARE TUBE END SLEEVE, 2 IN OD TUBE	3		4730P SE
CHF158T	AL	D-A-30-302-000	480	SLEEVE	SLEEVE, REINFORCING, QA 1, , MECHANICAL, ALLOY 800, FOR REPAIRING STEAM GENERATOR TUBING, 25 IN	1	C	4730P SE
ABE516K	AL	L-A-13-000-002	4	SLEEVE	SLEEVE, SHAFT, QA 0, SLEEVE, SHAFT,PUMP; 316 STAINLESS STEEL, 001.750 OD X 001.500 IN ID	0	P	4320U SE
ABE615H	AL	L-A-13-000-002	1	SLEEVE	SLEEVE, SHAFT, QA 0, SLEEVE, SHAFT,PUMP; FOR PUMP, MODEL 3655, SIDE 4 X 4-7, S/N 704B606-1	0	P	4320U SE
ABE715D	AL	L-A-13-000-002	2	SLEEVE	SLEEVE, SHAFT, QA 0, SLEEVE, SHAFT,PUMP; FOR PUMP, MODEL 3655, SIZE 2-112 X 3-13, S/N	0	P	4320U SE
ABY755E	AL	M-A-01-000-002	1	SLEEVE	SLEEVE, SHAFT, QA 0, SLEEVE, SHAFT,PUMP; STAINLESS STEEL, FOR VORTEX MODEL 1-1/2 X 3-9 SCP	0	P	4320U SE
ACF010B	AL	M-A-06-000-002	2	SLEEVE	SLEEVE, SHAFT, QA 1, SLEEVE, SHAFT,PUMP; ITEM 301.04, DWG 4-045881, FOR CONTAINMENT SPRAY	1	P	4320U SE
AFE987J	AL	L-A-13-000-002	2	SLEEVE	SLEEVE, SHAFT, QA 0, SLEEVE, SHAFT,PUMP; PART 126, FOR WATERBOY BACKWASH PUMP, FIG 3655	0	P	4320U SE
AFT802W	AL	L-A-03-000-002	2	SLEEVE	SLEEVE, SPLIT, QA 0, BEARING, BEARING, SLEEVE; FRONT SPLIT AND BACKSPLIT, FOR300 HP, 4000.000 VOLTS,	0	P	6105D SE
AJD236K	AL	L-A-09-000-002	5	SLEEVE	SLEEVE, REINFORCING, QA 0, SLEEVE, COMPRESSOR; CLAMPING, FOR UNIT MODEL NC-175-3B, COMPRESSOR	0	P	4310I SE
AMY472W	AL	L-A-04-000-002	1	SLEEVE	SLEEVE, SHAFT, QA 0, SLEEVE, SHAFT,PUMP; PUMP, FOR MODEL F3-PVA120-RS-10, ON	0	C	4320U SE
AND537C	AL	M-A-10-000-002	32	SLEEVE	SLEEVE, TYPICAL, QA 0, SLEEVE, COMPRESSOR; STEEL, COMPRESSOR CYLINDER, FOR GLYCOL CHILLER ON	0	P	4310I SE
ARC964B	AL	L-A-09-000-002	44	SLEEVE	SLEEVE, TYPICAL, QA 3, SLEEVE, FLARED TUBE FITTING; BRASS, FIRST ID .5 IN SEAT TYPE 37 DEG	3	P	4730P SE
ARN868K	AL	M-A-16-000-002	1	SLEEVE	SLEEVE, TYPICAL, QA 0, SLEEVE, VALVE; TEFLON,DWG 3,FOR 003.000 IN, WRENCH OPERATED,150 PSI	0	P	48200 SE

ARQ648P	AL	T-A-06-000-002	4	SLEEVE	SLEEVE, SHAFT, QA 0, SLEEVE, SHAFT,PUMP; STEEL, FOR COOLING TOWER SUPPLY PUMP MODEL	0	P	4320U SE
ATA071E	AL	M-A-01-000-002	4	SLEEVE	SLEEVE, SHAFT, QA 1, PUMP, STEEL, 3.9375 IN. OD X 3.3125 IN. ID X 6.625 IN. LG, DWG 1F-7879 REF 217, FOR	1	C	4320U SE
AVW431G	AL	L-A-06-000-002	2	SLEEVE	SLEEVE, SHAFT, QA 0, SLEEVE, SHAFT,PUMP; INNER, FOR PUMP, SIZE 14 SH, SN 0569151/152/153	0	P	4320U SE
AVW431G	AL	L-A-02-000-002	5	SLEEVE	SLEEVE, SHAFT, QA 0, SLEEVE, SHAFT,PUMP; INNER, FOR PUMP, SIZE 14 SH, SN 0569151/152/153	0	P	4320U SE
AWK858K	AL	L-A-12-000-002	3	SLEEVE	SLEEVE, SHAFT, QA 0, SLEEVE, SHAFT,PUMP; LOCKPLATE, 2 PER SET, FOR REACTOR RECIRCULATION	0	P	4320U SE
AWL388R	AL	M-A-01-000-002	1	SLEEVE	SLEEVE, SHAFT, QA 0, SLEEVE, SHAFT,PUMP; STEEL, FOR CONDENSATE PUMP, MODEL 1-1/2 X 1-6/57	0	P	4320U SE
AWQ385B	AL	L-A-09-000-002	2	SLEEVE	SLEEVE, INSULATING, QA 0, ELECTRICAL, 1 IN X 6 IN, POLYOLEFIN, BLUE, INSULATION SLEEVING, ELECTRICAL; IRRADIATED POLYOLEFIN, 001.000 X	0	P	5970B SE
AXT819K	AL	M-A-02-000-002	5	SLEEVE	SLEEVE, TYPICAL, QA 2, SLEEVE, VALVE; BRONZE, FOR 6 IN THERMOSTATIC CONTROL VALVE, MODEL	2	P	2910O SE
AYM645E	AL	M-A-16-000-002	15	SLEEVE	SLEEVE, TYPICAL, QA 0, ALUMINUM, *** FOR OIL STRAINER TANK DRAIN, ON DIESEL ENGINE, MODEL 16-645-E4 &	0	P	2910O SE
BBA374T	AL	M-A-09-000-002	417	SLEEVE	SLEEVE, TYPICAL, QA 3, SLEEVE, MARKER CABLE; 0.25 IN DIA X 1.75 IN LONG, WHITE THERMOFIT	3	P	5975B SE
BBF582R	AL	L-A-09-000-002	6	SLEEVE	SLEEVE, TYPICAL, QA 3, SLEEVE, FLARED TUBE FITTING; BRASS, FIRST ID .75 IN SEAT TYPE 37 DEG	3	P	4730P SE
BBJ027X	AL	T-A-05-000-002	10	SLEEVE	SLEEVE, INSULATING, QA 1, INSULATION SLEEVE, ELEC SPECIAL PURPOSE; HEAT, SHRINKABLE, BREAKOUT, 3	1	P	5970B SE
BBV505F	AL	M-A-10-000-002	2	SLEEVE	SLEEVE, COUPLING, QA 0, SLEEVE, COUPLING; EPPM TYPE E, FOR SIZE 11 SUREFLEX COUPLING ***	0	P	3040D SE
BCV806T	AL	L-A-03-000-002	36	SLEEVE	SLEEVE, INSULATING, QA 3, INSULATION SLEEVING, THERMAL; PIPE COVERING, CALCIUM SILICATE	3	P	5640H SE
BEH042L	AL	M-A-03-000-002	20	SLEEVE	SLEEVE, COUPLING, QA 2, SLEEVE, COUPLING; CARBON STEEL, 0.187 IN TO 0.187 IN, FOR FILL VALVE	2	P	6695D SE
BGE973G	AL	L-A-03-000-002	1	SLEEVE	SLEEVE, SHAFT, QA 0, PUMP, 3/4 IN, 1-3/8 IN, STAINLESS STEEL, SLEEVE, SHAFT,PUMP; STAINLESS STEEL, AISI 316, 1.375 OD X 0.75 IN	0	P	4320U SE
BHE190N	AL	M-A-15-000-002	1	SLEEVE	SLEEVE, TYPICAL, QA 1, SLEEVE, VALVE; FOR SOLENOID VALVE, MODEL 82UU-001, ANSI CLASS 1707	1	P	4820U SE
BHE827M	AL	M-A-03-000-002	1	SLEEVE	SLEEVE, SHAFT, QA 1, SLEEVE, ACTUATOR; DRIVE, FOR VALVE ACTUATOR, TYPE SMB-000 ***	1	P	4820U SE
BHE827M	AL	M-A-06-000-002	1	SLEEVE	SLEEVE, SHAFT, QA 1, SLEEVE, ACTUATOR; DRIVE, FOR VALVE ACTUATOR, TYPE SMB-000 ***	1	P	4820U SE
BHE828K	AL	M-A-06-000-002	1	SLEEVE	SLEEVE, SHAFT, QA 1, SLEEVE, ACTUATOR; DRIVE, FOR VALVE ACTUATOR, TYPE SMB-000 ***	1	C	4820U SE
BJH740P	AL	M-A-15-000-002	2	SLEEVE	SLEEVE, SHAFT, QA 1, DRIVE, STEEL, , VALVE ACTUATOR, TYPE SMB-000 TO TYPE HBC-0, ORDER NO 390251F AND/OR	1	C	4820U SE
BJH740P	AL	M-A-16-000-002	4	SLEEVE	SLEEVE, SHAFT, QA 1, DRIVE, STEEL, , VALVE ACTUATOR, TYPE SMB-000 TO TYPE HBC-0, ORDER NO 390251F AND/OR	1	C	4820U SE
BQP818W	AL	L-A-11-000-002	24	SLEEVE	SLEEVE, INSULATING, QA 0, INSULATION SLEEVING, THERMAL; INSULATION THICKNESS: 00.5000 IN(1/2)	0	C	5640H SE
BRD978K	AL	M-A-08-000-002	1	SLEEVE	SLEEVE, TYPICAL, QA 0, SLEEVE, VALVE; BUSHING ASSY. FOR A 8.00 INCH FISHER BUTTERFLY TYPE	0	C	4820U SE
BTW034G	AC	- - -	32	SLEEVE	SLEEVE, PROTECTIVE, QA 1, SLEEVE, VALVE; BRONZE, FOR 6 IN THERMOSTATIC CONTROL VALVE, MODEL	1	C	2910O SE
BTW034G	AL	M-A-12-000-002	69	SLEEVE	SLEEVE, PROTECTIVE, QA 1, SLEEVE, VALVE; BRONZE, FOR 6 IN THERMOSTATIC CONTROL VALVE, MODEL	1	C	2910O SE
BVR065E	AL	M-A-01-000-002	2	SLEEVE	SLEEVE, SHAFT, QA 1, SLEEVE, SHAFT,PUMP; SEAL,ITEM G012,FOR PACIFIC SAFETY INJECTION	1	B	4320U SE
BVV527V	AL	L-A-03-000-002	2	SLEEVE	SLEEVE, SHAFT, QA 3, SLEEVE, SHAFT,PUMP; PUMP SLEEVE, REF 10, FOR 2-WTF-810, S/N 1620675	3	B	4320U SE
BWL207J	AL	L-A-03-000-002	2	SLEEVE	SLEEVE, COUPLING, QA 3, SLEEVE, COUPLING; PUMP, MODEL PD-II, S/N #36553, REF. DWG 5370-03 ITEM	3	C	4320U SE
BXA670J	AL	M-A-12-000-002	1	SLEEVE	SLEEVE, SHAFT, QA 1, SLEEVE, SHAFT,PUMP; STEEL,REF 8.FOR CENTRIFUGAL PUMP,SIZE 8 X 20 WDF	1	B	4320U SE
BXQ378T	AL	M-A-12-000-002	2	SLEEVE	SLEEVE, TYPICAL, QA 1, SLEEVE, ACTUATOR; DRIVE,FOR SBD-00 ACTUATOR ***	1	B	4820U SE
BXW145X	AL	M-A-12-000-002	1	SLEEVE	SLEEVE, SHAFT, QA 0, SLEEVE, SHAFT,PUMP; SHAFT SLEEVE FOR SUMP PUMP, TYP MODEL 1-1/2 X	0	C	4320U SE
BYA796A	AL	M-A-15-000-002	1	SLEEVE	SLEEVE, SHAFT, QA 3, SLEEVE, SHAFT,PUMP; SHAFT SLEEVE FOR SUMP PUMP, TYPE MODEL 1-1/2 X	3	C	4320U SE
BYP962G	AL	L-A-09-000-002	50	SLEEVE	SLEEVE, TYPICAL, QA 1, RETAINER; BRAIDED, DIAMETER (INCHES) NOMINAL 2.3" DIA, NOMINAL	1	B	5970B SE
CBQ267C	AL	L-A-03-000-002	12	SLEEVE	SLEEVE, INSULATING, QA 0, THERMAL, 22 IN, 24 IN, CELLULAR GLASS, -450 TO +800 DEG F, INSULATION SLEEVING, THERMAL; MATERIAL: CELLULAR GLASS	0	C	5640H SE
BKF623L	AL	I-A-17-000-002	1	SLIDE	SLIDE, TYPICAL, QA 0, SLIDE ASSY, ; PROTECTIVE, FOR TRANSMISSOMETER, MODEL 1100M, ON OPACITY	0	P	6630D SE
CFA987Q	AL	P-A-LL-ET0-023	8	SLIDE	SLIDE, TYPICAL, QA 3, EQUIPMENT, *** FOR MOUNTING LAMBDA MODEL L25-500-1 POWER SUPPLY IN MODEL LRA-21	3	B	5975B SE
BDM320Q	AL	A-A-01-000-001	8	SLIDEWIRE	SLIDEWIRE, RECORDER, QA 0, SLIDEWIRE ASSY, ; RECORDER MODEL VKB0G-J51-F085-0C6-6A ***	0	P	6630D SE
BBJ688R	AL	1-A-11-105-001	1	SLING	SLING, WIRE ROPE, QA 0, LIFT, 7/16 IN, 259 IN, SLING, LIFT; CONFIGURATION: WIRE ROPE, SLING LENGTH: 259.000 IN	0	P	4010G SE
BPX759R	AL	M-A-06-000-002	1	SLINGER	SLINGER, MECHANICAL, QA 3, FLINGER, ; REAR, FOR MANIPULATOR CRANE, SPIN FHSCMC, INTERCHANGEABLE	3	B	3950F SE
AGG394X	AL	P-A-11-048-001	18	SNUBBER	SNUBBER, MECHANICAL, QA 1, SNUBBER, *TYPICAL; SIZE: #3 *** MECHANICAL, PSA 3	1	C	4710Y SE
AGG394X	AL	P-A-04-012-001	71	SNUBBER	SNUBBER, MECHANICAL, QA 1, SNUBBER, *TYPICAL; SIZE: #3 *** MECHANICAL, PSA 3	1	C	4710Y SE
AGG394X	AL	P-A-10-012-001	86	SNUBBER	SNUBBER, MECHANICAL, QA 1, SNUBBER, *TYPICAL; SIZE: #3 *** MECHANICAL, PSA 3	1	C	4710Y SE
AGG394X	AL	P-A-02-012-001	88	SNUBBER	SNUBBER, MECHANICAL, QA 1, SNUBBER, *TYPICAL; SIZE: #3 *** MECHANICAL, PSA 3	1	C	4710Y SE
AGG394X	AL	P-A-06-012-001	122	SNUBBER	SNUBBER, MECHANICAL, QA 1, SNUBBER, *TYPICAL; SIZE: #3 *** MECHANICAL, PSA 3	1	C	4710Y SE
AGG394X	AL	P-A-08-012-001	127	SNUBBER	SNUBBER, MECHANICAL, QA 1, SNUBBER, *TYPICAL; SIZE: #3 *** MECHANICAL, PSA 3	1	C	4710Y SE
AGG693K	AL	P-A-12-042-001	1	SNUBBER	SNUBBER, MECHANICAL, QA 1, SNUBBER, *TYPICAL; SIZE: #1 *** MECHANICAL, PSA 1	1		4710Y SE
AGG693K	AL	P-A-12-048-001	1	SNUBBER	SNUBBER, MECHANICAL, QA 1, SNUBBER, *TYPICAL; SIZE: #1 *** MECHANICAL, PSA 1	1		4710Y SE
AGG693K	AL	P-B-04-012-001	1	SNUBBER	SNUBBER, MECHANICAL, QA 1, SNUBBER, *TYPICAL; SIZE: #1 *** MECHANICAL, PSA 1	1		4710Y SE
AGG693K	AL	P-A-12-012-001	3	SNUBBER	SNUBBER, MECHANICAL, QA 1, SNUBBER, *TYPICAL; SIZE: #1 *** MECHANICAL, PSA 1	1		4710Y SE
AGG693K	AL	P-A-12-000-001	4	SNUBBER	SNUBBER, MECHANICAL, QA 1, SNUBBER, *TYPICAL; SIZE: #1 *** MECHANICAL, PSA 1	1		4710Y SE
AGG693K	AL	P-A-13-048-001	4	SNUBBER	SNUBBER, MECHANICAL, QA 1, SNUBBER, *TYPICAL; SIZE: #1 *** MECHANICAL, PSA 1	1		4710Y SE
AGG693K	AL	P-B-06-012-001	16	SNUBBER	SNUBBER, MECHANICAL, QA 1, SNUBBER, *TYPICAL; SIZE: #1 *** MECHANICAL, PSA 1	1		4710Y SE
AGG693K	AL	P-A-11-000-001	25	SNUBBER	SNUBBER, MECHANICAL, QA 1, SNUBBER, *TYPICAL; SIZE: #1 *** MECHANICAL, PSA 1	1		4710Y SE
AGG693K	AL	P-A-09-000-001	212	SNUBBER	SNUBBER, MECHANICAL, QA 1, SNUBBER, *TYPICAL; SIZE: #1 *** MECHANICAL, PSA 1	1		4710Y SE
AKG884R	AL	P-A-02-012-001	1	SNUBBER	SNUBBER, MECHANICAL, QA 1, #10, 15000 LB, W/ 7/8 IN SPHERICAL BRG, SNUBBER, *TYPICAL; SIZE: #10; RATING: 15000 LB; CONSTRUCTION: W/ 7/8	1	C	4710Y SE
AKG884R	AL	P-A-02-048-001	5	SNUBBER	SNUBBER, MECHANICAL, QA 1, #10, 15000 LB, W/ 7/8 IN SPHERICAL BRG, SNUBBER, *TYPICAL; SIZE: #10; RATING: 15000 LB; CONSTRUCTION: W/ 7/8	1	C	4710Y SE
AKG884R	AL	P-A-04-048-001	7	SNUBBER	SNUBBER, MECHANICAL, QA 1, #10, 15000 LB, W/ 7/8 IN SPHERICAL BRG, SNUBBER, *TYPICAL; SIZE: #10; RATING: 15000 LB; CONSTRUCTION: W/ 7/8	1	C	4710Y SE
AKG884R	AL	P-A-08-048-001	38	SNUBBER	SNUBBER, MECHANICAL, QA 1, #10, 15000 LB, W/ 7/8 IN SPHERICAL BRG, SNUBBER, *TYPICAL; SIZE: #10; RATING: 15000 LB; CONSTRUCTION: W/ 7/8	1	C	4710Y SE
BJR656P	AL	A-A-01-000-001	1	SNUBBER	SNUBBER, HYDRAULIC, QA 1, SHOCK ARRESTOR, MECHANICAL; FIG 306, MARK NO IZAB ***	1	P	4710Y SE
BKQ923R	AL	P-A-16-012-001	7	SNUBBER	SNUBBER, HYDRAULIC, QA 1, SHOCK ARRESTOR, MECHANICAL; SNUBBER, SIZE PSA-10 ***	1	P	4710Y SE
CDR260L	AL	P-A-01-000-001	13	SNUBBER	SNUBBER, MECHANICAL, QA 1, PSA-1/4, , BARE MECHANICAL SNUBBER UNIT	1		4710Y SE
CDR260L	AL	P-A-13-048-001	74	SNUBBER	SNUBBER, MECHANICAL, QA 1, PSA-1/4, , BARE MECHANICAL SNUBBER UNIT	1		4710Y SE
CDR265Y	AL	P-A-01-000-001	4	SNUBBER	SNUBBER, MECHANICAL, QA 1, ASSEMBLY/WELDER, SS, , BARE MECHANICAL SNUBBER UNIT, PSA-1/2	1		4710Y SE
CDR265Y	AL	P-A-13-048-001	32	SNUBBER	SNUBBER, MECHANICAL, QA 1, ASSEMBLY/WELDER, SS, , BARE MECHANICAL SNUBBER UNIT, PSA-1/2	1		4710Y SE
CDX371B	AL	D-B-14-003-000	17	SNUBBER	SNUBBER, HYDRAULIC, QA 0, SHOCK ARRESTOR, MECHANICAL; SNUBBER, FOR STEAM GENERATOR ***	0	C	4410C SE
AKG884R	AL	T-A-03-000-002	4	SNUBBER	SNUBBER, MECHANICAL, QA 1, #10, 15000 LB, W/ 7/8 IN SPHERICAL BRG, SNUBBER, *TYPICAL; SIZE: #10; RATING: 15000 LB; CONSTRUCTION: W/ 7/8	1	C	4710Y SE
BJR656P	AL	M-A-01-000-002	16	SNUBBER	SNUBBER, HYDRAULIC, QA 1, SHOCK ARRESTOR, MECHANICAL; FIG 306, MARK NO IZAB ***	1	P	4710Y SE
CDR268Q	AL	L-A-13-000-002	4	SNUBBER	SNUBBER, MECHANICAL, QA 1, SS, , BARE MECHANICAL SNUBBER UNIT, PSA-10	1	C	4710Y SE
CFM164D	AL	P-A-LL-ET0-026	100	SNUBBER	SNUBBER, PRESSURE, QA 3, FLUID, 1/4 IN X 3/8 IN, BRASS, MNPT X TUBE, *** WATER SERVICE	3	C	4730P SE
AJP318X	AL	D-B-14-000-001	1	SOCKET	SOCKET, RELAY, QA 0, OCTAL, 8, SCREW, 10 A/300 V, POLYAMIDE, SNAP ON TO TRACK MOUNT, FOR	0	C	5945D SE
AKH598M	AL	D-A-28-101-001	18	SOCKET	SOCKET, HOSE, QA 0, SOCKET, ; VALVE, 8HF8, FOR PERFECTING SERVICE CO QUICK DISCONNECT	0		5120M SE
BKQ241L	AL	D-A-04-201-002	1	SOCKET	SOCKET, TYPICAL, QA 0, SOCKET, MONITOR; 14 PIN, REFERENCE, FOR MONITOR, CHLORINE, LOW LEVEL	0	P	5935B SE
AMD312B	AC	- - -	13	SOCKET	SOCKET, TYPICAL, QA 0, SOCKET, ; ROPE, (SHACKLE) LONG ROD, MK-A1266, FOR 5/8 IN CABLE ***	0	C	3960D SE
AMD612Y	AC	- - -	13	SOCKET	SOCKET, TYPICAL, QA 0, SOCKET, ; ROPE, (SHACKLE) SHORT ROD, MK-A1266, FOR 5/8 IN CABLE ***	0	C	3960D SE

AMW847M	AL	M-A-08-000-002	4 SOCKET	SOCKET, TYPICAL, QA 0, SOCKET, ; CABLE ***	0	P	6695D SE
ARN443L	AL	M-A-16-000-002	1 SOCKET	SOCKET, RELAY, QA 2, SOCKET, PLUG IN ELECT COMP; RELAY,15 POINT,FOR ROD CONTROLSYSTEM ***	2	P	5935B SE
BRA090L	AL	L-A-03-000-002	2 SOCKET	SOCKET, RELAY, QA 2, SOCKET, PLUG IN ELECT COMP; RELAY, 15 AMP, 300 VOLT, SCREW TERMINALS	2	B	5935B SE
BTK795N	AL	M-A-01-000-002	6 SOCKET	SOCKET, RELAY, QA 1, SOCKET, RELAY; FOR RELAY ***	1	B	5945D SE
BTQ808F	AL	L-A-13-000-002	4 SOCKET	SOCKET, RELAY, QA 3, SOCKET, RELAY; SOCKET FOR KIDDE RELAY P/N 508660, MODEL MA-2400 FIRE A	3	B	5945D SE
BWP066G	AL	M-A-06-000-002	3 SOCKET	SOCKET, RELAY, QA 1, SOCKET, RELAY; SURFACE MOUNT, FOR ATC SERIES 328 TIME DELAY RELAYS, 11	1	B	5945D SE
BXG187B	AL	L-A-13-000-002	24 SOCKET	SOCKET, TYPICAL, QA 0, SOCKET, PLUG IN ELECT COMP; SOCKET TYPE: PLUG SOCKET, PIN QUANTITY: 14	0	B	5935B SE
CEK087C	AL	L-A-09-000-002	1 SOCKET	SOCKET, RELAY, QA 2, PLUG IN, 15, SOLDER, ***	2	B	5945D SE
CFD786K	AL	L-A-09-000-002	1 SOCKET	SOCKET, RELAY, QA 1, PLUG IN/FEMALE, 11, ***	1	B	5945D SE
CFY194M	AL	F-A-12-202-003	2 SOFTWARE	SOFTWARE, COMPUTER, QA 0, COMMUNICATION EQUIPMENT/SYSTEMS, CD ROM, DOCUMENTATION/LIBRARY, ADR48 R3 LINEAR/RING NETWORK SOFTWARE	0	C	5805M SE
CKL613N	AL	D-A-04-402-000	1 SOFTWARE	SOFTWARE, COMPUTER, QA 0, COMMUNICATION EQUIPMENT/SYSTEMS, CD ROM, FOR NETSTENDER 2060, NE SOFTWARE, R4.1	0	C	5840M SE
CKM935T	AL	D-A-02-401-000	7 SOFTWARE	SOFTWARE, COMPUTER, QA 0, COMMUNICATION EQUIPMENT/SYSTEMS, CD ROM, DOCUMENTATION/LIBRARY, NETSTENDER 2060, R4.1	0	C	5840M SE
ADC127W	AL	5-A-02-101-000	10 SOLDER	SOLDER, WELDING, QA 0, STRIP, 3/4 IN WD X 0.010 IN THK, COIL, BRAZEN ALLOY, 96/4% SILVER, BAG 3	0	C	3439D SE
BGJ130T	AL	D-A-24-202-004	6 SOLDER	SOLDER, WELDING, QA 0, NON-ELECTRICAL, 1 LB, 22 GA, COIL, IRON, WIRE, NONELECTRICAL; MATERIAL: IRON, CROSS SECTION WIDTH: 0.0286 CROSS	0		9505N SE
BGJ131D	AL	D-A-24-202-004	6 SOLDER	SOLDER, WELDING, QA 0, NON-ELECTRICAL, 1 LB, 0.0181 IN, COIL, IRON, WIRE, NONELECTRICAL; MATERIAL: IRON, CROSS SECTION WIDTH: 0.0181 CROSS	0		9505N SE
BJH335M	AL	A-A-01-000-001	50 SOLDER	SOLDER, WELDING, QA 2, SOLDER, TIN ALLOY; 1 LB SPOOL, 96 PCT TIN/4 PCT SILVER, SOLID WIRE	2	C	3439D SE
BJP960A	AL	A-A-01-000-001	15 SOLDER	SOLDER, WELDING, QA 2, WIRE, 1 LB, 1/8 IN, SPOOL, 50% TIN/50% LEAD, , TIN LEAD, ASTM B32, ALLOY GRADE: SN 50	2	P	3439D SE
BJP962T	AL	D-A-11-302-003	23 SOLDER	SOLDER, WELDING, QA 2, SOLDER, TIN LEAD; SN50, 1 LB SPOOL, .125 IN ROUND WIRE, CORE-PLASTIC	2		3439D SE
BJP963Q	AL	D-A-11-302-002	20 SOLDER	SOLDER, WELDING, QA 2, SOLDER, TIN LEAD; SN60, 1 LB SPOOL, .063 IN ROUND WIRE, CORE-PLASTIC	2		3439D SE
BJP966J	AL	D-B-01-302-000	48 SOLDER	SOLDER, WELDING, QA 2, SOLDER, TIN LEAD; SN60, 1 LB SPOOL, .093 IN ROUND, WIRE SOLID (WS)	2		3439D SE
BKM948Q	AL	D-A-11-302-001	25 SOLDER	SOLDER, WELDING, QA 2, SOLDER, TIN LEAD; SN63, 1 LB SPOOL, .125 IN ROUND, WIRE SOLID (WS)	2		3439D SE
BKM949N	AL	D-A-11-302-007	23 SOLDER	SOLDER, WELDING, QA 2, SOLDER, TIN LEAD; SN63, 1 LB SPOOL, .093 IN ROUND, WIRE SOLID (WS)	2		3439D SE
AJC616E	AL	I-A-09-000-002	13 SOLDER	SOLDER, WELDING, QA 0, TIN LEAD/SOLID CORE, 1 LB, BAR, 50% TIN/50% LEAD	0	P	3439D SE
BJP969C	AL	L-A-01-000-002	1 SOLDER	SOLDER, WELDING, QA 2, 3/32 IN, 95% TIN, 5% ANTIMONY, SOLDER, TIN ALLOY; PHYSICAL FORM: WIRE, NOMINAL SIZE: 00.093750 (2	B	3439D SE
BAQ088G	AL	A-A-01-000-001	1 SOLENOID	SOLENOID, ELECTRICAL, QA 0, ELECTRICAL, SOLENOID, ELECTRICAL; FOR RECORDER, MODEL 250, 251, AND 257 ***	0	P	5945D SE
BAX813Y	AL	A-A-01-000-001	1 SOLENOID	SOLENOID, ELECTRICAL, QA 0, SOLENOID ASSY, ; PRINT, FOR HECON PRINTER, ON PRESSDUCTOR PIN OVERLOAD	0	P	5945D SE
BGP429R	AL	D-A-32-104-001	27 SOLENOID	SOLENOID, ELECTRICAL, QA 3, SOLENOID, ELECTRICAL; CONTINUOUS DUTY, 24 VDC ***	3	P	5945D SE
BHE719Q	AL	A-A-01-000-001	2 SOLENOID	SOLENOID, ELECTRICAL, QA 1, SOLENOID ASSY, ELECTRICAL; 125 VDC, FOR SOLENOID VALVE, MODEL 82UU-001	1	B	5945D SE
BKN442L	AL	D-A-32-104-001	2 SOLENOID	SOLENOID, ELECTRICAL, QA 3, SOLENOID ASSY, ; 115 VAC, FAIL LOCKED, RIGHT HAND, WITH RETRO-FIT KIT	3	P	5945D SE
BQG316R	AL	D-A-32-104-001	3 SOLENOID	SOLENOID, ELECTRICAL, QA 3, SOLENOID ASSY, ; 115 VAC, FAIL LOCKED, LEFT HAND, WITH RETRO-FIT KIT	3	C	5925B SE
BXC659G	AL	A-A-01-000-001	3 SOLENOID	SOLENOID, ELECTRICAL, QA 3, SOLENOID, ELECTRICAL; HIGH TEMPERATURE, TRODYNE, FOR TECHNOLOGY FOR	3	B	5945D SE
BXX208V	AC	- - -	1 SOLENOID	SOLENOID, ELECTRICAL, QA 1, SOLENOID ASSY, MOTOR; 120 VAC, FOR DAMPER MOTOR, DWG 85Z514 ***	1	B	6105D SE
BXX208V	AL	F-A-12-101-000	1 SOLENOID	SOLENOID, ELECTRICAL, QA 1, SOLENOID ASSY, MOTOR; 120 VAC, FOR DAMPER MOTOR, DWG 85Z514 ***	1	B	6105D SE
CDK682D	AL	D-A-18-301-007	6 SOLENOID	SOLENOID, ELECTRICAL, QA 1, ELECTRICAL ASSY, VALVE; DC, FOR TARGETROCK SOLENOID 1/2SMS-S-02-5 FOR	1		48200 SE
AKY568V	AL	L-A-09-000-002	8 SOLENOID	SOLENOID, ELECTRICAL, QA 0, SOLENOID, ELECTRICAL; 24 VDC ***	0	P	5945D SE
ALP588K	AL	L-A-09-000-002	3 SOLENOID	SOLENOID, ELECTRICAL, QA 0, SOLENOID, ELECTRICAL; ARTISAN ELECTRONICS CORP ***	0	P	5945D SE
APP281V	AL	P-A-LL-ET0-042	1 SOLENOID	SOLENOID, ELECTRICAL, QA 0, SOLENOID, ELECTRICAL; TRIP (DUAL TRIP) 250 VDC ***	0	B	5945D SE
ARD376P	AL	I-A-17-000-002	1 SOLENOID	SOLENOID, ELECTRICAL, QA 0, SOLENOID, ELECTRICAL; 24 VOLTS, SEQUENTIAL SHUTTER, FOR CHEMICAL	0	P	5945D SE
ARD377M	AL	I-A-17-000-002	1 SOLENOID	SOLENOID, ELECTRICAL, QA 0, SOLENOID, ELECTRICAL; 24 VOLTS, SPAN CALIBRATION, FOR CHEMICAL	0	P	5945D SE
ATL220Q	AL	T-A-05-000-002	1 SOLENOID	SOLENOID, ELECTRICAL, QA 0, SOLENOID ASSY, ; WITH 220 VDC COIL ***	0	C	5945D SE
ATX681R	AL	L-A-09-000-002	2 SOLENOID	SOLENOID, ELECTRICAL, QA 3, RELAY SOLENOID,ENGIN, ; 024.000 VDC, MANUALLY OPERABLEFOR DIESEL FIRE	3	P	29100 SE
AXP341Y	AL	L-A-03-000-002	6 SOLENOID	SOLENOID, ELECTRICAL, QA 3, SOLENOID ASSY, ELECTRICAL; LESS COIL, FOR SUPPORT PLATE ASSY, PN	3	P	5945D SE
AYL338W	AL	T-A-05-000-002	2 SOLENOID	SOLENOID, ELECTRICAL, QA 0, SOLENOID ASSY, ; 220 VOLTS, FOR SERVICE BUILDING FREIGHT ELEVATOR, S/N	0	C	5945D SE
BAQ088G	AL	M-A-06-000-002	5 SOLENOID	SOLENOID, ELECTRICAL, QA 0, ELECTRICAL, SOLENOID, ELECTRICAL; FOR RECORDER, MODEL 250, 251, AND 257 ***	0	P	5945D SE
BFH554V	AL	T-A-06-000-002	6 SOLENOID	SOLENOID, ELECTRICAL, QA 1, SOLENOID ASSY, ; FOR MODEL 79AB-001 VALVE,SPIN'NUMBER GAVBS0AC ***	1	P	5945D SE
BTR795P	AL	L-A-03-000-002	2 SOLENOID	SOLENOID, ELECTRICAL, QA 3, SOLENOID ASSY, ELECTRICAL; DIRECT CURRENT, LESS COIL, FOR BRAKE, MODEL	3	C	5925B SE
BVQ335R	AL	L-A-10-000-002	2 SOLENOID	SOLENOID, ELECTRICAL, QA 0, SOLENOID, ELECTRICAL; MASTER TRIP VALVE ***	0	B	5945D SE
BXM721P	AL	L-A-13-000-002	5 SOLENOID	SOLENOID, ELECTRICAL, QA 0, SOLENOID, ELECTRICAL; ROTARY, DC, FOR TRANSVERSING INCORE PROBE BALL	0	C	5945D SE
BVQ240G	AL	D-B-03-302-000	8 SOLUTION	SOLUTION, CHEMICAL, QA 0, ANALYZER, 500 ML, SOLUTION, ANALYZER; AQUASTAR C2000 COULOMAT A ANODE SOLUTION, 500 ML	0		6630D SE
AHR130P	AL	5-A-02-101-000	1 SOLVENT	SOLVENT, THINNER, QA 0, INSULATING, LIQUID, 1 QT, PAINT PRODUCTS; INSULATING VARNISH, TOLUENE TECHNICAL, GE	0	C	5610V SE
ABG322N	AL	D-A-32-104-001	3 SPACER	SPACER, TYPICAL, QA 0, SPACER, ; PVC 1-1/2 IN THK ***	0	P	4320U SE
AKD754N	AL	D-A-20-301-004	17 SPACER	SPACER, MECHANICAL, QA 0, SPACER, ; LOW PRESSURE, FOR INGERSOLL-RAND AIR COMPRESSOR, MODEL 253D	0		4310I SE
ATV237P	AL	A-A-01-000-001	2 SPACER	SPACER, MECHANICAL, QA 0, SPACER, SLEEVE; STEEL,TUBE,ITEM 9,FOR 001.500 IN,600 PSI,CAMFLEX AIR	0	P	48200 SE
AYA053P	AL	A-A-01-000-001	3 SPACER	SPACER, TYPICAL, QA 0, SPACER, ; MICARTA, REF 12, FOR BRUSHLESSEXCITER GROUND DETECTION	0	P	6115F SE
AYG927X	AL	A-A-01-000-001	2 SPACER	SPACER, TYPICAL, QA 0, SPACER, ELECTRIC MOTOR; STEEL, 0.5 THK X 12 OD MM, DWGRD11604, FOR	0	P	6105D SE
BAA105X	AL	A-A-01-000-001	1 SPACER	SPACER, TYPICAL, QA 0, SPACER, PUMP; STEEL, REF 583, ITEM 10, FOR CONDENSATE HOTWELL PUMP,	0	C	4320U SE
BAG700V	AL	A-A-01-000-001	2 SPACER	SPACER, TYPICAL, QA 3, SPACER, ; STAINLESS STEEL, FOR CENRIFUGAL CHARGING PUMP, TYPE RLIJ,	3	P	5730H SE
BCA737A	AL	A-A-01-000-001	15 SPACER	SPACER, MECHANICAL, QA 0, SPACER, AIR MASK; BELLOW, FOR SELF-CONTAINED BREATHING APPARATUS	0	P	4240P SE
BFJ615W	AL	D-A-13-301-004	2 SPACER	SPACER, MECHANICAL, QA 0, PIPE/FULL FACE, 1 IN, 1/2 IN, CARBON STEEL/SARAN, SPACER, PIPE; CARBON STEEL,SARAN 150 LB 1.00 IN, FULL FACE,0.500	0		4730P SE
BFL799D	AL	D-A-04-301-001	4 SPACER	SPACER, MECHANICAL, QA 0, PIPE, 1/4 IN, 2 IN, 1 IN, SARAN, SPACER, PIPE; MATERIAL: SARAN, SIZE OD: 02.000000 (2) SIZE ID:	0		4730P SE
BGA496D	AL	D-B-17-202-000	2 SPACER	SPACER, MECHANICAL, QA 0, PIPE, 1/2 IN, 2 IN, 1-9/16 IN, SARAN, SPACER, PIPE; MATERIAL: SARAN, SIZE OD: 02.000000 (2) SIZE ID:	0		4730P SE
BGA558H	AL	D-A-28-102-005	3 SPACER	SPACER, MECHANICAL, QA 0, PIPE, 1-1/2 IN, 1/2 IN, SARAN, SPACER, PIPE; MATERIAL: SARAN, SIZE OD: 01.500000 (1 1/2) THICKNESS:	0		4730P SE
BGA559F	AL	D-A-28-102-005	3 SPACER	SPACER, MECHANICAL, QA 0, PIPE, 2 IN, 1/2 IN, SARAN, SPACER, PIPE; MATERIAL: SARAN, SIZE OD: 02.000000 (2) THICKNESS:	0		4730P SE
BGA560A	AL	D-A-28-102-005	3 SPACER	SPACER, MECHANICAL, QA 0, PIPE, 3 IN, 1/2 IN, SARAN, SPACER, PIPE; MATERIAL: SARAN, SIZE OD: 03.000000 (3) THICKNESS:	0		4730P SE
BGA561W	AL	D-A-28-102-005	3 SPACER	SPACER, MECHANICAL, QA 0, PIPE, 1/2 IN, 1 IN, 1-9/16 IN, SARAN, SPACER, PIPE; MATERIAL: SARAN, SIZE OD: 01.000000 (1) SIZE ID:	0		4730P SE
BGA562T	AL	D-B-17-202-000	2 SPACER	SPACER, MECHANICAL, QA 0, PIPE, 1/2 IN, 1-1/2 IN, 1-9/16 IN, SARAN, SPACER, PIPE; MATERIAL: SARAN, SIZE OD: 01.500000 (1 1/2) SIZE ID:	0		4730P SE
BGG545V	AL	D-A-13-302-001	6 SPACER	SPACER, MECHANICAL, QA 0, PIPE, 1-1/2 IN, 1/2 IN, SARAN, SPACER, PIPE; MATERIAL: SARAN, SIZE OD: 01.500000 (1 1/2) THICKNESS:	0		4730P SE
BHC650Q	AL	A-A-01-000-001	2 SPACER	SPACER, TYPICAL, QA 3, VALVE, STEEL, , WORM GEAR, REF 29, FOR LIMITORQUE TYPE SMB-00 OPERATOR	3	P	48200 SE
BHC651B	AL	A-A-01-000-001	1 SPACER	SPACER, TYPICAL, QA 3, VALVE, STEEL, , ACTUATOR, BEARING, REF 31, FOR LIMITORQUE TYPE SMB-00 OPERATOR	3	P	48200 SE
BHE498E	AL	A-A-01-000-001	1 SPACER	SPACER, TYPICAL, QA 3, VALVE, , WORM GEAR, REF 28, STEEL, FOR LIMITORQUE TYPE SMB-0 OPERATOR	3	C	48200 SE
BHM595C	AL	A-A-01-000-001	1 SPACER	SPACER, TYPICAL, QA 3, VALVE, O-RING, FOR LIMITORQUE TYPE SMB-1 AND SMB-2 OPERATOR	3	C	48200 SE
BHT557T	AL	D-A-17-302-001	2 SPACER	SPACER, TYPICAL, QA 0, SPACER, PIPE; MATERIAL: SARAN, SIZE OD: 01.500000 (1 1/2) THICKNESS:	0		4730P SE
BHT558Q	AL	D-A-17-302-001	3 SPACER	SPACER, TYPICAL, QA 0, SPACER, PIPE; MATERIAL: SARAN, SIZE OD: 01.000000 (1) THICKNESS:	0		4730P SE
BNC694R	AL	1-B-03-072-001	5 SPACER	SPACER, TYPICAL, QA 0, SPACER, ; THREADED, S.O. WBT-902, CNSSTS ***	0	P	4470C SE
BPX136Y	AL	E-A-16-C03-B01	12 SPACER	SPACER, TYPICAL, QA 0, SPACER, CIRCUIT BREAKER; SPACER, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE

BTG379L	AL	A-A-01-000-001	2	SPACER	SPACER, TYPICAL, QA 1, SPACER, GEAR REDUCER; STEEL, FOR GEAR SPEED REDUCER, RATIO 358,, INPUT	1	C	6105D SE
BWQ689F	AL	E-A-16-C02-H01	24	SPACER	SPACER, TYPICAL, QA 0, SPACER, CIRCUIT BREAKER; SPACER, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BWX506R	AL	A-A-01-000-001	2	SPACER	SPACER, TYPICAL, QA 3, SPACER, VALVE; CAGE, STAINLESS STEEL, ASTM A479 TYPE 410, FOR4 IN	3	C	48200 SE
BYE443P	AL	A-A-01-000-001	13	SPACER	SPACER, TYPICAL, QA 3, SLEEVE, 3/4 IN ID, 11/64 IN, CS, SPACER, SLEEVE; SPACER CUP, 3/4 ID W/11/64" WALL THK., ONE END OPEN,	3	C	5305J SE
BYN929K	AL	D-B-16-000-001	22	SPACER	SPACER, TYPICAL, QA 1, VALVE, CARBON, , LOW SULFUR CONTENT, FOR USE IN TERRY TURBINE MODEL GS-2	1	C	48200 SE
CAP157Y	AL	F-A-08-013-001	12	SPACER	SPACER, TYPICAL, QA 3, SPACER, RECORDER; FOR PSR 1200 ***	3	B	6695D SE
AFY662W	AL	L-A-09-000-002	3	SPACER	SPACER, TYPICAL, QA 0, SPACER, ; ITEM 312, FOR 161 KV, TYPE BZ0-161-15, SN 37904-1 ***	0	P	5925B SE
AKD654T	AL	L-A-03-000-002	1	SPACER	SPACER, MECHANICAL, QA 0, SPACER, ; HIGH PRESSURE, FOR AIR COMPRESSOR, MODEL 253D, TYPE 30, S/N	0	P	4310I SE
AKE665G	AL	L-A-13-000-002	8	SPACER	SPACER, TYPICAL, QA 3, SPACER, ; SLEEVE, ITEM #18 ON DWG CFSP-21630, FOR RUBBER SPACER ***	3	P	4320U SE
AMY971A	AL	L-A-04-000-002	1	SPACER	SPACER, MECHANICAL, QA 0, SPACER, ; PUMP, FOR MODEL F3-PVA120-RS-10, ON ELECTRO-HYDRAULIC	0	C	4320U SE
ATG943Q	AL	M-A-16-000-002	2	SPACER	SPACER, TYPICAL, QA 1, SPACER, ; BEARING, PART NO. 13, FOR MAXIFLOW SAFETY VALVE, TYPE 3787,	1	P	48200 SE
AVQ700G	AL	M-A-16-000-002	3	SPACER	SPACER, TYPICAL, QA 2, SPACER, ; BRACKET, FOR DIFFERENTIAL PRESSURE GAGE,MODEL 288-A, 0 TO 25	2	P	6695D SE
AXM460C	AL	L-A-03-000-002	5	SPACER	SPACER, MECHANICAL, QA 0, SPACER, VALVE; COMPLETE WITH VALVE, FOR TYPE 30, MODEL 253 STARTING	0	P	4310I SE
AXP045R	AL	L-A-09-000-002	12	SPACER	SPACER, MECHANICAL, QA 3, SPACER, BRAKE,ELECTRIC; BRASS, FLAT, FOR SUPPORT PLATEASSY, PN	3	P	61100 SE
BBV647R	AL	M-A-13-000-002	5	SPACER	SPACER, TYPICAL, QA 0, BEARING, STEEL, SPACER, ; STEEL, BEARING, FOR EMERGENCY DIESEL ENGINE, MODEL 16-645E	0	P	29100 SE
BCA737A	AL	L-A-03-000-002	3	SPACER	SPACER, MECHANICAL, QA 0, SPACER, AIR MASK; BELLOWS, FOR SELF-CONTAINED BREATHING APPARATUS	0	P	4240P SE
BDN354N	AL	P-A-LL-ET0-063	2	SPACER	SPACER, MECHANICAL, QA 0, SPACER, SLEEVE; FOR CENTRIFUGAL PUMP, 16 IN, TYPE HVCN, S/N 43562 THRU	0	C	4320U SE
BGG544X	AL	L-A-09-000-002	3	SPACER	SPACER, MECHANICAL, QA 0, PIPE, 1-1/2 IN, 1/2 IN, SARAN, SPACER, PIPE; MATERIAL: SARAN, SIZE OD: 01.500000 (1 1/2) THICKNESS:	0	P	4730P SE
BJK928F	AL	M-A-06-000-002	6	SPACER	SPACER, MECHANICAL, QA 1, SPACER, ACTUATOR; CAM, FOR VALVE ACTUATOR, TYPE SMB-00 ***	1	P	48200 SE
BLN336D	AL	T-A-01-000-002	76	SPACER	SPACER, TYPICAL, QA 2, SPACER, ; SPACER, 1.87 IN OD X 1.50 IN ID X 0.187 IN THICK, FOR	2	P	4710Y SE
BTQ491H	AL	L-A-03-000-002	6	SPACER	SPACER, MECHANICAL, QA 3, SPACER, MECHANICAL SEAL; BRASS, HPFP JOCKEY PUMP, SERIAL NO 453297	3	C	5730H SE
BVH517P	AL	M-A-08-000-002	4	SPACER	SPACER, TYPICAL, QA 0, SPACER, VALVE; FOR MAIN STEAM DUMP VALVE ACTUATORS MODEL NO. D100-160	0	C	48200 SE
BVL087X	AL	L-A-09-000-002	2	SPACER	SPACER, MECHANICAL, QA 0, PUMP, 4-1/2 IN, CARBON, SPACER, PUMP; CARBON, 4 1/2 (4.5) INCH, FOR CONDENSATE PUMP. ***	0	C	4320U SE
BXG514N	AL	L-A-07-000-002	1	SPACER	SPACER, TYPICAL, QA 0, SPACER, ACTUATOR; PINION SHAFT, STEEL, 02.37 X 02.00 ID X 02.5 IN	0	B	48200 SE
BXG515L	AL	L-A-13-000-002	1	SPACER	SPACER, TYPICAL, QA 0, SPACER, ACTUATOR; TOP BEARING, 0.87 THK X 0.50 ID X 0.25 IN, FOR	0	B	48200 SE
BYB865C	AL	L-A-03-000-002	10	SPACER	SPACER, TYPICAL, QA 0, SHIM, SPACER, PRESS TRANSMITTER; SHIM, FOR FOXBORO DIFFERENTIAL PRESSURE	0	C	6695D SE
CBV386L	AL	L-A-03-000-002	7	SPACER	SPACER, MECHANICAL, QA 3, SPACER, RING; REAR, FOR WORTHINGTON CHILLER UNIT MODEL NC-175	3	C	4520N SE
CEN658L	AL	L-A-13-000-002	13	SPACER	SPACER, MECHANICAL, QA 0, NYLON, *** SPACER - NYLON	0	B	5660E SE
CFD292D	AL	L-A-09-000-002	42	SPACER	SPACER, MECHANICAL, QA 1, MOUNTING, 52STA FOR USE WITH SIEMENS VERTICAL LIFT BREAKERS	1	B	5925B SE
AMT921E	AL	A-A-01-000-001	2	SPARE PART	SPARE PART, ENGINE, QA 3, GASKET, COOLING SYSTEM, 8, 16-645E4/20-645E4, , "Y"FLANGE MOUNTING - AFTER COOLING PIPING, CAT 302, PLATE A44-13, F	3	P	29100 SE
APT018J	AL	A-A-01-000-001	19	SPARE PART	SPARE PART, ENGINE, QA 3, GASKET KIT, ENGINE GASKET KITS, 27, 16-645E4/20-645E4, GOVERNOR DRIVE, CAT 302, PARTS LIST B99, PAGE 1, FOR EMD/GM	3	B	29100 SE
APT416F	AL	A-A-01-000-001	2	SPARE PART	SPARE PART, ENGINE, QA 3, GASKET, LUBE OIL COOLER, 44, 16-645E4/20-645E4, BLIND FLANGE TO HEADER, CAT 321, PARTS LIST C956-MU, FOR EMD/GM DI	3	P	29100 SE
APT513H	AL	D-B-16-000-001	199	SPARE PART	SPARE PART, ENGINE, QA 3, GASKET, HAND HOLE COVER AND CYLINDER TEST VALVE, 11, ,CAT 302 PARTS LIST B04 PAGE 5,TO CRANKCASE OR OIL PAN, F/EMD	3	B	29100 SE
APT711D	AL	A-A-01-000-001	70	SPARE PART	SPARE PART, ENGINE, QA 3, GASKET, LUBE OIL SCAVENGING & FUEL OIL PUMP, 23, 16-645E4/20-645E4, CENTER HOUSING MOUNTING, CAT 302, PARTS LIST B	3	P	29100 SE
AYM574B	AL	A-A-01-000-001	6	SPARE PART	SPARE PART, ENGINE, QA 3, O-RING, CAMSHAFT OVERSPEED TRIP LINKAGE, 14, 16-645E4/20-645E4, , OIL SEAL- BOTTOM GROOVE, CAT 302, PLATE B22-10,	3	C	29100 SE
BAX773G	AL	D-B-19-202-001	1	SPARE PART	SPARE PART, ENGINE, QA 1, HOSE ASSEMBLY, AIR SUPPLY FROM SOLENOID VALVE, 10, 16-645E4, NONMETALLIC, RUBBER, 0.625 OD X 15 IN LONG,C/W CONNE	1		29100 SE
BCD664V	AL	A-A-01-000-001	15	SPARE PART	SPARE PART, ENGINE, QA 3, GASKET, LUBE OIL SEPARATOR, 16, PAPER, EJECTOR END TO CHAMBER, CAT 302 PLATE B42-2, EMD GM DIESEL	3	P	29100 SE
BCJ936T	AL	A-A-01-000-001	34	SPARE PART	SPARE PART, ENGINE, QA 3, SEAL KIT, WATER PUMP, 22, & 8, CAT 302 PARTS LIST B46 PAGE 2 & 4, FRESH WATER PUMPS, FOR EMD	3	P	29100 SE
BGD331Y	AL	A-A-01-000-001	28	SPARE PART	SPARE PART, ENGINE, QA 3, GASKET, FUEL OIL PIPING, 11, , FUEL PUMP TO PIPE, INORGANIC COMPOSITION WITH SYNTHETIC RUBBER,	3	P	29100 SE
BJC034L	AC	- - - -	6	SPARE PART	SPARE PART, ENGINE, QA 3, GASKET, TURBOCHARGER, 41, 16-645E4/20-645E4, , AFTERCOOLER MOUNTING, CAT 302, PARTS LIST B74, PAGE 5, EMD/GM DIESE	3	B	29100 SE
BKD724Q	AL	1-A-03-000-001	1	SPARE PART	SPARE PART, ENGINE, QA 1, TUBE, LUBE OIL SYSTEM, 1, ,CAT 302 PARTS LIST B34 PAGE 16, ASSY, PISTON COOLING, S/N 1202 THRU	1	C	29100 SE
BNC048G	AL	A-A-01-000-001	31	SPARE PART	SPARE PART, ENGINE, QA 1, RING, STARTER MOTOR & MOUNTING, 30, ,CAT 321 PARTS LIST C125-MU PAGE 12, STEEL, THRUST, PLANET GEAR FRAME,	1	C	29100 SE
BRC942E	AL	1-A-03-000-001	11	SPARE PART	SPARE PART, ENGINE, QA 1, BRIDGE ASSEMBLY, EXHAUST VALVE BRIDGE, ROCKER ARMS & OIL LINES, 16, ,CAT 302 PARTS LIST A13 PAGE 1,UTEX 8361504, E	1	C	29100 SE
BRD401D	AC	- - - -	2	SPARE PART	SPARE PART, ENGINE, QA 1, SLINGER, WATER PUMP, 21, ,CAT 321 PARTS LIST B146-MU PAGE 2, DIRT AND LIQUID,F/EMD 16-645E4 AND	1	C	29100 SE
BTB104P	AL	D-A-14-000-001	14	SPARE PART	SPARE PART, ENGINE, QA 1, HEAD ASSEMBLY, CYLINDER HEAD ASSEMBLY, 1, , FOR ELECTRO-MOTIVE DIV. CAT 302 PARTS LIST B06 PAGE 1, GENERAL	1	B	29100 SE
BVH964X	AL	D-A-14-000-001	16	SPARE PART	SPARE PART, ENGINE, QA 3, GASKET KIT, WATER, LUBE & FUEL OIL EQUIPMENT, 12, HEAT EXCHANGER TO RAW WATER FLEXIBLE HOSE, CAT 381 PARTS LIST C5	3	B	29100 SE
BVW486F	AL	D-A-32-202-001	44	SPARE PART	SPARE PART, ENGINE, QA 1, BUSHING, STARTER MOTOR & MOUNTING, 47, ,CAT 302 PARTS LIST B25 PAGE 20, SLEEVE:BRONZE,0.75" ID X 0.9375" LONG	1	B	29100 SE
BXT221J	AL	F-A-30-102-000	2	SPARE PART	SPARE PART, ENGINE, QA 1, FORK, POWER PACK ASSEMBLY, 5, , CAT 302 PARTS LIST A09 PAGE 1, PRE-STRESSED SS RING SET, W/CONTAINER	1	B	6115F SE
BXT221J	AL	F-A-24-101-000	3	SPARE PART	SPARE PART, ENGINE, QA 1, FORK, POWER PACK ASSEMBLY, 5, , CAT 302 PARTS LIST A09 PAGE 1, PRE-STRESSED SS RING SET, W/CONTAINER	1	B	6115F SE
BXT221J	AL	F-A-28-101-000	3	SPARE PART	SPARE PART, ENGINE, QA 1, FORK, POWER PACK ASSEMBLY, 5, , CAT 302 PARTS LIST A09 PAGE 1, PRE-STRESSED SS RING SET, W/CONTAINER	1	B	6115F SE
BXT221J	AL	F-A-32-102-000	4	SPARE PART	SPARE PART, ENGINE, QA 1, FORK, POWER PACK ASSEMBLY, 5, , CAT 302 PARTS LIST A09 PAGE 1, PRE-STRESSED SS RING SET, W/CONTAINER	1	B	6115F SE
BXT225A	AL	F-A-30-102-000	2	SPARE PART	SPARE PART, ENGINE, QA 1, BLADE, POWER PACK ASSEMBLY, 6, , CAT 302 PARTS LIST A09 PAGE 1, PRE-STRESSED SS RING SET, W/CONTAINER	1	B	6115F SE
BXT225A	AL	F-A-32-101-000	2	SPARE PART	SPARE PART, ENGINE, QA 1, BLADE, POWER PACK ASSEMBLY, 6, , CAT 302 PARTS LIST A09 PAGE 1, PRE-STRESSED SS RING SET, W/CONTAINER	1	B	6115F SE
BXT225A	AL	F-A-28-101-000	3	SPARE PART	SPARE PART, ENGINE, QA 1, BLADE, POWER PACK ASSEMBLY, 6, , CAT 302 PARTS LIST A09 PAGE 1, PRE-STRESSED SS RING SET, W/CONTAINER	1	B	6115F SE
BXT225A	AL	F-A-30-101-000	4	SPARE PART	SPARE PART, ENGINE, QA 1, BLADE, POWER PACK ASSEMBLY, 6, , CAT 302 PARTS LIST A09 PAGE 1, PRE-STRESSED SS RING SET, W/CONTAINER	1	B	6115F SE
BYR278K	AC	- - - -	13	SPARE PART	SPARE PART, ENGINE, QA 1, HOSE, , STARTER MOTOR AND MOUNT, TEXTILE INNER BRAID, SINGLE WIRE BRAID	1	B	29100 SE
CAW287P	AL	A-A-01-000-001	2	SPARE PART	SPARE PART, GENERATOR, QA 1, SURGE ARRESTER	1	B	5920K SE
CBA141B	AL	A-A-01-000-001	1	SPARE PART	SPARE PART, ENGINE, QA 1, PUMP, ELECTRIC OPERATED ENGINE SHUTDOWN, 2, 16-645E4, , SERVO-BOOSTER, CAT 302 PLATE B33-10	1	B	29100 SE
CBD908R	AL	D-B-16-000-001	95	SPARE PART	SPARE PART, ENGINE, QA 1, GASKET KIT, CYLINDER HEAD & LINER, 23, 16-645E4/20-645E4, CYLINDER HEAD, WITH DOUBLE GROOVE WATER OUTLET ELBOW AND	1	B	29100 SE
CBG850R	AL	D-B-17-302-001	27	SPARE PART	SPARE PART, ENGINE, QA 1, CHECK VALVE, FUEL OIL MANIFOLD, 75 PSI, 3, 16-645E4/20-645E4, CAT. 302 PLATE A48-10	1	C	29100 SE
CBY074F	AL	F-A-09-201-000	1	SPARE PART	SPARE PART, ENGINE, QA 3, FUEL TRANSFER PUMP, FUEL TRANSFER AND FUEL PUMP, PUMP ASSY, COMPLETE WITH MECHANICAL SEAL, MODEL NO: LS-4124-A	3	C	6115F SE
ABT524N	AL	L-A-09-000-002	2	SPARE PART	SPARE PART, ENGINE, QA 3, WASHER, WATER TANK LEVEL GAUGE, 6, 16-645E4/20-645E4, RUBBER, OLD P/N 8120766, CAT 381, PLATE A544-P-1, FOR EMD/GM	3	P	29100 SE
ALT525W	AL	T-A-01-000-002	12	SPARE PART	SPARE PART, ENGINE, QA 3, GASKET, CYLINDER HEAD COVER & SUPPORT FRAME, 26, 16-645E4/20-645E4, FRAME TO CRANKCASE (INNER), CAT 302, PLATE B54	3	B	29100 SE
ALT527Q	AL	M-A-08-000-002	35	SPARE PART	SPARE PART, ENGINE, QA 3, GASKET, LUBE OIL SYSTEM, 11, 16-645E4/20-645E4, ,MANIFOLD MOUNTING, CAT 302, PLATE B34-10, FOR EMD/GM DIESEL ENGIN	3	B	29100 SE
ALT828A	AL	M-A-08-000-002	2	SPARE PART	SPARE PART, ENGINE, QA 3, GASKET, CAMSHAFT DRIVE HOUSING & COVER, 14, 16-645E4/20-645E4, OIL RETAINER, CAT 302, PLATE B60-1, FOR EMD/GM DIES	3	C	29100 SE
AMT821J	AL	M-A-08-000-002	2	SPARE PART	SPARE PART, ENGINE, QA 3, GASKET, SWITCH AND FLANGE TO MANIFOLD, 50, , CAT 381 PLATE B505-P-1, EMD/GM DIESELS 16-645E4 & 20-645E4	3	P	29100 SE
ANT527C	AL	T-A-05-000-002	2	SPARE PART	SPARE PART, ENGINE, QA 3, SEAL KIT, CYLINDER HEAD COVER & SUPPORT FRAME, 2, 16-645E4, COVER, CAT 302, PLATE B54-4, FOR EMD/GM DIESEL ENGINE	3	B	29100 SE
ANT527C	AL	M-A-16-000-002	4	SPARE PART	SPARE PART, ENGINE, QA 3, SEAL KIT, CYLINDER HEAD COVER & SUPPORT FRAME, 2, 16-645E4, COVER, CAT 302, PLATE B54-4, FOR EMD/GM DIESEL ENGINE	3	B	29100 SE
ANT527C	AC	- - - -	6	SPARE PART	SPARE PART, ENGINE, QA 3, SEAL KIT, CYLINDER HEAD COVER & SUPPORT FRAME, 2, 16-645E4, COVER, CAT 302, PLATE B54-4, FOR EMD/GM DIESEL ENGINE	3	B	29100 SE
APT416F	AL	M-A-09-000-002	10	SPARE PART	SPARE PART, ENGINE, QA 3, GASKET, LUBE OIL COOLER, 44, 16-645E4/20-645E4, BLIND FLANGE TO HEADER, CAT 321, PARTS LIST C956-MU, FOR EMD/GM DI	3	P	29100 SE
ARK978V	AL	M-A-09-000-002	8	SPARE PART	SPARE PART, ENGINE, QA 1, BEARING, STARTER MOTOR & MOUNTING, 34, 20-645E4, , PLANET GEAR FRAME, CAT 302, PLATE B25-13	1	C	29100 SE
ARK978V	AL	M-A-03-000-002	8	SPARE PART	SPARE PART, ENGINE, QA 1, BEARING, STARTER MOTOR & MOUNTING, 34, 20-645E4, , PLANET GEAR FRAME, CAT 302, PLATE B25-13	1	C	29100 SE
ARL066R	AL	L-A-13-000-002	15	SPARE PART	SPARE PART, ENGINE, QA 3, GASKET, STARTER MOTOR & MOUNTING, 28, 16-645E4/20-645E4, GEAR CASE, CAT 302, PLATE B25-13, FOR EMD/GM DIESEL ENGIN	3	B	29100 SE
AXE504C	AL	M-A-06-000-002	1	SPARE PART	SPARE PART, ENGINE, QA 3, O-RING, LUBE OIL SYSTEM, 19, 16-645E4/20-645E4, RUBBER, LUBE OIL MANIFOLD, ELBOW TO ACCESSORY DRIVE, CAT 302, PART	3	B	29100 SE
AYF371Q	AL	M-A-09-000-002	1	SPARE PART	SPARE PART, ENGINE, QA 3, GASKET, ACCESSORY RACK EQUIPMENT, 22, 16-645E4/20-645E4, ,RUBBER, PIPE FLANGE, CAT 381, PARTS LIST B1007-P, PAGE 1	3	P	29100 SE

AYK737K	AL	M-A-06-000-002	8	SPARE PART	SPARE PART, ENGINE, QA 1, RETAINING RING, STARTER MOTOR & MOUNTING, 40, ,CAT 302 PARTS LIST B25 PAGE 20, INGERSOLL RAND AIR STARTER, SIZE 15	1	C	29100	SE
AYK737K	AL	M-A-09-000-002	17	SPARE PART	SPARE PART, ENGINE, QA 1, RETAINING RING, STARTER MOTOR & MOUNTING, 40, ,CAT 302 PARTS LIST B25 PAGE 20, INGERSOLL RAND AIR STARTER, SIZE 15	1	C	29100	SE
BFV186B	AL	M-A-08-000-002	50	SPARE PART	SPARE PART, ENGINE, QA 3, GASKET, LUBE OIL SYSTEM, 27, 16-645E4/20-645E4, ,ELBOW TO ACCESSORY DRIVE HOUSING, CAT 302, PLATE B34-16, FOR EMD/	3	P	29100	SE
BFY428X	AL	T-A-05-000-002	57	SPARE PART	SPARE PART, ENGINE, QA 3, GASKET, ENGINE GASKET KITS, ,ASSORTMENT, POWER ASSEMBLY INSTALLATION KIT, C/O VARIOUS SIZES RUBBER	3	B	29100	SE
BGD331Y	AL	T-A-05-000-002	21	SPARE PART	SPARE PART, ENGINE, QA 3, GASKET, FUEL OIL PIPING, 11, , FUEL PUMP TO PIPE, INORGANIC COMPOSITION WITH SYNTHETIC RUBBER,	3	P	29100	SE
BHR945N	AL	M-A-08-000-002	17	SPARE PART	SPARE PART, ENGINE, QA 3, SEAL RING, LUBE OIL SCAVENGING STRAINER, 24, METAL; CAT. 321 PLATE B136-MU-1, EMD GM DIESEL, MODEL 16-645E4 &	3	P	29100	SE
BJV630B	AL	T-A-03-000-002	2	SPARE PART	SPARE PART, ENGINE, QA 3, GASKET, OVERSPEED TRIP LINKAGE HOUSING COVER, , TYPICAL S/N 71-M1-1072, TYPICAL ENGINES A-1, MODEL 16-645E4	3	B	29100	SE
BKR450H	AL	M-A-13-000-002	4	SPARE PART	SPARE PART, ENGINE, QA 1, BEARING, SOAK BACK LUBE OIL, 25, ,CAT 381 PARTS LIST B4100-P PAGE 2, BALL,ANNULAR, SINGLE ROW, LUBE OIL	1	P	29100	SE
BPG867R	AL	M-A-03-000-002	9	SPARE PART	SPARE PART, ENGINE, QA 1, CHECK VALVE, ACCESSORY RACK EQUIPMENT, 94, ,CAT 381 PARTS LIST 1007-P PAGE 3,LUBE OIL,30 PSI, (KEPNER P/N 116D-1-	1	C	29100	SE
BPG948R	AL	P-A-LL-ET0-081	12	SPARE PART	SPARE PART, ENGINE, QA 1, VALVE REPAIR KIT, STARTING AIR, FOR REPAIR OF 2-WAY AIR START VALVE, CAT. 381 PLATE C1079-DR-1, REF 4,	1	C	29100	SE
BPT837F	AL	L-A-09-000-002	34	SPARE PART	SPARE PART, ENGINE, QA 3, SLEEVE, THERMOSTATIC VALVE, 4, 16-645E4/20-645E4, , ELEMENT- O-RING, CAT 381, PLATE C561-P-1, EMD/GM DIESEL ENGINE	3	C	29100	SE
BQA532J	AL	L-A-09-000-002	5	SPARE PART	SPARE PART, ENGINE, QA 1, SPRING, WATER PUMP, 20, ,CAT 321 PARTS LIST B146-MU PAGE 2, SEAL RETAINER,F/EMD 16-645E4 AND	1	C	29100	SE
BQC579D	AL	L-A-13-000-002	1	SPARE PART	SPARE PART, ENGINE, QA 3, GASKET, WATER, LUBE & FUEL OIL EQUIPMENT, 54, 16-645E4/20-645E4, ,IMMERSION HEATER, WATER INLET AND OUTLET FLANGE,	3	B	29100	SE
BRD401D	AL	L-A-03-000-002	1	SPARE PART	SPARE PART, ENGINE, QA 1, SLINGER, WATER PUMP, 21, ,CAT 321 PARTS LIST B146-MU PAGE 2, DIRT AND LIQUID,F/EMD 16-645E4 AND	1	C	29100	SE
BRD451W	AL	L-A-13-000-002	10	SPARE PART	SPARE PART, ENGINE, QA 1, NUT, WATER PUMP, 11, ,CAT 321 PARTS LIST B146-MU PAGE 1, LOCK, HEX, 5/8-18, F/EMD 16-645E4	1	C	29100	SE
BWP805E	AL	M-A-15-000-002	14	SPARE PART	SPARE PART, ENGINE, QA 3, O-RING, FUEL OIL FILTER, 13, NITRILE, UPPER GUIDE BUSHING, CAT 302 PLATE A50-2, FOR EMD/GM DIESEL	3	B	29100	SE
BXR944E	AL	L-A-13-000-002	20	SPARE PART	SPARE PART, ENGINE, QA 1, DEFLECTOR, CYLINDER HEAD & LINER, 25, ,CAT 302 PARTS LIST B06 PAGE 2, DIRT/LIQ,TUBE, F/EMD 16-645E4/20-645E4	1	C	29100	SE
BXV287E	AL	L-A-13-000-002	1	SPARE PART	SPARE PART, ENGINE, QA 1, HOSE ASSEMBLY, ELECTRIC OPERATED ENGINE SHUTDOWN, 8, , PUMP, SERVO-BOOSTER, W/FITTINGS, 12 IN LONG, CAT 302 PARTS	1	C	29100	SE
BYC732T	AL	L-A-05-000-002	3	SPARE PART	SPARE PART, ENGINE, QA 1, VALVE, WATER, LUBE & FUEL OIL EQUIPMENT, 98, , CAT 381 PARTS LIST C505-P PAGE 3, CHECK, SOAK BACK LUBE OIL, 1" MPT	1	C	29100	SE
BYC732T	AC	- - -	34	SPARE PART	SPARE PART, ENGINE, QA 1, VALVE, WATER, LUBE & FUEL OIL EQUIPMENT, 98, , CAT 381 PARTS LIST C505-P PAGE 3, CHECK, SOAK BACK LUBE OIL, 1" MPT	1	C	29100	SE
BYP003X	AL	L-A-09-000-002	4	SPARE PART	SPARE PART, ENGINE, QA 3, GASKET, COOLING SYSTEM, 12, MANIFOLD TO CRANKCASE & INLET ELBOW, CAT 302 PARTS LIST B44 PAGE 2,	3	C	29100	SE
CAA257X	AL	L-A-06-000-002	22	SPARE PART	SPARE PART, ENGINE, QA 3, SEAL KIT, CYLINDER HEAD COVER & SUPPORT FRAME, 2, , CAT 302 PARTS LIST B54 PAGE 9, MODEL 16-645E4 & 20-645E4	3	B	29100	SE
CAB074P	AL	L-A-13-000-002	4	SPARE PART	SPARE PART, ENGINE, QA 3, GASKET, LUBE OIL SEPARATOR, 9, MOUNTING GASKET, CAT 302 PLATE B42-2, EMD/GM DIESELS, MODEL 20-645E4,	3	C	29100	SE
CAW782D	AL	L-A-15-000-002	1	SPARE PART	SPARE PART, ENGINE, QA 1, FILTER ELEMENT, TURBOCHARGER LUBE OIL SYSTEM, 8, ,CAT 302 PLATE B34-9, EMD/GM DIESELS 16-645E4 AND 20-645E4	1	C	6115F	SE
CBB604Q	AL	L-A-09-000-002	1	SPARE PART	SPARE PART, ENGINE, QA 1, BEARING, FUEL TRANSFER AND FUEL PUMP, 30, , BALL-DOUBLE ROW, FUEL OIL PUMP SHAFT, CAT 321 PLATE B4100-MU-1,	1	B	29100	SE
CBD665Q	AL	L-A-13-000-002	4	SPARE PART	SPARE PART, ENGINE, QA 1, NUT, AIR SYSTEM EQUIPMENT, 7, 16-645E4/20-645E4, , VALVE SEAT, TWO-WAY AIR START VALVE, CAT. 381 PLATE B1079-DR-3	1	B	29100	SE
CBD834V	AL	L-A-13-000-002	8	SPARE PART	SPARE PART, ENGINE, QA 1, NUT, AIR START SYSTEM, 16, ,CAT 321 PARTS LIST B1079-MU PAGE 7,ASSEMBLY, AIR START SOLENOID VALVE	1	B	29100	SE
CBD885A	AL	L-A-13-000-002	8	SPARE PART	SPARE PART, ENGINE, QA 1, O-RING, 3 WAY RELAY VALVE, 6, 20-645E4, ,RUBBER, CAP TO BODY, AIR START SYSTEM, CAT 321 PLATE B1079-MU-4,	1	B	29100	SE
CBD909P	AL	L-A-09-000-002	20	SPARE PART	SPARE PART, ENGINE, QA 1, SEAL, CYLINDER HEAD & LINER, 30, , CAT 302 PARTS LIST B06 PAGE 2, TOP GROOVE, MATERIAL: POLYACRYLIC	1	B	29100	SE
CDK722V	AL	L-A-05-000-002	8	SPARE PART	SPARE PART, ENGINE, QA 1, WASHER, 20-645E4, , FOR STEM ASSEMBLY, AIR START 3-WAY RELAY VALVE	1	B	29100	SE
CDK723R	AL	L-A-05-000-002	8	SPARE PART	SPARE PART, ENGINE, QA 1, BOLT, , FOR STEM ASSEMBLY, AIR START 3-WAY RELAY VALVE, FOR EMD ENGINE	1	B	29100	SE
CDK724P	AL	L-A-05-000-002	8	SPARE PART	SPARE PART, ENGINE, QA 1, SPACER, , FOR STEM ASSEMBLY, AIR START 3-WAY RELAY VALVE, FOR EMD ENGINE 645E4	1	B	29100	SE
CDT359G	AL	L-A-05-000-002	1	SPARE PART	SPARE PART, ENGINE, QA 3, GASKET, LUBE OIL SEPARATOR, 5, , CAT 302 PARTS LIST B42 PAGE 2, COVER, F/EMD 16-645E4	3	B	29100	SE
CEY782A	AL	L-A-07-000-002	80	SPARE PART	SPARE PART, ENGINE, QA 1, HOSE, STARTER MOTOR & MOUNTING, ,SYNTHETIC RUBBER TUBE,TEXTILE INNER BRAID,SINGLE WIRE BRAID REINFORCE	1	B	29100	SE
BDG082K	AL	D-A-14-201-000	6	SPATULA	SPATULA, LABORATORY, QA 0, LAB/STERILE/DISPOSABLE, STYRENE, SPATULA, LABORATORY; STYRENE, WHITE, STERILE, DISPOSABLE, 100 EA PER	0		6630D	SE
BBP313C	AL	A-A-01-000-001	2	SPEAKER	SPEAKER, COMMUNICATION, QA 0, LOUDSPEAKER-MICROPHO, ; 8 OHM, 8 INCH, FOR INTERCOM SYSTEM ***	0	P	5840M	SE
CDH739L	AL	F-A-17-202-000	16	SPEAKER	SPEAKER, COMMUNICATION, QA 0, SPEAKER, COMMUNICATION *** SPEAKER INTERCOM 120 VAC, .270 AMPS, 110	0	B	5840M	SE
AML603W	AL	L-A-01-000-002	2	SPEAKER	SPEAKER, COMMUNICATION, QA 0, MICROPHONE, 9 IN, 30, 8, LOUDSPEAKER-MICROPHO, ; PAGING/TALK BACK, 250 TO 13,000 HZ FREQ	0	P	5965A	SE
ARH130F	AL	D-A-30-301-004	50	SPIDER	SPIDER, TYPICAL, QA 0, SPIDER, ; GASKET AND VALVE, FOR ULTRA FILTER RESPIRATOR ***	0	P	4240P	SE
BJW556C	AL	D-A-06-302-003	1	SPIDER	SPIDER, TYPICAL, QA 3, SPIDER ASSY, HATCH; MILD STEEL, WITH WELDMENT, DWG3037-3, REV 2 ***	3		4710Y	SE
CAL589G	AL	A-A-01-000-001	2	SPIDER	SPIDER, TYPICAL, QA 2, , COUPLING, FOR SP KINNEY STRAINER, 24 IN, MODEL A, WORK PRESS	2	C	4730P	SE
ARH130F	AL	L-A-09-000-002	178	SPIDER	SPIDER, TYPICAL, QA 0, SPIDER, ; GASKET AND VALVE, FOR ULTRA FILTER RESPIRATOR ***	0	P	4240P	SE
BJW527K	AL	P-A-LL-ET0-078	1	SPIDER	SPIDER, TYPICAL, QA 3, SPIDER, DOOR ACCESS; ASSY., MILD STEEL, WITH WELDMENT, DWG3037-4, REV	3	C	4710Y	SE
BJW555E	AL	P-A-LL-ET0-081	1	SPIDER	SPIDER, TYPICAL, QA 3, HATCH, MILD STEEL, SPIDER ASSY, HATCH; MILD STEEL, WITH WELDMENT, DWG 0-2084-5, REV 000	3	P	4710Y	SE
AHA805W	AL	I-A-09-000-002	367	SPIKE	SPIKE, TRACK, QA 0, SQUARE, 9/16 IN, 5-1/2 IN, SPIKE, TRACK,SQUARE SHANK; 9/16 X 5-1/2 INCH,200 LB KEG, APPROXIMATELY	0	P	2250K	SE
BBW331G	AL	A-A-01-000-001	4	SPINDLE	SPINDLE, TYPICAL, QA 0, SPINDLE, DOOR CLOSURE; MATERIAL: STAINLESS STEEL ***	0	P	48200	SE
BJG066J	AL	A-A-01-000-001	5	SPINDLE	SPINDLE, TYPICAL, QA 3, SPINDLE, DOOR ACCESS; CHROME SATIN FINISH, WITH KNOBFOR MORTISE LOCK	3	P	4710Y	SE
BJP471E	AL	D-A-08-102-006	1	SPINDLE	SPINDLE, TYPICAL, QA 3, SPINDLE, DOOR ACCESS; STEEL, MILD, DWG 3037-4, REF 2, FOR WATER TIGHT	3		4710Y	SE
BJP479X	AL	D-A-08-102-008	1	SPINDLE	SPINDLE, TYPICAL, QA 3, SPINDLE, DOOR ACCESS; STEEL, MILD, DWG 2084-5, REV 2FOR WATER TIGHT	3	C	4710Y	SE
BJP480Q	AL	D-A-13-401-004	2	SPINDLE	SPINDLE, TYPICAL, QA 3, SPINDLE, DOOR ACCESS; STEEL, MILD, DWG 0-2084-5, REV 000, FOR WATER	3	C	4710Y	SE
BLQ070H	AL	A-A-01-000-001	6	SPINDLE	SPINDLE, TYPICAL, QA 3, DOOR ACCESS; 5/16 IN SQUARE X 5 3/8 IN SWIVEL,	3	P	4710Y	SE
BRD833E	AL	D-B-16-000-001	2	SPINDLE	SPINDLE, VALVE, QA 3, SPINDLE, VALVE; DOOR CLOSURE,STAINLESS STEEL,FOR SAFETY RELIEF VALVE,	3	C	48200	SE
CDR904P	AL	1-A-03-000-001	1	SPINDLE	SPINDLE, VALVE, QA 3, SPINDLE, VALVE; STAINLESS STEEL WITH STOP COLLAR, FOR 1 INCH ITT	3	C	48200	SE
CDR907H	AL	1-A-03-000-001	1	SPINDLE	SPINDLE, VALVE, QA 3, SPINDLE, VALVE; ADJUSTABLE TRAVEL, STEEL, FOR 1 INCH ITT GRINNELL	3	C	48200	SE
ATF705F	AL	M-A-15-000-002	5	SPINDLE	SPINDLE, VALVE, QA 1, SPINDLE ASSY, VALVE; C/O SPINDLE POINT, ASME SA193,GR B6; SPINDLE	1		48200	SE
BHF664J	AL	M-A-16-000-002	5	SPINDLE	SPINDLE, VALVE, QA 1, SPINDLE, VALVE; STAINLESS STEEL ASTM A582 TYPE 303, REF 17, FOR	1	P	48200	SE
BJG066J	AL	M-A-10-000-002	3	SPINDLE	SPINDLE, TYPICAL, QA 3, SPINDLE, DOOR ACCESS; CHROME SATIN FINISH, WITH KNOBFOR MORTISE LOCK	3	P	4710Y	SE
BKB676K	AL	T-A-12-000-002	13	SPINDLE	SPINDLE, TYPICAL, QA 3, DOOR CLOSURE, 4-7/16 IN, STEEL, KNOB, , DOOR CLOSURE; KNOB, 0.312 IN X 0.375-20 IN THREAD, 32 (KNOB X KNOB),	3	B	4420H	SE
BND441J	AL	M-A-06-000-002	1	SPINDLE	SPINDLE, VALVE, QA 3, SPINDLE, DOOR CLOSURE; FOR SAFETY RELIEF VALVE, SIZE 4 X 6 IN, SET AT	3	P	48200	SE
CAT602M	AL	M-A-01-000-002	1	SPINDLE	SPINDLE, VALVE, QA 1, CLASS 2, ASSEMBLY, SS, , FOR DRESSER RELIEF VALVES, SERIES 1910K/P1-1-(1-1-1-2)-XNC3001,	1	B	48200	SE
CBV357V	AL	L-A-03-000-002	3	SPINDLE	SPINDLE, TYPICAL, QA 2, SPINDLE, REFRIG COMPRESSOR; STAR GEAR SPINDLE, FOR WORTHINGTON CHILLER	2	B	4520N	SE
ABP017E	AL	D-B-19-202-001	704	SPLICE	SPLICE, CABLE, QA 1, QUICK DISCONNECT, 0.250 IN X 0.032 IN, TERMINAL, QUICK DISCONNECT; INSUL, TAB EXTERNAL,MALE, TAB SIZE, .250	1		5940I	SE
APN298F	AL	D-A-02-102-003	75	SPLICE	SPLICE, CABLE, QA 0, INSULATED, VIOLET, COAXIAL, **	0		5940I	SE
APN898N	AL	D-A-32-202-001	110	SPLICE	SPLICE, CABLE, QA 2, CONDUCTOR, #22-#16 AWG, SOLID/STRANDED, CRIMP, ***	2		5940I	SE
APN898N	AL	D-A-20-301-003	1286	SPLICE	SPLICE, CABLE, QA 2, CONDUCTOR, #22-#16 AWG, SOLID/STRANDED, CRIMP, ***	2		5940I	SE
AQB541K	AL	D-A-04-202-003	97	SPLICE	SPLICE, CABLE, QA 1, CONDUCTOR, 250 KCMIL, 600 AC, COPPER, YELLOW, CRIMP, SPLICE, CONDUCTOR ELECTRICAL; STYLE PARALLEL CRIMP, CNDC T SIZE 250	1		5940I	SE
AQB550X	AL	D-A-14-302-000	4	SPLICE	SPLICE, CABLE, QA 1, UNINSULATED, 1000 KCMIL, 600 AC, COPPER, CRIMP, SPLICE, CONDUCTOR ELECTRICAL; STYLE PARALLEL CRIMP, CNDC T SIZE 1000.0	1		5940I	SE
AQB580L	AL	D-A-02-102-003	15	SPLICE	SPLICE, CABLE, QA 0, 350 KCMIL, PINK, 2-WAY, ** TWO WAY	0		5940I	SE
AQQ525E	TR	- - -	192	SPLICE	SPLICE, CABLE, QA 2, SPLICE, CONDUCTOR ELECTRICAL; STYLE PARALLEL TYPE CRIMP, CNDC T SIZE 4	2	B	5940I	SE
ARB901A	AL	A-A-01-000-001	315	SPLICE	SPLICE, CABLE, QA 2, SPLICE, CONDUCTOR ELECTRICAL; INSULATION FEATURE: UNINSULATED	2	P	5940I	SE
ATW772V	AL	1-A-02-129-001	1	SPLICE	SPLICE, CABLE, QA 2, SPLICE, CONDUCTOR ELECTRICAL; STYLE CRIMP,TYPE BUTT,CDCT SIZE 8-14	2	P	5940I	SE
AVY330P	AL	D-A-04-202-003	151	SPLICE	SPLICE, CABLE, QA 1, CONDUCTOR, #4/0 AWG, 600 AC, WROUGHT COPPER, PURPLE, 2-WAY, SPLICE, CONDUCTOR ELECTRICAL; STYLE PARALLEL CRIMP, CNDC T S	1		5940I	SE
AYT935B	AL	D-A-04-202-003	90	SPLICE	SPLICE, CABLE, QA 0, #4 AWG, 15 KV, COPPER, GRAY, 2-WAY, SPLICE, CONDUCTOR ELECTRICAL; NON-INSULATED, CRIMP, STRAIGHT, TWO-WAY,	0		5940I	SE
AYT940X	AL	D-A-04-202-003	75	SPLICE	SPLICE, CABLE, QA 0, #2 AWG, 15 KV, COPPER, BROWN, 2-WAY, SPLICE, CONDUCTOR ELECTRICAL; CRIMP, STRAIGHT, BROWN, 2	0		5940I	SE
BAA881F	AL	D-A-04-202-003	78	SPLICE	SPLICE, CABLE, QA 2, #1 AWG, 15 KV, COPPER, GREEN, 2-WAY, SPLICE, CONDUCTOR ELECTRICAL; CRIMP, STRAIGHT, GREEN, 1	2		5940I	SE

BAY845C	AL	1-B-11-135-001	1	SPLICE	SPLICE, CABLE, QA 2, SPLICE, CONDUCTOR ELECTRICAL; STYLE BUTT CRIMP, CNDCT SIZE 250 KCMIL	2	P	5940I SE
BAY845C	AL	A-A-01-000-001	52	SPLICE	SPLICE, CABLE, QA 2, SPLICE, CONDUCTOR ELECTRICAL; STYLE BUTT CRIMP, CNDCT SIZE 250 KCMIL	2	P	5940I SE
BHL403N	AL	D-A-02-102-003	16	SPLICE	SPLICE, CABLE, QA 0, FIBER OPTIC, THREADED, SS/NICKEL PLATED BRASS, SPLICE, FIBER OPTIC CONDUCTO; NICKEL PLATED, THREADED, BRASSTYPE SMA	0		5825F SE
BJQ490G	AL	A-A-01-000-001	105	SPLICE	SPLICE, CABLE, QA 2, SPLICE, CONDUCTOR ELECTRICAL; STYLE BUTT TYPE CRIMP, UNINSULATED	2	P	5940I SE
BJQ494W	AL	A-A-01-000-001	16	SPLICE	SPLICE, CABLE, QA 2, SPLICE, CONDUCTOR ELECTRICAL; STYLE BUTT TYPE CRIMP, UNINSULATED	2	P	5940I SE
BJQ495T	AL	1-A-02-129-001	1	SPLICE	SPLICE, CABLE, QA 2, SPLICE, CONDUCTOR ELECTRICAL; STYLE BUTT TYPE CRIMP, UNINSULATED	2	P	5940I SE
BJQ495T	AL	A-A-01-000-001	15	SPLICE	SPLICE, CABLE, QA 2, SPLICE, CONDUCTOR ELECTRICAL; STYLE BUTT TYPE CRIMP, UNINSULATED	2	P	5940I SE
BJQ507F	AL	1-A-02-129-001	1	SPLICE	SPLICE, CABLE, QA 2, SPLICE, CONDUCTOR ELECTRICAL; STYLE BUTT TYPE CRIMP, UNINSULATED	2	P	5940I SE
BJQ507F	AL	A-A-01-000-001	15	SPLICE	SPLICE, CABLE, QA 2, SPLICE, CONDUCTOR ELECTRICAL; STYLE BUTT TYPE CRIMP, UNINSULATED	2	P	5940I SE
BKE752E	AL	A-A-01-000-001	99	SPLICE	SPLICE, CABLE, QA 2, SPLICE, CONDUCTOR ELECTRICAL; UNINSULATED,BUTT TYPE, 2-6	2	P	5940I SE
BKE753C	AL	1-B-11-135-001	1	SPLICE	SPLICE, CABLE, QA 2, SPLICE, CONDUCTOR ELECTRICAL; UNINSULATED,BUTT TYPE, 6-2/0 AWG,COPPER	2	P	5940I SE
BLA206R	AL	D-A-04-202-003	10	SPLICE	SPLICE, CABLE, QA 1, UNINSULATED, 750 KCMIL, COPPER, BLACK, CRIMP, SPLICE, CONDUCTOR ELECTRICAL; STYLE BUTT TYPE CRIMP, CNDCT SIZE 750.0	1		5940I SE
BLL371M	AL	D-A-20-402-003	40	SPLICE	SPLICE, CABLE, QA 1, CONDUCTOR, 300 KCMIL, 600 AC, COPPER, WHITE, CRIMP, SPLICE, CONDUCTOR ELECTRICAL; STYLE PARALLEL CRIMP, CONDUCTOR SIZE	1		5940I SE
BPM167W	AL	D-A-12-101-004	110	SPLICE	SPLICE, CABLE, QA 2, UNINSULATED, 500 KCMIL, BROWN, CRIMP, SPLICE, CONDUCTOR ELECTRICAL; INSULATION FEATURE: UNINSULATED,	2		5940I SE
BPM337X	AL	1-A-02-129-001	1	SPLICE	SPLICE, CABLE, QA 2, SPLICE, CONDUCTOR ELECTRICAL; INSULATION FEATURE: UNINSULATED	2	C	5940I SE
BPM477D	AL	D-A-14-302-000	150	SPLICE	SPLICE, CABLE, QA 2, CONDUCTOR, 250 KCMIL, BARE, YELLOW, CRIMP, SPLICE, CONDUCTOR ELECTRICAL; INSULATION FEATURE: UNINSULATED,	2		5940I SE
BRM512R	AL	D-A-10-302-004	3096	SPLICE	SPLICE, CABLE, QA 2, UNINSULATED, #22-#16 AWG, METALLIC, CRIMP, CONDUCTOR ELECTRICAL; INSULATION, FEATURE: UNINSULATED,	2		5940I SE
BWV871B	AL	D-A-09-302-008	10	SPLICE	SPLICE, CABLE, QA 2, UNINSULATED, 500 KCMIL, TIN PLATED COPPER, BROWN, CRIMP, SPLICE, CONDUCTOR ELECTRICAL; INSULATION FEATURE: UNINSULATED,	2		5940I SE
BXL868X	AL	A-A-01-000-001	1405	SPLICE	SPLICE, CABLE, QA 1, SPLICE, CONDUCTOR ELECTRICAL; SYTLE PARALLEL CRIMP, CNDCT SIZE 1/0	1	B	5940I SE
BYM641F	AC	- - - -	1	SPLICE	SPLICE, CABLE, QA 2, CONDUCTOR, #8 AWG, TIN PLATED COPPER, BARE, RED, CRIMP, , TWO WAY, UL LISTED	2	C	5940I SE
BYM820T	AL	A-A-01-000-001	2	SPLICE	SPLICE, KIT, QA 1, STUB, 3, 0.18 - 0.34 IN, 5/16 IN X 3/4 IN, 1.0 IN, ,HEAT SHRINKABLE,CLASS 1E LOCA/HELB, 10CFR50.49, RAYCHEM TEST REPORTS:	1	B	5970B SE
APN180J	AL	L-A-09-000-002	342	SPLICE	SPLICE, CABLE, QA 0, UNINSULATED, #12-#10 AWG, NEUTRAL, CRIMP, SPLICE, CONDUCTOR ELECTRICAL; INSULATION FEATURE: UNINSULATED	0	P	5940I SE
AQB545B	AC	- - - -	150	SPLICE	SPLICE, CABLE, QA 2, SPLICE, CONDUCTOR ELECTRICAL; STYLE PARALLEL CRIMP, CNDCT SIZE 750.0	2	C	5940I SE
AQQ524G	AL	M-A-13-000-002	6000	SPLICE	SPLICE, CABLE, QA 0, UNINSULATED, #16-#14 AWG, NEUTRAL, CRIMP, SPLICE, CONDUCTOR ELECTRICAL; INSULATION FEATURE: UNINSULATED	0	P	5940I SE
ARC658J	AL	M-A-06-000-002	100	SPLICE	SPLICE, CABLE, QA 2, SPLICE, CONDUCTOR ELECTRICAL; INSULATION FEATURE: UNINSULATED	2	P	5940I SE
ARC662V	AL	M-A-13-000-002	47374	SPLICE	SPLICE, CABLE, QA 2, UNINSULATED, #22-#16 AWG, CRIMP, SPLICE, CONDUCTOR ELECTRICAL; INSULATION FEATURE: UNINSULATED,	2	P	5940I SE
ARG545B	AL	M-A-04-000-002	2	SPLICE	SPLICE, CABLE, QA 2, SPLICE, CONDUCTOR ELECTRICAL; INSULATION FEATURE: UNINSULATED	2	B	5940I SE
ARM624M	AL	T-A-01-000-002	5	SPLICE	SPLICE, CABLE, QA 2, SPLICE, CONDUCTOR ELECTRICAL; STYLE BUTT TYPE CRIMP, UNINSULATED	2	P	5940I SE
AWQ885N	AL	L-A-09-000-002	354	SPLICE	SPLICE, CABLE, QA 0, SPLICE, CONDUCTOR ELECTRICAL; TAB, SLIP-ON, FOR REACTOR FEEDPUMP	0	P	5940I SE
AYC051H	AL	M-A-01-000-002	367	SPLICE	SPLICE, CABLE, QA 3, SPLICE, CONDUCTOR ELECTRICAL; INSULATION FEATURE: UNINSULATED	3	P	5940I SE
AYV529H	AL	L-A-09-000-002	87	SPLICE	SPLICE, CABLE, QA 0, UNINSULATED, 212 KCMIL, CRIMP, SPLICE, CONDUCTOR ELECTRICAL; STYLE PARALLEL CRIMP, CNDCT SIZE 212.0	0	P	5940I SE
AYW811K	AL	L-A-09-000-002	68	SPLICE	SPLICE, CABLE, QA 0, UNINSULATED, 318 KCMIL, CRIMP, SPLICE, CONDUCTOR ELECTRICAL; STYLE PARALLEL CRIMP, CNDCT SIZE 318.0	0	P	5940I SE
BBR427J	AL	M-A-03-000-002	101	SPLICE	SPLICE, CABLE, QA 2, SPLICE, CONDUCTOR ELECTRICAL; INSULATION FEATURE: UNINSULATED	2	P	5940I SE
BPH292E	AL	L-A-03-000-002	4	SPLICE	SPLICE, CABLE, QA 2, COMPRESSION, #12-#10 AWG, TEFZEL, YELLOW, BUTT, MATERIAL: TIN PLATED COPPER.	2	C	5940I SE
BPH618A	AL	L-A-09-000-002	514	SPLICE	SPLICE, CABLE, QA 2, UNINSULATED, #20-#14 AWG, BARE, CRIMP, , CONDUCTOR ELECTRICAL	2	B	5940I SE
BTX111W	AL	L-A-09-000-002	936	SPLICE	SPLICE, CABLE, QA 2, SPLICE, CONDUCTOR ELECTRICAL; INSULATION FEATURE: INSULATED,	2	B	5940I SE
BYB522B	AL	L-A-09-000-002	585	SPLICE	SPLICE, CABLE, QA 2, UNINSULATED, #22-#18 AWG, TIN PLATED COPPER, CRIMP, , CONDUCTOR ELECTRICAL; UL LISTED	2	C	5940I SE
BYE605Q	AL	L-A-13-000-002	24	SPLICE	SPLICE, CABLE, QA 2, UNINSULATED, #4/0 AWG, TIN PLATED COPPER, PURPLE, 2-WAY, , CRIMP, CONDUCTOR ELECTRICAL; UL LISTED	2	C	5940I SE
BYM635A	AL	L-A-09-000-002	3	SPLICE	SPLICE, CABLE, QA 2, CONDUCTOR, #6 AWG, TIN PLATED COPPER, BARE, BLUE, CRIMP, , TWO WAY, UL LISTED	2	C	5940I SE
CDP596H	AL	L-A-09-000-002	164	SPLICE	SPLICE, CABLE, QA 2, CONDUCTOR, #22-#18 AWG, TEFZEL, RED, CRIMP, , BUTT TYPE, UL LISTED	2	C	5940I SE
BAN574T	AL	A-A-01-000-001	1	SPOOL	SPOOL, TYPICAL, QA 0, SPOOL, VALVE ROTARY D; STEEL, FOR RACINE PILOT OPERATED 4-WAY VALVE	0	P	48200 SE
BMF656Q	AL	F-A-13-202-000	1	SPOOL	SPOOL, TYPICAL, QA 0, SPOOL PIECE, PIPE; MATERIAL: CAST STEEL, FLANGE TYPE: FLAT FACE LINING	0	P	4730P SE
BTR363M	AL	D-A-26-402-000	3	SPOOL	SPOOL, TYPICAL, QA 3, SLEEVE, TAPPING; JCM 412 TAPPING SLEEVE, SIZE: 14 INCH X 14 INCH X 6	3		4730P SE
APW547M	AL	L-A-09-000-002	2	SPOOL	SPOOL, TYPICAL, QA 3, SPOOL, ; REROLL, FOR GE MAC RECORDER, TYPICAL MODEL 531112AAKL3TTF ***	3	P	6695D SE
BRX576M	AL	L-A-09-000-002	2	SPOOL	SPOOL, TYPICAL, QA 0, SPOOL, VALVE ROTARY D; SPOOL PIECE COUPLING, FOR 2B FAST COUPLING, FOR	0	C	48200 SE
AYJ295Y	AL	A-A-01-000-001	180	SPOON	SPOON, LABORATORY, QA 0, SPOON, LABORATORY; STYRENE, STERIAL, SAMPLER, 0.5TSP, 7 IN LONG, 200	0	P	6630D SE
AXA253Y	AL	A-A-01-000-001	2	SPREADER	SPREADER, TOOL, QA 0, SPREADER, ; WEDGE, BRONZE, FOR 014.000 IN GATE VALVE, FIG G-743-0 ***	0	P	48200 SE
ACA170P	AC	- - - -	26	SPRING	SPRING, TYPICAL, QA 0, SPRING, STEAM TURBINE; PACKING RING, FOR VARIOUS LOCATIONS ON TURBINE	0	P	2825G SE
ARJ918K	AL	D-B-05-102-002	50	SPRING	SPRING, TYPICAL, QA 0, SPRING, STEAM TURBINE; NOZZLE BLOCK, REF 1, IL 1250- 4012 FOR MAIN	0	P	2825G SE
ARJ919H	AL	1-B-03-009-001	4	SPRING	SPRING, TYPICAL, QA 0, SPRING, STEAM TURBINE; OUTER, 18 IN OD, THROTTLE VALVE, REF 53, IL	0	C	2825G SE
ARJ920C	AL	1-B-03-009-001	4	SPRING	SPRING, TYPICAL, QA 0, SPRING, STEAM TURBINE; MIDDLE, REF 52, REHEAT STOP VALVE, IL	0	C	2825G SE
ARJ921Y	AL	1-B-09-072-001	4	SPRING	SPRING, TYPICAL, QA 0, SPRING, STEAM TURBINE; INNER, REFERENCE 51, THROTTLE VALVE, IL	0	C	2825G SE
ATW206Y	AL	A-A-01-000-001	2	SPRING	SPRING, TYPICAL, QA 0, SPRING, VALVE; COIL,ITEM 11, FOR 4 IN, PRESSURE OPERATED HYTROL GLOBE	0	C	48200 SE
ATW207W	AL	A-A-01-000-001	2	SPRING	SPRING, TYPICAL, QA 0, SPRING, VALVE; STAINLESS STEEL, FOR 2 IN PRESSURE OPERATED HYTROL	0	C	48200 SE
ATW974F	AL	A-A-01-000-001	1	SPRING	SPRING, TYPICAL, QA 0, SPRING, VALVE; FOR 1 INCH, 3000 PSI WOG AT 1250 DEG F, CHECK VALVE	0	P	48200 SE
ATW975D	AL	A-A-01-000-001	1	SPRING	SPRING, TYPICAL, QA 0, SPRING, VALVE; COIL, FOR 2 INCH, ANSI 1500 PSI, CHECK VALVE, FIG	0	P	48200 SE
ATW976B	AL	A-A-01-000-001	1	SPRING	SPRING, TYPICAL, QA 0, SPRING, VALVE; COIL, FOR 2 INCH, CHECK VALVE,FIG 12C2-316 ***	0	P	48200 SE
AVJ670W	AL	A-A-01-000-001	1	SPRING	SPRING, TYPICAL, QA 0, SPRING ASSY, VALVE; STEEL, C/W 2 WASHERS, FOR 003.000IN SAFETY RELIEF	0	P	48200 SE
AVM659M	AL	A-A-01-000-001	6	SPRING	SPRING, COMPRESSION, QA 3, SPRING, HELICAL,COMPRESSION; STEEL,FOR 0.375IN GLOBE VALVE,SERIES	3	P	48200 SE
AVM680A	AL	A-A-01-000-001	13	SPRING	SPRING, COMPRESSION, QA 3, SPRING, HELICAL,COMPRESSION; INCONEL X-750, FOR 1.5 IN OR 2.0 IN	3	P	48200 SE
AVP980K	AL	A-A-01-000-001	3	SPRING	SPRING, TYPICAL, QA 0, SPRING, SEPARATOR; STEEL,FOR SEPARATOR,S/N 2937050,TYPE	0	C	4330N SE
AVQ091R	AL	A-A-01-000-001	1	SPRING	SPRING, TYPICAL, QA 0, SPRING ASSY, ; STEEL,FOR 1.500IN,TYPE 1906-30FC/SPEC,SAFETY RELIEF	0	P	48200 SE
AVR930Q	AL	A-A-01-000-001	1	SPRING	SPRING, TYPICAL, QA 0, SPRING ASSY, VALVE; STEEL, WITH WASHER, VBF906A, 2 EA PER SPRING, FOR	0	P	48200 SE
AVX720F	AL	A-A-01-000-001	1	SPRING	SPRING, TYPICAL, QA 0, SPRING, VALVE; STEEL, W/ 2 EA WASHERS, PART 19480, FOR 003.000 &	0	P	48200 SE
AWY018Y	AL	1-B-03-009-001	1	SPRING	SPRING, TYPICAL, QA 0, SPRING, VALVE; STEEL, COMPLETE WITH 002.000 EA STEEL STEPS	0	P	48200 SE
AXF908E	AL	A-A-01-000-001	2	SPRING	SPRING, TYPICAL, QA 0, EXHAUSTER, 00.36 IN, STAINLESS STEEL, SPRING, EXHAUSTER; STAINLESS STEEL, 000.362 IN DIA, RIGHT TURN, DWG	0	P	2825G SE
AXF909C	AL	A-A-01-000-001	2	SPRING	SPRING, TYPICAL, QA 0, EXHAUSTER, 000.362, STAINLESS STEEL, SPRING, EXHAUSTER; STAINLESS STL, 000.362 IN DIA, RIGHT TURN, DWG	0	P	2825G SE
AXT280L	AL	D-A-02-102-011	3	SPRING	SPRING, TYPICAL, QA 0, SPRING, VALVE; STEEL, REF 7, FOR SAFETY RELIEF VALVE, SIZE 000.750 IN	0		48200 SE
AXT285Y	AL	D-A-02-102-011	3	SPRING	SPRING, TYPICAL, QA 0, SPRING, VALVE; STEEL, PISTON, REF 19, FOR SAFETY RELIEF VALVE, SIZE	0		48200 SE
AXX718A	AL	A-A-01-000-001	6	SPRING	SPRING, TYPICAL, QA 0, SPRING, ; STEEL, SPECIAL, REF 14, FOR BRUSHLESS EXCITER GROUND	0	P	6115F SE
AYP228L	AL	A-A-01-000-001	20	SPRING	SPRING, COMPRESSION, QA 3, SPRING, HELICAL,COMPRESSION; METALLIC, FOR ICE CONDENSER SYSTEM 61	3	P	4470C SE
BAA892A	AL	A-A-01-000-001	9	SPRING	SPRING, TYPICAL, QA 0, SPRING, RECORDER; STEEL LATCH, FOR TURBIDITY RECORDER, SERIES 514202	0	P	6695D SE
BBC802N	AL	A-A-01-000-001	1	SPRING	SPRING, TYPICAL, QA 0, SPRING, VALVE; STEEL, 32 TO 42 PSI SET PRESSURE, FOR CONSOLIDATED	0	P	48200 SE
BBN231K	AL	E-A-16-C01-C01	5	SPRING	SPRING, TYPICAL, QA 0, SPRING, CIRCUIT BREAKER; STANDARD, FOR MASTER CONTROL UNIT, ON	0	C	5925B SE
BBN251D	AL	E-A-16-C06-B01	8	SPRING	SPRING, TYPICAL, QA 0, SPRING, CIRCUIT BREAKER; FOR CONTACT BODY, ON GENERATOR BREAKER	0	C	5925B SE

BBW332E	AL	A-A-01-000-001	7	SPRING	SPRING, TYPICAL, QA 0, SPRING, VALVE; STEEL, 140 PSIG, FOR SAFETY RELIEF VALVE, 0.75 AND 1	0	P	48200	SE
BBX534W	AL	A-A-01-000-001	1	SPRING	SPRING, AIR, QA 0, SPRING, ; STEEL, 257 LB/IN, NO 96, REF 28, FOR 4 IN AIR OPERATED	0	P	48200	SE
BDN417Q	AL	E-A-16-C07-C01	17	SPRING	SPRING, TYPICAL, QA 0, CIRCUIT BREAKER, 2 IN, 2-9/16 IN, 6-1/4 IN, STEEL, ***	0	C	5925B	SE
BDN420F	AL	E-A-16-C03-E01	3	SPRING	SPRING, TYPICAL, QA 0, CIRCUIT BREAKER, 1-1/2 IN, 2-7/8 IN, 6-3/4 IN, STEEL, ***	0	C	5925B	SE
BDN427M	AL	E-A-16-C03-H01	20	SPRING	SPRING, TYPICAL, QA 0, CIRCUIT BREAKER, 2-5/8 IN, 3 IN, 6-3/4 IN, STEEL, ***	0	C	5925B	SE
BDN428K	AL	E-A-16-C02-H01	20	SPRING	SPRING, TYPICAL, QA 0, CIRCUIT BREAKER, 1-1/2 IN, 1-11/16 IN, 3-1/8 IN, STEEL, ***	0	C	5925B	SE
BDN429H	AL	E-A-16-C04-G01	16	SPRING	SPRING, TYPICAL, QA 0, CIRCUIT BREAKER, 4-3/8 IN, 5 IN, 12-3/4 IN, STEEL, ***	0	C	5925B	SE
BDN431Y	AL	E-A-16-C11-C01	5	SPRING	SPRING, TYPICAL, QA 0, CIRCUIT BREAKER, 5 IN, 4-1/2 IN, 8-3/8 IN, STEEL, ***	0	C	5925B	SE
BFP521C	AL	A-A-01-000-001	16	SPRING	SPRING, COMPRESSION, QA 0, SPRING, HELICAL, COMPRESSION; STEEL, VALVE PLATE RETAINING, FOR	0	P	4310I	SE
BGB814L	AL	D-A-14-000-001	2	SPRING	SPRING, TYPICAL, QA 0, SPRING, STEAM TURBINE; PACKING RING, FOR 8 C (TE & GE), ON TURBINE S/N	0	P	2825G	SE
BGE030A	AL	D-A-28-102-005	18	SPRING	SPRING, TYPICAL, QA 0, SPRING, SECURITY SYSTEM; KYNAR COATED, TENSION, FOR E-FIELD SECURITY	0		6350B	SE
BHE234H	AL	D-A-32-104-001	1	SPRING	SPRING, COMPRESSION, QA 1, SPRING, HELICAL, COMPRESSION; STEEL, FOR SAFETY RELIEF VALVE3 IN	1	P	48200	SE
BHT665P	AL	A-A-01-000-001	1	SPRING	SPRING, COMPRESSION, QA 3, SPRING, HELICAL, COMPRESSION; STEEL, ASTM A68, 0.75 IN DIA, 12 COILS	3	P	5670A	SE
BJK116P	AL	D-B-25-302-003	1	SPRING	SPRING, TYPICAL, QA 1, ASSEMBLY, LIGHT, ; BELLEVILLE SPRING PACK, REF. 85, WITHOUT TORQUE LIMITER PLATE, FOR	1	C	48200	SE
BJL152E	AL	D-A-20-302-003	1	SPRING	SPRING, TYPICAL, QA 1, ACTUATOR, LIGHT, , ASSEMBLY W/O TORQUE LIMITER PLATE, BELLEVILLE SPRING PACK, REF. 56,	1		48200	SE
BJL280G	AL	D-A-20-301-005	1	SPRING	SPRING, TYPICAL, QA 1, SPRING ASSY, ACTUATOR; W/LIMITER PLATE, P/N 61-710-0085-1, FOR VALVE	1		48200	SE
BLN521J	AL	D-A-32-302-001	50	SPRING	SPRING, AIR, QA 0, SPRING, POWER TOOL; FOR AIR GRINDER ***	0		5130U	SE
BLP810H	AL	F-A-08-101-000	2	SPRING	SPRING, COMPRESSION, QA 1, SPRING, HELICAL, COMPRESSION; HELICAL COMPRESSION, SS A286, AMS 5734	1	P	48200	SE
BND918Q	AL	A-A-01-000-001	24	SPRING	SPRING, TYPICAL, QA 1, SPRING ASSY, VALVE; FOR SAFETY RELIEF VALVE, 0.75 IN, TYPE 1070-2	1	P	48200	SE
BPW719B	AL	E-A-16-C01-D01	13	SPRING	SPRING, TYPICAL, QA 0, SPRING, CIRCUIT BREAKER; DISHED, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B	SE
BPW721Q	AL	E-A-16-C01-D01	30	SPRING	SPRING, COMPRESSION, QA 0, SPRING, CIRCUIT BREAKER; COMPRESSION, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B	SE
BPW759Y	AL	E-A-16-C01-G01	3	SPRING	SPRING, COMPRESSION, QA 0, SPRING, CIRCUIT BREAKER; COMPRESSION, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B	SE
BPX086A	AL	E-A-16-C02-H01	32	SPRING	SPRING, COMPRESSION, QA 0, CIRCUIT BREAKER; COMPRESSION, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B	SE
BPX122A	AL	E-A-16-C03-B01	8	SPRING	SPRING, COMPRESSION, QA 0, SPRING, CIRCUIT BREAKER; COMPRESSION, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B	SE
BQN806A	AL	P-A-LL-ET0-085	1	SPRING	SPRING, TYPICAL, QA 1, SPRING, VALVE; GUIDE, ASME S4479, GR. 316, FOR 1.0 IN, RELIEF VALVE	1	C	48200	SE
BRA255C	AL	F-A-22-101-000	92	SPRING	SPRING, TYPICAL, QA 1, SPRING, CIRCUIT BREAKER; CONTACT FINGER, PRIMARY, FOR GE MAGNEBLAST	1	B	5925B	SE
BRE650W	AL	E-A-16-C02-B01	21	SPRING	SPRING, TYPICAL, QA 0, SPRING, CIRCUIT BREAKER; CORRUGATED, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B	SE
BRE855Y	AL	E-A-16-C03-G01	16	SPRING	SPRING, COMPRESSION, QA 0, FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B	SE
BRE902H	AL	E-A-16-C02-H01	17	SPRING	SPRING, COMPRESSION, QA 0, SPRING, CIRCUIT BREAKER; COMPRESSION, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B	SE
BRK443W	AL	D-B-16-000-001	49	SPRING	SPRING, TYPICAL, QA 3, LOAD, , SS, LIVE LOAD, BELLEVILLE WASHER, (17-7 PH), ASTM A564, TYPE 631	3	C	5730H	SE
BRK465J	AL	D-B-07-201-001	8	SPRING	SPRING, TYPICAL, QA 3, PACKING, BELLEVILLE; LIVE LOAD, STAINLESS STEEL (17-7 PH) , ASTM A564 TYPE 631,	3	C	5730H	SE
BRL752A	AL	D-B-09-201-002	12	SPRING	SPRING, TYPICAL, QA 1, SPRING ASSY, ACTUATOR; BELLEVILLE SPRING PACK, WITH OUT TORQUE LIMITER	1	B	48200	SE
BTR195G	AC	- - - -	6	SPRING	SPRING, TYPICAL, QA 3, SPRING, RELAY; FOR GE RELAY ON EDERER CRANES, 125/180 TONS. ***	3	C	5945D	SE
BTR245V	AC	- - - -	1	SPRING	SPRING, TYPICAL, QA 3, SPRING, RELAY; FOR GE RELAY FOR EDERER CRANE ***	3	C	5945D	SE
BTV303Y	AL	A-A-01-000-001	2	SPRING	SPRING, TYPICAL, QA 2, SPRING ASSY, BELLEVILLE; FOR HANGER MARK NO 1-01A-308-4 ***	2	B	4710Y	SE
BVL306N	AL	D-B-16-000-001	2	SPRING	SPRING, TYPICAL, QA 3, SPRING, VALVE; ITEM 4 ON DWG 15159-01, FOR 4 IN GATE VALVE ***	3	B	48200	SE
BWC910L	AL	D-B-25-302-002	1	SPRING	SPRING, TYPICAL, QA 1, FOR ACTUATOR TYPE SMB-4 & SMB-4T, , BELLEVILLE SPRING ASSEMBLY, WITHOUT TORQUE LIMITER PLATE	1		48200	SE
BWL764G	AL	A-A-01-000-001	1	SPRING	SPRING, COMPRESSION, QA 1, SPRING, VALVE; HELICAL, COMPRESSION, STEEL, C/O 1 EA SPRING AND 2 EA	1	B	48200	SE
BWQ701M	AL	E-A-16-C03-B01	15	SPRING	SPRING, COMPRESSION, QA 0, SPRING, CIRCUIT BREAKER; COMPRESSION, FOR CIRCUIT BREAKER, TYPE	0	C	5925B	SE
BWQ702K	AL	E-A-16-C03-B01	18	SPRING	SPRING, TYPICAL, QA 0, SPRING, CIRCUIT BREAKER; SPRING, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B	SE
BXB579K	AL	F-A-21-101-001	5	SPRING	SPRING, TYPICAL, QA 1, PUMP, , FOR THE MECHANICAL SEALS INSTALLED ON THE CENTRIFUGAL CHARGING PUMP	1	C	4320U	SE
BXF338M	AL	F-A-22-101-000	5	SPRING	SPRING, TYPICAL, QA 1, SPRING, VALVE; FOR VALVE, DWG 1071240-1 AND MODEL 82AB-001 ***	1	B	48200	SE
BXJ791H	AL	F-C-07-101-000	1	SPRING	SPRING, TYPICAL, QA 1, CLASS 2, VALVE, ASSY, VALVE; ASTM A-313 TYPE 316 FOR CROSBY SIZE 1D2 VALVES,	1	C	48200	SE
BXK661R	AL	F-A-19-102-002	2	SPRING	SPRING, TYPICAL, QA 0, SPRING, ACTUATOR; FOR AN ANCHOR DARLING MODEL 70-28-1D WITH 70 SMALL	0	C	48200	SE
BXN159H	AL	A-A-01-000-001	3	SPRING	SPRING, TYPICAL, QA 3, SPRING, CIRCUIT BREAKER; CLOSING, FOR 3000 & 3750 AMP G.E. 6.9KV MAGNA	3	B	5925B	SE
BYD914F	AL	A-A-01-000-001	15	SPRING	SPRING, TYPICAL, QA 1, SPRING, RELAY; HOLD DOWN, FOR SERIES KRP RELAY ***	1	B	5945D	SE
CAW668B	AL	A-A-01-000-001	2	SPRING	SPRING, TYPICAL, QA 3, SPRING, VALVE; REF 5, FOR CHECK VALVE, 12 IN, STEEL BODY, STAINLESS	3	C	48200	SE
CAY210W	AL	A-A-01-000-001	4	SPRING	SPRING, TYPICAL, QA 1, SPRING, VALVE; BUTTON SPRING ON DRAGON 3/8" & 1/2" ASME SECTION III	1	C	48200	SE
CBX571F	AL	A-A-01-000-001	2	SPRING	SPRING, TYPICAL, QA 3, SPRING, PUMP; WAVE SPRING FOR IDP 1 1/2 X 11A RWCU PUMP SERIAL NOS. 0	3	B	4320U	SE
CEJ509V	AL	1-A-03-000-001	1	SPRING	SPRING, TYPICAL, QA 3, SPRING, *TYPICAL; TYPE: ACTUATOR *** XL 1370 25 LB OUTERSPRING AS	3	C	48200	SE
CGE138C	AL	D-A-32-202-001	3	SPRING	SPRING, TYPICAL, QA 2, VALVE, SS, ITEM # 6, FOR 18" DANIEL CHEXTER VALVE, (TYPE: A, AC, AF, C, D,	2		48200	SE
CHX577X	AL	D-A-25-302-005	1	SPRING	SPRING, TYPICAL, QA 1, WEDGE, , MATERIAL INCONEL X, FOR 3" - 900 LB DOUBLE DISC GATE VALVE, BW/IP	1		48200	SE
CHX577X	AL	D-B-25-302-001	3	SPRING	SPRING, TYPICAL, QA 1, WEDGE, , MATERIAL INCONEL X, FOR 3" - 900 LB DOUBLE DISC GATE VALVE, BW/IP	1		48200	SE
CKP938A	AL	D-B-07-301-001	6	SPRING	SPRING, TYPICAL, QA 1, ARMATURE/RETURN, FOR MODEL 12HEA61V37X2, 125VDC	1	C	4730P	SE
CKP938A	AL	D-A-12-101-003	31	SPRING	SPRING, TYPICAL, QA 1, ARMATURE/RETURN, FOR MODEL 12HEA61V37X2, 125VDC	1	C	4730P	SE
CLD436G	AL	D-B-09-202-001	2	SPRING	SPRING, TYPICAL, QA 0, VALVE, FOR STYLE IV ROTARY VALVE	0	C	4450C	SE
ABG309F	AL	L-A-09-000-002	31	SPRING	SPRING, TYPICAL, QA 3, SPRING, ; CLIP, FOR REACTOR CONTROL ROD DRIVE EP NO 2-1-10 ***	3	P	4470C	SE
ABG402R	AL	L-A-13-000-002	26	SPRING	SPRING, TYPICAL, QA 0, SPRING, ; FOR GE REFUELING PLATFORM, CHANNEL BOLT WRENCH, GEL- 33062D	0	P	4470C	SE
ABP099H	AL	L-A-09-000-002	7	SPRING	SPRING, COMPRESSION, QA 0, SPRING, ; COMPRESSION, FOR SPEEDTRONIC CONTROL SYSTEM RELAY ***	0	P	5945D	SE
ABP494L	AL	L-A-09-000-002	5	SPRING	SPRING, COMPRESSION, QA 0, SPRING, ; COMPRESSION, MOVABLE CONTACT, FOR GE CONTACTOR	0	P	61100	SE
ABP592L	AL	L-A-09-000-002	20	SPRING	SPRING, TYPICAL, QA 0, SPRING, ; CONTROL, FOR GE TYPE HFA RELAY ***	0	P	5945D	SE
ABP692G	AL	L-A-09-000-002	163	SPRING	SPRING, TYPICAL, QA 0, SPRING, ; FULCRUM, UPPER, FOR GE CO TYPE HFA RELAY ***	0	P	5945D	SE
ACA171A	AL	L-A-09-000-002	12	SPRING	SPRING, TYPICAL, QA 0, SPRING, STEAM TURBINE; PACKING RING, STAGES 2, 3 AND 4; AND/OR 8, 8TE	0	P	2825G	SE
ACA472V	AL	L-A-09-000-002	13	SPRING	SPRING, TYPICAL, QA 0, SPRING, STEAM TURBINE; DIAPHRAGM PACKING RING, FOR TURBINE, S/N	0	P	2825G	SE
ACA474P	AL	L-A-03-000-002	4	SPRING	SPRING, TYPICAL, QA 0, SPRING, STEAM TURBINE; PACKING RING, FOR 500 MW CROSS-COMPOUND	0	P	2825G	SE
ACA770Y	AL	L-A-09-000-002	19	SPRING	SPRING, TYPICAL, QA 0, SPRING, STEAM TURBINE; PACKING, SEQ 2402, FOR GE HP TURBINE, 1150 MW	0	P	2825G	SE
ACW664M	AL	L-A-09-000-002	3	SPRING	SPRING, TYPICAL, QA 0, SPRING, ; BIASING, FOR CONTROL VALVE POSITIONER, MODEL 7000 AND/OR	0	P	48200	SE
ADA070C	AL	L-A-04-000-002	1	SPRING	SPRING, TYPICAL, QA 0, SPRING, STEAM TURBINE; (SECONDARY OPER CYLINDER, DWG 509E230CD), FOR	0	P	2825G	SE
AFJ725W	AL	M-A-08-000-002	1	SPRING	SPRING, TYPICAL, QA 2, SPRING, ; VALVE, FOR CIRCLE SEAL CORP "VICTOR" PRESSURE REDUCING	2	P	48200	SE
AFN674Y	AL	L-A-09-000-002	18	SPRING	SPRING, TORSION, QA 0, SPRING, ; TORSION, SPECIAL CCW TO NORMAL ONLY ***	0	P	59300	SE
AFN774T	AL	L-A-09-000-002	20	SPRING	SPRING, TORSION, QA 0, SPRING, ; TORSION, SPECIAL CH, TO NORMAL ***	0	P	59300	SE
AFN874N	AL	L-A-09-000-002	18	SPRING	SPRING, COMPRESSION, QA 0, SPRING, ; COMPRESSION ***	0	P	5305J	SE
AGM186B	AL	L-A-09-000-002	27	SPRING	SPRING, TYPICAL, QA 0, SPRING, ; CONTACT FINGER, FOR GE MAGNEBLAST AIR CIRCUIT BREAKER, TYPE	0	P	4310I	SE
AGM784N	AL	L-A-09-000-002	36	SPRING	SPRING, TYPICAL, QA 0, SPRING, ; CONTACT FINGER, PRIMARY, FOR GE MAGNEBLAST CIRCUIT BREAKER	0	P	5925B	SE
AGM789C	AL	L-A-09-000-002	4	SPRING	SPRING, TYPICAL, QA 0, SPRING, ; LATCH, FOR GE MAGNEBLAST AIR CIRCUIT BREAKER, TYPE	0	P	5925B	SE

AGM888A	AL	L-A-09-000-002	2	SPRING	SPRING, TYPICAL, QA 0, SPRING, ; RESET, INNER, FOR GE ACB, TYPE AK-2A-50S2, SN 209A2731-300JF	0	P	5925B SE
AHW981A	AL	L-A-09-000-002	1	SPRING	SPRING, TYPICAL, QA 0, SPRING, ; FOR ELECTRO-PNEUMATIC CONTROL, (RELAY), MODEL 445-B1	0	P	6695D SE
AJD885D	AL	L-A-09-000-002	19	SPRING	SPRING, TYPICAL, QA 0, SPRING, ; HOLD DOWN, REF 37, FOR SERIES 500, MODEL PF05-002-31R001	0	P	4320U SE
AJH249M	AL	L-A-09-000-002	1	SPRING	SPRING, TYPICAL, QA 3, SPRING, VALVE; VALVE, CARDOX PRODUCTS DIV, CHEMETRON CORP, FOR CARDOX	3	P	48200 SE
AJN216B	AL	L-A-09-000-002	2	SPRING	SPRING, TYPICAL, QA 0, SPRING, LEAF; MOVABLE MAIN CONTACT, FOR GE POWER CIRCUIT BREAKER, TYPE	0	P	5925B SE
AJN616T	AL	L-A-09-000-002	5	SPRING	SPRING, AIR, QA 0, SPRING, ; PANEL, FOR GE MAGNEBLAST AIR CIRCUIT BREAKER, TYPE	0	P	5925B SE
AJV486K	AL	L-A-09-000-002	1	SPRING	SPRING, TORSION, QA 0, SPRING, ; TORSION, FOR X-Y PLOTTER ON HEWLETT-PACKARD PULSE HEIGHT	0	P	6695D SE
AJW377K	AL	L-A-09-000-002	3	SPRING	SPRING, TYPICAL, QA 0, SPRING, ; FOR LEEDS AND NORTHRUP SPEEDOMAX H&W RECORDERS, CAT 179018	0	P	6695D SE
AKJ081D	AL	M-A-16-000-002	2	SPRING	SPRING, TYPICAL, QA 3, PINION, , ACTUATOR, HW, REF 57, FOR VALVE OPERATOR, TYPE SMB-2	3	C	48200 SE
AKN311B	AL	L-A-09-000-002	2	SPRING	SPRING, TYPICAL, QA 0, SPRING, ; PAWL, LATCHING, FOR TYPE AM-7.2-500-6 HB, 1200/2000 A RATING	0	P	5925B SE
ALE121K	AL	L-A-03-000-002	1	SPRING	SPRING, COMPRESSION, QA 0, SPRING, HELICAL,COMPRESSION; PUMP, PART 341, FOR MAIN RAW COOLING	0	P	4320U SE
ALE420L	AL	L-A-09-000-002	1	SPRING	SPRING, TYPICAL, QA 0, SPRING, ; GOVERNOR VALVE, FOR PORTABLE SUMP PUMP, SIZE 251, REF	0	P	4320U SE
ALE821N	AL	L-A-03-000-002	1	SPRING	SPRING, TYPICAL, QA 0, SPRING, ; SEAL, PT 6, FOR MECHANICAL SEAL, TYPE 8B1T, ON STATOR	0	P	4320U SE
ALW571B	AL	M-A-09-000-002	11	SPRING	SPRING, TYPICAL, QA 3, SPRING, ; FOR RECORDER ***	3	P	6695D SE
AMY772G	AL	L-A-04-000-002	1	SPRING	SPRING, TYPICAL, QA 0, SPRING, ; PUMP, FOR MODEL F3-PVA120-RS-10, ON ELECTRO-HYDRAULIC	0	C	4320U SE
ANV674R	AL	L-A-09-000-002	6	SPRING	SPRING, TYPICAL, QA 0, SPRING, ; FOR PEN CARRIAGE ASSY 2146K40, ON GE STRIP CHART RECORDER	0	P	6695D SE
APP364P	AL	L-A-13-000-002	31	SPRING	SPRING, COMPRESSION, QA 0, RELAY, FOR GE RELAY IC-2800-A410-D31C, IC-2880-A100-B2K,	0	P	5945D SE
APW464R	AL	M-A-08-000-002	8	SPRING	SPRING, TYPICAL, QA 0, SPRING, ; STYLUS ***	0	P	6695D SE
AQE609W	AL	M-A-16-000-002	2	SPRING	SPRING, TYPICAL, QA 2, SPRING, ; POPPET, PILOT, FOR MAIN STEAM ISOLATION VALVE, SIZE 32 IN	2	P	48200 SE
AQY041W	AL	M-A-13-000-002	10	SPRING	SPRING, TYPICAL, QA 2, SPRING, ; FOR ELECTRO-MOTIVE DIV, GENERAL MOTORS CORP STANDARD	2	P	29100 SE
AQY042T	AL	M-A-13-000-002	6	SPRING	SPRING, TYPICAL, QA 2, SPRING, ; FOR ELECTRO-MOTIVE DIV, GENERAL MOTORS CORP STANDARD	2	P	29100 SE
ARD033D	AL	L-A-03-000-002	1	SPRING	SPRING, TYPICAL, QA 0, SPRING, ; METAL,COILED,FOR TRANE AIR COMPRESSOR,MODEL	0	P	4310I SE
ARM291N	AL	L-A-13-000-002	4	SPRING	SPRING, TYPICAL, QA 0, SPRING, ; STEEL, CIRCLIP FOR KLINGER BALL VALVE, SIZE 4 INCH ***	0	P	48200 SE
ARR791D	AL	M-A-16-000-002	54	SPRING	SPRING, TORSION, QA 0, SPRING, ; TORSION, SPECIAL, REFERENCE 30C, FOR TYPE SBM SWITCH ***	0	P	59300 SE
ATN488P	AL	M-A-08-000-002	9	SPRING	SPRING, COMPRESSION, QA 3, SPRING, HELICAL,COMPRESSION; STEEL, TRIPPER, FOR OPERATOR, SIZE	3	P	48200 SE
ATR287J	AL	M-A-16-000-002	4	SPRING	SPRING, TYPICAL, QA 2, SPRING, GARTER,EXTENSION; FOR PUMP,VACUUM,OIL-LESS,TYPE 3040-101B,SN	2	P	4310I SE
AVB049V	AL	M-A-16-000-002	2	SPRING	SPRING, TYPICAL, QA 2, SPRING, ; STEEL,DWG ITEM 14,FOR BROOKS 10IN PILOT CONTROL VALVE	2	P	6695D SE
AVD967K	AL	M-A-15-000-002	1	SPRING	SPRING, TYPICAL, QA 0, SPRING, VALVE; CARBON STEEL, IT 43,FOR SERIES F60-S ACTUATOR, ON 16IN	0	P	48200 SE
AVG051F	AL	M-A-08-000-002	1	SPRING	SPRING, TYPICAL, QA 0, SPRING, STEAM TURBINE; REF 11, FOR TURBINE CONTROLS, IL1150-642, FIG	0	P	2825G SE
AVN547V	AL	L-A-13-000-002	10	SPRING	SPRING, AIR, QA 0, SPRING, ; AIR OPERATOR,ITEM 80,FOR SAFETY RELIEF VALVE BASE	0	P	48200 SE
AVV800W	AL	M-A-01-000-002	1	SPRING	SPRING, TYPICAL, QA 1, SPRING ASSY, VALVE; C/O 1 EA SPRING NX2757, 2 EA WASHER N88613, REF 15	1	P	48200 SE
AVV801F	AL	M-A-01-000-002	1	SPRING	SPRING, TYPICAL, QA 1, SPRING ASSY, VALVE; C/O 1 EA SPRING PART NX-2613, 2 EA WASHER PART	1	P	48200 SE
AVV802D	AL	M-A-03-000-002	4	SPRING	SPRING, TYPICAL, QA 1, SPRING ASSY, VALVE; C/O 1 EA SPRING P/N NX-2666 & 2 EA WASHERS P/N	1	P	48200 SE
AVW905X	AL	M-A-16-000-002	2	SPRING	SPRING, COMPRESSION, QA 1, SPRING, HELICAL,COMPRESSION; STAINLESS STEEL, CONSISTING OF1 EA SPRING	1	P	48200 SE
AVX094R	AL	M-A-08-000-002	12	SPRING	SPRING, AIR, QA 3, SPRING, ; STEEL, FOR 480V, 3 PHASE, CHROMALOX FORCED AIR HEATER, MOD	3	C	4520N SE
AVX717Q	AL	M-A-07-000-002	1	SPRING	SPRING, COMPRESSION, QA 3, SPRING, HELICAL,COMPRESSION; STEEL, WITH PLATE, P/N 603479,REF 22, FOR	3	P	48200 SE
AWD933Y	AL	L-A-03-000-002	1	SPRING	SPRING, TYPICAL, QA 0, SPRING, FOLLOWER; STEEL, FOR RELIEF VALVE, FIG 1685XMY1, SIZE 001.000	0	C	48200 SE
AWH633N	AL	M-A-08-000-002	1	SPRING	SPRING, COMPRESSION, QA 3, SPRING, HELICAL,COMPRESSION; LIFT CHECK VALVE, 0.50 IN, 600PSIG, DWG	3	P	48200 SE
AWM784C	AL	M-A-10-000-002	2	SPRING	SPRING, TYPICAL, QA 2, SPRING ASSY, ; STEEL, BELLOWS LOCK, FOR MODEL43AP PNEUMATIC CONTROLLER	2	P	6695D SE
AWN646K	AL	L-A-09-000-002	10	SPRING	SPRING, AIR, QA 0, SPRING, ; FINGER PRIMARY CONTACT, FOR INDOOR METALCALD SWITCHGEAR	0	P	61100 SE
AWN751N	AL	M-A-16-000-002	2	SPRING	SPRING, COMPRESSION, QA 2, SPRING, HELICAL,COMPRESSION; METAL, REF 15, FOR 002.000 IN, BALL	2	P	48200 SE
AWN806Q	AL	T-A-06-000-002	2	SPRING	SPRING, COMPRESSION, QA 1, SPRING, HELICAL,COMPRESSION; DISK, INCONELL, FOR 14 IN GATEVALVE	1	P	48200 SE
AWQ326V	AL	T-A-06-000-002	2	SPRING	SPRING, COMPRESSION, QA 1, SPRING, HELICAL,COMPRESSION; STEEL, WITH WASHERS, ITEMS 17,18 AND 19	1	P	48200 SE
AXB786M	AL	T-A-01-000-002	4	SPRING	SPRING, TYPICAL, QA 0, SPRING, GENERATOR; STEEL, BRUSH HOLDER, FOR DC GENERATOR, TYPE	0	P	6115F SE
AXP040F	AL	L-A-03-000-002	12	SPRING	SPRING, TYPICAL, QA 3, SPRING, BRAKE,ELECTRIC; STABILIZING, FOR ELECTRIC BRAKE, MODEL	3	P	61100 SE
AXP043X	AL	L-A-03-000-002	11	SPRING	SPRING, TYPICAL, QA 3, SPRING, BRAKE,ELECTRIC; STEEL, RELEASE, FOR SUPPORT PLATE ASSY, PN	3	P	61100 SE
AXP044V	AL	L-A-09-000-002	12	SPRING	SPRING, TYPICAL, QA 3, SPRING, BRAKE,ELECTRIC; STEEL, PLATED, FOR SUPPORT PLATE ASSY, PN	3	P	61100 SE
AXP342W	AL	L-A-09-000-002	3	SPRING	SPRING, TYPICAL, QA 3, SPRING, REFUEL PLATFORM; STEEL, PRESSURE, FOR SUPPORT PLATE ASSY, PN	3	P	4470C SE
AXR402V	AL	M-A-10-000-002	2	SPRING	SPRING, COMPRESSION, QA 2, SPRING, HELICAL,COMPRESSION; STEEL, FOR MODEL 52A-SM4 CONSOTROL	2	P	6695D SE
AXV755E	AL	M-A-07-000-002	1	SPRING	SPRING, AIR, QA 0, SPRING, ACTUATOR; STEEL, REF 36, FOR ACTUATOR, MODEL 280ML, ON 1.5 IN	0	P	48200 SE
AYB686K	AL	M-A-08-000-002	1	SPRING	SPRING, TYPICAL, QA 0, SPRING, ; STEEL, 9-15 PSI, DIRECT ACTING FOR DOMOTOR VALVE ACTUATOR	0	P	48200 SE
AYC254C	AL	M-A-10-000-002	2	SPRING	SPRING, EXPANSION, QA 2, SPRING, HELICAL,EXTENSION; STEEL, FOR PNEUMATIC CONTROLLER, MODEL 43AP	2	P	6695D SE
AYP228L	AL	M-A-16-000-002	30	SPRING	SPRING, COMPRESSION, QA 3, SPRING, HELICAL,COMPRESSION; METALLIC, FOR ICE CONDENSER SYSTEM 61	3	P	4470C SE
BAB360J	AL	L-A-09-000-002	1	SPRING	SPRING, TYPICAL, QA 0, SPRING, RECORDER; STAINLESS STEEL, FOR TEMPERATURE RECORDER, MODEL	0	P	6695D SE
BAB364Y	AL	L-A-09-000-002	2	SPRING	SPRING, TYPICAL, QA 0, SPRING, RECORDER; STAINLESS STEEL, FOR TEMPERATURE RECORDER, MODEL	0	P	6695D SE
BAB365W	AL	L-A-09-000-002	2	SPRING	SPRING, TYPICAL, QA 0, SPRING, RECORDER; STAINLESS STEEL, FOR TEMPERATURE RECORDER, MODEL	0	P	6695D SE
BAB367Q	AL	L-A-09-000-002	2	SPRING	SPRING, TYPICAL, QA 0, SPRING, ; BRAKE ARM, FOR TEMPERATURE RECORDER, MODEL 5050B, DIGITAL	0	P	6695D SE
BAN859A	AL	T-A-05-000-002	30	SPRING	SPRING, TYPICAL, QA 0, SPRING, ; STEEL, FOR PUSH BUTTON, ON DOVER ELEVATOR ***	0	C	3960D SE
BAQ031E	AL	M-A-06-000-002	7	SPRING	SPRING, TYPICAL, QA 3, SPRING, VALVE; STEEL, FOR GLOBE VALVE, SIZES,0.75 IN, DWG 13824, 0.5	3	P	48200 SE
BBA666D	AL	M-A-08-000-002	8	SPRING	SPRING, TYPICAL, QA 0, SPRING, RECORDER; RETURN, YOKE, CHROME PLATED, 0.625 IN LONG, FOR	0	P	6695D SE
BBD410D	AL	M-A-16-000-002	3	SPRING	SPRING, COMPRESSION, QA 2, SPRING, HELICAL,COMPRESSION; BELLOWS, STEEL, FOR CONTROLLERMODEL 4162	2	P	6695D SE
BBE947G	AL	M-A-16-000-002	4	SPRING	SPRING, COMPRESSION, QA 2, SPRING, HELICAL,COMPRESSION; STEEL, FOR RESULATING FLUID PRESS VALVE	2	P	48200 SE
BBL590C	AL	L-A-09-000-002	3	SPRING	SPRING, COMPRESSION, QA 2, SPRING, HELICAL,COMPRESSION; METALLIC, FOR VALVE POSITIONER, MODEL 74N	2	P	6695D SE
BCY874Q	AL	M-A-03-000-002	2	SPRING	SPRING, COMPRESSION, QA 2, SPRING, HELICAL,COMPRESSION; PLUNGER, FOR RELAY, PNEUMATIC, MODEL 61L	2	P	6695D SE
BDJ718Y	AL	T-A-01-000-002	318	SPRING	SPRING, TYPICAL, QA 0, SPRING, STEAM TURBINE; STEEL, RETAINING, FOR HIGH PRESSURE AND LOW	0	P	2825G SE
BDN431Y	AL	L-A-13-000-002	2	SPRING	SPRING, TYPICAL, QA 0, CIRCUIT BREAKER, 5 IN, 4-1/2 IN, 8-3/8 IN, STEEL, ***	0	C	5925B SE
BEN531L	AL	M-A-06-000-002	3	SPRING	SPRING, EXPANSION, QA 0, 3-3/4 IN, 10-1/2 IN, HELICAL/EXTENSION, CARBON STEEL, SPRING, HELICAL,EXTENSION; MATERIAL: CARBON STEEL, OUTSIDE DI	0	P	6695D SE
BER798V	AL	L-A-09-000-002	7	SPRING	SPRING, COMPRESSION, QA 0, SPRING, HELICAL,COMPRESSION; STEEL, RIGHT HAND WOUND ***	0	P	6695D SE
BFJ828B	AL	M-A-07-000-002	1	SPRING	SPRING, TYPICAL, QA 0, SPRING, VALVE; CARBON STEEL, COMPLETE WITH TWO EACH WASHERS, P/N	0	P	48200 SE
BFM840H	AL	M-A-08-000-002	8	SPRING	SPRING, COMPRESSION, QA 0, SPRING, HELICAL,COMPRESSION; STEEL, FOR PRESSURE DEMAND REGULATOR	0	P	4240P SE
BFN852R	AL	L-A-08-000-002	72	SPRING	SPRING, COMPRESSION, QA 3, SPRING, HELICAL,COMPRESSION; DIFFERENTIAL UNIT, FOR 3.00 INHIDROMATIC	3	P	4210N SE
BFP521C	AL	M-A-10-000-002	16	SPRING	SPRING, COMPRESSION, QA 0, SPRING, HELICAL,COMPRESSION; STEEL, VALVE PLATE RETAINING, FOR	0	P	4310I SE
BGB814L	AL	L-A-13-000-002	36	SPRING	SPRING, TYPICAL, QA 0, SPRING, STEAM TURBINE; PACKING RING, FOR 8 C (TE & GE), ON TURBINE S/N	0	P	2825G SE
BGF932R	AL	M-A-01-000-002	72	SPRING	SPRING, AIR, QA 3, SPRING, HELICAL,EXTENSION; STEEL, CELL, FOR AIR CIRCUIT BREAKER	3	P	5925B SE
BGQ281T	AL	L-A-09-000-002	1	SPRING	SPRING, COMPRESSION, QA 1, HELICAL, ; FORK RETURN, REF 58, FOR VALVE OPERATOR TYPE SMB-1	1	C	48200 SE

BHP318W	AL	L-A-09-000-002	10	SPRING	SPRING, COMPRESSION, QA 3, SPRING, HELICAL, COMPRESSION; CLOSING LATCH, FOR TYPE AM-7.2-500-6 HB	3	B	5925B SE
BHT491Y	AL	L-A-03-000-002	36	SPRING	SPRING, COMPRESSION, QA 1, SPRING, HELICAL, COMPRESSION; FINGER PRIMARY CONTACT, FOR INDOOR	1	P	61100 SE
BKD573K	AL	L-A-09-000-002	5	SPRING	SPRING, TYPICAL, QA 3, SPRING, VALVE; STEEL, ASTM A313, SS 302, FOR VALVE, DWG P33160-8, REF	3	P	48200 SE
BKN147N	AL	T-A-01-000-002	18	SPRING	SPRING, COMPRESSION, QA 2, SPRING, HELICAL, COMPRESSION; MUSIC WIRE, FOR CONTROL VALVE BLOCK, 4 IN	2	P	4710Y SE
BKN320E	AL	L-A-09-000-002	6	SPRING	SPRING, COMPRESSION, QA 3, HELICAL, INCONEL, 125-600RF, FOR 4 IN 150 LB, CHECK VALVE, FIGURE 1601C	3	P	48200 SE
BKQ683K	AL	M-A-08-000-002	16	SPRING	SPRING, TYPICAL, QA 0, VALVE, 1/4 IN, 3/4 IN, SPRING; ; METAL, 0.25 X 0.75 IN, FOR CHECK VALVE, ON ACCUMULATOR	0	P	48200 SE
BLN265A	AL	M-A-16-000-002	3	SPRING	SPRING, TYPICAL, QA 3, SPRING ASSY, ; FOR FOXBORO TRANSMITTER, MODEL E13DL ***	3	P	6695D SE
BLN809W	AL	L-A-09-000-002	3	SPRING	SPRING, COMPRESSION, QA 1, SPRING, HELICAL, COMPRESSION; PC 23, FOR SOLENOID VALVE, 3/4", MODEL	1	P	48200 SE
BLP212T	AL	M-A-06-000-002	25	SPRING	SPRING, COMPRESSION, QA 3, SPRING, HELICAL, COMPRESSION; STAINLESS STEEL, DIAPHRAGM, SPRING RANGE	3	P	6695D SE
BPP454F	AL	L-A-13-000-002	2	SPRING	SPRING, COMPRESSION, QA 1, RETURN/FORK, , ACTUATOR, CLUTCH COMPRESSION, REF. 58, FOR VALVE OPERATOR TYPE SMB-3	1	C	48200 SE
BPV576C	AL	L-A-09-000-002	29	SPRING	SPRING, TYPICAL, QA 3, PACKING, SS, BELLEVILLE; LIVE LOAD, STAINLESS (17-7 PH), ASTM A564, TYPE 631 (IN	3	C	5730H SE
BQK903V	AL	M-A-01-000-002	5	SPRING	SPRING, TYPICAL, QA 3, VALVE, INCONEL, , HELICOIL, LOCKING, ANDERSON GREENWOOD DRAWING N04-2217-500, ITEM 18,	3	B	48200 SE
BQL301K	AL	T-A-01-000-002	25	SPRING	SPRING, TYPICAL, QA 0, SPRING, TURNSTILE; SOLENOID LINKAGE, FOR A TURNSTILE M/N 31-N-E &	0	C	5670A SE
BQX843Y	AL	M-A-08-000-002	36	SPRING	SPRING, TYPICAL, QA 3, SPRING, COMPRESSOR; SUCTION FOR A YORK COMPRESSOR MODEL# F32S ***	3	C	4310I SE
BQX937M	AL	M-A-08-000-002	36	SPRING	SPRING, TYPICAL, QA 3, SPRING, COMPRESSOR; DISCHARGE VALVE, FOR A YORK COMPRESSOR MODEL# F32S	3	C	4310I SE
BRC638H	AL	P-A-LL-ET0-085	4	SPRING	SPRING, TYPICAL, QA 1, ASSEMBLY/PACK, , ACTUATOR; BELLEVILLE SPRING PACK, REF. 46, HEAVY RATING,	1	C	48200 SE
BRK430H	AL	L-A-09-000-002	12	SPRING	SPRING, TYPICAL, QA 3, LOAD, SS, LIVE LOAD, BELLEVILLE WASHER, (17-7 PH), ASTM A564, TYPE 631 (IN THE	3	C	5730H SE
BRK436R	AL	L-A-09-000-002	64	SPRING	SPRING, TYPICAL, QA 3, PACKING, SS, BELLEVILLE; LIVE LOAD, STAINLESS (17-7 PH), ASTM A564, TYPE 631 (IN	3	C	5730H SE
BRK443W	AL	L-A-09-000-002	12	SPRING	SPRING, TYPICAL, QA 3, LOAD, , SS, LIVE LOAD, BELLEVILLE WASHER, (17-7 PH), ASTM A564, TYPE 631	3	C	5730H SE
BRK450B	AL	L-A-09-000-002	4	SPRING	SPRING, TYPICAL, QA 3, LOAD, SS, LIVE LOAD, BELLEVILLE WASHER, (17-7 PH) , ASTM A564, TYPE 631 (IN THE	3	C	5730H SE
BRL473E	AL	M-A-09-000-002	4	SPRING	SPRING, COMPRESSION, QA 3, SPRING, BRAKE (MAGNETIC); STEEL, HELICAL COMPRESSION, FOR MAGNETIC	3	C	61100 SE
BRQ088K	AL	T-A-01-000-002	27	SPRING	SPRING, COMPRESSION, QA 3, SPRING, HELICAL, COMPRESSION; 7/16 O.D. FREE LENGTH: 1-1/16, WIRE DIA:	3	C	5305J SE
BRQ594D	AL	M-A-06-000-002	7	SPRING	SPRING, TYPICAL, QA 1, SPRING, VALVE; FOR WESTINGHOUSE 1-C36 CHECK VALVE, SPIN GAVBMNAM E	1	C	48200 SE
BTH102W	AL	L-A-09-000-002	2	SPRING	SPRING, TYPICAL, QA 3, LOAD, SS, BELLEVILLE WASHER, LIVE LOAD, (17-7 PH), ASTM A 564, TYPE 631 (IN THE	3	C	5730H SE
BTP058V	AL	T-A-01-000-002	1	SPRING	SPRING, TYPICAL, QA 0, SPRING, MIXER, CHEMICAL; GRIP LOCKUP, FOR A LIGHTNIN MIXER'S M/N	0	C	6810H SE
BTP076R	AL	T-A-01-000-002	2	SPRING	SPRING, TYPICAL, QA 0, SPRING, MIXER, CHEMICAL; GRIP (2 PER SET) FOR A LIGHTNIN MIXER'S M/N	0	C	6810H SE
BTQ914F	AL	L-A-13-000-002	2	SPRING	SPRING, TYPICAL, QA 3, SPRING, CRANE; GE RELAY ON EDERER CRANE, 180 TON SN E4870 AND 125 TON	3	C	3950F SE
BTR196E	AL	L-A-13-000-002	4	SPRING	SPRING, TYPICAL, QA 3, SPRING, RELAY; SPRING FOR GE RELAY FOR EDERER CRANE ***	3	C	5945D SE
BTR203D	AL	L-A-13-000-002	3	SPRING	SPRING, TYPICAL, QA 3, SPRING, RELAY; FOR GE RELAY FOR EDERER CRANES, 135,25 TON ***	3	C	5945D SE
BTR211D	AL	L-A-13-000-002	1	SPRING	SPRING, TYPICAL, QA 3, SPRING, RELAY; FOR GE RELAY FOR EDERER CRANES, 125/180 TONS ***	3	C	5945D SE
BTR244X	AL	L-A-13-000-002	2	SPRING	SPRING, TYPICAL, QA 3, SPRING, RELAY; FOR RELAY FOR EDERER CRANES, 125/180 TONS ***	3	C	5945D SE
BTR245V	AL	L-A-13-000-002	10	SPRING	SPRING, TYPICAL, QA 3, SPRING, RELAY; FOR GE RELAY FOR EDERER CRANE ***	3	C	5945D SE
BTR247P	AL	L-A-13-000-002	2	SPRING	SPRING, TYPICAL, QA 3, SPRING, RELAY; FOR GE RELAY FOR EDERER CRANES ***	3	C	5945D SE
BTR256N	AL	L-A-13-000-002	2	SPRING	SPRING, TYPICAL, QA 3, SPRING, RELAY; FOR GE RELAY FOR EDERER CRANES, 125/180 TONS ***	3	C	5945D SE
BTR258J	AL	L-A-13-000-002	4	SPRING	SPRING, TYPICAL, QA 3, SPRING, RELAY; FOR GE RELAY FOR EDERER CRANES, 125/180 TONS ***	3	C	5945D SE
BTR259G	AL	L-A-13-000-002	1	SPRING	SPRING, TYPICAL, QA 3, SPRING, RELAY; FOR GE RELAY FOR EDERER CRANES, 125/180 TONS ***	3	C	5945D SE
BTR261X	AL	L-A-13-000-002	2	SPRING	SPRING, TYPICAL, QA 3, SPRING, RELAY; FOR GE RELAY FOR EDERER CRANES 125/180 TONS ***	3	C	5945D SE
BTR277E	AL	L-A-13-000-002	4	SPRING	SPRING, TYPICAL, QA 3, SPRING, RELAY; FOR GE RELAY FOR EDERER CRANE ***	3	C	5945D SE
BTR426P	AL	L-A-09-000-002	3	SPRING	SPRING, TYPICAL, QA 3, SPRING, BRUSH HOLDER; BRUSH HOLDER, FOR EDERER CRANES, 125/180 TONS	3	C	6105D SE
BTR430C	AL	L-A-09-000-002	1	SPRING	SPRING, TYPICAL, QA 3, SPRING, BRUSH HOLDER; BRUSH HOLDER, FOR EDERER CRANES, 125/180 TONS	3	C	6105D SE
BTR437J	AL	L-A-09-000-002	1	SPRING	SPRING, TYPICAL, QA 3, SPRING, BRUSH HOLDER; BRUSH HOLDER, FOR EDERER CRANES, 125/180 TONS	3	C	6105D SE
BTR443P	AL	L-A-13-000-002	6	SPRING	SPRING, TYPICAL, QA 3, SPRING, CRANE; SPRING, FOR EDERER CRANES, 135/25, 125/180 TONS ***	3	C	3950F SE
BTR866T	AL	L-A-09-000-002	16	SPRING	SPRING, TYPICAL, QA 3, SPRING, REFUEL PLATFORM; DIE, D-96, 45 LB PER 1/8 IN, 6 IN FREE	3	C	4470C SE
BVH238V	AL	M-A-06-000-002	1	SPRING	SPRING, TYPICAL, QA 1, SPRING, VALVE; FOR 2 INCH PISTON CHECK VALVE, MODEL 6376, ORIGINAL TVA	1	C	48200 SE
BVP344X	AL	M-A-06-000-002	2	SPRING	SPRING, TYPICAL, QA 1, SPRING, VALVE; SPRING, VALVE, STAINLESS STEEL SPRING WIRE ASTM A313	1	C	48200 SE
BVW487D	AL	L-A-03-000-002	6	SPRING	SPRING, TYPICAL, QA 3, SPRING, PUMP; SPRING, REF 157, FOR 2-WTF-810, S/N 1620675, CRDS	3	C	4320U SE
BVW772E	AL	M-A-08-000-002	3	SPRING	SPRING, COMPRESSION, QA 3, SPRING, VALVE; INCONEL, HELICAL COMPRESSION SPRING FOR 0.75 IN	3	B	48200 SE
BWA858T	AL	L-A-09-000-002	15	SPRING	SPRING, TYPICAL, QA 3, SPRING, VALVE; FOR VALVE POSITIONER, MODEL 74N, MOORE PROD ***	3	C	48200 SE
BWB750M	AL	L-A-09-000-002	1	SPRING	SPRING, AIR, QA 3, SPRING, VALVE; VALVE SPRING, 11, ATWOOD MORRILL, 1-1/2 IN, 900 LB	3	C	48200 SE
BWE431B	AL	L-A-03-000-002	4	SPRING	SPRING, TYPICAL, QA 0, SPRING, PUMP; PISTON RING, FOR VACUUM PUMP, 1/2 HP, MODEL SYCT- 500-1	0	C	4320U SE
BWL634X	AL	L-A-09-000-002	2	SPRING	SPRING, TYPICAL, QA 0, SPRING, VALVE; STAINLESS STEEL, FOR FISHER 2500 SERIES LEVEL- TROL	0	B	48200 SE
BWP226X	AL	T-A-01-000-002	3	SPRING	SPRING, TYPICAL, QA 3, SPRING, DOOR; SPRING, COIL, FOR HIGH SECURITY DOOR LOCKS, PANIC BAR	3	C	4710Y SE
BXD128B	AL	L-A-09-000-002	1	SPRING	SPRING, TYPICAL, QA 0, SPRING, VALVE; FOR HEATER DRAIN LEVEL CONTROL VALVE, POSITION TYPE	0	C	48200 SE
BXN358B	AL	M-A-03-000-002	1	SPRING	SPRING, COMPRESSION, QA 1, SPRING, HELICAL, COMPRESSION; TARGET ROCK P/N 102763-2 ***	1	B	48200 SE
BXY494R	AL	L-A-07-000-002	2	SPRING	SPRING, TYPICAL, QA 1, SPRING, CIRCUIT BREAKER; MIDDLE, FOR GE AK CIRCUIT BREAKERS. ***	1	C	5925B SE
BYE164V	AL	L-A-09-000-002	13	SPRING	SPRING, TYPICAL, QA 3, SPRING, RELAY; HOLD DOWN, FOR POTTER & BRUMFIELD RELAY SOCKET TYPE 27E	3	B	5945D SE
BYE897F	AL	L-A-07-000-002	2	SPRING	SPRING, TYPICAL, QA 1, SPRING, CIRCUIT BREAKER; OUTER, FOR GE AK CIRCUIT BREAKERS. ***	1	C	5925B SE
BYE898D	AL	L-A-07-000-002	2	SPRING	SPRING, TYPICAL, QA 1, SPRING, CIRCUIT BREAKER; INNER, FOR GE AK CIRCUIT BREAKERS. ***	1	C	5925B SE
BYE901L	AL	L-A-07-000-002	2	SPRING	SPRING, TYPICAL, QA 1, SPRING, CIRCUIT BREAKER; ASM STAT MAINT AND INT, FOR GE AK CIRCUIT	1	C	5925B SE
BYW321X	AL	M-A-01-000-002	1	SPRING	SPRING, TYPICAL, QA 1, SPRING, VALVE; FOR 2 IN PISTON CHECK VALVE, MODEL 6376 ***	1	B	48200 SE
CDF693W	AL	L-A-09-000-002	6	SPRING	SPRING, TYPICAL, QA 1, CLASS 3, SPRING, *TYPICAL; TYPE: VALVE; MATERIAL: SS *** FOR 1-INCH LEFT CHECK	1	C	48200 SE
CDM366D	AC	-- --	2	SPRING	SPRING, TYPICAL, QA 3, SPRING, ACTUATOR; FOR ANCHOR DARLING VALVE, 600 LB, FIGURE 70.28, REF.	3	C	48200 SE
CDV361Q	AL	L-A-05-000-002	1	SPRING	SPRING, TYPICAL, QA 1, VALVE/SOLENOID, FOR TARGET ROCK SOLENOID VALVE, MODEL 87F-002, ASSY DWG # 70010-1	1	C	48200 SE
CEH989N	AL	L-A-13-000-002	2	SPRING	SPRING, TYPICAL, QA 0, SPRING, *TYPICAL; TYPE: CONTROL *** BASE, SPRING 145/250 DIR, FOR	0	C	48200 SE
CEK086E	AL	L-A-09-000-002	1	SPRING	SPRING, TYPICAL, QA 2, SPRING, *TYPICAL; TYPE: HOLD DOWN ***	2	B	5945D SE
CEM091B	AL	L-A-13-000-002	2	SPRING	SPRING, TYPICAL, QA 0, SPRING, *TYPICAL; TYPE: ACTUATOR *** FOR FISHER CONTROL VALVE	0	B	48104 SE
CEN660D	AL	L-A-07-000-002	4	SPRING	SPRING, TYPICAL, QA 0, SPRING, *TYPICAL *** SPRING SELF CENTER	0	B	5660E SE
CEX404H	AL	L-A-07-000-002	1	SPRING	SPRING, TYPICAL, QA 0, SPRING, *TYPICAL; TYPE: ACTUATOR *** FOR KIELEY MULLER OPERATOR MODEL	0	C	48200 SE
CFJ458B	AC	-- --	1	SPRING	SPRING, TYPICAL, QA 1, SPRING, *TYPICAL *** INCLUDE SPRING WASHER, FOR SAFETY RELIEF CROSBY	1	C	48200 SE
BVL415G	AL	D-A-24-202-004	6	SPRINKLER	SPRINKLER, FIRE PROTECTION, QA 3, 1/2 IN, NPT, SPRINKLER, FIRE PROTECTION; SPRINKLER, FIRE PROTECTION, SIDEWALL,	3		4210N SE
ACG214K	AL	9-A-01-003-001	1	SPROCKET	SPROCKET, DRIVE, QA 0, WHEEL, 7.749 IN, 90, SPROCKET, WHEEL; CAST STEEL, 90 TOOTH, 42.981 IN PD, W/SHEAR-PIN HUB	0	P	3040D SE
BAD876Q	AL	A-A-01-000-001	6	SPROCKET	SPROCKET, DRIVE, QA 0, WHEEL, STEEL, 58, SPROCKET, WHEEL; TROLLEY, GEARED, STEEL, 58 TEETH, FOR HOIST 460 VAC	0	P	3040D SE
ACG205M	AL	L-A-09-000-002	1	SPROCKET	SPROCKET, DRIVE, QA 0, SPRING, WHEEL; FOR SOURCE RANGE MONITOR & INTERMEDIATE RANGE MONITOR	0	P	3040D SE
ADW544R	AL	L-A-09-000-002	1	SPROCKET	SPROCKET, DRIVE, QA 3, SPROCKET, WHEEL; FOR LEEDS AND NORTHRUP SPEEDOMAX H RECORDER ***	3	P	6695D SE
ADW744H	AL	L-A-13-000-002	1	SPROCKET	SPROCKET, DRIVE, QA 3, SPROCKET, WHEEL; FRONT, FOR LEEDS AND NORTHRUP SPEEDOMAX H RECORDER	3	P	6695D SE

AHB453V	AL	L-A-15-000-002	1 SPROCKET	SPROCKET, DRIVE, QA 3, SPROCKET, WHEEL; ROLLER CHAIN, SINGLE WIDTH, 3/4 IN BORE 1/4 IN PITCH	3	P	3040D SE
AHB553P	AL	L-A-13-000-002	1 SPROCKET	SPROCKET, DRIVE, QA 3, SPROCKET, WHEEL; ROLLER CHAIN, SINGLE WIDTH, 3/4 IN BORE 1/4 IN PITCH	3	P	3040D SE
AHB653K	AL	L-A-15-000-002	1 SPROCKET	SPROCKET, DRIVE, QA 3, SPROCKET, WHEEL; ROLLER CHAIN, SINGLE WIDTH, 3/4 IN BORE 1/2 IN PITCH	3	P	3040D SE
AHW044C	AL	L-A-13-000-002	1 SPROCKET	SPROCKET, DRIVE, QA 3, SPROCKET, WHEEL; FOR LEEDS AND NORTHRUP RECORDER, MODEL W, TYPICAL SN	3	P	6695D SE
APF293X	AC	- - - -	2 SPROCKET	SPROCKET, DRIVE, QA 0, SPROCKET, WHEEL; FOR GE TRAVERSING INCORE PROBE ***	0	P	3040D SE
APF393R	AC	- - - -	3 SPROCKET	SPROCKET, DRIVE, QA 0, SPROCKET, WHEEL; FOR GE TRAVERSING INCORE PROBE ***	0	P	3040D SE
APF897W	AL	L-A-09-000-002	2 SPROCKET	SPROCKET, DRIVE, QA 0, SPROCKET, WHEEL; FOR NEUTRON SYSTEMS IRM AND SRM DRIVES ***	0	P	3040D SE
ARF670Q	AL	L-A-07-000-002	1 SPROCKET	SPROCKET, DRIVE, QA 3, SPROCKET, WHEEL; CAST IRON, 15.5 IN DIA, NO 3, ADJUSTABLE RIM TO FIT	3	P	3040D SE
ARF670Q	AL	M-A-06-000-002	1 SPROCKET	SPROCKET, DRIVE, QA 3, SPROCKET, WHEEL; CAST IRON, 15.5 IN DIA, NO 3, ADJUSTABLE RIM TO FIT	3	P	3040D SE
ARF671B	AL	M-A-06-000-002	2 SPROCKET	SPROCKET, DRIVE, QA 3, SPROCKET, WHEEL; CAST IRON, 26 IN DIA, NO 4-1/2, ADJUSTABLE RIM TO FIT	3	P	3040D SE
AWB565C	AL	L-A-04-000-002	3 SPROCKET	SPROCKET, DRIVE, QA 0, WHEEL, STEEL, 31, SPROCKET, WHEEL; STEEL, DRIVER, 31 TEETH, FOR HYDRAULIC PUMP, MODEL	0	C	3040D SE
AWD857L	AL	L-A-04-000-002	3 SPROCKET	SPROCKET, DRIVE, QA 0, WHEEL, STEEL, 31, SPROCKET, WHEEL; STEEL, DRIVER, 31 TEETH, FOR HYDRAULIC PUMP, MODELS	0	C	3040D SE
AXP757Y	AL	L-A-13-000-002	1 SPROCKET	SPROCKET, DRIVE, QA 3, SPROCKET, WHEEL; STEEL, FOR INDOOR METALCLAD SWITCHGEAR, TYPE M26 ***	3	P	61100 SE
BAG718V	AL	M-A-06-000-002	2 SPROCKET	SPROCKET, DRIVE, QA 3, SPROCKET, WHEEL; CAST IRON, 19 IN DIA, NO 3-1/2, ADJUSTABLE RIM TO FIT	3	P	3040D SE
BAL448A	AL	L-A-07-000-002	3 SPROCKET	SPROCKET, DRIVE, QA 0, SPROCKET, WHEEL; FOOTSHAFT, REF 5, HEXAGONAL, FOR REX CHAINBELT	0	P	46109 SE
ANG969Y	AL	D-A-18-202-001	4 SPUD	SPUD, HOSE, QA 0, COUPLING, 1-1/2 IN, STEEL, MALE/DOUBLE	0	C	48200 SE
APG760Y	AL	D-A-06-201-003	6 SPUD	SPUD, HOSE, QA 0, COUPLING, 1-1/2 IN, STEEL, FEMALE/SINGLE	0		48200 SE
BCC082E	AL	L-A-15-000-002	20 SPUD	SPUD, HOSE, QA 0, COUPLING, 1/2 IN, CS, MALE	0	P	4730P SE
ATL255R	AL	A-A-01-000-001	1 STAND	STAND, TYPICAL, QA 0, STAND, LAB APPARATUS SPRT; CONVENIENT, EPPENDORF PIPET, W/BINS FOR	0	P	6630D SE
BGH530F	AL	T-A-09-000-002	2 STAND	STAND, TYPICAL, QA 0, PLATFORM, 50 IN, 69 IN, 1500 LB CAPACITY/W/ LIFT, STAND, FUEL INSPECTION; 50 X 69 IN PLATFORM, 1500 LB CAPACITY, WITH	0	P	4470C SE
BNP591B	AL	M-A-08-602-001	1 STAND	STAND, TYPICAL, QA 3, SS, 0.25 IN, FOR FUEL TRANSFER SYSTEM 79	3	P	4470C SE
BHR159C	AL	A-A-01-000-001	1 STANDBY	STANDBY, TYPICAL, QA 3, STANDBY ASSY, DETECTOR; INFRE-RED, FOR WALK-THRU EXPLOSIVE DETECTOR	3	C	6630D SE
BVB902L	AL	M-A-01-000-002	1 STANDOFF	STANDOFF, TYPICAL, QA 3, COAXIAL CABLE SUPPORT, STANDOFF HANGER KIT, PROVIDES 2	3	B	5985A SE
ABT891T	AL	D-A-04-301-004	14 STARTER	STARTER, TYPICAL, QA 0, LAMP/FLUORESCENT, 13/30/40	0		6250D SE
AVY649A	AL	D-A-20-302-000	1 STARTER	STARTER, TYPICAL, QA 0, MAGNETIC/NON-REVERSING, 5, 115/460, 3, W/ COIL, STARTER, MOTOR; SIZE 5, OPEN, 460 VAC, 3 PHASE, 115 VOLT CONTROL	0		61100 SE
AWC017X	AL	A-A-01-000-001	2 STARTER	STARTER, TYPICAL, QA 3, STARTER ASSY, ; VERTICAL, ON TS-3 TRIAXIAL TRIGGER, FOR SEISMIC	3	P	6630D SE
BKF812H	AL	A-A-01-000-001	7 STARTER	STARTER, TYPICAL, QA 1, MOTOR/REVERSING, 1, 3, WITH 3 OVERLOAD RELAYS	1	P	61100 SE
BLA820H	AL	P-A-LL-ET0-064	1 STARTER	STARTER, TYPICAL, QA 0, STARTER, MOTOR; TYPE CR306, NEMA SIZE 4, OPEN TYPE, 1 NO AUX CONTACT	0	C	61100 SE
BPR846K	AL	P-A-LL-ET0-082	4 STARTER	STARTER, TYPICAL, QA 1, STARTER, MOTOR; MAGNETIC, NEMA SIZE 1, FVNR ***	1	C	61100 SE
CBH560X	AL	D-A-21-201-000	2 STARTER	STARTER, TYPICAL, QA 2, STARTER, MOTOR; CONTACTOR, NEMA SIZE 3, WITH AMBIENT COMPENSATED	2	B	61100 SE
CDH730J	AL	A-A-01-000-001	2 STARTER	STARTER, TYPICAL, QA 1, STARTER, SEISMIC; REMOTE TRIAXIAL TRIGGER PACKAGE ***	1	B	6695D SE
CDH730J	AL	F-A-08-061-001	2 STARTER	STARTER, TYPICAL, QA 1, STARTER, SEISMIC; REMOTE TRIAXIAL TRIGGER PACKAGE ***	1	B	6695D SE
AA7791G	AL	M-A-09-000-002	1 STARTER	STARTER, TYPICAL, QA 1, STARTER, MOTOR; SIZE 1, OPEN, 600 VAC MAX, 30 AMPS, 3-POLE, MAGNETIC	1	P	61100 SE
AFP696F	AL	M-A-07-000-002	1 STARTER	STARTER, TYPICAL, QA 0, MOTOR, 0/1, 120, 3, STARTER, MOTOR; SIZE 0, NEMA 1, 120 VAC, 3 PHASE, 480 LINE VOLTS	0	P	61100 SE
AGP196X	AL	M-A-07-000-002	1 STARTER	STARTER, TYPICAL, QA 0, MAGNETIC, 3, 200/230/380/575, 25/30/50, 3, 3, MAGNETIC, STARTER, MOTOR; NEMA SIZE 3, 200/230/380/575 VAC, 25/30/50 H	0	P	61100 SE
AJP286G	AL	M-A-07-000-002	1 STARTER	STARTER, TYPICAL, QA 2, STARTER, ENGINE,AIR; SIZE 150 BMP,MAX PSI 200, RIGHT HAND ROTATION	2	B	29100 SE
ARB907X	AL	M-A-04-000-002	1 STARTER	STARTER, TYPICAL, QA 3, STARTER, MOTOR; 600 VAC, 135 A, MAXIMUM, FORM CR206FO, 40 HP-200 V, 50	3	P	61100 SE
ARF812K	AL	M-A-06-000-002	1 STARTER	STARTER, TYPICAL, QA 0, MAGNETIC/NON-REVERSING, 1, 110/120, 3, 3, NON-REVERSING, STARTER, MOTOR; MAGNETIC, NONREVERSING, OPEN TYPE, NEMA SIZE 1	0	P	61100 SE
ARH655Y	AL	M-A-06-000-002	2 STARTER	STARTER, TYPICAL, QA 1, STARTER, MOTOR; CONTROL, MAGNETIC, SIZE 2, 120VAC3 PHASE, OPEN	1	P	61100 SE
AVP727L	AL	T-A-01-000-002	5 STARTER	STARTER, TYPICAL, QA 1, NON-REVERSING, 1, 125, 1-1/2, 2, STARTER, MOTOR; MAX HP 1.500, 125 NEMA VDC 1, 2 POLE NONREVERSING, CLASS	1	P	61100 SE
BBP395F	AL	M-A-03-000-002	3 STARTER	STARTER, TYPICAL, QA 0, MOTOR, 0, 600, 3, 240 V COIL, STARTER, MOTOR; REVERSING, NEMA SIZE 0, 600 VAC, 3 PHASE, WITH 240 VAC	0	P	61100 SE
BGY294J	AL	M-A-15-000-002	12 STARTER	STARTER, TYPICAL, QA 1, MOTOR, 3, 200/230, 100, 3, MAGNETIC	1		61100 SE
BKF821G	AL	M-A-08-000-002	16 STARTER	STARTER, TYPICAL, QA 1, STARTER, MOTOR; 110/120 VAC, 3 PHASE, 2 SPEED, MECHANICAL INTERLOCK ***	1	P	61100 SE
BPR846K	AL	P-A-LL-ET0-082	6 STARTER	STARTER, TYPICAL, QA 1, STARTER, MOTOR; MAGNETIC, NEMA SIZE 1, FVNR ***	1	C	61100 SE
BTV781Q	AL	L-A-03-000-002	1 STARTER	STARTER, TYPICAL, QA 0, MOTOR, 600 AC/230 DC, 3, 3, STARTER, MOTOR; 3 POLE, 3 PHASE, CLASS 2510, TYPE K02, VOLTAGE RATING	0	C	61100 SE
BVA280C	AL	L-A-12-000-002	19 STARTER	STARTER, TYPICAL, QA 1, NON-REVERSING, 2, 600, 3, FULL VOLT NON REVERSING, STARTER, MOTOR; STARTER, MOTOR, NEMA SIZE 2, 3 PHASE, 120 VAC COI	1	B	61100 SE
BWF449J	AL	L-A-13-000-002	1 STARTER	STARTER, TYPICAL, QA 0, MOTOR/OPEN, 00, 600, MAGNETIC/REVERSING, STARTER, MOTOR; NEMA SIZE 00, OPEN, 600 VAC, REVERSING, MAGNETIC, WITH	0	C	61100 SE
BXA625C	AL	L-A-13-000-002	1 STARTER	STARTER, TYPICAL, QA 3, STARTER, MOTOR; TYPE TM BULLENTIN 6013 TM, 600 V MAX, FOR DIESEL FIRE	3	C	61100 SE
CAJ857V	AL	L-A-03-000-002	1 STARTER	STARTER, TYPICAL, QA 0, MOTOR, 1-3/4, 220/440, 3, STARTER, MOTOR; SIZE 1-3/4, 220/440 VAC, 3 PHASE, CODE MA AND MB, FOR	0	B	61100 SE
CBD321R	AL	L-A-03-000-002	1 STARTER	STARTER, TYPICAL, QA 0, CHILLER, 3, 460, 52, 50, 3, W/ 3 THERMAL OVERLOADS, STARTER, CHILLER; SIZE 3, 3 PHASE, 460 VOLT, 50 HP, COMPLETE WIT	0	B	4520N SE
AHV657Q	AL	J-B-12-009-001	2 STATION	STATION, TYPICAL, QA 0, STATION, PROCESS CONTROLLER; SELECTOR, MODEL J, CODE 002, TYPE	0	P	61100 SE
BBP310X	AL	A-A-01-000-001	1 STATION	STATION, TYPICAL, QA 0, INTERCOMMUNICATION, STATION; 120 VAC, 8 OHM, 10 WATT OUT, 5 STATION	0	P	5840M SE
BBV235H	AL	A-A-01-000-001	1 STATION	STATION, TYPICAL, QA 0, INTERCOMMUNICATION, STATION; 24 VDC, 2 WATT, AUDIO OUTPUT, MASTER	0	P	5805M SE
BPA690H	AL	D-A-12-402-000	1 STATION	STATION, TYPICAL, QA 0, STATION, ; BREATHING AIR BOTTLE CHARGING STATION ***	0		4240P SE
BTB159W	AL	D-B-07-201-001	4 STATION	STATION, PUSHBUTTON, QA 0, CONTROL STATION, ; CURRENT-OUTPUT, MANUAL 0-50 GPM, OUTPUT 4 TO 20 MADC	0	B	6695D SE
ATB513C	AL	T-A-05-000-002	2 STATION	STATION, TYPICAL, QA 0, STATION ASSY, ; INSPECTION, CAR-TOP, COMES WITH ON-OFF TOGGLE SWITCH	0	P	3960D SE
ATB513C	AL	L-A-13-000-002	3 STATION	STATION, TYPICAL, QA 0, STATION ASSY, ; INSPECTION, CAR-TOP, COMES WITH ON-OFF TOGGLE SWITCH	0	P	3960D SE
BBP311G	AL	T-A-12-000-002	2 STATION	STATION, TYPICAL, QA 0, INTERCOMMUNICATION, STATION; 24 VDC, 2 WATT AUDIO OUTPUT, MASTER	0	P	5840M SE
BKG944T	AL	P-A-LL-ET0-064	2 STATION	STATION, TYPICAL, QA 1, CONTROL STATION, ; 600 VAC/DC, 10 AMPS, OILTIGHT, HEAVY DUTY CLASS 1E	1	C	59300 SE
BTP276T	AC	- - - -	26 STATION	STATION, TYPICAL, QA 3, STATION, FIRE PROTECTION; MANUAL FIRE ALARM, NON-CODED SINGLE ACTION	3	B	4210N SE
BVM222N	AL	M-A-05-000-002	1 STATION	STATION, WORK, QA 3, SYSTEM, CONSTRUCTION; CONTROL ROOM WORK STATION, C/O OF NECESSARY	3	B	4470C SE
ARX343L	AL	D-A-02-202-003	7 STATOR	STATOR, ELECTRICAL, QA 0, STATOR, MOTOR, ; RTD, FOR REACTOR COOLANT PUMP MOTOR, MODEL W-11010-A1	0	P	6105D SE
ARG811G	AL	M-A-03-000-002	1 STATOR	STATOR, ELECTRICAL, QA 2, STATOR, MOTOR, ; FOR GE MOTOR 5KYH9908Y4AS, 240 HP, 3600 RPM, 480	2	P	6105D SE
AVV008Q	AL	M-A-01-000-002	1 STATOR	STATOR, ELECTRICAL, QA 0, STATOR, MOTOR, ; DWG ITEM 36, 3 PHASE, 220/440 VAC, 200/350 VDC, FOR	0	P	6105D SE
BJN184N	AL	M-A-02-000-002	1 STATOR	STATOR, ELECTRICAL, QA 0, STATOR, MOTOR, ; FOR MOTOR, 3 PH, 50 HP, 230/460 VAC, 130/65 AMPS, 1760	0	P	6105D SE
BPG770L	AL	W-A-16-000-002	1 STATOR	STATOR, ELECTRICAL, QA 0, MOTOR, 1780, STATOR, ELECTRIC MOTOR; 4000 VOLTS, 955 AMPS, 1780 RPM, 3-PHASE,	0	C	6105D SE
ABJ376L	AL	A-A-01-000-001	1 STEM	STEM, VALVE, QA 0, STEM, VALVE; REF 11, FOR WALWORTH FIG 5202WE, SIZE 003.000IN VALVE	0	P	48200 SE
AEJ736X	AL	1-A-03-000-001	1 STEM	STEM, VALVE, QA 0, STEM, VALVE; EXCELLOY, ASTM A182, GRF6, ITEM 8, FOR CRANECO GATE VALVE	0	P	48200 SE
ATJ446W	AL	A-A-01-000-001	1 STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL, REF 18, FOR GATE VALVE, 014.000 IN, 150.000 PSI, FIG	0	P	48200 SE
ATQ561X	AL	A-A-01-000-001	1 STEM	STEM, VALVE, QA 0, STEM, VALVE; STAINLESS STEEL A 473 TY 416, FOR GATE VALVE, 004.000 IN	0	P	48200 SE
ATQ995V	AL	A-A-01-000-001	2 STEM	STEM, VALVE, QA 0, STEM, VALVE; STAINLESS STEEL TY 316, REF 99, FOR AIR OPERATED	0	P	48200 SE
ATR666A	AL	A-A-01-000-001	1 STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL, DWG 302194, FOR SAFETY RELIEF, 004.000 IN, 250 PSI	0	P	48200 SE
ATR670Y	AL	A-A-01-000-001	1 STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL, "P" ORIFICE, DWG 302743, FOR SAFETY, 004.000 IN, 75	0	P	48200 SE
ATR999E	AL	A-A-01-000-001	1 STEM	STEM, VALVE, QA 0, STEM, VALVE; NON-RISING, BOLTED BONNET, FOR GATE VALVE, CAT	0	P	48200 SE
ATT704Q	AL	A-A-01-000-001	1 STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL, REF 6, FOR SLIDING DISK VALVE, 004.000 IN, MODEL	0	P	48200 SE

ATT705N	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STAINLESS STEEL TY 416,REF 6, FOR 006.000 IN,SLIDING DISK	0	P	48200	SE
ATT706L	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STAINLESS STEEL TY 416,REF 6, FOR 002.000 IN,3-WAY VALVE	0	P	48200	SE
ATT707J	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; REF 20,FOR GATE VALVE,006.000 IN,300.000 PSI,DWG	0	P	48200	SE
ATT711T	AL	D-B-09-201-000	3	STEM	STEM, VALVE, QA 0, STEM, VALVE; FOR GATE VALVE,016.000 IN, 300.000 PSI,ITEM CODE	0	P	48200	SE
ATV242Y	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; PLUG,REF 4,FOR AIR OPERATED VALVE,001.500 IN,MODEL 535C	0	P	48200	SE
ATW171N	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL,REF 20,FOR PRESSURE OPERATED HYTROL GLOBE VALVE, 4	0	C	48200	SE
ATW172L	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL,REF 20,FOR HYTROL GLOBE VALVE,PRESSURE OPERATED	0	P	48200	SE
ATW498M	AL	A-A-01-000-001	2	STEM	STEM, VALVE, QA 0, STEM, VALVE; UPPER,ACTUATOR,REF 29,FOR AIR OPERATED VALVE,006.000 IN	0	P	48200	SE
ATW940C	AL	A-A-01-000-001	3	STEM	STEM, VALVE, QA 0, STEM, VALVE; PLUG TYPE,FOR AIR OPERATED CONTROL,001.000 IN,MODEL	0	P	48200	SE
ATW941Y	AL	A-A-01-000-001	2	STEM	STEM, VALVE, QA 0, STEM, VALVE; PLUG TYPE,FOR AIR OPERATED, 001.500 IN,MODEL 38-80385 ***	0	P	48200	SE
ATW967C	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL,FOR GLOBE VALVE,002.000 IN,3500.000 PSI WOG,FIG	0	P	48200	SE
ATW968A	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL,FOR GLOBE VALVE,002.000 IN,1500.000 PSI WOG ***	0	P	48200	SE
ATY842N	AL	A-A-01-000-001	2	STEM	STEM, VALVE, QA 0, STEM, VALVE; FOR DOUBLE SEATED,MODEL 536, 002.000 IN,S/N A-085 ***	0	P	48200	SE
AVB824L	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; REF 8,FOR GATE VALVE,006.000 IN,CAT 47-1/2XUF,DWG K-6738	0	P	48200	SE
AVC530C	AL	D-B-09-201-000	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STAINLESS STEEL,DWG 16,FOR GATE VALVE,018.000 IN,300.000	0	C	48200	SE
AVC530C	AL	D-A-06-202-000	2	STEM	STEM, VALVE, QA 0, STEM, VALVE; STAINLESS STEEL,DWG 16,FOR GATE VALVE,018.000 IN,300.000	0	C	48200	SE
AVC530C	AL	D-B-14-000-001	2	STEM	STEM, VALVE, QA 0, STEM, VALVE; STAINLESS STEEL,DWG 16,FOR GATE VALVE,018.000 IN,300.000	0	C	48200	SE
AVD063P	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL,PLUG,FOR CONTROL VALVE, 001.500 IN,MODEL 37-10171	0	P	48200	SE
AVD066H	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEEL,PLUG,FOR 2 IN VALVE MODEL 38-20521, 2 IN	0	P	48200	SE
AVD067F	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL,PLUG,FOR 003.000IN VALVE MOD.36-20521,003.000 IN	0	P	48200	SE
AVD068D	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL,PLUG,FOR 004.000IN VALVE MOD 38-20521,004.000 IN	0	P	48200	SE
AVE165K	AL	A-A-01-000-001	2	STEM	STEM, VALVE, QA 0, STEM, VALVE; BRASS,REF 12,FOR 003.000IN GATE VALVE,FIG G-680 ***	0	P	48200	SE
AVE169B	AL	A-A-01-000-001	2	STEM	STEM, VALVE, QA 0, STEM, VALVE; BRASS,REF 12,FOR 001.500IN GATE VALVE,FIG G-679 ***	0	P	48200	SE
AVE171Q	AL	A-A-01-000-001	2	STEM	STEM, VALVE, QA 0, STEM, VALVE; BRASS,REF 12,FOR 002.000IN GATE VALVE,FIG G-680 ***	0	P	48200	SE
AVE172N	AL	A-A-01-000-001	2	STEM	STEM, VALVE, QA 0, STEM, VALVE; BRASS,REF 12,FOR 002.500IN GATE VALVE,FIG G-680 ***	0	P	48200	SE
AVE769J	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; BRASS,FOR 003.000 IN MODEL STAR FIG.1792,GATE VALVE,THD	0	P	48200	SE
AVE778H	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL,FOR 004.000 IN ALUMINUM GATE VALVE,STEM	0	P	48200	SE
AVE804C	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; BRASS,FOR 002.500IN ANGLE TYPEGLOBE	0	P	48200	SE
AVE875K	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL,DWG.V6385K,FOR 001.500 IN SAFETY VALVE,TYPE	0	P	48200	SE
AVF012Y	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL,REF 15,FOR 006.000IN GATE VALVE,600.000 PSI,FLANGED	0	P	48200	SE
AVH403F	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STAINLESS STEEL, 013.000 PCT CR, REF 17, FOR 004.000 IN	0	P	48200	SE
AVJ425Y	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; MANGANESE BRONZE, REF 17, FOR 006.000 IN GATE VALVE, AWWA	0	P	48200	SE
AVJ671F	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL, FOR 001.500 IN SAFETY RELIEF VALVE, TYPE 1906-30F	0	P	48200	SE
AVJ672D	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL, FOR 003.000 IN SAFETY RELIEF VALVE, TYPE	0	P	48200	SE
AVR066K	AL	1-B-14-000-001	1	STEM	STEM, VALVE, QA 0, BUTTERFLY, 4 IN, 300 PSI, L300-CS-CS-6, SS, ; 17-4 PH SS, A564 TYPE 630, REF: ITEM-3 ON PARTS LIST; FOR USE IN 4"	0	C	48200	SE
AVR803M	AL	A-A-01-000-001	3	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL,FOR 002.000 IN SAFETY RELIEF VALVE,BRONZE,THD,FIG.	0	P	48200	SE
AVV034N	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL, FOR 016.000 IN,600.000 PSI,BUTT WELD,T-PATTERN	0	P	48200	SE
AVW369T	AL	D-B-23-060-001	2	STEM	STEM, VALVE, QA 1, STEM, VALVE; STAINLESS STEEL, ASTM-A182,GR F6A MOD (HARDNESS LIMITED	1	C	48200	SE
AVW884A	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL,DWG ITEM 5,FOR 006.000 IN CHECK VALVE,FIG 12AR,PN	0	P	48200	SE
AVX626V	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL, FOR 000.500IN GLOBE VALVE, STAINLESS STEEL, THREAD	0	P	48200	SE
AWE645Y	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, 2-1/2 IN, 150 PSI, STAINLESS STEEL, STEM, VALVE; STEEL, ASTM A276 TYPE 410, FOR 002.500 IN, 150 LB, GLOBE	0	P	48200	SE
AWM575M	AL	A-A-01-000-001	2	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL, REF 7, FOR 000.750 IN, 600.000 PSIG BALL VALVE	0	P	48200	SE
AWM577H	AL	A-A-01-000-001	3	STEM	STEM, VALVE, QA 0, STEM, VALVE; STAINLESS STEEL TYPE 304, REF 7, FOR 002.000 IN	0	P	48200	SE
AWQ661D	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STAINLESS STEEL, TYPE F304, FOR 002.500 IN GATE VALVE	0	P	48200	SE
AXA197E	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; BRONZE, THREADED, FOR 004.000 IN GATE VALVE, FIGURE	0	P	48200	SE
AXW825E	AL	A-A-01-000-001	2	STEM	STEM, VALVE, QA 0, 4 IN, 30-250 PSI, STAINLESS STEEL, STEM, VALVE; STAINLESS STEEL, FOR TEMPERATURE CONTROLLED VALVE, 4 IN	0	P	48200	SE
AXX273N	AL	A-A-01-000-001	3	STEM	STEM, VALVE, QA 3, STEM, VALVE; STEEL, ACTUATOR, THREADED END,REF 5, FOR 16 IN, 900 PSI	3	P	48200	SE
BAN743X	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL,FOR GLOBE, 1.5 IN, 200 PSIG, FIG 2474, STAINLESS	0	P	48200	SE
BAT661B	AL	A-A-01-000-001	2	STEM	STEM, VALVE, QA 1, STEM, VALVE; STAINLESS STEEL, FOR ASME SECTION III CLASS 2 GLOBE	1	B	48200	SE
BAV424L	AL	A-A-01-000-001	2	STEM	STEM, VALVE, QA 1, STEM, VALVE; STEEL, FOR GATE VALVE, MODEL 950, SIZE 1.5 IN, DWG	1	P	48200	SE
BAV444E	AL	A-A-01-000-001	2	STEM	STEM, VALVE, QA 1, STEM, VALVE; METALLIC, FOR GATE VALVE, 1 INDWG 3NC035, REV 2, FIG 950	1	P	48200	SE
BCP418P	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL, REF 4, FOR BALL VALVE, 4 IN, FLANGE ENDS, 200	0	P	48200	SE
BCX416W	AL	A-A-01-000-001	6	STEM	STEM, VALVE, QA 1, STEM ASSY, ; STEEL, FOR GLOBE VALVE, SIZES 0.75, DWG 13824, 0.37, AND	1	P	48200	SE
BDP522N	AL	A-A-01-000-001	3	STEM	STEM, VALVE, QA 1, STEM, VALVE; STAINLESS STEEL ASTM A564 TYPE360, PLUG, FOR ASME SEC III	1	P	48200	SE
BEQ492R	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; PLUG TYPE, REF 1, FOR CONTROL VALVE, 8 IN ANSI CLASS 600	0	C	48200	SE
BFG227G	AL	A-A-01-000-001	3	STEM	STEM, VALVE, QA 1, STEM, VALVE; STAINLESS STEEL ASME SA564 TY 630, REF 4, FOR BALL VALVE	1	P	48200	SE
BHQ195D	AL	1-A-03-000-001	1	STEM	STEM, VALVE, QA 1, STEM, VALVE; STAINLESS STEEL ASME SA479 TYPE 316, FOR SAFETY RELIFE	1	P	48200	SE
BKB212Y	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL, RFE 3, FOR GATE VALVE, 3 IN, 150 PSIG AT 500 DEG	0	P	48200	SE
BKX017N	AL	J-B-12-009-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; DWG ASTM564-630-1075, FOR GLOBE VALVE, 6 IN, ANSI CLASS	0	P	48200	SE
BLA922X	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STAINLESS STEEL, TYPE 316, FORBALL VALVE, 4 IN, FLANGED	0	P	48200	SE
BLD283N	AL	1-A-03-000-001	1	STEM	STEM, VALVE, QA 0, STEM, FLUID VLV,FIRE HYD; LOWER, FOR MUELLER 5.25 IMPROVED FIRE	0	P	4210N	SE
BQF580Q	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 3, STEM, VALVE; STAINLESS STEEL, UPPER WITH HAND OPERATED DEVICE, REF 14	3	B	48200	SE
BTG401P	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 3, STEM, VALVE; ASTM A564 T360 CH1150 FOR 20" 600# WALWORTH GATE VALVE	3	B	48200	SE
BTG439W	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 3, STEM, VALVE; ASTM A564 T630 CH1150 FOR 24" 600# WALWORTH GATE VALVE	3	B	48200	SE
BVW350L	AL	A-A-01-000-001	8	STEM	STEM, VALVE, QA 3, STEM, FLUID VALVE; STEEL, ASTM A276 TY 410, FOR 002.500 IN, 150 LB	3	B	48200	SE
BWQ876G	AL	D-A-18-301-001	1	STEM	STEM, VALVE, QA 1, GATE, 3 IN, 150 PSI, 1503WE, , CONSISIT OF 2 PIECES (STEM/DISC HOLDER) ASSEMBLY, STEM MATERIAL ASTM	1		48200	SE
BXK656J	AL	F-A-19-102-001	2	STEM	STEM, TYPICAL, QA 0, STEM, ACTUATOR; UPPER, FOR AN ANCHOR DARLING MODEL 70-28-1D WITH 35	0	C	48200	SE
BXL049R	AL	F-A-19-102-001	2	STEM	STEM, VALVE, QA 0, STEM, VALVE; LOWER, A479 TYPE 316, SS, FOR 1-1/2 IN,S/N 70-116119 THRU	0	C	48200	SE
BXL593B	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 3, STEM, FLUID VALVE; STEEL,REF 17, FOR KNIFE TYPE GATE VALVE,MODEL	3	C	48200	SE
BXW794P	AL	D-B-14-000-001	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; DWG ITEM 16, ASTM 182 GR F6 ***	0	C	48200	SE
BXW794P	AL	F-A-21-101-000	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; DWG ITEM 16, ASTM 182 GR F6 ***	0	C	48200	SE
BYB070N	AL	A-A-01-000-001	2	STEM	STEM, VALVE, QA 0, STEM, VALVE; ASTM A479 SS 410 CLASS 2, FOR 4 IN CARBON STEEL GATE	0	C	48200	SE
CAR187B	AC	- - -	2	STEM	STEM, VALVE, QA 1, CLASS 3, STEM, VALVE; STEM ASSEMBLY, CONSISTING OF STEM (P/N 010154-111-1U3)	1	C	48200	SE
CAT335H	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 1, STEM, VALVE; ITEM 16, WITH STEM NUT, P/N 105564A, FOR AUX FEEDWATER	1	C	48200	SE
CAT873L	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 1, STEM, VALVE; A182 GR F6 MOD MATERIAL FOR 4" WALWORTH MODEL 5202-WE DWG	1	C	48200	SE

CAV595H	AL	A-A-01-000-001	2	STEM	STEM, VALVE, QA 1, STEM, VALVE; CORROSION RESIST. STEEL ASME SA564 TYPE 630, FOR 3" 150	1	C	48200	SE
CAY263V	AL	A-A-01-000-001	1	STEM	STEM, VALVE, QA 1, STEM, VALVE; PILOT, SPARE PART FOR PRESSURE ACTUATED REGULATING VALV	1	C	48200	SE
CEP845G	AL	D-B-19-301-000	1	STEM	STEM, VALVE, QA 1, STEM, VALVE *** CONSIST OF 2 PIECES STEM/DISC HOLDER ASSEMBLY, STEM	1	C	48200	SE
CEY716P	AL	D-A-15-401-004	1	STEM	STEM, VALVE, QA 1, STEM, VALVE *** SMART, MATERIAL: A564-630-1075, PART NUMBER 24, FOR 6"	1	C	48200	SE
CJA608A	AL	D-B-17-201-001	2	STEM	STEM, VALVE, QA 1, GATE, 1 IN, FOR 900# DOUBLE DISC, , REACTOR HEAD VENT VALVE, PART # 24, MAT'L TYPE A564-630-1075, ANCHOR	1		48200	SE
CJB774J	AL	D-A-29-201-002	2	STEM	STEM, VALVE, QA 1, GATE, MATERIAL: A564-630-1075, FOR 1 INCH 900 LB SOCKET ENDS DOUBLE DISC	1		48200	SE
CLG429X	AL	D-A-37-102-000	1	STEM	STEM, VALVE, QA 3, GATE, FOR 8" GATE VALVE, FIG NO. 25023WE, WILLIAM POWELL DWG 041321,	3		48100	SE
ABJ259Q	AL	M-A-08-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; ITEM 15,FOR DIAPHRAGM,006.000 IN,WH TAG NO 6-G32R, SPIN	0	P	48200	SE
AFJ152J	AL	M-A-06-000-002	2	STEM	STEM, VALVE, QA 0, STEM, VALVE; FOR GLOBE VALVE, 10 IN, MODEL 37-10134, PNEUMATIC	0	P	48200	SE
AHJ679W	AL	M-A-06-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; FOR SIZE 004.000 IN, FIG 5232WE, DWG A-6607-M-112-B ***	0	P	48200	SE
AJJ168G	AL	M-A-06-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; FOR 004.000 IN VALVE, FIG 1503WE, S/N 47526 ***	0	P	48200	SE
AKJ168A	AC	- - -	1	STEM	STEM, VALVE, QA 1, STEM, VALVE; REF 7, FOR MOTOR OPERATED CASTSTEEL PRESSURE SEAL GLOBE	1	B	48200	SE
AKJ168A	AL	L-A-02-000-002	2	STEM	STEM, VALVE, QA 1, STEM, VALVE; REF 7, FOR MOTOR OPERATED CASTSTEEL PRESSURE SEAL GLOBE	1	B	48200	SE
ALJ142N	AL	L-A-09-000-002	5	STEM	STEM, VALVE, QA 0, CONTROL, 8 IN, 150 PSI, STEM, VALVE; LOWER, FOR CONTROL VALVE, TYPE 1400, SIZE 008.000 IN	0	P	48200	SE
ALJ280M	AL	L-A-06-000-002	1	STEM	STEM, VALVE, QA 0, GATE, 10 IN, 300 PSI, 3003, STEM, VALVE; FOR 010.000 IN, 300.000 PSI GATE VALVE, FIG 3003 ***	0	P	48200	SE
ALJ932Q	AL	M-A-08-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; FOR SIZE 006.000 IN, FIG 22F-GRB, BUTTERFLY VALVE ***	0	P	48200	SE
ANJ166V	AL	L-A-02-000-002	1	STEM	STEM, VALVE, QA 1, STEM, FLUID VALVE; MATERIAL: ASTM A564 T630 H1150, FOR 3.00 IN, 600	1	C	48200	SE
ANJ166V	AL	L-A-08-000-002	1	STEM	STEM, VALVE, QA 1, STEM, FLUID VALVE; MATERIAL: ASTM A564 T630 H1150, FOR 3.00 IN, 600	1	C	48200	SE
AQP669T	AL	L-A-16-000-002	8	STEM	STEM, VALVE, QA 1, STEM, VALVE; YOKE, A564, TYPE 630, FOR GATE VALVE, SIZE 28 X 24 X 28	1	C	48200	SE
AQX130P	AL	L-A-03-000-002	1	STEM	STEM, VALVE, QA 0, 4 IN, 900 PSI, SS, FOR 4 INCH B12-2A7PS-2TS C/W SMB-00-7 1/2, DWG: P33160-	0	P	48200	SE
ARM271W	AL	L-A-13-000-002	4	STEM	STEM, VALVE, QA 0, STEM, VALVE; FOR BALL VALVE,004.000 IN ***	0	P	48200	SE
ATB548Q	AL	M-A-10-000-002	1	STEM	STEM, VALVE, QA 2, STEM, VALVE; ACTUATOR,REF 23,FOR AIR OPERATED CONTROL VALVE,003.000	2	P	48200	SE
ATJ471X	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, 10 IN, 150 PSI, 5202WE, STEEL, STEM, VALVE; STEEL,REF 18,FOR GATE VALVE, 010.000 IN,150.000 PSI,FIG	0	P	48200	SE
ATN190W	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; REF 19,FOR GATE VALVE,003.000 IN,300.000 PSI,FIG 5206WE	0	P	48200	SE
ATQ997P	AL	M-A-06-000-002	8	STEM	STEM, VALVE, QA 0, STEM, VALVE; STAINLESS STEEL,TYPE 316,ITEM 17,FOR 1.500 IN AIR	0	P	48200	SE
ATR819B	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL,REF 24,000.125 DIA X 019.125 IN LG,FOR GLOBE VALVE	0	P	48200	SE
ATR822N	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL,REF 19,001.000 DIA X 016.812 IN LG,FOR GATE VALVE	0	P	48200	SE
ATR823L	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL,REF 19,001.125 DIA X 022.000 IN LG,FOR GATE VALVE	0	P	48200	SE
ATT115B	AL	M-A-01-000-002	2	STEM	STEM, VALVE, QA 1, STEM, VALVE; FOR MOTOR OPERATED GLOBE VALVENO E73-033,002.000	1	P	48200	SE
ATV797G	AL	M-A-15-000-002	2	STEM	STEM, VALVE, QA 1, STEM, VALVE; STAINLESS STEEL TY 316,REF 11,DWG 298-40-69,REV C,FOR	1	P	48200	SE
ATY758B	AL	M-A-15-000-002	9	STEM	STEM, VALVE, QA 3, STEM, VALVE; PUSH, HT 416, REF 23, FOR 3 IN VALVE, MODEL 1-61-9738, S/N	3	P	48200	SE
ATY762L	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 3, STEM, VALVE; PUSH ROD, REF 23, FOR VALVE, 1.00 IN TYPE L, S/N	3	P	48200	SE
ATY763J	AL	M-A-16-000-002	3	STEM	STEM, VALVE, QA 3, STEM, VALVE; PUSH ROD,REF 23,FOR VALVE, 001.500 IN,S/N M3449NF ***	3	P	48200	SE
ATY764G	AL	M-A-01-000-002	9	STEM	STEM, VALVE, QA 3, STEM, VALVE; PUSH ROD,REF 23,FOR VALVE, 003.000 IN,MODEL 1-61-9738,S/N	3	P	48200	SE
AVB212L	AL	L-A-02-000-002	1	STEM	STEM, VALVE, QA 1, STEM, VALVE; REF 3, FOR 1.500 INCH, GLOBE VALVE, TYPE 5500W-1-XNC035	1	P	48200	SE
AVB214G	AL	M-A-02-000-002	8	STEM	STEM, VALVE, QA 1, STEM, VALVE; REF 3,FOR GATE VALVE,001.000 IN,TYPE 950W-3-XNC035,DWG	1	P	48200	SE
AVB823N	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; REF 8,FOR GATE VALVE,008.000 IN,CAT 47-1/2XUF,DWG K-6738	0	P	48200	SE
AVE164M	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; BRASS,REF 20,FOR 006.000IN GATE VALVE,FIG G-623 ***	0	P	48200	SE
AVE266D	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL,DWG REF 20,FOR 012.000IN 300.000 PSI,GATE VALVE	0	P	48200	SE
AVE876H	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL,DWG.303679,FOR 004.000 IN SAFETY VALVE,TYPE	0	P	48200	SE
AVG864E	AL	M-A-16-000-002	3	STEM	STEM, VALVE, QA 3, STEM, VALVE; STEEL, 13 PERCENT CHROME, FOR 1 IN, T TYPE, HAND-OPERATED	3	P	48200	SE
AVJ673B	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL, FOR 006.000 IN, TYPE 1906/PI-1, SAFETY RELIEF	0	P	48200	SE
AVM669J	AL	M-A-04-000-002	8	STEM	STEM, VALVE, QA 1, STEM ASSY, VALVE; C/O STEM, P.N 9909-5, STEM HEAD, P/N A-9909-25, AND	1	C	48200	SE
AVN581V	AL	T-A-06-000-002	1	STEM	STEM, VALVE, QA 1, STEM, VALVE; STAINLESS STEEL, FOR 14 IN GATE VALVE, SPIN 14GM48SEZ	1	P	48200	SE
AVQ419T	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STAINLESS STEEL TYPE 316, A-276, FOR 006.000 IN GATE	0	P	48200	SE
AVQ922H	AL	T-A-12-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STAINLESS STEEL, FOR 003.000 IN T-PATTERN GATE VALVE	0	P	48200	SE
AVQ923F	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STAINLESS STEEL, FOR 002.500 IN T-PATTERN GLOBE VALVE	0	P	48200	SE
AVQ924D	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STAINLESS STEEL, FOR 010.000 IN T-PATTERN GATE VALVE	0	P	48200	SE
AVQ925B	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STAINLESS STEEL, REF 10, FOR 006.000 IN, 300.000 PSI	0	P	48200	SE
AVT813C	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL,DWG REF 5,FOR 006.000 IN 300.000 PSI GLOBE VALVE	0	P	48200	SE
AVV795E	AL	M-A-16-000-002	2	STEM	STEM, VALVE, QA 1, STEM, VALVE; STEEL, REF 5, FOR 001.000 IN VALVE, SOCKETWELD, 600.000	1	P	48200	SE
AWA085N	AL	M-A-15-000-002	1	STEM	STEM, TYPICAL, QA 0, STEM, HOSE; STEEL, FOR ACTUATOR, 300 SQ IN, ON 008.000 IN, 900 LB	0	P	48200	SE
AWB147Y	AL	M-A-15-000-002	2	STEM	STEM, VALVE, QA 0, STEM, VALVE; CARBON STEEL, W/PILOT, FOR 010.000 IN, 300 LB, STOP VALVE	0		48200	SE
AWE655V	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL, ASTM A 276 TYPE 410, FOR 006.000 IN, 150 LB, GLOBE	0	P	48200	SE
AWE662Y	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL, ASTM A 276 TYPE 410 FOR 008.00 IN, 150 LB, GLOBE	0	P	48200	SE
AWE674P	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL, ASTM A 276 TYPE 410 FOR 010.000 IN, 900 LB, GATE	0	P	48200	SE
AWE683N	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL, ASTM A276 TYPE 410, FOR 008.000 IN, 900 LB, GATE	0	P	48200	SE
AWG193X	AL	M-A-15-000-002	1	STEM	STEM, TYPICAL, QA 0, STEM, HOSE; ACTUATOR, STAINLESS STEEL, FORACTUATOR, AIR TO OPEN, TYPE	0	P	48104	SE
AWN330T	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STAINLESS STEEL, ASTM A276, TYPE 410, FOR 008.000 IN	0	P	48200	SE
AWN331D	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STAINLESS STEEL TYPE 410, REF 12, FOR 010.000 IN GATE	0	P	48200	SE
AWR836Y	AL	M-A-06-000-002	2	STEM	STEM, VALVE, QA 3, STEM, VALVE; STAINLESS STEEL ASTM A582 TYPE 303, SPINDEL EXTENSION	3	P	48200	SE
AWT036H	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL, FOR 006.000 IN, GATE VALVE, 900.000 PSIG, BUTT	0	P	48200	SE
AWW488C	AL	T-A-12-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STAINLESS STEEL, 009.500 IN LGFOR 001.500 IN GLOBE VALVE	0	P	48200	SE
AWW620J	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STAINLESS STEEL, WITH LOCK CLIP ASSEMBLY, FOR COMMERCIAL	0	P	48200	SE
AWX564H	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL, DRAWING 12, FOR 006.000 IN, 900.000 PSI GATE	0	P	48200	SE
AWY003D	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL, FOR 4X6 SAFETY RELIEF VALVE, MODEL D32P, ORIFICE	0	P	48200	SE
AXA059H	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL, FOR 004.000 IN 900.000 PSIG, PRESSURE SEAL MOTOR	0	P	48200	SE
AXA060C	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL, FOR 004.000 IN 1500.000 PSIG, VERTICAL TYPE HAND	0	P	48200	SE
AXA192Q	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; BRONZE, THREADED, FOR 014.000 IN GATE VALVE, FIGURE	0	P	48200	SE
AXA195J	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; BRONZE, THREADED, FOR 012.000 IN GATE VALVE, FIGURE	0	P	48200	SE
AXA196G	AL	M-A-15-000-002	1	STEM	STEM, VALVE, QA 0, STEM, VALVE; BRONZE, THREADED, FOR 008.000 IN GATE VALVE, FIGURE	0	P	48200	SE
AXA301F	AC	- - -	1	STEM	STEM, VALVE, QA 1, STEM, VALVE; STAINLESS STEEL, PLUG, C/W PIN, PART 971342-019-163, FOR	1	P	48200	SE
AXD892C	AL	M-A-09-000-002	5	STEM	STEM, VALVE, QA 1, STEM ASSY, VALVE; FOR GRAHAM WHITE VALVES, USED IN DIESEL GENERATOR	1	P	29100	SE
AXQ793M	AL	M-A-06-000-002	2	STEM	STEM, VALVE, QA 1, STEM, VALVE; STEEL, PLUG, FOR 001.500 IN CONTROL VALVE, MODEL	1	P	48200	SE
AXX330G	AL	M-A-16-000-002	2	STEM	STEM, VALVE, QA 1, STEM, VALVE; STAINLESS STEEL, TYPE 316, REF4, FOR 1 IN BALL VALVE, DWG	1	P	48200	SE

AXX887J	AL	M-A-16-000-002	2 STEM	STEM, VALVE, QA 1, STEM, VALVE; STEEL, THREADED ENDS, FOR 2 INSTEAM GENEATOR BLOWDOWN	1	P	48200 SE
AXX888G	AL	M-A-06-000-002	2 STEM	STEM, VALVE, QA 1, STEM, VALVE; STEEL, THREADED ENDS, FOR 2 INSTEAM GENERATOR BLOWDOWN	1	P	48200 SE
AYK851M	AL	M-A-16-000-002	4 STEM	STEM, VALVE, QA 1, STEM, VALVE; STEEL, REF 5, FOR GLOBE VALVE SIZE 0.25 IN, THREADED ENDS	1	C	48200 SE
AYL225A	AL	M-A-16-000-002	3 STEM	STEM, VALVE, QA 1, STEM, VALVE; STEEL, FOR T TYPE PACKLESS GLOBE VALVE, 0.375 IN, DWG TVD	1	P	48200 SE
AYL719G	AL	M-A-16-000-002	2 STEM	STEM, VALVE, QA 1, STEM, VALVE; STAINLESS STEEL, REF 18, FOR BALL VALVE, SIZE 3 IN, DWG	1	P	48200 SE
AYL720B	AL	M-A-16-000-002	2 STEM	STEM, VALVE, QA 1, STEM, VALVE; STAINLESS STEEL, REF 18, FOR BALL VALVE, SIZE 2 IN, DWG	1	P	48200 SE
BAP618V	AL	M-A-15-000-002	1 STEM	STEM, VALVE, QA 0, STEM, VALVE; STAINLESS STEEL, REF 19, FOR GLOBE VALVE, 4 IN, 300 PSIG	0	P	48200 SE
BAV353H	AL	M-A-16-000-002	2 STEM	STEM, VALVE, QA 1, STEM, VALVE; METALLIC, FOR GATE VALVE, 0.75IN, 600 PSIG AT 910 DEG F	1	P	48200 SE
BBD036N	AL	M-A-15-000-002	1 STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL, FOR CONDENSATE GATE VALVE, 6 IN, FIG 3003NWE, BODY	0	P	48200 SE
BCP183Q	AL	M-A-15-000-002	1 STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL, REF 25,, FOR GATE VALVE12 IN, 300 PSIG, W/GEAR	0	P	48200 SE
BCX426R	AL	M-A-16-000-002	1 STEM	STEM, VALVE, QA 1, STEM ASSY, ; STEEL, COLOR CODE ORANGE, FOR GLOBE VALVE, 0.37 IN, DWG	1	P	48200 SE
BEA405Q	AL	M-A-16-000-002	2 STEM	STEM, VALVE, QA 1, STEM, VALVE; STAINLESS STEEL PLUG, FOR GLOBE VALVE, 6 IN , MODEL	1	P	48200 SE
BEQ224K	AL	M-A-06-000-002	2 STEM	STEM, VALVE, QA 3, STEM, VALVE; HEAD, STAINLESS STEEL, FOR SAFETY RELIEF VALVE, 6 IN	3	P	48200 SE
BEQ466T	AL	M-A-16-000-002	2 STEM	STEM, VALVE, QA 1, STEM, VALVE; PLUG, FOR GLOBE VALVE, 3 IN, MODEL 37-20721, DWG P10342	1	P	48200 SE
BEQ489E	AL	M-A-01-000-002	2 STEM	STEM, VALVE, QA 1, STEM, VALVE; PLUG TYPE,THREADED,FOR 4 IN CONTROL VALVE, MODEL	1	C	48200 SE
BEQ926J	AL	P-A-LL-ET0-063	2 STEM	STEM, VALVE, QA 1, STEM, VALVE; STAINLESS STEEL, 16.625 IN LG,FOR GLOBE VALVE, 2 IN	1	C	48200 SE
BFN980V	AL	M-A-06-000-002	1 STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL, FOR GLOBE VALVE, 6 IN, FLANGE ENDS, ANSI CLASS	0	P	48200 SE
BGF222R	AL	M-A-15-000-002	1 STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL, REF 6, FOR GATE VALVE, MODEL 47W401-10 ***	0	P	48200 SE
BLF057C	AL	M-A-16-000-002	2 STEM	STEM, VALVE, QA 1, STEM, VALVE; ITM # 15, A182, GRADE FG MOC, FOR 4 IN, 150 LB GATE VALVE	1	P	48200 SE
BLL383E	AL	M-A-06-000-002	1 STEM	STEM, VALVE, QA 0, STEM, VALVE; FOR WILLIAM POWELL 10 IN GATE VALVE, MIN 3013 NWE, S/N	0	P	48200 SE
BMD065H	AL	P-A-LL-ET0-064	2 STEM	STEM, VALVE, QA 3, STEM, VALVE; FOR GLOBE VALVE, 6 IN, 150 PSIG, FIG 1531WE, MATERIAL CR	3	C	48200 SE
BNQ651E	AL	M-A-06-000-002	1 STEM	STEM, VALVE, QA 0, STEM, VALVE; VALVE, STAINLESS STEEL, 14.5 LONG X 0.875 IN DIA, FOR 8	0	P	48200 SE
BPJ853T	AL	M-A-08-000-002	1 STEM	STEM, VALVE, QA 0, STEM, VALVE; FOR VALVE, 2 IN, MODEL NO W08-2054W-02TY, DWG NO 23-05	0	P	48200 SE
BQH411T	AC	- - - -	1 STEM	STEM, VALVE, QA 1, 1 1/2 INCH DIA., 1/4 INCH PITCH & 1/4 INCH LEAD, ASTM	1	C	48200 SE
BQH411T	AL	T-A-03-000-002	1 STEM	STEM, VALVE, QA 1, 1 1/2 INCH DIA., 1/4 INCH PITCH & 1/4 INCH LEAD, ASTM	1	C	48200 SE
BVA698W	AL	L-A-02-000-002	1 STEM	STEM, VALVE, QA 0, GATE, 8 IN, 600 PSI, 6023WE, STAINLESS STEEL, STEM, VALVE; MATERIAL: STAINLESS STEEL, ASTM A 182 GR F6, FOR A 8 INCH	0	C	48200 SE
BVA717K	AL	L-A-09-000-002	1 STEM	STEM, VALVE, QA 3, STEM, VALVE; VALVE STEM, FOR HAMMEL DAHL VALVES, CAT NO. V803, FITS	3	C	48200 SE
BWJ867G	AL	L-A-09-000-002	1 STEM	STEM, VALVE, QA 1, STEM, VALVE; FOR 2 IN, 150 PSIG, STOP-CHECK VALVE, FIG W8-084B-2TY	1	C	48200 SE
BWM842H	AC	- - - -	2 STEM	STEM, VALVE, QA 3, STEM, FLUID VALVE; FOR WM POWELL "Y" GLOBE VALVE, WITH PRESSURE SEAL	3	B	48200 SE
BWQ944R	AL	R-A-05-000-002	1 STEM	STEM, VALVE, QA 1, STEM, VALVE; FOR WM POWELL FIG. 1503WE GATE VALVE, 2-1/2", 150 LB, M	1	C	48200 SE
BXB161P	AL	M-A-01-000-002	2 STEM	STEM, VALVE, QA 3, STEM ASSY, VALVE; STAINLESS STEEL, ASTM A564 GR630 COND H1150, FOR	3	C	48200 SE
BXM832E	AL	L-A-13-000-002	2 STEM	STEM, VALVE, QA 0, STEM, VALVE; 316 STAINLESS STEEL, VSC 1L5000, G & P, COND B, FOR	0	B	48200 SE
BYK126A	AL	M-A-01-000-002	1 STEM	STEM, VALVE, QA 1, STEM, VALVE; PLUG TYPE, STEEL, FOR GLOBE VALVE, 1 INCH, MODEL 37-	1	C	48200 SE
CAW841P	AL	M-A-12-000-002	4 STEM	STEM, VALVE, QA 1, 1/2 IN, 1500 PSI, SS, , FOR 1.00 IN DRAGON GLOBE VALVE, TYP MODEL 8N057SWD2, TYP DRAWING	1	C	48200 SE
CBY335N	AL	L-A-06-000-002	1 STEM	STEM, VALVE, QA 1, STEM, VALVE; 2" STEM ASSEMBLY, FOR MODIFIED 26" MSIV'S, ATWOOD &	1	C	48200 SE
CEA595G	AL	L-A-09-000-002	1 STEM	STEM, VALVE, QA 3, STEM, VALVE; MATERIAL STAINLESS STEEL, ASTM A 473 TYPE 416, FOR 3" 3	3	C	48200 SE
CEA861M	AL	L-A-09-000-002	1 STEM	STEM, VALVE, QA 3, STEM, ACTUATOR; FLOWMATICS VALVE OPERATOR ON 1 INCH, 900 LB, GLOBE	3	C	48200 SE
CEH818J	AL	L-A-03-000-002	3 STEM	STEM, VALVE, QA 0, CONTROL, 12 IN (1 FT), 150 PSI, ** STEM, VALVE, FOR KIELEY & MUELLER MODEL 1400R, 12", 150#, P/N	0	C	48200 SE
CEH821X	AL	L-A-03-000-002	1 STEM	STEM, VALVE, QA 0, CONTROL, 12 IN, 150 PSI, *** Stem, Actuator, for Kielley and Mueller actuator model	0	C	48200 SE
CFC368B	AL	L-A-15-000-002	1 STEM	STEM, VALVE, QA 1, STEM, VALVE *** SMART STEM, CONVERTED BY TELEDYNE BROWN ENGINEERING	1	C	48200 SE
CGT753R	AC	- - - -	5 STEM	STEM, VALVE, QA 3, CONTROL, 2 IN, 600 PSI, WKM CONTROL VALVE, MODEL 70-28-1DRT, SERIAL # 70-115422/27, SO A-83342	3	C	48200 SE
AA439Y	AL	D-A-02-101-000	1 STOCK	STOCK, BAR, QA 0, ROUND/CORED, 1 FT 1 IN, 1 IN ID X 2-1/2 IN OD, BRONZE, SAND CAST, QQ-C-390A, BAR, ROUND W/HOLLOW CORE; MATERIAL: BRONZE, O	0	P	9520Z SE
AA439Y	AL	1-A-25-099-001	5 STOCK	STOCK, BAR, QA 0, ROUND/CORED, 1 FT 1 IN, 1 IN ID X 2-1/2 IN OD, BRONZE, SAND CAST, QQ-C-390A, BAR, ROUND W/HOLLOW CORE; MATERIAL: BRONZE, O	0	P	9520Z SE
AA439Y	AL	D-A-02-201-002	8 STOCK	STOCK, BAR, QA 0, ROUND/CORED, 1 FT 1 IN, 1/2 IN, BRONZE, QQ-C-390A, METAL BAR, ; ROUND WITH CORE, BRONZE, SAND CAST, FED SPEC QQ-C-390A	0		9520Z SE
AA439Y	AL	D-A-02-101-000	2 STOCK	STOCK, BAR, QA 0, ROUND/CORED, 1 FT 1 IN, 3/4 IN, BRONZE, QQ-C-390A, METAL BAR, ; ROUND WITH CORE, BRONZE, SAND CAST, FED SPEC QQ-C-390A,	0		9520Z SE
AA439Y	AL	D-A-17-302-005	1 STOCK	STOCK, BAR, QA 0, FLAT, 4 IN, 1 FT 6 IN, 1/16 IN, ALLOY STEEL, AISI 0-1, OIL HARDENED, METAL BAR, ; FLAT, TOOL STEEL, ALLOY AISI 0.1, OIL HA	0	P	9520Z SE
AA439Y	AL	D-B-16-000-001	1 STOCK	STOCK, BAR, QA 0, FLAT, 4 IN, 1 FT 6 IN, 1/16 IN, ALLOY STEEL, AISI 0-1, OIL HARDENED, METAL BAR, ; FLAT, TOOL STEEL, ALLOY AISI 0.1, OIL HA	0	P	9520Z SE
AA439Y	AL	D-B-07-202-001	1 STOCK	STOCK, BAR, QA 0, ROUND/CORED, 1 FT 1 IN, 3/4 IN ID X 2-1/2 IN OD, BRONZE, SAND CAST, QQ-C-390A CDA 836, BAR, ROUND W/HOLLOW CORE; MATERIAL:	0	P	9520Z SE
AA439Y	AL	D-B-16-000-001	1 STOCK	STOCK, BAR, QA 0, ROUND/CORED, 1 FT 1 IN, 3/4 IN ID X 2-1/2 IN OD, BRONZE, SAND CAST, QQ-C-390A CDA 836, BAR, ROUND W/HOLLOW CORE; MATERIAL:	0	P	9520Z SE
AA439Y	AL	D-A-02-101-000	4 STOCK	STOCK, BAR, QA 0, ROUND/CORED, 1 FT 1 IN, 1/2 IN, BRONZE, QQ-C-390A, METAL BAR, ; ROUND WITH CORE, BRONZE, SAND CAST, FED SPEC QQ-C-390A	0		9520Z SE
AA439Y	AL	D-A-24-101-000	2 STOCK	STOCK, BAR, QA 0, FLAT, 4 IN, 1 FT 6 IN, 3/8 IN, TOOL STEEL, AISI 0-1, OIL HARDENED, METAL BAR, ; FLAT, TOOL STEEL, ALLOY AISI 0-1, OIL HARD	0		9520Z SE
AA439Y	AL	D-A-02-101-000	1 STOCK	STOCK, BAR, QA 0, ROUND/CORED, 1 FT 1 IN, 1-1/2 IN ID X 4 IN OD, BRONZE, CONTINUOUS CAST, QQ-C-390A	0		9520Z SE
AA439Y	AL	D-A-02-101-000	3 STOCK	STOCK, BAR, QA 0, ROUND/CORED, 1 FT 1 IN, 1/2 IN ID X 1-1/2 IN OD, BRONZE, SAND CAST, QQ-C-390A CDA 836, METAL BAR, ; ROUND WITH CORE, BRONZ	0		9520Z SE
AA439Y	AL	D-A-02-101-000	126 STOCK	STOCK, BAR, QA 0, ROUND/CORED, 1 FT 1 IN, 2 IN ID X 4-3/4 IN OD, BRONZE, SAND CAST, QQ-C-390A, METAL BAR, ; ROUND WITH CORE, BRONZE, SAND CA	0		9520Z SE
AA439Y	AL	D-A-02-101-000	79 STOCK	STOCK, BAR, QA 0, ROUND/CORED, 1 FT 1 IN, 2 IN ID X 5-1/4 IN OD, BRONZE, QQ-C-390A, METAL BAR, ; ROUND WITH CORE, BRONZE, SAND CAST, FED SPE	0	P	9520Z SE
AA439Y	AC	- - - -	5 STOCK	STOCK, BAR, QA 1, BAR, ROUND; MATERIAL: NAVAL BRASS, OUTSIDE DIAMETER: 00.500 IN (1/2)	1	D	9520Z SE
AA439Y	AL	D-A-17-301-000	2 STOCK	STOCK, BAR, QA 0, ROUND, 1/4 IN, TOOL STEEL, AISI W-1, *** LENGTH: 03.0 FT	0		9520Z SE
AA439Y	AL	D-A-15-302-000	7 STOCK	STOCK, BAR, QA 0, ROUND, 9/32 IN, TOOL STEEL/CARBON, AISI W-1, WATER HARDENED, ***	0		9520Z SE
AA439Y	AL	D-A-17-301-000	2 STOCK	STOCK, BAR, QA 0, ROUND, 1 FT 1 IN, 6 IN, MANGANESE BRONZE, ASTM B138-74B, MACHINE CAST, METAL BAR, ; ROUND, BRONZE, CAST, ASTM B 138-74B, M	0		9520Z SE
AA439Y	AL	D-A-04-202-005	2 STOCK	STOCK, BAR, QA 1, METAL BAR, ; ROUND WITH CORE, BRONZE, CAST,FED SPEC QQ-C-390A OR LATER	1		9520Z SE
AA439Y	AL	D-A-15-302-000	9 STOCK	STOCK, TYPICAL, QA 0, INGOT, BABBITT/TIN ALLOY, STOCK, *TYPICAL; TYPE: INGOT; MATERIAL: BABBIT/TIN ALLOY *** NICKELITE	0		9520Z SE
AA439Y	AL	D-A-02-101-000	4 STOCK	STOCK, BAR, QA 0, ROUND, 1 IN, 1 FT 1 IN, BRONZE, SAND CAST, QQ-C-390A, METAL BAR, ; ROUND, BRONZE, SAND CAST, SOLID, FED SPEC QQ-C-390A	0		9520Z SE
AA439Y	AL	D-B-02-501-000	56 STOCK	STOCK, PLATE, QA 0, STRUCTURAL, 4 FT (48 IN), 8 FT (96 IN), 1/4 IN, SS, AISI 430, HOT ROLLED	0	B	9520Z SE
AA439Y	AL	D-A-02-101-000	2 STOCK	STOCK, BAR, QA 0, ROUND, 1-1/4 IN, 1 FT 1 IN, BRONZE, SAND CAST, QQ-C-390A, METAL BAR, ; ROUND, BRONZE, SAND CAST, SOLID, FED SPEC QQ-C-390A	0		9520Z SE
AA439Y	AL	9-A-01-003-001	32 STOCK	STOCK, PLATE, QA 0, STRUCTURAL, 4 FT (48 IN), 8 FT (96 IN), 3/8 IN, SS, AISI 430, HOT ROLLED	0	D	9520Z SE
AA439Y	AL	9-A-01-003-001	1 STOCK	STOCK, BAR, QA 0, FLAT, 3/4 IN, 20 FT (240 IN), 1/4 IN, CS, 0.638, ASTM A36, HOT ROLLED	0	C	9520Z SE
AA439Y	AL	A-A-01-000-001	6 STOCK	STOCK, BAR, QA 0, ROUND, 5 IN, NAVAL BRASS, QQ-B-637 COMP 1, ***	0	P	9520Z SE
AA439Y	AL	D-A-17-301-000	2 STOCK	STOCK, BAR, QA 0, ROUND, 2 FT, 3-1/8 IN, IRON, ASTM A48, CAST, METAL BAR, ; ROUND, CAST IRON, SOLID, GREY,ASTM A48-64, DURA BAR	0		9520Z SE
AA439Y	AL	1-A-03-000-001	1 STOCK	STOCK, BAR, QA 1, METAL BAR, ; ROUND, STAINLESS STEEL, ASME SA193,GRADE B6, TYPE 410	1	P	9520Z SE
AA439Y	AL	A-A-01-000-001	7 STOCK	STOCK, TUBE/STRUCTURAL, QA 1, TUBING, STRUCTURAL; SHAPE: SQUARE, MATERIAL: CARBON STEEL, MATERIAL	1	P	9520Z SE
AA439Y	AL	D-A-02-101-000	2 STOCK	STOCK, BAR, QA 0, ROUND/CORED, 1 FT 1 IN, 1 IN ID X 3 IN OD, BRONZE, ALLOY 932, CAST	0		9520Z SE
AA439Y	AL	A-A-01-000-001	198 STOCK	STOCK, TUBE/STRUCTURAL, QA 1, TUBING, STRUCTURAL; SHAPE: SQUARE, MATERIAL: CARBON STEEL, MATERIAL	1	P	9520Z SE
AA439Y	AL	A-A-01-000-001	700 STOCK	STOCK, ANGLE, QA 1, STRUCTURAL, 1-1/2 IN X 1-1/2 IN, 20 FT (240 IN), 1/8 IN, CS, ASTM A36	1	D	9520Z SE
AA439Y	AL	A-A-01-000-001	40 STOCK	STOCK, BAR, QA 0, ROUND, 4-7/8 IN, TOOL STEEL, AISI T-1, METAL BAR, ; ROUND, TOOL STEEL, AISI SAE T-1, OIL HARDENING, HIGH	0	P	9520Z SE
AA439Y	AL	D-A-09-402-006	3 STOCK	STOCK, BAR, QA 0, ROUND, 1-1/2 IN, TOOL STEEL/CARBON, DRILL ROD, METAL BAR, ; ROUND, TOOL STEEL, CARBON, DRILL ROD, 1.5 IN OD ***	0		9520Z SE

BKH664V	AL	D-A-09-402-007	1	STOCK	STOCK, BAR, QA 0, ROUND, 3 FT, 1-1/4 IN, TOOL STEEL/CARBON, 4.170, AISI 0-1, ALLOY TREATED, DRILL ROD, METAL BAR, ; ROUND, TOOL STEEL, CARBO	0		9520Z SE
BNB949P	AL	D-A-32-302-004	1	STOCK	STOCK, BAR, QA 0, BLANK/TOOL, 1/4 IN, 1/4 IN, TOOL STEEL, GRADE 76, ***	0		9520Z SE
BNB950J	AL	D-A-32-302-004	1	STOCK	STOCK, BAR, QA 0, BLANK/TOOL, 5/16 IN, 5/16 IN, TOOL STEEL, GRADE 76, ***	0		9520Z SE
BNB956T	AL	D-A-32-302-004	1	STOCK	STOCK, BAR, QA 0, BLANK/TOOL, 5/8 IN, 5/8 IN, TOOL STEEL, GRADE 76, ***	0		9520Z SE
BNB957Q	AL	D-A-32-302-004	1	STOCK	STOCK, BAR, QA 0, BLANK/TOOL, 3/4 IN, 3/4 IN, TOOL STEEL, GRADE 76, ***	0		9520Z SE
BNB958N	AL	D-A-32-302-004	1	STOCK	STOCK, BAR, QA 0, BLANK/TOOL, 1/4 IN, 1/4 IN, TOOL STEEL, GRADE 95, ***	0		9520Z SE
BNB959L	AL	D-A-32-302-004	1	STOCK	STOCK, BAR, QA 0, BLANK/TOOL, 5/16 IN, 5/16 IN, TOOL STEEL, GRADE 95, ***	0		9520Z SE
BNB960F	AL	D-A-32-302-004	1	STOCK	STOCK, BAR, QA 0, BLANK/TOOL, 3/8 IN, 3/8 IN, TOOL STEEL, GRADE 95, ***	0		9520Z SE
BNB964V	AL	D-A-32-302-004	1	STOCK	STOCK, BAR, QA 0, BLANK/TOOL, 5/8 IN, 5/8 IN, TOOL STEEL, GRADE 95, ***	0		9520Z SE
BNB965R	AL	D-A-32-302-004	1	STOCK	STOCK, BAR, QA 0, BLANK/TOOL, 3/4 IN, 3/4 IN, TOOL STEEL, GRADE 95, ***	0		9520Z SE
BPD591Q	AL	1-A-12-129-001	2	STOCK	STOCK, BAR, QA 0, FLAT, 2 IN, 3 FT 1 IN, 1/4 IN, METAL BAR, ; FLAT, 0.25 DIA X 2 WIDE X 37 IN LONG ***	0	P	9520Z SE
BVM128E	AL	D-A-08-201-000	2	STOCK	STOCK, BAR, QA 1, BAR, ROUND; MATERIAL: NAVAL BRASS, OUTSIDE DIAMETER: 00.750 IN (3/4)	1		9520Z SE
BXY062E	AL	F-A-19-201-000	41	STOCK	STOCK, BAR, QA 1, BAR, ACTUATOR; SQUARE, CARBON STEEL, ASTM A108, AISI C-1018, COLD	1	D	48200 SE
CBT655Q	AL	D-B-16-000-001	24	STOCK	STOCK, BAR, QA 2, BAR, FLAT; MATERIAL: COPPER, WIDTH: 5 INCH, MINIMUM, THICKNESS: 1/4	2	D	9520Z SE
CDD133E	AL	A-A-01-000-001	504	STOCK	STOCK, BAR, QA 3, FLAT, 1 IN, 12 FT (144 IN), 1/4 IN, ALUMINUM, ALLOY 6061-T6, STANDARD MILL FINISH	3	D	9520Z SE
AFY430X	AL	M-A-08-000-002	2	STOCK	STOCK, BAR, QA 0, ROUND, 1 FT 1 IN, 4 IN, COPPER, SAND CAST, QQ-C-390B, BAR, ROUND; MATERIAL: COPPER ALLOY, OUTSIDE DIAMETER: 04.000 IN (4)	0	D	9520Z SE
AGY617V	AC	- - -	12	STOCK	STOCK, BAR, QA 1, BAR, ROUND; MATERIAL: STAINLESS STEEL, OUTSIDE DIAMETER: 05.000 IN (1	C	9520Z SE
AKY137P	AL	L-A-13-000-002	2	STOCK	STOCK, BAR, QA 1, BAR, ROUND; MATERIAL: NAVAL BRASS, OUTSIDE DIAMETER: 00.500 IN (1/2)	1	D	9520Z SE
AKY535B	AL	P-A-LL-ET0-020	4	STOCK	STOCK, BAR, QA 1, METAL BAR, ; ROUND W/CORE, BRONZE, CAST, MACHINE, 8 OD X 3 ID X 13 IN	1	C	9520Z SE
BCC617A	AL	M-A-13-000-002	425	STOCK	STOCK, ANGLE, QA 3, ANGLE, STRUCTURAL; TYPE 304 STAINLESS STEEL, 0.5 X 0.5 X 36 IN LONG	3	P	9520Z SE
CDL264T	AL	X-A-08-000-002	43	STOCK	STOCK, BAR, QA 1, ROUND, 1/2 IN, ALUMINUM, ASTM B221 6061 T6511	1	C	9520Z SE
BDJ137K	AL	E-A-16-C01-F01	3	STOP	STOP, MECHANICAL, QA 0, CIRCUIT BREAKER, 3 IN, 4 IN, PLASTIC, 1/4 IN THICK, ***	0	C	5925B SE
BRE337M	AL	E-A-16-C01-A01	1	STOP	STOP, MECHANICAL, QA 0, STOP, CIRCUIT BREAKER; FOR POWER CIRCUIT BREAKERM TYPE DR36SC1750D ***	0	C	5925B SE
BXK900E	AL	A-A-01-000-001	7	STOP	STOP, MECHANICAL, QA 3, DOOR, ; IVES 438, FLOOR,WITH GRAY NON MARRING RUBBER BUMPER,	3	C	4710Y SE
AXP339H	AL	L-A-09-000-002	6	STOP	STOP, MECHANICAL, QA 3, STOP, HEAVY EQUIPMENT; SOLENOID LEVER, FOR SUPPORT PLATE ASSY, PN	3	P	2910O SE
BDJ137K	AL	L-A-03-000-002	1	STOP	STOP, MECHANICAL, QA 0, CIRCUIT BREAKER, 3 IN, 4 IN, PLASTIC, 1/4 IN THICK, ***	0	C	5925B SE
BDJ138H	AL	L-A-03-000-002	1	STOP	STOP, MECHANICAL, QA 0, CIRCUIT BREAKER, 2-1/2 IN, 4-1/8 IN, TEFLON, ***	0	C	5925B SE
BUN743C	AL	L-A-01-000-002	113	STOP	STOP, MECHANICAL, QA 3, ANGLE STOP, DAMPER; GALV STEEL 10 GA, 1.00 X 1.00 IN, DOE MODEL BF 50	3	P	4520N SE
BVC940H	AL	L-A-09-000-002	5	STOP	STOP, MECHANICAL, QA 3, RELEASE, CIRCUIT BREAKER; POSITION STOP RELEASE FOR GE CIRCUIT BREAKER	3	B	5925B SE
BWR670B	AL	L-A-05-000-002	10	STOP	STOP, MECHANICAL, QA 3, STOP, VALVE; SPRING LIFT, A, DWG H-55229, SET PRESSURE 1225.00 PSI A	3	C	48200 SE
CAG466M	AL	L-A-03-000-002	11	STOP	STOP, MECHANICAL, QA 3, STOP, DOOR; PROJECTION OR HEIGHT: 1", BASE SIZE: 5/32", FASTENERS: WS	3	C	4710Y SE
CAG467K	AL	L-A-03-000-002	26	STOP	STOP, MECHANICAL, QA 3, STOP, DOOR; PROJECTION OR HEIGHT: 1-3/8", BASE SIZE: 1/2", FASTENER S:	3	C	4710Y SE
APV724Y	AL	D-A-30-301-003	20	STOPPER	STOPPER, TYPICAL, QA 0, BOTTLE, 9, 45 MM, 37 MM, RUBBER, SOLID	0	P	6630D SE
ARH046F	AL	A-A-01-000-001	5	STOPPER	STOPPER, TYPICAL, QA 0, STOPPER, BOTTLE; SPLIT RUBBER ***	0	P	6630D SE
BGE149E	AL	D-A-32-104-001	1	STOPPER	STOPPER, TYPICAL, QA 0, STOPPER, BOTTLE; POLYETHYLENE, SIZE 22, CLOSED BOTTOM AND ENLARGED	0	P	6630D SE
BTW852N	AL	A-A-01-000-001	2	STOPPER	STOPPER, TYPICAL, QA 3, STOPPER, BOTTLE; RUBBER BLOCK, NATURAL RUBBER, FLUOROCARBON CLAD, 8 IN	3	B	6630D SE
BXT041B	AL	D-B-21-401-000	1	STOPPER	STOPPER, TYPICAL, QA 0, PIPE, 27 IN, RUBBER, STOPPER, PIPE; 27 INCH, BLACK RUBBER, INFLATABLE STOPPER, PIPE PLUG	0		4730P SE
CAD117Y	AL	A-A-01-000-001	500	STOPPER	STOPPER, TYPICAL, QA 0, STOPPER, TEST; 1/2 IN RUBBER, MCMASTER CARR 9277K17 ***	0	B	6630D SE
APG571N	AL	D-A-04-202-005	5	STRAINER	STRAINER, TYPICAL, QA 0, SEDIMENT, CARBON STEEL/STAINLESS STEEL, 3000 PSIG, STRAINER, SEDIMENT; BODY MATERIAL: CARBON STEEL, SCREEN MATERIAL	0		4730P SE
APG671J	AL	D-A-04-202-005	5	STRAINER	STRAINER, TYPICAL, QA 0, SEDIMENT, CAST IRON, 3000 PSIG, STRAINER, SEDIMENT; BODY MATERIAL: CAST IRON, NOMINAL SIZE: 01.000 IN	0		4730P SE
AQW866Y	AL	D-A-26-402-000	2	STRAINER	STRAINER, TYPICAL, QA 0, STRAINER, SEDIMENT; INTERNAL, 1.875 IN DIA, WITH 0.5 X 0.875 IN LG	0		4730P SE
ARQ205V	AL	D-A-32-104-001	2	STRAINER	STRAINER, TYPICAL, QA 0, STRAINER, DRYER; OIL, FOR MODEL BE8D ***	0	P	4440E SE
AYA155Q	AL	D-B-07-202-001	1	STRAINER	STRAINER, TYPICAL, QA 0, STRAINER, SUCTION; GAS, FOR GLYCOL CHILLER PACKAGE COMPRESSOR, MODEL	0	P	4730P SE
BGF475V	AL	D-A-28-102-005	4	STRAINER	STRAINER, TYPICAL, QA 0, SEDIMENT, 2 IN, CAST IRON/STAINLESS STEEL, 150 PSIG, THREADED, STRAINER, SEDIMENT; BODY MATERIAL: CAST IRON, SCREEN	0		4730P SE
BHH524Q	AL	D-A-32-104-001	1	STRAINER	STRAINER, Y, QA 0, 3/8 IN, BRASS/SS, THREADED, STRAINER, SEDIMENT; BODY MATERIAL: BRASS, SCREEN MATERIAL: STAINLESS	0	P	4730P SE
BHQ054N	AL	D-A-22-302-000	1	STRAINER	STRAINER, TYPICAL, QA 1, STRAINER, SUCTION; DWG 1F-6473, ITEM 13, REF #449, FOR CENTRIFUGAL	1	C	4730P SE
BKN794L	AL	D-B-19-202-002	2	STRAINER	STRAINER, TYPICAL, QA 3, STRAINER, SEDIMENT; STAINLESS STEEL MESH, 0.375 INOIL, FOR BOARD ROOM	3		4730P SE
BLN973E	AL	D-A-10-302-006	2	STRAINER	STRAINER, Y, QA 3, 1/2 IN, SS, STRAINER, SEDIMENT; STRAINER, SEDIMENT, 1/2 INCH, BRASS BODY, 'Y'	3		4730P SE
BLP847E	AL	D-A-16-201-000	100	STRAINER	STRAINER, TYPICAL, QA 0, PAINT, NYLON, 5 GALLON, 60 MESH, STRAINER, PAINT; NYLON, 60 MESH, 5 GALLON CAPACITY. ***	0		5120M SE
BND738T	AL	D-A-16-201-000	99	STRAINER	STRAINER, TYPICAL, QA 0, STRAINER, PAINT; 1 GALLON ***	0		5120M SE
BPG600F	AL	D-B-17-202-000	3	STRAINER	STRAINER, Y, QA 3, 3 IN, CAST IRON/BRONZE, 125 PSI, FLANGED, STRAINER, ; CAST IRON BODY, CLEANOUT SIZE 3 IN, Y-PATTERN, FLANGED	3		4730P SE
BRG145L	AL	A-A-01-000-001	3	STRAINER	STRAINER, TYPICAL, QA 0, FLUID, 4 IN, IRON, 125 LB WOG, FLANGED, 40 MESH, STRAINER, FLUID; IRON BODY,125 LB WOG,40 MESH MONEL SCREEN,CLEANOU	0	C	4310I SE
BVM835L	AL	D-B-16-000-001	6	STRAINER	STRAINER, TYPICAL, QA 3, STRAINER, FLUID; STEEL, FOR MAINTAINING LUBE OIL MODIFICATION, ON	3	B	4310I SE
CGW877W	AL	D-A-16-302-005	1	STRAINER	STRAINER, Y, QA 3, 4 IN, SS, 150 LB, FLANGED, 80 MESH STAINLESS SCREEN, FLANGED BLOW OFF CONNECTION WITH 2" NPT	3		4730P SE
CGW877W	AL	D-A-16-302-006	1	STRAINER	STRAINER, Y, QA 3, 4 IN, SS, 150 LB, FLANGED, 80 MESH STAINLESS SCREEN, FLANGED BLOW OFF CONNECTION WITH 2" NPT	3		4730P SE
CJE786V	AL	D-A-18-301-002	1	STRAINER	STRAINER, Y, QA 1, 2 IN, CAST CS, 150 LB, BUTT WELDED, BODY MATERIAL ASTM A216 GR. WCB, LIQUID SERVICE	1		46109 SE
AAV075H	AL	L-A-09-000-002	7	STRAINER	STRAINER, TYPICAL, QA 0, STRAINER, RECORDER; FOR FOXBORO 5412TS-58P4F-B RECORDER-CONTROLLER ***	0	P	6695D SE
AQX064M	AL	M-A-02-000-002	1	STRAINER	STRAINER, TYPICAL, QA 2, STRAINER ASSY, ; VALVE, 000.500 IN INLET AND OUTLET, FOR WATER LEVEL	2	P	4730P SE
BDY399N	AL	L-A-09-000-002	1	STRAINER	STRAINER, Y, QA 3, 1/2 IN, SS, 250 PSI, FNPT, STRAINER, SEDIMENT; SIZE .5 IN, "Y" TYPE PIPELINE, MAX OPR TEMP 200.0	3	P	4730P SE
BHQ813D	AL	L-A-09-000-002	31	STRAINER	STRAINER, TYPICAL, QA 0, STRAINER ELEMENT, PUMP; AIR VALVE SCREEN, FOR DEWATERING RECIPROCATING	0	C	4320U SE
BLR622W	AL	M-A-13-000-002	2	STRAINER	STRAINER, TYPICAL, QA 1, STRAINER, ; OIL, FOR RECIPROCATING COMPRESSOR, MODEL 3F5B80, S/N	1	P	4310I SE
BTK131A	AL	L-A-09-000-002	1	STRAINER	STRAINER, Y, QA 3, 3/4 IN, CAST IRON, 250 PSI, FNPT, STRAINER, SEDIMENT; BODY MATERIAL: CAST IRON, SCREEN MATERIAL: MONEL,	3	C	4730P SE
BYB483T	AL	M-A-01-000-002	1	STRAINER	STRAINER, TYPICAL, QA 3, STRAINER, FLUID; FOR NON REGENERABLE DEMINERALIZER ***	3	C	4310I SE
BYE531T	AC	- - -	1	STRAINER	STRAINER, TYPICAL, QA 3, DUPLEX, 4 IN, CS, THREADED, W/BASKET, STRAINER, FLUID; DUPLEX, MODEL 50, 4" NPS, BODY: CARBON STEEL, ALL	3	C	4310I SE
CAE754T	AL	P-A-LL-ET0-110	2	STRAINER	STRAINER, Y, QA 1, 1/4 IN, STRAINER, CHILLER; Y-TYPE, 1/4", CLEANABLE, FOR CONTROL BAY CHILLER	1	C	4520N SE
CAX015B	AL	L-A-04-000-002	1	STRAINER	STRAINER, TYPICAL, QA 3, STRAINER, FLUID; SEDIMENT, FLANGED, FOR USE ON CONTROL ROD DRIVE	3	C	4310I SE
CEC610G	AL	L-A-13-000-002	2	STRAINER	STRAINER, Y, QA 3, STRAINER, PUMP; Y-TYPE, 1.5 INCH, INTERNAL THREADS NPT, FOR ASSEMBLY	3	C	4310I SE
CEG182B	AL	L-A-10-000-002	2	STRAINER	STRAINER, Y, QA 1, CLASS 3, 6 IN, CARBON STEEL, 150 LB, BUTT WELDED, ** SCHEDULE 40, BOLTED COVER, STAINLESS STEEL SCREEN, 1/16"	1	C	4310I SE
CEY641W	AL	M-A-04-000-002	1	STRAINER	STRAINER, Y, QA 0, THREADED, ** 3/8" BT INLET, 1/2" DRAIN	0	C	4730P SE
BCB455F	AL	D-B-17-202-000	12	STRAP	STRAP, TYPICAL, QA 0, STRAP, BREATHING APPARATUS; LEFT SHOULDER, CUSHIONED, FOR BREATHING	0		4240P SE
BHP192Q	AL	1-A-21-009-001	307	STRAP	STRAP, TYPICAL, QA 1, RETAINING, CS, 1 HOLE, 16 GAUGE, ELECTRO GALVANIZED, 1/2 OD TUBE SIZE	1	P	5975B SE
BLD715K	AL	D-A-16-201-000	27	STRAP	STRAP, TYPICAL, QA 0, STRAP, BREATHING APPARATUS; WAIST STRAP, FOR SCBA KITS ***	0		4240P SE
BVJ474A	AL	A-A-01-000-001	2	STRAP	STRAP, TYPICAL, QA 1, STRAP, MOUNTING,ULMS; FOR ULTRASONIC LEVEL MEASUREMENT SYSTEM ***	1	B	6695D SE
BBN153D	AL	L-A-03-000-002	20	STRAP	STRAP, PIPE, QA 3, STRAP, RETAINING; GALVANIZED MALLEABLE IRON, 2.5IN, ONE HOLE ***	3	P	4710Y SE
BQK831R	AL	L-A-02-000-002	259	STRAP	STRAP, PIPE, QA 1, STRAP, RETAINING; MATERIAL: CARBON STEEL, SIZE: 00.750000 (3/4)	1	C	5975B SE

BQK944C	AL	L-A-02-000-002	347	STRAP	STRAP, PIPE, QA 1, 5 IN, CS, 2, STRAP, RETAINING; MATERIAL: CARBON STEEL, SIZE: 05.000000 (5), NUMBER	1	C	5975B SE
BYB359V	AL	L-A-13-000-002	975	STRAP	STRAP, CABLE, QA 3, TIEDOWN, 14.650 IN, SS, , MAX BUNDLE SIZE: 4 IN., NOMINAL WIDTH: 00.310, COLOR: NATURAL	3	B	5975B SE
AAX992B	AL	D-A-30-301-003	1	STRAPPING	STRAPPING, SHIPPING, QA 0, BANDING, 3/8 IN, 0.025 IN, SS, TYPE 201, BAND-IT,	0	C	8135F SE
AWD800Y	AL	A-A-01-000-001	41	STRAPPING	STRAPPING, SHIPPING, QA 0, 3/4 IN, 0.020 IN, SS, STRAPPING, STAINLESS STEEL; STAINLESS STEEL, 000.750 WIDE X 000.020 IN	0	P	8135F SE
BRN589G	AL	T-A-01-000-002	200	STRAPPING	STRAPPING, SHIPPING, QA 3, STRAPPING, ; STAINLESS STEEL, .500 IN WIDE X 0.015 IN THICK ***	3	C	8135F SE
AFN364E	AL	D-A-02-102-003	4	STRIKE	STRIKE, DOOR, QA 0, CATCH, CHROME, 24 V/0.582 A/4.1 W, STRIKE, CATCH; 024.000 VAC, 000.582 AMPERE, 004.100 WATT, (ELECTRIC	0		4710Y SE
AHK969E	AL	D-A-02-102-006	6	STRIKE	STRIKE, DOOR, QA 0, STRIKE, CATCH; US4 W/3/4 IN KEEPER, FOR RS-40 ACCESS CONTROL SYSTEM 24	0		4710Y SE
AJK360Y	AL	D-A-02-102-003	1	STRIKE	STRIKE, DOOR, QA 0, STRIKE, CATCH; US4 W/1/2 IN KEEPER, FOR RS-40 ACCESS CONTROL SYSTEM 24	0		4710Y SE
BET533V	AL	D-A-02-102-005	11	STRIKE	STRIKE, DOOR, QA 0, CATCH, CHROME, 24, SATIN FINISH, STRIKE, CATCH; 24 VAC X LCBMA, DPDT SIGNAL SWITCH, CHROME SATIN US26D	0		4710Y SE
BXN829X	AL	A-A-01-000-001	10	STRIKE	STRIKE, DOOR, QA 3, STRIKE, CATCH; ASA, 1.25 X 4.875 IN, 1.25 IN LIP TO CENTER, FINISH : US	3	C	4710Y SE
AYG025X	AL	T-A-01-000-002	4	STRIKE	STRIKE, DOOR, QA 3, STRIKE, CATCH; WROUGHT BRASS, STANDARD WEIGHT DUST PROOF, LESS SWITCH	3	P	4710Y SE
BDR323J	AL	M-A-02-000-002	4	STRIKE	STRIKE, DOOR, QA 2, STRIKE, CATCH; DOOR, ELECTRIC, 24 VAC, DPDT, FAIL-SAFE, SILENT	2	P	4710Y SE
BET532X	AL	P-A-LL-ET0-063	6	STRIKE	STRIKE, DOOR, QA 0, STRIKE, CATCH; 24 VAC X LCBMA X FS X SO, DPDT SIGNAL SWITCH, CHROME	0	C	4710Y SE
BVG649B	AL	L-A-03-000-002	117	STRIKE	STRIKE, DOOR, QA 0, CATCH, STRIKE, CATCH; FOR NIELSEN HARDWARE CORP RIM LATCHES. ***	0	C	4710Y SE
AMA664T	AL	D-A-35-302-000	30	STRIP	STRIP, TYPICAL, QA 0, SPILL, RING SEGMENT, STEAM TURBINE; STEAM DEFLECTOR, STAGE 11, (DFB), (TE),	0		2825G SE
AMA764N	AL	D-A-31-401-001	30	STRIP	STRIP, TYPICAL, QA 0, RING SEGMENT, STEAM TURBINE; STEAM DEFLECTOR, STAGE 11, (DFB), (GE)	0		2825G SE
AQA292K	PR	N-A-01-FLO-ORO	1	STRIP	STRIP, SEAL, QA 0, SEAL STRIP, STEAM TURBINE; CYLINDER AND BLADE, ORDER 18975	0	P	2825G SE
ARJ872H	AL	D-B-21-048-001	60	STRIP	STRIP, SEAL, QA 0, SEAL STRIP, STEAM TURBINE; OIL SEAL RING, STEEL, REF 7, ITEM 3, 4, 7	0	C	2825G SE
ARK815Q	AL	D-A-15-302-000	20	STRIP	STRIP, SEAL, QA 0, 5/8 IN, 30 FT, 3/8 IN, NITRITE, RUBBER STRIP, ; NITRITE, 000.375 X 000.625 X 360.000 IN LG, FOR	0		5680B SE
AWL656T	AL	A-A-01-000-001	3	STRIP	STRIP, TYPICAL, QA 3, RUBBER STRIP, ; 40-50 DUROMETER, 0.5 THK X 1.5 IN WIDE, TVA MARK	3	P	5680B SE
BBQ101P	AL	D-A-04-201-002	3	STRIP	STRIP, TYPICAL, QA 0, STRIP, INSTRUMENT; POLISHING, ELECTRODE, 24 EACH PER PACKAGE, FOR LOW	0	P	6630D SE
BCD035J	AL	A-A-01-000-001	90	STRIP	STRIP, TYPICAL, QA 0, 2-1/4 IN, 3-3/8 IN, PLASTIC, WHITE, STRIP, PLASTIC; MATERIAL: PLASTIC, WIDTH: 02.250 IN (2 1/4), LENGTH:	0	P	5680B SE
BEK902V	AL	A-A-01-000-001	5	STRIP	STRIP, SEAL, QA 0, MOLDED, 15-1/2 FT, FLUOROCARBON, SEAL, RUBBER STRIP; MOLDED, FLUOROCARBON, END SECTION, 15 FT 6 IN, FOR	0	P	5730H SE
BEK903R	AL	A-A-01-000-001	10	STRIP	STRIP, SEAL, QA 0, MOLDED, 11 FT 1 IN, FLUOROCARBON, SEAL, RUBBER STRIP; MOLDED, FLUOROCARBON, END SECTION, 11 FT 1 IN, FOR	0	P	5730H SE
BKQ236D	AL	D-A-04-201-002	2	STRIP	STRIP, TYPICAL, QA 0, STRIP, CHLORIDE POLISHING; PAPER, 4.5 IN WIDE X 2.74 IN LONG	0	P	6630D SE
BNA525V	AL	F-B-14-013-001	104	STRIP	STRIP, SEAL, QA 0, SEAL STRIP, ; SEAL STRIP, 1155E79-IT-9, SO-N/A, WBT-902, WBT-CNINOP	0	P	5730H SE
BNB785V	AL	A-A-01-000-001	184	STRIP	STRIP, TYPICAL, QA 3, STRIP, ; TRIM, PLASTIC, BLACK, 2 EA PERPACKAGE, FOR METER CASE, P/N	3	P	6695D SE
BVA861C	AL	A-A-01-000-001	4	STRIP	STRIP, TYPICAL, QA 1, STRIP, RELAY; UNIVERSAL MOUNTING, FOR TYPE "R" RELAY,CARBON STEEL ***	1	B	5945D SE
BVE647R	AL	F-A-07-201-000	4	STRIP	STRIP, TYPICAL, QA 1, STRIP, RELAY; MOUNTING, UNIVERSAL FOR TYPE "AR440" RELAY ***	1	B	5945D SE
BVP565D	AL	A-A-01-000-001	30	STRIP	STRIP, SEAL, QA 1, STRIP, DAMPER; SEAL,HOLD DOWN ***	1	B	4410C SE
BYE202F	AL	D-A-32-302-004	1	STRIP	STRIP, SEAL, QA 0, WEATHER STRIP, SEAL; WEATHER SHIELD, RUBBER, FOR 5 1/4" B-62-B FIRE	0		4210N SE
CAL639V	AL	D-A-12-301-000	8	STRIP	STRIP, SEAL, QA 3, WEATHER STRIP, SEAL; AUTOMATIC DOOR BOTTOM, ALUMINUM ALLOY AND	3		5680B SE
CEL498T	AL	F-A-37-201-000	16	STRIP	STRIP, SEAL, QA 0, STRIP, SEAL *** FOR USE ON EXCITER CONTAINMENT DOORS, EXCITER HOUSING	0	C	5730H SE
CFE946J	AL	1-A-03-000-001	19	STRIP	STRIP, TYPICAL, QA 3, CLOSURE, 10 FT, 0.020 IN, *** FINISH: PRE-GALVANIZED, PLAIN, FOR USE WITH 1-5/8" WIDTH SERIES	3	C	5975B SE
ACY999B	AL	M-A-10-000-002	4	STRIP	STRIP, TYPICAL, QA 2, STRIP, ; MARKING, FOR RECORDER, MULTIPLE PURPOSE, MODEL 6400H ***	2	P	6695D SE
AMA865G	AL	L-A-04-000-002	1	STRIP	STRIP, TYPICAL, QA 0, SPILL, RING SEGMENT, STEAM TURBINE; STEAM DEFLECTOR, STAGE 12, (DFA), (TE &	0	C	2825G SE
AVY215C	AL	M-A-11-000-002	40	STRIP	STRIP, SEAL, QA 3, 2 IN, 1/4 IN, NEOPRENE, , RECTANGULAR CROSS SECTION	3	P	5730H SE
BDQ514G	AL	M-A-10-000-002	300	STRIP	STRIP, SEAL, QA 3, WEATHER STRIP, ; DOOR, RUBBER, BROWN, PRESSURE SENSITIVE ADHESIVE	3	P	5680B SE
BDQ514G	AL	M-A-09-000-002	542	STRIP	STRIP, SEAL, QA 3, WEATHER STRIP, ; DOOR, RUBBER, BROWN, PRESSURE SENSITIVE ADHESIVE	3	P	5680B SE
BEK903R	AL	M-A-16-000-002	5	STRIP	STRIP, SEAL, QA 0, MOLDED, 11 FT 1 IN, FLUOROCARBON, SEAL, RUBBER STRIP; MOLDED, FLUOROCARBON, END SECTION, 11 FT 1 IN, FOR	0	P	5730H SE
BTF660E	AL	M-A-09-000-002	25	STRIP	STRIP, SEAL, QA 3, RUBBER STRIP, ; CLOSED CELL, NEOPRENE RUBBER, DOOR SEAL, DWG 27377	3	B	5680B SE
CBM293T	AL	L-A-09-000-002	3	STRIP	STRIP, SEAL, QA 3, POLY FOAM, WEATHER STRIP, SEAL; PRESS-ON, 1/2 IN. X 3/8 IN. X 17 FT. ROLL, POLY	3	B	5680B SE
BPE105Q	AL	1-A-14-129-001	150	STRUT	STRUT, TYPICAL, QA 0, STRUT, ; GLOBE 2 IN ***	0	P	4470C SE
BPM273X	AL	1-B-14-000-001	1	STRUT	STRUT, TYPICAL, QA 1, STRUT, PIPE HANGER; SHOCK AND SWAY WITH SNUBBER, S/N 5509, HNP MK#	1	C	4710Y SE
BPQ194A	AL	1-B-10-000-001	1	STRUT	STRUT, TYPICAL, QA 1, STRUT ASSY, PIPE HANGER; W/SNUBBER, P-P DIM=3 FT 1 IN, LCDS R/3 ***	1	C	4710Y SE
BPQ550R	AL	1-B-14-000-001	2	STRUT	STRUT, TYPICAL, QA 1, STRUT ASSY, PIPE HANGER; CARBON STEEL, SHORT, WITH SNUBBER, LOAD	1	C	4710Y SE
BQE427T	AL	D-A-05-056-001	1	STRUT	STRUT, TYPICAL, QA 2, STRUT ASSY, PIPE HANGER; SWAY, SIZE 3, P TO P = 4' - 0" (MAXIMUM) LESS	2	C	4710Y SE
BRJ984Y	AL	1-B-14-000-001	2	STRUT	STRUT, TYPICAL, QA 1, STRUT ASSY, PIPE HANGER; WITH SNUBBER, LCDS R/2 PAINTED WITH CARBO	1	C	4710Y SE
BVK071J	AL	D-A-12-402-000	2	STRUT	STRUT, TYPICAL, QA 1, STRUT, PIPE HANGER; ADJUSTABLE RIGID, SIZE - .7 KIP., LENGTH P TO P -	1	C	4710Y SE
BLL645A	AL	M-A-04-000-002	1	STRUT	STRUT, TYPICAL, QA 1, STRUT ASSY, PIPE HANGER; SHORT, WITHOUT SNUBBER, SIZE 1.5 ***	1	P	4710Y SE
ADK028H	AL	A-A-01-000-001	18	STUD	STUD, TYPICAL, QA 1, STUD, CONTINUOUS THREAD; STAINLESS STEEL, ASTM A193-84A,GR B8, 1 DIA X	1	C	5305J SE
AFH765M	AL	D-A-21-202-003	51	STUD	STUD, TYPICAL, QA 1, VALVE, 1-3/4 IN, 12 IN (1 FT), 8, ALLOY STEEL, UNC, ASME SA540 GR B23, 2A, STUD, VALVE; BONNET, REF 2-1, ALLOY STEEL, A	1	C	48200 SE
AGF694N	AL	D-A-11-056-001	3	STUD	STUD, TYPICAL, QA 1, STUD, ; BOLT, BABCOCK & WILCOX DWG 1805-109-5, MK-61, 6 IN. DIA X 5 FT	1	P	4470C SE
AGF775N	AL	D-B-27-301-000	23	STUD	STUD, TYPICAL, QA 0, CONTINUOUS THREAD, 1-3/8 IN, 14 IN, 8, ALLOY STEEL, UNC, ASTM A193 GR B7, 2A, CHANNEL COVER,	0		4420B SE
AJF774C	AL	D-A-02-301-000	7	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; ALLOY STEEL, ASME SA-193 GRADEB7, 1.5-8 UN-2A	1	C	4420B SE
ANA780X	AL	A-A-01-000-001	1	STUD	STUD, TURBINE, QA 0, STEAM, 1-1/2 IN, 8 IN, STUD, STEAM TURBINE; 1.5 X 8 IN LONG, STYLE 630C974032, DWG 9-H-757	0	C	2825G SE
AXD498G	AL	D-A-10-302-006	3	STUD	STUD, TYPICAL, QA 0, CONTINUOUS THREAD, 5/8 IN, 5-3/8 IN, 11, ALLOY STEEL, UNC, ASTM A193 GR B7	0		48200 SE
AXE988R	AL	A-A-01-000-001	17	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; ALLOY STEEL ASME SA 453 GR 660 K66286, DIA	1	D	4320U SE
AXN558A	AL	D-A-03-104-001	16	STUD	STUD, TURBINE, QA 0, STEAM, *** BODY-BOUND, FOR NO 3 COUPLING, ON TURBINE, S/N 170X374 (5600), SEQ	0	C	2825G SE
BBF484R	AL	D-A-04-202-007	12	STUD	STUD, TYPICAL, QA 3, STUD, CONTINUOUS THREAD; ALLOY STEEL ASME SA 193 GR B7 G41400, DIA 1.0	3		5305J SE
BDE720C	AL	A-A-01-000-001	16	STUD	STUD, TYPICAL, QA 0, CONTINUOUS THREAD, 1-1/4 IN, 6-1/2 IN, 8, ALLOY STEEL, ASME SA193 GR B7, ***	0	P	4320U SE
BDE722W	AL	A-A-01-000-001	24	STUD	STUD, TYPICAL, QA 0, CONTINUOUS THREAD, 1-1/4 IN, 5-1/4 IN, 7, ALLOY STEEL, UNC, ASME SA193 GR B7, ***	0	P	4320U SE
BDE723T	AL	A-A-01-000-001	36	STUD	STUD, TYPICAL, QA 0, CONTINUOUS THREAD, 1 IN, 5-1/2 IN, 8, ALLOY STEEL, UNC, ASME SA193 GR B7, ***	0	P	4320U SE
BDE726L	AL	A-A-01-000-001	8	STUD	STUD, TYPICAL, QA 0, CONTINUOUS THREAD, 1-1/2 IN, 9-5/8 IN, 8, ALLOY STEEL, UN, ASME SA193 GR B7, ***	0	P	4320U SE
BDE727J	AL	A-A-01-000-001	4	STUD	STUD, TYPICAL, QA 0, CONTINUOUS THREAD, 1-1/2 IN, 11-1/4 IN, 8, ALLOY STEEL, UN, ASME SA193 GR B7, ***	0	P	4320U SE
BDE729E	AL	D-B-16-000-001	19	STUD	STUD, TYPICAL, QA 0, CONTINUOUS THREAD, 13-1/4 IN, 8, ALLOY STEEL, ASME SA193 GR B7, *** THREAD SERIES: UN	0	P	4320U SE
BDE731V	AL	A-A-01-000-001	4	STUD	STUD, TYPICAL, QA 0, CONTINUOUS THREAD, 2-1/2 IN, 9-1/4 IN, 8, ALLOY STEEL, UN, ASME SA193 GR B7, ***	0	P	4320U SE
BDQ044J	AL	A-A-01-000-001	15	STUD	STUD, TYPICAL, QA 1, STUD, CONTINUOUS THREAD; ALLOY STEEL, ASME SA 453, GR 660B, 1.375-8	1	P	4320U SE
BEE526N	AL	A-A-01-000-001	78	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; STAINLESS STEEL, ASME SA193, GR B6, 1-8	1	C	5305J SE
BEK001R	AL	D-B-04-000-001	1	STUD	STUD, TYPICAL, QA 1, CLASS 3, STUD, CONTINUOUS THREAD; ALLOY STEEL, ASME SA 193 GR B7, 2.250-8 UN X	1	C	4320U SE
BEK001R	AL	A-A-01-000-001	6	STUD	STUD, TYPICAL, QA 1, CLASS 3, STUD, CONTINUOUS THREAD; ALLOY STEEL, ASME SA 193 GR B7, 2.250-8 UN X	1	C	4320U SE
BEK002P	AL	A-A-01-000-001	1	STUD	STUD, TYPICAL, QA 1, CLASS 3, STUD, CONTINUOUS THREAD; ALLOY STEEL, ASME SA-193, GR B7, 1-8 UNC X	1	P	4320U SE
BFD303B	AL	A-A-01-000-001	23	STUD	STUD, TYPICAL, QA 1, CLASS 3, STUD, CONTINUOUS THREAD; ALLOY STEEL, ASME SA-193 GR B7, 1.875-8 UN-3A	1	C	4320U SE
BFH059W	AL	D-A-09-402-009	39	STUD	STUD, TYPICAL, QA 1, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 00.500000 (1/2), MATERIAL:	1		5305J SE
BGN690Y	TR	- - -	12	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, DOUBLE END; ALLOY STEEL, ASME SA540, GR B23, CLASS 5, VALVE	1	C	48200 SE

BHF707V	AL	1-B-05-135-001	1	STUD	STUD, TYPICAL, QA 3, STUD, POWDER ACTUATED; CARBON STEEL, THREAD SHANK DIAMETER 0.145 IN	3	P	5305J SE
BHF707V	AL	A-A-01-000-001	500	STUD	STUD, TYPICAL, QA 3, STUD, POWDER ACTUATED; CARBON STEEL, THREAD SHANK DIAMETER 0.145 IN	3	P	5305J SE
BHT362A	AL	A-A-01-000-001	500	STUD	STUD, TYPICAL, QA 3, STUD, POWDER ACTUATED; STEEL, TYPE W6-20-27-D12, 100 PER BOX ***	3	P	5305J SE
BHT362A	AL	1-A-05-000-001	500	STUD	STUD, TYPICAL, QA 3, STUD, POWDER ACTUATED; STEEL, TYPE W6-20-27-D12, 100 PER BOX ***	3	P	5305J SE
BJL659B	AL	1-B-14-000-001	544	STUD	STUD, TYPICAL, QA 0, PUMP, 2-1/4 IN, 10 IN, CARBON STEEL, STUD, PUMP; DISCHARGE FLANGE, CARBON STEEL, 2.25 DIA X 10 IN LG, FOR	0	P	4320U SE
BKC398G	AL	D-A-04-301-003	1	STUD	STUD, TYPICAL, QA 1, STUD, CONTINUOUS THREAD; DIA .625 IN, LENGTH 6.75 IN, NUT END 11, UNC	1		5305J SE
BKQ691L	AL	D-A-24-101-001	37	STUD	STUD, TYPICAL, QA 1, STUD, CONTINUOUS THREAD; CARBON STEEL ASME SA 307 GR A, DIA .5 IN	1		5305J SE
BLA947D	AL	A-A-01-000-001	55	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; STAINLESS STEEL, ASME SA 564 TP 630, 1.000-8	1	C	5305J SE
BLA951N	AL	A-A-01-000-001	25	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; STAINLESS STEEL, ASME SA 564 TP 630	1	C	5305J SE
BLA956C	AL	A-A-01-000-001	43	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; STAINLESS STEEL, ASME SA 564 TP 630, 1.250-7	1	C	5305J SE
BLA961K	AL	A-A-01-000-001	35	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; STAINLESS STEEL, ASME SA 564 TP 630, 1.375-6	1	C	5305J SE
BLA962H	AL	A-A-01-000-001	35	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; STAINLESS STEEL, ASME SA 564 TP 630, 1.375-6	1	C	5305J SE
BLV550W	AL	1-A-04-129-001	1	STUD	STUD, TYPICAL, QA 2, STUD, WELDING; CARBON STEEL, 0.375 X 2.5 IN LONG, WITH FERRULE P/N	2	C	5305J SE
BLV550W	AL	D-B-04-000-001	345	STUD	STUD, TYPICAL, QA 2, STUD, WELDING; CARBON STEEL, 0.375 X 2.5 IN LONG, WITH FERRULE P/N	2	C	5305J SE
BLV576Y	AL	A-A-01-000-001	31	STUD	STUD, TYPICAL, QA 1, STUD, CONTINUOUS THREAD; STAINLESS STEEL ASME SA564 GR 630, 1/2" X 6	1	P	5305J SE
BLW565Y	AC	- - -	25	STUD	STUD, TYPICAL, QA 3, FASTENER, ; STUD, STAINLESS STEEL, 0.25 TURN, NO 85, OVAL SLOTTED HEAD	3	P	6695D SE
BND775L	AL	D-A-09-402-009	29	STUD	STUD, TYPICAL, QA 3, STUD, CONTINUOUS THREAD; 0.375-16 UNC X 2.25 IN LG, FORNORDBERG VH75	3		4310I SE
BNL314M	AL	1-A-12-129-001	2	STUD	STUD, TYPICAL, QA 0, BOLT, ; BOLT, STUD, 627C726 ***	0	P	5925B SE
BNM971B	AL	D-A-09-301-011	16	STUD	STUD, TYPICAL, QA 0, CONTINUOUS THREAD, 1.0 IN, 7-1/2 IN, (2) HEX, ***	0		5305J SE
BNN437T	AL	D-A-09-301-010	32	STUD	STUD, TYPICAL, QA 0, CONTINUOUS THREAD, 1 IN, 7-1/2 IN, (2) HEX, **	0		5305J SE
BNT047A	AL	D-A-32-401-000	59	STUD	STUD, TYPICAL, QA 0, CONTINUOUS THREAD, ALLOY STEEL, ASME SA193 GR B6, BOLT, ; STUDS, ALLOY STEEL ASME SA193, GRADE B6, THREADED, FULL LENGT	0		5305J SE
BPM787X	AL	D-A-14-302-000	23	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 00.500000 (1/2), MATERIAL:	1		5305J SE
BPM789R	AL	D-A-27-202-005	31	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 01.000000 (1), MATERIAL:	1		5305J SE
BPM798Q	AL	D-A-27-202-002	35	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 01.000000 (1), MATERIAL:	1		5305J SE
BPM805P	AL	D-A-27-202-009	33	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 01.000000 (1), MATERIAL:	1		5305J SE
BPM823L	AL	D-A-27-202-010	35	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 01.000000 (1), MATERIAL:	1		5305J SE
BPM824J	AL	D-A-27-202-003	35	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 01.000000 (1), MATERIAL:	1		5305J SE
BPM828A	AL	D-A-27-202-006	35	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 01.000000 (1), MATERIAL:	1		5305J SE
BPM851F	AL	D-A-27-202-007	35	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 00.875000 (7/8), MATERIAL:	1		5305J SE
BPM923G	AL	D-A-27-202-011	36	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 00.875000 (7/8), MATERIAL:	1		5305J SE
BPM932F	AL	D-A-14-302-000	31	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 00.750000 (3/4), MATERIAL:	1		5305J SE
BPM942C	AL	D-A-14-302-000	34	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 00.750000 (3/4), MATERIAL:	1		5305J SE
BPM959T	AL	D-A-14-302-001	10	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 00.625000 (5/8), MATERIAL:	1		5305J SE
BQW528C	AL	D-B-07-201-001	6	STUD	STUD, TYPICAL, QA 0, MOTOR, 5/8 IN, COPPER, UNC, ***	0	B	6105D SE
BTX743N	AL	A-A-01-000-001	4	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 01.375000 (1 3/8)	1	C	5305J SE
BVH591B	AL	D-A-24-101-000	18	STUD	STUD, TYPICAL, QA 1, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 01.125000 (1 1/8)	1		5305J SE
BWB579R	AL	A-A-01-000-001	6	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, VALVE; CONTINUOUS THREAD, 0.562 FOR A BORG WARNER 4" SWING CHECK	1	C	48200 SE
BXM334Y	AL	F-A-27-101-000	6	STUD	STUD, TYPICAL, QA 1, STUD, VALVE; A564, TYPE 630, ITEM 4 ON DWG 455KAB1-001, REV 0 ***	1	C	48200 SE
BYA265A	AL	A-A-01-000-001	13	STUD	STUD, TYPICAL, QA 1, STUD, VALVE; .625-11 X 2.75 LG, SA 453 GR 660, YOKE TO BONNET STUD	1	C	48200 SE
BYA270W	AL	A-A-01-000-001	8	STUD	STUD, TYPICAL, QA 1, STUD, VALVE; .625-11 X 5.75 LG, SA-453 GR 660 PACKING GLAND STAND FOR	1	C	48200 SE
BYQ478G	AL	D-A-02-301-000	15	STUD	STUD, TYPICAL, QA 1, CLASS 2, CONTINUOUS THREAD, 1-3/8 IN, 14 IN, 8, ALLOY STEEL, UN, ASME SA193 GR B7, 2A, STUD, CONTINUOUS THREAD; NOMINAL	1	C	5305J SE
CAA900B	AL	D-A-12-301-000	30	STUD	STUD, TYPICAL, QA 3, STUD, WELDING; NOMINAL DIAMETER: 00.625000 (5/8), MATERIAL: CARBON	3		5305J SE
CBH599N	AL	F-A-07-201-000	12	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, VALVE; COVER, FOR WALWORTH 16" SWING CHECK VALVE, WELDED ENDS	1	C	48200 SE
CBK307M	AL	F-A-09-202-000	22	STUD	STUD, TYPICAL, QA 1, CLASS 2, BOLT, VALVE; STUD, 1-1/2"-6UNC 2A X 9-1/2" LONG, SA564 GR 630, FOR 16"	1	C	48200 SE
CFE667N	AL	D-A-30-012-001	125	STUD	STUD, TURBINE, QA 0, STUD, TURBINE *** NO OTHER DESCRIPTION AVAILABLE AT THIS TIME	0	C	2825G SE
CHC599B	AL	D-B-16-000-001	15	STUD	STUD, TYPICAL, QA 1, 32 IN MAIN STEAM ISOLATION VALVE, ASTM A193 GR B7, FOR 32" MAIN STEAM ISOLATION VALVE, ITEM 136M ON DWG 13824-01-H, A&M	1	C	48200 SE
ABJ479A	AL	M-A-08-000-002	8	STUD	STUD, TYPICAL, QA 1, STUD, CONTINUOUS THREAD; ALLOY STEEL, ASME SA564, GR 630 H.C., 1100 F	1	P	48200 SE
ADD029E	AL	M-A-06-000-002	19	STUD	STUD, TYPICAL, QA 0, ELEVATOR, STEEL, *** HOOK	0	P	3960D SE
AGF875J	AL	L-A-13-000-002	21	STUD	STUD, TYPICAL, QA 1, CLASS 2, CONTINUOUS THREAD, 5/8 IN, 4-1/2 IN, 11, ALLOY STEEL, UNC, ASME SA193 GR B7, 2A, STANDARD MILL FINISH, B1.1	1	C	5305J SE
ANY157Y	AL	L-A-03-000-002	28	STUD	STUD, TYPICAL, QA 1, STUD, CONTINUOUS THREAD; ALLOY STEEL, ASME SA193 GRADE B7, 001.125-8	1	P	5305J SE
ARK550E	AL	T-A-01-000-002	20	STUD	STUD, TYPICAL, QA 1, STUD, CONTINUOUS THREAD; STEEL, 001.375 X 008.750 IN LG, BONNET, FOR	1	P	48200 SE
ARK552Y	AL	T-A-01-000-002	20	STUD	STUD, TYPICAL, QA 1, STUD, CONTINUOUS THREAD; STEEL, 001.375 X 009.000 IN LG, BONNET, FOR	1	P	48200 SE
ATA580D	AL	T-A-01-000-002	28	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, DOUBLE END; NOMINAL DIAMETER: 00.750000 (3/4), MATERIAL: ALLOY	1	C	5305J SE
ATR614X	AL	M-A-12-000-002	38	STUD	STUD, TYPICAL, QA 0, DOUBLE END, 0.060 IN, 2-1/2 IN, 13, BRASS, UNC, ***	0	P	5305J SE
AVE487W	AL	M-A-16-000-002	8	STUD	STUD, TYPICAL, QA 1, STUD, VALVE; STEEL, BONNET, 000.500 IN-20 THD, REF 2, FOR 004.000 IN	1	P	48200 SE
AVE488T	AL	M-A-15-000-002	8	STUD	STUD, TYPICAL, QA 1, STUD, VALVE; STEEL, BONNET, 000.500 IN, REF 2, FOR 003.000 IN HAND	1	P	48200 SE
AVH569B	AL	L-A-15-000-002	1	STUD	STUD, TYPICAL, QA 1, CLASS 1, STUD, VALVE; DRILLED, REF 83, FOR BASE ASSY, ON TARGET ROCK SAFETY	1	C	48200 SE
AVH569B	AL	P-A-LL-ET0-063	8	STUD	STUD, TYPICAL, QA 1, CLASS 1, STUD, VALVE; DRILLED, REF 83, FOR BASE ASSY, ON TARGET ROCK SAFETY	1	C	48200 SE
AVP270K	AL	T-A-06-000-002	12	STUD	STUD, TYPICAL, QA 1, STUD, VALVE; COMPANION AND BONNET, REF 2 & 16, FOR RELIEF VALVE	1	P	48200 SE
AVQ698V	AL	M-A-10-000-002	4	STUD	STUD, TYPICAL, QA 2, STUD, ; SPECIAL,RETAINING,BUTTON HEAD,FOR DIFFERENTIAL PRESSURE GAGE	2	P	6695D SE
AWC053R	AL	M-A-16-000-002	4	STUD	STUD, TYPICAL, QA 1, STUD, VALVE; COVER, DWG ITEM 9, FOR VALVE, PLUG, 2 IN, SW, 150 PSI	1	P	48200 SE
AWT443D	AL	M-A-12-000-002	28	STUD	STUD, TYPICAL, QA 0, DOUBLE END, 7/8 IN, 4-1/2 IN, 9, ALLOY STEEL, UNC, ***	0	P	5305J SE
AXF388D	AL	P-A-LL-ET0-012	12	STUD	STUD, TURBINE, QA 0, STEAM, *** BODY-BOUND, FOR NO 2 COUPLING, ON TURBINE, S/N 170X374 (5600), SEQ	0	C	2825G SE
AXQ037K	AL	M-A-09-000-002	8	STUD	STUD, TYPICAL, QA 1, STUD, PUMP; STEEL, ASME SA-193, GR B7, 000.625- 11 UNC X 004.750 IN	1	P	4320U SE
AXQ146P	AL	P-A-LL-ET0-043	30	STUD	STUD, TYPICAL, QA 0, VALVE, 5/8 IN, 5-3/16 IN, 11, UNC, STUD, VALVE; 000.625 IN-11 X 005.187 IN LG,REF 82, FOR SAFETY RELIEF	0	C	48200 SE
AYB025P	AL	L-A-03-000-002	5	STUD	STUD, TURBINE, QA 0, STUD, STEAM TURBINE; REF 21, DWG 738E928, FOR BY-PASS VALVE STAND	0	P	2825G SE
BBF485P	AL	L-A-03-000-002	2	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; ALLOY STEEL ASME SA 193 GR B7 G41400, DIA	1	D	5305J SE
BEX703E	AL	M-A-08-000-002	1	STUD	STUD, TYPICAL, QA 0, THERMOCOUPLE, 4 IN, BRASS, STUD, THERMOCOUPLE; BRASS, 4 IN LONG, THREADED ON BOTH ENDS, WITH	0	P	6695D SE
BEX947G	AC	- - -	1	STUD	STUD, TURBINE, QA 0, STEAM, 1-1/2 IN, 42-1/4 IN, STUD, STEAM TURBINE; STEEL, SPECIAL, 1.5 IN DIA X 42.25 IN LONG, FOR	0	C	2825G SE
BHJ902E	AL	M-A-04-000-002	1	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; ALLOY STEEL, ASME SA193, GRADEB7, BONNET	1	P	48200 SE
BHJ902E	AL	M-A-03-000-002	8	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; ALLOY STEEL, ASME SA193, GRADEB7, BONNET	1	P	48200 SE
BHW216B	AL	T-A-01-000-002	2	STUD	STUD, TYPICAL, QA 2, STUD, CONTINUOUS THREAD; STAINLESS STEEL ASTM A 193 GR B8 S30400, DIA	2	P	48200 SE
BKE463M	AL	L-A-03-000-002	1	STUD	STUD, TYPICAL, QA 3, PUMP, STUD, PUMP; GLAND, STUD 022071-00 W/NUT 38A4C3, FOR CENTRIFUGAL	3	C	4320U SE
BKN036N	AL	T-A-01-000-002	21	STUD	STUD, TYPICAL, QA 2, STUD, DOUBLE END; CARBON STEEL, ASTM A193, GR B7,0.5-13 UNC X 3 IN LG	2	P	5305J SE
BKP063E	AL	M-A-08-000-002	10	STUD	STUD, TYPICAL, QA 3, STUD ASSY, ELECTRICAL; CARBON STEEL, 0.5 DIA X 0.75 IN LONG, COMPLETE	3	P	5935B SE

BLF074C	AL	L-A-09-000-002	4	STUD	STUD, TYPICAL, QA 0, STUD, PUMP; GLAND, WITH NUT, FOR VACCUM PUMP, MODEL KLRC-200, S/N	0	P	4310I SE
BMD209X	AL	L-A-09-000-002	3	STUD	STUD, TURBINE, QA 3, STUD, STEAM TURBINE; STUD, 0.875-9 THREAD X 4 IN LONG, FOR TERRY STEAM	3	P	2825G SE
BNC776P	AL	M-A-03-000-002	3	STUD	STUD, TYPICAL, QA 0, STUD, ; POSITIONING, DWG 4128A62-10, WAT-125 RCPCPI ***	0	P	4470C SE
BNP617K	AL	T-A-01-000-002	54	STUD	STUD, TURBINE, QA 1, STUD, STEAM TURBINE; 0.875-9 X 3.5 IN LONG, FOR TERRY STEAM TURBINE	1	C	2825G SE
BPH431T	AL	M-A-06-000-002	6	STUD	STUD, TYPICAL, QA 1, STUD, VALVE; BONNET, DWG W337, FOR SWING CHECK VALVE, 3 IN, 150 LB	1	P	48200 SE
BPP259D	AL	M-A-15-000-002	98	STUD	STUD, TYPICAL, QA 1, PUMP, ALLLOY STEEL, ASTM A193 GR B7, STUD, PUMP; METRIC, ALLLOY STEEL, M20X65, DWG	1		4320U SE
BQQ404L	AL	L-A-09-000-002	5	STUD	STUD, TYPICAL, QA 1, STUD, VALVE; BODY, ALL THD, CADMIUM PLATED, (WITHDRAWAL OUTLET SCRAM	1	C	48200 SE
BQW528C	AL	M-A-01-000-002	4	STUD	STUD, TYPICAL, QA 0, MOTOR, 5/8 IN, COPPER, UNC, ***	0	B	6105D SE
BRE195F	AL	L-A-09-000-002	69	STUD	STUD, TYPICAL, QA 3, VALVE, STEEL, ASTM A193 GR B7, CADMIUM PLATED, STUD, VALVE; STEEL, CADMIUM PLATED, ASTM A193 GRADE B7. FOR 1 INCH	3	B	48200 SE
BTX358R	AL	T-A-01-000-002	15	STUD	STUD, TYPICAL, QA 1, CLASS 2, CONTINUOUS THREAD, 3/4 IN, 3-1/2 IN, 10, ALLOY STEEL, UNC, ASME SA193 GR B7, 2A, STANDARD MILL FINISH, B1.1	1	C	5305J SE
BWE383V	AL	P-A-LL-ET0-110	8	STUD	STUD, TYPICAL, QA 1, COVER, 1-1/2 IN, ALLOY STEEL, ASTM A193 GR B7, FOR 24 IN WE CHECK VALVE, ATWOOD & MORRILL DWG 20788-H, ITEM 10	1	C	48200 SE
BWL781G	AL	L-A-13-000-002	4	STUD	STUD, TYPICAL, QA 3, STUD, VALVE; FOLLOWER, PT. 6-1-6, FOR ANCHOR/DARLING EQUALIZER VALVE	3	C	48200 SE
BWL806V	AL	L-A-13-000-002	2	STUD	STUD, TYPICAL, QA 3, STUD, VALVE; FOLLOWER, PT 6-1-6, FOR ANCHOR/DARLING SUCTION VALVE 28 X	3	C	48200 SE
BWQ945P	AL	P-A-LL-ET0-119	10	STUD	STUD, TYPICAL, QA 1, STUD, VALVE; BODY, FOR WM POWELL FIG. 1503WE GATE VALVE, 2-1/2", 150	1	C	48200 SE
BYA389P	AL	M-A-06-000-002	8	STUD	STUD, TYPICAL, QA 1, CLASS 1, STUD, VALVE; .625-11 X 3.75 LG, SA 453 GR 660, STUD,FOR WESTINGHOUSE	1	B	48200 SE
BYA425E	AL	M-A-06-000-002	15	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, VALVE; 0.625-11 X 2.687, SA-193 GR B7, FOR 3" X 4" 150 PSI, ASME	1	C	48200 SE
BYF829V	AL	M-A-15-000-002	1	STUD	STUD, TYPICAL, QA 1, VALVE, 1-1/4 IN, 11-3/4 IN, 8, ALLOY STEEL, ASME SA453 GR 660B, DOUBLE END; FOR WESTINGHOUSE ASME SECTION III CLASS 1 V	1	C	48200 SE
BYJ413C	AL	P-A-LL-ET0-119	5	STUD	STUD, TYPICAL, QA 1, STUD, HYDRAULIC CNTRL UNIT; GLAND FLANGE, FOR USE ON CONTROL ROD DRIVE	1	C	4470C SE
CAL597H	AL	P-A-LL-ET0-110	3	STUD	STUD, TYPICAL, QA 1, STUD, VALVE; BODY, FOR WM. POWELL 3", CLASS 150, SWING CHECK VALVE	1	C	48200 SE
CAW628P	AL	P-A-LL-ET0-110	10	STUD	STUD, TYPICAL, QA 1, VALVE, ASTM A193 GR B7, REF. # 28 ON ATWOOD & MORRILL DRAWING 20851-H,	1	C	48200 SE
BWB687N	AL	1-A-03-000-001	36	SUIT	SUIT, SCRUB, QA 0, ENCAPSULATED, JUMBO, PAPER, DRAWSTRING, DISPOSABLE/WATERPROOF, SUIT, ENCAPSULATED; ESF BAG SUIT, DISPOSABLE, WATERPROOF	0	C	8415B SE
BLQ410W	AL	P-A-13-000-001	1	SUPPORT	SUPPORT, TYPICAL, QA 1, SUPPORT, PIPE; VARIABLE, TYPE F, SIZE 12, BP P/N 3100 ***	1		4710Y SE
BNQ896F	AL	D-A-28-101-007	1	SUPPORT	SUPPORT, TYPICAL, QA 0, SUPPORT, PIPE; MATERIAL: PORCELAIN ***	0		4710Y SE
BNQ897D	AL	D-A-24-202-004	1	SUPPORT	SUPPORT, TYPICAL, QA 0, PIPE, 1 IN, PORCELAIN, SUPPORT, PIPE; MATERIAL: PORCELAIN, PIPE SIZE: 01.000 IN (1) ***	0		4710Y SE
BRD442X	AL	A-A-01-000-001	3	SUPPORT	SUPPORT, TYPICAL, QA 1, SUPPORT ASSY, ; HOUSING ***	1	C	61100 SE
BTK579W	AL	P-A-13-000-001	1	SUPPORT	SUPPORT, TYPICAL, QA 1, SUPPORT, VARIABLE PIPE; VARIABLE PIPE SUPPORT, TYPE F, CS, SIZE 12, C	1		4710Y SE
BTK580P	AL	P-A-13-000-001	4	SUPPORT	SUPPORT, TYPICAL, QA 1, SUPPORT, VARIABLE PIPE; VARIABLE PIPE SUPPORT, TYPE F, CS, SIZE 13, C	1		4710Y SE
BTK596W	AL	F-A-19-201-000	6	SUPPORT	SUPPORT, TYPICAL, QA 3, SUPPORT, BUS; VERTICAL (SAFTY BARRIER) ***	3	B	6150E SE
BTK792W	AL	P-B-14-ISL-E01	29	SUPPORT	SUPPORT, TYPICAL, QA 1, SUPPORT, VARIABLE PIPE; VARIABLE PIPE SUPPORT, TYPE C, SIZE 3, CS ***	1		4710Y SE
BTK794Q	AL	P-B-14-ISL-E01	16	SUPPORT	SUPPORT, TYPICAL, QA 1, SUPPORT, VARIABLE PIPE; VARIABLE PIPE SUPPORT, TYPE C, SIZE 4, CS ***	1		4710Y SE
BTK803K	AL	P-A-09-000-001	13	SUPPORT	SUPPORT, TYPICAL, QA 1, SUPPORT, VARIABLE PIPE; VARIABLE PIPE SUPPORT, TYPE F, SIZE 9, CS ***	1		4710Y SE
BTK805F	AL	P-B-14-ISL-E01	16	SUPPORT	SUPPORT, TYPICAL, QA 1, SUPPORT, VARIABLE PIPE; VARIABLE PIPE SUPPORT, TYPE C, SIZE 10, CS ***	1		4710Y SE
BTK806D	AL	P-A-09-000-001	7	SUPPORT	SUPPORT, TYPICAL, QA 1, SUPPORT, VARIABLE PIPE; VARIABLE PIPE SUPPORT, TYPE F, SIZE 10, CS ***	1		4710Y SE
BTK822E	AL	P-A-09-000-001	8	SUPPORT	SUPPORT, TYPICAL, QA 1, SUPPORT, VARIABLE PIPE; VARIABLE PIPE SUPPORT, TYPE F, SIZE 13, CS ***	1		4710Y SE
BTK831D	AL	P-A-09-000-001	19	SUPPORT	SUPPORT, TYPICAL, QA 1, SUPPORT, VARIABLE PIPE; VARIABLE PIPE SUPPORT, TYPE C, SIZE 13, CS ***	1		4710Y SE
BTK832B	AL	P-A-16-000-001	10	SUPPORT	SUPPORT, TYPICAL, QA 1, SUPPORT, VARIABLE PIPE; VARIABLE PIPE SUPPORT, TYPE F, SIZE 14, CS ***	1		4710Y SE
BTP481R	AL	P-A-10-048-001	28	SUPPORT	SUPPORT, TYPICAL, QA 1, SUPPORT, VARIABLE PIPE; SNUBBER, MECHANICAL PSA-10 ***	1	C	4710Y SE
BTP485H	AL	A-A-01-000-001	1	SUPPORT	SUPPORT, TYPICAL, QA 1, SUPPORT, VARIABLE PIPE; SNUBBER, MECHANICAL PSA-3 ***	1	C	4710Y SE
BTP488B	AL	P-B-06-102-001	28	SUPPORT	SUPPORT, TYPICAL, QA 1, SUPPORT, VARIABLE PIPE; SNUBBER, MECHANICAL PSA-1 ***	1	B	4710Y SE
BTP692C	AL	P-A-09-000-001	1	SUPPORT	SUPPORT, TYPICAL, QA 1, SUPPORT, PIPE HANGER; VARIABLE SUPPORT, TYPE F, SIZE 9, CS ***	1		4710Y SE
BTP799R	AL	P-B-14-ISL-E01	15	SUPPORT	SUPPORT, TYPICAL, QA 1, SUPPORT, PIPE HANGER; VARIABLE SUPPORT, TYPE C, SIZE 1 ***	1		4710Y SE
BYB807V	AL	A-A-01-000-001	1	SUPPORT	SUPPORT, TYPICAL, QA 0, SUPPORT, STEAM TURBINE; COVER ***	0	C	2825G SE
BYQ388H	AL	E-A-16-C07-A01	1	SUPPORT	SUPPORT, TYPICAL, QA 0, SUPPORT, CIRCUIT BREAKER; FOR 1210 COVER ASSEMBLY, ON CIRCUIT BREAKER	0	C	5925B SE
CAP168R	AL	A-A-01-000-001	1	SUPPORT	SUPPORT, TYPICAL, QA 3, SUPPORT ASSY, RECORDER; CONTACT, FOR PSR 1200, C/O 1 EA P/N 120147, 5	3	B	6695D SE
CAP168R	AL	F-A-08-013-001	1	SUPPORT	SUPPORT, TYPICAL, QA 3, SUPPORT ASSY, RECORDER; CONTACT, FOR PSR 1200, C/O 1 EA P/N 120147, 5	3	B	6695D SE
ABP093X	AL	L-A-09-000-002	6	SUPPORT	SUPPORT, TYPICAL, QA 0, SUPPORT, ; CONTACT, BACK, FOR GE CO TYPE HFA RELAY ***	0	P	5945D SE
AHD407R	AL	L-A-06-000-002	2	SUPPORT	SUPPORT, TYPICAL, QA 3, SUPPORT, ; ROLLER, FOR CATRAC 8060-GG-11.4-08, ON EDERER REACTOR	3	P	3950F SE
ANV490F	AL	L-A-09-000-002	1	SUPPORT	SUPPORT, TYPICAL, QA 0, SUPPORT, ; FOR LEEDS AND NORTHRUP SPEEDOMAX "W" TEMPERATURE RECORDER	0	C	6695D SE
AQV803X	AL	M-A-13-000-002	3	SUPPORT	SUPPORT, TYPICAL, QA 2, REST, ; FOR ELECTRO-MOTIVE DIV, GENERAL MOTORS CORP TANDEM DIESEL	2	P	2910O SE
AXQ150C	AL	P-A-LL-ET0-063	4	SUPPORT	SUPPORT, TYPICAL, QA 0, BLOCK, STEAM TURBINE; FULCRUM, LEVER ASSY, FOR SPEED CHANGERS, ON	0	C	2825G SE
AXW338R	AC	- - -	1	SUPPORT	SUPPORT, TYPICAL, QA 0, SUPPORT, ; STAINLESS STEEL, BEARING, 20 IN OD, FOR INTERCEPTOR AND	0	P	2825G SE
AXY926X	AL	M-A-04-000-002	1	SUPPORT	SUPPORT, TYPICAL, QA 2, SUPPORT ASSY, ; BRONZE, FOR DRIVE ASSEMBLY, DWG NO 27650, ON INCORE	2	P	4470C SE
BAP021N	AL	L-A-09-000-002	2	SUPPORT	SUPPORT, TYPICAL, QA 0, PISTON, 3/4 IN, 1-3/4 IN, 1/4 IN, ALUMINUM, SUPPORT, PISTON; ALUMINUM, PISTON, 1.75 OD X 0.75 ID X 0.25 IN	0	P	3040D SE
BCD637Y	AL	M-A-03-000-002	6	SUPPORT	SUPPORT, TYPICAL, QA 0, SUPPORT, ; ROCKER ARM SHAFT, FOR DIESEL ENGINE, MODEL 16-645-E4B ***	0	P	2910O SE
BHK737W	AL	V-A-03-000-002	3	SUPPORT	SUPPORT, TYPICAL, QA 0, SUPPORT, CONTROL ROD; STAINLESS STEEL, ORIFICED FUEL,FOR CONTROL ROD	0	P	4470C SE
BHK738T	AL	V-A-03-000-002	3	SUPPORT	SUPPORT, TYPICAL, QA 0, SUPPORT, CONTROL ROD; STAINLESS STEEL, ORIFICED FUEL,FOR CONTROL ROD	0	P	4470C SE
BHK739Q	AL	V-A-03-000-002	3	SUPPORT	SUPPORT, TYPICAL, QA 0, SUPPORT, CONTROL ROD; STAINLESS STEEL, ORIFICED FUEL,FOR CONTROL ROD	0	P	4470C SE
BHK740K	AL	V-A-03-000-002	3	SUPPORT	SUPPORT, TYPICAL, QA 0, SUPPORT, CONTROL ROD; STAINLESS STEEL, ORIFICED FUEL,FOR CONTROL ROD	0	P	4470C SE
BWG980A	AL	M-A-08-000-002	1	SUPPORT	SUPPORT, TYPICAL, QA 2, SUPPORT, RECORDER; TIE CASTING, METALIC, MULTIPLE PURPOSE, MULTIPPOINT	2	B	6695D SE
CBF356V	AL	L-A-09-000-002	28	SUPPORT	SUPPORT, TYPICAL, QA 0, SUPPORT ASSY, RECORDER; FOR PEN CARRIAGE ASSY P/N 2146K40, ON	0	C	6695D SE
BAL811H	AL	D-A-32-104-001	2	SUPPRESSOR	SUPPRESSOR, TYPICAL, QA 0, REFILL, ICE ANION SUPPRESSOR; COLUMN, TYPE ISR, ICE ANION SUPPRESSOR	0	P	6630D SE
BTV175C	AL	A-A-01-000-001	4	SUPPRESSOR	SUPPRESSOR, VOLTAGE, QA 1, SUPPRESSOR, ELECTRICAL SURGE; 125 VDC, FOR TYPE "R" RELAY SESMIC	1	B	5920K SE
BTW662V	AL	A-A-01-000-001	48	SUPPRESSOR	SUPPRESSOR, VOLTAGE, QA 1, ABSORBER, OVERVOLTAGE; SURGE SUPPRESSOR,125VDC,FOR TYPE RM RELAY	1	B	5920K SE
BVR634A	AL	F-A-02-103-000	2	SUPPRESSOR	SUPPRESSOR, VOLTAGE, QA 1, ABSORBER, OVERVOLTAGE; SURGE SUPPRESOR, AC, (D1) FOR 125 VOLT BATTERY	1	B	5920K SE
BVR634A	AL	F-C-07-101-000	3	SUPPRESSOR	SUPPRESSOR, VOLTAGE, QA 1, ABSORBER, OVERVOLTAGE; SURGE SUPPRESOR, AC, (D1) FOR 125 VOLT BATTERY	1	B	5920K SE
BWN121H	AL	P-A-LL-ET0-110	2	SUPPRESSOR	SUPPRESSOR, ARC, QA 3, QUENCHER, ARC; CERAMIC TYPE, FOR AKR-30 CIRCUIT BREAKER. ***	3	C	5925B SE
AJD848K	AL	M-A-07-000-002	1	SUSPENSION	SUSPENSION, HAT, QA 0, STAZ-ON, TOPGARD, MEDIUM/STANDARD, SUSPENSION, HAT; ADJUSTMENT TYPE: STAZ-ON; SIZE: MEDIUM/STANDARD; HAT	0	C	4240P SE
AJD848K	AC	- - -	497	SUSPENSION	SUSPENSION, HAT, QA 0, STAZ-ON, TOPGARD, MEDIUM/STANDARD, SUSPENSION, HAT; ADJUSTMENT TYPE: STAZ-ON; SIZE: MEDIUM/STANDARD; HAT	0	C	4240P SE
BGT454B	AL	L-A-13-000-002	1	SUSPENSION	SUSPENSION, HAT, QA 0, STAZ-ON, V-GARD, MEDIUM/STANDARD, (6-1/2 TO 8)	0	C	4240P SE
ACN480A	AL	A-A-01-000-001	1	SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 120/240 DC, .25/.10, SWITCH, ROTARY; MAX RATING DC 480.0 VOLTS, CURRENT RTG DC .25 AMPS	0	P	59300 SE
AFN315V	AL	E-A-16-C05-E01	8	SWITCH	SWITCH, LIMIT, QA 0, CIRCUIT BREAKER, 23 KV, 12000, SWITCH, CIRCUIT BREAKER; LIMIT, FOR STATIC STARTING SUPPLY EQUIPMENT	0	C	5925B SE
AFN522N	AL	D-A-13-302-011	2	SWITCH	SWITCH, MANUAL, QA 0, LEVER, 50, 500 MA, 6, 3, STATIONARY LOCKING, SWITCH, LEVER; 50 VAC, 500 MILLIAMPERES, 3 POSITIONS, STATIONARY	0	P	59300 SE
AFN714D	AL	E-A-16-C05-D01	5	SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 12000, CONTINUOUS, AUX, FOR STATIC STARTING SUPPLY EQUIPMENT ON BROWN	0	C	59300 SE
AFY469N	AL	A-A-01-000-001	3	SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 600, 10, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 10.0 AMPS	0	P	59300 SE
AGN964F	AL	A-A-01-000-001	1	SWITCH	SWITCH, TYPICAL, QA 0, KNIFE, 200, 250 DC, SPDT, BACK, SWITCH, KNIFE; CURRENT RTG AC 200.0 AMPS, MAX RATING DC 250.0 VOLTS	0	P	59300 SE

AGY460E	AL	A-A-01-000-001	3 SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 600, 10, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 10.0 AMPS	0	P	59300 SE
AJN607W	AL	A-A-01-000-001	3 SWITCH	SWITCH, MANUAL, QA 0, SWITCH, ROTARY; AUXILIARY, FOR ALLIS-CHALMERS ACB ***	0	P	59300 SE
AJN620F	AL	A-A-01-000-001	2 SWITCH	SWITCH, MANUAL, QA 0, SWITCH, FOOT; FOR LINCOLN IDEALARC HELIARC TIG WELDER, 300.000 AMPERES	0	P	59300 SE
ALN721H	AC	- - - -	1 SWITCH	SWITCH, LEVEL, QA 0, SWITCH, MERCURY; ELEC ***	0	P	59300 SE
ANW862K	AL	D-A-32-104-001	1 SWITCH	SWITCH, TEMPERATURE, QA 3, SWITCH, THERMOSTATIC; THERMOSTAT, FOR WH GAS ANALYZER, TYPICAL SPIN	3	P	59300 SE
AQE914N	AL	A-A-01-000-001	3 SWITCH	SWITCH, PUSHBUTTON, QA 1, SWITCH, PUSH; WITH 1NO-1NC CONTACT(10250T1),AND BLACK LEGEND PLATE	1	P	59300 SE
ARK198N	AL	A-A-01-000-001	1 SWITCH	SWITCH, TYPICAL, QA 0, SWITCH, STEPPING; VOLTAGE: 250 VAC ***	0	P	59300 SE
ARR342B	AL	D-A-32-104-001	1 SWITCH	SWITCH, TYPICAL, QA 0, SWITCH ASSY, ; FOR MODEL 735 DISSOLVED OXYGENANALYZER ***	0	P	59300 SE
ATF184G	AL	5-B-01-301-000	2 SWITCH	SWITCH, PUSHBUTTON, QA 0, NO, 125/250, 3, SPDT, SWITCH, PUSH; MAX RATING AC 250.0 VOLTS, CURRENT RTG AC 3.0 AMPS	0	P	59300 SE
ATF185E	AL	5-B-01-301-000	2 SWITCH	SWITCH, PUSHBUTTON, QA 0, NO, 125/250, 3, SPDT, SWITCH, PUSH; MAX RATING AC 250.0 VOLTS, CURRENT RTG AC 3.0 AMPS	0	P	59300 SE
ATQ284X	AL	D-B-16-000-001	9 SWITCH	SWITCH, LIMIT, QA 1, ASSEMBLY, 600 AC/250 DC, 5 AC/1-1/2 DC, 2 NO 2 NC, CW ROTATION, , SENSITIVE	1	P	59300 SE
AVD010Q	AL	A-A-01-000-001	6 SWITCH	SWITCH, TEMPERATURE, QA 0, THERMOSTATIC, 0-700 DEG F, 120/240, 10/5, SWITCH, THERMOSTATIC; MAX TEMP 700.0 DEG F, MAX RATING AC 240.0 VOLTS	0	P	59300 SE
AVL259B	AL	A-A-01-000-001	2 SWITCH	SWITCH, PUSHBUTTON, QA 0, PUSHBUTTON, ELECTRICAL; PLASTIC, WHITE, MINUS-MANUAL, FOR PUSHBUTTON	0	P	59300 SE
AWE133T	AL	A-A-01-000-001	16 SWITCH	SWITCH, LIMIT, QA 3, CONTACT ELECTRICAL, SWITCH; REED SWITCH, FOR PEAK SHOCK RECORDER	3	B	6695D SE
AWG805R	AL	A-A-01-000-001	5 SWITCH	SWITCH, PRESSURE, QA 0, SWITCH, PRESSURE; MAX OPR PRESS 16.0 PSIG ***	0	P	59300 SE
AXB750N	AL	A-A-01-000-001	1 SWITCH	SWITCH, VACUUM, QA 0, 600, 10, 0.5-29 IN HG, 2-8 IN HG, SWITCH, VACUUM; 600.000 VAC, 010.000 AMPS, CLASS 9016, FORM F, RANGE	0	P	59300 SE
AXP399Y	AL	A-A-01-000-001	3 SWITCH	SWITCH, PRESSURE, QA 0, 200-3000 PSIG, 125 DC, 10, 3000 PSIG MAX PRESSURE, SWITCH, PRESSURE; VOLTAGE: 125 VDC, AMPERAGE: 10 AMPS MAX OPERATI	0	P	59300 SE
AYV364P	AL	D-A-32-104-001	1 SWITCH	SWITCH, PRESSURE, QA 0, SWITCH, PRESSURE; MAX OPERATING PRESS: 1000 PSIG, CONTACT ARRANGEMENT:	0	P	59300 SE
AYW414X	AL	D-A-32-104-001	2 SWITCH	SWITCH, PRESSURE, QA 0, 117, 10, 25 PSIG, SWITCH, PRESSURE; VOLTAGE: 117 VAC, AMPERAGE: 10 AMPS MAX OPERATING	0	P	59300 SE
AYX436E	AL	D-A-32-104-001	1 SWITCH	SWITCH, TEMPERATURE, QA 0, THERMOSTATIC, 35-140 DEG F, 125/250, 5, SWITCH, THERMOSTATIC; MAX TEMP 140.0 DEG F, MAX RATING AC 250.0 VOLTS	0	P	59300 SE
BAA947B	AL	A-A-01-000-001	3 SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 120/240/600 AC/250 DC, 15/7.5 AC/10 AC/DC, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 15.0 AMPS	0	P	59300 SE
BBA193Y	AL	D-A-32-104-001	3 SWITCH	SWITCH, LEVEL, QA 0, SWITCH, LIQUID LEVEL; HIGH LEVEL CONTROL, PLASTIC EXPANDED	0	P	59300 SE
BBR056J	AL	A-A-01-000-001	4 SWITCH	SWITCH, MANUAL, QA 2, SWITCH, TOGGLE; MAX RATING AC 250.0 VOLTS, CURRENT RTG AC 15.0 AMPS, 2	2	P	59300 SE
BCY000T	AL	D-A-20-401-000	5 SWITCH	SWITCH, PRESSURE, QA 1, 25-240 PSI, 250 AC/125 DC, 1/4 IN FNPT, OVERRANGE=1500PSI, CONTACTS= SPDT, DIAPHRAGM= WELDED SS,	1	B	59300 SE
BDK586G	AC	- - - -	2 SWITCH	SWITCH, LIMIT, QA 1, SWITCH, SENSITIVE (LIMIT); MAX RATING AC 600.0 VOLTS, CURRENT RTG AC	1	P	59300 SE
BER841M	AL	A-A-01-000-001	2 SWITCH	SWITCH, PUSHBUTTON, QA 0, 600, 10, BLACK, SWITCH, PUSH; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 10.0 AMPS	0	P	59300 SE
BGH547J	AL	A-A-01-000-001	2 SWITCH	SWITCH, TEMPERATURE, QA 1, SWITCH, TEMPERATURE; 40 TO 150 DEG F RANGE, FOR AUXILIARY BOILER ON	1	B	59300 SE
BGM314M	AL	1-B-08-000-001	2 SWITCH	SWITCH, TEMPERATURE, QA 0, NARROW DIFFERENTIAL, 0-250 DEG F, 120, 15, 2 DPDT, SWITCH, LIQUID LEVEL; NARROW DIFFERENTIAL UNIT, 120 VAC, 15 AM	0	P	59300 SE
BGQ270B	AL	A-A-01-000-001	5 SWITCH	SWITCH, TYPICAL, QA 3, SWITCH, ALARM; COMMON FUNCTION, MAGNETIC, CONSISTING OF 2 UNITS	3	P	59300 SE
BHB281P	AL	A-A-01-000-001	3 SWITCH	SWITCH, TEMPERATURE, QA 0, SWITCH, THERMOSTATIC; FOR AIR CONDITIONER, MODEL 50BT006600 ***	0	P	59300 SE
BHD254G	AL	D-A-24-302-000	1 SWITCH	SWITCH, LIMIT, QA 1, ROCKER-LEVER TYPE SNAP ACTION, 2 NO 2 NC, CW ACTUATOR ROTATION SPRING RETURN, , SENSITIVE , WIDE MOUNTING, SHORT TRIP T	1		59300 SE
BHE401R	AL	A-A-01-000-001	2 SWITCH	SWITCH, PRESSURE, QA 1, SWITCH, PRESSURE; MAX OPR PRESS 50.0 PSIG, MAX RATING AC 480.0 VOLTS	1	P	59300 SE
BJQ907Y	AL	A-A-01-000-001	5 SWITCH	SWITCH, PRESSURE, QA 0, 250, 15, 1.5-10 PSIG, 200 PSIG, SWITCH, PRESSURE; VOLTAGE: 250 VAC, AMPERAGE: 15 AMPS MAX OPERATING	0	B	59300 SE
BKF522T	AL	A-A-01-000-001	2 SWITCH	SWITCH, PRESSURE, QA 0, SWITCH, PRESSURE; VOLTAGE: 125 VDC, AMPERAGE: 250 MA ***	0	P	59300 SE
BKG884J	AL	A-A-01-000-001	2 SWITCH	SWITCH, LIMIT, QA 0, 550, 80, DPDT, SWITCH, SENSITIVE (LIMIT); VOLTAGE AC: 550 VAC, AMPERAGE AC: 80 AMPS	0	P	59300 SE
BKN462E	AL	D-A-32-104-001	3 SWITCH	SWITCH, LEVEL, QA 0, SWITCH, LIQUID LEVEL; FLOAT, FOR ATOMIC ABSORPTION LABORATORY	0	P	59300 SE
BKQ933N	AL	F-A-14-202-001	1 SWITCH	SWITCH, PRESSURE, QA 1, SWITCH, DIFFERENTIAL PRESS; SWP 3000 PSI, DP RANGE 10-0-5 WC, CALIB	1		59300 SE
BKT001N	AL	A-A-01-000-001	2 SWITCH	SWITCH, PRESSURE, QA 1, SWITCH, PRESSURE; SUB-ASSEMBLY, FOR ELECTRICAL PENETRATION ***	1	P	59300 SE
BKY361B	TR	- - - -	1 SWITCH	SWITCH, LIMIT, QA 0, PROXIMITY, 10-30 DC, NO, NORMALLY OPEN, PROXIMITY, FOR RICHARDSON COAL SCALES	0	P	59300 SE
BKY588E	AL	F-A-29-102-000	22 SWITCH	SWITCH, LIMIT, QA 1, 2 NO 2 NC, SPRING RETURN, , SENSITIVE, LONG MOUNTING, CW AND CCW ACTUATOR ROTATION, CAM OPERATED	1	B	59300 SE
BLC802Y	AL	F-A-05-102-000	1 SWITCH	SWITCH, DISCONNECT, QA 1, TRIP DEVICE, CIRCUIT BREAKER; FOR CIRCUIT BREAKER, 200 AMPS,1C3 ***	1	C	5925B SE
BLQ386K	AL	F-A-10-102-001	1 SWITCH	SWITCH, PRESSURE, QA 1, DPDT, 5-200 PS, 3000 PSI, , WATERPROOF, TRI-POINT, MODEL SB11AKR, CAT TG13A42R	1	P	59300 SE
BMB600M	AL	A-A-01-000-001	10 SWITCH	SWITCH, PUSHBUTTON, QA 1, SWITCH, PUSH; CUT-OFF, "F", MINUS 50 TO TAKE AK, NORMALLY OPEN CONTACT	1	P	59300 SE
BNH892V	AL	D-A-18-301-005	3 SWITCH	SWITCH, LIMIT, QA 1, SWITCH, SENSITIVE (LIMIT); LIMIT, STANDARD MOUNTING, CW AND CCW	1	B	59300 SE
BNH893R	AL	D-A-18-201-002	1 SWITCH	SWITCH, LIMIT, QA 1, SWITCH, SENSITIVE (LIMIT); LIMIT, STANDARD MOUNTING, STANDARD TRIP	1	B	59300 SE
BNJ414V	AL	1-A-25-045-001	1 SWITCH	SWITCH, PRESSURE, QA 0, SWITCH, PRESSURE; PRESSURE SWITCH, (822805) ***	0	P	59300 SE
BPE008D	AL	1-A-06-129-001	4 SWITCH	SWITCH, TYPICAL, QA 0, SWITCH ASSY, ; SWITCH ASSY (USE FOR SPARE) ***	0	P	59300 SE
BPH874P	AL	D-B-17-201-001	2 SWITCH	SWITCH, DISCONNECT, QA 1, SWITCH, ; CUTOFF, FOR ELECTRICALLY OPERATED CIRCUIT BREAKER, MODEL	1	P	59300 SE
BP412F	AL	F-A-19-101-007	1 SWITCH	SWITCH, LIMIT, QA 1, ENCLOSED, DPDT, CW ROTATION, CLOCKWISE ROTATION, COMPLETE WITH MOUNTING BRACKET, CATALOG NO	1	B	59300 SE
BQJ872G	AL	A-A-01-000-001	8 SWITCH	SWITCH, PRESSURE, QA 3, SWITCH, PRESSURE; MAX OPR PRESS 500.0 PSIG, MAX RATING AC 250.0 VOLTS	3	B	59300 SE
BQK295P	AL	F-A-11-301-000	10 SWITCH	SWITCH, LIMIT, QA 1, ROCKER-LEVER TYPE SNAP ACTION, 2 NO 2 NC, , SELECTOR, WIDE MOUNTING, STANDARD TRIP TRAVEL, CW ACTUATOR ROTATION	1	B	59300 SE
BQL584B	AL	D-A-32-202-000	4 SWITCH	SWITCH, MANUAL, QA 1, SWITCH, TRANSFER MANUAL; GE TYPE SB-1, 2 POSITION, 14 STAGE, 28	1	B	59300 SE
BRD812N	AL	F-A-23-301-000	4 SWITCH	SWITCH, LIMIT, QA 1, SWITCH ASSY, SENSITIVE,ACTUATOR; LIMIT,PC 85A,NUCLEAR,4 TRAIN,FIBERITE	1	B	59300 SE
BRK554K	AL	A-A-01-000-001	1 SWITCH	SWITCH, MANUAL, QA 0, SWITCH, ROTARY; TYPE SB-1 ***	0	B	59300 SE
BRL539A	AL	D-A-32-104-001	3 SWITCH	SWITCH, LIMIT, QA 3, SWITCH, SENSITIVE (LIMIT); MAX RATING AC 120.0 VOLTS ***	3	B	59300 SE
BRR974X	AL	F-A-25-102-000	6 SWITCH	SWITCH, MANUAL, QA 1, SWITCH, TRANSFER MANUAL; 600VAC,200 AMP CONT, 200 AMP INTERRUPT,3	1	B	59300 SE
BTE216V	AL	A-A-01-000-001	5 SWITCH	SWITCH, LIMIT, QA 0, 600, 200, 3, SWITCH, SENSITIVE (LIMIT); VOLTAGE AC: 600 VAC, AMPERAGE AC: 200 AMPS	0	B	59300 SE
BTH187Q	AL	D-B-16-000-001	11 SWITCH	SWITCH, MANUAL, QA 0, SWITCH, ROTARY; CONTACT QTY 4 ***	0	B	59300 SE
BTK166N	AL	P-A-LL-ET0-081	1 SWITCH	SWITCH, MANUAL, QA 1, SWITCH, ROTARY; TWO POSITON, 4 POLE. ***	1	C	59300 SE
BTL444F	AL	A-A-01-000-001	1 SWITCH	SWITCH, LIMIT, QA 1, SWITCH, SENSITIVE (LIMIT); TYPE W-2, 20A, 600V ***	1	B	59300 SE
BTL444F	AL	F-A-26-101-001	1 SWITCH	SWITCH, LIMIT, QA 1, SWITCH, SENSITIVE (LIMIT); TYPE W-2, 20A, 600V ***	1	B	59300 SE
BTN743T	AL	A-A-01-000-001	2 SWITCH	SWITCH, MANUAL, QA 3, SPRING RETURN TO CENTER, 3, STOP-NORMAL-START, TYPE W-2, PER CONTACT DEVELOPMENT DWG #45B640, SHT 197, SWITCH ONLY	3	B	59300 SE
BTQ320Q	AL	F-B-05-101-000	2 SWITCH	SWITCH, DISCONNECT, QA 1, DISCONNECT ASSY, CIRCUIT BREAKER; RUNBACK ASSEMBLY FOR GE AKD-5	1	B	5925B SE
BTQ812P	AL	A-A-01-000-001	2 SWITCH	SWITCH, DISCONNECT, QA 3, SWITCH ASSY, INTERRUPTER; ARC-CHUTE TYPE, COMPLETE, FIGURE 1 IN ITE	3	B	59300 SE
BTT419F	AL	A-A-01-000-001	2 SWITCH	SWITCH, MANUAL, QA 1, SWITCH, ROTARY; 28 POLE,14 STAGE,2 POSITION,600 VAC,20 AMP CONTINUOUS	1	B	59300 SE
BTT419F	AL	F-A-31-302-000	3 SWITCH	SWITCH, MANUAL, QA 1, SWITCH, ROTARY; 28 POLE,14 STAGE,2 POSITION,600 VAC,20 AMP CONTINUOUS	1	B	59300 SE
BTX593F	AL	D-B-04-000-001	2 SWITCH	SWITCH, TEMPERATURE, QA 3, SWITCH, TEMPERATURE; RANGE 40-225 DEG F, 1 SPDT SWITCH, CONTACT RATING	3	C	59300 SE
BTX593F	AL	F-A-11-301-000	4 SWITCH	SWITCH, TEMPERATURE, QA 3, SWITCH, TEMPERATURE; RANGE 40-225 DEG F, 1 SPDT SWITCH, CONTACT RATING	3	C	59300 SE
BTX594D	AL	D-B-04-000-001	2 SWITCH	SWITCH, TEMPERATURE, QA 3, SWITCH, TEMPERATURE; RANGE 40-120 DEG F, 1 SPDT SWITCH, CONTACT RATING	3	B	59300 SE
BVB185M	AL	A-A-01-000-001	1 SWITCH	SWITCH, MANUAL, QA 3, SWITCH, SELECTOR; TOGGLE,4 POSITION JOY STICK OPERATOR,LESS CONTACT	3	B	59300 SE
BVC938Q	AL	A-A-01-000-001	4 SWITCH	SWITCH, LIMIT, QA 1, SWITCH, SENSITIVE (LIMIT); MAX RATING AC 600V, CURRENT RATING AC 20A	1	B	59300 SE
BVD522K	AL	A-A-01-000-001	1 SWITCH	SWITCH, TEMPERATURE, QA 1, SWITCH, THERMOSTATIC; TEMPERATURE,WITH VENTED HOUSING ***	1	B	59300 SE
BVD770B	AC	- - - -	4 SWITCH	SWITCH, MANUAL, QA 1, SWITCH, ROTARY; NEUTRON MONITORING SELECTOR. ***	1	B	59300 SE
BVG250N	AL	A-A-01-000-001	2 SWITCH	SWITCH, MANUAL, QA 1, SWITCH, ROTARY; C/O SWITCH,P/N 505A660G01 AND HANDLE,P/N 501B787H01	1	B	59300 SE
BVM138B	AL	F-A-29-103-000	14 SWITCH	SWITCH, LIMIT, QA 1, SWITCH, SENSITIVE (LIMIT); LIMIT ***	1	B	59300 SE

BVM141N	AL	F-A-16-102-000	18	SWITCH	SWITCH, LIMIT, QA 1, SWITCH, SENSITIVE (LIMIT); CONTINUOUS CURRENT RATING 20/15/10/5 AMPS	1	B	59300	SE
BVM143J	AL	F-A-11-202-001	1	SWITCH	SWITCH, LIMIT, QA 1, 125/250/480/600, 5/10/15/20, 2 NO 2 NC, CCW ROTATION, SWITCH, SENSITIVE (LIMIT); CONTINUOUS CURRENT RATING 20/15/10/5 A	1	B	59300	SE
BVM143J	AL	F-A-27-102-000	5	SWITCH	SWITCH, LIMIT, QA 1, 125/250/480/600, 5/10/15/20, 2 NO 2 NC, CCW ROTATION, SWITCH, SENSITIVE (LIMIT); CONTINUOUS CURRENT RATING 20/15/10/5 A	1	B	59300	SE
BVM144G	AL	F-A-17-202-000	3	SWITCH	SWITCH, LIMIT, QA 1, SWITCH, SENSITIVE (LIMIT); LIMIT ***	1	B	59300	SE
BVM145E	AL	F-A-17-202-000	1	SWITCH	SWITCH, LIMIT, QA 1, SWITCH, SENSITIVE (LIMIT); LIMIT ***	1	B	59300	SE
BVM146C	AL	F-A-08-102-000	2	SWITCH	SWITCH, LIMIT, QA 1, SWITCH, SENSITIVE (LIMIT); CONTINUOUS CURRENT RATING 20/15/10/5 AMPS	1	B	59300	SE
BVM147A	AL	A-A-01-000-001	2	SWITCH	SWITCH, LIMIT, QA 1, 125/250/480/600, 5/10/15/20, 2 NO 2 NC, CONTACT ARRANGEMENT, CCW OPERATION	1	B	59300	SE
BVM221Q	AL	D-A-18-101-000	1	SWITCH	SWITCH, LIMIT, QA 1, GEARED, 4 TRAIN, FOR TYPE SMB-1 LIMITORQUE ACTUATORS, , ASSEMBLY, PC105A, NUCLEAR, FIBERITE (BLACK) TYPE, MOBIL 28 LUBR	1	C	59300	SE
BVP627H	AL	A-A-01-000-001	3	SWITCH	SWITCH, MANUAL, QA 1, SWITCH, ROTARY; PISTOL GRIP OPERATOR,120 VAC CONTROL VOLTAGE	1	B	59300	SE
BVQ899A	AL	A-A-01-000-001	1	SWITCH	SWITCH, PRESSURE, QA 1, SWITCH, PRESSURE; MAX OPERATING PRESSURE 3000 PSIG,MAX RATING AC 125	1	B	59300	SE
BWB875M	AL	A-A-01-000-001	3	SWITCH	SWITCH, LIMIT, QA 1, SWITCH, VALVE; FOR EJ20 ACTUATOR, FOR JAMESBURY 1.25" BALL VALVE MODEL	1	C	48200	SE
BWP028Q	AL	D-B-16-000-001	2	SWITCH	SWITCH, PRESSURE, QA 3, SWITCH, PRESSURE-SELECT; 24/120/240VAC, 10/10/5 AMP,750 VA,PILOT DUTY	3	B	59300	SE
BWP409N	AL	A-A-01-000-001	3	SWITCH	SWITCH, LIMIT, QA 1, SWITCH, SENSITIVE (LIMIT); LIMIT, NON-PLUG IN. ***	1	B	59300	SE
BWQ697G	AL	E-A-16-C03-B01	40	SWITCH	SWITCH, TYPICAL, QA 0, SWITCH, CIRCUIT BREAKER; MICRO, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B	SE
BWV918B	AC	- - - -	7	SWITCH	SWITCH, TYPICAL, QA 3, SWITCH, STEPPING; VOLTAGE: 24 VDC, SWITCH/FRAME: 12, STEP/CIRCUIT: 12	3	B	59300	SE
BWY642B	AL	1-A-03-000-001	2	SWITCH	SWITCH, PRESSURE, QA 1, SWITCH, DIFFERENTIAL PRESS; RANGE: 2 TO 11 INCH WC, DEADBAND	1	B	59300	SE
BXA444G	AC	- - - -	2	SWITCH	SWITCH, TEMPERATURE, QA 3, SWITCH, TEMPERATURE; MAX RATING 115 VAC, 5 AMP AC, TEMPERATURE	3	C	59300	SE
BXL363W	AL	A-A-01-000-001	1	SWITCH	SWITCH, TYPICAL, QA 3, AUTOMATIC TRANSFER, 600, 277/480, 3, W/ CONTROL PANE, SWITCH, AUTOMATIC TRANSFER; MAX RATING 480VAC, CURRENT 600 AMP,	3	B	59300	SE
BXP331T	AC	- - - -	2	SWITCH	SWITCH, TEMPERATURE, QA 1, 115-125 DEG F, SPDT, SWITCH, TEMPERATURE; DIESEL ENGINE MODEL 20-645E4 LUBE OIL	1	B	59300	SE
BXQ829K	AC	- - - -	1	SWITCH	SWITCH, MANUAL, QA 0, SWITCH, ROTARY; FOR GE RECORDER, MODEL 8HG1A021041, TYP S/N 431-4834	0	B	59300	SE
BYE891V	AL	D-B-19-302-001	1	SWITCH	SWITCH, AUXILIARY, QA 1, SWITCH, CIRCUIT BREAKER; 6-STAGE AUXILIARY SWITCH VB, FOR GE AK	1		5925B	SE
BYH872G	AL	A-A-01-000-001	8	SWITCH	SWITCH, PUSHBUTTON, QA 3, SWITCH, INDICATOR; FOR ALARM INDICATOR ON HOIST LOAD MONITOR,RED	3	B	59300	SE
BYV038L	AL	A-A-01-000-001	2	SWITCH	SWITCH, PUSHBUTTON, QA 3, PUSHBUTTON ASSY, SWITCH; CARDOX,PUSHBUTTON STATION WITH TIMER,WITHOUT	3	B	59300	SE
BYY511E	AL	- - - -	1	SWITCH	SWITCH, PRESSURE, QA 3, SWITCH, PRESSURE; VOLTAGE: 125 VAC, AMPERAGE: 10 AMPS, MAX OPERATING	3	B	59300	SE
CAB281V	AL	A-A-01-000-001	1	SWITCH	SWITCH, PUSHBUTTON, QA 3, INDICATING, , RADIATION MONITOR; HIGH ALARM RESET, FOR CAM CONTROL CONSOLE.	3	B	6630D	SE
CAN634V	AL	A-A-01-000-001	21	SWITCH	SWITCH, PUSHBUTTON, QA 3, SWITCH, PUSH; 24VAC,INDICATING,3 CONTACTS, C/W WHITE LENS SERIES 90K	3	B	59300	SE
CBA834B	AL	D-A-14-000-001	1	SWITCH	SWITCH, PRESSURE, QA 3, SWITCH, ACTUATOR; S-SERIES, 2-60 PSIG OPERATING RANGE, 5 AMP @ 125 AC	3	B	48200	SE
CBH614M	AL	A-A-01-000-001	1	SWITCH	SWITCH, LEVEL, QA 0, SWITCH, LEVEL; MERCROID, SERIES 1251 WELDED CHAMBER, DWYER INSTRUMENTS	0	B	6695D	SE
CBK501R	AL	F-A-23-000-001	1	SWITCH	SWITCH, LIMIT, QA 1, SWITCH, SENSITIVE (LIMIT); VOLTAGE AC: 120/250 VAC, AMPERAGE AC: 10	1	B	59300	SE
CBV303L	AL	D-A-32-202-001	4	SWITCH	SWITCH, PRESSURE, QA 0, VACUUM, 30 IN VAC-0 PSI, 250, 5, SPDT, 1/4 IN FNPT, EXPLOSION PROOF, MAX OPERATING: PRESS: 750 PSIG, PRESS ELEMENT M	0		59300	SE
CBW607T	AC	- - - -	2	SWITCH	SWITCH, PUSHBUTTON, QA 2, 1 NO 1 NC, 600 AC, 10, BLACK, 4/4X/13, , CUTLER-HAMMER 10250T SERIES, 1 CONTACT BLOCK	2	B	59300	SE
CDG835X	AL	A-A-01-000-001	1	SWITCH	SWITCH, PRESSURE, QA 0, SWITCH, DIFFERENTIAL PRESS; 0-500 PSIG, SAFE WORKING PRESSURE 1000	0	B	59300	SE
CDT230Q	AL	1-A-04-009-001	1	SWITCH	SWITCH, LEVEL, QA 0, LIQUID, 2-SPDT, SWITCH ASSY, LIQUID LEVEL; WITH 2 SP-DT, HIGH TEMPERATURE SNAP	0	B	6695D	SE
CDT230Q	AL	A-A-01-000-001	3	SWITCH	SWITCH, LEVEL, QA 0, LIQUID, 2-SPDT, SWITCH ASSY, LIQUID LEVEL; WITH 2 SP-DT, HIGH TEMPERATURE SNAP	0	B	6695D	SE
CDT230Q	AL	F-A-02-103-000	5	SWITCH	SWITCH, LEVEL, QA 0, LIQUID, 2-SPDT, SWITCH ASSY, LIQUID LEVEL; WITH 2 SP-DT, HIGH TEMPERATURE SNAP	0	B	6695D	SE
CDY303Q	AL	A-A-01-000-001	2	SWITCH	SWITCH, LIMIT, QA 1, SWITCH, REED; FOR OPEN LIMIT, FOR SOLENOID VALVE MODEL 92Z520-001 ***	1	B	59300	SE
CEC267P	AL	D-A-32-202-001	12	SWITCH	SWITCH, TEMPERATURE, QA 3, THERMOSTATIC, 125, 5, NO, CONTACT CLOSES AT 225 DEGREE F INCREASING,	3		59300	SE
CEM174G	AC	- - - -	1	SWITCH	SWITCH, PUSHBUTTON, QA 3, ELECTRICAL, *** SWITCH DEVELOPMENT DRAWING NO. 45B640 SH 315	3	B	59300	SE
CEM648W	AL	D-A-18-101-000	600	SWITCH	SWITCH, MANUAL, QA 2, SLIDE, 125 AC/DC, 3/0.5 AC/DC, DPDT, ***	2	B	59300	SE
CEV031Y	AL	F-A-08-061-001	1	SWITCH	SWITCH, TEST, QA 0, SWITCH, TEST *** ASSEMBLY, CONSISTING OF THREE ABB FT-1 SWITCHES	0	C	59300	SE
CFD330B	AL	D-A-16-301-007	1	SWITCH	SWITCH, LEVEL, QA 3, ALARM, *** WATER COLUMN STYLE, PRESSURE RATING: 350 PSI, STEAM & WATER	3	B	6695D	SE
CFF980Q	AL	D-A-21-201-001	1	SWITCH	SWITCH, TYPICAL, QA 3, 250 DC, AMPS: 0.2 ***	3		6695D	SE
CGR041R	AC	- - - -	3	SWITCH	SWITCH, TRANSFER, QA 1, ROTARY/TRANSFER, 32, 2	1	B	59300	SE
CGR928M	AL	D-A-21-202-002	3	SWITCH	SWITCH, MANUAL, QA 1, ROTARY, 6, SPRING RETURN TO CENTER, LATERAL CONTACTS CLOSED IN PULLOUT POSITION,	1		59300	SE
CGW646G	AL	D-A-24-301-000	2	SWITCH	SWITCH, LEVEL, QA 3, LIQUID, 2-DPDT, FLANGED, WIDE DIFFERENTIAL UNIT, ARRANGEMENT 1, PUMP CONTROL PLUS ALARM, FOR	3		59300	SE
CHR618Y	AL	D-B-25-302-001	14	SWITCH	SWITCH, PUSHBUTTON, QA 3, HS-85-36C, ENGRAVED: (CRD SCRAM), (DISH VOL), (ISOL TEST), (VALVE)	3		59300	SE
CHX801L	AL	F-A-19-102-004	1	SWITCH	SWITCH, TEMPERATURE, QA 1, ADJUSTABLE, 40 TO 225 DEG F, DPDT, DIRECT MOUNTING, FLUID: AIR, CONTACT RATING: 5A @ 250 VAC,	1	B	6630D	SE
CJP245G	AL	D-B-17-201-001	5	SWITCH	SWITCH, LIMIT, QA 1, CIRCUIT BREAKER, FOR 5-3AF-GEH-250-1200-58 AND 5-3AF-GEH-250-2000-58	1		5930E	SE
CKB835J	AL	D-A-18-101-001	10	SWITCH	SWITCH, LIMIT, QA 3, LEVERLESS, 120/240, 4/2, SPDT, 6 FT LEAD, 303 SS	3	B	5975B	SE
CKP749D	AL	D-A-18-201-000	1	SWITCH	SWITCH, DISCONNECT, QA 3, NON-FUSIBLE, 250 DC/600 AC, 200, 3PDT, 3R, DTU (SERIES E), WITH LOCK MECHANISM	3			
AAW352M	AL	M-A-06-000-002	5	SWITCH	SWITCH, TYPICAL, QA 3, SWITCH ASSY, ; FOR HONEYWELL MULTIPOINT RECORDER, MODEL	3	P	59300	SE
ABN147F	AL	L-A-13-000-002	2	SWITCH	SWITCH, LIMIT, QA 0, SWITCH, SENSITIVE (LIMIT); VOLTAGE AC: 480 VAC, AMPERAGE AC: 15 AMPS	0	P	59300	SE
ABN264B	AL	L-A-13-000-002	1	SWITCH	SWITCH, MANUAL, QA 1, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS	1	P	59300	SE
ABN361D	AL	M-A-06-000-002	1	SWITCH	SWITCH, MANUAL, QA 1, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS	1	P	59300	SE
ABN368Y	AL	L-A-09-000-002	1	SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 600, 20, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS	0	P	59300	SE
ABN388Q	AC	- - - -	1	SWITCH	SWITCH, MANUAL, QA 2, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS	2	P	59300	SE
ABN388Q	AL	M-A-06-000-002	1	SWITCH	SWITCH, MANUAL, QA 2, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS	2	P	59300	SE
ABN488L	AL	L-A-13-000-002	2	SWITCH	SWITCH, PUSHBUTTON, QA 0, SWITCH, PUSH; SINGLE POLE SINGLE THROW, CONTROL, TYPE 8500 PEERLESS	0	P	59300	SE
ABN587J	AL	L-A-09-000-002	3	SWITCH	SWITCH, MANUAL, QA 0, SWITCH, ROTARY; 3 WAFER, FOR MODEL RM-14 MONITOR ***	0	P	59300	SE
ABN673R	AL	M-A-08-000-002	2	SWITCH	SWITCH, PUSHBUTTON, QA 0, 125 AC/28 DC, 5 AC/DC, ON/OFF, SPST, SWITCH, PUSH; MAX RATING AC 125.0 VOLTS, CURRENT RTG AC 5.0 AMPS, MAX	0	P	59300	SE
ABN737R	AL	L-A-13-000-002	1	SWITCH	SWITCH, PRESSURE, QA 0, SWITCH, PRESSURE; MAX OPR PRESS 50.0 PSIG, MAX RATING AC 600.0 VOLTS	0	P	59300	SE
ABN771R	AL	L-A-09-000-002	3	SWITCH	SWITCH, LIMIT, QA 0, SWITCH, SENSITIVE (LIMIT); MAX RATING AC 480.0 VOLTS, CURRENT RTG AC	0	P	59300	SE
ABN936K	AL	L-A-03-000-002	3	SWITCH	SWITCH, PRESSURE, QA 3, SWITCH, PRESSURE; A73 RANGE 20"/100 PSIG, LINE TOM2 CONTACTS OPEN ON	3	B	59300	SE
ABN970Y	AL	L-A-09-000-002	10	SWITCH	SWITCH, LIMIT, QA 0, SWITCH, SENSITIVE (LIMIT); MAX RATING AC 125.0 VOLTS, MAX RATING DC	0	P	59300	SE
ABW128L	AL	M-A-16-000-002	3	SWITCH	SWITCH, PRESSURE, QA 2, SWITCH, SENSITIVE (LIMIT); MAX RATING AC 125.0 VOLTS, CURRENT RTG AC	2	P	59300	SE
ACN376R	AL	L-A-09-000-002	1	SWITCH	SWITCH, PRESSURE, QA 0, SWITCH, PRESSURE; VOLTAGE: 480 VAC, MAX OPERATING PRESS: 0.5 PSIG	0	P	59300	SE
ACN460G	AL	L-A-09-000-002	1	SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 600, 20, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS	0	P	59300	SE
ACN560C	AL	L-A-09-000-002	1	SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 600, 20, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS	0	P	59300	SE
ACN652V	AL	L-A-09-000-002	1	SWITCH	SWITCH, MANUAL, QA 0, ASSEMBLY, 115, 16, 60 CYCLE, SWITCH ASSY, ; TAP, 16 POSITION, FOR STEPPING SWITCH, TYPE	0	P	59300	SE
ACN665J	AL	L-A-13-000-002	1	SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 600, 20, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS	0	P	59300	SE
ACN765E	AL	L-A-13-000-002	1	SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 600, 20, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS	0	P	59300	SE
ADN141F	AL	L-A-09-000-002	9	SWITCH	SWITCH, LIMIT, QA 0, SWITCH, SENSITIVE (LIMIT); VOLTAGE AC: 600 VAC ***	0	P	59300	SE
ADN266T	AL	L-A-13-000-002	1	SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 600, 20, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS	0	P	59300	SE
ADN373R	AL	M-A-06-000-002	1	SWITCH	SWITCH, PRESSURE, QA 0, SWITCH, PRESSURE; MAX PRESSURE OPERATING 100.0 PSIG,RANGE,R8S,-10 TO	0	P	59300	SE
ADN461W	AL	L-A-09-000-002	2	SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 600, 20, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS	0	P	59300	SE

ADN466J	AL	L-A-09-000-002	1 SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 600, 20, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS	0	P	59300 SE
ADN968R	AL	L-A-09-000-002	1 SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 600, 20, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS	0	P	59300 SE
ADW645K	AL	M-A-15-000-002	3 SWITCH	SWITCH, TYPICAL, QA 3, RELAY-SWITCH, ; ROTARY TYPE, FOR RECORDER, MULTIPLE PURPOSE	3	P	6695D SE
AEN163Y	AL	L-A-13-000-002	1 SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 600, 20, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS	0	P	59300 SE
AEN464G	AL	L-A-03-000-002	4 SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 600, 20, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS	0	P	59300 SE
AEN969H	AL	L-A-09-000-002	1 SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 600, 20, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS	0	P	59300 SE
AFD207E	AC	- - - -	1 SWITCH	SWITCH, TYPICAL, QA 0, ELEVATOR, 15/2, 250 AC/DC, NC, SWITCH, ELEVATOR; MAX RATING AC 250.0 VOLTS, CURRENT RTG AC 15.0 AMPS	0	C	3960D SE
AFD207E	AL	L-A-13-000-002	1 SWITCH	SWITCH, TYPICAL, QA 0, ELEVATOR, 15/2, 250 AC/DC, NC, SWITCH, ELEVATOR; MAX RATING AC 250.0 VOLTS, CURRENT RTG AC 15.0 AMPS	0	C	3960D SE
AFD706V	AC	- - - -	3 SWITCH	SWITCH, PUSHBUTTON, QA 0, SWITCH, PUSH; FLOOR PUSHBUTTON, DWG T-22003A, JOB C-22003 ***	0	C	59300 SE
AFN063K	AL	L-A-13-000-002	1 SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 600, 20, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS	0	P	59300 SE
AFN569V	AL	L-A-09-000-002	2 SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 600, 20, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS	0	P	59300 SE
AFN588P	AL	L-A-09-000-002	2 SWITCH	SWITCH, TEMPERATURE, QA 0, THERMOSTATIC, 60-250 DEG F, 60 IN, SWITCH, THERMOSTATIC; (THERMOSTAT), 3/8 IN BULB DIA,4-1/2 IN LG, 60 IN	0	P	59300 SE
AFN829V	AL	L-A-09-000-002	1 SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 600, 20, 4, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS	0	P	59300 SE
AFN961V	AL	L-A-13-000-002	1 SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 600, 20, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS	0	P	59300 SE
AFW327M	AL	M-A-11-000-002	1 SWITCH	SWITCH, TYPICAL, QA 3, ASSEMBLY/ALARM, DIFFERENTIAL, FOR MODEL 224	3	P	59300 SE
AFY669E	AL	M-A-10-000-002	2 SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 600, 10, CONTINUOUS, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 10.0 AMPS	0	P	59300 SE
AGF895C	AL	L-A-09-000-002	1 SWITCH	SWITCH, PRESSURE, QA 3, SWITCH, PRESSURE; MAX OPR PRESS 34.0 PSIG, MAX RATING AC 480.0 VOLTS	3	P	59300 SE
AGN020B	AL	L-A-13-000-002	1 SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 600, 20, 6, 2, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS	0	P	59300 SE
AGN468V	AL	L-A-13-000-002	1 SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 600, 20, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS	0	P	59300 SE
AGN574W	AL	L-A-09-000-002	2 SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 600, 10, NO NC, 3, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 10.0 AMPS	0	P	59300 SE
AGN983B	AC	- - - -	2 SWITCH	SWITCH, PUSHBUTTON, QA 0, NO NC, 125 DC, 5 DC, 1/8 HP, SWITCH, PUSH; MAX RATING DC 125.0 VOLTS, CURRENT RTG DC .5 AMPS, CONT	0	C	59300 SE
AGY862E	AL	L-A-09-000-002	2 SWITCH	SWITCH, LEVEL, QA 0, SWITCH, MERCURY; ELEC ***	0	P	59300 SE
AHN431D	AL	L-A-09-000-002	1 SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 125 AC/DC, 1, SPST, SWITCH, ROTARY; MAX RATING AC 125.0 VOLTS, CURRENT RTG AC 1.0 AMPS	0	P	59300 SE
AHN862H	AL	L-A-09-000-002	9 SWITCH	SWITCH, PUSHBUTTON, QA 0, ASSEMBLY, 2 NO 2 NC, ON/OFF, DPDT, SWITCH ASSY, ; PUSH, INDICATOR, SERIES 90, 2 COMMON - 2NC - 2NO	0	P	59300 SE
AHN872E	AC	- - - -	17 SWITCH	SWITCH, MANUAL, QA 1, SWITCH, TOGGLE; MAX RATING AC 250.0 VOLTS, CURRENT RTG AC 16.0 AMPS	1	P	59300 SE
AHY264W	AL	L-A-09-000-002	1 SWITCH	SWITCH, PUSHBUTTON, QA 0, 125, 8.5, 3 PRONG, SWITCH, PUSH; MAX RATING AC 125.0 VOLTS, CURRENT RTG AC 8.5 AMPS, 3	0	P	59300 SE
AJN577A	AL	L-A-13-000-002	1 SWITCH	SWITCH, PRESSURE, QA 0, 240, 16, 46 PSIG MAX PRESSURE, SWITCH, PRESSURE; VOLTAGE: 240 VAC, AMPERAGE: 16 AMPS MAX OPERATING	0	P	59300 SE
AJN739A	AL	L-A-13-000-002	1 SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 11, CAB-OFF-PEND/ W/ HANDLE, SWITCH, ROTARY; SELECTOR, CONTROL TRANSFER, TYPE SB-1, 11-POLE	0	P	59300 SE
AJN761H	AL	M-A-08-000-002	1 SWITCH	SWITCH, PRESSURE, QA 0, DIFFERENTIAL, 0-100 PSI, 125/250, 15, 3 PSI, 100 PSIG MAX PRESSURE, SWITCH, PRESSURE; MAX OPR PRESS 100.0 PSIG, MAX	0	P	59300 SE
AKN120X	AC	- - - -	3 SWITCH	SWITCH, LEVEL, QA 0, MERCURY, W/ 6 IN LEADS, SWITCH, MERCURY; W/006.000 IN LEADS, FOR RE REVERSE PHASE RELAY ON	0	C	59300 SE
AKN369B	AL	L-A-09-000-002	4 SWITCH	SWITCH, TEMPERATURE, QA 0, SWITCH, THERMOSTATIC; 2 POLE, OVERLOAD, PLUG-IN TYPE, FOR ANNUNCIATING	0	P	59300 SE
AKN440B	AL	M-A-08-000-002	5 SWITCH	SWITCH, MANUAL, QA 0, TOGGLE, 120/250, 5/2, DPDT, ON-NONE-ON, SWITCH, TOGGLE; DPDT, BAT HANDLE, 3 POSITION, ON-NONE-ON ***	0	P	59300 SE
AKN474E	AL	M-A-08-000-002	3 SWITCH	SWITCH, TEMPERATURE, QA 0, SWITCH, THERMOSTATIC; THERMOSTAT, FAN CONTROL, FOR DOWN-FLO WALL	0	P	59300 SE
AKN963Y	AL	M-A-06-000-002	4 SWITCH	SWITCH, PUSHBUTTON, QA 3, SWITCH, PUSH; MAX RATING AC 125.0 VOLTS, CURRENT RTG AC 3.0 AMPS, MOM	3	P	59300 SE
AKW063V	AL	M-A-08-000-002	1 SWITCH	SWITCH, LEVEL, QA 0, SWITCH, LIQUID LEVEL; OPENS ON FLOW DECREASE, WITH MOUNTING STRAP AND	0	P	59300 SE
AKW849X	AL	L-A-13-000-002	1 SWITCH	SWITCH, LEVEL, QA 3, SWITCH, MERCURY; FOR RECORDER, MODEL 8HG1A021041, S/N 43-4834 ***	3	P	59300 SE
ALD118D	AC	- - - -	1 SWITCH	SWITCH, TYPICAL, QA 0, SWITCH ASSY, ; RIGHT HAND SAFETY EDGE, FOR ALUMINUM SAFETY EDGE ***	0	C	59300 SE
ALD410W	AC	- - - -	3 SWITCH	SWITCH, PUSHBUTTON, QA 0, PUSHBUTTON, ELECTRICAL; MARKED NO 1 ***	0	C	59300 SE
ALD917E	AC	- - - -	1 SWITCH	SWITCH, LIMIT, QA 0, ASSEMBLY, 14, W/ STAT/MOVABLE CONTACTS, SWITCH ASSY, ; LIMIT, C/W STATIONARY AND MOVABLE CONTACTS ***	0	C	59300 SE
ALF273N	AL	L-A-09-000-002	3 SWITCH	SWITCH, TYPICAL, QA 0, SWITCH, ; TIMER, FOR C M KEMP MODEL 2 COE AIR DRYER A2331A1 ***	0	P	59300 SE
AMN124X	AL	L-A-13-000-002	1 SWITCH	SWITCH, PRESSURE, QA 0, ADJUSTABLE, 506-80 PSI, 125, 10, 160 PSIG PROOF, SWITCH, PRESSURE; MAX OPR PRESS 80.0 PSIG, MAX RATING AC 125.0 VOLT	0	P	59300 SE
AMN871P	AL	T-A-05-000-002	2 SWITCH	SWITCH, PRESSURE, QA 2, SWITCH, PRESSURE; MAX OPR PRESS 450.0 PSIG, OPEN AT 250 PSIG ***	2	P	59300 SE
ANN124P	AL	M-A-07-000-002	4 SWITCH	SWITCH, PRESSURE, QA 0, MAX OPR PRESS 150.0 PSIG, MAX RATING AC 230.0 VOLTS,	0	P	59300 SE
ANN350R	AL	M-A-06-000-002	1 SWITCH	SWITCH, DISCONNECT, QA 0, 240/480/600, 100, 3, SWITCH, DISCONNECT; 240/480/600 VAC, 100 AMPS, 3PST, STYLE HC1, MODEL	0	C	61100 SE
ANN351C	AL	L-A-09-000-002	3 SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 600, 20, LEVER OPER/SPRING RETURN, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS	0	P	59300 SE
ANN538V	AL	L-A-09-000-002	2 SWITCH	SWITCH, LIMIT, QA 0, 125/250/480, 15, SPDT, SWITCH, SENSITIVE (LIMIT); MAX RATING AC 480.0 VOLTS, CURRENT RTG AC	0	B	59300 SE
ANN560E	AL	L-A-09-000-002	22 SWITCH	SWITCH, LIMIT, QA 0, SWITCH, SENSITIVE (LIMIT); MAX RATING AC 250.0 VOLTS, CURRENT RTG AC	0	P	59300 SE
ANN861L	AL	L-A-09-000-002	4 SWITCH	SWITCH, LIMIT, QA 0, SWITCH, SENSITIVE (LIMIT); VOLTAGE AC: 125 VAC, VOLTAGE DC: 125 VDC	0	P	59300 SE
ANN871H	AL	L-A-09-000-002	1 SWITCH	SWITCH, LIMIT, QA 0, SNAP ACTION, 115 AC/28 DC, 5, 4PDT, MOMENTARY SWITCH ACTION, SWITCH ASSY, ; MOMENTARY ACTION, 4 PDT, SNAP-ACTION CONTAC	0	P	59300 SE
APD714A	AL	M-A-12-000-002	1 SWITCH	SWITCH, LIMIT, QA 0, SWITCH, SENSITIVE (LIMIT); LIMIT, FOR EATON CORP HOIST, MODEL	0	P	59300 SE
APN078L	AL	L-A-09-000-002	3 SWITCH	SWITCH, MANUAL, QA 3, CONTROL, ROTARY SWITCH; SELECTOR SWITCH, BAT LEVER, 3 POSITION	3	P	59300 SE
APN079J	AL	M-A-06-000-002	1 SWITCH	SWITCH, TEMPERATURE, QA 3, SWITCH, THERMOSTATIC; MAX TEMP 120.0 DEG F ***	3	P	59300 SE
APN257X	AL	M-A-06-000-002	1 SWITCH	SWITCH, MANUAL, QA 1, SWITCH, ROTARY; CONTROL,BASIC SWITCH TYPE W-2 SPIN ASELMBAA ***	1	P	59300 SE
APN359M	AL	T-A-05-000-002	16 SWITCH	SWITCH, MANUAL, QA 1, ROTARY, 600, 20, SPRING RETURN TO CENTER, SWITCH, ROTARY; SWITCH, ROTARY CONTROL, BASIC SWITCH, TYPE W-2, 600	1	B	59300 SE
APN557H	AL	M-A-06-000-002	1 SWITCH	SWITCH, MANUAL, QA 1, SWITCH, ROTARY; CONTROL,BASIC SWITCH,TYPE W-2 SPIN ASELMBAA ***	1	P	59300 SE
APN653M	AL	L-A-09-000-002	1 SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 600, 20, 8, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS	0	P	59300 SE
APN828C	AL	B-A-13-000-002	1 SWITCH	SWITCH, PRESSURE, QA 0, SWITCH, PRESSURE; MAX OPERATING PRESS: 300 PSIG, PRESSURE RANGE: 0-30	0	B	59300 SE
APN877Y	AL	L-A-09-000-002	2 SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 3, BAT LEVER, CONTROL, ROTARY SWITCH; SELECTOR SWITCH, BAT LEVER, 3 POSITION	0	P	59300 SE
APN977T	AL	L-A-09-000-002	3 SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 3, BAT LEVER, CONTROL, ROTARY SWITCH; SELECTOR SWITCH, BAT LEVER, 3 POSITION	0	P	59300 SE
AQB526F	AC	- - - -	5 SWITCH	SWITCH, MANUAL, QA 0, TOGGLE, 125/277, 20/10, DPDT, 1.5 HP, *** SWITCH, TOGGLE; VOLTAGE AC: 277 VAC, AMPERAGE: 10 AMPS, 125 VAC,	0	C	59300 SE
AQB528B	AC	- - - -	1 SWITCH	SWITCH, MANUAL, QA 0, TOGGLE, 250, 2, DPDT, 3, ON-NONE-ON, SWITCH, TOGGLE; VOLTAGE AC: 250 VAC, AMPERAGE: 2 AMPS CONTACT	0	C	59300 SE
AQB531N	AC	- - - -	1 SWITCH	SWITCH, MANUAL, QA 0, TOGGLE, DPDT, SWITCH, TOGGLE; CONTACT ARRANGEMENT: DPST ***	0	C	59300 SE
AQR369W	AL	M-A-10-000-002	2 SWITCH	SWITCH, PRESSURE, QA 2, SWITCH, PRESSURE; PRESSURE, HIGH THERMOSTATIC DIFFERENTIAL PRESSURE	2	P	59300 SE
AQY589L	AL	P-A-LL-ET0-042	3 SWITCH	SWITCH, PRESSURE, QA 0, DIFFERENTIAL, 125/250, 5, SPDT, 0-500 PSIG, SWITCH, DIFFERENTIAL PRESS; MAX OPR PRESS 500.0 PSIG, MAX RATING AC	0	B	59300 SE
ARC377T	AL	M-A-13-000-002	3 SWITCH	SWITCH, DISCONNECT, QA 0, 500 KV, AUXILIARY, COMPLETE WITH NECESSARY	0	P	61100 SE
ARF678W	AL	L-A-07-000-002	2 SWITCH	SWITCH, PRESSURE, QA 1, SWITCH, LIQUID LEVEL; FUEL TRANSFER PUMP, MIN SP GR 0.83, PRESSURE 400	1	B	6695D SE
ARG149K	AL	L-A-02-000-002	2 SWITCH	SWITCH, LEVEL, QA 2, SWITCH, LIQUID LEVEL; LUBE OIL LEVEL, PLATE CL00MU-5-25, FOR GM	2	P	6695D SE
ARG149K	AL	M-A-07-000-002	2 SWITCH	SWITCH, LEVEL, QA 2, SWITCH, LIQUID LEVEL; LUBE OIL LEVEL, PLATE CL00MU-5-25, FOR GM	2	P	6695D SE
ARH849H	AL	M-A-03-000-002	1 SWITCH	SWITCH, LEVEL, QA 0, FLOAT, SPST, 75 PSI, SWITCH, LIQUID LEVEL; FLOAT,BOILER WATER,CUT-OFF, COMBINATION WATER	0	P	59300 SE
ARP328F	AL	M-A-09-000-002	1 SWITCH	SWITCH, MANUAL, QA 2, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS	2	P	59300 SE
ART539J	AL	M-A-01-000-002	1 SWITCH	SWITCH, LIMIT, QA 0, SWITCH, SENSITIVE (LIMIT); MAX RATING AC 480.0 VOLTS, CURRENT RTG AC	0	P	59300 SE
ARV168N	AL	M-A-01-000-002	6 SWITCH	SWITCH, LIMIT, QA 0, SWITCH, SENSITIVE (LIMIT); MINIATURE ***	0	P	59300 SE
ARW153Y	AL	L-A-09-000-002	1 SWITCH	SWITCH, LIMIT, QA 0, SWITCH, SENSITIVE (LIMIT); CONTACT ARRANGEMENT: 8 CONTACT ***	0	P	59300 SE
ARW447D	AL	M-A-16-000-002	4 SWITCH	SWITCH, FLOW, QA 2, SWITCH, AIRFLOW; MAX RATING AC 250.0 VOLTS, CURRENT RTG AC 5.0 AMPS	2	P	59300 SE
ARW789G	AL	M-A-06-000-002	3 SWITCH	SWITCH, TYPICAL, QA 0, SWITCH, INTERLOCK; STARTER, AUXILIARY CONTACT, FOR CHILLER UNIT, MODEL	0	P	59300 SE

ATB197V	AL	M-A-13-000-002	3	SWITCH	SWITCH, MANUAL, QA 2, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS	2	P	59300 SE
ATH314K	AL	M-A-07-000-002	14	SWITCH	SWITCH, DISCONNECT, QA 2, DISCONNECT DEVICE, ; REAR PRIMARY,3 POLE,C/W CONNECTIONS(FOR 1200A	2	P	5925B SE
ATP299M	AL	L-A-09-000-002	23	SWITCH	SWITCH, MANUAL, QA 0, SLIDE, DPDT, SWITCH, SLIDE; DPDT	0	P	59300 SE
ATT062W	AL	M-A-06-000-002	4	SWITCH	SWITCH, PUSHBUTTON, QA 0, MINIATURE, NO, 125, 3, SPDT, SWITCH, PUSH; MAX RATING AC 125.0 VOLTS, CURRENT RTG AC 3.0 AMPS	0	P	59300 SE
AVE414Q	AL	M-A-10-000-002	3	SWITCH	SWITCH, PRESSURE, QA 2, SWITCH, PRESSURE; MAX OPR PRESS 500.0 PSIG, 1000 PSIG PROOF PRESSURE	2	P	59300 SE
AVF825X	AL	L-A-13-000-002	3	SWITCH	SWITCH, PRESSURE, QA 3, SWITCH, PRESSURE; MAX OPR PRESS 400.0 PSIG, MAX RATING AC 250.0 VOLTS	3	B	59300 SE
AVL258D	AL	M-A-08-000-002	3	SWITCH	SWITCH, PUSHBUTTON, QA 0, PUSHBUTTON, ELECTRICAL; PLASTIC, WHITE, AUTO/MAN ROCKER, FOR	0	P	59300 SE
AVL259B	AL	M-A-08-000-002	5	SWITCH	SWITCH, PUSHBUTTON, QA 0, PUSHBUTTON, ELECTRICAL; PLASTIC, WHITE, MINUS-MANUAL, FOR PUSHBUTTON	0	P	59300 SE
AVV246G	AL	M-A-16-000-002	21	SWITCH	SWITCH, FLOW, QA 2, SWITCH, LIQUID FLOW; STAINLESS STEEL, TYPE FS-10798, RANGE 0.500-20	2	P	59300 SE
AWA607W	AL	M-A-10-000-002	2	SWITCH	SWITCH, LEVEL, QA 2, SWITCH, LIQUID LEVEL; RED DOT MAGNET, 250 DEG F MAX LIQUID TEMPRATURE	2	P	59300 SE
AWD134X	AL	M-A-08-000-002	6	SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 3, LEVER OPER/SPRING RETURN, SWITCH, ROTARY; POSITION QTY 3, TYPE OT2, LEVER HANDLE,OPERTOR ONLY	0	P	59300 SE
AWG405A	AL	L-A-09-000-002	5	SWITCH	SWITCH, LIMIT, QA 0, SLOW ACTION, 1 NO 1 NC, SPRING RETURN, SWITCH, SENSITIVE (LIMIT); LIMIT, SLOW ACTION, PUSH TYPE,1 NO-1 NC	0	P	59300 SE
AWP735F	AL	L-A-14-000-002	6	SWITCH	SWITCH, LIMIT, QA 0, 125/250/480/600 125/250 DC, 20/15/10/5 AC 5/1.5 DC, SWITCH, SENSITIVE (LIMIT); SNAPLOCK, 125.000 VOLTS/ 020.000 AMPERES	0	P	59300 SE
AWQ679R	AL	P-A-LL-ET0-042	5	SWITCH	SWITCH, PRESSURE, QA 0, DIFFERENTIAL, 115/230/460, 15, 0-225 PSIG, 4, WATERTIGHT ENCLOSURE, SWITCH, PRESSURE-SELECT; MAX OPR PRESS 225.0 PSI	0	C	59300 SE
AWV951L	AL	T-A-05-000-002	1	SWITCH	SWITCH, DISCONNECT, QA 0, SWITCH ASSY, ; OPERATOR, LEFT HAND, SAFETY EDGE, FOR ELEVATORS ***	0	C	59300 SE
AWV952J	AL	T-A-05-000-002	1	SWITCH	SWITCH, DISCONNECT, QA 0, SWITCH ASSY, ; OPERATOR, RIGHT HAND, SAFETY EDGE, FOR ELEVATORS ***	0	C	59300 SE
AWX083Q	AL	L-A-03-000-002	1	SWITCH	SWITCH, TEMPERATURE, QA 0, SWITCH, THERMOSTATIC; 215.000 DEG C, PRE-SET, FOR EXPLOSIVE VAPOR	0	C	59300 SE
AXB750N	AL	M-A-08-000-002	1	SWITCH	SWITCH, VACUUM, QA 0, 600, 10, 0.5-29 IN HG, 2-8 IN HG, SWITCH, VACUUM; 600.000 VAC, 010.000 AMPS, CLASS 9016, FORM F, RANGE	0	P	59300 SE
AXM160Q	AL	M-A-08-000-002	4	SWITCH	SWITCH, PUSHBUTTON, QA 0, SWITCH, PUSH; MAX RATING AC 125.0 VOLTS, MAX RATING DC 28.0 VOLTS	0	P	59300 SE
AXR350Y	AL	L-A-09-000-002	6	SWITCH	SWITCH, MANUAL, QA 0, SLIDE, 125, 5, DPDT, SWITCH, SLIDE; MAX RATING AC 125.0 VOLTS, CURRENT RTG AC 5.0 AMPS	0	B	59300 SE
AXR451D	AL	M-A-10-000-002	1	SWITCH	SWITCH, TYPICAL, QA 2, SWITCH ASSY, ; SPECIAL, ELECTRICAL, FOR MODEL 52A-SM4 CONSOTROL	2	P	59300 SE
AXT136G	AL	L-A-03-000-002	1	SWITCH	SWITCH, LEVEL, QA 0, MERCURY, NO, STAINLESS STEEL, SWITCH, MERCURY; STAINLESS STEEL, PLATE ASSY, LOW, NORMALLY OPEN ***	0	P	59300 SE
AXV745H	AL	M-A-06-000-002	1	SWITCH	SWITCH, PUSHBUTTON, QA 3, SWITCH, PUSH; PUSH-BUTTON START & STOP, FOR CONTROL BOARD DRIVE, ON	3	P	59300 SE
AYC442B	AL	M-A-02-000-002	2	SWITCH	SWITCH, LIMIT, QA 1, SWITCH, SENSITIVE (LIMIT); MAX RATING AC 600.0 VOLTS, CURRENT RTG AC	1	P	59300 SE
AYT527T	AL	L-A-09-000-002	4	SWITCH	SWITCH, LIMIT, QA 0, 125/250/480, 15, SPDT, SWITCH, SENSITIVE (LIMIT); MAX RATING AC 480.0 VOLTS, CURRENT RTG AC	0	P	59300 SE
AYV556E	AL	M-A-06-000-002	3	SWITCH	SWITCH, MANUAL, QA 2, SWITCH, TOGGLE; MAX RATING AC 115.0 VOLTS, CURRENT RTG AC 20.0 AMPS	2	P	59300 SE
BAQ911Q	AL	M-A-04-000-002	17	SWITCH	SWITCH, LIMIT, QA 2, SWITCH, SENSITIVE (LIMIT); MAX RATING AC 480.0 VOLTS, CURRENT RTG AC	2	P	59300 SE
BAT758V	AL	L-A-09-000-002	1	SWITCH	SWITCH, PRESSURE, QA 0, SWITCH, PRESSURE; MAX OPR PRESS 30.0 PSIG, 750 PSIG OVER RANGE, 1000	0	P	59300 SE
BAX550G	AL	L-A-09-000-002	2	SWITCH	SWITCH, PRESSURE, QA 0, 3-30 PSIG, 480, 15, SWITCH, PRESSURE; VOLTAGE: 480 VAC, AMPERAGE: 15 AMPS MAX OPERATING	0	P	59300 SE
BAX553Y	AL	L-A-09-000-002	1	SWITCH	SWITCH, PRESSURE, QA 0, 0.25-12 PSIG, 480, 15, SWITCH, PRESSURE; VOLTAGE: 480 VAC, AMPERAGE: 15 AMPS MAX OPERATING	0	P	59300 SE
BBA771G	AL	L-A-13-000-002	2	SWITCH	SWITCH, PUSHBUTTON, QA 0, 120/240, 18, 4 TERMINALS/PLUG IN, SWITCH, PUSH; MAX RATING AC 240.0 VOLTS, CURRENT RTG AC 18.0 AMPS, 4	0	P	59300 SE
BBJ670Q	AL	M-A-07-000-002	1	SWITCH	SWITCH, LIMIT, QA 0, SWITCH, HOIST; LIMIT, FOR WIRE ROPE ELECTRIC HOIST, SERIES CE, MODEL	0	P	59300 SE
BBL750G	AL	M-A-12-000-002	5	SWITCH	SWITCH, TEMPERATURE, QA 0, THERMOSTATIC, 35-235 DEG F, 250/277, 30, SWITCH, THERMOSTATIC; MAX TEMP 235.0 DEG F, MAX RATING AC 277.0 VOLTS	0	P	59300 SE
BBR056J	AL	M-A-04-000-002	4	SWITCH	SWITCH, MANUAL, QA 2, SWITCH, TOGGLE; MAX RATING AC 250.0 VOLTS, CURRENT RTG AC 15.0 AMPS, 2	2	P	59300 SE
BBT399P	AL	T-A-12-000-002	1	SWITCH	SWITCH, LIMIT, QA 0, SWITCH UNIT, HOIST; GEARED, LIMIT, FOR COFFING WORM DRIVE HOIST	0	P	3950F SE
BBX714T	AL	M-A-10-000-002	34	SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 600, 20, 16, 2, 8 STAGE, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS,	0	B	59300 SE
BCL662V	AL	M-A-16-000-002	2	SWITCH	SWITCH, MANUAL, QA 2, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS	2	P	59300 SE
BCL663R	AC	- - - -	6	SWITCH	SWITCH, MANUAL, QA 2, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 10.0 AMPS	2	P	59300 SE
BCM287N	AL	M-A-12-000-002	2	SWITCH	SWITCH, TYPICAL, QA 0, SWITCH ASSY, ; OVERLOAD DEVICE, WITH HOUSING AND SPACERS, FOR 5-TON	0	P	59300 SE
BCP345Q	AL	M-A-02-000-002	10	SWITCH	SWITCH, PRESSURE, QA 3, SWITCH, PRESSURE; MAX OPR PRESS 15.0 PSIG, MAX RATING AC 250.0 VOLTS	3	P	59300 SE
BCX446K	AL	M-A-07-000-002	10	SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 600, 10, 2, 2, OILTIGHT/HEAVY DUTY, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 10.0 AMPS	0	P	59300 SE
BDK586G	AL	M-A-06-000-002	8	SWITCH	SWITCH, LIMIT, QA 1, SWITCH, SENSITIVE (LIMIT); MAX RATING AC 600.0 VOLTS, CURRENT RTG AC	1	P	59300 SE
BEB036E	AL	L-A-03-000-002	3	SWITCH	SWITCH, TEMPERATURE, QA 0, SWITCH, THERMOSTATIC; MAX TEMP 81.0 DEG F ***	0	P	59300 SE
BEG008T	AL	M-A-10-000-002	2	SWITCH	SWITCH, LIMIT, QA 2, SWITCH, REED; 2 CONTACTS IN SEALED CAPSULES FOR CONTROLLER MODEL 6450P	2	P	59300 SE
BEN964L	AL	M-A-01-000-002	1	SWITCH	SWITCH, PRESSURE, QA 3, SWITCH, DIFFERENTIAL PRESS; MAX OPR PRESS 100.0 PSIG, MAX RATING AC	3	P	59300 SE
BEV466B	AL	M-A-08-000-002	1	SWITCH	SWITCH, TEMPERATURE, QA 0, SWITCH, THERMOSTATIC; HIGH TEMPERATURE ALARM, HIGH PRESSURE, NON	0	P	59300 SE
BEW838T	AL	M-A-06-000-002	1	SWITCH	SWITCH, TYPICAL, QA 2, SWITCH ASSY, SENSITIVE,ACTUATOR; TWO BANKS OF THREE SWITCHES PER SET	2	P	59300 SE
BFN157C	AL	M-A-06-000-002	1	SWITCH	SWITCH, MANUAL, QA 0, TOGGLE, 15, SPST, SWITCH, TOGGLE; AMPERAGE: 15 AMPS, CONTACT ARRANGEMENT: SPST ***	0	P	59300 SE
BGH547J	AL	M-A-04-000-002	2	SWITCH	SWITCH, TEMPERATURE, QA 1, SWITCH, TEMPERATURE; 40 TO 150 DEG F RANGE, FOR AUXILIARY BOILER ON	1	B	59300 SE
BGJ348K	AL	M-A-16-000-002	3	SWITCH	SWITCH, PRESSURE, QA 1, SWITCH, PRESSURE; OPR PRESS RANGE 13 TO 300 PSIG, MAX RATED 600 PSIG	1	B	59300 SE
BGM531D	AL	L-A-03-000-002	2	SWITCH	SWITCH, PUSHBUTTON, QA 0, SWITCH, PUSH; MAX RATING AC 600.0 VOLTS ***	0	P	59300 SE
BGQ270B	AL	M-A-16-000-002	1	SWITCH	SWITCH, TYPICAL, QA 3, SWITCH, ALARM; COMMON FUNCTION, MAGNETIC, CONSISTING OF 2 UNITS	3	P	59300 SE
BHC869F	AL	M-A-01-000-002	5	SWITCH	SWITCH, MANUAL, QA 1, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 15.0 AMPS	1	P	59300 SE
BHF511C	AL	M-A-06-000-002	4	SWITCH	SWITCH, MANUAL, QA 0, SWITCH, ROTARY; TUMBLER, KEY TYPE WITH 2 KEYS AND 2 SCREW TERMINALS ON	0	P	59300 SE
BHK192D	AL	L-A-03-000-002	10	SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 4, 2, SWITCH, ROTARY; POLE QTY 4, POSITION QTY 2, CONTROL, AUX, TYPE	0	P	59300 SE
BHW118B	AL	M-A-02-000-002	1	SWITCH	SWITCH, PRESSURE, QA 3, 0.2-1 IN WC, 480, 15, 25 PSI MAX	3	P	59300 SE
BJC299Q	AL	L-A-09-000-002	2	SWITCH	SWITCH, MANUAL, QA 3, SWITCH, TOGGLE; MAX RATING AC 250.0 VOLTS, CURRENT RTG AC 15.0 AMPS	3	P	59300 SE
BJH161W	AL	M-A-07-000-002	2	SWITCH	SWITCH, MANUAL, QA 0, LOCK, 125, 7, W/ 2 KEYS, SWITCH, LOCK; MAX RATING AC 125.0 VOLTS, CURRENT RTG AC 7.0 AMPS, C/W	0	P	59300 SE
BJJ692P	AC	- - - -	1	SWITCH	SWITCH, TYPICAL, QA 3, ASSEMBLY/ACTUATOR, MECHANICAL, SUBASSY, NO 3A, FOR VALVE ACTUATOR	3	P	59300 SE
BJJ692P	AL	L-A-02-000-002	1	SWITCH	SWITCH, TYPICAL, QA 3, ASSEMBLY/ACTUATOR, MECHANICAL, SUBASSY, NO 3A, FOR VALVE ACTUATOR	3	P	59300 SE
BJL066X	AL	T-A-06-000-002	1	SWITCH	SWITCH, PRESSURE, QA 1, SWITCH, DIFFERENTIAL PRESS; INDICATING,LOWSIDE RANGE 1.0 CUBIC	1	P	59300 SE
BJL557K	AL	M-A-06-000-002	1	SWITCH	SWITCH, LIMIT, QA 0, SWITCH, SENSITIVE (LIMIT); VOLTAGE AC: 600 VAC, VOLTAGE DC: 250 VDC	0	P	59300 SE
BJN579Y	AL	L-A-09-000-002	2	SWITCH	SWITCH, LEVEL, QA 0, SWITCH, LIQUID LEVEL; VACUUM CHAMBER. ***	0	P	59300 SE
BJP218T	AL	M-A-06-000-002	1	SWITCH	SWITCH, PRESSURE, QA 3, SWITCH, PRESSURE; MAX OPR PRESS 100.0 PSIG, MAX RATING AC 250.0 VOLTS	3	P	59300 SE
BJX113A	AL	L-A-03-000-002	1	SWITCH	SWITCH, MANUAL, QA 3, SWITCH, LEVER; MAX RATING AC 120.0 VOLTS, CURRENT RTG AC 20.0 AMPS	3	P	59300 SE
BJY329D	AL	L-A-09-000-002	2	SWITCH	SWITCH, MANUAL, QA 1, SWITCH, ROTARY; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS	1	P	59300 SE
BKG281H	AL	T-A-01-000-002	4	SWITCH	SWITCH, LIMIT, QA 1, SWITCH, SENSITIVE (LIMIT); MAX RATING AC 600.0 VOLTS, CURRENT RTG AC	1	P	59300 SE
BKG884J	AL	M-A-02-000-002	2	SWITCH	SWITCH, LIMIT, QA 0, 550, 80, DPDT, SWITCH, SENSITIVE (LIMIT); VOLTAGE AC: 550 VAC, AMPERAGE AC: 80 AMPS	0	P	59300 SE
BKH130D	AL	I-A-17-000-002	2	SWITCH	SWITCH, FLOW, QA 0, SWITCH, OPACITY MONITOR; AIR FLOW, FOR MICROPROCESSOR BASED OPACITY	0	C	6630D SE
BKT001N	AL	L-A-09-000-002	1	SWITCH	SWITCH, PRESSURE, QA 1, SWITCH, PRESSURE; SUB-ASSEMBLY, FOR ELECTRICAL PENETRATION ***	1	P	59300 SE
BLA032N	AL	P-A-LL-ET0-064	2	SWITCH	SWITCH, TYPICAL, QA 0, SWITCH ASSY, ; MANIFOLD PROGRAMMING, FOR CONTROL-INDICATOR, MINI-LINE	0	C	59300 SE
BLD510H	AL	M-A-08-000-002	1	SWITCH	SWITCH, PRESSURE, QA 0, SWITCH, PRESSURE; VOLTAGE: 240 VAC, PRESSURE RANGE: 0.9-14 PSI SWITCH	0	P	59300 SE
BLE689L	AL	M-A-08-000-002	11	SWITCH	SWITCH, TYPICAL, QA 0, SWITCH, ; CONTACT BLOCK, FOR BETAMAX III FRISKERS, CONTACT BLOCK	0	P	59300 SE
BLH290G	AL	P-A-LL-ET0-064	4	SWITCH	SWITCH, MANUAL, QA 1, SWITCH, ; SELECTOR, WITH CONTACT DEVELOPMENT, WITH 6A KEY OPERATOR	1	C	59300 SE
BLL525L	AL	L-A-07-000-002	10	SWITCH	SWITCH, MANUAL, QA 1, SWITCH, ROTARY; ROTARY TYPE, 4-STAGE, 8 CONTACTS, 4 N.O., 4 N.C.	1	P	59300 SE

BLP824T	AL	T-A-01-000-002	1 SWITCH	SWITCH, PRESSURE, QA 1, SWITCH, PRESSURE; 3000 PSIG MAXIMUM PRESSURE, 4 TO 142 PSI SETPOINT.	1	P	59300 SE
BLP824T	AL	T-A-05-000-002	1 SWITCH	SWITCH, PRESSURE, QA 1, SWITCH, PRESSURE; 3000 PSIG MAXIMUM PRESSURE, 4 TO 142 PSI SETPOINT.	1	P	59300 SE
BLP962E	AL	P-A-LL-ET0-078	2 SWITCH	SWITCH, PUSHBUTTON, QA 1, PUSH BUTTON, ; RESET, WITH NORMALLY OPEN CONTACT ***	1	C	59300 SE
BLT885N	AL	M-A-07-000-002	4 SWITCH	SWITCH, DISCONNECT, QA 1, DISCONNECT ASSY, CIRCUIT BREAKER; MOVABLE, SECONDARY, FOR ITE 480 VOLT	1	P	5925B SE
BLT891V	AL	M-A-07-000-002	2 SWITCH	SWITCH, MANUAL, QA 1, SWITCH, ROTARY; AMMETER, FOR ITE 480 VOLT BREAKER, TYPE K-1600S, MODEL	1	P	59300 SE
BLV049D	AL	L-A-03-000-002	3 SWITCH	SWITCH, PRESSURE, QA 1, SWITCH, PRESSURE; 150 PSIG MAX, 1.5 TO 36 PSIG RANGE, 125 VAC MAX, 10	1	B	59300 SE
BNB611X	AL	P-A-LL-ET0-065	7 SWITCH	SWITCH, MANUAL, QA 1, CONTROL, ROTARY SWITCH; SELECTOR,WITH CAM,OIL TIGHT, CODE 3,3 POSITION	1	C	59300 SE
BND674T	AL	M-A-15-000-002	6 SWITCH	SWITCH, PRESSURE, QA 1, SWITCH, PRESSURE; DPDT, 125/250 VAC, 5 AMP, PROOF PRESSURE 4500 PSI	1		59300 SE
BNE440T	AL	M-A-03-000-002	2 SWITCH	SWITCH, TYPICAL, QA 0, SWITCH, ; WBT-395, WBT-ASELBM ***	0	P	59300 SE
BNE646T	AL	M-A-03-000-002	1 SWITCH	SWITCH, TYPICAL, QA 0, SWITCH, ; HANDSWITCH, WBT-395, WBT-ASELMB, GREEN IN COLOR ***	0	P	59300 SE
BNH891X	AL	L-A-15-000-002	2 SWITCH	SWITCH, LIMIT, QA 1, SWITCH, SENSITIVE (LIMIT); LIMIT, LONG MOUNTING, STANDARDTRIP TRAVEL	1	B	59300 SE
BNP890C	AL	T-A-06-000-002	2 SWITCH	SWITCH, TYPICAL, QA 1, SWITCH, ; TYPE W-2, TAG NO 1-S1A1 AND 1-S1A2 ***	1	P	59300 SE
BNQ786N	AL	L-A-09-000-002	5 SWITCH	SWITCH, LIMIT, QA 3, SENSITIVE, 2 NO 2 NC, SNAP ACTION, SPRING RETURN, , WIDE MOUNTING, STANDARDTRIP TRAVEL, LATCHED CONTACTS	3	P	59300 SE
BNR238H	AL	L-A-09-000-002	1 SWITCH	SWITCH, MANUAL, QA 3, LOCK, KEY LOCK, , S-1 (EDIT)	3	B	59300 SE
BPG860K	AL	M-A-06-000-002	3 SWITCH	SWITCH, LIMIT, QA 2, SWITCH, SENSITIVE (LIMIT); LIMIT, 2 IN X 2 IN X 3-1/4 IN LONG, FOR	2	P	59300 SE
BPH874P	AL	L-A-13-000-002	3 SWITCH	SWITCH, DISCONNECT, QA 1, SWITCH, ; CUTOFF, FOR ELECTRICALLY OPERATED CIRCUIT BREAKER, MODEL	1	P	59300 SE
BPL035A	AL	M-A-06-000-002	1 SWITCH	SWITCH, MANUAL, QA 1, SWITCH, ROTARY; SWITCH, ROTARY CONTROL, BASIC SWITCH, TYPE W-2, 600	1	B	59300 SE
BPM339R	AL	L-A-03-000-002	1 SWITCH	SWITCH, PUSHBUTTON, QA 3, SWITCH, PUSH; ALTERNATE ACTION, FULL WINDOW, TWO LINE ENGRAVING, FIRST	3	C	59300 SE
BPV996M	AL	L-A-03-000-002	7 SWITCH	SWITCH, LIMIT, QA 3, SWITCH, SENSITIVE (LIMIT); MAX RATING AC 115.0 VOLTS, CURRENT RATING	3	B	59300 SE
BPW354R	AL	L-A-13-000-002	5 SWITCH	SWITCH, MANUAL, QA 1, SWITCH, ROTARY; 600 VAC, 20 AMPS, TYPE SBM ***	1	B	59300 SE
BPW362T	AL	L-A-09-000-002	1 SWITCH	SWITCH, MANUAL, QA 3, SWITCH, ROTARY; 600 VAC, RATIO 120:1, 4 CIRCUITS, TYPE K, NEMA 4 ***	3	B	59300 SE
BQA429B	AL	M-A-06-000-002	1 SWITCH	SWITCH, TYPICAL, QA 0, SWITCH, ; COIL CUTOFF, FOR MAGNETIC CONTACTOR ***	0	C	59300 SE
BQB043K	AL	M-A-02-000-002	1 SWITCH	SWITCH, PRESSURE, QA 3, 250, 500 PSI MAX, OPER, MAX RATING AC 750 PSIG MAX SAFE PRESSURE, 35-150 PSIG DIFF PRESS	3	C	59300 SE
BQK295P	AL	T-A-12-000-002	3 SWITCH	SWITCH, LIMIT, QA 1, ROCKER-LEVER TYPE SNAP ACTION, 2 NO 2 NC, , SELECTOR, WIDE MOUNTING, STANDARD TRIP TRAVEL, CW ACTUATOR ROTATION	1	B	59300 SE
BQL084N	AL	M-A-06-000-002	5 SWITCH	SWITCH, MANUAL, QA 3, SWITCH, SELECTOR; 2 POLE, SQUARE D MODEL SKS11BH1 ***	3	B	59300 SE
BQL584B	AL	L-A-06-000-002	1 SWITCH	SWITCH, MANUAL, QA 1, SWITCH, TRANSFER MANUAL; GE TYPE SB-1, 2 POSITION, 14 STAGE, 28	1	B	59300 SE
BQQ846J	AL	M-A-06-000-002	1 SWITCH	SWITCH, LIMIT, QA 3, SWITCH, SENSITIVE (LIMIT); 72 TO 140 VOLTS, 60 AMPS, NEMA TYPE 13	3	B	59300 SE
BRG829M	AL	T-A-06-000-002	1 SWITCH	SWITCH, LIMIT, QA 3, SWITCH ASSY, SENSITIVE,ACTUATOR; ACTUATOR, LIMIT, FOR RCC CHANGE TOOL	3	B	59300 SE
BRH774F	AL	P-A-LL-ET0-082	3 SWITCH	SWITCH, MANUAL, QA 1, SWITCH, ROTARY; 1 POLE/DECK, 4 DECKS, 12 POSITION, 3/4 IN DIAMETER, 5	1	C	59300 SE
BRM519B	AL	M-A-01-000-002	1 SWITCH	SWITCH, MANUAL, QA 1, SWITCH, ROTARY; CONTROL,AUX,TYPE SB-12,FOR MAGNE-BLAST BREAKER, DWG	1	B	59300 SE
BTC994L	AL	L-A-06-000-002	1 SWITCH	SWITCH, TYPICAL, QA 3, SWITCH ASSY, GEAR BOX; LEVEL INDICATING SWITCH SYSTEM, MADE UP OF	3	C	6695D SE
BTC994L	AL	L-A-07-000-002	2 SWITCH	SWITCH, TYPICAL, QA 3, SWITCH ASSY, GEAR BOX; LEVEL INDICATING SWITCH SYSTEM, MADE UP OF	3	C	6695D SE
BTDO10P	AL	L-A-13-000-002	1 SWITCH	SWITCH, MANUAL, QA 1, SWITCH, SELECTOR; 3 POSITION, OILTIGHT, KEY-OPERATED, WITH KEY REMOVEL	1	B	59300 SE
BTH321F	AL	L-A-09-000-002	1 SWITCH	SWITCH, LIMIT, QA 3, SWITCH, SENSITIVE (LIMIT); 125/240/480 VAC, 15 AMP, MICROSWITCH BZR178	3	C	59300 SE
BTK053T	AL	M-A-12-000-002	1 SWITCH	SWITCH, PRESSURE, QA 0, SWITCH, DIFFERENTIAL PRESS; PRESSURE INDICATING, 0-15 PSI WITH 199	0	B	59300 SE
BTP428X	AL	M-A-06-000-002	1 SWITCH	SWITCH, MANUAL, QA 0, SELECTOR, 4, MAINTAINED, SWITCH, SELECTOR; OPERATOR ONLY, 4 POSITION, MAINTAINED, CAMM 11, OIL	0	B	59300 SE
BTQ549C	AC	- - -	1 SWITCH	SWITCH, PRESSURE, QA 1, SWITCH, VACUUM/PRESSURE; RANGE: 30" HG TO +0.5 PSI, OVER-RANGE: 750	1	B	59300 SE
BTQ714P	AL	L-A-09-000-002	1 SWITCH	SWITCH, MANUAL, QA 3, SWITCH, TOGGLE; 125/250 VOLT 3/1 AMPS SPDT FOR MODEL MA-2400 FIRE	3	B	59300 SE
BTQ718F	AL	L-A-13-000-002	5 SWITCH	SWITCH, MANUAL, QA 3, SWITCH, TOGGLE; 125/250 VAC, 3/1 AMP, DPDT, FOR MODEL MA-2400 FIRE	3	B	59300 SE
BTQ940R	AL	L-A-13-000-002	4 SWITCH	SWITCH, PUSHBUTTON, QA 3, PUSHBUTTON, ELECTRICAL; OILTIGHT, BLACK, FOR EDERER CRANE 125/180 TON	3	C	59300 SE
BTR670P	AL	P-A-LL-ET0-108	4 SWITCH	SWITCH, LIMIT, QA 3, SWITCH, LEVER; 5 CONTACTS, FORWARD AND REVERSE, BRIDGE MASTER, FOR	3	C	59300 SE
BTR982Q	AL	M-A-08-000-002	1 SWITCH	SWITCH, MANUAL, QA 3, CONTROL, ROTARY SWITCH; CONTROL, ROTARY SWITCH, SELECTOR, OIL TIGHT	3	B	59300 SE
BTR983N	AL	M-A-08-000-002	1 SWITCH	SWITCH, MANUAL, QA 3, CONTROL, ROTARY SWITCH; CONTROL, ROTARY SWITCH, SELECTOR, OIL TIGHT	3	B	59300 SE
BTT042V	AL	L-A-13-000-002	2 SWITCH	SWITCH, MANUAL, QA 3, SWITCH ASSY, REFUEL PLATFORM; PLATFORM, MARKED FORWARD/REVERSE, PLATE	3	C	4470C SE
BTV918P	AL	L-A-03-000-002	1 SWITCH	SWITCH, DISCONNECT, QA 0, 600, 60, 3PDT, 1, NON-FUSIBLE	0	B	59300 SE
BTX496D	AL	M-A-01-000-002	2 SWITCH	SWITCH, MANUAL, QA 1, ROTARY, 10, 24	1	B	59300 SE
BTY901T	AL	M-A-01-000-002	1 SWITCH	SWITCH, PRESSURE, QA 3, SWITCH, DIFFERENTIAL PRESS; PER DATA SHEET 75588A1 ***	3	B	59300 SE
BVA364T	AL	M-A-08-000-002	1 SWITCH	SWITCH, MANUAL, QA 3, CONTROL, ROTARY SWITCH; SELECTOR, OIL TIGHT, 3 POSITION, LEVER	3	B	59300 SE
BVA365Q	AL	M-A-08-000-002	1 SWITCH	SWITCH, MANUAL, QA 3, CONTROL, ROTARY SWITCH; SELECTOR, OILTIGHT, 2 POSITION, LEVER	3	B	59300 SE
BVH485A	AL	L-A-09-000-002	8 SWITCH	SWITCH, TYPICAL, QA 0, SWITCH, SECURITY SYSTEM; TAMPER, FOR SECURITY CONSOLES.	0	C	6350B SE
BVH804M	AL	M-A-01-000-002	2 SWITCH	SWITCH, MANUAL, QA 1, SWITCH ASSY, SELECTOR; "NOR-RESET-TEST", C/O OPERATOR 0T2S6W (1 EA)	1	B	59300 SE
BVH806H	AL	M-A-01-000-002	2 SWITCH	SWITCH, PUSHBUTTON, QA 1, SWITCH, PUSH; ASSY, "TEST", C/O OPERATOR 0T2B1 (1EA), CONTACT BLOCK	1	B	59300 SE
BVK849K	AL	M-A-01-000-002	1 SWITCH	SWITCH, LIMIT, QA 1, SWITCH, SENSITIVE (LIMIT); LIMIT ***	1	B	59300 SE
BVM144G	AL	M-A-15-000-002	1 SWITCH	SWITCH, LIMIT, QA 1, SWITCH, SENSITIVE (LIMIT); LIMIT ***	1	B	59300 SE
BVM839C	AL	L-A-09-000-002	7 SWITCH	SWITCH, LIMIT, QA 0, SWITCH, VALVE; POSITION, FOR VALVE OPERATOR, 20 AMP, SNAP ACTION LEAF	0	C	48200 SE
BVR273G	AL	L-A-09-000-002	5 SWITCH	SWITCH, TYPICAL, QA 3, SENSITIVE, LIMIT, ASSEMBLY, RECORDER CHART DRIVE, FOR JYC HR-2500E MODEL 3880	3	B	59300 SE
BVR282F	AL	L-A-09-000-002	5 SWITCH	SWITCH, TYPICAL, QA 3, ASSEMBLY/INTERRUPTER, PRINTER POWER, FOR JYC HR-2500E RECORDER MODEL 3880	3	B	59300 SE
BVR712G	AL	L-A-09-000-002	3 SWITCH	SWITCH, PUSHBUTTON, QA 3, SWITCH, PUSH; BUTTON, LAMP LIGHTED, BASIC UNIT-VERTICAL BARRIER MOUNT	3	B	59300 SE
BWB234W	AL	M-A-08-000-002	1 SWITCH	SWITCH, PUSHBUTTON, QA 0, PUSH, 120 AC/DC, PUSH TO TEST/AMBER CAP, SWITCH, INDICATOR; PUSH-TO TEST PILOT LIGHT, RESISTOR TYPE, WITH AMBER	0	B	59300 SE
BWC925V	AL	L-A-09-000-002	1 SWITCH	SWITCH, PUSHBUTTON, QA 0, ILLUMINATED, 1 NO 1 NC, RED, PUSHBUTTON, ELECTRICAL; ILLUMINATING, RED LENS, TRANSFORMER TYPE	0	B	59300 SE
BWH316V	AL	T-A-06-000-002	2 SWITCH	SWITCH, MANUAL, QA 1, SWITCH, SELECTOR; MODULE, SINGLE TRAIN, TYPE W2; INCLUDING CASE	1	B	59300 SE
BWH627A	AL	L-A-09-000-002	1 SWITCH	SWITCH, MANUAL, QA 3, CONTROL, ROTARY SWITCH; SELECTOR, 4 POSITION, LEVER OPERATED, CAM CODE	3	B	59300 SE
BWH634D	AL	L-A-09-000-002	3 SWITCH	SWITCH, MANUAL, QA 3, CONTROL, ROTARY SWITCH; OILTIGHT, TYPE T, 3 POSITION, CAM CODE 2	3	B	59300 SE
BWJ426F	AL	L-A-13-000-002	5 SWITCH	SWITCH, LIMIT, QA 3, SWITCH, SENSITIVE (LIMIT); VOLTAGE AC: 125/250/480 VAC, AMPERAGE: 15	3	B	59300 SE
BWJ428B	AL	L-A-13-000-002	12 SWITCH	SWITCH, LIMIT, QA 3, SWITCH, SENSITIVE (LIMIT); VOLTAGE AC: 125/250/480 VAC, AMPERAGE: 15	3	B	59300 SE
BWK776E	AL	M-A-12-000-002	4 SWITCH	SWITCH, TEMPERATURE, QA 3, SWITCH, THERMOSTATIC; 480VAC,22 AMP,SPDT,NEMA 4WATERTIGHT ENCLOSURE	3	B	59300 SE
BWK808W	AL	M-A-15-000-002	3 SWITCH	SWITCH, MANUAL, QA 1, SWITCH, SELECTOR; MODULE; TYPE 20K SWITCH, TWO POSITION, MAINTAINED IN	1		59300 SE
BWP042Y	AL	T-A-06-000-002	2 SWITCH	SWITCH, MANUAL, QA 1, SWITCH, SELECTOR; MODULE, DUAL TRAIN, TYPE W2; INCLUDING CASE, TWO	1	B	59300 SE
BWP182P	AL	L-A-02-000-002	1 SWITCH	SWITCH, MANUAL, QA 3, SWITCH, ROTARY; CONTROL, TRANSFER, LATERAL CONTACTS, TYPE SB-10 ***	3	B	59300 SE
BWP424R	AL	L-A-02-000-002	11 SWITCH	SWITCH, TYPICAL, QA 3, SWITCH, ANNUNCIATOR; HOUSING, FLANGE MOUNT, FLANGES ON LONG SIDE ***	3	B	6350B SE
BWP425P	AL	L-A-02-000-002	6 SWITCH	SWITCH, TYPICAL, QA 3, SWITCH, ANNUNCIATOR; HOUSING, FLANGE MOUNT, FLANGES ON SHORT SIDE ***	3	B	6350B SE
BWP595X	AL	L-A-07-000-002	2 SWITCH	SWITCH, TEMPERATURE, QA 1, SWITCH, TEMPERATURE; ADJUSTABLE RANGE 40 TO 225 DEG F, MIN DEAD BAND	1	B	59300 SE
BWT504D	AL	L-A-03-000-002	1 SWITCH	SWITCH, FLOW, QA 3, SWITCH, AIRFLOW; MAX PRESSURE 0.05 IN WC, 125/250 VAC 15 A, C/W	3	B	59300 SE
BWY696K	AL	L-A-03-000-002	1 SWITCH	SWITCH, PRESSURE, QA 2, SWITCH, PRESSURE; VOLTAGE: 125 VDC, AMPERAGE: 0.5 AMP, MAX OPERATING	2	B	59300 SE
BXA444G	AL	L-A-05-000-002	4 SWITCH	SWITCH, TEMPERATURE, QA 3, SWITCH, TEMPERATURE; MAX RATING 115 VAC, 5 AMP AC, TEMPERATURE	3	C	59300 SE

BXC998R	AL	L-A-09-000-002	1 SWITCH	SWITCH, MANUAL, QA 0, VALVE; HANDSWITCH, WHICH CONSIST OF INDIVIDUAL PART NUMBERS,	0	C	48200 SE
BXE609N	AL	L-A-03-000-002	1 SWITCH	SWITCH, PRESSURE, QA 3, SWITCH, DIFFERENTIAL PRESS; MAX OPER PRESSURE 2000 PSIG, MAX RATING AC	3	B	59300 SE
BXG160B	AL	M-A-06-000-002	9 SWITCH	SWITCH, MANUAL, QA 1, SELECTOR, SPRING RETURN RIGHT/LEFT, , SIMILAR TO OT1M1C EXCEPT FOR CONSTRUCTION, DRAWING 1057E22 ITEM 8	1	B	59300 SE
BXK314F	AL	L-A-03-000-002	2 SWITCH	SWITCH, LEVEL, QA 1, SWITCH, LIQUID LEVEL; FLOAT TYPE, RATED 400 PSI AT 100 DEG F, 120 VAC	1	B	6695D SE
BXL240Q	AL	L-A-07-000-002	2 SWITCH	SWITCH, LEVEL, QA 0, LIQUID, 120, 13, 2-SPDT, 1 IN NPT, FLANGED FLOAT CAGE, SCREWED, 1 IN-11.5 NPT SIDE	0	C	6695D SE
BXL282W	AL	L-A-07-000-002	5 SWITCH	SWITCH, PRESSURE, QA 0, 250, 4, 1/2 IN MNPT, 160 PSIG, SWITCH, PRESSURE; VOLTAGE: 250 VAC, AMPERAGE: 4 AMPS, MAX OPERATING	0	C	59300 SE
BXL412A	AL	L-A-09-000-002	1 SWITCH	SWITCH, PRESSURE, QA 0, ADJUSTABLE, 0.25-0.16 PSIG, 480, 15, 200 PSI OVERANGE, SWITCH, SAFETY; PRESSURE, ADJ RANGE, .25 TO .16 PSIG, 480 VOL	0	B	59300 SE
BXL537M	AL	L-A-13-000-002	1 SWITCH	SWITCH, PUSHBUTTON, QA 0, PUSHBUTTON, ELECTRICAL; OILTIGHT, HEAVY DUTY, RED MUSHROOM HEAD ***	0	B	59300 SE
BXL700H	AL	L-A-13-000-002	1 SWITCH	SWITCH, TYPICAL, QA 0, SWITCH, 1, 600 VAC/60 A/DPDT/NO, SWITCH, BOX; VOLTAGE AC: 600 VAC, AMPERAGE: 60 AMPS, CONTACT	0	C	59300 SE
BXN876L	AL	M-A-12-000-002	1 SWITCH	SWITCH, AUXILIARY, QA 3, SWITCH ASSY, FLUX MAPPING; AUXILIARY, MICRO,TIMER, FLUX MAPPING SYSTEM	3	B	44700 SE
BXQ829K	AL	L-A-13-000-002	4 SWITCH	SWITCH, MANUAL, QA 0, SWITCH, ROTARY; FOR GE RECORDER, MODEL 8HG1A021041, TYP S/N 431-4834	0	B	59300 SE
BXR872D	AL	M-A-03-000-002	2 SWITCH	SWITCH, LIMIT, QA 3, SWITCH, PROXIMITY; SENSITIVE, LIMIT, SPST, 1250 WATT, AT 120/240/480	3	B	59300 SE
BXR872D	AL	M-A-06-000-002	2 SWITCH	SWITCH, LIMIT, QA 3, SWITCH, PROXIMITY; SENSITIVE, LIMIT, SPST, 1250 WATT, AT 120/240/480	3	B	59300 SE
BXY336C	AC	- - - -	1 SWITCH	SWITCH, LEVEL, QA 1, SWITCH, LIQUID LEVEL; MODEL 8-66, WITH CODE 706182 CIRCUIT BOARD, 1 IN	1	B	6695D SE
BYN119P	AL	T-A-05-000-002	6 SWITCH	SWITCH, PRESSURE, QA 0, SELECT, 0-20 PSI, 125/250/480, 15, 1/4 IN FNPT, 225 PSI, SWITCH, PRESSURE-SELECT; 125/250/480 VAC, RANGE 0-20 PSI, P	0	B	59300 SE
BYY511E	AL	L-A-13-000-002	1 SWITCH	SWITCH, PRESSURE, QA 3, SWITCH, PRESSURE; VOLTAGE: 125 VAC, AMPERAGE: 10 AMPS, MAX OPERATING	3	B	59300 SE
CAE331P	AL	L-A-09-000-002	1 SWITCH	SWITCH, LEVEL, QA 3, SWITCH, LIQUID LEVEL; FLOAT, 300WSP,WITH THERMOCOUPLE FOR	3	B	6695D SE
CAG569B	AL	L-A-09-000-002	2 SWITCH	SWITCH, LIMIT, QA 3, INDICATION, 125, 20, CW ROTATION, SWITCH, POSITION INDICATION; VOLTAGE AC: 125 VAC, AMPERAGE AC: 20	3	B	59300 SE
CAK177D	AL	M-A-12-000-002	2 SWITCH	SWITCH, MANUAL, QA 1, SWITCH, ROTARY; TYPE W-2, PISTOL GRIP, FIXED, MAINTAINED 4 HEAVY	1	B	59300 SE
CAK334P	AL	L-A-03-000-002	1 SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 3 NC 1 NO, 4, CAM H, SWITCH, ROTARY; 4-POSITION, CONTACTS: 3 NC AND 1 NO, CAM: H, FURNAS	0	B	59300 SE
CAK837W	AL	L-A-09-000-002	5 SWITCH	SWITCH, MANUAL, QA 3, SWITCH, ROTARY; POSITION, TYPE SBM 1-POLE, 2-POSITION, FOR GE POWER	3	B	59300 SE
CAK838T	AL	L-A-09-000-002	1 SWITCH	SWITCH, LIMIT, QA 3, SWITCH, SENSITIVE (LIMIT); VOLTAGE AC: 125/250/480/600, AMPERAGE AC:	3	C	59300 SE
CAL817X	AL	L-A-03-000-002	1 SWITCH	SWITCH, PUSHBUTTON, QA 3, SWITCH, PUSH; 20 AMP, SINGLE POLE, DOUBLE THROW, MOMENTARY, 120/240/	3	B	59300 SE
CAL952P	AL	P-A-LL-ET0-119	10 SWITCH	SWITCH, LIMIT, QA 3, GEARED, 2 NO 2 NC, 1, GEAR RATION: 20:1, STANDARD PLAIN END SHAFT. SHAFT EXTENSION ON LEFT S	3	C	59300 SE
CAQ065M	AL	L-A-13-000-002	1 SWITCH	SWITCH, PRESSURE, QA 0, 0.120-260 PSIG, 125/480, 60 PSIG PROOF, SWITCH, PRESSURE; MAX OPR PRESS 18.0 PSIG, MAX RATING AC 480.0 VOLTS	0	C	59300 SE
CBB443M	AL	L-A-02-000-002	4 SWITCH	SWITCH, LIMIT, QA 0, SWITCH, POWER TOOL; FOUR CIRCUIT ROTARY GEAR LIMIT, FOR 1/2 TON YALE	0	C	5130U SE
CBC030C	AL	L-A-09-000-002	1 SWITCH	SWITCH, PRESSURE, QA 3, SWITCH, PRESSURE; VOLTAGE: 125/250/480 VAC, AMPERAGE: 10/10/3 AMPS	3	B	59300 SE
CBE459N	AL	L-A-06-000-002	1 SWITCH	SWITCH, PRESSURE, QA 1, SWITCH, PRESSURE-SELECT; FOR DIESEL ENGINE MODEL 20-645E4, HEAT	1	B	59300 SE
CBE931Q	AL	P-A-LL-ET0-014	1 SWITCH	SWITCH, PRESSURE, QA 1, SELECT, DIESEL ENGINE MODEL 20-645E4	1	B	59300 SE
CBF067R	AL	L-A-09-000-002	2 SWITCH	SWITCH, MANUAL, QA 0, ROTARY, 600, 20, MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 20.0 AMPS,	0	C	59300 SE
CBF274X	AC	- - - -	1 SWITCH	SWITCH, PRESSURE, QA 1, AIR, DIESEL ENGINE MODEL 20-645E4, STARTING AIR PRESSURE SWITCH, CLOSES	1	C	59300 SE
CBH500H	AL	M-A-06-000-002	2 SWITCH	SWITCH, PRESSURE, QA 0, SWITCH, PRESSURE; INPUT RANGE 1.5 - 150 PSIG, PROOF TEST AT 300 PSIG	0	B	59300 SE
CBH679Q	AL	L-A-09-000-002	1 SWITCH	SWITCH, LEVEL, QA 3, LIQUID, SPDT, 250 PSI AT 400 DEG F, 1 IN SOCKETWELD, SWITCH, LIQUID LEVEL; WITH FLANGED EXTERNAL CAGE, MAGNETROL MODEL	3	B	6695D SE
CBL205Q	AL	L-A-02-000-002	1 SWITCH	SWITCH, PRESSURE, QA 2, 215-250 PSI, 1, 1/4 IN MNPT, 80-250 PSI CUTOUT, SWITCH, AIR COMPRESSOR; PRESSURE SWITCH, FOR DIESEL STARTING AIR,	2	B	4310I SE
CBN977N	AL	P-A-LL-ET0-110	8 SWITCH	SWITCH, PRESSURE, QA 0, SWITCH, TURBINE; RFP TURBINE LUBE OIL PRESSURE SWITCH. ***	0	C	59300 SE
CBR763T	AL	M-A-06-000-002	1 SWITCH	SWITCH, PRESSURE, QA 2, SWITCH, CONTROLLER; PRESSURE, TWO POLE, DPST, OPEN HIGH, CLOSE LOW	2	B	59300 SE
CBW396C	AL	T-A-02-000-002	1 SWITCH	SWITCH, MANUAL, QA 3, SWITCH, ROTARY; TYPE PR-20 ***	3	B	59300 SE
CBW607T	AL	L-A-07-000-002	1 SWITCH	SWITCH, PUSHBUTTON, QA 2, 1 NO 1 NC, 600 AC, 10, BLACK, 4/4X/13, , CUTLER-HAMMER 10250T SERIES, 1 CONTACT BLOCK	2	B	59300 SE
CDH151P	AL	L-A-05-000-002	1 SWITCH	SWITCH, PUSHBUTTON, QA 3, SWITCH, CRANE; GREEN PUSHBUTTON SWITCH FOR REFUEL BRIDGE CRANE	3	B	3950F SE
CDL884V	AL	L-A-03-000-002	1 SWITCH	SWITCH, TYPICAL, QA 3, SWITCH, INDICATOR; RECTANGULAR STATION, 1 HORIZONTAL STATION, 6	3	B	59300 SE
CDT230Q	AL	M-A-04-000-002	1 SWITCH	SWITCH, LEVEL, QA 0, LIQUID, 2-SPDT, SWITCH ASSY, LIQUID LEVEL; WITH 2 SP-DT, HIGH TEMPERATURE SNAP	0	B	6695D SE
CDV920R	AL	L-A-02-000-002	1 SWITCH	SWITCH, PUSHBUTTON, QA 3, CONTROL ASSEMBLY, SWITCH; PUSHBUTTON SELECTOR, ITEM 3, F2X71 GE ***	3	B	59300 SE
CDX008N	AL	L-A-09-000-002	1 SWITCH	SWITCH, MANUAL, QA 3, SWITCH, ROTARY; TYPE SBM, 600 VAC/VDC, 20 AMPS CONTINUOUS, 2 STAGE, 2	3	B	59300 SE
CDX389P	AL	M-A-01-000-002	4 SWITCH	SWITCH, PRESSURE, QA 0, SWITCH, PRESSURE-SELECT; TYPE ACW-9 SERIES B, 135-150 PSI ***	0	B	59300 SE
CDX390J	AL	M-A-01-000-002	2 SWITCH	SWITCH, TYPICAL, QA 0, SWITCH, CONTROL; PCB, GENERAL ELECTRIC ***	0	B	59300 SE
CDX398N	AL	M-A-03-000-002	14 SWITCH	SWITCH, TYPICAL, QA 0, SWITCH, CONTROL; GENERAL ELECTRIC ***	0	B	59300 SE
CDX401X	AL	M-A-03-000-002	4 SWITCH	SWITCH, AUXILIARY, QA 0, SWITCH, CONTROL; AUXILIARY, GENERAL ELECTRIC ***	0	B	59300 SE
CEC970H	AL	L-A-03-000-002	2 SWITCH	SWITCH, TYPICAL, QA 3, SWITCH, CONTACTOR; AUXILLIARY SWITCH FOR CHILLER CONTACTOR P/N	3	B	59300 SE
CED796N	AL	L-A-09-000-002	1 SWITCH	SWITCH, FLOW, QA 1, SWITCH, AIRFLOW; DUCT FLANGE MOUNTED, SPDT, 10.0 AMP AT 120 VAC, 6	1	B	59300 SE
CEE965L	AC	- - - -	1 SWITCH	SWITCH, MANUAL, QA 1, SWITCH, ROTARY; MAX RATING AC 600 VOLTS, CURRENT RATING 20 AMPS OR 250	1	C	59300 SE
CEG212W	AL	M-A-01-000-002	12 SWITCH	SWITCH, PUSHBUTTON, QA 3, SWITCH, PUSH; MAX RATING AC 115.0 VOLTS, CURRENT RTG AC 5.0 AMPS	3	B	59300 SE
CEJ199F	AL	L-A-09-000-002	2 SWITCH	SWITCH, LIMIT, QA 2, MICRO, 125/250, 10, NC/NO, SPDT, SOLDER LUG TERMINAL, ***	2	B	59300 SE
CEN818Q	AL	L-A-09-000-002	1 SWITCH	SWITCH, PRESSURE, QA 3, DRYER, *** FAN PRESSURE SWITCH FOR DRESSER RAND AIR DRYER MODEL DXR10, DRYER	3	C	59300 SE
CFA288K	AL	L-A-09-000-002	1 SWITCH	SWITCH, DISCONNECT, QA 3, FUSIBLE, 600, 200, 3, ***	3	B	61100 SE
CFD330B	AC	- - - -	1 SWITCH	SWITCH, LEVEL, QA 3, ALARM, *** WATER COLUMN STYLE, PRESSURE RATING: 350 PSI, STEAM & WATER	3	B	6695D SE
CFJ868P	AL	L-A-06-000-002	6 SWITCH	SWITCH, TYPICAL, QA 3, ALARM, 5, SPDT, *** CURRENT SWITCH, 4-20 MA DC INPUT RANGE, 5 AMP SPDT DRY CONTACT	3	B	59300 SE
AKD325E	AL	D-A-06-102-004	6 SWIVEL	SWIVEL, TYPICAL, QA 0, 5/16 IN, GALVANIZED FORGED STEEL, REGULAR	0		4030C SE
AVH797X	AL	D-A-04-301-004	4 SWIVEL	SWIVEL, TYPICAL, QA 0, ASSEMBLY, 1/2 IN, WEATHERPROOF, SWIVEL ASSY, ; T,WITH WEATHERPROOF HOUSING, SWIVEL MOUNT,AND 0.500	0		6210P SE
BNR612K	AL	1-B-14-000-001	12 SWIVEL	SWIVEL, TYPICAL, QA 3, SWIVEL, ; SAFETY HOIST RING, HEAVY DUTY, PIVOTS 180 DEG AND SWIVELS	3	P	4030C SE
ABV331W	AL	D-A-06-102-004	3 SYRINGE	SYRINGE, TYPICAL, QA 0, SYRINGE, ; GAS TIGHT 5 ML ***	0		6505C SE
ABV630X	AL	D-A-12-201-001	2 SYRINGE	SYRINGE, TYPICAL, QA 0, SYRINGE, ; GAS TIGHT, INTEREX CORP 10 MILLILITER ***	0		6505C SE
ABV631G	AL	D-A-06-102-005	3 SYRINGE	SYRINGE, TYPICAL, QA 0, SYRINGE, ; GAS TIGHT, 25 MILLILITER, SERIES 1025TLL ***	0		6505C SE
ACV037D	AL	D-A-13-302-011	2 SYRINGE	SYRINGE, TYPICAL, QA 0, SYRINGE, ; GAS TIGHT 10 ML ***	0		6505C SE
ARL804R	AL	D-A-02-102-004	9 SYRINGE	SYRINGE, TYPICAL, QA 0, GAS TIGHT, 1 ML, SYRINGE, ; SERIES D,PRESSURE LOK,GAS VOLUMN 0 TO 1 MILLILITER ***	0		6505C SE
ARY785E	AL	D-A-12-201-000	14 SYRINGE	SYRINGE, TYPICAL, QA 0, HYPODERMIC/DISPOSABLE, 1 ML, PLASTIC, 1-1/2 IN, SYRINGE, HYPODERMIC; DISPOSABLE, PLASTIC, 1 ML, WITH 18G 1-1/2 NEEDL	0		6505C SE
BAT712L	AL	D-A-28-101-000	3 SYRINGE	SYRINGE, TYPICAL, QA 0, SYRINGE, HYPODERMIC; 5CC, FOR DIONEX ION CHROMATOGRAPH ***	0		6505C SE
BEB324J	AL	D-A-12-201-000	5 SYRINGE	SYRINGE, TYPICAL, QA 0, HYPODERMIC/DISPOSABLE, 3 CC, PLASTIPAK, LEUR-LOK, 100, SYRINGE, HYPODERMIC; PLASTIPAK, LEUR-LOK TIP, DISPOSABLE, 3CC	0		6505C SE
ARL805P	AL	T-A-01-000-002	3 SYRINGE	SYRINGE, TYPICAL, QA 0, SYRINGE, ; SERIES A-2,PUSHBUTTON VALVE, PRESSURE LOK,GAS VOLUME 0 TO	0	P	6505C SE
BJJ162M	AL	T-A-01-000-002	4 SYRINGE	SYRINGE, TYPICAL, QA 0, SYRINGE, HYPODERMIC; GAS-TIGHT, 25 ML, METAL HUB AND FLANGE ***	0	P	6630D SE
BJR558P	AL	L-A-03-000-002	20 TAB	TAB, TYPICAL, QA 3, TAB, ; PRINTED CIRCUIT GUIDE, FOR ALARM MONITOR ***	3	P	6350B SE
BXX261N	AL	L-A-02-000-002	1 TAB	TAB, TYPICAL, QA 0, TAB, CIRCUIT BREAKER; RACK OUT, FOR GENERATOR FIELD BREAKER MODEL	0	C	5925B SE
BBP574F	AC	- - - -	1 TACHOMETER	TACHOMETER, TYPICAL, QA 0, TACHOMETER, ELEC,SELF-GENERATING; HIGH PRECISION, OUTPUT 10 VAC AT	0	P	6695D SE
BBV635P	AC	- - - -	7 TACHOMETER	TACHOMETER, TYPICAL, QA 1, 0-1200 RPM/0-1 MADC, METER MOVEMENT: 250 DEG, TACH OUTPUT RANGE: 0 TO 5300 HZ,	1	B	6695D SE
ATW947J	AL	P-A-LL-ET0-063	4 TACHOMETER	TACHOMETER, TYPICAL, QA 0, SCALE, 0-225 DC, 0-8000 RPM, METER, SPECIAL SCALE; TACHOMETER RECEIVER,TYPE DB40,0-255VDC,SCALE	0	C	6625D SE
BBP574F	AL	L-A-13-000-002	1 TACHOMETER	TACHOMETER, TYPICAL, QA 0, TACHOMETER, ELEC,SELF-GENERATING; HIGH PRECISION, OUTPUT 10 VAC AT	0	P	6695D SE

BEH512J	AL	D-B-04-000-001	96	TAG	TAG, IDENTIFICATION, QA 3, TAG, MARKER; BLUE WITH WHITE CORE, PHENOLIC, BLANK, J, FLEXIBLE, TWO	3	P	9905K SE
BEH512J	AL	A-A-01-000-001	300	TAG	TAG, IDENTIFICATION, QA 3, TAG, MARKER; BLUE WITH WHITE CORE, PHENOLIC, BLANK, J, FLEXIBLE, TWO	3	P	9905K SE
BEH513G	AL	D-B-04-000-001	92	TAG	TAG, IDENTIFICATION, QA 3, TAG, MARKER; YELLOW WITH BLACK CORE, PHENOLIC, BLANK, J, FLEXIBLE, TWO	3	P	9905K SE
BEH513G	AL	A-A-01-000-001	300	TAG	TAG, IDENTIFICATION, QA 3, TAG, MARKER; YELLOW WITH BLACK CORE, PHENOLIC, BLANK, J, FLEXIBLE, TWO	3	P	9905K SE
BEH515C	AL	D-B-04-000-001	84	TAG	TAG, IDENTIFICATION, QA 3, TAG, MARKER; RED WITH WHITE CORE, PHENOLIC, BLANK, J, FLEXIBLE, TWO	3	P	9905K SE
BEH515C	AL	A-A-01-000-001	200	TAG	TAG, IDENTIFICATION, QA 3, TAG, MARKER; RED WITH WHITE CORE, PHENOLIC, BLANK, J, FLEXIBLE, TWO	3	P	9905K SE
BJM544P	AL	A-A-01-000-001	1550	TAG	TAG, IDENTIFICATION, QA 0, PLAIN, 3-1/8 IN, 6-1/4 IN, PINK, TAG, MARKER; PLAIN PINK, 3.125 X 6.25 IN, STYLE CT 35232, 13 PT, TAG	0	P	9905K SE
BKM689N	AL	D-A-28-101-008	3	TAG	TAG, IDENTIFICATION, QA 0, TAG, MARKER; IMPRESS-O-TAG, ALUMINUM, PERMANENT ALL WEATHER TAG, 250	0		9905K SE
BLE605N	AL	D-B-04-000-001	98	TAG	TAG, IDENTIFICATION, QA 3, TAG, MARKER; MARKER, GOLD, WITH BLACK CORE PHENOLIC, 0.125" THICK X	3	P	9905K SE
BNR585V	AL	D-B-04-000-001	1000	TAG	TAG, IDENTIFICATION, QA 0, TAG, MARKER; STAINLESS STEEL, TAG#1-ISLS- 997, G.I. DOG TAG ***	0	P	9905K SE
BNR588M	AL	D-B-04-000-001	500	TAG	TAG, IDENTIFICATION, QA 0, TAG, MARKER; STAINLESS STEEL, TAG#1-AIRS- 997, G.I. DOG TAG ***	0	P	9905K SE
BNR589K	AL	D-B-04-000-001	500	TAG	TAG, IDENTIFICATION, QA 0, TAG, MARKER; STAINLESS STEEL, TAG#0-ISLS- 997, G.I. DOG TAG ***	0	P	9905K SE
BNR590E	AL	D-B-04-000-001	3515	TAG	TAG, IDENTIFICATION, QA 0, TAG, MARKER; STAINLESS STEEL, TAG#20ISLS- 997, G.I. DOG TAG ***	0	P	9905K SE
BNR592Y	AL	D-B-04-000-001	4700	TAG	TAG, IDENTIFICATION, QA 0, TAG, MARKER; STAINLESS STEEL, TAG#0-AIRS- 997, G.I. DOG TAG ***	0	P	9905K SE
BNR595Q	AL	D-B-04-000-001	1999	TAG	TAG, IDENTIFICATION, QA 0, TAG, MARKER; STAINLESS STEEL, BLANK TAG, G.I. DOG TAG ***	0	P	9905K SE
BQY107V	AL	D-A-04-401-000	500	TAG	TAG, IDENTIFICATION, QA 0, 3-3/4 IN, 8 IN, RADIOACTIVE MATERIAL, TAG, MARKER; RADIOACTIVE MATERIAL, 3-3/4" X 8" SIZE, WITH LAMINATED	0		9905K SE
BRV761M	AL	D-B-04-000-001	500	TAG	TAG, IDENTIFICATION, QA 0, TAG, MARKER; ORANGE WITH BLACK LETTERS, FOR TAGGING CABLE REELS AND	0	B	9905K SE
BXF159M	AL	D-A-32-302-004	600	TAG	TAG, IDENTIFICATION, QA 0, STOCK MARKING/TWO-SIDED, 2-3/8 IN, 3-3/4 IN, GREEN, BLACK, CONTAMINATION AND, RADIATION CLEARANCE, TAG, STOCK MAR	0		9905K SE
BXF160G	AL	D-A-32-302-004	600	TAG	TAG, IDENTIFICATION, QA 0, STOCK MARKING/TWO-SIDED, 2-5/8 IN, 4-1/4 IN, WHITE, BLACK, CONDITIONAL RELEASE, TAG, STOCK MARKING; WHITE, 2 5/8	0		9905K SE
BXP290R	AL	D-A-32-302-004	22	TAG	TAG, IDENTIFICATION, QA 0, TAG, MARKER; RATING, STAINLESS STEEL, DWG 66-1-11, IT 15, FOR 3/4 IN	0		9905K SE
CAE498J	AL	D-A-32-202-000	1919	TAG	TAG, IDENTIFICATION, QA 0, CONDITIONALLY DEDICATED, TAG, STOCK MARKING; CONDITIONALLY DEDICATED MATERIAL TAGS. FURNISHED	0	B	9905K SE
CAL329B	AL	D-A-32-201-001	985	TAG	TAG, IDENTIFICATION, QA 0, 3-3/4 IN, 8 IN, STYRENE, YELLOW, MAGENTA, TAG, MARKER; YELLOW STYRENE, 3-3/4 IN X 8 IN, TWO SIDED PRINTING IN	0	B	9905K SE
AQP453J	AL	P-A-LL-ET0-063	72	TAG	TAG, IDENTIFICATION, QA 0, BLANK, POLYSTYRENE, 11/16 IN, YELLOW, 3/16 IN, TAG, MARKER; BLANK, POLYSTYRENE, YELLOW, ROUND, FLAME RETARDANT,	0	C	9905K SE
BQC242H	AL	P-A-LL-ET0-092	28000	TAG	TAG, IDENTIFICATION, QA 0, BLANK, 2-3/4 IN, 2-3/4 IN, PHENOLIC, 1/8 IN, TAG, MARKER; PHENOLIC BLANKS 2 3/4" X 2 3/4" X 1/8". ***	0	C	9905K SE
CAE498J	AL	L-A-08-000-002	50	TAG	TAG, IDENTIFICATION, QA 0, CONDITIONALLY DEDICATED, TAG, STOCK MARKING; CONDITIONALLY DEDICATED MATERIAL TAGS. FURNISHED	0	B	9905K SE
BRD656A	AL	A-A-01-000-001	2	TANK	TANK, STORAGE, QA 0, TANK, LIQUID STORAGE; REFRIGERANT, 50 LBS WITH FLOAT SWITCH D.O.T.	0	B	5430T SE
BRD656A	AL	D-A-34-301-000	2	TANK	TANK, STORAGE, QA 0, TANK, LIQUID STORAGE; REFRIGERANT, 50 LBS WITH FLOAT SWITCH D.O.T.	0	B	5430T SE
BRD656A	AL	1-B-10-000-001	4	TANK	TANK, STORAGE, QA 0, TANK, LIQUID STORAGE; REFRIGERANT, 50 LBS WITH FLOAT SWITCH D.O.T.	0	B	5430T SE
BRD661H	AL	1-B-10-000-001	2	TANK	TANK, STORAGE, QA 0, TANK, LIQUID STORAGE; REFRIGERANT, 100 LBS WITH FLOAT SWITCH, D.O.T.	0	B	5430T SE
BTL047G	AL	A-A-01-000-001	2	TANK	TANK, TYPICAL, QA 0, TANK, PRESS-FEED, FINISHING; WITH AIR DRIVEN AGITATOR ***	0	C	5130U SE
BPD243G	AL	1-A-14-009-001	1	TAP	TAP, SCREW, QA 0, TAPERED, #10, 32, STARTER TAP	0	P	5305J SE
CKP077V	AL	D-A-02-401-000	1	TAP	TAP, SPECIAL, QA 0, POWER MONITOR, 4 PORT, 1% TAP FOR NETSTENDER 2060	0	C	5840M SE
AJX464K	AL	A-A-01-000-001	44	TAPE	TAPE, TYPICAL, QA 0, EMBOSSING, 1/2 IN, 12 FT, VINYL, BLACK, TAPE, EMBOSSING; MATERIAL: VINYL, TAPE SIZE: 1/2 IN, COLOR: BLACK	0	P	7510U SE
AJX564F	AL	D-A-04-302-005	10	TAPE	TAPE, ADHESIVE, QA 0, EMBOSSING, 1/2 IN, 12 FT, VINYL, OPAQUE/GREEN, TAPE, EMBOSSING; MATERIAL: VINYL, TAPE SIZE: 1/2 IN, COLOR:	0		7510U SE
AJX664B	AL	D-A-04-302-005	16	TAPE	TAPE, ADHESIVE, QA 0, EMBOSSING, 1/2 IN, 12 FT, VINYL, OPAQUE/RED, TAPE, EMBOSSING; VINYL, OPAQUE, RED, 0.5 IN WIDE X 144 IN LONG	0		7510U SE
AJX664B	AL	D-A-30-301-003	44	TAPE	TAPE, ADHESIVE, QA 0, EMBOSSING, 1/2 IN, 12 FT, VINYL, OPAQUE/RED, TAPE, EMBOSSING; VINYL, OPAQUE, RED, 0.5 IN WIDE X 144 IN LONG	0		7510U SE
AKG105E	AL	D-A-25-301-000	627	TAPE	TAPE, HEAT, QA 0, SELF REGULATING, **	0		5966A SE
AKX463F	AL	D-A-22-402-000	28	TAPE	TAPE, ADHESIVE, QA 0, TAPE, PRESS SENSITIVE ADH; COLOR: BLACK ***	0		7510U SE
AMG701H	AL	D-A-18-202-001	3	TAPE	TAPE, HEAT, QA 0, FLEXIBLE, 60 FT, 120, 420, TAPE, HEATING, ELECTRICAL; HEATING, FLEXIBLE, EASY HEAT, 60 FT 120 V,	0		5966A SE
ARY377X	AL	D-A-13-301-003	5	TAPE	TAPE, HEAT, QA 0, 40 IN, 115, 145, TAPE, HEATING, ELECTRICAL; RAMA-FLEX, 145 WATT, 115 VOLT, 40 IN LONG X	0		5966A SE
ATL092J	AL	D-A-04-302-004	1	TAPE	TAPE, BARRICADE, QA 0, 3 IN, 1000 FT, PLASTIC, YELLOW, TAPE, WARNING; PLASTIC BANNER, 3" WD X 1000' LG, YELLOW WITH BLACK	0		7510U SE
AYX249D	AL	D-A-30-301-002	34	TAPE	TAPE, TYPICAL, QA 0, RECORDER, LOOSELEAF, BLANK, WHITE, FOR GE TERMI-NET 200 PRINTER,	0	C	7510U SE
AYY352F	AL	D-A-08-102-004	12	TAPE	TAPE, TYPICAL, QA 0, COMPUTER, 2-1/4 IN, TAPE, PAPER COMP MACH; WIDTH: 2.250 IN (2 1/4) ***	0		7420T SE
BBG934F	AL	D-A-12-201-000	2	TAPE	TAPE, ADHESIVE, QA 1, TAPE, PRESS SENSITIVE ADH; 0.017 THICK X 2.0 IN WIDE X 5.0 FEET LONG	1		7510U SE
BBV611F	AL	D-B-19-202-002	2	TAPE	TAPE, DATA, QA 0, RECORDING/AUTO ELECTRICAL, TAPE, SOUND RECORDING; MAGNETIC, 18 IN LONG, WITH PRE-RECORDED SCALE,	0		5835D SE
BFQ629J	AL	A-A-01-000-001	4	TAPE	TAPE, INSULATING, QA 2, SHIELDING/ELECTRICAL, 0.225 IN, 750 FT, 0.016 IN, NOMEX, , TIE, CLASS H, UNCOATED CSSC CLASS 1E HARSH ENVIRONMENT MO	2	P	5970B SE
BFW508B	AL	D-A-04-302-004	4	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/16 IN, 54 FT, RED, TAPE, PRESS SENSITIVE ADH; COLOR: RED, TAPE SIZE: 1/16 IN X 18 YDS ***	0		7510U SE
BFW513H	AL	D-A-04-302-004	10	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/8 IN, 27 FT, GREEN, TAPE, PRESS SENSITIVE ADH; COLOR: GREEN, TAPE SIZE: 1/80 IN X 9 YDS	0		7510U SE
BFW514F	AL	D-A-04-302-004	10	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/16 IN, 54 FT, WHITE, TAPE, PRESS SENSITIVE ADH; COLOR: WHITE, TAPE SIZE: 1/16 IN X 18 YDS	0		7510U SE
BFW516B	AL	D-A-04-302-004	5	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/16 IN, 54 FT, YELLOW, TAPE, PRESS SENSITIVE ADH; COLOR: YELLOW, TAPE SIZE: 1/16 IN X 18 YDS	0		7510U SE
BFW530W	AL	D-A-04-302-004	20	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/32 IN, 54 FT, BROWN, TAPE, PRESS SENSITIVE ADH; COLOR: BROWN, TAPE SIZE: 1/32 IN X 18 YDS	0		7510U SE
BFW531F	AL	D-A-04-302-004	19	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/8 IN, 27 FT, BROWN, TAPE, PRESS SENSITIVE ADH; COLOR: BROWN, TAPE SIZE: 1/8 IN X 9 YDS ***	0		7510U SE
BFW532D	AL	D-A-04-302-004	7	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/16 IN, 54 FT, BLUE, TAPE, PRESS SENSITIVE ADH; COLOR: BLUE, TAPE SIZE: 1/16 IN X 18 YDS	0		7510U SE
BFW541C	AL	D-A-04-302-004	10	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 0.162 IN, 54 FT, ORANGE, TAPE, PRESS SENSITIVE ADH; COLOR: ORANGE, TAPE SIZE: 0.162 IN X 18 YDS	0		7510U SE
BGK803H	AL	D-A-16-402-000	11	TAPE	TAPE, BARRICADE, QA 0, WARNING, 3 IN, 1000 FT, YELLOW/BLACK, ASBESTOS REMOVAL, DO NOT ENTER, TAPE, WARNING; YELLOW W/ BLACK LETTERS, "ASBEST	0		7510U SE
BJQ622E	AL	D-A-06-201-001	14	TAPE	TAPE, TYPICAL, QA 0, COVER/SEALBAR, 10 FT, FIBERGLASS, TAPE, ; FIBREGLASS, SEALBAR COVER, FOR AUDION SEALMASTER 10 FT ROLL	0		8030W SE
BKB318E	AL	D-A-10-301-000	3	TAPE	TAPE, SEALING, QA 3, TAPE, SEALING, WOVEN FIBER; WOVEN FIBER IMPREGNATED WITH A MINERAL	3		8030W SE
BKN334P	AL	D-A-35-201-001	4	TAPE	TAPE, INSULATING, QA 3, ELECTRICAL, 3/4 IN, 30 FT, 0.020 IN, 600 VOLTS, TAPE, INSULATION ELEC; 0.02 THICK X 0.75 IN WIDE X 30FT LONG, COLD	3		5970B SE
BKN334P	AL	D-A-28-102-001	67	TAPE	TAPE, INSULATING, QA 3, ELECTRICAL, 3/4 IN, 30 FT, 0.020 IN, 600 VOLTS, TAPE, INSULATION ELEC; 0.02 THICK X 0.75 IN WIDE X 30FT LONG, COLD	3		5970B SE
BLA387R	AL	D-A-06-201-004	2	TAPE	TAPE, LABELING, QA 3, MARKER, IDENTIFICATION; POLYMER COATED CLOTH TAPE WITH INK RECEPTIVE	3		7530O SE
BND398Q	AL	D-A-10-201-002	5	TAPE	TAPE, DATA, QA 0, CARTRIDGE, ; DATA, FOR HP9144A TAPE DRIVE, 600 FT LENGTH, 1/4 IN	0		7021A SE
BRE038N	AL	D-A-20-301-003	26	TAPE	TAPE, TYPICAL, QA 0, PAPER, COMP MACH; NAGASE, ELECTROSENSITIVE	0		7420T SE
BRL036V	AL	D-A-01-401-004	6	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1 IN, 216 FT, MYLAR, SILVER, TAPE, PRESS SENSITIVE ADH; COLOR: SILVER, TAPE SIZE: 1 IN W X 72 YD	0		7510U SE
BTN736P	AL	D-A-32-302-002	5	TAPE	TAPE, LABELING, QA 0, IDENTIFICATION, 2 IN, 180 FT, YELLOW, VINYL, TAPE, IDENTIFICATION; MATERIAL: VINYL, TAPE SIZE: 2 IN X 60 YDS	0		7510U SE
BTY558C	AL	D-A-12-301-001	10	TAPE	TAPE, DATA, QA 0, MINI, 120 MB, CARTRIDGE, COMPUTER; MINI DATA, P/N DC 2120, 120 MBYTES, FOR COLORADO	0		6695D SE
BYF519B	AL	1-A-05-000-001	24	TAPE	TAPE, BARRICADE, QA 0, WARNING, 2 IN, 180 FT, VINYL/PEERFERATED, YELLOW/MAGNETA, CAUTION, RADIO-ACTIVE MATERIAL, TAPE, WARNING; VINYL & PEER	0	C	7510U SE
CJA101D	AL	D-A-21-201-001	7	TAPE	TAPE, TYPICAL, QA 2, CASCADE, SETPOINT TAPE FOR GEMAC CONTROLLER MODEL 50-540017JALH SCALE 0-20 X 10	2		6105D SE
ADY448B	AL	M-A-07-000-002	562	TAPE	TAPE, TYPICAL, QA 0, WARNING/RADIATION, 2 IN, 108 FT, MAGENTA/YELLOW, TAPE, WARNING; WARNING, CLOTH BACK, ADHESIVE BACKING, MAGENTA AND	0	P	7510U SE
AKY372D	AL	L-A-09-000-002	3	TAPE	TAPE, INSULATING, QA 0, THERMAL, 2 IN, 300 FT, ALUMINUM, INSULATION TAPE, THERMAL; MATERIAL: ALUMINUM, INSULATION WIDTH: 3.0	0	C	5640H SE
ALG902D	AL	L-A-09-000-002	3	TAPE	TAPE, HEAT, QA 0, FLEXIBLE, 9 FT, 120, 63, TAPE, HEATING, ELECTRICAL; HEATING, FLEXIBLE, EASY HEAT, 9 FT 120 V, 63	0	P	5966A SE
AND921B	AL	M-A-06-000-002	12	TAPE	TAPE, TYPICAL, QA 0, TAPE, LACING AND TYING; MATERIAL: FLAX, TREATMENT: WAX ***	0	P	4020W SE
ANW235F	AL	L-A-09-000-002	2	TAPE	TAPE, TYPICAL, QA 0, TAPE, ; CASCADE, CONTROLLER SET POINT, MARKED 0-6 ***	0	P	7510U SE
ANW934L	AL	L-A-09-000-002	1	TAPE	TAPE, TYPICAL, QA 0, TAPE, ; CASCADE, CONTROLLER SET POINT, MARKED 0-15 ***	0	P	7510U SE
ARA689H	AL	T-A-01-000-002	56	TAPE	TAPE, ADHESIVE, QA 0, GENERAL USE, 1/2 IN, 180 FT, CREPED MANILA PAPER, NATURAL	0	C	7510U SE
ATL093G	AL	L-A-13-000-002	1	TAPE	TAPE, BARRICADE, QA 0, 3 IN, 1000 FT, PLASTIC, YELLOW, TAPE, WARNING; YELLOW WITH BLACK LETTERS, "CAUTION ACID HAZARD", 3" WD	0	C	7510U SE

AWK680E	AL	T-A-01-000-002	60	TAPE	TAPE, INSULATING, QA 3, INSULATION TAPE, THERMAL; LAMINATED (COPPER) FABRIC, 6 IN WIDE X 350	3	P	5640H SE
AYD904T	AL	L-A-09-000-002	5	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1 IN, 72 FT, URETHANE FOAM, DOUBLE COATED	0	P	7510U SE
BAB942G	AL	L-A-09-000-002	10	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 2-7/8 IN, 32 FT, TAPE, PRESS SENSITIVE ADH; BELZONA, REINFORCEMENT 2.875 IN WIDE X 32	0	P	7510U SE
BCX858V	AL	L-A-01-000-002	5	TAPE	TAPE, BARRICADE, QA 0, TAPE, WARNING; YELLOW W/BLACK LETTERS, "CAUTION OPEN TRENCH", PLASTIC	0	B	7510U SE
BDA217Y	AL	M-A-06-000-002	4	TAPE	TAPE, INSULATING, QA 3, INSULATION TAPE, THERMAL; TYPE M20A, 4 WIDE X 0.25 IN THICK X 50 FT	3	B	5640H SE
BEA281F	AL	L-A-09-000-002	8	TAPE	TAPE, INSULATING, QA 3, ELECTRICAL, 3/4 IN, POLYESTER, CLEAR, TAPE, INSULATION ELEC; CLEAR POLYESTOR, 0.75 IN WIDE ***	3	P	5970B SE
BFW506F	AL	L-A-03-000-002	14	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/32 IN, 54 FT, BLACK, TAPE, PRESS SENSITIVE ADH; COLOR: BLACK, TAPE SIZE: 1/32 IN X 18 YDS	0	P	7510U SE
BFW507D	AL	L-A-03-000-002	12	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/8 IN, 27 FT, BLACK, TAPE, PRESS SENSITIVE ADH; COLOR: BLACK, TAPE SIZE: 1/8 IN X 9 YDS ***	0	P	7510U SE
BFW521J	AL	L-A-03-000-002	5	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/8 IN, 54 FT, GREY, TAPE, PRESS SENSITIVE ADH; COLOR: GREY, TAPE SIZE: 1/8 IN X 18 YDS ***	0	P	7510U SE
BFW525A	AL	L-A-03-000-002	2	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/8 IN, 27 FT, GOLD, TAPE, PRESS SENSITIVE ADH; COLOR: GOLD, TAPE SIZE: 1/8 IN X 9 YDS ***	0	P	7510U SE
BFW539Y	AL	L-A-03-000-002	5	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 0.162 IN, 54 FT, GREEN, TAPE, PRESS SENSITIVE ADH; COLOR: GREEN, TAPE SIZE: 0.162 IN X 18 YDS	0	P	7510U SE
BGF531C	AL	T-A-12-000-002	2	TAPE	TAPE, ADHESIVE, QA 3, TAPE, PRESS SENSITIVE ADH; DOUBLE COATED, 2 IN WIDE, FOR MONITER	3	P	7510U SE
BGT145Q	AC	- - -	8	TAPE	TAPE, INSULATING, QA 3, , ELEC, PLASTIC, BLACK, 0.010 THICK X 1 IN WIDE X 36 YARDS LONG, 600 V	3	B	5970B SE
BJL067V	AL	M-A-04-000-002	2	TAPE	TAPE, SEALING, QA 1, ANTISEIZING, 1/2 IN, 25 FT, 0.005 IN, GRAPHITE, SELF-ADHESIVE, THREAD SEALANT, FLEXIBLE FOR CONDUIT AND GROUNDING	1	B	8030W SE
BJL067V	AL	L-A-03-000-002	60	TAPE	TAPE, SEALING, QA 1, ANTISEIZING, 1/2 IN, 25 FT, 0.005 IN, GRAPHITE, SELF-ADHESIVE, THREAD SEALANT, FLEXIBLE FOR CONDUIT AND GROUNDING	1	B	8030W SE
BJM969N	AL	L-A-09-000-002	2	TAPE	TAPE, TYPICAL, QA 0, PURGE, 1 IN, 300 FT, WHITE	0	C	7510U SE
BLA090K	AL	M-A-06-000-002	17	TAPE	TAPE, TYPICAL, QA 3, IDENTIFICATION, 3/4 IN, 66 FT, VINYL/PLASTIC, BROWN, TAPE, IDENTIFICATION; VINYL PLASTIC, COLOR CODING,BROWN, 0.75 IN X	3	B	5970B SE
BLA515B	AL	T-A-03-000-002	9	TAPE	TAPE, INSULATING, QA 3, TAPE, SHIELDING ELEC; COPPER FOIL, 1 IN WIDE X 18 YARDS LONG, WITH	3	P	5970B SE
BPX616G	AL	L-A-09-000-002	2	TAPE	TAPE, ADHESIVE, QA 0, DOUBLE FACED, 100 FT, FOAM, TAPE, PRESS SENSITIVE ADH; TAPE TYPE: DOUBLE COATED/FOAM, TAPE SIZE:	0	B	7510U SE
BQQ892B	AL	T-A-05-000-002	16	TAPE	TAPE, ADHESIVE, QA 3, PRESSURE SENSITIVE, 2 IN, 108 FT, ALUMINUM, , THERMAL	3	C	7510U SE
BWL431C	AL	M-A-02-000-002	1	TAPE	TAPE, TYPICAL, QA 3, TAPE, SOUND RECORDING; MAGNETIC, CASSETTE FOR RECORDER, MODEL SMA-3	3	B	5835D SE
CBD239A	AL	L-A-09-000-002	80	TAPE	TAPE, SEALING, QA 3, CRINKLE, ADHESIVE BACKING, 1/2 IN, 25 FT, 0.010 IN, GRAPHITE	3	B	5730H SE
BQN071M	AL	P-A-LL-ET0-081	1	TAPPET	TAPPET, TYPICAL, QA 1, TAPPET, PUMP; TAPPET ASSY, OVERSPEED TRIP, FOR TOP MECHANISM THROTTLE	1	C	4320U SE
AAG667R	AL	D-A-12-201-002	4	TEE	TEE, PIPE, QA 1, TEE, PIPE; REDUCING, CLASS 3000, CARBON STEEL ASME SA 105 K03504	1		4730P SE
AAG677N	AL	D-A-14-302-000	6	TEE	TEE, PIPE, QA 1, TEE, PIPE; REDUCING, CLASS 3000, CARBON STEEL ASME SA 105 K03504	1		4730P SE
AAG687K	AL	D-B-25-201-004	19	TEE	TEE, PIPE, QA 1, TEE, PIPE; REDUCING, CLASS 3000, CARBON STEEL ASME SA 105 K03504	1		4730P SE
ABG171H	AL	D-A-13-302-007	5	TEE	TEE, PIPE, QA 0, REDUCING, 2-1/2 IN, 2 1/2 IN, 1 1/2 IN, FNPT, MNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB, ***	0		4730P SE
ABG575Q	AL	D-A-13-302-007	3	TEE	TEE, PIPE, QA 0, REDUCING, 4.0 IN, 4 IN, 3 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB, ***	0		4730P SE
ABG771Q	AL	D-A-13-302-009	1	TEE	TEE, PIPE, QA 0, REDUCING, 3.0 IN, 3 IN, 2 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB, ***	0		4730P SE
ABG972E	AL	D-A-13-302-006	4	TEE	TEE, PIPE, QA 0, REDUCING, 3.0 IN, 3.0 IN, 2 1/2 IN, FNPT, FNPT, FNPT, FNPT, MALLEABLE IRON, BLACK, ***	0		4730P SE
ACG078P	AL	D-A-08-102-003	7	TEE	TEE, PIPE, QA 0, STRAIGHT, 4 IN, 4 IN, 4 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, BLACK, 150 LB, ***	0		4730P SE
ACG275Y	AL	D-A-04-301-006	5	TEE	TEE, PIPE, QA 0, STRAIGHT, 3 IN, 3 IN, 3 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, BLACK, 150 LB, ***	0		4730P SE
ACG470C	AL	D-A-13-302-008	8	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/4 IN, 1 1/4 IN, 1 1/4 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB, ***	0		4730P SE
ACG771J	AL	D-A-10-302-005	3	TEE	TEE, PIPE, QA 0, STRAIGHT, 2-1/2 IN, 2-1/2 IN, 2-1/2 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB	0	C	4730P SE
ACG871E	AL	D-A-13-302-006	5	TEE	TEE, PIPE, QA 0, STRAIGHT, 2-1/2 IN, 2 1/2 IN, 2 1/2 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB, ***	0		4730P SE
ADG174Y	AL	A-A-01-000-001	1	TEE	TEE, TUBING, QA 0, MALE, 5/8 IN, COPPER ALLOY, SWEAT, TEE, TUBE; FIRST END NOM SIZE: 00.625 IN (5/8), SECOND END NOM SIZE:	0	P	4730P SE
ADG274T	AL	D-A-10-302-006	7	TEE	TEE, TUBING, QA 0, FEMALE, 3/4 IN, COPPER, SWEAT, ***	0		4730P SE
ADG370A	AL	J-B-12-009-001	4	TEE	TEE, PIPE, QA 0, STRAIGHT, 6 IN, 6 IN, 6 IN, FLNG-CHAMFERED COMP, FLNG-CHAMFERED COMP, FLNG-CHAMFERED COMP, IRON, CAST, 125 LB, SARAN, TEE	0	P	4730P SE
ADG472N	AL	D-A-04-301-005	4	TEE	TEE, PIPE, QA 3, TEE, PIPE; STRAIGHT, WALL THICKNESS NOT RATED, STAINLESS STEEL AISI	3		4730P SE
AFG195A	AL	D-A-02-102-003	5	TEE	TEE, PIPE, QA 0, REDUCING, 1 1/2 IN, 1 IN, 1/2 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB, ***	0		4730P SE
AFG495X	AL	D-B-19-202-002	3	TEE	TEE, PIPE, QA 0, REDUCING, 2 IN, 1 1/2 IN, 1 1/2 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB, ***	0		4730P SE
AHG897W	AL	A-A-01-000-001	25	TEE	TEE, PIPE, QA 1, STRAIGHT, 3/4 IN, 3/4 IN, 3/4 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, SS, ASME SA182 GR F304, STANDARD MILL FINISH, FORGED	1	P	4730P SE
AJY588V	AL	A-A-01-000-001	1	TEE	TEE, PIPE, QA 1, STRAIGHT, 2 IN, 2 IN, 2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, CS, ASME SA105, BLACK, FORGED, B16.11, 6000 LB, TEE, PIPE;	1	P	4730P SE
ALG785M	AL	D-B-07-302-002	6	TEE	TEE, PIPE, QA 1, TEE, PIPE; STRAIGHT, CLASS 3000, CARBON STEEL ASME SA 105 K03504	1		4730P SE
ALY288V	AL	A-A-01-000-001	12	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; STRAIGHT, CLASS 3000, CARBON STEEL ASME SA 105 OUTSIDE	1	P	4730P SE
AQG073P	AL	D-B-19-202-003	25	TEE	TEE, PIPE, QA 0, STRAIGHT, 2 IN, 2 IN, 2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, CS, BLACK, FORGED, 3000 LB	0		4730P SE
AQT440P	AL	D-A-09-302-002	11	TEE	TEE, PIPE, QA 0, STRAIGHT, 3/4 IN, 3/4 IN, 3/4 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, STAINLESS STEEL, ASME SA182 GR F316L, STANDARD MILL F	0		4730P SE
AQT469K	AL	D-A-09-302-001	12	TEE	TEE, PIPE, QA 0, STRAIGHT, 2 IN, 2 IN, 2 IN, SOCKETWELD, SOCKET TYPE, SOCKETWELD, SS, ASME SA182 GR F316L, STANDARD MILL FINISH, FORGED, 300	0		4730P SE
AQW913G	AL	A-A-01-000-001	1	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; STRAIGHT, SCHEDULE 80S, STAINLESS STEEL ASME SA 403 WP 304	1	P	4730P SE
AWD611M	AL	D-A-06-201-003	8	TEE	TEE, PIPE, QA 0, REDUCING, 5/8 IN, 1/2 IN, 1/2 IN, MNPT, FNPT, FNPT, BRASS, *** THREAD SERIES: NPT	0		4730P SE
AWK517E	AL	D-A-13-302-009	7	TEE	TEE, PIPE, QA 1, STRAIGHT, 1/2 IN, 1/2 IN, 1/2 IN, SOCKETWELD, SOCKET TYPE, SOCKETWELD, SS, ASME SA182 GR F316, STANDARD MILL FINISH, 3000 L	1		4730P SE
AYT097G	AL	D-A-17-302-005	18	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, 1 IN, SOCKET TYPE, SOCKET TYPE, SOCKET TYPE, CPVC, 80, **	0		4730P SE
BAH676C	AL	1-B-14-000-001	3	TEE	TEE, TUBING, QA 1, CLASS 2, STRAIGHT, 1 IN, SS, COMPRESSION, ASME SA182 GR F316, STANDARD MILL FINISH	1	C	4730P SE
BBF246A	AL	D-A-13-301-004	13	TEE	TEE, TUBING, QA 3, TEE, TUBE; BRASS, STANDARD MILL FINISH, FIRST ID .375 IN SEAT TYPE	3		4730P SE
BBF315H	AL	D-A-37-302-001	13	TEE	TEE, TUBING, QA 3, TEE, PIPE TO TUBE; STAINLESS STEEL ASME SA 182 GR F316 S31600	3		4730P SE
BBF323J	AL	D-A-04-301-005	5	TEE	TEE, TUBING, QA 3, TEE, PIPE TO TUBE; BRASS, STANDARD MILL FINISH, FIRST IDENT END .5 IN	3		4730P SE
BBF334D	AL	D-A-06-102-004	10	TEE	TEE, TUBING, QA 3, PIPE TO TUBE, 1/4 IN X 1/8 IN X 1/4 IN, BRASS, COMP X FNPT X COMP, STANDARD MILL FINISH	3		4730P SE
BBF335B	AL	D-A-04-301-005	15	TEE	TEE, TUBING, QA 3, TEE, PIPE TO TUBE; BRASS, STANDARD MILL FINISH, FIRST IDENT END .25 IN	3		4730P SE
BBF350T	AL	D-A-04-301-003	8	TEE	TEE, TUBING, QA 3, TEE, TUBE; BRASS, STANDARD MILL FINISH, ASSEMBLED FITTING, FIRST ID	3		4730P SE
BBF358Y	AL	D-A-04-202-007	8	TEE	TEE, TUBING, QA 3, TEE, TUBE; BRASS, STANDARD MILL FINISH, FIRST ID .625 IN SEAT TYPE 37	3		4730P SE
BBF359W	AL	D-A-37-302-001	9	TEE	TEE, TUBING, QA 3, TEE, TUBE; STAINLESS STEEL AISI 316 S31600, STANDARD MILL FINISH	3		4730P SE
BBF360P	AL	D-A-13-301-001	8	TEE	TEE, TUBING, QA 3, TEE, TUBE; BRASS, STANDARD MILL FINISH, ASSEMBLED FITTING, FIRST ID	3		4730P SE
BBF397L	AL	D-B-19-202-001	8	TEE	TEE, PIPE, QA 3, REDUCING, 1/2 IN, 3/8 IN, 1/2 IN, MNPT, FNPT, MNPT, TEE, PIPE TO TUBE; STAINLESS STEEL ASME SA 182 GR F316 S31600,	3		4730P SE
BBJ758Y	AL	A-A-01-000-001	10	TEE	TEE, TUBING, QA 1, TEE, PIPE TO TUBE; STAINLESS STEEL ASME SA 182 GR F316 S31600	1	P	4730P SE
BBT217Q	AL	D-A-04-301-001	28	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, 1 IN, SOCKET TYPE, SOCKET TYPE, SOCKET TYPE, PVC, 80, ***	0		4730P SE
BBT218N	AL	D-A-24-101-002	10	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/2 IN, 1 1/2 IN, 1 1/2 IN, SOCKET TYPE, SOCKET TYPE, SOCKET TYPE, PVC, 80, ***	0		4730P SE
BBY614R	AL	D-A-10-302-005	11	TEE	TEE, TUBING, QA 0, 2 IN, COPPER ALLOY, SWEAT, STANDARD MILL FINISH, TEE, TUBE; FIRST END NOM SIZE: 02.000 IN (2), SECOND END NOM SIZE:	0		4730P SE
BCM131N	AL	D-A-17-302-001	10	TEE	TEE, TYPICAL, QA 0, HOSE, 1/4 IN, PLASTIC, COMPRESSION, TEE, HOSE; NOMINAL SIZE: 00.250 IN (1/4), MATERIAL: PLASTIC END TYPE:	0		4730P SE
BCN895R	AL	D-A-16-201-002	5	TEE	TEE, PIPE, QA 0, REDUCING, 1/4 IN, 1/4 IN, 1/8 IN, FNPT, FNPT, FNPT, BRASS, *** THREAD SERIES: NPT	0		4730P SE
BCT728Q	AL	D-A-15-301-004	6	TEE	TEE, PIPE, QA 0, REDUCING, 2.0 IN, 2 IN, 1 1/4 IN, FNPT, FNPT, FNPT, BRASS, 125 LB, *** THREAD SERIES: NPT	0		4730P SE
BDE690T	AL	D-A-04-302-003	19	TEE	TEE, TUBING, QA 0, 1-1/2 IN, COPPER ALLOY, SWEAT, STANDARD MILL FINISH, TEE, TUBE; FIRST END NOM SIZE: 01.500 IN (1 1/2), SECOND END NOM	0		4730P SE
BDE845C	AL	1-A-02-129-001	1	TEE	TEE, TUBING, QA 1, TEE, TUBE; STAINLESS STEEL ASME SA 182 GR F316 S31600, ASSEMBLED	1	P	4730P SE
BDM054Y	AL	A-A-01-000-001	23	TEE	TEE, PIPE, QA 0, STRAIGHT, 2 IN, 2 IN, 2 IN, FNPT, FNPT, FNPT, CS, ASTM A105, FORGED, 2000 LB	0	P	4730P SE
BDQ669J	AL	D-A-17-302-005	2	TEE	TEE, PIPE, QA 0, REDUCING, 1 1/2 IN, 1 1/2 IN, 1 IN, SOCKETWELD, SOCKETWELD, CPVC, 80, ***	0		4730P SE
BEE858W	AL	D-A-32-104-001	2	TEE	TEE, TUBING, QA 0, 1-1/2 IN, STAINLESS STEEL, COMPRESSION, AISI 316, *** SECOND END NOM SIZE: 01.500 IN (1 1/2), THIRD END NOM SIZE:	0	P	4730P SE

BEM167L	AL	D-B-17-202-000	2	TEE	TEE, PIPE, QA 0, REDUCING, 3 IN, 3 IN, 2 IN, FLNG-RAISED FACE, FLNG-RAISED FACE, FLNG-RAISED FACE, CARBON STEEL, ASTM A234 GR WPB, 150 LB, P	0		4730P SE
BEQ767C	AL	D-A-02-102-011	5	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, 1 IN, FNPT, FNPT, FNPT, PVC, 80, *** THREAD SERIES: NPT	0		4730P SE
BEQ771M	AL	D-A-13-401-003	6	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/2 IN, 1 1/2 IN, 1 1/2 IN, FNPT, FNPT, FNPT, PVC, 80, *** THREAD SERIES: NPT	0		4730P SE
BFD061Y	AL	D-A-02-102-005	3	TEE	TEE, PIPE, QA 0, STRAIGHT, 2 IN, 2 IN, 2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, NICKEL ALLOY, ASTM B462 CARPENTER, 3000 LB, ***	0		4730P SE
BFD960G	AL	D-A-17-302-005	4	TEE	TEE, PIPE, QA 0, REDUCING, 3/4 IN, 3/4 IN, 1/2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, CPVC, 80, ***	0		4730P SE
BFD964W	AL	D-A-17-302-003	10	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/2 IN, 1 1/2 IN, 1 1/2 IN, FNPT, FNPT, CPVC, 80, TEE, PIPE; FIRST END NOM SIZE: 01.500 IN (1 1/2) SECON	0		4730P SE
BFH863E	AL	D-A-09-402-009	3	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, 1 IN, SOCKET TYPE, SOCKET TYPE, SOCKET TYPE, PVC, 40, TEE, PIPE; FIRST END NOM SIZE: 01.000 IN (1) S	0		4730P SE
BFK923C	AL	D-B-17-202-000	17	TEE	TEE, PIPE, QA 3, TEE, PIPE; STRAIGHT, CLASS 150, MALLEABLE IRON, OUTSIDE BLACK	3		4730P SE
BFK924A	AL	D-B-07-302-000	6	TEE	TEE, PIPE, QA 3, STRAIGHT, 3 IN, 3 IN, 3 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, ASTM A197, BLACK, B16.3, 150 LB	3		4730P SE
BFL798F	AL	D-A-25-202-000	2	TEE	TEE, PIPE, QA 0, REDUCING, 3 IN, 3 IN, 1 IN, CARBON STEEL, 150 LB, SARAN, TEE, PIPE; REDUCING, CLASS 150, CARBON STEEL, LINING MATL SARAN	0		4730P SE
BFR321A	AL	D-A-02-102-006	2	TEE	TEE, PIPE, QA 0, STRAIGHT, 1.0 IN, 1 IN, 1 IN, SOCKETWELD, SOCKET TYPE, SOCKETWELD, NICKEL ALLOY, ASTM B462 CARPENTER, 3000 LB, ***	0		4730P SE
BFR349K	AL	D-A-02-102-006	3	TEE	TEE, PIPE, QA 0, REDUCING, 3/4 IN, 3/4 IN, 1/2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, NICKEL ALLOY, ASTM B462 CARPENTER, 3000 LB, ***	0		4730P SE
BFV649W	AL	D-B-27-301-000	1	TEE	TEE, PIPE, QA 0, STRAIGHT, 3 IN, 3 IN, 3 IN, FLNG-RAISED FACE, FLNG-RAISED FACE, FLNG-RAISED FACE, CPVC, ASTM D1784, 80, TEE, PIPE; FIRST EN	0		4730P SE
BGA556M	AL	D-A-26-402-000	3	TEE	TEE, PIPE, QA 0, REDUCING, 2 IN, 2 IN, 1 1/2 IN, FLNG-RAISED FACE, FLNG-RAISED FACE, FLNG-RAISED FACE, 150 LB, TEE, PIPE; FIRST END NOM SIZE	0		4730P SE
BGA566J	AL	D-A-09-402-009	1	TEE	TEE, PIPE, QA 0, REDUCING, 1 1/2 IN, 1 IN, 1 1/2 IN, FLNG-RAISED FACE, FLNG-RAISED FACE, FLNG-RAISED FACE, 150 LB, TEE, PIPE; FIRST END NOM	0		4730P SE
BGE624A	AL	D-A-17-302-004	14	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/4 IN, 1 1/4 IN, 1 1/4 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, BLACK, 300 LB, ***	0		4730P SE
BGJ688T	AL	D-A-04-301-005	3	TEE	TEE, PIPE, QA 0, STRAIGHT, 3/4 IN, 3/4 IN, 3/4 IN, FNPT, FNPT, FNPT, STAINLESS STEEL, ASME SA182 GR F316, 2000 LB, *** THREAD SERIES: NPT	0		4730P SE
BGR751A	AL	D-A-04-301-003	23	TEE	TEE, PIPE, QA 3, TEE, PIPE; STRAIGHT, CLASS 300, MALLEABLE IRON ASTM A 197 F22000	3		4730P SE
BGW820D	AL	D-A-17-302-001	5	TEE	TEE, TUBING, QA 0, MALE BRANCH, 3/8 IN X 3/8 IN X 1/2 IN, PVC, PLAIN X PLAIN X MNPT, TEE, PIPE TO TUBE; FIRST END NOM SIZE: 00.375 IN (3/8)	0		4730P SE
BGW823V	AL	D-A-17-302-001	5	TEE	TEE, TUBING, QA 0, MALE, 3/8 IN, PVC, MNPT X PLAIN X PLAIN, TEE, PIPE TO TUBE; FIRST END NOM SIZE: 00.375 IN (3/8) SECOND END NOM	0		4730P SE
BGW824R	AL	D-A-17-302-001	10	TEE	TEE, TUBING, QA 0, 3/8 IN, PVC, PLAIN, *** SECOND END NOM SIZE: 00.375 IN (3/8), THIRD END NOM SIZE: 00.375	0		4730P SE
BHN002M	AL	A-A-01-000-001	2	TEE	TEE, TUBING, QA 0, SWIVEL, 1/4 IN, BRASS, FNPT, FLARED, TEE, TUBE; FIRST END NOM SIZE: 00.250 IN (1/4) SECOND END NOM SIZE:	0	P	4730P SE
BJB757R	AL	D-A-02-102-005	3	TEE	TEE, TUBING, QA 0, 1/2 IN X 1/4 IN X 1/4 IN, STAINLESS STEEL, COMPRESSION, ASME SA182 GR F316, TEE, TUBE; FIRST END NOM SIZE: 00.500 IN (1/	0		4730P SE
BJT731Y	AL	- - - -	6	TEE	TEE, TUBING, QA 0, MALE, 1/4 IN, CARBON STEEL, MNPT, 37 DEG FLARED, TEE, TUBE; FIRST END NOM SIZE: 00.250 IN (1/4), SECOND END NOM SIZE:	0	P	4730P SE
BJT731Y	AL	D-A-10-301-000	6	TEE	TEE, TUBING, QA 0, MALE, 1/4 IN, CARBON STEEL, MNPT, 37 DEG FLARED, TEE, TUBE; FIRST END NOM SIZE: 00.250 IN (1/4), SECOND END NOM SIZE:	0	P	4730P SE
BKH333K	AL	D-A-02-102-003	1	TEE	TEE, PIPE, QA 1, TEE, PIPE; STRAIGHT, CLASS 3000, STAINLESS STEEL ASME SA 182 GR F304	1		4730P SE
BKP028G	AL	D-A-02-102-006	8	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000	3	P	4730P SE
BKP028G	AL	D-A-28-101-006	19	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000	3	P	4730P SE
BKP028G	AL	D-A-28-101-002	20	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000	3	P	4730P SE
BKP029E	AL	D-B-25-201-006	5	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 04.000 IN (4), SECOND END NOM SIZE:	3		4730P SE
BKP031V	AL	D-B-15-202-000	4	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 03.000 IN (3), SECOND END NOM SIZE:	3		4730P SE
BKP034M	AL	D-A-28-101-003	12	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000	3		4730P SE
BKP034M	AL	D-A-28-101-004	15	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000	3		4730P SE
BKP036H	AL	D-A-12-101-000	3	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 04.000 IN (4), SECOND END NOM SIZE:	3		4730P SE
BKP037F	AL	D-A-09-302-003	14	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 04.000 IN (4), SECOND END NOM SIZE:	3		4730P SE
BKP038D	AL	D-B-07-302-000	14	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 04.000 IN (4), SECOND END NOM SIZE:	3		4730P SE
BKR373X	AL	D-A-12-101-006	6	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000	3		4730P SE
BKR374V	AL	D-B-15-202-000	6	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN (2 1/2), SECOND END NOM	3		4730P SE
BKR756D	AL	D-A-12-101-002	6	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 03.000 IN (3), SECOND END NOM SIZE:	3		4730P SE
BKR807P	AL	A-A-01-000-001	10	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000	3	P	4730P SE
BKR809K	AL	D-B-15-202-000	6	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 03.000 IN (3), SECOND END NOM SIZE:	3		4730P SE
BKR810D	AL	D-B-25-201-006	7	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 03.000 IN (3), SECOND END NOM SIZE:	3		4730P SE
BKR815P	AL	D-B-15-202-000	4	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000	3		4730P SE
BKR816M	AL	D-A-12-101-007	6	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000	3		4730P SE
BKR820A	AL	D-A-12-101-000	4	TEE	TEE, PIPE, QA 3, TEE, PIPE; STRAIGHT, CLASS 150, MALLEABLE IRON ASTM A 197 F22000	3		4730P SE
BKY570D	AL	D-A-18-202-002	2	TEE	TEE, PIPE, QA 1, TEE, PIPE; REDUCING, SCHEDULE 40S, STAINLESS STEEL ASME SA 403 WP 304	1		4730P SE
BLA173D	AL	D-A-15-301-004	15	TEE	TEE, PIPE, QA 0, STRAIGHT, 1-1/2 IN, 1-1/2 IN, 1-1/2 IN, FNPT, FNPT, FNPT, BRASS, STANDARD MILL FINISH, 125 LB	0		4730P SE
BLA174B	AL	D-A-02-102-008	6	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/4 IN, 1 1/4 IN, 1 1/4 IN, FNPT, FNPT, FNPT, BRASS, 125 LB, *** THREAD SERIES: NPT	0		4730P SE
BLA182C	AL	D-A-12-101-002	6	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN (2 1/2), SECOND END NOM	3		4730P SE
BLA183A	AL	D-B-15-202-000	6	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN (2 1/2), SECOND END NOM	3		4730P SE
BLA189X	AL	A-A-01-000-001	2	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000	3	P	4730P SE
BLA696C	AL	D-A-12-101-000	6	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 03.000 IN (3), SECOND END NOM SIZE:	3		4730P SE
BLD377D	AL	D-A-28-102-000	1	TEE	TEE, PIPE, QA 1, TEE, PIPE; 0.25 FPT, FOR DIESEL GENERATOR ***	1		2910O SE
BLN631B	AL	D-A-02-102-006	3	TEE	TEE, PIPE, QA 1, TEE, PIPE; PIPE, 0.125 IN FPT, FOR STANDBY DIESEL GENERATOR, MODEL	1		2910O SE
BLP758D	AL	A-A-01-000-001	1	TEE	TEE, TYPICAL, QA 1, TEE, ; TEE, FOR STANDBY DIESEL GENERATOR ENGINE, MODEL 20-645E4 ***	1	P	2910O SE
BLV424N	AL	A-A-01-000-001	8	TEE	TEE, PIPE, QA 1, CLASS 2, REDUCING, 1 IN, 1 IN, 1/2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, SS, ASME SA182 GR F304, STANDARD MILL FINISH, FO	1	P	4730P SE
BLY737H	AL	1-A-19-063-001	8	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, 1 IN, CARBON STEEL, ASME SA105, ***	0	P	4730P SE
BMD218V	AL	D-A-01-401-004	3	TEE	TEE, PIPE, QA 3, TEE, PIPE; TEE, PIPE, STRAIGHT, SCH 80, SOCKET TYPE, PVC, 2 INCH ***	3		4730P SE
BNL946F	AL	D-A-20-402-001	1	TEE	TEE, PIPE, QA 0, STRAIGHT, 1.0 IN, 1 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, STAINLESS STEEL, ASTM A182 GR F316, 3000 LB, *** THIRD END NOM	0		4730P SE
BNL956C	AL	D-A-32-401-000	58	TEE	TEE, PIPE, QA 0, REDUCING, 1.0 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, STAINLESS STEEL, *** SECOND END NOM SIZE: 00.250 IN (1/4)	0		4730P SE
BNM963A	AL	D-A-22-401-000	3	TEE	TEE, PIPE, QA 0, STRAIGHT, 2.0 IN, 2 IN, 2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, STAINLESS STEEL, 3000 LB, ***	0		4730P SE
BNN368K	AL	D-A-20-402-001	2	TEE	TEE, PIPE, QA 0, STRAIGHT, 1-1/2 IN, 1-1/2 IN, 1-1/2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, SS, 3000 LB, **	0		4470C SE
BNN546M	AL	D-A-26-102-000	7	TEE	TEE, PIPE, QA 0, REDUCING, 3 IN, 3 IN, 3 IN, CARBON STEEL, TEE, PIPE; FIRST END NOM SIZE: 03.000 IN (3) SECOND END NOM SIZE:	0		4730P SE
BNN799P	AL	D-A-32-401-001	1	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/2 IN, 1 1/2 IN, 1 IN, SOCKET TYPE, SOCKET TYPE, SOCKET TYPE, PVC, 40, TEE, PIPE; FIRST END NOM SIZE: 01.500 I	0		4730P SE
BNP340G	AL	D-A-04-202-004	3	TEE	TEE, PIPE, QA 3, STRAIGHT, 3 IN, 3 IN, 3 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, ASTM A197, HOT DIPPED GALVANIZED, 150 LB	3		4730P SE
BNV470E	AL	D-A-32-401-002	225	TEE	TEE, PIPE, QA 0, STRAIGHT, 1/4 IN, 1/4 IN, 1/4 IN, STAINLESS STEEL, ***	0		4730P SE
BNV558L	AL	D-A-32-401-005	3	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/2 IN, 1 1/2 IN, 1 1/2 IN, ***	0		4730P SE
BNV567K	AL	D-A-20-402-001	5	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, 1 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, STAINLESS STEEL, ASME SA182 GR F316, 3000 LB, ***	0		4730P SE
BPC398P	AL	D-A-32-401-001	1	TEE	TEE, PIPE, QA 0, STRAIGHT, 1/2 IN, 1/2 IN, 1/2 IN, CS, **	0		4730P SE
BPG713M	AL	A-A-01-000-001	10	TEE	TEE, PIPE, QA 0, STRAIGHT, 3/8 IN, 3/8 IN, 3/8 IN, MECHANICAL JOINT, MECHANICAL JOINT, MECHANICAL JOINT, TEE, PIPE; FIRST END NOM SIZE: 00.3	0	P	4730P SE
BQP768H	AL	A-A-01-000-001	2	TEE	TEE, PIPE, QA 0, REDUCING, 8 IN, 8 IN, 6 IN, MECHANICAL JOINT, MECHANICAL JOINT, MECHANICAL JOINT, IRON, ASPHALTIC, A21.11, 150 LB, CONCRETE	0	C	4730P SE
BRC816K	AL	D-A-16-201-003	3	TEE	TEE, PIPE, QA 1, CLASS 2, STRAIGHT, 1-1/2 IN, 1-1/2 IN, 1-1/2 IN, FNPT, FNPT, FNPT, CS, ASME SA105, FORGED, 3000 LB	1		4730P SE
BRC827E	AL	D-A-09-302-006	4	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; FIRST END NOM SIZE: 01.500 IN (1 1/2), SECOND END NOM	1		4730P SE
BRC832M	AL	D-A-09-302-007	6	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; FIRST END NOM SIZE: 01.500 IN (1 1/2), SECOND END NOM	1		4730P SE
BRC845C	AL	D-A-24-202-003	4	TEE	TEE, PIPE, QA 1, CLASS 2, STRAIGHT, 1 IN, 1 IN, 1 IN, FNPT, FNPT, FNPT, CS, ASME SA105, FORGED, 3000 LB, TEE, PIPE; FIRST END NOM SIZE: 01.0	1		4730P SE

BRG450T	AL	D-A-01-401-004	5	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; FIRST END NOM SIZE: 00.500 IN (1/2), SECOND END NOM SIZE:	1		4730P SE
BRW667P	AL	D-A-09-302-008	5	TEE	TEE, TUBING, QA 1, TEE, TUBE; FIRST END NOM SIZE: 00.250 IN (1/4), SECOND END NOM SIZE:	1		4730P SE
BRW686K	AL	D-A-01-401-007	11	TEE	TEE, TUBING, QA 1, FEMALE, 5/8 IN, COPPER, SOLDER, UNS C12200, B16.22	1		4730P SE
BRW736Y	AL	D-A-09-302-008	10	TEE	TEE, TUBING, QA 1, TEE, TUBE; FIRST END NOM SIZE: 00.625 IN (5/8), SECOND END NOM SIZE:	1		4730P SE
BRW760D	AL	D-A-09-302-008	5	TEE	TEE, TUBING, QA 1, TEE, TUBE; FIRST END NOM SIZE: 00.750 IN (3/4), SECOND END NOM SIZE:	1		4730P SE
BRW770A	AL	D-A-09-302-008	2	TEE	TEE, TUBING, QA 1, TEE, TUBE; FIRST END NOM SIZE: 01.000 IN (1), SECOND END NOM SIZE:	1		4730P SE
BRW781R	AL	D-A-09-302-008	8	TEE	TEE, TUBING, QA 1, TEE, TUBE; FIRST END NOM SIZE: 00.500 IN (1/2), SECOND END NOM SIZE:	1		4730P SE
BTE245L	AL	A-A-01-000-001	3	TEE	TEE, TYPICAL, QA 3, TEE, PLASTIC; 1/2 INCH, FLEXIBLE WITH 1/2 INCH PLUG ***	3	B	4730P SE
BTF204Y	AL	A-A-01-000-001	3	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; FIRST END NOM SIZE: 02.000 IN (2), SECOND END NOM SIZE:	1	C	4730P SE
BTH115J	AL	D-B-25-201-006	3	TEE	TEE, PIPE, QA 3, STRAIGHT, 1 IN, 1 IN, 1 IN, FNPT, FNPT, FNPT, ALUMINUM, ASTM B247 6061 T6, 150 LB, TEE, PIPE; FIRST END NOM SIZE: 01.000 IN	3		4730P SE
BTJ901Q	AL	D-A-10-302-005	4	TEE	TEE, TUBING, QA 0, FEMALE, 1 IN X 1 IN X 1/2 IN, COPPER, SOLDER, TEE, TUBE; FIRST END NOM SIZE: 01.000 IN (1), SECOND END NOM SIZE:	0		4730P SE
BTJ922F	AL	D-A-32-401-004	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 00.750 IN (3/4), SECOND END NOM SIZE:	3		4730P SE
BTJ988G	AL	D-A-18-202-004	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 00.500 IN (1/2), SECOND END NOM SIZE:	3		4730P SE
BTY258Q	AL	D-B-07-302-002	3	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 01.250 IN (1 1/4), SECOND END NOM	3		4730P SE
BTY378E	AL	D-B-25-201-005	4	TEE	TEE, TUBING, QA 3, FEMALE, 1-1/2 X 1-1/2 X 1 IN, COPPER ALLOY, SOLDER, B16.22	3		4730P SE
BVH028X	AL	D-A-28-101-007	2	TEE	TEE, PIPE, QA 3, REDUCING, 1-1/4 IN, 1/2 IN, 1 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, ASTM A197, HOT DIPPED GALVANIZED, B16.3, 150 LB	3		4730P SE
BVH260E	AL	A-A-01-000-001	4	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; FIRST END NOM SIZE: 00.250 IN (1/4), SECOND END NOM SIZE:	1	C	4730P SE
BVH634K	AL	A-A-01-000-001	3	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; FIRST END NOM SIZE: 00.500 IN (1/2), SECOND END NOM SIZE:	1	C	4730P SE
BVJ328M	AL	D-A-35-201-004	3	TEE	TEE, TUBING, QA 3, TEE, TUBE; FIRST END NOM SIZE: 00.375 IN (3/8), SECOND END NOM SIZE:	3		4730P SE
BVJ433Q	AL	D-A-09-302-006	2	TEE	TEE, PIPE, QA 3, STRAIGHT, 1 IN, 1 IN, 1 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, ALUMINUM, ASTM B247 6061 T6, B16.11, 3000 LB	3		4730P SE
BVJ624H	AL	D-A-09-402-009	2	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 01.500 IN (1 1/2), SECOND END NOM	3		4730P SE
BVT297W	AL	D-A-32-401-003	1	TEE	TEE, TUBING, QA 1, CLASS 2, 1/2 IN, SS, SOCKETWELD, ASME SA182 GR F316, STANDARD MILL FINISH	1		4730P SE
BVT692N	AL	D-B-25-201-006	16	TEE	TEE, PIPE, QA 3, REDUCING, 1-1/4 IN, 1 IN, 1 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, ASTM A197, HOT DIPPED GALVANIZED, B16.3, 150 LB	3		4730P SE
BVT766K	AL	D-A-09-302-005	1	TEE	TEE, PIPE, QA 3, REDUCING, 6 IN, 6 IN, 4 IN, BUTTWELD, BUTTWELD, BUTTWELD, CS, ASTM A234 GR WPB, HOT DIPPED GALVANIZED, B16.9, 40	3		4730P SE
BVT769D	AL	D-B-07-302-001	10	TEE	TEE, PIPE, QA 3, REDUCING, 1-1/2 IN, 1-1/2 IN, 1 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, ASTM A197, HOT DIPPED GALVANIZED, 150 LB	3		4730P SE
BVT771T	AL	D-B-25-201-005	7	TEE	TEE, PIPE, QA 3, REDUCING, 1-1/2 IN, 1-1/2 IN, 1/2 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, ASTM A197, HOT DIPPED GALVANIZED, B16.3, 150 LB	3		4730P SE
BVT791L	AL	D-B-07-302-001	6	TEE	TEE, PIPE, QA 3, REDUCING, 2 IN, 1-1/2 IN, 2 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, ASTM A197, HOT DIPPED GALVANIZED, B16.3, 150 LB	3		4730P SE
BVT796A	AL	D-B-25-201-005	6	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.000 IN (2), SECOND END NOM SIZE:	3		4730P SE
BVT842X	AL	D-B-07-302-002	3	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN (2 1/2), SECOND END NOM	3		4730P SE
BVT844R	AL	D-B-25-201-005	5	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN (2 1/2), SECOND END NOM	3		4730P SE
BVT848H	AL	D-B-25-201-005	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN (2 1/2), SECOND END NOM	3		4730P SE
BVT851W	AL	D-B-25-201-005	3	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN (2 1/2), SECOND END NOM	3		4730P SE
BVT852T	AL	D-B-25-201-005	4	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN (2 1/2), SECOND END NOM	3		4730P SE
BVW150W	AL	D-B-07-302-002	6	TEE	TEE, PIPE, QA 3, REDUCING, 1 IN, 1/2 IN, 1 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, ASTM A197, HOT DIPPED GALVANIZED, B16.3, 150 LB	3		4730P SE
BWG471L	AL	D-A-04-302-002	3	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; FIRST END NOM SIZE: 01.500 IN (1 1/2), SECOND END NOM	1		4730P SE
BWH994E	AL	A-A-01-000-001	1	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN (2 1/2), SECOND END NOM	1	C	4730P SE
BXF368C	AL	D-A-32-401-004	2	TEE	TEE, PIPE, QA 0, STRAIGHT, 1/4 IN, 1/4 IN, 1/4 IN, FNPT, FNPT, FNPT, BRASS, *** STYLE: STREET	0		4730P SE
CAD968C	AL	D-A-18-402-000	2	TEE	TEE, PIPE, QA 1, CLASS 2, STRAIGHT, 3/4 IN, 3/4 IN, 3/4 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, SS, ASME SA182 GR F304, STANDARD MILL FINISH	1	D	4730P SE
CAE757L	AL	A-A-01-000-001	7	TEE	TEE, PIPE, QA 1, CLASS 2, STRAIGHT, 1 IN, 1 IN, 1 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, CS, ASME SA105, B16.11, 3000 LB	1	D	4730P SE
CAT975C	AL	D-A-24-202-003	6	TEE	TEE, TUBING, QA 1, CLASS 2, MALE RUN, 1/2 IN X 3/8 IN X 1/2 IN, SS, COMP X MNPT X COMP, ASME SA182 GR F316, STANDARD MILL FINISH	1		4730P SE
CAT976A	AL	D-A-09-302-006	4	TEE	TEE, TUBING, QA 1, CLASS 2, MALE RUN, 1/2 IN, SS, COMP X MNPT X COMP, ASME SA182 GR F316, STANDARD MILL FINISH	1		4730P SE
CAV034H	AL	D-A-09-302-006	5	TEE	TEE, TUBING, QA 1, CLASS 2, MALE BRANCH, 3/8 IN X 3/8 IN X 1/4 IN, SS, COMP X COMP X MNPT, ASME SA182 GR F316, STANDARD MILL FINISH	1		4730P SE
CAV043G	AC	- - - -	2	TEE	TEE, TUBING, QA 1, CLASS 2, MALE BRANCH, 1/2 IN X 1/2 IN X 3/8 IN, SS, COMP X COMP X MNPT, ASME SA182 GR F316, STANDARD MILL FINISH	1	C	4730P SE
CBJ690B	AL	A-A-01-000-001	6	TEE	TEE, PIPE, QA 3, REDUCING, STD, 3 IN, 3 IN, 2 IN, BUTTWELD, BUTTWELD, BUTTWELD, CS, ASTM A234 GR WPB, STANDARD MILL FINISH	3	C	4730P SE
CBT208K	AL	A-A-01-000-001	2	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.000 IN (2), SECOND END NOM SIZE:	3	C	4730P SE
CDD654H	AL	A-A-01-000-001	5	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 01.500 IN (1 1/2), SECOND END NOM	3	C	4730P SE
CDF732D	AL	A-A-01-000-001	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 08.000 IN (8), SECOND END NOM SIZE:	3	C	4730P SE
CDG053K	AL	Z-A-08-000-001	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 16.000 IN (16), SECOND END NOM SIZE:	3	C	4730P SE
CDG062J	AL	A-A-01-000-001	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 03.000 IN (3), SECOND END NOM SIZE:	3	C	4730P SE
CDH214R	AL	1-B-14-000-001	2	TEE	TEE, TUBING, QA 1, CLASS 2, TEE, TUBE; FIRST END NOM SIZE: 01.000 IN (1), SECOND END NOM SIZE:	1	C	4730P SE
CDL055T	AC	- - - -	2	TEE	TEE, PIPE, QA 1, CLASS 2, REDUCING, 6 IN, 6 IN, 3 IN, BUTTWELD, BUTTWELD, BUTTWELD, CS, ASME SA234 GR WPB, STANDARD MILL FINISH, SEAMLESS, B	1	C	4730P SE
CDN847P	AL	A-A-01-000-001	3	TEE	TEE, PIPE, QA 1, CLASS 2, STRAIGHT, 2 IN, 2 IN, 2 IN, FNPT, FNPT, FNPT, CS, ASME SA105, FORGED, B16.11, 3000 LB	1	C	4730P SE
CDT534Q	AC	- - - -	5	TEE	TEE, PIPE, QA 3, STRAIGHT, 2 IN, 2 IN, 2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, NICKEL ALLOY, ASTM B462, 3000 LB	3	C	4730P SE
CEA727R	AL	F-A-09-201-000	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.000 IN (2), SECOND END NOM SIZE:	3	C	4730P SE
CEA728P	AL	F-A-11-201-000	2	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 03.000 IN (3), SECOND END NOM SIZE:	3	C	4730P SE
CEA729M	AL	F-A-11-201-000	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 04.000 IN (4), SECOND END NOM SIZE:	3	C	4730P SE
CEA740D	AL	F-A-11-201-000	2	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 06.000 IN (6), SECOND END NOM SIZE:	3	C	4730P SE
CEE300N	AL	A-A-01-000-001	2	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 18.000 IN (18), SECOND END NOM SIZE:	3	C	4730P SE
CEM380Q	AL	D-A-26-102-000	25	TEE	TEE, TUBING, QA 0, FEMALE RUN, 1-1/2 IN, WROUGHT COPPER/BRONZE, COMP X FNPT X COMP, *** TEE, FEMALE RUN, 1-1/2" NOM. SWEAT X 1-1/2" FPT X 1-	0		4730P SE
CEM387Y	AL	D-A-24-202-003	10	TEE	TEE, TUBING, QA 0, FEMALE BRANCH, 1-1/2 IN, WROUGHT COPPER/BRONZE, SWEAT X SWEAT X FNPT, *** TEE, FEMALE REDUCING BRANCH, 1-1/2" NOM. SWEAT	0		4730P SE
CEM388W	AL	D-A-32-401-003	25	TEE	TEE, TUBING, QA 0, 3/4 IN, WROUGHT COPPER/BRONZE, COMPRESSION, *** TYPE: STRAIGHT; TEE, 3/4" NOM. SWEAT X 3/4" SWEAT X 3/4" NOM.	0		4730P SE
CEM389T	AL	D-A-24-202-005	10	TEE	TEE, TUBING, QA 0, MALE BRANCH, 3/4 IN, WROUGHT COPPER/BRONZE, SWEAT X SWEAT X MNPT, *** TEE, 3/4" NOM. SWEAT X 3/4" NOM. SWEAT X 3/4" MALE	0		4730P SE
CEN021V	AL	A-A-01-000-001	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; TYPE: REDUCING; PIPE SIZE: 2 IN X 2 IN X 1 IN; MATERIAL:	3	C	4730P SE
CEP647L	AL	F-A-11-201-000	2	TEE	TEE, PIPE, QA 3, STRAIGHT, 3 IN, 3 IN, 3 IN, BUTTWELD, BUTTWELD, BUTTWELD, NICKEL ALLOY, ASTM B366 ALLOY 20 (UNS N08020), STANDARD MILL FINI	3	C	4730P SE
CET984J	AL	D-A-04-401-007	2	TEE	TEE, PIPE, QA 3, STREET, 3/4 IN, 3/4 IN, 3/4 IN, FNPT, MNPT, FNPT, STAINLESS STEEL, STANDARD MILL FINISH	3		4730P SE
CEV382A	AC	- - - -	5	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; TYPE: STRAIGHT; CONNECTION FIRST END: BUTT WELD; CONNECTION	1	C	4730P SE
CEY266W	AL	D-A-32-401-004	4	TEE	TEE, PIPE, QA 1, CLASS 2, STRAIGHT, 3/4 IN, 3/4 IN, 3/4 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, STAINLESS STEEL, ASME SA182 GR F316L, STANDA	1		4730P SE
CFA260M	AL	D-A-35-201-001	3	TEE	TEE, TUBING, QA 3, STRAIGHT, 2 IN, COPPER, SOLDER JOINT, STANDARD MILL FINISH, B16.22, *** USED WITH SILVER BRAZING, C X C X C, WROT COPPER	3		4730P SE
CFD963P	AL	D-A-06-402-003	1	TEE	TEE, PIPE, QA 3, STRAIGHT, 1-1/2 IN, 1-1/2 IN, 1-1/2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, CS, ASTM A350 GR LF2, STANDARD MILL FINISH, FOR	3		4730P SE
CFM768C	AL	D-B-17-201-000	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; TYPE: REDUCING; PIPE SIZE FIRST END: 24 IN; PIPE SIZE	3		4730P SE
CFN808N	AL	D-A-20-301-006	10	TEE	TEE, TUBING, QA 3, UNION, 5/8 IN, SS, MNPT	3		4710Z SE
CGM610M	AL	D-A-34-101-000	1	TEE	TEE, PIPE, QA 3, REDUCING, STD, 24 IN, 24 IN, 16 IN, BUTT WELD, BUTT WELD, CHROME MOLY STEEL, ASTM A234 GR WP11 CL 2, STANDARD MI	3		4730P SE
CKG572Y	AC	- - - -	7	TEE	TEE, PIPE, QA 3, REDUCING, 36 IN (3 FT), 20 IN, ALLOY STEEL, ASTM A234 GR WP22 CL 1 WX, PIPE WEIGHT CLASS: XS.	3	C	4730P SE
AAF784T	AL	M-A-08-000-002	5	TEE	TEE, PIPE, QA 1, TEE, PIPE; PLAIN, CLASS 6000, STAINLESS STEEL ASME SA 182 GR F316	1	P	4730P SE
AAJ763K	AL	M-A-08-000-002	10	TEE	TEE, PIPE, QA 1, TEE, PIPE; PLAIN, CLASS 3000, STAINLESS STEEL ASME SA 182 GR F316	1	P	4730P SE

AAN763Y	AL	M-A-08-000-002	15	TEE	TEE, PIPE, QA 1, TEE, PIPE; PLAIN, CLASS 6000, CARBON STEEL ASME SA 105 K03504, OUTSIDE	1	P	4730P SE
AAN783Q	AL	M-A-08-000-002	15	TEE	TEE, PIPE, QA 1, TEE, PIPE; PLAIN, CLASS 6000, CARBON STEEL ASME SA 105 K03504, OUTSIDE	1	P	4730P SE
ACG771J	AL	M-A-06-000-002	12	TEE	TEE, PIPE, QA 0, STRAIGHT, 2-1/2 IN, 2-1/2 IN, 2-1/2 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB	0	C	4730P SE
ADG174Y	AL	M-A-08-000-002	5	TEE	TEE, TUBING, QA 0, MALE, 5/8 IN, COPPER ALLOY, SWEAT, TEE, TUBE; FIRST END NOM SIZE: 00.625 IN (5/8), SECOND END NOM SIZE:	0	P	4730P SE
AEY353G	AL	M-A-06-000-002	12	TEE	TEE, PIPE, QA 1, TEE, PIPE; STRAIGHT, CLASS 3000, CARBON STEEL ASTM A 105 K03504	1	P	4730P SE
AGG297V	AL	M-A-06-000-002	12	TEE	TEE, PIPE, QA 1, TEE, PIPE; STRAIGHT, CLASS 6000, STAINLESS STEEL ASME SA 182 GR F304	1	P	4730P SE
AHG098J	AL	M-A-08-000-002	13	TEE	TEE, PIPE, QA 1, TEE, PIPE; STRAIGHT, SCHEDULE 40S, STAINLESS STEEL, FIRST/IDENT END	1	P	4730P SE
AHG897W	AL	M-A-06-000-002	23	TEE	TEE, PIPE, QA 1, STRAIGHT, 3/4 IN, 3/4 IN, 3/4 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, SS, ASME SA182 GR F304, STANDARD MILL FINISH, FORGED	1	P	4730P SE
AHG897W	AL	M-A-08-000-002	38	TEE	TEE, PIPE, QA 1, STRAIGHT, 3/4 IN, 3/4 IN, 3/4 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, SS, ASME SA182 GR F304, STANDARD MILL FINISH, FORGED	1	P	4730P SE
AHG997Q	AL	T-A-12-000-002	2	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; STRAIGHT, SCHEDULE 40S, STAINLESS STEEL, FIRST/IDENT END	1	D	4730P SE
AJY588V	AL	M-A-08-000-002	6	TEE	TEE, PIPE, QA 1, STRAIGHT, 2 IN, 2 IN, 2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, CS, ASME SA105, BLACK, FORGED, B16.11, 6000 LB, TEE, PIPE;	1	P	4730P SE
ALY488K	AL	T-A-12-000-002	1	TEE	TEE, PIPE, QA 1, CLASS 2, STRAIGHT, 2 IN, 2 IN, 2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, CS, ASME SA105, STANDARD MILL FINISH, FORGED, B16.	1	C	4730P SE
AMY581P	AL	M-A-15-000-002	1	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; STRAIGHT, SCHEDULE 40, CARBON STEEL ASME SA 234 GR WPB	1	P	4730P SE
ANY474J	AL	M-A-08-000-002	1	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; STRAIGHT, CLASS 3000, ASME SA-182, GRADE F304, STAINLESS	1	C	4730P SE
AQF190D	AL	T-A-12-000-002	3	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; STRAIGHT, CLASS 3000, CARBON STEEL ASME SA 105 OUTSIDE	1	P	4730P SE
AQF195P	AL	T-A-12-000-002	1	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; STRAIGHT, SCHEDULE 160, CARBON STEEL ASME SA 234 GR WPB	1	P	4730P SE
AQW798M	AL	T-A-12-000-002	1	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; STRAIGHT, CLASS 3000, CARBON STEEL ASME SA 105 K03504	1	P	4730P SE
AQW799K	AL	T-A-12-000-002	4	TEE	TEE, PIPE, QA 1, TEE, PIPE; STRAIGHT, CLASS 3000, STAINLESS STEEL ASME SA 182 GR F304	1	P	4730P SE
ARG506N	AL	T-A-12-000-002	1	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; STRAIGHT, CLASS 3000, CARBON STEEL ASME SA 105 OUTSIDE	1	P	4730P SE
BBF229A	AL	L-A-09-000-002	2	TEE	TEE, TUBING, QA 3, TEE, PIPE TO TUBE; BRASS, STANDARD MILL FINISH, FIRST ID .25 IN SEAT	3	P	4730P SE
BBF343C	AL	L-A-09-000-002	1	TEE	TEE, TUBING, QA 3, TEE, PIPE TO TUBE; BRASS, STANDARD MILL FINISH, FIRST/IDENT END 0.375	3	B	4730P SE
BBF375Y	AL	L-A-09-000-002	3	TEE	TEE, TUBING, QA 3, TEE, PIPE TO TUBE; CARBON STEEL, STANDARD MILL FINISH, ASSEMBLED	3	P	4730P SE
BBY416X	AL	T-A-12-000-002	2	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/2 IN, 1 1/2 IN, 1 1/2 IN, FNPT, FNPT, FNPT, CARBON STEEL, ASTM A105, FORGED, 2000 LB, ***	0	P	4730P SE
BBY471M	AL	T-A-12-000-002	1	TEE	TEE, PIPE, QA 0, STRAIGHT, 4 IN, 4 IN, 4 IN, BUTT WELD, BUTT WELD, BUTT WELD, STAINLESS STEEL, ASTM A403 WP 316L, 40, ***	0	P	4730P SE
BBY895N	AL	M-A-04-000-002	44	TEE	TEE, TUBING, QA 3, TEE, TUBE; CARBON STEEL, STANDARD MILL FINISH, FIRST ID .375 IN END	3	P	4730P SE
BFR320P	AL	L-A-09-000-002	2	TEE	TEE, PIPE, QA 0, STRAIGHT, 3/4 IN, 3/4 IN, 3/4 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, NICKEL ALLOY, ASTM B462 CARPENTER, 3000 LB, ***	0	P	4730P SE
BGE174F	AL	M-A-04-000-002	6	TEE	TEE, TUBING, QA 3, TEE, PIPE TO TUBE; BRASS, FIRST ID .187 IN END STYLE THREADED INTERNAL	3	P	4730P SE
BGE175D	AL	M-A-04-000-002	6	TEE	TEE, TUBING, QA 3, TEE, PIPE TO TUBE; BRASS, FIRST ID .187 IN END STYLE THREADED INTERNAL	3	P	4730P SE
BGF304Q	AL	M-A-08-000-002	1	TEE	TEE, TUBING, QA 1, 3/4 IN, SS, COMPRESSION, ASME SA182 GR F316, TEE, TUBE; STAINLESS STEEL ASME SA 182 GR F316 S31600, ASSEMBLED	1	P	4730P SE
BGF304Q	AL	M-A-09-000-002	80	TEE	TEE, TUBING, QA 1, 3/4 IN, SS, COMPRESSION, ASME SA182 GR F316, TEE, TUBE; STAINLESS STEEL ASME SA 182 GR F316 S31600, ASSEMBLED	1	P	4730P SE
BGR546B	AL	L-A-09-000-002	24	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 00.125 IN (1/8), SECOND END NOM SIZE:	3	D	4730P SE
BGR555A	AL	L-A-09-000-002	2	TEE	TEE, PIPE, QA 3, STRAIGHT, 2-1/2 IN, 2-1/2 IN, 2-1/2 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, ASTM A197 GR F22, BLACK, B16.3, 150 LB, TEE, PIPE	3	P	4730P SE
BGR659X	AL	L-A-09-000-002	9	TEE	TEE, PIPE, QA 3, TEE, PIPE; STRAIGHT, CLASS 150, MALLEABLE IRON ASTM A 197 F22000	3	D	4730P SE
BJD376V	AL	L-A-09-000-002	8	TEE	TEE, TUBING, QA 3, TEE, TUBE; COPPER, FIRST ID 0.5 IN, END STYLE SOLDER, SECOND ID 0.5	3	C	4730P SE
BJT731Y	AL	L-A-13-000-002	6	TEE	TEE, TUBING, QA 0, MALE, 1/4 IN, CARBON STEEL, MNPT, 37 DEG FLARED, TEE, TUBE; FIRST END NOM SIZE: 00.250 IN (1/4), SECOND END NOM SIZE:	0	P	4730P SE
BKM813G	AL	L-A-09-000-002	6	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.000 IN (2), SECOND END NOM SIZE:	3	D	4730P SE
BKM814E	AL	L-A-03-000-002	8	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 01.500 IN (1 1/2), SECOND END NOM	3	D	4730P SE
BKP026L	AL	T-A-12-000-002	19	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000	3	P	4730P SE
BKP032R	AL	L-A-09-000-002	4	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN (2 1/2), SECOND END NOM	3	D	4730P SE
BKR791B	AL	L-A-09-000-002	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 01.250 IN (1 1/4), SECOND END NOM	3	D	4730P SE
BKR799T	AL	L-A-09-000-002	19	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 01.500 IN (1 1/2), SECOND END NOM	3	D	4730P SE
BKR804X	AL	L-A-09-000-002	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.000 IN (2), SECOND END NOM SIZE:	3	D	4730P SE
BKR807P	AL	L-A-09-000-002	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000	3	P	4730P SE
BKR808M	AL	L-A-09-000-002	15	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 01.000 IN (1), SECOND END NOM SIZE:	3	D	4730P SE
BKR818H	AL	L-A-09-000-002	4	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000	3	D	4730P SE
BKT072X	AL	L-A-09-000-002	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000	3	P	4730P SE
BLA190Q	AL	L-A-09-000-002	20	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.000 IN (2), SECOND END NOM SIZE:	3	D	4730P SE
BLE640Y	AL	L-A-09-000-002	7	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.000 IN (2), SECOND END NOM SIZE:	3	D	4730P SE
BLE641H	AL	L-A-09-000-002	12	TEE	TEE, PIPE, QA 3, TEE, PIPE; FITTINGS MALLEABLE IRON, ASTM A197, 150 LB WSP, THREADED	3	P	4730P SE
BLH588B	AL	T-A-12-000-002	5	TEE	TEE, PIPE, QA 0, REDUCING, 1-1/4 IN, 1 IN, 1 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, CARBON STEEL, ASME SA105, 3000 LB, ***	0	P	4730P SE
BLH856C	AL	M-A-16-000-002	20	TEE	TEE, TUBING, QA 3, TEE, TUBE; COPPER, 1.00 IN ,SOLDER JOINT,(CXCXC) TVA CLASS H ***	3	P	4730P SE
BNB775Y	AL	M-A-14-000-002	1	TEE	TEE, PIPE, QA 0, STRAIGHT, 8 IN, 8 IN, 8 IN, CARBON STEEL, BLACK, 300 LB, TEE, PIPE; FIRST END NOM SIZE: 08.000 IN (8) SECOND END NOM SIZE:	0	P	4730P SE
BPN076H	AL	T-A-12-000-002	3	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, 1 IN, FNPT, FNPT, FNPT, CARBON STEEL, ASTM A105, 6000 LB, ***	0	C	4730P SE
BRD566B	AL	L-A-09-000-002	4	TEE	TEE, TUBING, QA 3, TEE, PIPE TO TUBE; FIRST END NOM SIZE: 00.750 IN (3/4), SECOND END	3	C	4730P SE
BTJ880G	AL	L-A-09-000-002	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 01.000 IN (1), SECOND END NOM SIZE:	3	C	4730P SE
BTL608C	AL	L-A-09-000-002	18	TEE	TEE, PIPE, QA 1, TEE, PIPE; FIRST END NOM SIZE: 00.500 IN (1/2), SECOND END NOM SIZE:	1	C	4730P SE
BVY442R	AL	T-A-01-000-002	6	TEE	TEE, TUBING, QA 0, 3/8 IN X 1/4 IN, CS, TEE, TUBING,AIR; PIPE TO TUBE, 3/8" TUBE TO X 1/4" PIPE, CARBON STEEL,	0	D	4730P SE
BXX345G	AL	M-A-12-000-002	511	TEE	TEE, PIPE, QA 3, TEE, PIPE; 1" X 1" X 1" STRAIGHT TEE, 150 LB MALLEABLE IRON, ASTM A47	3	C	4730P SE
BYT500L	AL	T-A-03-000-002	1	TEE	TEE, PIPE, QA 3, TEE, SPECIAL; DUCTILE IRON, CEMENT LINED, EQUAL TO ENAMELINE, OUTSIDE	3	D	4730P SE
CAC069B	AL	T-A-03-000-002	2	TEE	TEE, PIPE, QA 3, TEE, SPECIAL; DUCTILE IRON, CEMENT LINED, EQUAL TO ENAMELINE, OUTSIDE	3	C	4730P SE
CAT934T	AL	L-A-09-000-002	4	TEE	TEE, TUBING, QA 1, CLASS 2, FEMALE RUN, 1/2 IN X 3/8 IN X 1/2 IN, SS, COMP X FNPT X COMP, ASME SA182 GR F316, STANDARD MILL FINISH	1	C	4730P SE
CAT940B	AL	L-A-09-000-002	2	TEE	TEE, TUBING, QA 1, CLASS 2, FEMALE BRANCH, 1/4 IN, SS, COMP X COMP X FNPT, ASME SA182 GR F316, STANDARD MILL FINISH	1	C	4730P SE
CAT972J	AL	L-A-09-000-002	2	TEE	TEE, TUBING, QA 1, CLASS 2, MALE RUN, 3/8 IN X 1/4 IN X 3/8 IN, SS, COMP X MNPT X COMP, ASME SA182 GR F316, STANDARD MILL FINISH	1	C	4730P SE
CAT974E	AL	L-A-13-000-002	1	TEE	TEE, TUBING, QA 1, CLASS 2, MALE RUN, 3/8 IN, SS, COMP X MNPT X COMP, ASME SA182 GR F316, STANDARD MILL FINISH	1	C	4730P SE
CAV033K	AL	L-A-09-000-002	5	TEE	TEE, TUBING, QA 1, CLASS 2, MALE BRANCH, 1/4 IN, SS, COMP X COMP X MNPT, ASME SA182 GR F316, STANDARD MILL FINISH	1	C	4730P SE
CAV043G	AL	L-A-09-000-002	1	TEE	TEE, TUBING, QA 1, CLASS 2, MALE BRANCH, 1/2 IN X 1/2 IN X 3/8 IN, SS, COMP X COMP X MNPT, ASME SA182 GR F316, STANDARD MILL FINISH	1	C	4730P SE
CBB464D	AL	L-A-09-000-002	8	TEE	TEE, PIPE, QA 1, CLASS 2, REDUCING, 2 IN, 2 IN, 1 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, CS, ASME SA105, B16.11, 3000 LB	1	C	4730P SE
CBL033H	AL	T-A-12-000-002	3	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 03.000 IN (3), SECOND END NOM SIZE:	3	C	4730P SE
CBW681D	AL	T-A-12-000-002	19	TEE	TEE, PIPE, QA 1, CLASS 2, STRAIGHT, 1/4 IN, 1/4 IN, 1/4 IN, FNPT, MNPT, FNPT, SS, ASME SA182 GR F316	1	C	4730P SE
CDJ921T	AL	T-A-12-000-002	3	TEE	TEE, PIPE, QA 1, CLASS 2, STRAIGHT, 1 IN, 1 IN, 1 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, SS, ASME SA182 GR F304, B16.11, 6000 LB	1	C	4730P SE
CDL055T	AL	L-A-07-000-002	3	TEE	TEE, PIPE, QA 1, CLASS 2, REDUCING, 6 IN, 6 IN, 3 IN, BUTTWELD, BUTTWELD, BUTTWELD, CS, ASME SA234 GR WPB, STANDARD MILL FINISH, SEAMLESS, B	1	C	4730P SE
CDY311Q	AL	L-A-03-000-002	8	TEE	TEE, PIPE, QA 1, TEE, PIPE; FIRST END NOM SIZE: 02.000 IN (2), SECOND END NOM SIZE:	1	C	4730P SE
CEJ826E	AL	L-A-09-000-002	2	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; TYPE: REDUCING; PIPE SIZE: 2 IN X 2 IN X 1-1/4 IN;	1	C	4730P SE
CEJ832K	AL	L-A-09-000-002	2	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; TYPE: STRAIGHT; PIPE SIZE: 1-1/4 IN; MATERIAL: SS; RATING:	1	C	4730P SE
CEJ843E	AL	L-A-09-000-002	2	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; TYPE: REDUCING; PIPE SIZE: 1-1/2 X 1-1/2 X 3/4 IN;	1	C	4730P SE

CEJ862A	AL	L-A-13-000-002	2	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; PIPE SIZE: 1/8 IN; MATERIAL: SS; RATING: 3000 LB;	1	C	4730P SE
CFB888M	AL	L-A-03-000-002	5	TEE	TEE, TUBING, QA 3, STRAIGHT, 1/8 IN, COPPER, SOLDER, STANDARD MILL FINISH, B16.22, *** TUBING SIZES NOMINAL	3	C	4730P SE
CFW095Q	AL	L-A-09-000-002	2	TEE	TEE, TUBING, QA 3, UNION, 1 IN, STAINLESS STEEL, ***	3	B	4730P SE
BFM835Y	AL	D-A-29-201-000	54	TELEPHONE	TELEPHONE, COMMUNICATION, QA 0, TOUCH TONE, IVORY, DESK, TELEPHONE, ; DESK SET, TOUCH TONE, STRIGHT LINE RINGER, COMMON BATTERY	0		5805M SE
BDE456P	AL	M-A-12-000-002	6	TELEPHONE	TELEPHONE, COMMUNICATION, QA 0, TELEPHONE, ; DESK SET, TOUCH-TONE, PLASTIC BEIGE ***	0	P	5805M SE
BLV784P	AL	A-A-01-000-001	2	TERMINAL	TERMINAL, TYPICAL, QA 3, TERMINAL, ; DISPLAY, FOR ANNUNCIATOR. ***	3	P	6350B SE
CEM640Q	AL	F-B-07-201-000	2	TERMINAL	TERMINAL, MICROPROCESSOR, QA 0, REMOTE UNIT (RTU), TELEGYR 5700 EQUIPPED AS FOLLOWS:	0	B	5840M SE
BNA281X	AL	M-A-16-000-002	1095	TERMINAL	TERMINAL, TYPICAL, QA 1, TERMINAL, ; CONNECTORS ***	1	P	5940I SE
BTW939A	AL	M-A-16-000-002	132	TERMINAL	TERMINAL, TYPICAL, QA 0, TERMINAL, RELAY; BASE, RX 4, COMBIFLEX, GRAY PLASTIC ***	0	C	5945D SE
BVR330A	AL	L-A-07-000-002	4	TERMINAL	TERMINAL, TYPICAL, QA 3, TERMINAL, RECORDER; FOR JYC HR-2500E RECORDER MODEL 3880 ***	3	B	6695D SE
BVR332T	AL	L-A-07-000-002	4	TERMINAL	TERMINAL, TYPICAL, QA 3, TERMINAL, RECORDER; FOR JYC HR-2500E RECORDER MODEL 3880 ***	3	B	6695D SE
AWH294J	AL	A-A-01-000-001	2	TERMINATOR	TERMINATOR, CABLE/TD, QA 0, 350-1000 FT FIELD, TERMINATOR, ; 350.000 TO 1000.000 FEET FIELD, FOR E FIELD INTRUSION	0	P	6350B SE
AWH294J	AL	D-A-02-102-007	4	TERMINATOR	TERMINATOR, CABLE/TD, QA 0, 350-1000 FT FIELD, TERMINATOR, ; 350.000 TO 1000.000 FEET FIELD, FOR E FIELD INTRUSION	0	P	6350B SE
BKT474J	AL	D-A-32-201-001	1	TERMINATOR	TERMINATOR, CABLE/TD, QA 0, FOR RECORDER, HR 2500.	0	P	6695D SE
AWH294J	AL	M-A-04-000-002	4	TERMINATOR	TERMINATOR, CABLE/TD, QA 0, 350-1000 FT FIELD, TERMINATOR, ; 350.000 TO 1000.000 FEET FIELD, FOR E FIELD INTRUSION	0	P	6350B SE
APT144N	AL	D-A-04-202-007	6	TESTER	TESTER, TYPICAL, QA 0, SYRINGE, 1 - 1.3, BATTERY ELECT SOLUTI; SYRINGE, EXIDE TYPE V-2-B, COMPLETE,	0	P	6630D SE
APT740H	AL	D-A-04-202-007	7	TESTER	TESTER, TYPICAL, QA 0, BATTERY, 0-160 DEG F, SPECIFIC GRAVITY 1100 TO 1300	0		6630D SE
BJY560N	AL	D-A-04-202-003	2	TESTER	TESTER, TYPICAL, QA 0, SMOKE DETECTOR, TESTER, SMOKE DETECTOR; MODEL NO TM-I3,FOR AIR DUCT DECTOR TYPE SA-31	0		6630D SE
BPJ856L	AL	D-A-28-101-000	1	TESTER	TESTER, TYPICAL, QA 0, WATER FLOW, 110-1600 GPM, 40-160 PSI, TESTER, ; WATER FLOW TEST KIT, UL CLASSIFIED, 110 TO 1600 GPM, 40 TO	0		6695D SE
BVN655H	AL	D-A-16-302-001	1	TESTER	TESTER, TYPICAL, QA 0, TESTER, FUEL INJECTOR; ENGINE FUEL,FOR NEW,REBUILT OR USED	0		29100 SE
ART518T	AL	M-A-16-000-002	30	TESTER	TESTER, TYPICAL, QA 1, TEST POINT, ; RED, FOR RADIATION MONITORING SYSTEM ***	1	P	6630D SE
BQM992N	AL	P-A-LL-ET0-082	5	TESTER	TESTER, TYPICAL, QA 0, TESTER, ; TEST LEADS, KELVIN CLIP WITH GOLD PLATED JAWS, 5 FT LONG ***	0	C	6625D SE
BEN397X	AL	D-A-04-201-002	3	THERMISTOR	THERMISTOR, ELECTRONIC, QA 0, THERMISTOR ASSY, ; FOR CHLORIDE MONITOR, MODEL 1517, AND SODIUM	0	P	6630D SE
BBL308M	AL	A-A-01-000-001	11	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; TYPE T, TRIPLEX, GROUNDED, SHIELDED ***	0	P	6695D SE
BEN614G	AL	A-A-01-000-001	4	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; COPPER-CONSTANTAN, TYPE T, FOR FEEDWATER	0	P	6695D SE
BEN615E	AL	A-A-01-000-001	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; IRON-CONSTANTAN, TYPE J, FOR FEEDWATER CONTROL	0	P	6695D SE
BHD298V	AL	A-A-01-000-001	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; TYPE T, TRIPLEX, GROUNDED, SHIELDED METAL, FOR	0	P	6695D SE
BHR228K	AL	A-A-01-000-001	3	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; TYPE T, TRIPLEX, GROUNDED SHIELDED METAL, FOR	0	P	6695D SE
BRB815T	AL	A-A-01-000-001	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, THERMOCOUPLE, ; TYPE:T,SHEALTH MTL:COPPER,THERMOCOUPLE MTL:COPPER/	3	B	6695D SE
BVF458P	AL	F-A-29-202-000	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, T, 1/4 IN, 10-1/4 IN, 0-600 DEG F, GROUNDED, COPPER CONSTANTAN, 0 - 600 DEG F CALIBRATED RANGE, STAINLESS STEEL	3	C	6695D SE
BWE950X	AL	A-A-01-000-001	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, REPAIR PART; INPUT CLASS 8000, FOR SQUARE D SERVICE	0	B	6695D SE
BXE949W	AL	D-B-01-060-001	13	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, THERMOCOUPLE, CONTACT; TYPE T, COPPER/CONSTANTAN, WITH 240" LONG	3	B	6695D SE
BXP214Y	AL	A-A-01-000-001	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, THERMOCOUPLE, CONTACT; TYPE: T, SHEALTH MTL: COPPER, THERMOCOUPLE	3	B	6695D SE
BYX352D	AL	P-A-LL-ET0-110	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, T, 59 FT, 0-600 DEG F, COPPER CONSTANTAN, CONTACT; RANGE 0 TO 600 DEG F,LENGTH 59 FT,STAINLESS	3	C	6695D SE
CDH947D	AL	A-A-01-000-001	8	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, THERMOCOUPLE, CAST IRON HEAD; TYPE T, COPPER-CONSTANTAN, 6-WIRE	3	C	6695D SE
AA511N	AL	L-A-02-000-002	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, T, 3/16 IN, 24 IN, THREADED, COPPER CONSTANTAN, THERMOCOUPLE, CONTACT; COPPER-CONSTANTAN, STANDARD 304 STAINLES	0	P	6695D SE
ACX115J	AL	M-A-06-000-002	3	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, THERMOCOUPLE, CONTACT; CU-CONSTANTAN, PREMIUM GRADE, WELDED GROUNDED	3	P	6695D SE
ACX914K	AL	M-A-08-000-002	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, THERMOCOUPLE, CONTACT; CU-CONSTANTAN, PREMIUM GRADE, WELDED GROUNDED	3	P	6695D SE
APX904K	AC	- - -	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 2, THERMOCOUPLE, CONTACT; CHROMEL/ALUMEL, (UNIVERSAL), 18 GA WIRE, 347	2	P	6695D SE
AVT879D	AL	L-A-03-000-002	4	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, T, 4-1/2 IN, 0-600 DEG F, SOCKET WELD, COPPER CONSTANTAN, THERMOCOUPLE, CONTACT; TEMPERATURE ELEMENT, COPPER CO	0	P	6695D SE
AYN286B	AL	M-A-07-000-002	3	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 2, CONTACT, 0.188 IN, 12.130 IN, COPPER CONSTANTAN/SS, THERMOCOUPLE, CONTACT; COPPER-CONSTANTAN, SINGLE ELEMENT, 3	2	P	6695D SE
AYQ100N	AL	L-A-13-000-002	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; JOURNAL BEARING NO 8, 7, 5, AND 3, 10 FT LONG	0	P	6695D SE
AYQ107W	AL	L-A-09-000-002	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; OUTBOARD BEARING, 10 FT LONG, FOR TURBINE, GE	0	P	6695D SE
AYQ899Y	AL	L-A-03-000-002	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, T, 1/4 IN, 7-1/2 IN, COPPER CONSTANTAN, THERMOCOUPLE, CONTACT; COPPER-CONSTANTAN, STANDARD 304 STAINLESS	0	P	6695D SE
BCB774Y	AL	L-A-06-000-002	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; 304 STAINLESS STEEL, TIP PROBE 0.125 IN ***	0	P	6695D SE
BCB775W	AL	L-A-06-000-002	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; 304 STAINLESS STEEL, TIP PROBE 0.125 IN ***	0	P	6695D SE
BHN923G	AL	L-A-12-000-002	3	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, THERMOCOUPLE, CONTACT; TEMPERATURE ELEMENT, UPPER CAVITY, FOR BYRON	3	B	6695D SE
BLR458F	AL	T-A-06-000-002	4	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 1, THERMOCOUPLE ASSY, REPAIR PART; THERMOCOUPLE TYPE: TYPE K	1	B	6695D SE
BND935Q	AL	M-A-01-000-002	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; TYPE T, REF W NEG NO C001-0142. ***	0	P	6695D SE
BNE735V	AL	M-A-03-000-002	57	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; FEMALE JACKS WITH RUBBER	0	P	6695D SE
BTJ805L	AL	P-A-LL-ET0-108	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, REPAIR PART; & PECKERHEAD ASSEMBLY ***	0	C	6695D SE
BTR454J	AL	L-A-09-000-002	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, T, 6 IN, 0-600 DEG F, THREADED, COPPER CONSTANTAN, THERMOCOUPLE, ; THERMOCOUPLE WITH CONNECTION HEAD ASSEMBLY	0	C	6695D SE
BVT130D	AC	- - -	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, T, 99 FT, COPPER CONSTANTAN, REACTOR VESSEL SKIN TEMPERATURE.	3	C	6695D SE
BWA541Q	AL	M-A-01-000-002	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, THERMOCOUPLE, CONTACT; SURFACE TYPE, TYPE K, CHROMEL-ALUMEL, REF DATA	3	B	6695D SE
BWA553H	AL	M-A-01-000-002	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, THERMOCOUPLE, CONTACT; SURFACE TYPE, TYPE T, COPPER CONSTANTAN REF	3	B	6695D SE
BWP258G	AL	L-A-05-000-002	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, T, 105 FT, COPPER CONSTANTAN, IMMERSION; FOR REACTOR WATER RECIRCULATION SYSTEM.	3	B	6695D SE
BXE949W	AL	L-A-14-000-002	11	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, THERMOCOUPLE, CONTACT; TYPE T, COPPER/CONSTANTAN, WITH 240" LONG	3	B	6695D SE
BXG454E	AL	L-A-13-000-002	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; 304 STAINLESS STEEL, TIP PROBE 0.125 IN WITHOUT	0	B	6695D SE
BXG461H	AL	L-A-13-000-002	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; 304 STAINLESS STEEL, TIP PROBE 0.125 IN WITHOUT	0	B	6695D SE
BXG470V	AL	L-A-13-000-002	3	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; 304 STAINLESS STEEL, TIP PROBE 0.125 IN WITHOUT	0	B	6695D SE
BXG472C	AL	L-A-13-000-002	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; 304 STAINLESS STEEL, TIP PROBE 0.125 IN WITHOUT	0	B	6695D SE
BXG473A	AL	L-A-13-000-002	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; 304 STAINLESS STEEL, TIP PROBE 0.125 IN WITHOUT	0	B	6695D SE
BXG479X	AL	L-A-13-000-002	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; 304 STAINLESS STEEL, TIP PROBE 0.125 IN WITHOUT	0	B	6695D SE
BXG487Y	AL	L-A-13-000-002	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; 304 STAINLESS STEEL, TIP PROBE 0.125 IN WITHOUT	0	B	6695D SE
BXG490M	AL	L-A-13-000-002	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; 304 STAINLESS STEEL, TIP PROBE 0.125 IN WITHOUT	0	B	6695D SE
CAB247V	AL	L-A-09-000-002	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, THERMOCOUPLE, CONTACT; TYPE T, COPPER CONSTANTAN, SPRING LOADED	3	B	6695D SE
CAB718E	AL	L-A-13-000-002	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, THERMOCOUPLE, CONTACT; TYPE T, COPPER CONSTANTAN, SPRING LOADED	3	B	6695D SE
CBW124E	AL	I-A-09-000-002	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE ASSY, REPAIR PART; HEATER & THERMOCOUPLE ASSY, FOR THE	0	C	6695D SE
ATY527Y	AL	A-A-01-000-001	6	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; 0 TO 220 DEG F, 2 DEG DIV, 5 IN DIAL, 0.5 IN	3	P	6695D SE
AVF147G	AL	A-A-01-000-001	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 3 IN, 9-1/4 IN, 0-250 F/18-123 DEG C, THERMOMETER, BIMETALLIC; 0 TO 250 DEG F, 18 TO 123 DEG C	0	P	6695D SE
AVW693H	AL	A-A-01-000-001	12	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 3 IN, 2-1/2 IN, 0-200 DEG F, 1/2 IN, GLASS, THREADED, THERMOMETER, BIMETALLIC; 0 TO 200 DEG F	0	P	6695D SE
AWD324Q	AL	A-A-01-000-001	2	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 3 IN, 2-1/2 IN, 20-240 DEG F, 1/2 IN THREADED, STAINLESS STEEL, BOTTOM, THERMOMETER, BIMETALLI	0	P	6695D SE
BAY665E	AL	A-A-01-000-001	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, LIQUID, 5 IN, 0-160 DEG C, GLASS, SURFACE, THERMOMETER, LIQUID IN GLASS; 0-160 DEG C, 5.0 IN DIAL, SURFACE	0	P	6695D SE
BBL171M	AL	1-A-04-009-001	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 4-1/2 IN, 0-400 DEG F, BACK, THERMOMETER, BIMETALLIC; 0-400 DEG F, 4.5 IN DIAL, BACK CONNECTIO	0	P	6695D SE
BCR233R	AL	A-A-01-000-001	2	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 4-1/2 IN, 6 IN, 20-220 DEG F, THERMOMETER, BIMETALLIC; 20 TO 220 DEG F, 2 DEG DIV, 4.5 IN DIAL	0	P	6695D SE

BCR234P	AL	A-A-01-000-001	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 4-1/2 IN, 5-1/2 IN, 20-220 DEG F, STAINLESS STEEL, THERMOMETER, BIMETALLIC; 20 TO 220 DEG F, 4	0	P	6695D SE
BCR235M	AL	A-A-01-000-001	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 4-1/2 IN, 5-1/2 IN, 20-220 DEG F, STAINLESS STEEL, THERMOMETER, BIMETALLIC; 20 TO 220 DEG F, 4	0	P	6695D SE
BCR236K	AL	A-A-01-000-001	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 4-1/2 IN, 5-1/2 IN, 20-220 DEG F, STAINLESS STEEL, THERMOMETER, BIMETALLIC; 20 TO 220 DEG F, 4	0	P	6695D SE
BCR237H	AL	A-A-01-000-001	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 4-1/2 IN, 5-1/2 IN, 20-220 DEG F, STAINLESS STEEL, THERMOMETER, BIMETALLIC; 20 TO 220 DEG F, 4	0	P	6695D SE
BCR239D	AL	A-A-01-000-001	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 4-1/2 IN, 5-1/2 IN, 20-220 DEG F, STAINLESS STEEL, THERMOMETER, BIMETALLIC; 20 TO 220 DEG F, 4	0	P	6695D SE
BCR241T	AL	A-A-01-000-001	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 4-1/2 IN, 5-1/2 IN, 20-220 DEG F, STAINLESS STEEL, THERMOMETER, BIMETALLIC; 20 TO 220 DEG F, 4	0	P	6695D SE
BCR249A	AL	A-A-01-000-001	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 4-1/2 IN, 3-1/2 IN, 20-220 DEG F, STAINLESS STEEL, THERMOMETER, BIMETALLIC; 20 TO 220 DEG F, 4	0	B	6695D SE
BEE850Q	AL	1-B-10-000-001	19	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; SELF-IND, 50 TO 400 DEG F, 5 IN DIAL, 0.5 IN	3	C	6695D SE
BEX721B	AL	A-A-01-000-001	2	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 2 IN, 100-220 DEG F, 1/2 IN MPT, THERMOMETER, BIMETALLIC; 100 TO 220 DEG F, 2 IN DIAL, 0.5 IN	0	P	6695D SE
BHP803N	AL	A-A-01-000-001	2	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, RED SPIRIT FILLED, 305 MM, -20 TO 110 DEG C, GLASS, THERMOMETER, LIQUID IN GLASS; MINUS 20 DEG C TO PLUS 1	0	P	6695D SE
BPW203G	AL	1-A-04-009-001	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; 0 TO 140 DEG F, 5 IN HEAD DIAMETER, 0.5 IN	3	B	6695D SE
BVA194R	AL	A-A-01-000-001	4	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, THERMOMETER, BIMETALLIC; 0-200 DEG F ***	0	B	6695D SE
BVC696N	AL	A-A-01-000-001	18	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 2 IN, 0-150 F, DUAL MAGNET, THERMOMETER, BIMETALLIC; TEMPERATURE, DUAL-MAGNET, FOR FLAT FERROU	0	C	6695D SE
AKX018V	AL	L-A-03-000-002	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 1, BIMETALLIC, 3 IN, 3-5/16 IN, 50-300 DEG F, 1/2 IN	1	B	6695D SE
ATY527Y	AL	M-A-16-000-002	5	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; 0 TO 220 DEG F, 2 DEG DIV, 5 IN DIAL, 0.5 IN	3	P	6695D SE
AVB547L	AL	M-A-12-000-002	3	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; 60 TO 220 DEG F, 2 DEG DIV, 3 IN STEM	3	P	6695D SE
AXA613T	AC	- - -	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, GAS BULB; -40 TO 160 DEG F,50 FT CAPILLARY LENGTH, FLUSH	3	B	6695D SE
AXG069F	AL	T-A-12-000-002	2	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 2-1/2 IN, 30-220 DEG F, 1/2 IN THREADED, BACK, THERMOMETER, BIMETALLIC; DUAL RANGES 30 TO 220	0	P	6695D SE
BCQ690D	AL	M-A-10-000-002	9	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 4 IN, 30-130 DEG F, 1/2 IN THREADED, LOWER, THERMOMETER, BIMETALLIC; 30 TO 130 DEG F, 3 IN CAS	0	P	6695D SE
BEG327J	AL	L-A-03-000-002	1	THERMOMETER	THERMOMETER, REMOTE READING, QA 0, ASSEMBLY, 12 FT, STAINLESS STEEL, 0-250 DEG F, THERMAL ASSY, ; WITH 12 FT LIQUID-FILLED STAINLESS STEEL C	0	P	6695D SE
BJM397A	AL	L-A-09-000-002	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, 5 IN, 6 IN, 20-240 DEG F, 1/2 IN NPT, STAINLESS STEEL, ADJUSTABLE ANGLE, THERMOMETER, BIMETALLIC; 20 TO 24	0	P	6695D SE
BND852W	AL	M-A-13-000-002	3	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 0-120 DEG C, BRONZE, BACK, THERMOMETER, BIMETALLIC; 0 TO 120 DEG C, 5 IN, 0.375 IN BACK	0	P	6695D SE
BPW203G	AL	M-A-04-000-002	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; 0 TO 140 DEG F, 5 IN HEAD DIAMETER, 0.5 IN	3	B	6695D SE
BPX166M	AL	L-A-07-000-002	2	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; 5 INCH DIAL, BI-METAL, RANGE 0-200 DEG. F	3	B	6695D SE
BPX169F	AL	L-A-07-000-002	6	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; 0 TO 250 DEG F, 5 IN DIAL, 2.5 INCH STEM ***	3	B	6695D SE
BPX171W	AL	L-A-07-000-002	3	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; 30 TO 130 DEG F, 5 IN DIAL, 4 INCH STEM ***	3	B	6695D SE
BPX174N	AL	L-A-08-000-002	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; 50 TO 400 DEG F, 5 IN DIAL, 4 INCH STEM ***	3	B	6695D SE
BPX176J	AL	L-A-08-000-002	4	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; 30 TO 130 DEG F, 5 IN DIAL, 6 INCH STEM ***	3	B	6695D SE
BPX183M	AL	L-A-07-000-002	4	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, BIMETALLIC, 5 IN, 6 IN, 0-200 DEG F	3	B	6695D SE
BPX184K	AL	L-A-07-000-002	3	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; 50 TO 400 DEG F, 5 IN DIAL, 6 INCH STEM ***	3	B	6695D SE
BPX188B	AL	L-A-07-000-002	2	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; 50 TO 400 DEG F, 5 IN DIAL, 9 INCH STEM ***	3	B	6695D SE
BQN346H	AL	L-A-06-000-002	3	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 5 IN, 6 IN, 25-125 DEG F, 1/2 IN NPT/BOTTOM, ANY ANGLE, THERMOMETER, BIMETALLIC; SELF-IND, 25	0	C	6695D SE
BTX275X	AL	M-A-06-000-002	3	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, LIQUID, 3-1/2 IN, 3-1/2 IN, -10 TO 120 DEG C, THERMOMETER, LIQUID IN GLASS; 3 1/2 IN DIAL, RANGE -10 TO +1	0	B	6695D SE
AFN740P	AL	D-A-32-104-001	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, NON-INDICATING, -100 TO 600 DEG F, 115/230, 10/5, CONTROL, TEMP, NON-INDICATING; MINUS 100 TO 600 DEG F, 115/ 230	0	P	6695D SE
ARM037V	AL	A-A-01-000-001	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, INDICATING/REFRIGERATION, 20-60 DEG F, 250, 20 FT (240 IN), 2-WIRE, OPEN ON FALL	0	P	6695D SE
ART624V	AL	D-A-02-202-001	3	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, NON-INDICATING, 0-210 DEG F, 115 AC/32 DC, 1, CONTROL, TEMP, NON-INDICATING; 0 TO 210 DEG F, 1 AMP, 115 VAC, 1 AMP	0	P	6695D SE
ATL021A	AL	A-A-01-000-001	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, NON-INDICATING, 0-250 DEG F, 125/250, 15, B, REMOTE MOUNTED, 3/8 IN X 4-15/32 IN, 6 FT, CONTROL, TEMP, NON-INDICAT	0	P	6695D SE
AWH868T	AL	A-A-01-000-001	2	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, INDICATING, 60-110 DEG F, UNION, CONTROL, TEMP, INDICATING; TYPE 21A, 60-110 DEG F, C/W UNION BULB, FOR	0	P	6695D SE
BBJ356K	AL	A-A-01-000-001	2	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, NON-INDICATING, 0-70 DEG F, 120/208/240, 10/6.9/5, 4-SPDT/3 EACH STAGE, 3/8 IN X 4 IN, 15 FT, CONTROL, TEMP, NON-I	0	P	6695D SE
BDL811Y	AL	A-A-01-000-001	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, INDICATING, 105/130, 7.4, DIFFERENTIAL, CONTROL, TEMP, INDICATING; DIFFERENTIAL, 105 TO 130 VOLTS, 7.4 AMPERES	0	P	6695D SE
BFJ862B	AL	D-B-16-000-001	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, REGULATOR, TEMPERATURE; 2 IN, FLANGE, SET TEMPERATURE 20 DEG F, BRONZE	0	P	6695D SE
BFN199V	AL	D-A-32-104-001	10	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, CONTROL, TEMP, INDICATING; 115 VDC, 2 VERTICAL PLUGS ON ONE END, OVEN	0	P	6695D SE
BJG448D	AL	F-A-06-109-001	2	THERMOSTAT	THERMOSTAT, CONTROL, QA 1, CONTROLLER, PROPORTIONAL; THERMOSTAT, DIAL TWO SIDED, MINUS 10 TO 124	1	P	6695D SE
BTT320E	AL	D-B-16-000-001	3	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, REGULATOR, TEMPERATURE; BRONZE BODY, 00.500 IN, UNION COUPLING, 105 TO	0	B	6695D SE
BWF012H	AC	- - -	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 3, THERMOSTAT, ENGINE; FOR FIRE PROTECTION CUMMINS ENGINE ***	3	B	29100 SE
BXN055L	AL	F-A-09-202-001	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 1, CONTROL, TEMP, INDICATING; 20 TO 80 DEG F ***	1	B	6695D SE
BXN055L	AL	F-A-14-202-004	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 1, CONTROL, TEMP, INDICATING; 20 TO 80 DEG F ***	1	B	6695D SE
BXP102B	AL	A-A-01-000-001	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 3, CONTROLLER, TEMPERATURE; C/W CAPILLARY, LENGTH 180.000 IN, 50 TO 200	3	B	6695D SE
CAW781F	AL	A-A-01-000-001	2	THERMOSTAT	THERMOSTAT, CONTROL, QA 3, CONTROL, TEMP, INDICATING; 32 TO 99 DEGREES FAHRENHEIT, SOLID STATE, 7	3	B	6695D SE
CDP036F	AL	F-B-08-103-000	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 1, CONTROLLER, CHILLER; ELECTRONIC CHILLER CONTROLLER FOR CENTRIFUGAL	1	C	4520N SE
AEN149Q	AL	M-A-08-000-002	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, NON-INDICATING, -100 TO 400 DEG F, 230/115, 5/10, CONTROL, TEMP, NON-INDICATING; MINUS 100 TO 400 DEG F, 230/ 115	0	P	6695D SE
AGN672W	AL	L-A-09-000-002	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 3, CONTROL, TEMP, NON-INDICATING; MINUS 100 TO 600 DEG F, 115/ 230 VOLTS	3	P	6695D SE
AMD737A	AL	L-A-09-000-002	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, INDICATING, 25-225 DEG F, 120, 6, SPDT, 3/8 IN 3 IN, 10 FT, CONTROL, TEMP, INDICATING; 25 TO 225 DEG F, SPDT, FIXE	0	B	6695D SE
AMD737A	AL	P-A-LL-ET0-042	5	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, INDICATING, 25-225 DEG F, 120, 6, SPDT, 3/8 IN 3 IN, 10 FT, CONTROL, TEMP, INDICATING; 25 TO 225 DEG F, SPDT, FIXE	0	B	6695D SE
APM843M	AL	L-A-09-000-002	2	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, NON-INDICATING, 120/208/240, 30/26, #9, 3/16 IN X 11-3/8 IN, 7FT, CONTROL, TEMP, NON-INDICATING; THERMAL CUTOUT, W	0	P	6695D SE
ARA545A	AL	T-A-01-000-002	2	THERMOSTAT	THERMOSTAT, CONTROL, QA 1, CONTROLLER, PROPORTIONAL; THERMOSTAT, DIAL (TWO-SIDED), MINUS 10 TO	1	P	6695D SE
ARM013A	AL	M-A-04-000-002	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 2, CONTROL, TEMP, INDICATING; 003.500 IN DIAL, TEMPERATURE RANGE 50-100	2	P	6695D SE
ARQ490C	AL	T-A-12-000-002	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, NON-INDICATING, 120/277, 25, SPST/SNAP-ACTION SWITCH, CONTROL, TEMP, NON-INDICATING; 120 VOLTS, 100 WATTS, INCOLOY	0	P	6695D SE
ATB236C	AL	M-A-07-000-002	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, NON-INDICATING, 1/4 IN, 50-250 DEG F, 5-1/2 IN, 120/208/240, 30/26, #4, SINGLE PHASE, 7 FT X 3/32 IN, CONTROL, TE	0	P	6695D SE
AXT673M	AL	M-A-13-000-002	2	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, INDICATING, 40-180 DEG F, 120/240, SWIMMING POOL/AQUASTAT, 240 DEG F, 66 IN, CONTROL, TEMP, INDICATING; 120/240 VA	0	P	6695D SE
AYH982G	AL	L-A-09-000-002	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, INDICATING, 0-150 DEG F, 277, 22, CONTROL, TEMP, INDICATING; THERMOSTAT, CLASS 304, SERIES FW627G8	0	P	6695D SE
BAY634R	AL	L-A-09-000-002	2	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, INDICATING, 300-420 DEG F, 2 NO 2 NC, 480 DEG F, 11/16 IN X 3-5/8 IN, 6 FT, CONTROL, TEMP, INDICATING; 300 TO 420	0	P	6695D SE
BCE458R	AL	M-A-06-000-002	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, THERMOSTAT, ; PRESET 145 DEG F, FOR CARBON MONOXIDE ANALYZER ***	0	P	59300 SE
BDA219T	AL	M-A-03-000-002	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 2, CONTROL, TEMP, INDICATING; 100 TO 140 DEG F, SIZE 06, TYPE ST, WITH 1	2	P	6695D SE
BEN812C	AL	M-A-09-000-002	2	THERMOSTAT	THERMOSTAT, CONTROL, QA 2, CONTROL, TEMP, NON-INDICATING; 50 TO 250 DEG F, SINGLE PAHSE, 250 VAC	2	P	6695D SE
BGB081W	AL	M-A-06-000-002	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, CONTROL, TEMP, INDICATING; OIL HEATER, THERMOSTAT, FOR CHILLER, MODEL	0	P	6695D SE
BGE019J	AL	M-A-13-000-002	7	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, FLOW/PNEUMATIC, 65-85 DEG F, 36 IN, REMOTE, 3 FT, THERMOSTAT, FLOW CONTROL; 65 TO 85 DEG F, TEMPERATURE SENSOR	0	P	6695D SE
BHD256C	AL	M-A-06-000-002	2	THERMOSTAT	THERMOSTAT, CONTROL, QA 2, CONTROL, TEMP, NON-INDICATING; MINUS 100 TO 600 DEG F, 120/240 VAC	2	P	6695D SE
BHL025J	AL	L-A-09-000-002	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, CONTROL, TEMP, NON-INDICATING; 3.5 X 4.75 IN BLACK RECTANGULAR BOX WITH	0	P	6695D SE
BHP733G	AL	T-A-05-000-002	3	THERMOSTAT	THERMOSTAT, CONTROL, QA 1, THERMOSTAT, CONTROL; TYPE: NON-INDICATING; VOLTS: 125/250 AC/DC; AMPS:	1	B	6695D SE
BHT223Q	AL	P-A-LL-ET0-062	7	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, INDICATING, 85-245 DEG F, PROPORTIONAL, 6 FT, CONTROL, TEMP, INDICATING; 85 TO 245 DEG F, 30 TO 120 DEG C, RANGE A	0	C	6695D SE
BLA849D	AL	L-A-09-000-002	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 3, CONTROL, TEMP, INDICATING; 0 TO 225 DEG F, MINUS 15 TO 105 DEG C, MAX	3	P	6695D SE
BPX794P	AL	L-A-04-000-002	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, THERMOSTAT ASSEMBLY, HEATING SYSTEM; 4-2T-35050 (GUT-ONLY). ***	0	C	4520N SE
BPX796K	AL	L-A-04-000-002	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, THERMOSTAT ASSEMBLY, HEATING SYSTEM; THERMON E4-35235 (GUT ONLY) FOR	0	C	4520N SE
BTL347D	AL	M-A-04-000-002	12	THERMOSTAT	THERMOSTAT, CONTROL, QA 3, INDICATING, 0-225 DEG F, 125/250, 15, BLIND INTERNAL ADJUSTMENT, CONTROL, TEMP, INDICATING; 0 TO 225 DEG F, MINUS	3	B	6695D SE

BTT425L	AL	L-A-09-000-002	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 3, CONTROLLER, ; TEMPERATURE, AMBIENT COMPENSATED, 0 TO 70 DEGREES F ***	3	C	6630D SE
BVQ662A	AC	- - -	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 1, CONTROL, TEMP, NON-INDICATING; 100 TO 240 DEGREES F, CONVERTIBLE	1	B	6695D SE
BVQ662A	AL	T-A-01-000-002	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 1, CONTROL, TEMP, NON-INDICATING; 100 TO 240 DEGREES F, CONVERTIBLE	1	B	6695D SE
BWF012H	AL	L-A-07-000-002	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 3, THERMOSTAT, ENGINE; FOR FIRE PROTECTION CUMMINS ENGINE ***	3	B	2910O SE
BXD276V	AL	L-A-09-000-002	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, NON-INDICATING, -200 TO 700 DEG F, 700 DEG F, CONTROL, TEMP, NON-INDICATING; TWO SPDT SWITCHES, SWITCH "A" SET AT	0	C	6695D SE
CB861X	AL	T-A-01-000-002	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 1, CONTROLLER, CHILLER; TEMPERATURE CONTROLLER, INTEGRAL BULB, NEMA 1	1	B	4520N SE
CDX396T	AL	M-A-03-000-002	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, CONTROL, TEMP, INDICATING; FOR INCORE INST RM CHILLER MODEL 44-2066	0	B	6695D SE
AKD026F	AL	D-A-06-102-004	13	THIMBLE	THIMBLE, WIRE ROPE, QA 0, 5/16 IN, SS, HEAVY DUTY	0		4030C SE
AKD825R	AL	D-A-06-102-004	12	THIMBLE	THIMBLE, WIRE ROPE, QA 0, 1/4 IN, SS, HEAVY DUTY	0		4030C SE
AKD925M	AL	D-A-06-102-004	8	THIMBLE	THIMBLE, WIRE ROPE, QA 0, 1/4 IN, GALVANIZED STEEL, STANDARD PATTERN	0		4030C SE
BT0778M	AL	D-A-09-301-004	2	THRESHOLD	THRESHOLD, DOOR, QA 3, THRESHOLD, DOOR; THRESHOLD, ALUMINUM, CAST, ABRASIVE, 4" WIDE X 36"	3		5670A SE
AVB762G	AL	L-A-09-000-002	13	THROAT	THROAT, TYPICAL, QA 0, THROAT PIECE, CIRCUIT BREAKER; INSULATION, LEFT, REF NO 7, FOR	0	P	5925B SE
AAR942F	AL	5-B-02-101-000	139	TIE	TIE, CABLE, QA 0, STRAP, 0.184 IN, 7-5/16 IN, NYLON, 1-3/4 IN, NATURAL, TENSILE STRENGTH 50 LBS	0	C	5975B SE
BBD578T	AL	A-A-01-000-001	13382	TIE	TIE, CABLE, QA 3, NYLON, BLACK, STRAP, TIEDOWN ELEC CMPNT; NYLON, SELF-CLINCHING, BLACK, 4.0 IN BUNDLE	3	C	5975B SE
BHM208F	AL	A-A-01-000-001	104	TIE	TIE, CABLE, QA 3, STRAP, TIEDOWN ELEC CMPNT; TEFLON, WITH STAINLESS STEEL LOCKING	3	P	5975B SE
BYC377L	AC	- - -	4000	TIE	TIE, CABLE, QA 3, STRAP, 0.184 IN, 7.8 IN, NYLON, 1.75 IN, NATURAL	3	B	5975B SE
CHL897R	AC	- - -	4	TIE	TIE, CABLE, QA 0, 0.184 IN, NYLON, RED, STANDARD PACKAGE 1000 EACH	0	B	5975B SE
BCY400K	AL	L-A-03-000-002	92	TIE	TIE, CABLE, QA 3, STRAP, TIEDOWN ELEC CMPNT; STAINLESS STEEL, TYPE 302, 4.0 IN BUNDLE	3	C	5975B SE
BYC509Y	AL	L-A-03-000-002	1200	TIE	TIE, CABLE, QA 3, STRAP, 0.091 IN, 7 IN, NYLON, 1-1/2 IN, NATURAL	3	B	5975B SE
BYD082R	AL	L-A-09-000-002	500	TIE	TIE, CABLE, QA 3, STRAP, 0.184 IN, 11.400 IN, NYLON, 3 IN, NATURAL	3	B	5975B SE
AKK580A	AL	I-A-09-000-002	68	TILE	TILE, CONSTRUCTION, QA 0, FLOOR, 12 IN, 12 IN, 3/16 IN, RUBBER, GRAY, TILE, RUBBER; TYPE: FLOOR, THICKNESS: 00.187 IN, SIZE: 12 X 12 IN	0	P	7220G SE
ALV337Q	AC	- - -	5	TIMER	TIMER, ELECTRICAL, QA 2, TIMER, INTERVAL; RANGE 0.1 TO 30 SECONDS, SOLID STATE, FOR SOLID STATE	2	P	6645E SE
ATQ569D	AL	A-A-01-000-001	5	TIMER	TIMER, ELECTRICAL, QA 0, INTERVAL, 10/5/0.25, 0-6 MIN, 120/240/125, TIMER, INTERVAL; RANGE 0-6 MIN, NON-INDUCTIVE, 10A-120 VAC, 5A-240	0	P	6645E SE
BCY778L	AL	A-A-01-000-001	1	TIMER	TIMER, ELECTRICAL, QA 0, TIMER, INTERVAL; CAM, FOR DRY CLEANING UNIT ASSEMBLY, 2208/230 VAC	0	P	6645E SE
BGY645F	AL	A-A-01-000-001	4	TIMER	TIMER, ELECTRICAL, QA 0, INTERVAL, 3-20, 240, 8, TIMER, INTERVAL; 240 VAC, DPDT, 8 WATTS, 0.5 RPM, 3 VA TO 20 VA	0	P	6645E SE
BLV612M	AL	A-A-01-000-001	3	TIMER	TIMER, ELECTRICAL, QA 3, TIMER, INTERVAL; BODY ASSEMBLY, WITH 3 POLE SWITCH AND 50% CAM ***	3	P	6645E SE
BQD511B	AL	D-A-20-302-000	1	TIMER	TIMER, ELECTRICAL, QA 3, TIMER, INTERVAL; RESET ***	3	B	6645E SE
BTR689N	AL	A-A-01-000-001	8	TIMER	TIMER, ELECTRICAL, QA 0, 40, 24 HR, 240, TIMER, ; 24 HOUR, 40 AMP, 240 VOLTS, TYPE DPST ***	0	B	6645E SE
BVV693F	AC	- - -	2	TIMER	TIMER, ELECTRICAL, QA 0, INTERVAL, 2, 115, TIMER, INTERVAL; CONTROLLER, 34 TERMINALS, WITH HIGH Z AMP, 115 VAC	0	C	6645E SE
BYP703A	AL	D-A-34-101-002	1	TIMER	TIMER, ELECTRICAL, QA 0, INTERVAL, 24 HR, 115, 60, TIMER, INTERVAL; RANGE 24 HOURS, 115 VAC, 60 HZ, WITHOUT ENCLOSURE	0	C	6645E SE
ABP588B	AL	M-A-08-000-002	2	TIMER	TIMER, ELECTRICAL, QA 3, TIMER, INTERVAL; INTERNAL DELAY 0 TO 28 SECONDS, WITH MOTOR	3	P	6645E SE
AEF073T	AL	I-A-17-000-002	1	TIMER	TIMER, ELECTRICAL, QA 0, TIMER ASSY, ; FOR GAS DRYING INC DEHYDRITROL AIR DRYER, SIZE 20, TYPE	0	P	4210N SE
AJV833Q	AL	L-A-09-000-002	1	TIMER	TIMER, ELECTRICAL, QA 0, 20, 125, 60, TIMER, ; 20 AMP, FOR NUCLEAR MEASUREMENT CORP AIR MONITORS, MODEL	0	P	6645E SE
AVH554Q	AL	M-A-08-000-002	1	TIMER	TIMER, ELECTRICAL, QA 2, TIMER, INTERVAL; SOLID STATE, TIME DELAY 0.100 TO 30	2	P	6645E SE
AVK055P	AL	M-A-16-000-002	5	TIMER	TIMER, ELECTRICAL, QA 3, TIMER, INTERVAL; 14 HOUR, 20 AMP, 125/250 VAC, W/115 VAC, 60 HZ ***	3	P	6645E SE
AVL868H	AL	M-A-16-000-002	2	TIMER	TIMER, ELECTRICAL, QA 3, TIMER ASSY, FIRE PROTECTION; INTERVAL, 0.250 RPM, 2.7 W, 115 VAC, FOR CO 2	3	P	6645E SE
AXA291N	AL	T-A-05-000-002	2	TIMER	TIMER, ELECTRICAL, QA 0, INTERVAL, 2-180 SEC, 115 DC, TIMER, INTERVAL; 2-180 SECONDS, 115.000 VOLTS DIRECT CURRENT, 105201-D	0	C	6645E SE
BEX396V	AL	M-A-12-000-002	2	TIMER	TIMER, ELECTRICAL, QA 0, TIMER, INTERVAL; 7 CIRCUIT, FOR DISHWASHER, MODEL 24 ***	0	P	6645E SE
BGY645F	AL	L-A-13-000-002	8	TIMER	TIMER, ELECTRICAL, QA 0, INTERVAL, 3-20, 240, 8, TIMER, INTERVAL; 240 VAC, DPDT, 8 WATTS, 0.5 RPM, 3 VA TO 20 VA	0	P	6645E SE
BKF635D	AL	M-A-06-000-002	2	TIMER	TIMER, ELECTRICAL, QA 3, TIMER, INTERVAL; 24 VDC, 0.3 TO 30 SECOND RANGE, FOR REHEAT	3	P	6645E SE
BKF788K	AL	M-A-15-000-002	19	TIMER	TIMER, ELECTRICAL, QA 1, TIMER, INTERVAL; SOLID STATE, 1E MILD, RANGE 115 TO 145 SECONDS, TYPE	1		6645E SE
BLJ388E	AL	M-A-06-000-002	1	TIMER	TIMER, ELECTRICAL, QA 0, TIMER, INTERVAL; PRESET, 4 TO 6 DIGIT ADD OR SUBTRACT, MODEL NO	0	P	6645E SE
BXQ412M	AL	L-A-09-000-002	1	TIMER	TIMER, ELECTRICAL, QA 0, TIMER, PROGRAMMABLE; RESET, EAGLE SIGNAL DIV # BRS003A6U ***	0	C	6645E SE
CAJ856X	AL	M-A-12-000-002	1	TIMER	TIMER, PNEUMATIC, QA 1, SEQUENCER, AIR COMPRESSOR; MECHANICAL, SCALE RANGE 10 IN/80 PSIG	1	C	4310I SE
ACV134Q	AL	A-A-01-000-001	6	TIP	TIP, TYPICAL, QA 0, PIPETTE, 9.50 MM, 140 MM, PLASTIC, TIP, PIPET; PLASTIC, CLEAR, DISPOSABLE, 9.5 DIA X 140 MM LONG, 500 PER	0	P	6630D SE
ARQ756L	AL	A-A-01-000-001	10	TIP	TIP, TYPICAL, QA 0, TIER, ; BURNER, MC 70 DEG, STAINLESS STEEL, FOR MODEL C-200, OIL	0	P	4530F SE
BBV756L	AL	D-A-04-302-004	52	TIP	TIP, TYPICAL, QA 0, CANE/CRUTCH, 7/8 IN, RUBBER, TIP, CANE AND CRUTCH; RUBBER, BLACK, 0.875 IN DIA X 1.875 IN OVERALL	0		6505C SE
BLM414Q	AL	F-A-05-202-003	286	TIP	TIP, TYPICAL, QA 0, TIP, ; STANDARD, FOR 12 AND 18 IN TONGS, ON PORTABLE SPOT WELDER	0	P	3433A SE
BVC201E	AL	D-A-30-301-001	25	TIP	TIP, TOOL, QA 0, TIP, TOOL, REMOVAL; CORKSCREW, FOR F&S, 2&3 ***	0		5120M SE
CDD987M	AL	A-A-01-000-001	4	TIP	TIP, TYPICAL, QA 0, TIP, CONDENSER; BASKET, 304 STAINLESS STEEL WITH 3/4 INCH SCH 80 PLAIN	0	C	4420B SE
ALK009B	AL	L-A-13-000-002	10	TIP	TIP, TOOL, QA 0, SNAPPER, ; TIP BREAKING TOOL, FOR DISSOLVED O2 TEST KIT, MODEL 0-12	0	P	6625D SE
BMT985C	AL	I-A-15-000-002	4	TIP	TIP, TYPICAL, QA 0, TIP, IGNITER; PROBE, DWG D2569, FOR IGNITERS ON UNITS 1 & 3 (COLBERT)	0	C	4530F SE
BWH668V	AL	L-A-13-000-002	6	TIP	TIP, TYPICAL, QA 3, TIP, PRESSURE STATIC; 4 IN INSERTION LENGTH, FOUR EACH RADIALLY	3	B	6695D SE
CBF734M	AL	L-A-09-000-002	6	TIP	TIP, TYPICAL, QA 0, CIRCUIT BREAKER, 4160, 3000, TIP, CIRCUIT BREAKER; ELEC, ARCING, FOR GE MAGNEBLAST AIR CIRCUIT	0	C	5925B SE
ATQ023H	AL	D-A-12-201-001	1	TONER	TONER, COPIER, QA 0, TONER, PRINTER/COPIER; TYPE: CONCENTRATE, CONTAINER SIZE: 8.0 OZ ***	0		6810H SE
AWX633Q	AL	A-A-01-000-001	15	TONGS	TONGS, GRIPPING, QA 0, TONGS, LABORATORY; STAINLESS STEEL JAWS, C/W FIBERGLASS SLEEVES	0	C	6630D SE
BLM412W	AL	D-A-30-301-001	1	TONGS	TONGS, GRIPPING, QA 0, WELDING, 12 IN (1 FT), TONGS, WELDING; STANDARD, 12 IN, FOR PORTABLE SPOT WELDER, MODEL	0		3439D SE
BNC255L	AL	D-A-30-301-004	1	TONGS	TONGS, GRIPPING, QA 0, TONGS, WELDING; COPPER ***	0		3439D SE
BCV366V	AL	D-A-30-301-004	4	TOOL	TOOL, TYPICAL, QA 0, TOOL, QUICK CONNECTIO, ; WIRE TERMINATING, COMCODE 102 803 160, FOR	0		5120M SE
BJP987A	AL	D-A-30-301-002	2	TOOL	TOOL, TYPICAL, QA 0, TOOL, VALVE, ; BRASS, FOR AUXILIARY CLAPPER VALVE ADJUSTMENT, ON 4 IN	0		5120M SE
BKR467L	AL	D-A-10-201-000	2	TOOL	TOOL, SPECIAL, QA 0, REMOVAL/CARTRIDGE, 36 IN, W/ NON STANDARD JAW, TOOL, REMOVAL; CARTRIDGE, POSIGRIP, 36 IN, WITH NON-STANDARD JAW, FOR	0		5120M SE
BLR452V	AL	D-A-10-201-000	7	TOOL	TOOL, TYPICAL, QA 0, CREVICE, 2-1/2 IN, 14-1/2 IN, TOOL, ; CREVICE, 2-1/2 IN DIA X 14-1/2 IN, ATTACHMENT FOR HEPA VACUUM.	0		7910I SE
BND829P	AL	A-A-01-000-001	1	TOOL	TOOL, TYPICAL, QA 0, TOOL, ; INSTRUMENT PORT COLUMN LOWER GASKET REMOVAL ***	0	P	5120M SE
BNP808D	AL	1-A-25-099-001	20	TOOL	TOOL, TYPICAL, QA 0, PLANET, POWER TOOL; S/A, FOR IMPACT TOOL ***	0	P	5130U SE
BPC811A	AL	D-A-01-401-008	2	TOOL	TOOL, TYPICAL, QA 0, TOOL, ; UNDERCUTTING, FOR MAXIBOLT ANCHORS, 1.25 IN ***	0		5120M SE
BPQ668N	AL	D-A-30-301-004	2	TOOL	TOOL, TYPICAL, QA 0, REMOVAL TOOL, CONN ELECT CONT; TYPE: CONTROL ROD ***	0		5120M SE
BPQ675R	AL	D-A-30-301-004	4	TOOL	TOOL, TYPICAL, QA 0, REMOVAL TOOL, CONN ELECT CONT; TYPE: CONTROL ROD ***	0		5120M SE
BPQ679H	AL	D-A-30-301-001	1	TOOL	TOOL, TYPICAL, QA 0, TOOL, INSERTION; CONTACT, FOR USE ON CONTROL ROD DRIVE ***	0		5120M SE
BPQ683T	AL	D-A-30-301-004	1	TOOL	TOOL, TYPICAL, QA 0, TOOL, INSERTION; METALLIC, FOR CONTROL ROD DRIVES ***	0	C	5120M SE
BPQ687J	AL	D-A-30-301-001	1	TOOL	TOOL, TYPICAL, QA 0, TOOL, INSERTION; CONTACT, FOR USE ON CONTROL ROD DRIVE ***	0	C	5120M SE
BPQ853V	AL	D-A-30-301-004	1	TOOL	TOOL, TYPICAL, QA 0, TOOL, INSERTION; METALLIC, FOR CONTROL ROD DRIVES ***	0	C	5120M SE
BPQ855P	AL	D-A-30-301-004	1	TOOL	TOOL, TYPICAL, QA 0, TOOL, INSERTION; METALLIC, FOR CONTROL ROD DRIVE ***	0	C	5120M SE
BPQ857K	AL	D-A-30-301-004	1	TOOL	TOOL, TYPICAL, QA 0, TOOL, INSERTION; METALLIC, FOR CONTROL ROD DRIVE ***	0	C	5120M SE
BPQ864N	AL	D-A-30-301-004	1	TOOL	TOOL, TYPICAL, QA 0, REMOVAL TOOL, CONN ELECT CONT; TYPE: CONTROL ROD ***	0	C	5120M SE
BPQ867G	AL	D-A-30-301-004	2	TOOL	TOOL, TYPICAL, QA 0, REMOVAL TOOL, CONN ELECT CONT; TYPE: CONTROL ROD ***	0		5120M SE

BPQ871R	AL	D-A-30-301-004	2	TOOL	TOOL, TYPICAL, QA 0, REMOVAL TOOL, CONN ELECT CONT; TYPE: CONTROL ROD ***	0		5120M SE
BPQ873M	AL	A-A-01-000-001	1	TOOL	TOOL, TYPICAL, QA 0, TOOL, INSERTION; METAL, FOR CONTROL ROD DRIVES ***	0	C	5120M SE
BQB165E	AL	D-A-10-201-000	1	TOOL	TOOL, SPECIAL, QA 0, MACHINE, TUBE CLEANING; INCLUDING AIR DRIVE UNIT, 15 FOOT WATER SUPPLY	0		5130U SE
BRC301N	AL	A-A-01-000-001	6	TOOL	TOOL, SPECIAL, QA 0, TOOL, INSTALLATION; SENSOR BELLOWS SPACER ASSEMBLY, SPECIAL TOOL FOR	0	C	5120M SE
BRC322D	AL	D-A-30-301-001	1	TOOL	TOOL, SPECIAL, QA 0, TOOL, INSTALLATION; SENSOR BELLOWS WRENCH, SPECIAL TOOL FOR RVLIS,	0	C	5120M SE
BRN919M	AL	D-A-30-301-002	2	TOOL	TOOL, TYPICAL, QA 0, TOOL, REMOVAL; CONNECTOR REMOVER ***	0		5120M SE
CAP988J	AC	- - - -	2	TOOL	TOOL, SPECIAL, QA 0, MACHINE, TUBE CLEANING; RAM-4X-60, REAM-A-MATIC HEAVY DUTY TUBE	0	B	5130U SE
BLQ205K	AL	M-A-04-000-002	5	TOOL	TOOL, TYPICAL, QA 3, TOOL, ; CAST STEEL, BACK UP, INSTALLATION STAND OFF ***	3	P	5120M SE
CDH217K	AL	B-A-11-000-002	1	TOOL	TOOL, DISCONNECT/TD, QA 0, TOOL, SPECIAL PURPOSE; SLIPRING FAN DISMANTLING, ITEM 09006, ID	0	B	5120M SE
CEK123C	AC	- - - -	2	TOOL	TOOL, TYPICAL, QA 0, INSPECTION/INSTALLATION, *** SUPERGRIP COUPLING BOLT TOOL ADAPTER, FOR HIGH PRESSURE TURBINE	0	C	2825G SE
AJA072X	AL	1-A-05-000-001	1	TOOTH	TOOTH, MECHANICAL, QA 0, TOOTH STOCK, ; OIL DEFLECTOR, T-3, T-5 & T-7,(GE), FOR TURBINE, S/N	0	P	2825G SE
AJA272Y	AL	1-A-05-000-001	2	TOOTH	TOOTH, MECHANICAL, QA 0, TOOTH STOCK, ; OIL DEFLECTOR, G-1 & G-2, INNER & OUTER, FOR TURBINE	0	P	2825G SE
AJA371W	AL	1-B-14-000-001	9	TOOTH	TOOTH, MECHANICAL, QA 0, TOOTH STOCK, ; OIL DEFLECTOR, T-4 & T-8, (GE&TE), FOR TURBINE, S/N	0	C	2825G SE
AJA870M	AL	1-A-05-000-001	6	TOOTH	TOOTH, MECHANICAL, QA 0, TOOTH STOCK, ; OIL DEFLECTOR, T-3, T-5 & T-7 (GE), FOR TURBINE, S/N	0	C	2825G SE
BNC256J	AL	F-B-25-115-001	1	TORCH	TORCH, CUTTING, QA 0, WELDING MACHINE, ARC; DUTY CYCLE, 50%, 115V, 60 HZ, 1.5 KVA ***	0	P	3433A SE
CBM563P	AL	M-A-02-000-002	1	TOTALIZER	TOTALIZER, ELECTRONIC, QA 3, TOTALIZER, KILOWATT HOUR; TRANSDATA INC MODEL 10WHT104 ***	3	B	6625D SE
AFD222H	AC	- - - -	1	TRACK	TRACK, TYPICAL, QA 0, TRACK, ; OUTER, HATCH DOOR, FOR CONTROL BAY ELEVATOR ***	0	P	3960D SE
AFD322D	AC	- - - -	1	TRACK	TRACK, TYPICAL, QA 0, TRACK, ; OUTER, HATCH DOOR, FOR REACTORBUILDING ELEVATOR ***	0	P	3960D SE
ADP317Y	AL	L-A-09-000-002	138	TRACK	TRACK, TYPICAL, QA 3, TRACK, TERMINAL BOARD; TERMINAL BOARD, 9-1/8" LONG, FOR CR151A318	3	P	5940I SE
AFD022G	AC	- - - -	1	TRACK	TRACK, TYPICAL, QA 0, TRACK, ; INNER, HATCH DOOR, FOR CONTROL BAY ELEVATOR ***	0	P	3960D SE
AFD022G	AL	L-A-15-000-002	1	TRACK	TRACK, TYPICAL, QA 0, TRACK, ; INNER, HATCH DOOR, FOR CONTROL BAY ELEVATOR ***	0	P	3960D SE
AFD122M	AC	- - - -	1	TRACK	TRACK, TYPICAL, QA 0, TRACK, ; INNER, HATCH DOOR, FOR REACTORBUILDING ELEVATOR ***	0	P	3960D SE
AFD122M	AL	L-A-15-000-002	1	TRACK	TRACK, TYPICAL, QA 0, TRACK, ; INNER, HATCH DOOR, FOR REACTORBUILDING ELEVATOR ***	0	P	3960D SE
AFD222H	AC	- - - -	1	TRACK	TRACK, TYPICAL, QA 0, TRACK, ; OUTER, HATCH DOOR, FOR CONTROL BAY ELEVATOR ***	0	P	3960D SE
AFD322D	AC	- - - -	1	TRACK	TRACK, TYPICAL, QA 0, TRACK, ; OUTER, HATCH DOOR, FOR REACTORBUILDING ELEVATOR ***	0	P	3960D SE
ATA588H	AC	- - - -	2	TRANSDUCER	TRANSDUCER, CURRENT, QA 0, TRANSDUCER, CURRENT; LINEAR VARIABLE DIFFERENTIAL, 60 HZ, FOR TURBINE	0	P	6625D SE
BBT869C	AL	A-A-01-000-001	2	TRANSDUCER	TRANSDUCER, ELECTRONIC, QA 0, TRANSDUCER, LINEAR VARIABLE DIF; FOR FEEDWATER CONTROL, SYSTEM 46 ***	0	P	6625D SE
BCM235A	AL	A-A-01-000-001	1	TRANSDUCER	TRANSDUCER, VOLTAGE, QA 0, TRANSDUCER, VOLTAGE; ISOLATION, VDC TO VDC, FOR PROTECTIVE DRAWER, WTA	0	P	6625D SE
BHV470D	AL	A-A-01-000-001	1	TRANSDUCER	TRANSDUCER, PRESSURE, QA 0, TRANSDUCER, PRESSURE; FOR RCT POST ACCIDENT SAMPLING SYSTEM, MODEL	0	P	6695D SE
BTH275V	AL	A-A-01-000-001	2	TRANSDUCER	TRANSDUCER, WATTAGE, QA 0, 0-5 A, 120 VAC INPUT, 0-100 MILL/VOLT OUTPUT ***	0	B	6625D SE
BXM213B	AL	F-A-22-101-000	5	TRANSDUCER	TRANSDUCER, ELECTRONIC, QA 1, TRANSDUCER, ELECTRO-PNEUMATIC; INPUT 10-50 MADC, OUTPUT 6-30 PSIG	1	B	6625D SE
BYV330D	AL	F-A-02-101-001	1	TRANSDUCER	TRANSDUCER, ELECTRONIC, QA 0, EMISSIONS MONITORING, FOR CONTINUOUS EMISSIONS MONITORING SYSTEMS CEMS.	0	A	6630D SE
CDN355D	AL	A-A-01-000-001	1	TRANSDUCER	TRANSDUCER, ELECTRONIC, QA 0, TRANSDUCER, ELECTRO-PNEUMATIC; BOOM LENGTH ***	0	B	6625D SE
CKJ354Y	AL	D-A-33-202-002	12	TRANSDUCER	TRANSDUCER, ELECTRONIC, QA 3, NPT, PRESSURE RANGE: 1500 PSIG, 3 WIRE 4-20MA, +/- 5%, MODEL STJE	3	B	5999D SE
ABB917G	AL	L-A-03-000-002	1	TRANSDUCER	TRANSDUCER, PRESSURE, QA 0, TRANSDUCER ASSY, STEAM TURBINE; FOR ACTUATOR, BULLETIN 33710 ON THE	0	P	2825G SE
ARL167W	AL	M-A-13-000-002	1	TRANSDUCER	TRANSDUCER, ELECTRONIC, QA 2, TRANSDUCER, CURRENT-PNEUMATIC; INPUT 10 TO 50 MA, OUTPUT 3 TO 15 PSI	2	P	6695D SE
ATA592T	AL	L-A-09-000-002	1	TRANSDUCER	TRANSDUCER, CURRENT, QA 0, TRANSDUCER, CURRENT; LINEAR VARIABLE DIFFERENTIAL, 60 HZ, FOR TURBINE	0	P	6625D SE
ATA598E	AL	L-A-09-000-002	1	TRANSDUCER	TRANSDUCER, CURRENT, QA 0, TRANSDUCER, CURRENT; LINEAR VARIABLE DIFFERENTIAL, 60 HZ, FOR TURBINE	0	P	6625D SE
ATT869N	AL	L-A-09-000-002	1	TRANSDUCER	TRANSDUCER, ELECTRONIC, QA 0, TRANSDUCER, LINEAR VARIABLE DIF; 3000 HZ ***	0	P	6625D SE
BMF208M	AL	M-A-06-000-002	1	TRANSDUCER	TRANSDUCER, FREQUENCY, QA 0, TRANSDUCER, FREQUENCY; RANGE MINUS 55 TO 65 HZ, OUTPUT 0.2 MA, 0 TO 5	0	P	6625D SE
BPX977F	AL	L-A-15-000-002	1	TRANSDUCER	TRANSDUCER, PRESSURE, QA 0, TRANSDUCER, ; PRESSURE, WITH BRACKET AND SCREWS, FOR BETA AEROSOLS	0	C	6625D SE
BQB334H	AL	L-A-03-000-002	1	TRANSDUCER	TRANSDUCER, DIFFER. PRESSURE, QA 3, TRANSDUCER, PRESSURE; DIFFERENTIAL PRESSURE, MODEL #223BD-01000 ACU	3	C	6695D SE
BQC557P	AL	L-A-03-000-002	1	TRANSDUCER	TRANSDUCER, ELECTRONIC, QA 3, ELECTRO-PNEUMATIC, 10-50 MADC, 3-15 PSI	3	B	6695D SE
BTH265Y	AL	M-A-06-000-002	2	TRANSDUCER	TRANSDUCER, FREQUENCY, QA 0, TRANSDUCER, ; FREQUENCY, 0-2 MA OUTPUT, 55-65 HZ INPUT ***	0	B	6625D SE
BYM801L	AL	L-A-13-000-002	2	TRANSDUCER	TRANSDUCER, PRESSURE, QA 0, ELECTRO-PNEUMATIC, 4-20 MADC/185 OHMS, 3-15 PSIG, 20 PSIG, TERMINAL BLOCK, TRANSDUCER, ELECTRO-PNEUMATIC; TYPE G	0	C	6625D SE
CAW571T	AL	P-A-LL-ET0-119	2	TRANSDUCER	TRANSDUCER, PRESSURE, QA 0, ELECTRONIC, 4-20/10-50, 3-15 PSI, TRANSDUCER, ELECTRO-PNEUMATIC; MODEL T5200-4, INPUT 4-20/10-50 MA,	0	B	6625D SE
CDV882V	AC	- - - -	4	TRANSDUCER	TRANSDUCER, PRESSURE, QA 1, TRANSDUCER, PRESSURE; LUCAS MODEL L, 0-2500 PSI WITH SNUBBER, 1/4"	1	B	6695D SE
ACQ941A	AL	D-A-30-101-006	1	TRANSFORMER	TRANSFORMER, CURRENT, QA 0, TRANSFORMER, RELAY; FOR TYPE B MELTING ALLOY OVERLOAD RELAY ON	0	P	5950N SE
APQ732F	AL	D-A-30-101-006	1	TRANSFORMER	TRANSFORMER, TYPICAL, QA 0, RECORDER, 120, 60, C/O 019009 TRANSFORMER AND 177056 DIRECTIONS, FOR SPEEDOMAX AMPLIFIER	0	C	6695D SE
APQ847X	AL	Z-Z-ZZ-ZZZ-ZZZ	3	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; ELECTRICAL ***	2	P	5950N SE
AVQ906G	AL	A-A-01-000-001	1	TRANSFORMER	TRANSFORMER, TYPICAL, QA 3, TRANSFORMER ASSY, ; PHASE SHIFTING, TYPE MC-63, 120 VAC, 3 PHASE, 3	3	P	5950N SE
AYN248K	AL	A-A-01-000-001	6	TRANSFORMER	TRANSFORMER, POWER, QA 0, 480, 120/240, 0.8, 3/1.500, TRANSFORMER, POWER; PRIMARY VOLTAGE: 480 VAC, SECONDARY VOLTAGE:	0	P	5950N SE
BBA748B	AL	A-A-01-000-001	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, DRY, 480, 120/208, 30, TRANSFORMER, POWER; PRIMARY VOLTAGE: 480 VAC, SECONDARY VOLTAGE:	0	P	5950N SE
BBG162B	AC	- - - -	2	TRANSFORMER	TRANSFORMER, VOLTAGE, QA 2, CONSTANT, 5, ASSY, C/O 1 EA	2	B	5950N SE
BBG168Y	AL	D-B-04-000-001	1	TRANSFORMER	TRANSFORMER, VOLTAGE, QA 0, CONSTANT, 15, ASSY, POWER TYPE, C/O 1	2	B	5950N SE
BBG168Y	AL	A-A-01-000-001	2	TRANSFORMER	TRANSFORMER, VOLTAGE, QA 0, CONSTANT, 15, ASSY, POWER TYPE, C/O 1	2	B	5950N SE
BCV260P	AL	1-B-08-009-001	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, STEP-DOWN, 190/260-380/520, 120/240, 43.500/21.800, TRANSFORMER, POWER; PRIMARY VOLTAGE: 190/260-380/520, SECONDA	0	P	5950N SE
BDD421G	AL	Z-A-06-000-001	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, CHOKE, ***	0	P	5950N SE
BHM650A	AL	D-A-32-104-001	2	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, WELDING MACHINE; MAIN ASSY, FOR POW-CON WELDINGMACHINE	0	P	3433A SE
BHM657G	AL	D-A-32-104-001	2	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, WELDING MACHINE; MAIN ASSY, FOR POW-CON WELDINGMACHINE	0	P	3433A SE
BKK585D	AL	D-A-32-201-001	1	TRANSFORMER	TRANSFORMER, TYPICAL, QA 0, TRANSFORMER, RECORDER; FOR RECORDER, MODEL 4081 ***	0	C	6695D SE
BKN028M	AL	A-A-01-000-001	2	TRANSFORMER	TRANSFORMER, POWER, QA 3, TRANSFORMER, POWER; 117 VAC PRIMARY, 25.2 VAC SECONDARY, 1 AMP	3	P	5950N SE
BLY583J	AL	D-A-14-000-001	2	TRANSFORMER	TRANSFORMER, POWER, QA 1, TRANSFORMER, POWER,CURRENT RGLT; COMPUTER GRADE, S/N 24301-1003AND	1	C	5950N SE
BNQ029N	AL	A-A-01-000-001	3	TRANSFORMER	TRANSFORMER, CONTROL, QA 2, TRANSFORMER, CONTROL; SENSING DW T3 ***	2	B	5950N SE
BXW091H	AL	A-A-01-000-001	2	TRANSFORMER	TRANSFORMER, POWER, QA 3, TRANSFORMER, POWER; 15 KVA, FOR HYDROGEN IGNITER SYSTEM ***	3	B	5950N SE
CAE982D	AL	A-A-01-000-001	1	TRANSFORMER	TRANSFORMER, CONTROL, QA 3, TRANSFORMER, CONTROL; ISOLATING ***	3	B	5950N SE
ABQ446T	AL	L-A-09-000-002	3	TRANSFORMER	TRANSFORMER, CURRENT, QA 0, TRANSFORMER, ANNUNCIATOR; ROCHESTER INSTRUMENT ANNUNCIATOR SYSTEM ***	0	P	5950N SE
ABQ557H	TR	- - - -	2	TRANSFORMER	TRANSFORMER, POWER, QA 1, TRANSFORMER, POWER; 230/460 VAC PRIMARY, 0.5 KVA, 115 VAC SECONDARY	1	P	5950N SE
ABQ854B	AL	L-A-09-000-002	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; 117.000 VAC, FOR FLOOD CONTROL ALARM, WITH 303	0	P	5950N SE
ACQ439H	AL	M-A-03-000-002	3	TRANSFORMER	TRANSFORMER, CURRENT, QA 0, INDOOR, 3000:5, 0.6, BUSHING TYPE: JCB-0	0	P	5950N SE
ACQ843A	AL	L-A-09-000-002	4	TRANSFORMER	TRANSFORMER, POWER, QA 0, 115/230, 12, 8, TRANSFORMER, POWER; PRIMARY VOLTAGE: 115/230 VAC, SECONDARY VOLTAGE:	0	P	5950N SE
ADQ047K	AL	M-A-08-000-002	2	TRANSFORMER	TRANSFORMER, POWER, QA 0, ISOLATION, 115/230, 115, 0.005, TRANSFORMER, POWER; PRIMARY VOLTAGE: 115/230 VAC, SECONDARY VOLTAGE:	0	C	5950N SE
ADQ245Q	AL	L-A-09-000-002	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, FILAMENT, 115, 26.800, 1, TRANSFORMER, POWER; PRIMARY VOLTAGE: 115 VAC, SECONDARY VOLTAGE: 26.8	0	C	5950N SE
ADQ631K	AL	M-A-06-000-002	2	TRANSFORMER	TRANSFORMER, CURRENT, QA 0, INDOOR, 4000:5, 15, TRANSFORMER, CURRENT; TRANSFORMER TYPE: INDOOR, ELECTRICAL RATING: 15	0	P	5950N SE
AFQ045B	AL	L-A-09-000-002	2	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; 0.500 KVA, 50/60 HZ ***	0	P	5950N SE

AFQ245C	AL	L-A-13-000-002	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; T3, SAE-10918, REV 0, FOR NEUTRON MONITORING	0	P	5950N SE
AFQ639N	AL	L-A-13-000-002	1	TRANSFORMER	TRANSFORMER, CONTROL, QA 0, TRANSFORMER, CONTROL; FOR 721 COMBUSTION CONTROL SYSTEM, UNIT 3, (52)	0	C	5950N SE
AFQ835N	AL	L-A-09-000-002	2	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; FOR DIRECT READING CONDUCTIVITY METER, SOLU MODEL	0	P	5950N SE
AGQ331D	AL	L-A-13-000-002	2	TRANSFORMER	TRANSFORMER, CONTROL, QA 0, FOR 721 COMBUSTION CONTROL SYSTEM, UNIT 3 (52)	0	C	5950N SE
AGQ445X	AL	M-A-16-000-002	2	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; INPUT AND OUTPUT 10-50 MA, 118 VAC, 50/60 HZ, FOR	2	P	5950N SE
AGQ647H	AL	M-A-03-000-002	4	TRANSFORMER	TRANSFORMER, CONTROL, QA 2, TRANSFORMER, POWER; 230/460-575 VOLTS PRIMARY, 115/95 VAC, 000.050 KVA	2	P	5950N SE
AGQ647H	AL	M-A-06-000-002	4	TRANSFORMER	TRANSFORMER, CONTROL, QA 2, TRANSFORMER, POWER; 230/460-575 VOLTS PRIMARY, 115/95 VAC, 000.050 KVA	2	P	5950N SE
AJQ240F	AL	L-A-09-000-002	2	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; T2, ***	0	P	5950N SE
AJQ247M	AL	M-A-10-000-002	3	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; ELECTRICAL ***	2	P	5950N SE
AKQ147K	AL	L-A-09-000-002	4	TRANSFORMER	TRANSFORMER, POWER, QA 3, TRANSFORMER, POWER; MAGNETEK CORP ***	3	P	5950N SE
ALQ033K	AL	L-A-09-000-002	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, 460, 120, 18.75, 40, 60, TRANSFORMER, POWER; 60 HZ, FOR GE MOTOR GENERATOR SET, MODEL	0	P	5950N SE
ALQ935K	AL	M-A-08-000-002	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, 240/480, 120/240, 1, TRANSFORMER, POWER; PRIMARY VOLTAGE: 240/480 VAC, SECONDARY VOLTAGE:	0	P	5950N SE
ALQ943L	AL	L-A-09-000-002	2	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; 117.000 VAC, STEP DOWN ***	0	P	5950N SE
ALT445T	AL	M-A-02-000-002	2	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; T1, FOR THYRISTOR CONTROLLED CONSTANT POTENTIAL	2	P	5950N SE
AMQ243B	AL	I-A-17-000-002	1	TRANSFORMER	TRANSFORMER, CONTROL, QA 0, MONITOR, FOR LEAR SIEGLER MONITOR	0	C	5950N SE
AMQ835H	AL	L-A-09-000-002	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, 230/460-240/480, 110/115/120, 0.5, TRANSFORMER, POWER; PRIMARY VOLTAGE: 230/460/240/480, SECONDARY	0	P	5950N SE
AMY561X	AL	M-A-10-000-002	3	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; FOR MODEL 66-BC-0H, STYLE D, ELECTRONIC CONSOTROL	2	P	5950N SE
ANQ446N	AL	L-A-09-000-002	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, 230/460, 145, 0.35, 55 DEG C RISE, TRANSFORMER, POWER; 145 V SECONDARY 55 DEG C RISE 230/460V 0.350KVA	0	P	5950N SE
ANQ545L	AL	M-A-06-000-002	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, 120, 25, 100, 50/60, TRANSFORMER, POWER; PRIMARY 120.000 VOLTS, 50/60 HZ, SECONDARY 25 V	0	P	5950N SE
APQ343T	AL	L-A-09-000-002	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, PHASE CONVERSION, 120, 50/60, TRANSFORMER, POWER; POWER, PHASE CONVERSION, INDOOR, TYPE MC-63 120 V	0	P	5950N SE
APQ348G	AL	M-A-16-000-002	2	TRANSFORMER	TRANSFORMER, CONTROL, QA 1, TRANSFORMER, POWER; 480/120 VAC, 000.500 VAR, CONTROL, T2, TYPE MTC	1	P	5950N SE
APQ547A	AL	M-A-16-000-002	3	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; ELECTRICAL ***	2	P	5950N SE
APQ643E	AL	L-A-13-000-002	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; GE MODEL 138A1057P001 ***	0	P	5950N SE
AQQ576W	AL	M-A-03-000-002	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; INPUT, FOR STATIC PRODUCTS SOLID STATE	0	P	5950N SE
AQQ577T	AL	Z-Z-ZZ-ZZZ-ZZZ	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; OUTPUT, FOR STATIC PRODUCTS SOLID STATE	0	P	5950N SE
ARE455N	AL	I-A-17-000-002	1	TRANSFORMER	TRANSFORMER, CONTROL, QA 0, TRANSFORMER, MONITOR; SO2 REMOTE CONTROL UNIT, FOR LEAR SIEGLER	0	C	5950N SE
ARH809Y	AL	M-A-16-000-002	3	TRANSFORMER	TRANSFORMER, CURRENT, QA 2, TRANSFORMER, CURRENT; PRIMARY INPUT 480VAC,NO LOAD 7.5V,OUTPUT	2	P	5950N SE
ARJ629T	AL	M-A-03-000-002	2	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; ISOLATION,230/460-115/230,3000VA,60 HZ,TYPE	2	P	5950N SE
ARL224B	AL	M-A-16-000-002	6	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; FOR MANUAL LOADING STATION 542-08 ***	2	P	5950N SE
ARV247T	AL	M-A-04-000-002	5	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; MODEL 48 ***	2	P	5950N SE
ARW256L	AL	M-A-02-000-002	1	TRANSFORMER	TRANSFORMER, CONTROL, QA 0, 240/480, 120/240, 15, 60, 8, TRANSFORMER, POWER; PRIMARY VOLTAGE: 240/480 VAC, SECONDARY VOLTAGE:	0	P	5950N SE
ATF226T	AL	L-A-15-000-002	3	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; PRIMARY VOLTAGE: 240/480 VAC, SECONDARY VOLTAGE:	0	P	5950N SE
AVT802J	AL	M-A-02-000-002	1	TRANSFORMER	TRANSFORMER, DISTRIBUTION, QA 2, TRANSFORMER, POWER; DISTRIBUTION,SINGLE PHASE, HV 7200/12470,LV	2	P	5950N SE
AWL848H	AL	L-A-01-000-002	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, 240/480, 120/240, 5, 1, TRANSFORMER, POWER; CLASS 1100, 240/480 VAC PRIMARY,120/240 VAC	0	P	5950N SE
AWV759C	AL	M-A-16-000-002	5	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; INPUT, FOR 66GC-OW VOLTAGE TO CURRENT CONVERTER	2	P	5950N SE
AXG441Y	AL	M-A-06-000-002	1	TRANSFORMER	TRANSFORMER, TYPICAL, QA 0, TRANSFORMER, RECORDER; 16 CONNECTORS NUMBERED FROM ONE TO 16, FOR	0	C	6695D SE
AXW074Q	AL	M-A-16-000-002	2	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; INPUT, FOR CONTROLLER, MODEL 62H AND 67H ***	2	P	5950N SE
AXW075N	AL	M-A-16-000-002	3	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; DRIVER, FOR CONTROLLER, MODEL 62H AND 67H ***	2	P	5950N SE
BAG042J	AL	M-A-13-000-002	3	TRANSFORMER	TRANSFORMER, CURRENT, QA 0, TRANSFORMER, CURRENT; TRANSFORMER TYPE: INDOOR, AMP RATIO: 2000 TO 5	0	P	5950N SE
BAH647K	AL	L-A-01-000-002	9	TRANSFORMER	TRANSFORMER, TYPICAL, QA 0, TRANSFORMER, LIGHTING; FOR EMERGENCY EGRESS LIGHTING SYSTEM ***	0	C	5950N SE
BAJ081X	AL	M-A-16-000-002	2	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; FOR SIGNAL CHARACTERIZER MODULE 66NC-OH ***	2	P	5950N SE
BBQ335W	AL	M-A-03-000-002	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, INVERTER; FOR INVERTER, MODEL SV12050/ AC341TSMB ***	0	P	5950N SE
BBV754Q	AL	M-A-16-000-002	3	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; STEP-DOWN, 120 VAC PRIMARY, 16VOLTS SECONDARY, FOR	2	P	5950N SE
BBW521B	AL	M-A-03-000-002	3	TRANSFORMER	TRANSFORMER, CURRENT, QA 0, CURRENT, 300:5, 8.7, TRANSFORMER, CURRENT; ELECTRICAL RATING: 8.7 KV, AMP RATIO: 300 TO 5	0	P	5950N SE
BBW527Y	AL	M-A-03-000-002	3	TRANSFORMER	TRANSFORMER, CURRENT, QA 0, CURRENT, 400:5, 0.6, TRANSFORMER, CURRENT; ELECTRICAL RATING: 0.6 KV, AMP RATIO: 400 TO 5	0	P	5950N SE
BBW528W	AL	M-A-03-000-002	3	TRANSFORMER	TRANSFORMER, CURRENT, QA 0, CURRENT, 2000:5, 0.6, TRANSFORMER, CURRENT; ELECTRICAL RATING: 0.6 KV, AMP RATIO: 2000 TO 5	0	P	5950N SE
BBW529T	AL	M-A-03-000-002	3	TRANSFORMER	TRANSFORMER, CURRENT, QA 0, CURRENT, 3000:2, 0.6, TRANSFORMER, CURRENT; ELECTRICAL RATING: 0.6 KV, AMP RATIO: 3000 TO 2	0	P	5950N SE
BBW677B	AL	M-A-12-000-002	2	TRANSFORMER	TRANSFORMER, CURRENT, QA 3, TRANSFORMER, CURRENT; 2 LEADS, FOR DIESEL GENERATOR SYSTEM 82 ***	3	P	5950N SE
BBX942D	AL	M-A-16-000-002	1	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; STEP-DOWN, 230 VAC PRIMARY 115 VAC 2.17 AMPS	2	P	5950N SE
BCD407H	AL	M-A-11-000-002	3	TRANSFORMER	TRANSFORMER, CURRENT, QA 0, CURRENT, 5600:2, 0.6, TRANSFORMER, CURRENT; ELECTRICAL RATING: 0.6 KV, AMP RATIO: 5600 TO 2	0	P	5950N SE
BCV270L	AL	V-A-16-000-002	4	TRANSFORMER	TRANSFORMER, POWER, QA 0, CURRENT REGULATOR, 480, 120, 5, 12/42, 1, 34 IN X 17 IN X 14-1/2 IN, TRANSFORMER, POWER,CURRENT RGLT; 480 VAC, 12	0	P	5950N SE
BCV276W	AL	V-A-01-000-002	2	TRANSFORMER	TRANSFORMER, CURRENT, QA 0, CURRENT, 800:5, 15, TRANSFORMER, CURRENT; 15 KVAC, 800 TO 5 AMP RATIO ***	0	C	5950N SE
BDK094W	AL	V-A-15-000-002	2	TRANSFORMER	TRANSFORMER, DISTRIBUTION, QA 0, 6900, 297/480, 225, 3, TRANSFORMER, POWER; PRIMARY VOLTAGE: 6900 VAC, SECONDARY VOLTAGE:	0	C	5950N SE
BDY493Y	AL	M-A-10-000-002	2	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; 115 VAC PRIMARY, 760 HZ, 18 VOLTS CENTER TAP ***	2	P	5950N SE
BEE752D	AL	M-A-12-000-002	3	TRANSFORMER	TRANSFORMER, POWER, QA 3, TRANSFORMER, POWER; 7 LEADS, WIRE HARNESS, FOR KEYCARD READER, MODEL	3	P	5950N SE
BGD858M	AL	V-A-16-000-002	3	TRANSFORMER	TRANSFORMER, POWER, QA 0, DRY, 480, 480, 15, 12 IN X 20 IN X 25 IN, TRANSFORMER, POWER; PRIMARY VOLTAGE: 480 VAC, SECONDARY VOLTAGE: 480	0	C	5950N SE
BGW154D	AL	M-A-16-000-002	2	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; 115 VAC PRIMARY, 14 VAC, 1 AMPSECONDARY, FOR	2	P	5950N SE
BHN727G	AL	M-A-06-000-002	2	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; STEP-DOWN, 550/600 VAC PRIMARY6 VOLTS, 1 VA	2	P	5950N SE
BJQ125W	AL	L-A-11-000-002	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; KVA RATING: 9.00 KVA ***	0	P	5950N SE
BLD374K	AL	M-A-06-000-002	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, 240/480, 120, 300, TRANSFORMER, POWER; PRIMARY VOLTAGE: 240/480 VAC, SECONDARY VOLTAGE:	0	P	5950N SE
BLE678R	AL	M-A-08-000-002	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; SECONDARY VOLTAGE: 12 VAC, SECONDARY AMPS: 4.0 ***	0	P	5950N SE
BMV822L	AL	L-A-03-000-002	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; PRIMARY VOLTAGE: 120/230 VAC, SECONDARY VOLTAGE:	0	P	5950N SE
BPW169L	AL	L-A-09-000-002	2	TRANSFORMER	TRANSFORMER, POWER, QA 3, TRANSFORMER, POWER; PRIMARY 120 VAC, 50/60 HZ, SECONDARY 24 VAC, 40.00	3	B	5950N SE
BQC581T	AC	- - - -	2	TRANSFORMER	TRANSFORMER, POWER, QA 1, TRANSFORMER, POWER; SAE 10823 (F5268) ***	1	B	5950N SE
BQJ773J	AL	L-A-01-000-002	4	TRANSFORMER	TRANSFORMER, POWER, QA 1, TRANSFORMER, POWER; 3 KV, 190-208/120, FOR ECCS ATU INVERTER. ***	1	B	5950N SE
BQP433H	AL	L-A-15-000-002	2	TRANSFORMER	TRANSFORMER, POWER, QA 0, DRY, 220/440-230/460-240/480, 110/115/120, 0.15, 60, 1	0	B	5950N SE
BTQ823J	AL	L-A-13-000-002	5	TRANSFORMER	TRANSFORMER, CURRENT, QA 3, TRANSFORMER, INSTRUMENT; FOR MODEL MA-2400 FIRE ALARM SYSTEM ***	3	B	5950N SE
BTR622P	AL	L-A-09-000-002	1	TRANSFORMER	TRANSFORMER, CURRENT, QA 3, TRANSFORMER, INSTRUMENT; POWER TRANSFORMER FOR TRANSMATION CURRENT	3	B	5950N SE
BTR623M	AL	L-A-09-000-002	1	TRANSFORMER	TRANSFORMER, CURRENT, QA 3, TRANSFORMER, INSTRUMENT; POWER TRANSFORMER FOR TRANSMATION CURRENT	3	B	5950N SE
BTR631N	AL	L-A-09-000-002	1	TRANSFORMER	TRANSFORMER, CURRENT, QA 3, TRANSFORMER, INSTRUMENT; POWER TRANSFORMER FOR TRANSMATION CURRENT	3	B	5950N SE
BVH718D	AL	L-A-09-000-002	4	TRANSFORMER	TRANSFORMER, TYPICAL, QA 0, TRANSFORMER, PULSE; FOUR WOUND FOR PRINTER, MODEL LA-120, FOR CHEM LAB	0	B	5950N SE
BVT399L	AC	- - - -	18	TRANSFORMER	TRANSFORMER, CURRENT, QA 3, TRANSFORMER, CURRENT; TRANSFORMER TYPE: INDOOR, ELECTRICAL RATING: 15	3	B	5950N SE
BWF652M	AL	M-A-06-000-002	1	TRANSFORMER	TRANSFORMER, POWER, QA 3, TRANSFORMER, POWER; PRIMARY VOLTAGE: 120 VAC, SECONDARY VOLTAGE: 12/24	3	B	5950N SE
BWH806B	AL	T-A-02-000-002	2	TRANSFORMER	TRANSFORMER, CONTROL, QA 3, TRANSFORMER, CONTROL; POWER,MACHINE TOOL,TYPE MTA,5 KVA,480/230	3	B	5950N SE
BXA500D	AL	L-A-05-000-002	2	TRANSFORMER	TRANSFORMER, CURRENT, QA 3, TRANSFORMER, INSTRUMENT; FOR WALTER KIDDE CON, INC. CABLE TRAY FIRE	3	C	5950N SE

BXA506M	AL	L-A-13-000-002	2	TRANSFORMER	TRANSFORMER, CURRENT, QA 3, TRANSFORMER, INSTRUMENT; FOR WALTER KIDDE CO, INC, CABLE TRAY FIRE	3	C	5950N SE
BXA611P	AL	L-A-05-000-002	1	TRANSFORMER	TRANSFORMER, CONTROL, QA 3, TRANSFORMER, CONTROL; AC TO DC TRANSFORMER ASSY, FOR BATTERY CHARGER	3	C	5950N SE
BXG828Y	AL	L-A-02-000-002	4	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; SYNCHRONOUS ***	0	C	5950N SE
BXN323Y	AL	L-A-07-000-002	3	TRANSFORMER	TRANSFORMER, POWER, QA 0, 120/240, 12/24, 500, 10, TRANSFORMER, POWER; PRIMARY VOLTAGE: 120/240 VAC, SECONDARY VOLTAGE:	0	C	5950N SE
BXN327N	AL	L-A-13-000-002	16	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, SERVICE (END ITEM); POWER TRANSFORMER FOR THE ION CHAMBER	0	C	5950N SE
BXN409M	AL	L-A-13-000-002	2	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, SERVICE (END ITEM); POWER TRANSFORMER, PRIMARY 230VAC	0	C	5950N SE
BXN417M	AL	L-A-13-000-002	4	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, SERVICE (END ITEM); POWER TRANSFORMER, CONISISTS OF	0	C	5950N SE
BXT179N	AL	L-A-13-000-002	6	TRANSFORMER	TRANSFORMER, TYPICAL, QA 0, TRANSFORMER, PULSE; MINIATURE, 1 TO 1 RATIO ***	0	C	5950N SE
BYH379N	PR	I-A-09-000-002	2	TRANSFORMER	TRANSFORMER, POWER, QA 0, RECTIFIER, 480, 400, 82, 171, 60, 1, 50 DEG C, TRANSFORMER, RECTIFIER POWER UNIT; SILICONE RECTIFIER POWER UNIT,	0	C	5950N SE
CAD867J	AL	L-A-09-000-002	5	TRANSFORMER	TRANSFORMER, POWER, QA 0, DUAL, 110/220, 12, TRANSFORMER, SECURITY SYSTEM; POWER DUAL PRIMARY 110/220 VAC.	0	B	6350B SE
CAD869E	AL	L-A-09-000-002	5	TRANSFORMER	TRANSFORMER, POWER, QA 0, DUAL, 110/220, 24, TRANSFORMER, SECURITY SYSTEM; POWER DUAL PRIMARY 110/220 VAC	0	B	6350B SE
CBG278G	AL	L-A-09-000-002	3	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; FOR POWER SUPPLY 948 ON LUNDELL RECORD ALARM	0	C	5950N SE
CBG282R	AL	L-A-09-000-002	2	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; FOR GE/MAC CONTROLLER, TYPE 540 SERIES ***	0	C	5950N SE
CBG283P	AL	L-A-13-000-002	5	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; FOR GE/MAC CONTROLLER, TYPE 540 SERIES ***	0	C	5950N SE
CDL419P	AL	L-A-07-000-002	1	TRANSFORMER	TRANSFORMER, TYPICAL, QA 0, TRANSFORMER, SECURITY SYSTEM; ISO STEP DOWN 230/115 VAC. ***	0	B	6350B SE
CDP044G	AL	L-A-03-000-002	1	TRANSFORMER	TRANSFORMER, TYPICAL, QA 1, TRANSFORMER, VOLTAGE; LOW VOLTAGE SUPPLY TO OPERATE CONTROL EQUIPMENT	1	B	5950N SE
CDX377Y	AL	M-A-01-000-002	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; FOR DIESEL GENERATOR ***	0	B	5950N SE
CHD024H	AC	- - - -	8	TRANSFORMER	TRANSFORMER, TYPICAL, QA 3, LVDT, 1, SCHAEVITZ SENSOR MODEL 2000 HCA, W/ BENDIX CONNECTOR PT06A-10-6S	3	B	5950N SE
ACQ381N	QP	- - - -	9	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ELECTRONIC; SILICON, NPN, AF MEDIUM POWER,TO-39 PKG, THREE	2	P	5961B SE
AFQ289P	AL	A-A-01-000-001	10	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; ELEC ***	0	P	5961B SE
ANQ575B	AC	- - - -	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; ELEC ***	0	P	5961B SE
ATW754X	AL	5-B-01-301-000	2	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON, NPN, AF PREAMP, DARLINGTON, THREE	0	P	5961B SE
BMF693J	AC	- - - -	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; CROSS REFERENCE LIST ECG169 PHILLIPS/SYLVANIA ***	0	P	5961B SE
BRK191X	AL	D-B-16-000-001	21	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 1, TRANSISTOR, ; PNP, HIGH VOLTAGE/HIGH CURRENT AMPLIFIER,TO-39 CASE ***	1	B	5961B SE
BWL032H	AL	D-B-16-000-001	12	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ELECTRONIC; MATCHED PAIR,FOR FOXBORO CONTROLLER,MODEL	3	B	5961B SE
BXG364F	AC	- - - -	5	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; FOR BIRD-EYE DETECTION SYSTEM ***	0	B	5961B SE
BXG381F	AC	- - - -	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, SILICON; NPN,SILICON ***	0	B	5961B SE
BXG389Y	AC	- - - -	2	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, SILICON; SILICON, PNP, HIGH VOLTAGE, AF POWER, TO-39	0	B	5961B SE
CEM037H	AL	F-A-29-201-000	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, NPN/SILICON, 3 UNINSULATED LEADS, , AUDIO OUTPUT, DRIVER, FOR AMPLIFIER AND SWITCHING APPLICATIONS,	2	B	5961B SE
CEW174C	AC	- - - -	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, *TYPICAL, TYPE: MOS/FET *** DUAL P-CHANNEL ENHANCEMENT	2	B	5961B SE
AAQ781J	AL	L-A-03-000-002	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, NPN, 2 WIRE LEAD, TRANSISTOR, ; SILICON, NPN, AF POWER, TO-3 PKG, TWO UNINSULATED WIRE	3	P	5961B SE
AAQ880V	AL	L-A-13-000-002	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, NPN, HIGH VOLTAGE, TO-8 PKG, THREE UNINSULATED	3	P	5961B SE
AAR004L	AL	L-A-09-000-002	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; GERMANIUM, PNP, AF HIGH POWER,TO-36 PKG, TWO CONTACT	3	P	5961B SE
AAR008C	AL	L-A-09-000-002	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, PNP, AF HIGH POWER, TO-126 PKG, THREE	3	P	5961B SE
AAR109F	AL	L-A-09-000-002	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; ELEC ***	0	P	5961B SE
AAR202R	AL	L-A-09-000-002	5	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, DUAL PURPOSE AMPLIFIER, SIX LEADS, HERMETICALLY	3	P	5961B SE
AAR500W	AL	L-A-09-000-002	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; FOR 5050B DIGITAL RECORDER ***	0	P	5961B SE
AAR600Q	AL	L-A-09-000-002	2	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, JUNCTION CONTACT, NPNMETAL ENCLOSURE, THREE	0	P	5961B SE
AAR705Y	AL	L-A-09-000-002	10	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, NPN, RF/AF OSC/AMP, TO-18 PKG, THREE CONTACT	3	P	5961B SE
AAR809J	AL	L-A-09-000-002	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, FET, JUNCTION, N- CHANNEL, TO-92 PKG, THREE	3	P	5961B SE
ABQ088H	AL	L-A-09-000-002	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***	3	P	5961B SE
ABQ184Y	AL	L-A-09-000-002	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, NPN, AF MEDIUM POWER,TO-39 PKG, THREE CONTACT	3	P	5961B SE
ABQ684A	AL	L-A-09-000-002	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, NPN, HIGH VOLTAGE AMPLIFIER/SWITCHING, TO-61	3	P	5961B SE
ABQ789V	AL	L-A-03-000-002	20	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ELECTRONIC; SILICON, AF MEDIUM POWER, TO-39 PKG, THREE	2	P	5961B SE
ABR103M	AL	L-A-03-000-002	15	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON, NPN, VIDEO, IF AMPLIFIER, TO-18 PKG	0	B	5961B SE
ABR107D	AL	L-A-03-000-002	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; GERMANIUM, NPN, AF LOW POWER, TO-39, THREE UNINSULATED	3	P	5961B SE
ABR507W	AL	L-A-03-000-002	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; ELEC ***	0	P	5961B SE
ABR600J	AL	L-A-09-000-002	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; GERMANIUM, PNP, AF LOW POWER, TO-1 PKG, THREE	3	P	5961B SE
ABR806J	AL	L-A-09-000-002	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; GERMANIUM, PNP, SWITCHING/AF, TO-3 PKG, TWO CONTACT	3	P	5961B SE
ABR907C	AL	L-A-09-000-002	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; ELEC ***	0	P	5961B SE
ACQ088B	AL	L-A-09-000-002	10	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, NPN, AF/RF/CB SHORT WAVE, TO-5 PKG, TWO CONTACT	3	P	5961B SE
ACQ188G	AL	L-A-09-000-002	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, NPN, JUNCTION CONTACT THREADED STUD MOUNTING	3	P	5961B SE
ACQ189E	AL	L-A-03-000-002	13	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON, PNP, AF MEDIUM POWER, TO-39 PKG	0	P	5961B SE
ACQ681A	AL	L-A-03-000-002	13	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, JUNCTION CONTACT, NPNTHREE UNINSULATED WIRE	0	P	5961B SE
ACQ687X	AL	L-A-09-000-002	9	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***	3	P	5961B SE
ACQ885R	AL	L-A-09-000-002	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, NPN, AF/RF AMPLIFIER,TO-18 PKG, THREE	0	P	5961B SE
ACQ885R	AL	M-A-16-000-002	10	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, NPN, AF/RF AMPLIFIER,TO-18 PKG, THREE	0	P	5961B SE
ACQ984P	AL	L-A-09-000-002	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***	3	P	5961B SE
ACQ987H	AL	L-A-09-000-002	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***	3	P	5961B SE
ACR201F	AL	L-A-03-000-002	18	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ELECTRONIC; SILICON, JUNCTION CONTACT,NPN,THREE	2	P	5961B SE
ACR505T	AL	L-A-03-000-002	2	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, DUAL, N-CHANNEL, JFETSIX WIRE LEAD TERMINALS	0	P	5961B SE
ACR704L	AL	L-A-09-000-002	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***	3	P	5961B SE
ADQ084D	AL	L-A-09-000-002	15	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***	3	P	5961B SE
ADQ886H	AL	M-A-02-000-002	18	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; SILICON, NPN, HIGH VOLTAGE, TO-39 PKG, THREE CONTACT	2	P	5961B SE
ADQ887F	AL	L-A-09-000-002	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***	3	P	5961B SE
ADQ888D	AL	L-A-09-000-002	12	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; NPN ***	3	P	5961B SE
ADR101D	AL	L-A-09-000-002	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; ELEC ***	0	P	5961B SE
ADR300J	AL	M-A-10-000-002	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; SILICON, FET, N-CHANNEL JUNCTION CONTACT, METAL	2	P	5961B SE
ADR400E	AL	L-A-03-000-002	2	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***	3	P	5961B SE
ADR503Q	AL	L-A-03-000-002	28	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON, POWER, VIDEO AMPLIFIER, TO-39, THREE	0	P	5961B SE
AEQ089W	AL	L-A-09-000-002	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***	3	P	5961B SE
AEQ584V	AL	L-A-09-000-002	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, N-CHANNEL FET, THREE UNINSULATED WIRE LEADS	3	P	5961B SE
AEQ682V	AL	L-A-09-000-002	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; ELEC ***	0	P	5961B SE
AEQ686K	AL	M-A-10-000-002	5	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ELECTRONIC; SILICON, PNP, POWER, TO-39 PKGTHREE	2	P	5961B SE
AEQ886B	AL	L-A-09-000-002	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, PNP, AM/FM RF, TO-92 PKG, THREE UNINSULATED	3	P	5961B SE

AFQ286X	AL	L-A-03-000-002	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, JFET N-CHANNEL, THREEUNINSULATED WIRE LEADS	3	P	5961B SE
AFQ485P	AL	L-A-09-000-002	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, NPN, AF MEDIUM POWER, TO-39 PKG, THREE CONTACT	3	P	5961B SE
AFQ686D	AL	L-A-09-000-002	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***	3	P	5961B SE
AFQ687B	AL	L-A-09-000-002	25	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; ELEC ***	0	P	5961B SE
AFQ980Q	AL	M-A-16-000-002	12	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, FET, N-CHANNEL, RF AMPLIFIER, THREE UNINSULATED	0	P	5961B SE
AFR003P	AL	L-A-09-000-002	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, PNP, FOR 5050B DIGITAL RECORDER ***	0	P	5961B SE
AFR103W	AL	L-A-09-000-002	2	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; FIELD EFFECT ***	0	P	5961B SE
AFR203Q	AL	L-A-13-000-002	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, NPN, FOR 5050B DIGITAL RECORDER ***	0	P	5961B SE
AFR302N	AL	L-A-09-000-002	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, NPN, HIGH VOLTAGE, AF POWER OUT, TO-3 PKG, TWO	0	P	5961B SE
AFR303L	AL	L-A-09-000-002	10	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, P31, FOR DIESEL GENERATOR ANNUNCIATOR	0	P	5961B SE
AFR305G	AL	L-A-03-000-002	5	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; ELEC ***	0	P	5961B SE
AFR502E	AL	L-A-09-000-002	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, PNP, JUNCTION CONTACTOUTPUT VIDEO AMPLIFIER	0	P	5961B SE
AFR902X	AL	L-A-09-000-002	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; ELEC ***	0	P	5961B SE
AFR903V	AL	L-A-09-000-002	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; FOR CONTAINMENT AIR MONITORING TRANSMATION TEMP	3	P	5961B SE
AFR905P	AL	L-A-03-000-002	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; ELEC ***	0	P	5961B SE
AGQ985W	AL	L-A-09-000-002	2	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON ***	0	P	5961B SE
AHQ081T	AL	L-A-09-000-002	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; FOR LAB SCALER, MODEL 8775 ***	0	P	5961B SE
AHQ087E	AL	L-A-09-000-002	2	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; ELEC ***	0	P	5961B SE
AHQ187K	AL	L-A-09-000-002	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; ELEC ***	0	P	5961B SE
AHQ381P	AL	L-A-09-000-002	7	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; FOR MANUAL LAB SCALER, MODEL 8775, SN 003458 ***	0	P	5961B SE
AMQ154A	AL	L-A-09-000-002	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; MATCHED PAIR ***	0	P	5961B SE
AMQ177X	AL	L-A-09-000-002	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***	3	P	5961B SE
AMQ374V	AL	L-A-09-000-002	8	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***	3	P	5961B SE
AMQ454X	AL	L-A-09-000-002	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; TD401 ***	3	P	5961B SE
AMQ478F	AL	L-A-09-000-002	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***	3	P	5961B SE
AMQ675D	AL	L-A-09-000-002	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; GERMANIUM, PNP, AF POWER OUTPUT, TO-3 PKG, TWO CONTACT	3	P	5961B SE
ANQ076L	AL	L-A-09-000-002	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; GERMANIUM, JUNCTION CONTACT, PNP, HERMETICALLY SEALED	3	P	5961B SE
ANQ079E	AL	L-A-09-000-002	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***	3	P	5961B SE
ANQ197H	AL	M-A-10-000-002	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; FOR TYPE 613 HM-HK2 D/P CELL TRANSMITTER, SN 978637 ***	2	P	5961B SE
ANQ374M	AL	L-A-09-000-002	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***	3	P	5961B SE
ANQ575B	AL	L-A-13-000-002	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; ELEC ***	0	P	5961B SE
ANQ778W	AL	L-A-03-000-002	7	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; GERMANIUM ***	0	P	5961B SE
APQ598Q	AL	L-A-09-000-002	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; (7313) ***	0	P	5961B SE
APQ895J	AL	L-A-03-000-002	18	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***	3	P	5961B SE
APQ897E	AL	L-A-09-000-002	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***	3	P	5961B SE
APY067G	AL	M-A-10-000-002	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; OVERLOAD, 0.94 AMP ***	2	P	5961B SE
APY167M	AL	M-A-10-000-002	10	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ELECTRONIC; SILICON, JUNCTION CONTACT, BLACK PLASTIC CASE	2	P	5961B SE
APY367D	AL	M-A-10-000-002	11	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; 1-POLE NO, 1-POLE NC, 600 VAC, 10 AMPS, WITH OPERATING	2	P	5961B SE
APY866T	AL	M-A-10-000-002	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; SILICON ***	2	P	5961B SE
APY966N	AL	M-A-10-000-002	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; POLE QTY 1, THROW POSN 2, FOR STROBEGRUAD III-A,TIRE	2	P	5961B SE
ARQ216M	AL	M-A-16-000-002	2	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; ELEC ***	2	P	5961B SE
ARW210Q	AL	M-A-10-000-002	2	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; ASM, TIP31C A7525 ***	2	P	5961B SE
ATY226D	AL	L-A-03-000-002	9	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON,NPN,JCT CONTACT ***	0	P	5961B SE
AVR354P	AL	L-A-03-000-002	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, NPN, UNIUNCTION, PULSE/TIMING/TRIGGER, TO-18	3	P	5961B SE
AVT527D	AL	L-A-03-000-002	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; DUAL ***	3	P	5961B SE
AVT528B	AL	L-A-03-000-002	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; DUAL ***	3	P	5961B SE
AVY013F	AL	L-A-03-000-002	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; PNP, HIGH VOLTAGE/HIGH CURRENTAMPLIFIER, TO-39 CASE ***	0	P	5961B SE
AWJ248L	AL	L-A-09-000-002	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, POWER, NPN, THREE PINS, VERSAWATT TYPE	0	P	5961B SE
AXA082N	AL	L-A-09-000-002	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, NPN ***	0	P	5961B SE
AXB685V	AL	L-A-13-000-002	5	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON, NPN, RF/AF, OSCILLATOR/AMPLIFIER	0	P	5961B SE
AXC992D	AL	T-A-01-000-002	50	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON ***	0	P	5961B SE
AXG607P	AL	M-A-16-000-002	12	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; SILICON ***	2	P	5961B SE
AXL685D	AL	M-A-10-000-002	5	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON, PNP, DARLINGTON, HIGHPOWER, TO-3 PKG	0	P	5961B SE
AXN615Q	AL	L-A-03-000-002	39	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON, JUNCTION, PNP, THREE UNINSULATED WIRE	0	P	5961B SE
BAC376J	AL	L-A-03-000-002	8	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; GERMAMIUM, PNP, AF HIGH POWER TO-3 PKG, HERMETICALLY	0	P	5961B SE
BAC878R	AL	L-A-03-000-002	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON, JUNCTION CONTACT, PNP PLASTIC	0	P	5961B SE
BAJ060H	AL	M-A-10-000-002	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; SILICON, JUNCTION CONTACT, PNP THREE UNINSULATED WIRE	2	P	5961B SE
BAP060P	AL	M-A-10-000-002	5	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, NPN, DARLINGTON, POWER AMPLIFIER TO-220 PKG	0	P	5961B SE
BAP117J	AL	L-A-03-000-002	11	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, RF/AF, OSC AMPLIFIER,TO-18 PKG, THREE	3	P	5961B SE
BAQ005G	AL	M-A-10-000-002	5	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ELECTRONIC; SILICON, FET, THREE UNINSULATED LEADS ***	2	P	5961B SE
BAY997L	AL	M-A-16-000-002	2	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; SILICON, JUNCTION CONTACT, NPN HERMETICALLY SEALED METAL	2	P	5961B SE
BBP373R	AL	L-A-03-000-002	29	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, NPN, GENERAL PURPOSE AMPLIFIER, PKG TO-92	0	P	5961B SE
BBP901V	AL	M-A-10-000-002	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; SILICON, PNP, AF/DEFLECTION, THREE UNINSULATED CONTACT	2	P	5961B SE
BCJ847R	AL	L-A-03-000-002	7	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, POWER, NPN ***	0	P	5961B SE
BCM618R	AL	L-A-09-000-002	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, NPN, LOW NOISE AMPLIFIER, TO-92 PKG, THREE	0	P	5961B SE
BDC778B	AL	M-A-10-000-002	10	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; SILICON, THREE UNINSULATED WIRE LEADS, HERMETICALLY	2	P	5961B SE
BDJ319D	AL	M-A-16-000-002	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; SILICON, AUDIO AMPLIFIER, NPN,THREE UNINSULATED WIRE	2	P	5961B SE
BDJ321T	AL	M-A-16-000-002	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; SILICON, AUDIO AMP, NPN, THREEUNINSULATED WIRE LEADS	2	P	5961B SE
BDJ341L	AL	M-A-16-000-002	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; SILICON, NPN, POWER SWITCH, LINEAR AMPLIFIER, TO-66 PKG	2	P	5961B SE
BJR611E	AL	L-A-03-000-002	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, NPN, DARLINGTON, 4 AMP, TO-66 PKG, TWO CONTACT	3	P	5961B SE
BMF693J	AL	L-A-13-000-002	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; CROSS REFERENCE LIST ECG169 PHILLIPS/SYLVANIA ***	0	P	5961B SE
BPW557B	AL	L-A-03-000-002	16	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, NPN/SILICON/RF LOW POWER, 200 MA, 3 LEADS, TRANSISTOR, ELECTRONIC; SILICON, NPN, RF LOW POWER, MAX COLL	3	B	5961B SE
BQH975B	AL	L-A-09-000-002	12	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; POWER ***	0	B	5961B SE
BTL624D	AL	L-A-09-000-002	5	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; REPAIR PART FOR EBERLINE CAM CONSOLE ***	0	C	5961B SE
BTL625B	AL	L-A-09-000-002	8	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; REPAIR PART FOR EBERLINE CAM CONSOLE ***	0	C	5961B SE

BVW751N	AL	L-A-03-000-002	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, SILICON; SILICON, PNP, TYPE XA55 (GPSA55M7), 60 VCEO, 5000	0	C	5961B SE
BXG364F	AL	L-A-13-000-002	10	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; FOR BIRD-EYE DETECTION SYSTEM ***	0	B	5961B SE
BXG381F	AL	L-A-13-000-002	9	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, SILICON; NPN,SILICON ***	0	B	5961B SE
BXG389Y	AL	L-A-13-000-002	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, SILICON; SILICON, PNP, HIGH VOLTAGE, AF POWER, TO-39	0	B	5961B SE
BXG537A	AL	L-A-03-000-002	8	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; GERMANIUM, PNP, RF/IF AMPLIFIER, TO-5 PKG	0	B	5961B SE
BXG733A	AL	L-A-09-000-002	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; ELEC ***	0	C	5961B SE
BXG747Y	AL	L-A-09-000-002	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, SILICON; DUAL SILICON ***	0	C	5961B SE
BXR008F	AL	L-A-09-000-002	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; ELECTRONIC ***	0	C	5961B SE
CAG399A	AL	M-A-01-000-002	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 1, TRANSISTOR, ELECTRONIC; FIELD INTERGRATED ***	1	B	5961B SE
CAY562H	AL	L-A-09-000-002	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, SILICON; FOR PLOTTER ***	3	B	5961B SE
CEF233R	AL	L-A-09-000-002	59	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, MOSFET; DUAL P-CHANNEL ENHANCEMENT MODE GENERAL PURPOSE	3	B	5961B SE
CEM038F	AL	L-A-03-000-002	18	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, PNP, 3 UNINSULATED LEADS, , SILICON, AUDIO OUTPUT, DRIVER, FOR AMPLIFIER AND SWITCHING	2	B	5961B SE
CEM046G	AL	L-A-03-000-002	12	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, PNP, 3 UNINSULATED LEADS, , SILICON, AUDIO AMPLIFIER, SWITCH, TYPE T092 CASE.	2	B	5961B SE
CEM047E	AL	L-A-03-000-002	23	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, NPN/SILICON, 3 UNINSULATED LEADS, , AUDIO AMPLIFIER, SWITCH, TYPE T092 CASE.	2	B	5961B SE
CEW174C	AL	L-A-09-000-002	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, *TYPICAL; TYPE: MOS/FET *** DUAL P-CHANNEL ENHANCEMENT	2	B	5961B SE
BBA456Q	AL	M-A-07-000-002	7	TRANSMISSION	TRANSMISSION, MECHANICAL, QA 2, TRANSMISSION ASSY, ; WITH MOTOR, FOR RECORDER, MODEL L11S2S ***	2	P	6695D SE
AVK600E	AL	1-B-08-000-001	3	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, PRESSURE; GAGE, ALPHALINE, RANGE 0-17 TO 0-100 PSIG, 4 TO	0	P	6695D SE
BAB834K	AL	D-A-32-201-001	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, PRESSURE; PNEUMATIC, INDICATING TYPE 4080-4, W/BRONZE	0	P	6695D SE
BDP496W	AL	A-A-01-000-001	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, PRESSURE; 0-125 TO 0-750 IN WATER, OUTPUT 4-20 MADC, WITH	0	P	6695D SE
BDX590H	AL	E-A-06-000-001	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, PRESSURE; SHAFT VIBRATION, STAINLESS STEEL, MECHANICAL	0	P	6695D SE
BF6200H	AL	A-A-01-000-001	2	TRANSMITTER	TRANSMITTER, FLOW, QA 3, TRANSMITTER, CURRENT; 4 TO 20 MAAC OUTPUT, 117 VAC, 0 TO 5 AMPS INPUT	3	P	6625D SE
BLY200A	AL	1-A-14-066-001	12	TRANSMITTER	TRANSMITTER, TYPICAL, QA 0, MULTIPLEX SIGNAL, TRA, ; MODULAR, 2800 HZ OPERATION, FOR TRANSMISSION	0	C	5840M SE
BMD425N	AL	D-B-07-101-001	2	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, PRESSURE; DIFFERENTIAL, 0-100 PSID, 10-50 MA OUTPUT	0	P	6695D SE
BMD429E	AL	F-A-07-201-000	2	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, PRESSURE; ALPHALINE GAGE, 0-50 TO 0-300 PSIG, 10-50 MA	0	P	6695D SE
BNH269F	AL	A-A-01-000-001	4	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; GAGE, 0-500 TO 0-3000 PSIG, 10 TO 50 MA OUTPUT	1	P	6695D SE
BNQ146V	AL	D-B-07-101-002	2	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, PRESSURE; DIFFERENTIAL. ***	0	P	6695D SE
BPD520V	AL	F-A-29-101-000	9	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; DELICATE INSTRUMENTS, WITH POWER SUPPLY ***	1		6695D SE
BRC735K	AL	F-B-10-101-000	1	TRANSMITTER	TRANSMITTER, FLOW, QA 3, TRANSMITTER, RATE OF FLOW; FLOW TRANSMITTER, INPUT 0-5 IN H20, OUTPUT	3	B	6695D SE
BRK132E	AL	D-B-07-202-002	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 3, TRANSMITTER, PRESSURE; DIFFERENTIAL ***	3	B	6695D SE
BRK132E	AL	F-A-19-201-000	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 3, TRANSMITTER, PRESSURE; DIFFERENTIAL ***	3	B	6695D SE
BWF207C	AL	F-A-26-101-000	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; DIFFERENTIAL,STAINLESS STEEL CASE,WEATHERPROOF	1	B	6695D SE
BWR218J	AL	A-A-01-000-001	2	TRANSMITTER	TRANSMITTER, TYPICAL, QA 3, TRANSMITTER, RADIATION; ISOLATOR,FOR USE IN RM-80 ***	3	B	6630D SE
BWX441T	AL	A-A-01-000-001	2	TRANSMITTER	TRANSMITTER, PRESSURE, QA 3, TRANSMITTER, PRESSURE; 0-125 TO 0-750 IN WATER,OUTPUT 4-20 MADC,WITH	3	B	6695D SE
CDB745Q	AL	A-A-01-000-001	1	TRANSMITTER	TRANSMITTER, FLOW, QA 0, TRANSMITTER, FLOW; DIFF PRESS RANGE 0-150" WATER, DESIGN PRESSURE 966	0	B	6695D SE
CEA032L	AL	A-A-01-000-001	2	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, DIFFERENTIAL, 11-55 VDC, 4-20 MA, 0-2.5-0-250 IN H20, FLANGED, TWO WIRE 4-20MA	0	B	6695D SE
CLE164J	AL	D-A-18-402-002	1	TRANSMITTER	TRANSMITTER, TYPICAL, QA 1, HUMIDITY, COMPLETE WITH MOISTURE ELEMENT/SENSOR, MODIFIED FOR CREVS INSTALLATION	1	B	5935P SE
ACW855E	TR	- - - -	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; ELECTRONIC, DIFFERENTIAL STYLEA, CALIBRATED 10	1	P	6695D SE
ALW528C	AL	M-A-03-000-002	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, PRESSURE; PNEUMATIC,DIFFERENTIAL, RANGE 0 TO 300,S/N	0	P	6695D SE
ARA601V	AL	M-A-10-000-002	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 2, TRANSMITTER, PRESSURE; DIFFERENTIAL, PNEUMATIC, 3 TO 15 PSIG, 0 TO 0.5	2	P	6695D SE
ARA601V	AL	M-A-13-000-002	4	TRANSMITTER	TRANSMITTER, PRESSURE, QA 2, TRANSMITTER, PRESSURE; DIFFERENTIAL, PNEUMATIC, 3 TO 15 PSIG, 0 TO 0.5	2	P	6695D SE
AWX836A	AL	P-A-LL-ET0-055	4	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, 85 VDC, 10-50 MADC, 0-500-0-3000 PSI, 3000 PSI, TRANSMITTER, PRESSURE; ALPHALINE, 0-500 TO 0-3000 PSIG, OUTPUT	0	P	6695D SE
AXY731D	AL	L-A-03-000-002	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, GAGE, 85 VDC, 10-50 MA, 0-150 IN H20, 316 SST, PANEL MOUNT BRACKET, FLANGE ADAPTER, SPECIAL CLEANING	0	P	6695D SE
AXY732B	AL	M-A-07-000-002	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, ABSOLUTE, 10-50 MADC, 0-50-0-300 PSI, WITH FIXED DAMPING, 316 STAINLESS, PANEL MOUNT BRACKET,	0	P	6695D SE
AYL805Q	AL	M-A-08-000-002	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, PRESSURE; OIL PRESSURE, FOR ENGINE ON SECURTIY DIESEL	0	P	6695D SE
AYL806N	AC	- - - -	1	TRANSMITTER	TRANSMITTER, TEMPERATURE, QA 0, TRANSMITTER, TEMP,ELEC RESISTANCE; WATER, FOR ENGINE ON SECURITY	0	P	6695D SE
BBP469C	AL	L-A-03-000-002	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 3, TRANSMITTER, PRESSURE; FOR RECORDER, PNEUMATIC, CONSOTROL, 53 AND 54	3	P	6695D SE
BDV395E	AL	V-A-15-000-002	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, DIFFERENTIAL/EXACTOR, 3-15 PSIG, 0-30 PSIG, TRANSMITTER, PRESSURE; EXACTOR, VELOCITY, DIFFERENTIAL, 3 TO 15 PSI	0	P	6630D SE
BHG454Q	AL	M-A-13-000-002	7	TRANSMITTER	TRANSMITTER, TYPICAL, QA 0, TRANSMITTER-RECEIVER, ASSY; TELEPHONE, TYPE 680 AE, WITH D85-87	0	P	5805M SE
BLC610J	AL	L-A-03-000-002	6	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; ALPHALINE NUCLEAR, DIFFERENTIAL, MWP 2000 PSIG	1	B	6695D SE
BLC705W	AL	T-A-01-000-002	5	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; DIFFERENTIAL, PNEUMATIC, 3 TO 15 PSIG OUTPUT, 0	1	P	6695D SE
BLD029V	AL	T-A-06-000-002	2	TRANSMITTER	TRANSMITTER, FLOW, QA 0, TRANSMITTER, ; FLOW INDICATINGF, MAPCO MODEL 8000A WITH DIRECT READING	0	P	6695D SE
BMD423T	AL	M-A-15-000-002	5	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, DIFFERENTIAL, 10-50 MA, 0-25-0-150 IN H20, TRANSMITTER, PRESSURE; DIFFERENTIAL, 0-25 TO 0-150 INOF WATER, 10 TO	0	B	6695D SE
BMD897C	AL	M-A-06-000-002	1	TRANSMITTER	TRANSMITTER, TYPICAL, QA 0, TRANSMITTER, FREQUENCY; MULTIPLEX SIGNAL, MODULAR "A" FREQUENCY 2800	0	P	6695D SE
BMF681R	AL	L-A-02-000-002	2	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, DIFFERENTIAL, 85 VDC, 10-50 MADC, 0-30 IN H20, 2000 PSI, 1/4 IN NPT, TRANSMITTER, PRESSURE; DIFFERENTIAL, 85 VD	0	B	6695D SE
BNH268H	AL	M-A-04-000-002	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; GAGE, 0-170 TO 0-1000 PSIG, 10 TO 50 MA OUTPUT	1	P	6695D SE
BQJ647P	AL	L-A-15-000-002	7	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, ALPHALINE/NUCLEAR, 4-20 MA, 0-170-0-1000 PSI, 1/4 IN NPT, 0-170 TO 0-1000 PSIG, OUTPUT 4-20 MA STANDARD,	1	B	6695D SE
BRT581C	AL	L-A-09-000-002	1	TRANSMITTER	TRANSMITTER, TYPICAL, QA 3, TRANSMITTER, CURRENT; ELECTRICAL INPUT SPANS BETWEEN 5 & 50	3	B	6625D SE
BRX499D	AL	R-A-07-000-002	2	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, DIFFERENTIAL, 10-50 MADC, 0-50 IN H20, TRANSMITTER, PRESSURE; DIFFERENTIAL PRESSURE, D. P. RANGE 0 - 50"H20,	1	B	6695D SE
BRX501N	AL	O-A-03-000-002	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; OUTPUT SIGNAL 10 TO 50 MA DC. ***	1	C	6695D SE
BRX501N	AL	L-A-07-000-002	2	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; OUTPUT SIGNAL 10 TO 50 MA DC. ***	1	C	6695D SE
BRX682N	AC	- - - -	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; SIGNAL OUTPUT 10 TO 50 MA DC. ***	1	C	6695D SE
BVA291V	AL	L-A-04-000-002	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; DIFFERENTIAL, PRESSURE RANGE 0-20 TO 0-100	1	B	6695D SE
BWW959P	AL	M-A-12-000-002	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, PRESSURE; 0-500 PSIG ***	0	B	6695D SE
CBD983A	AL	L-A-03-000-002	2	TRANSMITTER	TRANSMITTER, FLOW, QA 3, 4-20 MA, 0-5.2731 MLBHR, 0-125.7 PSID, , MAIN STEAMLINE A,B,C D	3	B	6695D SE
CDX406K	AL	M-A-03-000-002	5	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, DIFFERENTIAL PRESS; 0-750 PSI ***	0	B	6695D SE
CDX416F	AL	M-A-03-000-002	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, DIFFERENTIAL PRESS; MODEL E13DM, RANGE 50-100", 2-LT-004	0	B	6695D SE
CEJ803V	AL	L-A-07-000-002	2	TRANSMITTER	TRANSMITTER, PRESSURE, QA 3, ELECTRONIC, 4-20 MA, *** RANGES ADJUSTABLE FROM 0-3.5 TO 0-42 MPA (0-500 TO 0-6000 PSI)	3	B	6695D SE
CEL621N	AL	I-A-17-000-002	1	TRANSMITTER	TRANSMITTER, FLOW, QA 0, CURRENT, 0-25 IN H2O, 4-20 MA, PRIMARY AIR DELTA PRESSURE	0		6695D SE
CFE184B	AC	- - - -	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 3, DIFFERENTIAL, *** WITH 120 VAC POWER INPUT TRANSFORMER	3	B	6630D SE
CFG636P	AL	L-A-13-000-002	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, ALPHALINE/GAGE, 0.125 - 0.750 IN H2O, 10-50 MADC, TRANSMITTER, PRESSURE; TYPE: ALPHALINE/GAGE; INPUT: 0.125 TO	0	B	6695D SE
AEG891V	AL	D-A-02-102-008	8	TRAP	TRAP, STEAM, QA 0, 3/8 IN, 600 PSIG, CAST IRON, TRAP, STEAM; SIZE: 00.375000 (3/8), MATERIAL: CAST IRON OPERATING	0		4730P SE
AEY551C	AL	D-A-02-102-008	3	TRAP	TRAP, STEAM, QA 0, BUCKET, 3/4 IN 460C AND 461C, 150 PSIG, FNPT, CARBON STEEL, TRAP, STEAM; SIZE: 00.750000 (3/4), MATERIAL: CARBON STEEL E	0		4730P SE
AGG488L	AL	D-A-37-302-001	4	TRAP	TRAP, WATER, QA 0, 1-1/2 IN, BRASS, SOCKETWELD, TRAP, DRAIN,FLUMBING; P-TRAP, BRASS, STANDARD MILL FINISH, FIRST/IDENT	0		4730P SE
AHE983E	AL	D-A-02-102-002	5	TRAP	TRAP, STEAM, QA 0, TRAP, MOISTURE; EXHAUST FILTER & OIL, FOR VACUUM PUMP, MODEL 0211-V36A	0	P	4730P SE
ARH252M	AL	A-A-01-000-001	2	TRAP	TRAP, STEAM, QA 0, THERMOSTATIC, 1/2 IN, 250 PSI/400 DEG F, FNPT, CAST IRON, TRAP, STEAM; SIZE: 00.500000 (1/2), MATERIAL: CAST IRON, END T	0	P	4730P SE

BNB880D	AL	A-A-01-000-001	2	TRAP	TRAP, TYPICAL, QA 0, TRAP, GREASE; 2 INCH INLET & OUTLET ***	0	P	4710W SE
BYJ627Q	TR	- - -	1	TRAP	TRAP, WATER, QA 0, TRAP, WATER; CONDENSATE, STANDARD, FOR 1CV SERVICE AIR COMPRESSOR ***	0	C	4730P SE
BKR520N	AL	L-A-03-000-002	4	TRAP	TRAP, AIR, QA 3, TRAP, MOISTURE; 0.50 IN, 250 PSI @ 450 DEG F, 5.11 IN WIDE X 6.0 IN	3	P	4730P SE
BLA511K	AL	L-A-01-000-002	5	TRAP	TRAP, TYPICAL, QA 0, TRAP, ; OIL, SIZE 7 ***	0	P	5950N SE
BPN177L	AL	T-A-01-000-002	1	TRAP	TRAP, STEAM, QA 2, TRAP, STEAM; CONDENSATE, ARMSTRONG MACHINE WORKS MODEL 212, REF NO	2	C	4730P SE
CDK651Q	AL	L-A-07-000-002	2	TRAP	TRAP, STEAM, QA 3, TRAP, STEAM; SIZE: 01.000000 (1), MATERIAL: CARBON STEEL, END TYPE:	3	C	4730P SE
BRD688W	AL	L-A-09-000-002	1	TRAY	TRAY, TYPICAL, QA 0, TRAY, STORAGE; PAPER ROLL ***	0	C	7510U SE
ABJ257W	AL	D-A-32-104-001	1	TRIM	TRIM, VALVE, QA 3, STEM ASSY, VALVE; C/O COMPRESSOR, CAST IRON, P/N 001407, SPIRAL PIN	3	P	48200 SE
ATB100J	AL	A-A-01-000-001	4	TRIM	TRIM, VALVE, QA 0, STEM, VALVE; M-FORM,C/O PIN,PLUG,AND STEM, FOR CONTROL.000.500-002.000	0	P	48200 SE
ATR201Q	AL	A-A-01-000-001	1	TRIM	TRIM, VALVE, QA 0, STEM, VALVE; COMPLETE WITH DISK, FOR 1.500 IN GLOBE VALVE, MODEL	0	P	48200 SE
ATR321D	AL	A-A-01-000-001	1	TRIM	TRIM, VALVE, QA 0, STEM, VALVE; CONSISTS OF PLUG 6175947-EF, STEM 6146484-EF, PIN	0	P	48200 SE
ATT968L	AL	A-A-01-000-001	2	TRIM	TRIM, VALVE, QA 0, CONSISTING OF STEM 7254A03A, DISK 0734A05A, DISK NUT 0754A04D AND	0	P	48200 SE
AVA330Y	AL	A-A-01-000-001	1	TRIM	TRIM, VALVE, QA 0, STEM, VALVE; STAINLESS STEEL, TYPE 316, WITH PIN 4322735072 AND PLUG	0	P	48200 SE
AVD929V	AL	A-A-01-000-001	1	TRIM	TRIM, VALVE, QA 0, STEM, VALVE; STEEL,CONSISTING OF DISK AND STEM,FOR 0.500 IN Y PATTERN	0	P	48200 SE
AVD930N	AL	A-A-01-000-001	1	TRIM	TRIM, VALVE, QA 0, STEM, VALVE; STEEL,CONSISTING OF STEM,DISK,LOCKNUT DISK,FOR 1.500 IN Y	0	P	48200 SE
AVD936Y	AL	A-A-01-000-001	1	TRIM	TRIM, VALVE, QA 0, STEM, VALVE; STEEL CONSISTING OF STEM,DISK,LOCKNUT DISK,FOR 1.250 IN Y	0	P	48200 SE
AVF342J	AL	A-A-01-000-001	1	TRIM	TRIM, VALVE, QA 0, STEM, VALVE; STEEL, W/PLUG, REF 7, FOR CAMFLEX CONTROL VALVE, 2 IN	0	P	48200 SE
AWE172G	AL	A-A-01-000-001	4	TRIM	TRIM, VALVE, QA 1, STEM ASSY, ; STAINLESS STEEL, DWG REF 2, C/O DISK DWG REF 4, STEM DWG	1	P	48200 SE
AWG870Q	AL	A-A-01-000-001	1	TRIM	TRIM, VALVE, QA 0, DISK ASSY, ; STEEL, C/O 1 EACH DISK REF 2, 1 EACH STEM REF 3, 2 EACH	0	P	48200 SE
AWH394E	AL	A-A-01-000-001	1	TRIM	TRIM, VALVE, QA 1, CLASS 2, DISK ASSY, VALVE; ALLOY STEEL, ASME SA 351 GR CF8M, C/O DISK	1	C	48200 SE
AWT692P	AL	A-A-01-000-001	4	TRIM	TRIM, VALVE, QA 0, GLOBE, 1/2 IN, 4000 PSI, 152A, DISC, STEM, SEAT, DISK ASSY, VALVE; STEEL, C/W STEM, FOR 000.500 IN GLOBE VALVE, FIG	0	P	48200 SE
AWT694K	AL	A-A-01-000-001	4	TRIM	TRIM, VALVE, QA 0, GLOBE, 3/4 IN, 4000 PSI, 152A, DISC, STEM, DISK ASSY, VALVE; STEEL, C/W STEM, FOR 000.750 IN GLOBE VALVE, FIG	0	P	48200 SE
AXJ155M	AL	A-A-01-000-001	1	TRIM	TRIM, VALVE, QA 0, STEM ASSY, ; STEEL, C/O PIN 110142, REF 5, DISK 110093, REF 3, STEM	0	P	48200 SE
AXJ220G	AL	A-A-01-000-001	1	TRIM	TRIM, VALVE, QA 1, STEM ASSY, ; STEEL, C/O TWO PINS, ASME SA564 GR 630, REF 5, ONE STEM	1	P	48200 SE
AXQ226R	AL	A-A-01-000-001	1	TRIM	TRIM, VALVE, QA 1, STEM ASSY, ; STAINLESS STEEL, TYPE 316, 001.000 IN, 001.312 IN	1	P	48200 SE
AXX377A	AL	A-A-01-000-001	2	TRIM	TRIM, VALVE, QA 0, STEM, VALVE; STAINLESS STEEL, WITH PLUG, FOR MICROPAC GLOBE VALVE	0	P	48200 SE
AYT918B	AL	D-A-15-401-003	1	TRIM	TRIM, VALVE, QA 0, GLOBE, 3 IN, PLUG, STEM, GROOVE PIN, STEM ASSY, ; STEEL, REF 49, C/O STEM, 10A9265X602, PLUG, 24A114X012	0	C	48200 SE
BCQ785N	AL	A-A-01-000-001	2	TRIM	TRIM, VALVE, QA 3, STEM ASSY, ; STEEL, W/DISK, REF 3, 4, AND 5FOR GLOBE VALVE, 1 IN	3	P	48200 SE
BEQ123R	AL	D-B-14-000-001	1	TRIM	TRIM, VALVE, QA 0, TRIM ASSY, VALVE; C/O PLUG, REF 16, SLEEVE, REF 13, AND STEM S/A, REF	0	P	48200 SE
BNN995P	AL	A-A-01-000-001	5	TRIM	TRIM, VALVE, QA 1, STEM ASSY, VALVE; CONSISTING OF STEM, DISC, DISCGUIDE, DISC STEM HEAD	1	P	48200 SE
BRQ804X	AL	F-A-23-000-001	2	TRIM	TRIM, VALVE, QA 1, CLASS 1, STEM ASSY, VALVE; STEM/WEDGE ASSY,SOLID STELLITE AMS5387,FOR 1 INCH	1	B	48200 SE
BTH299D	AL	F-A-26-101-000	3	TRIM	TRIM, VALVE, QA 3, STEM ASSY, VALVE; COMPLETE WITH DISC,DB1402, DISC SEAT RING D25878	3	B	48200 SE
BVL307L	AL	A-A-01-000-001	2	TRIM	TRIM, VALVE, QA 3, STEM ASSY, VALVE; WITH BACKSEAT, AND FLOW GUIDE, STAINLESS STEEL, REF	3	B	48200 SE
BVL307L	AL	F-A-31-301-000	2	TRIM	TRIM, VALVE, QA 3, STEM ASSY, VALVE; WITH BACKSEAT, AND FLOW GUIDE, STAINLESS STEEL, REF	3	B	48200 SE
BVR687L	AL	A-A-01-000-001	8	TRIM	TRIM, VALVE, QA 0, GLOBE, 1/2 IN, STEM, DISC, STEM ASSY, VALVE; COMPLETE WITH DISC, S.STEEL, FOR 1/2" 600 LB. MOD	0	B	48200 SE
BXP443F	AL	A-A-01-000-001	1	TRIM	TRIM, VALVE, QA 1, CLASS 2, STEM ASSY, VALVE; STEEL, W/DISK, REF 3,4,AND 5, FOR GLOBE VALVE	1	C	48200 SE
BXT421A	AL	A-A-01-000-001	40	TRIM	TRIM, LOCKSET, QA 3, TRIM, DOOR LOCKSET; FULL WORKING, NO CYLINDER, PLAIN KNOB ONLY ***	3	B	4710Y SE
BYA256B	AL	A-A-01-000-001	10	TRIM	TRIM, VALVE, QA 1, CLASS 3, STEM ASSY, VALVE; CHECK VALVE, EXCESS FLOW DIESEL AIR SYSTEM DISC TO	1	B	48200 SE
CAJ266K	AL	A-A-01-000-001	10	TRIM	TRIM, LOCKSET, QA 3, TRIM, DOOR LOCKSET; HEAVY DUTY, US26D,WITH # 32 KNOB SPINDLES 4-5/8 IN	3	B	4710Y SE
CDC005L	AL	D-B-33-060-001	2	TRIM	TRIM, VALVE, QA 0, TRIM ASSY, VALVE; 420 SST, FOR 8 IN COPEX-VULCAN MODEL D-100-160,900	0	B	48200 SE
CFF415D	AL	D-B-17-201-001	2	TRIM	TRIM, VALVE, QA 0, TRIM, VALVE *** BADGER METER, VALVE TRIM ASSEMBLIES (P/N 542328-0003)	0		48200 SE
ABJ456N	AL	M-A-08-000-002	1	TRIM	TRIM, VALVE, QA 2, STEM, VALVE; C/W SPINDLE, STOP COLLAR, SPINDLE NUT, FOR DIAPHRAGM	2	P	48200 SE
ACJ574A	AL	L-A-13-000-002	1	TRIM	TRIM, VALVE, QA 1, DISK ASSY, ; VALVE, C/W STEM 103700, DISK 103701 & GUIDE 103699, FOR	1	P	48200 SE
AFJ537X	AL	L-A-15-000-002	2	TRIM	TRIM, VALVE, QA 0, STOP, 10 IN X 8 IN X 10 IN, PLUG, STEM, VALVE; C/O STEM REF 10 AND PLUG REF 2FOR STOP VALVE,CAT	0	P	48200 SE
ARM362R	AL	M-A-08-000-002	1	TRIM	TRIM, VALVE, QA 0, 2 IN, PLUG, STEM, VALVE; PLUG,000.500 X 012.250 IN,FOR SIZE 40 ACTUATOR,002.000	0	P	48200 SE
ATD170H	AL	L-A-03-000-002	2	TRIM	TRIM, VALVE, QA 0, VALVE/DISC, (1) COTTER PIN, NUT, DISK ASSY, VALVE; CONSISTING OF 1 EA DISC, ITEM 28, PN 73E0136V0010	0	B	48200 SE
ATL350B	AL	M-A-16-000-002	2	TRIM	TRIM, VALVE, QA 1, STEM, VALVE; 8.500 IN LG, 0.375 IN DIA, COMPLETE WITH BALL, STAINLESS	1	P	48200 SE
AWE166B	AL	M-A-15-000-002	3	TRIM	TRIM, VALVE, QA 1, DISK ASSY, VALVE; STEEL, C/O DISK DWG REF 2, DISC NUT DWG REF 3 & STEM	1	P	48200 SE
AWE172G	AL	M-A-04-000-002	4	TRIM	TRIM, VALVE, QA 1, STEM ASSY, ; STAINLESS STEEL, DWG REF 2, C/O DISK DWG REF 4, STEM DWG	1	P	48200 SE
AWP537K	AL	M-A-15-000-002	2	TRIM	TRIM, VALVE, QA 1, CLASS 2, DISK ASSY, VALVE; DWG 2601-376, CONSISTING OF DISC, P/N 2108-301, REF	1	B	48200 SE
AXD506D	AL	P-A-LL-ET0-063	2	TRIM	TRIM, VALVE, QA 0, GLOBE, 3 IN, PLUG, STEM, GROOVE PIN, STEM ASSY, ; STAINLESS STEEL TYPE 420, C/O STEM, PLUG, AND GROOVE PIN	0	C	48200 SE
AYP049B	AL	M-A-16-000-002	2	TRIM	TRIM, VALVE, QA 1, STEM ASSY, VALVE; STAINLESS STEEL, W/DISK, FOR GLOBE VALVE, 0.5 IN	1	P	48200 SE
BAX839C	AL	M-A-06-000-002	2	TRIM	TRIM, VALVE, QA 1, STEM ASSY, ; W/PLUG, STAINLESS STEEL TYPE 316, C/O DISK, P/N	1	P	48200 SE
BAY465N	AL	M-A-01-000-002	1	TRIM	TRIM, VALVE, QA 1, CLASS 3, STEM ASSY, VALVE; STAINLESS STEEL TYPE 316, C/O ONE EACH STEM, P/N	1	B	48200 SE
BAY984X	AL	M-A-06-000-002	2	TRIM	TRIM, VALVE, QA 1, STEM ASSY, ; STAINLESS STEEL TYPE 316, C/O ONE EACH STEM, P/N	1	P	48200 SE
BDB469X	AL	T-A-06-000-002	2	TRIM	TRIM, VALVE, QA 1, TRIM ASSY, VALVE; C/O TWO EACH STAINLESS STEEL ASTM A276 TYPE 316L	1	P	48200 SE
BDX940G	AL	M-A-13-000-002	1	TRIM	TRIM, VALVE, QA 0, STEM ASSY, VALVE; W/DISK, FOR GLOBE VALVE, 10 INANSI 900, CARBON STEEL	0	P	48200 SE
BDY673W	AL	P-A-LL-ET0-063	10	TRIM	TRIM, VALVE, QA 1, GLOBE, 2 IN, 600 PSI, 5500W, DISC, STEM, DISC NUT, LOCKING RING, STEM ASSY, ; C/O STEM, DISK, P/N 7062401-0S407, DISK-NUT	1	C	48200 SE
BEB843R	AL	M-A-03-000-002	1	TRIM	TRIM, VALVE, QA 1, CORE, VALVE; MOVEABLE, STAINLESS STEEL, FOR SOLENOID VALVE MODEL	1	P	48200 SE
BEB843R	AL	M-A-01-000-002	8	TRIM	TRIM, VALVE, QA 1, CORE, VALVE; MOVEABLE, STAINLESS STEEL, FOR SOLENOID VALVE MODEL	1	P	48200 SE
BEK481Q	AL	L-A-03-000-002	1	TRIM	TRIM, VALVE, QA 0, 4 IN, 285 PSI, DISC, STEM, PIN, STEM ASSY, VALVE; W/DISK AND PIN, DWG 2601-325XXX-304, FOR VALVE 4 IN	0	C	48200 SE
BEV000X	AL	M-A-15-000-002	2	TRIM	TRIM, VALVE, QA 0, TRIM ASSY, VALVE; C/O VARI-SEAL, STEM, ROLL PIN,PLUG, SEAT RING	0		48200 SE
BHB292J	AL	M-A-16-000-002	4	TRIM	TRIM, VALVE, QA 1, STEM ASSY, ; C/O ONE EACH STEM, STAINLESS STEEL ASTM A276 TY 316, P/N	1	P	48200 SE
BJR063A	AL	T-A-01-000-002	2	TRIM	TRIM, VALVE, QA 1, DISK ASSY, VALVE; C/O DISK, STEM, AND PIN, FOR CONTROL VALVE ASSY, 10	1	P	48200 SE
BKR194X	AL	M-A-15-000-002	3	TRIM	TRIM, VALVE, QA 1, DISK ASSY, VALVE; C/O DISK, STEM, PIN, PC NO 6, 8,10 PER REF.DWG	1		48200 SE
BND697E	AL	M-A-15-000-002	4	TRIM	TRIM, VALVE, QA 1, DISK ASSY, VALVE; C/O DISK, STEM, AND PIN, FOR BUTTERFLY VALVE, 8 IN	1		48200 SE
BPH392A	AL	M-A-16-000-002	2	TRIM	TRIM, VALVE, QA 1, STEM ASSY, VALVE; WITH WEDGE,FOR 2 IN GATE VALVE,T-TYPE, MANUAL	1	P	48200 SE
BRQ804X	AL	M-A-01-000-002	1	TRIM	TRIM, VALVE, QA 1, CLASS 1, STEM ASSY, VALVE; STEM/WEDGE ASSY,SOLID STELLITE AMS5387,FOR 1 INCH	1	B	48200 SE
BWP995D	AL	T-A-04-000-002	1	TRIM	TRIM, VALVE, QA 1, CLASS 3, STEM ASSY, VALVE; C/W DISC, ITEM 11, FOR 4 IN Y TYPE GLOBE VALVE 900	1	B	48200 SE
BNQ309T	AL	F-A-17-201-000	2	TRIP	TRIP, MECHANICAL, QA 1, BISTABLE, , FOR EX-CORE NEUTRON FLUX MONITORING INSTRUMENTATION	1	P	6630D SE
BNQ310L	AL	F-A-21-101-001	1	TRIP	TRIP, MECHANICAL, QA 1, BISTABLE, , FOR EX-CORE NEUTRON FLUX MONITORING INSTRUMENTATION	1	B	6630D SE
BBF667H	AL	T-A-06-000-002	1	TRIP	TRIP, MECHANICAL, QA 0, TRIP ASSY, ; OVERSPEED, C/O HOUSING ASSEMBLY & OVERSPEED TRIP	0	P	2825G SE
BHP210W	AL	L-A-04-000-002	1	TRIP	TRIP, MECHANICAL, QA 1, OVERSPEED TRIP, ; MECHANICAL, C/O HYDRAULIC CYLINDER WITH PISTON	1	B	2825G SE
BLT882W	AL	M-A-03-000-002	2	TRIP	TRIP, MECHANICAL, QA 1, TRIP ASSY, ; SHUNT, FOR ITE 480 VOLT BREAKER, TYPE K-1600S, MODEL 01	1	P	5925B SE
BPF995M	AL	D-A-18-301-003	1	TRIP DEVICE	TRIP DEVICE, CIRCUIT BREAKER, QA 1, 400 AMPS AC, 1A, 2B, 1X, *** SHORT TIME DELAY 3.5X	1		5925B SE

BPF995M	AL	D-A-24-302-000	5	TRIP DEVICE	TRIP DEVICE, CIRCUIT BREAKER, QA 1, 400 AMPS AC, 1A, 2B, 1X, *** SHORT TIME DELAY 3.5X	1		5925B SE
BYW974F	AC	- - - -	3	TRIP DEVICE	TRIP DEVICE, CONTROLLER, QA 1, 4-20 MA, ** MASTER TRIP UNIT, SCALE 0 TO +60 INCHES	1	B	6695D SE
CBF674D	AL	F-A-05-102-000	3	TRIP DEVICE	TRIP DEVICE, CIRCUIT BREAKER, QA 0, OVERCURRENT, 125 AMPS AC, 1C, 4X, 4X, TRIP DEVICE, CIRCUIT BREAKER; SERIES OVERCURRENT, MAGNETIC, TYPE	0	B	5925B SE
CDG763W	AC	- - - -	1	TRIP DEVICE	TRIP DEVICE, CONTROLLER, QA 1, 4-20 MA, 0-1000 PSIG, *** MASTER TRIP UNIT.	1	B	6695D SE
CER363Q	AL	D-B-25-302-005	1	TRIP DEVICE	TRIP DEVICE, CIRCUIT BREAKER, QA 1, OVERCURRENT, 400 AMPS AC, 1B, 2B, 1X, 5X, 600 AMP, *** EC-1	1		5925B SE
CGH063Q	AL	D-A-21-201-001	2	TRIP DEVICE	TRIP DEVICE, CIRCUIT BREAKER, QA 3, OVERCURRENT, 400 AMPS AC, 1B, 2B, 1X, 3X, 600 AMP, EC-1, SHORT TIME DELAY BAND: 2B(2X - 5X)	3		5925B SE
BPL980L	AL	P-A-LL-ET0-108	1	TRIP DEVICE	TRIP DEVICE, CIRCUIT BREAKER, QA 1, TRIP DEVICE, CIRCUIT BREAKER; SHUNT, WITH COIL, RANGE 140 TO 280 VDC	1	B	5925B SE
CBF671K	AL	L-A-13-000-002	2	TRIP DEVICE	TRIP DEVICE, CIRCUIT BREAKER, QA 0, OVERCURRENT, 250 AMPS AC, 1A, 2C, TRIP DEVICE, CIRCUIT BREAKER; SERIES OVERCURRENT, MAGNETIC, TYPE EC-1	0	C	5925B SE
CDG763W	AC	- - - -	1	TRIP DEVICE	TRIP DEVICE, CONTROLLER, QA 1, 4-20 MA, 0-1000 PSIG, *** MASTER TRIP UNIT.	1	B	6695D SE
CED699L	AL	L-A-13-000-002	1	TRIP DEVICE	TRIP DEVICE, CIRCUIT BREAKER, QA 1, 250 AMPS AC, 250 AMP, TRIP DEVICE, CIRCUIT BREAKER; EC-2A, 250 AMP AC, LT DELAY	1	B	5925B SE
CEE429D	AL	L-A-13-000-002	8	TRIP DEVICE	TRIP DEVICE, CIRCUIT BREAKER, QA 1, TRIP DEVICE, CIRCUIT BREAKER; TYPE: CIRCUIT BREAKER; AMPS: 150 AMPS	1	B	5925B SE
CEL047K	AL	L-A-09-000-002	2	TRIP DEVICE	TRIP DEVICE, CIRCUIT BREAKER, QA 1, OVERCURRENT, 1600 AMPS DC, 1B, 2C, 1X, 5X, *** EC-1	1	P	5925B SE
CJM732F	AL	L-A-09-000-002	2	TRIP DEVICE	TRIP DEVICE, CIRCUIT BREAKER, QA 3, OVERCURRENT, 200 AMPS AC, 1A, 2B, 1X, 9X, EC-1, SHORT TIME DELAY BAND (4X - 10X)9X	3	C	5925B SE
ATN395Y	AL	M-A-08-000-002	2	TRIPPER	TRIPPER, MECHANICAL, QA 1, TRIPPER, ACTUATOR; CAM, FOR OPERATOR, SIZE SMB-000, DWG 01-403-0033-4; AND	1	P	48200 SE
BGL664Y	AL	M-A-06-000-002	12	TRIPPER	TRIPPER, MECHANICAL, QA 1, TRIPPER, ACTUATOR; LEVER, REF 15, FOR VALVE ACTUATOR, TYPE SMB-000	1	P	48200 SE
BJA768R	AL	M-A-16-000-002	10	TRIPPER	TRIPPER, MECHANICAL, QA 1, TRIPPER, CIRCUIT BREAKER; OVERCURRENT, MANUAL RESET, 4 CONTACT RATING	1	B	5925B SE
BJE289H	AL	T-A-06-000-002	2	TRIPPER	TRIPPER, MECHANICAL, QA 1, TRIPPER, CIRCUIT BREAKER; SHUNT, PANEL TYPE, F/TRAIN B, FOR RX TRIP	1	P	5925B SE
BJE290C	AL	T-A-06-000-002	1	TRIPPER	TRIPPER, MECHANICAL, QA 1, TRIPPER, CIRCUIT BREAKER; SHUNT, PANEL TYPE, F/TRAIN A, FOR RX TRIP	1	P	5925B SE
BJE290C	TR	- - - -	1	TRIPPER	TRIPPER, MECHANICAL, QA 1, TRIPPER, CIRCUIT BREAKER; SHUNT, PANEL TYPE, F/TRAIN A, FOR RX TRIP	1	P	5925B SE
BPT555R	AL	L-A-13-000-002	2	TRIPPER	TRIPPER, MECHANICAL, QA 3, VALVE CLUTCH, , REF 32, FOR SMB-0 ACTUATOR	3	C	48200 SE
BVB425V	AL	P-A-LL-ET0-108	1	TRIPPER	TRIPPER, MECHANICAL, QA 1, TRIPPER, CIRCUIT BREAKER; OVERCURRENT, 400A, 60HZ, TYPE EC-2A, LONG	1	B	5925B SE
ABG204X	AL	D-B-10-111-000	15	TUBE	TUBE, TYPICAL, QA 0, TUBE, ; SHUTTLE, FOR GE NEUTRON MONITORING SYSTEM ***	0	P	4470C SE
ACW574N	AL	D-A-12-301-000	111	TUBE	TUBE, TYPICAL, QA 0, RECORDER, 9-1/2 IN, 1/16 IN, 3/16 IN, TYGON, TUBING, NONMETALLIC; TYGON, 0.1875 OD X 0.0625 ID X9.50 IN LONG, FOR	0		47200 SE
ADV242F	AL	D-A-32-104-001	2	TUBE	TUBE, ELECTRONIC, QA 0, ELECTRON TUBE, ; PHOTO, RED, FOR SPECTROPHOTOMETER, MODEL B ***	0	P	5960C SE
ADW719G	AL	D-A-04-202-002	3	TUBE	TUBE, TYPICAL, QA 0, TUBING, METER; INK, REF 5, FOR REPUBLIC FLOW METER, BECKMAN, RECORDER	0		47200 SE
AGG238C	AL	9-A-01-003-001	750	TUBE	TUBE, BOILER, QA 0, 2 IN, RANDOM, 0.380 IN, ALLOY STEEL, ASME SA213 GR T22, SEAMLESS, PLAIN	0	C	4410C SE
AHW115Q	AL	D-A-13-401-001	2	TUBE	TUBE, METERING, QA 0, TUBING, GLASS; METERING, FOR ROTOMETER ***	0		5680B SE
AHW214N	AL	D-A-15-301-004	2	TUBE	TUBE, METERING, QA 0, TUBING, GLASS; METERING, FOR SCHUTTE AND KOERTING ROTOMETER ***	0	C	5680B SE
AHW413G	AL	A-A-01-000-001	2	TUBE	TUBE, METERING, QA 0, TUBING, GLASS; METER, DENSITY 1.0, 14.7 PSI, 70 DEG F, FOR SAFE GUARD	0	P	5680B SE
AHW413G	AL	D-A-28-101-008	2	TUBE	TUBE, METERING, QA 0, TUBING, GLASS; METER, DENSITY 1.0, 14.7 PSI, 70 DEG F, FOR SAFE GUARD	0	P	5680B SE
AJD940B	AL	D-B-19-202-002	2	TUBE	TUBE, TYPICAL, QA 0, TUBE, ; COOL-FLO, FULLY INSULATED, WITH ADAPTER ELBOW AND TEMPERATURE	0		8415B SE
AJV663P	AL	D-B-07-201-001	50	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; G-M, COUNTER GEIGER-MUELLR, END WINDOW, FOR PROBE	0	P	5960C SE
AMV355G	AL	D-A-04-202-002	2	TUBE	TUBE, METERING, QA 0, TUBING, GLASS; METERING, RANGE 0.200 TO 2 GPHWATER, FOR BROOKS	0		5680B SE
AMX497H	AL	D-A-26-402-000	16	TUBE	TUBE, TYPICAL, QA 0, GAUGE, 2 FT, 1/2 IN, PYREX, ROUND, TUBING, GLASS; ROUND, GAUGE, HIGH PRESSURE, RED LINE 1/2 OD X	0		5680B SE
AMX898Y	AL	D-A-18-202-001	5	TUBE	TUBE, TYPICAL, QA 0, GAUGE, 10-3/8 IN, 9/16 IN, ROUND, TUBING, GLASS; ROUND, GAUGE, INTERCOOLER WATER LEVEL, FOR NORDBERG AIR	0		5680B SE
ANF657P	AL	5-B-01-301-000	4	TUBE	TUBE, TYPICAL, QA 0, CYLINDER, FURNACE; FOR DAMPER OPERATOR, MODEL HA-133-300, DWG SH-5101, ON	0	C	6630D SE
ARK643V	AL	A-A-01-000-001	20	TUBE	TUBE, ELECTRONIC, QA 0, ELECTRON TUBE, ; GEIGHER ***	0	P	5960C SE
AVC273T	AL	A-A-01-000-001	1	TUBE	TUBE, METERING, QA 0, VISCOMETER, GLASS, 0.800-4 IN, TUBE, VISCOMETER; GLASS, CANNON-FENSKE, SIZE 50, RANGE 000.800-4	0	P	6630D SE
AVE680E	AL	A-A-01-000-001	2	TUBE	TUBE, ELECTRONIC, QA 0, ELECTRON TUBE, ; GM, SMALL END, MICA WINDOW 0.250IN, 700V ***	0	P	5960C SE
AVJ327Y	AL	A-A-01-000-001	3	TUBE	TUBE, TYPICAL, QA 0, TUBE METALLIC, PUMP; TOP STEEL S7, DWG ITEM 19, 29.750 IN LGTH, FOR	0	P	4320U SE
AVY795Y	AL	A-A-01-000-001	3	TUBE	TUBE, METERING, QA 3, TUBE ASSY, ; SCINTILLATOR, PM, DETECTOR ASSY, FOR RADIATION DETECTOR	3	P	6630D SE
AWB372P	AL	P-A-LL-ET0-043	1	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; VIDICON SIT-LOW BLOOM ASSY FORRCA CLOSED CIRCUIT TV	0	P	5960C SE
AWB372P	AL	A-A-01-000-001	2	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; VIDICON SIT-LOW BLOOM ASSY FORRCA CLOSED CIRCUIT TV	0	P	5960C SE
AYY567R	AL	A-A-01-000-001	11	TUBE	TUBE, TYPICAL, QA 0, TUBE, LABORATORY GLASSWARE; GLASS, 75 DEGREE ANGLE, SIZE 24/40 ***	0	P	6630D SE
BAX491T	AL	A-A-01-000-001	3	TUBE	TUBE, TYPICAL, QA 0, LABORATORY, 20 MM X 150 MM, GLASS, TUBE, LABORATORY EQUIPMENT; GLASS, 20 MM X 150 MM, 72 PER PACKAGE ***	0	P	6630D SE
BBW961E	AL	D-A-13-401-003	2	TUBE	TUBE, METERING, QA 3, TUBING, GLASS; BOROSILICATE, 0 TO 10 SCALE, FOR METER, FLOW RATE IND	3		5680B SE
BCR328E	AL	A-A-01-000-001	4	TUBE	TUBE, METERING, QA 0, METERING TUBE, ; 0 TO 100 PERCENT OF FLOW, 0 TO 30 GPM WATER, FOR	0	P	6695D SE
BGW298L	AL	9-A-01-003-001	922	TUBE	TUBE, BOILER, QA 0, 2-1/2 IN, RANDOM, 0.165 IN, CS, ASME SA210 GR A1, SEAMLESS, PLAIN	0	P	4410C SE
BHG371W	AL	5-A-07-302-000	1	TUBE	TUBE, TYPICAL, QA 3, TUBE ASSY, METAL; FUEL SUCTION, FOR DIESEL ENGINE, MODEL NT-855-F2 ***	3	P	29100 SE
BHV187W	AL	D-A-04-301-001	2	TUBE	TUBE, METERING, QA 3, TUBING, GLASS; METERING, METER, FLOW RATE IND, FLOAT TYPE, MODEL 1117-	3		5680B SE
BLE075F	AL	D-A-18-402-000	20	TUBE	TUBE, TYPICAL, QA 0, TUBE, AIR MASK; BREATHING, REPLACEMENT, 19 IN, FOR RADCON RESPIRATORY	0	B	4240P SE
BNB822G	AL	D-A-32-301-000	3	TUBE	TUBE, TIRE, QA 0, INNER TUBE, PNEUMATIC TIRE; RUBBER, 15 IN, TEMPORARY PLUGS FOR RCS COLD	0		26107 SE
BPR360R	AL	D-A-04-201-002	2	TUBE	TUBE, TYPICAL, QA 0, TUBE ASSY, ANALYZER; RESTRICTOR, FOR ANALYZER, SODIUM, MODEL 1811 LL	0	A	6630D SE
BPX065J	AL	E-A-16-C02-F01	2	TUBE	TUBE, TYPICAL, QA 0, TUBE ASSY, CIRCUIT BREAKER; INSULATING, FOR POWER CIRCUIT BREAKER	0	C	5925B SE
BRE905B	AL	E-A-16-C04-C01	2	TUBE	TUBE, TYPICAL, QA 0, TUBE, CIRCUIT BREAKER; WITH FITTINGS, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
BRL698M	AL	D-A-26-402-000	14	TUBE	TUBE, BOILER, QA 0, 2 IN, 1 IN, 0.134 IN, TUBE, BOILER, PREFORMED; TUBE MATERIAL, 2 IN. OD X 0.134 THICK X 1 FT	0		4410C SE
BVJ541M	AL	A-A-01-000-001	20	TUBE	TUBE, TYPICAL, QA 1, CLASS 2, TUBE, VALVE; CAPILARY, ASSEMBLY, WITH ARMOR, P/N 0305.1001C, 1/4 X 0.065	1	C	48200 SE
BWP944Y	AL	D-A-32-301-000	20	TUBE	TUBE, TYPICAL, QA 0, TUBE ASSY, RESPIRATORY EQUIP; BREATHING, 30" ***	0	B	4240P SE
BXK021M	AC	- - - -	6	TUBE	TUBE, TYPICAL, QA 0, TUBE, GENERATOR; TEFLON, WHITE, ASM, DWG 305A6790 ITEM NO. 11 ***	0	C	6115F SE
CAD030D	AL	D-A-18-301-001	1	TUBE	TUBE, TYPICAL, QA 1, TUBE, HEAT EXCHANGER; EXPANSION JOINT, STAINLESS STEEL, 1.50"ID X	1	C	4420B SE
CDE219Y	AL	F-A-15-102-000	12	TUBE	TUBE, TYPICAL, QA 1, TUBE, METALLIC; OUTSIDE DIAMETER: 01.6250 IN (1 5/8), WALL THICKNESS:	1	C	4710Z SE
AAV731J	AL	L-A-09-000-002	11	TUBE	TUBE, TYPICAL, QA 0, CENTRIFUGE, 40 ML, CONICAL, PLAIN, TUBE, CENTRIFUGE; CENTRIFUGE, 040.000 ML, SHORT CONICAL BOTTOM	0	P	6630D SE
AAV831E	AL	L-A-09-000-002	12	TUBE	TUBE, TYPICAL, QA 0, CENTRIFUGE, 40 ML, PYREX, CONICAL, TUBE, CENTRIFUGE; CENTRIFUGE, SHORT CONICAL BOTTOM, HEAVY DUTY, PYREX	0	P	6630D SE
AAV978F	AL	L-A-13-000-002	3	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ; 0.1875 IN OD, FOR CURRENT TO AIR TRANSDUCER, MODEL 69TA-1	0	P	6625D SE
AAV978F	AL	L-A-09-000-002	47	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ; 0.1875 IN OD, FOR CURRENT TO AIR TRANSDUCER, MODEL 69TA-1	0	P	6625D SE
AAV999P	AL	L-A-09-000-002	2	TUBE	TUBE, ELECTRONIC, QA 0, ELECTRON TUBE, ; READOUT, SOCKET MOUNT, GLASS ***	0	P	5960C SE
ABV731C	AL	L-A-06-000-002	40	TUBE	TUBE, TYPICAL, QA 0, CENTRIFUGE, 50 ML, POLYPROPYLENE, TUBE, CENTRIFUGE; CENTRIFUGE, CONICAL, POLYPROPYLENE, 050.000 ML 50 ML	0	P	6630D SE
ADQ398Y	AL	M-A-04-000-002	6	TUBE	TUBE, ELECTRONIC, QA 2, ELECTRON TUBE, ; MULTIPLIER PHOTOTUBE, GLASS ENVELOPE, ***	2	P	5960C SE
AEJ424H	AL	L-A-06-000-002	4	TUBE	TUBE, TYPICAL, QA 0, TUBE, VALVE; FOR HYDROLINE MFG CO OPERATOR, DWG 808-174-3B-C, ON	0	P	48200 SE
AEJ524D	AL	P-A-LL-ET0-055	1	TUBE	TUBE, TYPICAL, QA 0, TUBE, VALVE; FOR HYDROLINE MFG CO, OPERATOR, DWG 808-174-3B-C, ON	0	P	48200 SE
AEV176V	AL	M-A-06-000-002	1	TUBE	TUBE, TORQUE, QA 0, TUBE ASSY, CONTROLLER; TORQUE ASSY ***	0	P	6695D SE
AFT529K	AL	M-A-08-000-002	2	TUBE	TUBE, TYPICAL, QA 0, INSULATING, 1-15/32 IN, 5/8 IN, 27/32 IN, MICARTA, FOR GLAND SEAL AND BEARING ASSY, ON WESTINGHOUSE GENERATOR,	0	P	6115F SE
AHW333E	AL	L-A-09-000-002	2	TUBE	TUBE, TYPICAL, QA 0, RECORDER, 18 IN, 1/8 IN, PLASTIC, TUBING, RECORDER; PLASTIC, 0.125 OD X 18 IN LG, FOR FISCHPORT	0	C	6695D SE
AJV962D	AL	L-A-03-000-002	10	TUBE	TUBE, ELECTRONIC, QA 0, ELECTRON TUBE, ; G-M, AMPEREX 90NB LND INC MODEL 721, FOR EBERLINE	0	P	5960C SE
ANW621A	AL	M-A-10-000-002	2	TUBE	TUBE, ELECTRONIC, QA 2, TUBE ASSY, ; FOR FOXBORO ELECTRONIC TRANSMITTER, MODELS E11GH-HINM2	2	P	6695D SE

APQ254R	AL	L-A-03-000-002	1	TUBE	TUBE, ELECTRONIC, QA 0, ELECTRON TUBE, ; HIGH-MU TRIODE, SHARP CUTOFF PENTODE, GLASS ENVELOPE	0	P	5960C SE
AQB677R	AL	M-A-07-000-002	3	TUBE	TUBE, TYPICAL, QA 2, TUBE, ; PLASTIC, 025.500 INCH LONG, FOR RED INK ON MODEL 6400 RECORDER	2	P	6695D SE
ATX692L	AL	M-A-16-000-002	6	TUBE	TUBE, BOURDON, QA 2, BOURDON TUBE, ; BRONZE,TYPE 2500 AND 2500T, 6-30 PSIG,FOR PNEUMATIC	2	P	6695D SE
AWR666X	AL	L-A-03-000-002	1	TUBE	TUBE, ELECTRONIC, QA 3, ELECTRON TUBE, ; GLASS ***	3	P	5960C SE
AXQ784N	AL	L-A-03-000-002	11	TUBE	TUBE, TYPICAL, QA 3, TUBE, CRANE; STEEL, PRESSURE SPRING, FOR SUPPORT PLATE ASSY, PN	3	P	3950F SE
AYM840V	AL	M-A-16-000-002	5	TUBE	TUBE, TYPICAL, QA 2, TUBE, ; DETECTOR, GEIGER-MUELLER, RADIATION, FOR GENERAL ATOMIC	2	P	6630D SE
BAX735Q	AL	M-A-13-000-002	2	TUBE	TUBE, ELECTRONIC, QA 0, ELECTRON TUBE, ; VIDEO, CATHODE RAY, FOR CRT SCOREBOARD, ON	0	P	5960C SE
BCW331A	AL	M-A-13-000-002	2	TUBE	TUBE, TYPICAL, QA 0, TUBE ASSY, METAL; COPPER, CAPILLARY AND SUCTION LINE WITH DRIER, FOR	0	P	4520N SE
BEK690T	AL	V-A-04-000-002	3	TUBE	TUBE, TYPICAL, QA 0, TUBE, DRY; DRY, FOR CONTROL ROD DRIVE ***	0	P	4470C SE
BGE469V	AL	M-A-07-000-002	1	TUBE	TUBE, ELECTRONIC, QA 0, ELECTRON TUBE, ; 12 IN, GREEN, PICTURE, FOR MONITOR VIDEO DISPLAY	0	P	5960C SE
BHT840B	AL	M-A-01-000-002	4	TUBE	TUBE, TYPICAL, QA 3, TUBE, FIRE EXTINGUISHER; PLASTIC, DISCHARGE, REF 14, FOR ANSUL FIRE	3	P	4210N SE
BJH503V	AL	M-A-06-000-002	199	TUBE	TUBE, TYPICAL, QA 0, TUBE, SAMPLING,ANALYZER; AUTOSAMPLER, 40 CC/40 ML, FOR TOTAL ORGANIC	0	P	6630D SE
BLM711J	AL	L-A-03-000-002	66	TUBE	TUBE, TYPICAL, QA 0, TUBE, LABORATORY EQUIPMENT; VENT, TEFLON, FOR DIGESTION VESSEL, 120	0	B	6630D SE
BRF271L	AL	L-A-03-000-002	4	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, LABORATORY EQUIPMENT; QUARTZ (GLASS), FOR: PLASMA-400 ***	0	B	6630D SE
BRF336J	AL	L-A-03-000-002	20	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, LABORATORY EQUIPMENT; MINSTAC SAMPLE TUBING ASSEMBLY	0	B	6630D SE
BVP742H	AL	L-A-09-000-002	6	TUBE	TUBE, ELECTRONIC, QA 3, TUBE, ELECTRON; VACUUM ***	3	B	5960C SE
BWM331B	AL	M-A-08-000-002	7	TUBE	TUBE, TYPICAL, QA 3, TUBE, SAMPLING; TUBE, SAMPLING, READING, FOR WET STATIONARY BATTERY	3	B	6630D SE
BXK021M	AL	L-A-09-000-002	11	TUBE	TUBE, TYPICAL, QA 0, TUBE, GENERATOR; TEFLON, WHITE, ASM, DWG 305A6790 ITEM NO. 11 ***	0	C	6115F SE
BXP766N	AL	M-A-01-000-002	4	TUBE	TUBE, ELECTRONIC, QA 3, TUBE, RADIATION MONITOR; PHOTOMULTIPLIER, BASE, TEN PIN PLUG-IN, FOR	3	B	6630D SE
CBF738D	AL	L-A-09-000-002	6	TUBE	TUBE, TYPICAL, QA 0, TUBE, CIRCUIT BREAKER; FIG 10, REF 10, COMPLETE WITH PISTON, FOR	0	C	5925B SE
CBF741Q	AL	L-A-09-000-002	6	TUBE	TUBE, TYPICAL, QA 0, TUBE, CIRCUIT BREAKER; COMPLETE WITH PISTON, FOR MAGNE-BLAST CIRCUIT	0	C	5925B SE
CDL197F	AL	X-A-08-000-002	56	TUBE	TUBE, TYPICAL, QA 1, TUBE, METALLIC; OUTSIDE DIAMETER: 01.1250 IN (1 1/8), WALL THICKNESS:	1	C	4710Z SE
CDP670B	AL	L-A-09-000-002	1	TUBE	TUBE, TYPICAL, QA 0, TUBE, ROTOMETER; SAMPLING, ANALYZER; ROTOMETER TUBE 0-60 CC/MIN ***	0	C	6695D SE
CDR481Q	AL	L-A-01-000-002	205	TUBE	TUBE, BOILER, QA 1, TUBE, HEAT EXCHANGER; INHIBITED ADMIRALTY BRASS TUBES, 3/8" (0.375)	1	C	4420B SE
AAX097W	AL	D-A-35-201-000	1	TUBING	TUBING, INSTRUMENT, QA 0, 8 IN OD, 500 FT, 0.004 IN, POLYETHYLENE, TUBING, NONMETALLIC; MATERIAL: POLYETHYLENE, SIZE ID: 08.000 IN (8)	0		4720O SE
ADG112M	AL	D-B-19-201-000	81	TUBING	TUBING, INSTRUMENT, QA 0, 1-3/4 IN OD, 4 FT 8-3/4 IN, AISI 304, SS, TUBE, ; STAINLESS STEEL TYPE 304, INTERNAL FLOW DISTRIBUTION, 001.750	0	C	46109 SE
ADR433J	AL	D-A-32-401-005	2	TUBING	TUBING, HEAT SHRINK, QA 0, 50 FT, 0.106 IN, 0.016 IN, CLEAR, INSULATION SLEEVING, ELECTRICAL; TYPE: SPOOL, INSIDE DIAMETER: 00.106	0		5970B SE
ADW619L	AL	A-A-01-000-001	6	TUBING	TUBING, TYPICAL, QA 0, TUBING, NONMETALLIC; INK, FOR REPUBLIC FLOW METER (BECKMAN) SODIUM	0	P	4720O SE
AGG243K	AL	D-A-15-302-001	400	TUBING	TUBING, TYPICAL, QA 0, PLASTIC, 5/32 IN, CLEAR, TUBING, NONMETALLIC; MATERIAL: PLASTIC, SIZE ID: 00.312 IN (5/16)	0		4720O SE
AGG646W	AL	D-A-06-402-009	190	TUBING	TUBING, TYPICAL, QA 0, 3/16 IN, 50 FT, GUM RUBBER, 1/16 IN, AMBER	0	C	4720O SE
AGT320K	AL	A-A-01-000-001	5	TUBING	TUBING, HEAT SHRINK, QA 0, 1-9/32 IN, MICARTA, 21/32 IN, TUBE, ; INSULATING, MICARTA, FOR GLAND SEAL AND BEARING ASSY, ON WH	0	P	6115F SE
AHV675N	AL	D-A-04-202-002	2	TUBING	TUBING, TYPICAL, QA 0, ROTOMETER, 0.310 IN, 9-1/2 IN, GLASS, TUBING, GLASS; ROTAMETER, BLANK, WITH ZERO LINES, 0.312 OD X 0.125 ID	0		5680B SE
AJG443Y	AL	A-A-01-000-001	50	TUBING	TUBING, TYPICAL, QA 0, PLASTIC, 5/32 IN, CLEAR, TUBING, NONMETALLIC; MATERIAL: PLASTIC, SIZE ID: 00.312 IN (5/16)	0	P	4720O SE
AJG647E	AL	D-B-21-302-000	500	TUBING	TUBING, TYPICAL, QA 0, PLASTIC, 1/8 IN, TUBING, NONMETALLIC; MATERIAL: PLASTIC, SIZE ID: 00.750 IN (3/4) SIZE	0		4720O SE
AJR037J	AL	D-B-27-302-000	2	TUBING	TUBING, HEAT SHRINK, QA 0, 6 IN, POLYOLEFIN, 1/16 IN, 0.017 IN, BLACK, INSULATION SLEEVING, ELECTRICAL; HEATSHRINKABLE, BLACK, 0.062 IN DIA	0		5970B SE
AKR037C	AL	D-A-02-102-004	2	TUBING	TUBING, HEAT SHRINK, QA 0, 6 IN, 1/16 IN, WHITE, INSULATION SLEEVING, ELECTRICAL; HEATSHRINKABLE, WHITE, 0.0625IN DIA X	0		5970B SE
AKR336B	AL	D-B-19-202-002	2	TUBING	TUBING, HEAT SHRINK, QA 0, 6 IN, POLYOLEFIN, 3/8 IN, BLACK, INSULATION SLEEVING, ELECTRICAL	0		5970B SE
AKW070A	AL	D-A-04-202-002	9	TUBING	TUBING, TYPICAL, FITTING, ; INLET TUBE, FOR MODEL T-50, TYPICAL S/N 6752 ***	0		4730P SE
AKY176D	AL	D-A-17-301-000	1	TUBING	TUBING, TYPICAL, QA 0, 4 IN, 4-1/4 IN, 1/4 IN, TUBING, NONMETALLIC; SIZE ID: 03.500 IN (3 1/2), SIZE WALL THICK:	0		4720O SE
AKY775N	AL	D-A-15-302-000	3	TUBING	TUBING, TYPICAL, QA 0, 2 IN, 4 FT, 1/4 IN, TUBING, NONMETALLIC; SIZE ID: 01.500 IN (1 1/2), SIZE WALL THICK:	0		4720O SE
AKY875J	AL	D-A-17-301-000	4	TUBING	TUBING, TYPICAL, QA 0, 3 IN, 4-1/4 IN, 1/4 IN, TUBING, NONMETALLIC; SIZE ID: 02.500 IN (2 1/2), SIZE WALL THICK:	0		4720O SE
AKY975E	AL	D-A-17-301-000	2	TUBING	TUBING, TYPICAL, QA 0, 3-1/2 IN, 4 FT, 1/4 IN, TUBING, NONMETALLIC; SIZE ID: 03.000 IN (3), SIZE WALL THICK: 0.250	0		4720O SE
AMW839L	AL	D-A-04-202-002	2	TUBING	TUBING, TYPICAL, QA 0, TUBING, GLASS; METERING, UNGRADUATED, FOR MODEL FV-1114 ***	0		5680B SE
APX095G	AL	Z-Z-ZZ-ZZZ-ZZZ	1	TUBING	TUBING, TYPICAL, QA 0, 5-1/2 IN, 6 FT, PLEXIGLASS, CLEAR, TUBING, NONMETALLIC; PLEXIGLASS, CLEAR, RIGID, 5.50X 5 IN, 6 FT LG	0	P	4720O SE
APX195M	AL	D-B-13-101-000	1	TUBING	TUBING, TYPICAL, QA 0, TUBING, NONMETALLIC; MATERIAL: PLEXIGLASS, COLOR: CLEAR ***	0		4720O SE
APX894T	AL	Z-Z-ZZ-ZZZ-ZZZ	1	TUBING	TUBING, TYPICAL, QA 0, 3-1/4 IN, 6 FT, PLEXIGLASS, 1/4 IN, CLEAR, TUBING, NONMETALLIC; MATERIAL: PLEXIGLASS, SIZE ID: 02.750 IN (2 3/4)	0	P	4720O SE
APX994N	AL	Z-Z-ZZ-ZZZ-ZZZ	2	TUBING	TUBING, TYPICAL, QA 0, 3-7/8 IN, 6 FT, PLEXIGLASS, 1/4 IN, TUBING, NONMETALLIC; MATERIAL: PLEXIGLASS, SIZE ID: 03.375 IN (3 3/8)	0	P	4720O SE
AQE366V	AL	D-A-15-302-004	37	TUBING	TUBING, TYPICAL, QA 0, 50 FT, RUBBER, 1/8 IN, RED, TUBING, NONMETALLIC; MATERIAL: RUBBER, SIZE ID: 00.500 IN (1/2) SIZE	0		4720O SE
AVC638C	AL	D-A-02-201-004	1	TUBING	TUBING, TYPICAL, QA 0, 5/16 IN, 65-1/2 FT, PLASTIC, TUBING, NONMETALLIC; MATERIAL: PLASTIC, SIZE ID: 00.250 IN (1/4)	0		4720O SE
AVK703Q	AL	D-B-19-202-001	18	TUBING	TUBING, TYPICAL, QA 0, CHROMATOGRAPH, 0.065 IN, 10 FT (120 IN), TEFZEL, TUBING, CHROMATOGRAPH; TEFZEL (FLUOROPOLYMER RESIN, 0.020 ID X 0.065	0	C	6630D SE
AVK705L	AL	D-A-16-201-002	360	TUBING	TUBING, TYPICAL, QA 0, CHROMATOGRAPH, 1/8 IN, TEFLON, WHITE, TUBING, CHROMATOGRAPH; TEFLON, WHITE, 0.063 ID X 0.125 OD, FOR	0		6630D SE
AWB549A	AL	D-A-13-401-003	15	TUBING	TUBING, TYPICAL, QA 0, 1/2 IN, 6 IN, PLASTIC, MNPT X FNPT, TUBING, NONMETALLIC; PLASTIC, VENTURI, 000.500 TO 003.000 CFM, 000.500	0	P	4720O SE
AWB600H	AL	D-B-19-202-001	3	TUBING	TUBING, TYPICAL, QA 0, 1/4 IN, 8-1/4 IN, GLASS, 3/8 IN, TUBING, GLASS; 000.375 OD X 000.250 ID X 008.250 IN LG, FOR 0-20 SCFH	0		5680B SE
AXJ428C	AL	D-A-28-101-000	3	TUBING	TUBING, HEAT SHRINK, QA 0, 100 FT, 2-3/4 IN, 3/4 IN, BLACK, INSULATION SLEEVING, ELECTRICAL; TYPE: FLEXIBLE, INSIDE DIAMETER:	0		5970B SE
AXM559D	AL	D-A-26-101-000	40	TUBING	TUBING, TYPICAL, QA 0, TUBING, NONMETALLIC; MATERIAL: POLYETHYLENE ***	0		4720O SE
BBJ107A	AL	Z-A-06-000-001	41	TUBING	TUBING, HEAT SHRINK, QA 1, INSULATION SLEEVING, ELECTRICAL; HEAT SHRINKABLE, 4.5 ID X 0.05WALL	1	P	5970B SE
BBL156H	AL	A-A-01-000-001	53	TUBING	TUBING, HEAT SHRINK, QA 1, INSULATION SLEEVING, ELECTRICAL; HEAT SHRINKABLE, 1.1 ID X 0.04WALL	1	P	5970B SE
BBW374X	AL	A-A-01-000-001	9	TUBING	TUBING, HEAT SHRINK, QA 1, 12 IN (1 FT), 3 IN, 0.050 IN, BLACK, INSULATION SLEEVING, ELECTRICAL; HEAT SHRINKABLE, BLACK, 3.0 IDX 0.05	1	P	5970B SE
BBW383W	AL	A-A-01-000-001	6	TUBING	TUBING, HEAT SHRINK, QA 1, SPLICING KIT, ; HEAT SHRINKABLE, IN-LINE TYPE,CABLE JACKET OD RANGE	1	P	5970B SE
BCA141C	AL	D-A-16-201-002	240	TUBING	TUBING, TYPICAL, QA 0, AIR SUPPLY, 1/16 IN, 20 FT (240 IN), TYGON, 1/8 IN, RED, TUBING, CHROMATOGRAPH; AIR SUPPLY, RED, 0.062 ID X 0.125 OD	0	C	6630D SE
BCA989E	AL	A-A-01-000-001	6	TUBING	TUBING, HEAT SHRINK, QA 1, 3/4 IN-1.150 IN, 1E, SEALING KIT, ELECTRICAL; HEAT SHRINKABLE, END TYPE, CABLE OD RANGE	1	B	5970B SE
BDG110X	AL	A-A-01-000-001	23	TUBING	TUBING, TYPICAL, QA 0, 1/2 IN, 20 FT, RUBBER, BLACK, TUBING, NONMETALLIC; MATERIAL: RUBBER, SIZE ID: 00.500 IN (1/2)	0	P	6630D SE
BDK478K	AL	A-A-01-000-001	23	TUBING	TUBING, HEAT SHRINK, QA 1, TERMINATION KIT, ELECTRICAL; HEATSHRINKABLE, BLACK, 1.15 INDIA PRIMARY	1	P	5970B SE
BDM582E	AL	D-A-17-401-004	36	TUBING	TUBING, TYPICAL, QA 0, TUBING, CONDUCTOR; NORYL GUIDE, FOR 0.375 IN TIE BOLTS TO SUPPORT	0		4720O SE
BFP584K	AL	A-A-01-000-001	91	TUBING	TUBING, TYPICAL, QA 0, COPPER, 1/16 IN, 0.049 IN, ASTM B88, SEAMLESS, PLAIN, SOFT ANNEALED, TUBE, METALLIC; OUTSIDE DIAMETER: 00.0625 IN (1	0	P	4710Z SE
BGG584H	AL	D-A-32-302-004	1	TUBING	TUBING, TYPICAL, QA 0, 1/4 IN, 25 FT, THERMOPLASTIC, DOUBLE, TUBING ASSY, METALLIC; SIZE ID: 00.250 IN (1/4), SIZE LENGTH: 25 FT	0		4720O SE
BGN331G	AL	D-A-02-301-000	2	TUBING	TUBING, HEAT SHRINK, QA 1, 4 FT (48 IN), 7 IN/2-1/2 IN, 0.050 IN/0.170 IN, INSULATION SLEEVING, ELECTRICAL; HEAT SHRINKABLE, BLACK, HEAVYWAL	1	B	5970B SE
BGN331G	AL	A-A-01-000-001	12	TUBING	TUBING, HEAT SHRINK, QA 1, 4 FT (48 IN), 7 IN/2-1/2 IN, 0.050 IN/0.170 IN, INSULATION SLEEVING, ELECTRICAL; HEAT SHRINKABLE, BLACK, HEAVYWAL	1	B	5970B SE
BGP140X	AL	A-A-01-000-001	13	TUBING	TUBING, TYPICAL, QA 0, 1/4 IN, TEFLON, 0.074 IN, TUBING, NONMETALLIC; TEFLON, 0.250 X 0.074 IN WALL ***	0	P	6630D SE
BGR077B	AL	A-A-01-000-001	1	TUBING	TUBING, INSTRUMENT, QA 0, TUBE, MOTOR; STAINLESS STEEL, 0.25 IN OD, SPECIAL PRE-BENT SHAPES, FOR	0	P	6105D SE
BGR081L	AL	A-A-01-000-001	1	TUBING	TUBING, INSTRUMENT, QA 0, TUBE, MOTOR; STAINLESS STEEL, 0.25 IN OD, SPECIAL PRE-BENT SHAPES, FOR	0	P	6105D SE
BGR082J	AL	A-A-01-000-001	1	TUBING	TUBING, INSTRUMENT, QA 0, TUBE, MOTOR; STAINLESS STEEL, 0.25 IN OD, SPECIAL PRE-BENT SHAPES, FOR	0	P	6105D SE
BGT954N	AL	D-A-12-301-000	11	TUBING	TUBING, HEAT SHRINK, QA 1, SPLICING KIT, ELECTRICAL; HEAT SHRINKABLE, PENETRATION, WIRE SIZE 16	1		5970B SE
BHG370A	AL	5-A-07-302-000	1	TUBING	TUBING, TYPICAL, QA 3, TUBE ASSY, METAL; COPPER, 0.75 IN, W/ 0.4375 IN MALE FITTINGS, FOR	3	P	2910O SE
BHG372T	AL	5-A-07-302-000	1	TUBING	TUBING, TYPICAL, QA 3, TUBE ASSY, METAL; COPPER, 0.5 IN, W/ FITTINGS ALL ENDS, FOR DIESEL	3	P	2910O SE

BHL270R	AL	D-B-19-202-001	30	TUBING	TUBING, TYPICAL, QA 0, 0.037 IN, TEZFEL, 0.065 IN, TUBING, NONMETALLIC; TEZFEL, 0.037 ID X 0.065 IN OD ***	0		47200 SE
BKT021F	AL	D-B-17-202-000	5	TUBING	TUBING, HEAT SHRINK, QA 1, 7 IN, INSULATION SLEEVING, ELECTRICAL; HEAT SHRINK, 7 IN LONG, FOR	1		5970B SE
BLD732K	AL	F-A-20-000-001	1380	TUBING	TUBING, TYPICAL, QA 0, TUBING, NONMETALLIC; MATERIAL: PLASTIC, SIZE ID: 00.250 IN (1/4) ***	0	P	47200 SE
BLM419E	AL	D-B-17-202-000	3	TUBING	TUBING, TYPICAL, QA 0, 24 IN, 100 FT, PVC, 8 MIL, YELLOW, TUBING, NONMETALLIC; MATERIAL: PVC, SIZE ID: 24.000 IN (24) SIZE WALL	0		47200 SE
BLM422R	AL	D-B-17-202-000	9	TUBING	TUBING, TYPICAL, QA 0, 36 IN, 100 FT, PVC, 8 MIL, YELLOW, TUBING, NONMETALLIC; MATERIAL: PVC, SIZE ID: 36.000 IN (36) SIZE WALL	0		47200 SE
BLN351H	AL	D-B-01-401-000	1	TUBING	TUBING, INSTRUMENT, QA 1, TUBE, METALLIC; ARMORED, CAPILLARY TUBING, 3/16 IN OD X 0.049 IN, TYPE	1	P	4710Z SE
BMA724V	AL	D-A-20-402-005	3	TUBING	TUBING, HEAT SHRINK, QA 1, INSULATION SLEEVING, ELECTRICAL; HEAT SHRINKABLE, 2-LEG ***	1		5970B SE
BMF676J	AL	D-A-27-202-012	8	TUBING	TUBING, TYPICAL, QA 0, TUBING, ANALYZER; SILICONE, 3/16 IN ID, FOR PROCSS SAMPLING, ON	0		6695D SE
BNR081F	AL	D-B-17-202-000	3	TUBING	TUBING, HEAT SHRINK, QA 1, 4 FT (48 IN), PLASTIC, RED, INSULATION SLEEVING, ELECTRICAL; RED, HEATSHRINK, PLASTIC TUBING, 4 FT	1		5970B SE
BNR584X	AL	D-A-18-202-004	3	TUBING	TUBING, TYPICAL, QA 0, TUBING, NEBULIZER; NEBULIZER CAPILLARY ***	0		47200 SE
BNR584X	AL	D-A-06-302-003	4	TUBING	TUBING, TYPICAL, QA 0, TUBING, NEBULIZER; NEBULIZER CAPILLARY ***	0		47200 SE
BNR711H	AL	D-A-24-101-000	3	TUBING	TUBING, TYPICAL, QA 0, PUMP, #19, SILICONE, TUBING, PUMP; SILICONE, SIZE 19, FOR MASTERFLEX PUMP ***	0		6630D SE
BQM572D	AL	D-A-20-402-005	6	TUBING	TUBING, HEAT SHRINK, QA 1, 0.100 IN-0.270 IN, INSULATION SLEEVE, ELEC SPECIAL PURPOSE; TYPE: BREAKOUT, STYLE: 2 LEG,	1		5970B SE
BRA443B	AL	F-C-07-101-000	14	TUBING	TUBING, HEAT SHRINK, QA 1, 1E HARSH, SPLICING KIT, TRANSITION, 18-16 AWG, CABLE JACKET OD RANGE: 0.31 TO	1	B	5970B SE
BRA503L	AL	D-B-16-000-001	4	TUBING	TUBING, HEAT SHRINK, QA 1, SPLICING KIT, ELECTRICAL; HEAT SHRINKABLE,IN-LINE TYPE,CABLE OD RANGE	1	B	5970B SE
BTE478W	AL	D-A-17-401-007	2	TUBING	TUBING, TYPICAL, QA 0, 50 FT, COPPER, 5/16 IN, TUBE, COPPER; OUTSIDE DIAMETER: 00.3125 IN (5/16), TUBE LENGTH: 50 FT	0		4710Z SE
BTE488R	AL	D-A-17-401-006	2	TUBING	TUBING, TYPICAL, QA 0, 50 FT, COPPER, 5/8 IN, TUBE, COPPER; OUTSIDE DIAMETER: 00.6250 IN (5/8), TUBE LENGTH: 50 FT	0		4710Z SE
BTP647H	AL	D-A-13-302-009	100	TUBING	TUBING, TYPICAL, QA 3, TUBING, NONMETALLIC; MATERIAL: URETHANE, SIZE ID: 00.09375 IN (3/32)	3		47200 SE
BTP653N	AL	D-A-08-102-004	70	TUBING	TUBING, TYPICAL, QA 3, TUBING, NONMETALLIC; MATERIAL: URETHANE, SIZE ID: 00.125 IN (1/8)	3		47200 SE
BTP979P	AL	F-A-10-101-001	619	TUBING	TUBING, HEAT SHRINK, QA 1, INSULATION SLEEVING, ELECTRICAL; TYPE: HEATSHRINKABLE, INSIDE	1	B	5970B SE
BTQ048R	AL	F-A-12-101-000	40	TUBING	TUBING, HEAT SHRINK, QA 1, INSULATION SLEEVE, ELEC SPECIAL PURPOSE; TYPE: BREAKOUT, STYLE: 4 LEG	1	C	5970B SE
BTR798H	AL	D-B-07-302-001	3	TUBING	TUBING, HEAT SHRINK, QA 1, SPLICING KIT, ELECTRICAL; CABLE SPLICING KIT,RAYCHEM ***	1	B	5970B SE
BVH532V	AL	A-A-01-000-001	100	TUBING	TUBING, INSTRUMENT, QA 1, TUBE, METALLIC; CAPILLARY, 1/4 IN OD, ASTM A 269-88A OR ASTM A 213-89A	1	C	4710Z SE
BVV595F	AL	A-A-01-000-001	28	TUBING	TUBING, INSTRUMENT, QA 1, TUBING, NONMETALLIC; CAPILLARY,ARMORED,STAINLESS STEEL,ASTM A213 TP	1	B	47200 SE
BVV340P	AL	D-B-01-401-000	1	TUBING	TUBING, INSTRUMENT, QA 1, TUBE, METALLIC; ARMORED, CAPILLARY TUBING, 3/16" OD X 0.049" ASTM A	1	B	4710Z SE
BWX803K	AL	D-A-16-201-002	240	TUBING	TUBING, TYPICAL, QA 0, CHROMATOGRAPH, 0.010 IN, 0.620 IN, TUBING, CHROMATOGRAPH; PEEK, 0.010 IN. I.D. X 0.62 IN. O.D. ***	0		6630D SE
BWX804H	AL	D-A-16-201-002	240	TUBING	TUBING, TYPICAL, QA 0, CHROMATOGRAPH, 0.020 IN, 0.620 IN, TUBING, CHROMATOGRAPH; PEEK, 0.020 IN. I.D. X 0.62 IN O.D. ***	0		6630D SE
BYM156N	AL	A-A-01-000-001	46	TUBING	TUBING, HEAT SHRINK, QA 1, 6 IN, 0.50-0.90 IN, 1E LOCA/HELB, , 10 CFR50.49, SEALING KIT, C/O INSULATION SLEEVING WCSF-500-6U AND	1	B	5970B SE
BYM239J	AL	D-A-07-012-001	159	TUBING	TUBING, HEAT SHRINK, QA 1, 12 IN (1 FT), 1.100 IN, 0.040 IN, BLACK, 1E LOCA/HELB, INSULATION SLEEVING, FEATURES1: NUCLEAR ADHESIVE, RAYCHEM	1	B	5970B SE
BYM490M	AL	D-A-07-012-001	1	TUBING	TUBING, HEAT SHRINK, QA 1, 3 IN, 0.30-0.50 IN, 1E LOCA/HELB, , 10 CFR50.49, SEALING KIT, ELEC WIRE/CABLE, RAYCHEM TEST REPORTS: EDR	1	B	5970B SE
BYM490M	AL	D-A-02-301-000	10	TUBING	TUBING, HEAT SHRINK, QA 1, 3 IN, 0.30-0.50 IN, 1E LOCA/HELB, , 10 CFR50.49, SEALING KIT, ELEC WIRE/CABLE, RAYCHEM TEST REPORTS: EDR	1	B	5970B SE
BYM490M	AL	A-A-01-000-001	305	TUBING	TUBING, HEAT SHRINK, QA 1, 3 IN, 0.30-0.50 IN, 1E LOCA/HELB, , 10 CFR50.49, SEALING KIT, ELEC WIRE/CABLE, RAYCHEM TEST REPORTS: EDR	1	B	5970B SE
BYM500E	AL	Y-A-01-201-000	16	TUBING	TUBING, TYPICAL, QA 2, TUBE, HEAT EXCHANGER; TUBE, COPPER, FINNED, 0.75" O.D., 0.055" WALL	2	C	4420B SE
CBW313B	AL	D-A-35-201-003	30	TUBING	TUBING, TYPICAL, QA 3, TUBE, COPPER; OUTSIDE DIAMETER: 00.5000 IN (1/2), WALL THICKNESS:	3	C	4710Z SE
CDN990X	AL	D-A-06-402-003	15	TUBING	TUBING, HEAT SHRINK, QA 3, SEAL KIT, HEAT TRACE; CABLE END SEAL, RAYCHEM CHEMELEX TYPE PMK-LE-M.	3		5975B SE
ADR632C	AL	L-A-09-000-002	10	TUBING	TUBING, HEAT SHRINK, QA 0, 100 FT, 17/32 IN, 0.016 IN, CLEAR, INSULATION SLEEVING, ELECTRICAL; TYPE: SPOOL, INSIDE DIAMETER: 00.531	0	P	5970B SE
ADR731A	AL	L-A-03-000-002	1	TUBING	TUBING, HEAT SHRINK, QA 0, 50 FT, PLASTIC/VINYL, 0.034 IN, 0.016 IN, CLEAR, INSULATION SLEEVING, ELECTRICAL; EXTRUDED PLASTIC VINYL, CLEAR N	0	P	5970B SE
AGW181H	AL	L-A-09-000-002	2	TUBING	TUBING, TYPICAL, QA 0, TUBING, NONMETALLIC; INK, FOR OPTIMAC RECORDER-DPPTC, FOR MODEL	0	P	47200 SE
AJR336H	AL	L-A-06-000-002	16	TUBING	TUBING, HEAT SHRINK, QA 0, 3/4 IN, 0.030 IN, CLEAR, INSULATION SLEEVING, ELECTRICAL; INSIDE DIAMETER: 00.750 IN (3/4)	0	P	5970B SE
AKR837L	AL	L-A-09-000-002	26	TUBING	TUBING, HEAT SHRINK, QA 0, 6 IN, POLYOLEFIN, 1/8 IN, YELLOW, INSULATION SLEEVING, ELECTRICAL; HEATSHRINKABLE, YELLOW, 0.125 DIA X 6	0	P	5970B SE
ATW875H	AL	M-A-07-000-002	12	TUBING	TUBING, TYPICAL, QA 2, TUBING, GLASS; METERING, LENGTH SIZE 10 TO 75MM, 003.000 IN, 2 TO 24	2	P	5680B SE
AVC639A	AL	M-A-13-000-002	3	TUBING	TUBING, TYPICAL, QA 0, 1/4 IN, 47 IN, PLASTIC, TUBING, NONMETALLIC; PLASTIC, 0.250 IN OD X 0.0937 IN ID X 47 IN LONG	0	P	47200 SE
AVC641P	AL	M-A-13-000-002	4	TUBING	TUBING, TYPICAL, QA 0, 1/4 IN, 1 FT, PLASTIC, TUBING, NONMETALLIC; PLATIC, DRAIN, 0.250 IN OD X 0.0937 IN ID X 12 IN	0	P	47200 SE
AVK718A	AL	M-A-13-000-002	80	TUBING	TUBING, HEAT SHRINK, QA 1, INSULATION SLEEVING, ELECTRICAL; HEAT SHRINKABLE, BLACK, 2.0 ID X 0.05	1	P	5970B SE
AVP824N	AL	M-A-01-000-002	6	TUBING	TUBING, TYPICAL, QA 0, GAUGE, 4 FT, GLASS, 1/2 IN, TUBING, GLASS; RED LINE GAGE,0.500 IN DIA X 48 IN LG ***	0	P	5680B SE
AYM841E	AL	M-A-16-000-002	6	TUBING	TUBING, TYPICAL, QA 2, TUBE, ; DETECTOR, GEIGER-MUELLER, RADIATION, FOR GENERAL ATOMIC	2	P	6630D SE
BBE109T	AL	M-A-16-000-002	18	TUBING	TUBING, HEAT SHRINK, QA 1, INSULATION SLEEVING, ELECTRICAL; HEAT SHRINKABLE, 1.1 ID X 0.04 WALL	1	P	5970B SE
BBL157F	AL	M-A-13-000-002	3738	TUBING	TUBING, HEAT SHRINK, QA 1, INSULATION SLEEVING, ELECTRICAL; HEAT SHRINKABLE, 0.70 ID X 0.03 WALL	1	B	5970B SE
BDG110X	AL	L-A-13-000-002	2	TUBING	TUBING, TYPICAL, QA 0, 1/2 IN, 20 FT, RUBBER, BLACK, TUBING, NONMETALLIC; MATERIAL: RUBBER, SIZE ID: 00.500 IN (1/2)	0	P	6630D SE
BFR249P	AL	M-A-13-000-002	17	TUBING	TUBING, TYPICAL, QA 0, 4 FT, GLASS, 1-1/4 IN, 5/32 IN, CLEAR, TUBING, GLASS; CLEAR, 1.25 OD X 48 IN LG, 0.15625 IN WALL, FOR MAKING	0	P	5680B SE
BGN331G	AL	L-A-01-000-002	1	TUBING	TUBING, HEAT SHRINK, QA 1, 4 FT (48 IN), 7 IN/2-1/2 IN, 0.050 IN/0.170 IN, INSULATION SLEEVING, ELECTRICAL; HEAT SHRINKABLE, BLACK, HEAVYWAL	1	B	5970B SE
BGR113B	AL	M-A-06-000-002	1	TUBING	TUBING, INSTRUMENT, QA 0, TUBE, MOTOR; STAINLESS STEEL, 0.25 IN OD, SPECIAL PRE-BENT SHAPES, FOR	0	P	6105D SE
BGV771R	AL	L-A-03-000-002	3	TUBING	TUBING, TYPICAL, QA 0, TUBING, SWITCH; END, FOR SWITCH, LIQUID LEVEL, MODEL LS-77-349 ***	0	P	47200 SE
BQY929F	AC	- - -	40	TUBING	TUBING, HEAT SHRINK, QA 1, 0.200-0.320 IN, 1E LOCA/HELB, SEALING KIT, ELECTRICAL; TYPE: HEATSHRINKABLE, APPLICATION: END TYPE,	1	C	5970B SE
BTR798H	AL	P-A-LL-ET0-085	7	TUBING	TUBING, HEAT SHRINK, QA 1, SPLICING KIT, ELECTRICAL; CABLE SPLICING KIT,RAYCHEM ***	1	B	5970B SE
BYL979E	AL	L-A-01-000-002	5	TUBING	TUBING, HEAT SHRINK, QA 1, SPLICING KIT, ELECTRICAL; HEAT SHRINKABLE, 3 CONDUCTORS, IN-LINE TYPE	1	B	5970B SE
BYM473A	AL	M-A-08-000-002	96	TUBING	TUBING, HEAT SHRINK, QA 1, SEALING KIT, ELEC WIRE/CABLE; HEAT SHRINKABLE, END TYPE, WIRE/CABLE OD	1	B	5970B SE
BYM490M	AL	L-A-03-000-002	30	TUBING	TUBING, HEAT SHRINK, QA 1, 3 IN, 0.30-0.50 IN, 1E LOCA/HELB, , 10 CFR50.49, SEALING KIT, ELEC WIRE/CABLE, RAYCHEM TEST REPORTS: EDR	1	B	5970B SE
BYM500E	AL	R-A-02-000-002	167	TUBING	TUBING, TYPICAL, QA 2, TUBE, HEAT EXCHANGER; TUBE, COPPER, FINNED, 0.75" O.D., 0.055" WALL	2	C	4420B SE
BYN596L	AC	- - -	4	TUBING	TUBING, HEAT SHRINK, QA 1, INSULATION SLEEVING, ELECTRICAL; TYPE: HEATSHRINKABLE, INSIDE	1	B	5970B SE
BYN596L	AL	L-A-01-000-002	4	TUBING	TUBING, HEAT SHRINK, QA 1, INSULATION SLEEVING, ELECTRICAL; TYPE: HEATSHRINKABLE, INSIDE	1	B	5970B SE
CAB750X	AL	L-A-09-000-002	450	TUBING	TUBING, TYPICAL, QA 3, RANDOM, ANALYZER; 1/4 INCH IMPOLENE POLYALLOMER TUBING	3	B	6695D SE
CBW313B	AL	L-A-09-000-002	20	TUBING	TUBING, TYPICAL, QA 3, TUBE, COPPER; OUTSIDE DIAMETER: 00.5000 IN (1/2), WALL THICKNESS:	3	C	4710Z SE
CDT139Y	AL	L-A-01-000-002	18	TUBING	TUBING, INSTRUMENT, QA 0, TUBE, COUPLING; QUICK CONNECT COUPLER, 1/2 INCH STAINLESS STEEL ***	0	C	3040D SE
CEY905M	AL	P-A-LL-ET0-021	55	TUBING	TUBING, TYPICAL, QA 3, 1/4 IN, 250 FT, POLYETHYLENE, 0.040 IN, BLACK	3	B	47200 SE
ADK566X	AL	D-A-10-302-004	2	TURNBUCKLE	TURNBUCKLE, EYE/EYE, QA 0, 5/8 IN, 15-1/2 IN, GALVANIZED FORGED STEEL, TURNBUCKLE, METALLIC; MATERIAL: FORGED STEEL, HOLE DIAMETER: 00.62500	0		4710Y SE
ADK766M	AL	D-A-02-102-001	8	TURNBUCKLE	TURNBUCKLE, EYE/EYE, QA 0, 3/4 IN, 17 IN, GALVANIZED FORGED STEEL, TURNBUCKLE, METALLIC; MATERIAL: FORGED STEEL, HOLE DIAMETER: 00.750000	0	P	4710Y SE
ADK866H	AL	D-A-13-302-011	8	TURNBUCKLE	TURNBUCKLE, CLEVIS/EYE, QA 0, 3/4 IN, 20 IN, GALVANIZED FORGED STEEL, TURNBUCKLE, METALLIC; MATERIAL: FORGED STEEL, HOLE DIAMETER: 00.750000	0		4710Y SE
ATK464M	AL	D-A-02-102-003	9	TURNBUCKLE	TURNBUCKLE, TYPICAL, QA 0, TURNBUCKLE, METALLIC; MATERIAL: CARBON STEEL, TYPE: STANDARD ***	0		4710Y SE
BPX175L	AL	D-A-32-401-004	2	TURNBUCKLE	TURNBUCKLE, TYPICAL, QA 0, METALLIC, FORGED GALVANIZED STEEL, TURNBUCKLE, METALLIC; MATERIAL: FORGED STEEL, SURFACE TREATMENT:	0		4710Y SE
ADK166E	AL	L-A-09-000-002	2	TURNBUCKLE	TURNBUCKLE, CLEVIS/EYE, QA 0, 1/2 IN, 16-5/16 IN, GALVANIZED FORGED STEEL, TURNBUCKLE, METALLIC; MATERIAL: FORGED STEEL, HOLE DIAMETER: 00.5	0	P	4710Y SE
ATH489F	AL	M-A-08-000-002	18	TURNBUCKLE	TURNBUCKLE, TYPICAL, QA 0, 11 IN, DROPPED FORGED STEEL, 4-1/8 IN TAKE UP, TURNBUCKLE, METALLIC; MATERIAL: DROPPED FORGED STEEL, TAKE UP	0	P	4710Y SE
AAK724Q	AL	D-B-25-201-006	5	UNION	UNION, PIPE, QA 1, CLASS 2, STRAIGHT, 1/4 IN, 1/4 IN, CS, SOCKETWELD, SOCKETWELD, 3000 LB, ASME SA105, BLACK, FORGED, MSS SP-83	1		4730P SE
AAL724K	AL	A-A-01-000-001	5	UNION	UNION, PIPE, QA 1, UNION, PIPE; STRAIGHT, CLASS 3000, CARBON STEEL ASME SA 105 K03504	1	P	4730P SE
AAL794X	AL	D-A-04-202-004	15	UNION	UNION, PIPE, QA 1, UNION, PIPE; STRAIGHT, CLASS 3000, CARBON STEEL ASME SA 105 K03504	1		4730P SE

AAM774Y	AL	D-B-19-202-001	10	UNION	UNION, PIPE, QA 1, UNION, PIPE; STRAIGHT, CLASS 3000, CARBON STEEL ASME SA 105 K03504	1		4730P SE
AEG076F	AL	D-A-17-302-003	48	UNION	UNION, PIPE, QA 0, STRAIGHT, 1/4 IN, 1/4 IN, MALLEABLE IRON, FNPT, FNPT, 150 LB, ASTM A197, GROUND JOINT, GALVANIZED, ***	0		4730P SE
AEG178G	AL	D-A-17-302-004	11	UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/4 IN, 1-1/4 IN, MALLEABLE IRON, FNPT, FNPT, 150 LB, ASTM A197, GROUND JOINT, GALVANIZED, ***	0		4730P SE
AEG775X	AL	D-A-17-302-003	19	UNION	UNION, PIPE, QA 0, STRAIGHT, 1/8 IN, 1/8 IN, MALLEABLE IRON, FNPT, FNPT, 150 LB, GROUND JOINT, GALVANIZED, ***	0		4730P SE
AFG072H	AL	D-A-10-302-006	10	UNION	UNION, TUBING, QA 0, 3/8 IN, COPPER, SWEAT, UNION, TUBE; COPPER ALLOY, FIRST ID .375 IN END STYLE SOLDER SECOND ID	0		4730P SE
AFG872R	AL	D-A-04-202-006	8	UNION	UNION, TUBING, QA 0, 1-1/4 IN, COPPER, SWEAT, UNION, TUBE; FIRST END NOM SIZE: 01.250 IN (1 1/4), SECOND END NOM	0		4730P SE
AJG583E	AL	D-A-04-301-005	4	UNION	UNION, PIPE, QA 1, CLASS 2, STRAIGHT, 3/4 IN, 3/4 IN, SS, SOCKETWELD, SOCKETWELD, 3000 LB, ASME SA182 GR F304, STANDARD MILL FINISH, MSS SP-	1		4730P SE
AKY684R	AL	A-A-01-000-001	1	UNION	UNION, PIPE, QA 1, UNION, PIPE; STRAIGHT, CLASS 3000, STAINLESS STEEL ASME SA 182 GR F304	1	P	4730P SE
AQC517B	AL	D-A-13-301-004	29	UNION	UNION, TUBING, QA 0, REDUCING, 1/4 IN X 1/8 IN, BRASS, COMPRESSION X MNPT, ADAPTER, PIPE TO TUBE; PIPE END TYPE: THREADED EXTERNAL, TUBE END	0		4730P SE
ARG217W	AL	A-A-01-000-001	24	UNION	UNION, TUBING, QA 0, 1/8 IN, BRASS, FNPT, UNION, TUBE; .125 IN, BRASS, NPT, END STYLE THREADED INTERNAL ***	0	P	4730P SE
ATY195X	AL	A-A-01-000-001	12	UNION	UNION, PIPE, QA 0, STRAIGHT, 3 IN, 3 IN, PVC, SOCKETWELD, SOCKETWELD, 80, ASTM F439, UNION, PIPE; STYLE: STRAIGHT, FIRST END NOM SIZE: 03.00	0	C	4730P SE
AYT100C	AL	D-A-17-302-002	11	UNION	UNION, PIPE, QA 0, STRAIGHT, 1/2 IN, 1/2 IN, CPVC, SOCKETWELD, SOCKETWELD, 80, ASTM F439, UNION, PIPE; STYLE: STRAIGHT, FIRST END NOM SIZE:	0		4730P SE
AYT102W	AL	D-A-17-302-005	15	UNION	UNION, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, CPVC, SOCKETWELD, SOCKETWELD, 80, UNION, PIPE; STYLE: STRAIGHT, FIRST END NOM SIZE: 01.000 IN (1)	0		4730P SE
BAM323R	AL	D-A-02-102-006	150	UNION	UNION, TUBING, QA 0, 9/16 IN, BRASS, MNPT, W/CTR WRENCH FAC, LENGTH: 1 1/4 IN, NGO-RIGHT HAND THREAD, OXYGEN HOSE	0		3439D SE
BAM324P	AL	D-A-02-102-006	130	UNION	UNION, TUBING, QA 0, 9/16 IN, BRASS, MNPT, W/CTR WRENCH FAC, LENGTH 1-1/4 IN, THREAD NGO LEFT HAND, ACETYLENE HOSE	0		3439D SE
BBF730G	AL	D-A-04-301-005	20	UNION	UNION, TUBING, QA 3, UNION, TUBE; UNION, TUBE W/CENTER WRENCHING FACILITY, STAINLESS STEEL	3		4730P SE
BBT232W	AL	D-A-04-301-005	10	UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/2 IN, 1-1/2 IN, PVC, SOCKETWELD, SOCKETWELD, 80, STANDARD MILL FINISH, ***	0		4730P SE
BBY627G	AL	D-A-10-302-003	5	UNION	UNION, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, PVC, FNPT, FNPT, 80, STANDARD MILL FINISH, ***	0		4730P SE
BBY628E	AL	D-A-02-102-001	7	UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/2 IN, 1-1/2 IN, PVC, FNPT, FNPT, 80, STANDARD MILL FINISH, ***	0		4730P SE
BBY629C	AL	D-A-02-102-001	7	UNION	UNION, PIPE, QA 0, STRAIGHT, 2 IN, 2 IN, PVC, FNPT, FNPT, 80, STANDARD MILL FINISH, ***	0		4730P SE
BCT735V	AL	D-A-04-202-003	8	UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/4 IN, 1-1/4 IN, BRASS, FNPT, FNPT, 150 LB, STANDARD MILL FINISH, ***	0		4730P SE
BCT736R	AL	D-A-15-301-004	21	UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/2 IN, 1-1/2 IN, BRASS, FNPT, FNPT, 150 LB, STANDARD MILL FINISH, ***	0		4730P SE
BCT737P	AL	D-A-15-301-004	9	UNION	UNION, PIPE, QA 0, STRAIGHT, 2.0 IN, 2 IN, BRASS, FNPT, FNPT, 150 LB, STANDARD MILL FINISH, ***	0		4730P SE
BCW817F	AL	D-A-17-302-004	11	UNION	UNION, PIPE, QA 0, STRAIGHT, MALLEABLE IRON, 250 LB, BLACK, *** FIRST END NOM SIZE: 00.250 IN (1/4), SECOND END NOM SIZE: 00.250	0		4730P SE
BDE745G	AL	D-A-10-302-006	14	UNION	UNION, TUBING, QA 0, 1/4 IN, COPPER, SWEAT, STANDARD MILL FINISH, UNION, TUBE; FIRST END NOM SIZE: 00.250 IN (1/4) SECOND END NOM SIZE:	0		4730P SE
BDQ682T	AL	D-A-17-302-005	6	UNION	UNION, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, PVC, FNPT, FNPT, 80, ***	0		4730P SE
BDV079F	AL	D-A-17-302-002	11	UNION	UNION, PIPE, QA 0, STRAIGHT, 1/2 IN, 1/2 IN, CPVC, FNPT, FNPT, 80, ***	0		4730P SE
BEE851B	AL	D-A-32-104-001	1	UNION	UNION, TUBING, QA 0, 1-1/2 IN, STAINLESS STEEL, COMPRESSION, AISI 316, *** SECOND END NOM SIZE: 01.500 IN (1 1/2), STYLE: W/CTR WRENCH FAC	0	P	4730P SE
BEF807A	AL	D-A-06-102-004	2	UNION	UNION, PIPE, QA 3, UNION, PIPE; STYLE: COUPLING, FIRST END NOM SIZE: 00.500 IN (1/2)	3		4730P SE
BFD966Q	AL	D-A-17-302-001	2	UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/4 IN, 1-1/4 IN, PVC, SOCKETWELD, SOCKETWELD, 80, ASTM F439, ***	0		4730P SE
BFD967N	AL	D-A-17-302-003	3	UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/2 IN, 1-1/2 IN, PVC, FNPT, FNPT, 80, ***	0		4730P SE
BFD968L	AL	D-A-17-302-005	2	UNION	UNION, PIPE, QA 0, STRAIGHT, 2.0 IN, 2 IN, PVC, FNPT, FNPT, 80, ***	0		4730P SE
BFL803J	AL	D-A-13-302-012	4	UNION	UNION, PIPE, QA 0, STRAIGHT, 3/4 IN, 3/4 IN, NICKEL ALLOY, SOCKETWELD, SOCKETWELD, 3000 LB, ASTM B462 CARPENTER, ***	0		4730P SE
BFL805E	AL	D-A-13-301-001	5	UNION	UNION, PIPE, QA 0, STRAIGHT, 1.0 IN, 1 IN, NICKEL ALLOY, SOCKETWELD, SOCKETWELD, 3000 LB, ASTM B462 CARPENTER, ***	0	P	4730P SE
BFL806C	AL	D-A-12-202-001	4	UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/2 IN, 1-1/2 IN, NICKEL ALLOY, SOCKETWELD, SOCKETWELD, 3000 LB, ASTM B462 CARPENTER, ***	0		4730P SE
BFL807A	AL	D-A-13-302-012	4	UNION	UNION, PIPE, QA 0, STRAIGHT, 2.0 IN, 2 IN, NICKEL ALLOY, SOCKETWELD, SOCKETWELD, 3000 LB, ASTM B462 CARPENTER, ***	0		4730P SE
BGF260W	AL	D-A-17-302-004	21	UNION	UNION, PIPE, QA 0, STRAIGHT, 1/8 IN, 1/8 IN, MALLEABLE IRON, FNPT, FNPT, 250 LB, BLACK, ***	0		4730P SE
BGN635V	AL	D-A-10-302-003	4	UNION	UNION, TUBING, QA 0, BULKHEAD, 3/8 IN, CARBON STEEL, SAE STRAIGHT, ASTM A108 GR 12L14, UNION, TUBE; FIRST END NOM SIZE: 00.375 IN (3/8) SEC	0		4730P SE
BHP654C	AL	D-A-10-302-004	10	UNION	UNION, TUBING, QA 0, 1/2 IN, STAINLESS STEEL, THREADED, ASTM A182 GR F316, 37 DEG FLARED, *** SECOND END NOM SIZE: 00.500 IN (1/2), STYLE:	0		4730P SE
BJX668V	AL	D-A-04-301-005	1	UNION	UNION, PIPE, QA 0, STRAIGHT, 2.0 IN, 2.0 IN, PVC, FNPT, SOCKETWELD, 80, ASTM D1784, ***	0		4730P SE
BKE094H	AL	D-A-17-302-005	8	UNION	UNION, TUBING, QA 0, 1 IN, 1-1/8 IN, COPPER, SOLDER, UNION, TUBE; COPPER, FIRST ID 1.0 IN, OD 1.125 IN, STYLE SOLDER,	0		4730P SE
BKR587A	AL	D-A-02-102-006	3	UNION	UNION, PIPE, QA 1, CLASS 2, STRAIGHT, 1-1/4 IN, 1-1/4 IN, SS, FNPT, FNPT, 3000 LB, ASME SA182 GR F304, STANDARD MILL FINISH, FORGED, MSS SP-	1		4730P SE
BLC600N	AL	D-A-04-401-003	17	UNION	UNION, CONDUIT, QA 3, UNION, ELECTRICAL CONDUIT; SIZE: 01.500000 (1 1/2), MATERIAL: COPPER	3	C	5975B SE
BLD653F	AL	D-A-18-202-003	4	UNION	UNION, CONDUIT, QA 3, RIGID, 4 IN, ALUMINUM ALLOY, UNION, ELECTRICAL CONDUIT; SIZE: 04.000000 (4), MATERIAL: COPPER FREE	3		5975B SE
BLG952M	AL	D-B-19-202-001	4	UNION	UNION, PIPE, QA 1, CLASS 2, STRAIGHT, 1 IN, 1 IN, SS, SOCKETWELD, SOCKETWELD, 3000 LB, ASME SA182 GR F316, STANDARD MILL FINISH, FORGED, ANS	1		4730P SE
BLH709T	AL	A-A-01-000-001	2	UNION	UNION, PIPE, QA 1, CLASS 2, STRAIGHT, 1/2 IN, 1/2 IN, SS, FNPT, FNPT, 6000 LB, ASME SA182 GR F304, STANDARD MILL FINISH, FORGED	1	P	4730P SE
BNL116R	AL	1-A-17-105-001	2	UNION	UNION, PIPE, QA 0, STRAIGHT, 5/8 IN, 5/8 IN, STAINLESS STEEL, ***	0	P	4730P SE
BNN816J	AL	D-A-01-401-007	1	UNION	UNION, PIPE, QA 0, STRAIGHT, 1/2 IN, 1/2 IN, IRON, FNPT, FNPT, GROUND JOINT, ***	0		4730P SE
BNP348L	AL	D-A-16-201-001	3	UNION	UNION, PIPE, QA 3, UNION, PIPE; STYLE: STRAIGHT, FIRST END NOM SIZE: 01.000 IN (1)	3		4730P SE
BNR917W	AL	D-A-32-401-001	1	UNION	UNION, PIPE, QA 0, STRAIGHT, 1.0 IN, 1.0 IN, ***	0		4730P SE
BPK126M	AL	D-B-15-202-000	5	UNION	UNION, PIPE, QA 3, STRAIGHT, 3 IN, 3 IN, MALLEABLE IRON, FNPT, FNPT, 150 LB, ASTM A197, GROUND JOINT, GALVANIZED, B16.39	3		4730P SE
BPT358V	AL	A-A-01-000-001	4	UNION	UNION, PIPE, QA 1, CLASS 3, STRAIGHT, 1-1/2 IN, 1-1/2 IN, SS, FNPT, FNPT, 3000 LB, ASME SA182 GR F304, STANDARD MILL FINISH, FORGED, UNION,	1	C	4730P SE
BPW858W	AL	D-A-12-101-000	10	UNION	UNION, PIPE, QA 1, CLASS 2, UNION, PIPE; STRAIGHT, CLASS 3000, CARBON STEEL, ASME SA105K03504	1		4730P SE
BPY951W	AL	1-A-03-000-001	1	UNION	UNION, PIPE, QA 1, CLASS 2, STRAIGHT, 2 IN, 2 IN, SS, SOCKETWELD, SOCKETWELD, 3000 LB, ASME SA182 GR F304, MSS SP-83	1	C	4730P SE
BTR905C	AL	A-A-01-000-001	2	UNION	UNION, PIPE, QA 0, STRAIGHT, 2-1/2 IN, 2-1/2 IN, STAINLESS STEEL, MNPT, MNPT, 3000 LB, ASTM A182 GR F316, FORGED, ***	0	C	4730P SE
BVC365E	AL	D-A-32-302-004	6	UNION	UNION, TUBING, QA 0, 1 IN, COPPER, SOLDER, B16.22, UNION, TUBE; FIRST END NOM SIZE: 01.000 IN (1), SECOND END NOM SIZE:	0		4730P SE
BVE942P	AL	D-A-10-302-004	14	UNION	UNION, PIPE, QA 0, STRAIGHT, 3/8 IN, 3/8 IN, STAINLESS STEEL, FNPT, FNPT, 3000 LB, STANDARD MILL FINISH, ***	0		4730P SE
BVH439H	AL	F-A-11-201-000	1	UNION	UNION, PIPE, QA 1, CLASS 2, UNION, PIPE; STYLE: THREADED, FIRST END NOM SIZE: 00.250 IN (1/4)	1	C	4730P SE
BVV343B	AL	D-A-11-301-003	16	UNION	UNION, TUBING, QA 1, CLASS 2, 1/8 IN, SS, COMPRESSION, ASME SA479 TP 316, UNION, TUBE; FIRST END NOM SIZE: 00.125 IN (1/8), SECOND END NOM	1		4730P SE
BYE524P	AL	A-A-01-000-001	10	UNION	UNION, PIPE, QA 1, CLASS 2, REDUCING, 1 IN, 1/2 IN, SS, UNION, PIPE; REDUCING UNION, 1" OD X 1/2" OD ***	1	C	4730P SE
BYQ962B	AL	D-A-04-401-007	1	UNION	UNION, PIPE, QA 3, UNION, PIPE; STYLE: STRAIGHT, FIRST END NOM SIZE: 00.750 IN (3/4)	3	C	4730P SE
CDY791W	AL	A-A-01-000-001	8	UNION	UNION, PIPE, QA 3, STRAIGHT, 1/2 IN, 1/2 IN, SS, SOCKETWELD, SOCKETWELD, 3000 LB, STANDARD MILL FINISH, FORGED, , ASTM A182 F304 OR F316, SS	3	C	4730P SE
CDY352A	AL	A-A-01-000-001	8	UNION	UNION, PIPE, QA 3, UNION, PIPE; STYLE: STRAIGHT, FIRST END NOM SIZE: 01.500 IN (1 1/2)	3	C	4730P SE
CEM351L	AL	D-A-24-202-003	10	UNION	UNION, TUBING, QA 0, 1-1/4 IN, WROUGHT COPPER/CAST BRZ, COMPRESSION X FNPT, *** UNION, COPPER TO FPT, 1-1/4 X 1-1/4	0		4730P SE
CEM361H	AL	D-A-20-402-002	1	UNION	UNION, TUBING, QA 0, 2 IN, WROUGHT COPPER/CAST BRZ, SWEAT, *** TYPE: FEMALE; UNION, FEMALE, 2" NOM., C-C SWEAT	0		4730P SE
CEM390M	AL	D-A-32-401-003	10	UNION	UNION, TUBING, QA 0, 3/4 IN, WROUGHT COPPER/CAST BRZ, COMPRESSION X MNPT, *** UNION, 3/4" NOM. SWEAT X 3/4" MPT	0		4730P SE
CEM468Y	AL	D-A-32-401-001	2	UNION	UNION, TUBING, QA 0, 1-1/2 IN, WROUGHT COPPER/CAST BRZ, COMPRESSION X MNPT, *** UNION, 1-1/2" NOM. COPPER SWEAT X 1-1/2" MPT	0		4730P SE
CEM469W	AL	D-A-32-401-001	2	UNION	UNION, TUBING, QA 0, STRAIGHT, 1-1/2 IN, WROUGHT COPPER/CAST BRZ, SWEAT, *** UNION, 1-1/2" NOMINAL COPPER SWEAT, STRAIGHT	0		4730P SE
CFE772E	AL	D-A-35-201-002	23	UNION	UNION, TYPICAL, QA 3, UNION, *TYPICAL *** CAST COPPER ALLOY, 3/4" TUBE SOLDER X 3/4" FNPT	3		4730P SE
CJT629E	AL	D-A-18-301-007	10	UNION	UNION, TUBING, QA 1, STRAIGHT, 3/4 IN, BRONZE, STANDARD MILL FINISH, CONNECTION: FF X MNPT COMPLETE W/ BRAZING RING, CLASS RATING 300 LB,	1		48100 SE
AEG778P	AL	L-A-09-000-002	7	UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/2 IN, 1-1/2 IN, BRASS, FNPT, FNPT, 125 LB, STANDARD MILL FINISH	0	C	4730P SE
AFG272J	AL	L-A-09-000-002	19	UNION	UNION, TUBING, QA 0, 1/2 IN, COPPER, SWEAT, UNION, TUBE; FIRST END NOM SIZE: 00.500 IN (1/2), SECOND END NOM	0	P	4730P SE
AJG293P	AL	M-A-08-000-002	2	UNION	UNION, PIPE, QA 1, UNION, PIPE; STRAIGHT, CLASS 3000, STAINLESS STEEL ASME SA 182 GR F304	1	P	4730P SE
AJG383N	AL	L-A-09-000-002	4	UNION	UNION, PIPE, QA 1, CLASS 2, UNION, PIPE; STRAIGHT, CLASS 3000, STAINLESS STEEL ASME SA 182 GR F304	1	C	4730P SE
AJG493F	AL	T-A-12-000-002	2	UNION	UNION, PIPE, QA 1, CLASS 2, STRAIGHT, 2 IN, 2 IN, SS, SOCKETWELD, SOCKETWELD, 3000 LB, ASME SA182 GR F304, STANDARD MILL FINISH, FORGED, MSS	1	P	4730P SE

AJY986F	AL	L-A-09-000-002	1 UNION	UNION, PIPE, QA 1, CLASS 2, STRAIGHT, 1-1/2 IN, 1-1/2 IN, CS, SOCKETWELD, SOCKETWELD, 3000 LB, ASME SA105, STANDARD MILL FINISH, FORGED, MSS	1	P	4730P SE
AKY684R	AL	T-A-12-000-002	6 UNION	UNION, PIPE, QA 1, UNION, PIPE; STRAIGHT, CLASS 3000, STAINLESS STEEL ASME SA 182 GR F304	1	P	4730P SE
ANY370A	AL	M-A-16-000-002	3 UNION	UNION, PIPE, QA 1, CLASS 2, 3/4 IN, 3/4 IN, SS, SOCKETWELD, SOCKETWELD, 3000 LB, ASME SA182 GR F304, STANDARD MILL FINISH, MSS SP-83	1	P	4730P SE
AQC389R	AL	T-A-12-000-002	7 UNION	UNION, PIPE, QA 0, STRAIGHT, 3 IN, 3 IN, MALLEABLE IRON, FNPT, FNPT, 250 LB, BRASS, BLACK, ***	0	C	4730P SE
AQF097E	AL	T-A-12-000-002	4 UNION	UNION, PIPE, QA 1, CLASS 2, UNION, PIPE; CLASS 3000, CARBON STEEL ASME SA 105, OUTSIDE BLACK END	1	C	4730P SE
BBF747K	AL	L-A-09-000-002	12 UNION	UNION, TUBING, QA 3, COUPLING, TUBE; BRASS, STANDARD MILL FINISH, FIRST ID .5 IN SEAT TYPE	3	C	4730P SE
BBR271P	AL	M-A-02-000-002	39 UNION	UNION, CONDUIT, QA 3, UNION, ELECTRICAL CONDUIT; METALLIC, RIGID, THICKWALL, THREADED	3	C	5975B SE
BDQ242P	AL	T-A-12-000-002	5 UNION	UNION, PIPE, QA 0, STRAIGHT, 1/2 IN, 1/2 IN, STAINLESS STEEL, SOCKETWELD, SOCKETWELD, 3000 LB, ASME SA312 TP304, ***	0	C	4730P SE
BDY763V	AL	T-A-12-000-002	10 UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/4 IN, 1-1/4 IN, MALLEABLE IRON, MNPT, MNPT, 250 LB, ASTM A197, BLACK	0	C	4730P SE
BGR554C	AL	L-A-09-000-002	2 UNION	UNION, PIPE, QA 3, UNION, PIPE; STRAIGHT, CLASS 150, MALLEABLE IRON ASTM A 197 F22000	3	P	4730P SE
BGR598P	AL	L-A-09-000-002	6 UNION	UNION, PIPE, QA 3, UNION, PIPE; STRAIGHT, CLASS 300, MALLEABLE IRON ASTM A 197 F22000	3	P	4730P SE
BGR601Y	AL	L-A-09-000-002	2 UNION	UNION, PIPE, QA 3, UNION, PIPE; STRAIGHT, CLASS 300, MALLEABLE IRON ASTM A 197 F22000	3	P	4730P SE
BGR770H	AL	L-A-09-000-002	1 UNION	UNION, PIPE, QA 3, STRAIGHT, 3/4 IN, 3/4 IN, MALLEABLE IRON, 300 LB, ASTM A197, B16.39	3	P	4730P SE
BLA441E	AL	L-A-09-000-002	1 UNION	UNION, PIPE, QA 0, DIELECTRIC, 2 IN, 2 IN, FNPT, SLIP JOINT BELL, ***	0	P	4730P SE
BLD645E	AL	L-A-03-000-002	10 UNION	UNION, CONDUIT, QA 3, UNION, CONDUIT; CONDUIT TYPE: RIGID; CONDUIT SIZE: 1 IN; MATERIAL:	3	C	5975B SE
BLD726E	AL	L-A-09-000-002	1 UNION	UNION, PIPE, QA 3, UNION, PIPE; STRAIGHT, BRASS, END TYPE THREADED INTERNAL, FIRST/IDENT	3	P	4730P SE
BLH857A	AL	M-A-16-000-002	48 UNION	UNION, TUBING, QA 3, UNION, TUBE; COPPER, 1.00 IN (CXC) TVA CLASS H ***	3	P	4730P SE
BTH121P	AL	L-A-09-000-002	24 UNION	UNION, PIPE, QA 3, UNION, PIPE; STYLE: COUPLING, FIRST END NOM SIZE: 01.000 IN (1	3	C	4730P SE
BTK020M	AL	L-A-09-000-002	14 UNION	UNION, PIPE, QA 3, UNION, PIPE; STYLE: AAR (RAILROAD), FIRST END NOM SIZE: 00.250 IN (3	C	4730P SE
BTL437C	AL	T-A-03-000-002	3 UNION	UNION, PIPE, QA 0, STRAIGHT, 2-1/2 IN, 2-1/2 IN, STAINLESS STEEL, SOCKETWELD, SOCKETWELD, 3000 LB, ASTM A182 GR F316, FORGED, ***	0	C	4730P SE
BWX618D	AL	T-A-12-000-002	2 UNION	UNION, PIPE, QA 1, CLASS 2, UNION, PIPE; STYLE: COUPLING, FIRST END NOM SIZE: 01.250 IN (1 1/4)	1	C	4730P SE
BXY139E	AL	T-A-12-000-002	2 UNION	UNION, PIPE, QA 1, CLASS 2, UNION, PIPE; STYLE: STRAIGHT, FIRST END NOM SIZE: 00.375 IN (3/8)	1	C	4730P SE
CAG576E	AL	L-A-09-000-002	1 UNION	UNION, TUBING, QA 1, CLASS 2, 3/8 IN, SS, COMPRESSION, ASME SA479 TP 316, SURF TREATMENT: STANDARD MILL FINISH, STYLE: W/CTR WRENCH FAC	1	C	4730P SE
CAV119J	AL	L-A-13-000-002	2 UNION	UNION, TUBING, QA 1, CLASS 2, BULKHEAD, 3/8 IN, SS, COMPRESSION, ASME SA479 TP 316, STANDARD MILL FINISH, W/CTR WRENCH FAC	1	C	4730P SE
CEA635Y	AL	M-A-08-000-002	4 UNION	UNION, TUBING, QA 2, UNION, PIPE TO TUBE; HALF, 1/2 INCH SAE FLARE X 1/2 INCH NPT, BRASS	2	C	4730P SE
CEF222Y	AL	L-A-09-000-002	1 UNION	UNION, TUBING, QA 1, CLASS 2, 1/2 IN, SS, SOCKETWELD, ASME SA479 TP 316, STANDARD MILL FINISH	1	C	4730P SE
CEL192K	AL	M-A-04-000-002	1 UNION	UNION, PIPE, QA 3, UNION, PIPE; TYPE: THREADED; PIPE SIZE: 1 IN; MATERIAL: CS;	3	C	4730P SE
CEM066A	AL	A-A-01-000-002	3 UNION	UNION, PIPE, QA 3, STRAIGHT, 3/4 IN, 3/4 IN, BRASS, FNPT, FNPT, 150 LB, STANDARD MILL FINISH	3	C	4730P SE
CFW094T	AL	L-A-09-000-002	1 UNION	UNION, TUBING, QA 3, REDUCING, STAINLESS STEEL, *** .5 TUBE / 1.0 TUBE	3	B	4730P SE
AJL206R	AL	Z-Z-ZZ-ZZZ-ZZZ	3 UNIT	UNIT, COMMUNICATION, QA 0, SIGNALING UNIT, VHF; OFFICE END, C/O COMMON MODULE, 1600 HZ	0	P	5805M SE
ATH718T	AL	D-A-30-301-003	1 UNIT	UNIT, TYPICAL, QA 0, TRANSPORT, MAGNETIC TAPE; ITH AUTOMATIC HEAD ASSEMBLY, FOR INCREMENTAL	0		7020R SE
ATH928F	AL	A-A-01-000-001	2 UNIT	UNIT, CONTROL, QA 0, CONTROL UNIT, ; SERIES V100A, C/W ROTAMETER, UXD-21741 AND 140F	0	P	46109 SE
AWK514L	AL	A-A-01-000-001	1 UNIT	UNIT, TYPICAL, QA 0, DISPLAY UNIT, ; CATHODE RAY TUBE, WITH KEYBOARD, MICROPROCESSOR	0	P	7020R SE
BCF397E	AL	A-A-01-000-001	4 UNIT	UNIT, TYPICAL, QA 3, DISPLAY UNIT, ; CATHODE RAY TUBE, 12 IN, 115 VAC, 1 AMP, W/KEYBOARD	3	P	7020R SE
BRC540E	AL	A-A-01-000-001	4 UNIT	UNIT, TYPICAL, QA 0, SHOWER, 115, 60 HZ, SHOWER UNIT, HAND; EMERGENCY, EYE AND FACE WASH, DRENCH, ABS CYCOLAC	0	C	4710W SE
BXK730C	AL	A-A-01-000-001	1 UNIT	UNIT, TYPICAL, QA 3, TRANSFER ASSY, HEAVY EQUIPMENT; ROTARY, FIVE PATH, FOR INCORE	3	B	29100 SE
CBW755A	AL	F-A-12-201-004	7 UNIT	UNIT, COMMUNICATION, QA 0, CONTROL UNIT, RADIO; CONSOLE, RADIO TONE REMOTE, SIX LINE, WITH DTMF	0	C	5840M SE
CKL612Q	AL	D-A-02-401-000	22 UNIT	UNIT, TYPICAL, QA 0, COOLING FOR NETSTENDER 2060	0	C	5840M SE
AKM780P	AL	L-A-02-000-002	4 UNIT	UNIT, TRIP, QA 1, TRIP UNIT, ; TYPE TFK, FOR GE CIRCUIT BREAKER, 2-POLE, 100 AMP, 600 V	1	P	5925B SE
ALV563F	AL	M-A-11-000-002	1 UNIT	UNIT, CONTROL, QA 0, CONTROL UNIT, ; MANUAL, FOR FOXBORO CONSOTROL CONTROLLER, MODEL	0	P	6695D SE
ALV563F	AC	- - - -	9 UNIT	UNIT, CONTROL, QA 0, CONTROL UNIT, ; MANUAL, FOR FOXBORO CONSOTROL CONTROLLER, MODEL	0	P	6695D SE
APF097L	AL	P-A-LL-ET0-042	80 UNIT	UNIT, TYPICAL, QA 3, DISPLAY UNIT, ; READOUT, SERIES 345, FOR ROD POSITION INDICATION	3	B	6625D SE
APF197R	AL	P-A-LL-ET0-042	30 UNIT	UNIT, TYPICAL, QA 3, DISPLAY UNIT, ; READOUT, SERIES 345, FOR ROD POSITION INDICATION	3	B	6625D SE
AXR433F	AL	M-A-10-000-002	2 UNIT	UNIT, TYPICAL, QA 2, PRESSURE UNIT, ; FOR MODEL 52A-SM4 CONSOTROL CONTROLLER ***	2	P	6695D SE
BEV959K	AL	V-A-09-000-002	45 UNIT	UNIT, CONTROL, QA 0, HYDRAULIC, CONTROL ROD DRIVE, TYPICAL S/N 3523, INCLUDING VALVES WITH SOLENOIDS	0	P	4470C SE
BGN059W	AL	M-A-04-000-002	2 UNIT	UNIT, TYPICAL, QA 3, PRESSURE UNIT, ; BELLOWS, PRESSURE, STAINLESS STEEL, TYPE 316	3	B	6695D SE
BNQ351T	AL	T-A-01-000-002	1 UNIT	UNIT, TYPICAL, QA 1, COMBINER, , SIGNAL, FOR EX-CORE NEUTRON FLUX MONITORING INSTRUMENTATION.	1	P	6630D SE
BQD493J	AC	- - - -	2 UNIT	UNIT, TYPICAL, QA 1, CALIBRATION UNIT, ; CALIBRATION AND DIODE LOGIC. ***	1	B	6630D SE
BQE193R	TR	- - - -	1 UNIT	UNIT, TRIP, QA 1, TRIP UNIT, ; FLOW CONTROL TRIP REFERENCE UNIT FOR APRM CHANNELS ***	1	B	5925B SE
ALD472T	AL	M-A-15-000-002	3 UNLOADER	UNLOADER, TYPICAL, QA 0, UNLOADER, COMPRESSOR; FREE AIR, FOR AIR COMPRESSOR MODEL XLE-NL	0	P	4310I SE
ADH801R	AL	D-B-19-302-001	6 VALVE	VALVE, SOLENOID, QA 0, 4-WAY, 3/8 IN, 1/4 IN, FNPT, 120, 10-250 PSI, 17.1, VALVE, SOLENOID; FOUR-WAY, ORIFICE 000.250 IN	0	C	48104 SE
AFH523E	AL	J-B-12-009-001	1 VALVE	VALVE, DIAPHRAGM, QA 0, HANDWHEEL OPERATED, 6 IN, IRON, NEOPRENE, FLANGED, CAST, VALVE, DIAPHRAGM; 006.000 IN, FLANGED, CAST IRON SARAN LINE	0	P	48200 SE
AFN216X	AL	E-A-16-C01-D01	2 VALVE	VALVE, TYPICAL, QA 0, VALVE, CIRCUIT BREAKER; TWO-WAY, NON-RETURN, FOR STATIC STARTING	0	P	5925B SE
AFN417K	AL	E-A-16-C01-D01	2 VALVE	VALVE, TYPICAL, QA 0, VALVE, CIRCUIT BREAKER; TWO-WAY, NON-RETURN, FOR STATIC STARTING	0	P	5925B SE
AFN715B	AL	D-A-21-202-002	1 VALVE	VALVE, TYPICAL, QA 0, VALVE, CIRCUIT BREAKER; MAGNET, W/COIL BRNBOV 2738, FOR STATIC	0	B	5925B SE
AHH428V	AL	D-A-14-000-001	1 VALVE	VALVE, CONTROL, QA 0, VALVE, LIN DIRECT CONTROL; 4 IN CARBON STEEL THREE-WAY VALVE, FIG 263	0	C	48200 SE
AJH526M	AL	D-A-14-000-001	1 VALVE	VALVE, CONTROL, QA 0, VALVE, LIN DIRECT CONTROL; FIG 251, ALUMINUM THREE-WAY VALVE, AIR TO	0	C	48200 SE
AJH727B	AL	D-A-37-301-000	2 VALVE	VALVE, BUTTERFLY, QA 1, VALVE, BUTTERFLY; TYPE: MANUAL OPERATED; SIZE: 6 IN; BODY MATERIAL:	1	C	48200 SE
AJY454H	AL	1-A-03-000-001	8 VALVE	VALVE, BALL, QA 0, 3/8 IN, SS, COMPRESSION, 1500 PSI, LEVER OPERATED, ** TEMPERATURE: 70 DEG F	0	P	48200 SE
ALA895D	AL	2-A-27-060-001	2 VALVE	VALVE, TURBINE, QA 0, VALVE, STEAM TURBINE; MAIN STEAM REDUCING, REF 1346,TYPE DZE,	0	P	2825G SE
ALD872A	AC	- - - -	5 VALVE	VALVE, TYPICAL, QA 0, COMPRESSOR, 100 PSI, *** INLET, FOR AIR COMPRESSOR MODEL XLE-NL, PACKAGED "L" DESIGN, SIZE	0	P	4310I SE
ANG491T	AL	D-A-20-301-002	20 VALVE	VALVE, GLOBE, QA 0, 1/4 IN, SS, 5000 PSI, AISI 316, T	0	C	48200 SE
AQX181T	AL	D-B-03-012-001	1 VALVE	VALVE, BUTTERFLY, QA 0, 20 IN, IRON, WAFER, 150 PSI, *** OPERATOR TYPE: W/O OPERATOR	0	P	48200 SE
ARH162N	AL	D-A-32-302-002	65 VALVE	VALVE, TYPICAL, QA 0, RUBBER, *** INHALATION, FOR ULTRA-TWIN RESPIRATOR	0		4240P SE
ARH162N	AL	D-A-04-301-004	150 VALVE	VALVE, TYPICAL, QA 0, RUBBER, *** INHALATION, FOR ULTRA-TWIN RESPIRATOR	0		4240P SE
ARJ645W	AL	D-A-03-202-000	2 VALVE	VALVE, TYPICAL, QA 0, VALVE, GOVERNOR; REF 30, ILLUSTRATION 1250-4103-A, FOR MAIN TURBINE	0	P	2825G SE
ARK638L	AL	A-A-01-000-001	2 VALVE	VALVE, ANGLE, QA 1, 1 IN, CS, SOCKETWELD, 3600 PSI, ASME SA105, Y, RISING, T-HANDLE, 100 DEG F, FORGED	1	C	48200 SE
ARK639J	AL	A-A-01-000-001	2 VALVE	VALVE, ANGLE, QA 1, VALVE, ANGLE; STEEL, WELBOND, 1.500 IN, SW, 2665 LB, 700 DEG F, CLASS	1	P	48200 SE
ARK640D	AL	A-A-01-000-001	2 VALVE	VALVE, ANGLE, QA 1, VALVE, ANGLE; STEEL, WELBOND, 2 IN, SW, 2665 LB, 700 DEG F, CLASS 2	1	P	48200 SE
ARP427D	AL	D-B-16-000-001	15 VALVE	VALVE, GLOBE, QA 0, 1/8 IN, STAINLESS STEEL, COMPRESSION, AISI 316, T, ***	0	P	48200 SE
ART998H	AL	A-A-01-000-001	1 VALVE	VALVE, CHECK, QA 1, VALVE, CHECK; 1.5 IN, END TYPE SOCKETWELD, BODY MATL CARBON STEEL ASME	1	B	48200 SE
ARV001K	AL	A-A-01-000-001	1 VALVE	VALVE, GLOBE, QA 1, VALVE, GLOBE; STAINLESS STEEL, Y TYPE, SOCKET WELD, 1 IN, 2485 PSI AT	1	P	48200 SE
ATN550Q	AL	A-A-01-000-001	1 VALVE	VALVE, GLOBE, QA 0, 3/4 IN, THREADED, 300 PSI, DIAPHRAGM ACTUATOR, *** TRIM MATERIAL: BRONZE, SEAT MATERIAL: TEFLON	0	P	48200 SE
ATR080B	AL	A-A-01-000-001	1 VALVE	VALVE, GLOBE, QA 0, 2.0 IN, STAINLESS STEEL, SOCKETWELD, 1500 PSI, ASME SA182 GR F316, Y, 650 DEG F, ***	0	P	48200 SE
ATR083R	AL	A-A-01-000-001	1 VALVE	VALVE, CONTROL, QA 0, VALVE, INNER; MAIN, STAINLESS STEEL, TYPE 316, HARD FACED WITH COBALT-	0	P	48200 SE

ATR084P	AL	A-A-01-000-001	1 VALVE	VALVE, CONTROL, QA 0, VALVE, INNER; MAIN, STAINLESS STEEL, TYPE 316, HARD FACED WITH COBALT-	0	P	48200 SE
ATR087H	AL	A-A-01-000-001	1 VALVE	VALVE, CONTROL, QA 0, 5 IN, STAINLESS STEEL, AISI 410, VALVE, INNER; AUXILIARY, STAINLESS STEEL, TYPE 410, ITEM 16, FOR 5 IN	0	P	48200 SE
ATR557F	AL	A-A-01-000-001	1 VALVE	VALVE, GATE, QA 0, 3.0 IN, BRONZE, THREADED, 150 PSI, T, ***	0	P	48200 SE
ATR967V	AL	A-A-01-000-001	1 VALVE	VALVE, GLOBE, QA 0, 1/2 IN, STAINLESS STEEL, STAINLESS STEEL, FNPT, 200 PSI, ASTM A351 GR CF3M, T, RISING, HANDWHEEL, 500 DEG F, BOLTED FLAN	0	P	48200 SE
ATW167D	AL	A-A-01-000-001	1 VALVE	VALVE, ANGLE, QA 0, 3/8 IN, THREADED, 400 PSI, VALVE, ANGLE; SIZE: 00.375 IN (3/8), PRESSURE RATING: 400 PSI END	0	P	48200 SE
ATY755H	AL	1-A-03-000-001	1 VALVE	VALVE, CHECK, QA 2, LIFT, 1-1/4 IN, COPPER ALLOY, TEFLON, THREADED, 400 PSI, CAST, ; HORIZONTAL CHECK VALVE; TEMP RANGE -250 TO 350 DEG F; T	2	B	48200 SE
ATY756F	AL	A-A-01-000-001	1 VALVE	VALVE, ANGLE, QA 0, 2-1/2 IN, BRONZE, THREADED, 200 PSI, VALVE, ANGLE; SIZE: 02.500 IN (2 1/2), PRESSURE RATING: 200 PSI END	0	P	48200 SE
AVB115J	AL	D-B-16-000-001	8 VALVE	VALVE, BUTTERFLY, QA 0, 4 IN, 150 PSI, *** OPERATOR TYPE: W/O OPERATOR	0	P	48200 SE
AVB815M	AL	A-A-01-000-001	8 VALVE	VALVE, BALL, QA 0, 1/2 IN, PVC, SOCKETWELD, *** SEAT MATERIAL: TEFLON	0	P	48200 SE
AVD445J	AL	D-A-32-104-001	1 VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1 IN, THREADED, 125 DC, BRONZE, VALVE, SOLENOID; BRONZE, 3 WAY, 1 IN, 125 VDC, THD ***	0	P	48104 SE
AVD605P	AL	A-A-01-000-001	4 VALVE	VALVE, CHECK, QA 1, VALVE, CHECK; TYPE T,N-CLASS,I 1,IN,SW, 1500 LB ***	1	P	48200 SE
AVD607K	AL	A-A-01-000-001	2 VALVE	VALVE, CHECK, QA 1, VALVE, CHECK; TYPE, N CLASS I, SW, 2 IN,1500 LB ***	1	P	48200 SE
AVD693Y	AL	A-A-01-000-001	1 VALVE	VALVE, GATE, QA 0, 1-1/2 IN, CS, SOCKETWELD, 800 PSI, ASTM A105, T, RISING, HANDWHEEL, 100 DEG F, ROUND BOLTED, FORGED	0	P	48200 SE
AVD904D	AL	A-A-01-000-001	1 VALVE	VALVE, GATE, QA 0, 2-1/2 IN, IRON, FLANGED, 150 PSI, T, RISING, CAST, ***	0	P	48200 SE
AVE622H	AL	A-A-01-000-001	3 VALVE	VALVE, PLUG, QA 0, LEVER HANDLE OPERATOR, 1-1/2 IN, THREADED, 300 PSI, VALVE, PLUG; SIZE: 01.500 IN (1 1/2), PRESSURE RATING: 300 PSI END	0	P	48200 SE
AVE773V	AL	A-A-01-000-001	1 VALVE	VALVE, CHECK, QA 0, 3/4 IN, MNPT, 200 PSI, ***	0	P	48200 SE
AVG979W	AL	A-A-01-000-001	1 VALVE	VALVE, GLOBE, QA 0, 1.0 IN, ALUMINUM, THREADED, 100 PSI, T, ***	0	P	48200 SE
AVH021K	AL	D-B-05-202-002	3 VALVE	VALVE, TYPICAL, QA 0, COMPRESSOR, 100 PSI, *** DISCHARGE, FOR SPARE SERVICE AIR COMPRESSOR, SIZE 14.500 X 8.250 X	0	P	4310I SE
AVJ229Y	AL	A-A-01-000-001	1 VALVE	VALVE, RELIEF, QA 0, 1/2 IN, CARBON STEEL, MNPT, 50 PSI, VALVE, SAFETY RELIEF; CARBON STEEL, 0.500 IN MPT INLET, 1 IN OUTLET	0	P	48200 SE
AVR420G	AL	D-B-09-202-001	3 VALVE	VALVE, SOLENOID, QA 0, 4-WAY, 3/8 IN, 3/16 IN, FNPT, 120, 125 PSI, BRASS, 50/60, EXPLOSION PROOF, FOR WATER, OIL, OR GAS	0	C	48104 SE
AVT704J	AL	A-A-01-000-001	1 VALVE	VALVE, RELIEF, QA 0, 4 IN, THREADED, 100 PSI, VALVE, SAFETY RELIEF; PRESSURE, 4 IN, THD, 100 PSIG, ***	0	P	48200 SE
AVV223W	AL	A-A-01-000-001	1 VALVE	VALVE, BUTTERFLY, QA 0, 10 IN, STEEL, FLANGED, 150 PSI, *** OPERATOR TYPE: W/O OPERATOR	0	P	48200 SE
AVW384Y	AL	D-B-09-202-001	2 VALVE	VALVE, CONTROL, QA 0, 3/8 IN, *** MODEL S-37, FOR BAGHOUSE DRY ASH DISPOSAL	0	C	48200 SE
AVW891D	AL	A-A-01-000-001	1 VALVE	VALVE, CHECK, QA 0, 12.0 IN, ALUMINUM, FLANGED, 150 PSI, *** CHECK TYPE: FLAP	0	P	48200 SE
AVX070K	AL	A-A-01-000-001	1 VALVE	VALVE, PLUG, QA 0, VALVE, PLUG; SIZE: 04.000 IN (4), PRESSURE RATING: 150 PSI ***	0	P	48200 SE
AVX121T	AL	A-A-01-000-001	1 VALVE	VALVE, CONTROL, QA 0, VALVE, INNER; W/PIN, ITEM 5 & 8, FOR 3-WAY CONTROL VALVE, 004.000 IN	0	P	48200 SE
AVX556N	AL	A-A-01-000-001	1 VALVE	VALVE, BUTTERFLY, QA 0, 6 IN, IRON, ALUMINUM BRONZE, WAFER, 200 PSI, ASTM A126/B148, CAST, VALVE, BUTTERFLY; SIZE: 06.000 IN (6), PRESSURE	0	P	48200 SE
AWC601Y	AL	A-A-01-000-001	3 VALVE	VALVE, CONTROL, QA 0, 1/2 IN, STEEL, FNPT, 3000 PSI, VALVE, CONTROL; 000.500 IN, NPTF, 3000 PSIG, STEEL BODY, 15 GPM FLOW	0	P	48200 SE
AWD192F	TR	- - -	1 VALVE	VALVE, GLOBE, QA 1, CLASS 2, VALVE, GLOBE; SIZE: 1/4 IN; BODY MATERIAL: SS; PRESSURE RATING: 2510	1	C	48200 SE
AWE109Q	AL	A-A-01-000-001	1 VALVE	VALVE, CHECK, QA 0, 1 IN, RAISED FACE FLANGED, 500 PSI, *** TEMPERATURE: 220 DEG F	0	P	48200 SE
AWE942Q	AL	A-A-01-000-001	3 VALVE	VALVE, RELIEF, QA 0, IRON, FLANGED, 100 PSI, CAST, VALVE, SAFETY RELIEF; FLANGED, 100 PSI, CAST IRON, INTERNAL RELIEF	0	P	48200 SE
AWL198Y	AL	D-A-32-104-001	2 VALVE	VALVE, TYPICAL, QA 0, VALVE, PUMP; ANTISYPHON, HYPALON, PVC, FOR PRECISION CHEMICAL METERING	0	P	4320U SE
AWM316E	AL	A-A-01-000-001	1 VALVE	VALVE, GATE, QA 0, 1-1/4 IN, STAINLESS STEEL, FNPT, 200 PSI, ASTM A351 GR CF3M, T, RISING, HANDWHEEL, SCREWED, ***	0	P	48200 SE
AWM317C	AL	A-A-01-000-001	1 VALVE	VALVE, GATE, QA 0, 1 IN, ALUMINUM, THREADED, 100 PSI, ASTM B26, T, RISING, HANDWHEEL, SCREWED, VALVE, GATE; ALUMINUM, 001.000 IN THD, 100.00	0	P	48200 SE
AWM563W	AL	A-A-01-000-001	2 VALVE	VALVE, BALL, QA 0, 2.0 IN, ALUMINUM, SOCKETWELD, 850 PSI, *** SEAT MATERIAL: TEFLON, TEMPERATURE: 450 DEG F	0	P	48200 SE
AWR863V	AL	A-A-01-000-001	2 VALVE	VALVE, GATE, QA 0, 12.0 IN, IRON, MECHANICAL JOINT, 200 PSI, ASTM A126 CL B, T, NON-RISING, CAST, ***	0	P	48200 SE
AWR866M	AL	Z-A-06-000-001	1 VALVE	VALVE, GATE, QA 0, 4 IN, IRON, MECHANICAL JOINT, 200 PSI, ASTM A126, T, NON-RISING, CAST, VALVE, GATE; 4.0 IN, END TYPE MECHANICAL JOINT, BO	0	P	48200 SE
AWR866M	AL	A-A-01-000-001	2 VALVE	VALVE, GATE, QA 0, 4 IN, IRON, MECHANICAL JOINT, 200 PSI, ASTM A126, T, NON-RISING, CAST, VALVE, GATE; 4.0 IN, END TYPE MECHANICAL JOINT, BO	0	P	48200 SE
AWR867K	AL	Z-A-06-000-001	1 VALVE	VALVE, GATE, QA 0, 3 IN, IRON, MECHANICAL JOINT, 200 PSI, ASTM A126, T, NON-RISING, CAST, VALVE, GATE; 3.0 IN, END TYPE MECHANICAL JOINT, BO	0	P	48200 SE
AWT028G	AL	A-A-01-000-001	1 VALVE	VALVE, GLOBE, QA 0, 3/8 IN, CARBON STEEL, STAINLESS STEEL, FNPT, 600 PSI, ASTM A105 GR 420, T, RISING, HANDWHEEL, 100 DEG F, OUTSIDE SCREW Y	0	P	48200 SE
AWW381Y	AL	A-A-01-000-001	1 VALVE	VALVE, RELIEF, QA 0, 1-1/2 IN, BRASS, THREADED, 15 PSIG, *** FOR STANDLEY MAIN FEED PUMP	0	P	48200 SE
AWX895R	AL	A-A-01-000-001	1 VALVE	VALVE, CONTROL, QA 0, VALVE, INNER; STEEL, SPECIAL, 000.625 THD X 004.000 IN LG, REF 79, FOR	0	P	48200 SE
AXA191T	AL	A-A-01-000-001	1 VALVE	VALVE, CHECK, QA 0, 7/8 IN, BRONZE, SWEAT, 450 PSI, *** TEMPERATURE: 300 DEG F	0	P	48200 SE
AXJ342N	AL	A-A-01-000-001	1 VALVE	VALVE, CHECK, QA 1, CLASS 2, VALVE,LIFT-CHECK, ; 2 IN, WELDED END CONNECTIONS, BODY MAT'L ASME	1	C	48200 SE
AXJ343L	AL	A-A-01-000-001	1 VALVE	VALVE, CHECK, QA 1, CLASS 2, VALVE,LIFT-CHECK, ; 2.000 IN, END TYPE SOCKETWELD, CLASS 1500, BODY	1	C	48200 SE
AXQ381D	AL	Z-A-06-000-001	4 VALVE	VALVE, CONTROL, QA 0, STEEL, *** MANIFOLD TYPE, SHUT-OFFREF 33, 34, 35, FOR COOLER, ON 500.000 KV	0	P	5950N SE
AXT657K	AL	A-A-01-000-001	1 VALVE	VALVE, BUTTERFLY, QA 1, 4 IN, CS, FLAT FACE FLANGED, 150 PSI, ASME SA516 GR 70, VALVE, BUTTERFLY; 4.000 IN, END TYPE FLAT FACE FLANGE, CLASS	1	P	48200 SE
AXV908G	AL	1-A-03-000-001	1 VALVE	VALVE, GLOBE, QA 1, CLASS 2, VALVE, GLOBE; 0.5 IN, END TYPE SOCKETWELD, BODY MAT'L STAINLESS STEEL	1	C	48200 SE
AXX536G	AL	A-A-01-000-001	1 VALVE	VALVE, BALL, QA 0, 1-1/2 IN, STAINLESS STEEL, STAINLESS STEEL, FLAT FACE FLANGED, 275 PSI, AISI 316, VALVE, BALL; SIZE: 01.500 IN (1 1/2)	0	P	48200 SE
AXX538C	AL	A-A-01-000-001	1 VALVE	VALVE, BALL, QA 0, 1-1/2 IN, STAINLESS STEEL, STAINLESS STEEL, FLAT FACE FLANGED, 150 PSI, AISI 316, VALVE, BALL; SIZE: 01.500 IN (1 1/2)	0	P	48200 SE
AXX589T	AL	A-A-01-000-001	1 VALVE	VALVE, CHECK, QA 0, VALVE,CHECK,SWING, ; .500 IN, END TYPE SOCKETWELD, CLASS 150, BODY	0	P	48200 SE
AXX643F	AL	A-A-01-000-001	1 VALVE	VALVE, POPPET, QA 0, VALVE,POPPET,ENGINE, ; INL 1250-4727, REF 28, FOR INTERCEPTOR VALVE	0	P	2825G SE
AXX644D	AL	A-A-01-000-001	1 VALVE	VALVE, TURBINE, QA 0, VALVE, STEAM TURBINE; DUMP, STAINLESS STEEL, INL 1250-4008, REV 9, REF	0	P	2825G SE
AXY495Y	AL	D-B-16-000-001	12 VALVE	VALVE, TYPICAL, QA 1, VALVE ASSY, ; CONSISTING OF DRAIN VALVE, P/NN-29017-01, 0.125 TUBE TO	1	P	48200 SE
AYD899P	AC	- - -	1 VALVE	VALVE, SOLENOID, QA 0, VALVE, SOLENOID; PHASE, 1 AND 2, FIG 6, C/W COIL, 366A845G10, FOR	0	P	48104 SE
AYM048P	AL	A-A-01-000-001	1 VALVE	VALVE, PLUG, QA 0, LEVER HANDLE OPERATOR, 2-1/2 IN, IRON, FNPT, 150 PSI, CAST, VALVE, PLUG; SIZE: 02.500 IN (2 1/2), PRESSURE RATING: 150 P	0	P	48200 SE
AYX092B	AL	A-A-01-000-001	2 VALVE	VALVE, CHECK, QA 0, 3 IN, BRONZE, *** MODEL 909, C/W TEST COCKS AND TWO EA GATE VALVE, SIZE 3 IN	0	P	48200 SE
BAD888H	AL	A-A-01-000-001	1 VALVE	VALVE, GLOBE, QA 0, 1.0 IN, BRASS, FNPT X MNPT, 3500 PSI, T, RISING, T-HANDLE, ***	0	P	48200 SE
BAG726W	AL	A-A-01-000-001	3 VALVE	VALVE, CHECK, QA 0, 3/8 IN, ALUMINUM, FNPT, 150 PSI, ASME SB26, VALVE, CHECK; .375 IN, END TYPE THREADED INTERNAL, NPT, BODY MATL	0	P	48200 SE
BAP898T	AL	A-A-01-000-001	1 VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/4 IN, 3/16 IN, FNPT, 110/120, 250 PSI, BRASS, 50/60, 20, VALVE, SOLENOID; THREE-WAY, SIZE .25 IN, ORIFICE .1	0	P	48104 SE
BAR967P	AL	1-B-12-000-001	15 VALVE	VALVE, BALL, QA 0, 3/4 IN, CS, CS, FNPT, 150 PSI, LEVER OPERATED, **	0	P	48200 SE
BAX929B	AL	A-A-01-000-001	1 VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/4 IN, 9/32 IN, FNPT, 110/120, 105 PSI, BRASS, 50/60, 20, VALVE, SOLENOID; TWO-WAY, NORMALLY CLOSED, .25 IN	0	P	48104 SE
BAY571P	AL	A-A-01-000-001	1 VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/4 IN, 1/16 IN, FNPT, 120 DC, 160 PSI, BRASS, 11.2, VALVE, SOLENOID; THREE-WAY, NORMALLY CLOSED, SIZE .25 IN	0	P	48104 SE
BAY600P	AL	1-A-04-009-001	3 VALVE	VALVE, SOLENOID, QA 0, 4-WAY, 1/4 IN, 1/4 IN, FNPT, 110/120, 125 PSI, ***	0	P	48104 SE
BAY600P	AL	A-A-01-000-001	4 VALVE	VALVE, SOLENOID, QA 0, 4-WAY, 1/4 IN, 1/4 IN, FNPT, 110/120, 125 PSI, ***	0	P	48104 SE
BBF332H	AL	P-A-LL-ET0-063	3 VALVE	VALVE, TYPICAL, QA 0, PLASTIC, *** INJECT, BLACK, DUAL STACK AIR ACTUATED, THREE PASSAGES PER STACK	0	P	48200 SE
BBF333F	AL	A-A-01-000-001	1 VALVE	VALVE, CONTROL, QA 0, PLASTIC, *** 4-WAY, FLOW, INJECT, DUAL STACK AIR ACTUATED, BLACK, FOR ANALYZE	0	P	48200 SE
BBF333F	AL	P-A-LL-ET0-043	5 VALVE	VALVE, CONTROL, QA 0, PLASTIC, *** 4-WAY, FLOW, INJECT, DUAL STACK AIR ACTUATED, BLACK, FOR ANALYZE	0	P	48200 SE
BBF847F	AL	A-A-01-000-001	1 VALVE	VALVE, BUTTERFLY, QA 0, HANDWHEEL OPERATED, 6 IN, CS, MONOFLANGED, 150 PSI, ** SEAT MATERIAL: RUBBER	0	P	48200 SE
BBH733L	AL	A-A-01-000-001	1 VALVE	VALVE, RELIEF, QA 0, 1-1/2 IN, BRONZE, MNPT, VALVE, SAFETY RELIEF; 1.5 IN, SCREWED, MALE ENDS, BRONZE, VACUUM, FOR	0	P	48200 SE
BBJ424W	AL	D-B-09-202-001	1 VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/2 IN, 5/8 IN, FNPT, 110/120, 100 PSI, STEEL, 11, VALVE, SOLENOID; TWO-WAY, SIZE .5 IN, ORIFICE .625 IN, END	0	C	48104 SE
BBP194R	AL	A-A-01-000-001	1 VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 3/4 IN, 3/4 IN, FNPT, 110, 125 PSI, BRASS, 50/60, 6, VALVE, SOLENOID; THREE-WAY, NORMALLY CLOSED, SIZE .75 IN	0	P	48104 SE
BBY387A	AL	A-A-01-000-001	3 VALVE	VALVE, CHECK, QA 0, VALVE,LIFT-CHECK, ; 2.0 IN, END TYPE THREADED INTERNAL, NPT, CLASS	0	P	48200 SE
BCC679K	AL	A-A-01-000-001	1 VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/8 IN, 3/32 IN, FNPT, 240, 90 PSI, BRASS, 50/60, 11, VALVE, SOLENOID; THREE-WAY, NORMALLY CLOSED, SIZE .125 I	0	P	48104 SE
BCH076F	AL	Z-A-13-000-001	3 VALVE	VALVE, GLOBE, QA 0, CLASS 3, 8.0 IN, CARBON STEEL, BUTT WELD, 150 PSI, ASME SA216 GR WCB, T, ***	0	C	48200 SE

BCK053H	AL	A-A-01-000-001	2 VALVE	VALVE, GLOBE, QA 0, 2.0 IN, CARBON STEEL, SOCKETWELD, 800 PSI, T, RISING, HANDWHEEL, 850 DEG F, ***	0	P	48200 SE
BCN572J	AL	1-B-14-000-001	1 VALVE	VALVE, RELIEF, QA 0, 1 IN X 2 IN, CARBON STEEL, RAISED FACE FLANGED, 600 PSI, 1200 PSIG, VALVE, SAFETY RELIEF; 1"-600 LB INLET X 2"-150 LB O	0	C	48200 SE
BPC267J	AL	A-A-01-000-001	5 VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, PUMP; BODY, 0.75 IN, FOR AIR OPERATED RECIPROCATING PUMP	0	P	4320U SE
BCP434R	AL	A-A-01-000-001	3 VALVE	VALVE, GLOBE, QA 0, 2 IN, BRONZE, STAINLESS STEEL, FNPT, 200 PSI, ASTM B61, T, RISING, HANDWHEEL, 550 DEG F, UNION, VALVE, GLOBE; SIZE: 02.0	0	P	48200 SE
BCR773Q	AL	A-A-01-000-001	1 VALVE	VALVE, TYPICAL, QA 0, COMPRESSOR, STEEL, *** DISCHARGE, FOR AIR CONDITIONER COMPRESSOR, MODEL 2E5G88N	0	P	48200 SE
BCV638L	AL	A-A-01-000-001	1 VALVE	VALVE, TYPICAL, QA 0, COMPRESSOR, *** SUCTION OF DISCHARGE SERVICE, FOR AIR CONDITIONER COMPRESSOR MODEL	0	C	4520N SE
BCV666F	AL	A-A-01-000-001	1 VALVE	VALVE, BALL, QA 0, 2.0 IN, STAINLESS STEEL, RAISED FACE FLANGED, 150 PSI, LEVER OPERATED, AISI 316, ***	0	P	48200 SE
BCX434T	AL	A-A-01-000-001	11 VALVE	VALVE, GLOBE, QA 1, VALVE, GLOBE; .375 IN, CLASS 1500, BODY MATL STAINLESS STEEL, 'T'	1	P	48200 SE
BCY705H	AL	D-B-09-202-001	2 VALVE	VALVE, RELIEF, QA 0, 1/2 IN, BRONZE, THREADED, 10 PSI, *** 10 PSIG SET, FOR DRY FLY ASH SYSTEM	0	P	4450C SE
BDC405L	AL	A-A-01-000-001	2 VALVE	VALVE, CHECK, QA 0, VALVE, CHROMATOGRAPH; CARTRIDGE, OUTLET PUMP, CHECK, FOR ION GAS	0	C	6630D SE
BDC594M	AL	1-B-14-000-001	1 VALVE	VALVE, BALL, QA 0, 1/4 IN, SS, FNPT, 1500 PSI, LEVER OPERATED, AISI 316, CLASS 1500	0	P	48200 SE
BDD822X	AL	A-A-01-000-001	1 VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; THREE-WAY, SIZE .25 IN, END TYPE THREADED INTERNAL	1	B	48104 SE
BDD824R	AL	A-A-01-000-001	1 VALVE	VALVE, SOLENOID, QA 1, 3-WAY, 3/8 IN, 3/8 IN, FNPT, 125, 60 PSI, BRASS, 35.1, VALVE, SOLENOID; THREE-WAY, NORMALLY UNIVERSAL, SIZE .375 IN,	1	P	48104 SE
BDE349Q	AL	1-B-14-000-001	2 VALVE	VALVE, CONTROL, QA 2, VALVE, REGULATE FLUID PRESS; 2.0 IN, END TYPE THREADED INTERNAL, NPT	2	P	48200 SE
BDK494M	AL	E-A-16-C07-B01	8 VALVE	VALVE, TYPICAL, QA 0, VALVE, CIRCUIT BREAKER; BRASS, INTERLOCK, CHARGING "OPEN", DWG	0	P	5925B SE
BDP168E	TR	- - - -	2 VALVE	VALVE, GLOBE, QA 1, 1/4 IN, SS, COMPRESSION, 1500 PSI, ASME SA182 GR F316, T, HANDWHEEL, VALVE, GLOBE; .25 IN, CLASS 1500, BODY MATL STAINLE	1	B	48200 SE
BDP168E	AC	- - - -	5 VALVE	VALVE, GLOBE, QA 1, 1/4 IN, SS, COMPRESSION, 1500 PSI, ASME SA182 GR F316, T, HANDWHEEL, VALVE, GLOBE; .25 IN, CLASS 1500, BODY MATL STAINLE	1	B	48200 SE
BDP172P	AL	F-A-05-302-006	6 VALVE	VALVE, GLOBE, QA 1, CLASS 2, 3/8 IN, SS, COMPRESSION, 1500 PSI, ASME SA182 GR F316, T, HANDWHEEL, VALVE, GLOBE; 0.37 IN, CLASS 1500, BODY MA	1	P	48200 SE
BDP172P	AL	F-A-05-302-002	10 VALVE	VALVE, GLOBE, QA 1, CLASS 2, 3/8 IN, SS, COMPRESSION, 1500 PSI, ASME SA182 GR F316, T, HANDWHEEL, VALVE, GLOBE; 0.37 IN, CLASS 1500, BODY MA	1	P	48200 SE
BDP172P	AL	F-A-05-302-005	10 VALVE	VALVE, GLOBE, QA 1, CLASS 2, 3/8 IN, SS, COMPRESSION, 1500 PSI, ASME SA182 GR F316, T, HANDWHEEL, VALVE, GLOBE; 0.37 IN, CLASS 1500, BODY MA	1	P	48200 SE
BDP172P	AL	A-A-01-000-001	31 VALVE	VALVE, GLOBE, QA 1, CLASS 2, 3/8 IN, SS, COMPRESSION, 1500 PSI, ASME SA182 GR F316, T, HANDWHEEL, VALVE, GLOBE; 0.37 IN, CLASS 1500, BODY MA	1	P	48200 SE
BDP173M	AL	A-A-01-000-001	11 VALVE	VALVE, GLOBE, QA 1, CLASS 2, 1/2 IN, SS, SOCKETWELD, 1500 PSI, ASME SA182 GR F316, T, HANDWHEEL, VALVE, GLOBE; 0.5 IN PIPE SW INLET X 0.5 IN	1	C	48200 SE
BDV397A	AL	D-A-32-104-001	6 VALVE	VALVE, METERING, QA 0, VALVE ASSY, ; 316 STAINLESS STEEL, CONSISTS OF VALVE AND O-RING, FOR	0	P	48200 SE
BDX502Y	AL	A-A-01-000-001	2 VALVE	VALVE, CONTROL, QA 0, 2-1/2 IN, CARBON STEEL, FLANGED, 260 PSI, VALVE, REGULATE FLUID PRESS; 2.5 IN, BODY MATL CARBON STEEL, MAX OPR	0	P	48200 SE
BDY580F	AL	A-A-01-000-001	1 VALVE	VALVE, PETCOCK, QA 0, VALVE ASSY, ; DRAIN, 4 IN, N.O., AIR OPERATED, FOR DRY CLEANER, MODEL	0	P	48200 SE
BEB599A	AL	A-A-01-000-001	1 VALVE	VALVE, CHECK, QA 0, 1-1/4 IN, STAINLESS STEEL, AISI 316, ***	0	P	48200 SE
BEC127F	AL	A-A-01-000-001	1 VALVE	VALVE, GLOBE, QA 1, CLASS 2, VALVE, GLOBE; .5 IN, END TYPE SOCKETWELD, CLASS 900, BODY MATL	1	C	48200 SE
BED624V	AL	D-A-35-402-000	1 VALVE	VALVE, GATE, QA 1, 2-1/2 IN, CS, BUTTWELD, 150 PSI, ASTM A216 GR WCB, T, RISING, HANDWHEEL, BOLTED FLANGED YOKE, CAST, B16.34, MAX OPR TEMP	1	C	48200 SE
BEF194G	AL	A-A-01-000-001	1 VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, ; ORIFICE, METALLIC, FOR DRY CLEANER, MODEL 270 ***	0	P	48200 SE
BFK581E	AL	F-A-06-101-000	1 VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; THREADED INTERNAL ENDS, 120 PSIG AT 120 DEG F, 3-WAY	1	B	48104 SE
BFM426G	AL	D-B-09-202-000	1 VALVE	VALVE, BUTTERFLY, QA 0, 8.0 IN, ***	0	C	48200 SE
BFV168D	AL	D-B-25-302-001	3 VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/4 IN, 1/4 IN, FNPT, 250 DC, 200 PSI, BRASS, 35.1, VALVE, SOLENOID; THREE-WAY, NORMALLY OPEN, SIZE .25 IN, OR	0		48104 SE
BFV749Q	AL	D-B-17-302-001	5 VALVE	VALVE, CONTROL, QA 0, 2.0 IN, *** FOR DIAPHRAGM VALVE, 2 IN, TYPE 73-53-3	0		48200 SE
BGV971H	AL	F-C-07-101-000	25 VALVE	VALVE, GATE, QA 0, 2-1/2 IN, NHF X NHM, ***	0	P	48200 SE
BHB930P	AL	A-A-01-000-001	1 VALVE	VALVE, PLUG, QA 0, 1/8 IN, STAINLESS STEEL, FNPT, AISI 316, VALVE, PLUG; SIZE: 00.125 IN (1/8), END TYPE: THREAD INTERNAL NPT	0	P	48200 SE
BHD370R	AL	F-A-02-103-000	2 VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; THREE-WAY, NORMALLY UNIVERSAL, SIZE .25 IN, ORIFICE	1	B	48104 SE
BHJ233Y	AL	D-A-20-104-001	1 VALVE	VALVE, CONTROL, QA 0, VALVE, REGULATE FEEDWATER; FEEDER, LOW WATER CUT-OFF, MOTOR DUTY	0	C	48200 SE
BHR244M	AL	D-A-06-102-001	17 VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, RESPIRATOR; EXHALATION, FOR ULTRA RESPIRATORS ***	0		4240P SE
BJA455F	AL	A-A-01-000-001	1 VALVE	VALVE, TYPICAL, QA 0, 1 IN, IRON, FNPT, *** SEAT MATERIAL: HI-CAR RUBBER, CAST	0	P	48200 SE
BJA456D	AL	A-A-01-000-001	1 VALVE	VALVE, TYPICAL, QA 0, 1/2 IN, IRON, FNPT, *** SEAT MATERIAL: HI-CAR RUBBER, CAST	0	P	48200 SE
BJA848V	AL	A-A-01-000-001	2 VALVE	VALVE, RELIEF, QA 0, 1/2 IN X 1 IN, CS, MNPT, 100 PSI, DISK LOADED BY SPRING, CAPACITY 17 GPM WATER, SPRING AA16	0	P	48200 SE
BJB631G	AL	A-A-01-000-001	1 VALVE	VALVE, GATE, QA 0, 3.0 IN, STEEL, FLANGED, 200 PSI, T, HANDWHEEL, ***	0	P	48200 SE
BJC334H	AL	A-A-01-000-001	1 VALVE	VALVE, RELIEF, QA 0, VALVE, SAFETY RELIEF; CAST IRON, COMPLETE, DWG 14, REF	0	P	48200 SE
BJD232L	AL	A-A-01-000-001	1 VALVE	VALVE, GATE, QA 0, 3.0 IN, STEEL, RAISED FACE FLANGED, 200 PSI, T, HANDWHEEL, ***	0	P	48200 SE
BJD233J	AL	A-A-01-000-001	1 VALVE	VALVE, GATE, QA 0, 3.0 IN, STEEL, RAISED FACE FLANGED, 200 PSI, T, HANDWHEEL, ***	0	P	48200 SE
BJF615R	AL	D-A-18-302-000	10 VALVE	VALVE, CHECK, QA 0, 1/2 IN, STAINLESS STEEL, SOCKETWELD, 1500 PSI, AISI F316, ***	0		48200 SE
BJM293N	AL	D-A-22-301-001	30 VALVE	VALVE, GLOBE, QA 1, CLASS 1, 3/8 IN, CS, SS, SOCKETWELD, 600 PSI, ASME SA105, T, RISING, HANDWHEEL, OUTSIDE SCREW YOKE/BOLTED, FORGED, HARDF	1		48200 SE
BJM998F	AL	A-A-01-000-001	2 VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/8 IN, 3/64 IN, FNPT, 110/120, 175 PSI, BRASS, 9, VALVE, SOLENOID; THREE-WAY, SIZE .125 IN, END TYPE THREADED	0	P	48104 SE
BJP579R	AL	D-A-30-201-002	1 VALVE	VALVE, GATE, QA 1, VALVE, GATE; 1.5 IN, END TYPE SOLDER Joints, 'T' PATTERN, CWP 200 PSIG	1	C	48200 SE
BKA414P	AL	A-A-01-000-001	2 VALVE	VALVE, GATE, QA 0, 2-1/2 IN, CARBON STEEL, WELDED, 150 PSI, ASTM A216 GR WCB, T, RISING, HANDWHEEL, BOLTED FLANGED YOKE, CAST, *** END TYPE:	0	P	48200 SE
BKB739M	AL	A-A-01-000-001	7 VALVE	VALVE, CHECK, QA 0, VALVE, CHECK, SWING, ; .5 IN, END TYPE THREADED INTERNAL, NPT, MAX OPR	0	P	48200 SE
BKG750K	AL	A-A-01-000-001	1 VALVE	VALVE, GATE, QA 0, 1/2 IN, SS, SOCKETWELD, 800 PSI, ASTM A182 GR F316, T, RISING, HANDWHEEL	0	P	48200 SE
BKH157D	AL	A-A-01-000-001	8 VALVE	VALVE, RELIEF, QA 1, VALVE, SAFETY RELIEF; PRESSURE, GREASE, FOR ACTUATOR, TYPE SMB-000,	1	P	48200 SE
BKM859P	AL	F-A-25-201-000	4 VALVE	VALVE, BUTTERFLY, QA 0, 8.0 IN, IRON, IRON, WAFER FLANGED, 125 PSI, ASTM A126 CL B, CAST, *** OPERATOR TYPE: HANDWHEEL	0	C	48200 SE
BKQ243G	AL	D-A-04-201-002	2 VALVE	VALVE, SOLENOID, QA 0, 3-WAY, *** FOR MONITOR, CHLORIDE, LOW LEVEL, MODEL 1517.	0	P	48104 SE
BKR644Q	AL	A-A-01-000-001	1 VALVE	VALVE, CONTROL, QA 0, 5/8 IN, FLARED, 9-13 PSI, VALVE, CONTROL; 0.625 IN OD, 9-13 PSIG, PNEUMATIC UNITARY, FLARED	0	P	48200 SE
BKR645N	AL	A-A-01-000-001	1 VALVE	VALVE, BUTTERFLY, QA 0, HANDWHEEL OPERATED, 8.0 IN, CARBON STEEL, WAFER FLANGED, 150 PSI, ***	0	P	48200 SE
BLD047R	AL	D-B-05-202-002	1 VALVE	VALVE, CONTROL, QA 0, VALVE, REGULATE FLUID PRESS; 0.25 IN, 0 TO 35 PSIG, TVA ID	0	P	48200 SE
BLD047R	AL	D-B-07-202-002	1 VALVE	VALVE, CONTROL, QA 0, VALVE, REGULATE FLUID PRESS; 0.25 IN, 0 TO 35 PSIG, TVA ID	0	P	48200 SE
BLD048P	AL	D-B-05-202-002	1 VALVE	VALVE, CONTROL, QA 0, 1/4 IN, FNPT, 3000 PSI, VALVE, REGULATE FLUID PRESS; REDUCING, 3000 MAX INLET, 0.25 IN FNPT	0	P	48200 SE
BLD048P	AL	D-B-07-202-002	1 VALVE	VALVE, CONTROL, QA 0, 1/4 IN, FNPT, 3000 PSI, VALVE, REGULATE FLUID PRESS; REDUCING, 3000 MAX INLET, 0.25 IN FNPT	0	P	48200 SE
BLD940P	AL	A-A-01-000-001	1 VALVE	VALVE, SOLENOID, QA 0, 1/4 IN, 3/16 IN, 125, VALVE, SOLENOID; 00.25 IN, NPT, 125.00 VDC COILORIFICE 0.187 ***	0	P	48104 SE
BLE555A	AL	F-A-09-101-000	5 VALVE	VALVE, BALL, QA 0, 1-1/2 IN, PVC, PVC, THREADED, 150 PSI, *** END TYPE: DOUBLE UNION	0	B	48200 SE
BLF237K	AL	F-A-11-101-001	4 VALVE	VALVE, PLUG, QA 0, 1-1/4 IN, BRONZE, THREADED, 150 PSI, VALVE, PLUG; SIZE: 01.250 IN (1 1/4), PRESSURE RATING: CLASS 150 END	0	P	48200 SE
BLF239F	AL	D-A-02-202-001	5 VALVE	VALVE, PLUG, QA 0, 1-1/2 IN, BRONZE, THREADED, 150 PSI, VALVE, PLUG; SIZE: 01.500 IN (1 1/2), PRESSURE RATING: CLASS 150 END	0	P	48200 SE
BLJ092T	AL	D-A-32-301-000	1 VALVE	VALVE, TYPICAL, QA 0, 2-1/2 IN, BRASS, *** HYDRO-LOC APPARATUS, POSITION 11	0	P	4210N SE
BLJ092T	AL	D-B-16-000-001	2 VALVE	VALVE, TYPICAL, QA 0, 2-1/2 IN, BRASS, *** HYDRO-LOC APPARATUS, POSITION 11	0	P	4210N SE
BLJ094N	AL	D-A-32-301-000	1 VALVE	VALVE, TYPICAL, QA 0, 2-1/2 IN, BRASS, *** HYDRO-LOC APPARATUS, POSITION 14	0	P	4210N SE
BLJ094N	AL	D-B-16-000-001	2 VALVE	VALVE, TYPICAL, QA 0, 2-1/2 IN, BRASS, *** HYDRO-LOC APPARATUS, POSITION 14	0	P	4210N SE
BLM183H	AL	1-A-03-000-001	1 VALVE	VALVE, CHECK, QA 3, TILTING DISC, 12 IN (1 FT), STEEL, 150 PSI, CAST, MODEL 1601-A	3	P	48200 SE
BLM411Y	AL	A-A-01-000-001	1 VALVE	VALVE, RELIEF, QA 3, VALVE ASSY, DIESEL ENGINE; RELIEF, FOR LUBE OIL SYSTEM, ON STANDBY	3	P	2910O SE
BLP163D	AL	A-A-01-000-001	1 VALVE	VALVE, GATE, QA 0, 2 IN, ALLOY STEEL, FNPT, 800 PSI, ASTM A182 GR F316L, T, RISING, HANDWHEEL, 100 DEG F, ROUND BOLTED, FORGED, VALVE, GATE;	0	P	48200 SE
BLQ250Q	AL	A-A-01-000-001	3 VALVE	VALVE, RELIEF, QA 0, 2-1/2 IN, IRON, FLANGED, 300 PSI, 140 PSI, CAST, VALVE, SAFETY RELIEF; CAST IRON, 2.5 IN, 300 LB, INLET FLANGE SET AT	0	P	48200 SE
BLT581B	AL	A-A-01-000-001	2 VALVE	VALVE, CHECK, QA 0, 1/2 IN, STAINLESS STEEL, AISI 316, ***	0	P	48200 SE
BMB469C	AL	A-A-01-000-001	3 VALVE	VALVE, BALL, QA 0, FLANGED, *** TEMPERATURE: 180 DEG F	0	P	48200 SE

BMF243J	AL	A-A-01-000-001	1 VALVE	VALVE, CONTROL, QA 0, VALVE, ; FLOW CONTROL, ITEM 7, FOR MODEL MPS-400 DEHYDRATION UNIT S/N	0	P	4440E SE
BMF657N	AL	A-A-01-000-001	1 VALVE	VALVE, DIAPHRAGM, QA 0, 2 IN, STEEL, POLYTETRAFLUOROETHYLENE, RAISED FACE FLANGED, 150 PSI, CAST, VALVE, DIAPHRAGM; 2 IN, FLANGE, MOLDER RAI	0	P	48200 SE
BNA526R	AL	1-A-08-129-001	2 VALVE	VALVE, CONTROL, QA 0, VALVE, ; AIR SHUT OFF, TYPE III, SD WBT 220 ASVANS ***	0	P	48200 SE
BNC140H	AL	A-A-01-000-001	1 VALVE	VALVE, CONTROL, QA 0, 2 IN, BRONZE, THREADED, VALVE, CONTROL; TEMPERATURE REGULATING, SIZE 2IN, CV 25, CONTROL RANGE	0	P	48200 SE
BNH245X	AL	A-A-01-000-001	1 VALVE	VALVE, CONTROL, QA 0, 2 IN, IRON, 5-60 PSI, CAST, VALVE, CONTROL; CONTROL, CAST IRON BODY, MAX OP INLET: 60 PSIG, MAX OP	0	P	48200 SE
BNH245X	AL	D-B-05-202-004	1 VALVE	VALVE, CONTROL, QA 0, 2 IN, IRON, 5-60 PSI, CAST, VALVE, CONTROL; CONTROL, CAST IRON BODY, MAX OP INLET: 60 PSIG, MAX OP	0	P	48200 SE
BNH319T	AL	D-B-16-000-001	4 VALVE	VALVE, BALL, QA 0, 2.0 IN, CPVC, SOCKETWELD, ***	0	P	48200 SE
BNH525P	AL	F-A-02-103-000	1 VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; ORIFICE 3/32, MEDIA R-12, R22, 110 VAC, 6 WATTS, 100	1	P	48104 SE
BNP868R	AL	A-A-01-000-001	1 VALVE	VALVE, GATE, QA 0, 2-1/2 IN, BRONZE, FNPT X MNPT, 175 PSI, ***	0	P	48200 SE
BNP989D	AL	F-A-06-109-001	5 VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; 0.5 IN, FOR VIKING VALVES, ITEM 17 ON MODEL B-1 AS	3	P	48104 SE
BNR657W	AL	P-A-LL-ET0-081	1 VALVE	VALVE, CHECK, QA 1, CLASS 3, VALVE, CHECK; 1 IN PISTON, WITH SPRING, 1500 LB, KEROTEST (BW/IP), DWG	1	C	48200 SE
BNW607X	AL	D-A-18-301-001	1 VALVE	VALVE, SOLENOID, QA 1, 3/4 IN, 3/4 IN, THREADED, 240, 5-300 PSI, 10, **	1	C	48104 SE
BPG177K	AL	D-A-21-202-002	1 VALVE	VALVE, TYPICAL, QA 0, STEAM TURBINE, SHUT OFF VALVE ASSEMBLY FOR TURBINE EHC SYSTEM.	0		48200 SE
BPN279C	AL	A-A-01-000-001	2 VALVE	VALVE, CHECK, QA 0, 4 IN, *** CHECK TYPE: DISCHARGE	0	C	48200 SE
BNP293J	AL	A-A-01-000-001	1 VALVE	VALVE, CHECK, QA 0, 4 IN, *** CHECK TYPE: INLET	0	C	48200 SE
BPO081E	AL	D-A-04-201-002	2 VALVE	VALVE, CONTROL, QA 0, VALVE, ANALYZER; SHUTOFF (212732-A01), FOR ANALYZER, SODIUM, TYPE	0	A	6630D SE
BPW708H	AL	E-A-16-C05-A01	5 VALVE	VALVE, TYPICAL, QA 0, CIRCUIT BREAKER, TRIPPING INTERLOCK, FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BPW712R	AL	E-A-16-C11-B01	3 VALVE	VALVE, TYPICAL, QA 0, CIRCUIT BREAKER, *** RECHARGING, FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BPW715K	AL	E-A-16-C05-C01	10 VALVE	VALVE, TYPICAL, QA 0, CIRCUIT BREAKER, RECHARGING, FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BPW726E	AL	E-A-16-C06-A01	1 VALVE	VALVE, RELIEF, QA 0, VALVE, CIRCUIT BREAKER; SAFETY, CHAMBER END, FOR POWER CIRCUIT	0	C	5925B SE
BPW743E	AL	E-A-16-C06-F01	8 VALVE	VALVE, TYPICAL, QA 0, VALVE, CIRCUIT BREAKER; EQUALIZING, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
BPW814H	AL	A-A-01-000-001	3 VALVE	VALVE, PETCOCK, QA 0, 1/2 IN, THREADED, 150 PSI, VALVE, GAGE; COCK, BYPASS, SHUTOFF, SCREW STEM, 0.50 IN NPT, 150 LB	0	C	4310I SE
BPX111F	AL	E-A-16-C04-E01	1 VALVE	VALVE, TYPICAL, QA 0, VALVE, CIRCUIT BREAKER; REPLENISHING, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
BPX129V	AL	E-A-16-C04-E01	1 VALVE	VALVE, SOLENOID, QA 0, VALVE, SOLENOID; SOLENOID VALVE, FOR POWER CIRCUIT BREAKER, TYPE	0	C	48104 SE
BPX139Q	AL	E-A-16-C04-E01	2 VALVE	VALVE, CONTROL, QA 0, VALVE, CIRCUIT BREAKER; STOP, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
BPX830R	AL	D-A-02-202-000	7 VALVE	VALVE, CHECK, QA 0, 4.0 IN, STEEL, FLANGED, 175/200 PSI, ***	0	C	48200 SE
BQA275C	AL	P-A-LL-ET0-081	1 VALVE	VALVE, TYPICAL, QA 0, *** FOR BACKWASH DEMINERALIZER AIR COMPRESSOR 'A', FOR W.D. NO	0	C	4310I SE
BQC376V	AL	D-B-29-302-001	2 VALVE	VALVE, CHECK, QA 1, CLASS 3, VALVE,CHECK,SWING, ; 1"(INCH), 200 LB.,SOCKETWELD, BODY ASTM A351 GR	1		48200 SE
BRD542R	AL	A-A-01-000-001	1 VALVE	VALVE, BUTTERFLY, QA 3, CLASS 3, 6 IN, WAFER, VALVE, BUTTERFLY; 6.00 IN, WAFER TYPE, LESS ACTUATOR, POSI SEAL DWG	3	B	48200 SE
BRE500H	AL	A-A-01-000-001	26 VALVE	VALVE, TYPICAL, QA 3, VALVE, COMPRESSOR; SUCTION, COMPLETE WITH VALVE AND GASKET, FOR START	3	B	4310I SE
BRE784V	AL	E-A-16-C08-A01	17 VALVE	VALVE, TYPICAL, QA 0, DELAY, FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BRH115Q	AL	F-A-29-201-000	1 VALVE	VALVE, TYPICAL, QA 1, 4 IN, FLANGED, AIR RELEASE VALVE, MODEL NUMBER A41/PL10, DRAWING A40-PL10, VALVE	1	C	48200 SE
BRK002K	AL	D-B-16-000-001	8 VALVE	VALVE, GLOBE, QA 0, 3/4 IN, STAINLESS STEEL, SOCKETWELD, 800 PSI, ASTM A182 GR F316, T, HANDWHEEL, ROUND BOLTED, ***	0	C	48200 SE
BRL418N	AL	A-A-01-000-001	16 VALVE	VALVE, BALL, QA 0, 1.0 IN, STAINLESS STEEL, STAINLESS STEEL, SOCKETWELD, 800 PSI, AISI 316, *** OPERATOR TYPE: LEVER HANDLE	0	C	48200 SE
BRN016P	AL	D-B-25-302-003	2 VALVE	VALVE, CONTROL, QA 1, VALVE, DIRECTIONAL CONTROL; SYSTEM 085, FOR BFN CRD HCU GE P/N 729E950	1	C	48200 SE
BRX479K	AL	A-A-01-000-001	1 VALVE	VALVE, CONTROL, QA 3, VALVE, TEMPERATURE CONTROL; CHECK, FOR RADIATION MONITORS ***	3	B	6695D SE
BTH566G	AL	A-A-01-000-001	11 VALVE	VALVE, PETCOCK, QA 0, 2 IN, FNPT, BRASS, WRENCH, COCK, DRAIN; SIZE: 02.000 IN (2), PRESSURE RATING: NOT SHOWN, END	0	B	48200 SE
BTK203C	AL	A-A-01-000-001	2 VALVE	VALVE, SOLENOID, QA 1, 3-WAY, 3/8 IN, 9/32 IN, THREADED, 120, 200 PSI, BRASS, 10.5 AC/17.4 DC, FORGED, VALVE, SOLENOID; 10.5 WATTS (AC) 17.4	1	B	48104 SE
BTK820X	AL	A-A-01-000-001	5 VALVE	VALVE, CONTROL, QA 0, 1-1/2 IN, STAINLESS STEEL, THREADED, 75 PSI, AISI 304, VALVE, THREE-WAY; MATERIAL: STAINLESS STEEL 304, SIZE:1.5 IN, S	0	C	48200 SE
BTL794K	AL	A-A-01-000-001	1 VALVE	VALVE, PILOT, QA 2, VALVE ASSY, CHILLER; PILOT THERMAL,COMPLETE WITH POWER ASSY AND VALVE	2	B	4520N SE
BTM744X	AC	- - -	6 VALVE	VALVE, GATE, QA 1, CLASS 2, 1 IN, STAINLESS STEEL, SOCKETWELD, 1500 PSI, ASME SA351 GR CF8M, HANDWHEEL, VALVE, GATE; SIZE: 1 IN (1), PRESSU	1	C	48200 SE
BTM862P	AL	D-B-07-202-002	1 VALVE	VALVE, CONTROL, QA 0, VALVE, TEMPERATURE CONTROL; CONSISTING OF 1/2 IN SBRA VALVE, WITH A	0	B	6695D SE
BTQ073T	AL	D-A-22-201-000	1 VALVE	VALVE, BALL, QA 0, 4 IN, CS, RAISED FACE FLANGED, 150 PSI, ASTM A216 GR WCB	0		48200 SE
BTT871W	AL	A-A-01-000-001	1 VALVE	VALVE, RELIEF, QA 3, VALVE, SAFETY RELIEF; END CONNECTION, SERVICE: NITROGEN RELIEF 58 PSI	3	C	48200 SE
BTT871W	AL	Z-A-06-000-001	1 VALVE	VALVE, RELIEF, QA 3, VALVE, SAFETY RELIEF; END CONNECTION, SERVICE: NITROGEN RELIEF 58 PSI	3	C	48200 SE
BTT963P	AL	A-A-01-000-001	3 VALVE	VALVE, GATE, QA 0, 2-1/2 IN, CARBON STEEL, FLAT FACE FLANGED, 600 PSI, T, HANDWHEEL, ***	0	B	48200 SE
BTV380N	AL	A-A-01-000-001	2 VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; 2-WAY,AIR OPERATED, 1/2 IN, NITROGEN SERVICE,BRASS	1	B	48104 SE
BTV389Q	AL	F-A-02-103-000	1 VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; 2-WAY,AIR OPERATED,1/2 IN,NITROGEN SERVICE,BRASS BODY	1	B	48104 SE
BTW649K	AL	A-A-01-000-001	3 VALVE	VALVE, GLOBE, QA 3, VALVE, ANGLE; SIZE: 02.500 IN (2 1/2), PRESSURE RATING: 300 PSI, END	3	B	48200 SE
BVC077A	AL	A-A-01-000-001	19 VALVE	VALVE, CONTROL, QA 0, 1.0 IN, PVC, TEFLON, FNPT, 150 PSI, *** SCHEDULE 80	0	C	2825G SE
BVE565V	AC	- - -	9 VALVE	VALVE, CHECK, QA 3, VALVE ASSY, FLUID CONTROL; FILL,CHECK,STAINLESS STEEL,FOR HIGH VOLUME	3	B	48200 SE
BVE749H	AL	D-B-19-101-000	2 VALVE	VALVE, BALL, QA 0, 2 IN, CHROME MOLY, SOCKETWELD, 2500 PSI, LEVER OPERATED, ASTM A182 GR F22, 1-1/16 IN, METAL SEATED, ZERO LEAKAGE	0	C	48200 SE
BVH345T	AL	A-A-01-000-001	3 VALVE	VALVE, GLOBE, QA 1, 1/2 IN, SS, SOCKETWELD, 600 PSI, ASTM A182 GR F316, Y, HANDWHEEL, 400 DEG F, VALVE, GLOBE; SIZE: 00.500 IN (1/2), PRESS	1	C	48200 SE
BVH524T	AL	A-A-01-000-001	1 VALVE	VALVE, TYPICAL, QA 1, VALVE, PUMP; FILL, C/O FILL VALVE, 4 IN TUBING, TEE AND CAPILLARY ***	1	C	6695D SE
BVJ532N	AL	A-A-01-000-001	2 VALVE	VALVE, RELIEF, QA 0, VALVE, SAFETY RELIEF; 3/4 IN X 1 IN, TYPICAL S/N TC93166, COLD SET	0	C	48200 SE
BVJ536E	AL	D-B-05-202-002	2 VALVE	VALVE, RELIEF, QA 0, 1/2 IN, 100 PSI, SET PRESSURE 100 PSIG FUEL OIL, WITH	0	B	48200 SE
BVJ544F	AL	D-B-05-202-002	2 VALVE	VALVE, RELIEF, QA 0, 1/2 IN, 170 PSI, SET PRESSURE 170 PSIG LUBE OIL, WITH	0	C	48200 SE
BVL520Y	AL	A-A-01-000-001	1 VALVE	VALVE, RELIEF, QA 1, CLASS 3, VALVE, SAFETY RELIEF; 150 LB, CONSOLIDATED TYPE 1970C, CAST CARBON	1	C	48200 SE
BVP058M	AL	A-A-01-000-001	5 VALVE	VALVE, BALL, QA 3, VALVE, BALL; SIZE: 01.000 IN (1), PRESSURE RATING: CLASS 150, END	3	C	48200 SE
BVP058M	AL	F-A-14-101-000	55 VALVE	VALVE, BALL, QA 3, VALVE, BALL; SIZE: 01.000 IN (1), PRESSURE RATING: CLASS 150, END	3	C	48200 SE
BVP590R	AL	A-A-01-000-001	20 VALVE	VALVE, GLOBE, QA 1, CLASS 1, 1/2 IN, SS, 1513 PSI, ASME SA182 GR F316, VALVE, GLOBE; NOMINAL SIZE 1/2 IN,STAINLESS STEEL,ASME SA 182 F316,	1	B	48200 SE
BVR787G	AL	F-A-17-202-000	2 VALVE	VALVE, SOLENOID, QA 1, 3-WAY, 1/4 IN, 3/16 IN, 125 DC, 100 PSI, 35.1, WITH 1/2 IN THREADED HUB	1	B	48104 SE
BVW373W	AL	A-A-01-000-001	2 VALVE	VALVE, CONTROL, QA 2, VALVE, CONTROL; REFRIGERANT PRESSURE ACTUATED, DOUBLE DIAPHRAGM	2	B	48200 SE
BWB693V	AL	F-A-37-102-000	1 VALVE	VALVE, GATE, QA 1, 2-1/2 IN, SS, BUTTWELD, 200 PSI, ASTM A351 GR CF8M, T, HANDWHEEL, VALVE, GATE; SIZE: 02.500 IN (2 1/2), PRESSURE RATING:	1	C	48200 SE
BWG348K	AL	D-A-09-104-001	1 VALVE	VALVE, GATE, QA 1, VALVE, GATE; SIZE: 01.000 IN (1), PRESSURE RATING: 200 PSI, END TYPE:	1	C	48200 SE
BWH301A	AL	P-A-LL-ET0-111	1 VALVE	VALVE, GLOBE, QA 0, 1-1/2 IN, 300 PSI, *** TRIM MATERIAL: STAINLESS STEEL	0	C	48200 SE
BWH317R	AL	P-A-LL-ET0-111	4 VALVE	VALVE, GLOBE, QA 0, 1/2 IN, STAINLESS STEEL, 300 PSI, ASTM A182 GR F316L, *** TRIM MATERIAL: STAINLESS STEEL, SEAT MATERIAL: TEFLON	0	C	48200 SE
BWH756Y	AL	E-A-16-C01-A01	5 VALVE	VALVE, TYPICAL, QA 0, CIRCUIT BREAKER, *** TWO-WAY DELAY, FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BWH759Q	AL	E-A-16-C01-A01	6 VALVE	VALVE, TYPICAL, QA 0, CIRCUIT BREAKER, *** TWO-WAY DELAY, FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BWH765X	AL	E-A-16-C11-G01	1 VALVE	VALVE, TYPICAL, QA 0, VALVE, CIRCUIT BREAKER; EXTINCTION CHAMBER, FOR POWER CIRCUIT BREAKER	0	C	5925B SE
BWK920D	AL	A-A-01-000-001	1 VALVE	VALVE, GLOBE, QA 1, VALVE, GLOBE; SIZE: 01.000 IN (1), PRESSURE RATING: 1500 PSI, END	1	C	48200 SE
BWN257P	AL	E-A-16-C05-C01	4 VALVE	VALVE, SOLENOID, QA 0, VALVE, SOLENOID; TWIN, FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D ***	0	C	48104 SE
BWQ706B	AL	E-A-16-C03-B01	3 VALVE	VALVE, CHECK, QA 0, VALVE, CIRCUIT BREAKER; NON-RETURN, FOR CIRCUIT BREAKER, TYPE	0	C	5925B SE
BWQ795G	AL	E-A-16-C05-B01	3 VALVE	VALVE, TYPICAL, QA 0, CIRCUIT BREAKER, ISOLATOR-CLOSE, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BWQ802F	AL	E-A-16-C05-F01	1 VALVE	VALVE, CONTROL, QA 0, VALVE, CIRCUIT BREAKER; EQUALIZING, CONTROL UNIT, FOR CIRCUIT BREAKER	0	C	5925B SE

BWQ811D	AL	E-A-16-C05-E01	2 VALVE	VALVE, CONTROL, QA 0, VALVE, CIRCUIT BREAKER; ISOLATOR, TWIN CONTROL, FOR CIRCUIT BREAKER	0	C	5925B SE
BWQ818Y	AL	E-A-16-C05-E01	3 VALVE	VALVE, CHECK, QA 0, VALVE, CIRCUIT BREAKER; NO RETURN, FOR CIRCUIT BREAKER, TYPE	0	C	5925B SE
BWQ819W	AL	E-A-16-C05-E01	3 VALVE	VALVE, CHECK, QA 0, VALVE, CIRCUIT BREAKER; NO RETURN, FOR CIRCUIT BREAKER, TYPE	0	C	5925B SE
BWQ933Y	AL	1-A-08-009-001	1 VALVE	VALVE, CONTROL, QA 1, CLASS 3, VALVE, CONTROL; 16" MFG BY FISHER, 900 LB, CARBON STEEL, VALVE ID	1	C	48200 SE
BWR326F	AL	E-A-16-C04-E01	1 VALVE	VALVE, CONTROL, QA 0, VALVE, CIRCUIT BREAKER; CONTROL "OPEN", FOR CIRCUIT BREAKER, TYPE	0	C	5925B SE
BWR328B	AL	E-A-16-C08-A01	6 VALVE	VALVE, CONTROL, QA 0, VALVE, CIRCUIT BREAKER; CONTROL CLOSING, FOR CIRCUIT BREAKER, TYPE	0	C	5925B SE
BWW075M	AL	F-A-12-101-000	2 VALVE	VALVE, CONTROL, QA 0, 1.0 IN, CARBON STEEL, 900 PSI, *** FOR 1 IN FLOW CONTROL VALVE, WKM 900 LB, CARBON STEEL	0	C	48200 SE
BWW357L	AL	A-A-01-000-001	2 VALVE	VALVE, TYPICAL, QA 3, VALVE, CHROMATOGRAPH; HUMPHREY VALVE ***	3	B	6630D SE
BWX329L	AL	F-C-07-101-000	1 VALVE	VALVE, METERING, QA 1, VALVE ASSY, VALVE; METERING, COMPLETE, CHICAGO FLD DWG CFP-310-B, FOR	1	B	48200 SE
BXA722E	AL	1-B-14-000-001	1 VALVE	VALVE, RELIEF, QA 0, VALVE, DRIER; RELIEF, SPARE PART FOR LECTRODRYER MODEL BAC-50 (SN	0	B	4440E SE
BXE988J	AL	D-A-01-012-001	1 VALVE	VALVE, GATE, QA 0, 1.0 IN, STAINLESS STEEL, SOCKETWELD, 150 PSI, ASME SA182 GR F316, T, ***	0	C	48200 SE
BXE988J	AL	F-A-15-102-000	1 VALVE	VALVE, GATE, QA 0, 1.0 IN, STAINLESS STEEL, SOCKETWELD, 150 PSI, ASME SA182 GR F316, T, ***	0	C	48200 SE
BXH884F	AL	A-A-01-000-001	1 VALVE	VALVE, RELIEF, QA 1, VALVE ASSY, VALVE; RELIEF, COMPLETE, CHICAGO FILED DWG CFP-309-B, FOR	1	B	48200 SE
BXJ865E	AL	F-A-06-101-000	1 VALVE	VALVE, SOLENOID, QA 3, 3-WAY, 3/8 IN, 5/16 IN, 125 DC, 125 PSI, 35.1, NORMALLY CLOSED,	3	B	48104 SE
BXJ945G	AL	D-B-07-202-001	1 VALVE	VALVE, RELIEF, QA 0, VALVE, PUMP; RELIEF VALVE ASSEMBLY, FOR TYPE C OIL PUMP ON INGERSOLL	0	C	4320U SE
BXK486H	AL	A-A-01-000-001	1 VALVE	VALVE, CHECK, QA 0, 3/4 IN, STAINLESS STEEL, SOCKETWELD, 1100 PSI, *** CHECK TYPE: BACKFLOW PREVENTION	0	C	48200 SE
BXL039W	AL	F-A-21-101-001	2 VALVE	VALVE, TYPICAL, QA 0, INNER, 1-1/2 IN, STAINLESS STEEL, AISI 410, *** FOR 1-1/2 IN, S/N 70-116119 THRU 70-116130	0	C	48200 SE
BXM130T	AL	D-B-23-012-001	1 VALVE	VALVE, CHECK, QA 1, 3/4 IN, SS, FNPT, 25 PSI, AISI 303, , MAX OPR TEMP 250.0 DEG F	1	C	48200 SE
BXM536J	AL	D-A-22-201-000	1 VALVE	VALVE, CONTROL, QA 0, 2 IN, STEEL, STEEL, 720 PSI, VALVE, SHUT OFF; ROCKWELL NORDSTROM 2", MULTPPORT VALVE; ARRANGEMENT	0	C	48200 SE
BXN798E	AL	A-A-01-000-001	11 VALVE	VALVE, SOLENOID, QA 0, VALVE, SOLENOID; 3/8 IN PIPE, 5/16 IN ORIFICE, ***	0	B	48104 SE
BXR463Y	AL	A-A-01-000-001	1 VALVE	VALVE, BUTTERFLY, QA 3, VALVE, FIRE PROTECTION SYS; HENRY PRATT IBV INDICATING BUTTERFLY	3	B	4210N SE
BXW043W	AL	A-A-01-000-001	2 VALVE	VALVE, BUTTERFLY, QA 3, VALVE, BUTTERFLY; SIZE: 06.000 IN (6), PRESSURE RATING: 150 PSI, END	3	C	48200 SE
BXW714G	AL	A-A-01-000-001	1 VALVE	VALVE, RELIEF, QA 3, VALVE, PUMP; INTERNAL RELIEF, SET AT 35 PSIG, FOR MODEL Q4125R PUMP, S/N	3	C	4320U SE
BXY371A	AL	D-A-02-202-002	1 VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1 IN, 1 IN, FNPT, 120, 200 PSI, BRASS, 28.2, FORGED, VALVE, SOLENOID; GENERAL PURPOSE ENCLOSURE, 28.2 WATT HT	0	B	48104 SE
BYA218K	AL	A-A-01-000-001	1 VALVE	VALVE, GATE, QA 0, 2 IN, SS, SOCKETWELD, 800 PSI, ASTM A182 GR F316, T, RISING, HANDWHEEL, 100 DEG F, ROUND BOLTED, VALVE, GATE; 2 IN, 600 P	0	C	48200 SE
BYA515D	AL	F-A-11-102-000	1 VALVE	VALVE, CHECK, QA 3, VALVE, CHECK; CHECK TYPE: TILTING DISC, SIZE: 24.000 IN (24)	3	B	48200 SE
BYB890Q	AC	- - - -	1 VALVE	VALVE, RELIEF, QA 0, 2-1/2 IN X 4 IN, RAISED FACE FLANGED, 250 PSIG, VALVE, SAFETY RELIEF; 2.5" INLET X 4" OUTLET, SET AT 250 PSIG, STEAM	0	C	48200 SE
BYD386E	AL	A-A-01-000-001	2 VALVE	VALVE, PLUG, QA 0, WRENCH OPERATOR, 3 IN, IRON, FLANGED, 150 PSI, CAST, VALVE, PLUG; HOMESTEAD VALVE, CAST IRON, SIZE: 3" FLANGE BOLTED 200	0	C	48200 SE
BYL679T	AL	1-B-14-000-001	1 VALVE	VALVE, CHECK, QA 1, CLASS 1, VALVE, CHECK; CHECK TYPE: PISTON, SIZE: 00.500 IN (1/2), PRESSURE	1	C	48200 SE
BYM424P	AL	F-A-14-202-004	1 VALVE	VALVE, CHECK, QA 1, VALVE, CHILLER; CHECK, 1/2 IN, FREE FLOW, FPT END CONNECTIONS, BRASS	1	C	4520N SE
BYM424P	AL	F-A-19-201-000	1 VALVE	VALVE, CHECK, QA 1, VALVE, CHILLER; CHECK, 1/2 IN, FREE FLOW, FPT END CONNECTIONS, BRASS	1	C	4520N SE
BYN909T	AL	1-A-03-000-001	1 VALVE	VALVE, GLOBE, QA 3, 3/8 IN, SS, FNPT, TYPE: PANEL, REF. ORIGINAL DRAGON CONTRACT 83574	3	C	48200 SE
CAB822K	AL	1-A-03-000-001	1 VALVE	VALVE, BALL, QA 3, 1 IN, SS, COMPRESSION, 2500 PSI, LEVER OPERATED	3	C	48200 SE
CAF317C	AL	E-A-16-C05-F01	6 VALVE	VALVE, CONTROL, QA 0, VALVE, CIRCUIT BREAKER; CONTROL UNIT, FOR CIRCUIT BREAKER, TYPE	0	C	5925B SE
CAF667G	AL	F-A-15-102-000	1 VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE, POWERED; SOLENOID, DIRECT LIFT, BOLTED BODY/BONNET, 120	3	B	48104 SE
CAG065Y	AL	A-A-01-000-001	1 VALVE	VALVE, BUTTERFLY, QA 0, HANDWHEEL OPERATED, 10 IN, IRON, STAINLESS STEEL, WAFER MONOFLANGED, 150 PSI, CAST, VALVE, BUTTERFLY; 10 IN, 150 PSI	0	B	48200 SE
CAJ956R	AL	D-A-18-401-001	2 VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; TYPE: 3-WAY; SIZE: 1/4 IN; ORIFICE SIZE: 1/8 IN;	1	C	48104 SE
CAK830N	AL	D-A-24-302-000	6 VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, VALVE; MANIFOLD, DUAL BLEED ORIFICE, 10419B-8-4, SOLID	0		48200 SE
CAR067C	AL	D-A-20-301-006	1 VALVE	VALVE, SOLENOID, QA 1, 3-WAY, 1/4 IN, 3/64 IN, THREADED, 120, BRASS, 60, VALVE, SOLENOID; THREE WAY, BRASS BODY, 120VAC/60HZ, 1/4", NORMALLY	1	B	48104 SE
CBA717F	AC	- - - -	2 VALVE	VALVE, TYPICAL, QA 2, CHILLER, *** VALVE CHILLER, INLET: 7/8 ODS, OUTLET: 3/4" ODS, MANUAL ISOLATION	2	C	4520N SE
CBC410B	AL	D-A-21-201-000	1 VALVE	VALVE, BALL, QA 0, 2 IN, CARBON STEEL, STAINLESS STEEL, THREADED, PNEUMATIC OPERATED, VALVE, BALL; 2 IN NPT BALL VALVE, CARBON STEEL BODY ST	0	C	48200 SE
CBG651L	AL	E-A-16-C04-E01	1 VALVE	VALVE, CHECK, QA 0, FOR CIRCUIT BREAKER, TYPE DR 36SC1750D, ABB 2582/2595	0	C	5925B SE
CBT686D	AL	F-A-17-102-000	1 VALVE	VALVE, GATE, QA 0, 3.0 IN, STAINLESS STEEL, BUTT WELD, 150 PSI, T, HANDWHEEL, ***	0	C	48200 SE
CBT686D	AC	- - - -	2 VALVE	VALVE, GATE, QA 0, 3.0 IN, STAINLESS STEEL, BUTT WELD, 150 PSI, T, HANDWHEEL, ***	0	C	48200 SE
CDC269R	AL	D-B-17-201-001	1 VALVE	VALVE, RELIEF, QA 1, CLASS 2, FNPT X FNPT, , BASE MAT'L: SS, BASE MAT'L SPEC: ASME SA479 TYPE 316, CROSBY 900	1		6695D SE
CDE384F	AL	A-A-01-000-001	1 VALVE	VALVE, DIAPHRAGM, QA 0, VALVE, DIAPHRAGM; COMPLETE VALVE ASSEMBLY, 3 INCH HILLS MCCANNA	0	B	48200 SE
CDE574A	AL	A-A-01-000-001	1 VALVE	VALVE, GLOBE, QA 0, VALVE, GLOBE; SIZE: 04.000 IN (4), PRESSURE RATING: 150 PSI, END	0	B	48200 SE
CDE590P	AL	D-B-25-302-005	3 VALVE	VALVE, CHECK, QA 2, VALVE, ACCUMULATOR; PIPE ENDED CHECK VALVE, 316 SS POPPET AND BODY,	2	C	48200 SE
CDG136Q	AL	A-A-01-000-001	2 VALVE	VALVE, CHECK, QA 3, VALVE, CHECK; TYPE: SWING; SIZE: 2 IN; BODY MATERIAL: SS; END STYLE:	3	C	48200 SE
CDG177A	AL	A-A-01-000-001	2 VALVE	VALVE, PLUG, QA 3, VALVE, ISOLATION; 1/2 INCH, MANUAL, PLUG TYPE, 1/2" NPT-M AND 1/2"	3	B	48200 SE
CDH458W	AL	1-B-14-000-001	1 VALVE	VALVE, PILOT, QA 0, VALVE, PILOT; PILOT VALVE ASSEMBLY FOR 16Z220 CROSBY VALVE, TYPE: JPV,	0	C	48104 SE
CDK495C	AL	F-A-07-101-003	1 VALVE	VALVE, RELIEF, QA 0, VALVE, SAFETY RELIEF; 1 1/2 FNPT X 2 1/2 FNPT, SET POINT 10 PSIG ***	0	C	48200 SE
CDK913L	AL	D-A-28-302-000	2 VALVE	VALVE, GATE, QA 1, CLASS 3, VALVE, GATE; SIZE: 02.000 IN (2), PRESSURE RATING: 150 PSI, END TYPE:	1		48200 SE
CDK987N	AL	D-A-18-302-000	1 VALVE	VALVE, BALL, QA 1, CLASS 3, VALVE, BALL; TYPE: LEVER HANDLE; SIZE: 1 IN; BODY MATERIAL: CS; END	1		48200 SE
CDN435F	AL	D-A-11-402-004	1 VALVE	VALVE, CHECK, QA 3, STOP, 12 IN, IRON, FLAT FACE FLANGED, 125 PSI, CAST, *** DANIEL MODEL # 1600-D	3	C	48200 SE
CDN462C	AC	- - - -	2 VALVE	VALVE, SOLENOID, QA 0, VALVE, STEAM TURBINE; SERVO, CONTROL PAC, FOR COMBINED INTERMEDIATE	0	B	2825G SE
CDP485T	AL	1-B-14-000-001	1 VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; FOR CO2 FIRE PROTECTION SYSTEM. ***	3	B	48104 SE
CDX414K	AL	1-B-14-000-001	1 VALVE	VALVE, BUTTERFLY, QA 0, CLASS 3, 24 IN, CARBON STEEL, 150 PSI, VALVE, BUTTERFLY; 24 INCH, 150 LB, CARBON STEEL, POSI-SEAL MODEL 10825	0	C	48200 SE
CDX768F	AC	- - - -	1 VALVE	VALVE, GLOBE, QA 1, CLASS 3, VALVE, GLOBE; SIZE: 1 IN; BODY MATERIAL: CS; END STYLE: FNPT; PRESSURE	1	C	48200 SE
CDX900N	AL	A-A-01-000-001	2 VALVE	VALVE, GLOBE, QA 0, 1/4 IN, STAINLESS STEEL, 200 PSI, AISI 316, 150 DEG F, VALVE, GLOBE; 1/4" FACE SEAL ENDS WITH FEMALE NUTS, 316 SS BODY	0	C	48200 SE
CEA548R	AL	A-A-01-000-001	1 VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; SIZE: 00.750 IN (3/4), PRESSURE RATING: 1500 PSI, END	3	C	48200 SE
CEC011J	AL	D-A-24-302-000	1 VALVE	VALVE, BUTTERFLY, QA 0, ACTUATOR OPERATOR, 4 IN, CARBON STEEL, STAINLESS STEEL, 150 PSI, VALVE ASSY, ACTUATOR; BUTTERFLY, 4 IN., ANSI CLASS	0		48200 SE
CED706K	AL	A-A-01-000-001	16 VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; SIZE: 01.000 IN (1), PRESSURE RATING: 800 PSI, END	3	C	48200 SE
CED867R	AL	D-A-21-201-001	2 VALVE	VALVE, SOLENOID, QA 1, CONTINUOUS, 110 DC, DIESEL STARTING AIR, 125 - 210 PSIG, WITHOUT MOUNTING	1	C	2910O SE
CED867R	AL	D-B-25-302-005	4 VALVE	VALVE, SOLENOID, QA 1, CONTINUOUS, 110 DC, DIESEL STARTING AIR, 125 - 210 PSIG, WITHOUT MOUNTING	1	C	2910O SE
CED867R	AL	5-A-05-201-000	14 VALVE	VALVE, SOLENOID, QA 1, CONTINUOUS, 110 DC, DIESEL STARTING AIR, 125 - 210 PSIG, WITHOUT MOUNTING	1	C	2910O SE
CEE253Q	AL	A-A-01-000-001	1 VALVE	VALVE, GLOBE, QA 1, CLASS 1, VALVE, GLOBE; SIZE: 01.500 IN (1 1/2), PRESSURE RATING: 1700 PSI, END	1	C	48200 SE
CEF056C	AL	1-A-03-000-001	1 VALVE	VALVE, TYPICAL, QA 0, 3/4 IN, BRONZE, 0-80 PSI, PRESSURE REDUCER, 29-87 PSI RANGE, (SETPOINT 40 PSI) , MODEL 990	0	C	48200 SE
CEF568R	AL	D-B-19-101-000	2 VALVE	VALVE, BALL, QA 0, 3/4 IN, CHROME MOLY, SOCKETWELD, 2500 PSI, LEVER OPERATED, ASME SA182 GR F22, BORE SIZE: 3/4 IN, METAL SEAL, ZERO LEAKAGE	0	B	48200 SE
CEL091G	AC	- - - -	1 VALVE	VALVE, CONTROL, QA 3, VALVE, CONTROL; TYPE: DIAPHRAGM *** INNER, FOR ANCHOR DARLING 4" 600	3	C	48200 SE
CEM126V	AL	D-B-25-302-004	4 VALVE	VALVE, TYPICAL, QA 2, VALVE, *TYPICAL; TYPE: MANIFOLD; SIZE: 1/2 IN; BODY MATERIAL: SS;	2	C	48200 SE
CEN019E	AC	- - - -	2 VALVE	VALVE, DIAPHRAGM, QA 3, VALVE, DIAPHRAGM; TYPE: HANDWHEEL OPERATED; SIZE: 1 IN; BODY MATERIAL:	3	C	48200 SE
CEN263C	AL	D-A-21-202-002	3 VALVE	VALVE, GLOBE, QA 1, CLASS 2, VALVE, GLOBE; SIZE: 1/2 IN; BODY MATERIAL: CS; PRESSURE RATING: 800	1		48200 SE
CEP023J	AC	- - - -	10 VALVE	VALVE, DIAPHRAGM, QA 3, VALVE, DIAPHRAGM; TYPE: MANUAL OPERATED; SIZE: 1 IN; BODY MATERIAL:	3	C	48200 SE
CEX162E	AL	D-A-20-302-003	1 VALVE	VALVE, GLOBE, QA 1, CLASS 2, 3/4 IN, SS, SS, SOCKETWELD, 1500 PSI, ASME SA182 GR F316L, T, HANDWHEEL, OUTSIDE SCREW YOKE/BOLTED, FORGED, VOG	1		48200 SE

CFD293B	AC	- - - -	4 VALVE	VALVE, BUTTERFLY, QA 0, 3 IN, 150 PSI, ** WAFER TYPE, MOLDED RUBBER SEAT, PRATT MONOFLANGE MARK II, CAST	0	C	48200 SE
CGH680L	AL	D-B-17-302-001	4 VALVE	VALVE, BALL, QA 3, LEVER OPERATED, SIZE: ND 20 (20 MM), MODEL 4370, GENERATOR CIRCUIT BREAKER DRV1750D	3		48200 SE
CGM031H	AL	D-A-22-302-000	2 VALVE	VALVE, GLOBE, QA 3, 2 IN, SOCKETWELD, 1690 PSI, ASTM A182 GR F22, T, FOR HANCOCK VALVE, FIG 7150W	3	C	48200 SE
CGY184J	AL	D-A-30-201-000	1 VALVE	VALVE, GATE, QA 1, CLASS 1, 2 IN, SS, 1500 PSI, ASME SA351 GR CF8M, T-HANDLE, DOUBLE DISC GATE VALVE, FLOWSERVE DRAWING: W0226005	1	C	48200 SE
CGY184J	AL	F-A-15-102-000	2 VALVE	VALVE, GATE, QA 1, CLASS 1, 2 IN, SS, 1500 PSI, ASME SA351 GR CF8M, T-HANDLE, DOUBLE DISC GATE VALVE, FLOWSERVE DRAWING: W0226005	1	C	48200 SE
CHH668Q	AL	D-A-18-101-004	1 VALVE	VALVE, GLOBE, QA 1, CLASS 1, 2 IN, CS, SOCKETWELD, 1878 PSI, ASME SA216 GR WCB, T-HANDLE, ASME B16.34, NON COBALT SEAT MATERIAL REFERENCE VD	1	C	48200 SE
CJE607P	AL	D-A-24-302-000	1 VALVE	VALVE, PLUG, QA 3, WRENCH OPERATOR, 3 IN, SS, BUTTWELD, 150 PSI, ASTM A351 GR CF8M, SCHEDULE 40, UHMWP SLEEVE AND SEALS, SERIAL NUMBERS 8953	3		48200 SE
CJF184K	AL	D-A-18-402-000	10 VALVE	VALVE, GLOBE, QA 2, 1/4 IN, SS, COMPRESSION, 1500 PSI, AISI 316, T, 600 DEG F	2	C	48200 SE
CJF694V	AL	D-A-16-302-003	2 VALVE	VALVE, BUTTERFLY, QA 3, 6 IN, CAST IRON, SS, 200 PSI, , SERIES 200 WAFER STYLE RESILENT SEATED, 316 SS SHAFT, PTFE BUSHING,	3		48200 SE
CJM027V	AL	D-A-20-302-003	1 VALVE	VALVE, GATE, QA 1, CLASS 3, 1 IN, CS, FNPT, 800 PSI, ASME SA216 GR WCB, T, HANDWHEEL	1		48104 SE
CJM138V	AL	D-B-17-201-001	1 VALVE	VALVE, TYPICAL, QA 1, GAUGE/INSTRUMENT, SS, , INLET: 1/2" FNPT, OUTLET: 3/8" FEMALE TUBE PER AND 10050-6, BODY	1		48200 SE
CKA312Q	AL	D-B-29-302-001	2 VALVE	VALVE, GLOBE, QA 1, CLASS 1, 1 IN, SS, SS, SOCKETWELD, 1878 PSI, ASME SA351 GR CF8M, T, T-HANDLE/HANDWHEEL, REFERENCE FLOWSERVE DRAWING 04-3	1		48200 SE
CKJ404B	AL	D-A-21-201-000	1 VALVE	VALVE, GLOBE, QA 3, 2 IN, CS, SOCKETWELD, 800 PSI, T, HANDWHEEL	3		48100 SE
CKK965V	AL	D-A-20-101-000	1 VALVE	VALVE, GATE, QA 3, 14 IN, MECHANICAL JOINT, NON-RISING, , DOUBLE DISK, WITH 2 INCH SQUARE NUT FOR SOCKET WRENCH OPERATION,	3	C	48100 SE
CKK965V	AL	D-A-20-102-000	1 VALVE	VALVE, GATE, QA 3, 14 IN, MECHANICAL JOINT, NON-RISING, , DOUBLE DISK, WITH 2 INCH SQUARE NUT FOR SOCKET WRENCH OPERATION,	3	C	48100 SE
CMB186H	AL	D-A-02-102-009	1 VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/2 IN, SOCKETWELD, 120, 1326 PSI, SS, ASME SA479 GR 316L	0	C	48200 SE
ABD256Q	AL	L-A-03-000-002	12 VALVE	VALVE, CONTROL, QA 0, 35-40 PSI, VALVE ASSY, RESPIRATOR; CONSTANT FLOW CONTROL, 35 TO 40 PSIG, WITH	0	P	4240P SE
ABD284K	AL	L-A-03-000-002	2 VALVE	VALVE, RELIEF, QA 0, VALVE, COMPRESSOR; RELIEF, 3RD STAGE, FOR HYPER-AIR ENGR, BREATHING	0	P	4310I SE
ACH539H	AL	M-A-08-000-002	1 VALVE	VALVE, GATE, QA 0, 1-1/2 IN, BRONZE, FNPT, 150 PSI, ASTM B62, T, RISING, HANDWHEEL, UNION, *** NO 836	0	P	48200 SE
ADH579Y	AL	M-A-01-000-002	1 VALVE	VALVE, PLUG, QA 0, THROTTLE, STAINLESS STEEL, 2-13 PSI, AISI 316, VALVE, INNER; STAINLESS STEEL TYPE 316, THROTTLE PLUG, DP, VSC 1L5000	0	P	48200 SE
ADH801R	AL	L-A-14-000-002	32 VALVE	VALVE, SOLENOID, QA 0, 4-WAY, 3/8 IN, 1/4 IN, FNPT, 120, 10-250 PSI, 17.1, VALVE, SOLENOID; FOUR-WAY, ORIFICE 000.250 IN	0	C	48104 SE
AEH139M	AL	L-A-03-000-002	3 VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 3/8 IN X 1/2 IN, FNPT, 120, 150 PSI, 13, VALVE, SOLENOID; 150.000 PSI, 013.000 WATTS, WITH 000.375 IN FEMALE	0	P	48104 SE
AEH414R	AL	L-A-03-000-002	1 VALVE	VALVE, GATE, QA 0, 1-1/4 IN, BRONZE, THREADED, 150 PSI, ASTM B62, T, RISING, HANDWHEEL, -20 TO 150 DEG F, UNION, ***	0	P	48200 SE
AEH526E	AL	L-A-13-000-002	1 VALVE	VALVE, GLOBE, QA 3, 3/4 IN, CS, SS, FNPT, 600 PSI, ASTM A105 GR 420, T, RISING, HANDWHEEL, 100 DEG F, OUTSIDE SCREW YOKE/BOLTED, FORGED, VAL	3	P	48200 SE
AEH732B	AL	T-A-01-000-002	1 VALVE	VALVE, CHECK, QA 1, VALVE, CHECK; 0.375 IN,CARBON STEEL CADMIUM PLATED, WITH VITON SEALS	1	P	48200 SE
AFH138H	AL	T-A-05-000-002	2 VALVE	VALVE, GATE, QA 3, VALVE, GATE; 2-1/2 IN, THREADED INTERNAL, BRASS, FEMALE INLET AND	3	B	48200 SE
AFN417K	AL	L-A-03-000-002	1 VALVE	VALVE, TYPICAL, QA 0, VALVE, CIRCUIT BREAKER; TWO-WAY, NON-RETURN, FOR STATIC STARTING	0	P	5925B SE
AGH326A	AL	L-A-03-000-002	3 VALVE	VALVE, CHECK, QA 0, 1 IN, POLYPROPYLENE, THREADED, ***	0	P	48200 SE
AGH529V	AL	L-A-03-000-002	3 VALVE	VALVE, GLOBE, QA 0, 1.0 IN, STEEL, 600 PSI, Y, ***	0	P	48200 SE
AGH602D	AL	L-A-03-000-002	1 VALVE	VALVE, GLOBE, QA 0, 1/2 IN, BRONZE, TEFLON, FNPT, 150 PSI, ASTM B62, T, HANDWHEEL, UNION, ***	0	P	48200 SE
AGH720H	AL	P-A-LL-ET0-042	7 VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/8 IN, 3/32 IN, THREADED, 24 DC, 125 PSI, STAINLESS STEEL, 10, VALVE, SOLENOID; 0.125 IN NPT, 125 PSIG, 2-WAY	0	C	48104 SE
AHH340M	AL	P-A-LL-ET0-042	1 VALVE	VALVE, CONTROL, QA 0, 3.0 IN, *** REF 8, FOR BLACK, SIVALLS ANDBRYSON CONTROL VALVE, SIZE 003.000	0	C	48200 SE
AHH821R	AL	M-A-06-000-002	2 VALVE	VALVE, GLOBE, QA 0, 1-1/2 IN, BRONZE, BRONZE, FNPT, 125 PSI, ASTM B62, T, RISING, HANDWHEEL, SCREWED, **	0	P	48200 SE
AHJ436P	AL	M-A-08-000-002	1 VALVE	VALVE, RELIEF, QA 0, VALVE, ; AUXILLARY, 18-8 STNLS STL, FOR REDUCING VALVE, SIZE 2-1/2 IN	0	P	48200 SE
AJH123C	AL	L-A-13-000-002	3 VALVE	VALVE, DIAPHRAGM, QA 0, 1 IN, FLANGED, *** POLYPROPYLENE LINED 1 IN, FLG	0	C	48200 SE
AJH123C	AL	L-A-03-000-002	5 VALVE	VALVE, DIAPHRAGM, QA 0, 1 IN, FLANGED, *** POLYPROPYLENE LINED 1 IN, FLG	0	C	48200 SE
AJH527K	AL	L-A-03-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 3/4 IN, 3/4 IN, 230, 5-125 PSI, 7, VALVE, SOLENOID; 000.750 IN, 5 TO 125 PSIG, 230.000 VAC, 007.000	0	P	48104 SE
AJH902L	AL	L-A-01-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/2 IN, 115, 100, VALVE, SOLENOID; 000.500 IN, TWO WAY, 115.000 VAC, 100.000 WATTS, CODE	0	P	48104 SE
AJH920W	AL	W-A-05-000-000	1 VALVE	VALVE, CONTROL, QA 0, STAINLESS STEEL, STELLITE, 20 PSI, AISI 316, VALVE, DIAPHRAGM; CONTROL, SINGLE SEAT, MODIFIED, STYLE 9131, 316	0	C	48200 SE
AJY259F	AL	L-A-09-000-002	1 VALVE	VALVE, GLOBE, QA 0, 1/4 IN, THREADED, T, ***	0	P	48200 SE
AKD036C	AL	L-A-09-000-002	3 VALVE	VALVE, CHECK, QA 0, 5/8 IN, *** OIL RETURN LINE, FOR WORPMP, UNIT MODEL NC175, COMPRESSOR MODEL	0	P	48200 SE
AKH328K	AL	L-A-03-000-002	6 VALVE	VALVE, GATE, QA 0, 3/8 IN, BRONZE, SWEAT, 125 PSI, ASTM B62, T, TRAVELING, HANDWHEEL, -20 TO 150 DEG F, SCREWED, ***	0	P	48200 SE
AKY946M	AL	L-A-09-000-002	1 VALVE	VALVE, GATE, QA 0, VALVE ASSY, ; GATE, W/ADAPTER, INLET 1/2 IN PIPE, 3/8 IN MALE ELBOW	0	P	48200 SE
ALF078B	AL	L-A-03-000-002	1 VALVE	VALVE, CONTROL, QA 0, VALVE, CHECK; 002.000 IN, 150.000 PSIG, FLOWCONTROL, FOR MODEL MPS-400	0	P	48200 SE
ALJ342E	AL	L-A-03-000-002	2 VALVE	VALVE, CONTROL, QA 0, 8.0 IN, 150 PSI, *** FOR CONTROL VALVE, TYPE 1400, SIZE 8 IN, 150 LB, DWG E-16044, SN	0	C	48200 SE
AMH122V	AL	M-A-08-000-002	6 VALVE	VALVE, CHECK, QA 0, BALL, 1/4 IN, FNPT, ***	0	P	48200 SE
AMH222P	AL	M-A-08-000-002	1 VALVE	VALVE, CHECK, QA 0, BALL, 1/4 IN, MNPT, ***	0	P	48200 SE
AMH303Q	AL	L-A-09-000-002	1 VALVE	VALVE, GLOBE, QA 0, 3/4 IN, CS, SS, SOCKETWELD, 800 PSI, ASTM A105, Y, RISING, HANDWHEEL, 100 DEG F, OUTSIDE SCREW YOKE/BOLTED, FORGED	0	P	48200 SE
AMH827L	AL	M-A-06-000-002	1 VALVE	VALVE, RELIEF, QA 0, 1/4 IN, 3200 PSIG, 150 CFM, ***	0	P	48200 SE
AMH924N	AL	L-A-13-000-002	11 VALVE	VALVE, GLOBE, QA 3, VALVE, ANGLE; 1.5 IN, 300 PSIG, INLET NPT, OUTLET HOSE CONNECTION 9	3	P	48200 SE
ANC522Y	AL	L-A-09-000-002	2 VALVE	VALVE, PETCOCK, QA 0, 3/8 IN, 500 PSI, BRONZE, *** DRAIN RELEASE, FOR MODEL E-850 3/8 IN, 500 LB	0	P	48200 SE
ANH624W	AL	L-A-15-000-002	1 VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; 000.500 IN, 250.000 VDC, MODEL C5450-5, SN 81490, 1/2	1	P	48104 SE
ANJ312B	AL	L-A-02-000-002	2 VALVE	VALVE, CONTROL, QA 0, 4.0 IN, 600 PSI, *** WITH GROOVE PIN 313355, FOR BLACK, SIVALLS ANBD BRYSON CONTROL	0	P	48200 SE
ANJ812N	AL	L-A-13-000-002	1 VALVE	VALVE, CONTROL, QA 0, 2.0 IN, 150 PSI, *** WITH GROOVE PIN 313280, FOR BLACK, SIVALLS AND BRYSON CONTROL	0	P	48200 SE
AQC530Y	AL	L-A-06-000-002	11 VALVE	VALVE, SOLENOID, QA 1, 3/8 IN, 125 DC, FOR AIR START SYSTEM OF STANDBY DIESEL GENERATOR, WITH MODIFIED SPRING	1	C	29100 SE
AQP670M	AL	M-A-07-000-002	1 VALVE	VALVE, CHECK, QA 0, 3 IN, THREADED, 125 PSI, VALVE ASSY, ; PREVENTER, STOCK NO RP-1, LIST 292G, W/GATES, FOR	0	P	48200 SE
AQX058G	AL	M-A-02-000-002	6 VALVE	VALVE, TYPICAL, QA 3, VALVE, INNER; ADJUSTABLE, FOR HAMMEL-DAHL-ITT P50-A110 PNEUMATIC VALVE	3	P	48200 SE
AQX171X	AL	P-A-LL-ET0-063	4 VALVE	VALVE, RELIEF, QA 0, 2 IN, BRONZE, THREADED, 400 PSI, 85 PSI, VALVE, RELIEF PRESS/TEMP; BRONZE BODY, 70 DEG F, WATHER, RANGE 75-150	0	C	48200 SE
AQX183N	AC	- - - -	2 VALVE	VALVE, BUTTERFLY, QA 0, 18 IN, IRON, WAFER, 150 PSI, *** OPERATOR TYPE: W/O OPERATOR	0	C	48200 SE
AQX186G	AL	L-A-01-000-002	1 VALVE	VALVE, BUTTERFLY, QA 1, VALVE, BUTTERFLY; SIZE: 08.000 IN (8), PRESSURE RATING: 185 PSI, END	1	C	48200 SE
ARC979X	AL	L-A-03-000-002	3 VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, ; DISCHARGE,DESIGN SEQUENCE F-G,FOR TRANE AIR	0	P	48200 SE
ARC980Q	AL	L-A-03-000-002	1 VALVE	VALVE, TYPICAL, QA 0, COMPRESSOR, *** UNLOADER, FOR TRANE AIR COMPRESSOR, MODEL CHR-100B-2FAT, SERIAL	0	P	48200 SE
ARC981B	AL	L-A-03-000-002	1 VALVE	VALVE, CHECK, QA 0, *** FOR TRANE AIR COMPRESSORMODEL CHR-100B-2FAT, SERIAL NUMBER	0	P	48200 SE
ARH193B	AL	M-A-06-000-002	15 VALVE	VALVE, SOLENOID, QA 0, 1/8 IN, 3/32 IN, 120, 100 PSI, 6, VALVE, SOLENOID; AIR, WATER, LT OIL, NORMALLY CLOSED, 0.094 IN	0	P	48104 SE
ARH264E	AL	M-A-08-000-002	21 VALVE	VALVE, CONTROL, QA 3, VALVE, CNTRL,AUTO SPRINKLER; NOZZLE, SPRAY ORIFICE, DEFLECTOR ANGLE 65	3	P	4210N SE
ARK587B	AL	M-A-04-000-002	2 VALVE	VALVE, CHECK, QA 2, VALVE, CHECK; TURBO FILTER HEAD, 000.687 ID X 003.750IN LG, FOR TANDEM	2	P	2910O SE
ART169R	AL	M-A-02-000-002	3 VALVE	VALVE, GLOBE, QA 2, VALVE, GLOBE; NEEDLE,STAINLESS STEEL,TYPE 316,0.500IN FPT X 0.500IN	2	P	48200 SE
ART170L	AL	L-A-09-000-002	2 VALVE	VALVE, GLOBE, QA 0, 1/2 IN, SS, COMPRESSION, AISI 316, T, **	0	P	48200 SE
ARV004D	AL	M-A-08-000-002	1 VALVE	VALVE, TYPICAL, QA 2, VALVE, ISOLATION; VALVE,ISOLATION,FOR DUNHAM BUSH 480V ELEC BOARD ROOM	2	B	48200 SE
ATB766E	AL	M-A-15-000-002	1 VALVE	VALVE, RELIEF, QA 1, 3/4 IN X 1 IN, 2735 PSI, VALVE, SAFETY RELIEF; 0.75 X 1 IN, SET POINT 2735 PSIG, COMPLETE ASSY	1		48200 SE
ATC066W	AL	T-A-01-000-002	1 VALVE	VALVE, RELIEF, QA 1, VALVE, RELIEF; TYPE: SAFETY; SIZE: 3 IN X 4 IN; BODY MATERIAL: CS; END	1	C	48200 SE
ATC070H	AL	T-A-01-000-002	1 VALVE	VALVE, RELIEF, QA 1, VALVE, RELIEF; TYPE: SAFETY; SIZE: 3 IN X 4 IN; BODY MATERIAL: CS; END	1	C	48200 SE
ATJ211Q	AL	L-A-14-000-002	12 VALVE	VALVE, CONTROL, QA 0, VALVE, CONTROL; BY PASS,COMPLETE WITH GASKET, FOR CHILLER PACKAGE ***	0	P	48200 SE
ATL129Y	AL	M-A-01-000-002	1 VALVE	VALVE, DIAPHRAGM, QA 0, 1/2 IN, STEEL, TEFLON, FLANGED, CAST, VALVE, DIAPHRAGM; CAST STEEL,0.500 IN.,FLANGED ENDS,C/W R-2 TFE	0	P	48200 SE
ATN621G	AL	P-A-LL-ET0-063	20 VALVE	VALVE, GLOBE, QA 0, 1/2 IN, STAINLESS STEEL, SOCKETWELD, T, ***	0	C	48200 SE

ATP944J	AL	L-A-01-000-002	1 VALVE	VALVE, BALL, QA 0, 4.0 IN, FLANGED, *** SEAT MATERIAL: TEFLON	0	P	48200 SE
ATR082V	AL	M-A-01-000-002	1 VALVE	VALVE, GLOBE, QA 0, 3/8 IN, STAINLESS STEEL, COMPRESSION, 1500 PSI, ASME SA182 GR F316, T, 650 DEG F, ***	0	P	48200 SE
ATT029T	AL	M-A-10-000-002	1 VALVE	VALVE, CHECK, QA 0, 4 IN, STEEL, FLANGED, 125 PSI, ***	0	P	48200 SE
ATV044R	AL	M-A-15-000-002	5 VALVE	VALVE, CHECK, QA 0, 1.0 IN, CARBON STEEL, STAINLESS STEEL, SOCKETWELD, 600 PSI, ASTM A105/A276 GR 420, FORGED, *** FOR 001.000 IN, 600.000 P	0	P	48200 SE
ATY724W	AL	M-A-06-000-002	1 VALVE	VALVE, BALL, QA 2, 1 IN, FNPT, 2000 PSI, LEVER OPERATED, VALVE, BALL; LEVER OPERATED, 1 INCH, SCR, 2000 PSI WOG, FPT, BRONZE	2	P	48200 SE
AVB815M	AL	M-A-16-000-002	3 VALVE	VALVE, BALL, QA 0, 1/2 IN, PVC, SOCKETWELD, *** SEAT MATERIAL: TEFLON	0	P	48200 SE
AVD086B	AL	M-A-01-000-002	1 VALVE	VALVE, PLUG, QA 0, LEVER HANDLE OPERATOR, 1 IN, THREADED, 300 PSI, VALVE, PLUG; SIZE: 01.000 IN (1), PRESSURE RATING: 300 PSI END TYPE:	0	P	48200 SE
AVD767V	AC	- - -	1 VALVE	VALVE, SOLENOID, QA 1, 3/8 IN, 5/8 IN, THREADED, 120/60, 10 PSI, BRASS, VALVE, SOLENOID; VALVE,SOLENOID, 3/8 NPT, 5/8 INCH ORIFICE, 10 PSID	1	B	48104 SE
AVE517E	AL	T-A-04-000-002	2 VALVE	VALVE, GLOBE, QA 0, 1/2 IN, CARBON STEEL, SOCKETWELD, 800 PSI, ASTM A105, T, RISING, HANDWHEEL, 100 DEG F, ROUND BOLTED, FORGED, VALVE, GLOB	0	P	48200 SE
AVF290N	AL	M-A-01-000-002	1 VALVE	VALVE, DIAPHRAGM, QA 0, 1-1/4 IN, CPVC, TEFLON, FNPT, VALVE, DIAPHRAGM; 001.250 IN, FNPT, CPVC PLASTIC TEFLON DIAPHRAGM, T	0	P	48200 SE
AVF296Y	AL	M-A-01-000-002	1 VALVE	VALVE, DIAPHRAGM, QA 0, 1 IN, CHROME MOLY, TEFLON, FNPT, VALVE, DIAPHRAGM; 01.00 IN, THREADED INTERNAL, CPVC PLASTIC	0	P	48200 SE
AVL337H	AL	M-A-01-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 1/4 IN, 5/32 IN, 120, 10.5, VALVE, SOLENOID; 0.250IN PIPE,0.1562IN ORFICE, 10.500W,120VAC,FOR	0	P	48104 SE
AVL338F	AL	M-A-01-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/2 IN, 5/8 IN, THREADED, 480, BRASS, 16.7, FORGED, VALVE, SOLENOID; 0.500IN PIPE,0.625IN ORFICE, 16.700W,480V	0	P	48104 SE
AVM939F	AL	M-A-15-000-002	1 VALVE	VALVE, PLUG, QA 0, 2-1/2 IN, FLANGED, 300 PSI, VALVE, PLUG; SIZE: 02.500 IN (2 1/2), PRESSURE RATING: 300 PSI END	0	P	48200 SE
AVN629R	AL	M-A-01-000-002	1 VALVE	VALVE, PLUG, QA 0, LEVER HANDLE OPERATOR, 3/4 IN, STAINLESS STEEL, THREADED, 150 PSI, AISI 316, VALVE, PLUG; SIZE: 00.750 IN (3/4), PRESSUR	0	P	48200 SE
AVT046L	AL	M-A-01-000-002	1 VALVE	VALVE, RELIEF, QA 0, 3/4 IN, PLASTIC, THREADED, 65 PSIG, ***	0	P	48200 SE
AVX879X	AL	M-A-15-000-002	1 VALVE	VALVE, PLUG, QA 0, WRENCH OPERATOR, 4 IN, STEEL, FLANGED, VALVE, PLUG; SIZE: 04.000 IN (4), END TYPE: FLANGED BODY MATERIAL:	0	P	48200 SE
AVX987T	AL	M-A-02-000-002	4 VALVE	VALVE, CHECK, QA 1, VALVE, INNER; STEEL INNER, REF 2, DWG C7484D26, FOR 001.000 IN, 1500	1	P	48200 SE
AWC019R	AL	M-A-01-000-002	13 VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/8 IN, 3/32 IN, THREADED, 120, BRASS, 6, VALVE, SOLENOID; 000.125 IN, THREADED, 6 W, 120 VAC, 000.093 ORIFICE	0	P	48104 SE
AWC791X	AL	M-A-01-000-002	1 VALVE	VALVE, RELIEF, QA 0, 1 IN, PVC, FNPT, 65 PSI, VALVE, RELIEF PRESS/TEMP; POLYVINYL CHLORIDE BODY, 001.000 IN, FNPT	0	P	48200 SE
AWF844K	AL	M-A-06-000-002	1 VALVE	VALVE, CHECK, QA 0, 2.0 IN, CARBON STEEL, SOCKETWELD, 150 PSI, ***	0	P	48200 SE
AWH179J	AL	L-A-03-000-002	7 VALVE	VALVE, BALL, QA 1, 3/4 IN, CS, CS, SOCKETWELD, 1000 PSI, VALVE, BALL; .75 IN, END TYPE SOCKETWELD, BODY MATL CARBON STEEL, MAX	1	P	48200 SE
AWH867W	AL	M-A-01-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 1/2 IN, *** 53, FOR AIR COMPRESSOR, AFTERCOLLER TEMPERATURE CONTROL, TVA	0	P	48104 SE
AWK162R	AL	M-A-01-000-002	1 VALVE	VALVE, RELIEF, QA 0, 2 IN, PVC, THREADED, 60-100 PSI, 70 PSIG, VALVE, SAFETY RELIEF; 002.000 IN, THREADED INTERNAL,RANGE 60-100 PSIG	0	P	48200 SE
AWM315G	AL	M-A-01-000-002	1 VALVE	VALVE, CHECK, QA 0, VALVE,CHECK,SWING, ; 1.0 IN, END TYPE THREADED INTERNAL, NPT, BODY	0	P	48200 SE
AWM315G	AL	L-A-13-000-002	2 VALVE	VALVE, CHECK, QA 0, VALVE,CHECK,SWING, ; 1.0 IN, END TYPE THREADED INTERNAL, NPT, BODY	0	P	48200 SE
AWN292W	AL	M-A-01-000-002	3 VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 3/8 IN, 1/4 IN, 120, BRASS, 20, ***	0	P	48104 SE
AWN581M	AL	M-A-01-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 4-WAY, 1/4 IN, 3/64 IN - 1/16 IN, 120, 150 PSI, 60, 12, VALVE, SOLENOID; 4 WAY ORIFICE 000.046 TO 000.062 IN, C/W O-R	0	P	48104 SE
AWQ237T	AL	M-A-01-000-002	1 VALVE	VALVE, RELIEF, QA 0, 3/4 IN, BRONZE, FNPT, 25 PSIG, 358 LB/HR, VALVE, SAFETY RELIEF; .75 IN, ORIFICE .216 IN, OUTLET 1.0 IN, END TYPE	0	P	48200 SE
AWQ239N	AL	M-A-01-000-002	1 VALVE	VALVE, RELIEF, QA 0, 1.0 IN, BRONZE, THREADED, 165 PSIG, *** WITH PLAIN LIFT LEVER	0	P	48200 SE
AWQ240H	AL	M-A-01-000-002	1 VALVE	VALVE, RELIEF, QA 0, 1-1/2 IN, BRONZE, THREADED, 50 PSIG, *** LIFT, SIZE 001.500 IN SEAT, BLOW DOWN	0	P	48200 SE
AWT852V	AL	M-A-01-000-002	4 VALVE	VALVE, TYPICAL, QA 0, 1/4 IN, STAINLESS STEEL, ***	0	P	4520N SE
AWV917L	AL	M-A-01-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 1/4 IN, THREADED, 115, *** C/W ACTUATOR	0	P	48104 SE
AWY824C	AL	L-A-13-000-002	1 VALVE	VALVE, CONTROL, QA 3, 3 IN, FLANGED, 175 PSI, VALVE, CNTRL,AUTO SPRINKLER; DELUGE, 003.000 IN, FLG, 175.000 PSIG,	3	P	4210N SE
AXM897Q	AL	M-A-06-000-002	1 VALVE	VALVE, GATE, QA 0, 1-1/2 IN, STAINLESS STEEL, FNPT, 300 PSI, ASME SA479 GR 316, T, ***	0	P	48200 SE
AXN859V	AL	M-A-15-000-002	4 VALVE	VALVE, TURBINE, QA 0, VALVE, STEAM TURBINE; SERVO, FOR MAIN TURBINE ***	0		2825G SE
AXQ381D	AL	M-A-01-000-002	5 VALVE	VALVE, CONTROL, QA 0, STEEL, *** MANIFOLD TYPE, SHUT-OFFREF 33, 34, 35, FOR COOLER, ON 500.000 KV	0	P	5950N SE
AXQ391A	AL	M-A-01-000-002	1 VALVE	VALVE, RELIEF, QA 0, 1/4 IN, CARBON STEEL, FNPT, VALVE, SAFETY RELIEF; .250 IN, END TYPE THREADED INTERNAL, NPT BODY	0	P	48200 SE
AXQ400G	AL	T-A-12-000-002	1 VALVE	VALVE, CONTROL, QA 0, STEEL, *** MANIFOLD TYPE, SHUT-OFFFOR EXPANSION TANK ON 500.000 KV	0	P	5950N SE
AXR477T	AL	M-A-01-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 3/8 IN, 1/4 IN, FNPT, 110/120, 110 PSI, BRASS, 15.4, ** TWO-WAY	0	P	48104 SE
AXT421H	AL	T-A-04-000-002	1 VALVE	VALVE, CHECK, QA 0, 6 IN, CARBON STEEL, RAISED FACE FLANGED, 275 PSI, ***	0	P	48200 SE
AXT421H	TR	- - -	1 VALVE	VALVE, CHECK, QA 0, 6 IN, CARBON STEEL, RAISED FACE FLANGED, 275 PSI, ***	0	P	48200 SE
AXT657K	AL	M-A-13-000-002	1 VALVE	VALVE, BUTTERFLY, QA 1, 4 IN, CS, FLAT FACE FLANGED, 150 PSI, ASME SA516 GR 70, VALVE, BUTTERFLY; 4.000 IN, END TYPE FLAT FACE FLANGE, CLASS	1	P	48200 SE
AXW869R	AL	M-A-01-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1 IN, 1 IN, THREADED, 24, 300 PSI, BRASS, 50/60, 20, VALVE, SOLENOID; TWO-WAY, SIZE 1.000 IN, END TYPE THREADE	0	P	48104 SE
AXW979J	AL	L-A-09-000-002	1 VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; THREE-WAY, NORMALLY UNIVERSAL, SIZE .250 IN, ORIFICE	3	P	48104 SE
AXX356J	AL	M-A-01-000-002	1 VALVE	VALVE, GLOBE, QA 0, 1/2 IN, STAINLESS STEEL, FNPT, 2500 PSI, AISI 316, T, T-HANDLE, ***	0	P	48200 SE
AXX587Y	AL	M-A-01-000-002	1 VALVE	VALVE, CHECK, QA 0, VALVE,CHECK,SWING, ; 1.000 IN, END TYPE SOCKETWELD, CLASS 150, BODY	0	P	48200 SE
AYD899P	AL	L-A-13-000-002	1 VALVE	VALVE, SOLENOID, QA 0, VALVE, SOLENOID; PHASE, 1 AND 2, FIG 6, C/W COIL, 366A845G10, FOR	0	P	48104 SE
AYM055T	AL	M-A-04-000-002	1 VALVE	VALVE, PLUG, QA 2, LEVER HANDLE OPERATOR, 3 IN, CS, FNPT, VALVE, PLUG; 3.000 IN, END TYPE THREADED INTERNAL, NPT, BODY MATL	2	P	48200 SE
AYQ096W	AL	M-A-06-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/4 IN, 1/16 IN, FNPT, 240 DC, 160 PSI, BRASS, VALVE, SOLENOID; THREE-WAY, SIZE .25 IN, ORIFICE .062 IN, END T	0	P	48104 SE
BAE965L	AL	M-A-06-000-002	1 VALVE	VALVE, RELIEF, QA 3, VALVE, SAFETY RELIEF; 1 IN, MALE INLET, NPT, MAX OPRPRESS 1600 PSIG	3	P	48200 SE
BAG298P	AL	M-A-01-000-002	1 VALVE	VALVE, GLOBE, QA 0, 3/8 IN, ALLOY STEEL, FNPT, 6000 PSI, T, HANDWHEEL, 400 DEG F, ***	0	P	48200 SE
BAJ553P	AL	M-A-15-000-002	5 VALVE	VALVE, TYPICAL, QA 0, VALVE, GAGE; 0.75 IN, THREADED EXTERNAL, 2400 PSIG AT 100 DEG F, AND	0	P	6695D SE
BAN740F	AL	M-A-01-000-002	1 VALVE	VALVE, GLOBE, QA 0, 1-1/2 IN, SS, SS, FNPT, 200 PSI, ASTM A351 GR CF3M, T, RISING, HANDWHEEL, BOLTED FLANGED YOKE, **	0	P	48200 SE
BAP225F	AL	M-A-01-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/4 IN, 3/32 IN, FNPT, 120, 100 PSI, BRASS, 50/60, 20, VALVE, SOLENOID; THREE-WAY, NORMALLY UNIVERSAL, SIZE .2	0	P	48104 SE
BAT972R	AL	M-A-01-000-002	2 VALVE	VALVE, CHECK, QA 3, VALVE, CHECK; 1.0 IN, END TYPE SOCKETWELD, BODY MATL CARBON STEEL ASTM	3	C	48200 SE
BAX303P	AL	M-A-01-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1 IN, 1 IN, FNPT, 120, 125 PSI, BRASS, 50/60, 6, VALVE, SOLENOID; TWO-WAY, NORMALLY CLOSED, 1.0 IN, ORIFICE 1.	0	P	48104 SE
BAX846F	AL	M-A-01-000-002	1 VALVE	VALVE, GLOBE, QA 0, 1/2 IN, STAINLESS STEEL, SOCKETWELD, 1500 PSI, AISI 316, T, HANDWHEEL, ***	0	P	48200 SE
BAX924M	AL	M-A-01-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/4 IN, 1/4 IN, FNPT, 120, 150 PSI, BRASS, 50/60, 20, VALVE, SOLENOID; THREE-WAY, NORMALLY CLOSED, SIZE .25 IN	0	P	48104 SE
BAX925K	AL	M-A-01-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1 IN, 1 IN, FNPT, 120, 50 PSI, BRASS, 50/60, 9.6, VALVE, SOLENOID; TWO-WAY, NORMALLY CLOSED, 1.0 IN, ORIFICE 1	0	P	48104 SE
BAX931Q	AL	M-A-01-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1-1/4 IN, 1-1/4 IN, FNPT, 110/120, 125 PSI, BRASS, 50/60, 6, VALVE, SOLENOID; TWO-WAY, NORMALLY CLOSED, 1.25 I	0	P	48104 SE
BBA250Q	AL	M-A-07-000-002	4 VALVE	VALVE, TYPICAL, QA 3, VALVE, INNER; BRASS, 0.375 IN, W/NITRILE O-RING, FOR VOLUME BOOSTER	3	P	48200 SE
BBA359N	AL	M-A-01-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/4 IN, 3/16 IN, FNPT, 110, 150 PSI, BRASS, 50/60, 20, VALVE, SOLENOID; THREE-WAY, NORMALLY UNIVERSAL, SIZE .2	0	P	48104 SE
BBE574X	TR	- - -	1 VALVE	VALVE, BUTTERFLY, QA 0, HANDWHEEL OPERATED, 8 IN, IRON, WAFER FLANGED, 150 PSI, ASTM A126 CL B, CAST, ** SEAT MATERIAL: RUBBER	0	P	48200 SE
BBE575V	AL	M-A-03-000-002	1 VALVE	VALVE, BUTTERFLY, QA 0, HANDWHEEL OPERATED, 4.0 IN, IRON, WAFER FLANGED, 150 PSI, ASTM A126 CL B, CAST, *** SEAT MATERIAL: RUBBER	0	P	48200 SE
BBH691A	AL	M-A-15-000-002	1 VALVE	VALVE, BUTTERFLY, QA 0, HANDWHEEL OPERATED, 8.0 IN, CARBON STEEL, WAFER FLANGED, 150 PSI, ***	0	P	48200 SE
BBH815J	AL	M-A-01-000-002	2 VALVE	VALVE, DIAPHRAGM, QA 0, 3/4 IN, STAINLESS STEEL, NEOPRENE, SOCKETWELD, 150 PSI, AISI 316, VALVE, DIAPHRAGM; .75 IN, END TYPE SOCKETWELD, CLA	0	P	48200 SE
BBH816G	AL	M-A-01-000-002	1 VALVE	VALVE, DIAPHRAGM, QA 0, 2 IN, STAINLESS STEEL, NEOPRENE, SOCKETWELD, 150 PSI, AISI 316, VALVE, DIAPHRAGM; 2.0 IN, END TYPE SOCKETWELD, CLASS	0	P	48200 SE
BBH817E	AL	M-A-01-000-002	1 VALVE	VALVE, DIAPHRAGM, QA 0, 1-1/2 IN, STAINLESS STEEL, NEOPRENE, SOCKETWELD, 150 PSI, AISI 316, VALVE, DIAPHRAGM; 1.5 IN, END TYPE SOCKETWELD, C	0	P	48200 SE
BBN510T	AL	M-A-01-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/4 IN, 1/4 IN, FNPT, 120, 190 PSI, BRASS, 50/60, 20, VALVE, SOLENOID; THREE-WAY, NORMALLY CLOSED, SIZE .25 IN	0	P	48104 SE
BBP453V	AL	M-A-01-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/8 IN, 3/64 IN, FNPT, 120, 300 PSI, STAINLESS STEEL, 50/60, 9, VALVE, SOLENOID; THREE-WAY, NORMALLY CLOSED, S	0	P	48104 SE
BBP778Y	AL	M-A-06-000-002	1 VALVE	VALVE, RELIEF, QA 0, 1/2 IN, BRASS, MNPT X FNPT, 3000 PSIG, VALVE, SAFETY RELIEF; .5 IN, ORIFICE .049 IN, END TYPE THREADED	0	P	48200 SE
BBP999E	AL	M-A-01-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 3/8 IN, FNPT, 125, 100 PSI, BRASS, 23, VALVE, SOLENOID; THREE-WAY, NORMALLY UNIVERSAL, SIZE .375 IN, END TYPE	0	P	48104 SE
BCA707L	AL	M-A-01-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 3/8 IN, 3/16 IN, FLARED, 208/240, 300 PSI, STEEL, 50/60, 10, VALVE, SOLENOID; TWO-WAY, NORMALLY CLOSED, .375 I	0	P	48104 SE
BCC680E	AL	M-A-01-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/2 IN, 7/16 IN, FNPT, 240, 4 PSI, BRASS, 50/60, 6, VALVE, SOLENOID; TWO-WAY, NORMALLY CLOSED, .5 IN, ORIFICE	0	P	48104 SE

BCE556R	AL	M-A-01-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 4-WAY, 3/8 IN, 3/16 IN, FNPT, 120, 125 PSI, BRASS, 50/60, 20, VALVE, SOLENOID; FOUR-WAY, SIZE .375 IN, ORIFICE .187 I	0	P	48104 SE
BCN363V	AL	M-A-01-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/8 IN, 3/64 IN, FNPT, 110/120, 275 PSI, BRASS, 10, VALVE, SOLENOID; THREE-WAY, SIZE .125 IN, ORIFICE .046 IN	0	P	48104 SE
BCN886T	AL	M-A-01-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 3/4 IN, 3/4 IN, FNPT, 120, 250 PSI, BRASS, 50/60, 6, VALVE, SOLENOID; TWO-WAY, NORMALLY CLOSED, .75 IN, ORIFICE	0	P	48104 SE
BCQ341V	AL	M-A-15-000-002	1 VALVE	VALVE, CHECK, QA 0, SWING, 10 IN, RAISED FACE FLANGED, END TYPE RAISED FACE FLANGE, CLASS 150,	0	P	48200 SE
BDD824R	AL	M-A-06-000-002	6 VALVE	VALVE, SOLENOID, QA 1, 3-WAY, 3/8 IN, 3/8 IN, FNPT, 125, 60 PSI, BRASS, 35.1, VALVE, SOLENOID; THREE-WAY, NORMALLY UNIVERSAL, SIZE .375 IN,	1	P	48104 SE
BDG438F	AL	M-A-01-000-002	1 VALVE	VALVE, CONTROL, QA 0, 5/8 IN X 1-1/8 IN, BRASS, SOLDER JOINT, VALVE, EXPANSION; 625 IN, OUTLET 1.125 IN, END TYPE SOLDER JOINT	0	P	48200 SE
BDN722K	AL	M-A-01-000-002	1 VALVE	VALVE, CONTROL, QA 0, 1/4 IN, BRONZE, FNPT, 160-300 PSI, VALVE, REGULATE FLUID PRESS; 0.250 IN,THREAD INTERNAL, 300 PSIG	0	P	48200 SE
BDP174K	AL	M-A-01-000-002	5 VALVE	VALVE, GLOBE, QA 1, 1/2 IN, SS, COMPRESSION, 1500 PSI, ASME SA182 GR F316, T, T-HANDLE	1	P	48200 SE
BDQ611J	AL	M-A-12-000-002	1 VALVE	VALVE, GATE, QA 0, 18 IN, CARBON STEEL, BUTT WELD, 900 PSI, ASTM A216 GR WCB, T, ELECTRIC MOTOR ACTUATOR, PRESSURE SEALED, VALVE, GATE,POWER	0	B	48104 SE
BDY623C	AL	L-A-14-000-002	1 VALVE	VALVE, SOLENOID, QA 1, CLASS 2, 2-WAY, 2 IN, RAISED FACE FLANGED, 120, 150 PSI, SS, 50/60, ASME SA479 GR 316, VALVE, SOLENOID; TWO-WAY, SIZE	1	C	48104 SE
BDY892G	AC	- - - -	2 VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; THREE-WAY, NORMALLY CLOSED, SIZE .25 IN, ORIFICE .25	1	B	48104 SE
BDY892G	AL	L-A-03-000-002	4 VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; THREE-WAY, NORMALLY CLOSED, SIZE .25 IN, ORIFICE .25	1	B	48104 SE
BEC084X	AL	M-A-01-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/4 IN, 3/32 IN, FNPT, 120, 300 PSI, BRASS, 50/60, 10.5, VALVE, SOLENOID; TWO-WAY, NORMALLY OPEN, SIZE .25 IN	0	P	48104 SE
BEX531G	AL	M-A-12-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/2 IN, 120, 50/60, 30, VALVE, SOLENOID; TWO-WAY, SIZE .5 IN, 120 VOLTS 50/60 HZ, 30.0 WATTS	0	P	48104 SE
BEY458T	AL	M-A-01-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/2 IN, 110/120, BRONZE, 9, VALVE, SOLENOID; TWO-WAY, SIZE .5 IN, BODY MATL BRONZE, 9.0 WATTS	0	P	48104 SE
BEY767D	AL	L-A-13-000-002	1 VALVE	VALVE, RELIEF, QA 0, 3/4 IN, CARBON STEEL, MNPT, 522 PSIG, ASTM A216 GR WCB, CAST, VALVE, SAFETY RELIEF; .75 IN, ORIFICE .11 IN, END TYPE TH	0	P	48200 SE
BFG598C	AL	M-A-02-000-002	2 VALVE	VALVE, BALL, QA 3, 1/8 IN, SS, COMPRESSION, 1000 PSI, AISI 316, VALVE, BALL; .12 IN, BODY MATL STAINLESS STEEL AISI 316 S31600, MAX	3	P	48200 SE
BFM885F	AL	M-A-03-000-002	2 VALVE	VALVE, CHECK, QA 0, 12.0 IN, CARBON STEEL, 125 PSI, ***	0	P	48200 SE
BFN191C	AL	L-A-13-000-002	2 VALVE	VALVE, RELIEF, QA 0, 1/2 IN, BRASS, THREADED, 60 PSI, VALVE, SAFETY RELIEF; .5 IN, END TYPE THREADED EXTERNAL, NPT, BODY	0	P	48200 SE
BFP108M	AL	M-A-01-000-002	1 VALVE	VALVE, RELIEF, QA 0, VALVE, AIR PRESS RELIEF; CHECK, CRANKCASE, 0.250 IN INLET, THREADED	0	P	48200 SE
BFT085D	AL	M-A-08-000-002	1 VALVE	VALVE, GLOBE, QA 3, VALVE, ANGLE; .125 IN, END TYPE COMPRESSION, BODY MATL STAINLESS	3	P	48200 SE
BFT145Y	AL	M-A-16-000-002	2 VALVE	VALVE, NEEDLE, QA 3, VALVE, NEEDLE; .25 IN, END TYPE THREADED EXTERNAL, NPT, BODY MATL	3	C	48200 SE
BFV757R	AL	L-A-09-000-002	1 VALVE	VALVE, GATE, QA 0, 2.0 IN, CARBON STEEL, SOCKETWELD, 800 PSI, T, RISING, HANDWHEEL, ***	0	P	48200 SE
BGB562M	AL	B-A-11-000-002	4 VALVE	VALVE, TURBINE, QA 0, VALVE, STEAM TURBINE; FOR LUBE OIL TANK ON TURBINE ***	0	P	2825G SE
BGC471K	AL	M-A-01-000-002	1 VALVE	VALVE, CHECK, QA 0, 3/4 IN, BRASS, COMPRESSION, ***	0	P	48200 SE
BGG727M	AL	L-A-09-000-002	1 VALVE	VALVE, BUTTERFLY, QA 0, HANDWHEEL OPERATED, 12.0 IN, IRON, WAFER FLANGED, 200 PSI, CAST, *** TEMPERATURE: 180 DEG F	0	P	48200 SE
BGN440N	AL	M-A-01-000-002	1 VALVE	VALVE, CONTROL, QA 0, VALVE, LIN DIRECT CONTROL; 0.5 IN, 5000 PSIG, 2-WAY, PILOT ACTUATOR	0	P	48200 SE
BGV253G	AL	L-A-01-000-002	5 VALVE	VALVE, TYPICAL, QA 0, 3/4 IN, BRASS, FNPT, *** STYLE: ANGLE	0	P	48200 SE
BGV841Y	AL	P-A-LL-ET0-074	2 VALVE	VALVE, CHECK, QA 0, 2.0 IN, IRON, RAISED FACE FLANGED, 125 PSI, CAST, ***	0	C	48200 SE
BHA279F	AL	M-A-07-000-002	1 VALVE	VALVE, CONTROL, QA 0, STEEL, *** DISCHARGE, FOR REFRIGERATION COMPRESSOR, MODEL CRHR400C-2C-AS	0	P	48200 SE
BHA293M	AL	M-A-10-000-002	1 VALVE	VALVE, CONTROL, QA 0, VALVE, CONTROL; 1.625 IN OD, STEEL AND BRASS, DISCHARGE SERVICE, FOR	0	P	48200 SE
BHB452N	AL	L-A-03-000-002	2 VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1-1/2 IN, 1-1/4 IN, FNPT, 120, 5-125 PSI, BRASS, 50/60, 15.4, VALVE, SOLENOID; TWO-WAY, NORMALLY OPEN, SIZE 1.	0	P	48104 SE
BHH611X	AL	M-A-09-000-002	5 VALVE	VALVE, GLOBE, QA 3, VALVE, ANGLE; .75 IN, END TYPE THREADED EXTERNAL, BODY MATL CARBON	3	P	48200 SE
BHL740E	AL	M-A-08-000-002	1 VALVE	VALVE, RELIEF, QA 0, 1-1/2 IN, BRONZE, FNPT, 100 PSI, VALVE, SAFETY RELIEF; 1.5 IN, END TYPE THREADED INTERNAL, BODY MATL	0	P	48200 SE
BHM864B	AL	L-A-09-000-002	4 VALVE	VALVE, ANGLE, QA 0, 3/4 IN, BRONZE, FNPT, ASTM B62, VALVE, ANGLE; SIZE: 00.750 IN (3/4), PRESSURE RATING: 200 PSI END	0	P	48200 SE
BHN889M	AL	L-A-02-000-002	1 VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; THREE-WAY, NORMALLY UNIVERSAL, SIZE .25 IN, ORIFICE	3	C	48104 SE
BHT209K	AL	M-A-01-000-002	1 VALVE	VALVE, CHECK, QA 0, POPPET, 1/2 IN, BRONZE, 300 PSI, VALVE, CHECK; .5 IN, BODY MATL BRONZE, CWP 300 PSIG, POPPET STYLE ***	0	P	48200 SE
BHX300X	AL	L-A-09-000-002	1 VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; .75 IN, END TYPE THREADED INTERNAL, NPT, BODY MATL	3	P	48200 SE
BHX510H	AL	M-A-01-000-002	2 VALVE	VALVE, TYPICAL, QA 0, STAINLESS STEEL, *** WITH 3 IN FLEXITALLIC GASKET, FOR AUXILIARY BOILER AND/OR AUX	0	P	4410C SE
BHX841E	AL	L-A-02-000-002	1 VALVE	VALVE, GATE, QA 0, 1/2 IN, SS, FNPT, 800 PSI, ASTM A182 GR F316, T, HANDWHEEL, OUTSIDE SCREW YOKE/BOLTED	0	P	48200 SE
BHY950F	AL	M-A-01-000-002	3 VALVE	VALVE, RELIEF, QA 0, 1 IN, CS, FNPT, 225 PSI, ORIFICE 0.226 IN, DISK LOADED BY SPRING, 2569 LB/HR STEAM,	0	P	48200 SE
BJD162F	AL	M-A-03-000-002	11 VALVE	VALVE, GLOBE, QA 1, VALVE, GLOBE; .375 IN, CLASS 1500, BODY MATL STAINLESS STEEL AISI 316	1	C	48200 SE
BJF215A	AL	L-A-03-000-002	3 VALVE	VALVE, CHECK, QA 0, 1/2 IN, SS, FNPT, **	0	P	48200 SE
BJM289D	TR	- - - -	2 VALVE	VALVE, CHECK, QA 1, LIFT, 2 IN, SS, SOCKETWELD, 600 PSI, ASTM A182 GR F316, VALVE, CHECK; 2 IN, ASME F316 STAINLESS STEEL, 600 PSI AT 91	1	C	48200 SE
BJP579R	AL	O-A-04-000-002	1 VALVE	VALVE, GATE, QA 1, VALVE, GATE; 1.5 IN, END TYPE SOLDER JOINT, 'T' PATTERN, CWP 200 PSIG	1	C	48200 SE
BJP596R	AL	L-A-09-000-002	4 VALVE	VALVE, CONTROL, QA 0, VALVE, CONTROL; MAIN, TO FIT A MODEL A-436 VALVE ***	0	P	48200 SE
BJP795K	AL	L-A-09-000-002	3 VALVE	VALVE, GATE, QA 0, 1-1/2 IN, BRONZE, FNPT, 150 PSI, T, HANDWHEEL, ***	0	P	48200 SE
BJY403W	AL	P-A-LL-ET0-062	2 VALVE	VALVE, GLOBE, QA 1, VALVE, GLOBE; .75 IN, END TYPE SOCKETWELD, BODY MATL STAINLESS STEEL	1	C	48200 SE
BKC513B	AL	M-A-01-000-002	2 VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 3/8 IN, 9/32 IN, FNPT, 110/120, 200 PSI, BRASS, 50/60, VALVE, SOLENOID; THREE-WAY, NORMALLY CLOSED, SIZE .375	0	P	48104 SE
BKE013C	AL	M-A-06-000-002	1 VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; TWO-WAY, MAX DIFF PRESS 200 PSIG, DESIGNED FOR GAS	3	P	48104 SE
BKG252Q	AL	M-A-06-000-002	1 VALVE	VALVE, CHECK, QA 3, VALVE, CHECK; 1.375 IN, END TYPE THREADED INTERNAL, NPT, BODY MATL	3	P	48200 SE
BKG253N	AL	M-A-06-000-002	1 VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; 1.375 IN, BODY MATL BRONZE, SOLDER ENDS, WING CAP	3	P	48200 SE
BKM992M	AL	L-A-08-000-002	3 VALVE	VALVE, CHECK, QA 1, TILTING DISC, 18 IN, CS, RAISED FACE FLANGED, 150 PSI, VALVE,CHECK,TILTING, ; 18.0 IN, END TYPE RAISED FACE FLANGE, BODY	1	P	48200 SE
BKP119N	AL	P-A-LL-ET0-074	16 VALVE	VALVE, GATE, QA 0, 1-1/2 IN, CARBON STEEL, FNPT, 800 PSI, ASTM A105, HANDWHEEL, ROUND BOLTED, FORGED, ***	0	C	48200 SE
BKR201W	AL	L-A-09-000-002	1 VALVE	VALVE, RELIEF, QA 3, VALVE, RELIEF PRESS/TEMP; 1.0 IN, OUTLET 1.0 IN, END TYPE THREADED	3	C	6695D SE
BKR387J	AL	M-A-06-000-002	1 VALVE	VALVE, CONTROL, QA 2, VALVE, BYPASS PNEUMATIC; 0.75 IN, 1.125ODF, SOLDER,0-80PSIG,FULLY	2	P	48200 SE
BKY782J	AL	P-A-LL-ET0-026	6 VALVE	VALVE, BALL, QA 1, VALVE, BALL; 1.25 IN, END TYPE THREADED INTERNAL, NPT, BODY MATL	1	C	29100 SE
BKY783G	AL	- - - -	2 VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; 1.0 IN, END TYPE SOCKETWELD, SCHEDULE 40, CLASS 150	3	C	48200 SE
BKY956B	AL	P-A-LL-ET0-078	3 VALVE	VALVE, CHECK, QA 1, VALVE,CHECK,TILTING, ; 2.0 IN, BODY MATL CARBON STEEL ASTM A 216 GR	1	C	48200 SE
BLA022R	TR	- - - -	1 VALVE	VALVE, CHECK, QA 0, 6 IN, CARBON STEEL, CARBON STEEL, RAISED FACE FLANGED, 150 PSI, ASTM A216 GR WCB, CAST, ***	0	B	48200 SE
BLD708H	AL	O-A-03-000-002	1 VALVE	VALVE, RELIEF, QA 1, 3/4 IN X 1 IN, SS, RAISED FACE FLANGED, 150 PSI, 55 PSI, , 0 .75 IN, OUTLET 1.0 IN, END TYPE RAISED FACE	1	C	48200 SE
BLE149M	AC	- - - -	3 VALVE	VALVE, PLUG, QA 3, VALVE, PLUG; CARBON STEEL, BUTTWELD ENDS, FOR SCH 40 PIPE, ANG NUT	3	C	48200 SE
BLE463F	AL	L-A-09-000-002	1 VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; 3-WAY, 1" NPT, NORMALLY OPEN, BRASS BODY, 250 VDC ***	3	P	48104 SE
BLM411Y	AL	M-A-03-000-002	3 VALVE	VALVE, RELIEF, QA 3, VALVE ASSY, DIESEL ENGINE; RELIEF, FOR LUBE OIL SYSTEM, ON STANDBY	3	P	29100 SE
BLM712G	AL	L-A-03-000-002	6 VALVE	VALVE, TYPICAL, QA 0, DIGESTION VESSEL, LABORATORY; 120 ML, COMPLETE WITH CAPS, RELIEF VALVE	0	C	6630D SE
BLN697C	AL	M-A-06-000-002	8 VALVE	VALVE, CONTROL, QA 2, VALVE, CONTROL; FLOW REGULATOR, 7 GPM, 0.75 IN HOUSING, FEMALE	2	P	4310I SE
BLR627J	AL	M-A-13-000-002	16 VALVE	VALVE, TYPICAL, QA 1, VALVE ASSY, ; DISCHARGE, FOR RECIPROCATING COMPRESSOR, MODEL 3F5B80	1	P	48200 SE
BLV345J	AL	L-A-02-000-002	2 VALVE	VALVE, GATE, QA 1, CLASS 3, VALVE, GATE; CARBON STEEL BODY, STAINLASS STEEL STEM, CO-CR DISK,	1	C	48200 SE
BMD667X	AL	L-A-09-000-002	4 VALVE	VALVE, TYPICAL, QA 0, VALVE, ; OIL REFILL, FOR HYPOCHLORITE SYSTEM. ***	0	P	6630D SE
BMD668V	AL	L-A-09-000-002	4 VALVE	VALVE, RELIEF, QA 0, 1-1/4 IN, *** PRESSURE RELIEF, FOR HYPOCHLORITE SYSTEM.	0	P	6630D SE
BMF244G	AL	M-A-01-000-002	1 VALVE	VALVE, RELIEF, QA 0, VALVE, ; RELIEF, ITEM 13, FOR MODEL MPS-400 DEHYDRATION UNIT, S/N	0	P	4440E SE
BNB424W	AL	L-A-07-000-002	4 VALVE	VALVE, PILOT, QA 0, VALVE, ; VALVE, DIRECT POLIT OPERATED, BODY CAST BRONZE ASTM B61	0	P	4440E SE
BNC237N	AL	L-A-09-000-002	4 VALVE	VALVE, GLOBE, QA 2, VALVE, CONTROL; 0.25 IN NPT BOTTOM INLET X FLARE SIDE OUTLET, 500	2	P	48200 SE
BNC240D	AL	L-A-09-000-002	1 VALVE	VALVE, GLOBE, QA 2, VALVE, CONTROL; 0.5 IN MPT X 0.5 IN FLARE TYPE 1, 500 PSIG, PACKLESS	2	P	48200 SE
BNC242X	AL	L-A-09-000-002	1 VALVE	VALVE, GLOBE, QA 2, VALVE, CONTROL; 0.5 IN MPT X 0.625 IN FLARE TYPE 1, 500 PSIG	2	P	48200 SE

BNF129A	AL	L-A-09-000-002	3 VALVE	VALVE, GLOBE, QA 1, VALVE, ANGLE; GLOBE MASTER, ANGLE LINE, 7/8 IN OD, STYLE #GM-11-1	1	P	48200 SE
BNG983X	AL	T-A-05-000-002	2 VALVE	VALVE, CHECK, QA 1, VALVE, ; COMPLETE WITH SOFT SEAT, 0.5 IN, 600 SERIES, STAINLESS STEEL	1	B	48200 SE
BNH525P	AL	M-A-01-000-002	3 VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; ORIFICE 3/32, MEDIA R-12, R22, 110 VAC, 6 WATTS, 100	1	P	48104 SE
BNM469J	AL	L-A-01-000-002	1 VALVE	VALVE, TYPICAL, QA 1, VALVE, SPARE PART; VALVE, HAND, SOCKET WELD, 0.75IN ***	1	P	48200 SE
BNP377D	AL	M-A-08-000-002	1 VALVE	VALVE, RELIEF, QA 1, 3/4 IN X 1 IN, FLANGED, VALVE, SAFETY RELIEF; 0.75 IN INLET X 1 IN, NOZZLE TYPE RELIEF BODY	1	P	48200 SE
BNP713P	AL	M-A-08-000-002	2 VALVE	VALVE, RELIEF, QA 3, VALVE, AIR PRESS RELIEF; CRANK CASE CHECK, FOR GLYCOL CHILLER. ***	3	P	48200 SE
BNP980B	AL	M-A-06-000-002	5 VALVE	VALVE, BALL, QA 3, VALVE, BALL; FOR VIKING VALVES, ITEM 3 ON MODEL C-1 AS SHOWN ON	3	P	48200 SE
BNR100V	AL	L-A-09-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/16 IN, 110/120, 1250 PSI, 50/60, 10, VALVE, SOLENOID; 2-WAY SOLENOID, 120A, 1250 PSIORIFICE 1/16, 120/60	0	P	48104 SE
BNR495W	AL	M-A-01-000-002	6 VALVE	VALVE, RELIEF, QA 3, 1/2 IN, BRASS, FNPT, 375 PSI, VALVE, SAFETY RELIEF; 0.5 IN, THREADED INTERNAL, 375PSI, BRASS BODY,	3	P	48200 SE
BNW304G	AL	L-A-03-000-002	1 VALVE	VALVE, TYPICAL, QA 0, 3/4 IN, *** TAG NO 47W458-251	0	P	48200 SE
BNW509X	AL	L-A-02-000-002	1 VALVE	VALVE, CHECK, QA 0, 2-1/2 IN, STAINLESS STEEL, 150 PSI, ASTM A182 GR F316, ***	0	P	48200 SE
BPL119D	AL	L-A-07-000-002	2 VALVE	VALVE, SOLENOID, QA 3, VALVE, CONTROL; ELECTRONIC, P.I.D, 4-1/2 DIGIT LCD DISPLAY, DRIVEN BY	3	B	48200 SE
BPP009W	AL	M-A-08-000-002	1 VALVE	VALVE, RELIEF, QA 3, VALVE, SAFETY RELIEF; 385 PSIG, HIGH TO LOW, FOR CHILLER UNIT, MODEL	3	C	48200 SE
BPV419W	AL	P-A-LL-ET0-081	7 VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; 0.375 IN, MAXIMUM DIFFERENTIAL PRESSURE 275 PSIG, 100	1	C	48104 SE
BQE270D	AL	M-A-06-000-002	1 VALVE	VALVE, TYPICAL, QA 0, PRESSURE REGULATOR, *** COLUMN, FOR 1.5 TO 1.75 IN DISC DIAPHRAGM PUMP, PVC, MODEL NO	0	C	4320U SE
BQN043T	AL	L-A-11-000-002	1 VALVE	VALVE, GATE, QA 3, VALVE, GATE; 6 INCH HYDRANT ISOLATION UNDERGROUND GATE VALVE WITH	3	C	48200 SE
BQW855W	AL	L-A-07-000-002	1 VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; VALVE, SOLENOID, THREE WAY, PIPE SIZE 3/8/ IN, ORFICE	3	C	48104 SE
BRC379F	AL	P-A-LL-ET0-081	1 VALVE	VALVE, GATE, QA 0, 3/4 IN, STAINLESS STEEL, SOCKETWELD, 1500 PSI, ASTM A182 GR F316, ***	0	C	48200 SE
BRF606G	AL	M-A-15-000-002	1 VALVE	VALVE, PILOT, QA 0, VALVE, PILOT; WITH STEM; PC #20;C1N #L3620-1 FOR INVERTED VALVE PARTS	0	C	48104 SE
BRH380G	AL	L-A-03-000-002	1 VALVE	VALVE, CONTROL, QA 1, VALVE, STEAM TURBINE; TEMPERATURE CONTROL, ITEM 356. ***	1	C	2825G SE
BRN016P	AL	P-A-LL-ET0-108	5 VALVE	VALVE, CONTROL, QA 1, VALVE, DIRECTIONAL CONTROL; SYSTEM 085, FOR BFN CRD HCU GE P/N 729E950	1	C	48200 SE
BRR117B	AL	T-A-01-000-002	1 VALVE	VALVE, RELIEF, QA 0, VALVE, SAFETY RELIEF; COMPLETE, SIZE 2H3, SHOP# 72547, STYLE:	0	C	48200 SE
BRX394V	AL	M-A-06-000-002	1 VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; 1/4 INCH, FOR RADIATION MONITORS ***	3	B	48104 SE
BRX405J	AL	M-A-06-000-002	2 VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; 1/2 INCH N.C., 2 WAY SET, FOR RADIATION MONITORS ***	3	B	48104 SE
BRX620Q	AL	M-A-06-000-002	1 VALVE	VALVE, SOLENOID, QA 3, 2-WAY, 1/2 IN, N.C., FOR RADIATION MONITORS	3	A	48104 SE
BTE776L	AL	L-A-02-000-002	2 VALVE	VALVE, PLUG, QA 0, T-HANDLE OPERATOR, 1-1/2 IN, IRON, FLAT FACE FLANGED, 150 PSI, VALVE, PLUG; SIZE: 01.500 IN (1 1/2), PRESSURE RATING: 15	0	C	48200 SE
BTK605P	AL	P-A-LL-ET0-081	1 VALVE	VALVE, GLOBE, QA 1, CLASS 2, VALVE, GLOBE; SIZE: 00.750 IN (3/4), PRESSURE RATING: CLASS 600, END	1	C	48200 SE
BTM753W	AL	L-A-06-000-002	2 VALVE	VALVE, GLOBE, QA 1, CLASS 3, 1/2 IN, SS, SOCKETWELD, 150 PSI, ASME SA351 GR CF8M, T, T-HANDLE, VALVE, GLOBE; SIZE: 00.500 IN (1/2), PRESSUR	1	C	48200 SE
BTN733X	AL	M-A-01-000-002	2 VALVE	VALVE, TYPICAL, QA 2, VALVE, GAGE ISOLATOR; 0.25 IN TUBE OD, FOR 0-IPI-031-0603B-B, REF	2	B	6695D SE
BTR662B	AL	L-A-09-000-002	1 VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; 8 VALVE MANIFOLD ASSEMBLY, 4 WAY DIRECT ACTING, 1/4	3	B	48104 SE
BTV948E	AL	P-A-LL-ET0-081	1 VALVE	VALVE, GLOBE, QA 1, CLASS 2, 1/2 IN, STAINLESS STEEL, SOCKETWELD, 1500 PSI, ASME SA479 GR 316, T, ** ANDERSON GREENWOOD CROSBY DRAWING: DS-C	1	C	48200 SE
BTV948E	PR	P-A-LT-036-08D	4 VALVE	VALVE, GLOBE, QA 1, CLASS 2, 1/2 IN, STAINLESS STEEL, SOCKETWELD, 1500 PSI, ASME SA479 GR 316, T, ** ANDERSON GREENWOOD CROSBY DRAWING: DS-C	1	C	48200 SE
BVC156P	AL	L-A-03-000-002	1 VALVE	VALVE, SOLENOID, QA 1, 1 IN, SOCKETWELD, 150 PSI, SS, ASME SA182 GR 316L, POSITION SWITCH ASSEMBLY CONTAINS FOUR (4) SPST SWITCHES,	1	C	48104 SE
BVC156P	AC	- - -	2 VALVE	VALVE, SOLENOID, QA 1, 1 IN, SOCKETWELD, 150 PSI, SS, ASME SA182 GR 316L, POSITION SWITCH ASSEMBLY CONTAINS FOUR (4) SPST SWITCHES,	1	C	48104 SE
BVH210X	AL	L-A-09-000-002	4 VALVE	VALVE, RELIEF, QA 0, 1 IN, CARBON STEEL, 60 PSI, VALVE, RELIEF PRESS/TEMP; VALVE, RELIEF, PRESSURE, SIZE: 1", SETPOINT:	0	C	6695D SE
BVH345T	AL	M-A-04-000-002	3 VALVE	VALVE, GLOBE, QA 1, 1/2 IN, SS, SOCKETWELD, 600 PSI, ASTM A182 GR F316, Y, HANDWHEEL, 400 DEG F, VALVE, GLOBE; SIZE: 00.500 IN (1/2), PRESS	1	C	48200 SE
BVJ521V	AL	M-A-08-000-002	1 VALVE	VALVE, GATE, QA 1, VALVE, GATE; SIZE: 00.500 IN (1/2), PRESSURE RATING: CLASS 800, END	1	C	48200 SE
BVL835R	AL	L-A-07-000-002	2 VALVE	VALVE, PLUG, QA 3, VALVE, PLUG; SIZE: 01.250 IN (1 1/4), PRESSURE RATING: 285 PSI, END	3	B	48200 SE
BVM112X	AL	P-A-LL-ET0-014	9 VALVE	VALVE, TYPICAL, QA 1, VALVE, INSTRUMENT; UNION BONNET, 1/4" FEMALE NPT, STANDARD MATERIAL:	1	C	48200 SE
BVN482N	AL	M-A-01-000-002	1 VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; SIZE: 01.000 IN (1), PRESSURE RATING: CLASS 125, END	3	B	48200 SE
BVP105H	AL	L-A-09-000-002	5 VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/2 IN, 5/16 IN, FNPT, 120, 120 PSI, BRASS, 60, 20, VALVE, SOLENOID; THREE WAY, 1/2 INCH PIPE SIZE, MAXIMUM OP	0	C	48104 SE
BVP575A	AL	L-A-09-000-002	2 VALVE	VALVE, GATE, QA 3, VALVE, GATE; SIZE: 00.750 IN (3/4), PRESSURE RATING: CLASS 150, END	3	C	48200 SE
BVW186V	AL	M-A-06-000-002	1 VALVE	VALVE, RELIEF, QA 2, VALVE, SAFETY RELIEF; 0.25 INCH, BRONZE, SET PRESSURE 40.0 PSIG, FOR	2	C	48200 SE
BVW190G	AL	L-A-02-000-002	1 VALVE	VALVE, TYPICAL, QA 1, VALVE, INSTRUMENT; UNION BONNET, 1/4 INCH CPI TUBE CONNECTIONS	1	B	48200 SE
BWE384R	AL	L-A-03-000-002	1 VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, PUMP; EXHAUST, REF C-17, FOR VACUUM PRIMING PUMP, MODEL	0	C	4320U SE
BWE386M	AL	L-A-03-000-002	4 VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, PUMP; INTAKE, REF C-22, FOR VACUUM PRIMING PUMP, MODEL	0	C	4320U SE
BWE411H	AL	L-A-13-000-002	1 VALVE	VALVE, RELIEF, QA 0, *** FOR VACUUM PUMP, 1/2 HP, MODEL SYCT-500-1, S/N STV00E5102BAJ	0	C	48200 SE
BWG946Y	AL	L-A-09-000-002	1 VALVE	VALVE, CHECK, QA 0, SWING, 1-1/2 IN, BRONZE, THREADED, 200 PSI, ***	0	C	48200 SE
BWH595W	AL	M-A-15-000-002	8 VALVE	VALVE, CHECK, QA 3, VALVE, STEAM TURBINE; CHECK, .500", 1500 LB. STAINLESS STEEL, ASTM	3		2825G SE
BWJ039D	AL	T-A-06-000-002	1 VALVE	VALVE, GLOBE, QA 0, VALVE, STEAM TURBINE; GLOBE, 1.00", WKM, MODEL# 70-28-1DRT, SN 114226	0	D	2825G SE
BWJ441K	TR	- - -	3 VALVE	VALVE, TYPICAL, QA 2, VALVE, DRAIN; FOR OIL SUMP/SEPARATOR TANK, DUNHAM-BUSH CHILLER MODEL	2	C	48200 SE
BWL601E	AL	L-A-13-000-002	9 VALVE	VALVE, CHECK, QA 3, VALVE, CHECK; CHECK TYPE: SWING CHECK, SIZE: 00.250 IN (1/4)	3	C	48200 SE
BWL851M	AL	M-A-08-000-002	1 VALVE	VALVE, RELIEF, QA 3, VALVE, RELIEF PRESS/TEMP; PERSSURE RELIEF VALVE, 0.25" DIA, 0.25"	3	B	6695D SE
BWL952F	AL	M-A-08-000-002	1 VALVE	VALVE, CHECK, QA 3, VALVE, CHECK; CHECK TYPE: BACKFLOW PREVENTION, SIZE: 00.500 IN (1/2)	3	B	48200 SE
BWW230Q	AL	M-A-01-000-002	1 VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; 1/4", 120 VOLT, ***	3	C	48104 SE
BXA499N	AL	L-A-13-000-002	1 VALVE	VALVE, TYPICAL, QA 3, 2 IN, THREADED, 300 PSI, VALVE, FIRE PROTECTION SYS; 2 IN, THD, 300 PSIG, SELECTOR, DWG	3	C	4210N SE
BXE330N	AL	M-A-07-000-002	1 VALVE	VALVE, PLUG, QA 3, VALVE, PLUG; SIZE: 03.000 IN (3), PRESSURE RATING: 150 PSI, END TYPE:	3	C	48200 SE
BXF984M	AL	L-A-01-000-002	6 VALVE	VALVE, SOLENOID, QA 1, 3-WAY, 1/2 IN, THREADED, VALVE, SOLENOID; SCRAM SOLENOID PILOT VALVE, 3 WAY, NORMALLY CLOSED,	1	B	48104 SE
BXP973H	AL	L-A-13-000-002	10 VALVE	VALVE, SOLENOID, QA 0, 4-WAY, 1/2 IN, 3/8 IN, THREADED, 250 DC, BRASS, FORGED, VALVE, SOLENOID; 0.50 IN X 0.375 IN, 4-WAY, 250VDC, EXPLOSION	0	C	48104 SE
BXQ404M	AL	M-A-01-000-002	1 VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; .25 IN, MATL STAINLESS STEEL AISI 316 S31600, MAX OPR	3	C	48200 SE
BXT842H	AL	L-A-09-000-002	1 VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; THREE-WAY, SIZE: 0.250 (1/4) INCH, ORIFICE: 0.250	3	B	48104 SE
BYH118K	AL	L-A-09-000-002	3 VALVE	VALVE, NEEDLE, QA 3, 3/8 IN, SS, SS, COMPRESSION, 6000 PSI, T-PATTERN, RISING STEM	3	C	48200 SE
BYH252F	AL	L-A-01-000-002	1 VALVE	VALVE, RELIEF, QA 1, CLASS 2, FNPT, 150 PSI, , CROSBY 900 SERIES WITH OMNI TRIM, BASE MAT'L: SS, BASE MAT'L SPEC:	1	C	48200 SE
BYH262C	AL	L-A-01-000-002	1 VALVE	VALVE, RELIEF, QA 1, CLASS 2, 450 PSI, , END STYLE: FNPT X FNPT, CROSBY 900 SERIES WITH OMNI TRIM, BASE	1	C	48200 SE
BYH278W	AL	L-A-01-000-002	1 VALVE	VALVE, RELIEF, QA 1, CLASS 2, 500 PSI, , END STYLE: FNPT X FNPT, CROSBY 900 SERIES WITH OMNI TRIM, BASE	1	C	48200 SE
BYK393J	AL	L-A-11-000-002	2 VALVE	VALVE, BALL, QA 0, 8 IN, STAINLESS STEEL, STAINLESS STEEL, BUTT WELD, 150 PSI, PNEUMATIC OPERATED, VALVE, TEMPERATURE CONTROL; 8 INCH (BALL	0	C	6695D SE
BYP232N	AL	L-A-09-000-002	2 VALVE	VALVE, GATE, QA 1, CLASS 3, 3/4 IN, CS, SOCKETWELD, 1400 PSI, ASME SA105, T, RISING, HANDWHEEL, OUTSIDE SCREW YOKE/BOLTED, FORGED, VALVE, GA	1	B	48200 SE
BYT655A	AL	L-A-09-000-002	1 VALVE	VALVE, TYPICAL, QA 3, ACTUATOR, SNUBBER, FOR G.H. BETTIS ACTUATOR, SEVERAL MODELS, PART NUMBER 11967	3	C	48200 SE
BYW580G	AL	L-A-13-000-002	2 VALVE	VALVE, SOLENOID, QA 0, VALVE, SOLENOID; 2 WAY NORMALLY CLOSED SOLENOID, NO MANUAL STEM LIQUID	0	C	48104 SE
BYX319B	AL	L-A-03-000-002	1 VALVE	VALVE, NEEDLE, QA 0, 3/8 IN, BRASS, COMPRESSION, 3000 PSI, VALVE, NEEDLE; ANGLE, 3/8 IN TUBE END CONNECT, BODY BRASS, STEM 316SS	0	C	48200 SE
CAB877R	AL	M-A-01-000-002	2 VALVE	VALVE, TYPICAL, QA 3, VALVE, GAGE; TOP, FOR CHEMICAL WATER LEVEL GAGE GLASS, DWG 74222, SPIN	3	B	6695D SE
CAB878P	AL	M-A-01-000-002	2 VALVE	VALVE, TYPICAL, QA 3, VALVE, GAGE; BOTTOM, W/PITCOCK, FOR CHEMICAL WATER LEVEL GAGE GLASS, DWG	3	B	6695D SE
CAC352R	AL	L-A-09-000-002	1 VALVE	VALVE, NEEDLE, QA 0, VALVE, NEEDLE; ROOT VALVE FOR TURBINE LIFT PUMP PRESSURE INDICATOR.	0	C	48200 SE
CAE403R	AL	L-A-09-000-002	1 VALVE	VALVE, RELIEF, QA 0, 40 PSI, *** SECOND STAGE SAFETY VALVE, FOR AIR PURIFICATION UNIT.	0	B	4310I SE
CAE414K	AL	L-A-03-000-002	1 VALVE	VALVE, TYPICAL, QA 2, VALVE, MANIFOLD; 5-VALVE, 1/2" FNPT PROCESS CONNECTION, 1/4" FNPT TEST	2	B	48200 SE

CAF482W	AL	L-A-09-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 4-WAY, 1/4 IN, 1/4 IN, FNPT, 110/220, 250 PSI, 50, 16.7, VALVE, SOLENOID; MODEL NO. 8344G0, ASCO, FOR 0-FSV-077-0105.	0	C	48104 SE
CAP112M	AL	L-A-09-000-002	2 VALVE	VALVE, BUTTERFLY, QA 3, VALVE, BUTTERFLY; SIZE: 08.000 IN (8), PRESSURE RATING: 175 PSI, END	3	C	48200 SE
CAP192W	AL	L-A-09-000-002	1 VALVE	VALVE, CONTROL, QA 3, VALVE, FIRE PROTECTION SYS; 2", TANK SHUTOFF, MANUALLY OPERATED, DWG.	3	C	4210N SE
CAV313N	AL	L-A-03-000-002	3 VALVE	VALVE, NEEDLE, QA 1, NEEDLE, VALVE; FOR HYDROLINE ACTUATOR, DWG. 808-174-3B-C, USED ON 26"	1	C	48200 SE
CAX590W	AL	T-A-12-000-002	2 VALVE	VALVE, TYPICAL, QA 2, VALVE, COMPRESSOR; DISCHARGE, A243, FOR SINGLE STAGE DOUBLE ACTING AIR	2	C	4310I SE
CBC412V	AL	L-A-09-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/2 IN, THREADED, 0-150 PSI, 60, VALVE, SOLENOID; MANIFOLD MOUNTED, 3 WAY VALVE, 120 VAC.60 HZ COIL	0	C	48104 SE
CBC413R	AL	L-A-09-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/2 IN, THREADED, 0-150 PSI, VALVE, SOLENOID; MANIFOLD MOUNTED, 3 WAY VALVE, 120 VAC/60 HZ COIL	0	C	48104 SE
CBC414P	AL	L-A-09-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/2 IN, THREADED, 0-150 PSI, VALVE, SOLENOID; MANIFOLD MOUNTED, 3-WAY VALVE, 120 VAC/60HZ COIL	0	C	48104 SE
CBC720V	AL	M-A-01-000-002	1 VALVE	VALVE, SOLENOID, QA 1, 125 DC, 11 , ELECTRICAL; 0.0625 IN ORIFICE, DRAWING CFP-305-C, ITEM 21, FOR	1	B	5945D SE
CBD639R	AL	L-A-01-000-002	5 VALVE	VALVE, TYPICAL, QA 1, 1-1/2 IN, FNPT, TWO-WAY, AIR START SYSTEM, DIESEL ENGINE, PLATE B1079-DR-3, REF 1,	1	B	29100 SE
CBY255L	AL	L-A-13-000-002	1 VALVE	VALVE, TYPICAL, QA 3, VALVE ASSY, VALVE; 3-WAY, ITEM 11, DWG C5497, FOR MAIN STEAM ISOLATION	3	B	48200 SE
CBY480Q	AL	L-A-09-000-002	1 VALVE	VALVE, TYPICAL, QA 0, VALVE, SPARE PART; MASONEILAN LOCKUP VALVE, MODEL # 77-6 ***	0	C	48200 SE
CCA274H	AL	T-A-04-000-002	1 VALVE	VALVE, TYPICAL, QA 1, CLASS 2, VALVE, ISOLATION; STEAM GENERATOR BLOWDOWN ***	1	B	48200 SE
CDE428M	AL	L-A-09-000-002	1 VALVE	VALVE, GATE, QA 3, 1/2 IN, CS, SOCKETWELD, 800 PSI, ASTM A105, T, RISING, HANDWHEEL, BOLTED, FORGED	3	C	48200 SE
CDE744B	AL	L-A-09-000-002	2 VALVE	VALVE, SOLENOID, QA 3, CHILLER, FOR TRANE CHILLER MODEL CGWA1504-MA, SERIAL NUMBER TYPICAL L4H678214,	3	C	4520N SE
CDF769M	AL	M-A-02-000-002	1 VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; 1/2 INCH, 1500#, A 105, SW ***	3	B	48200 SE
CDJ627T	TR	- - - -	1 VALVE	VALVE, TYPICAL, QA 3, VALVE, ACCUMULATOR; .25 IN, BODY MATL STAINLESS STEEL AISI 316 S31600	3	B	48200 SE
CDN936Q	AL	P-A-LL-ET0-018	1 VALVE	VALVE, RELIEF, QA 1, CLASS 3, VALVE, PRESSURE REGULATOR; SELF OPERATING, 1.0", 150 LB., CARBON	1	C	48200 SE
CDN949F	AL	L-A-03-000-002	2 VALVE	VALVE, SOLENOID, QA 2, VALVE, SOLENOID; 2-WAY, NORMALLY CLOSED, COIL VOLTAGE: 120 VAC/60 HZ,	2	B	48104 SE
CDP621D	AL	L-A-13-000-002	2 VALVE	VALVE, CONTROL, QA 0, 3/4 IN, STEEL, THREADED, ASTM A216 GR WCB, VALVE, CONTROL; 3-WAY DIVERGING VALVE WITH AIR DIAPHRAGM TYPE	0	C	48200 SE
CDP931X	AL	L-A-06-000-002	6 VALVE	VALVE, GLOBE, QA 1, CLASS 2, VALVE, GLOBE; SIZE: 01.000 IN (1), PRESSURE RATING: 800 PSI, END	1	C	48200 SE
CDP932V	AC	- - - -	9 VALVE	VALVE, GLOBE, QA 1, CLASS 2, VALVE, GLOBE; SIZE: 01.500 IN (1 1/2), PRESSURE RATING: 800 PSI, END	1	C	48200 SE
CDQ397J	AL	L-A-07-000-002	1 VALVE	VALVE, TYPICAL, QA 2, VALVE, DIESEL ENGINE; AIR STARTING SYSTEM, FOR EMD GM MODEL	2	C	29100 SE
CDQ898V	AL	L-A-09-000-002	8 VALVE	VALVE, PETCOCK, QA 0, 1/4 IN, MNPT, 250 PSI, BRASS, ***	0	C	48200 SE
CDR636M	AC	- - - -	1 VALVE	VALVE, TYPICAL, QA 2, VALVE, CHILLER; VALVE ASSEMBLY CONSISTING OF PART NUMBERS VAL667	2	C	4520N SE
CDV171X	AL	L-A-04-000-002	1 VALVE	VALVE, RELIEF, QA 1, VALVE, RELIEF PRESS/TEMP; BELLOWS TYPE, STAINLESS STEEL, FLANGED INLET	1	C	6695D SE
CDX402V	AL	M-A-03-000-002	4 VALVE	VALVE, CHECK, QA 0, 4 IN, WAFER, 250 PSI, VALVE, CHECK; 4 INCH WAFER CHECK, CLASS G, SCH 40, ASTM A 106, 250#	0	B	48200 SE
CDX423J	AL	M-A-03-000-002	1 VALVE	VALVE, SOLENOID, QA 0, 125 DC, ***	0	B	48104 SE
CEC607T	AL	L-A-05-000-002	1 VALVE	VALVE, CHECK, QA 3, VALVE, CONDENSER; CHECK, 8 INCH, DUO-CHECK, FOR ASSEMBLY CL-2003	3	C	4310I SE
CEC631W	AL	L-A-05-000-002	2 VALVE	VALVE, CHECK, QA 3, VALVE, CONDENSER; CHECK, 1 INCH, INTERNAL THREADS NPT, FOR ASSEMBLY	3	C	4310I SE
CED867R	AL	L-A-04-000-002	18 VALVE	VALVE, SOLENOID, QA 1, CONTINUOUS, 110 DC, DIESEL STARTING AIR, 125 - 210 PSIG, WITHOUT MOUNTING	1	C	29100 SE
CEE333T	AL	L-A-01-000-002	1 VALVE	VALVE, BUTTERFLY, QA 3, VALVE, BUTTERFLY; SIZE: 04.000 IN (4), PRESSURE RATING: 250 PSI, END	3	B	48200 SE
CEF220E	AC	- - - -	1 VALVE	VALVE, GLOBE, QA 1, CLASS 3, VALVE, GLOBE; SIZE: 1 IN; BODY MATERIAL: CS; END STYLE: SOCKETWELD;	1	C	48200 SE
CEF220E	AL	L-A-09-000-002	1 VALVE	VALVE, GLOBE, QA 1, CLASS 3, VALVE, GLOBE; SIZE: 1 IN; BODY MATERIAL: CS; END STYLE: SOCKETWELD;	1	C	48200 SE
CEH110B	AL	L-A-03-000-002	1 VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; THREE WAY, NORMALLY CLOSED SOLENOID VALVE, PIPE SIZE	1	B	48104 SE
CEH110B	TR	- - - -	1 VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; THREE WAY, NORMALLY CLOSED SOLENOID VALVE, PIPE SIZE	1	B	48104 SE
CEH131P	AL	M-A-04-000-002	1 VALVE	VALVE, BALL, QA 3, VALVE, BALL; SIZE: 01.000 IN (1), PRESSURE RATING: 600 PSIG, END	3	C	48200 SE
CEH215H	AL	L-A-13-000-002	1 VALVE	VALVE, BALL, QA 0, 1/2 IN, CARBON STEEL, FNPT, 2500 PSI, VALVE, BALL; SIZE: 00.500 IN (1/2), PRESSURE RATING: 2500 PSI, END	0	C	48200 SE
CEJ133E	AL	L-A-03-000-002	2 VALVE	VALVE, SOLENOID, QA 2, VALVE, SOLENOID; TYPE: 2-WAY; SIZE: 1/4 IN; ORIFICE SIZE: 7/32 IN;	2	B	48104 SE
CEL245Q	AL	M-A-15-000-002	1 VALVE	VALVE, RELIEF, QA 0, 1-1/2 IN X 2 IN, FLANGED, 150 PSI, ** TYPE: SAFETY; (1 1/2 F 2), MODEL JB25-3(TD)TYPE "A", SET PRESSURE	0	C	48200 SE
CEM120K	AL	L-A-13-000-002	4 VALVE	VALVE, GLOBE, QA 3, 1/4 IN, BRONZE, 125 PSI, T, ***	3	C	48200 SE
CEM125X	AL	P-A-LL-ET0-019	2 VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; TYPE: ISOLATION; SIZE: 2-1/2 IN; BODY MATERIAL: CAST	3	C	48200 SE
CEM126V	AC	- - - -	7 VALVE	VALVE, TYPICAL, QA 2, VALVE, *TYPICAL; TYPE: MANIFOLD; SIZE: 1/2 IN; BODY MATERIAL: SS;	2	C	48200 SE
CEN086Y	AL	M-A-04-000-002	1 VALVE	VALVE, GLOBE, QA 0, 1/2 IN, STAINLESS STEEL, SOCKETWELD, 600 PSI, AISI 316, T, HANDWHEEL, BOLTED, *** ROUND HANDWHEEL, METAL SEATS, FULL POR	0	C	48200 SE
CEQ485F	AL	P-A-LL-ET0-015	1 VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; SIZE: 6 IN; BODY MATERIAL: CAST ALLOY STEEL; END STYLE:	3	C	48200 SE
CEV241W	AL	L-A-09-000-002	1 VALVE	VALVE, BALL, QA 3, VALVE, BALL; SIZE: 1 IN; BODY MATERIAL: SS; RATING: 150 PSI; MATERIAL	3	C	48200 SE
CF726B	AL	L-A-02-000-002	1 VALVE	VALVE, CHECK, QA 2, REVERSE FLOW, 4 IN, CARBON STEEL, STAINLESS STEEL, WAFER, 150 LB, ASTM A216 GR WCB, *** DANIEL CHECK VALVE 1601-AC/BUNA-	2	C	48200 SE
CFE188X	AL	L-A-11-000-002	1 VALVE	VALVE, CONTROL, QA 0, 6 IN, CARBON STEEL, FLANGED, *** THREE WAY VALVE, WITH METAL TO METAL SEAT, SINGLE STYLE PLUG	0	C	48200 SE
CFJ438H	AC	- - - -	3 VALVE	VALVE, ANGLE, QA 3, VALVE, ANGLE *** INLET SIZE: 3/4", OUTLET SIZE: 3/4", MATERIAL:	3	C	48200 SE
CFX763D	AL	L-A-07-000-002	1 VALVE	VALVE, GLOBE, QA 0, 1 IN, CARBON STEEL, CR13, SOCKETWELD, 800 PSI, ASTM A105, T, HANDWHEEL, 850 DEG F, BOLTED, FORGED, ***	0	C	48200 SE
CGD405M	AL	L-A-09-000-002	4 VALVE	VALVE, GATE, QA 1, CLASS 2, 2 IN, CARBON STEEL, SOCKETWELD, 800 PSI, ASME SA216 GR WCB, HANDWHEEL, SEAT MATERIAL: NOREM, PACKING MATERIAL: G	1	C	48200 SE
CGF798V	AL	L-A-10-000-002	6 VALVE	VALVE, GLOBE, QA 1, CLASS 3, 2.0 IN, CARBON STEEL, 300 PSI, ASME SA105	1	C	48200 SE
CGF799R	AL	L-A-14-000-002	2 VALVE	VALVE, GLOBE, QA 1, CLASS 3, 1 IN, SOCKETWELD, 300 PSI, ASME SA105, Y, HANDWHEEL, FORGED	1	C	48200 SE
CGG826C	AL	T-A-06-000-002	2 VALVE	VALVE, RELIEF, QA 3, CAST, FOR OIL LIFT SYSTEM	3	C	48200 SE
CGJ839Q	AL	P-A-LL-ET0-017	1 VALVE	VALVE, GLOBE, QA 1, CLASS 1, 2 IN, STAINLESS STEEL, SOCKETWELD, ASME SA351 GR CF8M, T, T-HANDLE, PRESSURE RATING: 1878 LB, IN ACCORDANCE WIT	1	C	48200 SE
BJM285M	AL	A-A-01-000-001	82 VANE	VANE, TYPICAL, QA 3, VANE, PUMP; CARBON, FOR GAST MODEL 1550-V136B VACUUM PUMP, MODEL	3	C	4320U SE
BVH556D	AL	A-A-01-000-001	8 VANE	VANE, TYPICAL, QA 1, VANE, AIR STARTER; PACKET, 5 PER PACK, FOR AIR STARTER, SIZE 150 BMP	1	B	29100 SE
CDJ204Q	AL	- - - -	2 VANE	VANE, TYPICAL, QA 1, VANE, VALVE; FOR 2 INCH BUTTERFLY VALVE, MODEL # 68-34212, MASONEILA N	1	C	48200 SE
CEF252M	AL	F-A-15-102-000	1 VANE	VANE, TYPICAL, QA 1, BRONZE, ** MATERIAL: BRONZE, FOR 4" 150 PSIG BUTTERFLY VALVE, MASONEILAN	1	C	48200 SE
ALP380P	AL	M-A-06-000-002	10 VANE	VANE, TYPICAL, QA 0, VANE, ; PACKET, FIVE PER PK, FOR AIR STARTER, SIZE 150 BMP, MODEL	0	P	29100 SE
ALP380P	AL	M-A-16-000-002	40 VANE	VANE, TYPICAL, QA 0, VANE, ; PACKET, FIVE PER PK, FOR AIR STARTER, SIZE 150 BMP, MODEL	0	P	29100 SE
AXB139P	AL	D-A-34-302-000	1 VAPORIZER	VAPORIZER, TYPICAL, QA 0, HIGH - TEMP, 460 AC, 325 PSIG, 35, VAPORIZER, ; HIGH-TEMPERATURE LIMIT THERMOCAST MODEL C, 450 HOURS	0	P	4210N SE
BHV834M	AL	M-A-01-000-002	1 VECTOR	VECTOR, TYPICAL, QA 0, VECTOR MECHANICAL AS, ; C/W RELAY, FOR CONTROLLER, PNEUMATIC, MODEL	0	P	6695D SE
AJD143T	AL	D-A-04-301-004	2 VENT	VENT, AIR, QA 0, RELIEF, BRASS, 2 IN OPENING, VENT UNIT, RELIEF; BRASS, DRUM, 2 IN OPENING VENT,AUTOMATIC PRESSURE	0	C	5120M SE
BDK501L	AL	E-A-16-C04-B01	9 VENT	VENT, AIR, QA 0, EXHAUST/CIRCUIT BREAKER, STAINLESS STEEL, 7-7/16 IN OD BASEW/6HOLES, ***	0	P	5925B SE
BDK501L	AL	E-A-16-C04-A01	11 VENT	VENT, AIR, QA 0, EXHAUST/CIRCUIT BREAKER, STAINLESS STEEL, 7-7/16 IN OD BASEW/6HOLES, ***	0	P	5925B SE
BXR449Q	AC	- - - -	5 VENT	VENT, AIR, QA 3, VENT ASSY, PUMP; BEARING HOUSING VENT ASSY, 3/8 IN BENDIX MODEL #	3	C	4320U SE
CEC638E	AL	L-A-05-000-002	2 VENT	VENT, AIR, QA 3, VENT, CONDENSER; LOBE, FOR ASSEMBLY CL-2003 HOGGING UNIT, NASH	3	C	4310I SE
BRM874N	AL	L-A-03-000-002	1 VENTILATOR	VENTILATOR, TYPICAL, QA 1, VENTILATOR, AIR CIRCULATING; ROOF,V-BELT DRIVE,VERTICAL MOUNT, 54 X 54	1	C	5670A SE
BRM874N	AL	L-A-08-000-002	1 VENTILATOR	VENTILATOR, TYPICAL, QA 1, VENTILATOR, AIR CIRCULATING; ROOF,V-BELT DRIVE,VERTICAL MOUNT, 54 X 54	1	C	5670A SE
BRM874N	AL	L-A-05-000-002	2 VENTILATOR	VENTILATOR, TYPICAL, QA 1, VENTILATOR, AIR CIRCULATING; ROOF,V-BELT DRIVE,VERTICAL MOUNT, 54 X 54	1	C	5670A SE
BRM874N	AL	L-A-02-000-002	4 VENTILATOR	VENTILATOR, TYPICAL, QA 1, VENTILATOR, AIR CIRCULATING; ROOF,V-BELT DRIVE,VERTICAL MOUNT, 54 X 54	1	C	5670A SE
BRM874N	AL	L-A-04-000-002	5 VENTILATOR	VENTILATOR, TYPICAL, QA 1, VENTILATOR, AIR CIRCULATING; ROOF,V-BELT DRIVE,VERTICAL MOUNT, 54 X 54	1	C	5670A SE
ARV071W	AL	A-A-01-000-001	400 VIAL	VIAL, TYPICAL, QA 0, LABORATORY, 20 ML, GLASS, VIAL, LABORATORY; LOW BACKGROUND GLASS, 020.000 MILLILITER, W/CORK AND	0	P	6630D SE
BXX860B	AL	A-A-01-000-001	18 VIAL	VIAL, TYPICAL, QA 0, LIQUID SCINTILLATION, 20 ML, POLYETHYLENE, VIAL, LABORATORY; LIQUID SCINTILLATION, POLYETHYLENE, INCAPPED VIALS	0	C	6630D SE

BNR165J	AL	L-A-09-000-002	24	VIAL	VIAL, TYPICAL, QA 0, VIAL, LABORATORY; V, 5 ML VOLUME, SCREW-CAP SIZE 20-400, WITH	0	P	6630D SE
BPN600G	AL	M-A-16-000-002	25	VIAL	VIAL, TYPICAL, QA 3, VIAL, LABORATORY; GLASS, CLEAR GAS, 14 CC, LESS STOPPER, FOR EQUIPMENT	3	B	6630D SE
BBR889B	AL	5-A-02-101-000	30	VISOR	VISOR, SAFETY, QA 0, FACESHIELD INDUSTRIAL, POLYCARBONATE, CLEAR, 8 IN, 15-1/2 IN, SNAPS ON, FOR ELECTRICAL APPLICATIONS	0	C	4240P SE
BEG081F	AL	D-A-37-402-000	4	VISOR	VISOR, SAFETY, QA 0, RESPIRATOR, RUBBER, BLACK, FACEPIECE, RESPIRATOR; RUBBER, BLACK, PRESSURE DEMAND, SMALL, ULTRAVUE	0		4240P SE
BEQ891B	AL	D-A-04-302-006	4	VISOR	VISOR, SAFETY, QA 0, RESPIRATOR, RUBBER, BLACK, FACEPIECE, RESPIRATOR; RUBBER, BLACK, PRESSURE DEMAND, LARGE, ULTRAVUE	0	C	4240P SE
BFQ082V	AL	A-A-01-000-001	5	VISOR	VISOR, SAFETY, QA 0, FACESHIELD INDUSTRIAL, CELLULOSE ACETATE, CLEAR, 8-1/4 IN, 14-1/4 IN, VISOR, FACESHIELD INDUSTRIA; MATERIAL: CELLULOSE	0	P	4240P SE
BFQ562Q	AL	D-A-12-201-000	16	VISOR	VISOR, SAFETY, QA 0, FACESHIELD INDUSTRIAL, CLEAR, 9-3/4 IN, 19 IN, VISOR, FACESHIELD INDUSTRIA; COLOR: CLEAR, WIDTH: 9.75 IN, LENGTH:	0		4240P SE
BTL293A	AL	D-A-10-201-000	20	VISOR	VISOR, SAFETY, QA 0, FACESHIELD, FIREFIGHTER'S; 4" FACESHIELD TO FIT MORNING PRIDE	0		4240P SE
BTL305Y	AL	D-A-10-201-001	4	VISOR	VISOR, SAFETY, QA 0, FACESHIELD, FIREFIGHTER'S; 4" FACESHIELD FOR MORNING PRIDE 72 PLUS	0		4240P SE
CGT844N	AL	5-A-02-101-000	18	VISOR	VISOR, SAFETY, QA 0, ELECTRICAL ARC SHIELD, PROPIONATE, TINTED, 10 IN, 20 IN, 0.060 IN THK	0	C	4240P SE
ATG932X	AL	M-A-13-000-002	30	VISOR	VISOR, SAFETY, QA 0, RESPIRATOR, DUAL CARTRIDGE	0	C	4240P SE
AVH619N	AL	M-A-07-000-002	3	VISOR	VISOR, SAFETY, QA 0, FACEPIECE, RESPIRATOR; ULTRAVUE, DEMAND, SIZE MEDIUM ***	0	C	4240P SE
BDX760J	AL	M-A-13-000-002	50	VISOR	VISOR, SAFETY, QA 0, FACESHIELD INDUSTRIAL, CELLULOSE ACETATE, CLEAR, 8 IN, 17-1/2 IN, VISOR, FACESHIELD INDUSTRIA; MATERIAL: CELLULOSE ACET	0	P	4240P SE
BEQ891B	AC	- - - -	5	VISOR	VISOR, SAFETY, QA 0, RESPIRATOR, RUBBER, BLACK, FACEPIECE, RESPIRATOR; RUBBER, BLACK, PRESSURE DEMAND, LARGE, ULTRAVUE	0	C	4240P SE
BWY343M	AL	I-A-09-000-002	14	VISOR	VISOR, SAFETY, QA 0, RESPIRATOR, *** COMPLETE WITH STRAPS AND VALVES, FACEPIECE ONLY, TAN MASK/TAN	0	C	4240P SE
BWY345H	AL	I-A-09-000-002	14	VISOR	VISOR, SAFETY, QA 0, RESPIRATOR, FACEPIECE, COMPLETE WITH STRAPS & VALVES, TEAL MASK/BLACK YOKE,	0	C	4240P SE
CFD356D	AL	L-A-07-000-002	51	VISOR	VISOR, SAFETY, QA 0, RESPIRATOR, VISOR, SAFETY; TYPE: FACESHIELD INDUSTRIAL *** RESPIRATOR FACEPIECE,	0	C	4240P SE
ABE897C	AL	A-A-01-000-001	1	WASHER	WASHER, BEVEL, QA 0, 7/16 IN X 1/2 IN, CARBON STEEL, ROUND, WASHER, BEVEL; MATERIAL: CARBON STEEL, BOLT DIAMETER: 00.437500 (0	C	4320U SE
ACJ689Q	AL	A-A-01-000-001	2	WASHER	WASHER, THRUST, QA 0, WASHER, ; THRUST, ITEM NO 9, FOR REV CURRENT CHECK VALVE, SIZE 6 IN	0	P	5305J SE
AEF409X	AL	D-A-11-401-007	7	WASHER	WASHER, SEALING, QA 0, WASHER, PUMP; SEAL, FOR 16 IN X HVCN REACTOR FEEDWATER PUMP, ONE	0	C	4320U SE
AGA231R	AL	D-A-08-102-006	6	WASHER	WASHER, TYPICAL, QA 0, WASHER, ; CAMSHAFT SPACER, FOR AXLE, SERIES C, 020.000IN WHEEL AND	0		5305J SE
AGT428K	AL	A-A-01-000-001	1	WASHER	WASHER, TYPICAL, QA 0, CS, 1-1/16 IN, 2-1/2 IN, 0.150 IN, REF 78, DWG-2209175, IT 11, GLAND SEAL, BEARING AND	0	C	6115F SE
AGT723H	AL	A-A-01-000-001	20	WASHER	WASHER, TYPICAL, QA 0, INSULATING, FIBER, FOR GLAND SEAL AND BEARING ASSY, ON WH	0	P	6115F SE
AHB542W	AL	D-A-24-101-000	275	WASHER	WASHER, LOCKING, QA 0, WASHER, LOCK; SPIDER ***	0		46109 SE
AHF792G	AL	D-A-31-401-001	4	WASHER	WASHER, TYPICAL, QA 1, 6-1/16 IN, 9-5/8 IN, 3 IN, WASHER, ; SPHERICAL, TOP AND BOTTOM, BABCOCK & WILCOX DWG 1805-109-5,	1		5305J SE
AHF991A	AL	D-A-02-102-011	9	WASHER	WASHER, LOCKING, QA 3, WASHER, LOCK; CADMIUM PLATED, FOR 000.625 INBOLT, WITHDRAWAL OUTLET	3		4470C SE
AHH398A	AL	D-A-02-102-004	5	WASHER	WASHER, THRUST, QA 0, TEFLON, *** PT 11, FOR NORRIS BUTTERFLY VALVE, 6", ON GRAVER DEMINERALIZER	0		5305J SE
AJB195H	AL	D-B-09-202-001	3	WASHER	WASHER, LOCKING, QA 0, BEARING, 1.5831 IN, 2 IN, 0.053 IN, CS, W-08, BEARING LOCKWASHER WITH INTERNAL KEY	0	P	3110B SE
AQT829M	AL	A-A-01-000-001	132	WASHER	WASHER, FLAT, QA 1, WASHER, FLAT; HARDENED, FOR DIESEL ENGINE, MODEL 16-645-E4 ***	1	P	2910O SE
APX525L	AL	D-A-02-102-008	460	WASHER	WASHER, TYPICAL, QA 0, 3/8 IN, FIBER, *** EXTRUDED FIBER, FOR SOUND POWER PHONES 3/8 IN	0		5305J SE
ARF651H	AL	D-A-13-301-003	32	WASHER	WASHER, TYPICAL, QA 0, 1.030 IN, 1.620 IN, 0.120 IN, *** FOR BEARING RING INSULATION, 1.620IN OD X 1.030IN ID X 0.120IN	0		5305J SE
ATB254A	AL	D-A-15-302-000	1	WASHER	WASHER, TYPICAL, QA 0, *** FOR REACTOR PRESSURE VESSEL STUD TENSIONER, BIACH MODEL 2-5069-1	0	P	5305J SE
AWC963T	AL	D-A-32-302-004	8	WASHER	WASHER, TYPICAL, QA 0, SS, ***	0		6695D SE
AXL584K	AL	D-A-08-102-007	2	WASHER	WASHER, TYPICAL, QA 0, WASHER, ; REF 60, SEQ 0000-028, FOR COMBINED REHEAT VALVE, DWG	0		2825G SE
AXN459C	AL	D-A-02-102-011	1	WASHER	WASHER, SPRING, QA 0, WASHER, SPLIT NON LOCKING; SPLIT (SPRING TYPE), CARBON STEEL, SIZE	0		4730P SE
AXP588V	AL	D-A-08-102-006	22	WASHER	WASHER, SEALING, QA 0, WASHER, ; CASING NUT SEALING, FOR CONTAINMENT INERTING SYSTEM 76A, ON	0		4470C SE
BAG151N	AL	D-A-10-302-005	1	WASHER	WASHER, LOCKING, QA 3, WASHER, BEARING; FOR BEARING WITH BORE NO.12, DIMENSION: 2.413".I.D.	3		3110B SE
BAJ134C	AL	A-A-01-000-001	36	WASHER	WASHER, TYPICAL, QA 0, WASHER, VALVE; BACKUP,TUBE SEAL O-RING, REF 18, FOR HYDRAULIC CYLINDER	0	P	48200 SE
BAR445N	AL	D-A-04-202-007	2	WASHER	WASHER, LOCKING, QA 0, WASHER, LOCK; TIE ROD, FOR AIR CYLINDER, SERIES B, SINGLE END ROD	0		5305J SE
BBF477N	AL	1-A-04-129-001	1	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; MATERIAL: BRASS, NOMINAL DIAMETER: 0.375 IN (3/8)	3	P	5305J SE
BBF477N	AL	A-A-01-000-001	3535	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; MATERIAL: BRASS, NOMINAL DIAMETER: 0.375 IN (3/8)	3	P	5305J SE
BBP338V	AL	A-A-01-000-001	9	WASHER	WASHER, SPRING, QA 3, WASHER, SPRING TENSION; 304 SST PACKING WASHER, FOR HIGH PRESSURE FIRE	3	P	4320U SE
BBP461W	AL	1-B-05-135-001	1	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; ROUND, BRASS, SIZE .25 IN, FED SPEC FF-W-92B, GRD I	3	P	5305J SE
BBW333C	AL	A-A-01-000-001	8	WASHER	WASHER, SPRING, QA 0, WASHER, SPRING TENSION; MATERIAL: STAINLESS STEEL ***	0	P	48200 SE
BDG054Q	AL	1-B-05-135-001	1	WASHER	WASHER, LOCKING, QA 3, WASHER, LOCK; MATERIAL: SILICON BRONZE, NOMINAL DIAMETER: 0.190000 (3	P	5305J SE
BDJ119M	AL	E-A-16-C02-D01	40	WASHER	WASHER, TYPICAL, QA 0, SS, 5/8 IN, 1-1/2 IN, DISK, DWG AG435085P5, FOR AIR CIRCUIT BREAKER, TYPE DR36V1750D AND	0	C	5925B SE
BDM664C	AL	D-A-14-301-003	6302	WASHER	WASHER, FLAT, QA 3, 1/2 IN, 1-3/8 IN, 9/16 IN, 7/64 IN, CS, ROUND/WIDE, GALVANIZED, A, B18.22.1	3	P	5305J SE
BDP966H	AL	1-A-02-129-001	1	WASHER	WASHER, SPECIAL, QA 3, WASHER, LOCK; MATERIAL: SILICON BRONZE, NOMINAL DIAMETER: 00.250000 (3	P	5305J SE
BDP967F	AL	A-A-01-000-001	479	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, #12, SILICON BRONZE, PLAIN, B18.21.1	3	C	5305J SE
BDP969B	AL	1-A-02-129-001	1	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, #8, SILICON BRONZE, B18.21.1	3	C	5305J SE
BDP972N	AC	- - - -	95	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, #4, SILICON BRONZE, B18.21.1	3	C	5305J SE
BDQ513J	AL	A-A-01-000-001	225	WASHER	WASHER, BEVEL, QA 3, WASHER, BEVEL; CARBON STEEL ASTM F 436, PLAIN, SIZE 1.0 IN, PERIPHERAL	3	P	5305J SE
BEK084R	AL	1-A-21-063-001	776	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; CARBON STEEL, SIZE 0.375 IN, GALVANIZED, ZINC FINISH	3	P	5305J SE
BER066W	AL	D-A-04-302-003	6	WASHER	WASHER, FLAT, QA 0, 1-7/32 IN, 1-23/32 IN, 1/16 IN, CONICAL, WASHER, FLAT; NOMINAL DIAMETER: 1.218 IN (1 7/32), WASHER STYLE:	0		6695D SE
BER116H	AL	D-A-04-302-003	12	WASHER	WASHER, FLAT, QA 0, 1/2 IN, STAINLESS STEEL, ***	0		6695D SE
BEY611D	AL	D-B-09-202-001	8	WASHER	WASHER, TYPICAL, QA 0, *** FOR DRY FLY ASH SYSTEM, REF A5394, TAG 814J	0	P	4450C SE
BEY612B	AL	D-B-09-202-001	1	WASHER	WASHER, FLAT, QA 0, WASHER, FLAT; PREFORMED, FIBER, FOR DRY FLY ASH SYSTEM, REF A5394, TAG	0	P	4450C SE
BFH052B	AL	D-A-20-402-002	29	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; CARBON STEEL, ROUND, NOMINAL DIA .875 IN, ZINC PLATED	3		5305J SE
BFN868A	AL	A-A-01-000-001	196	WASHER	WASHER, LOCKING, QA 3, WASHER, LOCK; CARBON STEEL, SIZE 1.5 IN, PLAIN, HELICAL SPRING, ANSI	3	P	5305J SE
BGN565N	AL	D-A-24-101-002	4	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; ROUND, CARBON STEEL, SIZE .625 IN, OD 1.5 IN, THK .078	3		5305J SE
BGR268D	AL	D-A-27-202-012	14	WASHER	WASHER, LOCKING, QA 3, WASHER, KEY; SERIES W, STEEL, LOCK, BEARINGBORE, NOMINAL 1.77 IN ***	3		5305J SE
BHT408D	AL	A-A-01-000-001	1	WASHER	WASHER, TYPICAL, QA 0, WASHER, VALVE; STEEL, REF 12, FOR CHECK VALVE, 20 INCH, BUTWELD ENDS	0	C	48200 SE
BHT412M	AL	A-A-01-000-001	1	WASHER	WASHER, TYPICAL, QA 0, WASHER, VALVE; STEEL, REF 12, FOR CHECK VALVE, SIZE 12 AND 16 INCH	0	C	48200 SE
BJC989Y	AL	D-A-13-302-009	1	WASHER	WASHER, LOCKING, QA 3, 3/8 IN, STEEL, WASHER, LOCK; STEEL, 0.375 IN, FOR DIESEL ENGINE, MODEL NT-855-F2	3		2910O SE
BJH687M	AL	D-A-13-301-003	45	WASHER	WASHER, TYPICAL, QA 0, CARBON STEEL, *** SPLIT (SPRING TYPE), FOR HENRY GRINDER, MODEL 44GL, 36G, 40BLS	0		5130U SE
BJQ023V	AL	D-A-10-302-004	6	WASHER	WASHER, LOCKING, QA 0, STAINLESS STEEL, ***	0		5305J SE
BLA666M	AL	D-A-06-302-003	7	WASHER	WASHER, LOCKING, QA 1, WASHER, LOCK; FOR VALVE, MODEL V526-529-2	1		48200 SE
BLJ231G	AL	1-B-11-135-001	1	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; MATERIAL: CARBON STEEL, NOMINAL DIAMETER: 0.500 IN (3	P	5305J SE
BLL447E	AL	D-A-16-201-002	5	WASHER	WASHER, SPRING, QA 1, WASHER, LOCK; MATERIAL: CARBON STEEL, NOMINAL DIAMETER: 01.750000 (1	1		5305J SE
BLM334N	AL	1-B-11-135-001	1	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; MATERIAL: CARBON STEEL, NOMINAL DIAMETER: 0.437 IN (3	P	5305J SE
BLN655W	AL	1-B-09-135-001	1	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; CARBON STEEL ASTM F844, CADMIUM PLATED, 0.75 IN ***	3	P	5305J SE
BLT336Q	AL	1-B-11-135-001	1	WASHER	WASHER, LOCKING, QA 3, WASHER, LOCK; CARBON STEEL, HELICAL SPRING, CADMIUM PLATED, 0.375 IN	3	P	5305J SE
BLT339J	AL	1-A-04-129-001	1	WASHER	WASHER, FLAT, QA 3, 7/8 IN, CS, ROUND, ASTM F436, CADMIUM PLATED	3	P	5305J SE
BLY297K	AL	Z-Z-ZZ-ZZZ-ZZZ	1	WASHER	WASHER, FLAT, QA 2, WASHER, FLAT; ROUND, CADMIUM, 0.5 IN ***	2	P	5305J SE
BMB131J	AL	1-B-03-072-001	10	WASHER	WASHER, FLAT, QA 0, 3/8 IN, ***	0	P	5305J SE

BMD677T	AL	D-A-10-302-004	2	WASHER	WASHER, TYPICAL, QA 0, *** FOR HYPOCHLORITE SYSTEM.	0		5305J SE
BNA132F	AL	Z-Z-ZZ-ZZZ-ZZZ	53	WASHER	WASHER, FLAT, QA 0, 13/16 IN, 13/16 IN, 1/8 IN, ***	0	P	5305J SE
BNF125J	AL	A-A-01-000-001	2	WASHER	WASHER, SPRING, QA 0, WASHER, SPRING TENSION; FOR CONSOLIDATED SAFETY RELIEFVALVE, SIZE 4 X	0	P	48200 SE
BNJ194F	AL	1-A-25-015-001	3	WASHER	WASHER, TYPICAL, QA 0, 1/2 IN, *** 1196E76	0	P	5305J SE
BNJ200V	AL	1-A-17-105-001	11	WASHER	WASHER, TYPICAL, QA 0, 3/8 IN, *** WAT-902, WAT-CNWDP	0	P	5305J SE
BNJ220L	AL	1-A-14-066-001	93	WASHER	WASHER, TYPICAL, QA 0, 3/8 IN, ***	0	P	5305J SE
BNJ286A	AL	1-A-25-045-001	1	WASHER	WASHER, TYPICAL, QA 0, 5/8 IN, ***	0	P	5305J SE
BNK964J	AL	1-A-08-129-001	3	WASHER	WASHER, LOCKING, QA 0, WASHER, ; PANT LEG WASHER, TG00701 ***	0	P	5305J SE
BNK975D	AL	1-A-08-129-001	9	WASHER	WASHER, LOCKING, QA 0, WASHER, ; PANTLEG WASHER, 0.375 IN, TG-00696 ***	0	P	5305J SE
BNL156D	AL	1-A-14-066-001	9	WASHER	WASHER, FLAT, QA 0, 1/4 IN, CADMIUM PLATED, ***	0	P	5305J SE
BNT692M	AL	1-A-06-129-001	2	WASHER	WASHER, BELLEVILLE, QA 0, WASHER, BELLEVILLE; BELLEVILLE, FOR HYDROGEN SEAL BRACKET ***	0	P	5305J SE
BNV321L	AL	1-A-25-015-001	4	WASHER	WASHER, TYPICAL, QA 0, 5/8 IN, ***	0	P	5305J SE
BPB902D	AL	D-A-32-401-003	6	WASHER	WASHER, LOCKING, QA 0, WASHER, ; D500, KEY ***	0		5305J SE
BPC193A	AL	D-A-02-301-000	94	WASHER	WASHER, LOCKING, QA 1, 1/2 IN, WASHER, LOCK; HI COLLAR, 0.5 IN APPLICATION,SMB-2	1		48200 SE
BPD170W	AL	1-A-25-015-001	16	WASHER	WASHER, LOCKING, QA 0, 3/4 IN, **	0	P	5305J SE
BPX000V	AL	E-A-16-C02-B01	13	WASHER	WASHER, TYPICAL, QA 0, *** FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BPX011A	AL	E-A-16-C02-D01	40	WASHER	WASHER, TYPICAL, QA 0, FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BPX063N	AL	D-B-16-000-001	123	WASHER	WASHER, FLAT, QA 3, WASHER, RADIATION MONITOR; FLAT, CADMIUM PLATED, NO 8, FOR AREA	3	C	6630D SE
BRE333X	AL	E-A-16-C01-A01	61	WASHER	WASHER, LOCKING, QA 0, WASHER, CIRCUIT BREAKER; LOCK, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
BRE775W	AL	E-A-16-C02-D01	172	WASHER	WASHER, SPRING, QA 0, CIRCUIT BREAKER; SPRING, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
BTT918W	AL	A-A-01-000-001	100	WASHER	WASHER, TYPICAL, QA 3, WASHER, SWITCHGEAR; BRASS,1-1/32 IN ID X 2-1/4 IN ODX 1/8 IN THICK ***	3	B	61100 SE
BTV162M	AL	F-C-07-101-000	29	WASHER	WASHER, FLAT, QA 1, WASHER, TRANSMITTER; FLAT,1/4 IN,FOR TRANSMITTER ***	1	C	6695D SE
BTV162M	AL	A-A-01-000-001	51	WASHER	WASHER, FLAT, QA 1, WASHER, TRANSMITTER; FLAT,1/4 IN,FOR TRANSMITTER ***	1	C	6695D SE
BVA427W	AL	- - - -	3	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, 9/16 IN, SILICON BRONZE, STANDARD MILL FINISH, B18.21.1	3	C	5305J SE
BVA430K	AC	- - - -	2	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, 3/4 IN, SILICON BRONZE, STANDARD MILL FINISH, B18.21.1	3	C	5305J SE
BVP081T	AL	D-A-30-301-002	1	WASHER	WASHER, TYPICAL, QA 0, WASHER, HYDRANT,FIRE; NEOPRENE, IT 11,DWG 51974 ON ZURN MODEL Z-1315	0		4210N SE
BWH777N	AL	E-A-16-C02-F01	42	WASHER	WASHER, TYPICAL, QA 0, *** FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BWM097F	AL	A-A-01-000-001	210	WASHER	WASHER, TYPICAL, QA 3, WASHER, BATTERY; PLATE WASHER-CARBON STEEL, ASTM A36, 3 INCH X 2 INCH	3	C	6140C SE
BWQ398T	AL	E-A-16-C01-A01	291	WASHER	WASHER, SPRING, QA 0, WASHER, CIRCUIT BREAKER; SPRING, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BWQ399Q	AL	D-A-32-401-001	5	WASHER	WASHER, LOCKING, QA 0, EXTERNAL TOOTH, 3/4 IN, 7/8 IN, ***	0		5305J SE
BWQ408K	AL	E-A-16-C01-B01	40	WASHER	WASHER, SPRING, QA 0, WASHER, CIRCUIT BREAKER; SPRING, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BWQ460V	AL	E-A-16-C01-G01	7	WASHER	WASHER, SPRING, QA 0, WASHER, CIRCUIT BREAKER; SPRING, FOR CIRCUIT BREAKER, TYPEDR36SC1750D	0	C	5925B SE
BWQ462C	AL	E-A-16-C01-G01	42	WASHER	WASHER, SPRING, QA 0, WASHER, CIRCUIT BREAKER; SPRING, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BWQ621J	AL	E-A-16-C02-B01	19	WASHER	WASHER, LOCKING, QA 0, WASHER, CIRCUIT BREAKER; WASHER LOCK, FOR CIRCUIT BREAKER, TYPE	0	C	5925B SE
BWQ674W	AL	E-A-16-C02-F01	9	WASHER	WASHER, SPRING, QA 0, BOLT, CIRCUIT BREAKER; SPRING WASHERS, FOR CIRCUIT BREAKER, TYPE	0	C	5925B SE
BWQ679J	AL	E-A-16-C02-F01	60	WASHER	WASHER, LOCKING, QA 0, WASHER, CIRCUIT BREAKER; LOCK, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BWQ694N	AL	E-A-16-C03-A01	111	WASHER	WASHER, LOCKING, QA 0, WASHER, CIRCUIT BREAKER; LOCK, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BWQ698E	AL	E-A-16-C03-B01	143	WASHER	WASHER, LOCKING, QA 0, WASHER, CIRCUIT BREAKER; LOCK, FOR CIRCUIT BREAKER, TYPE DR36SC1750D	0	C	5925B SE
BXR003R	AC	- - - -	4	WASHER	WASHER, TYPICAL, QA 0, *** FOR GE RECORDER, MULTIPLE PURPOSE, TYPE HG, MODEL 8HG1A20924, S/N	0	C	6695D SE
BXY081A	AL	A-A-01-000-001	10	WASHER	WASHER, TYPICAL, QA 1, 1 IN, CS, , GENERATOR; CS, HARDENED FOR HANDHOLE, WESTINGHOUSE DRAWING	1	C	6115F SE
BXY565W	AL	F-A-19-102-001	36	WASHER	WASHER, LOCKING, QA 0, PANTLEG, *** PKG.=50	0	C	6115F SE
BYX045D	AL	A-A-01-000-001	4	WASHER	WASHER, TYPICAL, QA 0, *** FOR ACME WATER CHILLER MODEL DSCW-40, SERIAL # 69K542-048J	0	C	4520N SE
CAD670H	AL	A-A-01-000-001	1	WASHER	WASHER, FLAT, QA 1, WASHER, STEAM TURBINE; FLAT,DWG 67063D, IT 11, FOR TERRY	1	C	2825G SE
CAE396T	AL	A-A-01-000-001	1	WASHER	WASHER, TYPICAL, QA 1, WASHER, VALVE; DISK,STAINLESS STEEL,13% CR, ASTM A182 GR F6A MOD, REF	1	C	48200 SE
CAN202T	AC	- - - -	1	WASHER	WASHER, TYPICAL, QA 3, WASHER, DIESEL ENGINE; F/IDLER SHAFT LOCKING BOLT ON PISTON COOLING	3	C	29100 SE
CAN203Q	AC	- - - -	2	WASHER	WASHER, FLAT, QA 3, WASHER, DIESEL ENGINE; MULTI-USE PLAIN 1/2" FLAT WASHER, APPEARS ON	3	C	29100 SE
CAP176T	AL	F-A-08-013-001	4	WASHER	WASHER, LOCKING, QA 3, WASHER, RECORDER; LOCK,INTERNAL TOOTH, CRES, NO 4,FOR PSR 1200 ***	3	B	6695D SE
CBG705Q	AL	F-A-29-202-000	1	WASHER	WASHER, THRUST, QA 0, WASHER, VALVE; SPLIT, DWG P2989 PC-9 ***	0	C	48200 SE
CBV798W	AL	D-B-17-302-001	10	WASHER	WASHER, SEALING, QA 1, WASHER, VALVE; ROD SEAL, FOR ATWOOD AND MORRILL MAIN STEAM ISOLATION	1	B	48200 SE
CBW481M	AL	D-B-17-302-001	14	WASHER	WASHER, TYPICAL, QA 1, WASHER, VALVE; BACK UP, FOR MAIN STEAM ISOLATION VALVE, MODEL	1		48200 SE
CBX572D	AL	A-A-01-000-001	4	WASHER	WASHER, LOCKING, QA 3, WASHER, PUMP; LOCK WASHER, 3/8 INCH FOR IDP 1 1/2 X 11A RWCU PUMP SER	3	B	4320U SE
CEL066F	AL	D-A-20-402-002	3	WASHER	WASHER, FLAT, QA 3, 1/4 IN, CARBON STEEL, CIRCULAR, ZINC PLATED, A, B18.22.1, ***	3		5305J SE
CFH449H	AL	D-B-15-302-003	26	WASHER	WASHER, FLAT, QA 3, 1-3/4 IN, 1-1/32 IN, 3/16 IN, BRONZE, GRAPHITE IMPREGNATED, ROUND, ** SELF LUBRICATING WASHER, HINGE PIN WASHER, FOR DIE	3	C	5305J SE
CFH449H	AL	D-A-30-201-000	28	WASHER	WASHER, FLAT, QA 3, 1-3/4 IN, 1-1/32 IN, 3/16 IN, BRONZE, GRAPHITE IMPREGNATED, ROUND, ** SELF LUBRICATING WASHER, HINGE PIN WASHER, FOR DIE	3	C	5305J SE
CFH449H	AC	- - - -	46	WASHER	WASHER, FLAT, QA 3, 1-3/4 IN, 1-1/32 IN, 3/16 IN, BRONZE, GRAPHITE IMPREGNATED, ROUND, ** SELF LUBRICATING WASHER, HINGE PIN WASHER, FOR DIE	3	C	5305J SE
AAT557D	AL	M-A-08-000-002	62	WASHER	WASHER, FLAT, QA 1, WASHER, FLAT; STAINLESS STEEL, ROUND, NOMINAL DIA .316 IN, FOR	1	P	6140C SE
ACJ055R	AL	L-A-03-000-002	31	WASHER	WASHER, TYPICAL, QA 2, WASHER, VALVE; VALVE, FOR PNEUMATIC ACTUATED BELLOWS SEALED VALVE	2	C	48200 SE
ADW745F	AL	L-A-09-000-002	8	WASHER	WASHER, TYPICAL, QA 3, WASHER, RECORDER; 000.128 IN ID, FOR SPEEDOMAX H RECORDER ***	3	P	6695D SE
AEV179M	AL	L-A-09-000-002	4	WASHER	WASHER, SPRING, QA 0, WASHER, SPRING TENSION; CARBON STEEL-PL, FOR CONTROLLER, POSITIONER	0	P	48200 SE
AJA715N	AL	L-A-09-000-002	4	WASHER	WASHER, LOCKING, QA 0, WASHER, LOCK; JAM NUT, INNER, FOR AXLE, SERIES C, 020.000 IN, WHEEL	0	P	3950F SE
AJD836T	AL	L-A-03-000-002	83	WASHER	WASHER, LOCKING, QA 3, WASHER, LOCK; COMP, FOR UNIT MODEL NC-175-3B COMPRESSOR MODEL	3	P	4520N SE
AJW078L	AL	M-A-08-000-002	9	WASHER	WASHER, TYPICAL, QA 3, WASHER, KEY; FOR RECORDER, MODEL W, TYPICAL S/N C69-26544-1-2 ***	3	P	6695D SE
AJW477F	AL	L-A-09-000-002	7	WASHER	WASHER, THRUST, QA 3, WASHER, ; STAINLESS STEEL, THRUST, FOR MULTIPOINT RECORDER, AND/OR	3	P	6695D SE
AKE369L	AL	L-A-03-000-002	2	WASHER	WASHER, TYPICAL, QA 3, WASHER, PUMP; IMPELLER NUT, REF 207, FOR CLOSED COOLING WATER PUMP	3	P	4320U SE
ALW972Q	AL	M-A-08-000-002	5	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; FOR RECORDER ***	3	P	6695D SE
AQB256J	AL	M-A-01-000-002	19	WASHER	WASHER, TYPICAL, QA 0, 1.5 IN, FOR NO 1 HP BLADE RING, GENERATOR END,	0	P	2825G SE
ARB314Q	AL	L-A-15-000-002	168	WASHER	WASHER, SEALING, QA 0, WASHER, ; STAT-O-SEAL SEALING, STEEL RETAINER, CADMIUM PLATE FINISH	0	P	5305J SE
ARD031H	AL	L-A-03-000-002	1	WASHER	WASHER, FLAT, QA 0, WASHER, FLAT; ALUMINIUM,0.312 INCH,FOR TRANEAIR COMPRESSOR,MODEL	0	P	4520N SE
ARF650Y	AL	L-A-09-000-002	5	WASHER	WASHER, FLAT, QA 0, 5/8 IN, 1-1/8 IN, 1/4 IN, *** INSIDE DIAMETER: 0.625 IN (5/8)	0	P	5305J SE
ARM278E	AL	L-A-13-000-002	6	WASHER	WASHER, SPRING, QA 0, WASHER, VALVE; SPRING STEEL, FOR KLINGER BALL VALVE, SIZE 4 INCH ***	0	C	48200 SE
ARM279C	AL	L-A-13-000-002	6	WASHER	WASHER, SPRING, QA 0, WASHER, VALVE; SPRING STEEL, FOR KLINGER BALL VALVE, SIZE 4 INCH ***	0	C	48200 SE
ARN514P	AL	L-A-09-000-002	45	WASHER	WASHER, TYPICAL, QA 0, *** FOR REACTOR RECIRCULATING MOTOR-GENERATOR SETS	0	P	6125C SE
ARV012D	AL	T-A-01-000-002	12	WASHER	WASHER, SPRING, QA 2, WASHER, SPRING TENSION; WAVY, STEEL, FOR COMPRESSOR MODEL 509 DHFQ AND	2	P	4310I SE
ARV013B	AL	T-A-01-000-002	4	WASHER	WASHER, SPRING, QA 2, WASHER, SPRING TENSION; KIT, BRONZE, FOR COMPRESSOR, MODEL 408 DHF AND	2	P	4310I SE
AWB965V	AL	L-A-03-000-002	4	WASHER	WASHER, TYPICAL, QA 0, WASHER, PUMP; IMPELLER, REF 246, FOR MOISTURE SEPARATOR DRAIN PUMP	0	P	4320U SE

AWD860B	AL	L-A-13-000-002	3	WASHER	WASHER, BEVEL, QA 0, 7/16 IN X 1/2 IN, CARBON STEEL, ROUND, WASHER, BEVEL; MATERIAL: CARBON STEEL, BOLT DIAMETER: 00.437500 (0	P	4320U SE
AXC081E	AL	L-A-03-000-002	1	WASHER	WASHER, FLAT, QA 0, 1/2 IN, STEEL, ** FOR SEWAGE LIFTPUMP, 400 PSIG AT 85 FEET, CATALOG NUMBER	0	P	4320U SE
AXG185N	AL	T-A-01-000-002	29	WASHER	WASHER, SPRING, QA 3, WASHER, LOCK; CARBON STEEL, NUMBER SIZE 6, PLAIN, HELICAL SPRING, REG	3	P	48200 SE
AXV986T	AL	L-A-03-000-002	7	WASHER	WASHER, LOCKING, QA 3, WASHER, KEY; STEEL, LOCK, BEARING ***	3	P	5305J SE
BAG153J	AL	L-A-03-000-002	6	WASHER	WASHER, LOCKING, QA 3, WASHER, KEY; BEARING, SERIES W, 1.5748 IN BORE 15 TANGS ***	3	P	5305J SE
BAN539W	AL	L-A-13-000-002	100	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, 1-1/4 IN, SS, B18.21.1	3	C	5305J SE
BBF470G	AL	M-A-06-000-002	22246	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; ROUND, BRASS, SIZE .112 IN, 100 PER BOX ***	3	P	5305J SE
BBF480D	AL	L-A-13-000-002	328	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, #12, BRASS, PLAIN, B18.21.1	3	C	5305J SE
BBH029Y	AL	L-A-09-000-002	146	WASHER	WASHER, TYPICAL, QA 0, WASHER, ; REF 4, FOR RECORDER, CONSOTROL, ON REACTOR WATER CLEANUP ***	0	P	6695D SE
BBN212P	AL	M-A-12-000-002	15	WASHER	WASHER, TYPICAL, QA 0, WASHER, PUMP; STEEL, IMPELLER, REF 246, FOR CENTRIFUGAL PUMP, CAT	0	P	4320U SE
BBQ816C	AL	L-A-03-000-002	200	WASHER	WASHER, SPRING, QA 3, 3/8 IN, CS, PLAIN, WASHER, LOCK; MATERIAL: CARBON STEEL, NOMINAL DIAMETER: 00.375000 (3	D	5305J SE
BDP958G	AL	L-A-13-000-002	96	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, 1 IN, SILICON BRONZE, PLAIN, B18.21.1	3	C	5305J SE
BDP965K	AL	L-A-13-000-002	1937	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, 5/16 IN, SILICON BRONZE, B18.21.1	3	C	5305J SE
BDP967F	AL	L-A-13-000-002	1000	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, #12, SILICON BRONZE, PLAIN, B18.21.1	3	C	5305J SE
BDP972N	AL	L-A-13-000-002	705	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, #4, SILICON BRONZE, B18.21.1	3	C	5305J SE
BGC447G	AL	L-A-09-000-002	74	WASHER	WASHER, LOCKING, QA 1, LOCKWASHER, ACTUATOR; MOTOR BOLT, FOR VALVE ACTUATOR TYPE SMB-000	1	P	48200 SE
BGP614Y	AL	L-A-09-000-002	2	WASHER	WASHER, FLAT, QA 0, 17/32 IN, 13/16 IN, COPPER, ROUND, *** INSIDE DIAMETER: 0.531 IN (17/32)	0	P	5305J SE
BGR071P	AL	L-A-03-000-002	8	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - HI COLLAR, 5/16 IN, CS, PLAIN, B18.21.1	3	C	5305J SE
BHW641V	AL	L-A-09-000-002	957	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; CARBON STEEL, ZINC PLATED, 0.375 ID X 0.875 IN OD, FOR	3	P	29100 SE
BJA757Y	AL	L-A-03-000-002	8	WASHER	WASHER, LOCKING, QA 3, WASHER, KEY; STEEL, LOCK, BEARING ***	3	P	4320U SE
BJL662N	AL	L-A-06-000-002	1236	WASHER	WASHER, FLAT, QA 0, CARBON STEEL, ***	0	P	4320U SE
BJW140P	AL	L-A-03-000-002	10	WASHER	WASHER, FLAT, QA 3, 1/2 IN, CS, CIRCULAR, ASTM F436, 1, HARDENED, SUPPLEMENTARY REQUIREMENT S1 APPLIES	3	C	5305J SE
BKR518X	AL	L-A-03-000-002	70	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING, 3/8 IN, CS, B18.21.1	3	C	5305J SE
BLM322X	AL	M-A-01-000-002	1023	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; ROUND, CARBON STEEL, ASTM F844, CADMIUM PLATED, NOM SIZE	3	P	5305J SE
BLQ389D	AL	L-A-03-000-002	40	WASHER	WASHER, LOCKING, QA 0, WASHER, LOCK; ITEM 8, FOR INTEGRATOR, PNEUMATIC, MODEL 14A-EP. ***	0	P	6695D SE
BNB598T	AL	L-A-09-000-002	2	WASHER	WASHER, LOCKING, QA 0, WASHER, PUMP; CLAMP, FOR PUMP, MODEL 43-200 ***	0	P	4320U SE
BPV837A	AL	L-A-12-000-002	38	WASHER	WASHER, SPRING, QA 1, WASHER, PUMP; LOCK, HELICAL SPRING, SEAL FLANGE 1.125 REG, ITEM NO.	1	C	4320U SE
BPV842H	AL	L-A-12-000-002	3	WASHER	WASHER, FLAT, QA 1, WASHER, PUMP; FLAT, 0.5 IN. DIAMETER NOMINAL, ITEM NO. 10-21-1, FOR	1	C	4320U SE
BPX259E	AL	M-A-01-000-002	243	WASHER	WASHER, TYPICAL, QA 3, WASHER, REACTOR INSTRUMENTS; C, FOR INCORE INSTR. SYSTEM, SEAL TABLE	3	C	4470C SE
BPX821F	AL	M-A-06-000-002	2	WASHER	WASHER, SPRING, QA 0, WASHER, VALVE; STEEL, SPRING, FOR ACTUATOR, SIZE SMC-04, VALVE NO	0	B	48200 SE
BRG576Q	AL	P-A-LL-ET0-108	10	WASHER	WASHER, TYPICAL, QA 1, WASHER, NONITOR, CONDUCTIVITY; FIBER ***	1	C	6630D SE
BRL361R	AL	L-A-09-000-002	10	WASHER	WASHER, SEALING, QA 0, WASHER, COMPRESSOR; SEAL WASHER, FOR H.P. CONNECTING ROD ***	0	B	4310I SE
BRN923Y	AL	L-A-02-000-002	44	WASHER	WASHER, LOCKING, QA 3, LOCKWASHER, PUMP; FOR RWCU PUMP INGERSOLL RAND MODEL 1 1/2 X 11A	3	C	4320U SE
BRR688Y	AL	L-A-09-000-002	1	WASHER	WASHER, FLAT, QA 3, WASHER, RECORDER; 001.250 IN DIAMETER, FOR RECORDER, SPEEDOMAX MODEL W	3	B	6695D SE
BTH098E	AL	L-A-09-000-002	2	WASHER	WASHER, BELLEVILLE, QA 3, SS, SPRING, BELLEVILLE; LIVE LOAD, WASHER, STAINLESS STEEL (17-7 PH), ASTM	3	C	5730H SE
BTH100C	AL	L-A-09-000-002	2	WASHER	WASHER, BELLEVILLE, QA 3, SS, SPRING, BELLEVILLE; LIVE LOAD, WASHER, STAINLESS STEEL (17-7 PH), ASTM	3	C	5730H SE
BTV720Q	AL	L-A-09-000-002	80	WASHER	WASHER, TYPICAL, QA 3, WASHER, DIESEL ENGINE; WASHER, DIESEL ENGINE, FOR ROTOR POLE MOUNTING	3	C	29100 SE
BVA391P	AL	L-A-13-000-002	500	WASHER	WASHER, FLAT, QA 3, 7/16 IN, 59/64 IN, 15/32 IN, 0.065 IN, BRASS, ROUND/NARROW, STANDARD MILL FINISH, A, B18.22.1	3	C	5305J SE
BVA394H	AL	L-A-09-000-002	200	WASHER	WASHER, FLAT, QA 3, 9/16 IN, 1-5/32 IN, 19/32 IN, 0.095 IN, BRASS, ROUND/NARROW, STANDARD MILL FINISH, A, B18.22.1	3	C	5305J SE
BVA395F	AL	L-A-13-000-002	158	WASHER	WASHER, FLAT, QA 3, 5/8 IN, 1-5/16 IN, 21/32 IN, 0.095 IN, BRASS, ROUND, A, B18.22.1	3	C	5305J SE
BVA397B	AL	L-A-09-000-002	100	WASHER	WASHER, FLAT, QA 3, 3/4 IN, 1-15/32 IN, 13/16 IN, 0.134 IN, BRASS, ROUND/NARROW, STANDARD MILL FINISH, A, B18.22.1	3	C	5305J SE
BVA427W	AL	L-A-09-000-002	197	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, 9/16 IN, SILICON BRONZE, STANDARD MILL FINISH, B18.21.1	3	C	5305J SE
BVA428T	AL	L-A-13-000-002	294	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, 5/8 IN, SILICON BRONZE, STANDARD MILL FINISH, B18.21.1	3	C	5305J SE
BVA430K	AL	L-A-09-000-002	98	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, 3/4 IN, SILICON BRONZE, STANDARD MILL FINISH, B18.21.1	3	C	5305J SE
BVD168B	AL	L-A-07-000-002	1342	WASHER	WASHER, FLAT, QA 3, #6, 5/16 IN, 5/32 IN, 0.032 IN, CS, ROUND/NARROW, STANDARD MILL FINISH, B, B18.22.1	3	C	5305J SE
BVE480F	AC	- - -	105	WASHER	WASHER, BELLEVILLE, QA 3, SPRING, BELLEVILLE; LIVE LOAD, BELLEVILLE WASHER, STAINLESS STEEL	3	C	5730H SE
BVG481P	AL	L-A-03-000-002	21	WASHER	WASHER, SEALING, QA 3, PACKING, SINGLE RING, SPARE PA; THREDSEAL, ETHYLENE-PROPYLENE, WITH	3	C	48200 SE
BVG481P	AL	L-A-13-000-002	50	WASHER	WASHER, SEALING, QA 3, PACKING, SINGLE RING, SPARE PA; THREDSEAL, ETHYLENE-PROPYLENE, WITH	3	C	48200 SE
BVH958Q	AL	L-A-02-000-002	4	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, #10, SS, AISI 18-8, STANDARD MILL FINISH, B18.21.1	3	C	5305J SE
BVJ056K	AL	L-A-09-000-002	14	WASHER	WASHER, FLAT, QA 3, WASHER, RECORDER; SPARE PART FOR LEEDS AND NORTHRUP SERIES 100	3	B	6695D SE
BVL910H	AL	L-A-03-000-002	1	WASHER	WASHER, TYPICAL, QA 3, WASHER, PUMP; THREADED, 0.375 IN, ADJUSTING NUT, FOR INGERSOLL RAND	3	C	4320U SE
BVM941M	AL	T-A-01-000-002	10	WASHER	WASHER, FLAT, QA 1, WASHER, FACEPIECE; FLATE WASHER, CF STEEL, CHROMATE PLATE, #10, FOR	1	B	4240P SE
BVW463V	AL	L-A-03-000-002	4	WASHER	WASHER, TYPICAL, QA 3, WASHER, PUMP; REF 23, WORTHINGTON DIFFUSER PUMP, CRDS, MODEL	3	C	4320U SE
BVW729F	AL	L-A-09-000-002	145	WASHER	WASHER, SPRING, QA 3, WASHER, CRANE; WASHER, LOCK, SPIRAL, CARBON STEEL, .312 IN. DIA., FOR	3	B	3950F SE
BVW731W	AL	L-A-09-000-002	6	WASHER	WASHER, SPRING, QA 3, WASHER, CRANE; WASHER, SPRING TENSION, WAVE, CARBON STEEL, .25 IN. FOR	3	B	3950F SE
BWA804K	AL	L-A-03-000-002	92	WASHER	WASHER, TYPICAL, QA 3, WASHER, THERMOCOUPLE; REACTOR FEED PUMP INBOARD BEARING, THERMOCOUPLE	3	C	6695D SE
BWB560T	AL	T-A-01-000-002	900	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; MATERIAL: NYLON, NOMINAL DIAMETER: 0.177 IN, WASHER	3	C	5305J SE
BWB561D	AL	T-A-01-000-002	900	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; MATERIAL: NYLON, NOMINAL DIAMETER: 0.172 IN, WASHER	3	C	5305J SE
BWE661R	AL	L-A-09-000-002	37	WASHER	WASHER, TYPICAL, QA 3, WASHER, COMPRESSOR; WASHER PLAIN, INGERSOLL-RAND COMPRESSOR, MODEL	3	C	4310I SE
BWF350H	AL	L-A-13-000-002	18	WASHER	WASHER, FLAT, QA 3, WASHER, VALVE; NYLON FLAT WASHER, GPE CONTROLS, MODEL BD-0240-0030	3	C	48200 SE
BWL463Y	AL	L-A-13-000-002	6	WASHER	WASHER, LOCKING, QA 3, WASHER, VALVE; FOR REACTOR MAIN STEAM SAFETY RELIEF VALVE, PILOT OPER-	3	C	48200 SE
BWN263W	AC	- - -	97	WASHER	WASHER, SPRING, QA 0, WASHER, CIRCUIT BREAKER; SPRING, FOR POWER CIRCUIT BREAKER, TYPE	0	C	5925B SE
BWR401W	AL	L-A-07-000-002	75	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, 3/8 IN, CS, STANDARD MILL FINISH, B18.21.1	3	C	5305J SE
BWR668J	AL	L-A-05-000-002	7	WASHER	WASHER, SPRING, QA 3, WASHER, VALVE; SPRING, FOR CROSBY SAFETY RELIEF VALVE, SIZE 000,750	3	C	48200 SE
BWY128R	AL	T-A-01-000-002	1	WASHER	WASHER, TYPICAL, QA 0, VALVE, *** DISC, FOR A 2.00" ANCHOR-DARLING SWING CHECK VALVE MODEL NO. 1878	0	D	48200 SE
BXD041E	AL	M-A-12-000-002	1	WASHER	WASHER, THRUST, QA 3, WASHER, VALVE; STEEL, THRUST, FOR 4 IN GLOBE THROTTLE TRIP VALVE MODEL	3	B	48200 SE
BXD127D	AL	L-A-09-000-002	1	WASHER	WASHER, TYPICAL, QA 0, *** FOR HEATER DRAIN LEVEL CONTROL VALVE, POSITION TYPE 3560.	0	C	48200 SE
BXL546L	AL	L-A-09-000-002	51	WASHER	WASHER, TYPICAL, QA 0, WASHER, MOTOR-GENERATOR; CUP, FOR TIP DRIVE MOTOR, 1/2 HP, 60 HZ, 3	0	C	6125C SE
BXN103E	AL	M-A-15-000-002	2	WASHER	WASHER, THRUST, QA 3, WASHER, VALVE; NOT STANDARD, THRUST, BRONZE, B144 ALLY 3 B, ITEM 11	3	C	48200 SE
BXP023W	AL	M-A-06-000-002	4	WASHER	WASHER, THRUST, QA 1, SS, FOR 24-INCH BUTTERFLY VALVE, DRAWING 12408, PIECE NUMBER	1	C	48200 SE
BXR003R	AL	L-A-13-000-002	8	WASHER	WASHER, TYPICAL, QA 0, *** FOR GE RECORDER, MULTIPLE PURPOSE, TYPE HG, MODEL 8HG1A20924, S/N	0	C	6695D SE
BYQ888W	AL	L-A-07-000-002	100	WASHER	WASHER, FLAT, QA 3, #4, 3/8 IN, 1/8 IN, 0.040 IN, SS, ROUND/REGULAR, STANDARD MILL FINISH, B, B18.22.1	3	C	5305J SE
BYQ911W	AL	L-A-09-000-002	100	WASHER	WASHER, FLAT, QA 3, #5, 13/32 IN, 0.141 IN, 0.040 IN, CS, ROUND/REGULAR, STANDARD MILL FINISH, B, B18.22.1	3	C	5305J SE
BYR770T	AL	L-A-03-000-002	27	WASHER	WASHER, FLAT, QA 3, #10, 1/2 IN, 0.219 IN, 0.049 IN, SS, ROUND, AISI 18-8, PLAIN, A, B18.22.1	3	C	5305J SE
BYW764T	AL	L-A-07-000-002	100	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, #4, SS, AISI 18-8, STANDARD MILL FINISH, B18.21.1	3	C	5305J SE

BYW826Y	AL	L-A-02-000-002	4	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, #8, SS, AISI 18-8, STANDARD MILL FINISH, B18.21.1	3	C	5305J SE
CAC030J	AL	L-A-08-000-002	167	WASHER	WASHER, LOCKING, QA 3, , DIESEL ENGINE, 0.625 IN I.D., FOR DIESEL ENGINE, MODEL 20-645-E4	3	C	2910O SE
CAF938B	AL	L-A-07-000-002	90	WASHER	WASHER, TYPICAL, QA 3, SS, WASHER, REACTOR PRESS VESSEL; MATERIAL: STAINLESS STEEL, TYPE A, FOR	3	C	4470C SE
CAN202T	AL	L-A-13-000-002	37	WASHER	WASHER, TYPICAL, QA 3, WASHER, DIESEL ENGINE; F/IDLER SHAFT LOCKING BOLT ON PISTON COOLING	3	C	2910O SE
CAN203Q	AL	L-A-13-000-002	192	WASHER	WASHER, FLAT, QA 3, WASHER, DIESEL ENGINE; MULTI-USE PLAIN 1/2" FLAT WASHER, APPEARS ON	3	C	2910O SE
CBF773B	AL	L-A-09-000-002	122	WASHER	WASHER, TYPICAL, QA 0, WASHER, CIRCUIT BREAKER; THREADED, FIG 17, REF 11, FOR TYPE	0	C	5925B SE
CBJ747W	AL	M-A-12-000-002	7	WASHER	WASHER, TYPICAL, QA 3, WASHER, DOOR HARDWARE; 10 GA, A 606, SIZE: 2-1/4 INCH, ITEM 5 DWG E108	3	C	4710Y SE
CBK405M	AL	L-A-09-000-002	2	WASHER	WASHER, TYPICAL, QA 0, PUMP, *** IMPELLER, FOR MOISTURE SEPERATOR DRAIN PUMP. MODEL NO. 4X11A AND	0	C	4320U SE
CBV387J	AL	L-A-03-000-002	8	WASHER	WASHER, THRUST, QA 2, WASHER, CHILLER; THRUST WASHER, GEAR MOUNT ASSEMBLY, FIG 4.5, FOR USE	2	C	4520N SE
CBV798W	AL	L-A-13-000-002	26	WASHER	WASHER, SEALING, QA 1, WASHER, VALVE; ROD SEAL, FOR ATWOOD AND MORRILL MAIN STEAM ISOLATION	1	B	4820O SE
CBY159G	AL	L-A-09-000-002	1	WASHER	WASHER, TYPICAL, QA 3, WASHER, SWITCHGEAR; FOR 4KV TYPE MC-4.76 SWITCHGEAR AUXILIARY SWITCH	3	C	6110O SE
CBY159G	AL	L-A-13-000-002	1	WASHER	WASHER, TYPICAL, QA 3, WASHER, SWITCHGEAR; FOR 4KV TYPE MC-4.76 SWITCHGEAR AUXILIARY SWITCH	3	C	6110O SE
CEG010B	AL	M-A-01-000-002	24	WASHER	WASHER, TYPICAL, QA 0, WASHER, GENERATOR; FR. .780"ID X 1.12"OD, ITEM 4, DWG 521A834 ***	0	C	6115F SE
CEM155L	AL	L-A-09-000-002	34	WASHER	WASHER, FLAT, QA 3, 1-1/4 IN, CS, ROUND, ASTM F436	3	C	5305J SE
CFH449H	AC	- - -	54	WASHER	WASHER, FLAT, QA 3, 1-3/4 IN, 1-1/32 IN, 3/16 IN, BRONZE, GRAPHITE IMPREGNATED, ROUND, ** SELF LUBRICATING WASHER, HINGE PIN WASHER, FOR DIE	3	C	5305J SE
CFL695J	AL	L-A-09-000-002	6	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, 3/4 IN, SS, AISI 316, STANDARD MILL FINISH, B18.21.1	3	P	5305J SE
BEX062G	AL	L-A-09-000-002	2	WATER	WATER, DISTILLED, QA 0, WATER BATH, ELECTRIC; MUTIPURPOSE, 13 LONG X 9 WIDE X 13 IN DEEP	0	P	6630D SE
BTN390D	AL	A-A-01-000-001	2	WEATHERHEAD	WEATHERHEAD, ELECTRICAL, QA 0, ENTRANCE CAP, ELECTRICAL; TRADE SIZE: 02.000000 (2), MATERIAL: IRON	0	C	5975B SE
BGT054J	AL	L-A-03-000-002	9	WEATHERHEAD	WEATHERHEAD, ELECTRICAL, QA 0, ENTRANCE CAP, ELECTRICAL; TRADE SIZE: 02.000000 (2), MATERIAL:	0	P	5975B SE
BJP828Y	AL	A-A-01-000-001	10	WEDGE	WEDGE, TYPICAL, QA 0, WEDGE, GROUNDING; 0.75 IN, WITH 2 SCREWS, FOR CONDUIT BUSHINGS ***	0	P	5975B SE
BJP829W	AL	A-A-01-000-001	10	WEDGE	WEDGE, TYPICAL, QA 0, WEDGE, GROUNDING; SIZE: 01.000000 (1) ***	0	P	5975B SE
BJW557A	AL	D-A-18-402-000	9	WEDGE	WEDGE, TYPICAL, QA 3, WEDGE, DOOR; ALLOY 544, ASTM B139, DWG 3037-3, REV 2 ***	3	C	5670A SE
CLG470C	AL	D-A-30-201-000	1	WEDGE	WEDGE, TYPICAL, QA 3, ALLOY STEEL, FOR 8" GATE VALVE, FIG NO. 25023WE, WILLIAM POWELL DWG 041321,	3		4810O SE
BWM330Q	AL	M-A-08-000-002	1	WEIGHT	WEIGHT, TYPICAL, QA 3, WEIGHT, THERMOCOLLER/POSITIONE; WEIGHT SYSTEM (W/QD AND LOAD CELL CABLE	3	B	6695D SE
CED680M	AL	A-A-01-000-001	2	WELL	WELL, PIPE, QA 1, THERMOWELL, THERMOCOUPLE; DIMENSION A: 6, DIMENSION B: 4, WELL TYPE:	1	C	6695D SE
ARC628V	AL	M-A-07-000-002	7	WELL	WELL, PIPE, QA 2, THERMOWELL, THERMOCOUPLE; THERMOMETER, STAINLESS STEEL, 002.750 IN	2	P	6695D SE
BNP734F	AL	L-A-09-000-002	3	WELL	WELL, PIPE, QA 2, THERMOWELL, THERMOCOUPLE; SEPARABLE WELL, CARBON STEEL, 2.5 IN LAGGING	2	P	6695D SE
BXL241B	AL	M-A-01-000-002	1	WELL	WELL, PIPE, QA 1, CLASS 2, THERMOWELL, RESISTANCE TEMP DECT; STAINLESS STEEL, ASME SA 479 TP 316	1	B	6695D SE
AQV654K	AL	A-A-01-000-001	3	WHEEL	WHEEL, TYPICAL, QA 0, STAR WHEEL, SWITCH; STEEL, FOR 200.000 TON OVERHEAD TURBINE BUILDING	0	C	5930O SE
AVN422G	AL	A-A-01-000-001	1	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL ASSY, ; ALUMINUM, FOR INDUSTRIAL FAN, SIZE 504 CI, STYLE PHY	0	P	4140U SE
AWC897D	AL	A-A-01-000-001	2	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL ASSY, ; STEEL, CODE, CHARACTER, FOR BUFFERED CHAIN PRINTER	0	P	7021A SE
AWC898B	AL	A-A-01-000-001	2	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL ASSY, ; STEEL, CODE, FOR BUFFERED CHAIN PRINTER, MODEL 4330 ***	0	P	7021A SE
BAD875T	AL	A-A-01-000-001	2	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL, HOIST; STEEL, PLAIN, FOR HOIST, 460 VAC, 3 PH, 5 TONS, MODEL	0	P	3950F SE
BAR273R	AL	A-A-01-000-001	1	WHEEL	WHEEL, TYPICAL, QA 3, CHAINWHEEL, ACTUATOR; WITH GUIDE, NO 284547, 9.125 IN DIA, REF 29, FOR	3	P	4820O SE
BLA668H	AL	A-A-01-000-001	2	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL, BRAKE, ELECTRIC; CLUTCH, FOR 2 HORSE POWER MOTOR OPERATED DOOR	0	P	3040D SE
CBC927R	AL	D-A-34-102-000	1	WHEEL	WHEEL, TYPICAL, QA 3, WHEEL, CRANE; BRIDGE WHEEL - DRIVER, 30 IN DIA WHEEL, DWG B-10226	3	C	3950F SE
CDT028Y	AL	D-A-20-302-001	8	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL, HOIST; AXLE AND AND BUSHING ASSEMBLY, ITEM 13, LOUDEN PART #	0		3950F SE
AMD930V	AL	L-A-01-000-002	1	WHEEL	WHEEL, TYPICAL, QA 0, FLYWHEEL, CHILLER; JACK SHAFT ASSY, FOR UNIT NC-175, MODEL NCX900053V	0	P	4520N SE
AWG978Q	AL	M-A-12-000-002	1	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL, HOIST; LIFT, FOR 3/4 TON COME-ALONG, MODEL B ***	0	P	3950F SE
AWG979N	AL	M-A-12-000-002	1	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL, HOIST; LIFT, FOR 1-1/2 TON COME-ALONG, MODEL B ***	0	P	3950F SE
AYA975H	AL	M-A-16-000-002	2	WHEEL	WHEEL, TYPICAL, QA 3, CHAINWHEEL, ACTUATOR; ALUMINUM, REF 34, FOR ACTUATORMODEL MDT-3, ON 12	3	P	4820O SE
BAR274P	AL	M-A-16-000-002	1	WHEEL	WHEEL, TYPICAL, QA 3, CHAINWHEEL, ACTUATOR; WITH GUIDE, NO 283464, 9.125 IN DIA, REF 34, FOR	3	P	4820O SE
BLH628R	AL	M-A-01-000-002	10	WHEEL	WHEEL, TYPICAL, QA 3, WHEEL, ; CONVEYOR CAR, STAINLESS STEEL, 1.50" WIDE X 6.00" DIA, WITH	3	P	4470C SE
BLH629P	AL	M-A-01-000-002	12	WHEEL	WHEEL, TYPICAL, QA 3, WHEEL, ; SIDE, ROLLER, BRASS/BRONZE, 0.750" WIDE X 2.00" DIA, WITH	3	P	4470C SE
BXL195P	AL	T-A-04-000-002	2	WHEEL	WHEEL, TYPICAL, QA 3, WHEEL ASSY, FAN; CONSISTING OF 1 HUB AND 9 BLADES, FOR BUFFALO FORGE	3	C	4140U SE
ADD697D	AL	A-A-01-000-001	3	WICK	WICK, TYPICAL, QA 0, WICK, ; THRUST FACE, REF 9P, FOR WATERCIRCULATING PUMP, MODEL 60, SIZE	0	P	5680B SE
AJE070Q	AL	M-A-08-000-002	1	WICK	WICK, TYPICAL, QA 0, WICK, ; OIL, FOR HOT WATER CIRCULATING PUMP, MODEL 102189FL ***	0	P	5680B SE
BPG759W	AL	L-A-06-000-002	1	WINDING	WINDING, ELECTRICAL, QA 0, WINDING, MOTOR FIELD; COMPLETE SET OF 72 COILS WITH ONE EACH EXTRA	0	C	6105D SE
BPG767X	AL	L-A-06-000-002	1	WINDING	WINDING, ELECTRICAL, QA 0, WINDING, MOTOR FIELD; COMPLETE SET OF 126 COILS, WITH TWO EXTRA COILS	0	C	6105D SE
BPG768V	AL	L-A-06-000-002	1	WINDING	WINDING, ELECTRICAL, QA 0, WINDING, MOTOR FIELD; COMPLETE SET OF 90 COILS, WITH ONE EACH EXTRA	0	C	6105D SE
BTT731D	AL	L-A-09-000-002	1	WINDING	WINDING, ELECTRICAL, QA 3, WINDING, MOTOR FIELD; MAIN, FOR EDERER CRANES, 125/180 TONS ***	3	C	6105D SE
BTT739W	AL	L-A-09-000-002	1	WINDING	WINDING, ELECTRICAL, QA 3, WINDING, MOTOR FIELD; MAIN, FOR EDERER CRANES, 125/180 TONS ***	3	C	6105D SE
ACF504G	AL	D-A-02-102-011	4	WINDOW	WINDOW, INSPECTION, QA 0, WINDOW, OBSERVATION; SIGHT, FOR SIGHTFLOW BOX 1-1/2 IN, ON REACTOR	0		5680B SE
AGW403T	AL	D-A-04-202-007	1	WINDOW	WINDOW, INSPECTION, QA 0, DIAL, 6 IN, GLASS, WINDOW, DIAL; GLASS, CURVE, 6 IN, FOR TRIDENT 1-1/2 IN COLD WATER	0		5680B SE
AHW000D	AL	D-A-02-102-004	8	WINDOW	WINDOW, INSPECTION, QA 0, WINDOW, OBSERVATION; MICROMIL, 003.000 IN DIA, 3 PER SET, RING	0		5680B SE
AHY870L	AL	A-A-01-000-001	1	WINDOW	WINDOW, INSPECTION, QA 0, WINDOW, OBSERVATION; GLASS, SAFETY, FOR RECORDER ***	0	P	5680B SE
AKY676Q	AL	A-A-01-000-001	5	WINDOW	WINDOW, INSPECTION, QA 2, WINDOW, OBSERVATION; PYREX GLASS, FLAT, 0.375 X 1.75 IN, FOR	2	P	5680B SE
AMX290K	AL	D-A-10-302-004	7	WINDOW	WINDOW, INSPECTION, QA 0, 2-13/32 IN, 3/16 IN, PYREX, WINDOW, OBSERVATION; PYREX GLASS, 0.187 IN THICK X 2.406 IN, FOR	0		5680B SE
APX898J	AL	D-A-02-102-002	4	WINDOW	WINDOW, INSPECTION, QA 0, 3 IN, 1/4 IN, PYREX, WINDOW, OBSERVATION; PYREX GLASS, FLAT, 0.25 IN THICK X 3 IN DIAMETER	0		5680B SE
AYN722H	AL	A-A-01-000-001	6	WINDOW	WINDOW, INSPECTION, QA 0, FLAT/REFLEX, 1 IN, 18 IN, 9/16 IN, WINDOW, OBSERVATION; REFLEX, FLAT, 0.5625 THICK X 1 WIDE X 18 IN LONG	0	P	5680B SE
AYX161V	AL	A-A-01-000-001	1	WINDOW	WINDOW, INSPECTION, QA 0, WINDOW, OBSERVATION; PLEXIGLASS, 5.5 IN DIA, REF 3, DWG AM08-1001, FOR	0	C	5680B SE
BBJ066K	AL	A-A-01-000-001	4	WINDOW	WINDOW, INSPECTION, QA 0, REFLEX, 1 IN, 20 IN, GLASS, WINDOW, OBSERVATION; GLASS, REFLEX, 1 IN WIDE X 20 IN LONG, SIZE 12	0	P	5680B SE
BBL019J	AL	A-A-01-000-001	4	WINDOW	WINDOW, INSPECTION, QA 0, TEMPERED/CIRCULAR, 6 IN, 3/4 IN, PYREX, 180 PSI/500 DEG F, WINDOW, OBSERVATION; PYREX, TEMPERED, SIZE 3 0.75 IN TH	0	P	5680B SE
BEK714V	AL	A-A-01-000-001	3	WINDOW	WINDOW, INSPECTION, QA 0, TEMPERED/CLEAR/RECT, 4-3/4 IN, 14-1/4 IN, 1 IN, PYREX, WINDOW, OBSERVATION; PYREX, GLASS, CLEAR, TEMPERED, GROUND A	0	P	5680B SE
BFV958F	AL	A-A-01-000-001	8	WINDOW	WINDOW, INSPECTION, QA 3, WINDOW, OBSERVATION; VIEWING, FOR HORIZONTAL PEAK SHOCK RECORDER WITH	3	P	5680B SE
BJQ416H	AL	D-B-19-202-002	4	WINDOW	WINDOW, INSPECTION, QA 0, WINDOW, OBSERVATION; DETECTOR, 80 MGM/CM(2), FOR ALPHA/BETA COUNTER	0	C	5680B SE
ANW071A	AL	L-A-09-000-002	2	WINDOW	WINDOW, INSPECTION, QA 0, WINDOW, OBSERVATION; 0.5 IN X 3 IN, FOR TURBIDIMETER, INCLINE, MODEL	0	P	5680B SE
BJQ416H	AL	P-A-LL-ET0-078	5	WINDOW	WINDOW, INSPECTION, QA 0, WINDOW, OBSERVATION; DETECTOR, 80 MGM/CM(2), FOR ALPHA/BETA COUNTER	0	C	5680B SE
BQT529L	AL	P-A-LL-ET0-110	1	WINDOW	WINDOW, TYPICAL, QA 0, OBSERVATION/FRONT, KIT COMPLETE WITH BUSHING,	0	C	5680B SE
BTK716D	AL	M-A-04-000-002	5	WINDOW	WINDOW, INSPECTION, QA 3, WINDOW, OBSERVATION; GLASS, FOR RECORDER, MULTIPLE PURPOSE, MODEL	3	B	5680B SE
BYF290W	AL	M-A-01-000-002	1	WINDOW	WINDOW, INSPECTION, QA 3, WINDOW, OBSERVATION; GLASS, ROUND, FOR SWITCH, MODEL 581 ***	3	B	5680B SE
AGC879R	AL	D-B-09-202-001	3	WIPER	WIPER, TYPICAL, QA 0, ROD, FOR 5 IN AIR ELECTRIC SEGREGATING SLIDE VALVE,	0	P	4450C SE
ATQ390A	AL	D-B-09-202-001	2	WIPER	WIPER, TYPICAL, QA 0, ROD, FOR AIR CYLINDER, MODEL GNA-SL, 004.000 IN	0	P	4450C SE
AYQ650H	AL	D-B-09-202-001	1	WIPER	WIPER, TYPICAL, QA 0, WIPER, ASH DISPOSAL; ROD, DOUBLE LIPPED, FOR CYLINDER 14594-4, ON ASH	0	P	4450C SE
BAA514B	AL	A-A-01-000-001	1	WIPER	WIPER, TYPICAL, QA 0, WIPER, CRANE; WINDOW, W/SWITCH, FOR PETTIBONE PEDESTAL CRANE MODEL	0	P	3950F SE

AJV187X	AL	L-A-09-000-002	2 WIPER	WIPER, TYPICAL, QA 0, WIPER ASSY, HEIGHT ANALYZER; FOR X-Y PLOTTER ON HEWLETT-PACKARD PULSE	0	P	6695D SE
AJW233C	AL	L-A-09-000-002	2 WIPER	WIPER, TYPICAL, QA 3, WIPER, RECORDER; DUAL ARM POTENTIONMETER CONTACTS, FOR RECORDER	3	P	6695D SE
BWW451W	AL	L-A-13-000-002	5 WIPER	WIPER, TYPICAL, QA 3, WIPER, VALVE; ROD, SHEFFER MODEL 2-1/2ASL7ASWY, 2-1/2 IN. BORE, 5/8	3	C	48200 SE
BXM777V	AL	L-A-09-000-002	5 WIPER	WIPER, TYPICAL, QA 0, WIPER, VALVE; UPPER, FELT SAE FE, FOR 000.500 IN STEM ON PRESSURE	0	C	48200 SE
CAC554D	AL	L-A-09-000-002	1 WIPER	WIPER, TYPICAL, QA 3, WIPER, CYLINDER; FOR TOMKINS JOHNSON MODEL SH-1DE MAIN HOIST EQUALIZER	3	C	3950F SE
CBR412Q	AL	P-A-LL-ET0-062	11 WIPER	WIPER, TYPICAL, QA 3, ROD, , FOR ATWOOD AND MORRILL MAIN STEAM ISOLATION ACTUATOR, 26 IN VALVE @	3	C	48200 SE
ABD481H	AL	A-A-01-000-001	1 WIRE	WIRE, TYPICAL, QA 3, WIRE, COMPRESSOR; LOCKING, FOR MODEL 4 IN ESV-NL, TYPE ESV-1P-NL, SN	3	C	9505N SE
AEK261E	AL	D-A-04-202-004	1 WIRE	WIRE, MUSIC, QA 0, WIRE, NONELECTRICAL; MATERIAL: ALLOY STEEL, CROSS SECTION WIDTH:	0		9505N SE
AEK564V	AL	D-A-02-102-005	1 WIRE	WIRE, MUSIC, QA 0, WIRE, NONELECTRICAL; MATERIAL: ALLOY STEEL, CROSS SECTION WIDTH:	0		9505N SE
AEK661X	AL	D-A-10-302-003	3 WIRE	WIRE, MUSIC, QA 0, 0.035 IN, ALLOY STEEL, 15 GAUGE	0		9505N SE
AEK861M	AL	D-A-13-401-003	2 WIRE	WIRE, TIE, QA 0, SOLID, 18 GA, ALLOY STEEL, 0.041 IN DIA	0		9505N SE
AEK862K	AL	D-A-10-302-003	2 WIRE	WIRE, MUSIC, QA 0, WIRE, NONELECTRICAL; MATERIAL: ALLOY STEEL, CROSS SECTION WIDTH:	0		9505N SE
AEK863H	AL	D-A-13-401-003	1 WIRE	WIRE, MUSIC, QA 0, WIRE, NONELECTRICAL; MATERIAL: ALLOY STEEL, CROSS SECTION WIDTH: 0.094	0		9505N SE
AVK947T	AL	D-A-21-201-000	400 WIRE	WIRE, WELDING, QA 1, BARE, 0.045 IN, SS, AWS A5.9/ASME SFA-5.9, 2.5 LB, ELECTRODE, WELDING; STAINLESS STEEL, BARE WIRE, 0.045 IN OD, 2.5 LBS	1		3439D SE
BHR920J	AL	A-A-01-000-001	3 WIRE	WIRE, TYPICAL, QA 3, WIRE, ; LOCK, 0.047 IN DIA X 500 FT LONG, FOR DIESEL ENGINE, MODEL	3	C	2910O SE
BKN552D	AL	A-A-01-000-001	12 WIRE	WIRE, TYPICAL, QA 3, WIRE, ICE MAKER; BINDING, METAL, SOLID, FOR MODEL BRC-61-W RIBBON ICE	3	P	9505N SE
BLM025T	AL	D-A-17-302-001	1 WIRE	WIRE, MUSIC, QA 0, 3/8 IN, SS, WIRE, NONELECTRICAL; MATERIAL: STAINLESS STEEL, CROSS SECTION WIDTH:	0		9505N SE
AEK269X	AL	I-A-09-000-002	45 WIRE	WIRE, MUSIC, QA 0, WIRE, NONELECTRICAL; MATERIAL: STAINLESS STEEL, CROSS SECTION WIDTH:	0	P	9505N SE
APB509N	AL	L-A-03-000-002	22 WIRE	WIRE, TIE, QA 0, WIRE, STEAM TURBINE; TIE, L-1 STAGE, FOR TURBINE, S/N 170X374 (5600)	0	P	2825G SE
BEC040X	AL	M-A-09-000-002	1440 WIRE	WIRE, MUSIC, QA 0, 18 GA, SS, WIRE, NONELECTRICAL; MATERIAL: STAINLESS STEEL, CROSS SECTION SHAPE:	0	P	9505N SE
CBN452V	AC	- - -	18 WIRE	WIRE, WELDING, QA 1, CLASS 1, BARE, 0.035 IN, SS, AWS A5.9/ASME SFA-5.9, 10 LB, , PF-5004, LATEST REVISION, CLASS: ER316	1	B	3439D SE
ATQ691G	AL	D-A-32-104-001	1 WORMSHAFT	WORMSHAFT, TYPICAL, QA 0, WORM SHAFT, GEAR REDUCER; HIGH SPEED SIDE, FOR GEAR REDUCER MODEL	0	P	3040D SE
AVV770A	AL	A-A-01-000-001	1 WORMSHAFT	WORMSHAFT, TYPICAL, QA 0, WORM SHAFT, GEAR REDUCER; STEEL, DWG ITEM E5, FOR ICE MACHINE GEAR	0	P	6105D SE
BHG940T	AL	A-A-01-000-001	1 WORMSHAFT	WORMSHAFT, TYPICAL, QA 1, SHAFT, ACTUATOR; WORM, REF 5, FOR VALVE ACTUATOR, TYPE H, SIZE 1B-C	1	P	48200 SE
BTR283K	AL	L-A-03-000-002	1 WORMSHAFT	WORMSHAFT, TYPICAL, QA 0, WORM SHAFT, ACTUATOR; FOR LIMITORQUE VALVE OPERATOR, TYPE PB-2, DWG	0	C	48200 SE
AMW165G	AL	D-A-04-202-007	1 WRENCH	WRENCH, HEX KEY, QA 0, 3/16 IN, WRENCH, ; HEX TEE, 0.187 IN, FOR CALIBRATORS, PRESSURE. ***	0		5120M SE
ATP270R	AL	D-A-04-302-005	4 WRENCH	WRENCH, ADJUSTABLE, QA 0, WRENCH, ; SLIP, 1.250 IN, FOR ADJUSTING LENS ON UNDERWATER TV CAMERA, NO	0		5120M SE
BKM877M	AL	D-A-10-102-002	30 WRENCH	WRENCH, TYPICAL, QA 3, WRENCH, ; OFFSET SPRINKLER, FOR INSTALLATION OF NATURAL BRASS OR	3		5120M SE
BNM618V	AL	D-A-01-401-006	2 WRENCH	WRENCH, TYPICAL, QA 0, WRENCH, ; BASKET, BOLT AND NUT ***	0		2910O SE
AYA291G	AL	M-A-01-000-002	1 WRENCH	WRENCH, TYPICAL, QA 0, VALVE, 2 SQ IN, 36 IN, MALLEABLE IRON, SIZE B-36, WRENCH, VALVE; MALLEABLE IRON, SIZE B-36, 36 LG X 2 SQ IN, FOR PLUG	0	P	48200 SE
AYK122R	AL	M-A-01-000-002	2 WRENCH	WRENCH, TYPICAL, QA 0, VALVE, ALUMINUM, SIZE B-18, WRENCH, VALVE; ALUMINUM, SIZE B-18, FOR PLUG VALVE, MANUAL OPERATED	0	P	48200 SE
BJL747E	AL	T-A-01-000-002	1 WRENCH	WRENCH, TYPICAL, QA 3, WRENCH, VALVE; STEEL, COLD ROLLED, 0.75 DIA X24 IN LONG, PAINTED, REF	3	P	48200 SE
BDJ523E	AL	M-A-12-000-002	2 WYE	WYE, PIPE, QA 0, 1-1/2 IN, FNPT, IRON, GALVANIZED, WYE, TRUE PIPE; NOMINAL SIZE: 01.500 IN (1 1/2), MATERIAL: MALLEABLE	0	P	4730P SE
BYY990J	AL	T-A-03-000-002	1 WYE	WYE, PIPE, QA 3, WYE, FIRE PROTECTION; 10 INCH RUN 10 INCH BRANCH, DUCTILE IRON, INSIDE	3	C	4210N SE
BJN840R	AL	A-A-01-000-001	1 YOKE	YOKE, TYPICAL, QA 0, YOKE ASSEMBLY, ; C/O YOKE, REF 11, BUSHING AND GLAND BOLTS, REF 12	0	P	48200 SE
BLH367V	AL	A-A-01-000-001	1 YOKE	YOKE, TYPICAL, QA 0, YOKE, VALVE; STEEL, FOR SAFETY RELIEF VALVE6 IN, TYPE 19060/PI-1 ***	0	P	48200 SE
BRJ065Y	AL	A-A-01-000-001	1 YOKE	YOKE, TYPICAL, QA 3, YOKE, BRAKE, ELECTRIC; STEEL, WITH BUSHING, LEFT OR RIGHT, REF 68, FOR	3	B	61100 SE
BTF998W	AL	A-A-01-000-001	1 YOKE	YOKE, TYPICAL, QA 3, YOKE, VALVE; NUT, YOKE FOR 10" 600# WALWORTH GATE VALVE, ITEM CODE	3	B	48200 SE
CHG891T	AL	D-B-25-302-001	1 YOKE	YOKE, TYPICAL, QA 3, VALVE, YOKESLEEVE FOR 10" GLOBE VALVE, PACIFIC FIG. NO. 160-U-WE	3		48200 SE
BAV355D	AL	M-A-16-000-002	1 YOKE	YOKE, TYPICAL, QA 1, YOKE, VALVE; METALLIC, FOR GATE VALVE, 0.75IN, 600 PSIG AT 910 DEG F	1	P	48200 SE
BAV423N	AL	M-A-16-000-002	1 YOKE	YOKE, TYPICAL, QA 1, YOKE, VALVE; STEEL, FOR GATE VALVE, MODEL 950, SIZE 1.5 IN, DWG	1	P	48200 SE
BBJ940M	AL	M-A-16-000-002	2 YOKE	YOKE, TYPICAL, QA 1, YOKE, VALVE; CARBON STEEL ASME SA105 GR 2, 2580 PSIG AT 650 DEG F, REF	1	P	48200 SE
BTF944L	AL	M-A-01-000-002	1 YOKE	YOKE, TYPICAL, QA 3, YOKE, VALVE; NUT, YOKE FOR 8" 600# WALWORTH GATE VALVE, ITEM CODE	3	B	48200 SE
BTG268X	AL	M-A-01-000-002	1 YOKE	YOKE, TYPICAL, QA 3, YOKE, VALVE; NUT, YOKE FOR 3" 600# WALWORTH GATE VALVE, ITEM CODE	3	B	48200 SE
BXD715V	AL	M-A-01-000-002	3 YOKE	YOKE, TYPICAL, QA 0, YOKE ASSY, VALVE; NO. 5 105, FOR CONVAL Y-TYPE GLOBE VALVE, 1 IN.	0	C	48200 SE