

1 Office of the Director, NIST

		Bldg	Room	Stop	Ext.	E-Mail
100 Director's Office, NIST						
Director	Mr. Raymond G. Kammer	Admin	A1134	1000	x2300	raymond.kammer@nist.gov
Secretary	Mrs. Anita F. Walker	Admin	A1134	1000	x2300	anita.walker@nist.gov
Controlled Correspondence	Vacant	Admin	A1134	1000	x2300	
Deputy Director	Dr. Robert E. Hebner/Act/	Admin	A1134	1000	x2300	robert.hebner@nist.gov
Secretary	Mrs. Jan Russell	Admin	A1134	1000	x2300	janet.russell@nist.gov
Senior Management Advisor	Mrs. Karen S. Williams	Admin	A1126	1001	x2397	ks.williams@nist.gov
Administrative Officer	Mrs. Nancy M. Selepak	Admin	A1128	1001	x2314	nancy.selepak@nist.gov
Administrative Assistant	Ms. Stacy M. Wenschhof	Admin	A1125	1001	x4444	stacy.wenschhof@nist.gov
Visiting Committee	Vacant	Admin	A533	1004	x6090	
Secretary	Ms. Carolyn J. Stull	Admin	A531	1004	x5607	carolyn.stull@nist.gov
Deputy Chief Counsel	Mr. Michael R. Rubin	Admin	A526	1003	x2803	michael.rubin@nist.gov
Secretary	Mrs. Joyce A. Waters	Admin	A524	1003	x2987	joyce.waters@nist.gov
Congressional and Legislative Affairs	Mrs. Verna B. Hines	Admin	A1109	1002	x3080	verna.hines@nist.gov
Secretary	Mrs. Deborah K. McAboy	Admin	A1111	1002	x3080	deborah.mcaboy@nist.gov
Senior Legislative Analyst	Mr. Kevin A. Kimball	Admin	A1113	1002	x5675	kevin.kimball@nist.gov
102 National Quality Program						
Director	Dr. Harry S. Hertz	Admin	A600	1020	x2360	harry.hertz@nist.gov
Secretary	Mrs. Virginia M. Davis	Admin	A603	1020	x2361	virginia.davis@nist.gov
Deputy Director	Mr. Barry I. Diamondstone/Act/	Admin	A601	1020	x4077	diamonds@nist.gov
Secretary	Ms. Bonnie M. Haegele	Admin	A603	1020	x4410	bonnie.haegele@nist.gov
103 Civil Rights Office						
Director	Mr. Alvin C. Lewis	Admin	A540	1030	x2037	alvin.lewis@nist.gov
Secretary	Mrs. Mary Moscato	Admin	A537	1030	x2038	mary.moscato@nist.gov
Affirmative Employment/FEORP	Mrs. Cynthia D. Snipes	Admin	A538	1030	x2041	cynthia.snipes@nist.gov
EEO Complaints/ Outreach Programs	Mrs. Mirta-Marie M. Keys	Admin	A538	1030	x2042	mirta-marie.keys@nist.gov
* EEO Specialist/Boulder	Ms. Robin R. Wolf	1	4005	360.00	x5525	rwolf@boulder.nist.gov
104 Office of the Director, NIST/Boulder Laboratories						
* Director	Dr. David W. Norcross	1	5000	104.00	x3237	norcross@boulder.nist.gov
* Secretary	Ms. Sarabeth B. Harris	1	5000	104.00	x3237	sarabeth@boulder.nist.gov
* Safety Technician	Mr. Duane E. Lyda	1	4007	360.00	x5516	lyda@boulder.nist.gov
106 Program Office						
Director	Dr. Michael P. Casassa/Act/	Admin	A1001	1060	x2667	michael.casassa@nist.gov
Secretary	Ms. Denise Herbert	Admin	A1005	1060	x2667	denise.herbert@nist.gov
Senior Economist	Dr. Gregory C. Tassej	Admin	A1013	1060	x2663	gregory.tassej@nist.gov
Strategic Planning Analyst	Dr. Paul Doremus	Admin	A1015	1060	x3750	paul.doremus@nist.gov
Senior Program Analyst/ITL	Mrs. Barbara Guttman	Admin	A1000	1060	x4665	barbara.guttman@nist.gov
Program Analyst	Ms. Gail K. Ehrlich	Admin	A1011	1060	x2149	gail.ehrlich@nist.gov
Information Specialist	Ms. Thelma Allen	Admin	A1011	1060	x2717	thelma.allen@nist.gov
Analyst EEEL/ATP	Dr. Bruce F. Field	Admin	A1007	1060	x3725	bruce.field@nist.gov
Analyst PL/CFO	Dr. Jonathan Hardis	Admin	A1007	1060	x2661	jonathan.hardis@nist.gov
Analyst MEL/NQP	Mr. Albert Wavering	Admin	A1000	1060	x2660	albert.wavering@nist.gov
Analyst TS/ADMIN/MEPP	Mr. Ralph Richter	Admin	A1002	1060	x2659	ralph.richter@nist.gov
Analyst MSEL	Dr. Said Jahanmir	Admin	A1007	1060	x4525	said@nist.gov
Analyst BFRL	Dr. Walter Jones	Admin	A1007	1060	x6766	walter.jones@nist.gov
Analyst CSTL	Mr. Eric Steel	Admin	A1002	1060	x3568	eric.steel@nist.gov
109 Office of International and Academic Affairs						
Director	Dr. B. Stephen Carpenter	Admin	A500	1090	x4119	b.carpenter@nist.gov
Secretary	Mrs. Carol R. Jones	Admin	A505	1090	x3069	carol.jones@nist.gov
Chief, International Affairs	Dr. Claire M. Saundry	Admin	A513	1090	x2386	claire.saundry@nist.gov
International Relations Officer	Dr. Marian F. McCurley	Admin	A507	1090	x2624	marian.mccurley@nist.gov
Administrative Assistant	Ms. V. Joy Brooks	Admin	A505	1090	x3071	vbrooks@nist.gov
International Specialists:	Mrs. Cathy A. Smith	Admin	A511	1090	x3082	cathy.smith@nist.gov
	Mrs. Aija Roess	Admin	A511	1090	x3072	aija.roess@nist.gov
	Mrs. Bonnie J. DeBord	Admin	A511	1090	x3079	bonnie.debord@nist.gov
Chief, Academic Affairs	Dr. Jack J. Hsia	Admin	A515	1090	x3067	jackh@nist.gov

2 Technology Services

			Div	Room	Stop	Ext.	E-Mail
200 Director's Office, Technology Services							
200	Director	Dr. Peter L.M. Heydemann	NN	312	2000	x4500	peter.heydemann@nist.gov
	Secretary	Ms. Sandra Auchmoody	NN	311	2000	x4500	sandra.auchmoody@nist.gov
	Deputy Director	Dr. Subhas G. Malghan/Act/	NN	313	2000	x4510	subhas.malghan@nist.gov
	Secretary	Mrs. Barbara A. Myers	NN	311	2000	x4510	barbara.myers@nist.gov
	Senior Management Advisor	Mrs. Helen V. Rowland	NN	390	2000	x2013	helen.rowland@nist.gov
	Secretary	Ms. Wilma S. Bell	NN	391	2000	x2859	wilma.bell@nist.gov
	Administrative Officers:						
	200, 240-242, 250-255	Mrs. Deborah J. Anderson	NN	310	2000	x5654	deborah.anderson@nist.gov
	230, 231, 235	Mrs. Margaret J. Bradley	NN	309	2000	x2202	margaret.bradley@nist.gov
	202, 204, 210, 215-218	Ms. Barbara A. Hyde	NN	394	2000	x4002	barbara.hyde@nist.gov
	214, 220-222	Ms. Beth Thomas-Doyle	NN	308	2000	x4521	beth.thomas@nist.gov
	232, 233	Mrs. Julie M. Thompson	NN	304	2000	x2012	julie.thompson@nist.gov
202	Metric Program	Mr. Gerard C. Iannelli	NN	321	2000	x5019	gerard.iannelli@nist.gov
204	Small Business Innovation Research Program	Mr. Norman Taylor	NN	329	2000	x4517	norman.taylor@nist.gov
21 Office of Standards Services							
210	Director	Dr. Belinda L. Collins	NN	285	2100	x4000	belinda.collins@nist.gov
	Deputy Director	Mr. Walter G. Leight	NN	284	2100	x4010	walter.leight@nist.gov
	Secretary	Mrs. Judith M. Baker	NN	283	2100	x4000	judith.baker@nist.gov
214	Laboratory Accreditation Program	Mr. James L. Cigler	NN	298	2140	x4171	james.cigler@nist.gov
215	Technical Standards Activities Program	Dr. Samuel Chappell	NN	162	2150	x4029	samuel.chappell@nist.gov
216	Global Standards Program	Mrs. Mary Saunders	NN	277	2100	x2396	mary.saunders@nist.gov
217	Standards Information Program	Mrs. Joanne Overman	NN	163	2150	x4037	joanne.overman@nist.gov
218	Standards Conformity Program	Dr. Subhas G. Malghan	NN	250	2100	x5120	subhas.malghan@nist.gov
22 Office of Technology Partnerships							
220	Director	Dr. Bruce E. Mattson/Act/	NN	214	2200	x6501	bruce.mattson@nist.gov
	Secretary	Mrs. Deborah S. Alderson	NN	207	2200	x3086	deborah.alderson@nist.gov
221	Research and Technology Applications Program	Dr. Bruce E. Mattson/Act/	NN	214	2200	x6501	bruce.mattson@nist.gov
222	Industrial Partnerships Program	Dr. Bruce E. Mattson	NN	214	2200	x6501	bruce.mattson@nist.gov
23 Office of Measurement Services							
230	Director	Mr. Thomas E. Gills/Act/	EM	113	2320	x2015	thomas.gills@nist.gov
231	Standard Reference Data Program	Dr. John R. Rumble	NN	102	2310	x2200	john.rumble@nist.gov
	Program Managers:	Dr. Charles P. Sturrock	NN	107	2310	x6027	sturrock@nist.gov
		Ms. Phoebe Fagan	NN	109	2310	x2213	phoebe.fagan@nist.gov
	SRD Database Distribution	Mrs. Joan C. Sauerwein	NN	112	2310	x2208	joan.sauerwein@nist.gov
	Data Systems	Ms. Dorothy Blakeslee	NN	110	2310	x2524	dorothy.blakeslee@nist.gov
232	Standard Reference Materials Program	Mr. Thomas E. Gills	EM	113	2320	x2015	thomas.gills@nist.gov
	Project Managers:	Mrs. Jennifer C. Colbert	EM	212	2321	x2579	jennifer.colbert@nist.gov
		Mr. Robert J. Gettings	EM	210	2321	x5573	robert.gettings@nist.gov
		Mr. Bruce S. MacDonald	EM	210	2321	x2017	bruce.macdonald@nist.gov
		Mr. Michael E. McCabe	EM	212	2321	x5517	michael.mccabe@nist.gov
		Ms. Joylene W. Thomas	EM	212	2321	x5542	joylene.thomas@nist.gov
		Ms. Nancy M. Trahey	EM	111	2320	x2021	nancy.trahey@nist.gov
	Manager, Customer Sales/Service	Ms. Lee T. Best	EM	203	2322	x2027	lee.best@nist.gov
233	Calibration Program	Ms. Sharrill Dittmann	NN	235	2330	x2005	sharrill.dittmann@nist.gov
	Administrative Assistant	Mrs. Dawn M. Geraci	NN	248	2330	x2004	dawn.geraci@nist.gov
	Scientific Advisor	Mr. Ernest Garner	NN	242	2330	x2007	ernest.garner@nist.gov
	Scientific Assistant	Dr. Carroll S. Brickenkamp	NN	231	2330	x4291	carroll.brickenkamp@nist.gov
235	Weights and Measures Program	Dr. Gilbert M. Ugiansky	NN	224	2350	x4005	g.ugiansky@nist.gov
	State Laboratory Program	Ms. Georgia L. Harris	NN	225	2350	x4014	georgia.harris@nist.gov
	Laws and Regulations	Mr. Kenneth S. Butcher	NN	221	2350	x3991	kenneth.butcher@nist.gov
	Device Technology	Mrs. Tina G. Butcher	NN	228	2350	x2196	tbutcher@nist.gov
	Administration and Publications	Mrs. Joan A. Koenig	NN	219	2350	x4007	jkoenig@nist.gov
24 Office of Technology Innovation							
240	Director	Dr. Peter L.M. Heydemann/Act/	NN	312	2000	x4500	peter.heydemann@nist.gov
241	Technology Evaluation Program	Dr. Peter L.M. Heydemann/Act/	NN	312	2000	x4500	peter.heydemann@nist.gov

2 Technology Services

24 Office of Technology Innovation

Bldg	Room	Step	Ext.	E-Mail			
242	Commercialization Assistance Program	Dr. Peter L.M. Heydemann/Act/	NN	312	2000	x4500	peter.heydemann@nist.gov

25 Office of Information Services

250	Director	Mr. Paul Vassallo	Admin	E104	2500	x2786	paul.vassallo@nist.gov
	Secretaries:	Mrs. Donna Paul	Admin	E106	2500	x2784	donna.paul@nist.gov
		Mrs. Nancy Evans	Admin	E106	2500	x2785	nancy.evans@nist.gov
	Deputy Director	Ms. Mary-Deirdre Coraggio	Admin	E108	2500	x5158	mary-deirdre.coraggio@nist.gov
	Archivist	Ms. Karma Beal	Admin	A47	2500	x2792	karma.beal@nist.gov
	Historian	Ms. Lisa Greenhouse	Admin	E211	2500	x6683	lisa.greenhouse@nist.gov
254	Research Library and Information Program	Mrs. Sami W. Klein	Admin	E124	2500	x2790	sami.klein@nist.gov
	Reference	Reference Librarians	Admin	E106	2500	x3052	reflib@nist.gov
	Circulation	Staff	Admin	E106	2500	x2793	circulation@nist.gov
	Interlibrary Loan/ Document Delivery	Staff	Admin	E106	2500	x3061	illstaff@nist.gov
255	Electronic Information and Publications Program	Mr. William Trefzger	Admin	E123	2551	x2146	william.trefzger@nist.gov
	NIST Virtual Library	Mr. William Trefzger	Admin	E123	2551	x2146	william.trefzger@nist.gov
	WERB Secretariat	Mr. Gail Hixenbaugh	Admin	E212	2550	x2777	gail.hixenbaugh@nist.gov

3 Director of Administration

320 Office of the Director of Administration

Bldg	Room	Step	Ext.	E-Mail			
	Director	Mr. Jorge R. Urrutia	Admin	A1101	3200	x2390	jorge.urrutia@nist.gov
	Deputy Director	Mr. Karl E. Bell	Admin	A1100	3200	x2389	karl.bell@nist.gov
	Security Officer	Mr. Karl E. Bell	Admin	A1100	3200	x2389	karl.bell@nist.gov
	Secretary	Ms. Nancy B. Skinner	Admin	A1105	3200	x2390	nancy.skinner@nist.gov
	Senior Management Advisor	Mrs. Sharon L. Cowell	Admin	A1105	3200	x2393	sharon.cowell@nist.gov
	Administrative Assistant	Mrs. Joan B. Barr	Admin	A110E	3200	x2389	joan.barr@nist.gov
	Diversity Manager	Ms. Sol del Ande Eaton	TB415	120	3203	x5481	sol.eaton@nist.gov
.02	Administrative Technology Support	Mr. David K. Wise	S&P	B190	3570	x5047	david.wise@nist.gov

322 Management and Organization Division

	Chief	Ms. Sharon E. Bisco	Admin	A523	3220	x4054	sharon.bisco@nist.gov
	Secretary	Miss Gwenda M. Roberson	Admin	A525	3220	x4074	gwenda.roberson@nist.gov
.01	Management Analysis	Ms. Sharon E. Bisco	Admin	A523	3220	x4054	sharon.bisco@nist.gov
	Audit Activities	Mrs. Marilyn S. Khan	Admin	A527	3220	x4050	marilyn.khan@nist.gov
	Directives Management	Miss Phyllis E. Boyd	Admin	A521	3220	x4062	phyllis.boyd@nist.gov
	Organizational Design/Analysis	Ms. Sharon E. Bisco	Admin	A523	3220	x4054	sharon.bisco@nist.gov
.02	Forms and Records Management	Mr. Michael L. Martin	Admin	A1105	3200	x3890	michael.martin@nist.gov
	Forms Management	Miss Sue C. Cox	Admin	B25	3221	x4064	sue.cox@nist.gov
	Records Management	Mrs. Brenda Thomas Griffith	Admin	B25	3221	x4092	brenda.thomas@nist.gov

346 Public and Business Affairs Division

	Chief	Mr. Matthew Heyman	Admin	A907	3460	x2758	matthew.heyman@nist.gov
	Secretary	Ms. Jennifer L. Wright	Admin	A903	3460	x2758	jennifer.wright@nist.gov
	Administrative Officer	Mrs. Rebecca A. Green	Admin	A930	3460	x2760	rebecca.green@nist.gov
.11	Communications and Inquiries	Mrs. Sharon L. Shaffer	Admin	A902	3460	x2768	sharon.shaffer@nist.gov
.12	Media Liaison	Mr. Michael E. Newman	Admin	A900	3460	x3025	michael.newman@nist.gov
.13	Special Activities	Mrs. Sara R. Torrence	Admin	A919	3460	x2774	sara.torrence@nist.gov
	Conference Program	Mrs. Kathleen D. Kilmer	Admin	B104	3461	x2858	kathleen.kilmer@nist.gov
.14	Business Outreach	Mr. Matthew Heyman	Admin	A907	3460	x2758	matthew.heyman@nist.gov
.15	Audiovisual Communications	Mr. Ronald E. Meiningner	Admin	A927	3460	x2761	ronald.meiningner@nist.gov
* .16	Boulder Public Affairs	Mr. Frederick P. McGehan	1	5004	346.16	x3246	mcgehan@boulder.nist.gov

351 Plant Division

	Chief	Mr. Robert F. Moore	S&P	A112	3510	x6900	robert.moore@nist.gov
	Secretary	Ms. Adrienne D. Graham	S&P	A106	3510	x6900	adrienne.graham@nist.gov
	Administrative Officer	Mr. James M. Smith	S&P	A123	3510	x6924	james.smith@nist.gov
	Service Desk	Ms. Lynda S. Washington	S&P	A132	3510	x6928	lynda.washington@nist.gov
	Out-of-Hours Plant Assistance	Shift Supervisor	SCWGP		3510	x6983	

			Obj	Room	Stop	Ext.	E-Mail
351 Plant Division							
.20	Facilities Planning, Engineering, and Construction	Mr. Christopher G. Conley	S&P	B168	3512	x6596	christopher.conley@nist.gov
	Facilities Planning	Mr. Christopher G. Conley/Act/	S&P	B168	3512	x6596	christopher.conley@nist.gov
	Facilities Engineering	Mr. James C. Hyatt	S&P	A100	3511	x6907	james.hyatt@nist.gov
	Construction Contract Management	Mr. James R. McConnell	S&P	A116	3510	x6903	james.mcconnell@nist.gov
.30	Alteration and Maintenance	Mr. Albert C. Fox	S&P	A119	3510	x6934	albert.fox@nist.gov
	Job Order Coordination	Mr. Charles E. Ingram	S&P	A132	3510	x6931	charles.ingram@nist.gov
	Electrical	Mr. James F. Mace	S&P	A137	3510	x6945	james.mace@nist.gov
	Pipe and Plumbing	Mr. Kenneth W. Wean	S&P	A147	3510	x9643	kenneth.wean@nist.gov
	Construction	Mr. Richard L. Lantz	S&P	A156	3510	x6939	richard.lantz@nist.gov
	HVAC	Mr. Robert M. Balinovic	S&P	A153	3510	x9641	robert.balinovic@nist.gov
	Grounds and Service Support	Mr. Earl W. Kline	GM	S&P	3510	x6959	earl.kline@nist.gov
.40	Operations Engineering	Mr. David T. Henry	S&P	B114	3510	x6947	david.henry@nist.gov
	Steam and Chilled Water Generation Plant	Mr. Allen M. Federline	SCWGP	S&P	3510	x6956	allen.federline@nist.gov
	Maintenance Engineering	Mr. David T. Henry/Act/	S&P	B114	3510	x6947	david.henry@nist.gov
353 Facilities Services Division							
	Chief	Mrs. Susan J. Carscadden	Admin	A215	3530	x3301	susan.carscadden@nist.gov
	Secretary	Mrs. Cynthia A. Hitchcock	Admin	A215	3530	x3301	cynthia.hitchcock@nist.gov
	Administrative Officer	Mr. Larry A. Cramer	Admin	A215	3530	x6346	larry.cramer@nist.gov
	Staff Assistants:	Mrs. Rhonda S. Hurt	Admin	A207	3530	x4302	rhonda.hurt@nist.gov
		Mrs. Patricia Lynch	Admin	A222	3530	x5188	patricia.lynch@nist.gov
.01	Mail and Distribution	Mrs. Donna J. Aller	Admin	B40	3531	x3324	donna.aller@nist.gov
.03	Janitorial Services	Mr. Tyrone Gibson	Shops	107	3532	x5920	tyrone.gibson@nist.gov
.04	Physical Security	Capt. Charles Shupe	Admin	A16	3533	x2805	charles.shupe@nist.gov
	Locksmith	Mr. Bob Ray	Admin	B01	3533	x2808	robert.ray@nist.gov
.05	Transportation	Mr. John Breeden	Serv	107	3534	x5922	john.breeden@nist.gov
.06	Fire Protection	Mr. James Deater	Serv	128	3535	x6190	james.deater@nist.gov
.09	ReproGraphics	Mr. Larry A. Cramer/Act/	Admin	A215	3530	x6346	larry.cramer@nist.gov
	Visual Arts	Mr. Edward Mai	Admin	B24	3536	x2631	edward.mai@nist.gov
	Printing and Duplicating	Mr. Larry A. Cramer/Act/	Admin	B36	3537	x6346	larry.cramer@nist.gov
.10	Conference Facilities	Mr. Omar Halmat	Admin	B114	3538	x3374	omar.halmat@nist.gov
354 Occupational Health and Safety Division							
	Chief	Mr. Lyman E. Pevey	S&P	B122	3540	x5818	lyman.pevey@nist.gov
	Secretary	Ms. Jeanmarie Bartlett	S&P	B124	3540	x5818	jeanmarie.bartlett@nist.gov
	Administrative Officer	Mrs. Dorothy C. Garland	S&P	B124	3540	x5830	dorothy.garland@nist.gov
.01	Safety Office	Mr. Lyman E. Pevey	S&P	B122	3540	x5818	lyman.pevey@nist.gov
.02	Health Physics	Mr. Thomas G. Hobbs	RadP	C121	3541	x5800	thomas.hobbs@nist.gov
.03	Environmental Compliance	Mr. Keith H. Eggert	S&P	B121	3540	x5822	keith.eggert@nist.gov
.04	Health Unit	Mr. Lyman E. Pevey	S&P	B122	3540	x5818	lyman.pevey@nist.gov
	Receptionist	Ms. Katherine G. Dorycott	Admin	C33	3542	x5131	k.dorycott@nist.gov
	Physician	Elizabeth J. Engelhardt, MD	Admin	C33	3542	x5131	elizabeth.engelhardt@nist.gov
	EAP Counselor	Ms. Mary G. Jackson	Admin	C33	3542	x5129	mary.jackson@nist.gov
355 Human Resources Management Division							
	Personnel Officer	Mrs. Ellen M. Dowd	Admin	A133	3550	x3000	ellen.dowd@nist.gov
	Secretary	Mrs. Delia Ann Walker	Admin	A133	3550	x3000	delia.walker@nist.gov
	Administrative Officer	Mrs. Ruth E. Warnock	Admin	A133	3550	x3001	ruth.warnock@nist.gov
	Personnel Operations/Boulder	Mr. James R. Warren	1	4543	MC2	x6576	jwarren%hrd%masc@masc.noaa.gov
.02	Executive Resources, Classification, and Pay Administration	Mrs. Sheila Jones	Admin	A123	3550	x3036	sheila.jones@nist.gov
	Personnel Assistant	Mrs. Deborah A. Martin	Admin	A123	3550	x3039	deborah.martin@nist.gov
		Mrs. Theresa W. Shuggars	Admin	A123	3550	x3037	theresa.shuggars@nist.gov
.03	Labor Management/ Adverse Actions	Mrs. Angela M. Bolduc	Admin	A123	3550	x3041	angela.bolduc@nist.gov
	TA, NTIS	Mrs. Amy Cubert	Admin	A123	3550	x3006	amy.cubert@nist.gov
.04	Operations	Ms. Marcia J. Tremaine	Admin	A133	3550	x3005	marcia.tremaine@nist.gov
	Secretary	Mrs. Eva Goldberg	Admin	A133	3550	x3012	eva.goldberg@nist.gov
	Staffing	Ms. Alice M. Hajjar	Admin	A123	3550	x3031	alice.hajjar@nist.gov
	Payroll/Processing	Mrs. Janet M. Hoffman	Admin	A123	3550	x3185	janet.hoffman@nist.gov

3 Director of Administration

355 Human Resources Management Division

			Bldg	Room	Stop	Ext.	E-Mail
.04 Team Leader	Mrs. Louise G. Parrish	Admin	A123	3550	x3035		louise.parrish@nist.gov
2, 81	Mr. Eric M. Boyd	Admin	A123	3550	x3026		eric.boyd@nist.gov
47, 85	Mrs. Rosemary S. Plummer	Admin	A123	3550	x3047		rosemary.plummer@nist.gov
48, 82	Ms. JP Collington	Admin	A123	3550	x3032		janice.collington@nist.gov
84, NTIS, 62.05,.07	Ms. Kathy A. Yarmas	Admin	A123	3550	x3030		kathy.yarmas@nist.gov
Team Leader	Mrs. Rosemary A. Hormuth	Admin	A123	3550	x3033		rosemary.hormuth@nist.gov
5, TA	Mr. Jerry L. Chambers	Admin	A123	3550	x3022		jerry.chambers@nist.gov
NTIS, 62.01-.04	Mr. Landon Carter	Admin	A123	3550	x3042		landon.carter@nist.gov
89-895, 897, 898	Ms. Jeannie Chones	Admin	A123	3550	x3050		p.chones@nist.gov
83, 896	Mrs. Cheryl A. Hickie	Admin	A123	3550	x3040		cheryl.hickie@nist.gov
Team Leader	Mrs. Kathleen A. DelBalzo	Admin	A123	3550	x3021		kathleen.delbalzo@nist.gov
1, 320, 355	Mrs. Susan Greenhouse-Ettehadieh	Admin	A123	3550	x3049		susan.greenhouse@nist.gov
346, 354, 357	Mrs. Erin F. Ruitberg	Admin	A123	3550	x2280		erin.ruitberg@nist.gov
351, NTIS, 62.08	Mr. Robert B. London	Admin	A123	3550	x3020		robert.london@nist.gov
353, 86	Ms. Rita J. Moss	Admin	A123	3550	x2487		rita.moss@nist.gov
.05 Performance Management	Ms. Helena D. Inman	Admin	A123	3550	x3034		helena.inman@nist.gov
353, TA, NTIS	Mrs. Amy Cubert	Admin	A123	3550	x3006		amy.cubert@nist.gov
.06 Employee Development	Mrs. Patricia A. O'Connor	Admin	A41	3550	x3017		patricia.oconnor@nist.gov
	Mrs. Desiree D. Hanlein	Admin	A123	3550	x5368		desiree.hanlein@nist.gov
.07 Retirement/Health Benefits and Awards	Mrs. Marcia A. Robertson	Admin	A123	3550	x2157		marcia.robertson@nist.gov
Retirement/Health Benefits	Ms. Nancy E. Cool	Admin	A123	3550	x2231		nancy.cool@nist.gov

357 Acquisition and Assistance Division

Chief	Mr. Norman L. Osinski	S&P	B128	3570	x6348		norman.osinski@nist.gov
Secretary	Mrs. Elaine Rhodes	S&P	B128	3570	x6348		elaine.rhodes@nist.gov
Administrative Officer	Mrs. Raynel Wilder	S&P	B128	3570	x3838		raynel.wilder@nist.gov
.02 Procurement Data Base	Mr. Norman L. Osinski/Act/	S&P	B128	3570	x6348		norman.osinski@nist.gov
Small Business Specialist	Mr. Henry M. Levy	S&P	B149	3571	x6343		henry.levy@nist.gov
.03 Contracts Office	Ms. Phyllis A. Bower	S&P	B120	3572	x6336		phyllis.bower@nist.gov
.04 Grants Office	Mr. George W. White	S&P	B132	3573	x6328		george.white@nist.gov
.05 Purchasing Office	Mr. Nicholas J. D'Ascoli	S&P	B136	3571	x6302		nicholas.dascoli@nist.gov
.06 Supply	Mrs. Deborah K. Turner	S&P	B147	3574	x6360		deborah.turner@nist.gov
Property & Receiving	Mrs. Deborah K. Turner	S&P	B147	3574	x6360		deborah.turner@nist.gov
Supply & Traffic Management	Ms. Nettie L. Moment	S&P	B147	3574	x6354		nettie.moment@nist.gov

360 Boulder Executive Office

* Executive Officer	Ms. Paige L. Gilbert	1	4001	360.00	x3017		paige@boulder.nist.gov
* Secretary	Ms. Eileen Hinkle	1	4001	360.00	x3955		hinkle@boulder.nist.gov
Administrative Officer	Ms. Manuela O. Marquez	1	4001	360.00	x5528		marquez@boulder.nist.gov
* .04 Publications	Ms. Edie DeWeese	1	4006	360.00	x3319		edie@boulder.nist.gov
* .06 CARE, Tours, and Exhibits	Ms. Mary Brunner	1	4001	360.00	x5507		brunner@boulder.nist.gov
* .07 Special Services	Ms. Rosemary O'Connor	1	4003	360.07	x5238		roconnor@boulder.nist.gov

361 Technical Services Division

* Chief	Mr. Henry W. Tyler	4	1306	361.00	x3886		tyler@boulder.nist.gov
* Secretary	Ms. Barbara Boomershine	4	1300	361.00	x7343		boomersh@boulder.nist.gov
* Resource Manager	Mr. Gary J. Schow	4	1304	361.00	x5682		gschow@boulder.nist.gov
* Service Desk	Ms. Piroška Domby	4	1300	361.00	x3191		tsdhelp@boulder.nist.gov
* Project Scheduling:							
* Instrument Shops	Mr. Gunther W. Schulz	1	3336A	361.03	x5608		schulz@boulder.nist.gov
* Plant Services	Mr. Bryan L. Faktor	25	1401	361.02	x7841		faktor@boulder.nist.gov
* .01 Engineering	Mr. Paul R. Crowder	4	1200	361.01	x5660		crowder@boulder.nist.gov
* .02 Operations	Mr. Stephen S. Salber	25	1400	361.02	x5680		ssalber@boulder.nist.gov
*	Mr. Bryan L. Faktor	25	1401	361.02	x7841		faktor@boulder.nist.gov
* .03 Instrument Shops	Mr. James L. Boyd	1	3322	361.03	x3682		boyd@boulder.nist.gov

47 Advanced Technology Program

			Bldg	Room	Stop	Ext.	E-Mail
General Inquiries/Mail List	ATP Staff	Admin	A407	4701	x2636		atp@nist.gov
470 Director's Office, Advanced Technology Program							
Director	Dr. Lura J. Powell	Admin	A333	4700	x5187		lura.powell@nist.gov

47 Advanced Technology Program

470 Director's Office, Advanced Technology Program

		Bldg	Room	Stop	Ext.	E-Mail
Secretary	Mrs. Monica E. Mock	Admin	A333	4700	x4644	monica.mock@nist.gov
Deputy Director	Dr. Brian C. Belanger	Admin	A333	4700	x3778	brian.belanger@nist.gov
Secretary	Mrs. Mary Ellen Sullivan	Admin	A333	4700	x2162	mary.sullivan@nist.gov
Associate Director for Policy and Operations	Mr. Marc G. Stanley	Admin	A333	4700	x3975	marc.stanley@nist.gov
Senior Management Advisor	Mrs. Terri J. Talbott	Admin	A329	4702	x2306	terri.talbott@nist.gov
Secretary	Ms. Frances V. Michel	Admin	A325	4702	x4044	frances.michel@nist.gov
Administrative Officers:	Mrs. Louise D. Shannon	Admin	A327	4702	x2722	louise.shannon@nist.gov
	Ms. Pamela A. Wetzel	Admin	A327	4702	x4689	pamela.wetzel@nist.gov
.10 Document Control	Ms. Barbara Lambis	Admin	A333	4700	x4447	barbara.lambis@nist.gov
471 Economic Assessment Office						
Director	Ms. Rosalie T. Ruegg	Admin	A301	4710	x6135	rosalie.ruegg@nist.gov
472 Information Technology and Applications Office						
Director	Ms. Cita M. Furlani	Admin	A425	4720	x3543	cita.furlani@nist.gov
473 Chemistry and Life Sciences Office						
Director	Ms. Linda Beth Schilling	Admin	A229	4730	x2887	linda.schilling@nist.gov
474 Materials and Manufacturing Technology Office						
Director	Dr. John P. Gudas	Admin	A227	4730	x3214	john.gudas@nist.gov
475 Electronics and Photonics Technology Office						
Director	Dr. Al Sher	Admin	A423	4720	x4044	alvin.sher@nist.gov
476 Program and Information Management Office						
Director	Dr. Al Sher/Act/	Admin	A423	4720	x4044	alvin.sher@nist.gov
.10 Program Planning and Management	Dr. David S. King	Admin	A419	4720	x2369	david.king@nist.gov
.20 Information Resources	Dr. Al Sher/Act/	Admin	A423	4720	x4044	alvin.sher@nist.gov

48 Manufacturing Extension Partnership Program

		Bldg	Room	Stop	Ext.	E-Mail
General Inquiries	MEPP Staff	S&P	C100	4800	x5020	mepinfo@nist.gov
480 Director's Office, Manufacturing Extension Partnership Program						
Director	Mr. Kevin M. Carr	S&P	C105	4800	x5454	kevin.carr@nist.gov
Secretary	Mrs. Lillian L. Ware	S&P	A5	4800	x5454	lillian.ware@nist.gov
Deputy Director	Mr. Roger D. Kilmer	S&P	C103	4800	x4676	roger.kilmer@nist.gov
Secretary	Ms. Jennifer E. Marino	S&P	A6	4800	x4676	jennifer.marino@nist.gov
Senior Management Advisor	Mr. Lee Wells	S&P	C110	4800	x5577	lee.wells@nist.gov
Administrative Officers:	Mrs. Sandra C. Wean	S&P	C113	4800	x5510	sandra.wean@nist.gov
	Mrs. LaDonna K. Stutso	S&P	C113	4800	x4326	ladonna.stutso@nist.gov
.01 Information Systems Support	Mr. J. Michael Simpson	S&P	C154	4800	x6147	j.simpson@nist.gov
.02 Communications and Marketing Support	Ms. English J. Drews	S&P	C114	4800	x5041	english.drews@nist.gov
481 Regional Programs Office						
Director	Dr. Ruth A. Haines/Act/	S&P	C135	4800	x6454	ruth.haines@nist.gov
482 National Programs Office						
Director	Dr. Ruth A. Haines	S&P	C135	4800	x6454	ruth.haines@nist.gov
483 Program Development Office						
Director	Mr. J. Thomas Walker	S&P	B177	4801	x4176	twalker@mep.nist.gov

5 Chief Financial Officer

500 Office of the Chief Financial Officer

		Bldg	Room	Stop	Ext.	E-Mail
Chief Financial Officer	Dr. Robert E. Hebner/Act/	Admin	A1134	1000	x2300	robert.hebner@nist.gov
Deputy Chief Financial Officer	Mr. Thomas A. Gary	Admin	A702	5000	x5000	thomas.gary@nist.gov
Secretary	Vacant	Admin	A705	5000	x5000	
Senior Management Advisor	Vacant	Admin	A701	5000	x2394	
510 Budget Office						
Budget Officer	Mrs. Janet B. Miller/Act/	Admin	A1026	5100	x2669	janet.miller@nist.gov
Secretary	Vacant	Admin	A1026	5100	x3673	
.02 Formulation and Financial Management	Mrs. Janet B. Miller	Admin	A1023	5100	x2124	janet.miller@nist.gov

5 Chief Financial Officer

			City	Room	Stop	Ext.	E-Mail
510 Budget Office							
.02	Lead Analyst/Formulation	Mrs. Suzanne C.L. Evans	Admin	A931	5100	x2678	suzanne.evans@nist.gov
	Lead Analyst/Financial Management	Mr. H. Paul Cherny	Admin	A1019	5100	x2686	paul.cherny@nist.gov
.03	Technical and Extramural Programs	Ms. Donna L. Kline	Admin	A1022	5100	x2677	donna.kline@nist.gov
	Analyst EEEL/ATP	Ms. Donna L. Kline	Admin	A1022	5100	x2677	donna.kline@nist.gov
	Analyst MEPP/CSTL	Mrs. Christie C. Berman	Admin	A1029	5100	x3995	christie.berman@nist.gov
	Analyst BFRL/TS	Mrs. Nancy S. Parrish	Admin	A1029	5100	x2674	nancy.parrish@nist.gov
	Analyst PL/ITL/MEL	Mr. Patrick Hovis	Admin	A1029	5100	x4290	patrick.hovis@nist.gov
.04	Overhead and Facilities Programs	Mrs. Loretta L. Sylvester	Admin	A1025	5100	x2690	loretta.sylvester@nist.gov
	Analyst Facilities	Mrs. Loretta L. Sylvester	Admin	A1025	5100	x2690	loretta.sylvester@nist.gov
	Analyst DO/Quality/TS OH	Ms. Terri A. Summers	Admin	A1033	5100	x2683	terri.summers@nist.gov
	Analyst MSEL/CFO/MEL OH/ITL OH/TA	Mrs. Diane H. Holland	Admin	A1033	5100	x2676	diane.holland@nist.gov
	Analyst ADMIN	Ms. Tonia A. Nelson	Admin	A1033	5100	x2689	tonia.nelson@nist.gov
520 Office of the Comptroller							
	Comptroller	Mr. John C. McGuffin	Admin	A739	5200	x2291	john.mcguiffin@nist.gov
	Secretary	Mrs. Shelia Young	Admin	A738	5200	x2291	shelia.young@nist.gov
	Administrative Officer	Mrs. Lori A. Owens	Admin	A737	5200	x2292	lori.owens@nist.gov
	SATO	Mrs. Barbara Kulenek	Admin	A935	5201	x2281	sato@nist.gov
.01	Accounting and Reports	Mr. John Marrazzo	Admin	A736	5200	x4533	john.marrazzo@nist.gov
.02	Accounting Policy and Compliance	Mr. Neil Alderoty	Admin	A734	5200	x2289	neil.alderoty@nist.gov
.03	Advances and Receivables	Mr. Randy Angleberger	Admin	A809	5202	x2694	randy.angleberger@nist.gov
.04	Cost Accounting	Mr. John C. McGuffin/Act/	Admin	A739	5200	x2292	john.mcguiffin@nist.gov
.05	Travel	Mrs. Kendra S. Cole	Admin	A935	5201	x2745	kendra.cole@nist.gov
.06	Purchase Order Payments	Ms. Teresa Coppolino	Admin	A825	5203	x2249	teresa.coppolino@nist.gov
.07	Contracts/Miscellaneous Payments	Mr. John Quick	Admin	A826	5204	x2261	john.quick@nist.gov
.08	Financial Services	Mr. Harry Frizzell	Admin	A817	5200	x2292	harry.frizzell@nist.gov
530 Financial Management Systems Office							
	Chief	Mr. D. Michael Stogsdill	Admin	A709	5000	x2179	mike.stogsdill@nist.gov
	Secretary	Mrs. Nancy A. Gaynor	Admin	A705	5000	x5001	nancy.gaynor@nist.gov

81 Electronics and Electrical Engineering Laboratory

			Bldg	Room	Stop	Ext.	E-Mail
810 Electronics and Electrical Engineering Laboratory Office							
	Director	Mr. Judson C. French	Met	B352	8100	x2220	judson.french@nist.gov
	Secretary	Mrs. Jenilie C. Palla	Met	B358	8100	x2220	jenilie.palla@nist.gov
	Deputy Director	Dr. Alan H. Cookson/Act/	Met	B360	8100	x2220	alan.cookson@nist.gov
	Secretary	Ms. Linda L. Sacchet	Met	B358	8100	x2220	linda.sacchet@nist.gov
	Associate Director	Vacant	Met	B364	8103	x4230	
	Secretary	Mrs. Brenda Thomasson	Met	B366	8103	x2220	brenda.thomasson@nist.gov
	Senior Management Advisor	Mr. James A. Hormuth	Met	B370	8103	x2228	james.hormuth@nist.gov
	Administrative Officers:						
	810	Mrs. Darlene J. Hamilton	Met	B368	8103	x2227	darlene.hamilton@nist.gov
	811	Mrs. Margie I. Johnson	Met	B168	8110	x2229	margie.johnson@nist.gov
	812	Mrs. Marilyn T. Greenhouse	Tech	B340	8120	x2230	marilyn.greenhouse@nist.gov
*	813	Mrs. Gaynel K. Andrusko	1	4070B	813.00	x3813	gandrusko@nist.gov
*	814	Ms. Jeanne L. Schump	1	4062A	814.00	x3812	jeanne.schump@nist.gov
*	815	Mrs. Kathy S. McColskey	1	3068	815.00	x3288	kmccolskey@nist.gov
.01	Office of Microelectronics Programs	Mr. Robert I. Scace	Tech	A319	8101	x4400	robert.scace@nist.gov
.02	Office of Law Enforcement Standards	Ms. Kathleen M. Higgins	Tech	A325	8102	x2757	kathleen.higgins@nist.gov
811 Electricity Division							
	Chief	Dr. William E. Anderson	Met	B168	8110	x2400	william.anderson@nist.gov
.02	Electronic Instrumentation and Metrology	Mr. Barry A. Bell	Met	B160	8111	x2402	barry.bell@nist.gov
.04	Fundamental Electrical Measurements	Dr. Michael H. Kelley	Met	B254	8112	x2139	michael.kelley@nist.gov
.05	Electrical Systems	Dr. James K. Olthoff	Met	B346	8113	x2431	james.olthoff@nist.gov
.06	Electronic Information Technologies	Mr. James A. St.Pierre/Act/	Tech	B128	8114	x4124	james.st.pierre@nist.gov

81 Electronics and Electrical Engineering Laboratory

812 Semiconductor Electronics Division

			Blgd	Room	Stop	Ext.	E-Mail
	Chief	Dr. David G. Seiler	Tech	B342	8120	x2054	david.seiler@nist.gov
.01	Materials Technology	Dr. Thomas J. Shaffner	Tech	A303	8121	x5974	thomas.shaffner@nist.gov
.03	Device Technology	Dr. Allen R. Hefner/Act/	Tech	B314	8122	x2071	allen.hefner@nist.gov
.04	Integrated Circuits Technology	Mr. Loren W. Linholm	Tech	B358	8123	x2052	loren.linholm@nist.gov

813 Radio-Frequency Technology Division

*	Chief	Dr. Dennis Friday	1	4066B	813.00	x3131	friday@boulder.nist.gov
*	.01 Radio-Frequency Electronics	Mr. Robert M. Judish	1	4609	813.01	x3380	rjudish@nist.gov
*	.02 Radio-Frequency Fields	Dr. Andrew G. Repjar	1	4643A	813.02	x5703	arepjar@nist.gov

814 Electromagnetic Technology Division

*	Chief	Dr. Richard E. Harris	1	4071	814.00	x3776	richard.harris@nist.gov
*	.03 Cryoelectronic Metrology	Vacant	1	4069	814.03	x3776	
*	.05 Superconductors and Magnetic Measurements	Vacant	1	4069	814.05	x3776	

815 Optoelectronics Division

*	Chief	Dr. Gordon W. Day	1	3064	815.00	x5204	gday@boulder.nist.gov
*	.01 Sources and Detectors	Mr. Thomas R. Scott	1	3544	815.01	x3651	tscott@boulder.nist.gov
*	.02 Fiber and Integrated Optics	Dr. Paul A. Williams/Act/	1	3071	815.02	x3805	pwilliams@boulder.nist.gov
*	.03 Optical Components	Dr. Sarah Gilbert	2	0125	815.03	x3120	sgilbert@boulder.nist.gov
*	.04 Optoelectronic Manufacturing	Dr. Robert K. Hickernell	1	3003	815.04	x3455	rhickernell@nist.gov

82 Manufacturing Engineering Laboratory

820 Manufacturing Engineering Laboratory Office

			Blgd	Room	Stop	Ext.	E-Mail
	Director	Dr. Richard H.F. Jackson	Met	B326	8200	x3400	richard.jackson@nist.gov
	Secretary	Mrs. Barbara J. Horner	Met	B322	8200	x3400	barbara.horner@nist.gov
	Deputy Director	Mr. Howard M. Bloom	Met	B320	8200	x3401	howard.bloom@nist.gov
	Secretary	Mrs. Mary Lou Norris	Met	B322	8200	x3401	mnorris@nist.gov
	Senior Management Advisor	Mr. Michael B. Schmitt	Met	B304	8201	x3402	michael.schmitt@nist.gov
	Administrative Assistant	Vacant	Met	B306	8201	x3402	
	Administrative Officers:						
	821	Ms. Christie Kemp	Met	A107	8210	x3408	christie.kemp@nist.gov
	822	Mrs. Wanda Eader	Met	B312	8201	x3410	wanda.eader@nist.gov
	823	Mrs. Linda Beavers	Met	B312	8201	x3406	linda.beavers@nist.gov
	826	Mrs. Laurie Watkins	Met	B316	8201	x3407	laurie.watkins@nist.gov
.03	Office of Manufacturing Programs	Mr. Mark E. Luce	Met	A325	8202	x6100	mark.luce@nist.gov

821 Precision Engineering Division

	Chief	Dr. Dennis A. Swyt	Met	A111	8210	x3463	dennis.swyt@nist.gov
.11	Large-Scale Coordinate Metrology	Mr. Charles J. Fronczek	Met	B104	8211	x4079	charles.fronczek@nist.gov
.12	Engineering Metrology	Dr. Howard H. Harary	Met	B114	8211	x3485	howard.harary@nist.gov
.13	Surface and Microform Metrology	Dr. Theodore V. Vorburger	Met	A115	8212	x3493	theodore.vorburger@nist.gov
.14	Nano-Scale Metrology	Dr. Michael T. Postek	Met	A119	8212	x2299	michael.postek@nist.gov

822 Automated Production Technology Division

	Chief	Dr. E. Clayton Teague	Sound	B110	8220	x6600	clayton.teague@nist.gov
.01	Acoustics, Mass, and Vibrations	Dr. Donald G. Eitzen	Sound	A145	8221	x6624	donald.eitzen@nist.gov
.03	Ultrasonic Standards	Dr. Gerald V. Blessing	Sound	A149	8221	x6627	gblessing@nist.gov
.05	Sensor Systems	Dr. Alkan Donmez	Sound	A101	8220	x6618	m.donmez@nist.gov
.06	Sensor Integration	Mr. Kang Lee	Sound	B104	8220	x6604	kang.lee@nist.gov
.07	Force	Dr. Simone Yaniv	Sound	B106	8220	x4851	simone.yaniv@nist.gov

823 Intelligent Systems Division

	Chief	Dr. James S. Albus	Met	B126	8230	x3418	james.albus@nist.gov
.11	Machine Systems	Mr. Thomas Wheatley/Act/	Met	B170	8230	x3449	thomas.wheatly@nist.gov
.12	Control Systems	Mr. Frederick Proctor	Met	B128	8230	x3425	frederick.proctor@nist.gov
.13	Systems Integration	Mr. Maris Juberts	Met	B120	8230	x3422	maris.juberts@nist.gov
.14	Perception Systems	Dr. James S. Albus/Act/	Met	B126	8230	x3418	james.albus@nist.gov
.15	Knowledge Systems	Ms. Elena Messina	Met	B154	8230	x3510	elena.messina@nist.gov

825 Fabrication Technology Division

	Chief	Mr. Richard Rhorer	Shops	137	8250	x6504	richard.rhorer@nist.gov
	Administrative Officer	Ms. Judith Eyster	Shops	135	8250	x6507	judith.eyster@nist.gov
	Apprentice Program	Mr. John Evans	Shops	128	8250	x6515	john.evans@nist.gov

82 Manufacturing Engineering Laboratory

Bldg Room Stop Ext. E-Mail

825 Fabrication Technology Division

Glassblowing	Mr. Richard Rhorer/Act/	Shops	137	8250	x6530	richard.rhorer@nist.gov
Grinding and EDM Shop	Mr. Dana Strawbridge	Shops	155	8250	x6517	dana.strawbridge@nist.gov
Special Shops	Mr. John Evans	Shops	128	8250	x6515	john.evans@nist.gov
Optical Shop	Mr. Richard Rhorer/Act/	Shops	137	8250	x6514	richard.rhorer@nist.gov
Planning and Estimating	Mr. Kenneth Wiltshire	Shops	134	8250	x6511	kenneth.wiltshire@nist.gov
Tool Crib	Mr. Richard Rhorer/Act/	Shops	137	8250	x6525	richard.rhorer@nist.gov
Metal Storeroom	Mr. Richard Rhorer/Act/	Shops	137	8250	x6526	richard.rhorer@nist.gov
Central Shop	Mr. Dana Strawbridge	Shops	155	8250	x6517	dana.strawbridge@nist.gov
Sheet Metal and Welding Shop	Mr. Dana Strawbridge	Shops	155	8250	x6517	dana.strawbridge@nist.gov

826 Manufacturing Systems Integration Division

Chief	Dr. Steven R. Ray	Met	A129	8260	x3508	steven.ray@nist.gov
.01 Applied Systems	Mr. Neil B. Christopher	Met	A355	8260	x3888	neil.christopher@nist.gov
.02 Manufacturing Standards Methodology	Mr. Simon Frechette/Act/	Met	A127	8260	x3335	simon.frechette@nist.gov
.03 Manufacturing Collaboration Technologies	Mr. James E. Fowler/Act/	Met	A245	8260	x3180	james.fowler@nist.gov
.04 Engineering Design Technologies	Dr. Ram Sriram	Met	A353	8262	x3507	ram.sriram@nist.gov
.05 National PDES Testbed and Apparel Technologies	Ms. Sharon J. Kemmerer/Act/	Met	A125	8260	x3508	sharon.kemmerer@nist.gov
.06 Manufacturing Systems Engineering	Mr. Charles R. McLean	Met	A131	8260	x3511	charles.mclean@nist.gov
.07 Systems Integration and Manufacturing Applications	Mr. James E. Fowler	Met	A245	8260	x3180	james.fowler@nist.gov

83 Chemical Science and Technology Laboratory

Bldg Room Stop Ext. E-Mail

830 Chemical Science and Technology Laboratory Office

Director	Dr. Hratch G. Semerjian	Chem	A311	8300	x3145	hratch.semerjian@nist.gov
Secretary	Mrs. Nancy T. Miles	Chem	A317	8300	x3143	nancy.miles@nist.gov
Deputy Director	Dr. William F. Koch	Chem	A319	8300	x3146	william.koch@nist.gov
Secretary	Vacant	Chem	A317	8300	x3144	
Associate Director	Dr. James R. Whetstone	Chem	A309	8300	x2738	james.whetstone@nist.gov
* Assistant Director for Boulder	Dr. Mickey Haynes	2	2004	838.00	x3247	haynes@boulder.nist.gov
* Secretary	Mrs. Becky A. Stevenson	2	2000	838.00	x3220	becky@boulder.nist.gov
Senior Management Advisor	Mr. Robert F. Martin	Chem	B306	8301	x4501	robert.martin@nist.gov
Secretary	Ms. Lori A. Maloy	Chem	B308	8301	x4501	lori.maloy@nist.gov
Administrative Officers:						
830, 837	Mrs. Naomi M. Crockett	Chem	B314	8301	x3147	naomi.crockett@nist.gov
831	Mrs. Arlene Halich	Chem	B316	8301	x2129	arlene.halich@nist.gov
836	Mrs. Susan L. Johnson	Chem	B320	8301	x2630	susan.johnson@nist.gov
838	Mrs. Barbara W. Shipe	Chem	B318	8301	x2632	barbara.shipe@nist.gov
* 838	Ms. Beverly J. Armstrong	2	2005	838.00	x3868	beverly@boulder.nist.gov
839	Mrs. Sharon W. Cook	Chem	B312	8301	x4514	sharon.cook@nist.gov

831 Biotechnology Division

Chief	Dr. Gary L. Gilliland	Chem	A343	8310	x2629	gary.gilliland@nist.gov
.01 DNA Technologies	Dr. Dennis J. Reeder	Chem	A351	8311	x3128	dennis.reeder@nist.gov
.02 Bioprocess Engineering	Dr. Vincent L. Vilker	Phy	B364	8311	x5066	vincent.vilker@nist.gov
.03 Structural Biology	Dr. Edward A. Eisenstein	CARB	237	8310	738-6244	edward.eisenstein@nist.gov
.04 Biomolecular Materials	Dr. Anne L. Plant	Chem	A243	8311	x3124	anne.plant@nist.gov

836 Process Measurements Division

Chief	Dr. Gregory J. Rosasco	Phy	B304	8360	x2609	gregory.rosasco@nist.gov
.01 Fluid Flow	Dr. George E. Mattingly	FM	103	8361	x5939	george.mattingly@nist.gov
.02 High Temperature Processes	Dr. Cary Presser	Phy	B310	8360	x2612	cary.presser@nist.gov
.03 Reacting Flows	Dr. Ronald W. Davis/Act/	Phy	B308	8360	x2739	ronald.davis@nist.gov
.04 Process Sensing	Dr. Michael J. Tarlov	Phy	A305	8362	x2058	michael.tarlov@nist.gov
.05 Thermometry	Dr. Billy W. Mangum	Phy	B130	8363	x4808	billy.mangum@nist.gov
.06 Pressure and Vacuum	Dr. Albert Lee	Met	A53	8364	x2857	albert.lee@nist.gov

837 Surface and Microanalysis Science Division

Chief	Dr. Rance A. Velapoldi	Chem	B362	8370	x3917	rance.velapoldi@nist.gov
.01 Atmospheric Chemistry	Dr. R. Michael Verkouteren	Chem	B162	8372	x3933	r.verkouteren@nist.gov

83 Chemical Science and Technology Laboratory

Bldg Room Stop Ext. E-Mail

837 Surface and Microanalysis Science Division

.02	Microanalysis Research	Dr. John A. Small/Act/	Chem	A143	8371	x3900	john.small@nist.gov
.03	Surface Dynamical Processes	Dr. Richard R. Cavanagh	Phy	B52	8372	x2368	richard.cavanagh@nist.gov
.05	Analytical Microscopy	Dr. David S. Simons	Chem	A117	8371	x3903	david.simons@nist.gov

838 Physical and Chemical Properties Division

	Chief	Dr. Richard F. Kayser	Phy	A109	8380	x2483	richard.kayser@nist.gov
*	.01	Process Separations	Dr. Thomas J. Bruno	2	1108	838.01	x5158 bruno@boulder.nist.gov
	.03	Fluid Science	Dr. Michael R. Moldover	Phy	A013	8380	x2459 michael.moldover@nist.gov
	.04	Experimental Kinetics and Thermodynamics	Dr. Robert E. Huie	Chem	A257	8381	x2559 robert.huie@nist.gov
	.05	Chemical Reference Data and Modeling	Dr. Gary Mallard	Phy	A355	8380	x2564 gary.mallard@nist.gov
	.06	Computational Chemistry	Dr. Walter J. Stevens	Chem	A147	8380	x5968 walter.stevens@nist.gov
*	.07	Experimental Properties of Fluids	Dr. Richard A. Perkins	2	1311	838.07	x5499 perkins@boulder.nist.gov
*	.08	Theory and Modeling of Fluids	Dr. Daniel G. Friend	2	1014	838.08	x5424 dfriend@boulder.nist.gov
*	.09	Cryogenic Technologies	Dr. Ray Radebaugh	2	2022A	838.09	x3710 radebaugh@boulder.nist.gov

839 Analytical Chemistry Division

	Chief	Dr. Willie E. May	Chem	B160	8390	x3108	willie.may@nist.gov
.01	Spectrochemical Methods	Dr. John D. Fassett	Phy	B26	8391	x4109	john.fassett@nist.gov
.02	Organic Analytical Methods	Dr. Stephen A. Wise	Chem	B206	8392	x3112	stephen.wise@nist.gov
.03	Gas Metrology and Classical Methods	Dr. Franklin R. Guenther	Chem	B328	8393	x3939	franklin.guenther@nist.gov
.04	Chemical Sensing and Automation Technology	Dr. Gary W. Kramer	Chem	A211	8394	x4132	gary.kramer@nist.gov
.05	Nuclear Methods	Dr. Robert R. Greenberg	React	B109	8395	x6285	robert.greenberg@nist.gov

84 Physics Laboratory

Bldg Room Stop Ext. E-Mail

840 Physics Laboratory Office

	Director	Dr. Katharine B. Gebbie	Phy	B160	8400	x4201	katharine.gebbie@nist.gov
	Secretary	Mrs. Anita K. Sweigert	Phy	B160	8400	x4200	anita.sweigert@nist.gov
	Deputy Director	Dr. William R. Ott	Phy	B160	8400	x4202	william.ott@nist.gov
	Secretary	Mrs. Vicki L. Glennie	Phy	B160	8400	x4203	vicki.glennie@nist.gov
	Senior Management Advisor	Mrs. JoAnn L. Beck	Phy	B152	8400	x4212	joann.beck@nist.gov
	Administrative Officers:						
	840, 844	Mrs. Karen J. Combs	Phy	B148	8400	x4210	karen.combs@nist.gov
	841, 842	Mrs. Karen A. Haugh	Phy	B150	8400	x4211	karen.haugh@nist.gov
	846	Mrs. Mary Anne Dewese	RadP	C225	8460	x6095	mary.dewese@nist.gov
*	847	Mr. John A. Wessels	1	4043	847.00	x5634	jwessels@nist.gov
*	848	Mr. W. Pat McInerny	JILA	A230	848.00	x7786	mcinerny@jnov.colorado
	Computer Specialist	Mrs. Terri Gladhill	RadP	C221	8400	x4048	terri.gladhill@nist.gov
.01	Fundamental Constants Data Center	Dr. Barry N. Taylor	Tech	B158	8401	x4220	barry.taylor@nist.gov
.02	Office of Electronic Commerce in Scientific and Engineering Data	Dr. Edward B. Saloman	Tech	B154	8401	x5554	edward.saloman@nist.gov

841 Electron and Optical Physics Division

	Chief	Dr. Charles W. Clark	RadP	B100	8410	x3709	charles.clark@nist.gov
.01	Photon Physics	Dr. Thomas B. Lucatorto	Phy	A243	8410	x3734	thomas.lucatorto@nist.gov
.02	Far UV Physics	Mr. Andrew D. Hamilton/Act/	RadP	B113	8411	x6381	andrew.hamilton@nist.gov
.03	Electron Physics	Dr. Robert J. Celotta	Met	B210	8412	x3710	robert.celotta@nist.gov

842 Atomic Physics Division

	Chief	Dr. Wolfgang L. Wiese	Phy	A265	8420	x3200	wolfgang.wiese@nist.gov
.01	Atomic Spectroscopy	Dr. William C. Martin	Phy	A165	8421	x3213	wmartin@nist.gov
.02	Quantum Processes	Dr. Paul S. Julienne	Phy	A261	8423	x2596	paul.julienne@nist.gov
.03	Plasma Radiation	Dr. James R. Roberts	Phy	A161	8421	x3225	james.roberts@nist.gov
.04	Laser Cooling and Trapping	Dr. William D. Phillips	Phy	A153	8424	x6554	william.phillips@nist.gov
.05	Quantum Metrology	Dr. Richard D. Deslattes	Phy	A151	8422	x4841	richard.deslattes@nist.gov

844 Optical Technology Division

	Chief	Dr. Albert C. Parr	Phy	A203	8440	x2316	albert.parr@nist.gov
.03	Optical Temperature and Source	Mr. Robert D. Saunders	Phy	B210	8441	x2355	robert.saunders@nist.gov
.04	Optical Properties and Infrared Technology	Dr. Raju V. Datta	Phy	B268	8441	x2131	raju.datta@nist.gov

84 Physics Laboratory

Bldg Room Stop Ext. E-Mail

844 Optical Technology Division

.05	Optical Sensor	Dr. Albert C. Parr/Act/	Met	A303	8442	x2319	albert.parr@nist.gov
.06	Laser Applications	Dr. John C. Stephenson	Phy	B206	8441	x2372	john.stephenson@nist.gov
.07	Spectroscopic Applications	Dr. Richard D. Suenram	Phy	B264	8441	x2165	richard.suenram@nist.gov

846 Ionizing Radiation Division

	Chief	Dr. Bert M. Coursey	RadP	C235	8460	x5584	bert.coursey@nist.gov
.02	Radiation Interactions and Dosimetry	Mr. Stephen M. Seltzer	RadP	C227	8460	x5552	s.seltzer@nist.gov
.03	Neutron Interactions and Dosimetry	Dr. David M. Gilliam	React	A157	8461	x6206	david.gilliam@nist.gov
.04	Radioactivity	Dr. Lisa R. Karam	RadP	C118	8462	x5561	lisa.karam@nist.gov

847 Time and Frequency Division

*	Chief	Dr. Donald B. Sullivan	1	4036	847.00	x3772	dsullivan@nist.gov
*	Phase Noise Measurement	Dr. Fred L. Walls	1	4041	847.00	x3207	walls@boulder.nist.gov
*	Laser Spectroscopy	Dr. Ken Evenson	1	3530	847.00	x5129	evenson@boulder.nist.gov
*	Network Synchronization	Dr. Judah Levine	JILA	S266	847.00	x3903	jlevine@boulder.nist.gov
*	Local Oscillators	Dr. Robert Drullinger	1	3536	847.00	x3183	rdrullinger@boulder.nist.gov
*	Ft. Collins Station	Mr. Matt Deutch	Ft.C.	-----	847.40	x3914	deutch@nist.gov
	Hawaii Station	Mr. Dean T. Okayama	Kauai	(Phone # 808-335-4361)			dokayama@leka.pmr.f.navy.mil
*.10	Ion Storage	Dr. David J. Wineland	1	121	847.10	x5286	dwineland@nist.gov
*.40	Time and Frequency Services	Mr. D. Wayne Hanson	1	4035	847.40	x5233	dhanson@nist.gov
*.50	Atomic Standards	Dr. Thomas Parker	1	4023	847.50	x7881	tparker@boulder.nist.gov
*.80	Optical Frequency Measurements	Dr. Leo Hollberg	1	3532	847.80	x5770	hollberg@nist.gov

848 Quantum Physics Division

*	Chief	Dr. James E. Faller/Act/	JILA	A232	848.00	x6807	fallerj@jila.colorado.edu
---	-------	--------------------------	------	------	--------	-------	---------------------------

85 Materials Science and Engineering Laboratory

Bldg Room Stop Ext. E-Mail

850 Materials Science and Engineering Laboratory Office

	Director	Dr. Leslie E. Smith	Matls	B304	8500	x5658	leslie.smith@nist.gov
	Secretary	Mrs. Linda L. Leaman	Matls	B310	8500	x5658	linda.leaman@nist.gov
	Deputy Director	Dr. Dale E. Hall	Matls	B314	8500	x5658	dale.hall@nist.gov
	Secretary	Ms. Karen L. Barkley	Matls	B310	8500	x5658	karen.barkley@nist.gov
	Scientific Advisors to the Director:	Dr. Kenneth Jewett	Matls	B316	8500	x2608	kenneth.jewett@nist.gov
		Mrs. Cynthia K. Montgomery	Matls	B358	8500	x2955	cynthia.montgomery@nist.gov
	Senior Management Advisor	Ms. Marlene Taylor	Matls	A303	8501	x5653	marlene.taylor@nist.gov
	Administrative Officers:						
	850, 851	Mrs. Patty L. Salpino	Matls	A309	8501	x5731	patty.salpino@nist.gov
	852	Mrs. Wanda F. Warshaw	Matls	A251	8520	x6125	wanda.warshaw@nist.gov
*	853	Ms. Joyce E. Smith	2	1605	853.00	x7380	jsmith@micf.nist.gov
	854	Ms. Sonja C. Lightbody	Poly	A313	8540	x6764	sonja.lightbody@nist.gov
	855	Mrs. Marian L. Fleming	Matls	B260	8550	x5962	marian.fleming@nist.gov
	856	Mrs. Denise A. Sullivan	React	A106	8560	x5831	denise.sullivan@nist.gov

851 Office of Intelligent Processing of Materials

	Chief	Dr. Dale E. Hall/Act/	Matls	B314	8500	x5658	dale.hall@nist.gov
--	-------	-----------------------	-------	------	------	-------	--------------------

852 Ceramics Division

	Chief	Dr. Stephen W. Freiman	Matls	A257	8520	x6119	stephen.freiman@nist.gov
.01	Powder Synthesis and Characterization	Mr. Stanley Dapkunas/Act/	Matls	A261	8520	x4489	stanley.dapkunas@nist.gov
.02	Mechanical Properties	Dr. Edwin Fuller	Matls	A325	8521	x5795	edwin.fuller@nist.gov
.03	Phase Equilibria	Dr. Terrell Vanderah	Matls	B214	8522	x5785	terrell.vanderah@nist.gov
.04	Film Characterization and Properties	Dr. Grady White	Matls	A217	8522	x5752	grady.white@nist.gov
.06	Materials Microstructural Characterization	Dr. Gabrielle Long	Matls	A161	8523	x5975	gabrielle.long@nist.gov
.07	Surface Properties	Dr. Stephen Hsu	Matls	A265	8520	x6120	stephen.hsu@nist.gov
.08	Data Technologies	Mr. Stanley J. Dapkunas	Matls	A253	8520	x6119	stanley.dapkunas@nist.gov

853 Materials Reliability Division

*	Chief	Dr. Harry I. McHenry	2	1601A	853.00	x3268	mchenry@micf.nist.gov
*.05	Materials Characterization	Dr. George A. Alers/Act/	2	1801	853.05	x7899	alers@boulder.nist.gov
*.06	Process Sensing and Modeling	Dr. George A. Alers	2	1613	853.06	x7899	alers@boulder.nist.gov
*.07	Structural Materials	Dr. Thomas A. Siewert	2	1609	853.07	x3523	siewert@micf.nist.gov
*.08	Materials Evaluation	Dr. Fred R. Fickett	2	1003	853.08	x3785	fickett@boulder.nist.gov

85 Materials Science and Engineering Laboratory

			Bldg	Room	Stop	Ext.	E-Mail
854 Polymers Division							
Chief	Dr. Bruno Fanconi/Act/	Poly	A303	8540	x6762	bruno.fanconi@nist.gov	
.11 Electronics Applications	Dr. Wen-li Wu	Poly	B324	8541	x6839	wen-li.wu@nist.gov	
.12 Blends and Processing	Dr. Eric J. Amis	Poly	B214	8542	x6681	eric.amis@nist.gov	
.13 Polymer Composites	Dr. Richard S. Parnas	Poly	B106	8543	x5805	richard.parnas@nist.gov	
.14 Structure and Mechanics	Dr. Gregory B. McKenna	Poly	A207	8544	x6752	gregory.mckenna@nist.gov	
.15 Polymer Characterization	Dr. Bruno Fanconi	Poly	A303	8541	x6762	bruno.fanconi@nist.gov	
.16 Dental and Medical Materials	Dr. Francis W. Wang	Poly	A145	8545	x6726	francis.wang@nist.gov	
855 Metallurgy Division							
Chief	Dr. Carol A. Handwerker	Mats	B262	8550	x6158	carol.handwerker@nist.gov	
.10 Electrochemical Processing	Dr. Gery R. Stafford	Poly	B164	8551	x6412	gery.stafford@nist.gov	
.11 Magnetic Materials	Dr. Robert D. Shull	Mats	B150	8552	x6035	robert.shull@nist.gov	
.12 Materials Performance	Dr. Robert J. Schaefer/Act/	Mats	B268	8553	x5961	robert.schaefer@nist.gov	
.13 Materials Structure and Characterization	Dr. Frank W. Gayle	Mats	B162	8554	x6161	frank.gayle@nist.gov	
.14 Metallurgical Processing	Dr. John R. Manning	Mats	A149	8555	x6157	manning@nist.gov	
856 NIST Center for Neutron Research							
Director	Dr. J. Michael Rowe	React	A104	8560	x6210	mike.rowe@nist.gov	
.01 Reactor Operations and Engineering	Mr. Tawfik M. Raby	React	A148	8561	x6257	tawfik.raby@nist.gov	
.02 Neutron-Condensed Matter Science	Dr. John J. Rush	React	E101	8562	x6231	john.rush@nist.gov	
.03 Research Facility Operations	Dr. Patrick D. Gallagher	React	E127	8562	x4191	patrick.gallagher@nist.gov	

86 Building and Fire Research Laboratory

			Bldg	Room	Stop	Ext.	E-Mail
860 Building and Fire Research Laboratory Office							
Director	Dr. Richard N. Wright	BR	B222	8600	x5900	richard.wright@nist.gov	
Secretary	Mrs. Gail Crum	BR	B218	8600	x5900	edith.crum@nist.gov	
Deputy Director	Dr. Jack E. Snell	BR	B212	8600	x6850	jack.snell@nist.gov	
Secretary	Mrs. Deborah M. Cramer	BR	B216	8600	x6850	deborah.cramer@nist.gov	
Associate Director for Construction and Building	Dr. Andrew J. Fowell	BR	B254	8601	x6865	andrew.fowell@nist.gov	
Secretary	Mrs. Alana D. Glover	BR	B250	8601	x6852	alana.glover@nist.gov	
Manager, Standards and Codes Services	Mr. Joel P. Zingesser	BR	B256	8601	x4630	joel.zingesser@nist.gov	
Senior Management Advisor	Mrs. Karen B. Perry	BR	B206	8602	x5910	karen.perry@nist.gov	
Administrative Assistant	Mrs. Sharon L. Rinehart	BR	B206	8602	x5876	sharon.rinehart@nist.gov	
Administrative Officers:							
860, 864	Mrs. Sonya M. Parham	BR	B206	8602	x6854	sonya.cherry@nist.gov	
861, 865	Vacant	BR	B206	8602	x5910		
862, 863	Ms. Tina M. Faecke	BR	B206	8602	x5911	tina.faecke@nist.gov	
.01 Office of Applied Economics	Dr. Harold E. Marshall	BR	B224	8603	x6131	harold.marshall@nist.gov	
Secretary	Mrs. Sandra L. Kelley	BR	B226	8603	x6132	sandy.kelley@nist.gov	
.99 Office of Technology Transfer	Mr. Noel J. Raufaste	BR	B248	8601	x5905	noel.raufaste@nist.gov	
861 Structures Division							
Chief	Dr. S. Shyam-Sunder	BR	B164	8610	x6061	sunder@nist.gov	
.01 Structural Evaluation and Standards	Dr. Nicholas Carino	BR	B162	8611	x6063	ncarino@nist.gov	
.02 Structural Systems and Design	Dr. John Gross	BR	B154	8611	x6068	john.gross@nist.gov	
.04 Construction Metrology and Automation	Dr. William Stone	BR	B148	8611	x6075	wstone@nist.gov	
862 Building Materials Division							
Chief	Dr. Geoffrey J. Frohnsdorff	BR	B370	8620	x6706	geoffrey.frohnsdorff@nist.gov	
.01 Organic Building Materials	Dr. Jonathan W. Martin	BR	B344	8621	x6717	jonathan.martin@nist.gov	
.02 Inorganic Building Materials	Dr. James R. Clifton	BR	B350	8621	x6707	james.clifton@nist.gov	
.04 Construction Materials Reference Laboratories	Mr. James H. Pielert	BR	A367	8622	x6704	james.pielert@nist.gov	
863 Building Environment Division							
Chief	Dr. James E. Hill	BR	B304	8630	x5851	james.hill@nist.gov	
.01 Thermal Machinery	Dr. Piotr A. Domanski	BR	B116	8631	x5877	piotr.domanski@nist.gov	
.02 Mechanical Systems and Controls	Dr. George E. Kelly	BR	B112	8631	x5870	george.kelly@nist.gov	
.04 Heat Transfer	Dr. A. Hunter Fanney	BR	B322	8632	x5864	hunter.fanney@nist.gov	

86 Building and Fire Research Laboratory

			Bldg	Room	Stop	Ext.	E-Mail
863 Building Environment Division							
.05	Computer Integrated Construction	Dr. Kent A. Reed	BR	B308	8630	x5852	kent.reed@nist.gov
.06	Indoor Air Quality and Ventilation	Dr. Andrew K. Persily	BR	A315	8633	x6418	andrew.persily@nist.gov
864 Fire Safety Engineering Division							
	Chief	Dr. David D. Evans	Poly	B248	8640	x6863	dave.evans@nist.gov
.07	Large Fire Research	Mr. Daniel Madrzykowski	Poly	B347	8641	x6677	daniel.madrzykowski@nist.gov
.08	Fire Modeling and Applications	Dr. Walter W. Jones	Poly	A251	8642	x6887	wwj@nist.gov
865 Fire Science Division							
	Chief	Dr. Richard G. Gann	Poly	B254	8650	x6864	richard.gann@nist.gov
.01	Smoke Dynamics Research	Dr. William M. Pitts	Poly	B126	8651	x6486	william.pitts@nist.gov
.03	Fire Sensing and Extinguishment	Dr. William L. Grosshandler	Poly	B358	8651	x2310	william.grosshandler@nist.gov
.04	Materials Fire Research	Dr. Takashi Kashiwagi	Poly	B264	8652	x6699	takashi.kashiwagi@nist.gov

89 Information Technology Laboratory

			Bldg	Room	Stop	Ext.	E-Mail
890 Information Technology Laboratory Office							
	Director	Dr. Shukri Wakid	Tech	B264	8900	x2900	swakid@nist.gov
	Secretary	Mrs. Sylvia J. Golden	Tech	B264	8900	x2900	sylvia.golden@nist.gov
	Deputy Director	Dr. Paul D. Domich/Act/	Tech	B264	8900	x2900	domich@nist.gov
	Secretary	Mrs. Ann R. Rickerds	Tech	B264	8900	x2900	ann@nist.gov
	Associate Director for Program Implementation	Mr. R. J.(Jerry) Linn	NN	603	8901	x3624	jerry.linn@nist.gov
	Secretary	Mrs. Gerlinde Harr	NN	601	8901	x2901	gerlinde.harr@nist.gov
	Special Advisor for Computing Security Operations	Mr. Robert Raybold	NN	605	8901	x3834	robert.raybold@nist.gov
	Senior Management Advisor	Mrs. Kathleen M. Roberts/Act/	NN	615	8902	x2982	kathleen.roberts@nist.gov
	Secretary	Mrs. Kaye Wade	NN	616	8902	x2824	kaye.wade@nist.gov
	Administrative Officers:						
	890	Mrs. Patricia R Osti	NN	621	8902	x2736	posti@nist.gov
	891, 898	Mrs. Betty I. Van Lowe	NN	627	8902	x2191	elizabeth.vanlowe@nist.gov
	892, 897	Mrs. Pamela A. Davis	NN	612	8902	x2735	pamela.davis@nist.gov
	893	Mrs. Kimberly K. Morgan	NN	622	8902	x3660	kimberly.morgan@nist.gov
	894	Mrs. Michelle Young	NN	617	8902	x3244	michelle.young@nist.gov
	895	Mrs. Dinah H. Wynne	NN	625	8902	x2905	dinah.wynne@nist.gov
	896	Mrs. W. Jeanie Andrew	NN	626	8902	x3242	andrew@nist.gov
.01	Office of the Associate Director for Computing	Dr. Frederick Johnson	NN	602	8901	x2700	fjohnson@nist.gov
* .02	Office of the Assistant Director for Boulder	Dr. Paul D. Domich	1	4553	890.02	x5112	domich@boulder.nist.gov
	Secretary	Ms. Marge Hartman	1	4549	890.02	x5678	mhartman@boulder.nist.gov
* .03	Administrative Officer	Ms. Deb Putman	1	4551	890.02	x5481	putman@boulder.nist.gov
.03	Office of the Associate Director for Federal and Industrial Relations	Dr. David Kahaner	NN	629	8901	x3376	david.kahaner@nist.gov
	Secretary	Mrs. Gerlinde Harr	NN	601	8901	x2901	gerlinde.harr@nist.gov
891 Mathematical and Computational Sciences Division							
	Chief	Dr. Ronald F. Boisvert	NN	365	8910	x3800	ronald.boisvert@nist.gov
.01	Mathematical Modeling	Dr. James L. Blue	NN	360	8910	x3809	james.blue@nist.gov
* .02	Mathematical Modeling-Boulder	Dr. John M. Gary	1	4013	891.01	x3369	jmgary@bldr.nist.gov
.02	Mathematical Software	Dr. Ronald F. Boisvert/Act/	NN	365	8910	x3800	ronald.boisvert@nist.gov
.03	Optimization and Computational Geometry	Dr. Ronald F. Boisvert/Act/	NN	365	8910	x3800	ronald.boisvert@nist.gov
.04	Compression Algorithms	Dr. Anastase Nakassis	NN	380	8910	x3632	anastase.nakassis@nist.gov
892 Advanced Network Technologies Division							
	Chief	Dr. Kevin Mills	NN	451	8920	x3618	kevin.mills@nist.gov
.01	High Speed Network Technologies	Dr. David Su	NN	472	8920	x6194	david.su@nist.gov
.02	Wireless Communications Technologies	Dr. Nader Moayeri	NN	474	8920	x3767	nader.moayeri@nist.gov
.03	Multimedia and Digital Video Technologies	Dr. Kevin Mills/Act/	NN	451	8920	x3632	kevin.mills@nist.gov
.04	Internetworking Technologies	Mr. Douglas Montgomery	NN	459	8920	x3630	dougmm@nist.gov

			Bldg	Room	Stop	Ext.	E-Mail
893 Computer Security Division							
	Chief	Dr. Stuart W. Katzke	NN	427	8930	x2934	katzke@nist.gov
.01	Security Technology	Mr. Miles E. Smid	NN	412	8930	x2938	miles.smid@nist.gov
.02	Systems and Network Security	Mr. Tim Grance	NN	673	8930	x4242	grance@nist.gov
894 Information Access and User Interfaces Division							
	Chief	Dr. Martin Herman	Tech	B254	8940	x4495	martin.herman@nist.gov
.01	Spoken Natural Language Processing	Dr. David Pallett	Tech	B240	8940	x2935	david.pallett@nist.gov
.02	Natural Language Processing and Information Retrieval	Ms. Donna Harman	Tech	A219	8940	x3569	donna.harman@nist.gov
.03	Visual Image Processing	Dr. Charles Wilson	Tech	A213	8940	x2080	charles.wilson@nist.gov
.04	Visualization and Virtual Reality	Dr. Sharon Laskowski	Tech	A227	8940	x4535	sharon.laskowski@nist.gov
895 High Performance Systems and Services Division							
	Chief	Dr. Dean R. Collins	Tech	A255	8950	x4712	dean.collins@nist.gov
.01	Scalable Parallel Systems and Applications	Dr. Gordon E. Lyon	Tech	A253	8951	x5679	gordon.lyon@nist.gov
.02	High Performance Systems Usage	Mr. Jack L. Newmeyer	Tech	B10	8952	x2966	jack.newmeyer@nist.gov
.03	Network and Telecommunications Systems	Mr. John K. Antonishek	Tech	A151	8953	x5895	john.antonishek@nist.gov
896 Distributed Computing and Information Services Division							
	Chief	Dr. Oscar Farah	Tech	B216	8960	x3077	oscar.farah@nist.gov
.01	Distributed Processing and Operating Systems Support	Mr. Robert J. Crosson	Tech	A149	8960	x3832	robert.crosson@nist.gov
.02	Information Processing Support	Mr. James Graham	Tech	B228	8960	x2977	james.graham@nist.gov
.03	Administrative Computing Support	Mr. Robert Lee	Tech	B219	8960	x4061	bob.lee@nist.gov
.04	PC Support	Mr. Ronald Wilson	Tech	B212	8960	x3352	ronald.wilson@nist.gov
897 Software Diagnostics and Conformance Testing Division							
	Chief	Mr. Mark W. Skall	NN	552	8970	x3262	mark.skall@nist.gov
.01	Software Quality	Mr. D. Richard Kuhn	NN	528	8971	x3337	kuhn@nist.gov
.02	Conformance Testing	Ms. Lynne Rosenthal	NN	556	8970	x3353	lsr@nist.gov
.03	Software Standards	Mr. Bruce Rosen	NN	569	8970	x3299	brosen@nist.gov
898 Statistical Engineering Division							
	Chief	Dr. Keith R. Eberhardt	NN	353	8980	x2839	keith.eberhardt@nist.gov
.01	Measurement Process Evaluation	Mrs. M. Carroll Croarkin	NN	343	8980	x2849	carroll.croarkin@nist.gov
.02	Statistical Modeling and Analysis	Dr. Keith R. Eberhardt/Act/	NN	353	8980	x2839	keith.eberhardt@nist.gov
*	Statistical Modeling and Analysis - Boulder	Dr. Dominic F. Vecchia	1	4061	898.02	x3807	dfv@boulder.nist.gov

General Information

SERVICES:	Alumni Office	x2486
	Barber Shop	x3311
	Beauty Shop	x3312
	Child Care	x2152
	COMSTAR CU	x3700
	Loan Office	x3704
	Employee Express	
	Help Desk	(912) 757-3030
	First Union Bank	x2999
	Manicurist	x5566
	NIST NORTH Security	x6000
	On-Grounds Shuttle	x3315
	Receptionist	x3315
	SATO	x2281
	SEBA Gift Shop	x3313
	Status Line (G'burg)	1-(800)-437-4385, then x8000
	EMERGENCY	x2222

Organizational Listing prepared by
Management and Organization Division
extension x4062.