Page intentionally blank.

ORAL CAVITY

Lip C00.0-C00.9, Base of Tongue C01.9, Other Parts of Tongue C02.0-C02.9, Gum C03.0-C03.9, Floor of Mouth C04.0-C04.9, Palate C05.0-C05.9, Other Parts of Mouth C06.0-C06.9

SURGERY OF PRIMARY SITE

Codes

- None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from this surgical event.

Procedures in codes 20-27 include, but are not limited to:

Shave

Wedge resection

- 20 Local tumor excision, NOS (WITH PATHOLOGY SPECIMEN)
 - 21 Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision
 - 26 Polypectomy
 - 27 Excisional biopsy

Specimen sent to pathology from this surgical event.

Procedures in code 30 include, but are not limited to:

Hemiglossectomy

Partial glossectomy

Wide excision, NOS

ORAL CAVITY

Lip C00.0-C00.9, Base of Tongue C01.9, Other Parts of Tongue C02.0-C02.9, Gum C03.0-C03.9, Floor of Mouth C04.0-C04.9, Palate C05.0-C05.9, Other Parts of Mouth C06.0-C06.9

SURGERY OF PRIMARY SITE, continued

Procedures in codes 40-43 include, but are not limited to:

Radical glossectomy

- 40 Radical excision of tumor, NOS
 - 41 Radical excision of tumor ONLY
 - 42 Combination of 41 WITH en bloc mandibulectomy (marginal, segmental, hemi-, or total)
 - Combination of 41 WITH en bloc maxillectomy (partial, subtotal, total)
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate ONLY

SCOPE OF REGIONAL LYMPH NODE SURGERY

Regional cervical lymph nodes are:

Caudal jugular (deep cervical)

Caudal jugular (deep cervical)

Dorsal cervical (superficial cervical)

Medial jugular (deep cervical)

Occipital

Paratracheal (anterior cervical)

Prelaryngeal (anterior cervical)

Retroauricular (mastoid, posterior

auricular)

Submandibular (submaxillary)

Submental

Supraclavicular

codes continue on next page

ORAL CAVITY

Lip C00.0-C00.9, Base of Tongue C01.9, Other Parts of Tongue C02.0-C02.9, Gum C03.0-C03.9, Floor of Mouth C04.0-C04.9, Palate C05.0-C05.9, Other Parts of Mouth C06.0-C06.9

SCOPE OF REGIONAL LYMPH NODE SURGERY, continued

Codes

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
 - 2 Neck dissection, NOS
 - 3 Selective, limited; nodal sampling; "berry picking"
 - 4 Modified/modified radical
 - 5 Radical
- 9 Unknown; not stated; death certificate ONLY

Terminology of neck dissection (Robbins et al. 1991):

A radical neck dissection includes the removal of all ipsilateral cervical lymph node groups, i.e., lymph nodes from levels I through V (submental, submandibular, cranial jugular, medial jugular, caudal jugular, dorsal cervical nodes along the accessory nerve, and supraclavicular), and removal of the spinal accessory nerve, internal jugular vein and sternocleidomastoid muscle.

In a modified radical neck dissection the same lymph nodes are removed as in a radical neck dissection; however, one or more non-lymphatic structures are preserved.

A selective neck dissection is a neck dissection with preservation of one or more lymph node groups routinely removed in radical neck dissection.

ORAL CAVITY

Lip C00.0-C00.9, Base of Tongue C01.9, Other Parts of Tongue C02.0-C02.9, Gum C03.0-C03.9, Floor of Mouth C04.0-C04.9, Palate C05.0-C05.9, Other Parts of Mouth C06.0-C06.9

NUMBER OF REGIONAL LYMPH NODES EXAMINED

Codes

00	No regional lymph nodes examined
01	One regional lymph node examined
02	Two regional lymph nodes examined
90	Ninety or more regional lymph nodes examined
95	No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
96	Regional lymph node removal documented as a sampling and number of lymph nodes examined unknown/not stated
97	Regional lymph node removal documented as dissection and number of lymph nodes examined unknown/not stated
98	Regional lymph nodes surgically removed but number of lymph nodes examined unknown/not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate ONLY

SURGERY OF OTHER REGIONAL SITE(S), DISTANT SITE(S) OR DISTANT LYMPH NODE(S)

Codes

- None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional site(s)
 - 3 Mandibulectomy (marginal, segmental, hemi-, or total)
 - 4 Maxillectomy (partial, subtotal, or total)

Code a mandibulectomy or a maxillectomy in this field only if the procedure is NOT a part of an en bloc resection of the primary tumor. If the mandibulectomy or maxillectomy IS a part of an en bloc resection of the primary tumor, code under "Surgery of Primary Site."

- 5 Distant lymph node(s)
- 6 Distant site(s)
- 7 Combination of 6 WITH 2, 3, 4, or 5
- 9 Unknown; not stated; death certificate ONLY

PAROTID AND OTHER UNSPECIFIED GLANDS Parotid Gland C07.9, Major Salivary Glands C08.0-C08.9 SURGERY OF PRIMARY SITE

Codes

- None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from this surgical event.

- 20 Local tumor excision, NOS (WITH PATHOLOGY SPECIMEN)
 - 21 Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision
 - 26 Polypectomy
 - 27 Excisional biopsy

Specimen sent to pathology from this surgical event.

- 30 Less than total parotidectomy, NOS
 - 31 Facial nerve spared
 - 32 Facial nerve sacrificed
 - 33 Superficial lobe ONLY
 - Facial nerve spared
 - Facial nerve sacrificed
 - Deep lobe (WITH or WITHOUT superficial lobe)
 - Facial nerve spared
 - 38 Facial nerve sacrificed
- 40 Total parotidectomy, NOS
 - 41 Facial nerve spared
 - 42 Facial nerve sacrificed
- 50 Radical parotidectomy, NOS
 - WITHOUT removal of temporal bone
 - WITH removal of temporal bone
- 80 Parotidectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate ONLY

PAROTID AND OTHER UNSPECIFIED GLANDS Parotid Gland C07.9, Major Salivary Glands C08.0-C08.9 SCOPE OF REGIONAL LYMPH NODE SURGERY

Regional cervical lymph nodes are:

Buccal (facial)

Caudal jugular (deep cervical)

Cranial jugular (deep cervical)

Dorsal cervical (superficial cervical)

Medial jugular (deep cervical)

Occipital

Paratracheal (anterior cervical)

Parotid

Prelaryngeal (anterior cervical)

Retroauricular (mastoid, posterior auricular)

Retropharyngeal

Submandibular (submaxillary)

Submental

Supraclavicular

Codes

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
 - 2 Neck dissection, NOS
 - 3 Selective, limited; nodal sampling; "berry picking"
 - 4 Modified/modified radical
 - 5 Radical
- 9 Unknown; not stated; death certificate ONLY

Terminology of neck dissection (Robbins et al. 1991):

A radical neck dissection includes the removal of all ipsilateral cervical lymph node groups, i.e., lymph nodes from levels I through V (submental, submandibular, cranial jugular, medial jugular, caudal jugular, dorsal cervical nodes along the accessory nerve, and supraclavicular), and removal of the spinal accessory nerve, internal jugular vein and sternocleidomastoid muscle.

In a modified radical neck dissection, the same lymph nodes are removed as in a radical neck dissection; however, one or more non-lymphatic structures are preserved.

A selective neck dissection is a neck dissection with preservation of one or more lymph node groups routinely removed in radical neck dissection.

PAROTID AND OTHER UNSPECIFIED GLANDS Parotid Gland C07.9, Major Salivary Glands C08.0-C08.9

NUMBER OF REGIONAL LYMPH NODES EXAMINED

Codes

00	No regional lymph nodes examined
01	One regional lymph node examined
02	Two regional lymph nodes examined
 90	Ninety or more regional lymph nodes examined
95	No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
96	Regional lymph node removal documented as a sampling and number of lymph nodes examined unknown/not stated
97	Regional lymph node removal documented as dissection and number of lymph nodes examined unknown/not stated
98	Regional lymph nodes surgically removed but number of lymph nodes examined unknown/not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate ONLY

SURGERY OF OTHER REGIONAL SITE(S), DISTANT SITE(S) OR DISTANT LYMPH NODE(S)

- None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional sites
 - 3 Distant lymph node(s)
 - 4 Distant site(s)
 - 5 Combination of 4 WITH 2 or 3
- 9 Unknown; not stated; death certificate ONLY

Page intentionally blank.

PHARYNX

Tonsil C09.0-C09.9, Oropharynx C10.0-C10.9, Nasopharynx C11.0-C11.9 Pyriform Sinus C12.9, Hypopharynx C13.0-C13.9, Pharynx C14.0

SURGERY OF PRIMARY SITE

Codes

- None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser
 - 15 Stripping

No specimen sent to pathology from this surgical event.

- 20 Local tumor excision, NOS (WITH PATHOLOGY SPECIMEN)
 - 21 Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision
 - 26 Polypectomy
 - 27 Excisional biopsy

Specimen sent to pathology from this surgical event.

- 30 Pharyngectomy, NOS
 - 31 Limited/partial pharyngectomy
 - 32 Total pharyngectomy
- 40 Pharyngectomy WITH mandibulectomy (marginal, segmental, hemi-, and/or laryngectomy), NOS
 - 41 WITH laryngectomy (laryngopharyngectomy)
 - WITH mandibulectomy
 - 43 WITH both 41 and 42
- Radical pharyngectomy (includes total mandibular resection), NOS
 - 51 WITHOUT laryngectomy
 - WITH laryngectomy
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate ONLY

PHARYNX

Tonsil C09.0-C09.9, Oropharynx C10.0-C10.9, Nasopharynx C11.0-C11.9 Pyriform Sinus C12.9, Hypopharynx C13.0-C13.9, Pharynx C14.0

SCOPE OF REGIONAL LYMPH NODE SURGERY

Regional cervical lymph nodes are:

Buccal (facial)

Caudal jugular (deep cervical)

Cranial jugular (deep cervical)

Dorsal cervical (superficial cervical)

Medial jugular (deep cervical)

Occipital

Paratracheal (anterior cervical)

Parotid

Prelaryngeal (anterior cervical)

Retroauricular (mastoid, posterior

auricular)

Retropharyngeal

Submandibular (submaxillary)

Submental

Supraclavicular

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
 - 2 Neck dissection, NOS
 - 3 Selective, limited; nodal sampling; "berry picking"
 - 4 Modified/modified radical
 - 5 Radical
- 9 Unknown; not stated; death certificate ONLY

PHARYNX

Tonsil C09.0-C09.9, Oropharynx C10.0-C10.9, Nasopharynx C11.0-C11.9 Pyriform Sinus C12.9, Hypopharynx C13.0-C13.9, Pharynx C14.0

NUMBER OF REGIONAL LYMPH NODES EXAMINED

Codes

00	No regional lymph nodes examined
01	One regional lymph node examined
02	Two regional lymph nodes examined
 90	Ninety or more regional lymph nodes examined
95	No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
96	Regional lymph node removal documented as a sampling and number of lymph nodes examined unknown/not stated
97	Regional lymph node removal documented as dissection and number of lymph nodes examined unknown/not stated
98	Regional lymph nodes surgically removed but number of lymph nodes examined unknown/not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate ONLY

SURGERY OF OTHER REGIONAL SITE(S), DISTANT SITE(S) OR DISTANT LYMPH NODE(S)

- None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Laryngectomy ONLY
 - 3 Mandibulectomy ONLY (marginal, segmental, or hemi-)
 - 4 Combination of 2 and 3
 - 5 Removal of other regional sites
 - 6 Combination of 5 with 2-4
 - Removal of other distant sites(s) or distant lymph node(s)
 - 8 Combination of 7 WITH any of 2-6
 - 9 Unknown; not stated; death certificate ONLY

Page intentionally blank.

ESOPHAGUS C15.0-C15.9

SURGERY OF PRIMARY SITE

1 -	.1	l
T.O	a	es

- None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - 11 Photodynamic therapy (PDT)
 - Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from this surgical event.

- 20 Local tumor excision, NOS (WITH PATHOLOGY SPECIMEN)
 - 21 Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision
 - 26 Polypectomy
 - 27 Excisional biopsy

Specimen sent to pathology from this surgical event.

- 30 Partial esophagectomy
- 40 Total esophagectomy
- 50 Partial esophagectomy WITH laryngectomy and/or gastrectomy, NOS
 - 51 WITH laryngectomy
 - 52 WITH gastrectomy, NOS
 - Partial gastrectomy
 - 54 Total gastrectomy
 - 55 Combination of 51 WITH any of 52-54
- Total esophagectomy, NOS WITH laryngectomy and/or gastrectomy, NOS
 - 61 WITH laryngectomy
 - WITH gastrectomy, NOS
 - 63 Partial gastrectomy
 - 64 Total gastrectomy
 - 65 Combination of 61 WITH any of 62-64
- Esophagectomy, NOS WITH pharyngectomy and laryngectomy

ESOPHAGUS C15.0-C15.9

SURGERY OF PRIMARY SITE, continued

- 80 Esophagectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate ONLY

SCOPE OF REGIONAL LYMPH NODE SURGERY

Regional lymph nodes are different for each anatomical subsite. The following list identifies nodes classified as regional for each subsite:	
Cervical esophagus:	Cervical, NOS Internal jugular Periesophageal Scalene Supraclavicular Upper cervical
Intrathoracic esophagus (upper, middle, lower):	Carinal Hilar (pulmonary roots) Internal jugular Mediastinal, NOS Paracardial Periesophageal Perigastric Peritracheal Superior mediastinal Tracheobronchial

Codes

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
- 9 Unknown; not stated; death certificate ONLY

Celiac nodes are distant for intrathoracic esophagus. Code removal of celiac nodes in the data item "Surgery of Other Regional Site(s), Distant Site(s) or Distant Lymph Node(s)."

ESOPHAGUS C15.0-C15.9

NUMBER OF REGIONAL LYMPH NODES EXAMINED

Codes

00	No regional lymph nodes examined
01	One regional lymph node examined
02	Two regional lymph nodes examined
 90	Ninety or more regional lymph nodes examined
95	No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
96	Regional lymph node removal documented as a sampling and number of lymph nodes examined unknown/not stated
97	Regional lymph node removal documented as dissection and number of lymph nodes examined unknown/not stated
98	Regional lymph nodes surgically removed but number of lymph nodes examined unknown/not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate ONLY

SURGERY OF OTHER REGIONAL SITE(S), DISTANT SITE(S) OR DISTANT LYMPH NODE(S)

- None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional sites
 - 3 Distant lymph node(s)
 - 4 Distant site(s)
 - 5 Combination of 4 WITH 2 or 3
- 9 Unknown; not stated; death certificate ONLY

Page intentionally blank.

STOMACH C16.0-C16.9

SURGERY OF PRIMARY SITE

CODE

- None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from this surgical event.

- 20 Local tumor excision, NOS (WITH PATHOLOGY SPECIMEN)
 - 21 Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision
 - 26 Polypectomy
 - 27 Excisional biopsy

Specimen sent to pathology from this surgical event.

Code 30, partial gastrectomy, includes a sleeve resection of the stomach

Billroth I: anastomosis to duodenum (duodenostomy)

Billroth II: anastomosis to jejunum (jejunostomy)

- 30 Gastrectomy, NOS (partial, subtotal, hemi-)
 - 31 Antrectomy, lower (distal)

Resection of less than 40% of stomach

- 32 Lower (distal) gastrectomy (partial, subtotal, hemi-)
- 33 Upper (proximal) gastrectomy (partial, subtotal, hemi-)
- 40 Near-total or total gastrectomy

A total gastrectomy may follow a previous partial resection of the stomach.

- Gastrectomy, NOS WITH removal of a portion of esophagus
 - Partial or subtotal gastrectomy
 - Near total or total gastrectomy

STOMACH C16.0-C16.9

SURGERY OF PRIMARY SITE, continued

- Gastrectomy WITH en bloc resection of other organs, NOS
 - Partial or subtotal gastrectomy WITH en bloc resection
 - Near total or total gastrectomy WITH en bloc resection
 - Radical gastrectomy WITH en bloc resection

EN BLOC RESECTION is the removal of organs in one piece at one time and may include an omentectomy.

- 80 Gastrectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate ONLY

SCOPE OF REGIONAL LYMPH NODE SURGERY

The regional lymph nodes are:	
Greater Curvature of Stomach	Gastroduodenal Gastroepiploic, left Gastroepiploic, right or NOS Greater omental Greater curvature Pancreaticoduodenal (anteriorly along the first part of duodenum) Pyloric, including subpyloric and infrapyloric
Pancreatic and Splenic Area:	Pancreaticolienal Peripancreatic Splenic hilum
Lesser Curvature of Stomach:	Cardioesophageal Celiac Common hepatic Hepatoduodenal Left gastric Lesser omental Lesser curvature Paracardial; cardial Perigastric, NOS

STOMACH C16.0-C16.9

SCOPE OF REGIONAL LYMPH NODE SURGERY, continued

Codes

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
- 9 Unknown; not stated; death certificate ONLY

NUMBER OF REGIONAL LYMPH NODES EXAMINED

00	No regional lymph nodes examined
01	One regional lymph node examined
02	Two regional lymph nodes examined
••	
90	Ninety or more regional lymph nodes examined
95	No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
96	Regional lymph node removal documented as a sampling and number of lymph nodes examined unknown/not stated
97	Regional lymph node removal documented as dissection and number of lymph nodes examined unknown/not stated
98	Regional lymph nodes surgically removed but number of lymph nodes examined unknown/not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate ONLY

STOMACH C16.0-C16.9

SURGERY OF OTHER REGIONAL SITE(S), DISTANT SITE(S) OR DISTANT LYMPH NODE(S)

DO NOT CODE the incidental removal of gallbladder, bile ducts, appendix, or vagus nerve. Incidental removal is when an organ is removed for a reason unrelated to the malignancy (gallbladder removed for obvious cholelithiasis).

- None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Removal of other regional sites, ONLY
 - 3 Removal of distant node(s)
 - 4 Removal of distant site
 - 5 Combination of 2 WITH 3 and/or 4
- 9 Unknown; not stated; death certificate ONLY

COLON C18.0 - C18.9

SURGERY OF PRIMARY SITE

Code removal/surgical ablation of single or multiple liver metastases under the data item "Surgery of Other Regional Site(s), Distant Site(s) or Distant Lymph Node(s)."

Codes

- None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from this surgical event.

- 20 Local tumor excision, NOS (WITH PATHOLOGY SPECIMEN)
 - 21 Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision
 - 26 Polypectomy
 - 27 Excisional biopsy

Specimen sent to pathology from this surgical event.

Procedures coded 30-31 include, but are not limited to:

Appendectomy (for an appendix primary only)

Enterocolectomy

Ileocolectomy

Partial colectomy, NOS

Partial resection of transverse colon and flexures

Segmental resection, e.g., cecectomy

Sigmoidectomy

- Partial colectomy, but less than hemicolectomy
 - 31 Partial colectomy WITH permanent colostomy (Hartmann's operation)

COLON C18.0 - C18.9

SURGERY OF PRIMARY SITE, continued

- 40 Hemicolectomy or greater (but less than total); right or left colectomy
 - A hemicolectomy is the removal of total right or left colon and a portion of transverse colon
- 50 <u>Total colectomy</u>

Removal of colon from cecum to the rectosigmoid or a portion of the rectum

60 Total proctocolectomy

Commonly used for familial polyposis or polyposis coli.

Colectomy or coloproctectomy WITH an en bloc resection of other organs; pelvic exenteration

CODE 70 includes any colectomy (partial, hemicolectomy, or total) WITH an en bloc resection of any other organs. The other organs may be partially or totally removed. Procedures that may be a **PART OF AN EN BLOC RESECTION** include, but are not limited to: oophorectomy, partial proctectomy, rectal mucosectomy

EN BLOC resection is the removal of organs in one piece at one time.

- 80 Colectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate ONLY

COLON C18.0 - C18.9

SCOPE OF REGIONAL LYMPH NODE SURGERY

The pathology report often describes regional lymph nodes by their anatomic location: colic nodes; mesenteric nodes; peri-\epi-\para-\ colic. Regional lymph nodes differ for each anatomical subsite. The following list identifies the regional lymph nodes for each subsite of the colon:

Cecum and appendix

Anterior cecal

Ileocolic

Parterior anal

	Posterior cecal Right colic
Ascending colon	Ileocolic Middle colic Right colic
Hepatic flexure	Middle colic Right colic
Transverse colon	Middle colic
Splenic flexure	Inferior mesenteric Middle colic Left colic
Descending colon	Inferior mesenteric Left colic Sigmoid
Sigmoid colon	Inferior mesenteric Sigmoid mesenteric Sigmoidal Superior rectal (hemorrhoidal)

Superior mesenteric, external iliac and common iliac nodes are distant lymph nodes. Code the removal of any of these nodes in the data item "Surgery of Other Regional Site(s), Distant Site(s), or Distant Lymph Node(s)."

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
- 9 Unknown; not stated; death certificate ONLY

COLON C18.0 - C18.9

NUMBER OF REGIONAL LYMPH NODES EXAMINED

Codes

00	No regional lymph nodes examined
01	One regional lymph node examined
02	Two regional lymph nodes examined
90	Ninety or more regional lymph nodes examined
95	No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
96	Regional lymph node removal documented as a sampling and number of lymph nodes examined unknown/not stated
97	Regional lymph node removal documented as dissection and number of lymph nodes examined unknown/not stated
98	Regional lymph nodes surgically removed but number of lymph nodes examined unknown/not
	stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate ONLY

SURGERY OF OTHER REGIONAL SITE(S), DISTANT SITE(S), OR DISTANT LYMPH NODE(S)

DO NOT CODE the incidental removal of appendix, gallbladder, bile ducts, or spleen. Incidental removal is when an organ is removed for a reason unrelated to the malignancy (gallbladder removed for obvious cholelithiasis).

- None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Removal of other regional site(s), ONLY
 - 3 Removal/surgical ablation of single liver metastasis
 - 4 Removal/surgical ablation of multiple liver metastases
 - 5 Combination of codes 2 WITH 3 or 4
 - 6 Removal of other distant site(s) or distant lymph node(s), ONLY
 - 7 Combination of code 6 WITH 3 or 5
 - 8 Combination of code 6 WITH 4
- 9 Unknown; not stated; death certificate ONLY

RECTOSIGMOID C19.9

SURGERY OF PRIMARY SITE

CODE removal/surgical ablation of single or multiple liver metastases under the data item "Surgery of Other Regional Site(s), Distant Site(s) or Distant Node(s)."

Codes

- None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser ablation

No specimen sent to pathology from this surgical event.

- 20 Local tumor excision, NOS (WITH PATHOLOGY SPECIMEN)
 - 21 Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision
 - 26 Polypectomy
 - 27 Excisional biopsy

Specimen sent to pathology from this surgical event.

Procedures coded 30 include, but are not limited to:

Anterior resection

Hartmann's operation

Low anterior resection (LAR)

Partial colectomy, NOS

Rectosigmoidectomy, NOS

Sigmoidectomy

Wedge or segmental resection; partial proctosigmoidectomy, NOS

RECTOSIGMOID C19.9

SURGERY OF PRIMARY SITE, continued

Procedures coded 40 include but are not limited to:

Altemeier's operation Duhamel's operation Soave's submucosal resection Swenson's operation Turnbull's operation

40 Pull through WITH sphincter preservation (colo-anal anastomosis)

Procedures coded 50 include but are not limited to:

Abdominoperineal resection (A & P resection) Anterior/posterior resection (A/P resection)/Miles' operation Rankin's operation

- 50 Total proctectomy
- 51 Total colectomy

Removal of the colon from cecum to the rectosigmoid or a portion of the rectum

- 60 Combination of 50 and 51
- Colectomy or proctocolectomy WITH an en bloc resection of other organs; pelvic exenteration

EN BLOC RESECTION is the removal of organs in one piece at one time. Procedures that may be a part of an en bloc resection include, but are not limited to: an oophorectomy and a rectal mucosectomy.

Code 70 includes any colectomy (partial, hemicolectomy, or total) WITH an en bloc resection of any other organs. There may be partial or total removal of other organs in continuity with the primary.

- 80 Colectomy, NOS; Proctectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate ONLY

RECTOSIGMOID C19.9

SCOPE OF REGIONAL LYMPH NODE SURGERY

The pathology report often identifies regional lymph nodes by their anatomic location: colic; mesenteric; peri-/para-/ colic; perirectal; rectal.

The specific regional lymph nodes are:

Inferior mesenteric

Left colic

Middle rectal (hemorrhoidal)

Perirectal

Sigmoid mesenteric

Sigmoidal

Superior rectal (superior hemorrhoidal)

Superior mesenteric, external iliac and common iliac nodes are distant nodes. Code removal of these nodes under the data item "Surgery of Other Regional Site(s), Distant Site(s), or Distant Lymph Node(s)."

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
- 9 Unknown; not stated; death certificate ONLY

RECTOSIGMOID C19.9

NUMBER OF REGIONAL LYMPH NODES EXAMINED

Codes

00	No regional lymph nodes examined
01	One regional lymph node examined
02	Two regional lymph nodes examined
90	Ninety or more regional lymph nodes examined
95	No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
96	Regional lymph node removal documented as a sampling and number of lymph nodes examined unknown/not stated
97	Regional lymph node removal documented as dissection and number of lymph nodes examined unknown/not stated
98	Regional lymph nodes surgically removed but number of lymph nodes examined unknown/not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate ONLY

SURGERY OF OTHER REGIONAL SITE(S), DISTANT SITE(S), OR DISTANT LYMPH NODE(S)

DO NOT CODE the incidental removal of appendix, gallbladder, or bile ducts. Incidental removal is when an organ is removed for a reason unrelated to the malignancy (gallbladder removed for obvious cholelithiasis).

- None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Removal of other regional site(s), ONLY
 - 3 Removal/surgical ablation of single liver metastasis
 - 4 Removal/surgical ablation of multiple liver metastases
 - 5 Combination of codes 2 and 3 or 4
 - 6 Removal of other distant site(s) or distant lymph node(s), ONLY
 - 7 Combination of code 6 WITH 3, 4 or 5
 - 8 Combination of code 6 WITH 3 or 5
- 9 Unknown; death certificate ONLY

RECTUM C20.9

SURGERY OF PRIMARY SITE

CODE removal/surgical ablation of single or multiple liver metastases under the data item "Surgery of Other Regional Site(s), Distant Site(s) or Distant Lymph Node(s)."

Codes

- None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from this surgical event.

- 20 Local tumor excision, NOS (WITH PATHOLOGY SPECIMEN)
 - 21 Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision
 - 26 Polypectomy
 - 27 Excisional biopsy
 - 28 Curette and fulguration

Specimen sent to pathology from this surgical event.

Procedures coded 30 include, but are not limited to:

Anterior resection

Hartmann's operation

Low anterior resection (LAR)

Trans-sacral rectosigmoidectomy

Wedge or segmental resection; partial proctectomy, NOS

RECTUM C20.9

SURGERY OF PRIMARY SITE, continued

Procedures coded 40 include but are not limited to:

Altemeier's operation Duhamel's operation Soave's submucosal resection Swenson's operation Turnbull's operation

40 Pull through WITH sphincter preservation (colo-anal anastomosis)

Procedures coded 50 include but are not limited to:

Abdominoperineal resection (A & P resection) Anterior/Posterior (A/P) resection/Miles' operation Rankin's operation

- 50 Total proctectomy
- 60 Total proctocolectomy, NOS
- Proctectomy or proctocolectomy WITH an en bloc resection of other organs; pelvic exenteration

EN BLOC RESECTION is the removal of organs in one piece at one time.

- 80 Proctectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate ONLY

RECTUM C20.9

SCOPE OF REGIONAL LYMPH NODE SURGERY

The pathology report often identifies regional lymph nodes by their anatomic location: mesenteric nodes; perirectal nodes; rectal nodes.

The specific regional lymph nodes are:

Inferior rectal (hemorrhoidal)

Inferior mesenteric

Internal iliac

Lateral sacral

Middle rectal (hemorrhoidal)

Perirectal

Presacral

Sacral promontory (Gerota's)

Sigmoid mesenteric

Superior rectal (hemorrhoidal)

Superior mesenteric, external iliac and common iliac nodes are classified as distant lymph nodes. Code removal of these nodes under the data item "Surgery of Other Regional Site(s), Distant Site(s), or Distant Lymph Node(s)."

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
- 9 Unknown; not stated; death certificate ONLY

RECTUM C20.9

NUMBER OF REGIONAL LYMPH NODES EXAMINED

Codes

00	No regional lymph nodes examined
01	One regional lymph node examined
02	Two regional lymph nodes examined
90	Ninety or more regional lymph nodes examined
95	No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
96	Regional lymph node removal documented as a sampling and number of lymph nodes examined unknown/not stated
97	Regional lymph node removal documented as dissection and number of lymph nodes examined unknown/not stated
98	Regional lymph nodes surgically removed but number of lymph nodes examined unknown/not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate ONLY

SURGERY OF OTHER REGIONAL SITE(S), DISTANT SITE(S), OR DISTANT LYMPH NODE(S)

DO NOT CODE the incidental removal of appendix, gallbladder, bile ducts, or spleen. Incidental removal is when an organ is removed for a reason unrelated to the malignancy (gallbladder removed for obvious cholelithiasis).

- None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Removal of other regional site(s), ONLY
 - Removal/surgical ablation of single liver metastasis
 - 4 Removal/surgical ablation of multiple liver metastases
 - 5 Combination of codes 2 with 3 or 4
 - 6 Removal of other distant site(s) or distant lymph node(s), ONLY
 - 7 Combination of code 6 WITH 3, 4 or 5
 - 8 Combination of code 6 WITH 3 or 5
- 9 Unknown; death certificate ONLY

ANUS C21.0-C21.8

SURGERY OF PRIMARY SITE

Codes

None; no cancer-directed surgery of primary site

Procedures for codes 10-14 include, but are not limited to:

Cryosurgery

Electrocautery

Excisional biopsy

Laser

Thermal ablation

- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from this surgical event.

- 20 Local tumor excision, NOS (WITH PATHOLOGY SPECIMEN)
 - 21 Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision
 - 26 Polypectomy
 - 27 Excisional biopsy

Specimen sent to pathology from this surgical event.

Margins of resection may have microscopic involvement.

- 60 Abdominal perineal resection, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate ONLY

ANUS C21.0-C21.8

SCOPE OF REGIONAL LYMPH NODE SURGERY

Codes

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
 - 2 Perirectal, anorectal lymph nodes
 - 3 Internal iliac lymph nodes (hypogastric), unilateral
 - 4 Inguinal lymph nodes, unilateral
 - 5 Combination of 2 and 4
 - 6 Bilateral internal iliac and/or bilateral inguinal lymph nodes
- 9 Unknown; not stated; death certificate ONLY

NUMBER OF REGIONAL LYMPH NODES EXAMINED

00	No regional lymph nodes examined
01	One regional lymph node examined
02	Two regional lymph nodes examined
90	90 or more regional lymph nodes examined
95	No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
96	Regional lymph node removal documented as a sampling and number of lymph nodes examined unknown/not stated
97	Regional lymph node removal documented as dissection and number of lymph nodes examined unknown/not stated
98	Regional lymph nodes surgically removed but number of lymph nodes examined unknown/not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate ONLY

ANUS C21.0-C21.8

SURGERY OF OTHER REGIONAL SITE(S), DISTANT SITE(S) OR DISTANT LYMPH NODE(S)

- None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional sites
 - 3 Distant lymph node(s)
 - 4 Distant site(s)
 - 5 Combination of 4 WITH 2 or 3
- 9 Unknown; not stated; death certificate ONLY

Page intentionally blank.

LIVER AND INTRAHEPATIC BILE DUCTS C22.0-C22.1

SURGERY OF PRIMARY SITE

Codes

- None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser
 - 15 Alcohol (PEI)
 - 16 Heat
 - 17 Other (ultrasound, acetic acid)
- Wedge resection, NOS; segmental resection
- 30 Lobectomy, NOS
 - 31 Simple
 - 32 Extended

Extended lobectomy: resection of a single lobe plus a segment of another lobe.

- Excision of a bile duct (for an intrahepatic bile duct primary only)
- 70 Total hepatectomy with transplant

Liver transplant must also be coded under the data item

- "Reconstruction/Restoration."
- 80 Hepatectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate ONLY

LIVER AND INTRAHEPATIC BILE DUCTS C22.0-C22.1

SCOPE OF REGIONAL LYMPH NODE SURGERY

Regional lymph nodes are the hilar nodes:

Along the portal vein Along the inferior vena cava Along the proper hepatic artery At the hepatic pedicle

Codes

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
- 9 Unknown; not stated; death certificate ONLY

NUMBER OF REGIONAL LYMPH NODES EXAMINED

00	No regional lymph nodes examined
01	One regional lymph node examined
02	Two regional lymph nodes examined
	Nr. (11 1 1 1 1 1 1
90	Ninety or more regional lymph nodes examined
95	No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
96	Regional lymph node removal documented as a sampling and number of lymph nodes examined unknown/not stated
97	Regional lymph node removal documented as dissection and number of lymph nodes examined unknown/not stated
98	Regional lymph nodes surgically removed but number of lymph nodes examined unknown/not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate ONLY

LIVER AND INTRAHEPATIC BILE DUCTS C22.0-C22.1

SURGERY OF OTHER REGIONAL SITE(S), DISTANT SITE(S) OR DISTANT LYMPH NODE(S)

- None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional sites
 - 3 Distant lymph node(s) (includes inferior phrenic lymph nodes)
 - 4 Distant site(s)
 - 5 Combination of 4 WITH 2 or 3
- 9 Unknown; not stated; death certificate ONLY

Page intentionally blank.

PANCREAS C25.0-C25.9

SURGERY OF PRIMARY SITE

00	None; no cancer-directed surgery of primary site			
10	Local excision of tumor, NOS			
20	Partial pancreatectomy, NOS			
40	Total pancreatectomy			
50	Local or partial pancreatectomy and duodenectomy 51 Without subtotal gastrectomy 52 With subtotal gastrectomy (Whipple)			
60	Total pancreatectomy and subtotal gastrectomy or duodenectomy			
70	Extended pancreatoduodenectomy			
80	Pancreatectomy, NOS			
90	Surgery, NOS			
99	Unknown if cancer-directed surgery performed; death certificate ONLY			

PANCREAS **C25.0-C25.9**

SCOPE OF REGIONAL LYMPH NODE SURGERY

The regional lymph nodes are:

Celiac (head only)

Hepatic artery

Infrapyloric (head only)

Lateral aortic

Pancreaticolienal (body and tail only)

Peripancreatic (superior, inferior, anterior, posterior

splenic)

Retroperitoneal

Splenic (body and tail only)

Subpyloric (head only)

Superior mesenteric

Codes

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
 - 2 Extended lymphadenectomy

An extended pancreaticoduodenectomy incorporates selected aspects of the Whipple procedure and regional pancreatectomy. A wide Kocher maneuver removes all lymphatic tissue over the medial aspect of the right kidney, inferior vena cava, and left renal vein.

9 Unknown; not stated; death certificate ONLY

PANCREAS C25.0-C25.9

NUMBER OF REGIONAL LYMPH NODES EXAMINED

Codes

No regional lymph nodes examined
One regional lymph node examined
Two regional lymph nodes examined
Ninety or more regional lymph nodes examined
No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
Regional lymph node removal documented as a sampling and number of lymph nodes examined unknown/not stated
Regional lymph node removal documented as dissection and number of lymph nodes examined unknown/not stated
Regional lymph nodes surgically removed but number of lymph nodes examined unknown/not stated and not documented as sampling or dissection
Unknown; not stated; death certificate ONLY

SURGERY OF OTHER REGIONAL SITE(S), DISTANT SITE(S) OR DISTANT LYMPH NODE(S)

- None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Removal of other regional sites, ONLY
 - 3 Removal of distant node(s)
 - 4 Removal of distant site
 - 5 Combination of 2 WITH 3 and/or 4
- 9 Unknown; not stated; death certificate ONLY

Page intentionally blank.

LARYNX C32.0-C32.9

SURGERY OF PRIMARY SITE

Codes

- None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser
 - 15 Stripping

No specimen sent to pathology from this surgical event.

- 20 Local tumor excision, NOS (WITH PATHOLOGY SPECIMEN)
 - 21 Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision
 - 26 Polypectomy
 - 27 Excisional biopsy
 - 28 Stripping

Specimen sent to pathology from this surgical event.

- Partial excision of the primary site, NOS; subtotal/partial laryngectomy NOS; hemilaryngectomy NOS
 - 31 Vertical laryngectomy
 - 32 Anterior commissure laryngectomy
 - 33 Supraglottic laryngectomy
- 40 Total or radical laryngectomy, NOS
 - 41 Total laryngectomy ONLY
 - 42 Radical laryngectomy ONLY
- 50 Pharyngolaryngectomy
- 80 Laryngectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate ONLY

LARYNX C32.0-C32.9

SCOPE OF REGIONAL LYMPH NODE SURGERY

The regional cervical lymph nodes are:

Buccal (facial)

Caudal jugular (deep cervical)

Cranial jugular (deep cervical)

Dorsal cervical (superficial cervical)

Medial jugular (deep cervical)

Occipital

Paratracheal (anterior cervical)

Parotid

Prelaryngeal (anterior cervical)

Retroauricular (mastoid, posterior

auricular)

Retropharyngeal

Submandibular (submaxillary)

Submental

Supraclavicular

Codes

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
 - 2 Neck dissection, NOS
 - 3 Selective, limited; nodal sampling; "berry picking"
 - 4 Modified/modified radical
 - 5 Radical
- 9 Unknown; not stated; death certificate ONLY

Terminology of neck dissection (Robbins et al. 1991):

A radical neck dissection includes the removal of all ipsilateral cervical lymph node groups, i.e., lymph nodes from levels I through V (submental, submandibular, cranial jugular, medial jugular, caudal jugular, dorsal cervical nodes along the accessory nerve, and supraclavicular), and removal of the spinal accessory nerve, internal jugular vein and sternocleidomastoid muscle.

In a modified radical neck dissection the same lymph nodes are removed as in a radical neck dissection; however, one or more non-lymphatic structures are preserved.

A selective neck dissection is a neck dissection with preservation of one or more lymph node groups routinely removed in radical neck dissection.

LARYNX C32.0-C32.9

NUMBER OF REGIONAL LYMPH NODES EXAMINED

Codes

00	No regional lymph nodes examined
01	One regional lymph node examined
02	Two regional lymph nodes examined
 90	Ninety or more regional lymph nodes examined
95	No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
96	Regional lymph node removal documented as a sampling and number of lymph nodes examined unknown/not stated
97	Regional lymph node removal documented as dissection and number of lymph nodes examined unknown/not stated
98	Regional lymph nodes surgically removed but number of lymph nodes examined unknown/not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate ONLY

SURGERY OF OTHER REGIONAL SITE(S), DISTANT SITE(S) OR DISTANT LYMPH NODE(S)

- None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional sites
 - 3 Distant lymph node(s)
 - 4 Distant site(s)
 - 5 Combination of 4 WITH 2 or 3
- 9 Unknown; not stated; death certificate ONLY

Page intentionally blank.

LUNG C34.0 - C34.9

SURGERY OF PRIMARY SITE

Codes

- None; no cancer-directed surgery of primary site
- 10 Local tumor destruction or excision, NOS
 - 11 Excision
 - 12 Laser ablation or excision
 - Cautery; fulguration
 - 14 Bronchial sleeve resection ONLY
- 20 Resection of less than one lobe
 - Wedge resection
 - 22 Segmental resection, including lingulectomy
- Resection of at least one lobe, but less than the whole lung (partial pneumonectomy, NOS)
 - 31 Lobectomy
 - 32 Bilobectomy

Procedures coded 40 include, but are not limited to:

Complete pneumonectomy

Pneumonectomy, NOS

Sleeve pneumonectomy

Standard pneumonectomy

Total pneumonectomy

- 40 Resection of whole lung
- Resection of lung **WITH an en bloc resection of other organs**
 - Wedge resection
 - 52 Lobectomy
 - 53 Bilobectomy
 - Pneumonectomy (less than a radical or extended pneumonectomy)

EN BLOC resection is the removal of organs in one piece at one time.

Radical pneumonectomy

Radical pneumonectomy is a complete pneumonectomy WITH removal of mediastinal lymph nodes. Removal of mediastinal nodes is also coded in the data fields "Scope of Regional Lymph Node Surgery" and "Number of Regional Nodes Examined."

LUNG C34.0 - C34.9

SURGERY OF PRIMARY SITE, continued

70 Extended radical pneumonectomy

An extended radical pneumonectomy is a radical pneumonectomy (including removal of mediastinal nodes) and the removal of other tissues or nodes. Removal of mediastinal nodes is also coded in the data fields "Scope of Regional Lymph Node Surgery" and "Number of Regional Nodes Examined."

- 80 Resection of lung, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate ONLY

SCOPE OF REGIONAL LYMPH NODE SURGERY

Mediastinal nodes are:

Aortic (includes subaortic, aorticopulmonary window, periaortic, including ascending aorta or including azygos)

Periesophageal

Peritracheal (including those that may be designated tracheobronchial, i.e., lower peritracheal, phrenic) Pre- and retrotracheal (includes precarinal)

Pulmonary ligament

Subcarinal

CODE

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
 - Intrapulmonary (includes interlobar, lobar, segmental), ipsilateral hilar and/or ipsilateral peribronchial nodes
 - 3 Ipsilateral mediastinal and/or subcarinal nodes
 - 4 Combination of 2 and 3
 - 5 Contralateral mediastinal, contralateral hilar, ipsilateral or contralateral scalene and/or supraclavicular nodes
 - 6 Combination of 5 WITH 2 or 3
- 9 Unknown; not stated; death certificate ONLY

LUNG C34.0 - C34.9

NUMBER OF REGIONAL NODES EXAMINED

00	No regional lymph nodes examined
01	One regional lymph node examined
02	Two regional lymph nodes examined
90	Ninety or more regional lymph nodes examined
95	No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
96	Regional lymph node removal documented as a sampling and number of lymph nodes examined unknown/not stated
97	Regional lymph node removal documented as dissection and number of lymph nodes examined unknown/not stated
98	Regional lymph nodes surgically removed but number of lymph nodes examined unknown/not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate ONLY

LUNG C34.0 - C34.9

SURGERY OF OTHER REGIONAL SITE(S), DISTANT SITE(S), OR DISTANT LYMPH NODE(S)

DO NOT CODE the incidental removal of ribs. Ribs are removed to provide access to the lung.

Codes

- None; no surgery to other regional sites, distant sites or distant lymph nodes
- 1 Surgery to other site(s)or node(s), NOS; unknown if regional or distant
- 2 Surgery to a regional site ONLY
 - Removal of a solitary lesion in the same lung (primary site), different (non-primary) lobe

There is one primary. Patient has two tumors with the same histology in different lobes of the same lung.

- 4 Resection of metastasis in a distant site(s) or resection of distant lymph nodes(s), NOS
 - 5 Removal of a solitary lesion in the contralateral lung

Patient has one primary. There is a primary tumor or tumor(s) in one lung and a solitary metastatic lesion in the contralateral lung.

6 Removal of a solitary lesion in a distant site or a distant lymph node, NOS

This includes, but is not limited to the removal of a solitary metastatic brain lesion.

- Removal of multiple lesions in distant site(s)
- 9 Unknown; not stated; death certificate ONLY

BONES, JOINTS, AND ARTICULAR CARTILAGE C40.0 - C41.9 PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM C47.0 - C47.9 CONNECTIVE, SUBCUTANEOUS AND OTHER SOFT TISSUES C49.0 - C49.9

SURGERY OF PRIMARY SITE

Codes

10	Local tumor destruction or excision			
20	Partial resection/internal hemipelvectomy (pelvis)			
30	Radical excision or resection of lesion with limb salvage			
40	Amputation of limb 41 Partial amputation of limb 42 Total amputation of limb			
50	Major amputation, NOS 51 Forequarter, including scapula 52 Hindquarter, including ilium/hip bone 53 Hemipelvectomy			
90	Surgery, NOS			

Unknown if cancer-directed surgery performed; death certificate ONLY

SCOPE OF REGIONAL LYMPH NODE SURGERY

Codes

99

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
- 9 Unknown; not stated; death certificate ONLY

BONES, JOINTS, AND ARTICULAR CARTILAGE C40.0 - C41.9 PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM C47.0 - C47.9 CONNECTIVE, SUBCUTANEOUS AND OTHER SOFT TISSUES C49.0 - C49.9

NUMBER OF REGIONAL LYMPH NODES EXAMINED

Codes

00 01 02	No regional lymph nodes examined One regional lymph node examined Two regional lymph nodes examined
 90	Ninety or more regional lymph nodes eveningd
	Ninety or more regional lymph nodes examined
95	No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
96	Regional lymph node removal documented as a sampling and number of lymph nodes examined unknown/not stated
97	Regional lymph node removal documented as dissection and number of lymph nodes examined unknown/not stated
98	Regional lymph nodes surgically removed but number of lymph nodes examined unknown/not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate ONLY

SURGERY OF OTHER REGIONAL SITE(S), DISTANT SITE(S) OR DISTANT LYMPH NODE(S)

- None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional site(s)
 - 5 Distant lymph node(s)
 - 6 Distant site(s)
 - 7 Combination of 6 WITH 2 or 5
- 9 Unknown; not stated; death certificate ONLY

SPLEEN AND LYMPH NODES Spleen C42.2, Lymph Nodes C77.0 - C77.9

SURGERY OF PRIMARY SITE

Codes

00	None; no cancer-directed surgery of primary site			
10	Local excision, destruction, NOS			
20	Splenectomy, NOS 21 Partial splenectomy 22 Total splenectomy			
30	Lymph node dissection, NOS 31 One chain 32 Two or more chains			
40	Lymph node dissection, NOS plus splenectomy 41 One chain 42 Two or more chains			
50	Lymph node dissection, NOS and partial/total removal of adjacent organ(s) 51 One chain 52 Two or more chains			
60	Lymph node dissection, NOS and partial/total removal of adjacent organ(s) PLUS splenector One chain Two or more chains			
90	Surgery, NOS			

SCOPE OF REGIONAL LYMPH NODE SURGERY (SPLEEN ONLY)

Unknown if cancer-directed surgery performed; death certificate ONLY

Note: For a lymph node primary, code this field as '9.'

Codes

99

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
- 9 Unknown; not stated; death certificate ONLY

SPLEEN AND LYMPH NODES Spleen C42.2, Lymph Nodes C77.0 - C77.9

NUMBER OF REGIONAL LYMPH NODES EXAMINED (SPLEEN ONLY)

Note: For a lymph node primary, code this field as '99.'

Codes

00 01 02	No regional lymph nodes examined One regional lymph node examined Two regional lymph nodes examined
 90	Ninety or more regional lymph nodes examined
95	No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
96	Regional lymph node removal documented as a sampling and number of lymph nodes examined unknown/not stated
97	Regional lymph node removal documented as dissection and number of lymph nodes examined unknown/not stated
98	Regional lymph nodes surgically removed but number of lymph nodes examined unknown/not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate ONLY

SURGERY OF OTHER REGIONAL SITE(S), DISTANT SITE(S) OR DISTANT LYMPH NODE(S)

- None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional site(s)
 - 5 Distant lymph node(s)
 - 6 Distant site(s)
 - 7 Combination of 6 WITH 2 or 5
- 9 Unknown; not stated; death certificate ONLY

SKIN C44.0 - C44.9

SURGERY OF PRIMARY SITE

Codes

- None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser ablation

No specimen sent to pathology from this surgical event.

- 20 Local tumor excision, NOS (WITH PATHOLOGY SPECIMEN)
 - 21 Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision
 - 26 Polypectomy
 - 27 Excisional biopsy

Specimen sent to pathology from this surgical event.

- Biopsy of primary tumor followed by a gross excision of the lesion
 - 31 Shave biopsy followed by a gross excision of the lesion
 - Punch biopsy followed by a gross excision of the lesion
 - Incisional biopsy followed by a gross excision of the lesion

Less than a wide excision, less than 1 cm margin.

40 Wide excision or re-excision of lesion or minor (local) amputation, NOS

Margins of excision are 1 cm or more. Margins may be microscopically involved.

Local amputation is the surgical resection of digits, ear, eyelid, lip, or nose.

50 Radical excision of a lesion, NOS

Margins of excision are greater than 1 cm and grossly tumor-free. The margins may be microscopically involved.

SKIN C44.0 - C44.9

SURGERY OF PRIMARY SITE, continued

- Major amputation, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate ONLY

SCOPE OF REGIONAL LYMPH NODE SURGERY

Regional lymph nodes are different for each anatomical subsite.

Head, neck	Cervical, ipsilateral preauricular, submandibular, and supraclavicular	
Thorax	Ipsilateral axillary	
Arm	Ipsilateral epitrochlear and axillary	
Abdomen, loins, and buttocks	Ipsilateral inguinal	
Anal margin and perianal skin	Ipsilateral inguinal	
Leg	Ipsilateral inguinal and popliteal	

There are boundary zones between the subsites (i.e., between the thorax and arm, the boundary zone is the shoulder and axilla). The boundary zones do not belong to either subsite. If a tumor originates in one of these 4 cm boundary zones, the nodes on either side of the bands are regional.

BETWEEN THE SUBSITES		SUBSITES	THE BOUNDARY ZONE IS
Head and neck	AND	Thorax	Clavicle-acromion-upper shoulder blade edge
Thorax	AND	Arm	Shoulder-axilla-shoulder
Thorax	AND	Abdomen, loins, and buttocks	Front: Middle between navel and costal arch Back: Lower border of thoracic vertebrae (midtransverse axis)
Abdomen, loins, and buttock AND		Leg	Groin-trochanter-gluteal sulcus
Right	AND	Left	Midline

SKIN C44.0 - C44.9

SCOPE OF REGIONAL LYMPH NODE SURGERY, continued

Iliac, other pelvic, abdominal or intrathoracic lymph nodes are distant. Code the removal of these nodes under the data item "Surgery of Other Regional Site(s), Distant Site(s), or Distant Node(s)."

Codes

- 0 No regional lymph nodes removed
- 1 Sentinel node, NOS

A sentinel node is the first node to receive drainage from a primary tumor. It is identified by an injection of a dye or radio label at the site of the primary tumor

- 2 Regional lymph nodes removed, NOS
- 9 Unknown; not stated; death certificate ONLY

NUMBER OF REGIONAL NODES EXAMINED

00 01 02	No regional lymph nodes examined One regional lymph node examined Two regional lymph nodes examined
 90	Ninety or more regional lymph nodes examined
95	No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
96	Regional lymph node removal documented as a sampling and number of lymph nodes examined unknown/not stated
97	Regional lymph node removal documented as dissection and number of lymph nodes examined unknown/not stated
98	Regional lymph nodes surgically removed but number of lymph nodes examined unknown/not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate ONLY

SKIN C44.0 - C44.9

SURGERY OF OTHER REGIONAL SITE(S), DISTANT SITE(S) OR DISTANT LYMPH NODE(S)

- None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional sites
 - 3 Distant lymph node(s)
 - 4 Distant site(s)
 - 5 Combination of 4 WITH 2 or 3
- 9 Unknown; not stated; death certificate ONLY

BREAST C50.0 - C50.9

SURGERY OF PRIMARY SITE

CODE

None; no cancer-directed surgery of primary site

Procedures coded as 10-17 remove the gross primary tumor and some of the breast tissue (breast-conserving or preserving). There may be microscopic residual tumor.

- 10 Partial mastectomy, NOS; less than total mastectomy, NOS
 - 11 Nipple resection
 - 12 Lumpectomy or excisional biopsy
 - Re-excision of the biopsy site for gross or microscopic residual disease.
 - Wedge resection
 - 15 Quadrantectomy
 - 16 Segmental mastectomy
 - 17 Tylectomy
- 30 Subcutaneous mastectomy

A subcutaneous mastectomy is the removal of breast tissue without the nipple and areolar complex or overlying skin. THIS PROCEDURE IS RARELY PERFORMED TO TREAT MALIGNANCIES.

- 40 Total (simple) mastectomy, NOS
 - 41 WITHOUT removal of uninvolved contralateral breast
 - 42 WITH removal of uninvolved contralateral breast

A simple mastectomy removes all breast tissue, the nipple, and areolar complex. An axillary dissection is not done.

For single primaries only, code removal of involved contralateral breast under the data item "Surgery of Other Regional Site(s), Distant Site(s) or Distant Lymph Node(s)."

SURGERY OF PRIMARY SITE, continued

- Modified radical mastectomy
 - 51 WITHOUT removal of uninvolved contralateral breast
 - WITH removal of uninvolved contralateral breast

Removes all breast tissue, the nipple, the areolar complex, and variable amounts of breast skin. The procedure involves an en bloc resection of the axilla. The specimen may or may not include a portion of the pectoralis major muscle. Includes an en bloc axillary dissection.

For single primaries only, code removal of involved contralateral breast under the data item "Surgery of Other Regional Site(s), Distant Site(s) or Distant Lymph Node(s)."

60 Radical mastectomy, NOS

BREAST C50.0 - C50.9

- WITHOUT removal of uninvolved contralateral breast
- WITH removal of uninvolved contralateral breast

Removal of breast tissue, nipple, areolar complex, a variable amount of skin, pectoralis minor, and pectoralis major. Includes an en bloc axillary dissection.

For single primaries only, code removal of involved contralateral breast under the data item "Surgery of Other Regional Site(s), Distant Site(s) or Distant Lymph Node(s)."

- 70 Extended radical mastectomy
 - 71 WITHOUT removal of uninvolved contralateral breast
 - WITH removal of uninvolved contralateral breast

Removal of breast tissue, nipple, areolar complex, variable amounts of skin, pectoralis minor, and pectoralis major. Includes removal of internal mammary nodes and an en bloc axillary dissection.

For single primaries only, code removal of involved contralateral breast under the data item "Surgery of Other Regional Site(s), Distant Site(s) or Distant Lymph Node(s)."

- 80 Mastectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate ONLY

SCOPE OF REGIONAL LYMPH NODE SURGERY

- 0 No regional lymph nodes removed
- 1 Sentinel lymph node(s) removed

A sentinel node is the first node to receive drainage from a primary tumor. It is identified by an injection of a dye or radio label at the site of the primary tumor

- Regional lymph node(s) removed, NOS; axillary, NOS (Levels I, II, or III lymph nodes) Intramammary, NOS
 - 3 Combination of 1 and 2
 - 4 Internal mammary
 - 5 Combination of 4 WITH any of 1-3
- 9 Unknown; not stated; death certificate ONLY

BREAST C50.0 - C50.9

NUMBER OF REGIONAL LYMPH NODES EXAMINED

No regional lymph nodes examined

00	1 to regional Tymph hodes examined
01	One regional lymph node examined
02	Two regional lymph nodes examined
 90	Ninety or more regional lymph nodes examined
95	No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
96	Regional lymph node removal documented as a sampling and number of lymph nodes examined unknown/not stated
97	Regional lymph node removal documented as dissection and number of lymph nodes examined unknown/not stated
98	Regional lymph nodes surgically removed but number of lymph nodes examined unknown/not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate ONLY

SURGERY OF OTHER REGIONAL SITE(S), DISTANT SITE(S) OR DISTANT LYMPH NODE(S)

DO NOT CODE removal of fragments or tags of muscles; removal of the pectoralis minor; the resection of pectoralis muscles, NOS; or the resection of fascia with no mention of muscle.

Codes

00

- None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional site(s)
 - 3 Distant lymph node(s)
 - 4 Distant site(s)
 - 5 Removal of involved contralateral breast (single primary only)
 - 6 Combination of 4 or 5 WITH 2 or 3
- 9 Unknown; not stated; death certificate ONLY

RECONSTRUCTION - FIRST COURSE

The insertion of a tissue expander is often the beginning of the reconstructive procedure.

BREAST C50.0 - C50.9

- 0 No reconstruction/restoration
- 1 Reconstruction, NOS (unknown if flap)
 - 2 Implant; reconstruction WITHOUT flap
 - 3 Reconstruction WITH flap, NOS
 - 4 Latissimus dorsi flap
 - 5 Abdominis recti flap
 - 6 Flap, NOS + implant
 - 7 Latissimus dorsi flap + implant
 - 8 Abdominis recti + implant
- 9 Unknown; not stated; death certificate ONLY

CERVIX UTERI C53.0 - C53.9

SURGERY OF PRIMARY SITE

FOR INVASIVE CANCERS, dilatation and curettage is considered an incisional biopsy and is not coded as site-specific surgery.

Codes

- None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser
 - 15 LEEP

No specimen sent to pathology from this surgical event.

- 20 Local tumor destruction or excision, NOS (WITH PATHOLOGY SPECIMEN)
 - 21 Electrocautery
 - 22 Cryosurgery
 - 23 Laser
 - 24 Cone biopsy WITH gross excision of lesion
 - Dilatation and curettage; endocervical curettage (cancer-directed for in situ only)
 - 26 Excisional biopsy, NOS
 - 27 Cone biopsy
 - 28 LEEP
 - 29 Trachelectomy; removal of cervical stump; cervicectomy

Specimen sent to pathology from this surgical event.

Total hysterectomy (simple, pan-) WITHOUT removal of tubes and ovaries

Total hysterectomy removes both the corpus and cervix uteri and may also include a portion of vaginal cuff.

40 Total hysterectomy (simple, pan-) WITH removal of tubes or ovary

Total hysterectomy removes both the corpus and cervix uteri and may also include a portion of vaginal cuff.

CERVIX UTERI C53.0 - C53.9

SURGERY OF PRIMARY SITE, continued

- Modified radical or extended hysterectomy; radical hysterectomy; extended radical hysterectomy
 - Modified radical hysterectomy
 - 52 Extended hysterectomy
 - Radical hysterectomy; Wertheim's procedure
 - 54 Extended radical hysterectomy
- Hysterectomy, NOS, WITH or WITHOUT removal of tubes and ovaries
 - WITHOUT removal of tubes and ovaries
 - WITH removal of tubes and ovaries
- 70 Pelvic exenteration
 - 71 Anterior exenteration

Includes bladder, distal ureters, and genital organs WITH their ligamentous attachments and pelvic lymph nodes. The removal of pelvic lymph nodes is also coded under the data item "Surgery of Other Regional Site(s), Distant Site(s) or Distant Lymph Node(s)."

72 Posterior exenteration

Includes rectum and rectosigmoid WITH ligamentous attachments and pelvic lymph nodes. The removal of pelvic lymph nodes is also coded under the data item "Surgery of Other Regional Site(s), Distant Site(s) or Distant Lymph Node(s)."

73 Total exenteration

Includes removal of all pelvic contents and pelvic lymph nodes. The removal of pelvic lymph nodes is also coded under the data item "Surgery of Other Regional Site(s), Distant Site(s) or Distant Lymph Node(s)."

74 Extended exenteration

Includes pelvic blood vessels or bony pelvis

- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate ONLY

CERVIX UTERI C53.0 - C53.9

SCOPE OF REGIONAL LYMPH NODE SURGERY

The regional lymph nodes are:

Common iliac External iliac

Hypogastric (obturator)

Internal iliac

Paracervical

Parametrial

Presacral

Sacral

Codes

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
- 9 Unknown; not stated; death certificate ONLY

NUMBER OF REGIONAL LYMPH NODES EXAMINED

00	No regional lymph nodes examined
01	One regional lymph node examined
02	Two regional lymph nodes examined
••	
90	Ninety or more regional lymph nodes examined
95	No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
96	Regional lymph node removal documented as a sampling and number of lymph nodes examined unknown/not stated
97	Regional lymph node removal documented as dissection and number of lymph nodes examined unknown/not stated
98	Regional lymph nodes surgically removed but number of lymph nodes examined unknown/not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate ONLY

CERVIX UTERI C53.0 - C53.9

SURGERY OF OTHER REGIONAL SITE(S), DISTANT SITE(S) OR DISTANT LYMPH NODE(S)

DO NOT CODE the incidental removal of an appendix. **DO NOT CODE** an omentectomy **IF** it was the only surgery performed in addition to hysterectomy. Incidental removal is when an organ is removed for a reason unrelated to the malignancy.

- None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional site(s)
 - 3 Distant lymph node(s), NOS
 - 4 Periaortic lymph nodes
 - 5 Distant site(s)
 - 6 Combinations of 5 with 4
 - 7 Combination of 5 WITH 2 or 3
- 9 Unknown; not stated; death certificate ONLY

CORPUS UTERI C54.0 - C55.9

SURGERY OF PRIMARY SITE

Codes

- None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser
 - 15 LEEP

No specimen sent to pathology from this surgical event.

Procedures in code 20 include but are not limited to:

Cryosurgery

Electrocautery

Excisional biopsy

Laser ablation

Thermal ablation

- 20 Local tumor destruction or excision, NOS; simple excision, NOS (WITH PATHOLOGY SPECIMEN)
 - 21 Electrocautery
 - 22 Cryosurgery
 - 23 Laser
 - 24 Excisional biopsy
 - 25 Polypectomy
 - 26 Myomectomy

Specimen sent to pathology from this surgical event.

Margins of resection may have microscopic involvement.

CORPUS UTERI C54.0 - C55.9

SURGERY OF PRIMARY SITE, continued

- 30 Subtotal hysterectomy/supracervical hysterectomy/fundectomy WITH or WITHOUT removal of tube(s) and ovary(ies).
 - 31 WITHOUT tube(s) and ovary (ies)
 - 32 WITH tube(s) and ovary (ies)

Cervix left in place

Total hysterectomy (simple, pan-) WITHOUT removal of tube(s) and ovary (ies)

Removes both the corpus and cervix uteri. It may also include a portion of the vaginal cuff.

50 Total hysterectomy (simple, pan-) WITH removal of tube(s) or ovary (ies)

Removes both the corpus and cervix uteri. It may also include a portion of the vaginal cuff.

- Modified radical or extended hysterectomy; radical hysterectomy; extended radical hysterectomy
 - Modified radical hysterectomy
 - 62 Extended hysterectomy
 - Radical hysterectomy; Wertheim's procedure
 - Extended radical hysterectomy
- Hysterectomy, NOS, WITH or WITHOUT removal of tube(s) and ovary(ies)
 - 71 WITHOUT removal of tube(s) and ovary(ies)
 - WITH removal of tube(s) and ovary(ies)
- 80 Pelvic exenteration
 - 81 Anterior exenteration

Includes bladder, distal ureters, and genital organs WITH their ligamentous attachments and pelvic lymph nodes. The removal of pelvic lymph nodes is also coded under the data item "Surgery of Other Regional Site(s), Distant Site(s) or Distant Lymph Node(s)."

82 Posterior exenteration

Includes rectum and rectosigmoid WITH ligamentous attachments and pelvic lymph nodes. The removal of pelvic lymph nodes is also coded under the data item "Surgery of Other Regional Site(s), Distant Site(s) or Distant Lymph Node(s)."

CORPUS UTERI C54.0 - C55.9

SURGERY OF PRIMARY SITE, continued

83 Total exenteration

Includes removal of all pelvic contents and pelvic lymph nodes. The removal of pelvic lymph nodes is also coded under the data item "Surgery of Other Regional Site(s), Distant Site(s) or Distant Lymph Node(s)."

84 Extended exenteration

Includes pelvic blood vessels or bony pelvis

- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate ONLY

SCOPE OF REGIONAL LYMPH NODE SURGERY

The regional lymph nodes are:

Common iliac and external iliac

Hypogastric (obturator)

Para aortic

Parametrial

Sacral

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
 - 2 Pariaortic with or without other regional lymph nodes
- 9 Unknown; not stated; death certificate ONLY

CORPUS UTERI C54.0 - C55.9

NUMBER OF REGIONAL LYMPH NODES EXAMINED

00	No regional lymph nodes examined
01	One regional lymph node examined
02	Two regional lymph nodes examined
••	
90	Ninety or more regional lymph nodes examined
95	No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
96	Regional lymph node removal documented as a sampling and number of lymph nodes examined unknown/not stated
97	Regional lymph node removal documented as dissection and number of lymph nodes examined unknown/not stated
98	Regional lymph nodes surgically removed but number of lymph nodes examined unknown/not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate ONLY

SURGERY OF OTHER REGIONAL SITE(S), DISTANT SITE(S) OR DISTANT LYMPH NODE(S)

DO NOT CODE the incidental removal of the appendix or an omentectomy **IF** it was the only surgery performed in addition to hysterectomy. Incidental removal is when an organ is removed for a reason unrelated to the malignancy.

- None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional site(s)
 - 3 Distant lymph node(s)
 - 4 Distant site(s)
 - 5 Combination of 4 WITH 2 or 3
- 9 Unknown; not stated; death certificate ONLY

OVARY C56.9

SURGERY OF PRIMARY SITE

- None; no cancer-directed surgery of primary site
- Total removal of tumor or (single) ovary, NOS
 - Resection of ovary (wedge, subtotal, or partial) ONLY, NOS; unknown if hysterectomy done
 - WITHOUT hysterectomy
 - WITH hysterectomy
 - 14 Unilateral (salpingo-) oophorectomy; unknown if hysterectomy done
 - WITHOUT hysterectomy
 - 16 WITH hysterectomy
- 20 Bilateral (salpingo-) oophorectomy; unknown if hysterectomy done
 - 21 WITHOUT hysterectomy
 - WITH hysterectomy
- 30 Unilateral or bilateral (salpingo-) oophorectomy **WITH OMENTECTOMY**, NOS; partial or total; unknown if hysterectomy done
 - 31 WITHOUT hysterectomy
 - 32 WITH hysterectomy
- 60 Debulking; cytoreductive surgery, NOS
 - WITH colon (including appendix) and/or small intestine resection (not incidental)
 - WITH partial resection of urinary tract (not incidental)
 - 63 Combination of 61 and 62

Debulking is a partial removal of the tumor mass and can involve the removal of multiple organ sites. It may include removal of ovaries and/or the uterus (a hysterectomy). The pathology report may or may not identify ovarian tissue.

A debulking is usually followed by another treatment modality such as chemotherapy.

- 70 Pelvic exenteration, NOS
 - 71 Anterior

Includes bladder, distal ureters, and genital organs WITH their ligamentous attachments and pelvic lymph nodes. The removal of pelvic lymph nodes is also coded under the data item "Surgery of Other Regional Site(s), Distant Site(s) or Distant Lymph Node(s)."

72 Posterior

Includes rectum and rectosigmoid WITH ligamentous attachments and pelvic lymph nodes. The removal of pelvic lymph nodes is also coded under the data item "Surgery of Other Regional Site(s), Distant Site(s) or Distant Lymph Node(s)."

OVARY C56.9

SURGERY OF PRIMARY SITE, continued

73 Total

Includes removal of all pelvic contents and pelvic lymph nodes. The removal of pelvic lymph nodes is also coded under the data item "Surgery of Other Regional Site(s), Distant Site(s) or Distant Lymph Node(s)."

74 Extended

Includes pelvic blood vessels or bony pelvis.

- 80 (Salpingo-) oophorectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate ONLY

SCOPE OF REGIONAL LYMPH NODE SURGERY

The regional lymph nodes are:

Common iliac

External iliac

Hypogastric (obturator)

Inguinal

Lateral sacral

Para-aortic

Pelvic, NOS

Retroperitoneal, NOS

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
- 9 Unknown; not stated; death certificate ONLY

OVARY C56.9

NUMBER OF REGIONAL LYMPH NODES EXAMINED

Codes

00	No regional lymph nodes examined
01	One regional lymph node examined
02	Two regional lymph nodes examined
 90	Ninety or more regional lymph nodes examined
95	No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
96	Regional lymph node removal documented as a sampling and number of lymph nodes examined unknown/not stated
97	Regional lymph node removal documented as dissection and number of lymph nodes examined unknown/not stated
98	Regional lymph nodes surgically removed but number of lymph nodes examined unknown/not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate ONLY

SURGERY OF OTHER REGIONAL SITE(S), DISTANT SITE(S) OR DISTANT LYMPH NODE(S)

DO NOT CODE an incidental removal of the appendix. Incidental removal is when an organ is removed for a reason unrelated to the malignancy.

- None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional site(s)
 - 3 Distant lymph node(s)
 - 4 Distant site(s)
 - 5 Combination of 4 WITH 2 or 3
- 9 Unknown; not stated; death certificate ONLY

Page intentionally blank.

PROSTATE C61.9

SURGERY OF PRIMARY SITE

Do not code an orchiectomy in this field. For prostate primaries, orchiectomies are coded in the field "Hormone Therapy."

Codes

- None; no cancer-directed surgery of primary site
- 10 Local tumor destruction or excision, NOS
 - 11 Transurethral resection (TURP), NOS
 - TURP cancer is incidental finding during surgery for benign disease
 - TURP patient has suspected/known cancer
 - 14 Cryoprostatectomy
 - 15 Laser
 - 16 Hyperthermia
 - 17 Other method of local resection or destruction
- 30 Subtotal or simple prostatectomy, NOS

A segmental resection or enucleation leaving the capsule intact.

40 <u>Less than total prostatectomy, NOS</u>

An enucleation using an instrument such as a Vapotrode which may leave all or part of the capsule intact.

Radical prostatectomy, NOS; total prostatectomy, NOS

Excised prostate, prostatic capsule, ejaculatory ducts, seminal vesicle(s) and may include a narrow cuff of bladder neck.

Prostatectomy WITH en bloc resection of other organs; pelvic exenteration

Surgeries coded 70 are any prostatectomy WITH an en bloc resection of any other organs. The other organs may be partially or totally removed in continuity with the primary.

EN BLOC RESECTION is the removal of organs in one piece at one time. Procedures that may involve an en bloc resection include, but are not limited to: cystoprostatectomy, radical cystectomy and prostatectomy.

- 80 Prostatectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate ONLY

PROSTATE C61.9

SCOPE OF REGIONAL LYMPH NODE SURGERY

The regional lymph nodes are:

Hypogastric

Iliac, NOS (internal and external)

Obturator

Pelvic, NOS

Periprostatic

Sacral, NOS (lateral presacral, promontory [Gerota's] or NOS)

Codes

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
- 9 Unknown; not stated; death certificate ONLY

NUMBER OF REGIONAL LYMPH NODES EXAMINED

00	No regional lymph nodes examined
01	One regional lymph node examined
02	Two regional lymph nodes examined
 90	Ninety or more regional lymph nodes examined
95	No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
96	Regional lymph node removal documented as a sampling and number of lymph nodes examined unknown/not stated
97	Regional lymph node removal documented as dissection and number of lymph nodes examined unknown/not stated
98	Regional lymph nodes surgically removed but number of nodes unknown /not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate ONLY

PROSTATE C61.9

SURGERY OF OTHER REGIONAL SITE(S), DISTANT SITE(S), OR DISTANT LYMPH NODE(S)

DO NOT CODE orchiectomy. For prostate primaries, code orchiectomies under "Hormone Therapy."

The most commonly removed distant lymph nodes are: aortic (para-aortic, peri-aortic, lumbar), common iliac, inguinal, superficial inguinal (femoral), supraclavicular, cervical, and scalene.

- None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional site(s)
 - 3 Distant lymph node(s)
 - 4 Distant site(s)
 - 5 Combination of 4 WITH 2 or 3
- 9 Unknown; not stated; death certificate ONLY

Page intentionally blank.

TESTIS C62.0-C62.9

SURGERY OF PRIMARY SITE

Codes

00	None; no cancer-directed surgery of primary site
10	Local or partial excision of testicle
30	Excision of testicle, NOS WITHOUT cord
40	Excision of testicle, NOS WITH cord/or cord not mentioned
80	Orchiectomy, NOS
90	Surgery, NOS
99	Unknown if cancer-directed surgery performed; death certificate ONLY

SCOPE OF REGIONAL LYMPH NODE SURGERY

The regional lymph nodes are:

Interaortocaval

Paraaortic (Periaortic)

Paracaval

Preaortic

Precaval

Retroaortic

Retrocaval

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS; not stated if bilateral or unilateral
 - 2 Unilateral regional lymph nodes
 - 3 Bilateral regional lymph nodes
- 9 Unknown; not stated; death certificate ONLY

TESTIS C62.0-C62.9

NUMBER OF REGIONAL NODES EXAMINED

Codes

00	No regional lymph nodes examined
01	One regional lymph node examined
02	Two regional lymph nodes examined
90	Ninety or more regional lymph nodes examined
95	No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
96	Regional lymph node removal documented as a sampling and number of lymph nodes examined unknown/not stated
97	Regional lymph node removal documented as dissection and number of lymph nodes examined unknown/not stated
98	Regional lymph nodes surgically removed but number of lymph nodes examined unknown/not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate ONLY

SURGERY OF OTHER REGIONAL SITE(S), DISTANT SITE(S) OR DISTANT LYMPH NODE(S)

- None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional sites
 - 3 Distant lymph node(s)
 - 4 Distant site(s)
 - 5 Combination of 4 WITH 2 or 3
- 9 Unknown; not stated; death certificate ONLY

KIDNEY, RENAL PELVIS, AND URETER Kidney C64.9, Renal Pelvis C65.9, Ureter C66.9

SURGERY OF PRIMARY SITE

Codes

- None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from this surgical event.

- 20 Local tumor excision, NOS (WITH PATHOLOGY SPECIMEN)
 - 21 Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision
 - 26 Polypectomy
 - 27 Excisional biopsy

Specimen sent to pathology from this surgical event.

Procedures coded 30 include, but are not limited to:

Cryosurgery

Electrocautery

Excisional biopsy

Laser

Segmental resection

Thermal ablation

Wedge resection

Partial or subtotal nephrectomy (kidney or renal pelvis) or partial ureterectomy (ureter)

Margins of resection are grossly negative. There may be microscopic involvement.

KIDNEY, RENAL PELVIS, AND URETER Kidney C64.9, Renal Pelvis C65.9, Ureter C66.9

SURGERY OF PRIMARY SITE, continued

Complete/total/simple nephrectomy - for kidney parenchyma Nephroureterectomy

Includes bladder cuff for renal pelvis or ureter

Radical nephrectomy

May include removal of a portion of vena cava, adrenal gland(s), Gerota's fascia, perinephric fat, or partial/total ureter

Any nephrectomy (simple, subtotal, complete, partial, total, radical) **PLUS** an en bloc resection of other organ(s) (colon, bladder)

The other organs, such as colon or bladder, may be partially or totally removed.

- 80 Nephrectomy, NOS Ureterectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate ONLY

KIDNEY, RENAL PELVIS, AND URETER Kidney C64.9, Renal Pelvis C65.9, Ureter C66.9

SCOPE OF REGIONAL LYMPH NODE SURGERY

The regional lymph nodes are		
Kidney	Aortic (para-aortic, periaortic, lateral aortic) Paracaval Renal hilar Retroperitoneal, NOS	
Renal pelvis	Aortic Paracaval Renal hilar Retroperitoneal, NOS	
Ureter	Iliac (common, internal [hypogastric], external) Paracaval Pelvic, NOS Periureteral Renal hilar	

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS; not stated if bilateral or unilateral
 - 2 Unilateral regional lymph nodes
 - 3 Bilateral regional lymph nodes
- 9 Unknown; not stated; death certificate ONLY

KIDNEY, RENAL PELVIS, AND URETER Kidney C64.9, Renal Pelvis C65.9, Ureter C66.9

NUMBER OF REGIONAL NODES EXAMINED

Codes

00	No regional lymph nodes examined
01	One regional lymph node examined
02	Two regional lymph nodes examined
90	Ninety or more regional lymph nodes examined
95	No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
96	Regional lymph node removal documented as a sampling and number of lymph nodes examined unknown/not stated
97	Regional lymph node removal documented as dissection and number of lymph nodes examined unknown/not stated
98	Regional lymph nodes surgically removed but number of nodes unknown /not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate ONLY

SURGERY OF OTHER REGIONAL SITE(S), DISTANT SITE(S) OR DISTANT LYMPH NODE(S)

DO NOT CODE the incidental removal of ribs during the operative approach.

- None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional site(s)
 - 3 Distant lymph node(s)
 - 4 Distant site(s)
 - 5 Combination of 4 WITH 2 or 3
- 9 Unknown; not stated; death certificate ONLY

BLADDER C67.0-C67.9

SURGERY OF PRIMARY SITE

Codes

- None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from this surgical event.

- 20 Local tumor excision, NOS (WITH PATHOLOGY SPECIMEN)
 - 21 Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision
 - 26 Polypectomy
 - 27 Excisional biopsy (TURB)

Specimen sent to pathology from this surgical event.

- 30 Partial cystectomy
- 50 Simple/total/complete cystectomy
- Radical cystectomy (male only)

This code is used only for men. It involves the removal of bladder and prostate, with or without urethrectomy. The procedure is also called cystoprostatectomy.

If a radical cystectomy is the procedure name for a woman, use code 71.

BLADDER C67.0-C67.9

- 70 Pelvic exenteration, NOS
 - Radical cystectomy (female only); anterior exenteration

A radical cystectomy in a female includes removal of bladder, uterus, ovaries, entire vaginal wall and entire urethra.

- 72 Posterior exenteration
- 73 Total exenteration

Includes removal of all pelvic contents and pelvic lymph nodes.

74 Extended exenteration

Includes pelvic blood vessels or bony pelvis.

- 80 Cystectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate ONLY

SCOPE OF REGIONAL LYMPH NODE SURGERY

The regional lymph nodes are:

Hypogastric

Iliac (internal, external, NOS)

Obturator

Pelvic, NOS

Perivesical, Pericystic

Presacral

Sacral (lateral, sacral promontory [Gerota's])

- 0 No regional lymph nodes removed
- Regional lymph node(s) removed, NOS; not stated if bilateral or unilateral
 - 2 Unilateral regional lymph nodes
 - 3 Bilateral regional lymph nodes
- 9 Unknown; not stated; death certificate ONLY

BLADDER C67.0-C67.9

NUMBER OF REGIONAL NODES EXAMINED

Codes

00	No regional lymph nodes examined
01	One regional lymph node examined
02	Two regional lymph nodes examined
90	Ninety or more regional lymph nodes examined
95	No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
96	Regional lymph node removal documented as a sampling and number of lymph nodes examined unknown/not stated
97	Regional lymph node removal documented as dissection and number of lymph nodes examined unknown/not stated
98	Regional lymph nodes surgically removed but number of lymph nodes examined unknown/not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate ONLY

SURGERY OF OTHER REGIONAL SITE(S), DISTANT SITE(S) OR DISTANT LYMPH NODE(S)

DO NOT CODE the partial or total removal of a ureter during a cystectomy.

- None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional site(s)
 - 3 Distant lymph node(s)
 - 4 Distant site(s)
 - 5 Combination of 4 WITH 2 or 3
- 9 Unknown; not stated; death certificate ONLY

Page intentionally blank.

BRAIN AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM Meninges C70.0 - C70.9, Brain C71.0 - C71.9 Other Parts of Central Nervous System C72.0 - C72.9

SURGERY OF PRIMARY SITE

DO NOT CODE laminectomies for spinal cord primaries.

Codes

- None; no cancer-directed surgery of primary site
- 10 Local tumor destruction
- 20 Excision of tumor, lesion, or mass
 - 21 Subtotal resection, NOS
 - 22 Partial resection
 - 23 Debulking
- 30 Excision of tumor, lesion, or mass, NOS
 - 31 Total resection
 - 32 Gross resection
- 40 Partial resection, NOS
 - 41 Partial lobe
 - 42 Partial meninges
 - 43 Partial nerve(s)
- Total resection (lobectomy of brain)
- 60 Radical resection

Resection of primary site plus partial or total removal of surrounding organs/tissue

- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate ONLY

BRAIN AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM Meninges C70.0 - C70.9, Brain C71.0 - C71.9 Other Parts of Central Nervous System C72.0 - C72.9

SCOPE OF REGIONAL LYMPH NODE SURGERY

There are no regional lymph nodes for brain. Code no regional lymph nodes removed (0). Central nervous system sites, however, have regional lymph nodes.

Codes

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
- 9 Unknown; not stated; death certificate ONLY

NUMBER OF REGIONAL LYMPH NODES EXAMINED

There are no regional lymph nodes for brain. Code no regional lymph nodes examined (00). Central nervous system tumors, however, have regional lymph nodes.

00	No regional lymph nodes examined
01	One regional lymph node examined
02	Two regional lymph nodes examined
 90	Ninety or more regional lymph nodes examined
95	No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
96	Regional lymph node removal documented as a sampling and number of lymph nodes examined unknown/not stated
97	Regional lymph node removal documented as dissection and number of lymph nodes examined unknown/not stated
98	Regional lymph nodes surgically removed but number of lymph nodes examined unknown/not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate ONLY

BRAIN AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM Meninges C70.0 - C70.9, Brain C71.0 - C71.9 Other Parts of Central Nervous System C72.0 - C72.9

SURGERY OF OTHER REGIONAL SITE(S), DISTANT SITE(S) OR DISTANT LYMPH NODE(S) $\,$

- None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional site(s)
 - 5 Distant lymph node(s)
 - 6 Distant site(s)
 - 7 Combination of 6 WITH 2 or 5
- 9 Unknown; not stated; death certificate ONLY

Page intentionally blank.

THYROID GLAND C73.9

SURGERY OF PRIMARY SITE

00	None; no cancer-directed surgery of primary site	
10	Removal of less than a lobe, NOS 11 Local surgical excision 12 Removal of a partial lobe ONLY	
20	Lobectomy and/or isthmectomy 21 Lobectomy ONLY 22 Isthmectomy ONLY 23 Lobectomy WITH isthmus	
30	Removal of a lobe and partial removal of the contralateral lobe	
40	Subtotal or near total thyroidectomy	
50	Total thyroidectomy	
80	Thyroidectomy, NOS	
90	Surgery, NOS	
99	Unknown if cancer-directed surgery performed; death certificate ONLY	

THYROID GLAND C73.9

SCOPE OF REGIONAL LYMPH NODE SURGERY

The regional lymph nodes are the cervical and upper mediastinal lymph nodes.

Terminology of neck dissection (Robbins et al. 1991):

A radical neck dissection includes the removal of all ipsilateral cervical lymph node groups, i.e., lymph nodes from levels I through V (submental, submandibular, cranial jugular, medial jugular, caudal jugular, dorsal cervical nodes along the accessory nerve, and supraclavicular), and removal of the spinal accessory nerve, internal jugular vein and sternocleidomastoid muscle.

In a modified radical neck dissection the same lymph nodes are removed as in a radical neck dissection; however, one or more non-lymphatic structures are preserved.

A selective neck dissection is a neck dissection with preservation of one or more lymph node groups routinely removed in radical neck dissection.

Codes

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
 - 2 Neck dissection, NOS
 - 3 Selective, limited; nodal sampling; "berry picking"
 - 4 Modified/modified radical
 - 5 Radical
- 9 Unknown; not stated; death certificate ONLY

NUMBER OF REGIONAL LYMPH NODES EXAMINED

00 01	No regional lymph nodes examined One regional lymph node examined
02	Two regional lymph nodes examined
90	Ninety or more regional lymph nodes examined
95	No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
96	Regional lymph node removal documented as a sampling and number of lymph nodes examined unknown/not stated
97	Regional lymph node removal documented as dissection and number of lymph nodes examined unknown/not stated
98	Regional lymph nodes surgically removed but number of lymph nodes examined unknown/not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate ONLY

THYROID GLAND C73.9

SURGERY OF OTHER REGIONAL SITE(S), DISTANT SITE(S) OR DISTANT LYMPH NODE(S)

- None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional site(s)
 - 3 Distant lymph node(s)
 - 4 Distant site(s)
 - 5 Combination of 4 WITH 2 or 3
- 9 Unknown; not stated; death certificate ONLY

Page intentionally blank.

ALL OTHER SITES

C14.1 - C14.8, C17.0 - C17.9, C23.9, C24.0 - C24.9, C26.0 - C26.9, C30.0 - C30.1, C31.0 - C31.9, C33.9, C37.9, C38.0 - C38.8, C39.0 - C39.9, C42.0 - C42.1, C42.3 - C42.4, C48.0 - C48.8, C51.0 - C51.9, C52.9, C57.0 - C57.9, C58.9, C60.0 - C60.9, C63.0 - C63.9, C68.0 - C68.9, C69.0 - C69.9, C74.0 - C76.8, C80.9

The following codes apply to these sites:

C14.1 - C14.8	Other and Ill-defined Sites in Lip, Oral Cavity and Pharynx
C17.0 - C17.9	Small Intestine
C23.9	Gallbladder
C24.0 - C24.8	Extrahepatic Bile Duct, Ampulla of Vater, Overlapping lesion of
	Biliary Tract, Biliary Tract, NOS
C26.0 - C26.9	Intestinal Tract, NOS, Overlapping Lesion of Digestive System,
	Gastrointestinal Tract, NOS
C30.0 - C 30.1	Nasal Cavity, Middle Ear
C31.0 - C31.9	Accessory (paranasal) Sinuses
C33.9	Trachea
C37.9	Thymus
C38.0 - C38.8	Heart, Mediastinum, Pleura
C39.0 - C39.9	Other and Ill-defined Sites within Respiratory System and
	Intrathoracic Organs
C42.0 - C42.1	Blood, Bone Marrow
C42.3 - C42.4	Reticuloendothelial System, NOS, Hematopoietic System, NOS
C48.0 - C48.8	Retroperitoneum and Peritoneum
C51.0 - C51.9	Vulva
C52.9	Vagina
C57.0 - C57.9	Other and Unspecified Female Genital Organs
C58.9	Placenta
C60.0 - C60.9	Penis
C63.0 - C63.9	Other and Unspecified Male Genital Organs
C68.0 - C68.9	Other and Unspecified Urinary Organs
C69.0 - C69.9	Eye and Adnexa
C74.0 - C75.9	Adrenal Gland, Other Endocrine Glands and Related Structures
C76.0 - C76.8	Other and Ill-defined Sites
C80.9	Unknown Primary Site

ALL OTHER SITES

C14.1 - C14.8, C17.0 - C17.9, C23.9, C24.0 - C24.9, C26.0 - C26.9, C30.0 - C30.1, C31.0 - C31.9, C33.9, C37.9, C38.0 - C38.8, C39.0 - C39.9, C42.0 - C42.1, C42.3 - C42.4, C48.0 - C48.8, C51.0 - C51.9, C52.9, C57.0 - C57.9, C58.9, C60.0 - C60.9, C63.0 - C63.9, C68.0 - C68.9, C69.0 - C69.9, C74.0 - C76.8, C80.9

SURGERY OF PRIMARY SITE

Codes

- None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from this surgical event.

- 20 Local tumor excision, NOS (WITH PATHOLOGY SPECIMEN)
 - 21 Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision
 - 26 Polypectomy
 - 27 Excisional biopsy

Specimen sent to pathology from this surgical event.

- 30 Simple/partial surgical removal of primary site
- 40 Total surgical removal of primary site
- 50 Surgery stated to be "debulking"
- 60 Radical surgery

Partial or total removal of the primary site WITH an en bloc resection (partial or total removal) of other organs.

- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate ONLY

ALL OTHER SITES

C14.1 - C14.8, C17.0 - C17.9, C23.9, C24.0 - C24.9, C26.0 - C26.9, C30.0 - C30.1, C31.0 - C31.9, C33.9, C37.9, C38.0 - C38.8, C39.0 - C39.9, C42.0 - C42.1, C42.3 - C42.4, C48.0 - C48.8, C51.0 - C51.9, C52.9, C57.0 - C57.9, C58.9, C60.0 - C60.9, C63.0 - C63.9, C68.0 - C68.9, C69.0 - C69.9, C74.0 - C76.8, C80.9

SCOPE OF REGIONAL LYMPH NODE SURGERY

Codes

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
- 9 Unknown; not stated; death certificate ONLY

NUMBER OF REGIONAL LYMPH NODES EXAMINED

00	No regional lymph nodes examined
01	One regional lymph node examined
02	Two regional lymph nodes examined
90	Ninety or more regional lymph nodes examined
95	No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
96	Regional lymph node removal documented as a sampling and number of lymph nodes examined
	unknown/not stated
97	Regional lymph node removal documented as dissection and number of lymph nodes examined

- unknown/not stated 98 Regional lymph nodes surgically removed but number of lymph nodes examined unknown/not
- stated and not documented as sampling or dissection 99
- Unknown; not stated; death certificate ONLY

ALL OTHER SITES

C14.1 - C14.8, C17.0 - C17.9, C23.9, C24.0 - C24.9, C26.0 - C26.9, C30.0 - C30.1, C31.0 - C31.9, C33.9, C37.9, C38.0 - C38.8, C39.0 - C39.9, C42.0 - C42.1, C42.3 - C42.4, C48.0 - C48.8, C51.0 - C51.9, C52.9, C57.0 - C57.9, C58.9, C60.0 - C60.9, C63.0 - C63.9, C68.0 - C68.9, C69.0 - C69.9, C74.0 - C76.8, C80.9

SURGERY OF OTHER REGIONAL SITE(S), DISTANT SITE(S) OR DISTANT LYMPH NODE(S)

- None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional sites
 - 3 Distant lymph node(s)
 - 4 Distant site(s)
 - 5 Combination of 4 WITH 2 or 3
- 9 Unknown; not stated; death certificate ONLY