

MARITIME ADMINISTRATION



SEALIFT AROUND THE GLOBE
Ready ... Reliable
Anytime ... Anywhere
In Peace and War Since 1976



Abbreviations :

ROS-X : Reduced Operational Status; X = days to activate

RRF-X : Ready Reserve Force; X = days to activate

BRF : Beaumont Reserve Fleet

JRRF : James River Reserve Fleet

SBRF : Suisin Bay Reserve Fleet

Prepo : Preposition Afloat/Operational Status

US MARITIME ADMINISTRATION
OFFICE OF SHIP OPERATIONS
400 7TH ST, SW, MAR-610
WASHINGTON, DC 20590
Tel : 202.366.1875; Fax : 3954
<http://www.marad.dot.gov>
opcentr1.MARAD@dot.gov

RRF Region Ship Operations Offices :
Norfolk : 757.441.6393
New Orleans : 504.589.2000
San Francisco : 415.744.3125

Updated December 15, 2005

	Page #
1. RO/RO	
• CAPE D	1
• CAPE E	2
• CAPE H	3
• CAPE I	4
• CAPE K	5
• CAPE L	6
• CAPE O	7
• CAPE R	8
• CAPR T	9
• CAPE V	10
• CAPE W	11
• ADMIRAL CALLAGHAN	12
• COMET	13
• METEOR	14
2. CRANE	
• TACS 1,2,3	15
• TACS 4,5,6	16
• TACS 7,8	17
• TACS 9,10	18
3. LASH	
• CAPE F (FAREWELL; FLATTERY)	19
• CAPE F (FEAR; FLORIDA)	20
4. SEABEE	
• CAPE M	21
5. BREAKBULK	
• CAPE G	22
• CAPE J	23
6. MISC.	
• T-AVB HELO REPAIR	24
7. TANKERS	
• OPDS	25
• T-1	26

Maritime Administration: Ready Reserve Force

CAPE D Class - Ro-Ro; Charleston, SC

CAPE DECISION
 CAPE DIAMOND
 CAPE DOMINGO
 CAPE DOUGLAS
 CAPE DUCATO

ROS-5



MA Hull Type.....	RO-RO
Length Overall.....	680.4 FT
Beam.....	97.01 FT
Draft (max @ Summer LL).....	31.46 FT
Displacement (max at Summer LL).....	34617 LT
Lightship Displacement.....	13220 LT
Total DWT (@ Summer LL).....	21397 LT
Gross Tonnage.....	13083
Net Tonnage.....	9129
Engine Type.....	Medium Speed Diesel
Crew Complement/Supercargo/Allowable COI Crew.....	27/16/45
Horsepower (RRF Oper.).....	9079 HP
Speed (RRF Oper.).....	16.20 KTS
Horsepower (RRF Max).....	10777 HP
Speed (RRF Max).....	17.10 KTS
Cargo Capacity.....	167,339 SQFT
Cargo Capacity @ 75%.....	123,504 SQFT
Cargo Capacity @ 65%.....	108,770 SQFT
TEU Capacity.....	378
Fuel Type.....	IFO-180
Fuel Consumption At sea/In port (BBL per day).....	620/40
Ship Manager.....	Marine Transport Lines, Inc

(1)

Maritime Administration: Ready Reserve Force

T1 Tanker Class ; (Tsuneishi, Japan)

ALATNA
 CHATTAHOOCHEE
 NODAWAY

RRF-10

NODAWAY

MA Hull Type.....	Tanker
Length Overall.....	325.2 FT
Beam.....	48.20 FT
Draft (max @ Summer LL).....	19.14 FT
Displacement (max at Summer LL).....	6060 LT
Lightship Displacement.....	2060 LT
Total DWT (@ Summer LL).....	4000 LT
Gross Tonnage.....	3160
Net Tonnage.....	2073
Engine Type.....	High Speed Diesel/ Elec
Crew Comp/Supercargo/Allowable COI Crew....	24/ /
Horsepower (RRF Oper.).....	731 HP
Speed (RRF Oper.).....	8.5 KTS
Horsepower (RRF Max).....	868 HP
Speed (RRF Max).....	9.0 KTS
POL Cargo Capacity (bbls).....	31,292
Fuel Type.....	IFO-180
Fuel Consumption At sea/In port (BBL per day)...	60/15
Ship Manager.....	Pacific Gulf Marine



ALATNA / CHATTAHOOCHEE



MA Hull Type.....	Tanker
Length Overall.....	301.8 FT
Beam.....	60.92 FT
Draft (max @ Summer LL).....	22.55 FT
Displacement (max at Summer LL).....	7300 LT
Lightship Displacement.....	2367 LT
Total DWT (@ Summer LL).....	4933 LT
Gross Tonnage.....	3459
Net Tonnage.....	1943
Engine Type.....	High Speed Diesel Electric
Crew Comp/Supercargo/Allowable COI Crew....	24/ /
Horsepower (RRF Oper.).....	1018 HP
Speed (RRF Oper.).....	10.4 KTS
Horsepower (RRF Max).....	1208 HP
Speed (RRF Max).....	11.0 KTS
POL Cargo Capacity (bbls).....	30,122 (ALATNA)/ 30,072(CHATTAHOOCHEE)
Fuel Type.....	IFO-180
Fuel Consumption At sea/In port (BBL per day)...	150/20
Ship Manager.....	Pacific Gulf Marine Inc.

(26)

Maritime Administration: Ready Reserve Force

OPDS Class - Tanker

CHESAPEAKE - Diego Garcia..... **PREPO**

POTOMAC - BRF, TX..... **RRF-10**

PETERSBURG - Guam..... **PREPO**

CHESAPEAKE/PETERSBURG



MA Hull Type.....	Offshore Petroleum Discharge System Tanker
Length Overall.....	736.3 FT
Beam.....	102.0 FT
Draft max @ Summer LL.....	39.8 FT
Displacement (max at Summer LL).....	62000 LT
Lightship Displacement.....	14500 LT
Total DWT (@ Summer LL).....	49500 LT
Gross Tonnage.....	27500
Net Tonnage.....	19000
Engine Type.....	Steam Turbine
Crew Complement/Supercargo/Allowable COI Crew.....	37/OPDS/
Horsepower (RRF Oper.).....	15000 HP
Speed (RRF Oper.) (KTS).....	14.0/14.5
Speed (RRF Max) (KTS).....	14.9/15.3
POL Cargo Capacity (bbbls).....	258,815/268,071
Fuel Type.....	IFO-180
Fuel Consumption At sea/In port (BBL per day)	535/90
Ship Manager.....	Interocean American Shipping Corp.

POTOMAC



MA Hull Type.....	Offshore Petroleum Discharge System Tanker
Length Overall.....	619.9 FT
Beam.....	83.5 FT
Draft (max @ Summer LL).....	33.66 FT
Displacement (max at Summer LL).....	34800 LT
Lightship Displacement.....	7333 LT
Total DWT (@ Summer LL).....	27467 LT
Gross Tonnage.....	15739
Net Tonnage.....	9556
Crew Complement/Supercargo/Allowable COI Crew.....	37/OPDS/
Engine Type.....	Steam Turbine
Horsepower (RRF Oper.).....	20460 HP
Speed (RRF Oper.).....	15.7 KTS
Speed (RRF Max).....	16.7 KTS
POL Cargo Capacity (bbbls).....	175,000
Fuel Type.....	IFO-180
Fuel Consumption At sea/In port (BBL per day)	710/90
Ship Manager.....	Interocean American Shipping Corp.

Maritime Administration: Ready Reserve Force

CAPE E Class - Ro-Ro; Charleston, SC

CAPE EDMONT

ROS-5



MA Hull Type.....	RO-RO
Length Overall.....	652.9 FT
Beam.....	94.00 FT
Draft (max @ Summer LL).....	31.46 FT
Displacement (max at Summer LL).....	32,516 LT
Lightship Displacement.....	12,000 LT
Total DWT (@ Summer LL).....	19,983 LT
Gross Tonnage.....	12,902
Net Tonnage.....	7,373
Engine Type.....	Medium Speed Diesel
Crew Complement/Supercargo/Allowable COI Crew.....	27/9/37
Horsepower (RRF Oper.).....	9,511 HP
Speed (RRF Oper.).....	16.20 KTS
Horsepower (RRF Max).....	11,290 HP
Speed (RRF Max).....	17.10 KTS
Boom SWL.....	35T
Cargo Capacity.....	161,372 SQFT
Cargo Capacity @75%.....	121,029 SQFT
Cargo Capacity @65%.....	104,892 SQFT
TEU Capacity.....	446
Fuel Type.....	IFO-180
Fuel Consumption At sea/In port (BBL per day)	600/40
Ship Manager.....	Marine Transport Lines, Inc

Maritime Administration: Ready Reserve Force



CAPE H Class - Ro-Ro;
San Francisco, CA
 CAPE HENRY
 CAPE HORN
 CAPE HUDSON

ROS-5

MA Hull Type.....	RO-RO
Length Overall.....	749.7 FT
Beam.....	105.83 FT
Draft (max @ Summer LL).....	35.52 FT
Displacement (max at Summer LL).....	51836 LT
Lightship Displacement.....	15000 LT
Total DWT (@ Summer LL).....	32311 LT
Gross Tonnage.....	37812
Net Tonnage.....	28397
Engine Type.....	Slow Speed Diesel
Crew Complement/Allowable COI Crew....	27/40
Supercargo (CAPE HENRY/CAPE HORN/ CAPE HUDSON)	11/15/10
Horsepower (RRF Oper.).....	14,564 HP
Speed (RRF Oper.).....	17.4 KTS
Horsepower (RRF Max).....	17,288 HP
Speed (RRF Max).....	18.5 KTS
Cargo Capacity.....	214,365 SQFT
Cargo Capacity @75%.....	160,774 SQFT
Cargo Capacity @65%.....	139,337 SQFT
Fuel Type.....	IFO-180
Fuel Consumption At sea/In port (BBL per day).....	630/50
Ship Manager.....	Pacific Gulf Marine, Inc

Maritime Administration: Ready Reserve Force

T-AVB Class – Aviation Logistics Support
 CURTISS; San Diego, CA – **ROS-5**
 WRIGHT; Baltimore, MD – **ROS-5**



MA Hull Type.....	Helo Repair
Length Overall.....	601.5 FT
Beam.....	90.00 FT
Draft (max @ Summer LL).....	33.80 FT
Displacement (max at Summer LL).....	27980 LT
Lightship Displacement.....	12286 LT
Total DWT (@ Summer LL).....	15694 LT
Gross Tonnage.....	23255
Net Tonnage.....	14436
Engine Type.....	Steam Turbine
Crew Complement/Supercargo/Allowable COI Crew	40/NA/
Horsepower (RRF Oper.).....	18424 HP
Speed (RRF Oper.).....	18.70 KTS
Horsepower (RRF Max).....	21870 HP
Speed (RRF Max).....	19.80 KTS
Cargo Capacity	58,305 SQFT
TEU Capacity.....	
Fuel Type.....	IFO-180
Fuel Consumption At sea/In port (BBL per day)...	975/80
Ship Manager.....	Crowley Liner Services, Inc

Note: The T-AVB primary mission is in support of the Marine Corps for helicopter maintenance.

Maritime Administration: Ready Reserve Force

CAPE J Class - Breakbulk

CAPE JACOB – PREPO (Diego Garcia)

PREPO



MA Hull Type.....	CLF BREAKBULK
Length Overall.....	565 FT
Beam.....	76 FT
Draft (max @ Summer LL).....	31.5 FT
Displacement (max at Summer LL).....	22629 LT
Lightship Displacement.....	8280 LT
Total DWT (@ Summer LL).....	14349 LT
Gross Tonnage.....	12693
Net Tonnage.....	8150
Engine Type.....	Steam Turbine
Crew Complement/Supercargo Complement/ Allowable COI Crew.....	38/ /
Horsepower (RRF Oper.).....	11822 HP
Speed (RRF Oper.).....	17 KTS
Horsepower (RRF Max).....	14033 HP
Speed (RRF Max).....	18 KTS
Capacity.....	708,800 cu ft bale
Fuel Type.....	IFO-180
Fuel Consumption At sea/In port (BBL per day)...	630/75
Ship Manager.....	Matson Navigation Company, Inc

(23)

Maritime Administration: Ready Reserve Force

CAPE I Class - Ro-Ro

CAPE INSCRIPTION; Long Beach, CA

CAPE INTREPID; Tacoma, WA

CAPE ISABEL; Long Beach, CA

CAPE ISLAND; Tacoma, WA

ROS-5



MA Hull Type.....	RO-RO
Length Overall.....	684.8 FT
Beam.....	102 FT
Draft (max @ Summer LL).....	34 FT
Displacement (max at Summer LL).....	33900 LT
Lightship Displacement.....	15000 LT
Total DWT (@ Summer LL).....	19172 LT
Gross Tonnage.....	30852
Net Tonnage.....	9255
Engine Type.....	Steam Turbine
Crew Complement/Supercargo Allowable COI Crew.....	31/25 55/46/54/58
Horsepower (RRF Oper.).....	22723 HP
Speed (RRF Oper.).....	18.7 KTS
Horsepower (RRF Max).....	26973 HP
Speed (RRF Max).....	19.8 KTS
Cargo Capacity	149,088 SQFT
Cargo Capacity @75%	111,816 SQFT
Cargo Capacity @65%	96,907 SQFT
Fuel Type.....	IFO-180
Fuel Consumption At sea/In port (BBL per day)....	1225/160
Ship Manager.....	Crowley Liner Services, Inc

(4)

Maritime Administration: Ready Reserve Force

CAPE K Class - Ro-Ro; New Orleans, LA

CAPE KENNEDY

CAPE KNOX

ROS-5



MA Hull Type.....	RO-RO
Length Overall.....	695.9 FT
Beam.....	105.77 FT
Draft (max @ Summer LL).....	35.2 FT
Displacement (max at Summer LL).....	44466 LT
Lightship Displacement.....	15718 LT
Total DWT (@ Summer LL).....	28748 LT
Gross Tonnage.....	21144
Net Tonnage.....	11698
Engine Type.....	Slow Speed Diesel
Crew Complement/Supercargo/ Allowable COI Crew.....	25/14/40
Horsepower (RRF Oper.).....	13050 HP
Speed (RRF Oper.).....	16.6 KTS
Horsepower (RRF Max).....	15491 HP
Speed (RRF Max).....	17.6 KTS
Cargo Capacity.....	146,895 SQFT
Cargo Capacity @75%.....	110,171 SQFT
Cargo Capacity @65%.....	95,482 SQFT
Fuel Type.....	IFO-180
Fuel Consumption At sea/In port (BBL per day)...	570/50
Ship Manager.....	Keystone Shipping Services, Inc

Maritime Administration: Ready Reserve Force

CAPE G Class – Breakbulk; Alameda, CA

CAPE GIBSON

CAPE GIRARDEAU

ROS-5



MA Hull Type.....	CLF Breakbulk
Length Overall.....	605 FT
Beam.....	82 FT
Draft (max @ Summer LL).....	35 FT
Displacement (max at Summer LL).....	31995 LT
Lightship Displacement.....	9779 LT
Total DWT (@ Summer LL).....	22216 LT
Gross Tonnage.....	15949
Net Tonnage.....	10002
Engine Type.....	Steam Turbine
Crew Complement/Supercargo/ Allowable COI Crew.....	32/
Horsepower (RRF Oper.).....	14739 HP
Speed (RRF Oper.).....	17.9 KTS
Horsepower (RRF Max).....	17496 HP
Speed (RRF Max).....	18.9 KTS
Capacity.....	1,082,200 cu ft bale
Fuel Type.....	IFO-180
Fuel Consumption At sea/In port (BBL per day).....	785/80
Ship Manager.....	Patriot Contract Services, LLC

Note: Both vessels have MCDS and VERTEP capability.

CAPE M Class – SEABEE
 CAPE MAY; Norfolk, VA
 CAPE MOHICAN; Alameda, CA

ROS-5



MA Hull Type.....	SEABEE
Length Overall.....	875.9 FT
Beam.....	105.83 FT
Draft (max @ Summer LL).....	23.50 FT
Displacement (max at Summer LL).....	55660 LT
Lightship Displacement.....	18900 LT
Total DWT (@ Summer LL).....	38410 LT
Gross Tonnage.....	21670
Net Tonnage.....	12130
Engine Type.....	Steam Turbine
Crew Complement/Supercargo/Allowable COI Crew	34/
Horsepower (RRF Oper.).....	22109 HP
Speed (RRF Oper.).....	16.2 KTS
Horsepower (RRF Max).....	26244 HP
Speed (RRF Max).....	17.1 KTS
Capacity	1,901,359 cu ft bale
Barge Complement	24
Fuel Type.....	IFO-180
Fuel Consumption At sea/In port (BBL per day).....	1190/150
Ship Manager.....	Ocean Duchess, Inc



CAPE L Class - Ro-Ro;
Wilmington, NC
 CAPE LAMBERT
 CAPE LOBOS

RRF-10

MA Hull Type.....	RO-RO
Length Overall.....	682.0 FT
Beam.....	75.00 FT
Draft (max @ Summer LL).....	19.90 FT
Displacement (max at Summer LL).....	30360 LT
Lightship Displacement.....	12000 LT
Total DWT (@ Summer LL).....	19857 LT
Gross Tonnage.....	15005
Net Tonnage.....	10164
Engine Type.....	Medium Speed Diesel
Crew Complement/ Supercargo/Allowable COI Crew	30/
Horsepower (RRF Oper.).....	8874 HP
Speed (RRF Oper.).....	16.2 KTS
Horsepower (RRF Max).....	10534 HP
Speed (RRF Max).....	17.1 KTS
Cargo Capacity.....	75,644 SQFT
Cargo Capacity @75%.....	56,733 SQFT
Cargo Capacity @65%.....	49,169 SQFT
Fuel Type.....	IFO-180
Fuel Consumption At sea/In port (BBL per day).....	545/50
Ship Manager.....	Horizon Lines, Inc

Maritime Administration: Ready Reserve Force

CAPE O Class - Ro-Ro; Alameda, CA CAPE ORLANDO

ROS-5



MA Hull Type.....	RO-RO
Length Overall.....	635.2 FT
Beam.....	91.86 FT
Draft (max @ Summer LL).....	30.24 FT
Displacement (max at Summer LL).....	32799 LT
Lightship Displacement.....	13166 LT
Total DWT (@ Summer LL).....	20640 LT
Gross Tonnage.....	15623
Net Tonnage.....	8856
Engine Type.....	Slow Speed Diesel
Crew Compliment/Supercargo/Allowable COI Crew...	25/24/36
Horsepower (RRF Oper.).....	10962 HP
Speed (RRF Oper.).....	16.2 KTS
Horsepower (RRF Max).....	13013 HP
Speed (RRF Max).....	17.1 KTS
Cargo Capacity	118,780 SQFT
Cargo Capacity @75%.....	89,085 SQFT
Cargo Capacity @65%.....	77,207 SQFT
Fuel Type.....	IFO-180
Fuel Consumption At sea/In port (BBL per day).....	480/40
Ship Manager.....	Patriot Contract Services

(7)

Maritime Administration: Ready Reserve Force

CAPE F (C8-S-81b) – LASH CAPE FEAR ; Alameda, CA CAPE FLORIDA: Orange, TX

ROS-10
ROS-5



MA Hull Type.....	LASH
Length Overall.....	820 FT
Beam.....	100.00 FT
Draft (max @ Summer LL).....	35.08 FT
Displacement (max at Summer LL).....	44610 LT
Lightship Displacement.....	14790 LT
Total DWT (@ Summer LL).....	29820 LT
Gross Tonnage.....	26410
Net Tonnage.....	18710
Engine Type.....	Steam Turbine
Crew Complement/Supercargo/Allowable COI Crew...	31/12/42
Horsepower (RRF Oper.).....	19,652 HP
Speed (RRF Oper.).....	18.7 KTS
Horsepower (RRF Max).....	23,328 HP
Speed (RRF Max).....	19.80 KTS
Capacity.....	955,500 cu ft bale
Barge Complement.....	73
TEU (ammo/non ammo).....	1,251/1,386
FEU (ammo/non ammo).....	403/448
Fuel Type.....	IFO-180
Fuel Consumption At sea/In port (BBL per day).....	1065/150
Ship Manager.....	Patriot Contract Services, LLC

(20)

Maritime Administration: Ready Reserve Force

CAPE F (C9-S-81d) – LASH; BRF - TX
 CAPE FAREWELL
 CAPE FLATTERY **ROS-10**



MA Hull Type.....	LASH
Length Overall.....	893.3 FT
Beam.....	100.00 FT
Draft (max @ Summer LL).....	38.08 FT
Displacement (max at Summer LL).....	57150 LT
Lightship Displacement.....	18900 LT
Total DWT (@ Summer LL).....	40400 LT
Gross Tonnage.....	32330
Net Tonnage.....	24800
Engine Type.....	Steam Turbine
Crew Complement/Supercargo/Allowable COI Crew.....	31/12/42
Horsepower (RRF Oper.).....	19,652 HP
Speed (RRF Oper.).....	18.7 KTS
Horsepower (RRF Max).....	23,328 HP
Speed (RRF Max).....	19.80 KTS
Capacity	1,440,000 cu ft bale
Barge Complement.....	85
TEU (ammo/non ammo).....	1,465/1,600
FEU (ammo/non ammo).....	475/520
Fuel Type.....	IFO-180
Fuel Consumption At sea/In port (BBL per day).....	1065/150
Ship Manager.....	Patriot Contract Services, LLC

Maritime Administration: Ready Reserve Force

CAPE R Class - Ro-Ro; Portsmouth, VA
 CAPE RACE
 CAPE RAY **ROS-5**
 CAPE RISE



MA Hull Type.....	RO-RO
Length Overall.....	648.0 FT
Beam.....	105.6 FT
Draft (max @ Summer LL).....	32.81 FT
Displacement (max at Summer LL).....	35357 LT
Lightship Displacement.....	12872 LT
Total DWT (@ Summer LL).....	22484 LT
Gross Tonnage.....	14834
Net Tonnage.....	7578
Engine Type.....	Medium Speed Diesel
Crew Complement/Supercargo/Allowable COI Crew	29/
Horsepower (RRF Oper.).....	14616 HP
Speed (RRF Oper.).....	16.60 KTS
Horsepower (RRF Max).....	17350 HP
Speed (RRF Max).....	17.60 KTS
Cargo Capacity.....	176,313 SQFT
Cargo Capacity @75%	132,235 SQFT
Cargo Capacity @65%	114,603 SQFT
Fuel Type.....	IFO-180
Fuel Consumption At sea/In port (BBL per day).....	500/60
Ship Manager.....	Keystone Shipping Services, Inc

CAPE T Class - Ro-Ro; Houston, TX
 CAPE TAYLOR
 CAPE TEXAS
 CAPE TRINITY

ROS-5



MA Hull Type.....	RO-RO
Length Overall.....	634.3 FT
Beam.....	88.59 FT
Draft (max @ Summer LL).....	28.25 FT
Displacement (max at Summer LL).....	24555 LT
Lightship Displacement.....	9687 LT
Total DWT (@ Summer LL).....	14868 LT
Gross Tonnage.....	21782
Net Tonnage.....	6534
Engine Type.....	Medium Speed Diesel
Crew Complement.....	29
Supercargo (CAPE TAYLOR/CAPE TEXAS/CAPE TRINITY)	13/15/19
Allowable COI Crew.....	48/47/48
Horsepower (RRF Oper.).....	9908 HP
Speed (RRF Oper.).....	15.70 KTS
Horsepower (RRF Max).....	11761 HP
Speed (RRF Max).....	16.70 KTS
Cargo Capacity.....	116,004 / 117,854 SQFT
Cargo Capacity @75%.....	87,003/ 88,391 SQFT
Cargo Capacity @65%.....	75,403/ 76,605 SQFT
Fuel Type.....	IFO-180
Fuel Consumption At sea/In port (BBL per day)...	401/52
Ship Manager.....	Crowley Liner Services, Inc

**Note: The CAPE TAYLOR has a smaller cargo capacity (116,004 SQ FT).
 The CAPE TEXAS & CAPE TRINITY have cargo capacities of 117,854 SQ FT.**

Craneship T-ACS 9, 10 (C6-S-MA60d); SBRF, CA
 BEAVER STATE - RRF - 20
 GREEN MOUNTAIN STATE - RRF -20



MA Hull Type.....	Crane Ship
Length Overall.....	665.8 FT
Beam.....	75.0 FT
Draft (max @ Summer LL).....	31.6 FT
Displacement (max at Summer LL).....	27900 LT
Lightship Displacement.....	16320 LT
Total DWT (@ Summer LL).....	11580 LT
Gross Tonnage.....	14150
Net Tonnage.....	8560
Engine Type.....	Steam Turbine
Crew Complement/Supercargo/Allowable COI Crew....	39/
Horsepower (RRF Oper.).....	11,668 HP
Speed (RRF Oper.).....	20.4 KTS
Horsepower (RRF Max).....	13,851 HP
Speed (RRF Max).....	21.6 KTS
Cargo Capacity	BEAVER ST = 305,800 cu ft bale GRN. MTN. ST. = 343,570 cu ft bale
TEU Capacity.....	300
Fuel Type.....	IFO-180
Fuel Consumption At sea/In port (BBL per day)...	650/75
Ship Manager.....	N/A

Maritime Administration: Ready Reserve Force

Craneship T-ACS 7, 8 (C6-S-MA1xb)

DIAMOND STATE; Houston, TX

ROS-4

EQUALITY STATE; BRF, TX

RRF-20



MA Hull Type.....	Crane Ship
Length Overall.....	668.0 FT
Beam.....	76.0 FT
Draft (max @ Summer LL).....	33.3 FT
Displacement (max at Summer LL).....	31500 LT
Lightship Displacement.....	16360 LT
Total DWT (@ Summer LL).....	15140 LT
Gross Tonnage.....	16300
Net Tonnage.....	9980
Engine Type.....	Steam Turbine
Crew Complement/Supercargo.....	40/27
Allowable COI Crew.....	62/74*
Horsepower (RRF Oper.).....	13,511 HP
Speed (RRF Oper.).....	17.9 KTS
Horsepower (RRF Max).....	16,038 HP
Speed (RRF Max).....	18.9 KTS
Cargo Capacity.....	footnote (1)
TEU Capacity.....	footnote (2)
Fuel Type.....	IFO-180
Fuel Consumption At sea/In port (BBL per day).....	720/75
Ship Manager.....	Marine Transport Lines, Inc

Note: (1) Diamond St/Equality St capacity is 857,600/840,960 (cu ft bale)

Note: (2) Diamond St/Equality St TEU capacity is 640/655

* 62 max crew size, 74 persons permitted onboard

Maritime Administration: Ready Reserve Force

CAPE V Class - Ro-Ro; Beaumont, TX

CAPE VINCENT

ROS-5

CAPE VICTORY



MA Hull Type.....	RO-RO
Length Overall.....	631.9 FT
Beam.....	86.94 FT
Draft (max @ Summer LL).....	27.78 FT
Displacement (max at Summer LL).....	30644 LT
Lightship Displacement.....	10581 LT
Total DWT (@ Summer LL).....	20062 LT
Gross Tonnage.....	22425
Net Tonnage.....	11811
Engine Type.....	Slow Speed Diesel
Crew Complement.....	25
Supercargo.....	14/13
Allowable COI Crew.....	32
Horsepower (RRF Oper.).....	7737 HP
Speed (RRF Oper.).....	14.2 KTS
Horsepower (RRF Max).....	9184 HP
Speed (RRF Max).....	15.0 KTS
Cargo Capacity.....	133,409 SQFT
Cargo Capacity @75%.....	100,057 SQFT
Cargo Capacity @65%.....	86,716 SQFT
Fuel Type.....	IFO-180
Fuel Consumption At sea/In port (BBL per day).....	320/32
Ship Manager.....	Keystone Shipping Services, Inc

Maritime Administration: Ready Reserve Force

CAPE W Class - Ro-Ro; Baltimore, MD
 CAPE WASHINGTON
 CAPE WRATH

ROS-5



MA Hull Type.....	RO-RO
Length Overall.....	696.9 FT
Beam.....	105.84 FT
Draft (max @ Summer LL).....	38.01 FT
Displacement (max at Summer LL).....	53500 LT
Lightship Displacement.....	22145 LT
Total DWT (@ Summer LL).....	33185 LT
Gross Tonnage.....	23598
Net Tonnage.....	13863
Engine Type.....	Slow Speed Diesel
Crew Complement/Supercargo/Allowable COI Crew.....	28/
Horsepower (RRF Oper.).....	9083 HP
Speed (RRF Oper.).....	14.9 KTS
Horsepower (RRF Max).....	10782 HP
Speed (RRF Max).....	15.8 KTS
Cargo Capacity	295,763 SQFT
Cargo Capacity @ 75%.....	221,822 SQFT
Cargo Capacity @ 65%.....	192,246 SQFT
Fuel Type.....	IFO-180
Fuel Consumption At sea/In port (BBL per day)...	420/76
Ship Manager.....	Crowley Liner Services, Inc

Maritime Administration: Ready Reserve

Craneship T-ACS 4, 5, 6 (C5-S-MA73c); Newport News, VA

CORNHUSKER STATE – **ROS-5**

GOPHER STATE – **ROS-10**

FLICKERTAIL STATE – **ROS-5**



MA Hull Type.....	Crane Ship
Length Overall.....	610.0 FT
Beam.....	78.0 FT
Draft (max @ Summer LL).....	31.6 FT
Displacement (max at Summer LL).....	26670 LT
Lightship Displacement.....	13710 LT
Total DWT (@ Summer LL).....	12960 LT
Gross Tonnage.....	17930
Net Tonnage.....	12460
Engine Type.....	Steam Turbine
Crew Complement/Supercargo/Allowable COI Crew.....	32/
Horsepower (RRF Oper.).....	10,747 HP
Speed (RRF Oper.).....	17.0 KTS
Horsepower (RRF Max).....	12,758 HP
Speed (RRF Max).....	18.0 KTS
Cargo Capacity.....	910,080 cu ft bale
TEU Capacity.....	711
Fuel Type.....	IFO-180
Fuel Consumption At sea/In port (BBL per day).....	615/65
Ship Manager.....	Interocean American Shipping Corp.

Maritime Administration: Ready Reserve Force

Craneship T-ACS 1, 2, 3 (C6-S-MA1qd);
Alameda, CA

GEM STATE – **ROS-5**

GRAND CANYON STATE – **ROS-4**

KEYSTONE STATE – **ROS-5**

Note: GEM/GRAND CANYON
STATE: 586 TEU's; KEYSTONE
STATE : 580 TEU's



MA Hull Type.....	Crane Ship
Length Overall.....	668.7 FT
Beam.....	76.0 FT
Draft (max @ Summer LL).....	33.2 FT
Displacement (max at Summer LL).....	31500 LT
Lightship Displacement.....	15325 LT
Total DWT (@ Summer LL).....	13855 LT
Gross Tonnage.....	17,130
Net Tonnage.....	12080
Engine Type.....	Steam Turbine
Crew Complement/Supercargo/Allowable COI Crew... 37/	
Horsepower (RRF Oper.).....	11822 HP
Speed (RRF Oper.).....	17.0 KTS
Horsepower (RRF Max).....	14033 HP
Speed (RRF Max).....	18.0 KTS
Cargo Capacity.....	1,015,000 cu ft bale
TEU (max total).....	See above note.
Fuel Type.....	IFO-180
Fuel Consumption At sea/In port (BBL per day).....	630/75
Ship Manager.....	Interocean American Shipping Corp.

(15)

Maritime Administration: Ready Reserve Force

ADMIRAL W. M. CALLAGHAN - Ro-Ro
Alameda, CA

ROS-5



MA Hull Type.....	RO-RO
Length Overall.....	694.3 FT
Beam.....	92.0 FT
Draft (max @ Summer LL).....	29.1 FT
Displacement (max at Summer LL).....	26537 LT
Lightship Displacement.....	13161 LT
Total DWT (@ Summer LL).....	13376 LT
Gross Tonnage.....	24471
Net Tonnage.....	11505
Engine Type.....	Gas Turbine
Crew Complement/Supercargo/Allowable COI Crew.....	25/14/40
Horsepower (RRF Oper.).....	24565 HP
Speed (RRF Oper.).....	21.3 KTS
Horsepower (RRF Max).....	29160 HP
Speed (RRF Max).....	22.5 KTS
Cargo Capacity	153,825 SQ FT
Cargo Capacity @75%	115,369 SQ FT
Cargo Capacity @65%	99,986 SQ FT
Fuel Type.....	
Fuel Consumption At sea/In port (BBL per day)...	1260/75
Ship Manager.....	Patriot Contract Services, LLC

(12)

Maritime Administration: Ready Reserve Force

COMET - Ro-Ro; Alameda, CA

RRF-10



MA Hull Type.....	RO-RO
Length Overall.....	499.0 FT
Beam.....	78.00 FT
Draft(max @ Summer LL).....	27.40 FT
Displacement (max at Summer LL).....	18286 LT
Lightship Displacement.....	8175 LT
Total DWT (@ Summer LL).....	10111 LT
Gross Tonnage.....	13790
Net Tonnage.....	8920
Engine Type.....	Steam Turbine
Crew Complement/Supercargo/Allowable COI Crew.....	34/
Horsepower (RRF Oper.).....	8106 HP
Speed (RRF Oper.).....	15.3 KTS
Horsepower (RRF Max).....	9623 HP
Speed (RRF Max).....	16.2 KTS
Cargo Capacity	88,357 SQFT
Cargo Capacity @75%.....	66,268 SQFT
Cargo Capacity @65%.....	57,432 SQFT
Fuel Type.....	IFO-180
Fuel Consumption At sea/In port (BBL per day).....	445/65
Ship Manager.....	Matson Navigation Company, Inc

Maritime Administration: Ready Reserve Force

METEOR - Ro-Ro; Alameda, CA

RRF-10



MA Hull Type.....	RO-RO
Length Overall.....	539.6 FT
Beam.....	83.00 FT
Draft(max @ Summer LL).....	29.08 FT
Displacement (max at Summer LL).....	21480 LT
Lightship Displacement.....	9154 LT
Total DWT (@ Summer LL).....	12326 LT
Gross Tonnage.....	16467
Net Tonnage.....	11505
Engine Type.....	Steam Turbine
Crew Complement/Supercargo/Allowable COI Crew.....	34/
Horsepower (RRF Oper.).....	11914 HP
Speed (RRF Oper.).....	17.9 KTS
Horsepower (RRF Max).....	14143 HP
Speed (RRF Max).....	18.9 KTS
Cargo Capacity	103,440 SQFT
Cargo Capacity @75%.....	77,580 SQFT
Cargo Capacity @65%.....	67,236 SQFT
Fuel Type.....	IFO-180
Fuel Consumption At sea/In port (BBL per day).....	650/75
Ship Manager.....	Matson Navigation Company, Inc