

NOTICE INVITING WRITTEN PUBLIC COMMENTS

NOTICE is hereby given that the Executive Officer/Air Pollution Control Officer of the Bay Area Air Quality Management District invites interested persons to submit written public comments on the proposed Significant Revision to a Major Facility Review Permit for the following Facility:

Application	Facility #	Facility Name	Address, City	Type of Operation
13196	A4618	Allied Waste Industries, Inc.	901 Bailey Road, Pittsburg, CA 94565	Active Solid Waste Landfill

The main purpose of the proposed significant revision (Application # 13196) is to establish an alternative wellhead oxygen standard for landfill gas collection wells associated with the S-1 Keller Canyon Landfill. District Regulation 8, Rule 34 and the NSPS for MSW Landfills allow the District to establish site-specific wellhead limits in lieu of the default wellhead limits stated in the regulations, provided the site-specific alternative wellhead limits do not result in subsurface fires or inhibit anaerobic decomposition of the refuse. The District has determined that a proposed alternative oxygen standard of 15% O₂ by volume is appropriate for five gas collection wells, as long as this alternative limit does not result in surface emission leaks near the vicinity of these wells. The District is proposing to identify the alternative wellhead oxygen limit, the applicability criteria, the monitoring and record keeping requirements, and other procedures related to the alternative oxygen standard in Condition # 17309, Part 20c and in Tables IV-A, VII-A, and VIII. The District is also proposing to make an administrative correction to a date citation in Section X Revision History of the MFR Permit. This application will not result in any emission increases.

The Executive Officer/Air Pollution Control Officer invites written comment on the above proposed significant revision. Comments must be received by August 15, 2006. The public may also request a public hearing for this significant revision.

Significant revisions of Major Facility Review Permits are also subject to review and approval by US EPA. If US EPA has not objected to a proposed significant revision and District has not addressed a public comment in a satisfactory manner, the public may petition US EPA, Region IX, Operating Permits Section at 75 Hawthorne Street, San Francisco, CA 94105, within 60 days after the end of US EPA's review, to reconsider the issuance of the permit. The beginning and end of EPA's review period can be found on EPA Region IX's website at: <http://www.epa.gov/region09/air/permit/index.html>.

The proposed revised Major Facility Review permit, applications, and evaluation reports are available for public inspection at the District Headquarters, 939 Ellis Street, San Francisco, CA, in the Engineering Division, 3rd Floor. For an appointment, please call May Leung at (415) 749-4729. The proposed permit and evaluation reports are also available on the District's webpage at the following address: http://www.baaqmd.gov/pmt/title_v/public_notices.htm. Written comments should be directed to Carol Allen, at Bay Area Air Quality Management District, 939 Ellis Street, San Francisco, CA 94109 or by email to callen@baaqmd.gov. Any request for information or for a public hearing should be directed to Carol Allen at (415) 749-4702.

Dated at San Francisco, the 29th day of June 2006.

Signed by Brian Bunger for _____
Jack P. Broadbent
Executive Officer/
Air Pollution Control Officer
Bay Area Air Quality Management District

JB:BFB:csa