

Table II-5
ALL SITES (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males and Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	407.0	427.6	448.4	451.1	467.8	464.5	468.6	482.5	503.3	511.2	493.7	483.5	476.3	477.6	484.1	484.5	483.1	472.9
Mortality																		
U.S. ^b	202.8	208.4	211.3	211.8	211.9	212.6	214.3	214.9	215.1	213.5	213.4	211.7	209.9	207.0	203.6	200.8	200.7	199.6
SEER ^a	202.4	204.6	208.0	203.3	203.3	204.9	207.5	201.7	206.1	203.6	201.6	201.1	197.1	195.0	191.0	191.2	189.5	187.9
Relative Survival Rates (SEER ^a)																		
1-year	70.0	71.6	73.1	73.5	74.1	74.3	74.8	75.7	77.3	77.9	77.3	77.1	77.1	77.6	78.2	78.5	78.9	
2-year	60.3	62.1	63.8	64.1	65.2	65.5	66.2	67.3	69.3	70.4	70.0	69.7	69.9	70.7	71.4	71.7		
3-year	55.4	57.1	58.9	59.4	60.5	61.1	61.8	63.1	65.2	66.7	66.3	66.1	66.4	67.4	68.0			
4-year	52.2	53.8	55.7	56.4	57.6	58.3	58.9	60.4	62.7	64.4	64.0	63.7	64.2	65.2				
5-year	50.0	51.4	53.4	54.3	55.5	56.2	56.8	58.6	60.8	62.6	62.3	62.2	62.7					
6-year	48.3	49.6	51.8	52.6	53.8	54.6	55.3	57.1	59.3	61.3	61.1	60.9						
7-year	47.0	48.1	50.4	51.3	52.3	53.2	54.0	55.7	58.1	60.0	59.9							
8-year	45.9	46.9	49.3	50.2	51.2	52.1	52.8	54.7	57.0	59.0								
9-year	45.0	45.9	48.2	49.3	50.2	51.2	52.0	53.7	56.1									
10-year	44.2	45.0	47.4	48.5	49.5	50.5	51.3	52.8										
11-year	43.5	44.3	46.7	47.9	48.8	49.8	50.6											
12-year	42.9	43.8	46.2	47.3	48.2	49.0												
13-year	42.5	43.3	45.7	46.8	47.4													
14-year	42.1	42.9	45.2	46.2														
15-year	41.7	42.5	44.7															
16-year	41.5	42.1																
17-year	41.2																	
18-year	41.1																	
19-year	41.0																	
20-year	40.9																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table II-6
ALL SITES (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	
Incidence																			
SEER ^a	483.9	514.5	530.7	537.9	562.8	557.9	566.5	592.0	636.5	656.8	620.6	587.9	568.7	568.2	570.5	566.0	569.1	560.2	
Mortality																			
U.S. ^b	264.2	272.6	275.7	276.0	276.3	276.9	278.5	279.8	279.1	276.5	275.9	272.1	268.5	263.7	258.1	253.6	252.8	249.8	
SEER ^a	262.4	264.2	267.5	261.9	259.1	261.4	262.2	258.0	260.9	260.5	255.7	256.2	247.2	243.2	236.0	236.7	234.5	231.5	
Relative Survival Rates (SEER ^a)																			
1-year	64.5	67.6	69.1	69.7	70.9	71.1	72.0	73.7	76.3	77.5	76.6	76.1	75.9	76.8	77.4	77.2	78.2		
2-year	53.9	57.2	58.9	59.3	61.1	61.4	62.8	64.6	68.1	70.0	69.3	68.3	68.5	69.9	70.6	70.6			
3-year	48.5	51.9	53.6	54.2	56.0	56.5	57.9	60.2	64.1	66.6	65.7	65.0	65.2	66.8	67.6				
4-year	45.1	48.4	50.1	50.8	52.8	53.3	54.7	57.3	61.5	64.4	63.6	62.7	63.2	64.7					
5-year	42.7	45.8	47.7	48.6	50.6	51.1	52.4	55.4	59.6	62.7	62.0	61.3	61.8						
6-year	40.8	43.8	46.0	46.7	48.8	49.2	50.7	53.7	58.0	61.4	60.9	60.1							
7-year	39.3	42.2	44.3	45.3	47.0	47.5	49.2	52.2	56.7	60.1	59.7								
8-year	38.0	40.8	43.2	44.1	45.6	46.2	47.9	51.0	55.4	58.9									
9-year	36.9	39.7	42.0	42.8	44.5	45.1	46.8	50.0	54.5										
10-year	35.8	38.8	41.1	41.9	43.6	44.2	45.9	48.9											
11-year	34.9	38.0	40.3	41.2	42.7	43.6	45.1												
12-year	34.2	37.3	39.5	40.5	41.9	42.6													
13-year	33.6	36.8	39.0	39.8	41.2														
14-year	33.0	36.3	38.2	39.1															
15-year	32.5	35.9	37.6																
16-year	32.1	35.4																	
17-year	31.7																		
18-year	31.5																		
19-year	31.4																		
20-year	31.2																		

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table II-7
ALL SITES (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	364.8	378.7	402.8	402.0	413.2	410.9	410.4	417.2	420.4	417.1	410.2	415.2	416.1	418.7	428.3	432.5	426.3	413.8
Mortality																		
U.S. ^b	162.5	167.6	171.0	171.6	171.5	172.5	174.3	174.7	175.3	174.4	174.5	174.1	173.4	171.2	169.0	166.9	167.2	167.3
SEER ^a	164.0	167.3	171.1	166.7	168.7	169.7	173.9	166.8	172.8	168.1	167.9	166.5	166.1	165.2	162.8	162.1	160.8	159.9
Relative Survival Rates (SEER ^a)																		
1-year	75.3	75.7	77.0	77.3	77.5	77.5	77.8	77.9	78.5	78.4	78.1	78.1	78.5	78.4	79.1	79.7	79.6	
2-year	66.6	66.9	68.6	68.9	69.4	69.6	69.8	70.3	70.6	71.0	70.9	71.1	71.4	71.6	72.1	72.8		
3-year	61.9	62.1	64.0	64.6	65.0	65.7	65.7	66.1	66.4	67.0	67.0	67.3	67.7	68.1	68.5			
4-year	58.8	59.0	60.9	61.8	62.4	63.3	63.1	63.6	64.0	64.4	64.4	64.8	65.3	65.7				
5-year	56.6	56.7	58.7	59.6	60.3	61.3	61.1	61.9	62.2	62.6	62.7	63.1	63.6					
6-year	55.0	54.9	57.1	58.1	58.6	59.8	59.7	60.4	60.8	61.2	61.3	61.7						
7-year	53.6	53.4	55.8	56.8	57.2	58.5	58.6	59.2	59.6	60.0	60.1							
8-year	52.6	52.2	54.7	55.8	56.4	57.6	57.5	58.3	58.6	59.2								
9-year	51.8	51.3	53.6	55.0	55.4	56.7	56.9	57.3	57.7									
10-year	51.0	50.4	52.8	54.2	54.8	56.0	56.2	56.5										
11-year	50.3	49.6	52.2	53.6	54.1	55.3	55.5											
12-year	49.7	49.1	51.7	53.0	53.5	54.5												
13-year	49.4	48.5	51.2	52.5	52.6													
14-year	48.9	48.1	50.8	52.0														
15-year	48.5	47.7	50.2															
16-year	48.2	47.1																
17-year	47.9																	
18-year	47.7																	
19-year	47.5																	
20-year	47.2																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table III-5
BRAIN AND OTHER NERVOUS SYSTEM CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males and Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	5.9	6.3	6.9	6.8	7.0	6.8	6.9	7.0	6.9	7.0	6.8	6.6	6.4	6.6	6.7	6.6	6.8	6.6
Mortality																		
U.S. ^b	4.3	4.4	4.6	4.5	4.7	4.7	4.7	4.9	4.9	4.9	4.8	4.8	4.7	4.7	4.7	4.7	4.6	4.5
SEER ^a	4.3	4.6	4.7	4.6	4.9	4.7	4.7	4.7	5.0	4.7	4.8	4.5	4.3	4.6	4.6	4.6	4.6	4.6
Relative Survival Rates (SEER ^a)																		
1-year	47.6	48.8	49.1	53.6	52.8	54.0	52.4	54.2	54.8	53.2	53.3	54.3	52.9	54.2	52.3	54.6	55.1	
2-year	32.7	34.7	34.2	38.2	38.5	39.3	37.7	37.7	40.7	40.0	39.0	40.7	39.4	40.6	38.0	40.8		
3-year	28.6	30.2	30.5	33.2	34.9	36.0	33.2	32.9	37.2	35.9	35.6	37.0	36.4	37.1	34.2			
4-year	26.1	27.6	27.8	30.9	32.5	33.8	30.3	31.0	35.3	33.0	33.8	34.8	34.9	35.0				
5-year	24.2	26.0	26.1	29.7	30.9	31.6	29.2	29.7	33.5	31.9	32.6	33.4	34.4					
6-year	22.9	24.8	25.0	28.8	29.6	30.5	28.2	29.1	32.6	30.2	32.1	32.9						
7-year	22.1	23.8	24.2	28.4	28.1	29.5	27.9	28.2	32.1	29.2	31.0							
8-year	21.3	23.1	22.9	27.2	27.8	28.4	27.1	27.9	31.4	28.5								
9-year	20.5	22.3	22.6	26.1	27.6	27.6	27.0	27.5	31.4									
10-year	20.1	21.6	22.0	25.5	27.6	27.3	26.4	27.0										
11-year	19.8	21.1	22.0	25.4	26.9	27.2	26.0											
12-year	19.5	20.9	21.5	25.4	26.4	27.2												
13-year	19.4	20.5	21.1	25.4	26.0													
14-year	19.4	20.4	21.0	25.2														
15-year	19.1	20.2	20.4															
16-year	19.1	19.9																
17-year	19.0																	
18-year	19.0																	
19-year	19.0																	
20-year	19.0																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table III-6
 BRAIN AND OTHER NERVOUS SYSTEM CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	
Incidence																			
SEER ^a	7.2	7.7	8.5	8.1	8.1	7.9	8.5	8.1	8.6	8.6	8.1	7.9	7.8	8.2	8.0	7.7	8.3	8.0	
Mortality																			
U.S. ^b	5.3	5.4	5.6	5.6	5.7	5.9	5.8	6.0	6.0	5.9	5.9	5.9	5.7	5.7	5.7	5.7	5.7	5.7	5.6
SEER ^a	5.4	5.6	5.6	5.7	5.9	5.8	5.7	5.8	5.9	5.9	6.1	5.7	5.4	5.8	5.4	5.7	5.9	5.7	
Relative Survival Rates (SEER ^a)																			
1-year	47.5	49.8	49.6	54.5	52.3	53.3	54.2	57.2	56.6	55.3	54.9	55.6	54.8	56.0	55.6	54.9	54.7		
2-year	31.9	34.6	33.2	39.1	36.8	36.6	38.6	39.7	40.6	40.5	40.7	41.0	40.8	39.8	39.8	40.0			
3-year	27.2	30.3	29.2	33.9	32.7	33.5	33.8	33.8	37.1	36.7	36.6	37.6	37.7	36.4	35.3				
4-year	25.0	27.2	25.9	31.0	30.6	31.4	30.0	31.9	35.4	34.2	34.6	35.8	36.9	34.3					
5-year	22.8	25.2	23.8	29.4	29.2	28.8	29.1	30.7	33.3	33.1	32.5	34.1	36.1						
6-year	21.5	24.1	23.0	28.3	28.0	27.4	28.2	30.6	33.0	31.1	31.6	33.9							
7-year	20.8	23.4	22.3	27.8	26.3	26.2	27.5	29.2	31.9	29.9	31.0								
8-year	19.9	22.7	21.2	27.2	25.8	24.7	27.0	29.2	31.2	29.2									
9-year	19.1	21.8	21.1	26.3	25.8	24.4	27.0	29.1	31.2										
10-year	18.8	21.1	20.4	25.7	25.7	24.0	26.8	28.4											
11-year	18.4	21.0	20.4	25.7	25.0	23.9	26.6												
12-year	18.1	20.7	20.4	25.7	23.9	23.9													
13-year	17.9	20.4	20.3	25.7	23.9														
14-year	17.9	20.1	19.9	25.7															
15-year	17.9	19.9	19.6																
16-year	17.9	19.7																	
17-year	17.9																		
18-year	17.9																		
19-year	17.9																		
20-year	17.9																		

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table III-7
 BRAIN AND OTHER NERVOUS SYSTEM CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	
Incidence																			
SEER ^a	4.9	5.2	5.6	5.8	6.0	5.9	5.4	6.2	5.6	5.6	5.7	5.4	5.3	5.2	5.5	5.6	5.5	5.4	
Mortality																			
U.S. ^b	3.5	3.6	3.7	3.7	3.9	3.8	3.9	4.0	4.1	4.0	3.9	4.0	3.9	3.9	3.9	3.8	3.8	3.7	
SEER ^a	3.5	3.7	3.9	3.7	4.0	3.8	4.0	3.7	4.4	3.7	3.8	3.6	3.4	3.7	3.9	3.7	3.6	3.7	
Relative Survival Rates (SEER ^a)																			
1-year	47.8	47.4	48.5	52.4	53.3	54.8	50.0	50.8	52.3	50.3	51.4	52.6	50.4	51.8	47.9	54.2	55.6		
2-year	33.8	34.9	35.4	37.1	40.6	42.6	36.3	35.4	40.8	39.2	36.9	40.2	37.5	41.5	35.7	41.7			
3-year	30.3	30.0	32.2	32.4	37.5	39.0	32.5	31.8	37.2	34.8	34.4	36.3	34.7	38.1	32.8				
4-year	27.5	28.0	30.1	30.7	34.8	36.7	30.7	30.1	35.0	31.5	32.9	33.6	32.4	35.9					
5-year	26.0	27.0	29.0	30.2	33.0	35.1	29.2	28.6	33.7	30.3	32.7	32.5	32.2						
6-year	24.6	25.6	27.6	29.4	31.5	34.3	28.3	27.4	32.0	29.0	32.6	31.6							
7-year	23.7	24.4	26.6	29.0	30.3	33.5	28.3	27.1	32.0	28.4	30.9								
8-year	23.0	23.5	25.1	27.2	30.0	32.8	27.3	26.2	31.7	27.5									
9-year	22.2	22.9	24.6	25.9	29.7	31.5	26.9	25.6	31.5										
10-year	21.7	22.2	24.0	25.2	29.7	31.4	25.9	25.4											
11-year	21.5	21.4	24.0	25.1	29.0	31.3	25.1												
12-year	21.2	21.2	22.7	24.8	29.0	31.3													
13-year	21.1	20.7	22.1	24.8	28.2														
14-year	20.8	20.7	22.1	24.3															
15-year	20.6	20.5	21.5																
16-year	20.3	20.3																	
17-year	20.0																		
18-year	20.0																		
19-year	20.0																		
20-year	20.0																		

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table IV-8
 FEMALE BREAST CANCER (Invasive)
 INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	102.1	108.4	124.0	126.7	134.4	131.2	127.1	131.6	133.5	131.8	129.0	130.6	132.2	133.2	137.1	140.3	139.6	135.1
Mortality																		
U.S. ^b	31.7	32.2	33.0	32.9	32.7	33.2	33.2	33.1	32.7	31.6	31.4	30.9	30.6	29.5	28.2	27.5	26.6	26.7
SEER ^a	32.5	32.3	33.5	32.5	33.2	33.4	33.2	31.8	32.5	31.0	30.3	29.2	30.3	29.3	27.8	27.3	25.8	25.4
Relative Survival Rates (SEER ^a)																		
1-year	94.7	95.5	95.9	96.3	96.8	96.8	97.0	97.0	97.3	97.4	97.2	97.6	97.3	97.1	97.5	97.7	97.6	
2-year	88.9	90.5	91.3	91.7	93.2	93.4	93.3	93.4	93.9	94.4	94.1	94.3	94.1	93.9	94.5	95.0		
3-year	83.4	85.1	86.3	87.0	89.2	90.0	90.0	89.8	90.2	91.1	90.9	91.1	91.4	91.1	92.1			
4-year	78.7	80.7	82.3	83.5	86.0	87.2	87.2	86.9	87.6	88.2	88.2	88.7	88.8	89.0				
5-year	74.9	76.9	78.8	80.5	83.2	84.6	84.7	84.7	85.3	85.9	85.9	86.6	86.6					
6-year	71.7	73.9	76.3	78.1	80.6	82.3	82.3	82.6	83.4	84.0	83.9	84.9						
7-year	68.9	71.0	74.1	75.8	78.3	80.4	80.6	80.6	81.6	82.3	82.1							
8-year	66.7	68.7	72.2	74.3	76.9	78.9	79.1	79.2	79.9	81.3								
9-year	64.6	66.7	70.2	72.6	75.0	77.1	77.7	77.8	78.4									
10-year	62.8	64.8	68.5	70.9	73.6	76.1	76.5	76.5										
11-year	61.2	62.9	67.1	69.7	71.9	74.8	75.4											
12-year	59.6	61.7	65.9	68.4	70.6	73.6												
13-year	58.5	60.5	65.0	67.2	69.3													
14-year	57.5	59.2	64.2	66.3														
15-year	56.3	58.3	63.0															
16-year	55.4	57.1																
17-year	54.4																	
18-year	53.6																	
19-year	52.8																	
20-year	52.1																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table IV-9
 FEMALE BREAST CANCER (Under 50) (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	
Incidence																			
SEER ^a	39.3	40.0	44.1	44.4	45.4	44.0	43.4	45.5	47.0	43.4	42.7	42.2	42.9	43.3	43.2	44.9	43.2	43.2	
Mortality																			
U.S. ^b	8.8	8.4	8.6	8.6	8.4	8.4	8.4	8.3	8.2	7.8	7.4	7.4	7.3	6.9	6.7	6.3	5.7	5.9	
SEER ^a	8.7	8.2	8.2	8.5	8.2	8.1	7.7	8.1	8.0	6.8	7.1	6.4	7.0	6.6	6.3	5.6	5.3	5.6	
Relative Survival Rates (SEER ^a)																			
1-year	96.8	97.6	97.6	97.9	98.1	98.5	98.2	97.5	98.5	98.4	98.0	98.4	98.0	97.7	98.1	98.5	98.6		
2-year	90.9	91.5	91.8	92.2	92.6	93.8	93.1	93.0	93.9	94.6	94.2	93.5	93.7	93.7	94.7	95.0			
3-year	84.6	85.6	85.8	86.0	87.1	89.2	88.8	88.3	89.9	90.6	90.1	89.1	89.8	90.6	91.5				
4-year	80.0	81.0	81.2	82.0	83.0	85.6	85.0	84.8	86.6	86.2	87.0	85.9	86.4	87.9					
5-year	76.1	77.1	77.9	78.3	79.5	82.3	82.1	82.1	83.7	83.5	84.5	83.5	83.6						
6-year	73.2	74.1	75.6	75.7	77.0	80.2	79.7	79.8	81.4	81.4	82.7	81.4							
7-year	70.7	71.5	73.4	73.0	74.6	78.2	77.9	78.2	79.2	79.8	80.8								
8-year	68.7	69.2	71.6	71.2	73.0	76.3	76.4	76.2	77.6	78.1									
9-year	66.8	67.4	69.7	70.1	71.0	74.9	74.7	75.0	76.6										
10-year	65.3	65.9	68.5	68.9	69.5	73.6	73.8	73.7											
11-year	63.9	64.5	67.6	67.8	67.9	72.4	72.7												
12-year	62.4	63.5	66.4	66.5	66.4	71.8													
13-year	61.3	62.4	65.4	65.5	65.4														
14-year	60.6	61.2	64.6	64.6															
15-year	59.7	60.4	63.5																
16-year	59.0	59.6																	
17-year	58.4																		
18-year	57.8																		
19-year	57.1																		
20-year	56.3																		

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table IV-10
 FEMALE BREAST CANCER (50 and Over) (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	266.5	287.5	333.2	342.3	367.4	359.5	346.4	356.9	360.0	363.5	355.1	361.9	365.9	368.4	382.8	390.2	392.2	375.5
Mortality																		
U.S. ^b	91.8	94.3	96.9	96.3	96.1	98.2	98.2	98.1	96.9	94.2	94.2	92.6	91.5	88.5	84.5	83.1	81.2	81.3
SEER ^a	94.9	95.5	99.8	95.2	98.9	99.8	99.8	93.6	96.5	94.4	91.2	89.1	91.3	88.8	84.1	84.2	79.4	77.3
Relative Survival Rates (SEER ^a)																		
1-year	94.0	94.9	95.4	95.8	96.5	96.3	96.7	96.8	96.9	97.1	96.9	97.3	97.0	96.9	97.4	97.4	97.2	
2-year	88.3	90.2	91.1	91.5	93.4	93.2	93.4	93.5	93.9	94.3	94.1	94.6	94.2	93.9	94.5	95.0		
3-year	82.9	84.9	86.5	87.4	89.8	90.3	90.4	90.4	90.3	91.3	91.3	91.8	92.0	91.3	92.3			
4-year	78.2	80.7	82.7	84.0	87.0	87.7	88.0	87.7	88.0	88.9	88.7	89.7	89.8	89.5				
5-year	74.5	76.9	79.1	81.2	84.5	85.4	85.6	85.7	86.0	86.8	86.4	87.8	87.8					
6-year	71.2	73.8	76.6	79.0	81.8	83.1	83.3	83.7	84.2	85.1	84.4	86.3						
7-year	68.3	70.9	74.4	76.9	79.7	81.3	81.7	81.7	82.6	83.4	82.8							
8-year	66.0	68.6	72.5	75.5	78.4	80.0	80.3	80.6	81.0	82.7								
9-year	63.7	66.5	70.5	73.7	76.7	78.2	79.1	79.2	79.3									
10-year	61.8	64.4	68.6	71.9	75.5	77.3	77.9	78.1										
11-year	60.1	62.4	66.9	70.7	73.8	76.1	76.9											
12-year	58.4	61.0	65.9	69.4	72.7	74.7												
13-year	57.2	59.9	65.1	68.3	71.4													
14-year	56.1	58.5	64.3	67.5														
15-year	54.8	57.6	63.2															
16-year	53.7	56.2																
17-year	52.5																	
18-year	51.6																	
19-year	50.6																	
20-year	49.9																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table V-5
CERVIX UTERI CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	
Incidence																			
SEER ^a	13.4	11.0	10.2	10.8	10.0	10.6	10.7	10.6	10.0	9.9	9.6	9.4	8.8	9.5	9.1	9.1	8.1	7.6	
Mortality																			
U.S. ^b	5.1	4.2	3.8	3.8	3.6	3.6	3.6	3.7	3.5	3.5	3.4	3.4	3.2	3.2	3.1	3.0	2.8	2.8	
SEER ^a	4.4	3.5	3.3	3.1	2.9	3.1	3.3	2.8	2.9	2.8	2.6	3.0	2.4	2.5	2.2	2.4	2.0	2.3	
Relative Survival Rates (SEER ^a)																			
1-year	87.1	87.6	87.0	86.1	87.5	87.5	89.2	88.3	89.0	87.6	89.3	87.8	89.7	88.7	89.1	88.6	90.0		
2-year	78.2	77.6	76.0	76.9	77.8	79.2	80.8	79.8	79.9	78.6	79.7	80.4	81.9	81.4	80.4	81.0			
3-year	73.5	73.1	71.3	71.9	72.6	75.5	76.1	75.6	74.5	74.5	75.4	76.5	78.8	77.1	75.4				
4-year	70.8	70.2	68.7	69.1	69.6	73.6	73.1	73.4	71.2	70.8	72.7	73.8	76.0	73.9					
5-year	69.0	68.5	66.9	66.6	67.5	72.7	71.3	72.3	69.1	68.4	70.7	72.3	74.5						
6-year	67.9	66.8	66.0	66.0	66.7	70.8	70.1	70.9	67.5	67.2	70.4	70.7							
7-year	67.1	65.2	64.8	64.9	66.0	70.1	69.0	70.1	66.8	66.3	69.6								
8-year	66.4	64.1	63.8	64.0	65.8	69.3	67.8	69.2	65.8	65.6									
9-year	65.8	63.7	63.0	64.0	65.5	68.9	66.8	67.1	65.0										
10-year	64.9	63.2	62.3	63.7	65.4	68.1	66.1	65.6											
11-year	64.4	62.9	62.0	63.3	65.0	67.9	65.1												
12-year	63.9	62.2	61.2	62.9	64.5	66.9													
13-year	63.5	61.8	60.7	62.9	63.4														
14-year	63.2	61.1	60.7	62.6															
15-year	62.7	60.4	60.2																
16-year	62.4	59.9																	
17-year	62.0																		
18-year	61.6																		
19-year	61.0																		
20-year	60.5																		

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table VI-10
COLON AND RECTUM CANCER (Invasive)
INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males and Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	61.5	63.8	66.3	64.2	62.7	61.4	61.7	60.7	59.5	58.0	56.8	55.7	54.0	54.6	56.3	56.5	54.9	53.1
Mortality																		
U.S. ^b	28.3	27.4	26.9	26.2	25.9	25.3	25.0	24.6	24.0	23.6	23.3	22.9	22.6	21.9	21.5	21.2	20.9	20.8
SEER ^a	28.6	26.7	27.1	25.0	24.8	24.0	24.9	23.3	22.6	22.4	22.1	22.2	21.0	20.6	20.5	20.1	19.0	19.5
Relative Survival Rates (SEER ^a)																		
1-year	74.8	78.1	80.1	81.3	80.8	80.3	81.3	81.8	82.5	81.7	80.9	81.7	80.2	82.0	81.1	82.7	82.9	
2-year	63.8	67.9	71.0	72.0	71.8	71.8	72.3	73.4	73.9	73.3	72.7	73.1	72.2	74.3	73.4	75.5		
3-year	57.6	61.6	65.1	66.5	66.3	66.4	67.6	68.4	68.4	67.8	67.8	68.3	66.7	69.6	68.3			
4-year	53.8	57.6	61.4	62.8	62.3	62.8	63.6	64.2	64.9	64.3	64.0	64.3	63.1	66.1				
5-year	51.3	55.0	59.1	60.3	59.9	60.3	60.9	61.9	62.7	62.3	61.3	61.5	61.0					
6-year	49.6	53.1	57.3	58.3	58.3	58.8	59.5	60.6	60.8	60.8	59.9	60.0						
7-year	48.6	51.7	56.0	56.8	56.6	57.4	58.1	59.1	59.4	59.3	58.3							
8-year	47.7	50.7	55.2	55.7	55.9	56.5	57.1	57.8	58.2	57.8								
9-year	47.2	50.0	54.2	55.0	55.2	55.8	56.3	57.2	57.2									
10-year	46.6	49.3	53.6	54.7	54.5	55.1	55.5	56.7										
11-year	46.1	48.8	53.2	54.5	54.5	54.5	54.9											
12-year	45.7	48.5	53.0	54.5	53.9	53.7												
13-year	45.4	48.3	52.7	53.9	52.7													
14-year	44.9	47.9	52.4	53.4														
15-year	44.7	47.7	51.5															
16-year	44.3	47.3																
17-year	44.1																	
18-year	43.7																	
19-year	43.7																	
20-year	43.7																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table VI-11
COLON AND RECTUM CANCER (Invasive)
INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	72.0	75.8	79.0	77.8	77.5	75.2	75.0	74.4	72.9	70.5	68.5	66.4	63.6	65.4	67.9	66.6	64.9	62.5
Mortality																		
U.S. ^b	33.4	33.1	32.7	32.0	31.9	31.1	30.8	30.8	29.6	29.3	28.6	28.3	27.7	26.7	26.2	25.6	25.5	25.2
SEER ^a	34.1	31.9	33.8	30.1	29.6	29.4	30.2	28.5	28.1	28.3	26.4	28.1	25.3	24.5	25.2	24.1	23.3	23.6
Relative Survival Rates (SEER ^a)																		
1-year	74.8	79.0	81.3	82.4	81.7	81.1	82.0	83.0	83.3	82.8	81.7	82.8	81.7	83.4	82.1	83.0	84.2	
2-year	63.8	68.3	72.4	73.1	73.0	73.3	73.2	74.3	74.9	74.3	73.3	74.1	73.5	76.0	74.8	75.7		
3-year	57.0	61.8	66.5	67.3	67.0	67.4	68.4	69.5	69.1	68.5	68.4	69.5	67.8	71.0	69.5			
4-year	52.9	57.4	62.3	63.5	62.5	62.8	64.1	64.9	65.1	64.5	64.2	64.7	64.2	66.7				
5-year	50.3	54.5	59.6	60.8	60.1	60.5	61.3	62.1	62.4	62.1	61.3	61.4	61.3					
6-year	48.2	52.4	57.7	58.3	58.6	58.7	59.8	60.6	60.0	60.8	60.0	59.9						
7-year	47.0	50.8	55.9	57.1	56.8	57.3	58.5	58.8	58.2	59.5	58.6							
8-year	46.1	49.7	55.3	56.2	55.9	56.4	57.8	57.6	57.1	57.9								
9-year	45.5	48.9	54.3	55.4	55.3	55.6	56.8	57.5	56.5									
10-year	44.7	48.3	53.7	55.4	54.8	55.2	55.9	57.2										
11-year	44.3	47.7	53.5	55.3	54.7	55.2	55.3											
12-year	43.7	47.3	53.3	55.2	54.0	54.7												
13-year	43.4	47.2	53.0	54.8	53.4													
14-year	42.8	46.8	52.7	54.5														
15-year	42.7	46.8	52.3															
16-year	42.4	46.8																
17-year	42.0																	
18-year	41.8																	
19-year	41.8																	
20-year	41.8																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table VI-12
 COLON AND RECTUM CANCER (Invasive)
 INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	54.5	55.8	57.4	54.7	52.7	51.8	52.4	51.2	50.0	49.2	48.3	47.7	46.9	46.6	47.8	49.1	47.5	45.9
Mortality																		
U.S. ^b	25.0	23.7	23.1	22.3	22.0	21.5	21.2	20.6	20.3	19.9	19.8	19.3	19.1	18.5	18.1	18.0	17.8	17.6
SEER ^a	25.1	23.3	22.7	21.6	21.7	20.3	21.3	19.9	19.1	18.5	19.2	18.3	17.9	17.8	17.3	17.3	16.1	16.5
Relative Survival Rates (SEER ^a)																		
1-year	74.8	77.2	78.9	80.1	79.9	79.4	80.5	80.6	81.7	80.6	80.2	80.6	78.8	80.6	80.1	82.5	81.6	
2-year	63.8	67.5	69.6	70.8	70.7	70.2	71.4	72.5	73.0	72.4	72.2	72.1	71.0	72.5	72.0	75.2		
3-year	58.1	61.4	63.7	65.7	65.5	65.4	66.8	67.1	67.6	67.1	67.2	67.1	65.7	68.2	67.1			
4-year	54.6	57.8	60.6	62.0	62.1	62.9	63.2	63.4	64.7	64.1	63.8	64.0	62.0	65.4				
5-year	52.3	55.4	58.6	59.9	59.8	60.2	60.5	61.6	62.9	62.4	61.4	61.7	60.7					
6-year	50.9	53.7	57.0	58.2	57.9	58.8	59.3	60.5	61.6	60.8	59.7	60.1						
7-year	49.9	52.4	56.1	56.5	56.4	57.5	57.8	59.4	60.5	59.0	58.0							
8-year	49.2	51.6	55.1	55.1	55.8	56.6	56.3	58.0	59.3	57.8								
9-year	48.7	50.9	54.1	54.6	55.1	55.9	55.8	56.9	57.9									
10-year	48.2	50.3	53.5	54.0	54.2	54.9	55.1	56.3										
11-year	47.7	49.9	52.9	53.7	54.2	53.6	54.5											
12-year	47.4	49.5	52.7	53.7	53.8	52.8												
13-year	47.2	49.2	52.3	53.0	52.0													
14-year	46.8	48.8	52.0	52.3														
15-year	46.3	48.5	50.8															
16-year	46.0	47.6																
17-year	45.8																	
18-year	45.2																	
19-year	45.2																	
20-year	45.1																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table VII-5
CORPUS AND UTERUS, NOS CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	
Incidence																			
SEER ^a	31.8	26.7	25.2	24.4	24.7	23.6	24.4	25.1	24.6	24.8	24.3	25.1	25.3	24.8	25.8	25.6	25.2	24.4	
Mortality																			
U.S. ^b	5.2	4.9	4.6	4.4	4.4	4.3	4.3	4.3	4.2	4.2	4.2	4.2	4.1	4.1	4.0	4.1	4.1	4.1	
SEER ^a	5.0	5.1	5.0	4.2	4.1	4.1	4.5	4.2	4.2	4.3	4.0	3.9	4.1	4.1	3.7	4.2	3.9	4.2	
Relative Survival Rates (SEER ^a)																			
1-year	93.9	91.7	93.2	93.1	92.1	92.3	92.3	92.7	92.0	93.1	92.5	92.0	93.2	92.0	93.3	93.7	94.0		
2-year	90.3	86.7	88.2	87.1	87.4	88.4	88.0	88.2	88.1	89.7	88.7	87.4	88.7	88.5	89.3	89.7			
3-year	88.1	84.1	85.5	85.4	84.4	85.5	85.9	85.3	85.8	87.4	85.9	85.2	86.5	86.4	86.3				
4-year	86.7	82.9	83.8	84.0	83.5	84.0	84.9	84.0	84.2	86.2	84.7	83.7	85.2	85.4					
5-year	86.4	82.0	83.4	82.9	82.5	83.2	84.1	83.3	83.7	86.1	83.9	83.0	84.8						
6-year	86.0	81.6	82.9	82.6	81.7	82.9	83.7	82.2	82.6	85.4	83.2	82.0							
7-year	85.8	81.3	82.3	82.5	81.7	82.6	83.7	82.2	82.5	85.4	83.1								
8-year	85.8	80.9	82.1	82.5	81.5	82.6	82.7	82.0	82.0	85.0									
9-year	85.8	80.7	81.7	82.2	81.5	82.3	82.7	82.0	81.9										
10-year	85.8	80.7	81.7	82.2	81.5	81.8	82.7	81.3											
11-year	85.8	80.5	81.7	82.2	81.4	81.8	82.6												
12-year	85.8	80.5	81.7	82.1	81.4	81.6													
13-year	85.8	80.3	81.2	82.1	81.4														
14-year	85.8	80.1	80.9	82.1															
15-year	85.8	80.1	80.9																
16-year	85.8	79.5																	
17-year	85.8																		
18-year	85.8																		
19-year	85.8																		
20-year	85.8																		

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table VIII-5
ESOPHAGUS CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males and Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	
Incidence																			
SEER ^a	4.2	4.2	4.4	4.6	4.6	4.4	4.4	4.8	4.6	4.6	4.6	4.5	4.4	4.8	4.7	4.7	4.9	4.7	
Mortality																			
U.S. ^b	3.7	3.9	3.9	3.9	4.0	4.0	4.1	4.1	4.1	4.2	4.2	4.3	4.3	4.3	4.3	4.4	4.3	4.4	
SEER ^a	3.9	3.9	3.8	4.0	4.1	4.1	4.1	4.2	4.0	4.2	4.0	4.3	4.1	4.1	4.1	4.3	4.3	4.2	
Relative Survival Rates (SEER ^a)																			
1-year	27.7	31.5	36.4	35.0	35.7	36.0	39.0	39.3	42.0	41.8	38.4	39.2	41.7	43.5	41.5	41.8	44.5		
2-year	11.7	14.7	21.0	19.2	17.9	20.3	20.3	20.6	21.5	24.7	22.6	23.8	24.1	24.5	24.0	24.5			
3-year	7.8	10.3	13.4	14.5	11.8	13.8	14.5	14.7	15.2	19.7	16.7	19.0	17.8	19.2	17.6				
4-year	6.0	8.6	10.2	11.9	9.3	11.9	11.7	11.8	13.0	17.1	14.3	15.9	14.1	16.5					
5-year	4.9	7.2	9.1	10.6	8.8	9.9	10.3	10.5	12.1	15.3	12.9	14.2	12.4						
6-year	4.4	6.4	7.5	9.5	7.7	9.0	9.2	10.0	10.6	14.4	11.6	12.7							
7-year	4.0	5.9	7.1	8.8	6.9	8.6	8.4	9.1	10.2	12.9	10.9								
8-year	3.6	5.3	6.2	8.0	6.0	8.1	8.4	8.7	9.1	12.5									
9-year	3.4	4.9	5.7	8.0	5.3	6.8	7.8	8.0	8.9										
10-year	3.1	4.7	5.5	7.0	5.3	6.4	7.1	7.7											
11-year	2.9	4.3	5.1	6.5	5.3	5.9	5.9												
12-year	2.8	4.3	4.3	6.3	5.3	5.6													
13-year	2.7	4.0	4.3	6.2	3.9														
14-year	2.7	4.0	4.3	6.1															
15-year	2.7	4.0	4.3																
16-year	2.6	3.9																	
17-year	2.6																		
18-year	2.6																		
19-year	2.6																		
20-year	2.6																		

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table VIII-6
ESOPHAGUS CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	
Incidence																			
SEER ^a	6.9	6.8	7.4	7.5	7.6	7.3	7.3	8.3	7.5	8.0	7.7	7.7	7.1	8.1	7.8	8.2	8.4	7.9	
Mortality																			
U.S. ^b	6.4	6.6	6.7	6.8	6.9	7.0	7.1	7.2	7.2	7.3	7.3	7.6	7.6	7.5	7.5	7.7	7.7	7.7	
SEER ^a	6.7	6.5	6.6	6.7	6.8	7.2	6.9	7.0	7.0	7.5	6.9	7.8	7.3	7.0	6.8	7.4	7.6	7.3	
Relative Survival Rates (SEER ^a)																			
1-year	25.5	30.9	35.3	34.1	34.2	34.0	38.5	41.4	41.6	41.1	39.5	38.6	41.3	44.6	41.8	42.1	44.2		
2-year	10.3	14.3	19.9	19.6	17.0	19.0	19.8	21.5	21.3	24.5	22.4	22.4	24.5	25.1	24.6	24.6			
3-year	6.9	9.6	11.4	15.5	12.2	12.0	14.4	14.7	15.4	19.6	17.2	18.8	18.0	19.1	18.4				
4-year	5.2	7.8	7.5	12.5	9.6	10.6	11.5	11.8	12.8	16.1	14.7	15.6	14.0	15.9					
5-year	4.3	6.3	7.4	11.2	9.1	9.3	10.0	10.3	12.1	14.2	13.1	14.2	12.8						
6-year	3.8	5.5	6.4	10.3	8.2	8.6	8.6	9.8	10.4	13.2	12.0	12.6							
7-year	3.5	4.8	6.0	9.4	6.9	8.3	7.8	8.8	10.4	11.9	11.7								
8-year	3.2	4.4	5.4	8.2	6.2	8.0	7.8	8.2	9.0	11.3									
9-year	3.0	4.1	5.1	8.2	5.8	6.5	7.6	7.4	8.7										
10-year	2.8	3.9	5.1	7.7	5.8	6.1	7.4	7.1											
11-year	2.7	3.8	5.0	7.0	5.8	5.5	6.6												
12-year	2.6	3.8	3.8	6.4	5.8	4.9													
13-year	2.6	3.7	3.8	6.2	4.0														
14-year	2.5	3.7	3.8	6.2															
15-year	2.5	3.7	3.8																
16-year	2.4	3.7																	
17-year	2.4																		
18-year	2.4																		
19-year	2.4																		
20-year	2.4																		

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table VIII-7
ESOPHAGUS CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	2.2	2.2	2.2	2.5	2.3	2.2	2.2	2.2	2.4	2.0	2.3	2.1	2.2	2.2	2.2	2.0	2.1	2.1
Mortality																		
U.S. ^b	1.8	1.8	1.7	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.9	1.8	1.8	1.8	1.8
SEER ^a	1.9	2.0	1.8	1.9	2.0	1.7	2.0	2.1	1.8	1.8	1.8	1.7	1.8	1.9	2.1	1.8	1.8	1.7
Relative Survival Rates (SEER ^a)																		
1-year	33.5	33.1	39.2	37.0	39.4	41.3	40.3	32.9	43.1	43.9	35.2	41.1	42.7	40.1	40.6	41.0	45.5	
2-year	15.2	15.9	24.0	18.0	20.3	23.7	21.6	17.5	22.0	25.5	23.3	28.2	22.8	22.4	22.2	24.2		
3-year	10.1	12.1	18.7	12.0	10.8	18.7	14.6	14.6	14.9	20.1	15.4	19.6	17.3	19.4	15.2			
4-year	7.9	10.6	17.1	10.4	8.6	15.5	12.0	11.9	13.6	20.1	13.5	17.0	14.2	18.2				
5-year	6.4	9.4	13.5	9.3	7.9	11.5	10.8	11.2	12.2	18.8	12.4	14.3	11.3					
6-year	5.9	8.6	10.2	7.6	6.5	10.2	10.7	10.6	11.2	18.4	10.8	13.0						
7-year	5.1	8.3	10.0	7.3	6.5	9.4	9.9	9.8	9.5	16.4	8.9							
8-year	4.5	7.5	8.3	7.3	5.2	8.5	9.8	9.8	9.4	16.4								
9-year	4.2	6.6	7.2	7.3	4.1	7.6	8.2	9.4	9.2									
10-year	3.6	6.6	6.7	5.2	3.7	7.2	6.5	9.2										
11-year	3.4	5.5	5.3	5.2	3.7	6.9	4.5											
12-year	3.2	5.5	5.3	5.2	3.7	6.9												
13-year	3.0	4.9	5.3	5.2	3.5													
14-year	3.0	4.8	5.3	5.2														
15-year	3.0	4.8	5.3															
16-year	2.8	4.1																
17-year	2.5																	
18-year	2.4																	
19-year	2.4																	
20-year	2.4																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table IX-5
HODGKIN LYMPHOMA

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males and Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	2.9	2.9	3.0	2.7	3.1	3.1	3.0	3.1	3.0	2.9	2.8	2.9	2.8	2.8	2.8	2.8	2.8	2.7
Mortality																		
U.S. ^b	1.1	0.9	0.8	0.8	0.7	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.5
SEER ^a	1.1	0.9	0.8	0.7	0.7	0.6	0.7	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.4
Relative Survival Rates (SEER ^a)																		
1-year	87.2	89.8	91.3	91.5	91.3	90.6	90.9	90.9	93.0	92.7	91.7	93.4	93.0	91.6	93.5	94.8	90.9	
2-year	81.2	84.0	86.5	85.9	85.8	86.7	87.1	86.9	87.4	89.3	86.8	90.2	89.3	89.0	91.1	90.5		
3-year	77.5	80.8	83.3	82.3	82.8	84.6	84.0	84.8	85.1	88.1	84.4	86.9	87.2	87.5	89.9			
4-year	74.9	78.4	81.2	80.3	80.3	82.4	81.4	82.9	82.9	86.4	82.8	85.4	84.1	85.6				
5-year	73.1	76.0	80.1	78.8	78.9	80.3	80.8	82.1	80.9	85.3	81.0	84.4	82.9					
6-year	70.9	73.7	78.6	76.9	77.5	79.1	79.5	80.7	80.0	83.6	79.5	83.5						
7-year	69.4	72.3	77.6	74.2	75.5	76.4	76.8	78.6	78.9	82.6	77.9							
8-year	67.6	71.2	76.5	73.1	74.6	75.6	75.4	77.6	77.8	82.5								
9-year	65.9	70.1	76.5	72.2	73.7	74.6	75.4	76.5	77.8									
10-year	64.9	69.2	76.3	72.0	72.6	74.3	75.4	76.0										
11-year	64.0	68.5	76.3	70.7	70.7	73.7	75.4											
12-year	63.3	67.8	75.8	69.9	70.5	72.5												
13-year	62.9	67.2	75.2	69.0	69.3													
14-year	61.9	66.2	73.6	68.6														
15-year	61.2	65.6	73.0															
16-year	60.8	64.8																
17-year	60.1																	
18-year	59.4																	
19-year	59.1																	
20-year	58.2																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table IX-6
HODGKIN LYMPHOMA

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	3.6	3.6	3.5	3.3	3.7	3.6	3.7	3.5	3.5	3.1	3.3	3.1	3.2	3.3	2.9	3.1	3.0	3.3
Mortality																		
U.S. ^b	1.5	1.1	1.0	1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.6	0.6	0.6	0.6	0.6
SEER ^a	1.5	1.1	1.0	0.9	1.0	0.8	0.9	0.7	0.8	0.9	0.7	0.8	0.7	0.7	0.7	0.7	0.6	0.5
Relative Survival Rates (SEER ^a)																		
1-year	86.2	89.7	91.0	89.4	90.7	90.6	88.9	90.7	93.2	91.1	89.3	93.7	92.3	92.9	91.9	95.1	89.1	
2-year	80.8	84.1	86.6	83.8	84.9	84.8	84.7	84.9	87.0	86.9	84.0	89.3	88.9	90.1	89.4	91.6		
3-year	76.4	81.1	83.5	80.7	81.4	82.1	81.7	83.1	83.7	85.5	81.1	86.2	85.9	88.2	88.0			
4-year	73.2	78.3	80.6	78.2	79.6	79.2	78.1	81.3	80.5	83.5	79.1	84.0	81.5	86.5				
5-year	71.1	75.3	78.5	76.2	77.7	77.1	77.2	81.1	77.8	82.4	76.6	83.0	80.8					
6-year	68.6	72.8	77.3	73.3	75.7	75.5	76.7	79.8	76.9	80.6	74.4	81.8						
7-year	66.9	71.4	75.8	70.2	72.8	71.6	74.0	77.4	74.8	80.6	74.0							
8-year	65.2	70.0	74.3	69.3	71.9	70.1	71.5	76.8	72.9	79.9								
9-year	63.1	69.1	73.9	67.4	70.4	68.9	71.4	76.0	72.9									
10-year	62.3	68.0	73.6	66.8	68.8	68.9	71.4	75.0										
11-year	61.2	67.3	73.3	65.8	66.1	67.3	71.4											
12-year	60.5	66.3	72.3	64.7	65.7	65.0												
13-year	60.2	65.9	71.7	63.2	62.9													
14-year	59.1	64.7	69.9	63.2														
15-year	58.2	64.2	69.4															
16-year	57.8	63.4																
17-year	56.7																	
18-year	56.1																	
19-year	55.6																	
20-year	54.8																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table IX-7
HODGKIN LYMPHOMA

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	2.3	2.4	2.5	2.2	2.5	2.7	2.5	2.6	2.6	2.7	2.5	2.6	2.4	2.4	2.7	2.5	2.6	2.3
Mortality																		
U.S. ^b	0.9	0.7	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.5	0.4	0.4	0.4
SEER ^a	0.8	0.7	0.6	0.5	0.5	0.4	0.5	0.5	0.5	0.4	0.5	0.4	0.4	0.3	0.4	0.3	0.4	0.4
Relative Survival Rates (SEER ^a)																		
1-year	88.6	89.9	91.6	94.2	92.1	90.7	93.5	91.1	92.8	94.5	94.5	93.1	93.8	90.0	95.2	94.5	93.0	
2-year	81.8	83.9	86.5	88.7	86.9	89.0	90.2	89.3	87.9	91.9	90.2	91.3	89.9	87.6	92.7	89.2		
3-year	78.9	80.4	83.0	84.3	84.6	87.7	86.8	86.9	86.9	90.8	88.2	87.7	88.9	86.7	91.8			
4-year	77.2	78.5	82.0	83.0	81.2	86.3	85.4	84.8	86.0	89.4	87.2	86.9	87.4	84.4				
5-year	75.8	77.0	82.0	82.1	80.3	84.3	85.1	83.4	85.0	88.4	86.1	86.0	85.4					
6-year	74.0	74.9	80.2	81.6	79.8	83.6	83.0	81.8	83.9	86.9	85.3	85.3						
7-year	72.8	73.5	79.9	79.4	78.9	82.5	80.1	80.2	83.9	84.7	82.5							
8-year	70.8	72.6	79.1	78.0	77.9	82.5	80.1	78.6	83.9	84.7								
9-year	69.5	71.3	79.1	78.0	77.8	81.7	80.1	77.2	83.6									
10-year	68.3	70.9	79.1	78.0	77.2	80.8	80.1	77.2										
11-year	67.5	70.1	79.1	77.2	76.2	80.8	80.1											
12-year	67.0	69.7	79.1	76.6	76.2	80.8												
13-year	66.4	68.9	79.1	76.5	76.2													
14-year	65.7	68.1	78.1	75.2														
15-year	65.2	67.4	77.5															
16-year	64.7	66.6																
17-year	64.4																	
18-year	63.7																	
19-year	63.5																	
20-year	62.5																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XI-5
 KIDNEY AND RENAL PELVIS CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males and Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	7.7	8.6	8.9	9.7	9.9	9.9	10.3	10.4	10.6	10.7	10.7	11.3	11.1	11.3	10.8	11.7	11.2	12.1
Mortality																		
U.S. ^b	3.6	3.8	4.0	4.0	4.1	4.0	4.2	4.2	4.3	4.3	4.2	4.3	4.3	4.3	4.3	4.3	4.1	4.2
SEER ^a	3.5	3.8	3.6	3.6	3.9	3.8	4.2	4.0	3.8	3.9	3.8	4.0	3.9	4.1	4.0	4.3	3.9	4.1
Relative Survival Rates (SEER ^a)																		
1-year	69.7	71.4	74.4	72.1	74.1	74.3	73.1	76.3	77.4	77.3	76.8	77.0	77.5	77.4	76.9	78.5	78.0	
2-year	60.8	62.4	66.4	64.7	66.2	65.7	65.3	68.7	69.6	69.2	71.1	69.9	70.2	70.8	70.4	71.7		
3-year	56.8	57.8	60.9	60.2	61.2	62.6	62.1	66.1	65.4	66.5	67.3	67.5	66.2	67.8	66.5			
4-year	53.5	54.9	58.5	56.8	59.3	59.9	58.9	63.7	63.3	63.5	64.0	65.9	64.5	64.9				
5-year	51.6	53.2	56.4	54.5	57.9	58.2	57.3	61.0	61.8	61.5	62.1	63.3	62.7					
6-year	50.3	51.2	53.9	53.9	55.6	56.0	56.4	59.0	60.2	60.4	60.6	62.5						
7-year	48.7	50.2	52.5	52.7	54.0	55.1	55.4	56.8	59.2	58.2	60.2							
8-year	47.7	49.2	52.1	51.4	53.2	54.4	54.3	56.2	58.2	57.4								
9-year	46.8	48.2	50.5	50.3	51.8	54.4	52.8	55.1	57.0									
10-year	46.0	47.2	48.2	49.2	51.1	53.2	51.0	54.3										
11-year	45.5	46.1	46.0	48.5	49.7	52.6	49.4											
12-year	44.7	45.6	45.7	48.4	48.8	50.7												
13-year	44.2	45.2	44.4	47.4	47.7													
14-year	43.3	44.8	44.3	45.2														
15-year	42.5	44.8	43.2															
16-year	42.5	44.6																
17-year	42.3																	
18-year	41.4																	
19-year	40.6																	
20-year	40.1																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XI-6
 KIDNEY AND RENAL PELVIS CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	
Incidence																			
SEER ^a	11.2	12.6	13.1	13.8	14.1	14.0	14.5	14.7	15.0	15.2	14.6	15.6	15.5	15.8	15.0	16.3	15.6	16.9	
Mortality																			
U.S. ^b	5.3	5.6	5.8	5.8	6.0	5.9	6.1	6.2	6.2	6.2	6.1	6.2	6.2	6.2	6.2	6.2	5.9	6.2	
SEER ^a	5.1	5.6	5.2	5.5	5.5	5.5	6.1	5.6	5.3	5.6	5.3	5.8	5.6	6.1	5.8	6.3	5.5	6.2	
Relative Survival Rates (SEER ^a)																			
1-year	70.4	71.6	75.9	73.0	75.7	74.2	71.9	78.0	79.0	78.6	78.1	76.9	79.9	78.6	78.5	78.8	77.4		
2-year	61.2	62.7	67.5	66.1	67.6	65.8	63.9	69.8	70.2	69.6	71.7	69.4	71.9	72.5	71.4	72.4			
3-year	56.9	58.3	62.1	61.2	63.6	62.1	61.5	67.4	66.6	67.0	68.0	66.6	68.0	69.0	67.2				
4-year	53.5	55.5	59.6	56.7	61.2	60.0	58.3	64.4	65.0	63.3	64.5	65.1	65.5	66.0					
5-year	51.8	53.7	57.7	54.7	59.0	58.3	57.4	61.3	63.1	60.6	62.3	62.8	63.8						
6-year	50.5	51.6	55.0	53.7	56.2	55.1	56.2	58.8	60.8	59.9	60.4	62.5							
7-year	48.5	50.5	52.8	52.8	54.5	55.0	54.2	56.7	59.5	57.7	60.3								
8-year	47.2	49.5	52.4	50.9	52.9	54.5	53.1	56.0	58.2	57.3									
9-year	46.5	48.4	50.0	49.6	51.0	54.4	51.2	55.0	57.3										
10-year	45.3	47.4	47.9	49.0	50.1	53.5	49.7	54.0											
11-year	44.6	46.4	46.1	47.9	48.1	52.2	47.3												
12-year	43.6	45.9	45.4	47.7	46.6	50.1													
13-year	43.0	45.6	44.1	46.0	44.9														
14-year	42.0	44.7	44.0	44.2															
15-year	41.0	44.7	43.7																
16-year	41.0	44.4																	
17-year	40.8																		
18-year	40.0																		
19-year	39.3																		
20-year	38.7																		

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XI-7
 KIDNEY AND RENAL PELVIS CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	
Incidence																			
SEER ^a	5.1	5.7	5.8	6.6	6.7	6.9	7.1	7.1	7.2	7.4	7.6	7.8	7.6	7.9	7.5	8.2	7.8	8.3	
Mortality																			
U.S. ^b	2.4	2.5	2.7	2.8	2.8	2.7	2.8	2.8	2.9	2.9	2.8	2.9	3.0	2.8	2.9	2.8	2.7	2.8	
SEER ^a	2.3	2.5	2.4	2.3	2.7	2.5	2.8	2.8	2.7	2.6	2.5	2.8	2.7	2.7	2.6	2.7	2.7	2.5	
Relative Survival Rates (SEER ^a)																			
1-year	68.5	71.0	71.6	70.8	71.5	74.4	74.9	73.6	74.9	75.3	74.8	77.1	73.6	75.7	74.4	78.0	79.0		
2-year	60.2	61.9	64.4	62.4	64.0	65.7	67.5	66.8	68.8	68.5	70.3	70.9	67.5	68.1	68.9	70.7			
3-year	56.7	57.0	58.9	58.6	57.4	63.4	63.0	64.1	63.5	65.6	66.3	68.8	63.4	65.8	65.5				
4-year	53.6	53.9	56.7	56.9	56.2	59.7	59.9	62.7	60.7	63.8	63.2	67.0	62.9	63.2					
5-year	51.3	52.4	54.2	54.4	56.2	58.1	57.3	60.5	59.7	62.8	61.9	64.0	61.0						
6-year	50.0	50.5	52.0	54.1	54.6	57.4	56.8	59.4	59.2	61.1	60.9	62.3							
7-year	48.9	49.7	52.0	52.5	53.1	55.4	56.8	57.0	58.7	58.8	60.0								
8-year	48.5	48.7	51.4	52.2	53.1	54.2	56.1	56.4	58.0	57.5									
9-year	47.3	47.7	51.4	51.5	53.0	54.2	55.3	55.3	56.5										
10-year	47.2	46.8	48.7	49.5	52.5	52.7	52.9	54.6											
11-year	46.9	45.7	46.0	49.5	52.0	52.7	52.3												
12-year	46.6	45.1	46.0	49.4	52.0	51.7													
13-year	46.2	44.5	45.0	49.4	51.6														
14-year	45.2	44.5	44.8	46.7															
15-year	44.9	44.5	42.5																
16-year	44.7	44.5																	
17-year	44.6																		
18-year	43.5																		
19-year	42.6																		
20-year	42.3																		

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XII-5
 LARYNX CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males and Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	5.2	5.3	5.4	5.0	5.2	5.2	5.0	5.1	4.7	5.0	4.4	4.7	4.4	4.3	4.2	3.8	4.1	4.0
Mortality																		
U.S. ^b	1.7	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.7	1.6	1.6	1.6	1.5	1.5	1.4	1.4	1.4	1.4
SEER ^a	1.6	1.5	1.5	1.4	1.4	1.5	1.4	1.5	1.5	1.4	1.4	1.4	1.2	1.2	1.2	1.2	1.3	1.3
Relative Survival Rates (SEER ^a)																		
1-year	88.5	89.1	90.6	89.5	88.1	86.8	89.3	87.6	90.6	88.2	87.4	87.6	89.6	88.7	86.4	86.8	86.2	
2-year	79.1	80.3	80.8	80.2	79.0	76.8	80.0	77.8	80.7	78.3	79.1	77.5	80.4	79.7	78.7	76.3		
3-year	73.3	74.8	75.6	73.2	73.9	72.2	74.3	71.2	74.0	73.9	72.3	70.5	75.4	75.1	73.1			
4-year	69.0	70.7	70.1	68.6	70.1	69.4	67.7	66.8	70.0	69.4	66.5	66.4	69.9	70.4				
5-year	65.9	67.5	68.0	65.5	67.7	67.0	63.9	65.0	67.6	66.1	62.6	63.5	66.4					
6-year	63.7	64.8	64.1	61.4	64.6	64.3	61.7	61.0	63.8	63.0	60.6	59.2						
7-year	61.5	62.2	61.7	58.9	61.1	62.6	59.5	59.4	63.2	60.4	58.3							
8-year	59.7	60.6	58.9	57.1	57.5	60.1	56.4	57.2	59.4	57.8								
9-year	57.5	58.5	56.2	54.5	55.3	57.3	54.1	55.4	57.2									
11-year	55.4	56.7	54.2	51.7	53.9	55.9	51.4	53.2										
10-year	54.1	54.5	52.9	50.2	51.2	52.6	50.1											
12-year	52.3	52.0	51.0	48.2	50.0	50.1												
13-year	51.3	49.9	50.8	46.5	48.7													
14-year	49.8	48.8	46.8	44.4														
15-year	47.7	47.2	45.8															
16-year	45.7	45.0																
17-year	43.6																	
18-year	42.7																	
19-year	41.2																	
20-year	39.3																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XII-6
LARYNX CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	
Incidence																			
SEER ^a	9.8	9.8	9.9	9.4	9.4	9.6	8.9	9.2	8.5	9.1	8.1	8.3	7.9	7.5	7.5	6.7	7.0	7.2	
Mortality																			
U.S. ^b	3.4	3.2	3.0	3.1	3.1	3.0	3.0	3.0	3.1	3.0	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.6	
SEER ^a	3.2	2.9	2.8	2.8	2.6	2.9	2.7	2.7	2.8	2.6	2.7	2.7	2.2	2.2	2.2	2.1	2.3	2.3	
Relative Survival Rates (SEER ^a)																			
1-year	88.8	89.2	90.8	89.8	88.7	86.9	89.8	88.0	90.6	88.5	87.7	89.8	91.6	88.4	89.2	88.1	87.9		
2-year	79.3	80.5	81.6	80.2	80.0	76.0	81.0	78.5	81.2	79.2	79.8	79.7	82.1	79.9	81.6	77.5			
3-year	73.6	75.2	76.2	74.0	76.2	70.9	75.1	71.4	74.1	74.1	74.0	72.7	76.9	75.5	76.0				
4-year	69.4	71.3	70.7	69.2	72.2	68.8	69.4	67.5	70.3	70.0	68.4	68.2	72.0	71.0					
5-year	66.4	68.0	68.6	66.0	69.5	66.6	65.7	65.9	68.6	66.8	64.7	65.2	68.4						
6-year	64.2	65.3	64.9	61.9	66.9	63.9	62.8	61.8	64.6	63.7	62.8	61.4							
7-year	62.1	62.8	62.7	59.4	63.3	62.6	61.4	60.5	64.1	60.8	60.8								
8-year	60.2	61.3	60.6	57.5	59.8	60.2	58.4	58.6	60.3	58.9									
9-year	58.1	59.2	58.5	55.4	58.4	57.9	56.7	57.1	58.0										
11-year	56.2	57.7	57.0	52.2	57.1	57.4	54.0	55.1											
10-year	55.2	55.4	56.3	51.0	54.7	54.7	52.4												
12-year	53.8	52.9	54.6	49.7	53.8	52.9													
13-year	52.8	50.9	54.3	48.6	53.8														
14-year	51.3	49.7	50.3	46.8															
15-year	49.3	47.9	49.5																
16-year	47.3	46.0																	
17-year	45.3																		
18-year	44.4																		
19-year	42.7																		
20-year	41.1																		

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XII-7
 LARYNX CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	
Incidence																			
SEER ^a	1.6	1.7	1.9	1.6	1.9	1.9	2.0	1.9	1.8	1.8	1.5	1.8	1.6	1.7	1.6	1.6	1.8	1.4	
Mortality																			
U.S. ^b	0.5	0.5	0.5	0.5	0.5	0.5	0.6	0.5	0.6	0.6	0.6	0.6	0.5	0.6	0.5	0.6	0.5	0.5	
SEER ^a	0.5	0.6	0.5	0.4	0.6	0.5	0.5	0.5	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.4	0.5	0.5	
Relative Survival Rates (SEER ^a)																			
1-year	86.8	88.6	89.7	88.3	85.6	86.1	87.4	86.0	90.5	87.3	85.8	78.8	81.5	89.6	76.7	83.0	80.5		
2-year	78.3	79.2	77.2	80.1	74.8	80.2	76.4	75.4	78.9	74.1	76.0	69.1	73.0	78.9	68.5	72.7			
3-year	71.4	72.8	73.0	69.7	64.7	77.7	71.6	70.7	73.4	72.7	65.0	62.0	68.9	73.8	62.8				
4-year	66.9	68.0	67.4	66.3	62.0	72.0	62.1	64.0	69.0	66.8	58.6	59.7	61.0	68.4					
5-year	63.6	65.1	65.5	63.5	60.4	68.7	58.0	62.0	63.8	63.3	54.2	57.2	58.4						
6-year	61.5	62.3	61.0	59.3	55.7	65.9	58.0	58.0	60.9	60.4	51.9	51.1							
7-year	58.6	59.9	57.6	57.1	52.7	63.0	53.3	55.1	60.0	58.7	48.5								
8-year	57.1	57.5	52.1	55.5	48.9	59.9	50.0	52.1	56.2	53.4									
9-year	54.6	55.6	47.1	50.8	44.1	55.3	45.8	49.5	54.3										
11-year	51.5	52.9	43.3	49.8	42.6	50.3	43.4	46.5											
10-year	49.0	50.5	40.1	47.2	38.8	45.0	42.9												
12-year	46.1	48.4	37.5	42.7	37.0	40.1													
13-year	44.5	46.2	37.5	38.8	31.0														
14-year	43.7	45.7	34.3	35.5															
15-year	41.1	44.8	33.0																
16-year	39.5	41.4																	
17-year	37.1																		
18-year	36.7																		
19-year	35.8																		
20-year	33.1																		

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XIII-11

LEUKEMIAINCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males and Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	12.9	12.9	13.3	12.8	13.3	12.8	13.3	12.7	12.9	12.8	12.8	12.7	13.2	12.6	12.5	12.4	11.8	11.9
Mortality																		
U.S. ^b	8.1	8.2	8.1	8.0	7.8	7.8	8.0	8.0	8.0	8.0	7.9	7.9	7.9	7.8	7.7	7.6	7.7	7.7
SEER ^a	8.2	8.1	8.1	7.6	7.9	7.8	7.8	7.6	7.9	7.7	7.8	7.7	7.8	7.7	7.3	7.5	7.4	7.6
Relative Survival Rates (SEER ^a)																		
1-year	61.4	63.7	64.9	64.9	64.3	66.7	65.0	66.9	66.4	67.4	67.0	66.4	67.6	67.7	66.7	64.5	62.9	
2-year	50.8	53.5	55.8	55.2	54.1	57.0	56.1	56.2	57.0	58.3	57.7	57.6	58.1	58.7	58.2	55.2		
3-year	44.5	47.7	49.5	49.4	48.8	51.3	51.1	51.4	51.4	53.4	53.9	53.2	53.4	54.2	53.6			
4-year	39.8	43.1	45.8	45.4	45.3	47.8	46.6	48.1	47.1	49.9	50.4	49.8	49.8	50.7				
5-year	35.8	39.2	42.6	42.2	42.2	45.1	44.0	45.8	44.6	47.0	47.1	47.1	47.1					
6-year	32.7	36.7	40.1	40.0	40.3	42.8	41.1	42.1	42.7	44.6	45.0	44.7						
7-year	30.7	34.3	38.1	37.9	37.6	40.0	38.4	39.6	40.3	41.9	42.2							
8-year	28.6	32.3	36.1	35.7	35.4	37.6	36.6	37.6	38.0	39.8								
9-year	26.9	30.7	33.6	34.2	33.8	36.2	34.8	36.2	36.7									
10-year	25.5	29.3	32.9	33.0	32.2	35.0	33.4	34.8										
11-year	24.3	28.3	31.0	31.6	31.4	33.2	32.0											
12-year	23.2	27.3	30.6	30.9	29.9	32.1												
13-year	22.6	26.5	30.2	30.3	28.9													
14-year	22.0	26.2	29.2	29.6														
15-year	21.5	25.6	28.7															
16-year	20.8	24.9																
17-year	20.4																	
18-year	20.1																	
19-year	19.7																	
20-year	19.2																	

^a Rates are from the SEER 9 areas.^b Rates are from the NCHS public use data file.^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XIII-12

LEUKEMIAINCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	17.1	17.4	17.6	17.4	17.6	17.3	17.5	17.1	16.6	17.3	16.7	16.5	17.4	16.4	16.8	16.2	15.7	15.2
Mortality																		
U.S. ^b	10.9	10.9	10.8	10.7	10.3	10.6	10.6	10.7	10.5	10.7	10.7	10.6	10.8	10.5	10.4	10.1	10.2	10.3
SEER ^a	11.2	11.0	10.8	10.7	10.2	10.5	10.2	10.3	10.2	10.6	10.5	10.1	10.1	10.0	9.8	10.3	10.0	10.1
Relative Survival Rates (SEER ^a)																		
1-year	61.2	64.0	65.6	64.8	66.0	67.9	65.2	67.7	67.5	68.0	68.4	68.3	69.3	69.2	67.9	64.3	63.9	
2-year	50.3	53.5	55.8	55.1	56.6	57.9	57.2	56.4	58.0	58.7	59.3	58.9	60.0	60.7	59.8	55.8		
3-year	43.7	47.4	48.7	48.6	50.9	52.0	51.9	50.9	52.1	53.4	55.6	53.7	55.3	56.6	54.3			
4-year	39.0	42.5	44.7	44.9	47.7	48.5	47.4	47.4	46.8	50.3	52.2	51.3	51.3	53.0				
5-year	34.8	38.7	42.3	41.8	44.2	46.4	45.0	44.0	44.6	48.1	48.3	48.2	47.7					
6-year	31.7	36.1	39.7	39.9	41.5	44.1	42.2	40.1	43.0	45.1	46.5	45.2						
7-year	29.4	33.7	37.3	37.4	38.6	41.4	39.0	37.7	40.4	42.1	43.3							
8-year	27.1	31.5	35.1	35.2	37.1	38.8	37.2	35.4	38.2	40.0								
9-year	25.2	29.7	32.8	33.1	35.8	37.2	35.3	34.2	37.0									
10-year	23.9	28.6	31.8	31.7	33.7	35.6	33.8	32.5										
11-year	22.5	27.6	30.0	30.9	32.9	34.5	32.2											
12-year	21.4	27.1	29.5	30.1	31.1	33.3												
13-year	21.0	26.4	29.4	29.8	29.8													
14-year	20.3	26.1	29.0	29.7														
15-year	19.9	25.6	27.8															
16-year	19.2	24.9																
17-year	19.0																	
18-year	18.6																	
19-year	18.1																	
20-year	17.1																	

^a Rates are from the SEER 9 areas.^b Rates are from the NCHS public use data file.^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XIII-13

LEUKEMIAINCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	10.0	9.8	10.4	9.5	10.3	9.6	10.3	9.6	10.2	9.7	9.9	9.9	10.1	9.9	9.5	9.6	8.9	9.4
Mortality																		
U.S. ^b	6.2	6.3	6.3	6.2	6.1	6.0	6.2	6.2	6.3	6.1	6.1	6.0	6.0	6.1	5.9	5.8	6.0	5.9
SEER ^a	6.2	6.2	6.2	5.4	6.4	6.0	6.2	5.8	6.2	5.7	6.0	6.0	6.2	6.0	5.6	5.6	5.6	5.8
Relative Survival Rates (SEER ^a)																		
1-year	61.7	63.3	64.0	65.0	62.2	65.1	64.8	65.9	65.0	66.5	65.3	63.9	65.3	65.6	65.1	64.7	61.5	
2-year	51.4	53.4	55.7	55.4	50.9	55.8	54.8	56.1	55.7	57.7	55.6	55.8	55.5	56.1	56.1	54.4		
3-year	45.6	48.2	50.5	50.4	46.1	50.3	50.1	52.1	50.6	53.4	51.7	52.5	50.9	51.3	52.7			
4-year	40.9	43.7	47.1	46.1	42.1	46.7	45.6	49.0	47.5	49.3	48.1	48.0	47.8	47.8				
5-year	37.1	39.7	42.9	42.7	39.5	43.3	42.6	48.2	44.7	45.6	45.5	45.7	46.3					
6-year	33.9	37.4	40.7	40.1	38.7	41.1	39.7	44.8	42.4	44.0	43.1	44.1						
7-year	32.2	35.0	39.0	38.6	36.3	38.0	37.7	42.1	40.2	41.6	40.8							
8-year	30.4	33.4	37.2	36.5	33.4	36.0	35.9	40.6	37.7	39.6								
9-year	28.9	31.9	34.6	35.7	31.2	34.9	34.2	38.8	36.4									
10-year	27.5	30.3	34.1	34.6	30.3	34.2	33.0	37.8										
11-year	26.4	29.2	32.3	32.5	29.5	31.3	31.7											
12-year	25.4	27.6	31.8	32.1	28.4	30.5												
13-year	24.5	26.6	31.3	30.9	27.9													
14-year	23.9	26.2	29.5	29.4														
15-year	23.3	25.5	29.5															
16-year	22.5	25.0																
17-year	22.1																	
18-year	21.9																	
19-year	21.6																	
20-year	21.5																	

^a Rates are from the SEER 9 areas.^b Rates are from the NCHS public use data file.^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XIV-5
LIVER AND INTRAHEPATIC BILE DUCT CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males and Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	2.7	2.9	3.2	3.2	3.4	3.4	3.6	4.0	4.3	4.0	4.5	4.4	4.6	5.4	5.4	5.4	5.7	5.3
Mortality																		
U.S. ^b	2.8	2.9	3.1	3.1	3.2	3.3	3.4	3.6	3.7	3.9	4.0	4.1	4.4	4.4	4.5	4.6	4.5	4.7
SEER ^a	2.7	3.0	3.0	3.2	3.3	3.2	3.5	3.7	3.9	3.9	4.3	4.2	4.4	4.7	4.6	4.8	4.8	5.0
Relative Survival Rates (SEER ^a)																		
1-year	14.4	15.6	19.3	16.8	22.0	16.8	18.9	21.1	22.8	20.5	21.2	25.5	23.9	25.7	28.7	27.3	28.4	
2-year	7.1	8.7	11.3	9.2	12.3	9.3	8.3	11.7	13.1	12.5	11.2	14.9	14.1	15.6	18.1	17.1		
3-year	4.9	6.2	8.1	7.7	9.4	7.4	6.0	9.5	9.8	8.4	7.9	9.4	9.5	11.2	12.8			
4-year	4.3	4.8	7.9	6.3	8.2	6.7	4.5	7.0	7.8	7.0	6.1	8.0	7.0	9.5				
5-year	3.6	4.0	6.9	6.1	6.7	5.5	3.4	5.8	6.3	5.7	4.5	6.8	5.7					
6-year	3.2	3.8	6.9	5.6	6.6	5.0	3.1	5.2	6.0	5.2	3.7	6.3						
7-year	3.1	3.4	6.8	5.2	6.6	5.0	2.9	5.1	5.3	4.9	3.3							
8-year	3.1	3.3	6.5	5.1	6.0	4.8	2.4	5.1	5.0	4.7								
9-year	3.0	3.3	6.5	4.8	5.8	4.5	2.4	5.1	5.0									
10-year	3.0	3.3	6.5	4.8	5.6	3.9	2.4	4.4										
11-year	3.0	3.2	6.5	4.8	5.6	3.8	2.4											
12-year	3.0	3.2	6.5	4.8	5.6	3.4												
13-year	3.0	3.1	6.5	4.8	5.6													
14-year	3.0	3.1	6.5	4.8														
15-year	3.0	3.1	6.5															
16-year	3.0	3.1																
17-year	3.0																	
18-year	3.0																	
19-year	3.0																	
20-year	3.0																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XIV-6
LIVER AND INTRAHEPATIC BILE DUCT CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	4.0	4.4	5.1	4.8	4.8	5.5	5.6	6.0	6.7	6.0	7.1	7.0	6.8	8.3	8.0	8.3	8.7	8.1
Mortality																		
U.S. ^b	3.9	4.2	4.4	4.5	4.6	4.8	5.0	5.3	5.3	5.7	5.8	6.0	6.3	6.5	6.5	6.7	6.5	6.8
SEER ^a	3.9	4.4	4.5	4.9	4.5	5.0	5.2	5.5	5.5	5.7	6.2	6.6	6.4	6.9	6.7	7.0	6.8	7.3
Relative Survival Rates (SEER ^a)																		
1-year	12.0	13.4	16.9	14.0	19.5	14.2	14.5	18.3	21.6	19.9	18.9	24.5	22.0	25.8	27.9	26.4	29.6	
2-year	5.4	6.6	9.3	6.5	8.7	7.5	6.0	9.1	13.2	12.4	9.7	13.4	12.8	16.7	17.1	16.3		
3-year	3.3	4.9	6.3	4.8	6.1	6.4	4.3	7.7	9.9	7.8	6.7	8.4	9.0	11.8	12.4			
4-year	2.9	3.6	6.3	3.7	5.1	5.8	2.8	5.4	7.6	6.2	5.3	7.7	6.2	9.6				
5-year	2.2	2.9	4.8	3.5	3.8	4.5	1.8	4.2	5.6	5.2	4.2	6.6	4.9					
6-year	2.0	2.8	4.8	2.9	3.6	4.4	1.2	3.5	5.4	4.9	3.9	6.4						
7-year	1.6	2.3	4.8	2.7	3.6	4.4	1.0	3.5	4.6	4.3	3.5							
8-year	1.6	2.1	4.8	2.7	3.2	4.4	0.7	3.5	4.3	4.2								
9-year	1.6	2.1	4.8	2.5	3.2	4.3	0.7	3.5	4.2									
10-year	1.6	2.1	4.8	2.5	3.2	4.2	0.7	3.4										
11-year	1.6	2.1	4.8	2.5	3.2	3.9	0.7											
12-year	1.6	2.1	4.8	2.5	3.2	3.7												
13-year	1.6	1.7	4.8	2.5	3.2													
14-year	1.6	1.7	4.8	2.5														
15-year	1.6	1.7	4.8															
16-year	1.6	1.7																
17-year	1.6																	
18-year	1.6																	
19-year	1.6																	
20-year	1.6																	

^a Rates are from the SEER 9 areas.^b Rates are from the NCHS public use data file.^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XIV-7
LIVER AND INTRAHEPATIC BILE DUCT CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	
Incidence																			
SEER ^a	1.6	1.7	1.7	2.0	2.2	1.8	2.2	2.3	2.6	2.4	2.5	2.5	2.8	3.1	3.1	3.1	3.2	3.0	
Mortality																			
U.S. ^b	2.0	2.0	2.2	2.2	2.2	2.2	2.3	2.4	2.5	2.6	2.7	2.7	2.9	2.9	3.0	2.9	2.9	2.9	
SEER ^a	1.9	2.0	2.0	2.1	2.4	1.9	2.3	2.4	2.7	2.6	2.8	2.4	2.9	3.0	2.9	3.0	3.2	3.1	
Relative Survival Rates (SEER ^a)																			
1-year	19.0	19.8	24.6	21.9	26.4	22.8	27.0	26.6	25.3	21.6	25.9	27.7	27.6	25.4	30.3	29.4	25.6		
2-year	10.4	12.5	15.9	14.2	18.5	13.4	12.5	16.9	12.9	12.7	14.3	17.9	16.5	13.6	20.1	18.7			
3-year	7.9	8.7	11.8	13.0	15.2	9.5	9.1	13.2	9.5	9.4	10.4	11.4	10.5	9.9	13.7				
4-year	6.8	7.1	11.6	11.0	13.7	8.5	7.4	10.1	8.1	8.5	7.8	8.7	8.5	9.2					
5-year	6.4	6.1	11.3	10.8	12.0	7.5	6.1	8.9	7.5	6.4	5.0	7.1	7.2						
6-year	5.5	5.7	11.0	10.6	12.0	6.4	6.1	8.7	7.3	5.7	3.3	6.0							
7-year	5.5	5.4	9.9	9.7	11.9	5.9	6.1	7.9	6.6	5.7	3.0								
8-year	5.5	5.4	9.5	9.4	11.2	5.4	5.2	7.6	6.4	5.7									
9-year	5.4	5.3	9.5	9.1	10.4	4.9	5.2	7.3	6.4										
10-year	5.4	5.2	9.5	9.1	9.5	3.4	5.2	6.3											
11-year	5.4	5.2	9.5	9.1	9.5	3.4	5.2												
12-year	5.4	5.2	9.5	9.1	9.5	2.8													
13-year	5.1	5.2	9.5	9.1	9.5														
14-year	5.1	5.2	9.5	9.1															
15-year	5.1	5.2	9.5																
16-year	4.9	5.2																	
17-year	4.8																		
18-year	4.4																		
19-year	4.4																		
20-year	4.4																		

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XV-10
LUNG AND BRONCHUS CANCER (Invasive)
INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males and Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	56.2	63.0	64.7	65.8	68.0	68.1	67.7	68.2	69.4	69.6	67.9	67.3	66.9	66.4	66.6	67.3	65.0	62.3
Mortality																		
U.S. ^b	45.4	51.4	54.3	55.0	56.2	57.0	57.9	58.9	59.0	58.9	59.1	58.5	58.4	57.9	57.5	57.1	55.4	56.1
SEER ^a	43.8	48.3	50.8	49.7	51.3	52.3	52.9	52.2	54.0	53.0	52.7	52.7	51.9	51.1	50.6	50.8	49.0	49.7
Relative Survival Rates (SEER ^a)																		
1-year	36.8	38.7	39.7	40.3	39.7	40.2	40.3	40.3	41.2	41.1	40.8	40.9	41.5	41.1	41.7	41.1	42.3	
2-year	21.8	22.6	23.0	23.2	22.8	23.3	23.5	23.6	24.0	24.8	24.6	24.6	25.4	25.4	25.3	25.5		
3-year	16.8	17.4	17.7	17.7	17.1	17.7	17.6	18.0	18.8	19.0	18.9	19.1	19.5	19.8	19.7			
4-year	14.5	15.0	15.1	14.8	14.8	15.1	15.3	15.3	16.0	16.2	16.2	16.4	16.9	16.8				
5-year	13.1	13.4	13.7	13.2	13.3	13.4	13.9	13.7	14.1	14.3	14.8	14.9	15.0					
6-year	12.1	12.3	12.7	12.1	12.2	12.2	12.9	12.6	13.2	13.2	13.6	13.7						
7-year	11.4	11.5	11.6	11.4	11.1	11.3	12.0	11.7	12.0	12.1	12.6							
8-year	10.8	10.7	10.9	10.6	10.5	10.5	11.2	11.0	11.2	11.2								
9-year	10.3	10.0	10.3	10.1	9.8	9.9	10.6	10.2	10.6									
11-year	9.7	9.4	9.8	9.4	9.4	9.4	10.1	9.5										
10-year	9.3	9.1	9.3	8.9	9.0	8.8	9.5											
12-year	8.9	8.6	8.9	8.4	8.5	8.2												
13-year	8.5	8.2	8.5	8.0	8.0													
14-year	8.2	7.9	8.2	7.8														
15-year	7.8	7.5	7.7															
16-year	7.6	7.1																
17-year	7.3																	
18-year	7.1																	
19-year	6.8																	
20-year	6.6																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XV-11
 LUNG AND BRONCHUS CANCER (Invasive)
 INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	94.3	100.4	98.7	99.1	101.6	98.9	98.1	97.2	97.6	97.5	94.1	91.1	90.0	87.9	86.3	87.6	83.5	79.8
Mortality																		
U.S. ^b	80.1	86.4	88.5	89.0	90.0	89.9	89.8	90.6	89.9	88.0	87.6	85.7	84.4	82.8	81.3	79.9	77.0	76.9
SEER ^a	75.9	79.0	80.1	77.9	79.0	79.4	79.1	77.5	78.0	76.6	75.3	74.8	71.7	70.0	68.1	68.4	65.0	66.2
Relative Survival Rates (SEER ^a)																		
1-year	34.8	36.9	37.0	38.3	38.3	38.1	37.9	38.0	38.9	39.0	38.2	38.6	39.3	39.3	39.4	38.5	39.3	
2-year	20.1	20.9	21.1	21.0	21.8	21.8	22.0	21.3	22.0	23.3	22.3	22.1	23.5	23.8	23.6	23.1		
3-year	15.2	15.8	15.7	16.0	16.0	16.4	16.2	16.0	17.1	17.6	16.5	16.8	17.6	18.4	18.3			
4-year	12.9	13.4	13.1	13.1	13.7	13.7	14.0	13.4	14.1	14.8	14.0	14.1	15.2	15.4				
5-year	11.6	12.0	11.8	11.6	12.4	12.0	12.8	11.9	12.6	13.2	12.6	12.8	13.5					
6-year	10.7	11.0	10.8	10.6	11.4	10.8	11.9	10.9	11.7	11.9	11.7	11.6						
7-year	10.1	10.1	9.9	9.9	10.4	9.8	11.2	10.2	10.6	11.0	10.8							
8-year	9.5	9.3	9.3	9.1	9.9	9.1	10.7	9.3	9.8	10.0								
9-year	9.0	8.7	8.7	8.6	9.3	8.6	10.1	8.5	9.2									
11-year	8.5	8.2	8.3	8.1	8.8	8.2	9.7	7.9										
10-year	8.1	7.9	8.0	7.5	8.4	7.7	9.1											
12-year	7.7	7.5	7.5	7.0	8.0	7.1												
13-year	7.3	7.1	7.2	6.7	7.3													
14-year	7.1	6.8	7.0	6.4														
15-year	6.6	6.5	6.6															
16-year	6.4	6.1																
17-year	6.3																	
18-year	6.0																	
19-year	5.8																	
20-year	5.5																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XV-12
 LUNG AND BRONCHUS CANCER (Invasive)
 INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	28.4	36.3	40.2	42.3	44.2	46.3	46.2	47.8	49.6	49.9	49.2	50.6	50.3	51.1	52.5	52.8	51.8	49.8
Mortality																		
U.S. ^b	20.1	26.6	30.4	31.4	32.7	34.1	35.8	36.8	37.6	38.7	39.3	39.6	40.3	40.4	40.8	41.0	40.2	41.2
SEER ^a	20.5	26.7	30.4	30.0	31.9	33.4	34.6	34.8	37.5	36.6	36.9	37.3	38.3	38.0	38.4	38.5	37.9	38.1
Relative Survival Rates (SEER ^a)																		
1-year	41.9	42.7	44.8	43.9	42.2	43.6	44.3	43.9	44.7	44.2	44.7	44.0	44.6	43.4	44.5	44.5	46.0	
2-year	26.0	26.2	26.8	27.1	24.6	25.7	25.8	27.2	26.9	27.0	28.0	27.9	27.9	27.5	27.4	28.4		
3-year	20.7	20.9	21.5	20.6	19.0	19.6	19.7	21.1	21.3	20.9	22.3	22.2	22.0	21.6	21.6			
4-year	18.2	18.1	19.0	17.8	16.6	17.4	17.2	18.1	18.7	18.2	19.3	19.4	19.2	18.6				
5-year	16.6	16.3	17.1	15.9	14.8	15.6	15.7	16.4	16.4	16.0	17.7	17.4	16.9					
6-year	15.4	15.0	16.0	14.7	13.6	14.3	14.5	15.2	15.1	14.9	16.3	16.2						
7-year	14.5	14.0	14.7	13.8	12.2	13.4	13.2	14.0	14.0	13.7	15.0							
8-year	13.7	13.2	13.8	12.9	11.5	12.6	12.0	13.3	13.2	12.9								
9-year	13.0	12.4	12.9	12.4	10.5	11.9	11.2	12.5	12.4									
11-year	12.3	11.7	12.2	11.5	10.3	11.2	10.6	11.7										
10-year	11.8	11.1	11.5	11.0	9.8	10.4	10.0											
12-year	11.4	10.5	11.1	10.6	9.4	9.7												
13-year	11.1	10.0	10.6	10.0	9.0													
14-year	10.5	9.6	9.9	9.7														
15-year	10.0	9.2	9.5															
16-year	9.8	8.7																
17-year	9.3																	
18-year	9.0																	
19-year	8.6																	
20-year	8.3																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XVI-5
MELANOMA OF THE SKIN (Invasive)
INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males and Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	8.7	11.0	12.7	13.3	13.6	12.8	13.7	13.8	14.6	14.7	14.5	15.6	16.3	17.1	17.5	17.7	17.6	17.7
Mortality																		
U.S. ^b	2.3	2.5	2.6	2.6	2.6	2.6	2.7	2.8	2.7	2.7	2.7	2.7	2.7	2.8	2.7	2.8	2.6	2.7
SEER ^a	2.1	2.3	2.3	2.4	2.5	2.5	2.4	2.5	2.7	2.4	2.5	2.3	2.5	2.6	2.5	2.5	2.6	2.4
Relative Survival Rates (SEER ^a)																		
1-year	94.5	95.9	95.9	96.7	96.2	96.9	96.0	96.5	97.1	96.2	96.8	97.0	97.6	97.6	96.6	96.7	97.5	
2-year	89.9	91.8	92.6	93.0	92.8	93.3	93.5	93.5	94.0	93.6	94.3	93.7	94.3	95.6	94.2	94.3		
3-year	86.1	88.1	89.3	90.7	90.1	91.0	90.7	91.6	91.7	91.4	92.4	91.3	92.5	93.7	91.9			
4-year	83.3	85.6	87.2	89.2	88.4	89.7	89.0	89.6	90.4	89.3	90.5	89.6	91.2	92.8				
5-year	82.0	83.6	85.4	87.7	86.9	88.8	87.4	89.1	89.5	88.3	89.9	88.4	89.8					
6-year	80.2	82.5	84.3	86.4	86.0	87.0	86.6	87.9	88.4	87.9	89.4	87.4						
7-year	79.1	81.8	83.2	86.1	85.0	86.8	85.4	87.4	87.5	87.7	88.0							
8-year	78.1	81.1	83.0	85.4	84.3	86.0	85.0	86.8	86.7	87.1								
9-year	77.4	80.4	82.5	85.4	84.0	85.7	84.8	86.5	86.5									
11-year	76.9	79.9	82.5	85.4	83.8	85.1	84.4	86.2										
11-year	76.3	79.6	82.5	85.4	82.6	84.7	83.9											
12-year	75.8	79.5	82.5	85.3	82.3	84.3												
13-year	75.5	79.0	82.5	84.9	82.3													
14-year	75.2	78.9	82.5	84.2														
15-year	74.7	78.7	82.5															
16-year	74.4	78.6																
17-year	74.3																	
18-year	74.3																	
19-year	74.3																	
20-year	74.3																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XVI-6
MELANOMA OF THE SKIN (Invasive)
INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	9.4	12.4	15.1	15.7	15.9	15.0	16.4	16.6	17.5	18.3	18.0	19.6	20.1	21.3	21.4	21.9	22.1	22.5
Mortality																		
U.S. ^b	2.9	3.3	3.5	3.5	3.7	3.7	3.7	3.8	3.9	3.8	3.9	3.8	3.9	4.0	3.9	4.1	3.8	3.8
SEER ^a	2.6	3.2	3.0	3.1	3.5	3.4	3.1	3.2	3.8	3.4	3.5	3.3	3.6	3.8	3.5	3.4	3.6	3.4
Relative Survival Rates (SEER ^a)																		
1-year	92.8	94.3	94.8	95.7	95.3	95.7	94.7	95.7	96.1	95.8	96.2	96.8	96.7	96.7	96.3	96.4	97.2	
2-year	86.7	88.9	90.4	91.0	90.6	91.7	92.2	91.7	93.1	92.5	93.4	92.3	92.3	94.4	93.5	93.7		
3-year	82.4	84.5	86.2	88.0	87.5	88.8	88.7	89.3	90.5	89.9	90.6	89.4	90.0	92.2	90.6			
4-year	78.8	81.4	83.7	86.0	85.4	87.5	86.3	86.9	89.1	87.0	89.0	87.5	88.3	91.1				
5-year	77.5	78.7	81.5	83.9	83.0	86.4	84.3	85.9	88.0	85.8	88.2	86.6	86.8					
6-year	75.3	77.5	80.5	82.0	82.3	84.5	83.1	84.6	86.9	85.1	87.3	85.9						
7-year	73.7	77.0	79.5	81.4	80.7	83.9	81.8	84.5	86.0	85.1	85.2							
8-year	72.6	76.2	79.2	80.8	80.5	83.1	81.0	83.9	85.0	84.7								
9-year	71.8	75.4	78.8	80.7	80.0	82.2	80.6	83.9	84.6									
10-year	71.2	75.0	78.8	80.7	79.6	81.6	80.6	83.9										
11-year	70.2	74.7	78.8	80.7	78.4	81.6	80.6											
12-year	69.7	74.6	78.8	80.7	78.4	81.6												
13-year	69.2	74.3	78.8	80.3	78.4													
14-year	69.0	74.1	78.8	78.5														
15-year	68.7	74.1	78.8															
16-year	68.2	74.1																
17-year	68.1																	
18-year	68.1																	
19-year	68.1																	
20-year	68.1																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XVI-7
MELANOMA OF THE SKIN (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	8.2	10.1	11.1	11.6	12.1	11.4	11.9	11.8	12.5	12.2	12.0	12.6	13.6	14.0	14.7	14.7	14.5	14.4
Mortality																		
U.S. ^b	1.7	1.8	1.9	1.9	1.8	1.9	1.9	2.0	1.8	1.8	1.9	1.8	1.8	1.9	1.8	1.8	1.7	1.8
SEER ^a	1.6	1.7	1.8	1.8	1.7	1.8	1.9	1.9	1.9	1.7	1.7	1.6	1.6	1.6	1.8	1.8	1.7	1.6
Relative Survival Rates (SEER ^a)																		
1-year	96.3	97.5	97.1	97.9	97.2	98.3	97.5	97.4	98.3	96.7	97.5	97.3	98.6	98.7	97.0	97.1	98.0	
2-year	93.0	94.8	95.1	95.3	95.2	95.0	94.9	95.7	95.2	94.8	95.5	95.5	96.6	97.2	95.1	95.1		
3-year	89.8	91.9	92.7	93.9	92.9	93.4	93.0	94.2	93.1	93.0	94.4	93.9	95.4	95.6	93.4			
4-year	87.7	89.8	91.1	92.8	91.6	92.1	92.1	92.6	92.0	91.9	92.4	92.2	94.4	94.8				
5-year	86.4	88.6	89.6	91.7	91.0	91.2	91.0	92.6	91.2	91.2	91.9	90.7	93.2					
6-year	85.0	87.4	88.3	91.3	89.8	89.7	90.5	91.7	90.1	91.0	91.9	89.4						
7-year	84.2	86.5	87.2	91.1	89.5	89.7	89.5	90.8	89.3	90.5	91.3							
8-year	83.4	85.8	87.1	90.3	88.3	89.0	89.3	90.1	88.7	89.6								
9-year	82.7	85.4	86.5	90.3	88.0	89.0	89.3	89.3	88.7									
11-year	82.3	84.7	86.5	90.3	88.0	88.6	88.4	88.6										
10-year	82.0	84.3	86.5	89.5	86.8	87.5	87.5											
12-year	81.3	84.2	86.5	89.5	86.1	86.5												
13-year	81.2	83.6	86.5	89.5	85.6													
14-year	80.7	83.5	86.3	89.5														
15-year	80.1	82.9	86.3															
16-year	79.9	82.6																
17-year	79.7																	
18-year	79.6																	
19-year	79.6																	
20-year	79.3																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XVII-5

MYELOMAINCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males and Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	
Incidence																			
SEER ^a	4.9	5.2	5.2	5.3	5.9	5.3	5.4	5.6	6.0	5.9	5.6	5.7	5.6	5.7	6.0	5.7	5.3	5.5	
Mortality																			
U.S. ^b	3.1	3.4	3.6	3.6	3.6	3.6	3.7	3.8	3.9	3.8	4.0	4.0	4.0	3.9	3.9	3.8	3.8	3.8	
SEER ^a	3.3	3.3	3.8	3.3	3.3	3.6	3.9	3.7	3.9	4.0	4.1	3.9	3.9	4.0	3.8	3.8	3.9	3.9	
Relative Survival Rates (SEER ^a)																			
1-year	68.8	71.0	72.5	72.1	75.6	73.8	71.9	71.6	75.9	69.3	72.9	73.5	74.4	70.9	74.4	74.6	72.9		
2-year	52.8	55.7	59.1	57.0	59.5	60.1	58.2	56.9	60.6	56.6	59.1	59.4	58.7	58.3	60.6	61.7			
3-year	40.7	44.1	47.0	44.7	48.0	47.4	44.6	44.7	48.6	45.7	47.0	48.6	47.5	45.6	48.3				
4-year	32.4	35.5	36.8	35.4	37.7	38.9	35.9	38.7	38.8	35.0	38.2	37.8	40.0	37.7					
5-year	26.2	28.2	27.7	29.9	28.6	29.8	26.8	31.1	31.6	27.3	31.5	31.6	33.2						
6-year	20.9	22.4	22.6	23.9	23.4	24.6	21.6	25.1	25.2	20.9	27.3	26.6							
7-year	17.2	18.0	19.1	19.3	19.5	18.5	16.8	19.7	21.6	18.3	22.7								
8-year	14.5	14.5	16.9	17.8	16.7	15.7	13.6	18.1	17.8	15.2									
9-year	12.3	12.4	13.2	13.2	14.5	13.0	11.4	16.5	16.6										
10-year	10.9	10.7	11.6	12.6	13.6	10.4	10.0	14.8											
11-year	9.6	9.8	10.3	11.0	11.6	9.8	8.8												
12-year	8.8	8.8	9.9	10.5	9.6	9.6													
13-year	7.5	7.9	8.6	10.1	9.5														
14-year	6.9	7.2	8.5	8.7															
15-year	6.1	7.0	6.5																
16-year	5.7	6.5																	
17-year	5.5																		
18-year	4.7																		
19-year	4.4																		
20-year	3.9																		

^a Rates are from the SEER 9 areas.^b Rates are from the NCHS public use data file.^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XVII-6

MYELOMAINCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	
Incidence																			
SEER ^a	6.2	6.4	6.3	6.3	7.4	6.6	6.7	7.2	7.6	7.2	7.4	6.8	7.1	7.1	7.3	7.1	6.8	6.8	
Mortality																			
U.S. ^b	3.9	4.2	4.5	4.5	4.6	4.6	4.6	4.8	4.8	4.7	4.9	5.0	4.9	4.9	4.9	4.8	4.7	4.7	
SEER ^a	4.1	4.0	4.6	4.3	4.1	4.5	4.6	4.5	5.1	4.9	5.3	5.3	4.7	5.1	4.7	4.6	4.6	4.5	
Relative Survival Rates (SEER ^a)																			
1-year	68.8	71.1	73.9	70.9	77.0	75.1	72.4	71.4	77.3	73.0	70.8	74.8	75.2	72.0	74.7	75.6	75.5		
2-year	53.2	56.3	58.8	56.1	61.6	62.4	61.3	57.3	62.7	60.1	58.2	60.4	60.1	60.1	61.7	63.3			
3-year	40.2	44.3	45.6	43.3	47.8	50.1	47.4	45.5	50.3	48.8	45.3	48.4	49.8	45.7	51.4				
4-year	32.0	35.3	35.3	34.6	37.8	41.5	39.4	38.0	40.8	36.2	36.7	38.3	42.2	39.3					
5-year	25.6	27.1	27.1	29.5	30.6	31.5	27.5	31.3	34.1	28.6	30.7	31.9	37.1						
6-year	20.4	22.2	22.7	23.9	26.1	26.5	23.1	23.7	28.1	21.7	27.9	29.6							
7-year	16.7	18.1	20.3	19.0	21.4	21.0	19.5	19.4	23.9	18.8	23.3								
8-year	14.2	14.9	17.2	18.3	18.6	17.1	15.7	18.6	21.0	16.9									
9-year	12.1	12.9	12.6	14.1	16.4	14.7	12.7	17.2	19.7										
10-year	10.5	10.9	10.8	13.9	14.8	11.9	11.5	15.7											
11-year	8.6	10.0	8.8	12.1	13.0	11.6	10.5												
12-year	8.0	8.7	8.8	11.7	12.4	11.2													
13-year	6.9	8.0	7.8	11.7	12.4														
14-year	6.3	7.2	7.4	10.5															
15-year	5.5	6.9	5.8																
16-year	5.3	6.5																	
17-year	4.9																		
18-year	4.3																		
19-year	4.1																		
20-year	3.4																		

^a Rates are from the SEER 9 areas.^b Rates are from the NCHS public use data file.^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XVII-7

MYELOMAINCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	
Incidence																			
SEER ^a	4.1	4.3	4.3	4.7	5.0	4.5	4.5	4.5	4.8	5.0	4.3	5.0	4.6	4.7	5.1	4.7	4.2	4.5	
Mortality																			
U.S. ^b	2.6	2.8	3.0	3.0	3.0	3.0	3.1	3.1	3.3	3.2	3.4	3.3	3.4	3.2	3.2	3.2	3.2	3.3	
SEER ^a	2.8	2.8	3.2	2.7	2.8	3.0	3.4	3.2	3.2	3.4	3.3	3.0	3.4	3.2	3.2	3.2	3.4	3.5	
Relative Survival Rates (SEER ^a)																			
1-year	68.8	70.8	71.0	73.2	74.2	72.5	71.4	72.0	74.3	65.5	75.6	72.3	73.5	69.7	74.0	73.4	69.8		
2-year	52.4	55.1	59.5	57.9	57.4	57.7	54.9	56.4	58.0	53.0	60.3	58.5	57.1	56.4	59.5	59.9			
3-year	41.3	44.0	48.5	46.1	48.2	44.6	41.6	43.8	46.6	42.6	49.1	48.7	45.0	45.4	45.0				
4-year	32.7	35.8	38.4	36.2	37.7	36.3	32.2	39.4	36.6	33.8	40.0	37.3	37.6	36.1					
5-year	26.8	29.3	28.2	30.2	26.7	28.1	26.0	30.8	28.7	26.0	32.4	31.3	29.0						
6-year	21.5	22.5	22.6	23.9	21.0	22.6	20.0	26.7	21.9	20.1	26.6	23.8							
7-year	17.8	17.8	17.9	19.6	17.9	16.2	14.0	20.1	18.9	17.8	22.1								
8-year	14.8	14.2	16.6	17.3	15.1	14.3	11.4	17.4	14.2	13.5									
9-year	12.6	12.0	13.7	12.4	12.8	11.3	10.1	15.7	13.2										
10-year	11.4	10.6	12.3	11.4	12.6	8.9	8.3	13.7											
11-year	10.6	9.7	11.8	9.9	10.5	8.0	7.0												
12-year	9.5	8.9	10.9	9.3	7.2	8.0													
13-year	8.2	7.9	9.4	8.7	7.0														
14-year	7.6	7.3	9.4	7.1															
15-year	6.7	7.1	7.1																
16-year	6.1	6.4																	
17-year	6.1																		
18-year	5.2																		
19-year	4.7																		
20-year	4.2																		

^a Rates are from the SEER 9 areas.^b Rates are from the NCHS public use data file.^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XVIII-5
NON-HODGKIN LYMPHOMA

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males and Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	11.6	13.8	15.5	15.9	16.7	17.2	17.3	18.5	18.7	18.6	18.9	19.9	19.8	19.3	19.8	19.3	19.3	19.0
Mortality																		
U.S. ^b	5.8	6.5	7.1	7.3	7.3	7.5	7.8	7.9	8.2	8.2	8.2	8.6	8.7	8.8	8.9	8.7	8.3	8.2
SEER ^a	6.1	6.8	7.5	7.8	7.5	7.4	7.8	7.9	8.1	8.3	8.0	8.7	8.4	8.7	8.7	8.6	8.1	8.0
Relative Survival Rates (SEER ^a)																		
1-year	71.1	74.1	72.9	71.0	73.1	71.9	71.4	70.6	70.4	71.4	71.7	71.1	70.6	73.6	76.3	77.0	77.3	
2-year	60.9	64.8	64.2	62.5	64.1	63.0	63.2	61.4	61.3	62.7	63.8	63.4	62.3	66.1	68.7	70.1		
3-year	55.5	59.7	59.7	58.5	59.4	59.2	58.0	56.8	57.1	58.6	59.3	59.0	57.9	62.6	65.3			
4-year	51.8	56.0	56.1	54.8	56.2	55.2	54.5	52.9	54.5	55.4	56.5	55.7	55.3	59.4				
5-year	48.3	52.6	53.5	51.5	53.1	52.4	51.2	50.6	51.8	52.3	53.8	53.4	52.9					
6-year	45.2	49.6	51.3	48.8	50.3	50.3	48.6	48.4	49.1	50.0	51.7	51.6						
7-year	42.9	47.3	48.4	47.0	48.0	48.3	46.5	45.8	46.2	47.6	50.1							
8-year	40.9	45.4	46.5	44.9	45.7	46.3	43.8	43.9	44.1	46.2								
9-year	39.3	43.6	45.0	42.8	43.8	44.7	42.3	42.7	42.4									
10-year	38.1	42.0	43.4	41.3	42.7	43.4	40.5	41.8										
11-year	36.8	40.9	42.2	40.7	41.6	42.3	38.9											
12-year	35.9	39.7	41.3	39.3	40.2	40.9												
13-year	35.2	38.8	39.8	38.0	39.4													
14-year	34.3	38.0	38.8	37.5														
15-year	33.2	36.9	38.1															
16-year	32.3	36.1																
17-year	32.2																	
18-year	31.9																	
19-year	31.3																	
20-year	30.8																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XVIII-6
NON-HODGKIN LYMPHOMA

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	13.4	16.3	18.3	19.4	20.8	21.3	21.6	23.0	23.7	23.1	23.4	24.9	25.2	24.1	24.3	22.7	23.9	23.4
Mortality																		
U.S. ^b	7.1	7.8	8.8	9.0	8.8	9.3	9.7	10.0	10.1	10.3	10.1	10.8	10.8	10.9	11.0	10.9	10.4	10.3
SEER ^a	7.4	8.2	9.5	9.7	9.2	9.2	9.7	10.0	9.9	10.5	9.8	10.6	10.1	10.5	10.5	10.2	10.6	9.9
Relative Survival Rates (SEER ^a)																		
1-year	70.4	73.7	71.8	70.0	69.8	68.7	68.5	66.4	66.8	68.5	68.4	67.9	67.3	71.8	75.6	75.5	76.0	
2-year	60.1	64.8	63.0	61.4	61.0	60.0	59.3	57.4	57.1	58.3	59.4	59.9	59.1	64.0	67.5	68.7		
3-year	54.3	59.4	58.1	57.3	56.4	55.6	54.1	52.3	52.5	54.5	54.7	55.2	55.0	60.5	64.5			
4-year	50.5	55.3	53.6	52.8	52.8	51.4	50.3	48.5	49.9	50.9	51.7	51.9	52.3	57.0				
5-year	46.8	51.9	50.5	49.5	50.0	48.7	46.9	46.4	47.8	47.1	48.8	49.4	49.5					
6-year	44.0	48.7	47.8	46.4	47.3	47.0	44.2	44.7	45.1	45.4	46.9	48.0						
7-year	41.7	46.4	44.9	44.5	45.8	45.2	41.5	42.1	42.4	43.2	46.1							
8-year	40.0	44.5	43.0	42.1	43.2	44.1	39.2	40.6	40.2	42.0								
9-year	38.1	42.9	41.2	40.3	40.9	42.7	37.9	39.5	38.5									
10-year	36.8	41.1	40.1	38.7	39.9	41.6	36.4	38.6										
11-year	35.8	39.7	39.0	37.7	38.9	40.7	34.8											
12-year	35.0	38.9	37.7	36.8	37.8	39.6												
13-year	34.1	38.3	36.5	35.6	37.5													
14-year	33.0	37.6	36.0	34.7														
15-year	31.7	36.8	36.0															
16-year	30.9	35.7																
17-year	30.7																	
18-year	30.6																	
19-year	30.4																	
20-year	30.2																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XVIII-7
NON-HODGKIN LYMPHOMA

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	10.2	11.8	13.2	13.0	13.4	14.1	13.8	14.7	14.5	14.9	15.0	15.7	15.3	15.3	16.3	16.4	15.8	15.4
Mortality																		
U.S. ^b	4.8	5.5	5.8	6.0	6.1	6.2	6.4	6.3	6.7	6.7	6.9	7.1	7.2	7.1	7.3	7.1	6.9	6.7
SEER ^a	5.1	5.8	6.1	6.3	6.2	6.0	6.4	6.3	6.8	6.7	6.8	7.3	7.1	7.4	7.3	7.3	6.3	6.6
Relative Survival Rates (SEER ^a)																		
1-year	72.0	74.5	74.1	72.2	77.2	75.7	74.9	75.8	75.1	75.0	75.8	75.3	74.9	75.9	77.1	78.8	79.0	
2-year	61.8	64.8	65.4	63.9	68.0	66.5	67.9	66.4	66.9	68.2	69.3	67.8	66.6	68.8	70.1	71.6		
3-year	56.8	60.1	61.5	60.0	63.0	63.5	62.8	62.4	63.0	63.7	65.0	63.9	61.8	65.4	66.4			
4-year	53.2	56.7	58.8	57.2	60.3	59.7	59.7	58.3	60.6	61.1	62.5	60.6	59.4	62.5				
5-year	49.9	53.3	56.8	53.9	56.8	56.7	56.5	55.9	57.1	58.9	60.0	58.5	57.4					
6-year	46.5	50.5	55.1	51.5	53.9	54.3	54.1	52.9	54.3	55.7	57.9	56.3						
7-year	44.1	48.3	52.3	50.0	50.8	52.0	52.7	50.4	51.3	53.1	55.2							
8-year	41.9	46.3	50.4	48.1	48.8	48.9	49.6	48.0	49.3	51.6								
9-year	40.5	44.4	49.1	45.9	47.3	47.0	47.9	46.8	47.7									
10-year	39.4	43.0	47.0	44.3	46.1	45.6	45.6	45.8										
11-year	37.9	42.1	45.8	44.3	44.9	44.2	44.0											
12-year	36.8	40.6	45.3	42.2	43.2	42.6												
13-year	36.4	39.4	43.5	40.9	41.7													
14-year	35.5	38.4	41.9	40.9														
15-year	34.6	37.1	40.5															
16-year	33.8	36.6																
17-year	33.7																	
18-year	33.1																	
19-year	32.3																	
20-year	31.5																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XIX-5
ORAL CAVITY AND PHARYNX CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males and Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	13.3	13.4	13.4	12.7	13.4	12.4	12.4	12.9	12.5	12.2	12.7	11.9	11.7	11.9	11.5	11.2	10.4	10.6
Mortality																		
U.S. ^b	4.3	4.0	3.8	3.7	3.5	3.6	3.5	3.6	3.5	3.3	3.3	3.2	3.2	3.0	3.0	3.0	2.7	2.7
SEER ^a	4.3	4.1	3.8	4.0	3.5	3.4	3.7	3.5	3.5	3.3	3.2	3.2	3.0	2.7	3.0	2.7	2.7	2.4
Relative Survival Rates (SEER ^a)																		
1-year	80.3	80.1	81.7	80.2	80.7	81.6	79.2	81.2	80.9	79.6	81.6	83.0	82.9	81.9	83.9	81.2	83.9	
2-year	66.3	66.4	68.3	66.5	67.7	66.4	66.7	68.4	67.6	68.2	68.2	70.7	71.3	70.1	71.3	70.0		
3-year	60.0	59.9	61.0	60.5	61.2	58.7	59.8	61.3	60.4	60.7	62.0	65.2	65.3	63.6	66.4			
4-year	56.0	55.9	57.4	57.0	57.9	53.8	55.2	58.1	55.7	56.1	57.8	61.1	61.7	59.9				
5-year	53.1	52.9	54.4	54.0	54.5	50.7	51.8	55.2	52.6	53.9	55.1	58.5	58.8					
6-year	50.8	50.2	52.5	51.7	52.2	47.7	49.0	53.1	50.0	51.7	53.0	55.7						
7-year	48.7	48.1	50.0	49.7	49.9	44.7	46.4	51.0	47.9	49.1	50.8							
8-year	46.6	46.6	48.7	47.9	47.0	42.6	45.0	49.4	46.7	47.1								
9-year	44.8	44.8	46.8	45.8	45.3	41.0	43.4	46.6	45.0									
10-year	42.9	43.1	45.5	44.0	44.0	39.7	41.4	44.9										
11-year	41.0	41.7	44.6	43.0	42.9	37.9	40.4											
12-year	39.7	40.4	43.0	41.9	41.4	36.4												
13-year	38.5	38.8	41.7	40.7	39.4													
14-year	37.5	37.9	40.3	39.9														
15-year	36.2	36.4	39.1															
16-year	34.9	35.3																
17-year	34.2																	
18-year	33.3																	
19-year	32.8																	
20-year	31.9																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XIX-6
ORAL CAVITY AND PHARYNX CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	21.0	20.7	20.0	19.5	21.0	18.6	18.9	20.0	19.1	18.8	19.2	18.2	17.3	17.9	17.4	16.6	15.4	15.9
Mortality																		
U.S. ^b	6.9	6.4	5.9	5.8	5.5	5.6	5.3	5.6	5.3	5.1	5.2	4.8	4.9	4.6	4.5	4.5	4.1	4.1
SEER ^a	6.8	6.4	5.8	6.1	5.3	5.3	5.4	5.4	5.5	4.8	4.7	4.7	4.5	4.1	4.5	4.0	3.9	3.6
Relative Survival Rates (SEER ^a)																		
1-year	79.7	79.6	82.0	78.5	80.0	80.4	77.5	80.1	80.1	78.5	80.3	83.0	82.6	81.8	83.2	81.0	84.3	
2-year	65.4	65.6	67.9	63.5	66.3	64.7	64.0	65.8	65.9	66.3	66.1	70.3	70.2	69.7	70.0	70.2		
3-year	59.2	58.6	60.0	56.3	59.5	56.2	56.4	58.7	57.7	58.0	59.1	63.4	64.6	62.8	65.0			
4-year	54.7	54.6	56.7	52.6	55.7	50.7	50.9	55.3	51.8	53.7	55.2	59.0	60.6	58.9				
5-year	51.7	51.2	53.1	49.0	52.0	47.1	47.2	52.3	48.5	51.4	52.4	56.8	57.8					
6-year	49.5	48.6	51.3	47.0	49.6	44.4	45.1	50.1	46.2	49.5	50.0	54.2						
7-year	47.3	46.4	48.9	45.3	47.9	41.8	42.6	47.9	43.7	46.6	47.5							
8-year	45.3	44.9	48.0	43.1	44.7	38.9	41.0	46.7	42.6	44.6								
9-year	43.5	43.2	46.2	41.3	43.2	37.1	39.0	44.0	41.1									
10-year	41.5	41.3	44.8	39.4	41.8	35.2	36.4	43.2										
11-year	39.6	39.9	44.1	39.1	40.1	33.5	35.3											
12-year	38.3	38.7	42.6	38.2	38.6	32.2												
13-year	37.3	37.4	41.3	36.8	36.9													
14-year	36.4	36.6	39.6	36.4														
15-year	35.1	35.2	38.3															
16-year	33.8	34.2																
17-year	33.1																	
18-year	32.3																	
19-year	32.0																	
20-year	31.2																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XIX-7
 ORAL CAVITY AND PHARYNX CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	7.4	7.8	8.2	7.2	7.5	7.3	7.2	7.3	7.2	6.9	7.3	6.8	7.2	7.0	6.7	6.7	6.3	6.2
Mortality																		
U.S. ^b	2.3	2.2	2.1	2.2	2.1	2.0	2.1	2.0	2.0	1.9	1.9	1.8	1.8	1.8	1.8	1.7	1.6	1.6
SEER ^a	2.4	2.4	2.3	2.4	2.1	1.9	2.4	2.0	1.9	2.0	2.0	2.0	1.9	1.7	1.8	1.7	1.8	1.4
Relative Survival Rates (SEER ^a)																		
1-year	81.7	81.0	81.1	84.0	82.3	84.2	82.7	83.8	82.7	82.2	84.4	83.1	83.4	82.2	85.5	81.7	83.0	
2-year	68.3	68.0	68.9	73.3	71.0	70.0	72.4	74.3	71.3	72.2	72.8	71.7	73.5	71.0	74.3	69.6		
3-year	61.9	62.7	63.0	69.8	65.2	63.9	66.9	67.3	66.4	66.4	68.6	69.0	66.7	65.2	69.4			
4-year	59.0	58.8	58.6	66.9	62.7	60.3	64.1	64.5	64.2	61.3	63.5	65.7	64.0	62.0				
5-year	56.1	56.3	56.9	64.9	60.0	58.0	61.1	61.8	61.3	59.2	61.1	62.4	60.8					
6-year	53.6	53.6	54.9	61.8	58.1	54.4	56.9	60.0	58.3	56.5	59.8	58.9						
7-year	51.7	51.4	52.1	59.3	54.4	50.8	54.2	58.2	56.7	54.7	58.3							
8-year	49.3	50.1	49.9	58.4	52.1	50.3	53.1	55.4	55.2	52.5								
9-year	47.7	48.0	47.8	55.7	50.1	48.9	52.3	52.3	53.1									
10-year	45.8	46.7	46.8	54.0	49.0	48.7	51.4	48.6										
11-year	44.0	45.4	45.4	51.4	49.0	46.8	50.6											
12-year	42.4	43.8	43.9	49.8	47.6	44.8												
13-year	40.9	41.6	42.5	49.0	44.9													
14-year	39.8	40.5	41.6	47.1														
15-year	38.2	38.7	40.6															
16-year	37.1	37.5																
17-year	36.4																	
18-year	35.2																	
19-year	34.3																	
20-year	33.1																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XX-5
OVARY CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	
Incidence																			
SEER ^a	15.7	15.7	16.5	15.0	16.1	17.3	17.9	17.8	18.1	17.6	17.7	17.0	17.4	17.0	17.4	16.7	17.1	16.3	
Mortality																			
U.S. ^b	9.7	9.2	9.1	9.2	9.2	9.3	9.2	9.3	9.5	9.5	9.1	9.4	9.1	8.9	8.9	8.7	8.8	8.9	
SEER ^a	9.9	9.1	9.3	9.6	9.2	9.8	9.5	9.0	9.5	9.4	9.4	9.7	8.5	8.5	8.9	8.5	8.8	9.1	
Relative Survival Rates (SEER ^a)																			
1-year	65.1	70.6	72.2	69.2	71.0	73.2	75.6	76.2	76.5	79.0	76.5	76.4	78.1	78.9	80.9	79.4	78.2		
2-year	49.6	54.0	55.5	52.5	54.0	61.6	62.2	64.0	64.8	67.0	65.0	67.3	67.4	69.0	71.7	69.7			
3-year	42.9	46.7	48.1	46.3	46.5	55.0	54.7	56.9	57.0	59.5	57.0	61.2	60.2	61.6	64.2				
4-year	39.5	42.4	42.8	42.2	42.5	50.8	49.9	53.5	52.5	55.6	52.2	56.4	56.3	56.2					
5-year	37.6	40.1	39.9	38.6	39.1	47.9	47.6	51.1	50.0	52.4	48.9	54.4	53.4						
6-year	36.4	38.4	37.8	37.0	37.6	46.3	45.5	49.7	48.1	50.6	47.3	51.6							
7-year	35.4	37.8	36.3	35.9	37.0	45.6	44.6	48.8	46.6	49.4	46.8								
8-year	34.7	36.6	36.0	35.5	36.1	45.2	43.6	47.9	45.9	48.9									
9-year	34.4	35.9	35.0	35.1	35.8	44.7	43.6	47.6	45.4										
10-year	34.4	35.4	34.8	34.8	35.7	44.5	43.6	47.4											
11-year	34.2	35.3	34.8	34.8	35.7	44.2	43.5												
12-year	33.9	35.0	34.8	34.3	35.2	44.0													
13-year	33.9	34.7	34.8	34.3	34.9														
14-year	33.7	34.7	34.8	34.3															
15-year	33.4	34.7	34.8																
16-year	33.4	34.7																	
17-year	33.4																		
18-year	33.4																		
19-year	33.4																		
20-year	33.4																		

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XXI-5
PANCREAS CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males and Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	11.7	11.9	12.1	11.7	11.6	11.7	11.4	11.3	11.4	11.6	11.0	11.4	11.1	11.3	11.4	11.4	11.0	10.9
Mortality																		
U.S. ^b	10.7	10.7	10.6	10.6	10.6	10.5	10.6	10.7	10.7	10.7	10.7	10.6	10.4	10.5	10.5	10.5	10.6	10.6
SEER ^a	11.1	10.8	11.0	10.7	10.5	10.5	10.7	10.1	10.6	10.5	10.6	10.4	10.3	10.3	10.4	10.8	10.5	10.5
Relative Survival Rates (SEER ^a)																		
1-year	15.2	17.2	16.3	18.3	18.8	18.4	19.9	19.5	20.2	20.2	18.5	19.9	18.6	20.0	21.2	20.9	23.6	
2-year	6.1	6.7	6.5	6.5	8.1	7.0	7.7	8.4	9.3	9.0	8.6	9.4	8.4	9.9	9.9	8.8		
3-year	3.7	4.3	5.1	4.5	5.7	4.8	4.8	5.5	6.5	5.9	5.4	6.8	5.3	6.7	6.9			
4-year	3.0	3.5	4.0	3.5	4.7	3.8	3.9	4.3	5.4	5.2	4.5	5.5	4.0	5.1				
5-year	2.5	3.1	3.3	3.0	4.2	3.7	3.4	3.9	4.8	4.7	3.7	5.2	3.5					
6-year	2.3	2.8	2.8	2.7	3.7	3.6	3.0	3.9	4.4	4.7	3.5	4.5						
7-year	2.2	2.6	2.7	2.6	3.3	3.4	2.8	3.5	4.2	4.1	3.4							
8-year	1.9	2.4	2.5	2.4	3.3	3.1	2.3	3.5	4.0	4.0								
9-year	1.9	2.3	2.2	2.4	3.2	2.8	2.2	3.2	4.0									
10-year	1.8	2.2	2.2	2.4	3.2	2.6	2.2	2.9										
11-year	1.8	2.1	2.1	2.4	3.2	2.6	2.2											
12-year	1.8	2.1	2.0	2.4	3.1	2.6												
13-year	1.7	2.0	1.9	2.4	2.6													
14-year	1.7	2.0	1.9	2.4														
15-year	1.7	1.9	1.7															
16-year	1.7	1.9																
17-year	1.6																	
18-year	1.6																	
19-year	1.5																	
20-year	1.5																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XXI-6
PANCREAS CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	14.7	14.0	14.3	13.8	13.9	13.7	12.9	12.8	12.9	13.2	12.5	13.2	12.7	12.9	13.0	13.1	12.5	12.8
Mortality																		
U.S. ^b	13.7	13.0	12.9	12.5	12.5	12.5	12.6	12.6	12.6	12.6	12.4	12.4	12.1	12.1	12.2	12.3	12.3	12.2
SEER ^a	14.1	12.9	12.6	12.4	12.5	12.6	12.2	11.6	12.2	11.6	12.5	12.1	12.2	11.4	11.7	12.3	12.0	12.1
Relative Survival Rates (SEER ^a)																		
1-year	15.2	16.2	15.8	18.3	18.1	18.9	18.7	19.3	20.0	17.7	17.3	20.4	17.9	21.5	22.9	20.3	24.5	
2-year	6.0	6.2	6.2	5.9	7.5	7.3	5.9	8.6	9.1	8.7	7.8	9.8	7.4	11.5	9.9	9.1		
3-year	3.5	3.9	4.8	3.8	5.2	4.9	3.6	5.3	6.8	5.5	4.8	7.8	4.1	7.7	6.8			
4-year	2.9	3.2	3.6	2.9	4.0	3.8	2.7	3.8	5.6	4.9	3.7	6.1	3.4	6.1				
5-year	2.6	2.7	2.6	2.2	4.0	3.6	2.4	3.4	5.1	4.2	3.0	5.7	2.8					
6-year	2.4	2.4	2.1	1.9	3.5	3.3	1.8	3.4	4.6	4.2	2.5	5.1						
7-year	2.3	2.1	2.1	1.8	2.9	3.2	1.8	3.2	4.1	3.6	2.4							
8-year	2.0	1.9	1.9	1.6	2.9	2.7	1.7	3.2	4.1	3.3								
9-year	1.9	1.8	1.5	1.5	2.9	2.4	1.5	2.9	4.1									
10-year	1.8	1.8	1.4	1.4	2.9	2.0	1.5	2.5										
11-year	1.8	1.8	1.3	1.4	2.9	1.9	1.5											
12-year	1.8	1.8	1.3	1.4	2.9	1.9												
13-year	1.8	1.7	1.3	1.4	2.2													
14-year	1.8	1.7	1.3	1.4														
15-year	1.8	1.6	1.2															
16-year	1.8	1.6																
17-year	1.8																	
18-year	1.6																	
19-year	1.6																	
20-year	1.5																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XXI-7
PANCREAS CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	9.5	10.3	10.5	10.2	10.1	10.2	10.1	10.1	10.2	10.3	9.7	9.9	9.9	9.9	10.2	10.2	9.7	9.4
Mortality																		
U.S. ^b	8.7	9.0	9.0	9.2	9.2	9.0	9.2	9.3	9.3	9.3	9.4	9.3	9.2	9.2	9.1	9.2	9.3	9.3
SEER ^a	9.0	9.3	9.9	9.6	9.1	9.0	9.5	8.9	9.4	9.4	9.2	9.1	8.9	9.4	9.3	9.6	9.2	9.2
Relative Survival Rates (SEER ^a)																		
1-year	15.3	18.3	16.7	18.2	19.5	17.9	21.1	19.6	20.4	22.6	19.6	19.4	19.3	18.6	19.7	21.5	22.7	
2-year	6.3	7.1	6.7	7.2	8.6	6.7	9.5	8.2	9.5	9.4	9.4	9.0	9.4	8.4	9.8	8.5		
3-year	3.9	4.7	5.4	5.2	6.2	4.6	5.9	5.7	6.3	6.2	5.8	5.8	6.4	5.7	7.0			
4-year	3.0	3.9	4.3	4.1	5.4	3.9	5.0	4.7	5.2	5.4	5.3	5.0	4.5	4.1				
5-year	2.5	3.5	3.9	3.6	4.2	3.8	4.2	4.5	4.6	5.1	4.4	4.7	4.2					
6-year	2.3	3.2	3.5	3.4	3.9	3.8	4.0	4.2	4.2	5.1	4.4	4.0						
7-year	2.1	3.1	3.3	3.3	3.7	3.7	3.5	3.7	4.2	4.6	4.3							
8-year	1.9	2.9	3.2	3.2	3.6	3.4	2.7	3.7	3.8	4.6								
9-year	1.8	2.7	2.9	3.2	3.5	3.1	2.7	3.5	3.8									
11-year	1.8	2.6	2.9	3.2	3.5	3.1	2.7	3.2										
10-year	1.8	2.4	2.9	3.2	3.2	3.1	2.7											
12-year	1.8	2.3	2.5	3.2	3.2	3.1												
13-year	1.6	2.3	2.3	3.2	3.0													
14-year	1.5	2.2	2.2	3.2														
15-year	1.4	2.2	2.1															
16-year	1.4	2.2																
17-year	1.4																	
18-year	1.4																	
19-year	1.4																	
20-year	1.4																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XXII-5
PROSTATE CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	99.1	109.2	115.4	118.9	133.5	137.4	145.1	170.4	214.4	236.8	208.8	179.6	168.1	167.7	171.5	168.2	179.4	176.9
Mortality																		
U.S. ^b	32.0	33.5	33.9	34.9	35.1	35.9	37.1	38.6	39.3	39.2	39.3	38.5	37.3	36.0	34.1	32.6	31.6	30.6
SEER ^a	32.9	33.8	34.2	35.1	35.7	35.3	36.8	36.9	38.9	39.1	38.0	37.8	35.8	35.2	32.1	31.7	31.0	29.0
Relative Survival Rates (SEER ^a)																		
1-year	91.9	94.2	95.2	95.0	95.5	96.4	97.0	97.7	99.0	99.8	99.6	99.4	99.2	99.6	99.8	100.0	100.0	
2-year	85.2	88.5	88.8	89.4	91.5	92.8	93.9	94.9	97.7	98.8	98.7	98.6	98.4	98.9	99.7	99.7		
3-year	79.1	82.9	83.9	84.3	87.2	89.0	90.5	92.8	96.5	98.4	97.7	97.7	98.1	98.7	99.7			
4-year	74.2	78.0	79.4	80.5	83.9	86.3	88.1	91.0	95.4	98.1	97.6	97.0	97.9	98.6				
5-year	70.0	73.7	75.9	77.9	81.0	84.0	85.7	89.8	94.3	97.7	97.0	96.8	97.8					
6-year	66.9	70.4	73.1	74.9	78.8	81.8	83.8	88.6	93.3	96.9	96.7	96.6						
7-year	63.8	67.0	71.0	72.9	76.3	79.0	82.4	87.0	93.1	96.5	96.2							
8-year	61.0	64.1	68.6	71.5	74.5	77.5	81.2	85.8	92.6	95.8								
9-year	58.5	62.1	66.7	69.2	72.9	76.3	80.0	85.1	92.2									
10-year	56.1	60.4	64.6	67.4	71.7	75.1	79.5	83.9										
11-year	53.8	58.4	62.3	66.2	70.4	74.8	78.9											
12-year	51.7	56.7	60.2	64.6	69.7	73.1												
13-year	50.1	55.3	59.4	63.7	68.7													
14-year	48.6	54.1	57.3	62.9														
15-year	47.7	53.3	55.8															
16-year	46.1	51.8																
17-year	44.8																	
18-year	43.6																	
19-year	43.2																	
20-year	42.5																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XXIII-5
 STOMACH CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males and Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	
Incidence																			
SEER ^a	11.8	10.9	10.2	10.2	10.2	10.2	10.0	9.3	9.7	9.2	9.0	9.1	8.4	8.5	8.6	8.5	8.5	8.0	
Mortality																			
U.S. ^b	8.0	7.0	6.5	6.4	6.2	6.1	6.2	6.1	6.0	5.6	5.6	5.4	5.3	5.1	4.9	4.8	4.6	4.6	
SEER ^a	8.7	7.7	7.2	6.8	6.6	6.5	6.4	6.5	6.1	6.1	5.8	5.8	5.5	5.1	5.2	5.0	5.1	5.0	
Relative Survival Rates (SEER ^a)																			
1-year	39.8	42.9	43.6	45.1	43.6	47.0	46.4	46.4	44.6	47.0	45.3	46.3	47.2	47.1	46.5	49.4	47.5		
2-year	25.6	27.5	28.6	29.1	27.4	32.6	31.7	32.4	30.6	32.4	30.8	33.6	32.2	32.7	34.0	34.4			
3-year	20.3	21.8	22.3	23.5	21.8	26.4	25.5	25.3	25.2	26.2	24.4	27.0	27.2	27.6	27.3				
4-year	17.9	19.0	19.6	21.4	19.4	22.6	22.5	22.8	22.7	23.8	21.4	24.5	24.0	24.3					
5-year	16.3	17.4	18.0	20.2	18.6	21.7	21.3	20.6	21.4	22.6	20.0	22.7	22.7						
6-year	15.3	16.7	17.1	19.3	17.8	20.5	20.3	18.9	20.0	21.6	19.2	20.9							
7-year	14.9	16.0	16.9	19.2	16.2	19.8	19.0	18.3	19.6	20.2	18.1								
8-year	14.3	15.4	16.1	18.8	15.7	19.5	18.6	17.9	19.1	19.2									
9-year	14.0	15.1	15.9	18.2	14.9	19.4	18.1	17.0	18.4										
10-year	13.7	15.0	15.2	17.7	14.1	18.7	17.4	16.4											
11-year	13.2	14.5	15.1	17.1	13.5	18.6	17.4												
12-year	13.1	14.1	15.1	17.1	13.2	18.3													
13-year	12.9	14.1	15.1	16.7	12.9														
14-year	12.5	14.1	15.1	16.4															
15-year	12.2	13.8	15.1																
16-year	11.9	13.5																	
17-year	11.8																		
18-year	11.4																		
19-year	11.4																		
20-year	11.1																		

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XXIII-6
STOMACH CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	17.0	16.2	15.1	15.0	15.1	15.6	15.2	13.8	14.2	13.4	13.7	13.7	12.6	12.6	12.7	12.1	12.0	11.6
Mortality																		
U.S. ^b	11.5	10.2	9.5	9.4	9.1	8.8	9.2	8.9	8.9	8.1	8.2	7.9	7.7	7.4	7.2	6.8	6.6	6.4
SEER ^a	12.7	11.2	10.9	10.3	9.8	9.8	9.7	9.9	9.2	8.9	8.7	8.5	8.1	7.7	7.8	7.0	6.8	6.9
Relative Survival Rates (SEER ^a)																		
1-year	39.3	42.5	42.9	42.4	42.4	46.0	47.0	46.2	42.5	45.4	44.2	46.3	48.0	45.1	47.0	50.7	47.2	
2-year	24.7	26.7	27.7	26.8	24.8	30.4	30.6	31.3	26.9	30.2	28.6	32.7	32.2	29.4	32.8	35.8		
3-year	19.2	21.0	21.0	21.2	19.4	23.9	23.3	24.0	21.3	24.3	23.1	26.1	26.4	24.6	25.8			
4-year	16.7	17.9	18.4	18.8	16.7	19.7	19.4	20.9	18.4	22.0	20.5	23.8	23.2	21.8				
5-year	15.2	16.3	16.1	17.6	15.6	18.4	18.1	18.3	16.4	20.8	18.9	21.8	21.6					
6-year	14.2	15.4	15.1	16.7	15.3	17.6	17.1	17.2	14.6	19.4	17.8	19.8						
7-year	13.7	14.7	14.5	16.4	13.6	16.8	15.7	16.5	13.7	18.4	16.2							
8-year	13.3	14.2	13.8	16.3	12.7	16.6	15.2	16.0	13.0	17.4								
9-year	13.2	14.0	13.6	15.8	12.4	16.2	14.4	15.2	12.5									
10-year	12.8	14.0	12.6	15.6	11.9	16.1	13.9	14.4										
11-year	12.5	13.5	12.2	15.2	11.0	16.0	13.8											
12-year	12.4	12.9	12.2	15.2	11.0	15.9												
13-year	12.4	12.9	12.2	15.2	10.9													
14-year	11.7	12.9	12.2	15.2														
15-year	11.3	12.8	12.1															
16-year	11.2	12.3																
17-year	11.0																	
18-year	10.3																	
19-year	10.3																	
20-year	10.3																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XXIII-7
STOMACH CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	
Incidence																			
SEER ^a	8.0	7.3	6.9	6.8	6.8	6.5	6.3	6.2	6.6	6.1	5.8	5.7	5.2	5.5	5.6	5.9	5.9	5.3	
Mortality																			
U.S. ^b	5.6	4.9	4.4	4.2	4.2	4.2	4.2	4.2	4.0	3.9	3.8	3.7	3.7	3.5	3.4	3.4	3.3	3.2	
SEER ^a	6.0	5.3	4.7	4.5	4.4	4.2	4.2	4.2	4.1	4.2	3.8	3.8	3.7	3.4	3.4	3.5	3.8	3.7	
Relative Survival Rates (SEER ^a)																			
1-year	40.6	43.6	44.7	49.5	45.7	48.7	45.4	46.7	48.0	49.7	47.2	46.4	45.8	50.3	45.7	47.3	47.8		
2-year	27.0	28.9	30.0	32.8	31.6	36.5	33.6	34.1	36.3	36.1	34.6	35.1	32.1	38.1	36.0	32.2			
3-year	22.0	23.2	24.3	27.3	25.7	30.6	29.3	27.3	31.3	29.3	26.7	28.7	28.7	32.5	29.8				
4-year	19.6	20.8	21.5	25.7	23.8	27.7	28.0	25.8	29.4	26.8	22.8	25.8	25.3	28.4					
5-year	17.9	19.3	21.0	24.7	23.5	27.3	26.9	24.2	29.2	25.5	21.9	24.4	24.7						
6-year	17.1	18.7	20.3	23.7	21.9	25.7	25.8	21.6	28.2	25.2	21.7	22.9							
7-year	16.7	18.1	20.3	23.7	20.4	25.1	24.8	21.1	28.2	23.2	21.4								
8-year	15.8	17.3	19.8	23.0	20.4	24.4	24.6	21.1	28.2	22.3									
9-year	15.1	16.9	19.5	22.2	18.9	24.4	24.5	19.9	27.4										
10-year	15.0	16.7	19.3	21.2	17.7	23.4	23.6	19.4											
11-year	14.4	16.2	19.3	20.1	17.3	23.1	23.6												
12-year	14.1	16.1	19.3	19.9	16.6	22.4													
13-year	13.7	16.0	19.3	18.7	16.1														
14-year	13.6	16.0	19.3	18.2															
15-year	13.4	15.5	19.3																
16-year	13.1	15.3																	
17-year	12.9																		
18-year	12.9																		
19-year	12.7																		
20-year	11.9																		

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XXIV-5
TESTIS CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	3.8	4.4	4.5	4.8	5.0	4.6	5.5	5.1	5.1	5.2	5.1	5.5	4.6	5.2	5.4	5.5	5.4	5.7
Mortality																		
U.S. ^b	0.6	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.2	0.3	0.3	0.2
SEER ^a	0.7	0.4	0.3	0.2	0.4	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.3	0.2	0.2	0.3	0.2
Relative Survival Rates (SEER ^a)																		
1-year	93.3	96.1	97.1	98.1	98.1	98.9	98.2	98.2	98.4	97.9	96.9	97.7	98.3	97.9	97.4	98.2	96.9	
2-year	88.5	92.7	94.0	96.6	97.3	96.6	95.7	96.7	96.8	96.7	95.9	96.4	97.5	96.4	95.6	96.5		
3-year	86.5	92.1	93.4	96.5	96.2	95.8	95.0	96.2	95.7	95.6	95.3	95.9	96.4	95.9	95.1			
4-year	85.5	91.5	92.8	95.8	95.5	95.0	94.8	96.2	95.3	95.6	95.3	95.9	96.4	95.9				
5-year	85.0	91.1	92.5	95.5	95.2	94.6	94.7	96.2	95.3	95.3	95.3	95.6	96.3					
6-year	84.7	90.9	92.3	95.4	94.5	94.4	94.6	96.0	95.1	95.0	95.3	95.6						
7-year	84.6	90.8	92.3	95.4	94.4	94.2	94.2	95.8	95.0	94.9	95.3							
8-year	84.5	90.5	91.5	95.4	94.4	93.2	94.1	95.8	94.7	94.1								
9-year	84.4	90.0	91.5	95.1	94.4	93.2	93.7	95.8	94.4									
10-year	83.7	89.8	91.4	94.6	94.4	93.1	93.7	95.8										
11-year	83.2	89.7	90.6	94.6	94.3	92.9	93.6											
12-year	83.0	89.6	90.6	94.1	94.2	92.9												
13-year	82.7	89.1	89.9	94.1	93.4													
14-year	82.0	88.6	89.1	93.7														
15-year	81.9	88.3	88.9															
16-year	81.4	87.7																
17-year	80.8																	
18-year	80.3																	
19-year	79.8																	
20-year	79.5																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XXV-5
THYROID CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males and Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	
Incidence																			
SEER ^a	4.9	4.6	5.1	5.3	5.0	4.9	5.3	5.5	5.5	5.8	5.6	6.1	6.2	6.4	6.7	6.9	7.2	7.4	
Mortality																			
U.S. ^b	0.6	0.5	0.4	0.5	0.5	0.4	0.4	0.4	0.4	0.5	0.5	0.4	0.4	0.5	0.5	0.4	0.5	0.5	
SEER ^a	0.5	0.5	0.4	0.5	0.4	0.5	0.4	0.4	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.5	0.5	
Relative Survival Rates (SEER ^a)																			
1-year	94.9	95.2	96.2	96.1	96.0	96.2	95.9	96.5	96.7	95.5	95.3	97.5	96.8	97.0	96.5	97.8	97.2		
2-year	93.7	94.8	95.1	95.5	95.9	95.8	95.3	96.2	96.1	94.8	95.1	97.1	96.3	96.8	96.5	97.2			
3-year	93.2	94.2	93.9	95.5	95.7	95.8	94.6	95.7	95.8	94.5	95.1	96.6	96.2	96.3	96.5				
4-year	93.1	94.1	93.7	95.2	95.7	95.3	94.2	95.7	95.5	94.2	95.1	96.5	96.2	95.9					
5-year	92.9	94.1	93.1	94.8	95.7	95.3	94.2	95.7	94.9	93.6	95.1	96.3	96.2						
6-year	92.9	94.1	93.0	94.6	95.6	95.3	94.2	95.7	94.8	93.6	95.1	95.9							
7-year	92.9	93.8	93.0	93.6	95.2	95.3	94.2	95.6	94.8	93.6	95.1								
8-year	92.7	93.8	93.0	93.5	95.2	95.3	94.2	95.6	94.8	93.6									
9-year	92.6	93.8	92.4	93.5	95.2	95.3	94.2	95.6	94.8										
10-year	92.6	93.5	92.3	93.3	95.1	95.0	94.2	95.0											
11-year	92.6	93.3	92.3	93.3	95.1	95.0	94.2												
12-year	92.6	93.1	92.3	93.0	95.0	95.0													
13-year	92.6	93.1	92.3	93.0	95.0														
14-year	92.6	93.1	92.3	92.7															
15-year	92.6	92.7	92.3																
16-year	92.6	92.7																	
17-year	92.6																		
18-year	92.6																		
19-year	92.6																		
20-year	92.6																		

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XXV-6
THYROID CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	
Incidence																			
SEER ^a	3.1	2.7	3.1	3.1	2.8	3.0	3.0	2.9	3.2	3.5	3.6	3.4	3.4	3.4	3.6	3.7	3.8	4.0	
Mortality																			
U.S. ^b	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.5	
SEER ^a	0.4	0.4	0.4	0.3	0.4	0.4	0.4	0.3	0.5	0.4	0.5	0.5	0.4	0.4	0.5	0.4	0.5	0.5	
Relative Survival Rates (SEER ^a)																			
1-year	94.7	92.6	94.7	96.7	97.6	91.9	94.6	93.9	95.3	93.9	94.0	96.8	93.7	94.2	92.1	97.2	97.1		
2-year	92.9	92.3	94.2	94.6	97.6	91.2	93.4	92.7	92.7	92.8	93.1	95.7	92.2	94.2	91.4	95.6			
3-year	92.2	91.4	92.8	94.6	97.4	90.9	93.4	91.9	91.5	92.3	92.9	95.3	92.2	93.2	91.4				
4-year	91.5	91.1	91.9	94.6	97.2	89.3	90.8	91.9	91.5	91.9	91.4	95.3	92.2	92.9					
5-year	91.4	91.1	89.6	94.2	97.2	89.3	90.8	91.9	90.0	91.4	91.4	94.8	92.2						
6-year	91.3	91.0	89.5	93.7	96.3	89.3	90.8	91.9	89.2	91.4	91.4	94.7							
7-year	91.3	90.7	89.5	91.9	92.8	89.3	90.8	91.9	88.9	91.4	91.4								
8-year	91.3	90.7	88.3	91.9	92.8	88.8	90.8	91.9	88.9	91.4									
9-year	91.3	90.3	87.6	90.5	92.0	88.0	90.8	91.9	88.9										
10-year	91.3	89.8	87.6	90.5	89.7	88.0	90.8	91.9											
11-year	90.6	89.6	87.6	90.5	89.7	88.0	90.8												
12-year	90.6	88.8	87.6	90.5	89.7	88.0													
13-year	90.6	88.8	87.6	90.5	89.7														
14-year	90.6	88.8	87.6	90.0															
15-year	90.6	88.3	87.6																
16-year	90.6	88.3																	
17-year	90.6																		
18-year	90.6																		
19-year	90.6																		
20-year	90.6																		

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XXV-7
THYROID CANCER (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	
Incidence																			
SEER ^a	6.7	6.4	7.1	7.5	7.1	6.9	7.6	7.9	7.6	8.1	7.6	8.7	8.9	9.4	9.7	9.9	10.5	10.8	
Mortality																			
U.S. ^b	0.6	0.5	0.5	0.5	0.5	0.5	0.4	0.5	0.5	0.5	0.5	0.4	0.4	0.5	0.5	0.5	0.5	0.5	
SEER ^a	0.6	0.5	0.5	0.6	0.4	0.5	0.4	0.4	0.5	0.5	0.6	0.4	0.4	0.5	0.4	0.5	0.5	0.5	
Relative Survival Rates (SEER ^a)																			
1-year	95.0	96.1	96.8	95.9	95.5	97.7	96.3	97.3	97.2	96.1	95.8	97.7	97.8	97.9	97.8	98.0	97.3		
2-year	94.0	95.6	95.4	95.8	95.4	97.3	95.9	97.3	97.2	95.5	95.8	97.5	97.6	97.6	97.8	97.7			
3-year	93.6	95.1	94.3	95.5	95.2	97.3	95.0	96.8	97.2	95.3	95.8	97.0	97.5	97.3	97.8				
4-year	93.6	95.1	94.3	95.3	95.2	97.3	95.0	96.8	96.7	95.1	95.8	96.8	97.5	96.8					
5-year	93.5	95.0	94.3	95.1	95.2	97.1	95.0	96.8	96.5	94.4	95.8	96.8	97.5						
6-year	93.4	95.0	94.3	94.9	95.2	97.1	95.0	96.8	96.5	94.2	95.8	96.2							
7-year	93.4	94.8	94.3	94.1	95.2	97.1	95.0	96.3	96.5	94.2	95.8								
8-year	93.1	94.8	94.3	94.0	95.2	97.1	95.0	96.3	96.5	94.2									
9-year	93.1	94.8	94.1	94.0	95.2	97.1	95.0	96.3	96.5										
10-year	93.1	94.7	93.4	94.0	95.2	96.7	95.0	95.6											
11-year	93.1	94.4	93.3	94.0	95.2	96.6	95.0												
12-year	93.1	94.4	93.1	93.8	95.2	96.5													
13-year	93.1	94.4	93.1	93.8	95.2														
14-year	93.1	94.4	93.1	93.6															
15-year	93.1	94.2	93.1																
16-year	93.1	94.1																	
17-year	93.1																		
18-year	93.1																		
19-year	93.1																		
20-year	93.1																		

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XXVI-5
URINARY BLADDER CANCER

INCIDENCE (Invasive and *In Situ*), DEATH, AND SURVIVAL RATES (Invasive and *In Situ*)^c

By Year of Diagnosis/Death

All Races, Males and Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	19.6	20.4	20.7	21.0	21.6	20.8	21.0	21.1	20.9	21.2	21.2	20.8	20.6	20.7	20.9	21.4	21.5	21.3
Mortality																		
U.S. ^b	5.5	5.0	4.7	4.5	4.4	4.4	4.5	4.5	4.4	4.5	4.5	4.5	4.4	4.4	4.4	4.4	4.4	4.3
SEER ^a	5.5	4.9	4.6	4.4	4.1	4.3	4.2	4.4	4.3	4.3	4.4	4.2	4.1	4.2	4.2	4.1	4.0	4.1
Relative Survival Rates (SEER ^a)																		
1-year	87.4	89.4	89.3	90.3	90.3	90.9	91.4	90.1	90.1	90.4	90.9	91.1	91.2	90.3	91.8	91.5	90.6	
2-year	81.2	84.4	84.4	85.6	85.8	85.9	86.8	86.2	85.6	85.4	86.4	86.7	87.5	86.4	87.0	87.1		
3-year	78.3	81.6	81.2	82.6	83.2	84.0	84.1	83.3	83.5	83.0	84.2	85.2	85.1	84.7	84.1			
4-year	75.9	79.5	78.4	80.6	81.5	82.2	82.5	81.9	82.2	82.4	83.0	83.3	83.2	82.9				
5-year	74.3	78.0	77.2	79.0	80.3	80.3	81.0	81.2	80.8	80.6	81.7	82.2	83.0					
6-year	72.9	76.5	76.3	78.3	78.5	78.7	80.0	79.9	80.2	79.6	80.6	80.9						
7-year	71.3	75.4	75.2	77.6	77.4	77.6	78.6	79.2	78.1	78.0	79.5							
8-year	70.3	74.4	74.4	76.5	76.0	77.0	76.9	77.7	77.0	77.0								
9-year	69.2	73.1	74.0	75.9	74.4	76.5	76.7	76.0	76.1									
10-year	67.6	72.3	72.9	75.0	73.5	76.3	75.6	74.2										
11-year	66.3	71.5	72.9	73.5	73.5	75.5	74.7											
12-year	65.5	70.7	70.9	72.5	73.0	74.8												
13-year	64.9	70.2	70.3	71.6	72.5													
14-year	64.1	69.2	69.0	70.0														
15-year	63.4	68.4	67.6															
16-year	62.8	67.3																
17-year	62.4																	
18-year	62.3																	
19-year	62.3																	
20-year	62.2																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XXVI-6
URINARY BLADDER CANCER

INCIDENCE (Invasive and *In Situ*), DEATH, AND SURVIVAL RATES (Invasive and *In Situ*)^c

By Year of Diagnosis/Death

All Races, Males

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	34.6	36.6	36.4	37.9	39.5	38.1	37.4	37.5	37.5	37.5	37.5	36.8	36.1	36.3	36.8	38.2	37.7	37.8
Mortality																		
U.S. ^b	9.6	8.9	8.4	8.1	7.9	7.8	8.0	8.0	7.9	7.9	8.1	7.9	7.8	7.8	7.6	7.7	7.7	7.6
SEER ^a	9.5	9.0	8.5	7.7	7.5	7.6	7.4	7.7	7.4	7.2	7.7	7.2	7.2	7.4	7.2	7.2	6.9	7.1
Relative Survival Rates (SEER ^a)																		
1-year	89.4	90.7	91.2	91.7	92.0	92.3	93.3	92.1	91.6	92.0	92.5	93.0	92.8	91.9	93.5	93.4	92.4	
2-year	83.3	86.0	86.2	87.0	87.8	87.1	89.3	88.4	87.7	87.6	88.8	88.5	89.2	88.0	89.1	89.1		
3-year	80.1	83.3	83.1	83.7	84.9	85.6	86.8	85.7	86.0	85.7	86.7	87.1	87.1	86.3	86.5			
4-year	77.6	81.0	80.1	81.6	83.3	84.0	85.1	84.3	84.8	85.3	85.1	85.2	85.0	84.3				
5-year	75.6	79.4	78.7	80.1	82.4	82.1	83.8	83.8	83.0	83.6	83.8	84.4	85.0					
6-year	74.2	77.9	77.9	79.3	80.7	80.8	82.2	82.3	82.1	82.9	83.2	82.8						
7-year	72.5	76.9	76.7	78.0	79.5	79.7	80.4	81.4	79.5	81.3	82.0							
8-year	71.2	75.9	75.6	77.2	77.8	79.3	78.6	79.9	78.4	80.0								
9-year	69.9	74.6	75.5	76.1	76.1	78.8	78.5	77.9	77.3									
10-year	68.3	73.8	74.3	75.5	75.4	78.6	77.3	76.8										
11-year	66.7	73.1	74.1	74.4	75.4	77.9	76.7											
12-year	65.8	72.1	71.9	73.6	74.4	77.9												
13-year	65.0	71.8	71.5	72.6	74.4													
14-year	64.4	70.6	70.0	71.5														
15-year	63.8	69.8	69.0															
16-year	62.7	68.5																
17-year	62.5																	
18-year	62.2																	
19-year	62.2																	
20-year	62.2																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XXVI-7
URINARY BLADDER CANCER

INCIDENCE (Invasive and *In Situ*), DEATH, AND SURVIVAL RATES (Invasive and *In Situ*)^c

By Year of Diagnosis/Death

All Races, Females

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	9.2	9.3	9.9	9.4	9.2	9.0	9.7	9.6	9.3	9.8	9.7	9.5	9.6	9.5	9.5	9.4	9.9	9.4
Mortality																		
U.S. ^b	2.8	2.6	2.4	2.4	2.3	2.4	2.4	2.4	2.3	2.4	2.3	2.4	2.3	2.4	2.4	2.3	2.3	2.3
SEER ^a	3.0	2.5	2.2	2.4	2.0	2.4	2.2	2.5	2.4	2.5	2.4	2.5	2.1	2.2	2.3	2.1	2.2	2.2
Relative Survival Rates (SEER ^a)																		
1-year	81.8	85.7	84.0	86.5	84.9	86.9	85.9	84.2	85.8	85.8	86.3	85.8	86.8	85.9	87.1	86.0	85.7	
2-year	75.6	79.8	79.5	81.8	79.5	82.3	79.9	79.6	79.3	79.1	79.7	81.5	82.6	81.9	81.0	81.1		
3-year	73.2	77.0	76.0	79.5	78.0	79.2	76.4	76.0	76.3	75.2	77.4	79.8	79.7	80.3	77.6			
4-year	71.2	75.1	74.1	78.0	75.8	77.1	75.1	74.9	75.0	74.3	77.0	78.0	78.4	79.3				
5-year	70.6	74.1	73.2	76.1	74.0	75.1	73.3	73.7	74.7	72.3	76.0	76.4	76.9					
6-year	69.4	72.7	72.0	75.9	71.8	72.9	73.3	73.0	74.7	70.6	73.5	75.6						
7-year	68.2	71.2	71.4	75.9	71.1	71.5	73.3	72.9	74.1	69.2	72.8							
8-year	68.0	70.5	71.1	74.8	70.7	70.5	72.5	71.8	73.2	68.9								
9-year	67.3	69.1	70.0	74.8	69.4	70.0	71.9	70.9	72.8									
10-year	66.1	68.0	69.3	73.6	67.9	69.9	71.4	67.3										
11-year	65.3	67.2	69.3	71.2	67.7	68.9	69.4											
12-year	64.7	66.8	68.5	69.5	67.7	66.2												
13-year	64.6	66.0	67.3	69.1	65.9													
14-year	63.5	65.6	66.6	66.4														
15-year	62.5	64.8	64.4															
16-year	62.5	64.3																
17-year	62.3																	
18-year	62.3																	
19-year	62.3																	
20-year	61.9																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XXVII-10
ALL SITES (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males and Females

Ages 0-14

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	12.7	13.0	14.5	14.3	14.2	13.5	15.0	14.2	15.1	13.4	14.9	13.9	13.9	14.6	14.0	15.3	14.1	15.1
Mortality																		
U.S. ^b	4.6	4.1	3.6	3.5	3.4	3.3	3.3	3.1	3.1	3.0	3.0	2.8	2.7	2.6	2.6	2.4	2.5	2.5
SEER ^a	4.7	4.2	4.0	4.1	3.8	3.6	2.8	3.2	3.4	2.8	3.1	2.6	2.6	2.4	2.4	2.6	2.5	2.6
Relative Survival Rates (SEER ^a)																		
1-year	81.4	85.0	87.2	85.6	86.0	88.7	88.5	89.2	90.9	91.1	88.4	90.4	90.3	92.7	91.1	90.9	91.2	
2-year	71.1	75.7	78.2	76.1	76.9	80.3	79.9	81.5	82.2	84.0	81.9	84.4	84.5	86.3	84.8	83.9		
3-year	65.4	70.6	73.8	72.2	72.6	76.5	75.5	77.1	78.7	80.9	78.4	81.3	81.0	83.5	82.3			
4-year	62.0	67.4	70.6	70.8	70.5	73.3	73.0	74.8	75.9	78.7	77.5	78.6	78.3	80.4				
5-year	59.8	65.7	69.7	68.5	69.9	72.4	71.5	73.7	74.7	77.5	75.8	77.9	76.7					
6-year	58.1	64.5	68.4	67.6	68.6	72.0	70.5	72.9	74.2	76.1	75.3	77.6						
7-year	56.9	63.5	67.2	67.4	67.4	71.1	69.0	71.8	73.8	75.8	74.7							
8-year	56.2	62.8	66.0	67.1	67.4	70.5	68.0	71.4	73.0	75.6								
9-year	55.8	62.3	65.5	66.5	67.1	70.2	67.6	70.8	72.5									
10-year	55.6	61.8	64.7	66.4	66.5	69.9	67.1	70.4										
11-year	55.2	61.4	64.0	66.4	66.2	69.8	66.8											
12-year	54.8	60.9	63.7	65.6	66.1	69.5												
13-year	54.7	60.5	63.4	65.3	65.6													
14-year	54.3	60.2	63.3	64.0														
15-year	54.0	59.9	63.0															
16-year	53.6	59.6																
17-year	53.2																	
18-year	53.0																	
19-year	52.7																	
20-year	52.5																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.

Table XXVII-11
ALL SITES (Invasive)

INCIDENCE, DEATH, AND SURVIVAL RATES^c

By Year of Diagnosis/Death

All Races, Males and Females

Ages 0-19

Year of Diagnosis/Death

	1975- 1979	1980- 1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Incidence																		
SEER ^a	14.1	14.6	15.9	15.9	15.3	15.3	16.7	15.7	16.4	16.1	16.2	15.6	15.8	16.2	15.7	16.4	15.4	16.8
Mortality																		
U.S. ^b	4.9	4.4	3.8	3.8	3.7	3.6	3.5	3.4	3.4	3.3	3.3	3.1	3.0	2.9	2.9	2.7	2.8	2.8
SEER ^a	5.0	4.4	4.2	4.3	3.9	3.8	3.1	3.6	3.6	3.3	3.5	3.1	2.9	2.7	2.6	2.7	2.8	3.0
Relative Survival Rates (SEER ^a)																		
1-year	83.0	86.3	87.9	88.0	88.0	89.9	89.6	90.4	91.4	90.5	89.7	90.6	90.2	93.1	91.6	92.0	91.1	
2-year	73.0	77.3	78.8	79.0	79.8	82.4	81.3	82.9	83.4	83.4	82.6	84.0	84.6	87.3	85.1	85.0		
3-year	67.9	72.3	75.2	75.5	75.5	78.2	77.3	78.3	79.6	80.3	79.3	80.5	81.3	85.0	81.9			
4-year	64.7	69.3	72.5	73.8	73.0	75.4	74.1	75.9	77.4	78.2	77.9	78.5	79.6	81.9				
5-year	62.6	67.6	71.5	71.9	72.3	74.6	72.9	74.6	76.1	76.9	76.1	77.7	78.1					
6-year	60.9	66.1	70.4	71.2	71.2	74.0	71.7	73.6	75.5	75.6	75.6	77.3						
7-year	59.9	65.4	69.2	70.8	70.0	73.1	70.7	72.6	74.8	75.1	75.1							
8-year	59.1	64.5	68.3	70.4	69.6	72.1	70.1	71.9	74.1	75.0								
9-year	58.6	63.8	67.7	69.8	69.0	71.9	69.4	71.4	73.7									
10-year	58.2	63.4	67.0	69.5	68.6	71.3	69.1	71.1										
11-year	57.9	63.0	66.4	69.3	68.3	71.2	68.9											
12-year	57.5	62.6	66.1	68.8	68.2	70.9												
13-year	57.4	62.2	65.7	68.2	67.8													
14-year	57.0	61.8	65.5	66.9														
15-year	56.8	61.4	65.3															
16-year	56.4	60.9																
17-year	56.0																	
18-year	55.8																	
19-year	55.5																	
20-year	55.1																	

^a Rates are from the SEER 9 areas.

^b Rates are from the NCHS public use data file.

^c Incidence and death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population by 5-year age groups. Survival rates are relative rates expressed as percents.