

Table A-1

NUMBER OF INCIDENCE CASES, 1992-96By Primary Cancer Site, Race and Sex
SEER Geographic Areas

Site	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral & Pharynx	13,799	9,325	4,474	11,210	7,486	3,724	1,491	1,087	404
Esophagus	5,213	3,826	1,387	4,043	2,952	1,091	884	634	250
Stomach	10,007	6,260	3,747	7,257	4,575	2,682	1,231	770	461
Colon & Rectum	63,068	31,737	31,331	53,105	26,671	26,434	5,342	2,537	2,805
Colon	45,899	22,113	23,786	38,659	18,624	20,035	4,114	1,875	2,239
Rectum	17,169	9,624	7,545	14,446	8,047	6,399	1,228	662	566
Liver & Intrahep	5,156	3,447	1,709	3,483	2,291	1,192	553	386	167
Pancreas	12,607	6,094	6,513	10,280	4,916	5,364	1,462	709	753
Larynx	5,176	4,143	1,033	4,274	3,421	853	693	551	142
Lung & Bronchus	76,859	44,852	32,007	64,688	37,042	27,646	7,848	5,032	2,816
Melanomas of skin	18,179	10,066	8,113	17,092	9,509	7,583	94	52	42
Breast	82,331	562	81,769	70,213	457	69,756	6,712	63	6,649
Cervix uteri	5,971	-	5,971	4,441	-	4,441	822	-	822
Corp & Uter, NOS	15,582	-	15,582	13,540	-	13,540	944	-	944
Ovary	10,822	-	10,822	9,415	-	9,415	691	-	691
Prostate	92,128	92,128	-	74,762	74,762	-	10,155	10,155	-
Testis	3,392	3,392	-	3,117	3,117	-	73	73	-
Urinary bladder	23,609	17,328	6,281	21,473	15,814	5,659	1,043	681	362
Kidney & Renal pel	12,530	7,669	4,861	10,591	6,483	4,108	1,211	721	490
Brain & Oth Nerv	7,813	4,395	3,418	6,905	3,896	3,009	448	230	218
Thyroid	7,336	1,919	5,417	6,040	1,630	4,410	405	93	312
Hodgkin's disease	3,569	1,936	1,633	3,066	1,665	1,401	347	186	161
Non-Hodgkin's lymph	22,144	12,440	9,704	19,039	10,602	8,437	1,545	975	570
Multiple myeloma	6,246	3,292	2,954	4,874	2,592	2,282	1,006	487	519
Leukemias	14,061	7,936	6,125	12,044	6,833	5,211	975	533	442
Acute lymph	1,618	922	696	1,323	763	560	117	62	55
Chronic lymph	4,259	2,491	1,768	3,794	2,213	1,581	258	161	97
Acute myeloid	3,692	1,931	1,761	3,132	1,659	1,473	259	113	146
Chronic myeloid	2,005	1,149	856	1,672	958	714	173	102	71
All others	2,487	1,443	1,044	2,123	1,240	883	168	95	73
All Sites	557,508	293,790	263,718	468,043	244,124	223,919	49,867	28,025	21,842

Source: SEER Program.

Table A-2

NUMBER OF DEATHS, 1992-96By Primary Cancer Site, Race and Sex
United States

Site	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral & Pharynx	40,175	26,648	13,527	32,954	21,294	11,660	6,230	4,654	1,576
Esophagus	53,703	40,388	13,315	43,427	32,810	10,617	9,548	6,998	2,550
Stomach	68,029	40,140	27,889	53,755	31,867	21,888	11,160	6,501	4,659
Colon & Rectum	286,192	141,340	144,852	250,578	124,254	126,324	31,267	14,811	16,456
Colon	246,436	119,849	126,587	215,653	105,350	110,303	27,259	12,689	14,570
Rectum	39,756	21,491	18,265	34,925	18,904	16,021	4,008	2,122	1,886
Liver & Intrahep	52,816	32,263	20,553	42,939	25,867	17,072	6,455	4,054	2,401
Pancreas	133,368	64,110	69,258	115,261	55,622	59,639	15,861	7,345	8,516
Larynx	19,683	15,580	4,103	15,887	12,503	3,384	3,621	2,933	688
Lung & Bronchus	746,876	458,978	287,898	658,827	400,041	258,786	78,314	52,759	25,555
Melanomas of skin	34,142	21,074	13,068	33,463	20,771	12,692	525	224	301
Breast	218,932	1,738	217,194	190,407	1,456	188,951	25,643	267	25,376
Cervix uteri	22,868	-	22,868	17,212	-	17,212	4,935	-	4,935
Corp & Uter, NOS	30,871	-	30,871	25,849	-	25,849	4,600	-	4,600
Ovary	66,053	-	66,053	59,964	-	59,964	5,079	-	5,079
Prostate	172,601	172,601	-	142,703	142,703	-	28,098	28,098	-
Testis	1,737	1,737	-	1,617	1,617	-	91	91	-
Urinary bladder	55,371	37,256	18,115	50,598	34,623	15,975	4,292	2,318	1,974
Kidney & Renal pel	53,676	32,665	21,011	48,228	29,398	18,830	4,682	2,776	1,906
Brain & Oth Nerv	60,684	32,953	27,731	56,416	30,702	25,714	3,476	1,828	1,648
Thyroid	5,606	2,102	3,504	4,970	1,912	3,058	449	136	313
Hodgkin's disease	7,492	4,185	3,307	6,645	3,673	2,972	768	454	314
Non-Hodgkin's lymph	107,577	55,698	51,879	99,172	51,060	48,112	6,784	3,727	3,057
Multiple myeloma	49,449	25,047	24,402	40,608	20,781	19,827	8,220	3,933	4,287
Leukemias	99,773	55,137	44,636	89,686	49,694	39,992	8,433	4,523	3,910
Acute lymph	6,998	3,959	3,039	6,138	3,489	2,649	650	359	291
Chronic lymph	20,845	12,081	8,764	19,007	10,978	8,029	1,750	1,052	698
Acute myeloid	29,260	15,752	13,508	26,403	14,319	12,084	2,253	1,108	1,145
Chronic myeloid	11,417	6,424	4,993	9,990	5,646	4,344	1,215	652	563
All others	31,253	16,921	14,332	28,148	15,262	12,886	2,565	1,352	1,213
All Sites	2,662,664	1,398,125	1,264,539	2,320,471	1,211,323	1,109,148	299,541	163,917	135,624

Source: NCHS public use tape.

Table A-3

SEER Recode for Primary Site based on ICD-O-2

Primary Site	Site/Type	Excluding Type
Buccal cavity and pharynx		
Lip	C000:C009	M-9590:9989
Tongue	C019:C029	M-9590:9989
Salivary glands	C079:C089	M-9590:9989
Floor of mouth	C040:C049	M-9590:9989
Gum and other mouth	C030:C039, C050:C059, C060:C069	M-9590:9989
Nasopharynx	C110:C119	M-9590:9989
Tonsil	C090:C099	M-9590:9989
Oropharynx	C100:C109	M-9590:9989
Hypopharynx	C129, C130:C139, C141	M-9590:9989
Other buccal cavity and pharynx	C140, C142:C148	M-9590:9989
Digestive system		
Esophagus	C150:C159	M-9590:9989
Stomach	C160:C169	M-9590:9989
Small intestine	C170:C179	M-9590:9989
Colon excluding rectum		
Cecum	C180	M-9590:9989
Appendix	C181	M-9590:9989
Ascending colon	C182	M-9590:9989
Hepatic flexure	C183	M-9590:9989
Transverse colon	C184	M-9590:9989
Splenic flexure	C185	M-9590:9989
Descending colon	C186	M-9590:9989
Sigmoid colon	C187	M-9590:9989
Large intestine, NOS	C188:C189, C260	M-9590:9989
Rectum and rectosigmoid		
Rectosigmoid junction	C199	M-9590:9989
Rectum	C209	M-9590:9989
Anus, anal canal and anorectum	C210:C212, C218	M-9590:9989
Liver and intrahepatic bile duct		
Liver	C220	M-9590:9989
Intrahepatic bile duct	C221	M-9590:9989
Gallbladder	C239	M-9590:9989
Other biliary	C240:C249	M-9590:9989
Pancreas	C250:C259	M-9590:9989
Retroperitoneum	C480	M-9590:9989
Peritoneum, momentum and mesentery	C481:C482	M-9590:9989
Other digestive organs	C268:C269, C488	M-9590:9989
Respiratory system		
Nasal cavity, middle ear and accessory sinuses	C300:C301, C310:C319	M-9590:9989
Larynx	C320:C329	M-9590:9989
Lung and bronchus	C340:C349	M-9590:9989
Pleura	C384	M-9590:9989
Trachea, mediastinum and other respiratory organs	C339, C381:C383, C388, C390, C398, C399	M-9590:9989

Table A-3 - continued

SEER Recode for Primary Site based on ICD-O-2

Primary Site	Site/Type	Excluding Type
Bones and joints	C400:C419	M-9590:9989
Soft tissue (including heart)	C380,C470:C479,C490:C499	M-9590:9989
Skin (excluding basal and squamous) Melanomas -- skin Other non-epithelial skin	C440:C449 (types 872:879) C440:C449	M-8000:8004, 8010:8012, 8070:8076, 8090:8096, 8720:8790, 9590:9989
Breast	C500:C509	M-9590:9989
Female genital system Cervix Corpus Uterus, NOS Ovary Vagina Vulva Other female genital organs	C530:C539 C540:C549 C559 C569 C529 C510:C519 C570:C589	M-9590:9989 M-9590:9989 M-9590:9989 M-9590:9989 M-9590:9989 M-9590:9989 M-9590:9989
Male genital system Prostate Testis Penis Other male genital organs	C619 C620:C629 C600:C609 C630:C639	M-9590:9989 M-9590:9989 M-9590:9989 M-9590:9989
Urinary system Urinary bladder Kidney and renal pelvis Ureter Other urinary organs	C670:C679 C649,C659 C669 C680:C689	M-9590:9989 M-9590:9989 M-9590:9989 M-9590:9989
Eye and orbit	C690:C699	M-9590:9989
Brain and other nervous system Brain Other nervous system	C710:C719 C710:C719 (type 953), C700:C709,C720:C729	M-9530:9539, 9590:9989 M-9590:9989
Endocrine system Thyroid Other endocrine (including thymus)	C739 C379,C740:C749,C750:C759	M-9590:9989 M-9590:9989

Table A-3 - continued

SEER Recode for Primary Site based on ICD-O-2

Primary Site	Site/Type	Excluding Type
Lymphomas		
Hodgkin's disease	types 9650:9667	
Nodal	C024,C098,C099,C111,C142,C379, C422,C770:C779	
Extranodal	for all other sites	
Non-Hodgkin's lymphomas	types 9590:9595,9670:9717	
Nodal	C024,C098,C099,C111,C142,C379, C422,C770:C779	
Extranodal	for all other sites	
Multiple myeloma	types 9731:9732	
Leukemias		
Lymphocytic		
Acute lymphocytic	type 9821,9828	
Chronic lymphocytic	type 9823	
Other lymphocytic	types 9820,9822,9824,9825,9826	
Granulocytic (myeloid)		
Acute granulocytic	type 9861,9867,9871-9874	
Chronic granulocytic	type 9863,9868	
Other granulocytic	types 9860,9862,9864,9866	
Monocytic		
Acute monocytic	type 9891	
Chronic monocytic	type 9893	
Other monocytic	types 9890,9892,9894	
Other		
Other acute	types 9801,9841	
Other chronic	types 9803,9842	
Aleukemic, subleukemic and NOS	types 9800,9802,9804,9827, 9830,9840,9850,9870,9880, 9900,9910,9930:9941	
Ill-defined and unspecified sites	types 9720:9723,9740,9741, 9760:9764,9950:9989 C760:C768,C809 (types 8000:9589) C420:C424 (types 8000:9589) C770:C779 (types 8000:9589)	
Invalid site	Site or histology code not within valid range or site code not found in this table.	

Table A-4

SEER Site Groupings for ICD-9 NCHS Mortality Data

Underlying Cause of Death	ICD-9 codes
Buccal cavity and pharynx	
Lip	140.0-140.9
Tongue	141.0-141.9
Salivary glands	142.0-142.9
Floor of mouth	144.0-144.9
Gum and other mouth	143.0-143.9,145.0-145.6,145.8-145.9
Nasopharynx	147.0-147.9
Tonsil	146.0-146.2
Oropharynx	146.3-146.9
Hypopharynx	148.0-148.9
Other buccal cavity and pharynx	149.0-149.9
Digestive system	
Esophagus	150.0-150.9
Stomach	151.0-151.9
Small intestine	152.0-152.9
Colon excluding rectum	153.0-153.9,159.0
Rectum and rectosigmoid	154.0-154.1
Anus, anal canal and anorectum	154.2-154.3,154.8
Liver and intrahepatic bile duct	
Liver	155.0,155.2
Intrahepatic bile duct	155.1
Gallbladder	156.0
Other biliary	156.1-156.9
Pancreas	157.0-157.9
Retroperitoneum	158.0
Peritoneum, omentum and mesentery	158.8-158.9
Other digestive organs	159.8-159.9
Respiratory system	
Nasal cavity, middle ear and accessory sinuses	160.0-160.9
Larynx	161.0-161.9
Lung and bronchus	162.2-162.9
Pleura	163.0-163.9
Trachea, mediastinum and other respiratory organs	162.0,164.2-165.9
Bones and joints	170.0-170.9
Soft tissue (including heart)	171.0-171.9,164.1
Skin	
Melanomas -- skin	172.0-172.9
Other non-epithelial skin	173.0-173.9
Breast	174.0-174.9,175.0
Female genital system	
Cervix	180.0-180.9
Corpus	182.0-182.1,182.8
Uterus, NOS	179.0
Ovary	183.0
Vagina	184.0
Vulva	184.1-184.4
Other female genital organs	181.0,183.2-183.9,184.8,184.9

Table A-4 - continued

SEER Site Groupings for ICD-9 NCHS Mortality Data

Underlying Cause of Death	ICD-9 codes
Male genital system	
Prostate	185._
Testis	186.0-186.9
Penis	187.1-187.4
Other male genital organs	187.5-187.9
Urinary system	
Urinary bladder	188.0-188.9
Kidney and renal pelvis	189.0,189.1
Ureter	189.2
Other urinary organs	189.3-189.4,189.8-189.9
Eye and orbit	190.0-190.9
Brain and other nervous system	
Brain	191.0-191.9
Other nervous system	192.0-192.3,192.8-192.9
Endocrine system	
Thyroid	193._
Other endocrine (including thymus)	164.0,194.0-194.9
Lymphomas	
Hodgkin's disease	201.0-201.9
Non-Hodgkin's lymphomas	200.0-200.8,202.0-202.2, 202.8-202.9
Multiple myeloma	203.0,203.2-203.8
Leukemias	
Lymphocytic	
Acute lymphocytic	204.0
Chronic lymphocytic	204.1
Other lymphocytic	204.2-204.9
Granulocytic (myeloid)	
Acute myeloid	205.0
Chronic myeloid	205.1
Other myeloid	205.2-205.9
Monocytic	
Acute monocytic	206.0
Chronic monocytic	206.1
Other monocytic	206.2-206.9
Other	
Other acute	207.0,208.0
Other chronic	207.1,208.1
Aleukemic, subleukemic and NOS	202.4,203.1,207.2,207.8,208.2-208.9
Ill-defined and unspecified sites	159.1,195.0-195.8,196.0-196.9, 199.0-199.1,202.3,202.5-202.6

Table A-5

ANNUAL POPULATIONS AVERAGED OVER 1992-96

By State, Race and Sex

State	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Total U.S.	260,197,403	127,176,039	133,021,364	216,276,709	106,181,592	110,095,117	32,622,044	15,475,609	17,146,435
Alabama	4,222,463	2,027,916	2,194,547	3,097,087	1,506,833	1,590,254	1,083,848	501,149	582,700
Alaska	598,174	315,415	282,759	456,162	243,572	212,590	24,661	13,231	11,430
Arizona	4,150,731	2,053,516	2,097,216	3,694,771	1,828,297	1,866,474	139,848	71,966	67,883
Arkansas	2,451,280	1,184,307	1,266,973	2,030,093	987,965	1,042,128	392,892	182,757	210,135
California	31,372,021	15,711,108	15,660,913	25,220,557	12,700,706	12,519,852	2,373,024	1,173,043	1,199,981
Colorado	3,647,958	1,809,811	1,838,147	3,378,779	1,675,839	1,702,940	157,270	80,417	76,853
Connecticut	3,270,762	1,587,395	1,683,367	2,903,954	1,411,517	1,492,437	293,114	139,335	153,779
Delaware	706,578	344,018	362,560	563,651	275,969	287,682	128,403	61,055	67,349
Dist. of Columbia	563,834	264,053	299,781	181,706	89,246	92,460	364,857	166,709	198,148
Florida	13,953,569	6,769,149	7,184,420	11,637,991	5,659,412	5,978,579	2,056,457	986,384	1,070,073
Georgia	7,046,580	3,429,408	3,617,172	4,956,457	2,448,130	2,508,326	1,964,366	919,420	1,044,946
Hawaii	1,168,858	592,053	576,805	319,490	170,353	149,138	34,389	19,755	14,635
Idaho	1,131,081	564,721	566,360	1,098,159	548,267	549,892	5,662	3,137	2,525
Illinois	11,730,615	5,716,543	6,014,072	9,578,534	4,699,000	4,879,534	1,780,187	834,854	945,333
Indiana	5,741,113	2,792,985	2,948,128	5,216,872	2,544,206	2,672,666	464,031	219,250	244,781
Iowa	2,828,914	1,376,404	1,452,510	2,735,058	1,329,282	1,405,776	53,272	26,974	26,298
Kansas	2,550,617	1,254,898	1,295,719	2,336,310	1,147,974	1,188,336	152,095	76,546	75,549
Kentucky	3,821,345	1,854,770	1,966,576	3,517,286	1,709,482	1,807,804	275,973	131,600	144,373
Louisiana	4,306,572	2,074,971	2,231,601	2,875,926	1,404,465	1,471,461	1,362,161	636,460	725,701
Maine	1,236,003	602,850	633,153	1,216,925	593,195	623,729	5,428	3,135	2,293
Maryland	4,985,038	2,423,854	2,561,184	3,483,569	1,713,267	1,770,302	1,314,043	619,496	694,547
Massachusetts	6,034,758	2,907,776	3,126,982	5,475,659	2,635,414	2,840,245	361,892	175,722	186,170
Michigan	9,591,271	4,668,592	4,922,679	8,041,246	3,938,545	4,102,702	1,362,148	637,430	724,718
Minnesota	4,563,802	2,247,019	2,316,783	4,290,433	2,110,610	2,179,823	117,009	60,028	56,982
Mississippi	2,661,918	1,276,885	1,385,034	1,674,968	816,951	858,018	961,799	447,673	514,125

Source: NCI estimates based on Census Bureau population data.

Table A-5 - continued

ANNUAL POPULATIONS AVERAGED OVER 1992-96

By State, Race and Sex

State	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Missouri	5,280,303	2,554,004	2,726,299	4,625,749	2,246,913	2,378,836	582,833	272,043	310,790
Montana	852,591	424,146	428,446	792,791	394,694	398,097	3,000	1,733	1,267
Nebraska	1,624,583	794,564	830,019	1,530,843	748,695	782,148	62,225	30,532	31,693
Nevada	1,460,892	744,480	716,412	1,272,458	651,830	620,628	105,144	53,288	51,856
New Hampshire	1,135,106	557,537	577,569	1,114,314	546,980	567,334	7,428	4,059	3,369
New Jersey	7,912,168	3,833,307	4,078,861	6,403,106	3,110,757	3,292,349	1,132,381	538,187	594,193
New Mexico	1,650,416	813,690	836,726	1,439,403	710,870	728,533	39,710	20,592	19,118
New York	18,130,634	8,723,353	9,407,281	14,041,931	6,789,202	7,252,729	3,161,360	1,471,107	1,690,253
North Carolina	7,067,756	3,433,154	3,634,602	5,337,041	2,618,603	2,718,437	1,568,661	735,719	832,942
North Dakota	639,235	318,939	320,296	602,713	300,667	302,046	4,040	2,322	1,718
Ohio	11,089,813	5,360,642	5,729,171	9,722,064	4,715,602	5,006,462	1,235,617	580,116	655,501
Oklahoma	3,249,615	1,587,333	1,662,282	2,701,505	1,319,661	1,381,844	250,059	122,155	127,904
Oregon	3,087,782	1,523,760	1,564,023	2,902,716	1,432,121	1,470,596	53,816	27,940	25,876
Pennsylvania	12,026,433	5,782,614	6,243,819	10,690,557	5,152,041	5,538,517	1,148,442	538,280	610,162
Rhode Island	994,247	478,188	516,059	923,839	443,132	480,707	45,404	22,627	22,776
South Carolina	3,654,158	1,766,964	1,887,194	2,517,915	1,235,834	1,282,081	1,100,450	514,342	586,108
South Dakota	727,998	359,038	368,960	664,612	327,440	337,172	4,399	2,724	1,675
Tennessee	5,159,148	2,491,000	2,668,148	4,264,071	2,072,612	2,191,459	842,175	392,677	449,498
Texas	18,385,834	9,074,707	9,311,127	15,624,822	7,736,218	7,888,604	2,237,145	1,078,978	1,158,167
Utah	1,923,136	957,323	965,813	1,836,416	913,707	922,709	15,180	8,691	6,489
Vermont	578,462	284,447	294,014	569,991	280,220	289,772	2,724	1,478	1,246
Virginia	6,530,701	3,202,755	3,327,946	5,031,282	2,483,099	2,548,183	1,280,605	614,599	666,006
Washington	5,337,824	2,654,410	2,683,414	4,791,835	2,383,765	2,408,069	177,438	94,253	83,185
West Virginia	1,816,636	875,667	940,969	1,748,335	843,512	904,823	57,247	26,942	30,305
Wisconsin	5,072,833	2,491,604	2,581,229	4,689,462	2,305,831	2,383,631	271,729	130,534	141,195
Wyoming	473,242	237,998	235,245	455,294	229,089	226,205	4,003	2,167	1,836

Source: NCI estimates based on Census Bureau population data.

Table A-6

ANNUAL POPULATIONS AVERAGED OVER 1992-96

By SEER Registry, Race and Sex

Area	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Total	24,770,704	12,144,214	12,626,489	19,619,642	9,671,106	9,948,535	2,778,222	1,319,382	1,458,841
San Francisco-Oakland SMSA	3,837,263	1,893,307	1,943,956	2,632,134	1,313,100	1,319,034	460,058	223,317	236,740
Connecticut	3,270,762	1,587,395	1,683,367	2,903,954	1,411,517	1,492,437	293,114	139,335	153,779
Metropolitan Detroit	4,023,412	1,933,017	2,090,395	2,959,067	1,442,989	1,516,077	980,102	448,499	531,603
Hawaii	1,168,858	592,053	576,805	319,490	170,353	149,138	34,389	19,755	14,635
Iowa	2,828,914	1,376,404	1,452,510	2,735,058	1,329,282	1,405,776	53,272	26,974	26,298
New Mexico	1,650,416	813,690	836,726	1,439,403	710,870	728,533	39,710	20,592	19,118
Seattle-Puget Sound	3,664,974	1,822,329	1,842,644	3,210,377	1,597,573	1,612,803	157,487	83,222	74,265
Utah	1,923,136	957,323	965,813	1,836,416	913,707	922,709	15,180	8,691	6,489
Metropolitan Atlanta	2,402,969	1,168,697	1,234,272	1,583,742	781,715	802,027	744,911	348,997	395,913

Source: NCI estimates based on Census Bureau population data.

Table A-7

Standard Million Populations, By Age

Age	United States Standard Million Population, 1970	World Standard Million Population
All Ages	1,000,000	1,000,000
<5	84,416	120,000
5-9	98,204	100,000
10-14	102,304	90,000
15-19	93,845	90,000
20-24	80,561	80,000
25-29	66,320	80,000
30-34	56,249	60,000
35-39	54,656	60,000
40-44	58,958	60,000
45-49	59,622	60,000
50-54	54,643	50,000
55-59	49,077	40,000
60-64	42,403	40,000
65-69	34,406	30,000
70-74	26,789	20,000
75-79	18,871	10,000
80-84	11,241	5,000
85+	7,435	5,000

Sources: U.S. Bureau of the Census, Census of Population 1970.

Muir C, Waterhouse J, Mack T, Powell J, Whelan S. Cancer Incidence In Five Continents, Volume V, pg. 792.

Table A-8
ALL SITES (Invasive)

SEER FOLLOW-UP RATES* FOR CASES DIAGNOSED 1973-1995
By Registry, Sex, and Age

	Males				Females			
	All Ages	00-19	20-64	65+	All Ages	00-19	20-64	65+
<u>FOLLOWED INTO 1995</u>								
REGISTRY								
Standard 9 registries	98.66	93.13	97.49	99.61	97.31	89.64	95.48	99.19
San Francisco-Oakland	98.26	91.53	96.93	99.46	96.61	86.25	94.21	99.09
Connecticut	97.70	91.94	95.71	99.10	95.63	88.05	92.64	98.24
Metropolitan Detroit	99.08	93.36	98.42	99.71	97.53	90.67	96.17	99.07
Hawaii	98.98	94.09	98.20	99.65	97.99	91.14	96.99	99.51
Iowa	99.82	97.70	99.60	99.98	99.72	96.36	99.47	99.95
New Mexico	99.26	94.27	98.68	99.77	98.55	91.22	97.89	99.48
Seattle-Puget Sound	99.09	94.83	98.15	99.83	97.98	89.52	96.46	99.66
Utah	97.16	87.84	94.44	99.35	95.87	83.82	93.26	99.42
Metropolitan Atlanta	97.86	91.81	96.31	99.64	96.08	90.01	93.78	99.24
<u>FOLLOWED INTO 1996</u>								
REGISTRY								
Standard 9 registries	98.00	89.86	96.20	99.44	96.10	85.96	93.41	98.84
San Francisco-Oakland	97.71	87.84	95.97	99.30	95.77	82.76	92.73	98.91
Connecticut	96.58	91.61	93.39	98.75	93.43	87.47	88.74	97.41
Metropolitan Detroit	98.56	88.46	97.48	99.60	96.45	85.11	94.48	98.70
Hawaii	98.05	89.19	96.39	99.43	96.22	84.39	94.28	99.10
Iowa	99.67	96.73	99.23	99.96	99.50	94.78	99.00	99.93
New Mexico	98.78	92.87	97.61	99.69	97.70	88.58	96.39	99.37
Seattle-Puget Sound	98.60	92.15	97.15	99.73	97.00	86.27	94.72	99.44
Utah	96.10	80.95	92.35	99.21	94.04	76.58	90.23	99.22
Metropolitan Atlanta	96.48	86.36	94.14	99.21	94.10	85.89	90.92	98.47

* Represents the percentage of first primaries diagnosed 1973-1995 and followed into the specified year.