

# TABLES

# TABLES

**Table 1. Cases of sexually transmitted diseases reported by state health departments and rates per 100,000 population: United States, 1941–2006**

Year*	Syphilis										Chlamydia		Gonorrhea		Chancroid	
	All Stages		Primary and Secondary		Early Latent		Late and Late Latent†		Congenital		Cases	Rate	Cases	Rate	Cases	Rate
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate <sup>§</sup>						
1941	485,560	368.2	68,231	51.7	109,018	82.6	202,984	153.9	17,600	651.1	NR	.	193,468	146.7	3,384	2.5
1942	479,601	363.4	75,312	57.0	116,245	88.0	202,064	153.1	16,918	566.0	NR	.	212,403	160.9	5,477	4.1
1943	575,593	447.0	82,204	63.8	149,390	116.0	251,958	195.7	16,164	520.7	NR	.	275,070	213.6	8,354	6.4
1944	467,755	367.9	78,443	61.6	123,038	96.7	202,848	159.6	13,578	462.0	NR	.	300,676	236.5	7,878	6.1
1945	359,114	282.3	77,007	60.5	101,719	79.9	142,187	111.8	12,339	431.7	NR	.	287,181	225.8	5,515	4.3
1946	363,647	271.7	94,957	70.9	107,924	80.6	125,248	93.6	12,106	354.9	NR	.	368,020	275.0	7,091	5.2
1947	355,592	252.3	93,545	66.4	104,124	73.9	122,089	86.6	12,200	319.6	NR	.	380,666	270.0	9,515	6.7
1948	314,313	218.2	68,174	47.3	90,598	62.9	123,312	85.6	13,931	383.0	NR	.	345,501	239.8	7,661	5.3
1949	256,463	175.3	41,942	28.7	75,045	51.3	116,397	79.5	13,952	382.4	NR	.	317,950	217.3	6,707	4.6
1950	217,558	146.0	23,939	16.7	59,256	39.7	113,569	70.2	13,377	368.3	NR	.	286,746	192.5	4,977	3.3
1951	174,924	116.1	14,485	9.6	43,316	28.7	98,311	65.2	11,094	290.4	NR	.	254,470	168.9	4,233	2.8
1952	167,762	110.2	10,449	6.9	36,454	24.0	105,238	69.1	8,553	218.8	NR	.	244,957	160.8	3,738	2.5
1953	148,573	95.9	8,637	5.6	28,295	18.3	98,870	63.8	7,675	193.9	NR	.	238,340	153.9	3,338	2.2
1954	130,687	82.9	7,147	4.5	23,861	15.1	89,123	56.5	6,676	164.0	NR	.	242,050	153.5	3,003	1.9
1955	122,392	76.2	6,454	4.0	20,054	12.5	86,526	53.8	5,354	130.7	NR	.	236,197	147.0	2,649	1.7
1956	130,201	78.7	6,392	3.9	19,783	12.0	95,097	57.5	5,491	130.4	NR	.	224,346	135.7	2,135	1.3
1957	123,758	73.5	6,576	3.9	17,796	10.6	91,309	54.2	5,288	123.0	NR	.	214,496	127.4	1,637	1.0
1958	113,884	66.4	7,176	4.2	16,556	9.7	83,027	48.4	4,866	114.6	NR	.	232,386	135.6	1,595	0.9
1959	120,824	69.2	9,799	5.6	17,025	9.8	86,740	49.7	5,130	119.7	NR	.	240,254	137.6	1,537	0.9
1960	122,538	68.8	16,145	9.1	18,017	10.1	81,798	45.9	4,416	103.7	NR	.	258,933	145.4	1,680	0.9
1961	124,658	68.8	19,851	11.0	19,486	10.8	79,304	43.8	4,163	97.5	NR	.	264,158	145.8	1,438	0.8
1962	126,245	68.7	21,067	11.5	19,585	10.7	79,533	43.3	4,070	97.7	NR	.	263,714	143.6	1,344	0.7
1963	124,137	66.5	22,251	11.9	18,235	9.8	78,076	41.8	4,031	98.4	NR	.	278,289	149.0	1,220	0.7
1964	114,325	60.4	22,969	12.1	17,781	9.4	68,629	36.3	3,516	87.3	NR	.	300,666	158.9	1,247	0.7
1965	112,842	58.9	23,338	12.2	17,458	9.1	67,317	35.1	3,564	94.8	NR	.	324,925	169.5	982	0.5
1966	105,159	54.2	21,414	11.0	15,950	8.2	63,541	32.7	3,170	87.9	NR	.	351,738	181.2	838	0.4
1967	102,581	52.2	21,053	10.7	15,554	7.9	61,975	31.5	2,894	82.2	NR	.	404,836	205.9	784	0.4
1968	96,271	48.4	19,019	9.6	15,150	7.6	58,564	29.4	2,381	68.0	NR	.	464,543	233.4	845	0.4
1969	92,162	45.7	19,130	9.5	15,402	7.6	54,587	27.1	2,074	57.6	NR	.	534,872	265.4	1,104	0.5
1970	91,382	44.8	21,982	10.8	16,311	8.0	50,348	24.7	1,953	52.3	NR	.	600,072	294.2	1,416	0.7
1971	95,997	46.4	23,783	11.5	19,417	9.4	49,993	24.2	2,052	57.7	NR	.	670,268	324.1	1,320	0.6
1972	91,149	43.6	24,429	11.7	20,784	9.9	43,456	20.8	1,758	54.0	NR	.	767,215	366.6	1,414	0.7
1973	87,469	41.4	24,825	11.7	23,584	11.2	37,054	17.5	1,527	48.7	NR	.	842,621	398.7	1,165	0.6
1974	83,771	39.3	25,385	11.9	25,124	11.8	31,854	14.9	1,138	36.0	NR	.	906,121	424.7	945	0.4
1975	80,356	37.3	25,561	11.9	26,569	12.3	27,096	12.6	916	29.1	NR	.	999,937	464.1	700	0.3
1976	71,761	33.0	23,731	10.9	25,363	11.7	21,905	10.1	626	19.8	NR	.	1,001,994	460.6	628	0.3
1977	64,621	29.4	20,399	9.3	21,329	9.7	22,313	10.2	463	13.9	NR	.	1,002,219	456.0	455	0.2
1978	64,875	29.2	21,656	9.8	19,628	8.8	23,038	10.4	434	13.0	NR	.	1,013,436	456.3	521	0.2
1979	67,049	29.9	24,874	11.1	20,459	9.1	21,301	9.5	332	9.5	NR	.	1,004,058	447.1	840	0.4
1980	68,832	30.3	27,204	12.0	20,297	8.9	20,979	9.2	277	7.7	NR	.	1,004,029	442.1	788	0.3
1981	72,799	31.7	31,266	13.6	21,033	9.2	20,168	8.8	287	7.9	NR	.	990,864	431.8	850	0.4
1982	75,579	32.6	33,613	14.5	21,894	9.5	19,799	8.5	259	7.0	NR	.	960,633	414.7	1,392	0.6
1983	74,637	31.9	32,698	14.0	23,738	10.2	17,896	7.7	239	6.6	NR	.	900,435	385.1	847	0.4
1984	69,872	29.6	28,607	12.1	23,131	9.8	17,829	7.6	305	8.3	7,594	6.5	878,556	372.5	665	0.3
1985	67,563	28.4	27,131	11.4	21,689	9.1	18,414	7.7	329	8.7	25,848	17.4	911,419	383.0	2,067	0.9

**Table 1. Cases of sexually transmitted diseases reported by state health departments and rates per 100,000 population: United States, 1941–2006 (continued)**

Year*	Syphilis										Chlamydia		Gonorrhea		Chancroid	
	All Stages		Primary and Secondary		Early Latent		Late and Late Latent†		Congenital		Cases	Rate	Cases	Rate	Cases	Rate
1986	67,779	28.2	27,667	11.5	21,656	9.0	18,046	7.5	410	10.9	58,001	35.2	892,229	371.5	3,045	1.3
1987	87,286	36.0	35,585	14.7	28,233	11.7	22,988	9.5	480	12.6	91,913	50.8	787,532	325.0	4,986	2.1
1988	104,546	42.8	40,474	16.6	35,968	14.7	27,363	11.2	741	19.0	157,854	87.1	738,160	301.9	4,891	2.0
1989	115,089	46.6	45,826	18.6	45,394	18.4	22,032	8.9	1,837	45.5	200,904	102.5	733,294	297.1	4,697	1.9
1990	135,590	54.3	50,578	20.3	55,397	22.2	25,750	10.3	3,865	92.9	323,663	160.2	690,042	276.4	4,212	1.7
1991	128,719	50.9	42,950	17.0	53,855	21.3	27,490	10.9	4,424	107.6	381,228	179.7	621,918	245.8	3,476	1.4
1992	114,730	44.7	34,009	13.3	49,929	19.5	26,725	10.4	4,067	100.0	409,694	182.3	502,858	196.0	1,906	0.7
1993	102,612	39.5	26,527	10.2	41,919	16.1	30,746	11.8	3,420	85.5	405,332	178.0	444,649	171.1	1,292	0.5
1994	82,713	31.4	20,641	7.8	32,017	12.2	27,603	10.5	2,452	62.0	451,785	192.5	419,602	163.9	782	0.3
1995	69,358	26.0	16,543	6.2	26,657	10.0	24,296	9.1	1,862	47.7	478,577	187.8	392,651	147.5	607	0.2
1996	53,240	19.8	11,405	4.2	20,187	7.5	20,366	7.6	1,282	32.9	492,631	190.6	328,169	121.8	386	0.1
1997	46,715	17.1	8,556	3.1	16,631	6.1	20,447	7.5	1,081	27.9	537,904	205.5	327,665	120.2	246	0.1
1998	38,290	13.9	7,007	2.5	12,696	4.6	17,743	6.4	844	21.4	614,250	231.8	356,492	129.2	189	0.1
1999	35,383	12.7	6,617	2.4	11,534	4.1	16,653	6.0	579	14.6	662,647	247.2	360,813	129.3	110	0.0
2000	31,618	11.2	5,979	2.1	9,465	3.4	15,594	5.5	580	14.3	709,452	251.4	363,136	128.7	78	0.0
2001	32,284	11.3	6,103	2.1	8,701	3.0	16,976	5.9	504	12.5	783,242	274.5	361,705	126.8	38	0.0
2002	32,919	11.4	6,862	2.4	8,429	2.9	17,168	6.0	460	11.4	834,555	289.4	351,852	122.0	48	0.0
2003	34,289	11.8	7,177	2.5	8,361	2.9	18,319	6.3	432	10.6	877,478	301.7	335,104	115.2	54	0.0
2004	33,422	11.4	7,980	2.7	7,768	2.6	17,300	5.9	374	9.1	929,462	316.5	330,132	112.4	30	0.0
2005	33,288	11.2	8,724	2.9	8,176	2.8	16,049	5.4	339	8.2	976,445	329.4	339,593	114.6	17	0.0
2006	36,935	12.5	9,756	3.3	9,186	3.1	17,644	6.0	349	8.5	1,030,911	347.8	358,366	120.9	33	0.0

\*For 1941-1946, data were reported for the federal fiscal year ending June 30 of the year indicated. From 1947 to the present, data were reported for the calendar year ending December 31. For 1941-1958, data for Alaska and Hawaii were not included.

†Late and late latent syphilis includes late latent syphilis, latent syphilis of unknown duration, neurosyphilis, and late syphilis with clinical manifestations other than neurosyphilis.

§Rates include all cases of congenitally acquired syphilis per 100,000 live births. As of 1995, cases of congenital syphilis are obtained in hardcopy and electronic format based on case reporting form CDC 73.126.

Note: Adjustments to the number of cases reported from state health departments were made for hardcopy forms and for electronic data submissions through June 22, 2007 (see Appendix). The number of cases and the rates shown here supersede those published in previous reports. Cases and rates shown in this table exclude the outlying areas of Guam, Puerto Rico and Virgin Islands.

NR = No report.

**Table 2. Chlamydia — Reported cases and rates by state, ranked by rates: United States, 2006**

<i>Rank</i> <sup>*</sup>	<i>State</i>	<i>Cases</i>	<i>Rate per 100,000 Population</i>
1	Alaska	4,525	681.8
2	Mississippi	19,002	650.5
3	South Carolina	22,351	525.3
4	New Mexico	9,829	509.7
5	Alabama	22,915	502.8
6	Hawaii	5,548	435.1
7	Georgia	38,972	429.6
8	Delaware	3,615	428.6
9	Tennessee	25,320	424.6
10	Illinois	53,586	419.8
11	Arizona	24,090	405.6
12	Missouri	22,982	396.2
13	Louisiana	17,885	395.4
14	Maryland	21,859	390.3
15	North Carolina	33,615	387.1
16	California	135,827	375.9
17	Oklahoma	12,992	366.2
18	Wisconsin	20,190	364.7
19	Michigan	36,753	363.1
20	New York	68,720	356.9
21	Ohio	40,106	349.8
22	Colorado	16,313	349.7
	<b>U.S. TOTAL<sup>†</sup></b>	<b>1,030,911</b>	<b>347.8</b>
23	Nevada	8,398	347.8
24	South Dakota	2,633	339.3
25	Texas	75,543	330.5
26	Virginia	24,087	318.3
27	Pennsylvania	39,487	317.7
28	Indiana	19,859	316.6
29	Connecticut	10,946	311.8
30	Nebraska	5,428	308.6
31	Arkansas	8,259	297.2
32	Rhode Island	3,142	292.0
33	North Dakota	1,820	285.9
34	Kansas	7,829	285.2
35	Washington	17,819	283.4
36	Montana	2,650	283.2
37	Iowa	8,390	282.8
38	Wyoming	1,422	279.2
39	Florida	48,955	275.2
40	Oregon	9,577	263.0
41	Minnesota	12,935	252.0
42	Massachusetts	15,394	240.6
43	Idaho	3,345	234.1
44	New Jersey	20,194	231.6
45	Kentucky	8,940	214.2
46	Utah	5,092	206.2
47	Vermont	1,191	191.2
48	Maine	2,306	174.5
49	West Virginia	2,910	160.2
50	New Hampshire	1,997	152.4

\*States were ranked in descending order by rate, number of cases, and alphabetically by state.

<sup>†</sup>Total includes cases reported by the District of Columbia with 3,368 cases and a rate of 611.8, but excludes outlying areas (Guam with 832 cases and rate of 493.6, Puerto Rico with 5,102 cases and rate of 130.4, and Virgin Islands with 203 cases and rate of 186.7).

**Table 3. Chlamydia — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 2002–2006**

State/Area	Cases					Rates per 100,000 Population				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
Alabama	15,611	14,209	13,314	17,109	22,915	348.0	315.7	293.9	375.4	502.8
Alaska	3,806	3,900	3,954	4,355	4,525	591.2	601.1	603.3	656.2	681.8
Arizona	14,973	12,819	16,786	21,264	24,090	274.4	229.7	292.2	358.0	405.6
Arkansas	7,312	7,856	7,864	8,507	8,259	269.8	288.2	285.7	306.1	297.2
California	110,288	117,428	122,197	130,716	135,827	314.1	330.9	340.4	361.8	375.9
Colorado	14,028	13,039	14,151	15,432	16,313	311.3	286.5	307.5	330.8	349.7
Connecticut	9,808	9,393	9,552	11,039	10,946	283.4	269.7	272.6	314.5	311.8
Delaware	2,649	3,035	2,954	3,392	3,615	328.1	371.3	355.7	402.1	428.6
District of Columbia	3,305	3,168	3,493	3,678	3,368	578.9	561.4	631.0	668.1	611.8
Florida	42,058	42,382	42,554	43,372	48,955	251.6	249.0	244.6	243.8	275.2
Georgia	33,998	35,686	34,280	33,562	38,972	397.2	410.9	388.2	369.9	429.6
Hawaii	4,521	5,480	5,307	5,489	5,548	363.2	435.7	420.2	430.4	435.1
Idaho	2,503	2,366	2,784	2,799	3,345	186.6	173.2	199.8	195.9	234.1
Illinois	48,101	48,294	47,185	50,559	53,586	381.7	381.7	371.1	396.1	419.8
Indiana	17,100	17,075	18,440	20,063	19,859	277.6	275.6	295.6	319.9	316.6
Iowa	6,195	6,491	6,956	7,390	8,390	210.9	220.5	235.4	249.1	282.8
Kansas	6,784	7,249	7,493	7,419	7,829	249.8	266.2	273.9	270.3	285.2
Kentucky	8,756	7,981	6,470	8,351	8,940	213.9	193.8	156.1	200.1	214.2
Louisiana	18,442	20,970	21,837	17,227	17,885	411.4	466.4	483.6	380.8	395.4
Maine	1,805	2,030	2,113	2,254	2,306	139.4	155.5	160.4	170.6	174.5
Maryland	16,891	16,831	19,952	18,291	21,859	309.5	305.5	359.0	326.6	390.3
Massachusetts	10,914	11,301	13,242	14,411	15,394	169.8	175.7	206.4	225.2	240.6
Michigan	32,272	32,572	41,246	38,730	36,753	321.1	323.1	407.9	382.7	363.1
Minnesota	10,107	10,714	11,602	12,189	12,935	201.3	211.8	227.4	237.5	252.0
Mississippi	11,800	12,193	18,863	21,268	19,002	410.9	423.2	649.8	728.1	650.5
Missouri	16,181	18,570	21,319	22,371	22,982	285.2	325.5	370.5	385.7	396.2
Montana	2,475	2,547	2,608	2,400	2,650	272.1	277.6	281.4	256.5	283.2
Nebraska	4,779	4,739	5,238	5,098	5,428	276.4	272.5	299.8	289.9	308.6
Nevada	5,936	5,830	6,690	7,321	8,398	273.1	260.1	286.5	303.2	347.8
New Hampshire	1,557	1,616	1,736	1,842	1,997	122.1	125.5	133.6	140.6	152.4
New Jersey	14,164	16,169	17,448	19,152	20,194	164.9	187.2	200.6	219.7	231.6
New Mexico	7,417	7,480	9,035	8,456	9,829	399.8	399.0	474.7	438.5	509.7
New York	51,123	57,222	59,097	63,966	68,720	266.9	298.2	307.4	332.2	356.9
North Carolina	24,726	26,187	28,967	31,183	33,615	297.2	311.5	339.1	359.1	387.1
North Dakota	1,256	1,655	1,810	1,667	1,820	198.1	261.1	285.3	261.8	285.9
Ohio	38,032	42,522	39,379	43,806	40,106	333.0	371.8	343.7	382.1	349.8
Oklahoma	10,804	11,013	10,366	13,407	12,992	309.2	313.6	294.2	377.9	366.2
Oregon	7,009	7,688	8,690	9,018	9,577	199.0	216.0	241.8	247.7	263.0
Pennsylvania	31,791	37,291	38,025	37,261	39,487	257.7	301.6	306.5	299.8	317.7
Rhode Island	2,832	3,000	3,442	3,269	3,142	264.7	278.8	318.5	303.8	292.0
South Carolina	14,314	14,623	18,423	18,296	22,351	348.5	352.6	438.8	430.0	525.3
South Dakota	2,215	2,608	2,532	2,701	2,633	291.0	341.2	328.5	348.1	339.3
Tennessee	16,042	20,380	22,515	23,084	25,320	276.7	348.9	381.5	387.1	424.6
Texas	69,521	69,200	70,232	71,860	75,543	319.2	312.9	312.3	314.3	330.5
Utah	3,540	3,893	3,857	4,602	5,092	152.8	165.6	161.4	186.3	206.2
Vermont	954	1,060	1,137	957	1,191	154.7	171.2	183.0	153.6	191.2
Virginia	18,518	19,439	21,635	22,668	24,087	253.9	263.2	290.0	299.5	318.3
Washington	14,934	16,797	17,635	18,616	17,819	246.1	273.9	284.3	296.1	283.4
West Virginia	2,464	2,585	2,758	2,944	2,910	136.7	142.8	151.9	162.0	160.2
Wisconsin	17,000	17,942	19,217	20,461	20,190	312.4	327.9	348.8	369.6	364.7
Wyoming	944	960	1,082	1,173	1,422	189.3	191.5	213.6	230.3	279.2
<b>U.S. TOTAL</b>	<b>834,555</b>	<b>877,478</b>	<b>929,462</b>	<b>976,445</b>	<b>1,030,911</b>	<b>289.4</b>	<b>301.7</b>	<b>316.5</b>	<b>329.4</b>	<b>347.8</b>
Northeast	124,948	139,082	145,792	154,151	163,377	230.4	255.7	267.2	282.1	299.0
Midwest	200,022	210,431	222,417	232,454	232,511	307.1	321.7	338.4	352.4	352.4
South	317,211	327,738	346,477	358,199	390,588	306.9	313.5	327.0	333.2	363.3
West	192,374	200,227	214,776	231,641	244,435	293.0	301.2	318.6	339.2	357.9
Guam	550	554	748	807	832	341.5	338.6	450.4	478.7	493.6
Puerto Rico	2,999	2,746	3,588	3,714	5,102	77.7	70.8	92.1	94.9	130.4
Virgin Islands	207	416	303	235	203	188.1	382.3	278.6	216.2	186.7
<b>OUTLYING AREAS</b>	<b>3,756</b>	<b>3,716</b>	<b>4,639</b>	<b>4,756</b>	<b>6,137</b>	<b>90.9</b>	<b>89.5</b>	<b>111.3</b>	<b>113.5</b>	<b>146.5</b>
<b>TOTAL</b>	<b>838,311</b>	<b>881,194</b>	<b>934,101</b>	<b>981,201</b>	<b>1,037,048</b>	<b>286.6</b>	<b>298.7</b>	<b>313.6</b>	<b>326.4</b>	<b>345.0</b>

**Table 4. Chlamydia — Women – Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 2002–2006**

State/Area	Cases					Rates per 100,000 Population				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
Alabama	13,988	12,977	11,685	14,532	17,915	603.6	559.0	500.6	619.4	763.6
Alaska	2,576	2,665	2,671	2,908	3,067	829.2	850.0	843.9	907.4	957.0
Arizona	11,665	10,043	12,896	16,201	18,485	427.2	360.1	449.3	546.2	623.2
Arkansas	5,817	6,284	6,252	6,823	6,604	419.8	451.5	445.3	481.8	466.3
California	81,218	85,967	88,439	93,646	97,170	461.5	483.7	491.9	517.8	537.2
Colorado	10,422	9,843	10,283	11,219	12,037	466.0	436.4	451.0	485.8	521.2
Connecticut	7,738	7,309	7,383	8,383	8,205	434.4	407.8	409.4	464.4	454.5
Delaware	2,034	2,155	2,140	2,493	2,625	490.1	513.9	502.7	576.8	607.3
District of Columbia	2,825	2,695	2,948	2,976	2,510	937.8	903.6	1,010.3	1,028.4	867.4
Florida	33,902	34,581	34,437	34,850	38,536	396.9	398.2	388.1	384.4	425.1
Georgia	27,494	28,992	27,656	26,317	30,546	633.2	659.2	619.5	574.0	666.2
Hawaii	3,445	4,113	4,019	4,093	4,161	554.9	655.9	635.1	640.1	650.7
Idaho	1,862	1,762	2,157	2,162	2,435	278.2	258.5	310.5	303.6	341.9
Illinois	34,154	36,284	35,996	37,672	39,705	531.7	563.1	556.3	580.3	611.6
Indiana	13,151	13,118	14,217	15,263	14,907	419.7	416.6	448.7	479.4	468.2
Iowa	4,680	4,915	5,208	5,400	6,157	313.1	328.5	347.1	358.7	408.9
Kansas	5,653	5,989	6,195	6,054	6,286	412.0	436.1	449.9	438.4	455.2
Kentucky	7,043	6,353	5,027	6,041	6,336	336.8	302.5	238.0	284.5	298.4
Louisiana	14,758	17,046	17,549	13,395	14,290	638.8	736.6	755.8	576.4	614.9
Maine	1,337	1,452	1,532	1,644	1,672	201.3	217.0	227.3	243.2	247.4
Maryland	13,851	13,746	16,108	14,653	17,339	491.3	483.5	561.8	507.5	600.6
Massachusetts	8,177	8,429	9,781	10,587	11,175	245.9	253.7	295.5	321.0	338.9
Michigan	25,129	25,903	32,624	30,079	27,915	491.2	505.1	634.2	584.6	542.6
Minnesota	7,352	7,866	8,521	8,820	9,243	290.3	308.4	331.7	341.3	357.6
Mississippi	10,274	10,536	15,097	16,684	14,853	692.8	709.5	1,010.4	1,110.4	988.6
Missouri	13,253	14,750	16,306	16,580	16,938	455.3	504.8	553.9	559.3	571.4
Montana	1,840	1,865	1,916	1,776	1,932	403.2	405.4	412.4	378.9	412.1
Nebraska	3,609	3,435	3,812	3,713	3,956	412.1	390.3	431.4	417.6	445.0
Nevada	4,365	4,268	4,857	5,362	6,185	409.3	388.3	423.8	452.3	521.8
New Hampshire	1,168	1,196	1,265	1,343	1,484	180.4	183.1	192.1	202.2	223.4
New Jersey	12,183	13,813	14,491	15,826	16,560	275.9	311.5	324.7	354.1	370.6
New Mexico	5,918	5,973	6,876	6,333	7,456	627.6	627.3	710.9	646.2	760.8
New York	41,202	43,907	44,975	45,391	48,568	415.9	442.9	453.3	457.2	489.2
North Carolina	20,384	21,807	23,916	25,702	27,301	480.9	509.9	550.8	582.6	618.8
North Dakota	826	1,087	1,206	1,091	1,231	260.1	342.8	379.6	342.1	386.0
Ohio	29,558	33,549	30,377	33,312	30,483	503.7	571.6	516.8	566.9	518.7
Oklahoma	8,764	8,990	8,237	10,608	9,678	494.1	505.0	461.9	591.1	539.3
Oregon	5,033	5,590	6,090	6,194	6,585	283.8	312.1	336.9	338.4	359.8
Pennsylvania	23,546	27,557	27,740	27,131	28,503	369.7	432.1	433.9	424.0	445.4
Rhode Island	2,057	2,232	2,502	2,396	2,175	370.6	400.2	447.3	430.7	390.9
South Carolina	12,468	12,745	15,925	15,694	19,055	590.4	598.8	739.7	719.6	873.7
South Dakota	1,608	1,864	1,824	1,924	1,923	419.7	484.9	470.5	492.9	492.7
Tennessee	12,625	14,669	16,237	16,453	18,352	424.9	490.7	538.6	540.8	603.2
Texas	57,438	57,549	57,470	58,668	60,327	524.4	518.0	509.1	511.4	525.9
Utah	2,494	2,787	2,720	3,081	3,457	216.0	238.0	228.6	250.6	281.2
Vermont	746	828	861	725	897	237.3	262.8	272.8	229.3	283.7
Virginia	15,102	15,535	16,578	16,805	17,682	406.8	413.8	437.6	437.2	460.0
Washington	11,003	12,341	12,835	13,471	13,021	361.2	401.4	412.8	427.8	413.5
West Virginia	2,072	2,102	2,105	2,272	2,208	224.0	226.6	226.8	244.9	238.0
Wisconsin	12,296	12,838	13,913	14,751	14,606	446.9	464.3	500.1	527.9	522.7
Wyoming	755	717	820	874	1,051	304.7	288.1	326.1	346.0	416.1
<b>U.S. TOTAL</b>	<b>652,858</b>	<b>685,017</b>	<b>716,675</b>	<b>740,371</b>	<b>775,788</b>	<b>445.0</b>	<b>463.6</b>	<b>480.6</b>	<b>492.2</b>	<b>515.8</b>
Northeast	98,154	106,723	110,530	113,426	119,239	350.8	380.7	393.4	403.5	424.2
Midwest	151,269	161,598	170,199	174,659	173,350	455.9	485.6	509.2	521.0	517.1
South	260,839	268,762	279,367	284,966	306,157	495.0	505.0	518.4	521.5	560.3
West	142,596	147,934	156,579	167,320	177,042	434.0	445.1	464.5	490.2	518.7
Guam	463	446	608	667	692	587.4	556.8	747.1	807.0	837.3
Puerto Rico	2,665	2,378	3,240	3,366	4,091	133.1	118.1	160.1	165.6	201.2
Virgin Islands	188	352	232	189	144	317.5	619.0	408.0	332.5	253.4
<b>OUTLYING AREAS</b>	<b>3,316</b>	<b>3,176</b>	<b>4,080</b>	<b>4,222</b>	<b>4,927</b>	<b>154.9</b>	<b>147.6</b>	<b>188.8</b>	<b>194.4</b>	<b>226.8</b>
<b>TOTAL</b>	<b>656,174</b>	<b>688,193</b>	<b>720,755</b>	<b>744,593</b>	<b>780,715</b>	<b>440.8</b>	<b>459.0</b>	<b>476.4</b>	<b>488.0</b>	<b>511.7</b>

Note: Cases reported with unknown sex are not included in this table.

**Table 5. Chlamydia — Men — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 2002–2006**

State/Area	Cases					Rates per 100,000 Population				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
Alabama	1,579	1,201	1,603	2,507	4,985	72.8	55.1	73.0	113.4	225.4
Alaska	1,230	1,235	1,283	1,447	1,458	369.2	368.3	378.6	421.6	424.8
Arizona	3,308	2,772	3,884	5,058	5,588	121.4	99.3	135.2	170.1	188.0
Arkansas	1,486	1,567	1,612	1,684	1,655	112.2	117.5	119.5	123.6	121.4
California	28,400	31,238	33,323	36,449	38,003	162.1	176.4	186.0	202.0	210.6
Colorado	3,604	3,196	3,855	4,213	4,276	158.8	139.2	166.1	178.8	181.5
Connecticut	2,070	2,084	2,168	2,656	2,741	123.3	123.2	127.5	155.8	160.8
Delaware	615	880	814	899	990	156.7	221.0	201.1	218.6	240.7
District of Columbia	459	450	529	681	819	170.2	169.1	202.1	260.8	313.6
Florida	8,156	7,801	8,117	8,522	10,410	99.8	93.6	95.2	97.7	119.3
Georgia	6,363	6,509	6,411	6,793	8,089	150.9	151.8	146.9	151.4	180.3
Hawaii	1,076	1,367	1,288	1,396	1,384	172.4	216.8	204.4	219.6	217.7
Idaho	641	604	617	616	895	95.4	88.2	88.3	85.9	124.8
Illinois	13,942	12,009	11,187	12,886	13,881	225.7	193.4	179.2	205.5	221.4
Indiana	3,845	3,803	4,080	4,703	4,849	127.1	124.8	132.9	152.3	157.0
Iowa	1,505	1,561	1,743	1,990	2,233	104.4	107.8	119.9	136.2	152.9
Kansas	1,131	1,260	1,298	1,365	1,543	84.2	93.3	95.6	100.1	113.2
Kentucky	1,706	1,613	1,433	2,285	2,580	85.2	79.9	70.5	111.5	125.8
Louisiana	3,525	3,808	4,016	3,583	3,372	162.3	174.5	183.0	162.9	153.3
Maine	468	577	581	606	634	74.3	90.6	90.3	93.9	98.2
Maryland	3,029	3,068	3,841	3,627	4,439	114.8	115.1	142.7	133.7	163.6
Massachusetts	2,724	2,848	3,449	3,809	4,193	87.8	91.6	111.0	122.8	135.2
Michigan	7,143	6,669	8,622	8,525	8,724	144.8	134.7	173.5	171.3	175.3
Minnesota	2,755	2,848	3,081	3,369	3,692	110.8	113.5	121.7	132.2	144.9
Mississippi	1,526	1,657	3,766	4,584	4,149	109.9	118.7	267.3	323.1	292.5
Missouri	2,928	3,820	5,013	5,791	6,044	106.0	137.3	178.3	204.2	213.1
Montana	625	679	685	619	709	137.9	148.4	148.2	132.6	151.9
Nebraska	1,128	1,244	1,391	1,378	1,401	132.2	144.8	161.1	158.4	161.1
Nevada	1,558	1,552	1,821	1,955	2,211	140.7	135.9	153.2	159.0	179.8
New Hampshire	389	420	471	499	513	62.0	66.2	73.5	77.3	79.4
New Jersey	1,962	2,332	2,945	3,323	3,606	47.0	55.5	69.5	78.2	84.9
New Mexico	1,464	1,485	2,151	2,121	2,368	160.5	161.0	229.8	223.6	249.7
New York	9,885	13,106	14,031	18,547	20,148	106.8	141.3	150.8	198.9	216.0
North Carolina	4,340	4,379	5,051	5,481	6,314	106.3	106.0	120.3	128.3	147.8
North Dakota	429	567	601	574	588	135.5	179.0	189.8	180.6	185.0
Ohio	7,926	8,215	8,189	9,139	9,039	142.7	147.6	146.7	163.6	161.8
Oklahoma	2,040	2,023	2,129	2,799	3,314	118.6	116.8	122.3	159.6	189.0
Oregon	1,976	2,098	2,600	2,824	2,992	113.1	118.6	145.5	155.9	165.2
Pennsylvania	8,244	9,682	10,282	10,128	10,981	138.2	161.7	171.0	168.0	182.1
Rhode Island	775	768	936	868	962	150.6	148.1	179.6	167.0	185.1
South Carolina	1,800	1,813	2,456	2,572	3,272	90.2	89.8	120.1	124.0	157.7
South Dakota	606	742	708	774	709	160.3	195.3	184.7	200.7	183.9
Tennessee	3,417	5,711	6,278	6,619	6,968	120.9	200.2	217.5	226.6	238.6
Texas	11,964	11,594	12,619	13,138	15,178	110.5	105.3	112.7	115.4	133.3
Utah	1,044	1,103	1,137	1,521	1,635	89.9	93.4	94.8	122.6	131.8
Vermont	208	232	276	232	294	68.8	76.3	90.3	75.6	95.8
Virginia	3,416	3,868	5,024	5,823	6,384	95.4	106.5	136.8	156.4	171.5
Washington	3,931	4,456	4,800	5,145	4,798	130.0	145.8	155.1	163.9	152.9
West Virginia	386	472	649	671	698	44.0	53.5	73.1	75.5	78.5
Wisconsin	4,669	5,015	5,290	5,688	5,551	173.6	185.2	194.0	207.5	202.5
Wyoming	189	243	262	299	371	75.3	96.3	102.7	116.5	144.5
<b>U.S. TOTAL</b>	<b>179,585</b>	<b>190,244</b>	<b>210,396</b>	<b>232,781</b>	<b>252,630</b>	<b>126.8</b>	<b>133.0</b>	<b>145.6</b>	<b>159.4</b>	<b>173.0</b>
Northeast	26,725	32,049	35,139	40,668	44,072	101.8	121.6	132.7	153.3	166.1
Midwest	48,007	47,753	51,203	56,182	58,254	150.2	148.6	158.5	173.2	179.5
South	55,807	58,414	66,348	72,268	83,616	110.2	113.8	127.4	136.7	158.2
West	49,046	52,028	57,706	63,663	66,688	149.5	156.6	171.2	186.4	195.2
Guam	87	108	140	140	140	105.8	129.4	165.3	162.9	162.9
Puerto Rico	334	368	348	348	1,007	18.0	19.7	18.6	18.5	53.6
Virgin Islands	19	64	71	46	55	37.4	123.2	136.8	88.7	106.0
<b>OUTLYING AREAS</b>	<b>440</b>	<b>540</b>	<b>559</b>	<b>534</b>	<b>1,202</b>	<b>22.1</b>	<b>27.0</b>	<b>27.8</b>	<b>26.5</b>	<b>59.6</b>
<b>TOTAL</b>	<b>180,025</b>	<b>190,784</b>	<b>210,955</b>	<b>233,315</b>	<b>253,832</b>	<b>125.3</b>	<b>131.5</b>	<b>144.0</b>	<b>157.6</b>	<b>171.5</b>

Note: Cases reported with unknown sex are not included in this table.



**Table 6. Chlamydia — Counties and independent cities\* ranked by number of reported cases: United States, 2006**

<i>Rank<sup>†</sup></i>	<i>County/Independent City</i>	<i>Cases</i>	<i>Rate per 100,000 Population</i>	<i>Cumulative Percent</i>
1	Los Angeles County, CA	42,943	432.2	4
2	Cook County, IL	31,757	598.8	7
3	Philadelphia County, PA	17,199	1,175.4	8
4	Maricopa County, AZ	14,579	401.0	10
5	Kings County, NY	13,915	559.7	11
6	Wayne County, MI	12,213	611.2	12
7	San Diego County, CA	11,980	408.4	14
8	Harris County, TX	11,872	321.5	15
9	Bronx County, NY	10,494	773.0	16
10	Milwaukee County, WI	9,999	1,084.9	17
11	Shelby County, TN	8,795	967.5	18
12	Dallas County, TX	8,521	369.6	18
13	San Bernardino County, CA	8,066	410.8	19
14	Queens County, NY	8,015	357.6	20
15	New York County, NY	7,997	501.9	21
16	Orange County, CA	7,970	266.7	21
17	Sacramento County, CA	7,688	563.9	22
18	Bexar County, TX	7,634	502.8	23
19	Fulton County, GA	6,882	751.6	24
20	Marion County, IN	6,807	788.6	24
21	Clark County, NV	6,592	385.4	25
22	Cuyahoga County, OH	6,573	492.2	26
23	Baltimore (City), MD	6,307	992.0	26
24	Hamilton County, OH	6,114	757.9	27
25	Alameda County, CA	5,922	408.7	27
26	Santa Clara County, CA	5,767	339.4	28
27	Tarrant County, TX	5,482	338.3	28
28	Prince George's County, MD	5,422	640.8	29
29	Travis County, TX	5,418	610.0	29
30	Fresno County, CA	5,341	608.6	30
31	King County, WA	5,244	292.4	30
32	Franklin County, OH	5,135	470.8	31
33	Miami-Dade County, FL	5,069	213.3	31
34	St Louis County, MO	4,876	485.3	32
35	Broward County, FL	4,870	274.0	32
36	Duval County, FL	4,816	582.7	33
37	Jackson County, MO	4,786	721.9	33
38	Essex County, NJ	4,682	591.9	34
39	De Kalb County, GA	4,676	689.7	34
40	Orange County, FL	4,593	449.0	35
41	St Louis (City), MO	4,581	1,330.3	35
42	Hennepin County, MN	4,576	408.8	36
43	Honolulu County, HI	4,462	492.9	36
44	Jefferson County, AL	4,447	676.6	36
45	Riverside County, CA	4,406	226.4	37
46	Kern County, CA	4,225	558.3	37
47	Erie County, NY	4,199	451.2	38
48	Bernalillo County, NM	4,195	695.0	38
49	Allegheny County, PA	4,193	339.3	39
50	San Francisco County, CA	4,091	553.3	39
51	Suffolk County, MA	4,085	624.2	39
52	Wake County, NC	3,942	526.4	40
53	Hillsborough County, FL	3,835	338.7	40
54	Pima County, AZ	3,744	404.9	40

\*Accounting for 40% of reported chlamydia cases.

†Counties and independent cities were ranked in descending order by number of cases reported in 2006.

**Table 7. Chlamydia — Reported cases and rates in selected metropolitan statistical areas\* (MSAs) listed in alphabetical order: United States, 2002–2006**

<i>Metropolitan Statistical Area</i>	<i>Cases</i>					<i>Rates per 100,000 Population</i>				
	<i>2002</i>	<i>2003</i>	<i>2004</i>	<i>2005</i>	<i>2006</i>	<i>2002</i>	<i>2003</i>	<i>2004</i>	<i>2005</i>	<i>2006</i>
Atlanta-Sandy Springs-Marietta, GA	16,564	18,135	17,068	16,748	20,979	365.7	393.4	362.5	340.6	426.6
Austin-Round Rock, TX	4,716	4,456	4,580	5,103	7,325	349.5	323.5	324.3	351.3	504.3
Baltimore-Towson, MD	9,598	10,044	10,959	11,071	11,617	368.9	383.9	415.2	416.9	437.4
Birmingham-Hoover, AL	4,173	3,189	3,905	4,720	5,338	390.7	297.3	360.8	433.0	489.7
Boston-Cambridge-Quincy, MA-NH	7,350	7,831	9,006	9,368	9,918	165.3	176.4	203.5	212.3	224.8
Buffalo-Cheektowaga-Tonawanda, NY	3,295	3,513	4,865	5,013	4,992	283.3	303.0	421.4	436.8	435.0
Charlotte-Gastonia-Concord, NC-SC	4,105	4,619	4,832	5,830	5,076	291.1	321.3	327.7	383.2	333.7
Chicago-Naperville-Joliet, IL-IN-WI	38,503	37,017	35,953	38,966	41,521	414.6	396.6	382.8	412.6	439.7
Cincinnati-Middletown, OH-KY-IN	6,408	6,789	6,438	8,516	8,616	314.0	331.6	312.8	411.3	416.1
Cleveland-Elyria-Mentor, OH	7,618	8,489	7,867	8,181	7,462	354.7	396.8	368.1	384.7	350.9
Columbus, OH	5,996	5,758	5,167	5,902	5,843	361.2	343.8	305.0	345.4	342.0
Dallas-Fort Worth-Arlington, TX	15,800	16,828	15,744	18,005	17,035	288.1	301.1	276.2	309.4	292.7
Denver-Aurora, CO	7,952	7,039	7,774	8,534	7,934	348.7	305.9	333.6	361.6	336.2
Detroit-Warren-Livonia, MI	16,518	16,071	21,378	20,497	17,201	368.4	358.4	475.8	456.7	383.2
Hartford-West Hartford-East Hartford, CT	3,535	3,224	3,040	3,815	3,799	302.6	273.7	256.6	321.1	319.7
Houston-Baytown-Sugar Land, TX	14,926	13,530	14,796	13,476	14,641	299.3	266.6	285.6	255.2	277.3
Indianapolis, IN	7,302	7,304	6,922	8,226	7,780	463.7	457.8	426.9	501.4	474.2
Jacksonville, FL	4,430	5,200	5,017	5,246	5,582	376.2	432.3	409.4	420.2	447.1
Kansas City, MO-KS	6,006	7,105	8,003	7,900	7,825	317.9	373.0	415.7	405.6	401.8
Las Vegas-Paradise, NV	4,446	4,379	5,065	5,623	6,592	292.1	277.8	306.8	328.7	385.4
Los Angeles-Long Beach-Santa Ana, CA	43,482	46,342	46,202	50,703	50,913	341.2	361.2	357.5	392.3	394.0
Louisville, KY-IN	2,796	2,775	2,396	3,143	3,319	236.4	233.2	199.5	260.1	274.6
Memphis, TN-MS-AR	6,381	7,362	8,927	9,457	10,224	518.5	594.0	714.0	750.0	810.8
Miami-Fort Lauderdale-Miami Beach, FL	10,867	11,024	11,781	10,403	12,142	207.7	208.4	219.7	191.9	223.9
Milwaukee-Waukesha-West Allis, WI	9,291	9,320	10,070	10,368	10,498	614.3	615.5	664.4	685.3	693.9
Minneapolis-St. Paul-Bloomington, MN-WI	7,678	8,081	8,139	8,513	9,271	251.4	262.1	261.2	270.9	295.0
Nashville-Davidson-Murfreesboro, TN	3,172	3,981	4,243	4,538	4,910	234.4	290.3	304.0	319.0	345.2
New Orleans-Metairie-Kenner, LA	6,258	7,116	6,858	4,761	3,401	475.8	540.1	519.7	360.9	257.8
New York-Newark-Edison, NY-NJ-PA	46,925	51,614	52,266	58,134	62,334	252.2	276.9	279.4	310.1	332.5
Oklahoma City, OK	4,149	4,124	3,939	4,798	4,627	370.0	364.1	344.2	414.8	400.0
Orlando, FL	4,323	4,673	4,888	5,862	6,579	246.7	259.2	262.6	303.2	340.3
Philadelphia-Camden-Wilmington, PA-NJ-DE-MD	20,989	25,347	25,285	24,913	27,417	364.9	439.1	435.9	427.8	470.8
Phoenix-Mesa-Scottsdale, AZ	NA	8,084	11,078	11,984	15,278	NA	225.0	298.2	310.1	395.3
Pittsburgh, PA	5,272	5,499	5,539	5,880	5,789	218.0	228.1	230.6	246.4	242.6
Portland-Vancouver-Beaverton, OR-WA	4,363	4,703	5,256	5,636	5,654	216.4	230.5	254.6	268.9	269.8
Providence-New Bedford-Fall River, RI-MA	3,574	3,714	4,269	4,316	4,197	221.6	228.8	262.1	266.0	258.7
Richmond, VA	4,384	4,472	4,923	4,710	5,044	389.3	392.9	426.5	400.6	429.0
Riverside-San Bernardino-Ontario, CA	10,077	10,688	10,913	12,179	12,472	286.7	293.4	287.7	311.5	319.0
Rochester, NY	2,453	4,142	4,040	3,850	4,168	235.2	397.8	387.9	370.5	401.1
Sacramento-Arden-Arcade-Roseville, CA	5,547	6,240	7,294	8,175	9,094	287.4	316.0	361.7	400.3	445.3
Salt Lake City, UT	2,160	2,264	2,223	2,642	2,910	216.6	225.2	218.2	255.4	281.3
San Antonio, TX	6,365	7,212	7,645	8,049	8,338	356.3	396.1	412.3	425.9	441.2
San Diego-Carlsbad-San Marcos, CA	10,286	10,432	10,876	11,520	11,980	353.9	355.9	371.0	392.7	408.4
San Francisco-Oakland-Fremont, CA	12,272	12,774	13,580	13,988	15,565	293.6	307.3	326.9	336.8	374.8
San Jose-Sunnyvale-Santa Clara, CA	4,465	4,796	5,697	5,374	5,898	256.7	276.5	327.1	306.2	336.1
Seattle-Tacoma-Bellevue, WA	8,497	9,457	9,655	10,588	9,778	271.8	301.0	304.9	330.5	305.2
St. Louis, MO-IL	9,218	10,081	11,856	13,328	13,509	337.8	368.5	428.9	479.7	486.2
Tampa-St. Petersburg-Clearwater, FL	6,322	6,002	5,996	6,315	7,475	253.9	237.1	231.7	238.5	282.3
Virginia Beach-Norfolk-Newport News, VA-NC	6,137	6,668	7,601	8,414	9,139	380.5	407.3	462.3	510.8	554.8
Washington-Arlington-Alexandria, DC-VA-MD-WV	11,715	11,230	14,046	12,827	15,456	233.1	220.6	273.3	246.0	296.4
<b>U.S. MSA TOTAL</b>	<b>468,659</b>	<b>500,737</b>	<b>525,860</b>	<b>556,108</b>	<b>584,455</b>	<b>309.6</b>	<b>320.5</b>	<b>333.0</b>	<b>348.7</b>	<b>366.4</b>

\*Data are presented for 50 MSAs with the largest population based on 2000 U.S. census. NA = Not available. STD morbidity reporting methods do not allow MSA-specific case counts and rates to be determined for some jurisdictions for some years.

**Table 8. Chlamydia — Women – Reported cases and rates in selected metropolitan statistical areas\* (MSAs) listed in alphabetical order: United States, 2002–2006**

Metropolitan Statistical Area	Cases					Rates per 100,000 Population				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
Atlanta-Sandy Springs-Marietta, GA	13,071	14,519	13,756	12,995	16,165	570.8	624.4	580.4	524.8	652.8
Austin-Round Rock, TX	3,792	3,418	3,405	3,720	5,170	571.4	506.4	492.5	522.7	726.5
Baltimore-Towson, MD	8,091	8,412	9,051	8,927	9,344	599.7	620.5	662.1	649.4	679.8
Birmingham-Hoover, AL	3,321	2,825	3,095	3,709	4,277	599.2	508.3	552.6	657.7	758.4
Boston-Cambridge-Quincy, MA-NH	5,502	5,715	6,549	6,663	7,140	239.7	249.8	287.6	293.8	314.8
Buffalo-Cheektowaga-Tonawanda, NY	2,502	2,677	3,698	3,849	3,762	413.6	444.3	616.7	646.3	631.7
Charlotte-Gastonia-Concord, NC-SC	3,380	3,915	4,059	4,878	4,189	471.2	536.5	541.9	631.9	542.6
Chicago-Naperville-Joliet, IL-IN-WI	26,625	27,419	27,271	28,860	30,600	561.8	576.5	570.2	600.4	636.6
Cincinnati-Middletown, OH-KY-IN	5,244	5,458	5,108	6,580	6,871	500.5	520.2	484.6	621.4	648.9
Cleveland-Elyria-Mentor, OH	5,805	6,548	5,909	6,066	5,458	518.8	588.0	531.6	548.7	493.7
Columbus, OH	4,189	4,525	4,058	4,445	4,549	496.5	532.1	472.8	513.4	525.4
Dallas-Fort Worth-Arlington, TX	12,544	13,633	12,536	14,641	13,466	456.8	488.3	440.7	504.7	464.2
Denver-Aurora, CO	5,777	5,225	5,558	6,122	5,827	507.6	455.8	479.3	521.7	496.6
Detroit-Warren-Livonia, MI	12,883	13,008	17,145	16,172	13,096	559.6	565.6	744.1	703.4	569.6
Hartford-West Hartford-East Hartford, CT	2,749	2,510	2,331	2,842	2,786	456.8	413.6	381.9	464.3	455.1
Houston-Baytown-Sugar Land, TX	12,490	11,325	12,258	11,539	12,178	499.8	446.0	473.1	437.0	461.2
Indianapolis, IN	5,188	5,337	5,167	5,949	5,596	645.7	656.5	625.9	712.5	670.3
Jacksonville, FL	3,403	4,051	3,759	4,021	4,273	564.6	658.1	600.4	630.6	670.1
Kansas City, MO-KS	5,022	5,434	5,993	5,930	5,791	520.3	559.4	611.3	598.8	584.8
Las Vegas-Paradise, NV	3,363	3,318	3,820	4,319	5,014	449.5	428.5	471.0	513.8	596.5
Los Angeles-Long Beach-Santa Ana, CA	31,411	33,124	32,903	36,044	35,826	488.6	511.9	504.6	552.9	549.5
Louisville, KY-IN	2,245	2,144	1,817	2,232	2,344	369.1	351.2	295.1	360.6	378.7
Memphis, TN-MS-AR	5,258	5,650	6,816	7,150	7,935	823.5	880.2	1,053.0	1,098.1	1,218.6
Miami-Fort Lauderdale-Miami Beach, FL	8,647	9,027	9,610	8,492	9,553	320.4	331.4	347.8	304.2	342.2
Milwaukee-Waukesha-West Allis, WI	6,829	6,756	7,358	7,558	7,761	877.5	868.3	945.2	973.0	999.1
Minneapolis-St. Paul-Bloomington, MN-WI	5,441	5,792	5,892	6,022	6,462	352.2	371.9	374.8	380.0	407.7
Nashville-Davidson-Murfreesboro, TN	2,385	2,834	3,018	3,122	3,413	345.9	406.9	426.5	433.4	473.8
New Orleans-Metairie-Kenner, LA	4,870	5,736	5,433	3,563	2,673	710.6	836.7	791.6	519.8	390.0
New York-Newark-Edison, NY-NJ-PA	38,786	40,956	41,039	42,214	45,007	401.5	423.7	423.4	435.0	463.8
Oklahoma City, OK	3,224	3,301	3,057	3,744	3,394	565.2	573.5	527.5	638.7	579.0
Orlando, FL	3,521	3,852	3,993	4,667	5,326	396.6	421.9	424.0	477.4	544.9
Philadelphia-Camden-Wilmington, PA-NJ-DE-MD	15,523	18,707	18,369	18,236	19,813	520.2	625.3	611.6	605.3	657.6
Phoenix-Mesa-Scottsdale, AZ	NA	6,303	8,555	9,338	11,859	NA	353.6	464.3	487.7	619.4
Pittsburgh, PA	4,081	4,191	4,185	4,398	4,267	323.7	333.7	334.6	354.2	343.7
Portland-Vancouver-Beaverton, OR-WA	3,036	3,332	3,555	3,816	3,769	299.4	325.2	343.2	363.1	358.6
Providence-New Bedford-Fall River, RI-MA	2,621	2,784	3,138	3,225	2,967	313.0	331.0	372.1	384.3	353.5
Richmond, VA	3,532	3,421	3,573	3,425	3,617	607.0	582.6	601.2	566.7	598.5
Riverside-San Bernardino-Ontario, CA	7,827	8,122	8,252	9,257	9,426	445.7	445.9	435.4	474.3	483.0
Rochester, NY	1,876	2,990	2,869	2,670	2,890	350.2	558.8	536.9	501.5	542.8
Sacramento-Arden-Arcade-Roseville, CA	4,200	4,603	5,326	5,890	6,614	427.6	458.6	519.5	567.4	637.1
Salt Lake City, UT	1,473	1,574	1,501	1,709	1,941	298.1	316.8	298.1	334.4	379.8
San Antonio, TX	5,168	5,985	6,182	6,105	6,232	565.8	644.1	653.1	633.1	646.2
San Diego-Carlsbad-San Marcos, CA	7,285	7,694	7,908	8,210	8,620	504.0	528.8	542.6	565.1	593.3
San Francisco-Oakland-Fremont, CA	8,560	8,824	9,151	9,217	10,418	404.9	420.4	436.4	439.6	496.9
San Jose-Sunnyvale-Santa Clara, CA	3,239	3,465	4,038	3,752	4,128	377.2	406.0	471.7	435.6	479.3
Seattle-Tacoma-Bellevue, WA	5,946	6,606	6,775	7,411	6,915	379.0	419.5	427.2	462.5	431.5
St. Louis, MO-IL	7,411	8,179	9,086	9,804	9,952	524.3	577.7	636.1	683.2	693.5
Tampa-St. Petersburg-Clearwater, FL	5,138	4,846	4,920	5,184	5,936	399.4	371.1	369.1	380.8	436.1
Virginia Beach-Norfolk-Newport News, VA-NC	5,039	5,378	5,862	6,016	6,651	616.7	648.6	704.2	720.5	796.5
Washington-Arlington-Alexandria, DC-VA-MD-WV	9,490	9,065	11,170	10,086	11,722	368.3	347.6	424.8	378.3	439.7
<b>U.S. MSA TOTAL</b>	<b>359,003</b>	<b>384,513</b>	<b>399,877</b>	<b>414,784</b>	<b>432,983</b>	<b>464.7</b>	<b>483.1</b>	<b>497.5</b>	<b>511.3</b>	<b>533.8</b>

\*Data are presented for 50 MSAs with the largest population based on 2000 U.S. census. NA = Not available. STD morbidity reporting methods do not allow MSA-specific case counts and rates to be determined for some jurisdictions for some years.

**Table 9. Chlamydia — Men — Reported cases and rates in selected metropolitan statistical areas\* (MSAs) listed in alphabetical order: United States, 2002–2006**

<i>Metropolitan Statistical Area</i>	<i>Cases</i>					<i>Rates per 100,000 Population</i>				
	<i>2002</i>	<i>2003</i>	<i>2004</i>	<i>2005</i>	<i>2006</i>	<i>2002</i>	<i>2003</i>	<i>2004</i>	<i>2005</i>	<i>2006</i>
Atlanta-Sandy Springs-Marietta, GA	3,411	3,526	3,187	3,463	4,574	152.3	154.3	136.3	141.8	187.3
Austin-Round Rock, TX	920	1,026	1,093	1,357	2,147	134.2	146.0	151.6	183.2	289.8
Baltimore-Towson, MD	1,505	1,627	1,908	2,139	2,250	120.1	129.1	150.0	167.0	175.6
Birmingham-Hoover, AL	850	361	810	1,005	1,058	165.4	69.8	155.1	191.0	201.1
Boston-Cambridge-Quincy, MA-NH	1,839	2,097	2,449	2,697	2,762	85.5	97.4	114.0	125.8	128.8
Buffalo-Cheektowaga-Tonawanda, NY	793	836	1,167	1,164	1,229	142.1	150.1	210.4	210.8	222.6
Charlotte-Gastonia-Concord, NC-SC	721	700	770	951	887	104.1	98.9	106.1	126.9	118.4
Chicago-Naperville-Joliet, IL-IN-WI	11,860	9,542	8,602	10,075	10,905	260.8	208.5	186.7	217.3	235.2
Cincinnati-Middletown, OH-KY-IN	1,117	1,268	1,239	1,746	1,691	112.5	127.0	123.4	172.6	167.2
Cleveland-Elyria-Mentor, OH	1,758	1,875	1,904	1,986	1,953	170.9	182.8	185.7	194.6	191.3
Columbus, OH	1,730	1,174	1,058	1,377	1,272	212.0	142.5	126.6	163.4	150.9
Dallas-Fort Worth-Arlington, TX	3,178	3,179	3,192	3,346	3,558	116.1	113.6	111.8	114.6	121.9
Denver-Aurora, CO	2,173	1,814	2,210	2,412	2,107	190.2	157.1	188.8	203.3	177.6
Detroit-Warren-Livonia, MI	3,635	3,063	4,233	4,256	4,027	166.6	140.3	193.4	194.4	183.9
Hartford-West Hartford-East Hartford, CT	786	714	708	973	1,013	138.8	125.0	123.3	168.9	175.8
Houston-Baytown-Sugar Land, TX	2,423	2,185	2,504	1,930	2,449	97.4	86.1	96.7	73.1	92.8
Indianapolis, IN	2,053	1,906	1,744	2,242	2,167	266.2	243.6	219.1	278.3	269.0
Jacksonville, FL	1,027	1,149	1,258	1,225	1,309	178.7	195.6	209.9	200.6	214.3
Kansas City, MO-KS	984	1,671	2,010	1,970	2,034	106.5	179.0	212.7	205.8	212.5
Las Vegas-Paradise, NV	1,081	1,051	1,233	1,301	1,576	139.7	131.0	146.9	149.6	181.2
Los Angeles-Long Beach-Santa Ana, CA	12,001	13,161	13,208	14,585	14,921	190.0	207.0	206.2	227.7	233.0
Louisville, KY-IN	546	626	572	909	961	95.0	108.0	97.8	154.2	163.0
Memphis, TN-MS-AR	1,123	1,712	2,111	2,307	2,289	189.7	286.6	350.1	378.3	375.4
Miami-Fort Lauderdale-Miami Beach, FL	2,220	1,997	2,171	1,911	2,588	87.6	77.9	83.5	72.6	98.4
Milwaukee-Waukesha-West Allis, WI	2,441	2,486	2,711	2,804	2,720	332.5	337.7	367.7	380.9	369.5
Minneapolis-St. Paul-Bloomington, MN-WI	2,237	2,289	2,247	2,491	2,809	148.2	150.0	145.5	159.9	180.3
Nashville-Davidson-Murfreesboro, TN	787	1,147	1,225	1,415	1,497	118.6	170.0	178.0	201.5	213.2
New Orleans-Metairie-Kenner, LA	1,317	1,355	1,327	1,100	676	209.1	214.4	209.6	173.5	106.6
New York-Newark-Edison, NY-NJ-PA	8,086	10,437	11,125	15,890	17,301	90.4	116.3	123.4	175.7	191.3
Oklahoma City, OK	925	823	882	1,054	1,233	167.9	147.7	156.2	184.7	216.1
Orlando, FL	802	821	895	1,195	1,252	92.8	92.3	97.3	125.0	131.0
Philadelphia-Camden-Wilmington, PA-NJ-DE-MD	5,465	6,628	6,915	6,677	7,600	197.5	238.3	247.2	237.6	270.4
Phoenix-Mesa-Scottsdale, AZ	NA	1,779	2,521	2,646	3,410	NA	98.2	134.6	135.7	174.8
Pittsburgh, PA	1,191	1,296	1,353	1,482	1,522	102.9	112.3	117.6	129.5	133.0
Portland-Vancouver-Beaverton, OR-WA	1,327	1,371	1,701	1,820	1,885	132.4	135.0	165.4	174.2	180.4
Providence-New Bedford-Fall River, RI-MA	951	930	1,126	1,085	1,223	122.6	118.9	143.3	138.5	156.1
Richmond, VA	852	1,045	1,348	1,281	1,423	156.5	189.6	240.7	224.2	249.1
Riverside-San Bernardino-Ontario, CA	2,248	2,563	2,654	2,913	3,029	127.8	140.7	139.8	148.8	154.7
Rochester, NY	577	1,152	1,171	1,180	1,278	113.8	227.6	230.9	232.9	252.3
Sacramento-Arden-Arcade-Roseville, CA	1,299	1,588	1,901	2,220	2,431	137.0	163.5	191.7	221.1	242.1
Salt Lake City, UT	685	689	722	933	969	136.2	135.5	140.1	178.2	185.1
San Antonio, TX	1,193	1,225	1,460	1,942	2,104	136.6	137.4	160.9	209.8	227.3
San Diego-Carlsbad-San Marcos, CA	2,641	2,715	2,844	3,022	3,134	180.7	184.0	192.9	204.1	211.7
San Francisco-Oakland-Fremont, CA	3,638	3,908	4,370	4,686	5,058	176.2	189.9	212.4	227.9	246.0
San Jose-Sunnyvale-Santa Clara, CA	1,171	1,315	1,628	1,575	1,723	132.9	149.2	183.9	176.2	192.8
Seattle-Tacoma-Bellevue, WA	2,551	2,851	2,880	3,177	2,863	163.8	182.0	182.2	198.5	178.8
St. Louis, MO-IL	1,807	1,902	2,770	3,524	3,557	137.4	144.1	207.4	262.3	264.7
Tampa-St. Petersburg-Clearwater, FL	1,184	1,156	1,076	1,131	1,535	98.3	94.3	85.7	87.9	119.3
Virginia Beach-Norfolk-Newport News, VA-NC	1,098	1,276	1,724	2,375	2,481	138.0	157.9	212.4	292.4	305.4
Washington-Arlington-Alexandria, DC-VA-MD-WV	2,197	2,120	2,848	2,706	3,637	89.7	85.4	113.5	106.2	142.7
<b>U.S. MSA TOTAL</b>	<b>108,404</b>	<b>115,127</b>	<b>124,765</b>	<b>139,651</b>	<b>150,077</b>	<b>146.3</b>	<b>150.2</b>	<b>160.9</b>	<b>178.2</b>	<b>191.5</b>

\*Data are presented for 50 MSAs with the largest population based on 2000 U.S. census. NA = Not available. STD morbidity reporting methods do not allow MSA-specific case counts and rates to be determined for some jurisdictions for some years.

**Table 10. Chlamydia — Reported cases and rates per 100,000 population by age group and sex: United States, 2002–2006**

Year	Age Group	Cases			Rates		
		Total	Male	Female	Total	Male	Female
2002	10-14	15,294	1,076	14,218	72.4	9.9	137.9
	15-19	299,863	42,433	257,429	1,471.6	405.2	2,599.0
	20-24	305,400	66,991	238,408	1,510.9	647.3	2,417.1
	25-29	116,422	32,497	83,925	613.7	337.1	899.3
	30-34	50,339	16,847	33,492	240.2	159.5	322.2
	35-39	23,411	9,298	14,113	106.8	84.9	128.8
	40-44	11,405	5,122	6,283	49.6	44.9	54.2
	45-54	7,644	3,652	3,992	19.1	18.6	19.6
	55-64	1,451	746	705	5.5	5.8	5.1
	65+	812	296	516	2.3	2.0	2.5
	TOTAL	834,503	180,039	654,464	289.4	127.1	446.1
2003	10-14	14,911	1,061	13,849	70.4	9.8	134.0
	15-19	310,505	44,331	266,175	1,516.3	421.4	2,672.5
	20-24	324,411	71,476	252,936	1,565.1	670.3	2,513.3
	25-29	124,890	34,916	89,974	651.6	357.3	957.7
	30-34	53,572	17,810	35,762	258.7	170.4	348.7
	35-39	24,658	9,772	14,886	115.2	91.1	139.4
	40-44	12,287	5,675	6,612	53.5	49.8	57.2
	45-54	8,214	4,012	4,202	20.1	20.0	20.2
	55-64	1,653	883	770	5.9	6.6	5.3
	65+	776	323	453	2.2	2.2	2.2
	TOTAL	877,478	190,723	686,755	301.7	133.3	464.7
2004	10-14	14,817	1,172	13,646	70.1	10.8	132.3
	15-19	323,246	48,209	275,036	1,559.3	453.3	2,724.6
	20-24	344,159	79,410	264,749	1,641.1	735.1	2,603.7
	25-29	137,041	39,374	97,667	700.6	393.9	1,021.0
	30-34	56,759	19,353	37,406	277.3	187.1	369.3
	35-39	26,486	10,647	15,839	125.8	100.7	151.1
	40-44	13,626	6,397	7,229	59.1	55.8	62.4
	45-54	9,251	4,602	4,649	22.2	22.5	22.0
	55-64	1,885	993	892	6.5	7.1	5.9
	65+	755	335	420	2.1	2.2	2.0
	TOTAL	929,462	210,935	718,527	316.5	145.9	481.9
2005	10-14	14,124	1,200	12,924	67.7	11.2	127.0
	15-19	336,036	53,734	282,302	1,597.2	498.0	2,754.5
	20-24	360,574	86,931	273,643	1,713.9	800.7	2,687.8
	25-29	148,059	44,712	103,347	737.9	435.4	1,054.8
	30-34	60,065	21,102	38,964	299.2	207.8	392.6
	35-39	28,509	11,700	16,809	135.7	110.8	161.0
	40-44	14,397	6,940	7,458	63.0	61.0	64.9
	45-54	10,105	5,203	4,902	23.8	24.9	22.7
	55-64	2,191	1,169	1,021	7.2	8.0	6.5
	65+	885	402	483	2.4	2.6	2.3
	TOTAL	976,445	233,553	742,892	329.4	160.0	493.9
2006	10-14	13,601	1,238	12,364	65.2	11.6	121.5
	15-19	352,212	58,820	293,392	1,674.1	545.1	2,862.7
	20-24	377,798	93,035	284,763	1,795.8	856.9	2,797.0
	25-29	161,178	49,369	111,809	803.3	480.8	1,141.2
	30-34	63,810	22,558	41,252	317.8	222.2	415.7
	35-39	30,947	12,763	18,184	147.4	120.8	174.2
	40-44	15,329	7,410	7,919	67.1	65.1	69.0
	45-54	11,351	5,818	5,533	26.7	27.8	25.6
	55-64	2,411	1,334	1,077	7.9	9.1	6.8
	65+	894	424	469	2.4	2.8	2.2
	TOTAL	1,030,911	253,236	777,675	347.8	173.4	517.0

NOTE: This table should be used only for age comparisons. If age was not specified, cases were prorated according to the distribution of cases for which age was known. Differences between total cases from this table and others in the report are due to different reporting formats. The 0 to 9 year age group is not shown because some of these cases may not be due to sexual transmission; however, they are included in the totals.





**Table 12. Gonorrhea — Reported cases and rates by state/area, ranked by rates: United States, 2006**

<i>Rank*</i>	<i>State/Area</i>	<i>Cases</i>	<i>Rate per 100,000 Population</i>
1	Mississippi	7,511	257.1
2	South Carolina	10,320	242.5
3	Louisiana	10,883	240.6
4	Alabama	10,665	234.0
5	Georgia	19,669	216.8
6	North Carolina	17,312	199.4
7	Delaware	1,485	176.0
8	Missouri	10,204	175.9
9	Ohio	19,190	167.4
10	Tennessee	9,694	162.6
11	Illinois	20,186	158.2
12	Arkansas	4,306	154.9
13	Michigan	15,677	154.9
14	Oklahoma	4,951	139.5
15	Indiana	8,732	139.2
16	Florida	23,976	134.8
17	Texas	30,449	133.2
18	Maryland	7,328	130.8
19	Wisconsin	6,927	125.1
	<b>U.S. TOTAL<sup>†</sup></b>	<b>358,366</b>	<b>120.9</b>
20	Nevada	2,791	115.6
21	Arizona	5,949	100.2
22	Alaska	630	94.9
23	California	33,740	93.4
24	Pennsylvania	11,466	92.2
25	New York	17,459	90.7
26	New Mexico	1,733	89.9
27	Virginia	6,476	85.6
28	Nebraska	1,433	81.5
29	Kansas	2,210	80.5
30	Colorado	3,695	79.2
31	Kentucky	3,277	78.5
32	Connecticut	2,610	74.4
33	Hawaii	885	69.4
34	Washington	4,231	67.3
35	Iowa	1,966	66.3
36	Minnesota	3,303	64.4
37	New Jersey	5,492	63.0
38	West Virginia	953	52.5
39	South Dakota	367	47.3
40	Rhode Island	508	47.2
41	Oregon	1,461	40.1
42	Massachusetts	2,429	38.0
43	Utah	888	36.0
44	North Dakota	153	24.0
45	Wyoming	120	23.6
46	Montana	194	20.7
	<b>YEAR 2010 TARGET</b>		<b>19.0</b>
47	Idaho	206	14.4
48	New Hampshire	180	13.7
49	Vermont	72	11.6
50	Maine	137	10.4

\*States were ranked in descending order by rate, number of cases, and alphabetically by state.

<sup>†</sup>Total includes cases reported by the District of Columbia with 1,887 cases and a rate of 342.8, but excludes outlying areas (Guam with 98 cases and rate of 58.1, Puerto Rico with 302 cases and rate of 7.7, and Virgin Islands with 34 cases and rate of 31.3).



**Table 13. Gonorrhea — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 2002–2006**

State/Area	Cases					Rates per 100,000 Population				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
Alabama	10,118	9,303	8,206	9,406	10,665	225.5	206.7	181.1	206.4	234.0
Alaska	641	573	567	600	630	99.6	88.3	86.5	90.4	94.9
Arizona	3,795	3,580	4,065	4,951	5,949	69.6	64.1	70.8	83.4	100.2
Arkansas	4,584	4,251	4,137	4,476	4,306	169.1	156.0	150.3	161.1	154.9
California	24,606	25,963	30,155	34,338	33,740	70.1	73.2	84.0	95.0	93.4
Colorado	3,511	2,854	3,054	3,224	3,695	77.9	62.7	66.4	69.1	79.2
Connecticut	3,241	3,114	2,862	2,750	2,610	93.7	89.4	81.7	78.3	74.4
Delaware	1,576	1,128	894	913	1,485	195.2	138.0	107.7	108.2	176.0
District of Columbia	2,669	2,508	2,568	2,146	1,887	467.5	444.4	463.9	389.8	342.8
Florida	21,348	18,974	18,580	20,225	23,976	127.7	111.5	106.8	113.7	134.8
Georgia	18,383	17,686	15,783	15,860	19,669	214.7	203.6	178.8	174.8	216.8
Hawaii	740	1,263	1,193	1,024	885	59.4	100.4	94.5	80.3	69.4
Idaho	94	68	103	119	206	7.0	5.0	7.4	8.3	14.4
Illinois	24,026	21,817	20,597	20,019	20,186	190.7	172.4	162.0	156.8	158.2
Indiana	7,395	6,681	6,851	8,094	8,732	120.1	107.8	109.8	129.1	139.2
Iowa	1,480	1,554	1,249	1,606	1,966	50.4	52.8	42.3	54.1	66.3
Kansas	2,744	2,647	2,542	2,605	2,210	101.0	97.2	92.9	94.9	80.5
Kentucky	3,772	3,578	2,758	2,935	3,277	92.2	86.9	66.5	70.3	78.5
Louisiana	11,387	11,850	10,538	9,572	10,883	254.0	263.5	233.4	211.6	240.6
Maine	142	233	210	142	137	11.0	17.8	15.9	10.7	10.4
Maryland	9,355	8,032	8,297	7,035	7,328	171.4	145.8	149.3	125.6	130.8
Massachusetts	3,242	2,901	3,057	2,537	2,429	50.4	45.1	47.6	39.6	38.0
Michigan	14,770	13,965	17,376	17,684	15,677	147.0	138.5	171.8	174.7	154.9
Minnesota	3,049	3,202	2,957	3,482	3,303	60.7	63.3	58.0	67.8	64.4
Mississippi	6,875	6,328	7,163	7,171	7,511	239.4	219.6	246.7	245.5	257.1
Missouri	8,952	8,792	9,218	9,455	10,204	157.8	154.1	160.2	163.0	175.9
Montana	123	122	88	158	194	13.5	13.3	9.5	16.9	20.7
Nebraska	1,564	1,623	1,147	1,158	1,433	90.4	93.3	65.6	65.8	81.5
Nevada	1,988	2,221	3,078	2,880	2,791	91.5	99.1	131.8	119.3	115.6
New Hampshire	120	125	133	177	180	9.4	9.7	10.2	13.5	13.7
New Jersey	7,894	7,944	6,696	5,722	5,492	91.9	92.0	77.0	65.6	63.0
New Mexico	1,462	1,169	1,306	1,552	1,733	78.8	62.4	68.6	80.5	89.9
New York	21,841	22,166	18,737	17,717	17,459	114.0	115.5	97.5	92.0	90.7
North Carolina	15,531	15,116	15,194	15,072	17,312	186.7	179.8	177.9	173.6	199.4
North Dakota	72	103	110	128	153	11.4	16.3	17.3	20.1	24.0
Ohio	22,008	22,537	20,467	20,985	19,190	192.7	197.1	178.6	183.1	167.4
Oklahoma	4,661	4,552	4,453	5,228	4,951	133.4	129.6	126.4	147.4	139.5
Oregon	909	1,000	1,302	1,562	1,461	25.8	28.1	36.2	42.9	40.1
Pennsylvania	13,294	11,866	11,236	11,222	11,466	107.8	96.0	90.6	90.3	92.2
Rhode Island	900	973	816	438	508	84.1	90.4	75.5	40.7	47.2
South Carolina	9,152	8,518	9,171	8,561	10,320	222.8	205.4	218.5	201.2	242.5
South Dakota	263	226	304	351	367	34.6	29.6	39.4	45.2	47.3
Tennessee	9,348	8,519	8,475	8,605	9,694	161.2	145.8	143.6	144.3	162.6
Texas	26,988	24,595	24,371	26,110	30,449	123.9	111.2	108.4	114.2	133.2
Utah	374	412	603	727	888	16.1	17.5	25.2	29.4	36.0
Vermont	98	97	86	60	72	15.9	15.7	13.8	9.6	11.6
Virginia	10,462	9,066	8,565	8,346	6,476	143.4	122.7	114.8	110.3	85.6
Washington	2,925	2,753	2,810	3,739	4,231	48.2	44.9	45.3	59.5	67.3
West Virginia	974	847	892	770	953	54.1	46.8	49.1	42.4	52.5
Wisconsin	6,341	5,663	5,053	5,869	6,927	116.5	103.5	91.7	106.0	125.1
Wyoming	65	46	59	87	120	13.0	9.2	11.6	17.1	23.6
<b>U.S. TOTAL</b>	<b>351,852</b>	<b>335,104</b>	<b>330,132</b>	<b>339,593</b>	<b>358,366</b>	<b>122.0</b>	<b>115.2</b>	<b>112.4</b>	<b>114.6</b>	<b>120.9</b>
Northeast	50,772	49,419	43,833	40,765	40,353	93.6	90.8	80.3	74.6	73.8
Midwest	92,664	88,810	87,871	91,436	90,348	142.2	135.8	133.7	138.6	136.9
South	167,183	154,851	150,045	152,431	171,142	161.8	148.1	141.6	141.8	159.2
West	41,233	42,024	48,383	54,961	56,523	62.8	63.2	71.8	80.5	82.8
Guam	49	65	114	106	98	30.4	39.7	68.6	62.9	58.1
Puerto Rico	411	276	267	328	302	10.6	7.1	6.9	8.4	7.7
Virgin Islands	49	91	75	30	34	44.5	83.6	68.9	27.6	31.3
<b>OUTLYING AREAS</b>	<b>509</b>	<b>432</b>	<b>456</b>	<b>464</b>	<b>434</b>	<b>12.3</b>	<b>10.4</b>	<b>10.9</b>	<b>11.1</b>	<b>10.4</b>
<b>TOTAL</b>	<b>352,361</b>	<b>335,536</b>	<b>330,588</b>	<b>340,057</b>	<b>358,800</b>	<b>120.5</b>	<b>113.8</b>	<b>111.0</b>	<b>113.1</b>	<b>119.4</b>

**Table 14. Gonorrhea — Women — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 2002–2006**

State/Area	Cases					Rates per 100,000 Population				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
Alabama	4,974	4,583	3,673	4,494	5,983	214.6	197.4	157.4	191.5	255.0
Alaska	353	339	337	349	356	113.6	108.1	106.5	108.9	111.1
Arizona	1,659	1,636	1,787	2,338	2,847	60.8	58.7	62.3	78.8	96.0
Arkansas	2,388	2,108	2,032	2,252	2,182	172.4	151.5	144.7	159.0	154.1
California	10,857	11,912	13,620	15,827	15,688	61.7	67.0	75.8	87.5	86.7
Colorado	1,643	1,529	1,656	1,619	1,879	73.5	67.8	72.6	70.1	81.4
Connecticut	1,910	1,910	1,756	1,590	1,478	107.2	106.6	97.4	88.1	81.9
Delaware	858	602	508	515	829	206.7	143.5	119.3	119.2	191.8
District of Columbia	1,224	1,137	1,293	1,029	808	406.3	381.2	443.1	355.6	279.2
Florida	10,373	9,419	9,371	10,204	12,427	121.4	108.5	105.6	112.6	137.1
Georgia	9,306	9,137	8,119	7,819	10,002	214.3	207.8	181.9	170.5	218.1
Hawaii	394	723	680	619	476	63.5	115.3	107.5	96.8	74.4
Idaho	49	18	42	57	113	7.3	2.6	6.0	8.0	15.9
Illinois	12,273	11,624	11,510	10,998	10,926	191.1	180.4	177.9	169.4	168.3
Indiana	3,996	3,610	3,550	4,453	4,806	127.5	114.6	112.0	139.9	151.0
Iowa	821	869	736	885	1,179	54.9	58.1	49.1	58.8	78.3
Kansas	1,556	1,522	1,565	1,645	1,327	113.4	110.8	113.6	119.1	96.1
Kentucky	1,936	1,845	1,415	1,530	1,709	92.6	87.8	67.0	72.1	80.5
Louisiana	5,861	6,076	5,450	4,761	5,605	253.7	262.6	234.7	204.9	241.2
Maine	44	84	84	61	54	6.6	12.6	12.5	9.0	8.0
Maryland	4,592	4,166	4,327	3,620	3,850	162.9	146.5	150.9	125.4	133.4
Massachusetts	1,579	1,342	1,531	1,320	1,214	47.5	40.4	46.3	40.0	36.8
Michigan	7,974	7,823	9,614	10,161	8,900	155.9	152.5	186.9	197.5	173.0
Minnesota	1,688	1,784	1,712	1,909	1,814	66.7	70.0	66.6	73.9	70.2
Mississippi	4,201	3,757	4,362	4,234	4,400	283.3	253.0	291.9	281.8	292.9
Missouri	4,810	4,794	5,139	5,334	5,752	165.2	164.1	174.6	179.9	194.0
Montana	75	74	54	102	123	16.4	16.1	11.6	21.8	26.2
Nebraska	909	924	656	688	865	103.8	105.0	74.2	77.4	97.3
Nevada	965	1,062	1,417	1,343	1,257	90.5	96.6	123.7	113.3	106.0
New Hampshire	51	57	54	97	97	7.9	8.7	8.2	14.6	14.6
New Jersey	3,958	4,550	3,607	3,077	2,829	89.6	102.6	80.8	68.9	63.3
New Mexico	740	598	749	884	1,003	78.5	62.8	77.4	90.2	102.3
New York	11,141	11,296	9,720	9,031	8,479	112.5	113.9	98.0	91.0	85.4
North Carolina	7,585	7,383	7,384	7,545	8,718	178.9	172.6	170.0	171.0	197.6
North Dakota	40	59	72	76	86	12.6	18.6	22.7	23.8	27.0
Ohio	11,944	12,390	11,144	11,592	10,508	203.5	211.1	189.6	197.3	178.8
Oklahoma	2,566	2,562	2,471	3,018	2,780	144.7	143.9	138.6	168.2	154.9
Oregon	357	389	567	661	609	20.1	21.7	31.4	36.1	33.3
Pennsylvania	7,200	6,644	6,295	6,271	6,219	113.0	104.2	98.5	98.0	97.2
Rhode Island	484	517	478	227	273	87.2	92.7	85.4	40.8	49.1
South Carolina	4,357	4,369	5,007	4,601	5,406	206.3	205.3	232.6	211.0	247.9
South Dakota	148	133	178	196	215	38.6	34.6	45.9	50.2	55.1
Tennessee	4,564	4,263	4,327	4,395	5,104	153.6	142.6	143.5	144.5	167.8
Texas	14,075	12,643	12,433	13,827	15,619	128.5	113.8	110.1	120.5	136.2
Utah	150	153	266	319	369	13.0	13.1	22.4	25.9	30.0
Vermont	56	48	53	26	39	17.8	15.2	16.8	8.2	12.3
Virginia	5,445	4,809	4,650	4,402	3,287	146.7	128.1	122.7	114.5	85.5
Washington	1,197	1,167	1,229	1,622	1,938	39.3	38.0	39.5	51.5	61.5
West Virginia	567	464	470	427	488	61.3	50.0	50.6	46.0	52.6
Wisconsin	3,717	3,299	2,953	3,433	4,047	135.1	119.3	106.1	122.9	144.8
Wyoming	38	28	39	54	71	15.3	11.2	15.5	21.4	28.1
<b>U.S. TOTAL</b>	<b>179,648</b>	<b>174,230</b>	<b>172,142</b>	<b>177,537</b>	<b>187,033</b>	<b>122.5</b>	<b>117.9</b>	<b>115.4</b>	<b>118.0</b>	<b>124.3</b>
Northeast	26,423	26,448	23,578	21,700	20,682	94.4	94.3	83.9	77.2	73.6
Midwest	49,876	48,831	48,829	51,370	50,425	150.3	146.7	146.1	153.2	150.4
South	84,872	79,323	77,292	78,673	89,197	161.1	149.0	143.4	144.0	163.2
West	18,477	19,628	22,443	25,794	26,729	56.2	59.1	66.6	75.6	78.3
Guam	26	39	70	71	49	33.0	48.7	86.0	85.9	59.3
Puerto Rico	230	121	150	194	152	11.5	6.0	7.4	9.5	7.5
Virgin Islands	38	65	48	18	23	64.2	114.3	84.4	31.7	40.5
<b>OUTLYING AREAS</b>	<b>294</b>	<b>225</b>	<b>268</b>	<b>283</b>	<b>224</b>	<b>13.7</b>	<b>10.5</b>	<b>12.4</b>	<b>13.0</b>	<b>10.3</b>
<b>TOTAL</b>	<b>179,942</b>	<b>174,455</b>	<b>172,410</b>	<b>177,820</b>	<b>187,257</b>	<b>120.9</b>	<b>116.4</b>	<b>114.0</b>	<b>116.5</b>	<b>122.7</b>

NOTE: Cases reported with unknown sex are not included in this table.

**Table 15. Gonorrhea — Men — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 2002–2006**

State/Area	Cases					Rates per 100,000 Population				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
Alabama	5,131	4,705	4,526	4,892	4,678	236.5	215.9	206.1	221.2	211.5
Alaska	288	234	230	251	274	86.5	69.8	67.9	73.1	79.8
Arizona	2,136	1,942	2,274	2,610	3,097	78.4	69.6	79.1	87.8	104.2
Arkansas	2,194	2,141	2,104	2,223	2,122	165.6	160.5	156.0	163.1	155.7
California	13,586	13,965	16,440	18,348	17,856	77.6	78.8	91.8	101.7	99.0
Colorado	1,868	1,325	1,398	1,605	1,816	82.3	57.7	60.2	68.1	77.1
Connecticut	1,331	1,204	1,106	1,160	1,132	79.3	71.2	65.1	68.0	66.4
Delaware	718	526	386	398	656	183.0	132.1	95.4	96.8	159.5
District of Columbia	1,436	1,361	1,269	1,113	1,072	532.5	511.5	484.9	426.2	410.5
Florida	10,975	9,555	9,209	10,021	11,546	134.3	114.6	108.0	114.9	132.3
Georgia	9,013	8,487	7,596	7,885	9,510	213.7	198.0	174.0	175.7	211.9
Hawaii	346	540	513	405	409	55.4	85.6	81.4	63.7	64.3
Idaho	45	50	60	60	92	6.7	7.3	8.6	8.4	12.8
Illinois	11,750	10,192	9,087	9,020	9,260	190.2	164.1	145.5	143.8	147.7
Indiana	3,372	3,040	3,270	3,616	3,895	111.5	99.8	106.6	117.1	126.1
Iowa	658	680	511	721	787	45.6	47.0	35.1	49.4	53.9
Kansas	1,188	1,125	977	960	883	88.4	83.3	71.9	70.4	64.8
Kentucky	1,834	1,727	1,338	1,399	1,561	91.6	85.6	65.8	68.2	76.1
Louisiana	5,466	5,710	5,029	4,744	5,186	251.6	261.6	229.2	215.7	235.8
Maine	98	149	126	81	83	15.6	23.4	19.6	12.5	12.9
Maryland	4,756	3,858	3,969	3,410	3,461	180.2	144.7	147.5	125.7	127.6
Massachusetts	1,663	1,552	1,524	1,216	1,212	53.6	49.9	49.1	39.2	39.1
Michigan	6,796	6,141	7,762	7,468	6,738	137.7	124.0	156.2	150.1	135.4
Minnesota	1,361	1,418	1,245	1,573	1,489	54.7	56.5	49.2	61.7	58.4
Mississippi	2,674	2,571	2,801	2,937	3,111	192.5	184.1	198.8	207.0	219.3
Missouri	4,142	3,998	4,079	4,121	4,452	150.0	143.7	145.1	145.3	157.0
Montana	47	47	33	56	71	10.4	10.3	7.1	12.0	15.2
Nebraska	653	695	488	467	552	76.5	80.9	56.5	53.7	63.5
Nevada	1,022	1,158	1,658	1,535	1,533	92.3	101.4	139.5	124.9	124.7
New Hampshire	69	68	79	80	83	11.0	10.7	12.3	12.4	12.9
New Jersey	3,930	3,389	3,089	2,645	2,657	94.2	80.6	72.9	62.3	62.5
New Mexico	716	567	557	668	730	78.5	61.5	59.5	70.4	77.0
New York	10,688	10,813	8,985	8,680	8,976	115.5	116.6	96.6	93.1	96.2
North Carolina	7,942	7,733	7,810	7,527	8,594	194.6	187.2	186.0	176.2	201.2
North Dakota	32	44	38	52	67	10.1	13.9	12.0	16.4	21.1
Ohio	9,819	9,856	9,046	9,035	8,493	176.8	177.1	162.1	161.7	152.0
Oklahoma	2,095	1,990	1,982	2,210	2,171	121.8	114.9	113.9	126.0	123.8
Oregon	552	611	735	901	852	31.6	34.5	41.1	49.8	47.0
Pennsylvania	6,094	5,214	4,941	4,950	5,247	102.1	87.1	82.2	82.1	87.0
Rhode Island	416	456	338	211	235	80.8	88.0	64.8	40.6	45.2
South Carolina	4,766	4,118	4,136	3,925	4,899	238.9	204.0	202.2	189.2	236.2
South Dakota	115	93	126	155	152	30.4	24.5	32.9	40.2	39.4
Tennessee	4,784	4,256	4,148	4,209	4,590	169.3	149.2	143.7	144.1	157.2
Texas	12,884	11,932	11,902	12,269	14,812	119.0	108.4	106.3	107.7	130.1
Utah	223	259	337	408	519	19.2	21.9	28.1	32.9	41.8
Vermont	42	49	33	34	33	13.9	16.1	10.8	11.1	10.8
Virginia	5,017	4,237	3,904	3,939	3,187	140.1	116.7	106.3	105.8	85.6
Washington	1,728	1,586	1,581	2,117	2,293	57.2	51.9	51.1	67.4	73.0
West Virginia	406	380	421	343	465	46.3	43.0	47.4	38.6	52.3
Wisconsin	2,612	2,341	2,087	2,431	2,870	97.1	86.5	76.5	88.7	104.7
Wyoming	27	18	20	33	49	10.8	7.1	7.8	12.9	19.1
<b>U.S. TOTAL</b>	<b>171,504</b>	<b>160,106</b>	<b>157,303</b>	<b>161,117</b>	<b>170,508</b>	<b>121.1</b>	<b>111.9</b>	<b>108.8</b>	<b>110.4</b>	<b>116.8</b>
Northeast	24,331	22,894	20,221	19,057	19,658	92.7	86.8	76.4	71.8	74.1
Midwest	42,498	39,623	38,716	39,619	39,638	133.0	123.3	119.8	122.1	122.2
South	82,091	75,287	72,530	73,444	81,621	162.1	146.7	139.3	138.9	154.4
West	22,584	22,302	25,836	28,997	29,591	68.9	67.1	76.7	84.9	86.6
Guam	23	26	44	35	49	28.0	31.1	51.9	40.7	57.0
Puerto Rico	181	155	117	134	150	9.7	8.3	6.3	7.1	8.0
Virgin Islands	11	26	27	12	11	21.6	50.0	52.0	23.1	21.2
<b>OUTLYING AREAS</b>	<b>215</b>	<b>207</b>	<b>188</b>	<b>181</b>	<b>210</b>	<b>10.8</b>	<b>10.3</b>	<b>9.4</b>	<b>9.0</b>	<b>10.4</b>
<b>TOTAL</b>	<b>171,719</b>	<b>160,313</b>	<b>157,491</b>	<b>161,298</b>	<b>170,718</b>	<b>119.5</b>	<b>110.5</b>	<b>107.5</b>	<b>109.0</b>	<b>115.3</b>

NOTE: Cases reported with unknown sex are not included in this table.

**Table 16. Gonorrhea — Counties and independent cities\* ranked by number of reported cases: United States, 2006**

<i>Rank†</i>	<i>County/Independent City</i>	<i>Cases</i>	<i>Rate per 100,000 Population</i>	<i>Cumulative Percent</i>
1	Cook County, IL	12,605	237.7	3
2	Los Angeles County, CA	11,162	112.3	6
3	Wayne County, MI	6,851	342.9	8
4	Harris County, TX	6,193	167.7	10
5	Philadelphia County, PA	5,218	356.6	11
6	Milwaukee County, WI	4,917	533.5	13
7	Dallas County, TX	4,649	201.7	14
8	Cuyahoga County, OH	4,347	325.5	15
9	Fulton County, GA	4,240	463.1	16
10	Marion County, IN	4,157	481.6	17
11	Shelby County, TN	4,113	452.5	19
12	Maricopa County, AZ	3,997	109.9	20
13	Kings County, NY	3,871	155.7	21
14	Baltimore (City), MD	3,332	524.1	22
15	Franklin County, OH	3,105	284.7	23
16	Hamilton County, OH	2,973	368.6	23
17	St Louis (City), MO	2,828	821.2	24
18	San Diego County, CA	2,767	94.3	25
19	Jackson County, MO	2,764	416.9	26
20	Tarrant County, TX	2,760	170.3	27
21	Duval County, FL	2,632	318.5	27
22	Bexar County, TX	2,572	169.4	28
23	De Kalb County, GA	2,571	379.2	29
24	San Francisco County, CA	2,500	338.1	29
25	Clark County, NV	2,478	144.9	30
26	Orange County, FL	2,450	239.5	31
27	New York County, NY	2,405	151.0	31
28	Broward County, FL	2,387	134.3	32
29	Alameda County, CA	2,269	156.6	33
30	St Louis County, MO	2,218	220.8	33
31	Bronx County, NY	2,135	157.3	34
32	Jefferson County, AL	2,122	322.9	35
33	San Bernardino County, CA	2,115	107.7	35
34	Sacramento County, CA	2,087	153.1	36
35	Mecklenburg County, NC	2,073	260.3	36
36	Oklahoma County, OK	2,042	298.3	37
37	Travis County, TX	2,018	227.2	37
38	King County, WA	1,937	108.0	38
39	Miami-Dade County, FL	1,892	79.6	38
40	Washington, DC	1,887	342.8	39
41	Mobile County, AL	1,808	450.4	40
42	Erie County, NY	1,791	192.4	40
43	Hillsborough County, FL	1,759	155.4	41
44	Queens County, NY	1,719	76.7	41
45	Hennepin County, MN	1,688	150.8	41
46	Pinellas County, FL	1,643	177.0	42
47	Genesee County, MI	1,619	364.7	42
48	Allegheny County, PA	1,619	131.0	43
49	Wake County, NC	1,615	215.7	43
50	East Baton Rouge County, LA	1,603	389.6	44
51	Essex County, NJ	1,556	196.7	44
52	Montgomery County, OH	1,510	275.8	45
53	Jefferson County, KY	1,489	212.8	45
54	Prince George's County, MD	1,486	175.6	45
55	Fresno County, CA	1,485	169.2	46
56	Caddo County, LA	1,435	571.0	46
57	Richland County, SC	1,415	416.1	47
58	Monroe County, NY	1,367	186.4	47
59	Davidson County, TN	1,312	228.1	47
60	Hinds County, MS	1,307	524.2	48
61	Kern County, CA	1,307	172.7	48
62	Kent County, MI	1,302	218.2	48
63	Montgomery County, AL	1,300	586.6	49
64	Charleston County, SC	1,295	392.0	49
65	Denver County, CO	1,281	229.6	50
66	Guilford County, NC	1,085	244.6	50
67	Pulaski County, AR	1,077	293.9	50
68	Palm Beach County, FL	1,077	84.9	50

\*Accounting for 50% of reported gonorrhea cases.

†Counties and independent cities were ranked in descending order by number of cases reported in 2006.

**Table 17. Gonorrhea — Reported cases and rates in selected metropolitan statistical areas\* (MSAs) listed in alphabetical order: United States, 2002–2006**

<i>Metropolitan Statistical Area</i>	<i>Cases</i>					<i>Rates per 100,000 Population</i>				
	<i>2002</i>	<i>2003</i>	<i>2004</i>	<i>2005</i>	<i>2006</i>	<i>2002</i>	<i>2003</i>	<i>2004</i>	<i>2005</i>	<i>2006</i>
Atlanta-Sandy Springs-Marietta, GA	8,731	8,825	7,355	7,838	10,223	192.8	191.4	156.2	159.4	207.9
Austin-Round Rock, TX	1,656	1,458	1,472	1,706	2,446	122.7	105.8	104.2	117.5	168.4
Baltimore-Towson, MD	6,213	5,382	5,256	4,779	4,653	238.8	205.7	199.2	180.0	175.2
Birmingham-Hoover, AL	2,693	2,212	2,377	2,381	2,444	252.1	206.2	219.6	218.4	224.2
Boston-Cambridge-Quincy, MA-NH	2,191	1,818	1,998	1,684	1,542	49.3	40.9	45.2	38.2	35.0
Buffalo-Cheektowaga-Tonawanda, NY	2,224	1,809	1,670	1,926	2,068	191.2	156.0	144.7	167.8	180.2
Charlotte-Gastonia-Concord, NC-SC	3,146	3,130	2,998	3,330	3,388	223.1	217.8	203.3	218.9	222.7
Chicago-Naperville-Joliet, IL-IN-WI	19,312	17,080	15,684	14,857	15,127	208.0	183.0	167.0	157.3	160.2
Cincinnati-Middletown, OH-KY-IN	4,065	4,206	3,455	3,927	3,862	199.2	205.4	167.9	189.7	186.5
Cleveland-Elyria-Mentor, OH	5,489	5,338	4,472	4,641	4,663	255.6	249.5	209.3	218.3	219.3
Columbus, OH	3,268	2,963	3,004	3,445	3,303	196.9	176.9	177.3	201.6	193.3
Dallas-Fort Worth-Arlington, TX	7,896	7,570	7,119	8,416	8,365	144.0	135.4	124.9	144.6	143.7
Denver-Aurora, CO	2,783	2,136	2,232	2,147	2,253	122.0	92.8	95.8	91.0	95.5
Detroit-Warren-Livonia, MI	8,622	7,173	9,299	10,766	8,535	192.3	160.0	207.0	239.9	190.2
Hartford-West Hartford-East Hartford, CT	1,281	1,030	933	993	988	109.7	87.4	78.8	83.6	83.1
Houston-Baytown-Sugar Land, TX	6,337	5,191	5,525	5,213	7,318	127.1	102.3	106.7	98.7	138.6
Indianapolis, IN	3,660	3,349	3,510	4,142	4,410	232.4	209.9	216.5	252.5	268.8
Jacksonville, FL	3,078	2,574	2,197	2,578	2,954	261.4	214.0	179.3	206.5	236.6
Kansas City, MO-KS	3,827	3,694	3,832	3,769	3,822	202.6	193.9	199.0	193.5	196.2
Las Vegas-Paradise, NV	1,757	1,968	2,645	2,487	2,478	115.4	124.8	160.2	145.4	144.9
Los Angeles-Long Beach-Santa Ana, CA	9,073	9,753	11,103	12,697	12,210	71.2	76.0	85.9	98.2	94.5
Louisville, KY-IN	1,517	1,617	1,484	1,551	1,749	128.3	135.9	123.6	128.3	144.7
Memphis, TN-MS-AR	4,623	3,764	3,832	3,782	4,665	375.7	303.7	306.5	299.9	370.0
Miami-Fort Lauderdale-Miami Beach, FL	4,816	4,455	4,622	4,497	5,356	92.0	84.2	86.2	82.9	98.8
Milwaukee-Waukesha-West Allis, WI	4,687	3,998	3,311	4,031	5,006	309.9	264.0	218.4	266.4	330.9
Minneapolis-St. Paul-Bloomington, MN-WI	2,738	2,781	2,439	2,920	2,780	89.6	90.2	78.3	92.9	88.5
Nashville-Davidson-Murfreesboro, TN	1,764	1,888	1,602	1,474	1,734	130.4	137.7	114.8	103.6	121.9
New Orleans-Metairie-Kenner, LA	3,679	3,956	3,316	2,609	1,962	279.7	300.3	251.3	197.7	148.7
New York-Newark-Edison, NY-NJ-PA	19,507	20,480	16,915	15,533	14,949	104.9	109.9	90.4	82.9	79.7
Oklahoma City, OK	2,090	2,050	2,153	2,548	2,315	186.4	181.0	188.1	220.3	200.1
Orlando, FL	2,502	2,165	2,285	2,848	3,393	142.8	120.1	122.7	147.3	175.5
Philadelphia-Camden-Wilmington, PA-NJ-DE-MD	10,087	8,502	7,818	7,719	8,163	175.4	147.3	134.8	132.6	140.2
Phoenix-Mesa-Scottsdale, AZ	NA	2,795	3,161	3,133	4,260	NA	77.8	85.1	81.1	110.2
Pittsburgh, PA	2,472	2,035	1,799	2,157	2,057	102.2	84.4	74.9	90.4	86.2
Portland-Vancouver-Beaverton, OR-WA	818	858	1,173	1,393	1,128	40.6	42.1	56.8	66.5	53.8
Providence-New Bedford-Fall River, RI-MA	1,052	1,136	1,048	650	693	65.2	70.0	64.3	40.1	42.7
Richmond, VA	2,746	2,319	2,160	2,361	1,778	243.8	203.7	187.1	200.8	151.2
Riverside-San Bernardino-Ontario, CA	2,245	2,512	2,631	3,012	2,994	63.9	69.0	69.4	77.0	76.6
Rochester, NY	1,821	1,897	1,900	1,899	1,457	174.6	182.2	182.4	182.8	140.2
Sacramento-Arden-Arcade-Roseville, CA	1,514	1,859	2,066	2,450	2,235	78.4	94.1	102.4	120.0	109.4
Salt Lake City, UT	261	276	371	460	623	26.2	27.5	36.4	44.5	60.2
San Antonio, TX	2,078	2,333	2,183	2,300	2,701	116.3	128.1	117.7	121.7	142.9
San Diego-Carlsbad-San Marcos, CA	2,132	2,007	2,379	2,695	2,767	73.3	68.5	81.1	91.9	94.3
San Francisco-Oakland-Fremont, CA	5,070	4,394	4,967	5,713	6,029	121.3	105.7	119.6	137.6	145.2
San Jose-Sunnyvale-Santa Clara, CA	516	740	1,084	1,055	1,065	29.7	42.7	62.2	60.1	60.7
Seattle-Tacoma-Bellevue, WA	2,288	2,027	1,883	2,704	3,079	73.2	64.5	59.5	84.4	96.1
St. Louis, MO-IL	5,797	5,600	5,719	6,391	6,547	212.4	204.7	206.9	230.0	235.6
Tampa-St. Petersburg-Clearwater, FL	3,679	3,160	2,801	2,910	3,667	147.7	124.8	108.2	109.9	138.5
Virginia Beach-Norfolk-Newport News, VA-NC	4,812	4,201	3,812	3,355	2,544	298.3	256.6	231.8	203.7	154.4
Washington-Arlington-Alexandria, DC-VA-MD-WV	5,977	5,262	5,803	4,497	4,358	118.9	103.4	112.9	86.2	83.6
<b>U.S. MSA TOTAL</b>	<b>210,590</b>	<b>199,726</b>	<b>194,853</b>	<b>202,369</b>	<b>209,106</b>	<b>139.1</b>	<b>127.8</b>	<b>123.4</b>	<b>126.9</b>	<b>131.1</b>

\*Data are presented for 50 MSAs with the largest population based on 2000 U.S. census. NA = Not available. STD morbidity reporting methods do not allow MSA-specific case counts and rates to be determined for some jurisdictions for some years.

**Table 18. Gonorrhea — Women – Reported cases and rates in selected metropolitan statistical areas\* (MSAs) listed in alphabetical order: United States, 2002–2006**

Metropolitan Statistical Area	Cases					Rates per 100,000 Population				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
Atlanta-Sandy Springs-Marietta, GA	3,967	4,177	3,563	3,567	5,026	173.2	179.6	150.3	144.1	203.0
Austin-Round Rock, TX	815	644	692	830	1,134	122.8	95.4	100.1	116.6	159.4
Baltimore-Towson, MD	3,063	2,793	2,710	2,426	2,470	227.0	206.0	198.2	176.5	179.7
Birmingham-Hoover, AL	1,354	1,100	1,060	1,133	1,511	244.3	197.9	189.2	200.9	267.9
Boston-Cambridge-Quincy, MA-NH	1,017	771	937	793	728	44.3	33.7	41.2	35.0	32.1
Buffalo-Cheektowaga-Tonawanda, NY	1,167	974	920	1,079	1,153	192.9	161.7	153.4	181.2	193.6
Charlotte-Gastonia-Concord, NC-SC	1,461	1,492	1,413	1,604	1,584	203.7	204.4	188.6	207.8	205.2
Chicago-Naperville-Joliet, IL-IN-WI	9,585	8,804	8,546	7,948	7,853	202.3	185.1	178.7	165.3	163.4
Cincinnati-Middletown, OH-KY-IN	2,274	2,371	2,038	2,274	2,465	217.0	226.0	193.3	214.8	232.8
Cleveland-Elyria-Mentor, OH	2,688	2,620	2,192	2,264	2,277	240.2	235.3	197.2	204.8	206.0
Columbus, OH	1,746	1,569	1,475	1,896	1,758	206.9	184.5	171.8	219.0	203.1
Dallas-Fort Worth-Arlington, TX	3,979	3,822	3,547	4,135	4,129	144.9	136.9	124.7	142.6	142.3
Denver-Aurora, CO	1,251	1,091	1,144	996	1,044	109.9	95.2	98.7	84.9	89.0
Detroit-Warren-Livonia, MI	4,524	3,807	4,850	6,079	4,613	196.5	165.5	210.5	264.4	200.7
Hartford-West Hartford-East Hartford, CT	749	614	533	520	521	124.5	101.2	87.3	85.0	85.1
Houston-Baytown-Sugar Land, TX	3,189	2,509	2,813	3,016	3,806	127.6	98.8	108.6	114.2	144.1
Indianapolis, IN	1,847	1,659	1,698	2,163	2,297	229.9	204.1	205.7	259.1	275.1
Jacksonville, FL	1,413	1,201	1,083	1,240	1,506	234.4	195.1	173.0	194.5	236.2
Kansas City, MO-KS	1,917	1,890	2,027	2,035	2,099	198.6	194.6	206.8	205.5	212.0
Las Vegas-Paradise, NV	848	931	1,206	1,163	1,123	113.4	120.2	148.7	138.4	133.6
Los Angeles-Long Beach-Santa Ana, CA	3,879	4,371	4,997	5,687	5,657	60.3	67.6	76.6	87.2	86.8
Louisville, KY-IN	722	767	720	740	887	118.7	125.6	116.9	119.6	143.3
Memphis, TN-MS-AR	2,273	1,860	1,926	1,990	2,548	356.0	289.8	297.6	305.6	391.3
Miami-Fort Lauderdale-Miami Beach, FL	2,205	2,114	2,307	2,317	2,708	81.7	77.6	83.5	83.0	97.0
Milwaukee-Waukesha-West Allis, WI	2,713	2,295	1,906	2,298	2,923	348.6	295.0	244.9	295.8	376.3
Minneapolis-St. Paul-Bloomington, MN-WI	1,499	1,508	1,373	1,548	1,486	97.0	96.8	87.3	97.7	93.8
Nashville-Davidson-Murfreesboro, TN	781	873	742	661	794	113.3	125.4	104.9	91.8	110.2
New Orleans-Metairie-Kenner, LA	1,721	1,961	1,606	1,287	965	251.1	286.0	234.0	187.8	140.8
New York-Newark-Edison, NY-NJ-PA	9,755	10,650	8,821	7,784	7,015	101.0	110.2	91.0	80.2	72.3
Oklahoma City, OK	1,142	1,138	1,181	1,486	1,275	200.2	197.7	203.8	253.5	217.5
Orlando, FL	1,212	1,039	1,063	1,286	1,688	136.5	113.8	112.9	131.6	172.7
Philadelphia-Camden-Wilmington, PA-NJ-DE-MD	5,288	4,593	4,189	4,219	4,257	177.2	153.5	139.5	140.0	141.3
Phoenix-Mesa-Scottsdale, AZ	NA	1,254	1,373	1,456	2,014	NA	70.3	74.5	76.0	105.2
Pittsburgh, PA	1,454	1,192	1,063	1,216	1,174	115.3	94.9	85.0	97.9	94.6
Portland-Vancouver-Beaverton, OR-WA	315	331	491	551	436	31.1	32.3	47.4	52.4	41.5
Providence-New Bedford-Fall River, RI-MA	570	603	607	365	374	68.1	71.7	72.0	43.5	44.6
Richmond, VA	1,573	1,260	1,187	1,256	824	270.3	214.6	199.7	207.8	136.3
Riverside-San Bernardino-Ontario, CA	1,129	1,289	1,323	1,572	1,602	64.3	70.8	69.8	80.5	82.1
Rochester, NY	929	982	919	1,006	748	173.4	183.5	172.0	188.9	140.5
Sacramento-Arden-Arcade-Roseville, CA	811	942	1,049	1,307	1,164	82.6	93.9	102.3	125.9	112.1
Salt Lake City, UT	86	91	143	183	246	17.4	18.3	28.4	35.8	48.1
San Antonio, TX	1,083	1,152	1,109	1,155	1,412	118.6	124.0	117.2	119.8	146.4
San Diego-Carlsbad-San Marcos, CA	718	739	936	1,108	1,158	49.7	50.8	64.2	76.3	79.7
San Francisco-Oakland-Fremont, CA	1,857	1,578	1,580	2,052	2,122	87.8	75.2	75.4	97.9	101.2
San Jose-Sunnyvale-Santa Clara, CA	196	328	467	457	488	22.8	38.4	54.6	53.1	56.7
Seattle-Tacoma-Bellevue, WA	853	732	717	1,060	1,300	54.4	46.5	45.2	66.1	81.1
St. Louis, MO-IL	3,174	3,037	3,213	3,638	3,718	224.5	214.5	225.0	253.5	259.1
Tampa-St. Petersburg-Clearwater, FL	1,767	1,498	1,474	1,542	2,064	137.4	114.7	110.6	113.3	151.6
Virginia Beach-Norfolk-Newport News, VA-NC	2,287	2,111	1,990	1,717	1,305	279.9	254.6	239.1	205.6	156.3
Washington-Arlington-Alexandria, DC-VA-MD-WV	2,762	2,520	2,973	2,269	2,048	107.2	96.6	113.1	85.1	76.8
U.S. MSA TOTAL	103,608	99,647	97,892	102,374	105,497	134.1	125.2	121.8	126.2	130.1

\*Data are presented for 50 MSAs with the largest population based on 2000 U.S. census. NA = Not available. STD morbidity reporting methods do not allow MSA-specific case counts and rates to be determined for some jurisdictions for some years.

**Table 19. Gonorrhea — Men — Reported cases and rates in selected metropolitan statistical areas\* (MSAs) listed in alphabetical order: United States, 2002–2006**

<i>Metropolitan Statistical Area</i>	<i>Cases</i>					<i>Rates per 100,000 Population</i>				
	<i>2002</i>	<i>2003</i>	<i>2004</i>	<i>2005</i>	<i>2006</i>	<i>2002</i>	<i>2003</i>	<i>2004</i>	<i>2005</i>	<i>2006</i>
Atlanta-Sandy Springs-Marietta, GA	4,729	4,616	3,750	4,183	5,083	211.2	202.0	160.4	171.3	208.2
Austin-Round Rock, TX	841	811	768	870	1,310	122.7	115.4	106.5	117.4	176.8
Baltimore-Towson, MD	3,148	2,588	2,546	2,352	2,180	251.3	205.3	200.1	183.6	170.2
Birmingham-Hoover, AL	1,338	1,108	1,316	1,243	932	260.4	214.4	252.1	236.2	177.1
Boston-Cambridge-Quincy, MA-NH	1,174	1,045	1,060	890	812	54.6	48.6	49.4	41.5	37.9
Buffalo-Cheektowaga-Tonawanda, NY	1,057	835	750	847	913	189.3	149.9	135.2	153.4	165.3
Charlotte-Gastonia-Concord, NC-SC	1,682	1,638	1,583	1,726	1,804	242.7	231.5	218.1	230.4	240.8
Chicago-Naperville-Joliet, IL-IN-WI	9,719	8,265	7,122	6,900	7,267	213.7	180.6	154.5	148.8	156.7
Cincinnati-Middletown, OH-KY-IN	1,759	1,804	1,375	1,616	1,373	177.1	180.8	136.9	159.7	135.7
Cleveland-Elyria-Mentor, OH	2,762	2,683	2,236	2,329	2,366	268.4	261.5	218.0	228.2	231.8
Columbus, OH	1,493	1,380	1,509	1,531	1,537	182.9	167.4	180.6	181.6	182.3
Dallas-Fort Worth-Arlington, TX	3,899	3,742	3,560	4,276	4,230	142.4	133.7	124.7	146.5	144.9
Denver-Aurora, CO	1,532	1,045	1,088	1,151	1,209	134.1	90.5	92.9	97.0	101.9
Detroit-Warren-Livonia, MI	4,098	3,365	4,449	4,657	3,890	187.8	154.1	203.2	212.7	177.7
Hartford-West Hartford-East Hartford, CT	532	416	400	473	467	93.9	72.8	69.7	82.1	81.1
Houston-Baytown-Sugar Land, TX	3,144	2,672	2,707	2,194	3,504	126.4	105.3	104.5	83.1	132.7
Indianapolis, IN	1,798	1,680	1,808	1,972	2,106	233.1	214.7	227.1	244.8	261.4
Jacksonville, FL	1,665	1,373	1,114	1,338	1,448	289.6	233.8	185.9	219.1	237.1
Kansas City, MO-KS	1,910	1,804	1,805	1,734	1,723	206.7	193.3	191.0	181.1	180.0
Las Vegas-Paradise, NV	909	1,036	1,436	1,322	1,354	117.4	129.1	171.0	152.0	155.6
Los Angeles-Long Beach-Santa Ana, CA	5,174	5,364	6,084	6,985	6,505	81.9	84.4	95.0	109.1	101.6
Louisville, KY-IN	794	848	761	811	858	138.2	146.3	130.0	137.6	145.5
Memphis, TN-MS-AR	2,350	1,904	1,906	1,792	2,117	396.9	318.7	316.1	293.9	347.2
Miami-Fort Lauderdale-Miami Beach, FL	2,611	2,341	2,315	2,180	2,648	103.1	91.3	89.1	82.9	100.7
Milwaukee-Waukesha-West Allis, WI	1,966	1,682	1,405	1,731	2,080	267.8	228.5	190.6	235.2	282.6
Minneapolis-St. Paul-Bloomington, MN-WI	1,239	1,273	1,066	1,372	1,294	82.1	83.4	69.0	88.1	83.1
Nashville-Davidson-Murfreesboro, TN	983	1,015	860	813	940	148.1	150.4	125.0	115.8	133.9
New Orleans-Metairie-Kenner, LA	1,946	1,988	1,684	1,299	981	308.9	314.6	265.9	204.9	154.8
New York-Newark-Edison, NY-NJ-PA	9,736	9,769	8,063	7,744	7,929	108.9	108.9	89.4	85.6	87.7
Oklahoma City, OK	948	912	972	1,062	1,040	172.1	163.7	172.1	186.1	182.3
Orlando, FL	1,290	1,126	1,222	1,562	1,704	149.2	126.5	132.8	163.4	178.3
Philadelphia-Camden-Wilmington, PA-NJ-DE-MD	4,799	3,907	3,629	3,500	3,904	173.4	140.5	129.7	124.5	138.9
Phoenix-Mesa-Scottsdale, AZ	NA	1,539	1,787	1,676	2,242	NA	85.0	95.4	85.9	114.9
Pittsburgh, PA	1,018	841	736	941	883	88.0	72.8	63.9	82.2	77.2
Portland-Vancouver-Beaverton, OR-WA	503	527	682	842	692	50.2	51.9	66.3	80.6	66.2
Providence-New Bedford-Fall River, RI-MA	482	532	441	285	318	62.1	68.0	56.1	36.4	40.6
Richmond, VA	1,173	1,054	971	1,105	954	215.5	191.3	173.4	193.4	167.0
Riverside-San Bernardino-Ontario, CA	1,116	1,221	1,308	1,440	1,390	63.4	67.1	68.9	73.5	71.0
Rochester, NY	892	915	981	893	709	175.9	180.8	193.4	176.3	140.0
Sacramento-Arden-Arcade-Roseville, CA	698	897	1,002	1,123	1,046	73.6	92.4	101.1	111.8	104.2
Salt Lake City, UT	174	185	228	277	377	34.6	36.4	44.2	52.9	72.0
San Antonio, TX	995	1,181	1,073	1,145	1,289	113.9	132.5	118.2	123.7	139.3
San Diego-Carlsbad-San Marcos, CA	1,336	1,256	1,417	1,500	1,531	91.4	85.1	96.1	101.3	103.4
San Francisco-Oakland-Fremont, CA	3,184	2,797	3,367	3,644	3,882	154.2	135.9	163.7	177.2	188.8
San Jose-Sunnyvale-Santa Clara, CA	310	408	617	597	570	35.2	46.3	69.7	66.8	63.8
Seattle-Tacoma-Bellevue, WA	1,435	1,295	1,166	1,644	1,779	92.2	82.6	73.8	102.7	111.1
St. Louis, MO-IL	2,623	2,563	2,506	2,753	2,829	199.4	194.1	187.6	204.9	210.6
Tampa-St. Petersburg-Clearwater, FL	1,912	1,662	1,327	1,368	1,602	158.8	135.5	105.7	106.3	124.5
Virginia Beach-Norfolk-Newport News, VA-NC	2,525	2,077	1,816	1,636	1,237	317.3	257.0	223.7	201.4	152.3
Washington-Arlington-Alexandria, DC-VA-MD-WV	3,200	2,724	2,822	2,220	2,291	130.7	109.7	112.4	87.1	89.9
<b>U.S. MSA TOTAL</b>	<b>106,601</b>	<b>99,709</b>	<b>96,596</b>	<b>99,544</b>	<b>103,129</b>	<b>143.8</b>	<b>130.1</b>	<b>124.6</b>	<b>127.0</b>	<b>131.6</b>

\*Data are presented for 50 MSAs with the largest population based on 2000 U.S. census. NA = Not available. STD morbidity reporting methods do not allow MSA-specific case counts and rates to be determined for some jurisdictions for some years.

**Table 20. Gonorrhea — Reported cases and rates per 100,000 population by age group and sex: United States, 2002–2006**

Year	Age Group	Cases			Rates		
		Total	Male	Female	Total	Male	Female
2002	10-14	5,449	784	4,665	25.8	7.2	45.2
	15-19	96,325	29,921	66,404	472.7	285.7	670.4
	20-24	112,449	52,130	60,318	556.3	503.7	611.5
	25-29	55,480	31,391	24,089	292.4	325.6	258.1
	30-34	32,081	20,560	11,521	153.1	194.6	110.8
	35-39	21,419	14,878	6,541	97.7	135.8	59.7
	40-44	13,791	10,254	3,536	60.0	89.8	30.5
	45-54	10,927	8,891	2,036	27.3	45.2	10.0
	55-64	2,284	2,019	266	8.6	15.8	1.9
	65+	791	631	159	2.2	4.3	0.8
	TOTAL	351,836	171,839	179,997	122.0	121.3	122.7
2003	10-14	4,929	725	4,204	23.3	6.7	40.7
	15-19	90,340	27,473	62,867	441.1	261.2	631.2
	20-24	106,930	48,222	58,709	515.9	452.2	583.4
	25-29	53,692	29,368	24,325	280.1	300.5	258.9
	30-34	30,528	19,004	11,524	147.4	181.9	112.4
	35-39	20,212	13,824	6,388	94.4	128.9	59.8
	40-44	13,722	10,079	3,644	59.8	88.4	31.5
	45-54	11,018	8,905	2,113	27.0	44.4	10.2
	55-64	2,316	2,012	303	8.3	15.0	2.1
	65+	745	617	128	2.1	4.1	0.6
	TOTAL	335,104	160,459	174,645	115.2	112.2	118.2
2004	10-14	4,447	630	3,817	21.0	5.8	37.0
	15-19	87,454	26,607	60,847	421.9	250.2	602.8
	20-24	103,187	45,917	57,269	492.0	425.0	563.2
	25-29	54,857	29,520	25,337	280.4	295.4	264.9
	30-34	30,372	18,664	11,708	148.4	180.5	115.6
	35-39	19,793	13,350	6,443	94.0	126.3	61.5
	40-44	14,026	10,220	3,806	60.8	89.2	32.8
	45-54	12,078	9,645	2,433	29.0	47.2	11.5
	55-64	2,653	2,286	367	9.1	16.3	2.4
	65+	745	615	130	2.1	4.1	0.6
	TOTAL	330,132	157,623	172,509	112.4	109.1	115.7
2005	10-14	4,278	646	3,631	20.5	6.0	35.7
	15-19	90,840	27,781	63,060	431.8	257.5	615.3
	20-24	106,280	47,187	59,093	505.2	434.6	580.4
	25-29	57,195	30,631	26,565	285.0	298.3	271.1
	30-34	30,044	18,244	11,800	149.6	179.7	118.9
	35-39	19,948	13,413	6,535	95.0	127.0	62.6
	40-44	14,346	10,406	3,940	62.8	91.5	34.3
	45-54	12,636	10,063	2,573	29.7	48.2	11.9
	55-64	2,777	2,399	378	9.1	16.4	2.4
	65+	763	631	132	2.1	4.1	0.6
	TOTAL	339,593	161,557	178,036	114.6	110.7	118.4
2006	10-14	4,250	675	3,574	20.4	6.3	35.1
	15-19	96,524	30,119	66,405	458.8	279.1	647.9
	20-24	110,969	49,304	61,665	527.5	454.1	605.7
	25-29	61,843	32,946	28,897	308.2	320.9	294.9
	30-34	31,313	18,858	12,455	156.0	185.7	125.5
	35-39	20,674	13,813	6,861	98.4	130.8	65.7
	40-44	14,534	10,636	3,898	63.6	93.5	33.9
	45-54	13,847	11,064	2,782	32.6	53.0	12.9
	55-64	3,137	2,686	451	10.3	18.4	2.9
	65+	800	648	152	2.2	4.2	0.7
	TOTAL	358,366	170,902	187,464	120.9	117.1	124.6

NOTE: This table should be used only for age comparisons. If age was not specified, cases were prorated according to the distribution of cases for which age was known. Differences between total cases from this table and others in the report are due to different reporting formats. The 0 to 9 year age group is not shown because some of these cases may not be due to sexual transmission; however, they are included in the totals.



**This page intentionally left blank.**





**Table 22. All stages of syphilis\* — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 2002–2006**

State/Area	Cases					Rates per 100,000 Population				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
Alabama	700	567	639	551	931	15.6	12.6	14.1	12.1	20.4
Alaska	9	8	15	22	25	1.4	1.2	2.3	3.3	3.8
Arizona	1,086	1,106	974	792	926	19.9	19.8	17.0	13.3	15.6
Arkansas	219	296	249	231	243	8.1	10.9	9.0	8.3	8.7
California	3,917	4,207	4,589	5,340	6,043	11.2	11.9	12.8	14.8	16.7
Colorado	174	144	179	144	182	3.9	3.2	3.9	3.1	3.9
Connecticut	188	207	169	166	197	5.4	5.9	4.8	4.7	5.6
Delaware	62	47	61	35	74	7.7	5.7	7.3	4.1	8.8
District of Columbia	431	330	357	365	314	75.5	58.5	64.5	66.3	57.0
Florida	3,280	3,283	2,964	2,888	2,945	19.6	19.3	17.0	16.2	16.6
Georgia	1,896	2,152	1,589	1,924	1,933	22.1	24.8	18.0	21.2	21.3
Hawaii	59	61	36	57	66	4.7	4.9	2.9	4.5	5.2
Idaho	23	45	78	54	12	1.7	3.3	5.6	3.8	0.8
Illinois	1,593	1,377	1,348	1,608	1,473	12.6	10.9	10.6	12.6	11.5
Indiana	320	367	273	288	250	5.2	5.9	4.4	4.6	4.0
Iowa	54	46	36	28	68	1.8	1.6	1.2	0.9	2.3
Kansas	77	77	87	88	87	2.8	2.8	3.2	3.2	3.2
Kentucky	212	160	151	129	188	5.2	3.9	3.6	3.1	4.5
Louisiana	776	1,581	1,646	1,239	1,387	17.3	35.2	36.5	27.4	30.7
Maine	9	21	7	6	22	0.7	1.6	0.5	0.5	1.7
Maryland	843	975	1,002	1,005	1,038	15.4	17.7	18.0	17.9	18.5
Massachusetts	541	644	517	398	378	8.4	10.0	8.1	6.2	5.9
Michigan	1,184	860	806	488	384	11.8	8.5	8.0	4.8	3.8
Minnesota	148	195	145	208	189	2.9	3.9	2.8	4.1	3.7
Mississippi	451	435	404	371	520	15.7	15.1	13.9	12.7	17.8
Missouri	204	207	269	372	430	3.6	3.6	4.7	6.4	7.4
Montana	5	0	4	7	2	0.5	0.0	0.4	0.7	0.2
Nebraska	25	27	15	18	34	1.4	1.6	0.9	1.0	1.9
Nevada	113	149	254	343	388	5.2	6.6	10.9	14.2	16.1
New Hampshire	24	37	26	33	35	1.9	2.9	2.0	2.5	2.7
New Jersey	1,062	1,089	826	813	799	12.4	12.6	9.5	9.3	9.2
New Mexico	117	205	251	183	237	6.3	10.9	13.2	9.5	12.3
New York	3,885	4,360	4,472	3,853	4,577	20.3	22.7	23.3	20.0	23.8
North Carolina	1,052	850	747	713	961	12.6	10.1	8.7	8.2	11.1
North Dakota	0	2	0	1	3	0.0	0.3	0.0	0.2	0.5
Ohio	351	481	571	502	491	3.1	4.2	5.0	4.4	4.3
Oklahoma	287	353	168	159	251	8.2	10.1	4.8	4.5	7.1
Oregon	75	118	108	109	99	2.1	3.3	3.0	3.0	2.7
Pennsylvania	689	706	574	712	885	5.6	5.7	4.6	5.7	7.1
Rhode Island	67	90	104	64	71	6.3	8.4	9.6	5.9	6.6
South Carolina	620	552	524	549	397	15.1	13.3	12.5	12.9	9.3
South Dakota	0	5	0	4	29	0.0	0.7	0.0	0.5	3.7
Tennessee	1,082	881	804	917	1,015	18.7	15.1	13.6	15.4	17.0
Texas	4,109	3,996	4,205	4,289	4,956	18.9	18.1	18.7	18.8	21.7
Utah	71	72	78	50	68	3.1	3.1	3.3	2.0	2.8
Vermont	2	1	3	1	7	0.3	0.2	0.5	0.2	1.1
Virginia	528	552	610	655	701	7.2	7.5	8.2	8.7	9.3
Washington	158	239	336	359	423	2.6	3.9	5.4	5.7	6.7
West Virginia	5	11	18	18	30	0.3	0.6	1.0	1.0	1.7
Wisconsin	135	111	128	138	170	2.5	2.0	2.3	2.5	3.1
Wyoming	1	4	6	1	1	0.2	0.8	1.2	0.2	0.2
<b>U.S. TOTAL</b>	<b>32,919</b>	<b>34,289</b>	<b>33,422</b>	<b>33,288</b>	<b>36,935</b>	<b>11.4</b>	<b>11.8</b>	<b>11.4</b>	<b>11.2</b>	<b>12.5</b>
Northeast	6,467	7,155	6,698	6,046	6,971	11.9	13.2	12.3	11.1	12.8
Midwest	4,091	3,755	3,678	3,743	3,608	6.3	5.7	5.6	5.7	5.5
South	16,553	17,021	16,138	16,038	17,884	16.0	16.3	15.2	14.9	16.6
West	5,808	6,358	6,908	7,461	8,472	8.8	9.6	10.2	10.9	12.4
Guam	19	16	13	19	13	11.8	9.8	7.8	11.3	7.7
Puerto Rico	1,394	1,357	1,154	1,223	1,066	36.1	35.0	29.6	31.3	27.2
Virgin Islands	4	14	17	13	5	3.6	12.9	15.6	12.0	4.6
<b>OUTLYING AREAS</b>	<b>1,417</b>	<b>1,387</b>	<b>1,184</b>	<b>1,255</b>	<b>1,084</b>	<b>34.3</b>	<b>33.4</b>	<b>28.4</b>	<b>30.0</b>	<b>25.9</b>
<b>TOTAL</b>	<b>34,336</b>	<b>35,676</b>	<b>34,606</b>	<b>34,543</b>	<b>38,019</b>	<b>11.7</b>	<b>12.1</b>	<b>11.6</b>	<b>11.5</b>	<b>12.6</b>

\*See Appendix (Syphilis Morbidity Reporting) for definition.

**Table 23. All stages of syphilis\* — Reported cases and rates in selected metropolitan statistical areas† (MSAs) listed in alphabetical order: United States, 2002–2006**

Metropolitan Statistical Area	Cases					Rates per 100,000 Population				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
Atlanta-Sandy Springs-Marietta, GA	1,430	1,702	1,315	1,626	1,641	31.6	36.9	27.9	33.1	33.4
Austin-Round Rock, TX	111	152	200	193	212	8.2	11.0	14.2	13.3	14.6
Baltimore-Towson, MD	549	648	647	679	642	21.1	24.8	24.5	25.6	24.2
Birmingham-Hoover, AL	147	122	117	243	561	13.8	11.4	10.8	22.3	51.5
Boston-Cambridge-Quincy, MA-NH	478	568	410	339	329	10.8	12.8	9.3	7.7	7.5
Buffalo-Cheektowaga-Tonawanda, NY	12	11	24	14	40	1.0	0.9	2.1	1.2	3.5
Charlotte-Gastonia-Concord, NC-SC	163	167	154	235	303	11.6	11.6	10.4	15.4	19.9
Chicago-Naperville-Joliet, IL-IN-WI	1,493	1,341	1,296	1,541	1,386	16.1	14.4	13.8	16.3	14.7
Cincinnati-Middletown, OH-KY-IN	35	18	54	55	58	1.7	0.9	2.6	2.7	2.8
Cleveland-Elyria-Mentor, OH	39	62	84	52	53	1.8	2.9	3.9	2.4	2.5
Columbus, OH	214	266	254	227	229	12.9	15.9	15.0	13.3	13.4
Dallas-Fort Worth-Arlington, TX	1,515	1,505	1,374	1,495	1,678	27.6	26.9	24.1	25.7	28.8
Denver-Aurora, CO	141	116	135	111	141	6.2	5.0	5.8	4.7	6.0
Detroit-Warren-Livonia, MI	1,083	751	679	390	284	24.2	16.7	15.1	8.7	6.3
Hartford-West Hartford-East Hartford, CT	68	70	46	57	65	5.8	5.9	3.9	4.8	5.5
Houston-Baytown-Sugar Land, TX	1,158	1,256	1,289	1,188	1,570	23.2	24.7	24.9	22.5	29.7
Indianapolis, IN	148	142	128	134	121	9.4	8.9	7.9	8.2	7.4
Jacksonville, FL	81	135	218	151	165	6.9	11.2	17.8	12.1	13.2
Kansas City, MO-KS	74	118	101	193	228	3.9	6.2	5.2	9.9	11.7
Las Vegas-Paradise, NV	81	123	225	300	354	5.3	7.8	13.6	17.5	20.7
Los Angeles-Long Beach-Santa Ana, CA	2,104	2,166	2,482	3,159	3,594	16.5	16.9	19.2	24.4	27.8
Louisville, KY-IN	161	126	115	102	101	13.6	10.6	9.6	8.4	8.4
Memphis, TN-MS-AR	632	547	519	585	612	51.4	44.1	41.5	46.4	48.5
Miami-Fort Lauderdale-Miami Beach, FL	1,933	1,911	1,687	1,444	1,455	36.9	36.1	31.5	26.6	26.8
Milwaukee-Waukesha-West Allis, WI	100	74	85	77	100	6.6	4.9	5.6	5.1	6.6
Minneapolis-St. Paul-Bloomington, MN-WI	131	173	125	187	161	4.3	5.6	4.0	6.0	5.1
Nashville-Davidson-Murfreesboro, TN	338	220	194	189	194	25.0	16.0	13.9	13.3	13.6
New Orleans-Metairie-Kenner, LA	130	264	449	350	352	9.9	20.0	34.0	26.5	26.7
New York-Newark-Edison, NY-NJ-PA	4,672	5,101	4,918	4,318	4,917	25.1	27.4	26.3	23.0	26.2
Oklahoma City, OK	210	253	110	87	116	18.7	22.3	9.6	7.5	10.0
Orlando, FL	402	318	267	413	403	22.9	17.6	14.3	21.4	20.8
Philadelphia-Camden-Wilmington, PA-NJ-DE-MD	721	785	678	583	771	12.5	13.6	11.7	10.0	13.2
Phoenix-Mesa-Scottsdale, AZ	NA	914	754	595	757	NA	25.4	20.3	15.4	19.6
Pittsburgh, PA	52	57	32	112	152	2.2	2.4	1.3	4.7	6.4
Portland-Vancouver-Beaverton, OR-WA	66	103	84	94	74	3.3	5.0	4.1	4.5	3.5
Providence-New Bedford-Fall River, RI-MA	90	127	137	75	92	5.6	7.8	8.4	4.6	5.7
Richmond, VA	85	114	85	87	106	7.5	10.0	7.4	7.4	9.0
Riverside-San Bernardino-Ontario, CA	275	313	319	399	376	7.8	8.6	8.4	10.2	9.6
Rochester, NY	19	33	41	36	90	1.8	3.2	3.9	3.5	8.7
Sacramento-Arden-Arcade-Roseville, CA	48	35	64	39	136	2.5	1.8	3.2	1.9	6.7
Salt Lake City, UT	50	43	53	35	41	5.0	4.3	5.2	3.4	4.0
San Antonio, TX	322	231	361	458	473	18.0	12.7	19.5	24.2	25.0
San Diego-Carlsbad-San Marcos, CA	162	299	356	448	571	5.6	10.2	12.1	15.3	19.5
San Francisco-Oakland-Fremont, CA	870	901	917	719	740	20.8	21.7	22.1	17.3	17.8
San Jose-Sunnyvale-Santa Clara, CA	94	137	113	121	94	5.4	7.9	6.5	6.9	5.4
Seattle-Tacoma-Bellevue, WA	127	174	273	285	356	4.1	5.5	8.6	8.9	11.1
St. Louis, MO-IL	160	150	189	173	186	5.9	5.5	6.8	6.2	6.7
Tampa-St. Petersburg-Clearwater, FL	316	407	303	326	428	12.7	16.1	11.7	12.3	16.2
Virginia Beach-Norfolk-Newport News, VA-NC	185	148	198	246	245	11.5	9.0	12.0	14.9	14.9
Washington-Arlington-Alexandria, DC-VA-MD-WV	871	836	896	894	928	17.3	16.4	17.4	17.1	17.8
<b>U.S. MSA TOTAL</b>	<b>24,346</b>	<b>26,233</b>	<b>25,554</b>	<b>25,859</b>	<b>28,681</b>	<b>16.1</b>	<b>16.8</b>	<b>16.2</b>	<b>16.2</b>	<b>18.0</b>

\*See Appendix (Reporting of Syphilis Cases) for definition.

†Data are presented for 50 MSAs with the largest population based on 2000 U.S. census. NA = Not available. STD morbidity reporting methods do not allow MSA-specific case counts and rates to be determined for some jurisdictions for some years.

**Table 24. Primary and secondary syphilis — Reported cases and rates by state, ranked by rates: United States, 2006**

<i>Rank*</i>	<i>State</i>	<i>Cases</i>	<i>Rate per 100,000 Population</i>
1	Louisiana	342	7.6
2	Alabama	319	7.0
3	Georgia	581	6.4
4	Nevada	137	5.7
5	Maryland	300	5.4
6	California	1,835	5.1
7	Texas	1,064	4.7
8	Tennessee	249	4.2
9	New Mexico	79	4.1
10	Florida	719	4.0
11	New York	736	3.8
12	North Carolina	309	3.6
13	Arizona	203	3.4
14	Illinois	431	3.4
	<b>U.S. TOTAL†</b>	<b>9,756</b>	<b>3.3</b>
15	Mississippi	86	2.9
16	Missouri	168	2.9
17	Washington	182	2.9
18	Arkansas	77	2.8
19	Virginia	190	2.5
20	Delaware	20	2.4
21	Pennsylvania	264	2.1
22	New Jersey	173	2.0
23	Oklahoma	70	2.0
24	Massachusetts	124	1.9
25	Connecticut	64	1.8
26	Kentucky	73	1.7
27	South Dakota	13	1.7
28	Alaska	11	1.7
29	Ohio	184	1.6
30	South Carolina	66	1.6
31	Indiana	93	1.5
32	Colorado	69	1.5
33	Hawaii	18	1.4
34	Rhode Island	14	1.3
35	Wisconsin	68	1.2
36	Michigan	118	1.2
37	New Hampshire	13	1.0
38	Kansas	27	1.0
39	Minnesota	47	0.9
40	Utah	21	0.9
41	Oregon	29	0.8
42	Maine	9	0.7
43	Iowa	19	0.6
44	West Virginia	11	0.6
45	Vermont	3	0.5
46	Nebraska	7	0.4
47	Idaho	3	0.2
	<b>YEAR 2010 TARGET</b>		<b>0.2</b>
48	North Dakota	1	0.2
49	Montana	1	0.1
	Wyoming	0	0.0

\*States were ranked in descending order by rate, number of cases, and alphabetically by state. States with no cases were not ranked.

†Total includes cases reported by the District of Columbia with 116 cases and a rate of 21.1, but excludes outlying areas (Guam with 3 cases and rate of 1.8, Puerto Rico with 150 cases and rate of 3.8, and Virgin Islands with 1 case and rate of 0.9).

**Table 25. Primary and secondary syphilis — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 2002–2006**

State/Area	Cases					Rates per 100,000 Population				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
Alabama	149	114	165	169	319	3.3	2.5	3.6	3.7	7.0
Alaska	0	1	8	9	11	0.0	0.2	1.2	1.4	1.7
Arizona	200	186	157	175	203	3.7	3.3	2.7	2.9	3.4
Arkansas	34	51	47	52	77	1.3	1.9	1.7	1.9	2.8
California	1,033	1,299	1,356	1,585	1,835	2.9	3.7	3.8	4.4	5.1
Colorado	64	39	63	46	69	1.4	0.9	1.4	1.0	1.5
Connecticut	28	30	45	58	64	0.8	0.9	1.3	1.7	1.8
Delaware	11	7	9	11	20	1.4	0.9	1.1	1.3	2.4
District of Columbia	58	48	69	114	116	10.2	8.5	12.5	20.7	21.1
Florida	617	658	728	724	719	3.7	3.9	4.2	4.1	4.0
Georgia	439	585	549	645	581	5.1	6.7	6.2	7.1	6.4
Hawaii	11	14	8	11	18	0.9	1.1	0.6	0.9	1.4
Idaho	8	15	24	20	3	0.6	1.1	1.7	1.4	0.2
Illinois	479	374	386	525	431	3.8	3.0	3.0	4.1	3.4
Indiana	62	50	60	62	93	1.0	0.8	1.0	1.0	1.5
Iowa	8	12	5	9	19	0.3	0.4	0.2	0.3	0.6
Kansas	20	25	24	19	27	0.7	0.9	0.9	0.7	1.0
Kentucky	88	33	47	52	73	2.2	0.8	1.1	1.2	1.7
Louisiana	152	183	332	278	342	3.4	4.1	7.4	6.1	7.6
Maine	2	8	2	1	9	0.2	0.6	0.2	0.1	0.7
Maryland	228	312	380	313	300	4.2	5.7	6.8	5.6	5.4
Massachusetts	99	133	114	125	124	1.5	2.1	1.8	2.0	1.9
Michigan	486	249	192	105	118	4.8	2.5	1.9	1.0	1.2
Minnesota	59	47	27	70	47	1.2	0.9	0.5	1.4	0.9
Mississippi	49	40	59	49	86	1.7	1.4	2.0	1.7	2.9
Missouri	34	61	94	147	168	0.6	1.1	1.6	2.5	2.9
Montana	0	0	4	7	1	0.0	0.0	0.4	0.7	0.1
Nebraska	6	10	7	4	7	0.3	0.6	0.4	0.2	0.4
Nevada	15	12	40	109	137	0.7	0.5	1.7	4.5	5.7
New Hampshire	8	19	5	16	13	0.6	1.5	0.4	1.2	1.0
New Jersey	169	170	150	133	173	2.0	2.0	1.7	1.5	2.0
New Mexico	39	71	82	56	79	2.1	3.8	4.3	2.9	4.1
New York	478	584	727	705	736	2.5	3.0	3.8	3.7	3.8
North Carolina	279	152	192	274	309	3.4	1.8	2.2	3.2	3.6
North Dakota	0	2	0	1	1	0.0	0.3	0.0	0.2	0.2
Ohio	159	197	237	211	184	1.4	1.7	2.1	1.8	1.6
Oklahoma	72	64	25	44	70	2.1	1.8	0.7	1.2	2.0
Oregon	28	48	29	41	29	0.8	1.3	0.8	1.1	0.8
Pennsylvania	105	159	118	199	264	0.9	1.3	1.0	1.6	2.1
Rhode Island	13	33	26	24	14	1.2	3.1	2.4	2.2	1.3
South Carolina	134	94	116	84	66	3.3	2.3	2.8	2.0	1.6
South Dakota	0	2	0	2	13	0.0	0.3	0.0	0.3	1.7
Tennessee	168	135	130	217	249	2.9	2.3	2.2	3.6	4.2
Texas	589	654	827	873	1,064	2.7	3.0	3.7	3.8	4.7
Utah	7	14	13	10	21	0.3	0.6	0.5	0.4	0.9
Vermont	2	1	1	1	3	0.3	0.2	0.2	0.2	0.5
Virginia	71	82	116	143	190	1.0	1.1	1.6	1.9	2.5
Washington	70	82	150	152	182	1.2	1.3	2.4	2.4	2.9
West Virginia	2	2	3	3	11	0.1	0.1	0.2	0.2	0.6
Wisconsin	30	16	29	41	68	0.6	0.3	0.5	0.7	1.2
Wyoming	0	0	3	0	0	0.0	0.0	0.6	0.0	0.0
<b>U.S. TOTAL</b>	<b>6,862</b>	<b>7,177</b>	<b>7,980</b>	<b>8,724</b>	<b>9,756</b>	<b>2.4</b>	<b>2.5</b>	<b>2.7</b>	<b>2.9</b>	<b>3.3</b>
Northeast	904	1,137	1,188	1,262	1,400	1.7	2.1	2.2	2.3	2.6
Midwest	1,343	1,045	1,061	1,196	1,176	2.1	1.6	1.6	1.8	1.8
South	3,140	3,214	3,794	4,045	4,592	3.0	3.1	3.6	3.8	4.3
West	1,475	1,781	1,937	2,221	2,588	2.2	2.7	2.9	3.3	3.8
Guam	6	1	0	2	3	3.7	0.6	0.0	1.2	1.8
Puerto Rico	270	202	182	224	150	7.0	5.2	4.7	5.7	3.8
Virgin Islands	1	3	5	1	1	0.9	2.8	4.6	0.9	0.9
<b>OUTLYING AREAS</b>	<b>277</b>	<b>206</b>	<b>187</b>	<b>227</b>	<b>154</b>	<b>6.7</b>	<b>5.0</b>	<b>4.5</b>	<b>5.4</b>	<b>3.7</b>
<b>TOTAL</b>	<b>7,139</b>	<b>7,383</b>	<b>8,167</b>	<b>8,951</b>	<b>9,910</b>	<b>2.4</b>	<b>2.5</b>	<b>2.7</b>	<b>3.0</b>	<b>3.3</b>

**Table 26. Primary and secondary syphilis — Women — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 2002–2006**

State/Area	Cases					Rates per 100,000 Population				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
Alabama	63	49	52	69	116	2.7	2.1	2.2	2.9	4.9
Alaska	0	0	0	1	2	0.0	0.0	0.0	0.3	0.6
Arizona	74	66	42	49	33	2.7	2.4	1.5	1.7	1.1
Arkansas	18	16	18	21	35	1.3	1.1	1.3	1.5	2.5
California	39	52	63	121	128	0.2	0.3	0.4	0.7	0.7
Colorado	2	5	7	2	5	0.1	0.2	0.3	0.1	0.2
Connecticut	3	3	3	2	2	0.2	0.2	0.2	0.1	0.1
Delaware	4	2	1	2	4	1.0	0.5	0.2	0.5	0.9
District of Columbia	9	3	4	11	6	3.0	1.0	1.4	3.8	2.1
Florida	108	73	98	100	98	1.3	0.8	1.1	1.1	1.1
Georgia	98	68	45	47	41	2.3	1.5	1.0	1.0	0.9
Hawaii	2	0	0	0	1	0.3	0.0	0.0	0.0	0.2
Idaho	4	5	11	6	2	0.6	0.7	1.6	0.8	0.3
Illinois	81	48	55	47	37	1.3	0.7	0.9	0.7	0.6
Indiana	18	16	6	10	10	0.6	0.5	0.2	0.3	0.3
Iowa	4	2	1	1	6	0.3	0.1	0.1	0.1	0.4
Kansas	6	13	7	2	2	0.4	0.9	0.5	0.1	0.1
Kentucky	43	13	6	3	7	2.1	0.6	0.3	0.1	0.3
Louisiana	76	79	123	112	123	3.3	3.4	5.3	4.8	5.3
Maine	0	0	0	0	2	0.0	0.0	0.0	0.0	0.3
Maryland	53	74	92	88	61	1.9	2.6	3.2	3.0	2.1
Massachusetts	12	3	5	4	7	0.4	0.1	0.2	0.1	0.2
Michigan	192	93	61	20	26	3.8	1.8	1.2	0.4	0.5
Minnesota	4	4	3	2	4	0.2	0.2	0.1	0.1	0.2
Mississippi	31	20	19	12	36	2.1	1.3	1.3	0.8	2.4
Missouri	10	14	12	12	19	0.3	0.5	0.4	0.4	0.6
Montana	0	0	1	1	0	0.0	0.0	0.2	0.2	0.0
Nebraska	2	1	4	0	1	0.2	0.1	0.5	0.0	0.1
Nevada	1	3	8	24	34	0.1	0.3	0.7	2.0	2.9
New Hampshire	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
New Jersey	48	49	38	17	12	1.1	1.1	0.9	0.4	0.3
New Mexico	12	23	36	16	22	1.3	2.4	3.7	1.6	2.2
New York	26	26	32	28	29	0.3	0.3	0.3	0.3	0.3
North Carolina	115	47	48	58	67	2.7	1.1	1.1	1.3	1.5
North Dakota	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Ohio	27	40	61	40	43	0.5	0.7	1.0	0.7	0.7
Oklahoma	20	20	9	17	19	1.1	1.1	0.5	0.9	1.1
Oregon	8	3	1	2	0	0.5	0.2	0.1	0.1	0.0
Pennsylvania	22	33	16	34	34	0.3	0.5	0.3	0.5	0.5
Rhode Island	2	8	10	6	0	0.4	1.4	1.8	1.1	0.0
South Carolina	58	24	25	17	11	2.7	1.1	1.2	0.8	0.5
South Dakota	0	0	0	0	5	0.0	0.0	0.0	0.0	1.3
Tennessee	82	40	34	64	73	2.8	1.3	1.1	2.1	2.4
Texas	192	162	179	243	261	1.8	1.5	1.6	2.1	2.3
Utah	0	3	3	1	3	0.0	0.3	0.3	0.1	0.2
Vermont	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Virginia	17	7	6	19	23	0.5	0.2	0.2	0.5	0.6
Washington	1	4	6	5	4	0.0	0.1	0.2	0.2	0.1
West Virginia	1	2	1	0	1	0.1	0.2	0.1	0.0	0.1
Wisconsin	6	1	2	3	3	0.2	0.0	0.1	0.1	0.1
Wyoming	0	0	1	0	0	0.0	0.0	0.4	0.0	0.0
<b>U.S. TOTAL</b>	<b>1,594</b>	<b>1,217</b>	<b>1,255</b>	<b>1,339</b>	<b>1,458</b>	<b>1.1</b>	<b>0.8</b>	<b>0.8</b>	<b>0.9</b>	<b>1.0</b>
Northeast	113	122	104	91	86	0.4	0.4	0.4	0.3	0.3
Midwest	350	232	212	137	156	1.1	0.7	0.6	0.4	0.5
South	988	699	760	883	982	1.9	1.3	1.4	1.6	1.8
West	143	164	179	228	234	0.4	0.5	0.5	0.7	0.7
Guam	2	0	0	1	1	2.5	0.0	0.0	1.2	1.2
Puerto Rico	123	93	62	81	46	6.1	4.6	3.1	4.0	2.3
Virgin Islands	0	2	3	0	0	0.0	3.5	5.3	0.0	0.0
<b>OUTLYING AREAS</b>	<b>125</b>	<b>95</b>	<b>65</b>	<b>82</b>	<b>47</b>	<b>5.8</b>	<b>4.4</b>	<b>3.0</b>	<b>3.8</b>	<b>2.2</b>
<b>TOTAL</b>	<b>1,719</b>	<b>1,312</b>	<b>1,320</b>	<b>1,421</b>	<b>1,505</b>	<b>1.2</b>	<b>0.9</b>	<b>0.9</b>	<b>0.9</b>	<b>1.0</b>

NOTE: Cases reported with unknown sex are not included in this table.



**Table 27. Primary and secondary syphilis — Men – Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 2002–2006**

State/Area	Cases					Rates per 100,000 Population				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
Alabama	86	65	113	100	203	4.0	3.0	5.1	4.5	9.2
Alaska	0	1	8	8	9	0.0	0.3	2.4	2.3	2.6
Arizona	126	120	115	125	166	4.6	4.3	4.0	4.2	5.6
Arkansas	16	35	29	31	42	1.2	2.6	2.2	2.3	3.1
California	994	1,245	1,291	1,463	1,706	5.7	7.0	7.2	8.1	9.5
Colorado	62	34	56	44	64	2.7	1.5	2.4	1.9	2.7
Connecticut	25	27	42	56	62	1.5	1.6	2.5	3.3	3.6
Delaware	7	5	8	9	16	1.8	1.3	2.0	2.2	3.9
District of Columbia	49	45	65	103	110	18.2	16.9	24.8	39.4	42.1
Florida	509	585	630	624	621	6.2	7.0	7.4	7.2	7.1
Georgia	340	517	504	598	540	8.1	12.1	11.5	13.3	12.0
Hawaii	9	14	8	11	17	1.4	2.2	1.3	1.7	2.7
Idaho	4	10	13	14	1	0.6	1.5	1.9	2.0	0.1
Illinois	398	326	331	478	394	6.4	5.2	5.3	7.6	6.3
Indiana	44	34	54	52	83	1.5	1.1	1.8	1.7	2.7
Iowa	4	10	3	8	13	0.3	0.7	0.2	0.5	0.9
Kansas	14	12	17	17	25	1.0	0.9	1.3	1.2	1.8
Kentucky	45	19	41	49	66	2.2	0.9	2.0	2.4	3.2
Louisiana	76	104	209	166	219	3.5	4.8	9.5	7.5	10.0
Maine	2	8	2	1	7	0.3	1.3	0.3	0.2	1.1
Maryland	175	238	288	225	239	6.6	8.9	10.7	8.3	8.8
Massachusetts	87	129	109	121	117	2.8	4.1	3.5	3.9	3.8
Michigan	294	156	131	85	92	6.0	3.2	2.6	1.7	1.8
Minnesota	55	43	24	68	43	2.2	1.7	0.9	2.7	1.7
Mississippi	18	20	40	37	50	1.3	1.4	2.8	2.6	3.5
Missouri	24	47	82	135	149	0.9	1.7	2.9	4.8	5.3
Montana	0	0	3	6	1	0.0	0.0	0.6	1.3	0.2
Nebraska	4	9	3	4	6	0.5	1.0	0.3	0.5	0.7
Nevada	14	9	32	85	103	1.3	0.8	2.7	6.9	8.4
New Hampshire	8	19	5	16	13	1.3	3.0	0.8	2.5	2.0
New Jersey	121	121	112	116	161	2.9	2.9	2.6	2.7	3.8
New Mexico	27	48	46	40	57	3.0	5.2	4.9	4.2	6.0
New York	452	558	695	677	707	4.9	6.0	7.5	7.3	7.6
North Carolina	164	105	144	216	242	4.0	2.5	3.4	5.1	5.7
North Dakota	0	2	0	1	1	0.0	0.6	0.0	0.3	0.3
Ohio	132	157	176	171	141	2.4	2.8	3.2	3.1	2.5
Oklahoma	52	44	16	27	51	3.0	2.5	0.9	1.5	2.9
Oregon	20	45	28	39	29	1.1	2.5	1.6	2.2	1.6
Pennsylvania	83	126	102	165	230	1.4	2.1	1.7	2.7	3.8
Rhode Island	11	25	16	18	14	2.1	4.8	3.1	3.5	2.7
South Carolina	76	70	91	67	55	3.8	3.5	4.4	3.2	2.7
South Dakota	0	2	0	2	8	0.0	0.5	0.0	0.5	2.1
Tennessee	86	95	96	153	176	3.0	3.3	3.3	5.2	6.0
Texas	397	492	648	630	803	3.7	4.5	5.8	5.5	7.1
Utah	7	11	10	9	18	0.6	0.9	0.8	0.7	1.5
Vermont	2	1	1	1	3	0.7	0.3	0.3	0.3	1.0
Virginia	54	75	110	124	167	1.5	2.1	3.0	3.3	4.5
Washington	69	78	144	147	178	2.3	2.6	4.7	4.7	5.7
West Virginia	1	0	2	3	10	0.1	0.0	0.2	0.3	1.1
Wisconsin	24	15	27	38	65	0.9	0.6	1.0	1.4	2.4
Wyoming	0	0	2	0	0	0.0	0.0	0.8	0.0	0.0
<b>U.S. TOTAL</b>	<b>5,267</b>	<b>5,956</b>	<b>6,722</b>	<b>7,383</b>	<b>8,293</b>	<b>3.7</b>	<b>4.2</b>	<b>4.7</b>	<b>5.1</b>	<b>5.7</b>
Northeast	791	1,014	1,084	1,171	1,314	3.0	3.8	4.1	4.4	5.0
Midwest	993	813	848	1,059	1,020	3.1	2.5	2.6	3.3	3.1
South	2,151	2,514	3,034	3,162	3,610	4.2	4.9	5.8	6.0	6.8
West	1,332	1,615	1,756	1,991	2,349	4.1	4.9	5.2	5.8	6.9
Guam	4	1	0	1	2	4.9	1.2	0.0	1.2	2.3
Puerto Rico	147	109	120	143	104	7.9	5.8	6.4	7.6	5.5
Virgin Islands	1	1	2	1	1	2.0	1.9	3.9	1.9	1.9
<b>OUTLYING AREAS</b>	<b>152</b>	<b>111</b>	<b>122</b>	<b>145</b>	<b>107</b>	<b>7.6</b>	<b>5.5</b>	<b>6.1</b>	<b>7.2</b>	<b>5.3</b>
<b>TOTAL</b>	<b>5,419</b>	<b>6,067</b>	<b>6,844</b>	<b>7,528</b>	<b>8,400</b>	<b>3.8</b>	<b>4.2</b>	<b>4.7</b>	<b>5.1</b>	<b>5.7</b>

NOTE: Cases reported with unknown sex are not included in this table.

**Table 28. Primary and secondary syphilis — Counties and independent cities\* ranked by number of reported cases: United States, 2006**

<i>Rank<sup>†</sup></i>	<i>County/Independent City</i>	<i>Cases</i>	<i>Rate per 100,000 Population</i>	<i>Cumulative Percent</i>
1	Los Angeles County, CA	866	8.7	8
2	Harris County, TX	374	10.1	12
3	Cook County, IL	349	6.6	16
4	San Francisco County, CA	244	33.0	18
5	Fulton County, GA	242	26.4	21
6	New York County, NY	240	15.1	23
7	Jefferson County, AL	238	36.2	26
8	San Diego County, CA	235	8.0	28
9	Dallas County, TX	206	8.9	30
10	Miami-Dade County, FL	203	8.5	32
11	De Kalb County, GA	182	26.8	34
12	Baltimore (City), MD	159	25.0	36
13	Kings County, NY	159	6.4	37
14	Maricopa County, AZ	156	4.3	39
15	Broward County, FL	155	8.7	41
16	King County, WA	147	8.2	42
17	Shelby County, TN	132	14.5	43
18	Clark County, NV	132	7.7	45
19	Bexar County, TX	131	8.6	46
20	Philadelphia County, PA	125	8.5	47
21	Washington, DC	116	21.1	49
22	Mecklenburg County, NC	104	13.1	50
23	Bronx County, NY	101	7.4	51
24	Franklin County, OH	100	9.2	52
25	East Baton Rouge County, LA	97	23.6	53
26	Jackson County, MO	85	12.8	54
27	Tarrant County, TX	84	5.2	54
28	Travis County, TX	81	9.1	55
29	Orange County, FL	81	7.9	56
30	Riverside County, CA	80	4.1	57
31	Orange County, CA	79	2.6	58
32	Queens County, NY	77	3.4	59
33	Allegheny County, PA	71	5.7	59
34	Alameda County, CA	71	4.9	60
35	Wayne County, MI	69	3.5	61
36	Hillsborough County, FL	68	6.0	61
37	Suffolk County, MA	66	10.1	62
38	Prince George's County, MD	60	7.1	63
39	Hudson County, NJ	55	9.1	63
40	Orleans County, LA	54	11.9	64
41	Santa Clara County, CA	52	3.1	64
42	Essex County, NJ	44	5.6	65
43	Marion County, IN	43	5.0	65
44	Pinellas County, FL	38	4.1	66
45	Denver County, CO	37	6.6	66
46	Milwaukee County, WI	37	4.0	66
47	St Louis (City), MO	36	10.5	67
48	Jefferson County, KY	35	5.0	67
49	Gwinnett County, GA	35	4.8	67
50	Wake County, NC	35	4.7	68
51	Duval County, FL	35	4.2	68
52	Pima County, AZ	35	3.8	69
53	Hennepin County, MN	35	3.1	69
54	Davidson County, TN	34	5.9	69
55	Cobb County, GA	34	5.1	70
56	Knox County, TN	33	8.1	70
57	Norfolk (City), VA	32	13.8	70

\*Accounting for 70% of reported primary and secondary syphilis cases.

†Counties and independent cities were ranked in descending order by number of cases reported in 2006.

**Table 29. Primary and secondary syphilis — Reported cases and rates in selected metropolitan statistical areas\* (MSAs) listed in alphabetical order: United States, 2002–2006**

<i>Metropolitan Statistical Area</i>	<b>Cases</b>					<b>Rates per 100,000 Population</b>				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
Atlanta-Sandy Springs-Marietta, GA	378	516	508	598	529	8.3	11.2	10.8	12.2	10.8
Austin-Round Rock, TX	23	31	56	44	84	1.7	2.3	4.0	3.0	5.8
Baltimore-Towson, MD	163	224	276	244	213	6.3	8.6	10.5	9.2	8.0
Birmingham-Hoover, AL	13	23	33	101	244	1.2	2.1	3.0	9.3	22.4
Boston-Cambridge-Quincy, MA-NH	84	121	84	106	117	1.9	2.7	1.9	2.4	2.7
Buffalo-Cheektowaga-Tonawanda, NY	3	2	9	7	18	0.3	0.2	0.8	0.6	1.6
Charlotte-Gastonia-Concord, NC-SC	45	23	46	103	121	3.2	1.6	3.1	6.8	8.0
Chicago-Naperville-Joliet, IL-IN-WI	433	346	373	510	416	4.7	3.7	4.0	5.4	4.4
Cincinnati-Middletown, OH-KY-IN	7	2	22	24	13	0.3	0.1	1.1	1.2	0.6
Cleveland-Ellyria-Mentor, OH	14	32	40	22	18	0.7	1.5	1.9	1.0	0.8
Columbus, OH	107	120	109	109	107	6.4	7.2	6.4	6.4	6.3
Dallas-Fort Worth-Arlington, TX	309	265	279	305	320	5.6	4.7	4.9	5.2	5.5
Denver-Aurora, CO	55	32	55	38	56	2.4	1.4	2.4	1.6	2.4
Detroit-Warren-Livonia, MI	466	218	153	77	82	10.4	4.9	3.4	1.7	1.8
Hartford-West Hartford-East Hartford, CT	11	16	13	14	23	0.9	1.4	1.1	1.2	1.9
Houston-Baytown-Sugar Land, TX	124	227	235	279	396	2.5	4.5	4.5	5.3	7.5
Indianapolis, IN	39	25	34	35	47	2.5	1.6	2.1	2.1	2.9
Jacksonville, FL	18	21	72	50	41	1.5	1.7	5.9	4.0	3.3
Kansas City, MO-KS	17	43	35	89	112	0.9	2.3	1.8	4.6	5.8
Las Vegas-Paradise, NV	7	8	38	103	132	0.5	0.5	2.3	6.0	7.7
Los Angeles-Long Beach-Santa Ana, CA	433	562	551	806	945	3.4	4.4	4.3	6.2	7.3
Louisville, KY-IN	83	28	38	46	41	7.0	2.4	3.2	3.8	3.4
Memphis, TN-MS-AR	111	90	99	138	145	9.0	7.3	7.9	10.9	11.5
Miami-Fort Lauderdale-Miami Beach, FL	391	409	434	395	369	7.5	7.7	8.1	7.3	6.8
Milwaukee-Waukesha-West Allis, WI	23	11	19	22	38	1.5	0.7	1.3	1.5	2.5
Minneapolis-St. Paul-Bloomington, MN-WI	55	43	26	68	43	1.8	1.4	0.8	2.2	1.4
Nashville-Davidson-Murfreesboro, TN	33	26	17	34	40	2.4	1.9	1.2	2.4	2.8
New Orleans-Metairie-Kenner, LA	13	28	101	88	90	1.0	2.1	7.7	6.7	6.8
New York-Newark-Edison, NY-NJ-PA	602	709	816	773	811	3.2	3.8	4.4	4.1	4.3
Oklahoma City, OK	65	56	20	23	24	5.8	4.9	1.7	2.0	2.1
Orlando, FL	67	70	69	106	94	3.8	3.9	3.7	5.5	4.9
Philadelphia-Camden-Wilmington, PA-NJ-DE-MD	103	135	95	127	173	1.8	2.3	1.6	2.2	3.0
Phoenix-Mesa-Scottsdale, AZ	NA	134	106	113	157	NA	3.7	2.9	2.9	4.1
Pittsburgh, PA	24	38	22	69	91	1.0	1.6	0.9	2.9	3.8
Portland-Vancouver-Beaverton, OR-WA	28	47	26	39	25	1.4	2.3	1.3	1.9	1.2
Providence-New Bedford-Fall River, RI-MA	20	42	30	28	18	1.2	2.6	1.8	1.7	1.1
Richmond, VA	9	12	11	13	28	0.8	1.1	1.0	1.1	2.4
Riverside-San Bernardino-Ontario, CA	64	91	103	121	108	1.8	2.5	2.7	3.1	2.8
Rochester, NY	6	7	12	6	14	0.6	0.7	1.2	0.6	1.3
Sacramento-Arden-Arcade-Roseville, CA	14	19	19	16	32	0.7	1.0	0.9	0.8	1.6
Salt Lake City, UT	7	6	5	9	15	0.7	0.6	0.5	0.9	1.4
San Antonio, TX	48	52	116	129	136	2.7	2.9	6.3	6.8	7.2
San Diego-Carlsbad-San Marcos, CA	37	111	138	194	235	1.3	3.8	4.7	6.6	8.0
San Francisco-Oakland-Fremont, CA	399	406	422	331	363	9.5	9.8	10.2	8.0	8.7
San Jose-Sunnyvale-Santa Clara, CA	30	56	56	44	52	1.7	3.2	3.2	2.5	3.0
Seattle-Tacoma-Bellevue, WA	59	70	138	125	160	1.9	2.2	4.4	3.9	5.0
St. Louis, MO-IL	32	51	71	50	65	1.2	1.9	2.6	1.8	2.3
Tampa-St. Petersburg-Clearwater, FL	57	96	89	85	110	2.3	3.8	3.4	3.2	4.2
Virginia Beach-Norfolk-Newport News, VA-NC	31	23	50	60	84	1.9	1.4	3.0	3.6	5.1
Washington-Arlington-Alexandria, DC-VA-MD-WV	139	168	199	233	250	2.8	3.3	3.9	4.5	4.8
<b>U.S. MSA TOTAL</b>	<b>5,299</b>	<b>5,891</b>	<b>6,368</b>	<b>7,149</b>	<b>7,845</b>	<b>3.5</b>	<b>3.8</b>	<b>4.0</b>	<b>4.5</b>	<b>4.9</b>

\*Data are presented for 50 MSAs with the largest population based on 2000 U.S. census. NA = Not available. STD morbidity reporting methods do not allow MSA-specific case counts and rates to be determined for some jurisdictions for some years.

**Table 30. Primary and secondary syphilis — Women – Reported cases and rates in selected metropolitan statistical areas\* (MSAs) listed in alphabetical order: United States, 2002–2006**

<i>Metropolitan Statistical Area</i>	<i>Cases</i>					<i>Rates per 100,000 Population</i>				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
Atlanta-Sandy Springs-Marietta, GA	74	57	36	36	33	3.2	2.5	1.5	1.5	1.3
Austin-Round Rock, TX	3	2	3	3	11	0.5	0.3	0.4	0.4	1.5
Baltimore-Towson, MD	47	63	70	84	53	3.5	4.6	5.1	6.1	3.9
Birmingham-Hoover, AL	7	4	11	35	94	1.3	0.7	2.0	6.2	16.7
Boston-Cambridge-Quincy, MA-NH	8	2	5	1	7	0.3	0.1	0.2	0.0	0.3
Buffalo-Cheektowaga-Tonawanda, NY	0	1	1	0	2	0.0	0.2	0.2	0.0	0.3
Charlotte-Gastonia-Concord, NC-SC	22	3	12	20	28	3.1	0.4	1.6	2.6	3.6
Chicago-Naperville-Joliet, IL-IN-WI	62	44	55	50	43	1.3	0.9	1.1	1.0	0.9
Cincinnati-Middletown, OH-KY-IN	2	0	2	0	5	0.2	0.0	0.2	0.0	0.5
Cleveland-Elyria-Mentor, OH	4	13	3	1	2	0.4	1.2	0.3	0.1	0.2
Columbus, OH	11	17	31	22	30	1.3	2.0	3.6	2.5	3.5
Dallas-Fort Worth-Arlington, TX	123	99	73	100	112	4.5	3.5	2.6	3.4	3.9
Denver-Aurora, CO	0	3	6	1	3	0.0	0.3	0.5	0.1	0.3
Detroit-Warren-Livonia, MI	188	81	49	17	20	8.2	3.5	2.1	0.7	0.9
Hartford-West Hartford-East Hartford, CT	1	3	0	0	1	0.2	0.5	0.0	0.0	0.2
Houston-Baytown-Sugar Land, TX	19	26	39	61	65	0.8	1.0	1.5	2.3	2.5
Indianapolis, IN	11	7	2	4	1	1.4	0.9	0.2	0.5	0.1
Jacksonville, FL	8	9	32	20	11	1.3	1.5	5.1	3.1	1.7
Kansas City, MO-KS	3	20	5	5	17	0.3	2.1	0.5	0.5	1.7
Las Vegas-Paradise, NV	0	1	8	21	32	0.0	0.1	1.0	2.5	3.8
Los Angeles-Long Beach-Santa Ana, CA	19	28	40	63	72	0.3	0.4	0.6	1.0	1.1
Louisville, KY-IN	42	13	6	3	3	6.9	2.1	1.0	0.5	0.5
Memphis, TN-MS-AR	62	30	33	50	52	9.7	4.7	5.1	7.7	8.0
Miami-Fort Lauderdale-Miami Beach, FL	48	33	41	43	40	1.8	1.2	1.5	1.5	1.4
Milwaukee-Waukesha-West Allis, WI	5	1	1	1	2	0.6	0.1	0.1	0.1	0.3
Minneapolis-St. Paul-Bloomington, MN-WI	3	3	3	3	3	0.2	0.2	0.2	0.2	0.2
Nashville-Davidson-Murfreesboro, TN	13	6	2	2	2	1.9	0.9	0.3	0.3	0.3
New Orleans-Metairie-Kenner, LA	4	10	27	23	25	0.6	1.5	3.9	3.4	3.6
New York-Newark-Edison, NY-NJ-PA	65	65	58	37	31	0.7	0.7	0.6	0.4	0.3
Oklahoma City, OK	15	19	7	9	6	2.6	3.3	1.2	1.5	1.0
Orlando, FL	22	17	10	14	14	2.5	1.9	1.1	1.4	1.4
Philadelphia-Camden-Wilmington, PA-NJ-DE-MD	22	23	16	13	6	0.7	0.8	0.5	0.4	0.2
Phoenix-Mesa-Scottsdale, AZ	NA	45	25	23	18	NA	2.5	1.4	1.2	0.9
Pittsburgh, PA	8	17	7	25	28	0.6	1.4	0.6	2.0	2.3
Portland-Vancouver-Beaverton, OR-WA	8	2	0	0	0	0.8	0.2	0.0	0.0	0.0
Providence-New Bedford-Fall River, RI-MA	5	9	10	7	0	0.6	1.1	1.2	0.8	0.0
Richmond, VA	2	2	1	1	1	0.3	0.3	0.2	0.2	0.2
Riverside-San Bernardino-Ontario, CA	2	5	1	12	10	0.1	0.3	0.1	0.6	0.5
Rochester, NY	1	1	0	1	0	0.2	0.2	0.0	0.2	0.0
Sacramento-Arden-Arcade-Roseville, CA	0	1	0	0	3	0.0	0.1	0.0	0.0	0.3
Salt Lake City, UT	0	1	1	1	1	0.0	0.2	0.2	0.2	0.2
San Antonio, TX	12	6	20	34	32	1.3	0.6	2.1	3.5	3.3
San Diego-Carlsbad-San Marcos, CA	6	4	10	25	12	0.4	0.3	0.7	1.7	0.8
San Francisco-Oakland-Fremont, CA	6	4	2	8	7	0.3	0.2	0.1	0.4	0.3
San Jose-Sunnyvale-Santa Clara, CA	1	4	4	2	7	0.1	0.5	0.5	0.2	0.8
Seattle-Tacoma-Bellevue, WA	0	2	6	4	2	0.0	0.1	0.4	0.2	0.1
St. Louis, MO-IL	12	12	9	5	3	0.8	0.8	0.6	0.3	0.2
Tampa-St. Petersburg-Clearwater, FL	10	6	3	8	15	0.8	0.5	0.2	0.6	1.1
Virginia Beach-Norfolk-Newport News, VA-NC	12	3	4	15	18	1.5	0.4	0.5	1.8	2.2
Washington-Arlington-Alexandria, DC-VA-MD-WV	15	13	16	13	11	0.6	0.5	0.6	0.5	0.4
<b>U.S. MSA TOTAL</b>	<b>1,013</b>	<b>840</b>	<b>806</b>	<b>926</b>	<b>994</b>	<b>1.3</b>	<b>1.1</b>	<b>1.0</b>	<b>1.1</b>	<b>1.2</b>

\*Data are presented for 50 MSAs with the largest population based on 2000 U.S. census. NA = Not available. STD morbidity reporting methods do not allow MSA-specific case counts and rates to be determined for some jurisdictions for some years.

**Table 31. Primary and secondary syphilis — Men — Reported cases and rates in selected metropolitan statistical areas\* (MSAs) listed in alphabetical order: United States, 2002–2006**

Metropolitan Statistical Area	Cases					Rates per 100,000 Population				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
Atlanta-Sandy Springs-Marietta, GA	303	459	472	562	496	13.5	20.1	20.2	23.0	20.3
Austin-Round Rock, TX	20	29	53	41	73	2.9	4.1	7.4	5.5	9.9
Baltimore-Towson, MD	116	161	206	160	160	9.3	12.8	16.2	12.5	12.5
Birmingham-Hoover, AL	6	19	22	66	150	1.2	3.7	4.2	12.5	28.5
Boston-Cambridge-Quincy, MA-NH	76	119	79	105	110	3.5	5.5	3.7	4.9	5.1
Buffalo-Cheektowaga-Tonawanda, NY	3	1	8	7	16	0.5	0.2	1.4	1.3	2.9
Charlotte-Gastonia-Concord, NC-SC	23	20	34	83	93	3.3	2.8	4.7	11.1	12.4
Chicago-Naperville-Joliet, IL-IN-WI	371	302	318	460	373	8.2	6.6	6.9	9.9	8.0
Cincinnati-Middletown, OH-KY-IN	5	2	20	24	8	0.5	0.2	2.0	2.4	0.8
Cleveland-Ellyria-Mentor, OH	10	19	37	21	16	1.0	1.9	3.6	2.1	1.6
Columbus, OH	96	103	78	87	77	11.8	12.5	9.3	10.3	9.1
Dallas-Fort Worth-Arlington, TX	186	166	206	205	208	6.8	5.9	7.2	7.0	7.1
Denver-Aurora, CO	55	29	49	37	53	4.8	2.5	4.2	3.1	4.5
Detroit-Warren-Livonia, MI	278	137	104	60	62	12.7	6.3	4.8	2.7	2.8
Hartford-West Hartford-East Hartford, CT	10	13	13	14	22	1.8	2.3	2.3	2.4	3.8
Houston-Baytown-Sugar Land, TX	105	201	196	218	331	4.2	7.9	7.6	8.3	12.5
Indianapolis, IN	28	18	32	31	46	3.6	2.3	4.0	3.8	5.7
Jacksonville, FL	10	12	40	30	30	1.7	2.0	6.7	4.9	4.9
Kansas City, MO-KS	14	23	30	84	95	1.5	2.5	3.2	8.8	9.9
Las Vegas-Paradise, NV	7	7	30	82	100	0.9	0.9	3.6	9.4	11.5
Los Angeles-Long Beach-Santa Ana, CA	414	533	511	743	873	6.6	8.4	8.0	11.6	13.6
Louisville, KY-IN	41	14	32	43	38	7.1	2.4	5.5	7.3	6.4
Memphis, TN-MS-AR	49	60	66	88	93	8.3	10.0	10.9	14.4	15.3
Miami-Fort Lauderdale-Miami Beach, FL	343	376	393	352	329	13.5	14.7	15.1	13.4	12.5
Milwaukee-Waukesha-West Allis, WI	18	10	18	21	36	2.5	1.4	2.4	2.9	4.9
Minneapolis-St. Paul-Bloomington, MN-WI	52	40	23	65	40	3.4	2.6	1.5	4.2	2.6
Nashville-Davidson-Murfreesboro, TN	20	20	15	32	38	3.0	3.0	2.2	4.6	5.4
New Orleans-Metairie-Kenner, LA	9	18	74	65	65	1.4	2.8	11.7	10.3	10.3
New York-Newark-Edison, NY-NJ-PA	537	644	758	736	780	6.0	7.2	8.4	8.1	8.6
Oklahoma City, OK	50	37	13	14	18	9.1	6.6	2.3	2.5	3.2
Orlando, FL	45	53	59	92	80	5.2	6.0	6.4	9.6	8.4
Philadelphia-Camden-Wilmington, PA-NJ-DE-MD	81	112	79	114	167	2.9	4.0	2.8	4.1	5.9
Phoenix-Mesa-Scottsdale, AZ	NA	89	81	89	136	NA	4.9	4.3	4.6	7.0
Pittsburgh, PA	16	21	15	44	63	1.4	1.8	1.3	3.8	5.5
Portland-Vancouver-Beaverton, OR-WA	20	45	26	39	25	2.0	4.4	2.5	3.7	2.4
Providence-New Bedford-Fall River, RI-MA	15	33	20	21	18	1.9	4.2	2.5	2.7	2.3
Richmond, VA	7	10	10	12	27	1.3	1.8	1.8	2.1	4.7
Riverside-San Bernardino-Ontario, CA	62	86	102	108	98	3.5	4.7	5.4	5.5	5.0
Rochester, NY	5	6	12	5	14	1.0	1.2	2.4	1.0	2.8
Sacramento-Arden-Arcade-Roseville, CA	14	18	19	16	29	1.5	1.9	1.9	1.6	2.9
Salt Lake City, UT	7	5	4	8	14	1.4	1.0	0.8	1.5	2.7
San Antonio, TX	36	46	96	95	104	4.1	5.2	10.6	10.3	11.2
San Diego-Carlsbad-San Marcos, CA	31	107	128	169	223	2.1	7.3	8.7	11.4	15.1
San Francisco-Oakland-Fremont, CA	393	401	419	323	355	19.0	19.5	20.4	15.7	17.3
San Jose-Sunnyvale-Santa Clara, CA	29	52	52	42	45	3.3	5.9	5.9	4.7	5.0
Seattle-Tacoma-Bellevue, WA	59	68	132	121	158	3.8	4.3	8.3	7.6	9.9
St. Louis, MO-IL	20	39	62	45	62	1.5	3.0	4.6	3.3	4.6
Tampa-St. Petersburg-Clearwater, FL	47	90	86	77	95	3.9	7.3	6.9	6.0	7.4
Virginia Beach-Norfolk-Newport News, VA-NC	19	20	46	45	66	2.4	2.5	5.7	5.5	8.1
Washington-Arlington-Alexandria, DC-VA-MD-WV	124	155	183	220	239	5.1	6.2	7.3	8.6	9.4
<b>U.S. MSA TOTAL</b>	<b>4,285</b>	<b>5,048</b>	<b>5,561</b>	<b>6,221</b>	<b>6,847</b>	<b>5.8</b>	<b>6.6</b>	<b>7.2</b>	<b>7.9</b>	<b>8.7</b>

\*Data are presented for 50 MSAs with the largest population based on 2000 U.S. census. NA = Not available. STD morbidity reporting methods do not allow MSA-specific case counts and rates to be determined for some jurisdictions for some years.

**Table 32. Primary and secondary syphilis — Reported cases and rates per 100,000 population by age group and sex: United States, 2002–2006**

Year	Age Group	Cases			Rates		
		Total	Male	Female	Total	Male	Female
2002	10-14	15	4	11	0.1	0.0	0.1
	15-19	351	135	216	1.7	1.3	2.2
	20-24	842	533	309	4.2	5.2	3.1
	25-29	895	668	227	4.7	6.9	2.4
	30-34	1,097	877	220	5.2	8.3	2.1
	35-39	1,367	1,121	246	6.2	10.2	2.2
	40-44	1,023	845	178	4.4	7.4	1.5
	45-54	982	825	157	2.5	4.2	0.8
	55-64	217	196	21	0.8	1.5	0.2
	65+	67	59	8	0.2	0.4	0.0
	TOTAL	6,862	5,268	1,594	2.4	3.7	1.1
2003	10-14	11	1	10	0.1	0.0	0.1
	15-19	322	150	172	1.6	1.4	1.7
	20-24	860	620	240	4.2	5.8	2.4
	25-29	941	760	181	4.9	7.8	1.9
	30-34	1,187	1,023	164	5.7	9.8	1.6
	35-39	1,460	1,290	170	6.8	12.0	1.6
	40-44	1,157	1,021	136	5.0	8.9	1.2
	45-54	991	871	119	2.4	4.3	0.6
	55-64	205	187	18	0.7	1.4	0.1
	65+	42	36	6	0.1	0.2	0.0
	TOTAL	7,177	5,959	1,218	2.5	4.2	0.8
2004	10-14	9	2	7	0.0	0.0	0.1
	15-19	339	191	148	1.7	1.8	1.5
	20-24	1,029	735	294	5.0	6.9	2.9
	25-29	1,125	943	182	5.8	9.5	1.9
	30-34	1,282	1,116	166	6.3	10.9	1.7
	35-39	1,467	1,313	154	7.0	12.5	1.5
	40-44	1,344	1,198	146	5.9	10.6	1.3
	45-54	1,035	915	120	2.5	4.5	0.6
	55-64	281	249	32	1.0	1.8	0.2
	65+	55	54	1	0.2	0.4	0.0
	TOTAL	7,975	6,721	1,254	2.7	4.7	0.8
2005	10-14	10	2	8	0.0	0.0	0.1
	15-19	443	251	192	2.1	2.3	1.9
	20-24	1,181	875	306	5.6	8.1	3.0
	25-29	1,214	1,008	206	6.0	9.8	2.1
	30-34	1,329	1,178	150	6.6	11.6	1.5
	35-39	1,574	1,394	179	7.5	13.2	1.7
	40-44	1,418	1,253	164	6.2	11.0	1.4
	45-54	1,192	1,080	111	2.8	5.2	0.5
	55-64	304	284	20	1.0	1.9	0.1
	65+	59	57	2	0.2	0.4	0.0
	TOTAL	8,724	7,385	1,339	2.9	5.1	0.9
2006	10-14	13	2	11	0.1	0.0	0.1
	15-19	565	332	233	2.7	3.1	2.3
	20-24	1,382	1,083	299	6.6	10.0	2.9
	25-29	1,574	1,333	241	7.8	13.0	2.5
	30-34	1,221	1,058	163	6.1	10.4	1.6
	35-39	1,581	1,427	154	7.5	13.5	1.5
	40-44	1,516	1,363	153	6.6	12.0	1.3
	45-54	1,443	1,278	165	3.4	6.1	0.8
	55-64	375	340	35	1.2	2.3	0.2
	65+	81	79	2	0.2	0.5	0.0
	TOTAL	9,756	8,297	1,459	3.3	5.7	1.0

NOTE: This table should be used only for age comparisons. If age was not specified, cases were prorated according to the distribution of cases for which age was known. Differences between total cases from this table and others in the report are due to different reporting formats. The 0 to 9 year age group is not shown because some of these cases may not be due to sexual transmission; however, they are included in the totals.

**This page intentionally left blank.**

**Table 33A. Primary and secondary syphilis — Reported cases by race/ethnicity, age group and sex: United States, 2002–2006**

Age Group	White, Non-Hispanic			Black, Non-Hispanic			Hispanic			Asian/Pacific Islander			American Indian/ Alaska Native			
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
2002	10-14	2	1	1	10	2	8	2	1	1	1	0	1	0	0	0
	15-19	33	9	24	253	89	164	62	37	25	2	0	2	1	0	1
	20-24	129	89	40	546	313	233	146	117	29	13	9	4	8	5	3
	25-29	224	189	36	485	323	163	165	138	26	17	16	1	4	3	1
	30-34	404	373	31	476	310	166	192	172	20	22	21	1	3	1	2
	35-39	576	541	35	568	385	183	200	178	22	15	14	1	8	3	5
	40-44	452	429	23	448	305	142	102	93	8	15	14	1	7	4	3
	45-54	393	370	23	482	370	112	83	69	15	8	8	0	16	8	7
	55-64	95	91	4	110	94	16	10	10	0	0	0	0	2	1	1
	65+	15	15	0	42	35	7	9	8	1	0	0	0	1	1	0
TOTAL	2,325	2,108	217	3,421	2,226	1,195	971	823	147	94	83	11	51	27	24	
2003	10-14	0	0	0	5	1	4	5	0	5	0	0	0	1	0	1
	15-19	48	24	24	205	93	112	63	28	35	6	5	1	0	0	0
	20-24	195	154	41	471	309	161	178	142	36	13	11	2	3	3	0
	25-29	301	265	36	408	293	115	195	173	23	28	25	3	8	4	4
	30-34	524	485	39	416	316	100	213	190	23	20	20	0	14	12	2
	35-39	743	703	40	451	335	116	222	211	11	28	28	0	16	14	2
	40-44	588	563	26	382	288	94	158	146	12	20	19	1	9	5	3
	45-54	489	472	17	373	287	86	107	97	9	10	8	1	13	6	6
	55-64	104	100	4	81	68	13	13	12	1	2	2	0	4	4	0
	65+	17	16	1	18	16	2	5	2	3	0	0	0	1	1	0
TOTAL	3,010	2,783	227	2,811	2,005	805	1,160	1,001	159	127	119	8	69	50	19	
2004	10-14	0	0	0	8	2	6	1	0	1	0	0	0	0	0	0
	15-19	56	33	23	211	113	98	55	33	22	11	9	2	6	3	3
	20-24	242	185	57	573	375	198	188	156	32	19	16	3	8	4	4
	25-29	317	281	36	534	421	113	237	213	24	28	25	3	11	5	5
	30-34	512	470	41	496	402	95	238	215	23	29	28	1	10	3	6
	35-39	675	640	35	489	392	98	249	235	14	36	35	1	18	12	6
	40-44	684	655	29	455	353	102	179	169	9	18	18	0	10	4	5
	45-54	525	503	23	379	295	84	110	98	12	11	11	0	10	9	1
	55-64	155	145	10	101	83	18	20	20	0	2	1	1	4	1	3
	65+	36	35	1	16	16	0	3	3	0	0	0	0	0	0	0
TOTAL	3,203	2,947	256	3,266	2,452	814	1,280	1,142	138	153	142	11	77	42	35	
2005	10-14	0	0	0	9	1	8	1	1	0	0	0	0	0	0	0
	15-19	67	36	30	304	173	131	62	36	26	5	4	1	5	1	4
	20-24	281	230	51	660	459	201	216	167	49	15	11	4	8	7	1
	25-29	331	299	32	612	480	132	236	198	38	27	25	2	8	6	2
	30-34	491	456	35	554	455	99	230	216	14	43	42	1	12	10	2
	35-39	761	712	49	518	415	103	268	244	24	19	19	0	8	4	4
	40-44	741	700	40	446	350	97	193	172	21	26	24	2	12	7	4
	45-54	660	631	29	385	320	65	126	111	14	15	14	1	6	4	2
	55-64	167	162	5	102	90	13	30	28	2	4	4	0	0	0	0
	65+	26	26	0	23	21	2	8	8	0	2	2	0	0	0	0
TOTAL	3,524	3,254	270	3,615	2,764	850	1,370	1,182	188	156	145	11	60	40	20	
2006	10-14	1	0	1	11	2	9	0	0	0	0	0	0	1	0	1
	15-19	71	39	33	419	246	173	74	46	28	1	1	0	0	0	0
	20-24	291	247	44	853	630	223	218	187	31	12	11	1	8	7	1
	25-29	431	381	50	795	641	154	304	271	34	37	35	2	7	6	1
	30-34	433	395	38	497	398	99	243	223	20	34	31	3	14	11	3
	35-39	720	676	44	532	447	85	282	263	18	33	32	1	14	9	5
	40-44	802	756	46	443	356	87	227	213	14	30	29	1	15	10	5
	45-54	766	729	38	500	394	107	143	129	14	24	22	2	9	5	4
	55-64	194	186	8	139	115	24	35	33	2	2	2	0	5	4	1
	65+	34	34	0	25	23	2	17	17	0	0	0	0	5	5	0
TOTAL	3,744	3,443	301	4,215	3,253	962	1,543	1,381	162	173	163	10	80	57	24	

NOTE: These tables should be used only for race/ethnicity comparisons. See Table 32 for age-specific cases and rates and Tables 25-27 for total and sex-specific cases and rates. If age or race/ethnicity was not specified, cases were prorated according to the distribution of cases for which these variables were specified. Differences between total cases from this table and others in the report are due to different reporting formats and above listed exclusion. The 0 to 9 year age group is not shown because some of these cases may not be due to sexual transmission; however, they are included in the totals.





**Table 34. Early latent syphilis — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 2002–2006**

State/Area	Cases					Rates per 100,000 Population				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
Alabama	211	140	231	184	341	4.7	3.1	5.1	4.0	7.5
Alaska	1	0	1	8	6	0.2	0.0	0.2	1.2	0.9
Arizona	200	232	219	134	186	3.7	4.2	3.8	2.3	3.1
Arkansas	51	71	56	48	67	1.9	2.6	2.0	1.7	2.4
California	716	820	873	1,153	1,369	2.0	2.3	2.4	3.2	3.8
Colorado	22	20	24	27	38	0.5	0.4	0.5	0.6	0.8
Connecticut	13	13	16	19	27	0.4	0.4	0.5	0.5	0.8
Delaware	9	11	25	9	16	1.1	1.3	3.0	1.1	1.9
District of Columbia	192	152	113	103	77	33.6	26.9	20.4	18.7	14.0
Florida	949	988	856	726	760	5.7	5.8	4.9	4.1	4.3
Georgia	701	720	333	380	366	8.2	8.3	3.8	4.2	4.0
Hawaii	21	6	3	4	2	1.7	0.5	0.2	0.3	0.2
Idaho	4	8	26	13	3	0.3	0.6	1.9	0.9	0.2
Illinois	528	350	322	397	267	4.2	2.8	2.5	3.1	2.1
Indiana	53	58	45	42	46	0.9	0.9	0.7	0.7	0.7
Iowa	8	5	12	6	6	0.3	0.2	0.4	0.2	0.2
Kansas	13	19	12	18	18	0.5	0.7	0.4	0.7	0.7
Kentucky	49	43	24	23	36	1.2	1.0	0.6	0.6	0.9
Louisiana	183	197	316	252	481	4.1	4.4	7.0	5.6	10.6
Maine	1	7	0	2	7	0.1	0.5	0.0	0.2	0.5
Maryland	181	211	213	289	193	3.3	3.8	3.8	5.2	3.4
Massachusetts	95	136	96	105	82	1.5	2.1	1.5	1.6	1.3
Michigan	255	122	121	69	43	2.5	1.2	1.2	0.7	0.4
Minnesota	23	45	21	46	58	0.5	0.9	0.4	0.9	1.1
Mississippi	149	173	130	162	197	5.2	6.0	4.5	5.5	6.7
Missouri	51	46	58	108	93	0.9	0.8	1.0	1.9	1.6
Montana	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Nebraska	0	1	0	2	1	0.0	0.1	0.0	0.1	0.1
Nevada	12	35	24	64	119	0.6	1.6	1.0	2.7	4.9
New Hampshire	1	4	0	0	2	0.1	0.3	0.0	0.0	0.2
New Jersey	220	326	344	289	314	2.6	3.8	4.0	3.3	3.6
New Mexico	23	53	69	53	85	1.2	2.8	3.6	2.7	4.4
New York	756	1,019	744	1,084	993	3.9	5.3	3.9	5.6	5.2
North Carolina	333	261	261	215	294	4.0	3.1	3.1	2.5	3.4
North Dakota	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Ohio	84	92	184	136	115	0.7	0.8	1.6	1.2	1.0
Oklahoma	124	77	62	64	121	3.5	2.2	1.8	1.8	3.4
Oregon	18	27	29	16	19	0.5	0.8	0.8	0.4	0.5
Pennsylvania	237	216	183	204	286	1.9	1.7	1.5	1.6	2.3
Rhode Island	9	7	15	5	6	0.8	0.7	1.4	0.5	0.6
South Carolina	202	180	204	222	174	4.9	4.3	4.9	5.2	4.1
South Dakota	0	3	0	0	6	0.0	0.4	0.0	0.0	0.8
Tennessee	390	228	206	203	233	6.7	3.9	3.5	3.4	3.9
Texas	1,149	1,065	1,069	1,013	1,312	5.3	4.8	4.8	4.4	5.7
Utah	8	7	5	7	7	0.3	0.3	0.2	0.3	0.3
Vermont	0	0	0	0	2	0.0	0.0	0.0	0.0	0.3
Virginia	94	74	108	148	165	1.3	1.0	1.4	2.0	2.2
Washington	23	36	51	63	81	0.4	0.6	0.8	1.0	1.3
West Virginia	1	2	9	3	6	0.1	0.1	0.5	0.2	0.3
Wisconsin	66	54	55	58	60	1.2	1.0	1.0	1.0	1.1
Wyoming	0	1	0	0	0	0.0	0.2	0.0	0.0	0.0
<b>U.S. TOTAL</b>	<b>8,429</b>	<b>8,361</b>	<b>7,768</b>	<b>8,176</b>	<b>9,186</b>	<b>2.9</b>	<b>2.9</b>	<b>2.6</b>	<b>2.8</b>	<b>3.1</b>
Northeast	1,332	1,728	1,398	1,708	1,719	2.5	3.2	2.6	3.1	3.1
Midwest	1,081	795	830	882	713	1.7	1.2	1.3	1.3	1.1
South	4,968	4,593	4,216	4,044	4,839	4.8	4.4	4.0	3.8	4.5
West	1,048	1,245	1,324	1,542	1,915	1.6	1.9	2.0	2.3	2.8
Guam	3	1	0	0	3	1.9	0.6	0.0	0.0	1.8
Puerto Rico	702	748	353	432	368	18.2	19.3	9.1	11.0	9.4
Virgin Islands	1	6	8	7	0	0.9	5.5	7.4	6.4	0.0
<b>OUTLYING AREAS</b>	<b>706</b>	<b>755</b>	<b>361</b>	<b>439</b>	<b>371</b>	<b>17.1</b>	<b>18.2</b>	<b>8.7</b>	<b>10.5</b>	<b>8.9</b>
<b>TOTAL</b>	<b>9,135</b>	<b>9,116</b>	<b>8,129</b>	<b>8,615</b>	<b>9,557</b>	<b>3.1</b>	<b>3.1</b>	<b>2.7</b>	<b>2.9</b>	<b>3.2</b>

**Table 35. Early latent syphilis — Reported cases and rates in selected metropolitan statistical areas\* (MSAs) listed in alphabetical order: United States, 2002–2006**

<i>Metropolitan Statistical Area</i>	<i>Cases</i>					<i>Rates per 100,000 Population</i>				
	<i>2002</i>	<i>2003</i>	<i>2004</i>	<i>2005</i>	<i>2006</i>	<i>2002</i>	<i>2003</i>	<i>2004</i>	<i>2005</i>	<i>2006</i>
Atlanta-Sandy Springs-Marietta, GA	585	614	281	314	293	12.9	13.3	6.0	6.4	6.0
Austin-Round Rock, TX	25	42	59	59	51	1.9	3.0	4.2	4.1	3.5
Baltimore-Towson, MD	151	189	167	211	136	5.8	7.2	6.3	7.9	5.1
Birmingham-Hoover, AL	33	24	42	82	220	3.1	2.2	3.9	7.5	20.2
Boston-Cambridge-Quincy, MA-NH	81	117	70	84	65	1.8	2.6	1.6	1.9	1.5
Buffalo-Cheektowaga-Tonawanda, NY	2	2	4	3	14	0.2	0.2	0.3	0.3	1.2
Charlotte-Gastonia-Concord, NC-SC	49	51	58	71	98	3.5	3.5	3.9	4.7	6.4
Chicago-Naperville-Joliet, IL-IN-WI	510	344	322	395	269	5.5	3.7	3.4	4.2	2.8
Cincinnati-Middletown, OH-KY-IN	1	0	8	13	7	0.0	0.0	0.4	0.6	0.3
Cleveland-Elyria-Mentor, OH	13	7	33	21	11	0.6	0.3	1.5	1.0	0.5
Columbus, OH	55	44	72	41	55	3.3	2.6	4.3	2.4	3.2
Dallas-Fort Worth-Arlington, TX	508	488	380	381	532	9.3	8.7	6.7	6.5	9.1
Denver-Aurora, CO	19	17	22	22	32	0.8	0.7	0.9	0.9	1.4
Detroit-Warren-Livonia, MI	228	112	103	59	34	5.1	2.5	2.3	1.3	0.8
Hartford-West Hartford-East Hartford, CT	7	2	5	7	10	0.6	0.2	0.4	0.6	0.8
Houston-Baytown-Sugar Land, TX	198	237	246	207	291	4.0	4.7	4.7	3.9	5.5
Indianapolis, IN	31	23	24	19	18	2.0	1.4	1.5	1.2	1.1
Jacksonville, FL	27	40	75	56	56	2.3	3.3	6.1	4.5	4.5
Kansas City, MO-KS	12	31	23	51	41	0.6	1.6	1.2	2.6	2.1
Las Vegas-Paradise, NV	7	28	19	57	112	0.5	1.8	1.2	3.3	6.5
Los Angeles-Long Beach-Santa Ana, CA	390	434	445	666	851	3.1	3.4	3.4	5.2	6.6
Louisville, KY-IN	36	34	16	16	18	3.0	2.9	1.3	1.3	1.5
Memphis, TN-MS-AR	239	177	170	171	174	19.4	14.3	13.6	13.6	13.8
Miami-Fort Lauderdale-Miami Beach, FL	516	578	477	302	304	9.9	10.9	8.9	5.6	5.6
Milwaukee-Waukesha-West Allis, WI	53	41	37	36	46	3.5	2.7	2.4	2.4	3.0
Minneapolis-St. Paul-Bloomington, MN-WI	23	41	19	43	52	0.8	1.3	0.6	1.4	1.7
Nashville-Davidson-Murfreesboro, TN	127	31	30	29	42	9.4	2.3	2.1	2.0	3.0
New Orleans-Metairie-Kenner, LA	45	48	85	68	127	3.4	3.6	6.4	5.2	9.6
New York-Newark-Edison, NY-NJ-PA	903	1,259	1,012	1,281	1,178	4.9	6.8	5.4	6.8	6.3
Oklahoma City, OK	81	62	47	36	74	7.2	5.5	4.1	3.1	6.4
Orlando, FL	172	117	90	124	91	9.8	6.5	4.8	6.4	4.7
Philadelphia-Camden-Wilmington, PA-NJ-DE-MD	263	256	220	171	280	4.6	4.4	3.8	2.9	4.8
Phoenix-Mesa-Scottsdale, AZ	NA	165	165	97	166	NA	4.6	4.4	2.5	4.3
Pittsburgh, PA	15	11	8	28	43	0.6	0.5	0.3	1.2	1.8
Portland-Vancouver-Beaverton, OR-WA	19	22	23	12	9	0.9	1.1	1.1	0.6	0.4
Providence-New Bedford-Fall River, RI-MA	12	11	25	10	9	0.7	0.7	1.5	0.6	0.6
Richmond, VA	17	24	18	24	29	1.5	2.1	1.6	2.0	2.5
Riverside-San Bernardino-Ontario, CA	43	34	40	64	64	1.2	0.9	1.1	1.6	1.6
Rochester, NY	2	8	4	13	8	0.2	0.8	0.4	1.3	0.8
Sacramento-Arden-Arcade-Roseville, CA	8	5	11	11	23	0.4	0.3	0.5	0.5	1.1
Salt Lake City, UT	7	4	5	3	5	0.7	0.4	0.5	0.3	0.5
San Antonio, TX	108	66	79	144	172	6.0	3.6	4.3	7.6	9.1
San Diego-Carlsbad-San Marcos, CA	34	41	84	117	123	1.2	1.4	2.9	4.0	4.2
San Francisco-Oakland-Fremont, CA	203	230	235	220	220	4.9	5.5	5.7	5.3	5.3
San Jose-Sunnyvale-Santa Clara, CA	11	20	13	18	18	0.6	1.2	0.7	1.0	1.0
Seattle-Tacoma-Bellevue, WA	18	30	42	60	74	0.6	1.0	1.3	1.9	2.3
St. Louis, MO-IL	40	28	31	34	30	1.5	1.0	1.1	1.2	1.1
Tampa-St. Petersburg-Clearwater, FL	80	142	103	101	177	3.2	5.6	4.0	3.8	6.7
Virginia Beach-Norfolk-Newport News, VA-NC	35	21	45	78	74	2.2	1.3	2.7	4.7	4.5
Washington-Arlington-Alexandria, DC-VA-MD-WV	243	195	182	208	171	4.8	3.8	3.5	4.0	3.3
<b>U.S. MSA TOTAL</b>	<b>6,285</b>	<b>6,547</b>	<b>5,774</b>	<b>6,338</b>	<b>6,997</b>	<b>4.2</b>	<b>4.2</b>	<b>3.7</b>	<b>4.0</b>	<b>4.4</b>

\*Data are presented for 50 MSAs with the largest population based on 2000 U.S. census. NA = Not available. STD morbidity reporting methods do not allow MSA-specific case counts and rates to be determined for some jurisdictions for some years.

**Table 36. Late and late latent syphilis — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 2002–2006**

State/Area	Cases					Rates per 100,000 Population				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
Alabama	334	309	232	193	262	7.4	6.9	5.1	4.2	5.7
Alaska	8	7	6	5	8	1.2	1.1	0.9	0.8	1.2
Arizona	666	659	572	455	521	12.2	11.8	10.0	7.7	8.8
Arkansas	124	172	142	124	92	4.6	6.3	5.2	4.5	3.3
California	2,107	2,024	2,293	2,527	2,773	6.0	5.7	6.4	7.0	7.7
Colorado	86	82	90	70	73	1.9	1.8	2.0	1.5	1.6
Connecticut	147	163	108	88	106	4.2	4.7	3.1	2.5	3.0
Delaware	42	29	26	15	38	5.2	3.5	3.1	1.8	4.5
District of Columbia	180	129	174	148	120	31.5	22.9	31.4	26.9	21.8
Florida	1,686	1,610	1,364	1,422	1,445	10.1	9.5	7.8	8.0	8.1
Georgia	743	836	701	898	977	8.7	9.6	7.9	9.9	10.8
Hawaii	27	39	25	42	46	2.2	3.1	2.0	3.3	3.6
Idaho	11	18	25	21	6	0.8	1.3	1.8	1.5	0.4
Illinois	546	633	614	663	760	4.3	5.0	4.8	5.2	6.0
Indiana	196	252	164	182	111	3.2	4.1	2.6	2.9	1.8
Iowa	38	29	19	13	43	1.3	1.0	0.6	0.4	1.4
Kansas	44	32	49	51	41	1.6	1.2	1.8	1.9	1.5
Kentucky	72	83	79	54	78	1.8	2.0	1.9	1.3	1.9
Louisiana	439	1,195	979	696	551	9.8	26.6	21.7	15.4	12.2
Maine	6	6	5	3	6	0.5	0.5	0.4	0.2	0.5
Maryland	415	443	399	387	526	7.6	8.0	7.2	6.9	9.4
Massachusetts	346	375	307	168	172	5.4	5.8	4.8	2.6	2.7
Michigan	408	451	470	297	210	4.1	4.5	4.6	2.9	2.1
Minnesota	65	103	96	89	83	1.3	2.0	1.9	1.7	1.6
Mississippi	247	220	212	160	237	8.6	7.6	7.3	5.5	8.1
Missouri	118	96	114	114	166	2.1	1.7	2.0	2.0	2.9
Montana	4	0	0	0	1	0.4	0.0	0.0	0.0	0.1
Nebraska	19	15	8	12	26	1.1	0.9	0.5	0.7	1.5
Nevada	86	102	189	169	117	4.0	4.6	8.1	7.0	4.8
New Hampshire	15	14	21	17	20	1.2	1.1	1.6	1.3	1.5
New Jersey	637	572	319	375	297	7.4	6.6	3.7	4.3	3.4
New Mexico	48	75	97	68	66	2.6	4.0	5.1	3.5	3.4
New York	2,620	2,715	2,979	2,054	2,833	13.7	14.1	15.5	10.7	14.7
North Carolina	424	417	285	213	352	5.1	5.0	3.3	2.5	4.1
North Dakota	0	0	0	0	2	0.0	0.0	0.0	0.0	0.3
Ohio	105	189	148	153	192	0.9	1.7	1.3	1.3	1.7
Oklahoma	89	211	79	50	58	2.5	6.0	2.2	1.4	1.6
Oregon	29	43	50	52	51	0.8	1.2	1.4	1.4	1.4
Pennsylvania	342	329	273	308	335	2.8	2.7	2.2	2.5	2.7
Rhode Island	45	50	62	35	51	4.2	4.6	5.7	3.3	4.7
South Carolina	269	263	194	239	155	6.5	6.3	4.6	5.6	3.6
South Dakota	0	0	0	2	10	0.0	0.0	0.0	0.3	1.3
Tennessee	514	511	459	493	527	8.9	8.7	7.8	8.3	8.8
Texas	2,299	2,200	2,244	2,336	2,501	10.6	9.9	10.0	10.2	10.9
Utah	56	51	59	33	38	2.4	2.2	2.5	1.3	1.5
Vermont	0	0	2	0	2	0.0	0.0	0.3	0.0	0.3
Virginia	362	395	380	361	343	5.0	5.3	5.1	4.8	4.5
Washington	63	121	135	144	160	1.0	2.0	2.2	2.3	2.5
West Virginia	2	7	6	12	13	0.1	0.4	0.3	0.7	0.7
Wisconsin	38	41	43	37	42	0.7	0.7	0.8	0.7	0.8
Wyoming	1	3	3	1	1	0.2	0.6	0.6	0.2	0.2
<b>U.S. TOTAL</b>	<b>17,168</b>	<b>18,319</b>	<b>17,300</b>	<b>16,049</b>	<b>17,644</b>	<b>6.0</b>	<b>6.3</b>	<b>5.9</b>	<b>5.4</b>	<b>6.0</b>
Northeast	4,158	4,224	4,076	3,048	3,822	7.7	7.8	7.5	5.6	7.0
Midwest	1,577	1,841	1,725	1,613	1,686	2.4	2.8	2.6	2.4	2.6
South	8,241	9,030	7,955	7,801	8,275	8.0	8.6	7.5	7.3	7.7
West	3,192	3,224	3,544	3,587	3,861	4.9	4.9	5.3	5.3	5.7
Guam	9	13	13	16	7	5.6	7.9	7.8	9.5	4.2
Puerto Rico	398	390	608	554	535	10.3	10.1	15.6	14.2	13.7
Virgin Islands	2	5	4	5	4	1.8	4.6	3.7	4.6	3.7
<b>OUTLYING AREAS</b>	<b>409</b>	<b>408</b>	<b>625</b>	<b>575</b>	<b>546</b>	<b>9.9</b>	<b>9.8</b>	<b>15.0</b>	<b>13.7</b>	<b>13.0</b>
<b>TOTAL</b>	<b>17,577</b>	<b>18,727</b>	<b>17,925</b>	<b>16,624</b>	<b>18,190</b>	<b>6.0</b>	<b>6.3</b>	<b>6.0</b>	<b>5.5</b>	<b>6.1</b>

**Table 37. Late and late latent syphilis — Reported cases and rates in selected metropolitan statistical areas\* (MSAs) listed in alphabetical order: United States, 2002–2006**

<i>Metropolitan Statistical Area</i>	<i>Cases</i>					<i>Rates per 100,000 Population</i>				
	<i>2002</i>	<i>2003</i>	<i>2004</i>	<i>2005</i>	<i>2006</i>	<i>2002</i>	<i>2003</i>	<i>2004</i>	<i>2005</i>	<i>2006</i>
Atlanta-Sandy Springs-Marietta, GA	460	566	522	714	814	10.2	12.3	11.1	14.5	16.6
Austin-Round Rock, TX	59	78	85	89	74	4.4	5.7	6.0	6.1	5.1
Baltimore-Towson, MD	222	229	195	209	283	8.5	8.8	7.4	7.9	10.7
Birmingham-Hoover, AL	99	74	40	57	94	9.3	6.9	3.7	5.2	8.6
Boston-Cambridge-Quincy, MA-NH	312	330	256	149	147	7.0	7.4	5.8	3.4	3.3
Buffalo-Cheektowaga-Tonawanda, NY	7	7	11	4	7	0.6	0.6	1.0	0.3	0.6
Charlotte-Gastonia-Concord, NC-SC	66	87	45	61	83	4.7	6.1	3.1	4.0	5.5
Chicago-Naperville-Joliet, IL-IN-WI	512	630	576	611	687	5.5	6.7	6.1	6.5	7.3
Cincinnati-Middletown, OH-KY-IN	24	16	24	18	37	1.2	0.8	1.2	0.9	1.8
Cleveland-Elyria-Mentor, OH	10	23	11	9	24	0.5	1.1	0.5	0.4	1.1
Columbus, OH	52	102	72	76	67	3.1	6.1	4.3	4.4	3.9
Dallas-Fort Worth-Arlington, TX	683	735	701	792	809	12.5	13.1	12.3	13.6	13.9
Denver-Aurora, CO	66	64	56	51	51	2.9	2.8	2.4	2.2	2.2
Detroit-Warren-Livonia, MI	356	383	400	238	155	7.9	8.5	8.9	5.3	3.5
Hartford-West Hartford-East Hartford, CT	50	52	28	35	32	4.3	4.4	2.4	2.9	2.7
Houston-Baytown-Sugar Land, TX	796	768	783	685	856	16.0	15.1	15.1	13.0	16.2
Indianapolis, IN	74	93	68	80	56	4.7	5.8	4.2	4.9	3.4
Jacksonville, FL	36	73	70	41	63	3.1	6.1	5.7	3.3	5.0
Kansas City, MO-KS	45	41	40	53	75	2.4	2.2	2.1	2.7	3.9
Las Vegas-Paradise, NV	67	87	167	139	95	4.4	5.5	10.1	8.1	5.6
Los Angeles-Long Beach-Santa Ana, CA	1,245	1,137	1,451	1,649	1,759	9.8	8.9	11.2	12.8	13.6
Louisville, KY-IN	42	63	60	40	42	3.6	5.3	5.0	3.3	3.5
Memphis, TN-MS-AR	276	278	242	272	287	22.4	22.4	19.4	21.6	22.8
Miami-Fort Lauderdale-Miami Beach, FL	1,012	909	769	742	773	19.3	17.2	14.3	13.7	14.3
Milwaukee-Waukesha-West Allis, WI	24	22	28	18	16	1.6	1.5	1.8	1.2	1.1
Minneapolis-St. Paul-Bloomington, MN-WI	52	89	79	74	65	1.7	2.9	2.5	2.4	2.1
Nashville-Davidson-Murfreesboro, TN	172	158	145	126	112	12.7	11.5	10.4	8.9	7.9
New Orleans-Metairie-Kenner, LA	71	187	259	190	133	5.4	14.2	19.6	14.4	10.1
New York-Newark-Edison, NY-NJ-PA	3,111	3,077	3,058	2,241	2,905	16.7	16.5	16.3	12.0	15.5
Oklahoma City, OK	63	135	42	28	18	5.6	11.9	3.7	2.4	1.6
Orlando, FL	159	129	106	183	217	9.1	7.2	5.7	9.5	11.2
Philadelphia-Camden-Wilmington, PA-NJ-DE-MD	345	392	361	284	315	6.0	6.8	6.2	4.9	5.4
Phoenix-Mesa-Scottsdale, AZ	NA	589	468	363	424	NA	16.4	12.6	9.4	11.0
Pittsburgh, PA	13	8	2	15	18	0.5	0.3	0.1	0.6	0.8
Portland-Vancouver-Beaverton, OR-WA	19	34	35	43	40	0.9	1.7	1.7	2.1	1.9
Providence-New Bedford-Fall River, RI-MA	58	74	81	37	65	3.6	4.6	5.0	2.3	4.0
Richmond, VA	59	77	56	50	49	5.2	6.8	4.9	4.3	4.2
Riverside-San Bernardino-Ontario, CA	166	184	174	208	203	4.7	5.1	4.6	5.3	5.2
Rochester, NY	10	18	25	17	68	1.0	1.7	2.4	1.6	6.5
Sacramento-Arden-Arcade-Roseville, CA	26	11	33	8	78	1.3	0.6	1.6	0.4	3.8
Salt Lake City, UT	36	33	42	23	21	3.6	3.3	4.1	2.2	2.0
San Antonio, TX	165	109	164	178	156	9.2	6.0	8.8	9.4	8.3
San Diego-Carlsbad-San Marcos, CA	87	139	124	133	202	3.0	4.7	4.2	4.5	6.9
San Francisco-Oakland-Fremont, CA	266	260	258	165	156	6.4	6.3	6.2	4.0	3.8
San Jose-Sunnyvale-Santa Clara, CA	48	57	39	56	22	2.8	3.3	2.2	3.2	1.3
Seattle-Tacoma-Bellevue, WA	50	74	93	100	122	1.6	2.4	2.9	3.1	3.8
St. Louis, MO-IL	84	69	85	86	89	3.1	2.5	3.1	3.1	3.2
Tampa-St. Petersburg-Clearwater, FL	177	166	110	139	140	7.1	6.6	4.3	5.2	5.3
Virginia Beach-Norfolk-Newport News, VA-NC	118	104	100	105	85	7.3	6.4	6.1	6.4	5.2
Washington-Arlington-Alexandria, DC-VA-MD-WV	483	470	511	453	496	9.6	9.2	9.9	8.7	9.5
<b>U.S. MSA TOTAL</b>	<b>12,433</b>	<b>13,490</b>	<b>13,150</b>	<b>12,137</b>	<b>13,585</b>	<b>8.2</b>	<b>8.6</b>	<b>8.3</b>	<b>7.6</b>	<b>8.5</b>

\*Data are presented for 50 MSAs with the largest population based on 2000 U.S. census. NA = Not available. STD morbidity reporting methods do not allow MSA-specific case counts and rates to be determined for some jurisdictions for some years.

**Table 38. Congenital syphilis — Reported cases and rates in infants < 1 year of age by state, ranked by rates: United States, 2006**

<i>Rank*</i>	<i>State†</i>	<i>Cases</i>	<i>Rate per 100,000 Live Births</i>
1	Nevada	15	42.6
2	Maryland	19	25.5
3	New Mexico	7	24.7
4	Texas	79	20.7
5	Louisiana	13	19.9
6	Arkansas	7	18.1
7	Arizona	16	17.1
8	Alabama	9	15.1
9	New Jersey	15	13.0
10	California	66	12.1
11	Michigan	13	10.0
12	Florida	21	9.6
	<b>U.S. TOTAL‡</b>	<b>349</b>	<b>8.5</b>
13	Illinois	15	8.3
14	Tennessee	6	7.5
15	Georgia	9	6.5
16	New York	15	6.0
17	North Carolina	6	5.0
18	Utah	2	3.9
19	Oklahoma	2	3.9
20	Missouri	3	3.9
21	South Carolina	2	3.5
22	Colorado	2	2.9
23	Virginia	3	2.9
24	Kansas	1	2.5
25	Kentucky	1	1.8
26	Minnesota	1	1.4
	<b>YEAR 2010 TARGET</b>		<b>1.0</b>
	Alaska	0	0.0
	Connecticut	0	0.0
	Delaware	0	0.0
	Hawaii	0	0.0
	Idaho	0	0.0
	Indiana	0	0.0
	Iowa	0	0.0
	Maine	0	0.0
	Massachusetts	0	0.0
	Mississippi	0	0.0
	Montana	0	0.0
	Nebraska	0	0.0
	New Hampshire	0	0.0
	North Dakota	0	0.0
	Ohio	0	0.0
	Oregon	0	0.0
	Pennsylvania	0	0.0
	Rhode Island	0	0.0
	South Dakota	0	0.0
	Vermont	0	0.0
	Washington	0	0.0
	West Virginia	0	0.0
	Wisconsin	0	0.0
	Wyoming	0	0.0

\*States were ranked in descending order by rate, number of cases, and alphabetically by state. States with no cases were not ranked.

†Mother's state of residence used to assign case.

‡Total includes cases reported by the District of Columbia with 1 case and a rate of 12.6, but excludes outlying areas (Guam with 0 cases and rate of 0.0, Puerto Rico with 13 cases and rate of 25.4, and Virgin Islands with 0 cases and rate of 0.0).

**Table 39. Congenital syphilis — Reported cases and rates in infants < 1 year of age by state/area and region listed in alphabetical order: United States and outlying areas, 2002–2006**

State/Area*	Cases					Rates per 100,000 Live Births				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
Alabama	6	4	11	5	9	10.2	6.7	18.5	8.4	15.1
Alaska	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Arizona	20	29	26	28	16	22.8	31.9	27.8	29.9	17.1
Arkansas	10	2	4	7	7	26.7	5.3	10.4	18.1	18.1
California	61	64	67	75	66	11.5	11.8	12.3	13.8	12.1
Colorado	2	3	2	1	2	2.9	4.3	2.9	1.5	2.9
Connecticut	0	1	0	1	0	0.0	2.3	0.0	2.4	0.0
Delaware	0	0	1	0	0	0.0	0.0	8.8	0.0	0.0
District of Columbia	1	1	1	0	1	13.3	13.1	12.6	0.0	12.6
Florida	28	27	16	16	21	13.6	12.7	7.3	7.3	9.6
Georgia	13	11	6	1	9	9.8	8.1	4.3	0.7	6.5
Hawaii	0	2	0	0	0	0.0	11.0	0.0	0.0	0.0
Idaho	0	4	3	0	0	0.0	18.3	13.3	0.0	0.0
Illinois	40	20	26	23	15	22.1	11.0	14.4	12.7	8.3
Indiana	9	7	4	2	0	10.6	8.1	4.6	2.3	0.0
Iowa	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Kansas	0	1	2	0	1	0.0	2.5	5.0	0.0	2.5
Kentucky	3	1	1	0	1	5.5	1.8	1.8	0.0	1.8
Louisiana	2	6	19	13	13	3.1	9.2	29.1	19.9	19.9
Maine	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Maryland	19	9	10	16	19	25.9	12.0	13.4	21.4	25.5
Massachusetts	1	0	0	0	0	1.2	0.0	0.0	0.0	0.0
Michigan	35	38	23	17	13	26.9	29.0	17.7	13.1	10.0
Minnesota	1	0	1	3	1	1.5	0.0	1.4	4.2	1.4
Mississippi	6	2	3	0	0	14.5	4.7	7.0	0.0	0.0
Missouri	1	4	3	3	3	1.3	5.2	3.9	3.9	3.9
Montana	1	0	0	0	0	9.1	0.0	0.0	0.0	0.0
Nebraska	0	1	0	0	0	0.0	3.9	0.0	0.0	0.0
Nevada	0	0	1	1	15	0.0	0.0	2.8	2.8	42.6
New Hampshire	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
New Jersey	36	21	13	16	15	31.4	18.0	11.3	13.9	13.0
New Mexico	7	6	3	6	7	25.2	21.6	10.6	21.1	24.7
New York	31	42	22	10	15	12.3	16.6	8.8	4.0	6.0
North Carolina	16	20	9	11	6	13.6	16.9	7.5	9.2	5.0
North Dakota	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Ohio	3	3	2	2	0	2.0	2.0	1.3	1.3	0.0
Oklahoma	2	1	2	1	2	4.0	2.0	3.9	1.9	3.9
Oregon	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Pennsylvania	5	2	0	1	0	3.5	1.4	0.0	0.7	0.0
Rhode Island	0	0	1	0	0	0.0	0.0	7.8	0.0	0.0
South Carolina	15	15	10	4	2	27.5	27.0	17.7	7.1	3.5
South Dakota	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Tennessee	10	7	9	4	6	12.9	8.9	11.3	5.0	7.5
Texas	72	77	65	67	79	19.3	20.4	17.0	17.6	20.7
Utah	0	0	1	0	2	0.0	0.0	2.0	0.0	3.9
Vermont	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Virginia	1	1	6	3	3	1.0	1.0	5.8	2.9	2.9
Washington	2	0	0	0	0	2.5	0.0	0.0	0.0	0.0
West Virginia	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Wisconsin	1	0	1	2	0	1.5	0.0	1.4	2.9	0.0
Wyoming	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
<b>U.S. TOTAL</b>	<b>460</b>	<b>432</b>	<b>374</b>	<b>339</b>	<b>349</b>	<b>11.4</b>	<b>10.6</b>	<b>9.1</b>	<b>8.2</b>	<b>8.5</b>
Northeast	73	66	36	28	30	10.8	9.6	5.3	4.1	4.4
Midwest	90	74	62	52	33	10.3	8.3	7.0	5.8	3.7
South	204	184	173	148	178	13.8	12.2	11.3	9.7	11.7
West	93	108	103	111	108	9.4	10.7	10.1	10.9	10.6
Guam	1	1	0	1	0	31.1	30.5	0.0	29.3	0.0
Puerto Rico	24	17	11	13	13	45.5	33.5	21.5	25.4	25.4
Virgin Islands	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
<b>OUTLYING AREAS</b>	<b>25</b>	<b>18</b>	<b>11</b>	<b>14</b>	<b>13</b>	<b>43.4</b>	<b>32.4</b>	<b>19.6</b>	<b>24.9</b>	<b>23.2</b>
<b>TOTAL</b>	<b>485</b>	<b>450</b>	<b>385</b>	<b>353</b>	<b>362</b>	<b>11.9</b>	<b>10.9</b>	<b>9.2</b>	<b>8.5</b>	<b>8.7</b>

\*Mother's state of residence used to assign case.

**Table 40. Congenital syphilis — Reported cases and rates in infants < 1 year of age by race/ethnicity of mother: United States, 2002–2006**

<i>Year of Birth</i>	<i>Race/Ethnicity</i>	<i>Cases</i>	<i>Rate per 100,000 Live Births</i>
<b>2002</b>	White/Non-Hispanic	36	1.6
	Black/Non-Hispanic	257	44.2
	Hispanic	146	16.7
	Asian/Pacific Islander	10	4.8
	Native American/Alaskan Native	3	7.6
	Other	1	NA
	Unknown	7	NA
	<b>Total</b>	<b>460</b>	<b>11.4</b>
<b>2003</b>	White/Non-Hispanic	35	1.5
	Black/Non-Hispanic	201	34.7
	Hispanic	166	18.2
	Asian/Pacific Islander	14	6.5
	Native American/Alaskan Native	2	5.1
	Other	3	NA
	Unknown	11	NA
	<b>Total</b>	<b>432</b>	<b>10.6</b>
<b>2004</b>	White/Non-Hispanic	41	1.8
	Black/Non-Hispanic	168	28.8
	Hispanic	144	15.2
	Asian/Pacific Islander	6	2.7
	Native American/Alaskan Native	2	5.0
	Other	1	NA
	Unknown	12	NA
	<b>Total</b>	<b>374</b>	<b>9.1</b>
<b>2005</b>	White/Non-Hispanic	31	1.3
	Black/Non-Hispanic	156	26.8
	Hispanic	124	13.1
	Asian/Pacific Islander	15	6.8
	Native American/Alaskan Native	5	12.4
	Other	2	NA
	Unknown	6	NA
	<b>Total</b>	<b>339</b>	<b>8.2</b>
<b>2006</b>	White/Non-Hispanic	38	1.6
	Black/Non-Hispanic	141	24.2
	Hispanic	146	15.4
	Asian/Pacific Islander	8	3.6
	Native American/Alaskan Native	5	12.4
	Other	4	NA
	Unknown	7	NA
	<b>Total</b>	<b>349</b>	<b>8.5</b>

NA = Not applicable



**Table 41. Chancroid — Reported cases and rates by state/area listed in alphabetical order: United States and outlying areas, 2002–2006**

State/Area	Cases					Rates per 100,000 Population				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
Alabama	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Alaska	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Arizona	0	2	2	1	0	0.0	0.0	0.0	0.0	0.0
Arkansas	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
California	2	0	1	1	0	0.0	0.0	0.0	0.0	0.0
Colorado	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Connecticut	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Delaware	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
District of Columbia	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Florida	7	2	1	1	1	0.0	0.0	0.0	0.0	0.0
Georgia	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Hawaii	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Idaho	0	0	2	0	0	0.0	0.0	0.1	0.0	0.0
Illinois	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Indiana	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Iowa	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Kansas	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Kentucky	0	1	0	0	0	0.0	0.0	0.0	0.0	0.0
Louisiana	2	0	2	4	1	0.0	0.0	0.0	0.1	0.0
Maine	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Maryland	0	1	0	0	0	0.0	0.0	0.0	0.0	0.0
Massachusetts	3	3	3	1	0	0.0	0.0	0.0	0.0	0.0
Michigan	0	0	2	0	1	0.0	0.0	0.0	0.0	0.0
Minnesota	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Mississippi	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Missouri	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Montana	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Nebraska	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Nevada	0	0	1	0	0	0.0	0.0	0.0	0.0	0.0
New Hampshire	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
New Jersey	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
New Mexico	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
New York	2	10	4	1	5	0.0	0.1	0.0	0.0	0.0
North Carolina	0	2	1	5	5	0.0	0.0	0.0	0.1	0.1
North Dakota	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Ohio	0	0	0	1	0	0.0	0.0	0.0	0.0	0.0
Oklahoma	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Oregon	0	2	1	0	0	0.0	0.1	0.0	0.0	0.0
Pennsylvania	0	1	1	0	0	0.0	0.0	0.0	0.0	0.0
Rhode Island	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
South Carolina	24	24	4	0	14	0.6	0.6	0.1	0.0	0.3
South Dakota	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Tennessee	0	0	1	0	0	0.0	0.0	0.0	0.0	0.0
Texas	5	3	3	1	5	0.0	0.0	0.0	0.0	0.0
Utah	0	2	1	0	0	0.0	0.1	0.0	0.0	0.0
Vermont	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Virginia	1	0	0	0	1	0.0	0.0	0.0	0.0	0.0
Washington	1	0	0	0	0	0.0	0.0	0.0	0.0	0.0
West Virginia	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Wisconsin	1	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Wyoming	0	1	0	1	0	0.0	0.2	0.0	0.2	0.0
<b>U.S. TOTAL</b>	<b>48</b>	<b>54</b>	<b>30</b>	<b>17</b>	<b>33</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>
Guam	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Puerto Rico	2	4	1	3	0	0.1	0.1	0.0	0.1	0.0
Virgin Islands	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
<b>OUTLYING AREAS</b>	<b>2</b>	<b>4</b>	<b>1</b>	<b>3</b>	<b>0</b>	<b>0.0</b>	<b>0.1</b>	<b>0.0</b>	<b>0.1</b>	<b>0.0</b>
<b>TOTAL</b>	<b>50</b>	<b>58</b>	<b>31</b>	<b>20</b>	<b>33</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>

**Table 42. Selected STDs and complications — Initial visits to physicians' offices, National Disease and Therapeutic Index: United States, 1966–2006**

<i>Year</i>	<i>Genital Herpes</i>	<i>Genital Warts</i>	<i>Vaginal Trichomoniasis*</i>	<i>Other Vaginitis*</i>	<i>Pelvic Inflammatory Disease†</i>
1966	19,000	56,000	579,000	1,155,000	NA
1967	15,000	72,000	515,000	1,277,000	NA
1968	16,000	87,000	463,000	1,460,000	NA
1969	15,000	61,000	421,000	1,390,000	NA
1970	17,000	119,000	529,000	1,500,000	NA
1971	49,000	128,000	484,000	1,281,000	NA
1972	26,000	165,000	574,000	1,810,000	NA
1973	51,000	198,000	466,000	1,858,000	NA
1974	75,000	202,000	427,000	1,907,000	NA
1975	36,000	181,000	500,000	1,919,000	NA
1976	57,000	217,000	473,000	1,690,000	NA
1977	116,000	221,000	324,000	1,713,000	NA
1978	76,000	269,000	329,000	2,149,000	NA
1979	83,000	200,000	363,000	1,662,000	NA
1980	57,000	218,000	358,000	1,670,000	423,000
1981	133,000	191,000	369,000	1,742,000	283,000
1982	134,000	256,000	268,000	1,859,000	374,000
1983	106,000	203,000	424,000	1,932,000	424,000
1984	157,000	224,000	381,000	2,450,000	381,000
1985	124,000	263,000	291,000	2,728,000	425,000
1986	136,000	275,000	338,000	3,118,000	457,000
1987	102,000	351,000	293,000	3,087,000	403,000
1988	163,000	290,000	191,000	3,583,000	431,000
1989	148,000	220,000	165,000	3,374,000	413,000
1990	172,000	275,000	213,000	4,474,000	358,000
1991	235,000	282,000	198,000	3,822,000	377,000
1992	139,000	218,000	182,000	3,428,000	335,000
1993	172,000	167,000	207,000	3,755,000	407,000
1994	142,000	239,000	199,000	4,123,000	332,000
1995	160,000	253,000	141,000	3,927,000	262,000
1996	208,000	191,000	245,000	3,472,000	286,000
1997	176,000	145,000	176,000	3,100,000	260,000
1998	188,000	211,000	164,000	3,200,000	233,000
1999	224,000	240,000	171,000	3,077,000	250,000
2000	179,000	220,000	222,000	3,470,000	254,000
2001	157,000	233,000	210,000	3,365,000	244,000
2002	216,000	266,000	150,000	3,315,000	197,000
2003	203,000	264,000	179,000	3,516,000	123,000
2004	269,000	316,000	221,000	3,602,000	132,000
2005	266,000	357,000	165,000	4,071,000	176,000
2006	371,000	422,000	200,000	3,891,000	106,000

\*Women only.

†Women 15-44 only. NA = Not available.

NOTE: Standard errors for estimates under 100,000 are not available. The relative standard error for estimates 100,000-300,000 are between 20% and 30%; 300,000-600,000 are between 16% and 20%; 600,000-1,000,000 are 13% and 15%; and 1,000,000-5,000,000 are between 9% and 13%. SOURCE: National Disease and Therapeutic Index (IMS Health). See Appendix (Other Data Sources) for more information.