Table 5a. Estimated numbers of cases and rates (per 100,000 population) of AIDS, by race/ethnicity, age category, and sex, 2004—50 states and the District of Columbia

	Adults or adolescents									
Race/ethnicity	Males		Females		Total		Children (<13 yrs)		Total	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
White, not Hispanic	10,118	12.3	1,860	2.1	11,978	7.1	7	0.0	11,985	6.0
Black, not Hispanic	13,398	99.4	7,395	48.2	20,793	72.1	29	0.4	20,822	56.4
Hispanic	6,041	37.9	1,643	11.1	7,684	25.0	7	0.1	7,691	18.6
Asian/Pacific Islander	392	7.5	92	1.6	484	4.4	1	0.1	486	3.7
American Indian/Alaska Native	128	13.5	64	6.4	192	9.9	1	0.2	193	7.9
Total ^a	30,203	25.6	11,109	9.0	41,312	17.1	46	0.1	41,359	14.1

Note. These numbers do not represent reported case counts. Rather, these numbers are point estimates, which result from adjustments of reported case counts. The reported case counts are adjusted for reporting delays. The estimates do not include adjustment for incomplete reporting.

Data exclude cases from the U.S. dependencies, possessions, and associated nations, as well as cases in persons whose state or area of residence is unknown, because of the lack of census information by race and age categories for these areas.

Table 5b. Estimated numbers of cases and rates (per 100,000 population) of HIV/AIDS, by race/ethnicity, age category, and sex, 2004—33 states with confidential name-based HIV infection reporting

Race/ethnicity	Adults or adolescents									
	Males		Females		Total		Children (<13 yrs)		Totala	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
White, not Hispanic	10,010	18.7	1,782	3.2	11,791	10.7	9	0.0	11,801	9.0
Black, not Hispanic	12,048	131.6	7,009	67.0	19,057	97.2	129	2.3	19,185	76.3
Hispanic	5,517	60.2	1,400	16.3	6,916	39.0	37	0.6	6,953	29.5
Asian/Pacific Islander	299	13.9	94	4.1	393	8.9	0	0.0	393	7.2
American Indian/Alaska Native	148	20.8	57	7.7	205	14.1	1	0.3	206	11.1
Total ^b	28,117	37.6	10,391	13.2	38,508	25.1	177	0.5	38,685	20.7

Note. These numbers do not represent reported case counts. Rather, these numbers are point estimates, which result from adjustments of reported case counts. The reported case counts are adjusted for reporting delays. The estimates do not include adjustment for incomplete reporting.

Data include persons with a diagnosis of HIV infection. This includes persons with a diagnosis of HIV infection only, a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Since 2000, the following 33 states have had laws or regulations requiring confidential name-based HIV infection reporting: Alabama, Alaska, Arizona, Arkansas, Colorado, Florida, Idaho, Indiana, Iowa, Kansas, Louisiana, Michigan, Minnesota, Mississippi, Missouri, Nebraska, Nevada, New Jersey, New Mexico, New York, North Carolina, North Dakota, Ohio, Oklahoma, South Carolina, South Dakota, Tennessee, Texas, Utah, Virginia, West Virginia, Wisconsin, and Wyoming. Since July 1997, Florida has had confidential name-based HIV infection reporting only for new diagnoses.

^a Includes persons of unknown race or multiple races. Total includes 183 persons of unknown race or multiple races. Because column totals were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

^a Because row totals were calculated independently of values for the subpopulations, the value in each row may not sum to the row total.

^b Includes persons of unknown race or multiple races. Total includes 146 persons of unknown race or multiple races. Because column totals were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.