Crosswalk to DSM-IV-TR

Note: This Crosswalk includes only those codes most frequently found on existing CDERs. It does not include all of the codes listed in the DSM-IV-TR nor does it include all codes used on the CDER.

| Code | DSM-II Definition | DSM-III Definition | DSM-III-R Definition | DSM-IV Definition | DSM-IV-TR Definition | Review Needed? | Current DSM-IV-TR | Notes |
|--------|--|---|---|--|---|-------------------|----------------------|---|
| 294.10 | Psychosis associated with metabolic or nutritional disorder | Organic Brain Syndrome, Dementia | Dementia (etiology unknown noted on Axis III or is unknown) | Dementia Due To(Indicate the General Medical Condition); Dementia Due to HIV Disease | 1) Dementia Due To(Indicate the General Medical Condition), Without Behavioral Disturbance; 2) Dementia of the Alzheimer's Type, With Early Onset, Without Behavioral Disturbance; 3) Dementia of the Alzheimer's Type, With Late Onset, Without Behavioral Disturbance | V | See Notes | Clinical review to determine appropriate code is necessary only if the date of diagnosis is prior to 1994. If date of diagnosis is 1994 or later, use code 294.10. |
| 294.80 | Psychosis associated with other unspecified physical condition | Atypical or mixed organic brain syndrome | 1) Organic anxiety disorder (etiology noted on Axis III or is unknown); 2) Organic Mental Disorder (etiology noted on Axis III or is unknown) | 1) Amnestic Disorder NOS; 2) Dementia NOS | Amnestic Disorder NOS; Dementia NOS | V | See Notes | Clinical review to determine appropriate code is necessary only if the date of diagnosis is prior to 1994. If date of diagnosis is 1994 or later, use code 294.80 |
| 294.90 | No Code 294.90 | No Code 294.90 | No Code 294.90 | Cognitive Disorder NOS | Cognitive Disorder NOS | | 294.90 | |
| 295.30 | Paranoid | Schizophrenia, Paranoid | Schizophrenia, Paranoid Type, Unspecified | Schizophrenia, Paranoid Type | Schizophrenia, Paranoid Type | | 295.30 | |
| 295.32 | No code 295.32 (295.30: Schizophrenia, paranoid type) | Schizophrenia, paranoid, subchronic with acute exacerbation | Schizophrenia, Paranoid Type, Chronic | No code 295.32 295.30: Schizophrenia, Paranoid Type | No code 295.32 295.30: Schizophrenia, Paranoid | ✓ | 295.30 | |
| 295.60 | Psychoses, Residual | Schizophrenia, Residual, Unspecified | Schizophrenia, Residual Type, Unspecified | Schizophrenia, Residual Type | Schizophrenia, Residual Type | | 295.60 | |
| 295.70 | Schizophrenia, Schizo-affective | Schizoaffective Disorder | Schizoaffective Disorder | Schizoaffective Disorder | Schizoaffective Disorder | | 295.70 | |

Friday, May 30, 2008

| Code | DSM-II Definition | DSM-III Definition | DSM-III-R Definition | DSM-IV Definition | DSM-IV-TR Definition | Review Needed? | Current DSM-IV-TR | Notes |
|--------|---|---|--|--|--|-------------------|----------------------|-------|
| 295.90 | Schizophrenia, Chronic, Undifferentiated | Schizophrenia, Undifferentiated Type, Unspecified | No code 295.90 (295.91: Schizophrenia, Undifferentiated Type, Subchronic 295.92: Schizophrenia, Undifferentiated Type, Chronic 295.93: Schizophrenia, Undifferentiated Type, Subchronic with acute exacerbation 295.94: Schizophrenia, Undifferentiated Type, Chronic with acute exacerbation 295.95: Schizophrenia, Undifferentiated Type, Unspecified) | Schizophrenia, Undifferentiated Type | Schizophrenia, Undifferentiated Type | | 295.90 | |
| 295.92 | No Code 295.92 | Schizophrenia, Undifferentiated, Chronic | Schizophrenia, Undifferentiated Type, Chronic | No Code 295.92 (295.90: Schizophrenia, Undifferentiated Type) | No Code 295.92 (295.90: Schizophrenia, Undifferentiated Type) | ✓ | 295.90 | |
| 296.20 | Manic-Depressive Illness, Depressed | Major Depression, Single Episode, Unspecified | Major Depression, Single Episode, Unspecified | Major Depressive Disorder, Single Episode, Unspecified | Major Depressive Disorder, Single Episode, Unspecified | | 296.20 | |
| 296.30 | Manic-Depressive Illness, Circular | Major depression, recurrent, unspecified | Major Depressive Disorder, Recurrent, Unspecified | Major Depressive Disorder, Recurrent, Unspecified | Major Depressive Disorder, Recurrent, Unspecified | | 296.30 | |
| 296.32 | No code 296.32 | Major Depression, Recurrent, without Melancholia | Major Depression, Recurrent, Moderate | Major Depressive Disorder, Recurrent, Moderate | Major Depressive Disorder, Recurrent, Moderate | | 296.32 | |
| 296.34 | Manic-Depressive, Circular, Depressed | Major Depression, Recurrent, with Psychotic Features | Major Depression, Recurrent, Severe with Psychotic Features | Major Depressive Disorder, Recurrent, Severe with Psychotic Features | Major Depressive Disorder, Recurrent, Severe with Psychotic Features | | 296.34 | |
| 296.70 | No code 296.70 | Atypical bipolar disorder | Bipolar Disorder NOS | Bipolar I Disorder, Most Recent Episode Unspecified | Bipolar I Disorder, Most Recent Episode Unspecified | | 296.70 | |
| 296.80 | Other Major Affective Disorder | No code 296.80 | No code 296.80 | Bipolar Disorder NOS | Bipolar Disorder NOS | | 296.80 | |
| 296.90 | No code 296.90 | No code 296.90 | No code 296.90 | Mood Disorder NOS | Mood Disorder NOS | | 296.90 | |

| Code | DSM-II Definition | DSM-III Definition | DSM-III-R Definition | DSM-IV Definition | DSM-IV-TR Definition | Review Needed? | Current DSM-IV-TR | Notes |
|--------|---|---|--|--|---|-------------------|-------------------------------|---|
| 298.90 | No code 298.90 | Atypical psychosis | Psychotic Disorder NOS | Psychotic Disorder NOS | Psychotic Disorder NOS | | 298.90 | |
| 299.00 | No code 299.00 | Infantile autism, full syndrome present | Autistic Disorder | Autistic Disorder | Autistic Disorder | V | Not Applicable (See Notes) | Code 299.00 should not be entered in the Psychiatric Disorders section of the CDER; Autistic Disorder should be recorded in the revised Autism section. |
| 299.80 | No code 299.80 | Atypical Pervasive Developmental Disorder, Full Syndrome | Pervasive developmental disorder, NOS | 1) Asperger's Disorder; 2) Pervasive developmental disorder, NOS; 3) Rett's disorder | Asperger's Disorder; Pervasive developmental disorder, NOS; Rett's disorder | V | Not Applicable (See Notes) | Code 299.80 should not be entered in the Psychiatric Disorders section of the CDER. Asperger's and PDD should be recorded in the revised Autism section. Rett's Disorder should be entered in the Mental Retardation Section. |
| 300.00 | Anxiety Neuroses | Atypical anxiety disorder | Anxiety Disorder NOS | Anxiety Disorder NOS | Anxiety Disorder NOS | | 300.00 | _ |
| 300.02 | No Code 300.02 | Generalized Anxiety Disorder | Generalized Anxiety Disorder | Generalized Anxiety Disorder | Generalized Anxiety Disorder | | 300.02 | _ |
| 300.30 | Obsessive Compulsive | Obsessive Compulsive Disorder | Obsessive Compulsive Disorder | Obsessive-Compulsive Disorder | Obsessive-Compulsive Disorder | | 300.30 | |
| 300.40 | Depressive Neuroses | Dysthymic disorder | Dysthymia | Dysthymic Disorder | Dysthymic Disorder | | 300.40 | |
| 301.22 | No code 301.22 | Schizotypal Personality Disorder | Schizotypal Personality Disorder | Schizotypal Personality Disorder | Schizotypal Personality Disorder | | 301.22 | |
| 301.60 | Asthenic | Dependent Personality Disorder | Dependent Personality Disorder | Dependent Personality Disorder | Dependent Personality Disorder | | 301.60 | |
| 301.83 | No Code 301.83 | Borderline Personality Disorder | Borderline Personality Disorder | Borderline Personality Disorder | Borderline Personality Disorder | | 301.83 | |
| 301.89 | Personality Disorder, Other Unspecified Type | Atypical, mixed or other personality disorder | No code 301.89 | No code 301.89 | No code 301.89 | ✓ | See Notes | Clinical review necessary to determine appropriate DSM-IV-TR code. |
| 301.90 | No Code 301.90 | No Code 301.90 | Personality Disorder NOS | Personality Disorder NOS | Personality Disorder NOS | | 301.90 | |
| 307.23 | No code 307.23 | Tourette's Disorder | Tourette's Disorder | Tourette's Disorder | Tourette's Disorder | | 307.23 | |

| Code | DSM-II Definition | DSM-III Definition | DSM-III-R Definition | DSM-IV Definition | DSM-IV-TR Definition | Review Needed? | Current DSM-IV-TR | Notes |
|--------|--|---|---|--|---|-------------------|----------------------|--|
| 307.52 | No code 307.52 | Pica | Pica | Pica | Pica | | 307.52 | |
| 309.00 | Non-Psychotic Organic Brain Syndrome, Intracranial Infection (300.4: Depressive neurosis; equivalent codes identified in DSM-III include 296.22: Major depression, single episode, without melancholia; 296.32: Major depression, recurrent, without melancholia; 300.40: Dysthymic disorder; 309.00: Adjustment disorder with depressed mood) | Adjustment Disorder with Depressed Mood | Adjustment Disorder with Depressed Mood | Adjustment Disorder with Depressed Mood | Adjustment Disorder with Depressed Mood | | 309.00 | |
| 309.28 | No code 309.28 | Adjustment Disorder with Mixed Emotional Features | Adjustment Disorder with Mixed Emotional Features | Adjustment Disorder with Mixed Anxiety and Depressed Mood | Adjustment Disorder with Mixed Anxiety and Depressed Mood | | 309.28 | |
| 309.30 | Non-Psychotic Organic Brain Syndrome, Degenerative Disease of the CNS | Adjustment Disorder with Disturbance of Conduct | Adjustment Disorder with Disturbance of Conduct | Adjustment Disorder with Disturbance of Conduct | Adjustment Disorder with Disturbance of Conduct | | 309.30 | |
| 309.40 | Non-Psychotic Organic Brain Syndrome, Epilepsy | Adjustment Disorder with Mixed Disturbance of Emotions and Conduct | Adjustment Disorder with Mixed Disturbance of Emotions and Conduct | Adjustment Disorder with Mixed Disturbance of Emotions and Conduct | Adjustment Disorder with Mixed Disturbance of Emotions and Conduct | | 309.40 | |
| 309.81 | No Code 309.81 | Post-traumatic stress disorder, chronic or delayed | No Code 309.81 309.89: Post-Traumatic Stress Disorder | Posttraumatic Stress Disorder | Posttraumatic Stress Disorder | | 309.81 | |
| 309.90 | Non-Psychotic Organic Brain Syndrome, Other Physical Condition | Adjustment disorder with atypical features | Adjustment Disorder Unspecified | Adjustment Disorder Unspecified | Adjustment Disorder Unspecified | | 309.90 | |
| 310.10 | Mental Retardation - Borderline; associated with trauma or physical agent | No code 310.10 | Organic Personality Disorder (Etiology noted on Axis III or is unknown) | Personality Change Due To(Indicate the General Medical Condition) | Personality Change Due To(Indicate the General Medical Condition) | V | See Notes | If diagnosis is Personality Change Disorder, use code 310.10. If diagnosis is mental retardation, it should not be entered in the Psychiatric Disorders section of the CDER. Instead, it should be entered in the Mental Retardation section. |

| Code | DSM-II Definition | DSM-III Definition | DSM-III-R Definition | DSM-IV Definition | DSM-IV-TR Definition | Review Needed? | Current DSM-IV-TR | Notes |
|--------|---|--|--|---|---|-------------------|-------------------------------|--|
| 311.00 | 311.xx = Mental Retardation - Mild | No code 311.00 | Depressive Disorder NOS | Depressive Disorder NOS | Depressive Disorder NOS | ✓ | See Notes | If diagnosis is Depressive Disorder, use code 311.00. |
| | | | | | | | | If diagnosis is mental retardation, it should not be entered in the Psychiatric Disorders section of the CDER. Instead, it should be entered in the Mental Retardation section. |
| 312.00 | Mental Retardation - Moderate, infection or intoxication | Conduct Disorder, Undersocialized, Aggressive | Conduct Disorder, Solitary Aggressive Type | No code 312.00 (312.81: Conduct Disorder, Childhood-Onset Type; 312.82: | No code 312.00 (312.81: Conduct Disorder, Childhood-Onset Type; 312.82: Conduct Disorder, Adolescent- Onset Type; 312.89: Conduct Disorder, Unspecified Onset Type) | ✓ | See Notes | Clinical review necessary to determine appropriate DSM-IV-TR code for type of Conduct Disorder. |
| | | | | Conduct Disorder, Adolescent- Onset Type; 312.89: Conduct Disorder, Unspecified Onset Type) | | | | If diagnosis is mental retardation, it should not be entered in the Psychiatric Disorders section of the CDER. Instead, it should be entered in the Mental Retardation section. |
| 312.30 | Mental Retardation - Moderate; associated with gross brain disease | No code 312.30 | No code 312.30 | Impulsive-Control Disorder NOS | Impulsive-Control Disorder NOS | ✓ | See Notes | If diagnosis is Impulsive-Control Disorder, use code 312.30. |
| | (postnatal) | | | | | | | If diagnosis is mental retardation, it should not be entered in the Psychiatric Disorders section of the CDER. Instead, it should be entered in the Mental Retardation section. |
| 312.34 | No Code 312.34 | Intermittent Explosive Disorder | Intermittent Explosive Disorder | Intermittent Explosive Disorder | Intermittent Explosive Disorder | | 312.34 | |
| 312.39 | No code 312.39 | Atypical impulse control disorder | Impulse Control Disorder NOS; Trichotillomania | Trichotillomania | Trichotillomania | | 312.39 | |
| 312.80 | Mental Retardation - Moderate, associated with psycho-social (environmental) deprivation (Replaced with 318.00 in DSM-III) | No code 312.80 | No code 312.80 | No code 312.80 | No code 312.80 | V | Not Applicable (See Notes) | Mental retardation should not be entered in the Psychiatric Disorders section of the CDER; it should be entered in the Mental Retardation section. |

| Code | DSM-II Definition | DSM-III Definition | DSM-III-R Definition | DSM-IV Definition | DSM-IV-TR Definition | Review Needed? | Current DSM-IV-TR | Notes |
|--------|--|--|--|--|---|-------------------|----------------------|--|
| 312.90 | Mental Retardation - Moderate, associated with other condition | Conduct disorder, atypical | Conduct Disorder, Undifferentiated Type | Disruptive Behavior Disorder NOS | Disruptive Behavior Disorder NOS | ✓ | See Notes | Clinical review to determine appropriate code is necessary only if the date of diagnosis is prior to 1994. |
| | | | | | | | | If date of diagnosis is 1994 or later, use code 312.90 |
| | | | | | | | | If diagnosis is mental retardation, it should not be entered in the Psychiatric Disorders section of the CDER. Instead, it should be entered in the Mental Retardation section. |
| 313.81 | No Code 313.81 | Oppositional disorder | Oppositional Defiant Disorder | Oppositional Defiant Disorder | Oppositional Defiant Disorder | | 313.81 | |
| 314.00 | Mental Retardation - Profound | Attention Deficit Disorder without Hyperactivity | Undifferentiated Attention Deficit Disorder | Attention-Deficit/Hyperactivity Disorder, Predominantly Inattentive | Attention-Deficit/Hyperactivity Disorder, Predominantly Inattentive Type | ✓ | See Notes | Clinical review to determine appropriate code is necessary only if the date of diagnosis is prior to 1994. |
| | | | | | | | | If date of diagnosis is 1994 or later, use code 314.00 |
| | | | | | | | | If diagnosis is mental retardation, it should not be entered in the Psychiatric Disorders section of the CDER. Instead, it should be entered in the Mental Retardation section. |
| 314.01 | No code 314.01 | Attention-Deficit Disorder, with Hyperactivity | Attention-Deficit Hyperactivity Disorder | 1) Attention-Deficit Hyperactivity Disorder, Combined Type; 2) Attention-Deficit Hyperactivity Disorder, Predominantly Hyperactive-Impulsive Type (314.00: Attention-Deficit Hyperactivity Disorder, Predominately Inattentive Type; 314.9: Attention-Deficit Hyperactivity Disorder NOS) | 1) Attention-Deficit Hyperactivity Disorder, Combined Type; 2) Attention-Deficit Hyperactivity Disorder, Predominantly Hyperactive- Impulsive Type (314.00: Attention-Deficit Hyperactivity Disorder, Predominately Inattentive Type; 314.9: Attention-Deficit Hyperactivity Disorder NOS) | | 314.01 | |

| Code | DSM-II Definition | DSM-III Definition | DSM-III-R Definition | DSM-IV Definition | DSM-IV-TR Definition | Review Needed? | Current DSM-IV-TR | Notes |
|--------|---|--------------------|----------------------|--|--|-------------------|----------------------|---|
| 314.90 | Mental Retardation - Profound, Other Condition | No Code 314.90 | No Code 314.90 | Attention-Deficit/Hyperactivity Disorder NOS [314.00: Attention-Deficit Hyperactivity Disorder, Predominantly Inattentive Type; 314.01: 1) Attention-Deficit Hyperactivity Disorder, Combined Type; 2) Attention-Deficit Hyperactivity Disorder, Predominantly Hyperactive-Impulsive Type] | Attention-Deficit/Hyperactivity Disorder NOS [314.00: Attention-Deficit Hyperactivity Disorder, Predominantly Inattentive Type; 314.01: 1) Attention-Deficit Hyperactivity Disorder, Combined Type; 2) Attention-Deficit Hyperactivity Disorder, Predominantly Hyperactive- Impulsive Type] DSM-IV -TR diagnostic criteria for 314.9: This category is for disorders with prominent symptoms of inattention or hyperactivity- impulsivity that do not meet the criteria for Attention- Deficit/Hyperactivity Disorder. Examples include 1) Individuals whose symptoms and impairment meet the criteria for Attention- Deficit/Hyperactivity Disorder, Predominantly Inattentive Type but whose age at onset is 7 years or after. 2) Individuals with clinically significant impairment who present with inattention and whose symptom pattern does not meet the full criteria for the disorder but have a behavioral pattern marked by sluggishness, daydreaming, and hypoactivity. | | See Notes | If date of diagnosis is 1994 or later, use code 314.90 If diagnosis is mental retardation, it should not be entered in the Psychiatric Disorders section of the CDER. Instead, it should be entered in the Mental Retardation section. |

Friday, May 30, 2008

| Code | DSM-II Definition | DSM-III Definition | DSM-III-R Definition | DSM-IV Definition | DSM-IV-TR Definition | Review Needed? | Current DSM-IV-TR | Notes |
|--------|--|---------------------------------------|---|--|--|-------------------|-------------------------------|--|
| 315.00 | Mental Retardation - Unspecified Level, associated with infection or intoxication | Developmental Reading Disorder | Developmental Reading Disorder | Reading Disorder | Reading Disorder | ~ | See Notes | Clinical review to determine appropriate code is necessary only if the date of diagnosis is prior to 1986. |
| | | | | | | | | If date of diagnosis is 1986 or later, use code 315.00 |
| | | | | | | | | If diagnosis is mental retardation, it should not be entered in the Psychiatric Disorders section of the CDER. Instead, it should be entered in the Mental Retardation section. |
| 315.30 | Mental Retardation - gross brain disease (postnatal) | No Code 315.30 | No code 315.30 | No code 315.30 | No code 315.30 | ✓ | Not Applicable (See Notes) | Mental retardation should not be entered in the Psychiatric Disorders section of the CDER; it should be entered in the Mental Retardation section. |
| 315.31 | No code 315.31 | Developmental language disorder | Developmental expressive language disorder; Developmental receptive | Expressive language disorder (315.32 Mixed receptive-expressive language disorder) | Expressive language disorder (315.32 Mixed receptive-expressive language disorder) | ✓ See Notes | See Notes | Clinical review to determine appropriate code is necessary only if the date of diagnosis is prior to 1994. |
| | | | language disorder | | | | | If date of diagnosis is 1994 or later, use code 315.31 |
| 315.39 | No Code 315.39 | Developmental Articulation Disorder | Developmental Articulation Disorder | Phonological Disorder | Phonological Disorder | | 315.39 | |
| 315.40 | Mental Retardation - Unknown prenatal influence | No code 315.40 | Developmental Coordination Disorder | Developmental Coordination Disorder | Developmental Coordination Disorder | ✓ | See Notes | Clinical review to determine appropriate code is necessary only if the date of diagnosis is prior to 1994. |
| | | | | | | | | If date of diagnosis is 1994 or later, use code 315.40 |
| | | | | | | | | If diagnosis is mental retardation, it should not be entered in the Psychiatric Disorders section of the CDER. Instead, it should be entered in the Mental Retardation section. |
| 315.50 | Mental Retardation - Unspecified Level, associated with chromosomal abnormality (Replaced with 319.00 in DSM-III) | Mixed specific developmental disorder | No code 315.50 | No code 315.50 | No code 315.50 | ✓ | Not Applicable (See Notes) | Mental retardation should not be entered in the Psychiatric Disorders section of the CDER; it should be entered in the Mental Retardation section. |

| Code | DSM-II Definition | DSM-III Definition | DSM-III-R Definition | DSM-IV Definition | DSM-IV-TR Definition | Review Needed? | Current DSM-IV-TR | Notes |
|--------|---|---|--|--|---|-------------------|-------------------------------|--|
| 315.90 | Mental Retardation - Unspecified Level, associated with other condition | Atypical specific developmental disorder | Developmental Disorder NOS | Learning Disorder NOS | Learning Disorder NOS | ✓ | | Clinical review to determine appropriate code is necessary only if the date of diagnosis is prior to 1994. |
| | | | | | | | | If date of diagnosis is 1994 or later, use code 315.90 |
| | | | | | | | | If diagnosis is mental retardation, it should not be entered in the Psychiatric Disorders section of the CDER. Instead, it should be entered in the Mental Retardation section. |
| 317.00 | Non-Specific Conditions | Mild Mental Retardation, Without Other Behavioral Symptoms | Mild Mental Retardation | Mild Mental Retardation | Mild Mental Retardation | ✓ | Not Applicable (See Notes) | Mental retardation should not be entered in the Psychiatric Disorders section of the CDER; it should be entered in the Mental Retardation section. |
| 799.90 | No Code 799.90 | Diagnosis or Condition Deferred on Axis I; Diagnosis or Condition Deferred on Axis II | Diagnosis or Condition Deferred on Axis I; Diagnosis or Condition Deferred on Axis II | Diagnosis Deferred on Axis II; Diagnosis or Condition Deferred on Axis I | Diagnosis Deferred on Axis II; Diagnosis or Condition Deferred on Axis I | | 799.90 | |
| V40.00 | No Code V40.00 | No Code V40.00 | Borderline Intellectual Functioning | No Code V40.00 [V62.89: 1) Borderline Intellectual Functioning; 2) Phase of Life Problem; 3) Religious or Spiritual Problem] | No Code V40.00 [V62.89: Borderline Intellectual Functioning; 2) Phase of Life Problem; 3) Religious or Spiritual Problem] | ✓ | V62.89 | |
| V61.20 | No code V61.20 | Parent-child problem | Parent-Child Relational Problem | Parent-Child Relational Problem | Parent-Child Relational Problem | | V61.20 | |
| V62.89 | No code V62.89 | Borderline intellectual functioning; Phase of life problem or other life circumstance problem | Phase of life problem or other life circumstance problem (V40.00: Borderline Intellectual Functioning) | 1) Borderline intellectual functioning; 2) Phase of life problem; 3) Religious or spiritual problem | 1) Borderline intellectual functioning; 2) Phase of life problem; 3) Religious or spiritual problem | | V62.89 | |
| V71.09 | No code V71.09 | No Diagnosis or Condition on Axis I; No Diagnosis on Axis II | No Diagnosis on Axis II; No Diagnosis or Condition on Axis I | No Diagnosis on Axis II; No Diagnosis or Condition on Axis I | No Diagnosis on Axis II; No Diagnosis or Condition on Axis I | | V71.09 | |