

8. REFERENCES

- * ACGIH. 1986. Documentation of the threshold limit values and biological exposure indices. 5th ed. Cincinnati, OH: American Conference of Governmental Industrial Hygienists, Inc.

- * Amoores JE, Hautala E. 1983. Odor as an aid to chemical safety: odor thresholds compare with threshold limit values and volatilities for 214 industrial chemicals in air and water dilution. *J Applied Toxicol* 3:272-290.

- AOAC. 1984. Fumigant residues. Volatile fumigants in grain. Gas chromatographic method. Section 29.071. Official methods of analysis of the Association of Official Analytical Chemists, 14th ed. Arlington, VA: Association of Official Analytical Chemists Inc. pp. 547-548.

- * Barnes D, Bellin J, DeRosa C, et al. 1987. Reference dose (RfD): description and use in health risk assessments. Volume I, Appendix A: Integrated risk information system supportive documentation. Washington, DC: US Environmental Protection Agency, Office of Health and Environmental Assessment. EPA/600/8-86/032a.

- Bell A, Jones AT. 1958. Fumigation with dichloroethyl ether and chlordane: hysterical sequelae. *Med J Australia* 2:258-263.

- * Berck B. 1965. Determination of fumigant gases by gas chromatography. *J Agric Food Chem* 13:373-377.

- Berg GL, ed. 1981. Farm chemicals handbook. Willoughby, OH: Meister Publishing Company. C-109.

- * Betowski LD, Pyle SM, Ballard JM, et al. 1987. Thermospray LC/MS/MS/analysis of wastewater for dispersed azo dyes. *Biomedical and Environmental Mass Spectrometry*. 14:343-354.

- * Bolt HM. 1984. Metabolism of genotoxic agents: halogenated compounds. In: Monitoring human exposure to carcinogenic and mutagenic agents. Proceedings of a Joint Symposium, Espoo, Finland, December 1983. IARC Scientific Publication 59.

- * Browning E. 1965. Toxicity and metabolism of industrial solvents. New York: Elsevier 513.

* = Cited in text.

8. REFERENCES

- * Buckman Laboratories. 1988. Selected information on DCEE. Letter from Buckman Laboratories to D. Ozolins, USEPA. October 20, 1988.
 - * Callahan MA, Slimak MW, Gabrel NW, et al. 1979. Halogenated aliphatic hydrocarbons, halogenated ethers, monocyclic aromatics, phthalate esters, polycyclic aromatic hydrocarbons, nitrosamines, and miscellaneous compounds. Washington, DC: Office of Water Planning and Standards, U.S. Environmental Protection Agency. pp. 65-1 to 65-7. PB80-204381.
 - * Carpenter CP, Smyth HF. 1946. Chemical burns of the rabbit cornea. *Am J Ophthalmol* 29:1363-1372.
 - * Carpenter CP, Smyth HF, Pozzani UC. 1949. The assay of acute vapor toxicity and the grading and interpretation of results of 96 chemical components. *J Ind Hyg Toxicol* 31:343-346.
 - * CLPSD. 1988. Contract laboratory program statistical database. Viar and Company. Alexandria, VA. August 10.
 - DeWalle FB, Chian ESK. 1981. Detection of trace organics in well water near a solid waste landfill. *Journal Am Water Works Assoc* 73:206-211.
 - * Dojlido JR. 1979. Investigations of biodegradability and toxicity of organic compounds. U.S. Environmental Protection Agency, Office of Research and Development, Cincinnati, OH. EPA-600/2-79-163.
 - * Dow Chemical. 1958. Results of repeated exposures of laboratory animals to the vapor of dichlorodiethyl ether at a concentration of 69 mm. Midland, MI: The Dow Chemical Company.
 - * Dressman RC, Fair J, McFarren EF. 1977. Determinative method for analysis of aqueous sample extracts for bis(2-chloro)ethers and dichlorobenzenes. *Environ Sci Technol* 11:719-721.
 - * Elkins HB. 1959. The chemistry of industrial toxicology. New York, NY: John Wiley and Sons, Inc.
- EPA. 1975. Initial Scientific and Miniorganic Review of Folpat. Draft Report. Washington, DC: 6. Office of Pesticide Programs. U.S. Environmental Protection Agency.

8. REFERENCES

- * EPA. 1980a. Ambient water quality criteria for chloroalkyl ethers. Washington, DC: Office of Water Regulations and Standards, U.S. Environmental Protection Agency. EPA 440/5-80-030.
- * EPA. 1980b. U.S. Environmental Protection Agency. Hazardous waste; identification and listing; final and interim rules. Federal Register. May 19. 45:33084-33133.
- * EPA. 1980c. Guidelines and methodology used in the preparation of health effect assessment chapters of the consent decree water criteria documents. U.S. Environmental Protection Agency. Federal Register. November 28. 45:79347-79357.
- * EPA. 1982a. Haloethers-Method 611. Cincinnati, OH: Environmental Monitoring and Support Laboratory, U.S. Environmental Protection Agency, pp 611-1 to 611-7. EPA-600/4-82-057.
- * EPA. 1982b. Base/neutrals and acids-method 625. Methods for organic chemical analysis of municipal and industrial wastewater. Cincinnati, OH: Environmental Monitoring and Support Laboratory, U.S. Environmental Protection Agency, pp 625-1 to 625-19. EPA-600/4-82-057.
- EPA. 1983. Treatability manual, volume I, treatability data. Washington, DC: Office of Research and Development, U.S. Environmental Protection Agency. EPA 600/2-82-001a.
- * EPA. 1984. Semivolatile organic compounds by isotope dilution GC-MS - Method 1625, Revision B. Washington, DC: U.S. Environmental Protection Agency, pp 1625-1 to 1625-44.
- * EPA. 1985. U.S. Environmental Protection Agency. Part II. Notification requirements; reportable quantity adjustments; final rule and proposed rule. Federal Register. April 4. 50:13456-13522.
- * EPA. 1986a. Gas chromatography/mass spectrometry for semivolatile organics: packed column technique-Method 8250. Test methods for evaluating solid wastes, SW-846, 3rd ed. Washington, DC: Office of Solid Waste and Emergency Response, U.S. Environmental Protection Agency. pp. 8250-1 to 8250-30.

8. REFERENCES

- * EPA. 1986b. Gas chromatography/mass spectrometry for semivolatile organics: capillary column technique-Method 8270. Test methods for evaluating solid wastes, SW-846, 3rd ed. Washington, DC: Office of Solid Waste and Emergency Response, U.S. Environmental Protection Agency, pp. 8270-1 to 8270-32.
- * EPA. 1986c. Capillary column analysis of semivolatile organic compounds by gas chromatography/fourier transform infrared (GC/FT-IR) spectrometry - Method 8410. Test methods for evaluating solid wastes, SW-846, 3rd ed. Washington, DC: Office of Solid Waste and Emergency Response, U.S. Environmental Protection Agency, pp 8410-1 to 8410-17.
- * EPA. 1987a. Health and environmental effects document for haloethers. Cincinnati, OH: Office of Health and Environmental Assessment, U.S. Environmental Protection Agency. ECAO-GIN-Go 14.
- * EPA. 1987b. U.S. Environmental Protection Agency. Part II. Extremely hazardous substances list and threshold planning quantities; emergency planning and release notification requirements; final rule. Federal Register. April 22. 52:13378-13410.
- * EPA. 1987c. U.S. Environmental Protection Agency. Hazardous substances; reportable quantity adjustments; proposed rule. Federal Register. March 16. 50:8140-8171.
- * EPA. 1987d. U.S. Environmental Protection Agency. Part II. List (Phase 1) of hazardous constituents for ground-water monitoring; final rule. Federal Register. July 9. 52:25942-25953.
- * EPA. 1988, Integrated Risk Information System -- computer printout for bis(2-chloroethyl) ether. Washington, DC: U.S. Environmental Protection Agency. August, 1988.
- * FSTRAC. 1988. Summary of state and federal drinking water standards and guidelines. Federal-State Toxicology and Regulatory Alliance Committee. March, 1988.
- * Gurka DF, Titus R, Griffiths PR, et al. 1987. Evaluation of an improved single-beam gas chromatography/fourier transform infrared interface for environmental analysis. Anal Chem 59:2362-2369.

8. REFERENCES

- * Gwinner LM, Laib RJ, Filser JG, et al. 1983. Evidence of chloroethylene oxide being the reactive metabolite of vinyl chloride toward DNA: comparative studies with 2,2-dichlorodiethyl ether. *Carcinogenesis* 4:1483-1486.

- * Hake CL, Rowe BK. 1963. Ethers. In: Patty FA (ed). *Industrial Hygiene and Toxicology* (2nd revised edition), Vol II. New York: John Wiley and Sons: pp 1673-1677.

- Hawley GG. 1977. *Condensed chemical dictionary*. 9th ed. New York: Van Nostrand Reinhold Company. 280.

- * Hawthorne SB. 1988. 1988 Workshop on supercritical fluid chromatography. *Amer Lab*. Aug. 88:6-8.

- * HSDB. 1988. Hazardous Substances Data Base - computer printout for bis(2-chloroethyl) ether. August, 1988.

- * IARC. 1975. IARC monographs on the evaluation of the carcinogenic risk of chemicals to man: some aziridines, N-, S- and O-mustards and selenium. Volume 9. Bis(2-chloroethyl) ether. Lyon, France: International Agency for Research on Cancer. 117-123.

- * IARC. 1987. IARC monographs on the evaluation of carcinogenic risks to humans. Overall evaluations of carcinogenicity: An updating of IARC monographs volumes 1 to 42. Supplement 7. Lyon, France: International Agency for Research on Cancer. 56-74.

- * Innes JRM, Ulland BM, Valerio MG, et al. 1969. Bioassay of pesticides and industrial chemicals for tumorigenicity in mice. *Journal National Cancer Institute* 42:1101-1114.

- Jorgenson TA, Rushbrook CJ, Newell GW, et al. 1977. Study of the mutagenic potential of bis(2-chloroethyl) and bis(chloroisopropyl) ethers in mice by the heritable translocation test. (Abstract). *Toxicol Appl Pharmacol* 41:196-197.

- * Jorgenson TA, Rushbrook CJ, Newell GW, et al. 1978. Study of the mutagenic potential of bis(2-chloroethyl) and bis(2-chloroisopropyl) ethers in mice by the heritable translocation test. *Mutat Res* 53:124. (Abstract).

8. REFERENCES

- * Kincannon DF, Lin YS. 1986. Microbial degradation of hazardous wastes by land treatment. In: Proceedings of the 40th industrial waste conference (May 14, 15, 16, 1985). Boston, MA: Ann Arbor Science.

- Kleopfer RD, Fairless BJ. 1972. Characterization of organic components in a municipal water supply. Environ Sci Technol 6:1036-1037.

- * Korfmacher WA, Holder CL, Betowski LD, et al. 1987. Identification of two glucuronide metabolites of doxylamine via thermospray/mass spectrometry and thermospray/mass spectrometry/mass spectrometry. J Anal Toxicol 11:182-184.

- * Lingg RD, Kaylor WH, Pyle SM, et al. 1979. Thiodiglycolic acid: a major metabolite of bis(2-chloroethyl) ether. Tox Appl Pharmacol 47:23-34.

- * Lingg RD, Kaylor WJ, Pyle SM, et al. 1982. Metabolism of bis(2-chloroethyl) ether and bis(chloroisopropyl) ether in the rat. Arch Environ Contam Toxicol 11:173-183.

- * Ludzack FJ, Ettinger MB. 1963. Biodegradability of organic chemicals isolated from rivers. Purdue University. Eng Bull Ext Ser 115:278-282.

- * Mabey WR, Smith JH, Podoll RT et al. 1982. Aquatic fate process data for organic priority pollutants. Washington, DC: Office of Water Regulations and Standards, U.S. Environmental Protection Agency. EPA 440/4-81-014. PB87-169090.

- * Maronpot RR, Haseman JK, Boorman GA, et al. 1987. Liver lesions in B6C3F1 mice: the National Toxicology Program, experience and position. Arch Toxicol (Supplement 10): 10-26.

- * McNally ME, Wheeler JR. 1988. Supercritical fluid extraction coupled with supercritical fluid chromatography for the separation of sulfonylurea herbicides and their metabolites from complex matrices. J Chromatogr 435:63-71.

- * Michael LC, Pellizari ED, Wiseman RW. 1988. Development and evaluation of a procedure for determining volatile organics in water. Environ Sci Technol 22:565-570.

8. REFERENCES

- * Monsen RM. 1986. The Chlorex treatability study: environmental fate in facultative anaerobic and aerobic waste stabilization ponds. (Ph.D. dissertation). Available from University Microfilms International, Dissertation Information Service, Ann Arbor, MI.
- * Muller G, Norpoth K. 1979. Identification of S-(carboxymethyl)-Lcysteine and thiodiglycolic acid, urinary metabolites of 2,2'-bis-(chloroethyl)-ether in the rat. *Cancer Lett* 7:299-305.
- NAS. 1977. National Academy of Sciences. Drinking water and health. Washington, DC: National Academy Press. 711.
- * NATICH. 1987. NATICH data base report on state, local and EPA air toxic activities. July, 1987. Research Triangle Park, NC: National Air Toxic Information Clearinghouse. Office of Air Quality Planning and Standards, U.S. Environmental Protection Agency.
- * NIOSH. 1984. sym-Dichloroethyl ether-method 1004. NIOSH Manual of Analytical Methods, 3rd ed. Cincinnati, OH: National Institute for Occupational Safety and Health pp 1004-1 to 1004-3.
- * NIOSH. 1985. Pocket guide to chemical hazards. Washington, DC: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health.
- * NLM. 1988. National Library of Medicine - Chemline database printout for bis(2-chloroethyl) ether. August, 1988.
- * Norpoth K, Heger M, Muller G, Mohtashamipur E, Kemena A, Witting C. 1986. Investigations of metabolism, genotoxic effects and carcinogenicity of 2,2-dichlorodiethyl ether. *J Cancer Res Clin Oncol* 112:125-130.
- * Pellizzari ED, Sheldon LS, Bursey JR et al. 1985, Master scheme for the analysis of organic compounds in water. Part I. State-of-the-art review of analytical operation. Athens, GA: Environmental Research Laboratory, U.S. Environmental Protection Agency.
- * Quinto I, Radman M. 1987. Carcinogenic potency in rodents versus genotoxic potency in *E. coli*: a correlation analysis for bifunctional alkylating agents. *Mutat Res* 181:235-242.

8. REFERENCES

- Rannug U, Gothe R, Wachtmeister CA. 1976. The mutagenicity of chloroethylene oxide, chloroacetaldehyde, 2-chloroethanol and chloroacetic acid, conceivable metabolites of vinyl chloride. *Chem Biol Interact* 12:251-263.
- * Schrenk HH, Patty FA, Yant WP. 1933. Acute response of guinea pigs to vapors of some new commercial organic compounds. *Public Health Reports* 48:1389-1398.
- Shirasu Y, Moriya M, Kato K, et al. 1975. Mutagenicity screening of pesticides in microbial systems. (Abstract). *Mutat Res* 31:268-269.
- * Simmon VF, Kauhanen K, Tardiff RG. 1977. Mutagenic activity of chemical identified in drinking water. In: Scott D, Bridges BA, Sobels FH (eds). *Progress In Genetic Toxicology* 249-258.
- Simmon VF. 1978. Structured correlations of carcinogenic and mutagenic alkyl halides. In: *Structural correlates of carcinogenesis and mutagenesis. A guide to testing priorities*. U.S. Food and Drug Administration, Washington, DC FDA 78-1046.
- Sittig M, ed. 1980. Chloroalkyl ethers. In: *Priority toxic pollutants: health impacts and allowable limits*, Park Ridge, NJ: Noyes Data Corp.
- Sittig M. 1985, Bis(2-chloroethyl)ether. *Handbook of toxic hazardous chemicals and carcinogens*, 2nd ed. Park Ridge NJ: Noyes Data Publication 323-325.
- * Smyth HF, Carpenter CP. 1948. Further experience with the range finding test in the industrial toxicology laboratory. *J Ind Hyg Toxicol* 30:63-68.
- * Staples CA, Werner AF, Hoogheem TJ. 1985. Assessment of priority pollutant concentrations in the United States using STORET database. *Environ Toxicol Chem* 4:131-142.
- * Tabak HH, Quave SA, Mashni CI, et al. 1981. Biodegradability studies with organic priority pollutant compounds. *Journal Water Pollut Control Fed* 53:1503-1518.
- * Ternay AL. 1976. *Contemporary organic chemistry*. Philadelphia, PA: W. B, Saunders Company, pp 146-147.

8. REFERENCES

- * Theiss JC, Stoner GD, Shimkin MB, et al. 1977. Test for carcinogenicity of organic contaminants of United State drinking waters by pulmonary tumor response in strain A mice. *Cancer Res* 37:2717-2720.
- * Union Carbide. 1948. The toxicity of dichloroethyl ether. Union Carbide Corporation, Danbury CT. Rpt 11-39 (updated on 3-12-48, and also subsequently to address FIFRA regulations).
- * Van Duuren BL, Katz C, Goldschmidt BM, et al. 1972. Carcinogenicity of halo-ethers. II. Structure-activity relationship of analogues of bis(chloromethyl)ether. *Journal National Cancer Institute* 48:1431-1439.
- * Vanderlaan M, Watkins BE, Stanker L. 1988. Environmental monitoring by immunoassay. *Environ Sci Technol* 22:247-254.
- * Veith GD, Macek KJ, Petrocelli SR, et al. 1980. An evaluation of using partition coefficients and water solubility to estimate bioconcentration factors for organic chemicals in fish. In: *Aquatic toxicology. Proceedings of the third annual symposium on aquatic toxicology.* Philadelphia, PA: American Society for Testing and Materials 116-129.
- * Verschueren K. 1977. Handbook of environmental data on organic chemicals. New York: Van Nostrand Reinhold Company pp. 232-233.
- Verschueren K. 1983. Bis(2-chloroethyl)ether. Handbook of environmental data on organic chemicals. New York: Van Nostrand Reinhold Company 489-490.
- Walters SM. 1986. Cleanup of samples. Analytical methods for pesticides and plant growth regulators, Vol 15, Gunter Zweig and Joseph Sherma, Eds., Chap. 3, New York, NY: Academic Press pp. 67-110.
- * Weast RC, ed. 1985. CRC handbook of chemistry and physics. 66th ed. Boca Raton, FL: CRC Press.
- * Weisburger EK, Ulland BM, Nam J, Gart JJ, Weisburger JH. 1981. Carcinogenicity tests of certain environmental and industrial chemicals. *Journal National Cancer Institute* 67:75-88.
- * Wilson JT, Enfield CG, Dunlap WJ, Cosby RL, Foster DA, Baskin LB. 1981. Transport and fate of selected organic pollutants in a sandy soil. *J Environ Qual* 10:501-506.

8. REFERENCES

- * Windholz M, ed. 1983. The Merck Index. Tenth edition. Rahway, NJ: Merck & Co., Inc.