*Aieta E, Singley J, Trussell A, et al. 1987. Radionuclides in drinking water: an overview. J AWWA 79:144-152.

*Alaska Statutes. 1988. Sec 46.03.296.

*Alter H, Oswald R. 1987. Nationwide distribution of indoor radon measurements: a preliminary database. J Air Pollut Control Assoc 37:227-231.

*Altshuler B, Nelson N, Kuschner M. 1964. Estimation of lung tissue dose from the inhalation of radon and daughters. Health Phys 10:1137-1161.

*Andersson I, Nilsson I. 1964. Exposure following ingestion of water containing radon-222. In: Assessment of radiation activity in man. Proceedings of symposium on assessment of radioactive body burdens in man. Vol. II. Vienna: International Atomic Energy Agency, International Labor Organization and World Health Organization, 317-326.

Andrlikova J, Wagner V, Palek V. 1975. Investigation of immunoglobulin levels in the blood serum of uranium miners after higher and lower exposure to ionizing radiation. Strahlentherapie 149:212-218.

*Anttila A. 1987. Lead content of deciduous tooth enamel from a high-radon area. Acta Odontol Stand 45:283-288.

*Archer V. 1979. Effects of exposure to low levels of radon daughters. Trans Amer Nut Sot 33:145-146.

*Archer V. 1980. Epidemiologic studies of lung disease among miners exposed to increased levels of radon daughters. In: Rom W, Archer V, eds. Health implications of new energy technologies. Ann Arbor, MI: Ann Arbor Science, 13-22.

*Archer V. 1981. Health concerns in uranium mining and milling. J Occup Med 23:502-505.

*Archer V. 1985. Enhancement of lung cancer by cigarette smoking in uranium and other miners. Carcinogenesis 8:23-37.

Archer V, Brown M. 1970. American uranium miners and lung cancer. In: Shapiro H, ed. Pneumoconiosis. New York: Oxford University Press, 569-571.

*Cited in text.

*Archer V, Brinton H, Wagoner J. 1964. Pulmonary function of uranium miners. Health Phys 10:1183-1194.

*Archer V, Wagoner J, Lundin F. 1973. Lung cancer among uranium miners in the United States. Health Phys 25:351-371.

*Archer V, Saccomanno G, Jones J. 1974. Frequency of different histologic types of bronchogenic carcinoma as related to radiation exposure. Cancer 34:2056-2060.

*Archer V, Gillam J, Wagoner J. 1976. Respiratory disease mortality among uranium miners. Ann NY Acad Sci 271:280-293.

*Archer V, Gillam J, James L. 1978. Radiation, smoking and height relationships to lung cancer in uranium miners. In: Nieburgs H, ed. Prevention and detection of cancer. Part 1. Vol. 2. New York: Marcel Dekker, Inc., 1689-1712.

*Archer V, Radford E, Axelson 0. 1979. Radon daughter cancer in man: factors in exposure-response relationships at low levels. In: Conference workshop on lung cancer epidemiology and industrial applications of sputum cytology. Golden, CO: Colorado School of Mines Press.

*ATSDR. 1990a. Toxicological profile for uranium. U.S. Department of Health and Human Services. Public Health Service. Agency for Toxic Substances and Disease Registry. Atlanta, GA.

*ATSDR. 1990b. Toxicological profile for plutonium. U.S. Department of Health and Human Services. Public Health Service. Agency for Toxic Substances and Disease Registry. Atlanta, GA.

*ATSDR. 1990c. CDC Subcommittee Report on Biological Indicators of Organ Damage. Agency for Toxic Substances and Disease Registry, U.S. Public Health Service.

*ATSDR. 1990d. Toxicological profile for radium. U.S. Department of Health and Human Services. Public Health Service. Agency for Toxic Substances and Disease Registry. Atlanta, GA.

*Axelson 0. 1980. Interaction between smoking and exposure to radon daughters. In: Rom W, Archer V, eds. Health implications of new energy technologies. Ann Arbor, MI: Ann Arbor Science, 23-28.

*Axelson 0, Edling C. 1980. Health hazards from radon daughters in dwellings in Sweden. In: Rom W, Archer V, eds. Health implications of new energy technologies. Ann Arbor, MI: Ann Arbor Science, 79-87.

Axelson 0, Rehn M. 1971. Lung cancer in miners. Lancet 2:706-707.

*Axelson 0, Sundell L. 1978. Mining, lung cancer and smoking. Stand J Work Environ Health 4:46-52.

*Axelson 0, Edling C, Kling H. 1979. Lung cancer and residency -- a casereferent study on the possible impact of exposure to radon and its daughters in dwelling. Stand J Work Environ Health 5:10-15.

*Axelson 0, Edling C, Kling H, et al. 1981. Lung cancer and radon in dwellings. Lancet, Ott 31:985-996.

Axelson 0, Josefson H, Rehn M, et al. 1971. Svensk pilotstudie over lung cancer hos gruvarbetare. Lakartidningen 68:5687-5693.

*Bale W. 1980. Memorandum to the files, March 14, 1951: hazards associated with radon and thoron. Health Phys 38:1061-1066.

*Band P, Feldstein M, Saccomanno G, et al. 1980. Potentiation of cigarette smoking and radiation. Cancer 45:1273-1722.

*BEIR IV. 1988. Health risks of radon and other internally deposited alphaemitters. Committee on the Biological Effects of Ionizing Radiations, National Research Council. Washington, DC: National Academy Press.

*BEIR V. 1990. Health effects of exposure to low levels of ionizing radiation. Committee on the Biological Effects of Ionizing Radiations, National Research Council. Washington, DC: National Academy Press.

*Bignon J, Monchaux G, Chameaud J, et al. 1983. Incidence of various types of thoracic malignancy induced in rats by intrapleural injection of 2 mg of various mineral dusts after inhalation of 222Rn. Carcinogenesis 4:621-628.

*Black S, Archer V, Dixon W, et al. 1968. Correlation of radiation exposure and lead-210 in uranium miners. Health Phys 14:81-93.

*Blanchard R, Archer V, Saccomanno G. 1969. Blood and skeletal levels of 210Pb-210Po as a measure of exposure to inhaled radon daughter products. Health Phys 16:585-596.

*Bodansky D, Jackson K, Geraci J. 1987. Comparisons of indoor radon to other radiation hazards. In: Bodansky D, et al., eds. Indoor radon and its hazards. Seattle: University of Washington Press, 122-137.

*Brandom W, Saccomanno G, Archer V, et al. 1972. Chromosome aberrations in uranium miners occupationally exposed to 222 radon. Radiat Res 52:204-215.

*Brandom W, Saccomanno G, Archer V, et al. 1978. Chromosome aberrations as a biological dose-response indicator of radiation exposure in uranium miners. Radiat Res 76:159-171.

*Breslin A. 1980. Techniques for measuring radon in buildings. National Bureau of Standards Special Publication 581, Proceedings of a Roundtable Discussion of Radon in Buildings held at NSB, Gaithersburg, Maryland. June.

*Cember H. 1983. Introduction to health physics. 2nd ed. New York: Pergamon Press, 335-341.

*Chamberlain A, Dyson E. 1956. The dose to the trachea and bronchi from the decay products of radon and thoron. Br J Radiol 29:317-325.

*Chameaud J, Perraud R, LaFuma J, et al. 1974. Lesions and lung cancers induced in rats by inhaled radon 222 at various equilibriums with radon daughters. In: Karbe E, Park J, eds. Experimental lung cancer. Carcinogenesis and bioassays. New York: Springer-Verlag, 410-421.

Chameaud J, Perraud R, Masse R, et al. 1976. Lung cancer induced in rats by radon and its daughter nuclides at different concentrations. In: Biological and environmental effects of low-level radiation. Vol II. Vienna: International Atomic Energy Agency, 223-228.

Chameaud J, Perraud R, Crethien J, et al. 1980. Combined effects of inhalation of radon daughter products and tobacco smoke. In: Sanders C, et al., eds. Pulmonary toxicology of respirable particles. 19th Hanford Life Sci Symposium, Richland, WA. USDOE, 551-557.

*Chameaud J, Perraud R, LaFuma J, et al. 1982a. Cancers induced by Rn-222 in the rat. In: Clemente G, et al., eds. Proceedings specialist meeting on the assessment of radon and daughter exposure and related biological effects. Salt Lake City: RD Press, 198-209.

*Chameaud J, Perraud R, Chretien J, et al. 198213. Lung carcinogenesis during <u>in vivo</u> cigarette smoking and radon daughter exposure in rats. Recent Results Cancer Res 82:11-20.

*Chameaud J, Masse R, Lafuma J. 1984. Influence of radon daughter exposure at low doses on occurrence of lung cancer in rats. Radiation Protection Dosimetry 7:385-388.

*Checkoway H, Matthre R, Hickey J, et al. 1985. Mortality among workers in the Florida phosphate industry. J Occup Med 27:885-892.

*Chem Name Database. 1989. Chemical Abstract Service. Columbus, Ohio.

*Clemente G, Renzetti A, Santori G, et al. 1982. Pb-210-PO-210 tooth content and radon daughter exposure. In: Vohra K, et al., eds. Natural radiation environment. New York: John Wiley and Sons, 269-274.

*Clemente G, Renzetti A, Santori G, et al. 1984. Relationship between the 210 Pb content of teeth and exposure to Rn and Rn daughters. Health Phys 47:253-262.

*Cohen B. 1979. Radon: Characteristics, natural occurrence, technological enhancement, and health effects. Progress in Nuclear Energy 4:1-24.

*Cohen B. 1986. A national survey of 222-Rn in U.S. homes and correlating factors. Health Phys 51:175-183.

*Cohen B, Nason R. 1986. A diffusion barrier charcoal adsorption collector for measuring Rn concentrations in indoor air. Health Phys 50:457-463.

Cohen B, Nelson D. 1987. Radon. A homeowner's guide to detection and control. Mount Vernon, NY: Consumers Union, 185.

*Cohen N, Jaakkola T, Wrenn M. 1973. Lead-210 concentrations in the bone, blood and excreta of a former uranium miner. Health Phys 24:601-609.

*Cohn S, Skow R, Gong J. 1953. Radon inhalation studies in rats. Arch Ind Hyg Occup Med 7:508-515.

*Cothern C. 1987a. Properties. In: Cothern C, Smith J, eds. Environmental radon. New York: Plenum Press, 1-29.

*Cothern C. 1987b. History and uses. In: Cothern C, Smith J, eds. Environmental radon. New York: Plenum Press, 31-58.

*Cothern C, Lappenbusch W, Michel J. 1986. Drinking-water contribution to natural background radiation. Health Phys 50:33-47.

*Crawford-Brown D. 1983. An age-dependent model for the kinetics of uptake and removal of radionuclides from the G.I. tract. Health Phys 44:609-622.

*Crawford-Brown D. 1987. Age-dependent lung doses from ingested 222Rn in drinking water. Health Phys 52:149-156.

*Crawford-Brown D, Cothern C. 1987. A Bayesian analysis or scientific judgement of uncertainties in estimating risk due to 222Rn in U.S. public drinking water supplies. Health Phys 53:11-21.

*Crawford-Brown D, Michel J. 1987. Measurement. In: Cothern C, Smith J, eds. Environmental radon. New York: Plenum Press, 59-80.

*Cross F. 1988. Radon inhalation studies in animals. DOE/ER-0396. Prepared by Pacific Northwest Laboratory, Richland, Washington. Prepared for Office of Energy Research, U.S. Department of Energy.

Cross F, Palmer R, Busch R, et al. 1981. Development of lesions in Syrian golden hamsters following exposure to radon daughters and uranium ore dust. Health Phys 41:135-153.

*Cross F, Palmer R, Busch R, et al. 1982a. Influence of radon daughter exposure rate and uranium ore dust concentration on occurrence of lung tumors. In: Clement G, et al., eds. Proceedings specialist meeting assessment radon and daughter exposure and related biological effects. Salt Lake City: RD Press, 189-197.

*Cross F, Palmer R, Filipy R, et al. 1982b. Carcinogenic effects of radon daughters, uranium ore dust and cigarette smoke in beagle dogs. Health Phys 42:33-52.

*Cross F, Palmer R, Dagle G, et al. 1984. Influence of radon daughter exposure rate, unattachment fraction, and disequilibrium on occurrence of lung tumours. Radiation Protection Dosimetry 7:381-384.

*Cross F, Buschbom R, Dagle G, et al. 1985. Inhalation hazards to uranium miners. Pacific Northwest Laboratory annual report for 1984 to the DOE Office of Energy Research. Part 1. Biomedical sciences. PNL-550-Pt 1. 39-41.

*Cross F, Palmer R, Busch R, et al. 1986. An overview of PNL radon experiments with reference to epidemiological data. In: Thompson R, Mahaffey J, eds. Life-span radiation effects studies in animals: What can they tell us? Proceedings 22nd Hanford Life Sciences Symposium, Richland, WA. Technical Information Center, U.S. Department of Energy, Springfield, VA. NTIS no. DE87000490.

*Damber L, Larsson L. 1982. Combined effects of mining and smoking in the causation of lung carcinoma. Acta Radiol 21:305-313.

*Damber L, Larsson L. 1985. Underground mining, smoking, and lung cancer: a case-control study in the iron ore municipalities in Northern Sweden. JNCI 74:1207-1213.

De Villiers A, Windish J. 1964. Lung cancer in a fluorspar mining community. I. Radiation, dust, and mortality experience. Br J Ind Med 21:49-109.

De Villiers A, Windish J, Brent F, et al. 1971. Mortality experience of the community and of the fluorspar mining employees at St. Lawrence, Newfoundland. Occup Health Rev 22:1-15.

*Dean R. 1981. Semen analyses among uranium miners. In: Wiese W, ed. Birth defects in the Four Corners area. Transcript of a meeting. Albuquerque: University of New Mexico School of Medicine, 51-54.

*Deluca S, Castronovo F. 1988. Radon. Am Fam Physician 37:233-234.

*Djuric D, Kilibarda M, Novak L, et al. 1964. Studies on airborne radioactive contamination of miners in a Yugoslav uranium mine. Health Phys 10:1059-1064.

*Dobbin M. 1987. Deep breath down under. US News and World Rep 102:40.

*Doke T, Oshima T, Takahashi H, et al. 1973. A radon exposure experiment of rats and mice. J Radiat Res 14:153-168.

*Dundulis W, Bell W, Kenne B, et al. 1984. Radon-222 in the gastrointestinal tract: a proposed modification of the ICRP Publication 30 model. Health Phys 47:243-252.

Edling C. 1982. Lung cancer and smoking in a group of iron ore miners. Am J Ind Med 3:191-199.

*Edling C, Axelson 0. 1983. Quantitative aspects of radon daughter exposure and lung cancer in underground miners. Br J Ind Med 40:182-187.

*Edling C, Kling H, Axelson 0. 1984. Radon in homes--a possible cause of lung cancer. Stand J Work Environ Health 10:25.

*Eichholz G. 1987. Human exposure. In: Cothern C, Smith J, eds. Environmental radon. New York: Plenum Press, 131-172.

Eisenbud M, Laurer G, Rosen J, et al. 1969. <u>In vivo</u> measurement of lead-210 as an indicator of cumulative radon daughter exposure in uranium miners. Health Phys 16:637-646.

*EPA. 1985. Drinking water criteria document for radon. Washington, DC: U.S. Environmental Protection Agency, Office of Drinking Water.

*EPA. 1986. Interim indoor radon and radon decay product measurement protocols. Washington, DC: U.S. Environmental Protection Agency, Office of Radiation Programs. EPA 520/1-86-04.

EPA. 1986. A citizen's guide to radon - what it is and what to do about it. Washington, DC: U.S. Environmental Protection Agency, Office of Air and Radiation.

EPA. 1986. Radon reduction methods a homeowner's guide. Washington, DC: U.S. Environmental Agency, Research and Development Office.

*EPA. 1987a. Interim protocols for screening and follow-up radon and radon decay product measurements. EPA 520/1-86-014-1. Springfield, VA: National Technical Information Service.

*EPA. 1987b. Radiation protection guidance to federal agencies for occupational exposure; approval of Environmental Protection Agency recommendations. Federal Register 52:2823-2834.

*EPA. 1988a. Limiting values of radionuclide intake and air concentration and dose conversion factors for inhalation, submersion, and ingestion. Federal Guidance Report No. 11. Washington, DC: U.S. Environmental Protection Agency, Office of Radiation Programs. EPA-520/1-88-020.

*EPA. 1988b. U.S. Environmental Protection Agency. Code of Federal Regulations. CFR 40 190.

*EPA. 1989a. Risk assessment methodology. Environmental Impact Statement. NESHAPS for radionuclides. Background Information Document. Vol 1. Washington, D.C.: Environmental Protection Agency, Office of Radiation Programs.

*EPA. 1989b. Part II. Reportable quantity adjustment--radionuclides; final rules. 40 CFR 302.

*Fernau A, Smereker H. 1933. Ueber vereleiben radioakt. Substanz im organismus bei radium-emanations. Strahlentherapie 46:365-373.

*Filipy R, Stuart B, Palmer R, et al. 1974. The effects of inhaled uranium mine air contaminants in beagle dogs. In: Karbe E, Park J, eds. Experimental lung cancer. Carcinogenesis and bioassays. New York: Springer-Verlag, 403-410.

*Fisenne I. 1987. Radon concentrations at Chester, New Jersey and New York City. Personal communication. Environmental Measurements Laboratory. New York, NY. (As cited in NCRP 1987.)

*Fleischer R. 1986. A possible association between lung cancer and a geological outcrop. Health Phys 50:823-827.

*Fox A, Goldblatt P, Kinlen L. 1981. A study of the mortality of Cornish tin miners. Br J Ind Med 38:378-380.

*FRC. 1960. Radiation protection guidance for federal agencies. Federal Radiation Council. Federal Register 60:4402-4403.

*Fry F, Smith-Briggs J, O'Riordan M. 1983. Skeletal lead-210 as an index of exposure to radon decay products in mining. Br J Ind Med 40:58-60.

*FSTRAC. 1988. Summary of state and federal drinking water standards and guidelines. Chemical Communication Subcommittee. Federal-State Toxicology and Regulatory Alliance Committee (FSTRAC), 21.

*Furuno K. 1979. [Applications of radioactive spring water and excretion of radon in the expired air.] Okayama Daigaku Onsen Kenkyusho Hokoku 49:1-6. (Japanese)

*George A, Breslin A. 1967. Deposition of natural radon daughters in human subjects. Health Phys 13:375-378.

*George A, Breslin A. 1969. Deposition of radon daughters in humans exposed to uranium mine atmospheres. Health Phys 17:115-124.

*Gesell T. 1983. Background atmospheric 222-Rn concentrations outdoors and indoors: a review. Health Phys 45:289-302.

Gies R, Cross F, Dagle G. 1987. A histologic study of the influence of cigarette smoking in suppressing Rn daughter carcinogenesis in dogs. Health Phys 53:527-529.

*Gotchy R, Schiager K. 1969. Bioassay methods for estimating current exposures to short-lived radon progeny. Health Phys 17:199-218.

*Gottlieb L, Husen L. 1982. Lung cancer among Navajo uranium miners. Chest 81:449-452.

Gudernatsch J, Bagg H. 1920. Disturbances in the development of mammalian embryos caused by radium emanation. Proc Sot Exp Biol Med 17:183-187.

*Guyton A. 1977. Basic human physiology. Philadelphia: W.B. Saunders Company, 434-438.

*Harley J. 1973. Environmental radon. In: Stanley R, Moghissi A, eds. Noble Gases. CONF-730915. Washington, DC: U.S. Energy Development and Research Agency, National Environmental Research Center, 109-114.

*Harley N, Pasternack B. 1982. Environmental radon daughter alpha dose factors in a five-lobed human lung. Health Phys 42:789-799.

*Hess C, Weiffenbach C, Norton S. 1983. Environmental radon and cancer correlations in Maine. Health Phys 45:339-348.

*Hess C, Michel J, Horton T, et al. 1985. The occurrence of radioactivity in public water supplies in the United States. Health Phys 48:553-586.

*Hoffman W, Steinhauster F, Pohl E. 1979. Dose calculations for the respiratory tract from inhaled natural radioactive nuclides as a function of age. I. Health Phys 37:517-532.

*Hollcroft J, Lorenz E. 1949. Retention of radon by the mouse. I. Experimental determination of biodecay and energy absorbed. Nucleonics 9:63-71.

*Hollcroft J, Lorenz E, Matthews M, et al. 1955. Long-term survival following X irradiation and the irradiation of the alpha particles from radon and its decay products. JNCI 15:1059-1067.

*Holleman D, Martz D, Schiager K. 1969. Total respiratory deposition of radon daughters from inhalation of uranium mine atmospheres. Health Phys 17:187-192.

*Holoway C, Turner J. 1981. Guide to literature on the dosimetry, metabolism, pathology, epidemiology and environmental aspects of radon, its daughters and its parents. ORNL/CF-81/276. Oak Ridge National Laboratory. Oak Ridge, Tennessee.

*Hopke P. 1987. The indoor radon problem explained for the layman. In: Hopke P, ed. Radon and its decay products. Washington, DC: American Chemical Society, 572-586.

*Hornung R, Meinhardt T. 1987. Quantitative risk assessment of lung cancer in U.S. uranium miners. Health Phys 52:417-430.

*Howe G, Nair R, Newcombe H, et al. 1986. Lung cancer mortality (1950-80) in relation to radon daughter exposure in a cohort of workers at the Eldorado Beaverlodge uranium mine. JNCI 77:357-362.

*Howe G, Nair R, Newcombe H, et al. 1987. Lung cancer mortality (1950-80) in relation to radon daughter exposure in a cohort of workers at the Eldorado Port Radium uranium mine: possible modification of risk by exposure rate. JNCI 79:1255-1260.

*Hursh J, Morken D, Davis T, et al. 1965. The fate of radon ingested by man. Health Phys 11:465-476.

IARC. 1988. IARC monographs on the evaluation of carcinogenic risks to humans. Man-made mineral fibers and radon. Vol 43. Lyon, France.

*ICRP. 1966. Deposition and retention models for internal dosimetry of the human respiratory tract. Task Group on Lung Dynamics for Committee II of the International Commission on Radiological Protection. Health Phys 12:173-207.

*ICRP. 1975. Report of the Task Group on Reference Man. ICRP Publication 23. International Commission on Radiological Protection. New York: Pergammon Press.

*ICRP. 1977. Recommendations of the International Commission on Radiological Protection. ICRP Publication No. 26. New York: Pergamon Press.

*ICRP. 1979. Limits for intakes of radionuclides by workers. ICRP Publication 30. International Commission on Radiological Protection. New York: Pergammon Press.

*Israeli M. 1985. Deposition rates on Rn progeny in houses. Health Phys 49:1069-1083.

*Jacobi W. 1964. The dose to the human respiratory tract by inhalation of short-lived 222Rn- and 220Rn-decay products. Health Phys 10: 1163-1174.

*Jacobi W. 1972. Relations between the inhaled potential alpha-energy of 222Rn- and 222Rn-daughters and the absorbed alpha-energy in the bronchial and pulmonary region. Health Phys 23: 3-11.

*Jaki S, Hess V. 1958. Study of the distribution of 222-Rn, 220-Rn and their decay products above and below the ground. J Geophys Res 63: 373-390.

*James A. 1987. A reconsideration of cells at risk and other key factors in radon daughter dosimetry. In: Hopke P, ed. Radon and its decay products: occurrence, properties and health effects. ACS Symposium Series 331. Washington, DC: American Chemical Society, 400-418.

*Jonassen N. 1975. On the effect of atmospheric pressure variations on the radon-222 concentration in unventilated rooms. Health Phys 29: 216-220.

*Jorgensen H. 1984. Lung cancer among underground workers in the iron ore mine of Kiruna based on thirty years of observation. Ann Acad Med 13: 371-377.

*Khan A, Phillips C. 1984. Electrets for passive radon daughter dosimetry. Health Phys 46: 141-149.

*Klaassen C, Amdur M, Doull J. 1986. Casarett and Doull's toxicology. 3rd edition. New York: MacMillan Publishing Company, 128.

Kunz E, Sevc J, Placek V. 1978. Lung cancer mortality in uranium miners (methodological aspects). Health Phys 35: 579-580.

Kunz E, Sevc J, Placek V, et al. 1979. Lung cancer in man in relation to different time distribution of radiation exposure. Health Phys 36: 699-706.

*Kushneva V. 1959. On the problem of the long-term effects of the combined injury to animals of silicon dioxide and radon. In: Zakutinskil D. Long term effects of injuries caused by the action of ionizing radiation. AEC-TR-4473. U.S. Atomic Energy Commission.

*Lange K, Evans R. 1947. Absorption of radon through the skin and its exhalation through the lungs. Radiology 48: 514-516.

Lees R, Steele R, Roberts J. 1987. A case-control study of lung cancer relative to domestic radon exposure. Int J Epidemiol 16: 7-12.

*Leonard A, Delpoux M, Chameaud J, et al. 1981. Biological effects observed in mammals maintained in an area of very high natural radioactivity. Can J Genet Cytol 23: 321-326.

*Little J, McGandy R, Kennedy A. 1978. Interactions between polonium-210 alpha-radiation, benzo(a)pyrene-, and 0.9% NaCl solution instillations in the induction of experimental lung cancer. Cancer Res 38: 1929-1935.

*Lundin F, Lloyd J, Smith E. 1969, Mortality of uranium miners in relation to radiation exposure, hard-rock mining and cigarette smoking--1950 through September 1967. Health Phys 16: 571-578.

*Lundin F, Wagoner J, Archer V. 1971. Radon daughter exposure and respiratory cancer quantitative and temporal aspects. Report from the epidemiological study of U.S. Uranium Miners. NIOSH and NIEHS, Joint Monograph No. 1.

*Machta L, Lucas H, Jr. 1962. Radon in the upper atmosphere. Science 135: 296-299.

*Maiello M, Harley N. 1987. Egard: an environmental gamma-ray and 222Rn detector. Health Phys 53:301-305.

*Martin D, Jacobi W. 1972. Diffusion deposition of small-sized particles in the bronchial tree. Health Phys 23:23-29.

*Martin J, Mills W. 1973. Environmental radiation standards considerations for krypton-85 and radon. In: Stanley R, Moghissi A, eds, Noble gases. CONF-730915. U.S. Energy Development and Research Agency, National Environmental Research Center, Washington, DC, 647-653.

Masse R, Chameaud J, Lafuma J. 1984. Cocarcinogenic effect of tobacco smoke in rats. In: Cumming G, Bonsignore G, eds. Smoking and the lung. New York: Plenum Press, 61-72.

*Mays C, Lloyd R, Van Dilla M. 1975. Fractional radon retention in bone. Health Phys 29: 761-765.

*McPherson R. 1980. Environmental radon and radon daughter dosimetry in the respiratory tract. Health Phys 39: 929-936.

*Meyer S. 1937. Physikalische grundlagen von emanationskuren. Strahlentherapie 58: 656-663.

*Michel J. 1987. Sources. In: Cothern C, Smith J, eds. Environmental radon. New York: Plenum Press, 81-130.

*Morken D. 1955. Acute toxicity of radon. AMA Arch Ind Health 12: 435-438.

*Morken D. 1961. The effect of inhaled radon on the survival, body weight and hemogram of the mouse following single exposures. U.S. Atomic Energy Commission, University of Rochester. UR-593.

*Morken D. 1964. The effect of inhaled radon on the survival, body weight and hemogram of the mouse following multiple exposures. U.S. Atomic Energy Commission, University of Rochester. UR-624.

*Morken D. 1973. The biological effects of radon on the lung. In: Stanley R, Moghissi A, eds. Noble gases. CONF-730915. Washington, DC: U.S. Energy Development and Research Agency, National Environmental Research Center, 501-506.

*Morken D. 1980. The biological and health effects of radon: a review. National Bureau of Standards Special Publication 581, Proceedings of a roundtable discussion of radon in buildings held at NBS, Gaithersburg, MD, 21-26.

*Morken D, Scott J. 1966. The effects on mice of continual exposure to radon and its decay products on dust. U.S. Atomic Energy Commission, University of Rochester. UR-669.

*Morrison H, Wigle D, Stocker H, et al. 1981. Lung cancer mortality and radiation exposure among the Newfoundland fluorspar miners. In: Gomez M, ed. International conference: Radiation hazards in mining. Society of Mining Engineers of American Institute of Mining, Metallurgical, and Petroleum Engineers, Inc., 372-376.

Morrison H, Semenciw R, Mao Y, et al. 1985. Lung cancer mortality and radiation exposure among the Newfoundland fluorspar miners. In: Stocker H, ed. Proceedings of the international conference. Toronto: Canadian Nuclear Association, 354-364.

*MSHA. 1989. Mine Safety and Health Administration. Code of Federal Regulations. 30 CFR 57.

*Muller C, Ruzicka L, Bakstein J. 1967. The sex ratio in the offsprings of uranium miners. Acta Univ Carolinae Med 13:599-603.

*Muller J, Wheeler W, Gentleman J, et al. 1985. Study of mortality of Ontario miners. Presented International Conference Occupational Radiation Safety in Mining, October 14-18, 1984, Toronto, Ontario.

*NAS/NRC. 1989. Biologic markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.

*National Research Council. 1981. Indoor pollutants. Washington, DC: National Academy Press.

*Nazaroff W, Doyle S, Nero A, et al. 1987. Potable water as a source of airborne 222Rn in U.S. dwellings: a review and assessment. Health Phys 52:281-295.

*NCRP. 1975. Natural background radiation in the United States. National Council on Radiation Protection and Measurements. NCRP Report No. 45.

*NCRP. 1984a. Evaluation of occupational and environmental exposures to radon and radon daughters in the United States. National Council on Radiation Protection and Measurements. NCRP Report No. 78.

*NCRP. 1984b. Exposures from the uranium series with emphasis on radon and its daughters. National Council on Radiation Protection and Measurements. NCRP Report No. 77.

*NCRP. 1987. Exposure of the population in the United States and Canada from natural background radiation. National Council on Radiation Protection and Measurements. NCRP Report No. 94.

*NCRP. 1988. Measurement of radon and radon daughters in air. National Council on Radiation Protection and Measurements. NCRP Report No. 97.

*Nero A. 1987. Indoor concentrations of radon-222 and its daughters: sources, range, and environmental influences. In: Gammage R, Kaye S, eds. Indoor air and human health. Chelsea, MI: Lewis Publishers, Inc., 43-67.

*Nero A, Schwehr M, Nazaroff W, et al. 1986. Distribution of airborne radon-222 concentrations in U.S. homes. Science 234: 922-997.

*Nevissi A, Bodansky D. 1987. Radon sources and levels in the outside environment. In: Bodansky D, et al., eds. Indoor radon and its hazards. Seattle: University of Washington Press, 42-50.

*New Mexico. 1981. New Mexico mine safety code for all mines including opencut and open-pit. Rule No. 81-1. Bureau of Mine Inspection. Albuquerque, NM.

*NIOSH. 1987. A recommended standard for occupational exposure to radon progeny in underground mines. U.S. Department Health and Human Services, National Institute for Occupational Safety and Health.

*NRC. 1988. Nuclear Regulatory Commission. Code of Federal Regulations. 10 CFR 20.

*Nussbaum E, Hursh J. 1957. Radon solubility in rat tissues. Science 125:552-553.

*OSHA. 1988. U.S. Department of Labor. Occupational Safety and Health Administration. Code of Federal Regulations. 41 CFR 57.

*OTA. 1990. Neurotoxicity, identifying and controlling poisons of the nervous system, new developments in neuroscience. Office of Technology Assessment, Congress of the United States.

*Otake M, Schull W. 1984. <u>In utero</u> exposure to A-bomb radiation and mental retardation: a reassessment. Br J Radiol 57: 409-414.

*Pacific Northwest Laboratory. 1978. Study of the combined effects of smoking and inhalation of uranium ore dust, radon daughters and diesel oil exhaust fumes in hamsters and dogs. Prepared for NIEHS, Research Triangle Park, NC. PNL-2744.

*Palmer H, Perkins R, Stuart B. 1964. The distribution and deposition of radon daughters attached to dust particles in the respiratory system of humans exposed to uranium mine atmospheres. Health Phys 10: 1129-1135.

*Palmer R, Stuart B, Filipy R. 1973. Biological effects of daily inhalation of radon and its short-lived daughters in experimental animals. In: Stanley R, Moghissi A, eds. Noble gases. CONF-703915. U.S. Energy Development and Research Agency, National Environmental Research Center. Washington, DC, 507-519.

*Pearson J. 1967. Natural environmental radioactivity from radon 222. Rockville, MD: U.S. Department of Health, Education, and Welfare, Public Health Service, Bureau of Disease Prevention and Environmental Control. Environmental Health Series. Publication No. 999-RH-26.

Placek V, Sevc J. 1975. Hazard of cancer of the larynx in uranium miners. Pracovni Lekarstvi 27:113-115.

*Pohl E. 1964. Dose distribution received on inhalation of Ra222 and its decay products. In: Radiological Health and Safety in Mining and Milling of Nuclear Materials. Vol 1. Vienna: International Atomic Energy Agency, 221-236.

*Pohl E. 1965. [Biophysikalische untersuchungen fiber die inkorporation der natdrlich radioaktiven emanationen und deren zerfallsprodukte.] New York: Springer Verlag. (German)

*Pohl-Rüling J, Fischer P. 1979. The dose-effect relationship of chromosome aberrations to alpha and irradiation in a population subjected to an increased burden of natural radioactivity. Radiat Res 80: 61-81.

*Pohl-Rüling J, Fischer P. 1982. An epidemiological study of chromosome aberrations in a radon spa. In: Clemente G, et al., eds. Proceedings specialist meeting on the assessment of radon and daughter exposure and related biological effects. Salt Lake City: RD Press, 210-219.

*Pohl-Rüling J, Fischer P. 1983. Chromosome aberrations in inhabitants of areas with elevated natural radioactivity. In: Radiation-induced chromosome damage in man. New York: Alan R. Liss, Inc., 527-560.

*Pohl-Rüling J, Fischer P, Pohl E. 1976. Chromosome aberrations in peripheral blood lymphocytes dependent on various dose levels of natural radioactivity. In: Biological and environmental effects of low-level radiation. Vol. II. Vienna: International Atomic Energy Agency, 317-324.

*Pohl-Rüling J, Fischer P, Pohl E. 1987. Effect on peripheral blood chromosomes. In: Hopke P, ed. Radon and its decay products. Washington, DC: American Chemical Society, 487-501.

*Poncy J, Walter C, Fritsch P, et al. 1980. Delayed SCE frequency in rat bone-marrow cells after radon inhalation. In: Sanders C, et al,, eds. Pulmonary toxicology of respirable particles. 19th Hanford Life Sciences Symposium, Richland, Washington, Ott 22-24, 1979. USDOE, 479-485.

*Prichard H, Marlen K. 1983. Desorption of radon from activated carbon into a liquid scintillator. Anal Chem 55:155-157.

*Proescher F. 1913. The pathological anatomical changes in guinea pigs killed by exposure to high concentration of radium emanation. Radium 1:5-14.

*Queval P, Beaumatin J, Morin M, et al. 1979. Inducibility of microsomal enzymes in normal and pre-cancerous lung tissue. Biomedicine 31:182-186.

*Radford E, Renard K. 1984. Lung cancer in Swedish iron miners exposed to low doses of radon daughters. New Engl J Med 310: 1485-1494.

*Rangarajan C, Eapen C. 1987. Optimizing the gross alpha counting method for determining Rn progeny levels in the atmosphere. Health Phys 52: 469-471.

*Ronca-Battista M, Magno P, Nyberg P. 1988. Standard measurement techniques and strategies for indoor 222Rn measurements. Health Phys 55: 67-69.

*Roscoe R, Steenland K, Halperin W, et al. 1989. Lung cancer mortality among nonsmoking uranium miners exposed to radon daughters. JAMA 262: 629-633.

Saccomanno 6, Archer V, Auerbach 0, et al. 1971. Histologic types of lung cancer among uranium miners. Cancer 27: 515-523.

*Saccomanno G, Archer V, Auerbach 0, et al. 1974. Development of carcinoma of the lung as reflected in exfoliated cells. Cancer 33:256-270.

Saccomanno G, Arch V, Saunder R, et al. 1976. Early indices of cancer risk among uranium miners with reference to modifying factors. Ann NY Acad Sci 271: 377-383.

Saccomanno G, Yale C, Dison W, et al. 1986. An epidemiological analysis of the relationship between exposure to Rn progeny, smoking and bronchogenic carcinoma in the U-mining population of the Colorado Plateau--1960-1980. Health Phys 50: 605-618.

*Saccomanno G, Huth G, Auerbach 0, et al. 1988. Relationship of radioactive radon daughters and cigarette smoking in the genesis of lung cancer in uranium miners. Cancer 62: 1402-1408.

*Samet J. 1989. Radon and lung cancer. JNCI 81: 745-757.

*Samet J, Young R, Morgan M, et al. 1984a. Prevalence survey of respiratory abnormalities in New Mexico uranium miners. Health Phys 46: 361-370.

*Samet J, Kutvirt D, Waxweiler R, et al. 1984b. Uranium mining and lung cancer in Navajo men. New Engl J Med 310: 1481-1484.

*Samet J, Pathak D, Morgan M, et al. 1989. Radon progeny exposure and lung cancer risk in New Mexico U miners: A case-control study. Health Phys 56:415-421.

*Schery S, Gaeddert D, Wilkening M. 1980. Two-filter monitor for atmospheric 222Rn. Rev Sci Instrum 51:338-343.

Sevc J, Kunz E, Placek V. 1976. Lung cancer in uranium and long-term exposure to radon daughter products. Health Phys 30: 433-437.

*Sevc J, Kunz E, Placek V, et al. 1984. Comments on lung cancer risk estimates. Health Phys 46: 961-964.

*Sevc J, Kunz E, Tomasek L, et al. 1988. Cancer in man after exposure to Rn daughters. Health Phys 54: 27-46.

*Sevcova M, Sevc J, Thomas J. 1978. Alpha irradiation of the skin and the possibility of late effects. Health Phys 35: 803-806.

*Shapiro J. 1956. Radiation dosage from breathing radon and its daughter products. Arch Ind Health 14: 169-177.

*Simpson S, and Comstock G. 1983. Lung cancer and housing characteristics. Arch Environ Health 38:248-251.

*Snihs J. 1974. The approach to radon problems in non-uranium mines in Sweden. In: Snyder W, ed. Proceedings 3rd International Congress on International Radiation Protection Association. U.S. Atomic Energy Commission. CONF-730907-P2, 900-911.

*Solli H, Andersen A, Stranden E, et al. 1985. Cancer incidence among workers exposed to radon and thoron daughters in a niobium mine. Stand J Work Environ Health 11: 7-13.

*Sperlich D, Karlik A, Pohl E. 1967. Studies on the mutation inducing effect of radon-222 in <u>drosonhila melanozaster</u>. Strahlentherapie 132:105-112. (German)

Srivastava G, Raghavayya M, Kotrappa P, et al. 1986. Radium-226 body burden in U miners by measurement of Rn in exhaled breath. Health Phys 50: 217-221.

Stayner L, Meinhardt T, Lemen R, et al. 1985. A retrospective cohort mortality study of a phosphate fertilizer production facility. Arch Environ Health 40: 133-138.

*Stenstrand K, Annanmaki M, Rytomaa T. 1979. Cytogenetic investigation of people in Finland using household water with high natural radioactivity. Health Phys 36: 441-444.

*Sterling T. 1983. Possible effects on occupational lung cancer from smoking related changes in the mucus content of the lung. J Chron Dis 36:669-676.

*Stuart B, Willard D, Howard E. 1970. Studies of inhaled radon daughters, uranium ore dust, diesel exhaust, and cigarette smoke in dogs and hamsters. In: Inhaled particles. Surrey, England: Unwin Brothers, 3: 543-560.

*Suess M. 1988. Indoor air quality: Radon--report on a WHO Working Group. J Environ Radioactivity 8:73-91.

*Suomela M, Kahlos H. 1972. Studies on the elimination rate and the radiation exposure following ingestion of 222Rn rich water. Health Phys 23:641-652.

*Svensson C, Pershagen G, Klominek J. 1989. Lung cancer in women and type of dwelling in relation to radon exposure. Cancer Res 49:1861-1965.

*Taskayev A, Popova 0, Alexakhin R, et al. 1986. Root absorption of 222Rn and its transfer into above-ground plant organs. Health Phys 50:589-594.

*Tobias C, Jones H, Lawrence J, et al. 1949. The uptake and elimination of Krypton and other inert gases by the human body. J Clinical Invest 28:1375-1385.

*Trapp E, Renzetti A, Kobayashi T, et al. 1970. Cardiopulmonary function in uranium miners. Am Rev Respir Dis 101:27-43.

*Tuschl H, Altmann H, Kovac R, et al. 1980. Effects of low-dose radiation on repair processes in human lymphocytes. Radiat Res 81:1-9.

*United Nations Scientific Committee on the Effects of Atomic Radiation. 1982. Ionizing radiation: sources and biological effects. New York: United Nations.

*US DDHS. 1985. The health consequences of smoking. Cancer and chronic lung disease in the workplace -- a report of the Surgeon General. Chapter 11. Ionizing radiation and lung cancer.

*US DHEW. 1970. Radiological health handbook. Bureau of Radiological Health. U.S. Department of Health, Education and Welfare. Rockville, MD.

*Uzunov I, Steinhausler F, Pohl E. 1981. Carcinogenic risk of exposure to radon daughters associated with radon spas. Health Phys 41: 807-813.

*Vaternahm T. 1922. Vergleichende untersuchungen iiber den emanationsgehalt der ausatmungsluft nach trinken von emanationshaltigem wasser und 01 Zschr phys u diat Ther 26:361-364. (German)

*Vich Z, Brychtova V, Prochazka J, et al. 1973. Changes of some properties of erythrocytes in workers occupationally exposed to radon and its daughters products: radiation effect or heavy metal poisoning? Agressologie 14:331-338.

*VIEW Database. 1989. Agency for Toxic Substances and Disease Registry (ATSDR), Office of External Affairs, Exposure and Disease Registry Branch. Atlanta, GA. June 20, 1989. (Map based on VIEW Database, June 12, 1989).

*Vilenskiy V. 1969. Distribution of lead-210 and radium-226 in some soils. Geokhimiya 12: 691-695.

*Von Dobeln W, Lindell B. 1964. Some aspects of radon contamination following ingestion. Arkiv for Fysik 27: 531-572.

*Wadach J, Hess C. 1985. Radon-222 concentration measurements in soil using liquid scintillation and track etch. Health Phys 48: 805-808.

Wagner V, Andrlikova J, Sevc J. 1973. Investigation of immunoglobulin levels in blood-serum of uranium miners after a higher exposure to ionizing radiation. In: Bujdoso E (ed). Health physics problems of internal contamination. Budapest: Akademiai Kaido, 341-347.

Wagner V, Andrlikova J, Palet V, et al. 1978. The levels of immunoglobulins (IgG. IgA. IgM) under the effect of age and exposure to the mining environment in uranium industry. Strahlentherapie 154: 406-412.

*Wagoner J, Miller R, Lundin F, et al. 1963. Unusual cancer mortality among a group of underground metal miners. New Engl J Med 269: 284-289.

*Wagoner J, Archer V, Carroll B, et al. 1964. Cancer mortality patterns among U.S. uranium miners and millers, 1950 through 1962. JNCI 32: 787-801.

*Waxweiler R, Roscoe R, Archer V, et al. 1981. Mortality follow-up through 1977 of the white underground uranium miners cohort examined by the United States Public Health Service. In: Gomez M, ed. International conference: Radiation hazards in mining. New York: Society of Mining Engineers of American Institute of Mining, Metallurgical, and Petroleum Engineers, Inc, 823-830.

*Waxweiler R, Roscoe R. 1981. Secondary sex ratio of first-born offspring of U.S. uranium miners. In: Wiese W, ed. Birth defects in the Four Corners area. Transcript of a meeting. Albuquerque: University of New Mexico School of Medicine, 37-45.

*Weast R. 1980. CRC handbook of chemistry and physics. Boca Raton, Florida: CRC Press, Inc., B-19, B-119.

*Weissbuch H, Gradinaru M, Mihail G. 1980. Correlation between concentrations of 210Pb in the biologic samples from miners and individual levels of exposure to short lived radon-222 daughter products. In: Radiation protection. Vol 2. New York: Pergamon Press, 1072-1074.

Whittemore A, McMillan A. 1983. Lung cancer mortality among U.S. uranium miners: A reappraisal. JNCI 71: 489-499.

*WHO. 1983. Selected radionuclides. Environmental Health Criteria 25. Geneva: World Health Organization.

*Wiese W, Skipper B. 1986. Survey of reproductive outcomes in uranium and potash mine workers: results of first analysis. Ann Am Conf Gov Ind Hyg 14:187-192.

*Windholz M. 1983. The Merck index. 10th edition. Rahway, NJ: Merck and Company, Inc., 1171.

*Yang I. 1987. Sampling and analysis of dissolved radon-222 in surface and ground water. In: Graves B, ed. Radon, radium, and other radioactivity in ground water. Chelsea, MI: Lewis Publishers, 193-203.