8. REFERENCES

*Abbasi SA. 1989. Atomic absorption spectrometric and spectrophotometric trace analysis of uranium in environmental samples with N-p-methoxyphenyl-2-furylacrylohydroxamic acid and 4-(2-pyridylazo) resorcinol. Intern J Environ Anal Chem 36:163-172.

*ABMS. 1994. American Bureau of Metal Statistics. Non-ferrous metal data.

*ACGIH. 1998. Threshold limit values for chemical substances and physical agents. Biological exposure Indices. 1998 TLVs and BEIs. American Conference of Governmental Industrial Hygienists. March 1, 1998.

*Acquavella JP, Wiggs LD, Waxweiler RJ, et al. 1985. Mortality among workers at the Pantex Weapons Facility. Health Phys 48:735-746.

*Adachi S, Takemoto K. 1987. Occupational lung cancer: A comparison between humans and experimental animals. Jpn J Ind Health 29:345-357.

*Adams N, Spoor NL. 1974. Kidney and bone retention functions in the human metabolism of uranium. Phys Med Biol 19:460-471.

*Adinolfi M. 1985. The development of the human blood-CSF-brain barrier. Developmental Medicine & Child Neurology 27:532-537.

*AEC. 1974. U.S. Atomic Energy Commission. Environmental survey of the uranium fuel cycle. USAEC Report WASH-1248.

*Ahsanullah M, Williams AR. 1989. Kinetics of uranium uptake by the crab *Pachygrapsus laevimanus* and the zebra winkle *Austrocochlea constricta*. Marine Biology 101:323-327.

*Aldstadt JH, Kuo JM, Smith LL, et al. 1996. Determination of uranium by flow injection inductively coupled plasma mass spectrometry. Analytica Chimica Acta 319(1-2):135-143.

*Allard B, Kipatsi H, Torstenfelt B, et al. 1979. Nuclide transport by groundwater in Swedish bedrock. Mater Res Soc Symp Proc 403-410.

*Allard B, Olofsson U, Torstenfelt B, et al. 1982. Sorption of actinides in well-defined oxidation states on geologic media. Mater Res Soc Symp Proc 11:775-782.

*Altman PK, Dittmer DS. 1974. In: Biological handbooks: Biology data book, Volume III, second edition. Bethesda, MD: Federation of American Societies for Experimental Biology, 1987-2008, 2041.

*Ames LL, McGarrah JE, Walker BA. 1982. Sorption of uranium and cesium by Hanford basalts and associated secondary smectite. Chem Geol 35:205-225.

^{*}Cited in text

*Amethyst Galleries. 1995. The mineral tyuyamunite. Amethyst Galleries, Inc. <u>http://mineral.galleries.com/minerals/phosphat/tyuyamun/tyuyamun.htm.</u>

*Andersen ME, MacNaughton MG, Clewell HJ, et al. 1987. Adjusting exposure limits for long and short exposure periods using a physiological pharmacokinetic model. Am Ind Hyg Assoc J 48(4):335-343.

*Andersen ME, Krishnan K. 1994. Relating in vitro to in vivo exposures with physiologically-based tissue dosimetry and tissue response models. In: H. Salem, ed. Animal test alternatives. U.S. Army Chemical Research Development and Engineering Center, Aberdeen Proving Ground, Maryland.

*Anderson RF. 1984. A method for determining the oxidation state of uranium in natural waters. Nucl Instrum Methods Phys Res, Sect A 223:213-217.

*Anderson RF, Fleer AP. 1982. Determination of natural actinides and plutonium in marine particulate material. Anal Chem 54:1142-1147.

*Andre S, Metivier H, Auget D, et al. 1989. Lung dissolution of uranium tetrafluoride in rats and baboons. Comparison with dissolution by alveolar macrophages in culture and chemical dissolution. Human Toxicol 8:111-119.

*Anonymous. 1984. Annual environmental monitoring report, January-December 1983. Govt Rep Announce Ind, Issue 18.

*ANSI. 1978. American national standard radiation protection instrumentation test and calibration. American National Standard Institute, ANSI N323. New York, NY: Institute of Electrical and Electronics Engineers, Inc.

*Anthony ML, Gartland KPR, Beddell CR, et al. 1994. Studies of the biochemical toxicology of uranyl nitrate in the rat. Archives of Toxicology 68(1):43-53.

*Archer VE. 1977. Occupational exposure to radiation as a cancer hazard. Cancer Suppl 39:1802-1806.

*Archer VE. 1981. Health concerns in uranium mining and milling. J Occup Med 23:501-505.

*Archer VE. 1985. Enhancement of lung cancer by cigarette smoking in uranium and other miners. Carcinog Compr Surv 8:23-37.

*Archer VE, Gillman JD, Wagoner JK. 1976. Respiratory disease mortality among uranium miners. Ann NY Acad Sci 271:280-293.

*Archer VE, Wagoner JK, Lundin FE. 1973a. Lung cancer among uranium miners in the United States. Health Phys 25:351-371.

*Archer VE, Wagoner JK, Lundin FE Jr. 1973b. Cancer mortality among uranium mill workers. J Occup Med 15:11-14.

*ASTM. 1986. American Society for Testing of Materials. Annual books of ASTM standards. Water and environmental technology, Section 11, Vol. 11.02 (water 11). Philadelphia, PA: ASTM, 511-515; 516-521; 523-528.

*ASTM. 1994. American Society for Testing of Materials. Annual books of ASTM standards.Water and environmental technology, Philadelphia, PA: ASTM, 449-452.

*ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicologicol profiles. Agency for Toxic Substances and Disease Registry, Division of Toxicology, Atlanta, GA.

*ATSDR. 1990a. Toxicological profile for thorium. U.S. Department of Health and Human Services. Public Health Service. Agency for Toxic Substances and Disease Registry. Atlanta, GA.

*ATSDR. 1990b. Toxicological profile for radium. U.S. Department of Health and Human Services. Public Health Service. Agency for Toxic Substances and Disease Registry. Atlanta, GA.

*ATSDR. 1990c. Toxicological profile for radon. U.S. Department of Health and Human Services. Public Health Service. Agency for Toxic Substances and Disease Registry. Atlanta, GA.

*ATSDR. 1997. Public health assessment. Monticello Mill Tailings (DOE) [CERCLIS no. UT3890090035] and Monticello Radioactively Contaminated Properties (aka Monticello Vicinity Properties) [CERCLIS no. UTD980667208]. Atlanta, GA: Energy Section, Federal Facilities Assessment Branch, Division of Health Assessment and Consultation, Agency for Toxic Substances and Disease Registry, Sept 30, 1997, <u>http://www.atsdr.cdc.gov/HAC/PHA/monticel/mon_toc.html</u>

*ATSDR/CDC. 1990. Subcommittee report on biological indicators of organ damage. Agency for Toxic Substances and Disease Registry, Centers for Disease Control and Prevention, Atlanta, GA.

*Au WW, Lane RG, Legator MS, et al. 1995. Biomarker monitoring of a population residing near uranium mining activities. Environ Health Perspect 103(5):466-70.

*Aub JC, Evans RD, Hempelmann LH. 1952. The late effects of internally deposited radioactive materials in man. Medicine 31: 221-329.

*Auerbach O, Saccomanno G, Kuschner M, et al. 1978. Histologic findings in the tracheobronchial tree of uranium miners and non-miners with lung cancer. Cancer (Phila) 42:483-489.

*Avasthi PS, Evan AP, Hay D. 1980. Glomerular endothelial cells in uranyl nitrate-induced acute renal failure in rats. J Clin Invest 65:121-127.

*Bailey EH, Kemp AJ, Ragnarsdottir KV. 1993. Determination of uranium and thorium in basalts and uranium in aqueous solution by inductively coupled plasma mass spectrometry. 551-556.

*Bains ME, Rowbury PW. 1969. The biological excretion pattern from a person involved in the inhalation of a mixture of enriched uranium oxide and lead metal powders. Health Phys 16:449-453.

*Bakhtiar N, Lee SC, Kuroda PK. 1985. Uranium-235 fallout from the nuclear-powered satellite Cosmos-1402. J Radioanal Nucl Chem 91:403-409.

*Ballou JE, Gies RA, Case AC, et al. 1986. Deposition and early disposition of inhaled uranium-233 uranyl nitrate and uranium-232 uranyl nitrate in the rat. Health Phys 51:755-772.

*Baltschukat K, Horneck G, Buecker H, et al. 1986. Genetic response of bacterial spores to very heavy ions. Adv Space Res 6:109-115.

*Band P, Feldstein M, Saccomanno G, et al. 1980. Potentiation of cigarette smoking and radiation: Evidence from a sputum cytology survey among uranium miners and controls. Cancer 45:1273-1277.

*Band P, Feldstein M, Watson L, King G, et al. 1982. Lung cancer screening programs in Canadian uranium mines. Recent Results Cancer Res 82:153-158.

*Barnes CE, Cochran JK. 1993. Uranium geochemistry in estuarine sediments controls on removal and release processes. Geochimica et Cosmochimica Acta 57:555-569.

*Barnes D, Bellin J, DeRosa C, et al. 1987. Reference dose (RfD): description and use in health risk assessments. Volume I, Appendix A: Integrated risk information system supportive documentation. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. EPA/600/8-86/032a.

*Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. U.S. Environmental Protection Agency. Regul Toxicol Pharmacol 8:471-486.

*Bassett SH, Frenkel A, Cedars N, et al. 1948. The excretion of hexavalent uranium following intravenous administration. II. Studies on human subjects. USAEC Report UR-37.

*Bearman PJ. 1979. A review of the environmental problems associated with the disposal of uranium tailings. Miner Environ 1:64-74.

*Bechtel National, Inc. 1984. Environment monitoring report for the former Middlesex Sampling Plant and Middlesex Municipal Landfill sites, calendar year 1984. Report: ISS DOE/OR/20722-56. DE85017886.

*BEIR III. 1980. The effects on populations of exposure to low levels of ionizing radiation. Committee on the Biological Effects of Ionizing Radiations, National Research Council. Washington, DC: National Academy Press.

*BEIR IV. 1988. Health risks of radon and other internally deposited alpha-emitters. Committee on the Biological Effects of Ionizing Radiations, National Research Council. Washington, DC: National Academy Press.

*BEIR V. 1990. Health effects of exposure to low levels of ionizing radiation. Committee on the Biological Effects of Ionizing Radiations, National Research Council. Washington, DC: National Academy Press.

*Beiter H, Gibb FR, Morrow PE. 1975. Intramuscular retention of UO₃ and UO₂. Health Phys 29:273-277.

*Bender MA. 1964. Chromosome aberrations in irradiated human subjects. Annals of the New York Academy of Science. 114:249-251.

*Bentley KW, Stockwell DR, Britt KA, et al. 1985. Transient proteinuria and aminoaciduria in rodents following uranium intoxication. Bull Environ Contam Toxicol 34:407-416.

*Bentley KW, Wyatt JH, Wilson DJ, et al. 1982. Uranium and plutonium in hair as an indicator of body burden in mice of different age and sex. Bull Environ Contam Toxicol 28:691-696.

*Berard P, Quesne B, Auriol B, et al. 1994. Cutaneous contamination after a uranyl nitrate skin burn: incident report. Radiat Prot Dosim 53(1-4):269-272.

*Berdnikova AV. 1964. [Of the uranium content in the external environment and the human excreta]. Vopr Pitaniya 23:17-20. (Russian).

*Berlin M, Rudell B. 1986. Uranium. In: Friberg L, Nordberg GF, Voulc V, eds. Handbook on the toxicology of metals, Vol. II, 2nd ed. New York, NY: Elsevier Science Publishers.

*Bernard SR, Struxness EC. 1957. A study of the distribution and excretion of uranium in man. Oak Ridge National Laboratory, Oak Ridge, TN. Union Carbide Nuclear Company 1-57.

*Beverly CR, Ernstberger EG. 1986. Method for monitoring stack gases for uranium activity. Govt Rep Announce Ind, Issue 25. NTIS/DE86013703.

*Bhattacharyya RP, Larsen P, Cohen N, et al. 1989. Gastrointestinal absorption of plutonium and uranium in fed and fasted adult baboons and mice: Application to humans. Radiation Protection Dosimetry 26:159-165.

*Bibler JP, Marson DB. 1992. Behavior of mercury, lead, cesium, and uranyl ions on four SRS soils (U). Westinghouse Savannah River Company Savannah River Site. WSR-RP--92-326.

*Bigu J. 1988. Relationship of 220Rn and 222Rn progeny levels in Canadian underground U mines. Health Phys 55:525-532.

*Bigu J, Duport P. 1992. Charcaterization of long-lived radioactive dust in uranium mill operations. Am Ind Hyg Assoc 53:588-595.

*Bigu J, Grenier NK, Dave TP, et al. 1984. Study of radon gas concentration surface radon flux and other radiation variables from uranium mine tailings areas. Uranium 1:257-277.

*Birkenfeld HP, Kathren RL, Hedaya MA. 1995. A sensitive method for the determination of uranium in biological samples utilizing kinetic phosphorescence analysis (KPA). Pharmaceutical Research (New York) 12(9 Suppl.):S48.

*Blanchard RL, Fowler TW, Horton TR, et al. 1982. Potential health effects of radioactive emissions from active surface and underground uranium mines. Nucl Saf 23:439-450.

*Blanchard RL, Hahne RMA, Kahn B, et al. 1985. Radiological sampling and analytical methods for national primary drinking water regulations. Health Phys 48:587-600.

*Blantz RC. 1975. The mechanism of acute renal failure after uranyl nitrate. J Clin Invest 55:621-635.

*Boniforti R. 1987. Lanthanides, uranium, and thorium as possible simulators of the behavior of transuranics in the aquatic environment. Sci Total Environ 64:181-189.

*Boomer DW, Powell MJ. 1987. Determination of uranium in environmental samples using inductively coupled plasma mass spectrometry. Anal Chem 59:2810-2813.

*Boothe GF. 1977. The need for radiation controls in the phosphate and related industries. Health Phys 32:285.

*Bosque MA, Domingo JL, Llobet JM, et al. 1993. Embryotoxicity and teratogenicity of uranium in mice following subcutaneous administration of uranyl acetate. Biol Trace Elem Res 36(2):109-18.

*Bostick WD, McCulla WH, Pickrell PW. 1985. Sampling, characterization, and remote sensing of aerosols formed in the atmospheric hydrolysis of uranium hexafluoride. J Environ Sci Health, Part A A20:369-393.

*Bradford GR, Bakhtar D, Westcot D. 1990. Uranium vanadium and molybdenum in saline waters of California. J Environ Qual 19:105-108.

*Brady HR, Kone CB, Brenner RM et al. 1989. Early effects of uranyl nitrate on respiration and K transport in rabbit proximal tuble. Kidney International 36:27-34.

*Brandom WF, Saccomanno G, Archer VE, et al. 1978. Chromosome aberrations as a biological dose-response indicator of radiation exposure in uranium miners. Radiat Res 76:159-171.

*Brandvold LL, Brandvold DK, Popp CJ. 1981. Effects of uranium mining and milling on surface water in New Mexico. In: 7th National Conference: Energy Environ, 467-476.

*Braunlich H, Fleck C. 1981. Urinary enzyme excretion as a indicator of nephrotoxicity in dependence on age. Exp Pathol 20(3):182-7.

*Broadway JA, Strong AB. 1983. Radionuclides in human bone samples. Health Phys 45:765-768.

*Brodsky A. 1996. Radiation risks and uranium toxicity. RSA Publications, Hebron, Connecticut.

*Brookins DG, Thomson BM, Longmire PA, et al. 1993. Geochemical behavior or uranium mill tailings leachate in the subsurface. Radioactive Waste Management and the Nuclear Fuel Cycle 17(3-4):269-287.

*Brown DP, Bloom T. 1987. Mortality among uranium enrichment workers. Report to National Institute for Occupational Safety and Health, Cincinnati, OH. NTIS PB87-188991.

*Brown RM, Long SE, Pickford CJ. 1988. The measurement of long lived radionuclides by non-radiometric methods. In: 5th Symposium: Environmental Radiochemical Analysis, Part B, Harwell, England, UK, October 1-3, 1986. Sci Tot Environ 70:265-274.

*Brunskill GJ, Wilkinson P. 1987. Annual supply of uranium-238, uranium-234, thorium-230, radium-226, lead-210, polonium-210 and thorium-232 to lake 239 (Experimental Lakes Area, Ontario, (Canada) from terrestrial and atmospheric sources. Can J Fish Aquat Sci 44(Suppl 1):215-230.

*Bureau of Radiological Health. 1970. Radiological health handbook, revised ed. Rockville MD: U.S. Department of Health, Education and Welfare, January 1970.

*Bushaw BA. 1984. Advanced analytical techniques. In: Biokinetics and analysis of uranium in man. Proceedings of a colloquium held at Richland, WA, August 8-9, 1984. Prepared by the Hanford Environmental Health Foundation for the Department of Energy, K-1 to K-36.

*Butler C, Samet JM, Black WC, et al. 1986. Histopathologic findings of lung cancer in Navajo men: Relationship to U mining. Health Phys 51:365-368.

*Butler FE. 1968. Rapid bioassay methods for plutonium, neptunium, and uranium. Health Phys 15:19-24.

*Butterworth A. 1955. The significance and value of uranium in urine analysis. Trans Assoc Ind Med Offrs 5:30-43.

*Butterworth A, McLean AS. 1955. Observation on the metabolism of soluble uranium in humans. UKAEA Report IGO-R/R. 8.

*Byerley JJ, Scharer JM, Atkinson GF. 1987. Determination of uranium(VI) in process liquors by ion chromatography. Analyst 112:41-44.

*Carpenter AV, Flanders WD, Frome EL, et al. 1987. Radiation exposure and central nervous system cancers: A case-control study among workers at two nuclear facilities. Govt Reports Announce Ind, Issue 19. NTIS/DE87007922.

*Carpenter AV, Flanders WD, Frome EL, et al. 1988. Chemical exposures and central nervous system cancers: A case-control study among workers at two nuclear facilities. Am J Ind Med 13:351-362.

*Carten CT, Jr., 1978. A review of parameter values used to assess the transport of plutonium, uranium, and thorium in terrestrial food chains. Environ Research 17:437-452.

CELDs. 1994. Computer-assisted Environmental Legislative Database. University of Illinois at Urbana.

*Chang X, Luo X, Zhan G, et al. 1990. Performance for PAN-3 Chelate fiber for adsorbing and separating trace uranium. Mikrochim Acta 101-105.

*Chase GR. 1989. Correlation between airborne uranium exposure and uranium urinalysis results at Bear Creek Uranium. Health Phys 56(2):195-199.

*Checkoway H, Crawford-Brown D. 1987. Metabolic modeling of organ-specific doses to carcinogens as illustrated with alpha-radiation emitting radionuclides. In: Symposium: Time-related factors in cancer epidemiology, Bethesda MD, April 15-16. J Chronic Dis 40(2):191S-200S.

*Checkoway H, Mathew RM, Shy CM, et al. 1985. Radiation, work experience, and cause specific mortality among workers at an energy research laboratory. Br J Ind Med 42:525-533.

*Checkoway H, Pearce N, Crawford-Brown DJ, et al. 1988. Radiation doses and cause-specific mortality among workers at a nuclear materials fabrication plant. Am J Epidemiol 127(2):255-266.

*Chemelevsky D, Kellerer AM, Spiess H. 1986. A proportional hazards analysis of bone sarcoma rates in German radium 224 patients. In: Gossener W, Gerber GB, et al. eds. The radiobiolgy of radium and thorotrast. Munich, West Germany: Urban and Schwarzenberg.

*Chovil A, Chir B. 1981. The epidemiology of primary lung cancer in uranium miners in Ontario. J Occup Med 23(6):417-421.

*Clark R. 1999. Control of low-level radiation exposure: time for a change? J Radiol Prot 19(2):107-115.

*Clewell HJ III, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. Toxicol Ind Health 1:111-113.

*Cohen BL. 1982a. Radon daughter exposure to uranium miners. Health Phys 42:449-457.

*Cohen BL. 1982b. Failures and critique of the BEIR III lung cancer risk estimates. Health Phys 42:267-284.

*Cohen BL. 1982c. Effects of ICRP Publication 30. Health Phys 42:133-143.

*Cohen BL. 1987. Tests of the linear, no-threshold dose-response relationship for high-LET radiation. Health Phys 52:629-636.

*Cookfair DL, Beck WL, Shy C, et al. 1983. Lung cancer among workers at a uranium processing plant. In: Proceedings of the Health Physics Society 398-406.

*Cooper JR, Stradling GN, Smith H, et al. 1982. The behavior of uranium-233 oxide and uranyl-233 nitrate in rats. Int J Radiat Biol Relat Stud Phys, Chem Med 41(4):421-433.

*Cothern CR. 1987. Development of regulations for radionuclides in drinking water. In: Graves B, ed. Radon in ground water, radon, radium and other radioactivity in ground water: Hydrogeologic impact and application to indoor airborne contamination. Proc National Water Well Association conference, Somerset, NJ, April 7-9, 1987. Chelsea, MI: Lewis Publishers, Inc. 1-11.

*Cothern CR, Lappenbusch WL. 1983. Occurrence of uranium in drinking water in the U.S. Health Phys 45:89-99.

*Cothern CR, Lappenbusch WL, Cotruvo J. 1983. Health effects guidance for uranium in drinking water. Health Phys 44(Suppl 1):377-384.

*Cotton FA, Wilkinson. 1980. Advanced inorganic chemistry. A comprehensive text. 4th ed. New York, NY: John Wiley & Sons, 1028-1036.

*Cottrell WD, Haywood FF, Witt DA, et al. 1981. Radiological survey of the Shpack Landfill, Norton, Massachusetts. Report: ISS DOE/EV-0005/31. DE82004939.

*Cowart JB, Burnett WC. 1994. The distribution of uranium and thorium decay-series radionuclides in the environment- A Review. J Environ Qual 23:651-662.

*Cragle DL, McLain RW, Qualters JR, et al. 1988. Mortality among workers at a nuclear fuels production facility. Am J Ind Med 14:379-401.

*Cross FT. 1979. Exposure standards for uranium mining. Health Phys 37:765-772.

*Cross FT, Filipy RE, Loscutoff SM, et al. 1981a. Histopathologic, morphometric and physiologic investigation of lungs of dogs exposed to uranium ore dust. In: International Conference: Hazards Min Control. Meas, Med, Aspects 228-235.

*Cross FT, Palmer RF, Busch RH, et al. 1981b. Development of lesions in Syrian golden hamsters following exposure to radon daughters and uranium ore dust. Health Phys 41:135-153.

*Cross FT, Palmer RF, Filipy RE, et al. 1982. Carcinogenic effects of radon daughters, uranium ore dust and cigarette smoke in Beagle dogs. Health Phys 42(1):33-52.

*Damon EG, Eidson AF, Hahn FF, et al. 1984. Comparison of early lung clearance of yellowcake aerosols in rats with *in vitro* dissolution and IR analysis. Health Phys 46:859-866.

*Davis MW. 1985. Correlation analysis of first phase monitoring results for uranium mill workers. Govt Rep Announce Ind, Issue 26. NTIS DE85701970.

*De Rey BM, Lanfranchi HE, Cabrini RL. 1983. Percutaneous absorption of uranium compounds. Environ Res 30:480-491.

*De Rey BM, Lanfranchi HE, Cabrini RL. 1984. Deposition pattern and toxicity of subcutaneously implanted uranium dioxide in rats. Health Phys 46:688-692.

*de Siloniz MI, Lorenzo P, Perera J. 1991. Distribution of oxidizing bacterial activities and characterization of bioleaching-related microorganisms in a uranium mineral heap. Microbiologia 7(2):82-89.

*Dehos A, Hinz G, Schwarz ER. 1986. Changes in number and function of the lyphocyte populations as a biological indicator for ionizing radiation. In: Biological indicators for radiation dose assessment. Munchen: MMV Medizin Verlag, 298-301.

*Diamond GL. 1988. Biological monitoring of urine for exposure to toxic metals. In: Clarkson TW, Friberg L, Nordberg GF, et al., eds. Biological monitoring of toxic metals. New York, NY: Plenum Press, 515-529.

*Diamond GL, Morrow PE, Panner BJ, et al. 1989. Reversible uranyl nephrotoxicity in the Long Evans rat. Govt Rep Announce Ind, Issue 01. NTIS/NUREG/CR-4951.

*Diel JH, Lundgren DL. 1982. Repeated inhalation exposure of Beagle dogs to 239PUO2: Retention and translocation. Health Phys 43:655-662.

*Dockery DW, Arden P, Xu X. 1993. An association between air pollution and mortality in six US cities. The New England Journal of Medicine. 329(24):1753-1759.

*Dodge CJ, Francis AJ. 1994. Photodegradation of uranium-citrate complex with uranium recovery. Envion Sci Technol 28:1300-1306.

*Dodge CJ, Francis AJ. 1997. Biotransformation of binary and ternary citric acid complexes of iron and uranium. Environ Sci Technol 31(11):3062-3067.

*DOE. 1988. Health physics manual of good practices for uranium facilities. U.S. Department of Energy, Idaho National Engineering Laboratory, EGG-2530 UC-41.

*DOE. 1993a. U.S. Department of Energy. Code of Federal Regulations 10 CFR 835.

*DOE. 1993b. Occupational radiation protection, final rule. U.S. Department of Energy. Federal Register, Vol 58, No 238, December 1993.

*DOE. 1994a. Radiological control manual. U.S. Department of Energy, DOE/EH-0256T, Revision 1, April 1994.

*DOE. 1994b. U.S. Department of Energy. Alternative strategies for the long-term management of depleted uranium hexafluoride resources at several geographic locations. Federal Register 56324, Washington, D.C., November 1994.

*DOE. 1995. Uranium Industry Annual 1994. Energy Information Administration, Office of Coal, Nuclear, Electric and Alternate Fuels, U. S. Department of Energy. Washington DC.

*DOE. 1996a. Uranium industry annual 1995. Energy Information Administration, Office of Coal, Nuclear, Electric and Alternate Fuels, U. S. Department of Energy. Washington DC.

*DOE. 1996b. Uranium industry annual 1996. Energy Information Administration, Office of Coal, Nuclear, Electric and Alternate Fuels; U.S. Department of Energy, Washington, DC, April 1997, DOE/EIA-0478(96), Distribution Category UC-950.

*DOE. 1996c. Annual limits on intake (ALIs) and derived air concentrations (DACs) of radionuclides for occupational exposure; effluent concentrations; concentrations for release to sewerage. 10CFR20 Appendix B. U. S. Department of Energy, Washington, D.C.

*DOE. 1997. EML procedures manual, HASL-300, 28th edition. Environmental Measurements Laboratory, U. S. Department of Energy, New York.

*DOE. 1998. Location of laboratories and national laboratories. U.S. Department of Energy, <u>http://www.doe.gov/people/labsmap.htm</u>

*DOE. 1999a. Total production of uranium concentrate in the United States. U. S. Department of Energy. <u>http://www.eia.doe.gov/cneaf/nuclear/page/at_a_glance/qtr_upd/qupd.html</u>

*DOE. 1999b. Uranium industry annual 1998. Energy Information Administration, Office of Coal, Nuclear, and Alternate Fuels, U.S. Department of Energy. Washington, D.C. DOE/EIA0478(98).

*DOE. 1999c. Location of U.S. Department of Energy laboratories, offices, and facilities. U.S. Department of Energy. <u>http://home.doe.gov/people/labsmap</u>

DOI. 1980. Depleted uranium. U.S. Department of the Interior. Washington DC, Bureau of Mines Bulletin 671.

*DOI. 1993a. U.S. Department of Interior. Federal Register. 58 FR 13244 (proposed).

*DOI. 1993b. U.S. Department of Interior. Federal Register. 58 FR 52059 (proposed).

*DOI. 1994. U.S. Department of Interior. Code of Federal Regulations. 30 CFR 875.16.

*Doll R. 1977. Strategy for detection of cancer hazards to man. Nature 265:589-596.

*Domingo JL, Colomina MT, Llobet JM, et al. 1992. The action of chelating agents in experimental uranuim intoication in mice: Variations with structure and time of administration. Fundamental and Applied Toxicology, 350-357

*Domingo JL, de la Torre A, Belles M, et al. 1997. Comparative effects of the chelators sodium 4,5-dihydroxybenzene-1,3-disulfonate (tiron) and diethylenetriaminepentaacetic acid (dtpa) on acute uranium nephrotoxicity in rats. Toxicology 118(1):49-59.

*Domingo JL, Llobet JM, Tomas JM, et al. 1987. Acute toxicity of uranium in rats and mice. Bull Environ Contam Toxicol 39:168-174.

*Domingo JL, Ortega A, Llobet JM, et al. 1989a. The effects of repeated parenteral administration of chelating agents on the distribution and excretion of uranium. Research Communications Chemical Pathology and Pharmacology 64(1):161.

*Domingo JL, Ortega A, Paternain JL, et al. 1989b. Evaluation of the perinatal and postnatal effects of uranium in mice upon oral administration. Arch Environ Health 44(6):395-8.

*Domingo JL, Paternain JL, Llobet JM, et al. 1989c. The developmental toxicity of uranium in mice. Toxicology 55(1-2):143-52.

*Donaldson AW. 1969. The epidemiology of lung cancer among uranium miners. Health Phys 16:563-569.

*Dounce AL, Flagg JF. 1949. The chemistry of uranium compounds. In: Voegtlin, Hodge, eds. Pharmacology and toxicology of uranium compounds, 82-84.

*Downs WL, Wilson HB, Sylvester GE, et al. 1967. Excretion of uranium by rats following inhalation of uranium dioxide. Health Phys 13:445-453.

*Dreesen DR, Williams MJ, Marple ML, et al. 1982. Mobility and bioavailability of uranium mill tailings contaminants. Environ Sci Technol 16:702-709.

*Drury JS. 1981. Uranium in U. S. surface, ground, and domestic waters. Volume 1. U. S Department of Commerce. National Technical Information Services.

*Drury JS, Reynolds S, Owen PT, et al. 1982. Uranium in U.S. surface, ground, and domestic waters. Volume 1. Govt Rep Announce Ind, Issue 24. NTIS/PB82-258740.

*du Preez JGH. 1989. A review of the industrial process involving uranium from the ore to the reactor. Radiation Protection Dosimetry 26:7-13.

*Dungworth DL. 1989. Noncarcinogenic responses of the respiratory tract to inhaled toxicants. In: McClellan RO, Henderson RF, eds. Concepts in inhalation toxicology. New York. NY: Hemisphere Publishing Corporation.

*Dunning DE, Leggett RW, Sullivan RE. 1984. An assessment of health risk from radiation exposures. Health Phys 46:1035-1051.

*Dunning DE, Leggett RW, Yalcintas MG. 1980. A combined methodology for estimating dose rates and health effects for exposure to radioactive pollutants. Oak Ridge, TN: Oak Ridge National Laboratory. ORNL/RM-7105.

*Dupree EA, Cragle DL, McLain RW, et al. 1987. Mortality among workers at a uranium processing facility, the Linde Air Products Company Ceramics Plant, 1943-1949. Scand J Work Environ Health (Finland) 13(2):100-107.

*Dupzyk IA, Dupzyk RJ. 1979. Separation of uranium from urine for measurement by fluorimetry of isotope-dilution mass spectrometry. Health Phys 36:526-529.

*Durbin PW, Wrenn ME. 1975. Metabolism and effects of uranium in animals. In: Wrenn ME, ed. Conference: Occupational health experience with uranium. Arlington, VA, April, 1975. U.S. Energy Research and Development Administration, Washington, DC. ERDA-93, 67-129.

*Dygert HP. 1949a. Pharmacology and toxicology of uranium compounds. New York, NY: McGraw-Hill Book Inc., 603-613.

*Dygert HP. 1949b. Pharmacology and toxicology of uranium compounds. New York, NY: McGraw-Hill Book Inc., 666-672.

*Dygert HP. 1949c. Pharmacology and toxicology of uranium compounds. New York, NY: McGraw-Hill Book Inc., 673-675.

*Dygert HP. 1949d. Pharmacology and toxicology of uranium compounds. New York, NY: McGraw-Hill Book Inc., 647-652.

*Dygert HP. 1949e. Pharmacology and toxicology of uranium compounds. New York, NY: McGraw-Hill Book Inc., 676-700.

*Eadie GG, Fort CW, Beard ML. 1979. Ambient airborne radioactivity measurements in the vicinity of the jackpile open pit uranium mine New Mexico. Report: ISS ORP/LV-79/2. NTIS PB292379.

*Eadie GG, Kaufmann RF. 1977. Radiological evaluation of the effects of uranium mining and milling operations on selected ground water supplies in the Grants Mineral Belt, New Mexico. Health Phys 32:231-241.

*Early P, Razzak M, Sodee D. 1979. Nuclear medicine technology. 2nd ed. St. Louis MO: C.V. Mosby Company.

*Edling C. 1982. Lung cancer and smoking in a group of iron ore miners. Am J Ind Med 3:191-200.

*Eichholz G. 1982. Environmental aspects of nuclear power. Ann Arbor, MI: Ann Arbor Science.

*Eidson AF, Griffith WC, Jr., Hahn FF, et al. 1989. A model for scaling the results of U excretion rate studies in Beagle dogs to man. Health Physics 57:199-210.

*Eidson AF. 1994. The effect of solubility on inhaled uranium compound clearance. Health Phys 67(1):1-14.

*Eisenbud M. 1959. Discussion of apparent anomalies in lung retention of uranium. USEAC Report HAS-58, 212-213.

*Eisenbud M, Quigley JA. 1955. Industrial hygiene of uranium processing. AMA Archives of Industrial Health, 12-22.

*Eisenbud M, Quigley JA. 1956. Industrial hygiene of uranium processing. Arch Ind Health 14:12-22.

*Ellender M. 1987. The clearance of uranium after deposition of the nitrate and bicarbonate in different regions of the rat lung. Human Toxicol 6:479-482.

*Ellender M, Haines JW, Harrison JD. 1995. The distribution and retention of plutonium, americium and uranium in cba/h mice. Hum Exp Toxicol 14(1):38-48.

*EPA. 1977a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.15.

*EPA. 1977b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 190, Subpart B.

*EPA. 1979. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 125.

*EPA. 1980a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.25.

*EPA. 1980b. U. S. Environmental Protection Agency. Prescribed procedures for measurement of radioactivity in drinking water. Environmental monitoring and support laboratory, Cincinnati, OH. EPA-600-4-0-032. 96-111.

*EPA. 1980c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 146.5.

*EPA. 1980d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.4.

*EPA. 1981. Radioactivity in drinking water. Office of Drinking Water, U.S. Environmental Protection Agency, Washington, DC. NTIS PB81-192833.

*EPA. 1982a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 60, Subpart A.

*EPA. 1982b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 440, Subpart C.

*EPA. 1982c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 440, Subpart H.

*EPA. 1982d. U.S. Environmental Protection Agency. 1982. Ore mining and dressing point source category effluent limitations guidelines and new source performance standards. Fed Reg 47:54598-545621. Final rule.

*EPA. 1983a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 122, Appendix D.

*EPA. 1983b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 192, Subpart A.

*EPA. 1983c. U.S. Environmental Protection Agency. Reportable quantity document for uranyl nitrate. Prepared by the Office of Health and Environmental Assessment, Cincinnati, OH, for the Office of Solid Waste and Emergency Response, Washington, DC.

*EPA. 1984a. U. S. Environmental Protection Agency Code of Federal Regulations. 40 CFR 60 Subpart LL.

*EPA. 1984b. U.S. Environmental Protection Agency. Radionuclides: Background information document for final rules. Vol 1. U.S. Environmental Protection Agency, Office of Radiation Program, Washington, DC. EPA 520/1- 84-022-1. NTIS PB85-165751.

*EPA. 1984c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 147.3011.

*EPA. 1984d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 147.3003.

*EPA. 1985a. U. S. Environmental Protection Agency Code of Federal Regulations. 40 CFR 302.3.

*EPA. 1985b. U. S. Environmental Protection Agency Code of Federal Regulation CFR 421, Subpart AD.

*EPA. 1985c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 471, Subpart G.

*EPA. 1985d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 471.71.

*EPA. 1985e. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 471.72.

*EPA. 1985f. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 471.73.

*EPA. 1985g. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 471.75.

*EPA. 1985h. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 23.8.

*EPA. 1985i. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 191.12.

*EPA. 1985j. U.S. Environmental Protection Agency. Drinking water criteria document for uranium. Washington, DC, April 1985, PB86-241049.

*EPA. 1986a. U.S. Environmental Protection Agency. Reference values for risk assessment. Prepared by Environmental Criteria and Assessment Office, Office of Solid Waste, Washington, DC.

*EPA. 1986b. U.S. Environmental Protection Agency. Final rule for radon- 222 emissions from licensed uranium mill tailings. Background information document. Report. EPA 520/1-86-009. NTIS PB87-207569.

*EPA. 1986c. U.S. Environmental Protection Agency. Proposed rules: Water pollution control; natural primary drinking water regulations; radionuclides. 40 CFR 141. Federal Register 34836.

*EPA. 1987a. U.S. Environmental Protection Agency. Reportable quantity adjustments for radionuclides. Federal Register 52(50):8176.

*EPA. 1987b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 146.6.

*EPA. 1988a. U.S. Environmental Protection Agency. Analysis of clean water act effluent guidelines pollutants: Summary of the chemicals regulated by industrial point source category. Prepared by the Industrial technology Division (WH 552), Office of Water Regulations and Standards, Office of Water, Washington, DC. 40 CFR Parts 400-475.

*EPA. 1988b. U.S. Environmental Protection Agency. Limiting values of radionuclide intake and air concentration and dose conversion factors for inhalation, submersion, and ingestion. EPA-520/1-88-020. U.S. Environmental Protection Agency. Washington, DC.

*EPA. 1988c. U.S. Environmental Protection Agency. Environmental radiation protection standards for nuclear power operations. 40 CFR 190.

*EPA. 1989a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 61, Subpart B.

*EPA. 1989b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 61, Subpart I.

*EPA. 1989c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 61, Subpart Q.

*EPA. 1989d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 61, Subpart T.

*EPA. 1989e. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 61, Subpart W.

*EPA. 1989f. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4.

*EPA. 1989g. U.S. Environmental Protection Agency. Interim methods for development of inhalation references doses. U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. Washington, DC. EPA 600/8-88-066F.

*EPA. 1990a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 300, Appendix A.

*EPA. 1990b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 300.5.

*EPA. 1990c. U.S. Environmental Protection Agency. Summary of state and federal drinking water standards and guidelines.

*EPA. 1990d. U.S. Environmental Protection Agency. Interim methods for development of inhalation reference doses. EPA-600/8-90/066A.

*EPA. 1991. U.S. Environmental Protection Agency. Radionuclides in drinking water fact sheet. National Primary Drinking Water Regulations for Radionuclides, Proposed Rule, June, 1991. EPA-570/9-91-700. Washington, DC.

*EPA. 1993a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 310.11.

*EPA. 1993b. U.S. Environmental Protection Agency. Standards for management of uranium byproduct material pursuant to section 84 of the Atomic Energy act of 1954, as amended. Code of Federal Regulations. 40 CFR 192, Subpart D.

*EPA. 1993c. U.S. Environmental Protection Agency. Federal Register. 58 FR 34018 (proposed).

*EPA. 1993d. U.S. Environmental Protection Agency. Federal Register. 58 FR 54072 (proposed).

*EPA. 1993e. U.S. Environmental Protection Agency. Federal Register. 59 FR 32622 (proposed).

*EPA. 1994a. U.S. Environmental Protection Agency. Environmental radiation data report 74, April-June 1993. National Air and Radiation Environmental Laboratory. EPA 402-R-93-093, August 1994.

*EPA. 1994b. U.S. Environmental Protection Agency. EPA requirements for quality assurance project plans for environmental data operations. EPA QA/R-5, draft interim final, Quality Assurance Management Staff, Washington, D.C.

*EPA. 1994c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 300, Appendix B.

*EPA. 1995a. U.S. Environmental Protection Agency. Standards for cleanup of land and buildings contaminated with residual radioactive materials from inactive uranium processing sites. Code of Federal Regulations. 40 CFR 192, Subpart B.

*EPA. 1995b. Implementation. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 192, Subpart C.

*EPA. 1995c. U.S. Environmental Protection Agency. Standards for the control of residual radioactive materials from inactive uranium processing sites. Code of Federal Regulations. 40 CFR 192, Subpart A.

*EPA. 1995d. U.S. Environmental Protection Agency. Technical resource document, extraction and beneficiation of ores and minerals. EPA 530-R-94-032, NTIS PB94-2008987.

*EPA. 1996. U.S. Environmental Protection Agency. Guidance for Data Quality Assessment: Practical Methods for Data Analysis. EPA QA/G-9 QA96 Version, EPA/600/R-96/084, Quality Assurance Management Staff, Washington, D.C.

*EPA 1997a. U.S. Environmental Protection Agency. Announcement of draft drinking water contaminant candidate list; Notice. Federal Register. 62 FR 52194. October 6, 1997.

*EPA. 1997b. U.S. Environmental Protection Agency. Establishment of cleanup levels for CERCLA sites with radioactive contamination (memorandum and attachments). OSWER No. 9200.4-18. Office of Solid Waste and Emergency Response. Office of Emergency and Remedial Response. http://www.epa.gov/superfund/

*EPA. 1997c. U.S. Environmental Protection Agency. National primary drinking water regulations: Analytical methods for radionuclides; final rule and proposed rule. Federal Register. 62 FR 10168. March 5, 1997.

*EPA. 1998. U.S. Environmental Protection Agency. Use of soil cleanup criteria in 40 CFR 192 as remediation goals for CERCLA sites. Directive No. 9200.4-25. Office of Solid Waste and Emergency Response. Office of Emergency and Remedial Response. <u>http://www.epa.gov/superfund/resources/soil/cleanup.htm</u>.

*EPA. 1998b. U.S. Environmental Protection Agency. Land disposal restrictions phase IV: Final rule promulgating treatment standards for metal wastes and mineral processing wastes; mineral processing secondary materials and bevill exclusion issues; treatment standards for hazardous soils, and exclusion of recycled wood preserving wastewaters; final rule. Federal Register. 63 FR 28556. May 26, 1998.

*Eral M. 1989. Chemical determination of uranium in natural waters with DBM by the adsorption of U(VI) on Fe(OH)3. Spectroscopy Letters 22(4):431-440.

*Erdal BR, Daniels WR, Hoffman DC, et al. 1979. Sorption and migration of radionuclides in geologic media. Mater Res Sci Basis Nucl Waste Manage 423-426.

*Essien IO, Sandoval DN, Kuroda PK. 1985. Deposition of excess amount of natural U from the atmosphere. Health Physics 48(3):325-331.

*Evans RD, Keane AT, Kolenkow RJ. 1969. Radiogenic tumors in the radium cases studied at MIT. In: Mays CW, et al., eds. Delayed effects of bone seeking radionuclides. Salt Lake City, Utah: University of Utah Press, 157-194.

*Fabrikant JI. 1990. The health effects of radon and other alpha emitting radionuclides: The National Academy of Sciences BEIR IV report. Elsevier Science Publishers, 9-13.

*Fajgelj A, Horvat D, Pucelj B. 1992. Chromosome abberations induced in human lymphocytes by U-235 fission neutrons. Strahlentherapie and Onkologie 406-411.

*Feeney CM, Anderson JW, Tindall FM. 1983. Determination of uranium in tailings by inductively coupled plasma optical emission spectrometry. At Spectrosc 4:108-110.

*Filippova LG, Nifativ AP, Lyubchanskii ER. 1978. Some of the long-term sequelae of giving rats enriched uranium. Radiobiology 18:400-405.

*Finkel MP. 1953. Relative biological effectiveness of radium and other alpha emitters in CF no 1 female mice. Proc Soc Exp Biol Med 83:494-498.

*Fisenne I, Perry PM, Welford GA. 1980. Determination of uranium (isotopes) in human bone ash. Anal Chem 52:777-779.

*Fisenne IM. 1988. Uranium in humans. Radiation Protection Dosimetry 24:127-131.

*Fisenne IM, Perry PM. 1985. Isotopic U concentration in human blood from New York City donors. Health Phys 49:1272-1275.

*Fisenne IM, Perry PM, Decker KM, et al. 1987. The daily intake of the uranium, thorium, and radium isotopes 234, 235, 238U, 228, 230, 232Th, and 226, 228Ra by New York City residents. Health Phys 53:357-363.

*Fisenne IM, Welford GA. 1986. Natural uranium concentrations in soft tissues and bone of New York City residents. Health Phys 50:739-746.

*Fisher DR, Jackson PO. 1986. Reply to Singh and Wrenn regarding levels of uranium-234, -238 and thorium-230 in excreta of uranium mill crushermen. Health Phys 50:302-303.

*Fisher DR, Jackson PO, Brodaczynski GG, et al. 1983. Levels of 234U, 238U and 230th in excreta of uranium mill crushermen. Health Phys 45:617-629.

*Fisher Dr, Kathern RL, Swint MJ. 1991. Modified biokinetic model for uranium from analysis of acute exposure of UF6. Health Phys. 60(3):335-342.

*Fisher DR, Swint MJ, Kathren RL. 1990. Evaluation of health effects in Sequoyah Fuels Corporation workers from accidental exposure to uranium hexafluoride. U.S. Nuclear Regulatory Commission, Washington D.C. NUREG/CR-5566 PNL-7328

*Flamenbaum W, McNeil JS, Kotchen TA, et al. 1972. Experimental acute renal failure induced by uranyl nitrate in the dog. Circ Res 31:682-697.

*Foman SJ. 1966. Body composition of the infant (Part I: The male reference infant). In: Falkner F, ed. Human Development. Philadelphia, PA: WB Saunders, 239-246.

*Foman, SJ, Haschke F, Ziegler EE et al. 1982. Body composition of reference children from birth to age 10 years. American Journal of Clinical Nutrition 35:1169-1175.

*Fort CW, Jr., Douglas RL, Moore WE. 1980. Radioactive emissions from yellowcake processing stacks at uranium mills. Report: ISS ORP/LV-80-3. NTIS PB81-153389.

*Francis AJ, Dodge CJ, Gillow JB, et al. 1989. Microbial transformation of uranium in wastes. U. S. Department of Energy. Contract No. De-AC02-76CH00016.

*Fresquez PR, Armstrong DR. 1994. Radionuclide concentration in game (surface feeders) and non-game (bottom feeders) fish upstream and downstream of Los Alamos National Laboratory. New Mexico Conference on the Environment Albuqerque, NM.

*Friberg L, Nordberg GF, Vouk VB, eds. 1986. Handbook on the toxicology of metals. Vol. I: General aspects. 2nd ed. New York, NY: Elsevier Science Publishing Co., Inc.

*Frome EL, Cragle DL, McLain RW. 1990. Poison regression analysis of the mortality among a cohort of World War II. Radiation Research 123:138-152.

*Fruchter JS, Robertson DE, Evans JC, et al. 1980. Reports - Mount St. Helens ash from the 18 May 1980 eruption: Chemical, physical, mineralogical, and biological properties. Science 209(5):1116-1125.

*FSTRAC. 1988. Federal State Toxicology and Regulatory Alliance Committee. Summary of state and federal drinking water standards and guidelines. Chemical Communication Subcommittee.

*Fujino O, Umetani S, Matsui M. 1994. Determination of uranium in apatite minerals by inductively coupled plasma atomic emission spectrometry after solvent extraction and separation with 3-phenyl-4-benzoyl-5-isoxazolone into diisobutyl ketone. Analytica Chimica Acta 296:63-68.

*Galibin GP, Pozdnyakov, Murav'eva LI. 1966. Biological effects of ammonium diuranate following prolonged inhalation. Gig Sanit Hyg Sanit 31(10-12):338-344.

*Galle P, Berry JP, Galle C. 1992. Role of alveolar macrophages in precipitation of mineral elements inhaled as soluble aerosols. Environ Health Perspect 97:145-147.

*Gallop RGC, Lawrenson WN, Lockyer, et al. 1988. Radionuclide levels in river sediment near to a treated effluent outfall. Sci Total Environ 780:237-251.

*Gilkeson RH, Cowart JB. 1987. Radium radon and uranium isotopes in groundwater from Cambrian-Ordovician sandstone aquifers in Illinois USA. In: Graves B, ed. Radon in ground water, radon, radium and other radioactivity in ground water: Hydrogeologic impact and application to indoor airborne contamination: Proc National Water Well Association conference, Somerset, NJ, April 7-9, 1987. Chelsea, MI: Lewis Publishers, Inc., 403-422.

*Gilman AP, Moss MA, Villeneuve DC, et al. 1998c. Uranyl nitrate: 91-day exposure and recovery studies in the male New Zealand white rabbit. Toxicol Sci 41(1):138-151.

*Gilman AP, Villeneuve DC, Secours VE, et al. 1998a. Uranyl nitrate: 28-day and 91-day toxicity studies in the Sprague-Dawley rat. Toxicol Sci 41(1):117-128.

*Gilman AP, Villeneuve DC, Secours VE, et al. 1998b. Uranyl nitrate: 91-day toxicity studies in the New Zealand white rabbit. Toxicol Sci 41(1):129-137.

*Gindler JE. 1973. Physical and chemical properties of uranium. In: Hodge HC et al., eds. Uranium, plutonium transplutonic elements. New York, NY: Springer-Verlag, 69-164.

*Gladney ES, Peters RJ, Perrin DR. 1983. Determination of uranium- 235/uranium-238 ratio in natural waters by Chelex-100 ion exchange and neutron-activation analysis. Anal Chem 55:976-977.

*Gladney ES, Rook HL. 1975. Simultaneous determination of terrurium and uranium by neutron activation analysis. Anal Chem 47:1554-1557.

*Goel KA, Garg VK, Garg V. 1979. Histopathological alterations induced by uranyl nitrate in the liver of albino rat. Bull Environ Contam Toxicol 22:785-790.

*Goel KA, Garg VK, Garg V. 1980. Histopathology of kidney of albino rat poisoned with uranyl nitrate. Bull Environ Contam Toxicol 24:9-12.

*Gogolak CV. 1985. The radiological impact of atmospheric emissions from oil shale retorts. Environ Int 11:57-64.

*Golchert NW, Iwami FS, Sedlet J. 1980. Determination of actinides in soil. In: Lyon WS, ed. Radioelement analysis: Progress and problems. 23rd Conference: Analytical Chemistry in Energy Technology, Gatlinburg, TN, Oct. 9-11, 1979. Ann Arbor, MI: Ann Arbor Science Publishers, Inc., 215-222.

*Gonzales ER, Gladney ES, Boyd HA, et al. 1988. Determination of U in human tissues by delayed neutron activation analysis. Health Phys 55(6):927-932.

*Goode DJ, Wilder RJ. 1987. Ground-water contamination near a uranium tailings disposal site in Colorado. Ground Water 27:545-554.

*Goodman DR. 1985. Nephrotoxicity. Toxic effects in the kidneys. In: Williams PL, Burson JL, eds. Industrial toxicology safety and health applications in the workplace. New York. NY: Van Nostrand Reinhold Company.

*Gore DJ. 1983. The spatial and temporal distribution of inhaled UO2 particles in the respiratory tract of the rat. II. The relative concentration of UO2 between the intrapulmonary airways and the pulmonary tissue. Radiation Research 93:276-287.

*Gore DJ, Papworth DG. 1983. The spatial and temporal distribution of inhaled UO2 particles in the respiratory tract of the rat. I. Pulmonary tissue. Radiation Research 93:262-275.

*Gore DJ, Patrick G. 1978. The distribution and clearance of inhaled uranium dioxide particles on the first bifurcation and trachea of rats. Phys Med Biol 23:730-737.

*Gottlieb LS, Husen LA. 1982. Lung cancer among Navajo uranium miners. Chest 81:449-452.

*Grace M, Larson M, Hanson J. 1980. Bronchogenic carcinoma among former uranium mine workers at Port Radium, Canada. Health Phys 38:657-661.

*Grainger CR. 1994. Geochemistry and Environmental Health: Uranium in Cornwall. J Roy Soc Health 11.

*Greene B, Uranga A, Sneddon J. 1985. Observations on the determination of uranium in waters by direct current argon plasma emission spectrometry. Spectroscopy Letters 18(6):425-436.

*Grey C. 1993. Uranium: From ore to concentrate. The Nuclear Engineer 34(1):3-9.

*Guglielmotti MB, Ubios AM, Larumbe J, et al. 1989. Tetracycline in uranyl nitrate intoxication: Its action on renal damage and U retention in bone. Heath Physics 57:403-405.

*Guzelian PS, Henry CJ, Olin SS. 1992. Similarities and differences between children and adults: implications for risk assessment. International Life Sciences Institute Press, Washington, D.C.

*Hadjimichael CC, Ostfeld AM, D'Atri DA, et al. 1983. Mortality and cancer incidence experience of employees in a nuclear fuels fabrication plant. J Occup Med 25:48-61.

*Hahn FF. 1989. Carcinogenic responses of the lung to inhaled materials. In: McClellan RO, Henderson RF, eds. Concepts in inhalation toxicology. New York, NY: Hemisphere Publishing Corporation.

*Haley DP. 1982. Morphologic changes in uranyl nitrate-induced acute renal failure in saline- and water-drinking rats. Lab Invest 46:196-208.

*Haley DP, Bulger RE, Dobyan DC. 1982. The long-term effects of uranyl nitrate on the structure and function of the rat kidney. Virchows Arch B 41:181-192.

*Hamilton EI. 1972. The concentration of uranium in man and his diet. Health Phys 2:149-153.

*Hans J Jr., Burris E, Gorsuch T. 1979. Radioactive waste management at the former Shiprock Uranium Mill Site New-Mexico ,USA. In: 24th Annual meeting of the Health Physics Society. Health Phys 37:811.

*Harduin JC, Cogema LH, Beaumont-Hague FP. 1994. Uptake and urinary excretion of uranium after oral administration in man. Radiation Protection Dosimetry 53(1-4):245-248.

*Harley NH, Fisenne IS. 1990. Distribution and radiation dose from naturally occuring U, Th and Ra in the human skeleton. Health Phys 58(4):515-518.

*Harley NH, Pasternack BS. 1979. Potential carcinogenic effects of actinides in the environment. Health Phys 37:291-300.

*Harley NH, Pasternack BS. 1981. A model for predicting lung cancer risks induced by environmental levels of radon daughters. Health Phys 40:307-316.

*Harms TF, Ward FN, Erdman JA. 1981. Laser fluorometric analysis of plants for uranium exploration. J Geochem Explor 15:617-623.

*Harrison JD, Stather JW. 1981. The gastrointestinal absorption of proactinium, uranium and neptunium in the hamster. Radiation Research 88:47-55.

*Hart DR, McKee PM, Burt AJ, et al. 1986. Benthic community and sediment quality assessment of Port Hope Harbour, Lake Ontario. J Great Lakes Res 12:206-220.

*Hawley GG. 1981. The condensed chemical dictionary. 10th ed. New York, NY: Van Nostrand Reinhold Co., 1071-1072.

*HazDat. 1998. Database. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA.

*Heid KR, Fuqua PA. 1974. Review of uranium inhalation case. Health Phys 26:399-403.

*Hendee W. 1973. Radioactive isotopes in biological research. New York, NY: John Wiley and Sons.

*Henge-Napoli MH, Archimbaud M, Ansoborlo E, et al. 1995. Efficacy of 3,4,3-lihopo for reducing the retention of uranium in rat after acute administration. Int J Radiat Biol 68(4):389-93.

*Herczeg AL, Simpson HJ, Anderson RF, et al. 1988. Uranium and radium mobility in groundwaters and brines within the Delaware basin, southeastern New Mexico, U.S.A. Chem Geol 72:181-196.

*Hinton ER Jr. 1983. Development of a multi-purpose alpha-detection procedure for enriched uranium in urine. Anal Lett 16:367-380.

*Hinton ER Jr, White LE. 1981. Applications of laser-induced fluorimetry to analysis of ultra-trace levels of uranium in an industrial environment. Anal Lett 14:947-949.

*Ho CH, Doern DC. 1985. The sorption of uranyl species on a hematite sol. Can J Chem 63:1100-1104.

*Hobbs C, McClellan R. 1986. Radiation and radioactive materials. In: Doull J, et al., eds. Casarett and Doull's Toxicology. 3rd ed. New York, NY: Macmillan Publishing Co., Inc., 497-530.

*Hodge HC, Stannard JV, Hursh JB, eds. 1973. Uranium plutonium transplutonic elements. In: Handbook of experimental pharmacology XXXVI. New York, NY: Springer Verlag.

*Hodge HC, Stokinger HE, Neuman WF. 1949. Suggested maximum allowable concentration of soluble uranium compounds in air. USAEC Report AECD, 2785.

*Holmes C. 1982. Lung cancer rates and the heights of miners [letter]. J Occup Med 24:9-10.

*Holzbecher J, Ryan DE. 1980. Determination of uranium by thermal- and epithermal-neutron activation in natural waters and in human urine. Anal Chim Acta 119:405-408.

*Horikoshi T, Nakajima A, Sakaguchi T. 1981. Studies on the accumulation of heavy metal elements in biological systems. XIX. Accumulation of uranium by microorganisms. Eur J Appl Microbiol Biotechnol 12:90-96.

*Hornung RW, Meinhardt TJ. 1987. Quantitative risk assessment of lung cancer in USA uranium miners. Health Phys 52:417-430.

*Horvat DJ et al. 1981. Cytogenetic effect of uranyl nitrate and cadmium chloride on V79 Chinese hamster cells. Mutat Res 85:288.

*Howe GR, Nair RC, Newcombe HB, et al. 1986. Lung cancer mortality (1950-1980) in relation to radon daughter exposure in a cohort of workers at the Eldorado Beaverlodge Uranium Mine (Saskatchewan, Canada). N Natl Cancer Inst 77:357-362.

*Howe GR, Nair RC, Newcombe HB, et al. 1987. Lung cancer mortality (1950-1980) in relation to radon daughter exposure in a cohort of workers at the Eldorado Port Radium Uranium Mine: Possible modification of risk by exposure rate. J Natl Cancer Inst 79:1255-1260.

*HPS. 1996. Health Physics Society Standard no. N13.30-1996. Performance Criteria for Radiobioassay published by the Health Physics Society in 1996.

*HSDB. 1995. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Program (via TOXNET), Bethesda, MD. January 1995.

*Hsi CKD, Langmuir D. 1985. Adsorption of uranyl onto ferric oxyhydroxides: Application of the surface complexation site-binding model. Geochim Cosmochim Acta 49:1931-1942.

*Hu QY, Zhu SP. 1990. Detection of DNA damage in spermiogenic stages of mice and treated with enriched uranyl fluoride by alkaline elution. Radiat Environ Biophys 29(3):161-167.

*Hueper WC, Zuefle JH, Link AM et al. 1952. Experimental studies in metal carcinogenesis. II. Experimental uranium cancers in rats. Journal of the National Cancer Institute 13:291-305.

*Hursh JB. 1959. Urinary uranium as an indicator of dose to exposed personnel. USAEC Report HASL-58, 136-138.

*Hursh JB, Neuman WF, Toribara T, et al. 1969. Oral ingestion of uranium by man. Health Phys 17:619-621.

*Hursh JB, Spoor J. 1973. Data on man. Handbook Exp Pharmakol 36:197-239.

*Ibrahim SA, Wicker FW. 1988. Comparative uptake of U and Th by native plants at a U production site. Health Physics 54(4):413-419.

*ICRP. 1966. International Commission for Radiation Protection. Task group on lung dynamics, depositions and retention models for internal dosimetry of the human respiratory tract. Health Phys 21:173-207.

*ICRP. 1972. International Commission for Radiation Protection. The metabolism of compounds of plutonium and other actinides. ICRP Publication No. 19. New York Pergamon Press.

*ICRP. 1975. International Commission for Radiation Protection. Report of the task group on reference man. ICRP Publication No. 23. New York: Pergamon Press.

*ICRP. 1977. International Commission on Radiological Protection. Recommendations of the International Commission on Radiological Protection. ICRP Publication 26. Pergamon Press.

*ICRP. 1979. International Commission on Radiological Protection. Limits for Intakes of Radionuclides by Workers. Publication 30. Pergamon Press.

*ICRP. 1984. International Commission for Radiation Protection. A compilation of the major concepts and quantities in use by ICRP. ICRP Publication 42. Oxford: Pergamon Press.

*ICRP. 1991. International Commission on Radiological Protection. 1990 Recommendations of the International Commission on Radiological Protection. ICRP Publication 60 (Adopted 1978). Pergamon Press.

*ICRP. 1994. International Commission for Radiation Protection. Human respiratory tract model for radiological protection. ICRP Publication 66. Oxford: Pergamon Press.

*ICRP. 1995. International Commission for Radiation Protection. Age-dependent doses to members of the public from intake of radionuclides: Part 3, Ingestion dose coefficients. ICRP Publication 69. Oxford: Pergamon Press.

*ICRP. 1996. International Commission for Radiation Protection. Age-dependent doses to members of the public from intake of radionuclides: Part 4, Inhalation dose coefficients. ICRP Publication 71. Oxford: Pergamon Press.

*ICRU. 1980. International Commission on Radiation Units and Measurements. ICRU Report No. 33. Washington, DC.

*Ingersoll JG. 1983. A survey of radionuclide contents and radon emanation rates in building materials used in the U.S. Health Phys 45:363-368.

*Inn KGW. 1987. The National Bureau of Standards fresh water lake sediment environmental-level radioactivity standard reference material. J Radioanal Nucl Chem 115:91-112.

*IRIS. 1997. Integrated risk information system. Uranium, natural. CASRN 7440-61-1. (03/01/97). U.S. Environmental Protection Agency. <u>http://www.epa.gov/ngispgm3/iris/subst/0259.htm</u>

*James A. 1987. A reconsideration of cells at risk and other key factors in radon daughter dosimetry. In: Hopke P, ed. Radon and its decay products: Occurrence, properties and health effects. ACS Symposium Series 331. Washington, DC: American Chemical Society, 400-418.

*James A, Roy M. 1987. Dosimetric lung models. In: Gerber G, et al., eds. Age-related factors in radionuclide metabolism and dosimetry. Boston: Martinus Nijhoff Publishers, 95-108.

*James RC. 1985. Hematotoxicity. Toxic effects in the blood. In: Williams PL, Burson JL, eds. Industrial toxicology safety and health applications in the workplace. Van Nostrand Reinhold Company.

*Jaworowski Z, Grzybowska D. 1977. Natural radionuclides in industrial and rural soils. Sci Total Environ 7:45-52.

*Jiang FS, Lee SC, Bakhitiar SN, et al. 1986. Determination of thorium, uranium and plutonium isotopes in atmospheric samples. J Radioanal Nucl Chem 100:65-72.

*Johanson CE. 1980. Permeability and vascularity of the developing brain: Cerebellum vs cerebral cortex. Brain Research 190:3-16.

Kamata E, Nakashima R, Furukawa M. 1987. Determination of trace amounts of thorium and uranium in coal ash by inductively coupled plasma atomic emission spectrometry after extraction with 2-thenoyltrifluoroacetone and back-extraction with dilute nitric acid. J Anal At Spectrom 2:321-324.

*Kamboj VP, Kar AB. 1964. Antitesticular effect of metallic and rare earth salts. J Reprod Fertil 7:21.

*Karpas Z, Halicz L, Roiz J, et al. 1996. Inductively coupled plasma mass spectrometry as a simple, rapid, and inexpensive method for determination of uranium in urine and fresh water: Comparison with lif. Health Phys 71(6):879-85.

*Kathren RL. 1984. Radioactivity in the environment: Sources, distribution and surveillance. New York: Harwood Academic Publishers, 75.

*Kathren RL. 1987. Implications of human tissue studies. Govt Rep Announce Ind, Issue 11. NTIS/DE87002063.

*Kathren RL. 1988. Implications of human tissue studies for radiation protection. Health Phys 55:315-319.

*Kathren RL. 1997. Uranium in the tissues of two whole body donations to the USTUR. United States Transuranium and Uranium Registries. Washington State University, Richland, WA. Annual report October 1, 1995-September 30, 1996. USTUR-0072-97.

*Kathren RL, McInroy JF, Moore RH, et al. 1989. Uranium in the tissues of an occupationally exposed individual. Health Phys 57:17-21.

*Kathren RL, Moore RH. 1986. Acute accidental inhalation of uranium: A 38-year follow-up. Health Phys 51:609-620.

*Kato H, Schull WJ. 1982. Studies of the mortality of A-bomb survirors. 7. Mortality, 1950-78: Part I, Cancer mortality. Radiation Research 90:395-432.

*Kauffman JW, Laughlin WC, Baldwin RA. 1986. Microbiological treatment of uranium mine waters. Environ Sci Technol 20:243-248.

*Keane AT, Polednak AP. 1983. Retention of uranium in the chest: Implications of findings in vivo and postmortem. Health Phys 44(Suppl 1):391-402.

*Kelly WR, Fassett JD. 1983. Determination of picogram quantities of uranium in biological tissues by isotope-dilution thermal-ionization mass spectrometry with ion-counting detection. Anal Chem 55:1040-1044.

*Kelly WR, Fassett JD, Hotes SA. 1987. Determining picogram quantities of uranium in human urine by thermal ionization mass spectrometry. Health Phys 52:331-336.

*Kerr A, Kupferschmidt W, Atlas M. 1988. Determination of uranium in natural groundwaters using high-performance liquid chromatography. Anal Chem 60:2729-2733.

*Kirk WS. 1980. Depleted uranium. U. S. Department of the Interior. Bureau on Mines bulletin no. 671.

*Klaasson CD. 1986. Biotransformation of xenobiotics. In: Cassarett & Doull's Toxicology. 5th edition, 113-120.

*Kobayashi S, Nagase M, Honda N, et al. 1984. Glomerular alterations in uranyl acetate-induced acute renal failure in rabbits. Kidney Int 26:808- 815.

*Komori M, Nishio K, Kitada M et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human liver. Biochemistry 29:4430-4433.

*Kressin IK. 1984. Spectrophotometric method for the determination of uranium in urine. Anal Chem 56:2269-2227.

*Krieger HL, Whittaker EL. 1980. Prescribed procedures for measurement of radioactivity in drinking water. Govt Rep Announce Ind, Issue 25. NTIS PB80-224744.

*Krishnan K, Andersen ME. 1994. Physiologically-based pharmacokinetic modeling in toxicology. In: Hayes W, ed. Principles and methods of toxicology. 3rd edition. New York, NY: Raven Press, Ltd. *Krishnan K, Andersen ME, Clewell HJ III, et al. 1994. Physiologically-based pharmacokinetic modeling of chemical mixtures. In: Yang RSA, ed. Toxicology of chemical mixtures. New York, NY.: Academic Press.

*Kuroda PK, Essien IO, Sandoval DN. 1984. Fallout of uranium isotopes from the 1980 eruption of Mount St. Helens. J Radioanal Nucl Chem 84:23-32.

*Kusiak RA, Ritchie AC, Muller J, et al. 1993. Mortality from lung cancer in Ontario uranium miners. British Journal of Industrial Medicine 50:920-928.

*Kvasnicka J. 1987. Assessing dose equivalent from intensive short-term uranium product inhalation. Health Phys 53:673-678.

*Labrecque JJ, Rosales PA, Mejias G. 1986. Instrumental neutron-activation analysis of river sediments from Rio Tigre (Venezuela) employing a planar germanium detector. Appl Spectrosc 40:1232-1235.

*Lal N, Sharma YP, Sharma PK, et al. 1982. Uranium assay in milk. Health Phys 43:425-428.

*Land CE, Shimosato Y, Saccomanno G, et al. 1993. Radiation-associated lung cancer. A comparison of the histology of lung: Cancers in uranium miners and survivors of the atomic bombings on Hiroshima and Nagasaki. Radiation Research 1:34 234-243.

*Landa ER, Councell TB. 1992. Leaching of uranium from glass and ceramic foodware and decorative items. Health Phys 343-348.

*Landsberger S, Wu D. 1993. Improvement of analytical sensitivities for the determination of antimony, arsenic, cadmium, indium, iodine, molybdenum, silicon and uranium in airborne particulate matter by epithermal neutron activation analysis. J Radioanalytical Nuclear Chemistry 167(2):291-225.

*Lang S, Kosma VM, Kumlin T, et al. 1994. Distribution and short-term effects of intratracheally instilled neutron-irradiation UO2 particles in the rat. Environmental Research 65:119-131.

*Lang S, Raunemaa T. 1991. Behavior of neutro-activated uranium dioxide dust particles in the gastrointestinal tract of the rat. Radiation Research 26:273-279.

*Lapham SC, Millard JB, Samet JM. 1989. Health implications of radionuclide levels in cattle raised near U mining and milling facilities in Ambrosia Lake, New Mexico. Health Physics 36(3):327-330.

*Larsen RP, Bhattachyaryya MH, Oldham RD, et al. 1984. Gastrointestinal absorption and retention of plutonium and uranium in the baboon. Division of Biological and Medical Research. Institute of Environmental Medicine, New York University Medical Center, Tuxedo, New York, 51-60.

*LaTouche YD, Willis DL, Dawydiak OI. 1987. Absorption and biokinetics of U in rats following an oral administration of uranyl nitrate solution. Govt Rep Announce Ind, Issue 12. NTIS PB88-170709.

*Laul JC. 1994. U-234/U-238 ratio: Qualitative estimate of groundwater flow in Rocky Flats monitoring wells. Golden, CO: Environmental Technologies.

*Lazo EN, Roessler GS, Berven BA. 1991. Determination of uranium and thorium concentrations in unprocessed soil samples. Health Physics 61(2):231-243.

*Leach LJ, Gelein RM, Panner BJ, et al. 1984. The acute toxicity of the hydrolysis products of uranium hexafluoride (UF6) when inhaled by the rat and guinea pig. Final report. ISS K/SUB-81-9039-3. NTIS DE84011539.

*Leach LJ, Maynard EA, Hodge CH, et al. 1970. A five-year inhalation study with natural uranium dioxide dust. Health Phys 18:599-612.

*Leach LJ, Yuile CL, Hodge HC, et al. 1973. A five-year inhalation study with natural uranium dioxide (UO2) dust. II. Postexposure retention and biologic effects in the monkey, dog and rat. Health Phys 25:239-258.

*Leeder JS, Kearns GL. 1997. Pharmacogenetics in pediatrics: implications for practice. Pediatric Clinics of North America 44:55-77.

*Leggett RW. 1992. A generic age-specific biokinetic model for calcium-like elements. Radiat Protect Dosim 41:183-198.

*Leggett RW, Harrison JD. 1995. Fractional absorption of ingested uranium in humans. Health Phys 68(4):484-498.

*Leggett RW, Warren BP. 1988. Age-specific models for evaluating dose and risk from internal exposures to radionuclides: Report of current work of the Metabolism and Dosimetry Research Group, July 1, 1985-June 30, 1987. Govt Rep Announce Ind, Issue 07. NTIS/DE88001528.

*Leifer R, Juzdan ZR, Kelly WR, et al. 1987. Detection of uranium from Cosmos-1402 in the stratosphere. Science 238:512-514.

*Leung H. 1993. Physiologically-based pharmacokinetic modeling. In: Ballantine B, Marro T, Turner T, eds. General and applied toxicology. Vol. I. New York, NY: Stockton Press, 153-164.

*Lide DR. 1994. Uranium. In: Handbook of chemistry and physics. 74th edition, CRC Press. 31-32.

*Lin RH, Wu LJ, Lee CH, et al. 1993. Cytogenetic toxicity of uranyl nitrate in Chinese hamster ovary cells. Mutation Research 319:197-203.

*Linsalata P. 1994. Uranium and thorium decay series radionuclides in human and animal foodchains. J Environ Qual 23:633-642.

*Lippmann M, Ong LDY, Harris WB. 1964. The significance of urine uranium excretion data. Ind Hyg J (January-February)43-54.

*Llobet JM, Sirvent JJ, Ortega A, et al. 1991. Influence of chronic exposure to uranium on male reporduction in mice. Fundamental and Applied Toxicology. 16:821-829.

*Long SE, Martin TD. 1991. Method 200.8: determination of trace elements in waters and wastes by inductively coupled plasma - mass spectrometry (revision 4.4). Environmental Monitoring Systems Laboratory, Office of Research and Development, US Environmental Protection Agency (Cincinnati, OH), April 1991.

*Longtin JP. 1988. Occurrence of radon, radium, and uranium in groundwater. Am Water Works Assoc J 80:84-93.

*Loomis DP, Shy CM, Allen JW, et al. 1990. Micronulei in epithelial cells from sputum of uranium workers. Scand J Work Environ Health. 16:355-362.

*Lowry JD, Hoxie DC, Moreau E. 1987. Extreme levels of radon-222 and uranium in a private water supply. In: Graves B, ed. Radon in ground water, radon, radium and other radioactivity in ground water: Hydrogeologic impact and application to indoor airborne contamination: Proc National Water Well Association conference, Somerset, NJ, April 7-9, 1987. Chelsea, MI: Lewis Publishers, Inc., 363-376.

*Lubin JH, Boice JD Jr., Edling C, et al. 1995. Lung cancer in radon-exposed miners and estimation of risk from indoor exposure. Journal of the National Cancer Institute 87(11):817-27.

*Luessenhop AJ, Gallimore JC, Sweet WH, et al. 1958. The toxicity in man of hexavalent uranium following intravenous administration. Am J Roentgenol 79:83-100.

*Lundin FE, Lloyd W, Smith EM, et al. 1969. Mortality of uranium miners in relation to radiation exposure, hard rock mining and cigarette smoking 1950 through September 1967. Health Phys 16:571-578.

*Mahon DC. 1982. Uptake and translocation of naturally-occurring radionuclides of the uranium series. Bull Environ Cont Toxicol 29:697-793.

*Malenchenko AF, Barkun NA, Guseva GF. 1978. Effect of uranium on the induction and course of experimental autoimmune orchitis and thyroiditis. J Hyg Epidemiol, Microbiol, Immunol 22:268-277.

*Mao Y, Desmeules M, Schaubel D, et al. 1995. Inorganic components of drinking water and microalbuminuria. Environ Res 71(2):135-40.

*MAORS. 1989. Written communication regarding Massachusetts guidelines for uranium in drinking water. Boston, MA: Massachusetts Office of Research and Standards.

*Martin F, Earl R, Tawn EJ. 1991. A cytogenetic study of men occupationally exposed to uranium. British J Industrial Medicine 48:98-102.

*Martland HS. 1931. The occurrence of maliganancy in radioactive person. Am J Cancer 15:2435-2516.

*Masuda K. 1971a. Intake and urinary excretion of uranium in non- occupationally exposed persons. I. Recovery of uranium in the daily diet and urine. Nippon Eiseigaku Zasshi (Japan) 26:434-437.

*Masuda K. 1971b. Intake and urinary excretion of uranium in non- occupationally exposed persons. II. Uranium in the daily diet. Nippon Eiseigaku Zasshi (Japan) 26:438-441.

*Masuda K. 1971c. Intake and urinary excretion of uranium in non- occupationally exposed persons. III. Urinary excretion of uranium. Nippon Eiseigaku Zasshi (Japan) 26:442-446.

*Masuda K. 1971d. Intake and urinary excretion of uranium in non-occupationally exposed persons. IV. Discussions on dietary intake and urinary excretion of uranium. Nippon Eiseigaku Zasshi (Japan) 26:447-450.

*Maynard EA, Down WL, Hodge HC. 1953. Oral toxicity of uranium compounds. In: Voegtlin C, Hodge HC, eds. Pharmacology and toxicology of uranium compounds. New York, NY: McGraw-Hill.

*Maynard EA, Hodge HC. 1949. Studies of the toxicity of various uranium compounds when fed to experimental animals. In: Voegtlin IC, Hodge HC, eds. Pharmacology and toxicology of uranium compounds, National Nuclear Energy Series (VI). New York, NY: McGraw-Hill, 309-376.

*Mays CW. 1988. Alpha particle induced cancer in humans. Health Phys 55:637-652.

*Mays CW, Rowland RE, Stehaney AF et al. 1985. Cancer risk from the lifetime intake of Ra and U isotopes. Health Phys 48(5):635-647.

*McDiarmid MA, Keough JP, Hooper FJ et al. 1999a. Health effects of depleted uranium on exposed Gulf War veterans. J Int Neuropsychol Soc (in press).

*McDiarmid MA, Hooper FJ, Squibb K, et al. 1999b. The utility of spot collection for urinary uranium determinations in depleted uranium exposed Gulf War veterans. Health Phys (in press).

*McDonald-Taylor CK, Bhatnagar MK, Gilman A, et al. March 1992. Uranyl nitrate-induced glomerular basement membrane alterations in rabbits: A quantitative analysis. Bulletin of Environmental Contamination and Toxicology (March 1992) 48 (3):367-373.

*McDonald-Taylor et al. 1997. Uranyl nitrate-induced proximal tubule alterations in rabbits: A quantitive analysis. Toxicologic Pathology 25(4):381-389.

*McElroy N, Brodsky A. 1986. Training manual for uranium mill workers on health protection from uranium. Govt Rep Announce Ind, Issue 11. NTIS/NUREG-1159.

*McGuire SA. 1983. NRC's (Nuclear Regulatory Commission) limit on intake of uranium ore dust. Govt Rep Announce Ind, Issue 18. NTIS/NUREG-0941.

*Means JL, Crerar DA, Borcsik MP, et al. 1978. Adsorption of Co and selected actinides by Mn and Fe oxides in soils and sediments. Geochim Cosmochim Acta 42:1763.

*Meditext. 1998. Medical management (uranium). Micromedex Inc. Vol. 34 (expires 10-31-97), copyright 1987-1997.

*Melgard R. 1980. In: Kathren RL, Weber JR, eds. Ultrasensitive techniques for measurement of uranium in biological samples and the nephrotoxicity of uranium, Washington, DC, Dec. 4-5, 1985. Richland, WA: Pacific Northwest Laboratory, 1-9.

*Melville CM, Wai CM, Collopy M, et al. 1981. Uranium dispersion along roads paved with phosphate slag. Bull Environ Cont Toxicol 27:479-473.

*Meriwether JR, Beck JN, Keeley DF, et al. 1988. Radionuclides in Louisiana soils. J Environ Qual 17:563-568.

*Mettler F, Moseley R. 1985. Medical effects of ionizing radiation. New York, NY: Grune and Stratton.

*Metzger R, McKlveen JW, Jenkins, et al. 1980. Specific activity of uranium and thorium in marketable rock phosphate as a function of particle size. Health Phys 39:69-76.

*Mewhinney JA. 1983. Radiation dose estimates and hazard evaluations for inhaled airborne radionuclides. Annual Progress Report July 1982 - June 1983. Report to Nuclear Regulatory Commission, Office of Nuclear Regulatory Research, Washington, DC. NTIS NUREG/CR-3870.

*Michel J, Jordana MJ. 1987. Nationwide distribution of radium-228 radon- 222 and uranium in groundwater. In: Graves B, ed. Radon in ground water, radon, radium and other radioactivity in ground water: Hydrogeologic impact and application to indoor airborne contamination: Proc National Water Well Association conference, Somerset, NJ, April 7-9, 1987. Chelsea, MI: Lewis Publishers, Inc., 227-240.

*Miller AC, Blakely WF, Livengood D, et al. 1998b. Transformation of human osteoblast cells to the tumorigenic phenotype by depleted uranium-uranyl chloride. Environ Health Perspect 106:465-471.

*Miller AC, Fuciarelli AF, Jackson WE, et al. 1998a. Urinary and serum mutagenicity studies with rats implanted with depleted uranium or tantalum pellets. Mutagenesis 13:643-648.

*Miller HT. 1977. Radiation exposures associated with surface mining for uranium. Health Phys 32:523-528.

*Miller KM, Shebell P, Kemic A. 1994. *In situ* gamma-ray spectrometry for the measurement of uranium in surface soils. Health Phys 67(2):140-150.

*Mlakar M, Branica M. 1989. Stripping voltammetric determination of trace levels of uranium by synergic adsorption. Analytica Chimica Acta 221:279-287.

*MMES. 1985. United States Department of Energy Paducah Gaseous Diffusion Plant: Environmental monitoring report, 1984. Report ISS KY-747. Martin Marietta Energy Systems, Inc. DE85014027.

*Mnller C, Ruzicka-Jaroslav Bakstein L. 1967. The sex ratio in the offsprings of uranium miners. Acta Universitatis Carolinae Medica 13(7/8):599-603.

*Moffett D, Tellier M. 1977. Uptake of radioisotopes by vegetation growing on uranium tailings. Can J Soil Sci 57:417-424.

*Momeni MH, Kisieleski WE. 1980. Measured concentrations of radioactive particles in air in the vicinity of the Anaconda uranium mill [Bluewater, New Mexico]. Report: ISS NUREG/CR-1320, ANL/ES-89.

*Moolgavkar SH, Luebeck EG, Krewski D, et al. 1993. Radon, cigarette smoke, and lung cancer a re-analysis of the Colorado Plateau Uranium Miners Data. Epidemiology 4:204-217.

*Moore RH, Breitenstein BD Jr. 1983. The U.S. uranium registry tissue program. Health Phys 44(Suppl 1):373-376.

*Moore RH, Kathren RL. 1985. A World War II uranium hexafluoride inhalation event with pulmonary implications for today. J Occup Med 27:753-756.

*Morishima H, Koga T, Kawai H, et al. 1977. Studies on the movemnent of distribution of uranium in the environments-distribution of uranium in agricultural products. J Radiat Res 18:139-150.

*Morris KJ, Barker CL, Batchelor AL, et al. 1992. Dosimetric implications of pulmonary macrophage clusters observed within lungs of rats that have inhaled enriched UO2 particles. Environmental Health Perspectives 97:201-208.

*Morris KJ, Khanna P, Batchelor AL. 1990. Long-term clearance of inhaled UO2 particles from the pulmonary region of the rat. Health Phys 58(4):477-485.

*Morris KJ, Townsend KMS, Batchelor AL. 1989. Studies of alveolar cell morphometry and mass clearance in the rat lung following inhalation of an enriched uranium dioxide aerosol. Radiat Environ Biophys 28:141-154.

*Morrow PE, Gelein R, Beiter H. 1982a. Inhalation and intravenous studies of UF6/UO2F2 in dogs. Health Phys 43:859-873.

*Morrow PE, Gibb FR, Beiter HD. 1972. Inhalation studies of uranium trioxide. Health Phys 23:273-280.

*Morrow PE, Leach LJ, Smith FA, et al. 1982b. Metabolic fate and evaluation of injury in rats and dogs following exposure to the hydrolysis products of uranium hexafluoride. Implications for a bioassay program related to potential releases of uranium hexafluoride. Govt Rep Announce Ind, Issue 11. NTIS/NUREG/CR-2268.

*Morselli PL, Franco-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants. Clinical Pharmacokinetics 5:485-527.

*Mortvedt JJ. 1994. Plant and soil relationships of uranium and thorium decay series radionuclides. J Environ Qual 23:643-650.

*Muller C, Rozicka L, Bakstein J. 1967. The sex ratio in the offsprings of uranium miners. Acta Univ Carol Med 13(7):599-603.

*Murray RL. 1994. Understanding radioactive waste, 4th edition. Batelle Pacific Northwest Laboratories, Batelle Press.

*Nagj M, Makjanic J, Orlic I, et al. 1986. Determination of uranium in sea-water by X-ray fluorescence spectroscopy. J Radioanal Nucl Chem 97:373-380.

*NAS. 1983. Drinking water and health. National Academy of Sciences. Washington, DC: National Academy Press, 5:90-117.

*NAS/NRC. 1989. Biologic markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.

*NATICH. 1987. National Air Toxics Information Clearinghouse. Office of Air Quality Planning and Standards, Research Triangle Park, NC, State and Territorial Air Pollution Program Administrators, and Association of Local Air Pollution Control Officials.

*NATICH. 1992. National Air Toxics Information Clearinghouse, NATICH Data Base of Federal, State, and Local Air Toxics Activities.

*NCRP. 1971. National Council on Radiation Protection and Measurements. Basic radiation protection criteria. NCRP Report No. 39. Washington, DC.

*NCRP. 1975. National Council on Radiation Protection and Measurements. Natural background radiation in the United States. NCRP Report No. 45. Bethesda, MD, 4-6.

*NCRP. 1976. National Council on Radiation Protection and Measurements. Environmental radiation measurements. NCRP Report No. 50. Washington, DC.

*NCRP. 1978. National Council on Radiation Protection and Measurements. Instrumentation and monitoring methods for radiation protection. NCRP Report No. 57. Washington, DC.

*NCRP. 1984a. National Council on Radiation Protection and Measurements. Exposures from the uranium series with emphasis on radon and its daughter. NCRP Report No. 77. Bethesda, MD.

*NCRP. 1984b. National Council on Radiation Protection and Measurements. Radiological assessment: Predicting the transport, bioaccumulation and uptake by man of radionuclides released to the environment. NCRP Report No. 76.

*NCRP. 1985. National Council on Radiation Protection and Measurements. A handbook of radioactivity measurements procedures. 2nd ed. NCRP Report No. 58. Bethesda, MD.

*NCRP. 1987a. National Council on Radiation Protection and Measurements. Use of bioassay procedures for assessment of internal radionuclide deposition. NCRP Report No. 87. Bethesda, MD.

*NCRP. 1987b. National Council on Radiation Protection and Measurements. Recommendations on limits of exposure to ionizing radiation. NCRP Report No. 91. Bethesda, MD.

*NCRP. 1991. National Council on Radiation Protection and Measurements. Calibration of survey instruments used in radiation protection for the assessment of ionizing radiation fields and radioactive surface contamination. NCRP Report No. 112. Bethesda MD.

*NCRP. 1993. National Council on Radiation Protection and Measurements. Limitation of exposure to ionizing radiation. Report No. 116. Bethesda, MD.

*NCRP. 1997. Deposition, retention and dosimetry of inhaled radioactive substances. National Council on Radiation Protection and Measurement. NCRP Report No. 125. Bethesda, MD.

*NEDH. 1989. Nebraska Department of Health. Domestic well water sampling in Nebraska, 1987 laboratory findings and their implications. Division of Environmental Health and Housing Surveillance, Lincoln, NE.

*NIOSH. 1997. NIOSH pocket guide to chemical hazards. U.S. Department of Health and Human Services. Public Health Services. Centers for Disease Control and Prevention. National institute for occupational safety and health. June 1997.

*NIST. 1991. National Institute of Standards and Technology. NIST calibration services users guide, special publication 250. U.S. Department of Commerce, Washington DC: U.S. Government Printing Office.

*NIST. 1995. National Institute for Standards and Technology. Standard reference materials catalog, special publication 260. U.S. Department of Commerce, Washington, DC: U.S. Government Printing Office.

*NMHED. 1989. New Mexico Health and Environment Department, Summary report on the Church Rock uranium mill tailings spill: A health and environment assessment. Santa Fe, NM.

*Norman JD, Stumpe LA, Trimm J, et al. 1983. Argon-plasma emission spectrometry of uranium in phosphatic materials (e.g., fertilizers). J Assoc Off Anal Chem 66:949-951.

*NRC. 1993. Pesticides in the diets of infants and children. National Research Council. Washington DC: National Academy Press.

*Ohanian EV. 1989. National primary drinking water regulations for radionuclides. Safe Drinking Water Act: Amendments, Regulations and Standards. Lewis Publishers, 45-55

*Orcutt JA. 1949. The toxicology of compounds of uranium following application to the skin. In: Voegtlin C, Hodge HC, eds. Pharmacology and toxicology of uranium compounds. Vols 3 and 4. New York, NY: McGraw Hill Book Co.

*ORNL. 1998. State program directory. Agreement states. Oak Ridge National Laboratory. Health Sciences Research Division. <u>http://www.hsrd.ornl.gov/nrc/agstates.htm</u>.

*Ortega A, Domingo JL, Gomez M, et al. 1989b. Treatment of experimental acute uranium poisoning by chelating agents. Pharmacol Toxicol 64:247-251.

*Ortega A, Domingo JL, Lloket JM, et al. 1989a. Evaluation of the oral toxicity of uranium in a 4-week drinking water study in rats. Bull Environ Contam Tox 42:935-941.

*Ortega JL, Domingo JL, Ortega A, et al. 1989c. The effects of uranium on reproduction, gestation, and postnatal survival in mice. Ecotox Environ Saf.

*OSHA. 1989. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000.

*OSHA. 1993. Air contaminants; final rule. U.S. Department of Labor. Occupational Safety and Health Administration. Federal Register. 58 FR 35338. June 30, 1993.

*OSHA. 1997a. Occupational health and environmental controls. Threshold limit values of airborne contaminants for construction. U.S. Department of Labor. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1926.55, Appendix A.

*OSHA. 1997b. Toxic and hazardous substances. Air contaminants. U.S. Department of Labor. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1915.1000.

*OSHA. 1997c. Air contaminants: corrections; rule. U.S. Department of Labor. Occupational Safety and Health Administration. Federal Register. 62 FR 42018. August 4, 1997.

*Otake M, Schull W. 1984. Mental retardation in children exposed *in utero* to the atomic bombs: A reassessment. Technical Report RERF TR 1-83, Radiation Effects Research Foundation, Japan.

*Owen GM, Brozek J. 1966. Influence of age, sex, and nutrition on body composition during childhood and adolescence. In: Falkner F, ed. Human development. Philadelphia, PA: Saunders, 222-238.

*Paschoa AS, Cholewa M, Jones KW, et al. 1987. PIXE-RBS (Rutherford Back- Scattering) combination to measure uranium and thorium in environmental and biological samples. J Radioanal Nucl Chem 115:231-240.

*Paternain JL, et al. 1989. The effects of uranium on reproduction, gestation, and postnatal survival in mice. Ecotoxicology and Environmental Safety 17:291-296.

*Paunescu N. 1986. Determination of uranium and thorium concentration in natural waters. J Radioanal Nucl Chem 104:209-216.

*Pavlakis N, Pollock CA, McLean G, et al. 1996. Deliberate overdose of uranium: Toxicity and treatment. Nephron 72(2):313-7.

*Pelayo JC, Andrews PM, Coffey AK, et al. 1983. The influence of age on acute renal toxicity of uranyl nitrate in the dog. Pediatric Research 17(12):985-992.

*Pellmar TC, Fuciarelli AF, Ejnik JW et al. 1999a. Distribution of uranium in rats implanted with depleted uranium pellets. Toxicol Sci 49:29-39.

*Pellmar TC, Keyser DO, Emery C et al. 1999b. Electrophysiological changes in hippocampal slices isolated from rats embedded with depleted uranium fragments. Neurotoxicology (in press).

*Perez JL, Pavon B, Cordero M, et al. 1990. Determination of uranium using a flow system with reagent injection. Application to the determination of uranium in ore leachates. Analytica Chimica Acta 230:217-230.

*Petersen GR, Sever LE. 1982. Appraisal of selected epidemiologic issues from studies of lung cancer among uranium and hard rock miners. NTIS DE82015710.

*Pleskach SD. 1985. Determination of uranium and thorium in urine by neutron activation. Health Phys 48:303-308.

*PNL. 1981. Occupational exposures to uranium: Processes, hazards and regulations. Pacific Northwest Laboratory and Hanford Environmental Health Foundation, PNL-3341 USUR-01 UC-41.

*Polednak AP, Frome EL. 1981. Mortality among men employed between 1943 and 1947 at a uranium-processing plant. J Occup Med 23:168-178.

*Polednak AP, Keane AT, Beck WL. 1982. Estimation of radiation doses to the lungs of early uranium processing plant workers. Environ Res 28:313-328.

*Poston TM. 1982. The bioaccumulation potential of thorium and uranium in rainbow trout (*Salmo gairdneri*). Bull Environ Cont Toxicol 28:682-690.

*Pozzani, UC. 1949. Pharmacology and toxicology of uranium compounds. New York, NY: McGraw-Hill, Inc.

*Premuzie ET, Francis AJ, Lin M, et al. 1995. Induced formation of chelating agents by <u>Pseudomonas</u> aeruginosa grown in presence of thorium and uranium. Arch Environ Contam Toxicol 14:759-768.

*Price KR, Kinnison RR. 1982. Uranium and other heavy metals in soil and vegetation from the Hanford environs. Report: ISS PNL-4466. DE83003313.

*Priest ND, Howells GR, Green D, et al. 1982. Uranium in bone: Metabolic and autoradiographic studies in the rat. Hum Toxicol 1:97-114.

*Purtymun WD, Peters RJ, Buhl TE, et al. 1987. Background concentrations of radionuclides in soils and river sediments in northern New Mexico, 1974-1986. Report: ISS LA-11134-MS. DE88001560.

*Purtymun WD, Peters RJ, Stoker AK. 1980. Radioactivity in soils and sediments in and adjacent to the Los Alamos area, 1974-1977. Report: ISS LA-8234-MS.

*Querol X, Alastuey A, Lopez-Soler A, et al. 1997. Trace element contents in atmospheric suspended particles: Inferences from instrumental neutron activation analysis. Fresenius' Journal of Analytical Chemistry 357(7):934-940.

*Ramachandraiah C, Vijayakumari D, Lakshminarayana K. 1993. A sensitive spectrophotometric method for the determination of trace amounts of uranium(VI) using o-hydroxypropiophenone isonicotinoyl hydrazone. J Radioanal Nucl Chem, Letters 175(3):185-190.

*Rayno DR. 1983. Estimated dose to man from uranium milling via the beef/milk food-chain pathway. Sci Total Environ 31:219-241.

*Reid DG, Sackett WM, Spaulding RF. 1977. Uranium and radium in livestock feed supplements. Health Phys 32:535.

*Reyes M, Wilkinson GS, Tietjen G, et al. 1984. Brain tumors at a nuclear facility. J Occup Med 26:721-724.

*Riley JE, Jr. 1982. Ultrahigh sensitivity uranium analyses using fission track counting: Further analyses of semiconductor packaging materials. J Radioanalytical Chem 72(1-2):89-99.

*Roberts E. 1949. Pharmacology and toxicology of uranium compounds. Mcgraw-Hill Book Company, Inc., 561-585.

Rossol M. 1997. Ceramic glazes, frit metal enamels, and glass; personal communication and supporting materials. Arts, Crafts and Theater Safety, New York.

*Rothermel JJ. 1949. Uranium tetrachloride. Pharmacology and toxicology of uranium compounds. McGraw-Hill Book Company, Inc., 588-602.

*Rothstein A. 1949a. Pharmacology and toxicology of uranium compounds. McGraw-Hill Book Company, Inc., 548-560.

*Rothstein A. 1949b. Pharmacology and toxicology of uranium compounds. McGraw-Hill Book Company, Inc., 614-621.

*Rothstein A. 1949c. Pharmacology and toxicology of uranium compounds. McGraw-Hill Book Company, Inc., 635-648.

*Rothstein A. 1949d. Pharmacology and toxicology of uranium compounds. McGraw-Hill Book Company, Inc., 588-607.

*Rowland RE, Stehney AF, Lucas HF. 1978. Dose-response relationships or female radium dial painters. Radiat. Res 76:368-383.

*Rubin P, Casarett G. 1968. Clinical radiation pathology. Philadelphia: W.B. Sanders Company, 33.

*Russel J, Kathren R, Dietert S. 1996. A histological kidney study of uranium and non-uranium workers. Health Physics 70(4):466-72.

*Saccomanno G, Archer VE, Saunders RP, et al. 1976. Early indices of cancer risk among uranium miners with reference to modifying factors. Ann NY Acad Sciences 271:377-383.

*Saccomanno G, Auerbach O, Kuschner M, et al. 1996. A comparison between the localization of lung tumors in uranium miners and in nonminers from 1947 to 1991. Cancer 77(7):1278-83.

*Saccomanno G et al. 1971. Histologic types of lung cancer among uranium miners. Cancer 27:515-523.

*Saccomanno G, Huth GC, Auerbach O, et al. 1988. Relationship of radioactive radon daughters and cigarette smoking in the genesis of lung cancer in uranium miners. Cancer 62:1402-1408.

*Saccomanno G, Thun MJ, Baker DB, et al. 1982. The contribution of uranium miners to lung cancer histogenesis renal toxicity in uranium mill workers. Cancer Research 82:43-52.

*Saccomanno G, Yale C, Dixon W, et al. 1986. An epidemiological analysis of the relationship between exposure to radon progeny, smoking and bronchogenic carcinoma in the uranium-mining population of the Colorado Plateau (USA): 1960-1980. Health Phys 50:605-618.

*Sairenji E, Moriwaki K, Shimizu M, et al. 1980. Estimation of radiation dose from porcelain teeth containing uranium compound. 59:1136-1140.

*Samet JM. 1993. The disease of uranium miners and others underground miners exposed to radon. In: Rom WN, ed. Environmental and occupational medicine. Boston, MA: Little Brown and Company.

*Samet JM, Kutvirt DM, Waxweiler RJ, et al. 1984. Uranium mining and lung cancer in Navaho men. N Eng J Med 310:1481-1484.

*Samet JM, Morgan MV, Key CR, et al. 1986. Studies of uranium miners in New Mexico. Ann Am Conf Gov Ind Hyg 15:351-355.

*Sanders CL. 1986. Radiological health. Toxicological aspects of energy production. Columbus Ohio: Battelle Press, 253-284.

*Scharer JM, Ibbotson B. 1982. Bacterial oxidation of inorganic compounds in mining waste. Conserv Recycling 5:47:53.

*Schiefer HP, Gramain P, Kraeminger E. 1980. Improvement of the uranium determination in flame atomic emission spectrometry by addition of cobalt nitrate an interference agent. Fresenius Z. Anal Chem 303:29.

*Schieferdecker H, Dilger H, Doerfel H, et al. 1985. Inhalation of uranium aerosols from uranium dioxide fuel element fabrication. Health Phys 48:29-48.

*Scott LM. 1973. Environmental monitoring and personnel protection in uranium processing. In: Hodge et al. eds. Uranium, plutonium transplutonic elements. New York, NY: Springer-Verlag, 271-294.

*Scott LM, Bahler KW, De La Garza A, et al. 1972. Mortality experience of uranium and nonuranium workers. Health Phys 23:555-557.

*Seeley FG, Kelmers AD. 1985. Geochemical information for sites contaminated with low level radioactive wastes: 2. St. Louis Airport Storage Site. Govt Rep Announc Ind, Issue 11.

*Setchell BP, Waites GMH. 1975. The blood testis barrier (Chapter 6). In: Creep RO, Astwood EB eds, Geiger SR (executive ed.) Handbook of physiology: Endocrinology. V American Physiological Society, Washington DC.

*Sharma PK, Lal N, Nagpaul KK. 1985. Estimation of uranium content in coffee samples by fission-track counting. Health Phys 48:809-810.

*Shaw TJ, Sholkovitz ER, Klinkhammer G. 1994. Redox dynamics in the Chesapeake Bay: The effect on sediment/water uranium exhange. Geochimica et Cosmochimica Acta 58(14):2985-2995.

*Shearer SD, Jr., Sill CW. 1969. Evaluation of atmospheric radon in the vicinity of uranium mill tailings. Health Phys 17:77.

*Sheppard MI, Thibault DH, Mitchell JH. 1987. Element leaching and capillary rise in sandy soil cores: Experimental results. J Env Qual 16:273-284.

*Sheppard MI, Vandergraaf TT, Thibault DH, et al. 1983. Technetium and uranium: Sorption by and plant uptake from peat and sand. Health Phys 44:635-644.

*Shiraishi K, Igarashi Y, Takaku Y, et al. 1992. Daily intakes of 232Th and 238U in Japanese males. Health Phys 63(2):187-191.

*Sikov MR, Mahlum DD. 1968. Cross-placental transfer of selected actinides in the rat. Health Phys 14(3):205-8.

*Sikov MR, Rommereim DN. 1986. Evaluation of the embryotoxicity of uranium in rats. In: 26th Annual meeting of the Teratology Society and the 10th annual meeting of the Behavioral Teratology Society, Boston, MA, July 6-10. Teratology 33:41C.

*Silva RJ, Benson LV, Apps JA. 1979. Studies of actinide sorption on selected geologic materials. ACS Symp Ser 100:215-240.

*Simpson HJ, Trier RM, Toggweiler JR, et al. 1982. Radionuclides in Mono Lake, California, USA. Science 216:512-514.

*Singh NP, Bennett DB, Wrenn ME. 1987b. Macro-distribution of naturally occurring d-emitting isotopes of U in the human skeleton. Health Phys 52:769-773.

*Singh NP, Bennett DD, Wrenn ME, et al. 1987a. Concentrations of alpha- emitting isotopes of U and Th in uranium miners' and millers' tissues. Health Phys 53:261-265.

*Singh NP, Burleigh DP, Ruth HM, et al. 1990. Daily U intake in Utah residents from food and drinking water. Health Phys 59(3):333-337.

*Singh NP, Lewis LL, Wrenn ME. 1986b. Uranium in human tissues of Colorado, Pennsylvania and Utah populations. Health Phys 550:583.

*Singh NP, Wrenn ME. 1986a. Levels of uranium-234, -238, and thorium-230 in excreta of uranium mill crushermen. Health Phys 50:300-302.

*Singh NP, Wrenn ME. 1987. Uptake of uranium from drinking water. In: Hemphill DD, ed. Trace substances in environmental health. Columbia, MO: University of Missouri, 203-212.

*Singh NP, Wrenn ME. 1988. 5th Symposium: Environmental Radiochemical Analysis, Part B, Harwell England, UK, October 1-3, 1986. Sci Total Environ 70:187-204.

*Singh NP, Wrenn ME. 1989. Is the Beagle dog an appropriate experimental animal for extrapolating data to humans on organ distribution patterns of U Th, and Pu? Health Phys 57:91-96.

*Singh NP, Wrenn ME, McInroy JF, et al. 1986a. Ratios of uranium-234, - 238, and thorium-230 in dog lungs exposed to uranium ore dust: An interlaboratory comparison. Health Phys 50:292-297.

*Singh NP, Zimmerman CJ, Lewis LL, et al. 1984. Nuclear instrumental methods. Physics Research 223:558-62.

*Smith DD, Black SC. 1975. Actinide concentrations in tissues from cattle grazing near the Rocky Flats Plant. Report: ISS NERC-LV-539-36.

*Smith MR, Laul JC, Johnson VG. 1988. Natural radionuclides in Hanford Site groundwaters. Mater Res Soc Symp Proc 112:249-257.

*Sontag W. 1983. The early distribution of plutonium-239, americium-241 and uranium-233 in the soft tissues and skeleton of old rats. A comparative study. Hum Toxicol 2:91-100.

*Sontag W. 1986. Multicompartment kinetic models for the metabolism of americium, plutonium and uranium in rats. Hum Toxicol 5:163-173.

*Spencer H, Osis D, Isabel M, et al. 1990. Measured intake and excretion patterns of naturally occuring 234 U, 238 U, and calcium in humans. Radiation Research 124:90-95.

*Spiegl CJ. 1949. Pharmacology and toxicology of uranium compounds. McGraw-Hill Book Company, Inc. 532-547.

*Spiess FW, Mays CW. 1970. Bone cancers induced by Ra 224 in children and adults. Health Physics 19:713-729.

*Spiess FW, Mays CW. 1973. Protraction effect on bone sarcoma induction of Ra 224 in children and adults. In: Sanders CL, et al., ed. Radionuclide carcinogenesis. Springfield, VA: NTIS, 437-450.

*Spoor NL, Hursh JB. 1973. Protection criteria. In: Hodge HC, Stannard JN, Hursh JB, eds. Handbook of experimental pharmacology. Berlin: Springer- Verlag, 241-270,

*Sprague GF, Harrison WM. 1949. Pharmacology and toxicology of uranium compounds. McGraw-Hill Book Company, Inc., 525-531.

*Sram RJ, Binkova B, Dobias L, et al. 1993. Monitoring genotoxic exposure in uranium miners. Environ Health Perspect 99:303-305.

*SRI. 1988. 1988 Directory of Chemical Producers: United States of America. Menlo Park, CA: Stanford Research Institute, 1044.

*Stelling JHE. 1980. Source category survey: Uranium refining industry. Report. EPA-450/3-80-010. NITS PB80-192867.

*Stevens W, Bruenger FW, Atherton DR, et al. 1980. The distribution and retention of hexavalent uranium-233 in the Beagle. Radiat Res 83:109-126.

*Stevenson KA, Hardy EP. 1993. Estimate of excess uranium in surface soil surrounding the feed materials production center using a requalified data base. Health Phys 65(3):283-287.

*Stewart BD, McKlveen JW, Glinski RL. 1988. Determination of uranium and radium concentrations in the waters of the Grand Canyon by alpha spectrometry. J Radioanal Nucl Chem 123:121-132.

*Stokinger HE. 1981. Uranium, U. In: Clayton CD, Clayton FE, eds. Industrial hygiene and toxicology, Vol. 2A. 3rd ed. New York, NY: John Wiley & Sons, 1995-2013.

*Stokinger HE, Baxter RC, Dygent HP, et al. 1953. In: Voegtlin C, Hodge HC, eds. Toxicity following inhalation for 1 and 2 years.

*Stopps GJ, Todd M. 1982. The chemical toxicity of uranium with special reference to effects on the kidney and the use of urine for biological monitoring. Prepared for the Atomic Energy Control Board, Ottawa, Canada. CA 8306480. NTIS DE 84-701123.

*Strading GN, Stather JW, Gray SA, et al. 1988. The metabolism of ceramic and non-ceramic forms of uranium dioxide after deposition in the rat lung. Human Toxicol 7:133-139.

*Stradling GN, Gray SA, Moody JC, et al. 1991. Efficacy of tiron for enhancing the excretion of uranium from the rat. Human & Experimental Toxicology 10:195-198.

*Stradling GN, Smith H, Cooper JR, et al. 1984. Factors affecting the abundance of uranium isotopes in body tissues and excreta following the deposition of enriched uranium dioxide in the lungs - The radiological implications. Health Phys 46:434-438.

*Stradling GN, Stather JW, Gray SA, et al. 1987. Metabolism of uranium in the rat after inhalation of two industrial forms of ore concentrate: The implications for occupational exposure. Hum Toxicol 6:385-394.

*Stuart WI, Adams RB, Smith HE. 1979. Solubility and hemolytic activity of uranium trioxide. Environ Res 18:385-396.

*Sudo M, Honda N, Hishida A, et al. 1977. Renal hemodynamics in uranyl acetate-induced acute renal failure of rabbits. Kidney Int 11:35-43.

*Sullivan MF. 1980. Absorption of actinide elements from the gastrointestinal tract of neonatal animals. Health Phys 38(2):173-185.

*Sullivan MF. 1980a. Absorption of actinide elements from the gastrointestinal tract of rats, guinea pigs and dogs. Health Phys 38:159-171.

*Sullivan MF. 1980b. Absorption of actinide elements from the gastrointestinal tract of neonatal animals. Health Phys 38:173-185.

*Sullivan MF, Gorham LS. 1982. Further studies on the absorption of actinide elements from the gastrointestinal tract of neonatal animals. Health Phys 43(4):509-19.

*Sullivan MF, Ruemmler PS. 1988. Absorption of 233U, 237Np, 238Pu, 241Am and 244Cm from the gastrointestinal tracts of rats fed an iron-deficient diet. Health Phys 54:311-316.

*Sullivan MF, Ruemmler PS, Ryan JL, et al. 1986. Influence of oxidizing or reducing agents on gastrointestinal absorption of uranium, plutonium, americium, curium, and promethium by rats. Health Phys 50:233-232.

*Sullivan MR, Gorham L. 1982. Further studies on the absorption of actinide elements from the gastrointestinal tract of neonatal animals. Health Phys 43:509-519.

*Sullivan RE, Nelson NS, Ellett WH, et al. 1981. Estimates of health risk from exposure to radioactive pollutants. ORNL/TM-7745.

*Suzuki S, Hirai S. 1987. Instrumental neutron activation analysis of vehicle exhaust particulates as environmental reference material. Anal Sci 3:193-197.

*Swanson SM. 1983. Levels of 236Ra, 210Pb and total U in fish near a Saskatchewan uranium mine and mill. Health Phys 45(1):67-80.

*Swanson SM. 1985. Food chain transfer of U-Series radionuclides in northern Saskatchewan aquatic system. Health Phys 49:747-770.

*Szabo Z, Zapecza OS. 1987. Relation between natural radionuclide activities and chemical constituents in ground water in the Newark Basin New Jersey USA. In: Graves B, ed. Radon in ground water, radon, radium and other radioactivity in ground water: Hydrogeologic impact and application to indoor airborne contamination: Proc National Water Well Association conference, Somerset, NJ, April 7-9, 1987. Chelsea, MI: Lewis Publishers, Inc., 283-308.

*Tadmor J. 1986. Atmospheric release of volatilized species of radioelements from coal-fired plants. Health Phys 50:270-273.

*Tannenbaum A, Silverstone H, Koziol J. 1951. The distribution and excretion of uranium in mice, rats and dogs. In: Tannenbaum A, ed. Toxicology of uranium compounds. New York, NY: McGraw-Hill, 128-181.

*Thind KS. 1987. A comparison of ICRP Publication 30 lung model-based predictions with measured bioassay data for airborne natural uranium dioxide exposure. Health Phys 53:59-66.

*Thompson DL. 1976. Uranium in dental porcelain. Report. NTIS PB- 259624.

*Thun MJ, Baker DB, Smith AB, et al. 1981. Health hazard evaluation report HETA-81-055-954, Cotter Corp, Canon City, CO. NTIS PB83-127407.

*Thun MJ, Baker DB, Steenland K, et al. 1985. Renal toxicity in uranium mill workers. Scand J Work Environ Health 11(2):83-90.

*Ticknor KV. 1994. Uranium sorption on geological materials. Radiochimica Acta 64:229-236.

*Tobias CA. 1985. Failla Memorial Lecture. The future of heavy-ion science in biology and medicine. Radiat Res 103(1):1-33.

*Toole J, McKay K, Baxter M. 1991. Determination of uranium in marine sediment pore waters by isotope dilution inductively coupled plasma mass spectrometry. Analytica Chimica Acta 245:83-88.

*Tracy BL, Meyerhof DP. 1987. Uranium concentrations in air near a Canadian uranium refinery. Atmos Env 21:165-172.

*Tracy BL, Quinn JM, Lahey J, et al. 1992. Absorption and retention of uranim from drinking water by rats and rabbits. Health Phys 62(1):65-73.

*Twiss P, Watling RJ, Delev D. 1994. Determination of thorium and uranium in faecal material from occupationally-exposed workers using ICP-MS. Atomic Spectroscopy 15(1):36-39.

*Ubios AM, Braun EM, Cabrini RL. 1994. Lethality due to uranium poisoning is prevented by ethane-1-hydroxy-1,1-biphosphonate (EHBP). Health Phys 66(5):540-4.

*Ubios AM, Guglielmotti MB, Steimetz T, et al. 1991. Uranium inhibits bone formation in physiologic Alveolar bone modeling and remodeling. Environment Research 54:17-23.

*UCC. 1980. Union Carbide Corporation. United States Department of Energy, Paducah Gaseous Diffusion Plant. Environmental monitoring report.

*Ueda K, Koshino Y, Yamamoto Y. 1985. Preconcentration of uranium in seawater with hetercyclic azo dyes suported on silica gel. Analytical Letters 18:2345-2359.

*Uesugi K, Nagahiro T. 1983. A highly sensitive spectrophotometric determination of uranium with chromal blue G in the presence of cetytrimethylammonium chloride. Analytica Chimica Acta 148: 315-320.

*UNSCEAR. 1977. United Nations Scientific Committee on the Effects of Atomic Radiation. Sources and effects of ionizing radiation. United Nations Document E.77.IX.1, New York, NY.

*UNSCEAR. 1982. United Nations Scientific Committee on the Effects of Atomic Radiation. Ionizing radiation: Sources and biological effects. United Nations Document E.82.IX.8, New York, NY.

*UNSCEAR. 1986. United Nations Scientific Committee on the Effects of Atomic Radiation. Genetic and somatic effects of ionizing radiation. New York: United Nations.

*UNSCEAR. 1988. United Nations Scientific Committee on the Effects of Atomic Radiation. Sources, effects and risks of ionizing radiation. Report to the General Assembly, with annexes. New York, NY: United Nations Publications.

*Upton AC. 1993. Ionizing radiation. In: Rom WN, ed. Environmental and occupational medicine, 1071-1083.

*Uranium Institute. 1996. The nuclear fuel cycle. http://www.uilondon.org/nfc.htm

*USDOC. 1984. U.S. General imports and imports for consumption. Schedule A, commodity by country. Washington, DC: Bureau of Census, U.S. Department of Commerce, 2-61 to 2-62.

*USDOC. 1988. U.S. General imports and imports for consumption. Schedule A, commodity by country. Washington, DC: Bureau of Census, U.S. Department of Commerce, 2-70 to 2-71; 2-149.

*USDOC 1995. National Trade Data Bank. U.S. Department of Commerce, Bureau of the Census.

*USDOC. 1997. U.S. Merchandise import and export trade. Retrieved from National Trade Data Bank. United States Department of Commerce, Bureau of Census.

*USDOC. 1999. National Trade Data Bank. U.S. Department of Commerce, Bureau of the Census.

*USNRC. 1969. United States Nuclear Regulatory Commission. Interpretations. Code of Federal Regulations. 10 CFR 8.

*USNRC. 1981. United States Nuclear Regulatory Commission. Uranium fuel cycle environmental data. Federal Register 46:15154-15175.

*USNRC. 1986. United States Nuclear Regulatory Comission. Assessment of the public health impact from the accidental release of UP6 at the Sequoyah Fuels Corporation Facility at Gore, Oklahoma. Vol. 1. U.S. Report NUREG-1189. Washington DC. Doc No. 40-8027.

*USNRC. 1988. United States Nuclear Regulatory Commission. Maximum permissible concentrations for uranium and thorium. Code of Federal Regulations. 10 CFR 20.

*USNRC. 1992. United States Nuclear Regulatory Commission. Nuclear Regulatory Commission Information Digest, 1992 Edition. NUREG-1350-V4. Washington, DC.

*USNRC. 1993a. United States Nuclear Regulatory Commission. Federal Register. 58 FR 14178 (proposed).

*USNRC. 1993b. United States Nuclear Regulatory Commission. Federal Register. 58 FR 18049 (proposed).

*USNRC. 1993c. United States Nuclear Regulatory Commission. Federal Register. 58 FR 19784 (proposed).

*USNRC. 1993d. United States Nuclear Regulatory Commission. Federal Register. 58 FR 26257 (proposed).

*USNRC. 1993e. United States Nuclear Regulatory Commission. Federal Register. 58 FR 33570 (proposed).

*USNRC. 1993f. United States Nuclear Regulatory Commission. Annual limits on intake (ALIs) and derived air concentrations (DACs) of radionuclides for occupational exposure; effluent concentrations; concentrations for release to sewerage. Code of Federal Regulations. 10 CFR 20, Appendix B.

*USNRC. 1994a. United States Nuclear Regulatory Commission. Federal Register. 58 FR 43200 (proposed).

*USNRC. 1994b. United States Nuclear Regulatory Commission. Federal Register. 58 FR 30724 (proposed).

*USNRC. 1995a. United States Nuclear Regulatory Commission. Occupational dose limits. Code of Federal Regulations. 10 CFR 20, Subpart C.

*USNRC. 1995b. United States Nuclear Regulatory Commission. Requirements for transfer of low-level radioactive waste intended for disposal at licensed land disposal facilities and manifests. Code of Federal Regulations. 10 CFR 20, Appendix G.

*USNRC. 1997a. United States Nuclear Regulatory Commission. Standards for protection against radiation, general provisions, definitions. Code of Federal Regulations. 10 CFR 20.1003.

*USNRC. 1997b. United States Nuclear Regulatory Commission. Dose limits for individual members of the public. Code of Federal Regulations. 10 CFR 20.1301.

*USNRC. 1997c. United States Nuclear Regulatory Commission. Radiological criteria for license termination. Code of Federal Regulations. 10 CFR 20, Subpart E.

*USNRC. 1999. United States Nuclear Regulatory Commission. Standards for protection against radiation, general provisions, scope. Code of Federal Regulations. 10 CFR 20.1002.

*USTUR. 1996. United States transuranium and uranium registries, Annual report October 1, 1995 - September 30, 1996. Washington State University, Richland, Washington.

*USTUR. 1999. U.S. transuranium and uranium registry. USTUR database. http://www.tricity.wsu.edu/~ustur/database.html.

*Van den Berg CMG, Nimmo M. 1987. Direct determination of uranium in water by cathodic stripping voltammetry. Anal Chem 59:924-928.

*Van Netten C, Morley DR. 1983. Uptake of uranium molybdenum copper and selenium by the radish from uranium rich soils. Arch Env Health 38:172-175.

*Vandergrift GF, Bowers DL, Gerding TJ, et al. 1984. Interaction of groundwater and basalt fissure surfaces and its effect on the migration of actinides. Washington DC: American Chemical Society.

*Velten RJ, Jacobs BJ. 1984. Determination of uranium in drinking water by laser induced fluorometry. EPA Method 908.2. Cincinnati, OH: Environmental Monitoring and Support Laboratory, Physical and Chemical Methods Branch, U.S. Environmental Protection Agency.

*Veselsky JC, Kwiecinska B, Wehrstein E, et al. 1988. Determination of uranium in minerals by laser fluorimetry. Analyst 113:451-455.

*Veska E, Eaton RS. 1991. Abandoned Rayrock uranium mill tailings in the Northwest Territories: environmental conditions and radiological impact. Health Phys 60(3):399-409.

*Vich Z, Kriklava J. 1970. Erythrocytes of uranium miners: The red blood picture. Br J Ind Med 27:83-85.

*Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. European Journal of Biochemistry 238:476-483.

*Voegtlin C, Hodge HC, eds. 1949. Pharmacology and toxicology of uranium compounds. Vols 1 and 2. New York, NY: McGraw-Hill.

*Voegtlin C, Hodge HC, eds. 1953. Pharmacology and toxicology of uranium compounds. Vols 3 and 4. New York, NY: McGraw-Hill.

*Waite DT, Joshi SR, Sommerstad H. 1988. The effect of uranium mine tailings on radionuclide concentrations in Langley Bay, Saskatchewan Canada. Arch Env Contam Tox 17:373-380.

*Walinder G. 1989. Metabolism and sites of effects of uranium after incorporation along different routes in mice, rabbits and piglets. Radiation Protection Dosimetry 26(1/4):89-95.

*Wang J, Wang J, Lu J, et al. 1994. Adsorptive stripping voltammetry of trace uranium critical comparison of various chelating agents. Analytica Chimica Acta 292:91-97.

*Wasserman J. 1986. Immunoligical indicators. In: Biological indicators for radiation dose assessment. Munchen: MMV Medizin Verlag, 85-105.

*Waxweiler RJ, Archer VE, Roscoe RJ, et al. 1983. Mortality patterns among a retrospective cohort of uranium mill workers. Presented at Epidemiology Applied to Health Physics: Proceedings of the Health Physics Society, 428-435.

*Waxweiler RJ, Roscoe RJ, Archer VE, et al. 1981a. Mortality follow-up through 1977 of the white underground uranium miners cohort examined by the United States Public Health Service.

*Waxweiler RJ, Roscoe RJ, Archer VE, et al. 1981b. In: Wiese WH, ed. Birth effects in the Four Corners area. Transcript of Meeting Held February 27, 1981. Department Family, Community, and Energency Medicine, University of New Mexico School of Medicine, Albuquerque, New Mexico.

*Weast R, ed. 1985. CRC handbook of chemistry and physics. 66th ed. Boca Raton, FL: CRC Press, B-146; B-440 to B-441.

*Wedeen RP. 1992. Renal diseases of occupational origin. Occupational Medicine 7(3):449

*Weigel F. 1983. Uranium and uranium compounds. In: Grayson M, ed. Kirk- Othmer encyclopedia of chemical technology, Vol. 23, 3rd ed. New York, NY: John Wiley & Sons, 502-547.

*Weissman SH, Carpenter RL, Newton GJ. 1983. Respirable aerosols from fluidized bed coal combustion: 3. Elemental composition of fly ash. Env Sci Tech 17:65-71.

*Welford GA, Baird R. 1967. Uranium levels in human diet and biological materials. Health Phys 13:1321-1324.

*Wersin P, Hochella MF, Persson P, et al. 1994. Interaction between aqueous uranium (VI) and sulfide minerals: Spectroscopic evidence for sorption and reduction. Geochimica et Cosmochimica Acta 58(13):2829-2843.

*Wessman RA. 1984. An overview of the radiochemical analysis of uranium. In: Biokinetics and analysis of uranium in man. Proceedings of a colloquium, Richland, WA, Aug 8-9, 1984. Prepared by the Hanford Environmental Health Foundation for the Department of Energy, J-1 to J-57.

*West CM, Scott LM. 1969. Uranium cases showing long chest burden retention an updating. Health Phys 17:781-791.

*West CM, Scott LM, Schultz NB. 1979. 16 years of uranium personnel monitoring experience--in retrospect. Health Phys 36:665-669.

*West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. J. of Pediatrics 32a:10-18.

*Whittemore AS, McMillan A. 1983. Lung cancer mortality among USA uranium miners: A reappraisal. J Natl Cancer Inst 71:489-500.

*WHO. 1984. World Health Organization. Guidelines for Drinking Water Quality, Vol. 1 Recommendations.

*Wick RR, Chmelevsky D, Gossner W. 1986. 224 Ra risk to bone and haematopoietic tissue in ankylosing spondylitis patients. In: Gossner W, Gerber GB, et al., eds. The radiobiology of radium and thorotrast. Munich, West Germany: Urban and Schwarzenberg, 38-44.

*Widdowson EM, Dickerson JWT. 1964. Chapter 17: Chemical composition of the body. In: C.L. Comar and Felix Bronner, eds. Mineral metabolism: An advanced treatise, Volume II - the elements part A. New York, NY: Academic Press.

*Wiegand J, Yamamoto G, Gaston W. 1987. Elevated levels of radioactivity in water wells in Los Angeles and Orange Counties, CA, USA. In: Graves B, ed. Radon in ground water, radon, radium and other radioactivity in ground water: Hydrogeologic impact and application to indoor airborne contamination: Proc National Water Well Association conference, Somerset, NJ, April 7-9, 1987. Chelsea, MI: Lewis Publishers, Inc., 71-73.

*Wiese WH, Skipper BJ. 1986. Survey of reproductive outcomes in uranium and potash mine workers: Results of first analysis. Ann Am Conf Gov Ind Hyg 14:187-192.

*Williams JK, Berven BA. 1986. Results of radiological measurements taken in the Niagara Falls, NY area. Report: ISS ORNL/TM-10076. DE87002963.

*Woodard HQ. 1980. Radiation carcinogenesis in man: A critical review. Environmental measurments laboratory report EML-380. U.S. Department of Energy, New York.

*Woodis TC Jr., Trimm JR, Holmes JH, et al. 1980. Determination of uranium in phosphate rock and wet-process phosphoric acid by argon-plasma emission spectrometry. J Assoc Off Anal Chem 63:208-210.

*Woods DA. 1986. Final product dust activity median aerodynamic diameters in the product packing areas of two Australian uranium mills. Health Phys 51:352-356.

*Wrenn ME, Durbin PW, Howard B. 1985. Metabolism of ingested uranium and radium. Health Phys 48:601-633.

*Wrenn ME, Durbin PW, Willis DL, et al. 1987. The potential toxicity of uranium in water. Am Water Works Assoc J 79:177-184.

*Wrenn ME, Liese G, Torrey J, et al. 1986. The elimination rate of uranium from the kidney of the dog. In: Research in radiobiology. Annual report of work in progress in the Internal Irradiation Program.

*Wrenn ME, Lipsztein J, Bertelli L. 1988a. Pharmacokinetic models relevant to toxicity and metabolic for uranium in humans and animals. DOE Report. DOE/NV/10574-2.

*Wrenn ME, Singh NP, Ruth H, et al. 1988b. Gastrointestinal absorption of soluble uranium from drinking water. Govt Rep Announce Ind, Issue 17.

*Wrenn ME, Singh NP, Ruth H et al. 1989. Gastrointestinal absorption of soluble uranium from drinking water by man. Radiat Prot Dosim 26:119-122.

379

*Wrenn ME, Singh NP, Saccomanno G. 1983. Uranium and thorium isotopes and their state of equilibria in lungs from uranium miners. Health Phys 44(Suppl 1):385-389.

*Yamamoto T, Masuda K, Nukada K. 1971. Studies on environmental contamination by uranium. 6. Uranium in total diet and human urine from nonoccupationally exposed persons in Okayama Prefecture (1969-1971). J Radiation Res 13(1):5.

*Yamamoto T, Masuda K, Onishi N. 1968. Studies on environmental contamination by uranium. J Environ Surv of Uranium in Kamiscaibara Village, Okayama Prefecture. J Rad Res 9:92-99.

*Yang IC, Edwards KW. 1984. Releases of radium and uranium into Ralston Creek and Reservoir Colorado USA from uranium mining. In: Barney GS, Navratil JD, Schulz W, eds. 185th meeting: American Chemical Society Symposium Series 246. Geochemical behavior of disposed radioactive waste, Seattle WA, March 20-25, 1983. Washington, DC: American Chemical Society, 271-286.

*Yu RC, Sherwood RJ. 1996. The relationships between urinary elimination, airborne concentration, and radioactive hand contamination for workers exposed to uranium. AIHA 57(7):615-20.

*Yuile CL. 1973. Animal experiments. In: Hodge HC, Stannard JN, Hursh JB, eds. Handbook of experimental pharmacology, Vol. 36. Berlin: Springer- Verlag, 165-196.

*Zalups RK. 1991. An evaluation of Tiron (Sodium 4,5-dihydroxybenzene-1,3-disulfonate) as a rescue agent for the nephropathy induced by uranyl fluoride (UO2F2) in rats. Research Communications in Chemical Pathology and Pharmacology. 72(1):125-128.

*Zamora ML, Tracy BL, Zielinski JM, et al. 1998. Chronic ingestion of uranium in drinking water: A study of kidney bioeffects in humans. Toxicol Sci 43:68-77.

*Zhao S, Zhao F-Y. 1990. Nephrotoxic limit and annual limit of intake for natural U. Health Phys Society 619-623.

*Ziegler EE, Edwards BB, Jensen RL et al. 1978. Absorption and retention of lead by infants. Pediatr Res 12:29-34.

*Zielinski RA, McKown DM. 1984. Determination of uranium concentration in water by liquid anion-exchange-delayed-neutron analysis. J Radioanal Nucl Chem 84:207-212.