TOXICOLOGICAL PROFILE FOR 1,2,3-TRICHLOROPROPANE

Agency for Toxic Substances and Disease Registry U.S. Public Health Service

September 1992

DISCLAIMER

The use of company or product name(s) is for identification only and does not imply endorsement by the Agency for Toxic Substances and Disease Registry.

FOREWORD

The Superfund Amendments and Reauthorization Act (SARA) of 1986 (Public Law 99-499) extended and amended the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA or Superfund). This public law directed the Agency for Toxic Substances and Disease Registry (ATSDR) to prepare toxicological profiles for hazardous substances which are most commonly found at facilities on the CERCLA National Priorities List and which pose the most significant potential threat to human health, as determined by ATSDR and the Environmental Protection Agency (EPA). The lists of the 250 most significant hazardous substances were published in the Federal Register on April 17, 1987; on October 20, 1988; on October 26, 1989; and on October 17, 1990. A revised list of 275 substances was published on October 17, 1991.

Section 104(i)(3) of CERCLA, as amended, directs the Administrator of ATSDR to prepare a toxicological profile for each substance on the lists. Each profile must include the following content:

- (A) An examination, summary, and interpretation of available toxicological information and epidemiological evaluations on the hazardous substance in order to ascertain the levels of significant human exposure for the substance and the associated acute, subacute, and chronic health effects.
- (B) A determination of whether adequate information on the health effects of each substance is available or in the process of development to determine levels of exposure which present a significant risk to human health of acute, subacute, and chronic health effects.
- (C) Where appropriate, an identification of toxicological testing needed to identify the types or levels of exposure that may present significant risk of adverse health effects in humans.

This toxicological profile is prepared in accordance with guidelines developed by ATSDR and EPA. The original guidelines were published in the Federal Register on April 17, 1987. Each profile will be revised and republished as necessary.

The ATSDR toxicological profile is intended to characterize succinctly the toxicological and adverse health effects information for the hazardous substance being described. Each profile identifies and reviews the key literature (that has been peer-reviewed) that describes a hazardous substance's toxicological properties. Other pertinent literature is also presented but described in less detail than the key studies. The profile is not intended to be an exhaustive document; however, more comprehensive sources of specialty information are referenced.

Foreword

Each toxicological profile begins with a public health statement, which describes in nontechnical language a substance's relevant toxicological properties. Following the public health statement is information concerning levels of significant human exposure and, where known, significant health effects. The adequacy of information to determine a substance's health effects is described in a health effects summary. Data needs that are of significance to protection of public health will be identified by ATSDR, the National Toxicology Program (NTP) of the Public Health Service, and EPA. The focus of the profiles is on health and toxicological information; therefore, we have included this information in the beginning of the document.

The principal audiences for the toxicological profiles are health professionals at the federal, state, and local levels, interested private sector organizations and groups, and members of the public.

This profile reflects our assessment of all relevant toxicological testing and information that has been peer reviewed. It has been reviewed by scientists from ATSDR, the Centers for Disease Control, the NTP, and other federal agencies. It has also been reviewed by a panel of nongovernment peer reviewers. Final responsibility for the contents and views expressed in this toxicological profile resides with ATSDR.

William L. Roper, M.D., M.P.H.

William L. Roper

Administrator gency for Toxic Substances


Agency for Toxic Substances and Disease Registry

CONTENTS

| FORE | WORI | | | | | | | | | • | • | | • | • | | • | | | • | iii |
|------|------|----------|------------------|---------------|--------|-------|------|----------|------|-----------|-----|------|-----|----|---|---|---|---|---|-----|
| LIST | OF | FIGURES | • • • | | | | | | | | | | | | | • | | • | | ix |
| LIST | OF | TABLES | · · · · | | | | | • • | | | • | | • | | | • | • | | | хi |
| 1. | PUBI | | TH STATEM | | | | | | | | | | | | | | | | | 1 |
| | 1.1 | WHAT I | S 1,2,3-T | RICHLO | ROPRO | PANE? | • | | | | | | | | | | | | | 1 |
| | 1.2 | HOW MI | GHT I BE | EXPOSE | D TO | 1,2,3 | -TRI | CHLC | ROI | PROF | AN! | E? | | | | | | | | 2 |
| | 1.3 | HOW CA | N 1,2,3-T | RICHLO | ROPRO | PANE | ENTE | R AN | I dv | EA | /E | YY I | BOD | Y? | | | | | | 2 |
| | 1.4 | HOW CA | N 1,2,3-T | RICHLO | ROPRO | PANE | AFFE | CT M | ſY ŀ | IEAI | TH' | ?. | | | | | | | | 3 |
| | 1.5 | IS THE | RE A MEDI | CAL TE | ST TO | DETE | RMIN | E WE | IETH | IER | I | HAVI | ΕВ | EE | Ñ | | | | | |
| | | EXPOSE | D TO 1,2, | 3-TRIC | HLORO | PROPA | NE? | | | | | | | | | | | | | 4 |
| | 1.6 | | ECOMMENDA | | | | | | | | | | | | | | | | | |
| | | PROTEC | T HUMAN H | EALTH? | | | | | | | | | | | | | | | | 4 |
| | 1.7 | WHERE | CAN I GET | MORE | | | | | | | | | | | | | | | | 4 |
| | | | | | | | | | | | | | | | | | | | | |
| 2. | HEAI | LTH EFFE | CTS | | | | | | | | | | | | | | | | | 5 |
| | 2.1 | | UCTION . | | | | | | | | | | | | | | | | | 5 |
| | 2.2 | | SION OF H | | | | | | | | | | | | | | | | | 5 |
| | | 2.2.1 | Inhalati | on Exp | osure | | | | | | | | | | | | | | | 6 |
| | | | 2.2.1.1 | | | | | | | | | | | | | | | | | 6 |
| | | | 2.2.1.2 | | | | | | | | | | | | | | | | | 6 |
| | | | 2.2.1.3 | | | | | | | | | | | | | | | | | 14 |
| | | | 2.2.1.4 | | | | | | | | | | | | | | | | | 14 |
| | | | 2.2.1.5 | | | | | | | | | | | | | | | | | 15 |
| | | | 2.2.1.6 | Repro | | | | | | | | | | | | | | | | 15 |
| | | | 2.2.1.7 | | | | | | | | | | | | | | | | | 15 |
| | | | 2.2.1.8 | Cance | | | | | | | | | | | | | | | | 16 |
| | | 2.2.2 | Oral Exp | | | | | | | | | | | | | | | | | 16 |
| | | -,-,- | 2.2.2.1 | | | | | | | | | | | | | | | | | 16 |
| | | | 2.2.2.2 | | | | | | | | | | | | | | | | | 16 |
| | | | 2.2.2.3 | Immun | ologi | val E | ffer | te | • | • | • | • • | • | • | • | • | • | • | • | 25 |
| | | | 2.2.2.4 | Neuro | logic | ol Ef | fact | cs | • | • | • | • • | • | • | • | • | • | • | • | 26 |
| | | | 2.2.2.5 | Devel | ODMOD | tal E | ffec | э. +c | • | • | • | • • | • | • | • | • | • | • | • | 26 |
| | | | 2.2.2.6 | Repro | ducti: | ve Ff | fact | cs | • | • | • | • • | • | • | • | • | • | • | • | 26 |
| | | | 2.2.2.7 | Conot | ovio | retoo | tect | ъ. | • | • | • | • • | • | • | • | • | • | • | • | 26 |
| | | | 2.2.2.7 | Genot | OXIC. | Ellec | LS | | • | • | • | • • | • | • | • | • | • | • | • | |
| | | 2.2.3 | | Cance | I | • • | | • • | • | • | • | • • | • | • | • | • | • | • | • | 27 |
| | | 2.2.3 | Dermal E 2.2.3.1 | | | | | | | | | | | | | | | | | 27 |
| | | | | Death | | | • • | • • | • | • | • | • • | • | • | • | • | • | • | • | 27 |
| | | | 2.2.3.2 | Syste | mic E | IIect | S. | • | • | • | • | | • | • | • | • | • | • | • | 28 |
| | | | 2.2.3.3 | Immun | ologi | cal E | IIec | ts | • | • | • | • • | • | • | • | • | • | • | • | 31 |
| | | | 2.2.3.4 | Neuro | logic | al Ef | rect | s. | • | • | • | | • | • | • | • | • | • | • | 31 |
| | | | 2.2.3.5 | Deve1 | opmen | tal E | itec | ts | • | • | • | | • | • | • | • | • | • | • | 31 |
| | | | 2.2.3.6 | Repro | ducti | ve Ef | fect | s. | | • | • | | • | • | | • | • | • | • | 31 |
| | | | 2.2.3.7 | Genot | oxic | Effec | ts | | • | • | | | • | • | • | | • | | | 31 |
| | | | 2.2.3.8 | Cance | r | | | | | • | • | | • | • | | • | • | • | • | 31 |

| | 2.3 | TOXICO | KINETICS | |
|----|------|----------|--|-----|
| | | 2.3.1 | Absorption | 32 |
| | | | 2.3.1.1 Inhalation Exposure | 32 |
| | | | | 32 |
| | | | | 32 |
| | | 2.3.2 | Distribution | 32 |
| | | | | 32 |
| | | | 2.3.2.2 Oral Exposure | 32 |
| | | | 2.3.2.3 Dermal Exposure | 33 |
| | | | 2.3.2.4. Other Routes of Exposure | 33 |
| | | 2.3.3 | Metabolism | 33 |
| | | 2.3.4 | | 34 |
| | | | | 34 |
| | | | 2.3.4.2 Oral Exposure | 34 |
| | | | 2.3.4.3 Dermal Exposure | 34 |
| | | | 2.3.4.4 Other Routes of Exposure | 34 |
| | 2 4 | RELEVA | NCE TO PUBLIC HEALTH | 35 |
| | 2.5 | RIOMAR | KERS OF EXPOSURE AND EFFECT | 4] |
| | | | Biomarkers Used to Identify and/or Quantify Exposure | |
| | | 2.3.1 | to 1,2,3-Trichloropropane | 42 |
| | | 252 | Biomarkers Used to Characterize Effects Caused by | ٠. |
| | | 2.3.2 | | 42 |
| | 2.6 | TNTERA | CTIONS WITH OTHER CHEMICALS | 43 |
| | 2.7 | POPIII.A | TIONS THAT ARE UNUSUALLY SUSCEPTIBLE | 43 |
| | 2.8 | MITTGA | | 43 |
| | 2.9 | ADFOIIA | CY OF THE DATABASE | 44 |
| | 2.7 | | Existing Information on Health Effects of | |
| | | 2.7.1 | | 45 |
| | | 202 | Data Needs | 45 |
| | | 2.2.2 | On going Studios | 51 |
| | | 2.9.3 | On-going Studies | ו כ |
| 3. | СПЕМ | TCAT AN | TO DUVCTONI INFORMATION | 53 |
| ٥. | | CUEMIC | D PHYSICAL INFORMATION | |
| | 3.I | DUVETO | AL IDENTITY | 53 |
| | 3.2 | rnisic | AL AND CHEMICAL PROPERTIES | Э. |
| 4. | חסחת | IICTION | TWOODE LICE AND DIGDOGAL | |
| 4. | / 1 | OCTION, | IMPORT, USE, AND DISPOSAL | 27 |
| | 4.1 | PRODUC | TION | |
| | | | Y/EXPORT | 57 |
| | 4.3 | | | 5 |
| | 4.4 | DISPOS | AL | 57 |
| _ | | | | |
| 5. | | | OR HUMAN EXPOSURE | 59 |
| | 5.1 | | EW | 59 |
| | 5.2 | | ES TO THE ENVIRONMENT | 6 |
| | | | Air | 6. |
| | | 5.2.2 | | 61 |
| | | 5.2.3 | Soil | 62 |
| | | | | |

| | 5.3 | ENVIRO | | | | | | | | | | | | | | | | | | | | | | | | | 62 |
|-----|-------|----------|--------|---------------|-------|-------|------|-----|-----|----|----|----|----|----|----|----|-----|---|---|---|---|---|---|---|---|---|-----|
| | | 5.3.1 | | | | | | | | | | | | | | | | | | | | | | | | | 62 |
| | | 5.3.2 | Trans | sform | natio | n an | id 1 | Deg | gra | da | ti | on | | | | | | | | | | | | | | | 63 |
| | | | 5.3.2 | 2.1 | Air | | | | | | | | | | | | | | | | | | | | | | 63 |
| | | | 5.3.2 | 2.2 | Wate | er . | | | | | | | | | | | | | | | | | | | | | 64 |
| | | | 5.3.2 | 2.3 | Soil | L | | | | | | | | | | | | | | | | | | | | | 64 |
| | 5.4 | LEVELS | MONI | FORE E | OR | ESTI | MA' | ΓEI |) [| N | TH | E | EN | VI | RO | NM | ΙEΝ | T | | | | | | | | | 65 |
| | | 5.4.1 | Air . | | | | | • | | | | | | | | | | | | | | | | | | | 65 |
| | | 5.4.2 | Water | c | | | | | | | | | | | | | | | | | | | | | | | 65 |
| | | 5.4.3 | Soil | | | | | | | | | | | | | | | | | | | | | | | | 66 |
| | | 5.4.4 | Other | Env | riror | ment | al | Μe | edi | a | | | | | | | | | | | | | | | | | 66 |
| | 5.5 | GENERA! | L POPU | JLATI | ON A | ND C | CCI | UP# | TI | ON | AL | E | XP | os | UR | E | | | | | | | | | | | 66 |
| | 5.6 | POPULA' | TIONS | WITH | PO1 | CENTI | AL | LY | ΗI | GH | E | ХP | os | UR | ES | | | | | | ٠ | | | | | | 67 |
| | 5.7 | ADEQUA | CY OF | THE | DATA | ABASE | : . | | | | | | | | | | | | | | | | | | | | 68 |
| | | 5.7.1 | Data | Need | ls . | | | | | | | | | | | | | | | | | | | | | | 68 |
| | | 5.7.2 | 0n-g | oing | Stud | lies | | • | • | - | | • | | | • | | | • | | • | | | | • | | | 71 |
| 6. | ANAL | YTICAL 1 | метної | os . | | | | | | | | | | | | | | | | | | _ | | | | _ | 73 |
| • | 6.1 | BIOLOG | | | | | | | | | | | | | | | | | | | | | | | | | 73 |
| | 6.2 | ENVIRO | | | | | | | | | | | | | | | | | | | | | | | | | 73 |
| | 6.3 | ADEQUA | | | | | | | | | | | | | | | | | | | | | | | | | 76 |
| | | 6.3.1 | | | | | | | | | | | | | | | | | | | | | | | | | 76 |
| | | 6.3.2 | | | | | | | | | | | | | | | | | | | | | | | | | 77 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7. | REGU: | LATIONS | AND A | ADVIS | ORIE | ES . | • | • | ٠. | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | 79 |
| 8. | REFE | RENCES | | | | | | | | | | | | | | | | | | | | | | | | | 81 |
| | | | | | | | | | | | | | • | | | | | | | | | | | | | | |
| 9. | GLOS | SARY . | | | | | | | | • | | | | • | | | | | • | • | | • | • | • | | | 91 |
| APP | ENDIC | ES | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Α. | USER'S | CHID | c c | | | | | | | | | | | | | | | | | | | | | | | Δ_1 |
| | Α. | OBER 5 | GOID | نا | • • | • • • | • | • | • | • | • | • | • | • | • | • | • . | • | • | • | • | • | • | • | • | • | H-1 |
| | В. | ACRONY | MS, A | BBREV | /IAT | ions, | A | ND | SY | ME | OL | S | | • | | • | | | | | | | • | • | • | • | B-1 |
| | C. | PEER R | EVIEW | | | | | | | | | | | | | | | | | | | | | | | | C-1 |



LIST OF FIGURES

| 2-1 | Levels of Significant Exposure to 1,2,3-Trichloropropane - Inhalation | 10 |
|-----|---|----|
| 2-2 | Levels of Significant Exposure to 1,2,3-Trichloropropane - Oral | 20 |
| 2-3 | Existing Information on Health Effects of 1,2,3-Trichloropropane | 46 |
| 5-1 | Frequency of NPL Sites with 1,2,3-Trichloropropane Contamination | 60 |



LIST OF TABLES

| 2-1 | Levels of Significant Exposure to 1,2,3-Trichloropropane - Inhalation | 7 |
|-----|--|----|
| 2-2 | Levels of Significant Exposure to 1,2,3-Trichloropropane - Oral | 17 |
| 2-3 | Levels of Significant Exposure to 1,2,3-Trichloropropane - Dermal | 29 |
| 2-4 | Genotoxicity of 1,2,3-Trichloropropane <u>In Vitro</u> | 40 |
| 3-1 | Chemical Identity of 1,2,3-Trichloropropane | 54 |
| 3-2 | Physical and Chemical Properties of 1,2,3-Trichloropropane | 55 |
| 6-1 | Analytical Methods for Determining 1,2,3-Trichloropropane in Biological Materials | 74 |
| 6-2 | Analytical Methods for Determining 1,2,3-Trichloropropane in Environmental Samples | 75 |
| 7-1 | Regulations and Guidelines Applicable to 1,2,3-Trichloropropane | 80 |