TOXICOLOGICAL PROFILE FOR CHLOROFORM

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service
Agency for Toxic Substances and Disease Registry

CHLOROFORM

The use of company or product name(s) is for identification only and does not imply endorsement by the Agency for Toxic Substances and Disease Registry.

DISCLAIMER

CHLOROFORM

UPDATE STATEMENT

A Toxicological Profile for chloroform was released in April 1993. This edition supersedes any previously released draft or final profile.

Toxicological profiles are revised and republished as necessary, but no less than once every three years. For information regarding the update status of previously released profiles, contact ATSDR at:

Agency for Toxic Substances and Disease Registry Division of Toxicology/Toxicology Information Branch 1600 Clifton Road NE, E-29 Atlanta, Georgia 30333

FOREWORD

This toxicological profile is prepared in accordance with guidelines* developed by the Agency for Toxic Substances and Disease Registry (ATSDR) and the Environmental Protection Agency (EPA). The original guidelines were published in the *Federal Register* on April 17, 1987. Each profile will be revised and republished as necessary.

The ATSDR toxicological profile succinctly characterizes the toxicologic and adverse health effects information for the hazardous substance described therein. Each peer-reviewed profile identifies and reviews the key literature that describes a hazardous substance's toxicologic properties. Other pertinent literature is also presented, but is described in less detail than the key studies. The profile is not intended to be an exhaustive document; however, more comprehensive sources of specialty information are referenced.

The focus of the profiles is on health and toxicologic information; therefore, each toxicological profile begins with a public health statement that describes, in nontechnical language, a substance's relevant toxicological properties. Following the public health statement is information concerning levels of significant human exposure and, where known, significant health effects. The adequacy of information to determine a substance's health effects is described in a health effects summary. Data needs that are of significance to protection of public health are identified by ATSDR and EPA.

Each profile includes the following:

- (A) The examination, summary, and interpretation of available toxicologic information and epidemiologic evaluations on a hazardous substance to ascertain the levels of significant human exposure for the substance and the associated acute, subacute, and chronic health effects;
- (B) A determination of whether adequate information on the health effects of each substance is available or in the process of development to determine levels of exposure that present a significant risk to human health of acute, subacute, and chronic health effects; and
- (C) Where appropriate, identification of toxicologic testing needed to identify the types or levels of exposure that may present significant risk of adverse health effects in humans.

The principal audiences for the toxicological profiles are health professionals at the Federal, State, and local levels; interested private sector organizations and groups; and members of the public.

This profile reflects ATSDR's assessment of all relevant toxicologic testing and information that has been peer-reviewed. Staff of the Centers for Disease Control and Prevention and other Federal scientists have also reviewed the profile. In addition, this profile has been peer-reviewed by a nongovernmental panel and was made available for public review. Final responsibility for the contents and views expressed in this toxicological profile resides with ATSDR.

David Satcher, M.D., Ph.D.

und Selch

Administrator

Agency for Toxic Substances and

Disease Registry

*Legislative Background

The toxicological profiles are developed in response to the Superfund Amendments and Reauthorization Act (SARA) of 1986 (Public Law 99-499) which amended the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA or Superfund). This public law directed ATSDR to prepare toxicological profiles for hazardous substances most commonly found at facilities on the CERCLA National Priorities List and that pose the most significant potential threat to human health, as determined by ATSDR and the EPA. The availability of the revised priority list of 275 hazardous substances was announced in the *Federal Register* on April 29, 1996 (61 FR 18744). For prior versions of the list of substances, see *Federal Register* notices dated April 17, 1987 (52 FR 12866); October 20, 1988 (53 FR 41280); October 26, 1989 (54 FR 43619); October 17, 1990 (55 FR 42067); October 17, 1991 (56 FR 52166); October 28, 1992 (57 FR 48801); and February 28, 1994 (59 FR 9486). Section 104(i)(3) of CERCLA, as amended, directs the Administrator of ATSDR to prepare a toxicological profile for each substance on the list.

CONTRIBUTORS

CHEMICAL MANAGER(S)/AUTHORS(S):

Selene Chou, Ph.D. ATSDR, Division of Toxicology, Atlanta, GA

Wayne Spoo, D.V.M., D.A.B.T. Research Triangle Institute, Research Triangle Park, NC

THE PROFILE HAS UNDERGONE THE FOLLOWING ATSDR INTERNAL REVIEWS:

- 1. Green Border Review. Green Border review assures consistency with ATSDR policy.
- 2. Health Effects Review. The Health Effects Review Committee examines the health effects chapter of each profile for consistency and accuracy in interpreting health effects and classifying end points.
- 3. Minimal Risk Level Review. The Minimal Risk Level Workgroup considers issues relevant to substance-specific minimal risk levels (MRLs), reviews the health effects database of each profile, and makes recommendations for derivation of MRLs.



PEER REVIEW

A peer review panel was assembled for chloroform. The panel consisted of the following members:

- 1. Dr. Richard Bull, Senior Staff Scientist, Battelle Pacific Northwest Laboratories, Richland, Washington;
- 2. Dr. Derek Hodgson, Provost and Vice-president, Academic Affairs, Mississippi State University, Mississippi State, Mississippi; and
- 3. Dr. Nancy Reiches, Private Consultant, Bexley, Ohio.

These experts collectively have knowledge of chloroform's physical and chemical properties, toxico-kinetics, key health end points, mechanisms of action, human and animal exposure, and quantification of risk to humans. All reviewers were selected in conformity with the conditions for peer review specified in Section 104(i)(13) of the Comprehensive Environmental Response, Compensation, and Liability Act, as amended.

Scientists from the Agency for Toxic Substances and Disease Registry (ATSDR) have reviewed the peer reviewers' comments and determined which comments will be included in the profile. A listing of the peer reviewers' comments not incorporated in the profile, with a brief explanation of the rationale for their exclusion, exists as part of the administrative record for this compound. A list of databases reviewed and a list of unpublished documents cited are also included in the administrative record.

The citation of the peer review panel should not be understood to imply its approval of the profile's final content. The responsibility for the content of this profile lies with the ATSDR.

CHLOROFORM

CONTENTS

FOREWORD	
CONTRIBUTORS	vii
PEER REVIEW	ix
LIST OF FIGURES	xv
LIST OF TABLES	xvii
1. PUBLIC HEALTH STATEMENT 1.1 WHAT IS CHLOROFORM? 1.2 WHAT HAPPENS TO CHLOROFORM WHEN IT ENTERS T 1.3 HOW MIGHT I BE EXPOSED TO CHLOROFORM? 1.4 HOW CAN CHLOROFORM ENTER AND LEAVE MY BODY 1.5 HOW CAN CHLOROFORM AFFECT MY HEALTH? 1.6 IS THERE A MEDICAL TEST TO DETERMINE WHETHER TO CHLOROFORM? 1.7 WHAT RECOMMENDATIONS HAS THE FEDERAL GOVER PROTECT HUMAN HEALTH? 1.8 WHERE CAN I GET MORE INFORMATION?	
2.2.2.3Immunological and Lymphoreticular Effects2.2.2.4Neurological Effects	9SURE 9 11 11 12 40 41 42 42 45 45 46 90 91 92
2.2.2.8 Cancer 2.2.3 Dermal Exposure 2.2.3.1 Death 2.2.3.2 Systemic Effects	

		2.2		nological and Lymphoreticular Effects	
		2.2		C	100
		2.2	3.5 Repro	ductive Effects	100
		2.2	3.6 Devel	opmental Effects	100
		2.2	3.7 Genot	oxic Effects	100
		2.2	3.8 Cance	er	100
	2.3	TOXICOKE	NETICS		100
		2.3.1 Abs	orption		101
		2.3	1.1 Inhala	tion Exposure	101
		2.3	1.2 Oral I	Exposure	102
		2.3			104
		2.3.2 Dis		•	105
		2.3			105
		2.3		•	107
		2.3		•	107
					108
					112
		2.3			112
		2.3		•	113
		2.3		•	113
				Based Pharmacokinetic (PBPK)/Pharmacodynamic (PD) Models	113
		2 .5.5 1 115	siologicany	* * * * * * * * * * * * * * * * * * * *	114
		2.3	5.1 Summ		115
		2.3			118
		2.3			118
	2.4				128
	2.1				128
					120 131
					131 132
	2.5			<u>•</u>	132 132
	2.6				152 156
	2.0				150 157
				d to Characterize Effects Caused by Chloroform	
	2.7			OTHER CHEMICALS	
	2.8			ARE UNUSUALLY SUSCEPTIBLE	
	2.9.			CING TOXIC EFFECTS	
	2.9.				
					162
					163
	2.10				163
	2.10	•			165
			-		165
					166
		2.10.3 On	oing Studies	3	175
~	011		DIMICYC	DURORMATION	
3.				INFORMATION	
	3.1				
	3.2	PHYSICAL	AND CHEN	MICAL PROPERTIES	177
4.	PRO	DUCTION, I	MPORT/EXI	PORT, USE, AND DISPOSAL	181

	4.1 PRODUCTION4.2 IMPORT/EXPORT4.3 USE4.4 DISPOSAL	. 183 . 186
5.	POTENTIAL FOR HUMAN EXPOSURE 5.1 OVERVIEW 5.2 RELEASES TO THE ENVIRONMENT 5.2.1 Air 5.2.2 Water 5.2.3 Soil	. 189. 190. 194
	5.3 ENVIRONMENTAL FATE 5.3.1 Transport and Partitioning 5.3.2 Transformation and Degradation 5.3.2.1 Air 5.3.2.2 Water 5.3.2.3 Sediment and Soil	. 196. 196. 198. 198. 199
	5.4 LEVELS MONITORED OR ESTIMATED IN THE ENVIRONMENT 5.4.1 Air 5.4.2 Water 5.4.3 Sediment and Soil 5.4.4 Other Environmental Media	. 201. 201. 203. 205
	5.5 GENERAL POPULATION AND OCCUPATIONAL EXPOSURE 5.6 POPULATIONS WITH POTENTIALLY HIGH EXPOSURES 5.7 ADEQUACY OF THE DATABASE 5.7.1 Identification of Data Needs 5.7.2 Ongoing Studies	. 209 . 210 . 210
6.	ANALYTICAL METHODS 6.1 BIOLOGICAL SAMPLES 6.2 ENVIRONMENTAL SAMPLES 6.3 ADEQUACY OF THE DATABASE 6.3.1 Identification of Data Needs 6.3.2 Ongoing Studies	217 220 228 229
7.	REGULATIONS AND ADVISORIES	233
8.	REFERENCES	247
9.	GLOSSARY	291
A)	PPENDICES	
A.	. ATSDR MINIMAL RISK LEVEL	A-1
В.	. USER'S GUIDE	B-1
C.	. ACRONYMS, ABBREVIATIONS, AND SYMBOLS	C-1

LIST OF FIGURES

2-1	Levels of Significant Exposure to Chloroform—Inhalation
2-2	Levels of Significant Exposure to Chloroform—Oral
2-3	Metabolic Pathways of Chloroform Biotransformation
2-4	Conceptual Representation of a Physiologically Based Pharmacokinetic (PBPK) Model for Hypothetical Chemical Substance
2-5	Parameters used in the Corley PBPK Model
2-6	Existing Information on Health Effects of Chloroform
5-1	Frequency of NPL Sites With Chloroform Contamination

CHLOROFORM xvii

LIST OF TABLES

2-1	Levels of Significant Exposure to Chloroform—Inhalation	13
2-2	Levels of Significant Exposure to Chloroform—Oral	47
2-3	Levels of Significant Exposure to Chloroform—Dermal	99
2-4	Parameters Used in the Corley PBPK Model	121
2-5	Genotoxicity of Chloroform In Vitro	150
2-6	Genotoxicity of Chloroform In Vivo	151
3-1	Chemical Identity of Chloroform	178
3-2	Physical and Chemical Properties of Chloroform	179
4-1	U.S. Production of Chloroform	182
4-2	Facilities That Manufacture or Process Chloroform	184
5-1	Releases to the Environment From Facilities That Manufacture or Process Chloroform	192
6-1	Analytical Methods for Determining Chloroform in Biological Samples	218
6-2	Analytical Methods for Determining Chloroform in Environmental Samples	221
7-1	Regulations and Guidelines Applicable to Chloroform	235