

02160700 ENOREE RIVER AT WHITMIRE, SC--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--Water years 1974 to current year.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: October 1973 to current year.

pH: October 1973 to current year.

WATER TEMPERATURE: October 1973 to current year.

DISSOLVED OXYGEN: October 1973 to current year.

INSTRUMENTATION.--USGS mini-monitor and data collection platform.

EXTREMES FOR PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: Maximum, 168 microsiemens Sep. 22, 1999; minimum, 21 microsiemens, Feb. 28, 1984.

pH: Maximum, 8.2 units Apr. 11, 1988; minimum, 5.0 units Jul. 4, 1987.

WATER TEMPERATURE: Maximum, 32.5°C Jul. 19-21, 1986; minimum, 0.5°C many days, many years.

DISSOLVED OXYGEN: Maximum, 14.4 mg/L Jan. 20, 1976; minimum, 2.0 mg/L Sep. 6, 1981.

EXTREMES FOR CURRENT YEAR.--

SPECIFIC CONDUCTANCE: Maximum, 163 microsiemens, Sep. 1; minimum, 39 microsiemens, Mar. 21, 22.

pH: Maximum, 7.8 units, Mar. 17; minimum, 6.4 units, Aug. 1.

WATER TEMPERATURE: Maximum, 30.5°C, July 20; minimum, 2.0°C, Jan. 24, 25, 27, 28.

DISSOLVED OXYGEN: Maximum, 13.3 mg/L, Jan. 28; minimum, 5.6 mg/L, Oct. 13.

SPECIFIC CONDUCTANCE (MICROSIEMENS/CM AT 25 DEG. C), WATER YEAR OCTOBER 1999 TO SEPTEMBER 2000

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
OCTOBER			NOVEMBER			DECEMBER			JANUARY			
1	99	91	94	116	113	115	97	93	94	105	100	102
2	98	83	89	114	110	112	101	95	98	102	100	101
3	98	85	91	112	108	111	103	99	101	107	101	103
4	118	98	109	108	95	100	107	102	105	111	100	105
5	125	59	113	99	93	95	111	106	108	105	101	102
6	66	56	61	102	98	100	118	111	115	104	97	100
7	76	66	72	112	101	108	121	110	114	102	97	99
8	89	76	82	112	109	110	116	91	102	101	97	99
9	104	89	97	121	111	116	92	90	91	109	98	103
10	104	95	99	121	113	117	99	92	96	110	94	100
11	97	54	88	114	110	112	103	98	101	94	59	77
12	54	49	50	111	109	111	113	102	109	68	58	62
13	64	52	59	114	111	112	112	103	109	71	64	68
14	74	64	69	125	114	120	104	100	102	81	71	76
15	80	72	77	127	117	123	111	90	101	92	81	84
16	88	79	83	127	117	123	90	77	80	94	88	91
17	89	86	87	121	117	119	86	79	83	91	88	90
18	96	88	93	123	116	118	101	86	92	97	90	93
19	101	95	98	123	114	117	102	97	100	98	90	94
20	99	95	97	130	115	120	110	100	103	93	89	91
21	107	96	102	132	120	126	104	100	101	93	89	91
22	110	106	108	130	124	128	106	95	100	98	93	96
23	113	101	106	131	122	128	97	84	93	95	83	89
24	110	101	105	132	119	124	86	81	83	83	74	77
25	114	108	111	119	116	118	94	86	91	83	72	76
26	118	111	116	117	108	112	99	92	95	85	82	83
27	121	114	118	116	71	101	100	95	97	88	80	85
28	119	112	115	82	68	72	97	95	96	94	87	90
29	122	113	118	86	80	83	98	94	96	96	91	94
30	120	113	116	94	84	90	98	95	96	95	77	87
31	123	112	117	---	---	---	100	96	98	111	78	88
MONTH	125	49	95	132	68	111	121	77	98	111	58	90

02160700 ENOREE RIVER AT WHITMIRE, SC--Continued

SPECIFIC CONDUCTANCE (MICROSIEMENS/CM AT 25 DEG. C), WATER YEAR OCTOBER 1999 TO SEPTEMBER 2000

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
	FEBRUARY			MARCH			APRIL			MAY		
1	103	82	88	101	88	95	88	82	85	84	79	81
2	118	98	110	94	88	91	90	84	87	84	81	82
3	100	93	96	108	91	99	93	79	87	82	72	78
4	95	90	93	98	93	95	86	77	82	80	56	70
5	100	91	95	98	90	95	78	66	73	59	54	56
6	103	93	98	99	87	93	74	63	69	71	59	66
7	104	97	101	93	89	91	78	72	75	77	69	74
8	108	98	103	103	90	96	85	77	81	81	76	79
9	105	97	101	101	92	97	86	81	83	---	---	---
10	103	96	99	101	94	98	90	84	86	---	---	---
11	108	97	101	107	97	102	91	84	87	---	---	---
12	105	98	100	104	98	101	92	84	88	93	87	90
13	108	100	103	103	96	99	90	85	87	94	90	92
14	104	67	84	96	79	85	92	88	90	100	93	96
15	74	64	69	95	81	87	92	88	90	102	96	99
16	71	65	68	94	84	89	91	65	81	102	98	100
17	75	69	72	92	87	89	69	64	66	101	97	99
18	82	74	78	88	64	71	72	64	67	102	97	100
19	88	81	85	73	65	70	77	71	74	102	96	99
20	93	84	88	77	57	68	79	74	76	103	98	101
21	95	89	91	57	39	45	84	79	81	109	101	104
22	100	91	96	49	39	44	91	84	88	112	102	109
23	96	90	93	64	49	58	92	79	86	115	111	114
24	101	90	94	70	59	65	93	88	90	119	113	116
25	101	90	95	74	65	69	91	65	82	114	106	111
26	98	93	94	82	72	78	83	66	77	113	106	110
27	100	95	97	82	76	79	78	73	76	125	111	116
28	104	95	99	90	79	83	84	76	79	129	112	120
29	102	97	99	90	77	83	87	78	83	131	107	120
30	---	---	---	84	77	81	87	79	83	133	109	120
31	---	---	---	86	80	84	---	---	---	149	126	141
MONTH	118	64	93	108	39	83	93	63	81	149	54	98
DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
	JUNE			JULY			AUGUST			SEPTEMBER		
1	---	---	---	130	119	126	89	60	74	163	153	159
2	---	---	---	139	127	134	68	59	62	159	149	153
3	---	---	---	132	125	129	81	68	76	155	135	148
4	---	---	---	133	126	130	92	77	87	136	113	125
5	---	---	---	136	129	133	107	90	101	113	101	105
6	---	---	---	136	129	133	101	78	83	103	84	9

02160700 ENOREE RIVER AT WHITMIRE, SC--Continued

PH, WATER, WHOLE, FIELD, STANDARD UNITS, WATER YEAR OCTOBER 1999 TO SEPTEMBER 2000

DAY	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN
	OCTOBER		NOVEMBER		DECEMBER		JANUARY		FEBRUARY		MARCH	
1	7.0	7.0	7.3	7.2	---	---	---	---	6.8	6.7	7.3	7.1
2	7.1	6.9	7.3	7.1	7.2	7.1	7.1	6.9	6.8	6.7	7.4	7.1
3	7.2	7.1	7.3	7.2	7.4	7.1	7.2	7.0	6.9	6.8	7.3	7.2
4	7.2	7.2	7.2	7.1	7.5	7.1	7.2	7.1	6.9	6.8	7.2	7.2
5	7.3	6.7	7.1	7.0	7.5	7.4	7.2	7.1	7.0	6.8	7.3	7.1
6	6.9	6.6	7.2	7.0	7.5	7.4	7.2	7.1	7.2	6.7	7.3	7.1
7	7.0	6.9	7.2	7.1	7.6	7.1	7.2	7.1	7.2	7.1	7.4	7.1
8	7.2	7.0	7.2	7.1	7.5	7.4	7.1	7.0	7.2	7.1	7.4	7.2
9	7.3	7.2	7.3	7.1	7.4	7.3	7.1	7.1	7.2	7.1	7.5	7.2
10	7.3	7.2	7.4	7.0	7.5	7.4	7.1	7.0	7.2	7.0	7.4	7.3
11	7.3	6.8	7.4	7.2	7.6	7.4	7.0	6.7	7.3	7.1	7.4	7.3
12	6.8	6.5	7.6	7.0	7.6	7.5	6.8	6.7	7.2	7.1	7.5	7.3
13	6.7	6.5	---	---	7.5	7.5	6.9	6.8	7.2	7.1	7.3	7.2
14	6.9	6.7	---	---	7.6	7.5	6.9	6.8	7.1	6.8	7.4	7.1
15	7.0	6.9	---	---	7.6	7.5	6.9	6.9	6.9	6.8	7.5	7.2
16	7.2	7.0	---	---	7.5	7.4	6.9	6.8	6.9	6.8	7.5	7.4
17	7.2	7.1	---	---	7.4	7.4	7.0	6.9	7.0	6.9	7.8	7.3
18	7.3	7.2	---	---	7.4	7.3	7.3	6.9	7.0	7.0	7.3	7.1
19	7.3	7.2	7.5	7.1	7.5	7.4	7.5	7.3	7.0	6.9	7.2	7.1
20	7.3	7.3	7.5	7.3	7.5	7.4	7.6	7.2	7.1	7.0	7.2	7.0
21	7.3	7.2	7.5	6.9	7.5	7.5	7.2	6.9	7.1	7.0	7.0	6.6
22	7.3	7.2	7.4	7.0	7.6	7.5	6.9	6.9	7.1	7.0	6.7	6.6
23	7.2	7.2	7.5	7.4	7.5	7.4	6.9	6.8	7.1	7.0	7.1	6.7
24	7.3	7.2	7.5	7.5	---	---	6.8	6.6	7.1	7.0	7.1	7.0
25	7.2	7.0	7.5	7.4	---	---	6.6	6.5	7.2	7.0	7.2	7.1
26	7.2	7.1	7.5	7.4	---	---	6.7	6.6	7.2	7.1	7.3	7.2
27	7.2	7.2	7.5	6.7	---	---	6.7	6.6	7.2	7.1	7.3	7.2
28	7.3	7.2	6.8	6.6	---	---	6.7	6.7	7.3	7.1	7.3	7.2
29	7.3	7.2	---	---	---	---	6.8	6.7	7.2	7.1	7.3	7.2
30	7.3	7.2	---	---	---	---	6.7	6.6	---	---	7.3	7.2
31	7.3	7.2	---	---	---	---	6.8	6.6	---	---	7.4	7.3
MONTH	7.3	6.5	7.6	6.6	7.6	7.1	7.6	6.5	7.3	6.7	7.8	6.6
DAY	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN
	APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER	
1	7.4	7.3	7.3	7.1	7.0	6.9	7.3	7.1	7.0	6.4	7.5	7.2
2	7.4	7.3	7.3	7.2	7.0	6.8	7.3	7.2	6.8	6.5	7.5	7.2
3	7.4	7.3	7.3	7.2	7.0	6.8	7.4	7.2	6.9	6.8	7.2	7.1
4	7.4	7.3	7.2	7.0	6.9	6.8	7.4	7.2	7.0	6.9	7.2	7.1
5	7.3	7.2	7.0	7.0	6.9	6.9	7.4	7.2	7.0	6.9	7.1	7.1
6	7.3	7.2	7.2	7.0	6.9	6.8	7.5	7.2	6.9	6.8	7.1	7.1
7	7.4	7.2	7.2	7.1	6.9	6.8	7.6	7.2	7.0	6.9	7.2	7.1
8	7.4	7.3	7.2	7.0	6.9	6.9	7.6	7.2	7.1	6.9	7.3	7.1
9	7.4	7.3	---	---	7.0	6.8	7.7	7.2	7.2	7.1	7.1	6.8
10	7.4	7.3	---	---	6.9	6.8	7.5	7.2	7.3	7.1	7.1	6.9
11	7.4	7.3	---	---	6.9	6.8	7.6	7.1	7.3	7.2	7.3	7.1
12	7.4	7.3	7.0	6.9	7.1	6.8	7.5	6.8	7.3	7.2	7.3	7.1
13	7.4	7.3	7.0	6.9	7.1	7.0	7.2	6.8	7.4	7.2	7.4	7.2
14	7.3	7.3	7.1	6.9	7.2	7.0	7.0	6.9	7.3	7.2	7.4	7.2
15	7.4	7.2	7.1	6.9	7.2	7.0	7.2	7.0	7.4	7.2	7.4	7.2
16	7.3	7.1	7.1	6.8	7.2	7.0	7.2	7.0	7.4	7.2	7.5	7.3
17	7.3	7.1	6.9	6.9	7.3	7.0	7.3	7.0	7.5	7.3	7.4	7.3
18	7.3	7.2	7.0	6.8	7.3	7.0	7.3	7.0	7.5	7.3	7.3	7.2
19	7.4	7.3	6.9	6.8	7.3	7.0	7.3	7.0	7.5	7.3	7.4	7.2
20	7.4	7.3	7.0	6.8	7.3	7.0	7.5	7.0	7.5	7.3	7.5	7.2
21	7.4	7.3	7.0	6.8	7.4	7.1	7.4	7.0	7.4	7.3	7.3	7.2
22	7.5	7.3	7.1	6.7	7.2	7.1	7.5	7.0	7.5	7.2	7.3	7.2
23	7.4	7.3	7.0	6.9	7.2	7.1	7.4	7.0	7.5	7.2	7.2	7.0
24	7.4	7.3	7.0	6.9	7.2	7.0	7.3	6.9	7.6	7.2	7.0	7.0
25	7.4	7.1	7.0	6.9	7.3	7.1	7.1	6.9	7.6	7.2	7.0	7.0
26	7.2	7.1	7.0	6.9	7.3	7.1	7.0	6.9	7.5	7.2	7.1	7.0
27	7.3	7.2	7.0	6.8	7.3	7.1	7.0	6.9	7.5	7.2	7.1	7.0
28	7.3	7.2	6.9	6.8	7.3	7.1	7.0	6.9	7.5	7.2	7.1	7.0
29	7.3	7.2	6.9	6.8	7.2	7.1	---	---	7.5	7.2	7.1	6.9
30	7.3	7.2	7.0	6.9	7.3	7.1	---	---	7.5	7.2	7.2	7.0
31	---	---	7.0	6.7	---	---	---	---	7.5	7.2	---	---
MONTH	7.5	7.1	7.3	6.7	7.4	6.8	7.7	6.8	7.6	6.4	7.5	6.8
YEAR	7.8	6.4										

02160700 ENOREE RIVER AT WHITMIRE, SC--Continued

TEMPERATURE, WATER (DEG. C), WATER YEAR OCTOBER 1999 TO SEPTEMBER 2000

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
OCTOBER			NOVEMBER			DECEMBER			JANUARY			
1	20.5	19.0	19.5	16.5	15.0	15.5	8.5	6.5	7.5	8.0	6.5	7.5
2	20.0	17.5	18.5	17.0	15.5	16.5	7.0	5.5	6.0	10.0	8.0	9.0
3	21.0	18.0	19.5	15.5	12.5	14.0	7.5	5.5	6.0	11.0	9.5	10.5
4	20.0	19.0	19.5	12.5	11.0	12.0	8.0	6.0	7.0	12.5	11.0	12.0
5	20.5	18.5	19.0	11.5	9.5	10.5	9.5	7.0	8.0	11.5	8.5	10.0
6	19.5	19.0	19.0	11.5	9.5	10.5	11.5	9.5	10.5	8.5	7.0	7.5
7	19.0	18.0	18.5	12.5	10.0	11.5	10.5	8.5	9.0	9.0	7.5	8.0
8	18.5	17.0	18.0	13.5	11.5	12.5	9.0	7.5	8.0	7.5	6.5	7.0
9	20.0	18.0	19.0	14.5	12.5	13.5	8.0	6.5	7.5	7.5	7.0	7.5
10	20.0	19.5	19.5	15.0	13.0	14.0	10.0	8.0	9.0	10.0	7.5	9.0
11	20.0	19.5	20.0	15.0	13.0	14.0	10.0	8.5	9.0	9.5	9.0	9.0
12	20.0	20.0	20.0	14.5	13.5	14.0	9.0	8.0	8.5	9.0	8.5	9.0
13	20.0	19.0	19.5	14.0	12.5	13.5	10.5	9.0	9.5	10.0	8.5	9.5
14	19.5	18.5	19.0	14.5	12.5	13.5	12.0	10.5	11.0	9.5	7.0	8.5
15	19.0	18.0	18.5	14.0	12.0	13.0	10.5	9.5	10.0	7.0	5.5	6.0
16	19.0	17.5	18.0	12.0	10.0	11.0	10.0	8.5	9.5	6.5	5.0	5.5
17	19.5	18.5	19.0	10.0	8.5	9.5	8.5	7.0	7.5	7.5	6.0	6.5
18	19.5	18.0	18.5	9.5	7.5	8.5	7.5	6.5	7.0	7.0	6.0	6.5
19	18.5	17.5	18.0	10.0	7.5	8.5	9.0	7.5	8.0	7.0	6.0	6.5
20	17.5	16.5	17.0	11.5	9.0	10.0	9.5	9.0	9.0	8.0	6.5	7.0
21	16.5	15.5	16.0	12.0	10.5	11.5	9.5	9.5	9.5	6.5	4.5	5.5
22	15.5	14.0	15.0	14.0	12.0	13.0	10.5	9.5	10.0	4.5	3.0	4.0
23	15.0	13.5	14.0	15.0	13.0	14.0	10.5	9.5	10.0	3.0	3.0	3.0
24	13.5	11.5	12.5	15.0	14.0	14.5	9.5	7.5	8.5	3.5	2.0	3.0
25	12.5	10.5	11.5	15.0	14.0	14.5	7.5	5.5	6.5	3.5	2.0	3.0
26	12.5	10.0	11.5	16.0	15.0	15.5	5.5	4.0	5.0	4.0	3.0	3.5
27	13.0	10.5	11.5	15.0	14.0	14.5	5.5	4.0	5.0	3.0	2.0	2.5
28	13.5	11.0	12.0	14.0	12.5	13.0	5.0	4.0	4.5	3.0	2.0	2.5
29	13.5	11.0	12.5	12.5	11.0	12.0	5.5	3.5	4.5	3.0	2.5	3.0
30	13.5	11.5	12.5	11.0	8.5	10.0	5.5	3.5	4.5	3.0	2.5	3.0
31	15.5	13.0	14.0	---	---	---	7.0	5.0	6.0	4.0	3.0	3.5
MONTH	21.0	10.0	16.8	17.0	7.5	12.6	12.0	3.5	7.8	12.5	2.0	6.4

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
FEBRUARY			MARCH			APRIL			MAY			
1	4.0	3.0	3.5	13.5	10.5	12.0	17.5	15.0	16.5	18.5	15.5	17.0
2	4.5	3.0	3.5	14.5	12.0	13.0	17.0	16.0	16.5	19.0	17.0	18.0
3	4.5	3.0	3.5	13.5	11.0	12.0	18.0	16.0	17.0	19.5	18.0	19.0
4	5.0	3.5	4.5	12.5	11.5	12.0	18.5	17.0	17.5	19.5	18.5	19.0
5	5.5	4.0	4.5	13.0	10.5	11.5	17.0	15.0	16.0	20.0	18.5	19.0
6	5.5	3.5	4.5	13.5	11.0	12.0	17.0	14.5	15.5	21.0	19.0	20.0
7	6.0	4.0	5.0	14.5	11.5	13.0	18.5	15.5	17.0	22.0	19.5	20.5
8	6.5	5.0	5.5	16.0	12.5	14.0	17.5	15.5	17.0	22.0	20.0	21.0
9	7.5	5.0	6.0	17.0	14.0	15.5	16.0	14.0	15.0	23.0	20.5	22.0
10	7.5	5.5	6.5	18.0	15.5	16.5	16.0	13.0	14.5	23.5	21.0	22.0
11	9.5	6.5	8.0	18.0	16.5	17.0	17.5	14.5	16.0	23.0	20.5	21.5
12	9.5	9.0	9.0	17.0	14.5	16.0	18.0	16.0	17.0	24.0	20.5	22.5
13	9.0	8.0	8.0	14.5	12.5	13.5	17.0	14.0	15.5	25.5	22.0	24.0
14	9.0	8.0	8.5	13.5	11.0	12.0	14.0	12.5	13.0	25.5	23.5	24.0
15	9.0	8.5	8.5	14.0	11.0	12.5	13.0	12.5	12.5	23.5	21.0	22.5
16	9.5	8.5	9.0	13.5	12.5	13.0	15.0	13.0	14.0	22.5	19.0	21.0
17	10.5	9.5	10.0	16.5	13.0	14.5	17.0	15.0	16.0	21.5	19.5	20.5
18	10.0	9.5	10.0	14.5	13.0	13.5	17.5	16.5	17.0	23.5	20.0	21.5
19	11.0	9.0	10.0	13.0	12.5	12.5	18.5	16.0	17.0	25.5	21.5	23.5
20	11.0	9.5	10.5	13.5	12.0	13.0	19.5	17.0	18.5	25.0	22.5	24.0
21	10.0	8.5	9.0	13.5	13.0	13.0	20.5	18.5	19.5	24.5	23.0	23.5
22	9.0	7.5	8.5	14.5	12.5	13.5	19.0	17.0	18.0	25.5	22.5	24.0
23	9.5	7.5	8.5	14.5	14.0	14.0	17.5	15.5	16.5	24.5	22.0	23.0
24	11.0	8.5	9.5	15.5	14.0	14.5	17.0	16.0	16.5	25.0	22.5	23.5
25	12.5	10.0	11.0	16.5	14.5	15.5	16.5	14.5	15.5	25.5	23.5	24.5
26	13.5	11.0	12.5	18.0	16.0	16.5	16.0	14.5	15.0	26.0	24.0	24.5
27	14.0	12.5	13.5	16.5	15.5	16.0	17.0	15.0	16.0	26.5	24.0	25.0
28	14.5	12.5	13.0	16.0	14.5	15.5	17.0	15.5	16.5	25.5	24.5	25.0
29	13.0	11.5	12.0	15.0	14.0	14.5	16.5	15.0	15.5	24.5	23.5	24.0
30	---	---	---	15.5	13.0	14.5	17.5	15.0	16.5	23.5	21.5	22.5
31	---	---	---	17.5	15.0	16.0	---	---	---	23.5	21.0	22.0
MONTH	14.5	3.0	8.1	18.0	10.5	14.0	20.5	12.5	16.1	26.5	15.5	22.1

02160700 ENOREE RIVER AT WHITMIRE, SC--Continued

OXYGEN DISSOLVED (MG/L), WATER YEAR OCTOBER 1999 TO SEPTEMBER 2000

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
OCTOBER			NOVEMBER			DECEMBER			JANUARY			
1	7.8	7.5	7.7	8.7	8.0	8.4	11.3	10.6	11.0	10.5	10.2	10.3
2	8.3	7.8	8.1	8.0	7.4	7.8	11.8	11.0	11.4	10.3	10.0	10.2
3	8.2	7.8	8.0	9.0	7.8	8.4	11.8	11.1	11.4	10.2	9.4	9.8
4	8.0	7.8	7.9	9.5	9.0	9.3	11.4	10.9	11.1	9.4	9.1	9.2
5	8.1	7.5	7.9	9.9	9.5	9.7	11.0	10.4	10.8	10.0	9.2	9.7
6	7.9	7.4	7.7	10.2	9.6	9.9	10.5	9.3	9.8	10.9	10.0	10.6
7	8.4	7.9	8.2	9.7	9.1	9.5	10.5	9.6	10.1	11.1	10.8	10.9
8	8.6	8.4	8.5	9.7	9.1	9.4	10.9	10.4	10.6	11.3	10.8	11.1
9	8.5	8.0	8.3	9.5	8.7	9.2	11.2	10.8	11.0	11.3	10.8	11.1
10	8.0	7.8	8.0	9.3	8.5	8.8	10.9	10.0	10.6	10.8	10.2	10.6
11	7.9	7.3	7.7	9.2	8.6	8.9	10.7	10.2	10.5	10.6	10.1	10.4
12	7.3	6.5	6.8	8.9	8.5	8.7	10.6	10.1	10.4	10.8	10.4	10.7
13	7.3	5.6	6.5	9.4	8.8	9.0	10.2	9.7	9.9	10.7	10.6	10.7
14	7.7	7.3	7.5	9.0	8.4	8.7	9.8	9.5	9.7	11.3	10.6	11.0
15	8.0	7.7	7.8	9.0	8.2	8.6	10.2	9.8	10.0	11.9	11.3	11.7
16	8.1	7.8	7.9	9.8	9.0	9.4	10.2	9.7	9.9	12.0	11.6	11.8
17	7.8	7.6	7.7	10.6	9.7	10.2	10.5	10.2	10.3	11.7	11.5	11.6
18	7.9	7.6	7.8	11.1	10.4	10.6	10.5	10.1	10.3	11.6	11.3	11.5
19	8.2	7.8	8.0	11.3	10.2	10.7	10.1	9.9	10.0	11.7	11.4	11.6
20	8.5	8.2	8.3	10.9	9.7	10.4	9.9	9.7	9.8	11.4	11.3	11.3
21	8.9	8.4	8.7	10.2	9.5	9.8	9.7	9.5	9.7	11.9	11.4	11.8
22	9.0	8.7	8.9	9.6	9.0	9.3	9.6	9.4	9.5	12.5	11.9	12.3
23	9.0	8.7	8.9	9.1	8.4	8.8	9.6	9.3	9.5	12.8	12.5	12.7
24	9.6	9.0	9.4	8.7	8.2	8.5	9.6	9.2	9.3	12.8	12.4	12.5
25	9.9	9.5	9.7	9.1	8.1	8.5	9.6	9.3	9.4	12.8	12.3	12.6
26	9.9	9.5	9.7	8.4	7.8	8.1	9.9	9.4	9.6	12.5	12.2	12.4
27	9.7	9.4	9.6	8.6	7.9	8.2	10.4	9.7	9.9	13.1	12.5	12.8
28	9.7	9.4	9.5	9.4	8.3	8.9	10.7	9.9	10.2	13.3	13.1	13.2
29	9.5	9.2	9.4	9.9	9.0	9.5	11.1	10.1	10.6	13.1	13.0	13.0
30	9.4	9.0	9.2	10.7	9.8	10.3	11.3	10.4	10.7	13.1	12.8	13.0
31	9.1	8.5	8.9	---	---	---	10.8	10.3	10.5	12.8	12.4	12.6
MONTH	9.9	5.6	8.3	11.3	7.4	9.2	11.8	9.2	10.2	13.3	9.1	11.4
DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
FEBRUARY			MARCH			APRIL			MAY			
1	12.6	12.4	12.5	10.3	9.7	10.0	9.2	8.8	9.0	9.6	9.2	9.3
2	12.5	12.3	12.4	10.1	9.6	9.8	8.9	8.7	8.8	9.5	9.0	9.3
3	12.6	12.3	12.4	10.3	9.6	9.9	8.9	8.4	8.7	9.2	8.7	9.0
4	12.3	12.0	12.2	10.1	9.9	9.9	8.6	8.4	8.5	8.9	8.4	8.7
5	12.2	11.9	12.0	10.7	10.0	10.3	9.1	8.6	8.9	8.7	8.4	8.5
6	12.3	12.1	12.1	10.3	9.9	10.1	9.1	8.7	9.0	8.4	8.1	8.3
7	12.4	12.0	12.2	10.4	9.7	10.1	8.9	8.4	8.7	8.3	7.7	8.1
8	12.1	11.7	12.0	10.1	9.3	9.7	8.6	8.3	8.4	8.0	7.7	7.9
9	12.0	11.6	11.8	9.8	8.9	9.4	9.4	8.6	9.1	7.9	7.4	7.7
10	11.7	11.4	11.5	9.4	8.7	9.0	9.5	9.0	9.3	7.8	7.4	7.6
11	11.4	10.7	11.1	9.2	8.6	8.8	9.1	8.7	8.9	8.0	7.4	7.8
12	10.7	10.5	10.6	9.6	8.6	9.1	8.7	8.5	8.6	8.0	7.5	7.8
13	11.0	10.6	10.8	10.0	9.2	9.6	9.2	8.5	8.9	7.7	7.3	7.5
14	11.0	10.6	10.8	10.2	9.6	9.9	9.8	9.2	9.5	7.5	7.2	7.3
15	10.9	10.5	10.7	10.1	9.4	9.7	9.7	9.6	9.7	7.8	7.3	7.6
16	10.9	10.7	10.8	9.5	9.1	9.3	9.7	9.1	9.6	8.3	7.6	8.0
17	10.7	10.6	10.6	9.4	8.7	9.1	9.2	8.9	9.0	8.2	7.8	8.0
18	10.6	10.5	10.6	9.2	8.7	8.9	8.9	8.6	8.8	8.1	7.5	7.8
19	10.8	10.2	10.6	9.5	9.2	9.3	8.9	8.5	8.7	7.7	7.0	7.4
20	10.6	10.2	10.4	9.5	8.9	9.2	8.6	8.2	8.4	7.5	7.0	7.2
21	11.0	10.4	10.8	8.9	8.5	8.8	8.2	8.0	8.1	7.3	7.0	7.1
22	11.2	10.8	11.0	8.8	8.2	8.6	8.6	8.1	8.4	7.4	7.0	7.2
23	11.3	11.0	11.2	9.2	8.2	9.0	8.9	8.5	8.8	7.5	7.0	7.3
24	11.0	10.5	10.8	9.2	9.0	9.1	8.8	8.5	8.7	7.4	6.8	7.1
25	10.5	10.0	10.4	9.1	8.7	9.0	8.9	8.5	8.7	7.1	6.7	6.9
26	10.1	9.6	9.9	8.8	8.5	8.6	9.1	8.8	9.0	7.1	6.7	6.9
27	9.7	9.3	9.5	8.7	8.4	8.6	9.0	8.7	8.9	7.1	6.6	6.9
28	9.9	9.3	9.6	8.9	8.7	8.8	9.2	8.7	8.9	6.9	6.6	6.7
29	10.2	9.6	9.9	9.3	8.7	9.1	9.6	9.1	9.3	7.2	6.7	6.9
30	---	---	---	9.4	9.0	9.2	9.4	9.1	9.3	7.6	6.8	7.3
31	---	---	---	9.1	8.8	9.0	---	---	---	7.7	7.0	7.3
MONTH	12.6	9.3	11.1	10.7	8.2	9.3	9.8	8.0	8.9	9.6	6.6	7.7

