

## 02176640 BEAUFORT RIVER AT PARRIS ISLAND, SC--Continued

## WATER-QUALITY RECORDS

PERIOD OF RECORD.--October 1998 TO current year.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: October 1998 to current year.

WATER TEMPERATURE: October 1998 to current year.

DISSOLVED OXYGEN: October 1998 to current year.

INSTRUMENTATION.--Hydrolab and data collection platform.

REMARKS.--Dissolved oxygen concentrations are not corrected for salinity.

EXTREMES FOR PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: Maximum, 54,000 microsiemens, Aug. 31, 2000; minimum, 42,600 microsiemens, Jul. 5, 1999.

WATER TEMPERATURE: Maximum, 33.0°C, Aug. 1, 2, 1999; minimum, 7.0°C, Jan. 30-Feb. 4, 2000.

DISSOLVED OXYGEN: Maximum, 13.2 mg/L, Feb. 4-6, 2000; minimum, 3.3 mg/L, Aug. 29, 1999.

EXTREMES FOR CURRENT YEAR.--

SPECIFIC CONDUCTANCE: Maximum, 54,000 microsiemens, Aug. 31; minimum, 45,600 microsiemens, Mar. 25.

WATER TEMPERATURE: Maximum, 31.0°C, on several days during July to August; minimum, 7.0°C, Jan. 30-Feb. 4.

DISSOLVED OXYGEN: Maximum, 13.2 mg/L, Feb. 4-6; minimum, 4.6 mg/L, July 24.

## SPECIFIC CONDUCTANCE (MICROSIEMENS/CM AT 25 DEG. C), WATER YEAR OCTOBER 1999 TO SEPTEMBER 2000

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
OCTOBER			NOVEMBER			DECEMBER			JANUARY			
1	50600	48700	49800	47900	47300	47800	49200	48600	48900	48600	47400	48000
2	50600	48800	49900	47800	47200	47500	49300	48700	49000	48400	47200	47700
3	50400	48600	49800	47800	47500	47700	49200	48700	49000	48200	47000	47500
4	50100	48600	49600	48300	47600	47900	49100	48700	48900	48000	46800	47300
5	50100	48900	49600	48500	48200	48400	49000	48600	48800	47600	46600	47100
6	49800	48600	49300	48600	48200	48500	48800	48200	48500	48000	46900	47400
7	49900	48600	49400	48700	48400	48600	48600	48000	48300	48100	46900	47400
8	50000	49300	49700	48700	48400	48600	48600	47900	48200	48200	46900	47400
9	50000	49300	49700	48700	48400	48600	48800	47700	48300	48200	47000	47500
10	49900	49200	49600	48600	48500	48600	48700	48000	48400	47900	46700	47300
11	49800	49200	49500	48600	48400	48500	49000	48000	48500	47600	46800	47200
12	49700	48600	49200	48600	48400	48500	48900	48000	48400	47600	46800	47200
13	49000	48200	48700	48600	48500	48500	48600	47800	48200	47600	46800	47200
14	48800	48300	48600	48500	48400	48500	48300	47500	47800	47700	46900	47300
15	48800	47800	48400	48500	48400	48500	48200	47400	47800	48000	47000	47400
16	48800	48000	48400	48600	48500	48500	48400	47500	47900	48100	47100	47500
17	48700	47200	48100	48700	48500	48600	---	---	---	48100	47100	47600
18	48400	47100	47800	48800	48600	48700	---	---	---	48800	47100	47800
19	48200	46900	47600	48800	48600	48700	---	---	---	49000	47100	48000
20	48100	47200	47700	48800	48500	48600	---	---	---	49100	47600	48200
21	48000	47100	47600	48700	48400	48500	50100	48400	49200	49400	47800	48400
22	48200	47200	47800	48600	48300	48500	50000	48200	49000	49700	47900	48600
23	48400	47200	48000	48800	48100	48400	50100	48100	48900	49800	48000	48600
24	48500	47400	48000	49000	48000	48500	49900	48100	48800	49800	48000	48600
25	48500	47400	48100	49000	48600	48800	50100	48200	48900	49300	48000	48600
26	48400	47400	48000	49000	48300	48800	49800	48200	48800	49100	48100	48600
27	48300	47300	48000	49000	48400	48700	49400	48200	48700	49100	48200	48700
28	48200	47400	48000	48900	48400	48600	49200	48100	48600	49100	48300	48700
29	48200	47500	48000	48900	48300	48600	49000	48100	48500	49200	48200	48700
30	48100	47500	48000	49100	48500	48700	48800	47900	48400	49100	47800	48300
31	48000	47600	47900	---	---	---	48600	47700	48200	48800	47800	48200
MONTH	50600	46900	48600	49100	47200	48500	50100	47400	48600	49800	46600	47900

SPECIFIC CONDUCTANCE (MICROSIEMENS/CM AT 25 DEG. C), WATER YEAR OCTOBER 1999 TO SEPTEMBER 2000

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
FEBRUARY				MARCH			APRIL			MAY		
1	48800	47700	48300	48500	47700	48200	48700	46500	47700	48800	48400	48500
2	48800	47700	48300	48500	47700	48200	49100	46800	47900	48900	48400	48500
3	48800	47600	48200	48700	47800	48300	49000	46700	48000	49100	48300	48600
4	48700	47600	48200	48700	47300	48100	48900	46500	47800	49400	47900	48500
5	48700	47600	48200	48700	47400	48000	49200	47500	48300	49400	48100	48600
6	48800	47600	48200	48600	47300	48000	49000	47500	48300	49400	48300	48600
7	48800	47400	48100	48700	47400	48000	49100	47700	48300	49200	48400	48600
8	48800	47400	48000	48800	47400	48100	48900	47700	48300	49100	48200	48500
9	48800	47200	48000	48800	47500	48100	48600	47800	48200	49000	47900	48600
10	49000	47500	48200	48800	47600	48100	48800	47400	48200	49200	47900	48600
11	49000	47700	48300	48800	47800	48200	48700	47300	47900	49400	48100	48600
12	49000	47800	48300	48800	47800	48300	48600	47200	47900	49300	48100	48700
13	49200	47800	48500	48700	48000	48400	48700	47300	48000	49200	48000	48700
14	49400	47200	48200	49000	48000	48400	49100	47400	48200	49500	48000	48700
15	48800	47100	48000	49200	48000	48500	49000	47300	48000	49700	48200	48900
16	49000	47200	48200	49400	47300	48300	48600	47100	47900	49800	48400	49000
17	49500	47400	48400	48500	47200	47800	48400	47100	47900	49800	48400	49000
18	49700	47300	48400	48800	47100	47900	48600	47100	47800	49600	48500	49000
19	49000	47200	48200	48300	47000	47700	48800	47200	47900	49600	48500	49100
20	48700	47200	48100	47800	46000	47100	49000	47200	48000	49500	48700	49100
21	48700	47400	48200	47400	45800	46700	48900	47300	48100	49400	48800	49200
22	48700	47500	48200	47600	45700	46600	48700	47400	48000	49500	48900	49200
23	48700	47500	48200	47800	45700	46600	48700	47500	48100	49600	49000	49300
24	48800	47500	48200	47800	45700	46600	48600	47600	48200	49600	49100	49400
25	48700	47600	48200	47500	45600	46500	48600	47500	47900	49700	49100	49400
26	48600	47700	48200	47400	45700	46500	48400	47500	48200	49700	49000	49400
27	48600	47700	48100	47300	46000	46700	48500	48400	48500	49600	49200	49400
28	48500	47800	48100	47500	46200	46800	48600	48400	48500	49600	49000	49300
29	48500	47700	48100	47600	46400	47000	48600	48400	48500	49600	48900	49300
30	---	---	---	47900	46600	47300	48700	48300	48500	50400	49000	49500
31	---	---	---	48100	46800	47500	---	---	---	51100	49200	49800
MONTH	49700	47100	48200	49400	45600	47600	49200	46500	48100	51100	47900	49000

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
JUNE				JULY			AUGUST			SEPTEMBER		
1	50700	49100	49700	52100	51100	51500	53700	52100	52600	53900	53000	53300
2	50600	49200	49700	52500	51300	51700	53500	52000	52600	53800	53000	53400
3	50800	49200	49700	52700	51200	51800	53300	52000	52500	53700	53000	53400
4	50900	49200	49800	52700	51400	51800	---	---	---	53500	52600	53000
5	50900	49200	49800	52700	51700	51900	---	---	---	53200	51900	52600
6	50600	49200	49800	52400	51500	51900	---	---	---	---	---	---
7	50600	49200	50000	52500	51300	51900	---	---	---	---	---	---
8	51000	50100	50400	52500	50700	52000	---	---	---	52400	51500	52000
9	51000	50400	50600	52400	51500	52000	---	---	---	52300	51400	51900
10	51000	50400	50700	52200	51700	52000	---	---	---	52400	51300	51900
11	51300	50700	50900	---	---	---	52300	51200	51700	52500	51300	51900
12	51500	50800	51100	---	---	---	52400	51200	51800	52600	51400	52000
13	51600	50700	51100	52600	51900	52100	52600	51500	52000	52800	51500	52200
14	51900	51300	51500	52800	51800	52200	52600	51600	52100	52800	51700	52300
15	52100	51500	51700	52700	51900	52200	52700	51900	52200	52800	51800	52400
16	52200	51600	51700	52800	51900	52300	53100	52000	52500	52700	51900	52400
17	51900	51600	51700	52800	52100	52400	53200	52400	52700	52800	52200	52500
18	51800	51200	51700	52800	52300	52400	53000	52600	52800	52700	51700	52200
19	51800	51200	51700	52900	52000	52500	53100	52700	52800	52100	51400	51700
20	51800	51400	51600	---	---	---	53200	52700	52800	52000	51300	51600
21	51700	51200	51400	52900	52500	52800	53400	52600	52900	52000	51300	51600
22	51600	51200	51400	53000	52700	52800	---	---	---	52000	51500	51700
23	51600	51200	51400	53000	52600	52800	---	---	---	51900	51300	51700
24	51600	51200	51400	52800	52400	52700	53400	52900	53000	51900	51200	51700
25	51600	51000	51400	52600	52000	52300	53400	52800	53100	52000	51200	51700
26	51700	51100	51400	52800	52000	52200	53700	53000	53200	52000	51200	51700
27	51700	51100	51400	53100	51900	52200	53700	53100	53300	52300	51500	51900
28	51700	50900	51400	53200	51900	52300	53800	53000	53300	52500	51600	52100
29	51700	50900	51300	53400	51700	52400	53700	52800	53100	52600	51600	52200
30	51600	51000	51400	53600	51800	52500	53900	52700	53100	52400	51900	52200
31	---	---	---	53600	51700	52400	54000	53000	53300	---	---	---
MONTH	52200	49100	51000	53600	50700	52200	54000	51200	52700	53900	51200	52200
YEAR	54000	45600	49400									

## BROAD RIVER BASIN

02176640 BEAUFORT RIVER AT PARRIS ISLAND, SC--Continued

TEMPERATURE, WATER (DEG. C), WATER YEAR OCTOBER 1999 TO SEPTEMBER 2000

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
OCTOBER			NOVEMBER			DECEMBER			JANUARY			
1	25.0	24.5	24.5	20.0	19.5	20.0	17.0	15.5	16.0	11.5	11.0	11.0
2	25.0	24.0	24.5	20.5	20.0	20.0	15.5	14.5	15.0	12.0	11.0	11.5
3	25.0	24.5	24.5	20.0	18.5	19.0	15.0	14.0	14.5	12.0	11.5	12.0
4	25.0	24.5	25.0	18.5	17.5	18.0	15.0	14.0	14.5	13.0	12.0	12.5
5	25.0	24.0	24.5	18.0	17.5	17.5	15.0	14.5	14.5	13.0	12.5	12.5
6	24.5	23.5	24.0	18.0	17.5	17.5	15.0	14.5	15.0	12.5	12.0	12.0
7	24.0	23.0	23.5	18.0	17.5	17.5	15.0	14.5	14.5	12.5	12.0	12.5
8	23.5	22.5	23.0	18.0	17.5	18.0	14.5	14.0	14.5	12.5	12.0	12.5
9	23.5	23.0	23.5	18.5	18.0	18.0	14.5	14.0	14.5	12.5	12.0	12.5
10	24.0	23.5	23.5	18.5	18.0	18.5	15.0	14.5	14.5	13.0	12.5	12.5
11	24.5	24.0	24.0	19.0	18.5	18.5	15.0	14.5	14.5	13.0	12.5	13.0
12	24.5	24.0	24.0	19.0	18.5	18.5	15.0	14.5	15.0	13.5	13.0	13.0
13	24.0	24.0	24.0	18.5	18.5	18.5	15.5	15.0	15.0	13.5	13.0	13.5
14	24.0	24.0	24.0	19.0	18.5	18.5	15.5	15.0	15.5	13.5	12.5	13.0
15	24.0	23.5	24.0	18.5	18.0	18.5	15.5	15.0	15.5	12.5	12.0	12.5
16	23.5	23.5	23.5	18.5	18.0	18.0	15.5	15.0	15.0	12.5	12.0	12.0
17	23.5	23.0	23.0	18.0	17.0	17.5	15.0	14.5	14.5	12.5	12.0	12.0
18	23.5	23.0	23.0	17.0	16.5	17.0	14.5	14.0	14.0	12.5	12.0	12.0
19	23.0	23.0	23.0	17.0	16.5	17.0	14.0	13.5	14.0	12.0	12.0	12.0
20	23.5	23.0	23.0	17.5	16.5	17.0	14.0	13.5	14.0	12.0	11.5	12.0
21	23.0	22.5	22.5	17.5	17.0	17.0	14.0	14.0	14.0	11.5	11.0	11.0
22	22.5	22.0	22.0	17.5	17.0	17.0	14.0	13.5	14.0	11.0	10.5	10.5
23	22.0	21.0	21.5	18.0	17.5	17.5	14.0	13.5	13.5	10.5	10.5	10.5
24	21.0	20.0	20.5	18.5	17.5	18.0	13.5	13.0	13.5	10.5	10.0	10.5
25	20.0	19.0	19.5	18.5	18.0	18.5	13.0	12.0	12.5	10.0	9.5	9.5
26	19.5	19.0	19.5	19.0	18.5	19.0	12.5	11.5	12.0	9.5	9.0	9.0
27	19.5	19.0	19.5	19.0	18.5	18.5	11.5	11.0	11.5	9.0	8.5	8.5
28	19.5	19.0	19.5	18.5	18.0	18.5	11.5	11.0	11.0	8.5	8.0	8.0
29	19.5	19.0	19.5	18.5	18.0	18.0	11.0	10.5	11.0	8.0	7.5	8.0
30	19.5	19.0	19.5	18.0	17.0	17.5	11.0	10.5	10.5	7.5	7.0	7.5
31	20.0	19.5	19.5	---	---	---	11.0	10.5	11.0	7.5	7.0	7.5
MONTH	25.0	19.0	22.5	20.5	16.5	18.1	17.0	10.5	13.8	13.5	7.0	11.2

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
FEBRUARY			MARCH			APRIL			MAY			
1	7.5	7.0	7.5	17.0	15.5	16.0	19.5	18.0	19.0	21.5	20.5	21.0
2	7.5	7.0	7.5	17.0	15.5	16.5	19.5	18.5	19.0	22.0	21.0	21.5
3	7.5	7.0	7.5	17.0	16.0	16.5	20.0	19.0	19.5	22.5	21.5	22.0
4	8.0	7.0	7.5	17.0	16.0	16.5	20.0	19.0	19.5	23.0	22.0	22.5
5	8.0	7.5	7.5	17.0	16.0	16.5	19.5	18.5	19.0	23.5	22.5	22.5
6	8.0	7.5	8.0	17.5	16.0	17.0	19.0	18.0	18.5	24.0	22.5	23.0
7	8.5	7.5	8.0	18.0	16.5	17.0	19.0	18.0	18.5	24.5	23.0	23.5
8	8.5	8.0	8.5	18.0	17.0	17.5	19.0	18.5	19.0	24.5	23.0	23.5
9	9.0	8.5	8.5	18.5	17.0	18.0	18.5	17.5	18.0	24.5	23.5	24.0
10	9.5	8.5	9.0	19.0	17.5	18.0	18.5	17.5	18.0	25.1	23.8	24.4
11	10.0	9.5	9.5	19.5	18.0	18.5	19.0	17.5	18.5	25.5	24.5	25.0
12	10.5	9.5	10.0	19.0	17.5	18.5	19.5	18.5	19.0	26.2	24.7	25.3
13	11.0	10.0	10.5	18.0	17.0	17.5	19.5	19.0	19.0	26.5	25.0	26.0
14	12.0	10.5	11.0	18.0	17.0	17.5	19.0	18.0	18.5	26.5	25.5	26.0
15	12.0	11.0	11.5	18.0	16.5	17.5	18.5	18.0	18.0	26.5	26.0	26.0
16	12.5	11.0	12.0	18.0	17.0	17.5	19.0	18.0	18.5	26.0	25.5	26.0
17	12.5	11.5	12.0	18.5	17.5	18.0	20.0	18.5	19.0	26.0	25.0	25.5
18	13.5	12.0	12.5	18.5	16.5	17.5	20.0	19.0	19.5	26.0	25.0	25.5
19	14.0	12.0	13.0	17.5	15.5	16.5	20.5	19.0	19.5	26.0	25.5	25.5
20	14.0	12.5	13.5	17.5	15.5	16.5	21.0	19.5	20.0	26.5	25.5	26.0
21	14.0	12.5	13.5	18.0	16.5	17.0	21.5	20.0	20.5	26.5	25.5	26.0
22	14.0	12.5	13.5	18.5	17.0	17.5	20.5	19.5	20.5	26.0	25.5	26.0
23	14.0	13.0	13.5	18.0	17.0	17.5	20.5	20.0	20.0	26.5	25.5	26.0
24	15.0	13.0	14.0	18.0	17.0	17.5	20.5	20.0	20.0	26.5	26.0	26.0
25	15.5	13.5	14.5	18.5	17.0	18.0	20.5	20.0	20.0	27.0	26.0	26.5
26	15.5	14.0	15.0	19.0	17.5	18.5	20.5	19.5	20.0	27.5	26.5	27.0
27	16.0	14.5	15.5	19.0	18.0	18.5	20.5	20.0	20.0	28.0	27.0	27.5
28	16.5	15.0	15.5	19.0	18.5	18.5	20.5	20.0	20.5	28.5	27.5	28.0
29	16.5	15.0	16.0	19.0	18.0	18.5	20.5	20.0	20.5	28.0	27.5	28.0
30	---	---	---	19.0	18.0	18.5	21.0	20.0	20.5	27.5	26.5	27.0
31	---	---	---	19.0	18.0	18.5	---	---	---	26.5	26.0	26.5
MONTH	16.5	7.0	11.2	19.5	15.5	17.5	21.5	17.5	19.3	28.5	20.5	25.1



## BROAD RIVER BASIN

02176640 BEAUFORT RIVER AT PARRIS ISLAND, SC--Continued

## OXYGEN DISSOLVED (MG/L), WATER YEAR OCTOBER 1999 TO SEPTEMBER 2000

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
OCTOBER			NOVEMBER			DECEMBER			JANUARY			
1	8.0	6.5	7.4	8.3	7.1	7.9	9.7	8.4	9.2	10.7	9.6	10.3
2	8.2	6.7	7.5	8.4	7.0	7.8	9.8	8.5	9.4	10.7	9.3	10.3
3	7.9	6.6	7.4	8.6	7.2	8.0	9.9	8.3	9.4	10.7	9.3	10.3
4	---	---	---	8.7	7.3	8.2	9.7	8.1	9.3	10.7	9.4	10.3
5	---	---	---	8.8	7.0	8.1	9.8	8.2	9.3	10.7	9.8	10.3
6	---	---	---	9.0	6.8	8.2	9.5	8.2	9.1	10.8	9.6	10.3
7	---	---	---	9.3	6.8	8.3	9.6	8.0	9.1	10.7	9.5	10.2
8	7.6	5.8	6.7	9.3	7.1	8.5	9.9	8.1	9.0	10.7	9.5	10.2
9	7.9	5.8	6.9	9.7	7.3	8.8	9.9	8.1	9.1	10.6	9.5	10.2
10	7.8	6.2	6.9	9.7	7.9	9.1	9.7	8.2	9.2	10.3	9.3	10.1
11	7.2	6.0	6.7	9.7	7.9	9.1	9.9	8.4	9.2	10.3	9.1	10.0
12	6.8	5.9	6.4	9.5	8.1	9.1	10.0	8.4	9.2	10.4	9.3	10.1
13	6.7	5.5	6.2	9.7	8.0	9.2	9.8	8.8	9.2	10.3	9.3	10.1
14	6.7	5.4	6.0	9.8	8.2	9.3	9.6	8.5	9.1	10.6	9.6	10.2
15	7.1	5.2	6.2	10.1	8.5	9.5	9.7	8.2	9.1	10.6	9.4	10.2
16	7.2	5.6	6.5	10.1	8.6	9.5	9.8	8.5	9.1	10.8	9.3	10.2
17	7.3	5.8	6.6	10.3	8.8	9.7	9.8	8.4	9.0	10.8	9.4	10.3
18	7.3	5.7	6.6	10.3	8.8	9.7	9.7	8.6	9.1	10.8	9.3	10.3
19	7.1	5.7	6.6	10.2	8.7	9.7	9.7	8.7	9.2	10.7	9.4	10.2
20	7.5	6.1	6.8	10.0	8.7	9.5	9.6	8.6	9.2	10.7	10.2	10.5
21	7.5	6.4	7.1	9.7	8.4	9.1	9.5	8.3	9.1	10.9	10.1	10.7
22	7.7	6.5	7.1	9.1	7.9	8.7	9.4	8.1	9.0	11.0	9.9	10.7
23	8.0	6.5	7.3	8.7	7.5	8.4	9.3	8.0	8.9	10.9	9.9	10.6
24	8.1	6.8	7.5	8.6	7.6	8.3	9.7	8.0	9.1	10.8	9.7	10.6
25	8.1	7.0	7.6	8.5	7.3	8.2	10.0	8.9	9.6	11.2	10.5	10.9
26	8.3	6.9	7.8	8.6	7.5	8.2	10.2	8.9	9.8	11.5	10.7	11.2
27	8.2	7.1	7.8	8.7	7.4	8.2	10.4	9.3	10.0	11.7	10.7	11.4
28	8.4	7.1	7.9	8.9	7.5	8.3	10.5	9.4	10.2	11.8	10.8	11.6
29	8.5	7.3	8.0	8.9	7.6	8.4	10.7	9.6	10.3	12.1	11.2	11.9
30	8.5	7.6	8.1	9.3	7.7	8.7	10.8	9.7	10.4	12.2	11.5	12.0
31	8.4	7.3	8.0	---	---	---	10.7	9.6	10.4	12.4	11.7	12.1
MONTH	8.5	5.2	7.1	10.3	6.8	8.7	10.8	8.0	9.4	12.4	9.1	10.6
DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
FEBRUARY			MARCH			APRIL			MAY			
1	12.5	11.4	12.3	9.8	9.2	9.5	9.0	7.9	8.4	8.8	6.9	8.0
2	12.7	11.6	12.3	9.7	9.0	9.4	8.8	7.8	8.3	8.6	7.2	7.9
3	12.9	11.6	12.5	9.6	8.9	9.3	8.8	7.8	8.3	8.4	6.3	7.5
4	13.2	11.8	12.6	9.4	8.7	9.0	8.8	7.7	8.2	8.1	6.2	7.2
5	13.2	11.8	12.6	9.4	8.3	8.9	8.8	7.6	8.1	7.9	5.9	7.1
6	13.2	11.6	12.7	9.3	8.1	8.7	8.9	7.5	8.3	7.8	5.6	7.0
7	13.1	11.6	12.6	9.2	7.8	8.6	9.0	7.7	8.5	7.8	5.2	6.9
8	12.9	11.7	12.5	9.1	8.0	8.6	9.0	7.8	8.5	7.7	5.5	7.0
9	12.7	11.9	12.4	9.2	8.0	8.6	9.3	8.1	8.7	7.8	5.9	7.1
10	12.6	11.3	12.2	8.9	7.7	8.5	9.4	8.1	8.8	7.7	6.6	7.2
11	12.4	11.3	12.1	8.7	7.8	8.4	9.5	8.2	8.9	7.6	6.4	7.0
12	12.2	11.0	12.0	9.1	7.8	8.5	9.3	8.5	9.0	7.5	6.4	7.0
13	12.1	11.0	11.7	9.1	8.2	8.7	9.1	8.4	8.8	7.3	6.3	6.8
14	12.0	10.7	11.5	9.2	8.1	8.8	8.9	8.2	8.7	7.0	6.0	6.6
15	11.7	10.4	11.3	9.3	8.2	8.7	8.7	7.9	8.4	6.7	5.9	6.2
16	11.7	10.4	11.1	9.2	8.4	8.8	8.6	7.8	8.2	6.8	5.6	6.2
17	11.0	10.6	10.8	9.1	8.5	8.8	8.6	7.6	8.1	7.3	5.5	6.3
18	10.7	10.3	10.5	9.3	8.5	8.9	8.5	7.5	8.1	7.4	5.5	6.5
19	10.6	10.0	10.3	9.6	8.6	9.1	8.5	7.6	8.0	7.3	6.0	6.7
20	10.5	9.9	10.2	9.5	8.7	9.0	8.2	7.5	7.9	7.5	6.0	6.7
21	10.5	9.8	10.2	9.1	8.5	8.8	8.1	7.4	7.8	7.6	5.7	6.7
22	10.5	9.8	10.2	9.0	8.3	8.7	8.4	7.4	7.9	7.6	6.1	6.8
23	10.4	9.8	10.2	9.0	8.4	8.7	8.3	7.4	7.9	7.3	6.0	6.7
24	10.4	9.8	10.2	8.8	8.1	8.6	8.2	7.3	7.7	7.5	5.8	6.7
25	10.4	9.8	10.1	8.9	8.1	8.6	8.1	7.3	7.7	7.8	5.9	6.9
26	10.3	9.6	10.0	9.0	8.2	8.7	8.2	6.9	7.7	7.7	5.8	6.9
27	10.3	9.7	10.0	9.0	8.3	8.7	8.5	6.9	7.7	7.5	5.8	6.8
28	10.2	9.6	10.0	9.3	8.2	8.7	8.6	7.2	7.9	7.2	5.8	6.5
29	10.0	9.3	9.6	9.4	8.5	8.9	8.6	7.3	8.0	7.0	5.7	6.4
30	---	---	---	9.1	8.2	8.7	8.7	7.1	8.1	7.0	5.7	6.3
31	---	---	---	8.9	8.0	8.4	---	---	---	7.2	5.6	6.2
MONTH	13.2	9.3	11.3	9.8	7.7	8.8	9.5	6.9	8.2	8.8	5.2	6.8

