

TABLE R31. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected natures of injury or illness, 2006

Event	Event code ²	Private industry ³	Nature of injury or illness ⁴						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
Total		1,183,500	472,740	94,110	115,210	101,260	17,440	7,490	7,990
Contact with objects and equipment	0	335,460	33,920	38,570	106,110	54,560	—	—	7,850
Contact with objects and equipment, unspecified	00	5,600	240	410	3,260	540	—	—	70
Struck against object	01	85,710	14,930	7,120	29,760	15,700	—	—	790
Struck against object, unspecified ..	010	3,290	370	150	1,450	640	—	—	20
Stepped on object	011	13,500	7,120	2,040	2,800	260	—	—	—
Struck against stationary object	012	49,000	5,640	3,740	16,410	11,340	—	—	160
Struck against moving object	013	9,010	650	500	4,570	1,150	—	—	520
Struck against object, n.e.c.	019	10,920	1,150	690	4,530	2,310	—	—	80
Struck by object	02	164,670	13,540	21,600	55,240	30,740	—	—	1,640
Struck by object, unspecified	020	6,050	740	750	1,570	1,100	—	—	60
Struck by falling object	021	58,010	7,180	11,260	6,870	15,270	—	—	330
Struck by flying object	022	19,320	570	1,320	8,430	1,740	—	—	20
Struck by flying object, unspecified	0220	2,060	50	100	710	140	—	—	—
Struck by dislodged flying object, particle	0221	9,480	180	700	3,460	820	—	—	—
Struck by discharged object or substance	0222	4,850	90	280	3,450	200	—	—	—
Struck by flying object, n.e.c.	0229	2,920	260	240	810	580	—	—	—
Struck by swinging or slipping object	023	57,500	2,320	5,440	32,940	7,270	—	—	970
Struck by swinging or slipping object, unspecified	0230	1,250	30	200	430	300	—	—	—
Struck by or slammed in swinging door or gate	0231	8,380	780	1,310	1,320	2,360	—	—	220
Struck by slipping handheld object	0232	44,080	1,230	3,300	30,390	3,560	—	—	700
Struck by swinging or slipping object, n.e.c.	0239	3,790	270	620	800	1,050	—	—	40
Struck by rolling, sliding objects on floor or ground level	024	4,090	570	480	190	1,430	—	—	—
Struck by object, n.e.c.	029	19,700	2,160	2,360	5,250	3,930	—	—	240
Caught in or compressed by equipment or objects	03	58,760	3,870	9,160	15,830	7,120	—	—	5,290
Caught in or compressed by equipment or objects, unspecified	030	7,640	620	1,410	1,390	1,020	—	—	490
Caught in running equipment or machinery	031	22,550	540	2,590	9,660	1,070	—	—	3,300
Compressed or pinched by rolling, sliding, or shifting objects	032	10,420	750	1,850	1,820	2,250	—	—	380

See footnotes at end of table.

TABLE R31. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

Event	Nature of injury or illness ⁴							All other natures ⁵
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		
			Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Total	13,010	4,750	45,890	10,600	18,020	105,050	35,330	198,550
Contact with objects and equipment	—	250	14,500	4,370	4,010	17,750	1,150	61,950
Contact with objects and equipment, unspecified	—	—	210	160	20	160	—	710
Struck against object	—	60	2,580	390	1,120	5,030	220	9,730
Struck against object, unspecified ..	—	—	150	20	110	80	—	430
Stepped on object	—	—	150	80	50	590	20	520
Struck against stationary object	—	50	1,660	180	790	3,250	80	6,750
Struck against moving object	—	—	340	80	100	270	20	1,000
Struck against object, n.e.c.	—	—	280	40	80	830	80	1,040
Struck by object	—	90	7,640	2,050	2,280	9,470	550	24,710
Struck by object, unspecified	—	—	280	70	40	170	20	1,370
Struck by falling object	—	—	4,090	1,110	1,290	4,130	310	8,870
Struck by flying object	—	—	650	140	110	1,110	30	5,480
Struck by flying object, unspecified	—	—	70	—	—	180	—	810
Struck by dislodged flying object, particle	—	—	340	90	90	670	20	3,300
Struck by discharged object or substance	—	—	80	30	—	170	—	570
Struck by flying object, n.e.c.	—	—	150	—	—	80	—	800
Struck by swinging or slipping object	—	40	1,450	460	410	2,100	80	4,970
Struck by swinging or slipping object, unspecified	—	—	40	—	—	40	—	180
Struck by or slammed in swinging door or gate	—	—	440	170	130	570	50	1,370
Struck by slipping handheld object	—	40	740	230	200	1,310	20	2,800
Struck by swinging or slipping object, n.e.c.	—	—	220	50	80	190	—	600
Struck by rolling, sliding objects on floor or ground level	—	—	240	40	120	410	—	750
Struck by object, n.e.c.	—	20	930	230	310	1,550	100	3,270
Caught in or compressed by equipment or objects	—	20	3,720	1,730	570	1,940	120	11,810
Caught in or compressed by equipment or objects, unspecified	—	—	800	510	120	290	—	1,630
Caught in running equipment or machinery	—	—	1,130	540	80	410	—	3,860
Compressed or pinched by rolling, sliding, or shifting objects	—	—	560	210	110	490	20	2,300

See footnotes at end of table.

TABLE R31. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

Event	Event code ²	Private industry ³	Nature of injury or illness ⁴						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
Caught in or compressed by equipment or objects, n.e.c.	039	18,140	1,970	3,300	2,950	2,790	—	—	1,120
Caught in or crushed in collapsing materials	04	510	140	90	—	20	—	—	—
Caught in or crushed in collapsing materials, unspecified	040	70	—	20	—	—	—	—	—
Excavation or trenching cave-in	041	220	90	20	—	—	—	—	—
Other cave-in	042	20	—	—	—	—	—	—	—
Caught in or crushed in collapsing structure	044	100	—	—	—	—	—	—	—
Caught in or crushed in collapsing materials, n.e.c.	049	90	30	40	—	—	—	—	—
Rubbed or abraded by friction or pressure	05	15,970	250	—	310	200	—	—	—
Rubbed or abraded by friction or pressure, unspecified	050	80	—	—	—	—	—	—	—
Rubbed or abraded by kneeling on surface	051	940	210	—	—	90	—	—	—
Rubbed or abraded by objects being handled	052	680	20	—	230	20	—	—	—
Rubbed or abraded by foreign matter in eye	053	14,130	—	—	—	60	—	—	—
Rubbed or abraded by friction or pressure, n.e.c.	059	150	—	—	—	—	—	—	—
Rubbed, abraded, or jarred by vibration	06	1,420	760	—	—	30	—	—	—
Rubbed, abraded, or jarred by vibration, unspecified	060	50	20	—	—	—	—	—	—
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	061	890	500	—	—	—	—	—	—
Rubbed, abraded, or jarred by other machine or equipment vibration	062	370	140	—	—	20	—	—	—
Rubbed, abraded, or jarred by vibration, n.e.c.	069	110	90	—	—	—	—	—	—
Contact with objects and equipment, n.e.c.	09	2,820	190	180	1,690	200	—	—	60
Falls	1	234,450	75,570	44,900	5,760	36,000	—	—	20
Fall, unspecified	10	2,560	910	350	20	600	—	—	—
Fall to lower level	11	74,280	23,650	17,040	1,470	8,880	—	—	—
Fall to lower level, unspecified	110	690	220	150	—	80	—	—	—
Fall down stairs or steps	111	17,170	6,530	3,140	260	2,150	—	—	—

See footnotes at end of table.

TABLE R31. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

Event	Nature of injury or illness ⁴							All other natures ⁵
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		
			Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Caught in or compressed by equipment or objects, n.e.c.	—	—	1,220	470	260	750	90	4,020
Caught in or crushed in collapsing materials	—	—	40	20	—	80	—	110
Caught in or crushed in collapsing materials, unspecified	—	—	—	—	—	—	—	20
Excavation or trenching cave-in	—	—	—	—	—	60	—	40
Other cave-in	—	—	—	—	—	—	—	—
Caught in or crushed in collapsing structure	—	—	20	20	—	—	—	40
Caught in or crushed in collapsing materials, n.e.c.	—	—	—	—	—	—	—	—
Rubbed or abraded by friction or pressure	—	—	200	—	—	600	—	14,390
Rubbed or abraded by friction or pressure, unspecified	—	—	—	—	—	—	—	60
Rubbed or abraded by kneeling on surface	—	—	—	—	—	350	—	260
Rubbed or abraded by objects being handled	—	—	20	—	—	50	—	350
Rubbed or abraded by foreign matter in eye	—	—	180	—	—	190	—	13,620
Rubbed or abraded by friction or pressure, n.e.c.	—	—	—	—	—	—	—	110
Rubbed, abraded, or jarred by vibration	—	60	20	—	—	360	220	190
Rubbed, abraded, or jarred by vibration, unspecified	—	—	—	—	—	—	—	—
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	—	—	—	—	—	270	200	100
Rubbed, abraded, or jarred by other machine or equipment vibration	—	60	—	—	—	70	20	80
Rubbed, abraded, or jarred by vibration, n.e.c.	—	—	—	—	—	—	—	—
Contact with objects and equipment, n.e.c.	—	—	90	—	—	110	20	300
Falls	—	80	21,770	4,530	10,450	22,510	5,800	27,840
Fall, unspecified	—	—	280	80	40	220	70	180
Fall to lower level	—	—	7,970	2,040	3,070	6,130	1,780	9,130
Fall to lower level, unspecified	—	—	60	20	—	30	—	140
Fall down stairs or steps	—	—	1,570	290	890	2,000	720	1,530

See footnotes at end of table.

TABLE R31. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

Event	Event code ²	Private industry ³	Nature of injury or illness ⁴						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
Fall from floor, dock, or ground level	112	4,820	1,290	830	110	770	—	—	—
Fall from floor, dock, or ground level, unspecified	1120	900	390	120	30	120	—	—	—
Fall through existing floor opening	1121	530	130	130	—	110	—	—	—
Fall through floor surface	1122	900	260	120	—	40	—	—	—
Fall from loading dock	1123	840	120	150	40	290	—	—	—
Fall from ground level to lower level	1124	1,180	330	130	20	90	—	—	—
Fall from floor, dock, or ground level, n.e.c.	1129	480	70	170	—	120	—	—	—
Fall from ladder	113	20,250	6,370	5,280	480	2,120	—	—	—
Fall from piled or stacked material	114	540	160	130	—	60	—	—	—
Fall from roof	115	1,970	280	810	30	160	—	—	—
Fall from roof, unspecified	1150	330	80	100	—	—	—	—	—
Fall through existing roof opening	1151	200	—	170	—	—	—	—	—
Fall through roof surface	1152	370	50	40	—	120	—	—	—
Fall through skylight	1153	50	—	20	—	—	—	—	—
Fall from roof edge	1154	610	50	310	—	20	—	—	—
Fall from roof, n.e.c.	1159	400	70	180	—	—	—	—	—
Fall from scaffold, staging	116	2,870	560	710	100	340	—	—	—
Fall from building girders or other structural steel	117	500	140	230	—	30	—	—	—
Fall from nonmoving vehicle	118	13,270	4,410	2,930	170	1,430	—	—	—
Fall to lower level, n.e.c.	119	12,200	3,680	2,820	300	1,750	—	—	—
Jump to lower level	12	4,590	2,650	1,000	30	220	—	—	—
Jump to lower level, unspecified	120	290	170	60	—	—	—	—	—
Jump from scaffold, platform, loading dock	121	530	320	60	—	80	—	—	—
Jump from structure, structural element, n.e.c.	122	320	180	80	—	—	—	—	—
Jump from nonmoving vehicle	123	1,930	1,070	520	—	90	—	—	—
Jump to lower level, n.e.c.	129	1,520	900	270	—	30	—	—	—
Fall on same level	13	151,750	47,880	26,270	4,170	26,020	—	—	—
Fall on same level, unspecified	130	1,510	680	310	20	200	—	—	—
Fall to floor, walkway, or other surface	131	129,480	42,230	23,160	1,840	21,210	—	—	—
Fall onto or against objects	132	18,560	4,270	2,360	2,230	4,340	—	—	—
Fall on same level, n.e.c.	139	2,200	710	450	80	280	—	—	—
Fall, n.e.c.	19	1,270	490	240	60	280	—	—	—
Bodily reaction and exertion	2	461,530	337,510	2,940	20	130	—	—	—

See footnotes at end of table.

TABLE R31. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

Event	Nature of injury or illness ⁴							All other natures ⁵
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		
			Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Fall from floor, dock, or ground level	—	—	580	210	160	240	60	1,010
Fall from floor, dock, or ground level, unspecified	—	—	130	110	20	60	—	50
Fall through existing floor opening	—	—	100	20	60	30	—	20
Fall through floor surface	—	—	90	—	30	30	—	340
Fall from loading dock	—	—	110	50	20	30	—	110
Fall from ground level to lower level	—	—	100	30	30	40	—	460
Fall from floor, dock, or ground level, n.e.c.	—	—	50	—	—	50	20	—
Fall from ladder	—	—	2,190	700	800	1,470	320	2,340
Fall from piled or stacked material	—	—	120	20	90	30	30	20
Fall from roof	—	—	240	80	90	180	30	270
Fall from roof, unspecified	—	—	50	—	—	50	—	30
Fall through existing roof opening	—	—	20	—	—	—	—	—
Fall through roof surface	—	—	50	—	30	—	—	100
Fall through skylight	—	—	—	—	—	—	—	—
Fall from roof edge	—	—	70	30	40	100	20	60
Fall from roof, n.e.c.	—	—	40	20	—	—	—	80
Fall from scaffold, staging	—	—	400	60	120	160	50	590
Fall from building girders or other structural steel	—	—	40	—	20	20	—	30
Fall from nonmoving vehicle	—	—	1,440	320	550	1,120	220	1,760
Fall to lower level, n.e.c.	—	—	1,320	320	340	880	350	1,430
Jump to lower level	—	—	70	20	40	360	80	260
Jump to lower level, unspecified	—	—	—	—	—	40	—	20
Jump from scaffold, platform, loading dock	—	—	—	—	—	—	—	30
Jump from structure, structural element, n.e.c.	—	—	—	—	—	—	—	20
Jump from nonmoving vehicle	—	—	—	—	—	140	40	90
Jump to lower level, n.e.c.	—	—	40	—	20	160	40	110
Fall on same level	—	60	13,400	2,390	7,280	15,760	3,850	18,170
Fall on same level, unspecified	—	—	100	20	20	50	—	160
Fall to floor, walkway, or other surface	—	50	11,660	2,070	6,470	13,730	3,230	15,600
Fall onto or against objects	—	—	1,360	280	610	1,690	540	2,300
Fall on same level, n.e.c.	—	—	280	—	170	290	80	120
Fall, n.e.c.	—	—	60	—	20	50	20	100
Bodily reaction and exertion	12,990	4,350	150	30	20	53,540	25,080	49,900

See footnotes at end of table.

TABLE R31. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

Event	Event code ²	Private industry ³	Nature of injury or illness ⁴						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
Bodily reaction and exertion, unspecified	20	5,950	3,480	200	—	—	—	—	—
Bodily reaction	21	128,770	101,880	1,530	—	90	—	—	—
Bodily reaction, unspecified	210	7,300	4,690	—	—	—	—	—	—
Bending, climbing, crawling, reaching, twisting	211	53,170	43,270	330	—	40	—	—	—
Sudden reaction when surprised, frightened, startled	212	1,270	910	30	—	—	—	—	—
Running without other incident	213	1,240	1,080	20	—	—	—	—	—
Sitting	214	550	270	—	—	—	—	—	—
Slip, trip, loss of balance without fall	215	35,440	28,840	490	—	—	—	—	—
Standing	216	1,840	1,370	—	—	—	—	—	—
Walking without other incident	217	4,890	3,360	130	—	—	—	—	—
Bodily reaction, n.e.c.	219	23,060	18,110	520	—	30	—	—	—
Overexertion	22	284,910	220,170	1,210	—	30	—	—	—
Overexertion, unspecified	220	19,620	14,870	240	—	—	—	—	—
Overexertion in lifting	221	150,990	115,060	630	—	—	—	—	—
Overexertion in pulling or pushing objects	222	48,700	38,050	150	—	—	—	—	—
Overexertion in holding, carrying, turning, or wielding objects	223	51,550	41,230	160	—	—	—	—	—
Overexertion in throwing objects	224	1,700	1,250	—	—	—	—	—	—
Overexertion, n.e.c.	229	12,340	9,710	20	—	—	—	—	—
Repetitive motion	23	38,310	11,290	—	—	—	—	—	—
Repetitive motion, unspecified	230	9,180	2,510	—	—	—	—	—	—
Typing or key entry	231	5,430	660	—	—	—	—	—	—
Repetitive use of tools	232	4,990	1,320	—	—	—	—	—	—
Repetitive placing, grasping, or moving objects, except tools	233	14,240	5,350	—	—	—	—	—	—
Repetitive motion, n.e.c.	239	4,470	1,450	—	—	—	—	—	—
Sustained viewing	24	20	—	—	—	—	—	—	—
Bodily conditions, n.e.c.	25	2,290	—	—	—	—	—	—	—
Bodily reaction and exertion, n.e.c.	29	1,270	670	—	—	—	—	—	—
Exposure to harmful substances or environments	3	56,510	—	—	130	—	16,190	7,300	—
Exposure to harmful substances or environments, unspecified	30	920	—	—	—	—	—	—	—
Contact with electric current	31	2,620	—	—	—	—	—	—	—
Contact with electric current, unspecified	310	240	—	—	—	—	—	—	—
Contact with electric current of machine, tool, appliance, or light fixture	311	840	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R31. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

Event	Nature of injury or illness ⁴							All other natures ⁵
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		
			Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Bodily reaction and exertion, unspecified	—	130	—	—	—	780	370	1,360
Bodily reaction	—	320	40	—	—	14,710	5,760	10,190
Bodily reaction, unspecified	—	50	—	—	—	1,000	470	1,560
Bending, climbing, crawling, reaching, twisting	—	140	—	—	—	6,010	3,170	3,370
Sudden reaction when surprised, frightened, startled	—	—	—	—	—	180	50	140
Running without other incident	—	—	—	—	—	100	—	40
Sitting	—	—	—	—	—	140	80	140
Slip, trip, loss of balance without fall	—	20	20	—	—	3,510	840	2,560
Standing	—	—	—	—	—	350	210	110
Walking without other incident	—	60	—	—	—	940	120	410
Bodily reaction, n.e.c.	—	70	—	—	—	2,480	770	1,860
Overexertion	—	1,310	100	20	—	33,040	18,240	29,020
Overexertion, unspecified	—	40	—	—	—	2,070	1,150	2,400
Overexertion in lifting	—	580	20	—	—	17,640	11,380	17,040
Overexertion in pulling or pushing objects	—	240	20	20	—	5,500	2,120	4,720
Overexertion in holding, carrying, turning, or wielding objects	—	320	60	—	—	6,120	2,900	3,660
Overexertion in throwing objects	—	20	—	—	—	220	130	210
Overexertion, n.e.c.	—	110	—	—	—	1,490	560	990
Repetitive motion	12,980	2,570	—	—	—	4,710	540	6,730
Repetitive motion, unspecified	3,430	490	—	—	—	1,000	90	1,730
Typing or key entry	2,800	570	—	—	—	660	—	740
Repetitive use of tools	1,840	350	—	—	—	550	40	930
Repetitive placing, grasping, or moving objects, except tools	3,870	980	—	—	—	1,790	300	2,240
Repetitive motion, n.e.c.	1,040	180	—	—	—	710	110	1,090
Sustained viewing	—	—	—	—	—	—	—	20
Bodily conditions, n.e.c.	—	—	—	—	—	120	60	2,170
Bodily reaction and exertion, n.e.c.	—	—	—	—	—	180	110	410
Exposure to harmful substances or environments	—	—	—	—	—	320	—	32,570
Exposure to harmful substances or environments, unspecified	—	—	—	—	—	—	—	900
Contact with electric current	—	—	—	—	—	—	—	2,620
Contact with electric current, unspecified	—	—	—	—	—	—	—	240
Contact with electric current of machine, tool, appliance, or light fixture	—	—	—	—	—	—	—	840

See footnotes at end of table.

TABLE R31. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

Event	Event code ²	Private industry ³	Nature of injury or illness ⁴						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
Contact with wiring, transformers, or other electrical components	312	1,010	—	—	—	—	—	—	—
Contact with overhead power lines	313	30	—	—	—	—	—	—	—
Struck by lightning	315	60	—	—	—	—	—	—	—
Contact with electric current, n.e.c.	319	430	—	—	—	—	—	—	—
Contact with temperature extremes ...	32	20,000	—	—	—	—	16,190	—	—
Exposure to environmental heat	321	3,110	—	—	—	—	—	—	—
Exposure to environmental cold	322	280	—	—	—	—	—	—	—
Contact with hot objects or substances	323	16,570	—	—	—	—	16,190	—	—
Contact with cold objects or substances	324	30	—	—	—	—	—	—	—
Exposure to air pressure changes	33	400	—	—	—	—	—	—	—
Pressure changes underwater	331	30	—	—	—	—	—	—	—
Pressure changes in airplane, other aircraft	332	360	—	—	—	—	—	—	—
Exposure to caustic, noxious, or allergenic substances	34	28,940	—	—	130	—	—	7,300	—
Exposure to caustic, noxious, or allergenic substances, unspecified	340	2,330	—	—	—	—	—	230	—
Inhalation of substance	341	5,960	—	—	—	—	—	—	—
Inhalation of substance, unspecified	3410	1,900	—	—	—	—	—	—	—
Inhalation in enclosed, restricted, or confined space	3411	1,040	—	—	—	—	—	—	—
Inhalation in open or nonconfined space	3412	3,020	—	—	—	—	—	—	—
Contact with skin or other exposed tissue	342	13,920	—	—	40	—	—	6,710	—
Injections, stings, venomous bites	343	4,820	—	—	80	—	—	—	—
Injections, stings, venomous bites, unspecified	3430	740	—	—	—	—	—	—	—
Needle sticks	3431	140	—	—	80	—	—	—	—
Bee, wasp, hornet sting	3432	1,710	—	—	—	—	—	—	—
Other stings or venomous bites	3433	1,660	—	—	—	—	—	—	—
Injections, stings, venomous bites, n.e.c.	3439	580	—	—	—	—	—	—	—
Ingestion of substance	344	240	—	—	—	—	—	—	—
Exposure to caustic, noxious, or allergenic substances, n.e.c.	349	1,670	—	—	—	—	—	340	—

See footnotes at end of table.

TABLE R31. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

Event	Nature of injury or illness ⁴							All other natures ⁵
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		
			Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Contact with wiring, transformers, or other electrical components	-	-	-	-	-	-	-	1,010
Contact with overhead power lines	-	-	-	-	-	-	-	30
Struck by lightning	-	-	-	-	-	-	-	60
Contact with electric current, n.e.c.	-	-	-	-	-	-	-	430
Contact with temperature extremes ...	-	-	-	-	-	30	-	3,780
Exposure to environmental heat	-	-	-	-	-	-	-	3,110
Exposure to environmental cold	-	-	-	-	-	-	-	270
Contact with hot objects or substances	-	-	-	-	-	-	-	360
Contact with cold objects or substances	-	-	-	-	-	-	-	30
Exposure to air pressure changes	-	-	-	-	-	50	-	350
Pressure changes underwater	-	-	-	-	-	-	-	20
Pressure changes in airplane, other aircraft	-	-	-	-	-	50	-	310
Exposure to caustic, noxious, or allergenic substances	-	-	-	-	-	210	-	21,300
Exposure to caustic, noxious, or allergenic substances, unspecified	-	-	-	-	-	20	-	2,080
Inhalation of substance	-	-	-	-	-	-	-	5,940
Inhalation of substance, unspecified	-	-	-	-	-	-	-	1,900
Inhalation in enclosed, restricted, or confined space	-	-	-	-	-	-	-	1,040
Inhalation in open or nonconfined space	-	-	-	-	-	-	-	3,010
Contact with skin or other exposed tissue	-	-	-	-	-	130	-	7,040
Injections, stings, venomous bites	-	-	-	-	-	-	-	4,730
Injections, stings, venomous bites, unspecified	-	-	-	-	-	-	-	740
Needle sticks	-	-	-	-	-	-	-	60
Bee, wasp, hornet sting	-	-	-	-	-	-	-	1,710
Other stings or venomous bites	-	-	-	-	-	-	-	1,660
Injections, stings, venomous bites, n.e.c.	-	-	-	-	-	-	-	570
Ingestion of substance	-	-	-	-	-	-	-	220
Exposure to caustic, noxious, or allergenic substances, n.e.c.	-	-	-	-	-	50	-	1,280

See footnotes at end of table.

TABLE R31. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

Event	Event code ²	Private industry ³	Nature of injury or illness ⁴						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
Exposure to noise	35	150	—	—	—	—	—	—	—
Exposure to noise over time	351	20	—	—	—	—	—	—	—
Exposure to noise in single incident	352	120	—	—	—	—	—	—	—
Exposure to radiation	36	2,230	—	—	—	—	—	—	—
Exposure to sun	361	320	—	—	—	—	—	—	—
Exposure to welding light	362	1,790	—	—	—	—	—	—	—
Exposure to radioactive material	363	40	—	—	—	—	—	—	—
Exposure to radiation, n.e.c.	369	80	—	—	—	—	—	—	—
Exposure to traumatic or stressful event, n.e.c.	37	990	—	—	—	—	—	—	—
Oxygen deficiency, n.e.c.	38	20	—	—	—	—	—	—	—
Other oxygen deficiency, n.e.c.	389	20	—	—	—	—	—	—	—
Exposure to harmful substances or environments, n.e.c.	39	240	—	—	—	—	—	—	—
Transportation accidents	4	56,170	17,890	5,780	1,160	6,640	20	—	90
Transportation accident, unspecified	40	1,790	480	100	50	180	—	—	—
Highway accident	41	36,330	13,680	2,490	470	2,660	20	—	30
Highway accident, unspecified	410	3,120	1,290	410	70	290	—	—	—
Collision between vehicles, mobile equipment	411	25,260	10,240	1,250	270	1,540	20	—	20
Collision between vehicles, mobile equipment, unspecified	4110	6,680	2,050	360	100	390	—	—	20
Re-entrant collision	4111	580	150	50	—	—	—	—	—
Moving in same direction	4112	7,290	3,630	350	40	460	—	—	—
Moving in opposite directions, oncoming	4113	2,220	790	260	50	90	—	—	—
Moving in intersection	4114	3,650	1,560	150	20	240	—	—	—
Moving and standing vehicle, mobile equipment in roadway	4115	2,780	1,470	30	—	210	—	—	—
Moving and standing vehicle, mobile equipment side of road	4116	550	140	30	—	—	—	—	—
Collision between vehicles, mobile equipment, n.e.c.	4119	1,520	440	30	50	130	—	—	—
Vehicle struck stationary object or equipment in roadway	412	570	150	60	—	90	—	—	—
Vehicle struck stationary object, equipment on side of road	413	1,280	220	100	30	60	—	—	—
Noncollision accident	414	5,490	1,740	670	90	660	—	—	—
Noncollision accident, unspecified	4140	140	30	20	—	—	—	—	—

See footnotes at end of table.

TABLE R31. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

Event	Nature of injury or illness ⁴							All other natures ⁵
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		
			Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Exposure to noise	—	—	—	—	—	—	—	150
Exposure to noise over time	—	—	—	—	—	—	—	20
Exposure to noise in single incident	—	—	—	—	—	—	—	120
Exposure to radiation	—	—	—	—	—	—	—	2,230
Exposure to sun	—	—	—	—	—	—	—	320
Exposure to welding light	—	—	—	—	—	—	—	1,780
Exposure to radioactive material	—	—	—	—	—	—	—	40
Exposure to radiation, n.e.c.	—	—	—	—	—	—	—	80
Exposure to traumatic or stressful event, n.e.c.	—	—	—	—	—	—	—	990
Oxygen deficiency, n.e.c.	—	—	—	—	—	—	—	20
Other oxygen deficiency, n.e.c.	—	—	—	—	—	—	—	20
Exposure to harmful substances or environments, n.e.c.	—	—	—	—	—	—	—	230
Transportation accidents	—	—	7,140	1,270	2,770	7,320	2,430	10,140
Transportation accident, unspecified	—	—	170	30	50	190	130	610
Highway accident	—	—	4,820	480	1,920	5,780	2,060	6,380
Highway accident, unspecified	—	—	310	40	120	260	70	480
Collision between vehicles, mobile equipment	—	—	3,020	220	1,330	4,130	1,810	4,770
Collision between vehicles, mobile equipment, unspecified	—	—	770	60	410	1,300	520	1,690
Re-entrant collision	—	—	40	—	—	300	30	30
Moving in same direction	—	—	970	80	450	1,020	540	820
Moving in opposite directions, oncoming	—	—	260	20	40	450	320	310
Moving in intersection	—	—	470	40	210	450	130	740
Moving and standing vehicle, mobile equipment in roadway	—	—	210	—	80	310	90	540
Moving and standing vehicle, mobile equipment side of road	—	—	40	—	20	30	—	300
Collision between vehicles, mobile equipment, n.e.c.	—	—	260	20	120	260	170	340
Vehicle struck stationary object or equipment in roadway	—	—	50	—	20	90	—	120
Vehicle struck stationary object, equipment on side of road	—	—	180	50	90	490	20	200
Noncollision accident	—	—	1,060	130	350	540	150	730
Noncollision accident, unspecified	—	—	40	—	—	—	—	20

See footnotes at end of table.

TABLE R31. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

Event	Event code ²	Private industry ³	Nature of injury or illness ⁴						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
Jack-knifed or overturned no collision	4141	2,670	540	400	50	310	—	—	—
Ran off highway no collision	4142	780	200	210	20	120	—	—	—
Struck by shifting load	4143	60	20	—	—	—	—	—	—
Sudden start or stop, n.e.c.	4144	1,130	720	20	—	100	—	—	—
Noncollision accident, n.e.c.	4149	700	220	20	—	100	—	—	—
Highway accident, n.e.c.	419	610	40	—	—	20	—	—	—
Nonhighway accident, except rail, air, water	42	8,560	2,540	1,340	410	1,360	—	—	20
Nonhighway accident, unspecified	420	190	50	50	—	20	—	—	—
Collision between vehicles or mobile equipment	421	1,280	510	90	40	170	—	—	—
Vehicle, mobile equipment struck stationary object	422	2,000	580	370	140	320	—	—	—
Noncollision accident	423	4,680	1,330	750	220	760	—	—	—
Noncollision accident, unspecified	4230	100	50	—	—	—	—	—	—
Fall from moving vehicle, mobile equipment	4231	1,140	190	310	20	200	—	—	—
Fell from and struck by vehicle, mobile equipment	4232	150	30	40	—	30	—	—	—
Overturned	4233	1,190	210	240	100	170	—	—	—
Loss of control	4234	310	130	40	—	70	—	—	—
Struck by shifting load	4235	170	50	20	—	60	—	—	—
Sudden start or stop, n.e.c.	4236	850	290	40	50	110	—	—	—
Noncollision accident, n.e.c.	4239	770	400	50	30	130	—	—	—
Nonhighway accident, n.e.c.	429	410	70	80	20	90	—	—	—
Pedestrian, nonpassenger struck by vehicle, mobile equipment	43	8,400	880	1,780	190	2,360	—	—	40
Pedestrian struck by vehicle, mobile equipment, unspecified	430	1,490	60	470	40	290	—	—	20
Pedestrian struck by vehicle, mobile equipment in roadway	431	700	150	130	30	110	—	—	—
Pedestrian struck by vehicle, mobile equipment on side of road	432	130	—	30	—	30	—	—	—
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	433	6,090	670	1,150	110	1,930	—	—	—
Railway accident	44	220	80	—	—	20	—	—	—
Collision between railway vehicle and other vehicle	442	60	—	—	—	—	—	—	—
Derailment	445	40	20	—	—	—	—	—	—
Railway accident, n.e.c.	449	90	50	—	—	—	—	—	—
Water vehicle accident	45	220	70	40	20	30	—	—	—

See footnotes at end of table.

TABLE R31. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

Event	Nature of injury or illness ⁴							All other natures ⁵
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		
			Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Jack-knifed or overturned no collision	—	—	640	90	280	220	30	510
Ran off highway no collision	—	—	120	20	30	80	40	30
Struck by shifting load	—	—	—	—	—	20	—	—
Sudden start or stop, n.e.c.	—	—	70	—	30	90	60	110
Noncollision accident, n.e.c.	—	—	200	—	—	110	20	60
Highway accident, n.e.c.	—	—	200	—	—	270	—	80
Nonhighway accident, except rail, air, water	—	—	910	160	370	820	160	1,150
Nonhighway accident, unspecified	—	—	20	—	20	—	—	40
Collision between vehicles or mobile equipment	—	—	80	—	40	200	50	200
Vehicle, mobile equipment struck stationary object	—	—	230	20	60	130	—	210
Noncollision accident	—	—	560	130	240	450	100	610
Noncollision accident, unspecified	—	—	—	—	—	20	—	—
Fall from moving vehicle, mobile equipment	—	—	150	40	50	60	—	210
Fell from and struck by vehicle, mobile equipment	—	—	—	—	—	—	—	20
Overturned	—	—	210	40	120	60	—	210
Loss of control	—	—	40	20	20	20	—	20
Struck by shifting load	—	—	—	—	—	20	—	—
Sudden start or stop, n.e.c.	—	—	80	20	40	200	40	80
Noncollision accident, n.e.c.	—	—	40	—	—	70	30	60
Nonhighway accident, n.e.c.	—	—	20	—	—	40	20	90
Pedestrian, nonpassenger struck by vehicle, mobile equipment	—	—	1,180	580	400	460	60	1,520
Pedestrian struck by vehicle, mobile equipment, unspecified	—	—	400	300	70	50	—	160
Pedestrian struck by vehicle, mobile equipment in roadway	—	—	90	40	20	30	—	160
Pedestrian struck by vehicle, mobile equipment on side of road	—	—	20	—	—	—	—	20
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	—	—	670	240	310	370	50	1,190
Railway accident	—	—	—	—	—	—	—	80
Collision between railway vehicle and other vehicle	—	—	—	—	—	—	—	60
Derailment	—	—	—	—	—	—	—	—
Railway accident, n.e.c.	—	—	—	—	—	—	—	—
Water vehicle accident	—	—	—	—	—	20	—	30

See footnotes at end of table.

TABLE R31. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

Event	Event code ²	Private industry ³	Nature of injury or illness ⁴						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
Fall from ship, boat, n.e.c.	453	20	—	—	—	—	—	—	—
Fall on ship, boat	454	110	30	30	—	20	—	—	—
Water vehicle accident, n.e.c.	459	60	20	—	—	—	—	—	—
Aircraft accident	46	610	140	20	—	20	—	—	—
Aircraft accident, unspecified	460	30	—	—	—	—	—	—	—
During takeoff or landing	461	60	30	—	—	—	—	—	—
Aircraft accident, n.e.c.	469	520	110	—	—	20	—	—	—
Transportation accident, n.e.c.	49	40	20	—	—	—	—	—	—
Fires and explosions	5	2,270	120	40	140	20	1,210	150	—
Fire or explosion, unspecified	50	20	—	—	—	—	—	—	—
Fire unintended or uncontrolled	51	1,300	—	—	—	—	1,060	—	—
Fire, unspecified	510	280	—	—	—	—	250	—	—
Fire in residence, building, or other structure	511	330	—	—	—	—	180	—	—
Forest, brush, or other outdoor fire	512	50	—	—	—	—	50	—	—
Ignition of clothing from controlled heat source	513	120	—	—	—	—	110	—	—
Fire, n.e.c.	519	510	—	—	—	—	460	—	—
Explosion	52	960	120	40	140	20	140	150	—
Explosion, unspecified	520	60	—	—	—	—	20	—	—
Explosion of battery	521	220	—	—	—	—	—	100	—
Explosion of pressure vessel or piping	522	340	—	20	30	—	60	40	—
Explosion, n.e.c.	529	340	—	—	90	—	60	—	—
Assaults and violent acts	6	22,430	3,940	1,430	1,300	3,330	—	40	—
Assaults and violent acts, unspecified	60	150	40	—	—	20	—	—	—
Assaults and violent acts by person(s)	61	15,970	3,710	830	1,010	2,980	—	40	—
Assaults and violent acts by person(s), unspecified	610	1,680	630	130	80	280	—	—	—
Biting	611	520	—	—	100	20	—	—	—
Hitting, kicking, beating	612	6,410	930	330	180	1,940	—	—	—
Shooting	613	90	—	—	—	—	—	—	—
Squeezing, pinching, scratching, twisting	614	1,620	910	90	50	120	—	—	—
Stabbing	615	490	—	—	480	—	—	—	—
Threats or verbal assaults	617	190	—	—	—	—	—	—	—
Assaults and violent acts by person(s), n.e.c.	619	4,970	1,230	270	120	610	—	40	—
Self-inflicted injury	62	90	40	—	30	—	—	—	—
Self-inflicted injury, unspecified	620	60	40	—	20	—	—	—	—

See footnotes at end of table.

TABLE R31. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

Event	Nature of injury or illness ⁴							All other natures ⁵
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		
			Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Fall from ship, boat, n.e.c.	—	—	—	—	—	—	—	—
Fall on ship, boat	—	—	—	—	—	—	—	—
Water vehicle accident, n.e.c.	—	—	—	—	—	—	—	—
Aircraft accident	—	—	30	—	20	50	—	360
Aircraft accident, unspecified	—	—	—	—	—	—	—	—
During takeoff or landing	—	—	—	—	—	—	—	20
Aircraft accident, n.e.c.	—	—	20	—	20	40	—	330
Transportation accident, n.e.c.	—	—	—	—	—	—	—	—
Fires and explosions	—	—	200	110	—	20	—	370
Fire or explosion, unspecified	—	—	—	—	—	—	—	—
Fire unintended or uncontrolled	—	—	20	—	—	—	—	210
Fire, unspecified	—	—	—	—	—	—	—	20
Fire in residence, building, or other structure	—	—	—	—	—	—	—	160
Forest, brush, or other outdoor fire	—	—	—	—	—	—	—	—
Ignition of clothing from controlled heat source	—	—	—	—	—	—	—	—
Fire, n.e.c.	—	—	20	—	—	—	—	30
Explosion	—	—	190	110	—	20	—	150
Explosion, unspecified	—	—	—	—	—	—	—	—
Explosion of battery	—	—	—	—	—	—	—	—
Explosion of pressure vessel or piping	—	—	90	30	—	20	—	80
Explosion, n.e.c.	—	—	100	80	—	—	—	50
Assaults and violent acts	—	—	1,970	270	720	2,020	310	8,370
Assaults and violent acts, unspecified	—	—	50	—	—	—	—	30
Assaults and violent acts by person(s)	—	—	1,860	220	690	1,910	280	3,610
Assaults and violent acts by person(s), unspecified	—	—	130	—	30	130	60	280
Biting	—	—	—	—	—	30	—	340
Hitting, kicking, beating	—	—	680	70	310	1,020	100	1,300
Shooting	—	—	—	—	—	—	—	90
Squeezing, pinching, scratching, twisting	—	—	50	—	30	140	20	260
Stabbing	—	—	—	—	—	—	—	—
Threats or verbal assaults	—	—	—	—	—	—	—	180
Assaults and violent acts by person(s), n.e.c.	—	—	970	130	330	590	100	1,140
Self-inflicted injury	—	—	—	—	—	—	—	—
Self-inflicted injury, unspecified	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R31. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

Event	Event code ²	Private industry ³	Nature of injury or illness ⁴						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
Self-inflicted injury or fatality intent unknown	622	20	—	—	—	—	—	—	—
Assaults by animals	63	6,220	140	590	260	330	—	—	—
Assaults by animals, unspecified ...	630	550	40	90	30	90	—	—	—
Nonvenomous bites	631	3,610	—	—	130	20	—	—	—
Assaults by animals, n.e.c.	639	2,060	100	500	90	220	—	—	—
Other events or exposures	9	190	20	30	—	—	—	—	—
Nonclassifiable	9999	14,480	3,780	430	590	600	—	—	20

See footnotes at end of table.

TABLE R31. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

Event	Nature of injury or illness ⁴							All other natures ⁵
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		
			Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Self-inflicted injury or fatality intent unknown	—	—	—	—	—	—	—	—
Assaults by animals	—	—	70	20	20	110	30	4,710
Assaults by animals, unspecified ...	—	—	—	—	—	20	20	280
Nonvenomous bites	—	—	—	—	—	—	—	3,430
Assaults by animals, n.e.c.	—	—	60	—	20	90	—	1,000
Other events or exposures	—	—	—	—	—	70	—	60
Nonclassifiable	—	60	160	—	50	1,490	560	7,340

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Nature codes: Sprains, strains = 021; Fractures = 012; Cuts, punctures = 034, 037; Bruises = 043; Heat burns = 053; Chemical burns = 051; Amputations = 031; Carpal tunnel syndrome = 1241; Tendonitis = 1733; Multiple traumatic injuries and illnesses, Total = 080-089; With fractures, burns, and other injuries = 083, 084; With sprains and bruises = 082; Back pain and pain, except back, Total = 0972, 0973; Back pain, hurt back only = 0972; All other

natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies