TABLE 1 - FINAL 2007 ABCS, TACS, AND OFLS OF GROUNDFISH FOR THE WESTERN/CENTRAL/WEST YAKUTAT (W/C/ WYK), WESTERN (W), CENTRAL (C), EASTERN (E) REGULATORY AREAS, AND IN THE WEST YAKUTAT (WYK), SOUTHEAST OUTSIDE (SEO), AND GULFWIDE (GW) DISTRICTS OF THE GULF OF ALASKA

(values are rounded to the nearest metric ton)

Species	Area ¹	ABC	TAC	OFL
Pollock ²				
	Shumagin (610)	25,012	25,012	n/a
	Chirikof (620)	20,890	20,980	n/a
	Kodiak (630)	14,850	14,850	n/a
	WYK (640)	1,398	1,398	n/a
Subtotal	W/C/WYK	62,150	62,150	87,220
	SEO (650)	6,157	6,157	8,209
Total		68,307	68,307	95,429
Pacific cod ³	w	26,855	20,141	n/a
	С	37,873	28,405	n/a
	E	4,131	3,718	n/a
Total		68,859	52,264	97,600
Flatfish ⁴ (deep-water)	w	420	420	n/a
	С	4,163	4,163	n/a
	WYK	2,677	2,677	n/a
	SEO	1,447	1,447	n/a
Total		8,707	8,707	10,431
Rex sole	w	1,147	1,147	n/a
	С	5,446	5,446	n/a

TABLE 1 - FINAL 2007 ABCS, TACS, AND OFLS OF GROUNDFISH FOR THE WESTERN/CENTRAL/WEST YAKUTAT (W/C/ WYK), WESTERN (W), CENTRAL (C), EASTERN (E) REGULATORY AREAS, AND IN THE WEST YAKUTAT (WYK), SOUTHEAST OUTSIDE (SEO), AND GULFWIDE (GW) DISTRICTS OF THE GULF OF ALASKA—Continued

Species	Area ¹	ABC	TAC	OFL
	WYK	1,037	1,037	n/a
	SEO	1,470	1,470	n/a
Total		9,100	9,100	11,900
Flathead sole	w	10,908	2,000	n/a
	С	26,054	5,000	n/a
	WYK	2,091	2,091	n/a
	SEO	57	57	n/a
Total		39,110	9,148	48,658
Flatfish ⁵ (shallow- water)	W	24,720	4,500	n/a
	С	24,258	13,000	n/a
	WYK	628	628	n/a
	SEO	1,844	1,844	n/a
Total		51,450	19,972	62,418
Arrowtooth flounder	w	20,852	8,000	n/a
	С	139,582	30,000	n/a
	WYK	16,507	2,500	n/a
	SEO	7,067	2,500	n/a
Total		184,008	43,000	214,828
Sablefish ⁶	w	2,470	2,470	n/a
	С	6,190	6,190	n/a
	WYK	2,280	2,280	n/a
	SEO	3,370	3,370	n/a
Subtotal	E(WYK and SEO)	5,650	5,650	n/a
Total		14,310	14,310	16,906
Pacific ocean perch7	w	4,244	4,244	4,976
	С	7,612	7,612	8,922
	WYK	1,140	1,140	n/a
	SEO	1,640	1,640	n/a
Subtotal	E(WYK and SEO)	2,780	2,780	3,260
Total		14,636	14,635	17,158
Shortraker rockfish ⁸	W	153	153	n/a
	С	353	353	n/a
	E	337	337	n/a
Total		843	843	1,124

(values are rounded to the nearest metric ton)

TABLE 1 - FINAL 2007 ABCS, TACS, AND OFLS OF GROUNDFISH FOR THE WESTERN/CENTRAL/WEST YAKUTAT (W/C/ WYK), WESTERN (W), CENTRAL (C), EASTERN (E) REGULATORY AREAS, AND IN THE WEST YAKUTAT (WYK), SOUTHEAST OUTSIDE (SEO), AND GULFWIDE (GW) DISTRICTS OF THE GULF OF ALASKA—Continued

Species	Area ¹	ABC	TAC	OFL
Rougheye rockfish ⁹	w	136	136	n/a
	С	611	611	n/a
	E	241	241	n/a
Total		988	988	1,148
Other rockfish ^{10,11}	w	577	577	n/a
	С	386	386	n/a
	WYK	319	319	n/a
	SEO	2,872	200	n/a
Total		4,154	1,482	5,394
Northern rockfish ^{11,12}	w	1,439	1,439	n/a
	С	3,499	3,499	n/a
	E	0	0	n/a
Total		4,938	4,938	5,890
Pelagic shelf rockfish13	w	1,466	1,466	n/a
	С	3,325	3,325	n/a
	WYK	307	307	n/a
	SEO	444	444	n/a
Total		5,542	5,542	6,458
Thornyhead rockfish	w	513	513	n/a
	С	989	989	n/a
	E	707	707	n/a
Total		2,209	2,209	2,945
Big skates ¹⁴	w	695	695	n/a
	С	2,250	2,250	n/a
	E	599	599	n/a
		3,544	3,544	4,726
Longnose skates ¹⁵	w	65	65	n/a
	С	1,969	1,969	n/a
	E	861	861	n/a
		2,895	2,895	3,860
Other skates ¹⁶	GW	1,617	1,617	2,156
Demersal shelf rock- fish ¹⁷	SEO	410	410	650
Atka mackerel	GW	4,700	1,500	6,200
Other species18	GW	n/a	4,500	n/a

(values are rounded to the nearest metric ton)

TABLE 1 - FINAL 2007 ABCS, TACS, AND OFLS OF GROUNDFISH FOR THE WESTERN/CENTRAL/WEST YAKUTAT (W/C/ WYK), WESTERN (W), CENTRAL (C), EASTERN (E) REGULATORY AREAS, AND IN THE WEST YAKUTAT (WYK), SOUTHEAST OUTSIDE (SEO), AND GULFWIDE (GW) DISTRICTS OF THE GULF OF ALASKA—Continued

(values are rounded to the nearest metric ton)

Species	Area ¹	ABC	TAC	OFL
TOTAL ¹⁹		490,327	269,912	615,879

¹. Regulatory areas and districts are defined at § 679.2.

². Pollock is apportioned in the Western/Central Regulatory Areas among three statistical areas. During the A season, the apportionment is based on an adjusted estimate of the relative distribution of pollock biomass of approximately 30 percent, 48 percent, and 22 percent in Statistical Areas 610, 620, and 630, respectively. During the B season, the apportionment is based on the relative distribution of pollock biomass at 30 percent, 59 percent, and 11 percent in Statistical Areas 610, 620, and 630, respectively. During the C and D seasons, the apportionment is based on the relative distribution of pollock biomass at 53 percent, 15 percent, and 32 percent in Statistical Areas 610, 620, and 630, respectively. Tables 5 and 6 list the seasonal apportionments. In the West Yakutat and Southeast Outside Districts of the Eastern Regulatory Area, pollock is not divided into seasonal allowances.

³. The annual Pacific cod TAC is apportioned 60% to an A season and 40% to a B season in the Western and Central Regulatory Areas of the GOA. Pacific cod is allocated 90% for processing by the inshore component and 10% for processing by the offshore component. Tables 7 and 8 list the 2007 and 2008 proposed seasonal apportionments and component allocations of TAC.

⁴. "Deep-water flatfish" means Dover sole, Greenland turbot, and deepsea sole.

⁵. "Shallow-water flatfish" means flatfish not including "deep-water flatfish," flatheador arrowtooth flounder.

⁶. Sablefish is allocated to trawl and hook-and-line gears for 2007 and to trawl gear in 2008. Tables 3 and 4 list these amounts.

7. "Pacific ocean perch" means Sebastes alutus.

⁸. "Shortraker rockfish" means Sebastes borealis.

9. "Rougheye rockfish" means Sebastes aleutianus.

¹⁰. "Other rockfish" in the Western and Central Regulatory Areas and in the West Yakutat District means slope rockfish and demersal shelf rockfish. The category "other rockfish" in the SEO District means slope rockfish.

¹¹. "Slope rockfish" means Sebastes aurora (aurora), S. melanostomus (blackgill), S. paucispinis (bocaccio), S. goodei (chilipepper), S. crameri (darkblotch), S. elongatus (greenstriped), S. variegatus (harlequin), S. wilsoni (pygmy), S. babcocki (redbanded), S. proriger (redstripe), S. zacentrus (sharpchin), S. jordani (shortbelly), S. brevispinis (silvergrey), S. diploproa (splitnose), S. saxicola (stripetail), S. miniatus (vermilion), and S. reedi (vellowmouth). In the Eastern GOA only, slope rockfish also includes northern rockfish, S. polyspinous.

¹². "Northern rockfish" means Sebastes polyspinis.

13. "Pelagic shelf rockfish" means Sebastes ciliatus (dark), S. variabilis (dusky), S. entomelas (widow), and S. flavidus (yellowtail).

¹⁴. Big skate means Raja binoculata.

¹⁵. Longnose skate means Raja rhina.

¹⁶. Other skates means Bathyraja spp.

¹⁷. "Demersal shelf rockfish" means Sebastes pinniger (canary), S. nebulosus (china), S. caurinus (copper), S. maliger (quillback), S. helvomaculatus (rosethorn), S. nigrocinctus (tiger), and S. ruberrimus (yelloweye).

¹⁸. "Other species" means sculpins, sharks, squid, and octopus. There is no OFL or ABC for "other species." The FMP specifies that the amount for the "other species" category be set at an amount less than or equal to 5% of the combined TAC amounts for target species.

¹⁹. The total ABC and OFL is the sum of the ABCs and OFLs for assessed target species.