

Index of Section 1 Tables: Illicit Drug Use (1.1 to 1.132)

Illicit Drug Use Tables	Table Number	Standard Errors
Lifetime, past year, and past month illicit drug use, by selected age categories and gender	1.1 to 1.18	SE
Selected illicit drugs, by detailed age categories	1.19 to 1.27	SE
Selected illicit drugs, by demographic characteristics	1.28 to 1.72	
Illicit drugs	1.28 to 1.32	SE
Marijuana	1.33 to 1.37	SE
Cocaine	1.38 to 1.42	SE
Crack	1.43 to 1.47	SE
Hallucinogens	1.48 to 1.52	SE
Inhalants	1.53 to 1.57	SE
Nonmedical use of prescription-type psychotherapeutics	1.58 to 1.62	SE
Nonmedical use of pain relievers	1.63 to 1.67	SE
Illicit drugs other than marijuana	1.68 to 1.72	SE
Selected illicit drugs, by racial/ethnic subgroups	1.73 to 1.82	SE
Selected illicit drugs, by geographic characteristics	1.83 to 1.127	
Illicit drugs	1.83 to 1.87	SE
Marijuana	1.88 to 1.92	SE
Cocaine	1.93 to 1.97	SE
Crack	1.98 to 1.102	SE
Hallucinogens	1.103 to 1.107	SE
Inhalants	1.108 to 1.112	SE
Nonmedical use of prescription-type psychotherapeutics	1.113 to 1.117	SE
Nonmedical use of pain relievers	1.118 to 1.122	SE
Illicit drugs other than marijuana	1.123 to 1.127	SE
Specific hallucinogen, inhalant, needle, heroin, pain reliever, tranquilizer, stimulant, and sedative use, by age categories	1.128 to 1.132	SE

Index of Section 2 Tables: Tobacco Product and Alcohol Use (2.1 to 2.114)

Tobacco Product and Alcohol Use Tables	Table Number	Standard Errors
Lifetime, past year, and past month tobacco product and alcohol use, by selected age categories and gender	2.1 to 2.18	SE
Selected tobacco product and alcohol use, by detailed age categories	2.19 to 2.25	SE
Selected tobacco product and alcohol use, by demographic characteristics	2.26 to 2.56	
Tobacco products	2.26 to 2.30	SE
Cigarettes	2.31 to 2.36	SE
Smokeless tobacco	2.37 to 2.41	SE
Cigars	2.42 to 2.46	SE
Alcohol	2.47 to 2.56	SE
Selected tobacco product and alcohol use, by racial/ethnic subgroups	2.57 to 2.71	SE
Selected tobacco product and alcohol use, by geographic characteristics	2.72 to 2.102	
Tobacco products	2.72 to 2.76	SE
Cigarettes	2.77 to 2.82	SE
Smokeless tobacco	2.83 to 2.87	SE
Cigars	2.88 to 2.92	SE
Alcohol	2.93 to 2.102	SE
Alcohol use, by underage and legal drinkers	2.103 to 2.114	SE

Index of Section 3 Tables: Risk and Protective Factors (3.1 to 3.69)

Risk and Protective Factor Tables	Table Number	Standard Errors
Perceived risk and availability of drugs	3.1 to 3.17	
Perceived risk of drugs	3.1 to 3.12	SE
Perceived availability of drugs	3.13 to 3.17	SE
Neighborhood characteristics	3.18 to 3.19	SE
Parental disapproval	3.20 to 3.23	SE
Fighting and criminal activity	3.24 to 3.29	SE
Peer disapproval	3.30 to 3.33	SE
Prevention programs/drug messages/youth activities	3.34 to 3.43	SE
Religious involvement	3.44 to 3.47	SE
Youth's feelings about school	3.48 to 3.53	SE
Peer substance use	3.54 to 3.57	SE
Parental involvement	3.58 to 3.65	SE
Close friend's disapproval	3.66 to 3.69	SE

Index of Section 4 Tables: Incidence (4.1 to 4.16)

Incidence Tables	Table Number	Standard Errors
Past year initiate tables	4.1 to 4.16	
Selected substances, by selected age categories and gender	4.1 to 4.4	SE
Initiation, by selected age categories	4.5 to 4.8	SE
Initiation, by gender	4.9	SE
Initiation, by age at first substance use and gender	4.10 to 4.11	SE
Initiation among persons aged 12 to 49, by gender	4.12	SE
Mean age at first substance use, by gender	4.13	SE
Mean age at first substance use, by age at first substance use and gender	4.14 to 4.15	SE
Mean age at first substance use among persons aged 12 to 49, by gender	4.16	SE

Index of Section 5 Tables: Dependence, Abuse, and Treatment (5.1 to 5.82)

Dependence, Abuse, and Treatment Tables	Table Number	Standard Errors
Substance dependence or abuse	5.1 to 5.13	SE
Substance dependence	5.14 to 5.25	SE
Received substance use treatment	5.26 to 5.42	
Treatment, by demographic or geographic characteristics	5.26 to 5.32	SE
Specific substance for last or current treatment	5.33	SE
Source of payment for last or current treatment	5.34 to 5.36	SE
Locations of treatment	5.37 to 5.39	SE
Treatment, by dependence and/or abuse	5.40 to 5.41	SE
Treatment and dependence or abuse	5.42	SE
Received substance use treatment at specialty facility	5.43 to 5.59	
Treatment, by demographic or geographic characteristics	5.43 to 5.49	SE
Specific substance for last or current treatment	5.50	SE
Source of payment for last or current treatment	5.51 to 5.53	SE
Locations of treatment	5.54 to 5.56	SE
Treatment, by dependence and/or abuse	5.57 to 5.58	SE
Treatment and dependence or abuse	5.59	SE
Needed and received treatment or perceived need for treatment	5.60 to 5.76	
Illicit drug	5.60 to 5.66	SE
Alcohol	5.67 to 5.71	SE
Illicit drug or alcohol	5.72 to 5.76	SE
Reasons for not receiving substance use treatment	5.77 to 5.82	
Illicit drug	5.77 to 5.78	SE
Alcohol	5.79 to 5.80	SE
Illicit drug or alcohol	5.81 to 5.82	SE

Index of Section 6 Tables: Mental Health (6.1 to 6.67)

Mental Health Tables	Table Number	Standard Errors
Serious psychological distress (SPD)¹	6.1 to 6.21	
SPD, by demographic characteristics	6.1 to 6.2	SE
Substance use	6.3 to 6.6	SE
Dependence or abuse	6.7 to 6.12	SE
Receipt of mental health treatment/counseling	6.13 to 6.14	SE
Specific types of mental health treatment/counseling	6.15 to 6.16	SE
Location of outpatient mental health treatment/counseling	6.17	SE
Source of payment for outpatient mental health treatment/counseling	6.18	SE
Reasons for not receiving mental health treatment/counseling	6.19 to 6.20	SE
Mental health treatment/substance use treatment at a specialty facility/SPD/dependence or abuse	6.21	SE
Adult mental health treatment/counseling	6.22 to 6.35	
Specific types of treatment	6.22 to 6.23	SE
Substance use or dependence or abuse, by treatment	6.24 to 6.26	SE
Location of outpatient treatment	6.27	SE
Source of payment for outpatient treatment	6.28	SE
Unmet need for treatment	6.29 to 6.30	SE
Reasons for not receiving treatment	6.31 to 6.32	SE
Substance use/dependence or abuse, by receipt of and perceived need for treatment	6.33 to 6.34	SE
Alternative mental health treatment/support	6.35	SE
Adolescent mental health treatment/counseling	6.36 to 6.44	SE
Major depressive episode (MDE)¹	6.45 to 6.67	
MDE and receipt of treatment for depression	6.45 to 6.51	SE
Substance use, by MDE	6.52 to 6.53	SE
Dependence or abuse, by MDE	6.54 to 6.55	SE
Substance use/health measures	6.56 to 6.57	SE
Type of professional seen	6.58 to 6.59	SE
Type of treatment received for depression	6.60 to 6.61	SE
Perception of help received from treatment or counseling	6.62 to 6.65	SE
Severity of role impairment	6.66 to 6.67	SE

¹ Estimates for 2004 for persons aged 18 or older are based on a subsample of respondents. See Sections B.4.4 and B.4.5 in Appendix B of the *Results from the 2005 National Survey on Drug Use and Health: National Findings*.

Index of Section 7 Tables: Miscellaneous (7.1 to 7.133)

Miscellaneous Tables	Table Number	Standard Errors
Frequency of use	7.1 to 7.12	SE
Illicit drugs, by cigarette use	7.13 to 7.16	SE
Illicit drugs, by alcohol use	7.17 to 7.20	SE
Illicit drugs, by cigarette and alcohol use	7.21 to 7.25	SE
Tobacco product and alcohol, by cigarette use	7.26 to 7.29	SE
Tobacco product, by alcohol use	7.30 to 7.33	SE
Patterns of substance use	7.34 to 7.37	SE
Prior year and past year marijuana use status	7.38	SE
Nicotine (cigarette) dependence	7.39 to 7.43	SE
Substance dependence or abuse, by age of first use and demographic characteristics	7.44 to 7.49	SE
Obtaining marijuana	7.50 to 7.52	SE
Source for most recent nonmedical drug use	7.53 to 7.57	SE
Tobacco brands	7.58 to 7.67	SE
Pregnancy	7.68 to 7.75	SE
College enrollment	7.76 to 7.87	SE
Driving under the influence	7.88 to 7.91	SE
Probation	7.92 to 7.96	SE
Parole/supervised release	7.97 to 7.101	SE
Government assistance programs	7.102 to 7.116	SE
Health conditions	7.117 to 7.126	SE
Healthy people 2010	7.127 to 7.133	SE

Index of Section 8 Tables: Trend (8.1 to 8.37)

Trend Tables	Table Number	Standard Errors
Substance use	8.1 to 8.27	
Lifetime, past year, and past month illicit drug use, by selected age categories and gender	8.1 to 8.21	SE
Past month tobacco product and alcohol use, by selected age categories and gender	8.22 to 8.26	SE
Lifetime, past year, and past month alcohol use, by underage drinkers and gender	8.27	SE
Perceived risk and availability of drugs	8.28	SE
Past year initiation of substance use	8.29	SE
Substance dependence or abuse	8.30 to 8.31	
Dependence or abuse	8.30	SE
Dependence	8.31	SE
Substance treatment	8.32 to 8.33	
Received treatment at any location or at a specialty facility	8.32	SE
Needed and received treatment at a specialty facility	8.33	SE
Stimulants/Methamphetamine	8.34 to 8.35	
Past year use and frequency of use	8.34	SE
Lifetime, past year, and past month use, dependence or abuse, and received last or current treatment at specialty facility	8.35	SE
1971-2005 past month marijuana and past year cocaine	8.36 to 8.37	SE

Index of Section 9 Tables: Sample Size and Population Estimates (9.1 to 9.22)

Sample Size and Population Tables	Table Number	Standard Errors
Demographic characteristics	9.1 to 9.4	SE
Racial/ethnic subgroups	9.5 to 9.7	SE
Geographic characteristics	9.8 to 9.10	SE
Receipt of and perceived need for adult mental health treatment/counseling	9.11	SE
Pregnancy	9.12	SE
College enrollment	9.13	SE
Probation	9.14	SE
Parole/supervised release	9.15	SE
Government assistance programs	9.16	SE
Serious psychological distress/Depression split-sample ¹ (individual 2004 and 2005 tables)	9.17 to 9.22	SE

¹ In 2004, a split-sample design was implemented for adults aged 18 or older. Respondents assigned to sample A were administered the long form of the serious psychological distress (SPD) module. Respondents assigned to sample B were administered the short form of the SPD module plus the adult depression module. The analysis weights for each subsample were poststratified separately to the U.S. census population estimates of the civilian, noninstitutionalized population aged 18 or older for various demographic domains. The population totals for each subsample may differ slightly for demographic domains that were not controlled or controlled differently in the poststratification. Six respondents broke off their interviews prior to their split-sample assignment; therefore, they are not included in this table. See Sections A.1 and A.3.2 of Appendix A of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*. For further information on how the split-sample design was implemented for the creation of the SPD and adult depression estimates presented in the 2005 Detailed Tables, see Sections B.4.4 and B.4.5 of the *Results from the 2005 National Survey on Drug Use and Health: National Findings*.