



---

Agency for Toxic Substances  
and Disease Registry  
Atlanta, GA 30333

May 19, 2006

Mr. Steven M. Arndt  
President, Ottawa County Commissioners  
315 Madison Street  
Room 103  
Port Clinton, Ohio 43452-1993

Dear Commissioner Arndt:

I am writing in response to your letter dated April 25, 2006, to update you on the status of our proposal to provide community members testing for beryllium sensitization. Since meeting with you in Ottawa County last April 25th, I have maintained contact with you and the Ottawa County Health Director, Ms. Nancy Osborn. A summary of our mutual understandings is included at the end of this letter. It is important to me personally, and to the Agency for Toxic Substances and Disease Registry (ATSDR), to work collaboratively with the public officials in Ottawa County. I hope we can continue to build a relationship that will benefit your county and the people you represent.

On April 25<sup>th</sup>, Mr. Witt (the Ottawa County Administrator) asked that we share with you a summary of the public comments we have received to date. I have enclosed our summary to this letter. A total of 37 people attended the public availability session; approximately 1/3 expressed interest in testing, 1/3 was undecided and 1/3 was employees of Brush Wellman who are not eligible. In addition, twenty-two people contacted us by phone and expressed interest in being tested. Clearly, there is some interest within the community for testing to occur.

We received written and oral comments about our plan during the 30-day public comment period. The written comments came from you and the other Ottawa County Commissioners, Dr. Johnathan Borak (your consultant), and representatives of Brush-Wellman. Oral comments were delivered in person at the public availability session or by telephone. The concerns expressed fall into three broad categories: 1) the quality and accuracy of the Beryllium Lymphocyte Proliferation Test (BeLPT), 2) the interpretation of the BeLPT in this setting, and 3) setting realistic expectations and addressing community concerns. We will provide a formal response to the written comments in a few days. The comments we received by telephone were all supportive of the ATSDR plan.

The BeLPT is not a research test. It is one of several tools used by companies and the U.S. Department of Energy to help prevent chronic beryllium disease in beryllium exposed workers. As stated by Dr. Deubner at your meeting on April 25<sup>th</sup>, more than 550 of the 600+ current Brush Wellman workers in Elmore, Ohio have been tested. In addition, the expert panel that met the morning of April 25<sup>th</sup> addressed many of the concerns about the interpretation of the test in this setting and provided good advice to us about setting realistic expectations and addressing community concerns. Dr. Borak stated that a single confirmed positive test for a machine shop worker or a household contact of a beryllium exposed worker should be interpreted as an indication that beryllium exposure from a workplace has likely occurred.

There remains some disagreement among the expert panel members about the likelihood that people without a worksite-related exposure to beryllium will have a confirmed abnormal BeLPT test (background rate). This can effect how we interpret a confirmed abnormal among those people who live within 1¼ mile of the Brush Wellman facility. At this time, the highest suggested background rates have been suggested by Brush Wellman as approximately 2% for a single abnormal test and 0.8% for a confirmed abnormal. These unpublished results were based on a sampling of adults who were seeking employment with Brush Wellman.

We are very interested in working with the Ottawa County Board of Health to design and implement a public service to residents of Ottawa County. My discussions with you and Ms. Osborn have focused on this issue. You shared with me a summary of comments received from community members. I understand that 67 people attended your meetings and that 9 provided written comments. The comments were wide-ranging and did not suggest a community-based consensus for follow-up. We agreed that the single most important activity for the Board of Health would be to provide health education information to local health providers and to community residents. ATSDR will assist Ms. Osborne in this effort.

At this point, ATSDR plans to proceed with our offer to test people in the community with the BeLPT. We hope to do this with your support. The reasons to move ahead now include:

- We have confirmed that people are interested in the test.
- The recognition by all parties that the BeLPT is a valid test for confirming sensitization to beryllium from past exposure.
- The understanding that individuals with a confirmed abnormal should be referred to a pulmonary specialist.

Many suggestions have been made which will be incorporated into our final plan. We will use two abnormal test results to define a confirmed abnormal. We will not release interim results based on a single BeLPT result. We will educate those seeking testing about the need for confirmative testing should their initial test be borderline or abnormal. We will remind people that our plan is not a scientific study and cannot be used to estimate beryllium sensitivity rates in the community. We will work with the Board of Health to validate the categories of

eligibility for those seeking testing and to develop any follow-up recommendations should they be necessary. We will contact Brush Wellman to determine how the Board of Health and ATSDR might validate eligibility categories without compromising individual identities and to determine if Brush Wellman might offer testing to former workers who may not have previously been tested.

In the next few days we will be releasing our responses to the public comments and a summary of the advice from the expert panel. We will also begin re-contacting the people who have contacted us regarding the test. As we move forward we will maintain close contact with you and Ms. Osborn. We will also remain open to comments or suggestions.

Thank you again for your willingness to form a collaborative partnership with ATSDR on this project. Feel free to contact me at any time telephonically at (404) 498-0004 or via email at [TSinks@cdc.gov](mailto:TSinks@cdc.gov) should you have questions or concerns.

This identical response was also sent to Mr. Carl Koebel and Mr. John Papcun who co-signed your letter.

Sincerely,

A handwritten signature in black ink that reads "Thomas Sinks". The signature is written in a cursive style with a long, sweeping underline that extends to the left.

Thomas Sinks, Ph.D.  
Deputy Director  
National Center for Environmental Health/  
Agency for Toxic Substances and Disease Registry

Enclosure

**ATSDR Public Availability Meeting Summary – April 25, 2006**  
Woodmore High School – Elmore Ohio

Approximately 45 people attended the public availability meeting. However, only 37 people signed the ATSDR sign-in sheet. Those attending were from three major groups:

- former Brush Wellman workers and their household contacts,
- current Brush Wellman workers,
- local residents – some inside the 1.25 mile boundary, some not

The topics discussed included:

- accidents and releases at the Elmore Plant
- people they knew who had CBD
- our purpose in offering this community testing service
- differences of opinion they heard about the test
- reasons for not conducting a study
- eligibility criteria for the testing
- the difference between sensitization and chronic beryllium disease
- test characteristics – how well it would work
- the laboratories to be used and confirmation testing
- the relationship between sarcoidosis and CBD
- our reasons for not offering environmental testing in their homes
- what they had heard about a background rate of sensitization
- the potential impact on life and health insurance
- our proposed schedule for accepting volunteers and blood testing

The purpose of the public availability session was to address the questions and concerns of individuals and small groups from the community. Most individuals were asked if they were interested in getting tested or not -- four persons expressed an interest in being tested.

Some of the remaining individuals were reluctant to respond and indicated that they would inform us when contacted. We estimate that one-half of them were undecided and the other one-half (primarily Brush Wellman employees) were not interested.

The summary of expressed community interest from all sources is contained in the following table. The table reflects only the number of people who have volunteered their interest and may underestimate the true interest in the testing.

**Summary of Community Interest April/May 2006**

Number of persons expressing interest in  
Testing for Beryllium Sensitization Plan  
Elmore, Ottawa County Ohio

As of May 5, 2006 5:00 PM

**Testing Plan**

<b>Eligibility Categories</b>	<b>Sources</b>			<b>Eligibility Category Subtotals</b>
	<b>Site Toll Free Number</b>	<b>ATSDR Toll Free Number</b>	<b>4/25/06 Public Availability Meeting</b>	
<b>Household contacts</b>	5	1	-	6
<b>Nearby residents</b>	11	1	1	12 *
<b>Machinist</b>	-	--	-	-
<b>Unknown</b>	4		3	7
<b>Source Subtotals...</b>	20	2	4	25 * (Total)

\* One nearby resident called site the toll free number and also attended the public availability session.



Agency for Toxic Substances  
and Disease Registry  
Atlanta, GA 30333

May 19, 2006

Mr. Carl Koebel  
Ottawa County Commissioners  
315 Madison Street  
Room 103  
Port Clinton, Ohio 43452-1993

Dear Commissioner Koebel:

I am writing in response to your letter dated April 25, 2006, to update you on the status of our proposal to provide community members testing for beryllium sensitization. Since meeting with you in Ottawa County last April 25th, I have maintained contact with Mr. Arndt and the Ottawa County Health Director, Ms. Nancy Osborn. A summary of our mutual understandings is included at the end of this letter. It is important to me personally, and to the Agency for Toxic Substances and Disease Registry (ATSDR), to work collaboratively with the public officials in Ottawa County. I hope we can continue to build a relationship that will benefit your county and the people you represent.

On April 25<sup>th</sup>, Mr. Witt (the Ottawa County Administrator) asked that we share with you a summary of the public comments we have received to date. I have enclosed our summary to this letter. A total of 37 people attended the public availability session; approximately 1/3 expressed interest in testing, 1/3 was undecided and 1/3 was employees of Brush Wellman who are not eligible. In addition, twenty-two people contacted us by phone and expressed interest in being tested. Clearly, there is some interest within the community for testing to occur.

We received written and oral comments about our plan during the 30-day public comment period. The written comments came from you and the other Ottawa County Commissioners, Dr. Johnathan Borak (your consultant), and representatives of Brush-Wellman. Oral comments were delivered in person at the public availability session or by telephone. The concerns expressed fall into three broad categories: 1) the quality and accuracy of the Beryllium Lymphocyte Proliferation Test (BeLPT), 2) the interpretation of the BeLPT in this setting, and 3) setting realistic expectations and addressing community concerns. We will provide a formal response to the written comments in a few days. The comments we received by telephone were all supportive of the ATSDR plan.

The BeLPT is not a research test. It is one of several tools used by companies and the U.S. Department of Energy to help prevent chronic beryllium disease in beryllium exposed workers. As stated by Dr. Deubner at your meeting on April 25<sup>th</sup>, more than 550 of the 600+ current Brush Wellman workers in Elmore, Ohio have been tested. In addition, the expert panel that met the morning of April 25<sup>th</sup> addressed many of the concerns about the interpretation of the test in this setting and provided good advice to us about setting realistic expectations and addressing community concerns. Dr. Borak stated that a single confirmed positive test for a machine shop worker or a household contact of a beryllium exposed worker should be interpreted as an indication that beryllium exposure from a workplace has likely occurred.

There remains some disagreement among the expert panel members about the likelihood that people without a worksite-related exposure to beryllium will have a confirmed abnormal BeLPT test (background rate). This can effect how we interpret a confirmed abnormal among those people who live within 1¼ mile of the Brush Wellman facility. At this time, the highest suggested background rates have been suggested by Brush Wellman as approximately 2% for a single abnormal test and 0.8% for a confirmed abnormal. These unpublished results were based on a sampling of adults who were seeking employment with Brush Wellman.

We are very interested in working with the Ottawa County Board of Health to design and implement a public service to residents of Ottawa County. My discussions with Mr. Arndt and Ms. Osborn have focused on this issue. Mr. Arndt shared with me a summary of comments received from community members. I understand that 67 people attended your meetings and that 9 provided written comments. The comments were wide-ranging and did not suggest a community-based consensus for follow-up. We agreed that the single most important activity for the Board of Health would be to provide health education information to local health providers and to community residents. ATSDR will assist Ms. Osborne in this effort.

At this point, ATSDR plans to proceed with our offer to test people in the community with the BeLPT. We hope to do this with your support. The reasons to move ahead now include:

- We have confirmed that people are interested in the test.
- The recognition by all parties that the BeLPT is a valid test for confirming sensitization to beryllium from past exposure.
- The understanding that individuals with a confirmed abnormal should be referred to a pulmonary specialist.

Many suggestions have been made which will be incorporated into our final plan. We will use two abnormal test results to define a confirmed abnormal. We will not release interim results based on a single BeLPT result. We will educate those seeking testing about the need for confirmative testing should their initial test be borderline or abnormal. We will remind people that our plan is not a scientific study and cannot be used to estimate beryllium sensitivity rates in the community. We will work with the Board of Health to validate the categories of

eligibility for those seeking testing and to develop any follow-up recommendations should they be necessary. We will contact Brush Wellman to determine how the Board of Health and ATSDR might validate eligibility categories without compromising individual identities and to determine if Brush Wellman might offer testing to former workers who may not have previously been tested.

In the next few days we will be releasing our responses to the public comments and a summary of the advice from the expert panel. We will also begin re-contacting the people who have contacted us regarding the test. As we move forward we will maintain close contact with Mr. Arndt and Ms. Osborn. We will also remain open to comments or suggestions.

Thank you again for your willingness to form a collaborative partnership with ATSDR on this project. Feel free to contact me at any time telephonically at (404) 498-0004 or via email at [TSinks@cdc.gov](mailto:TSinks@cdc.gov) should you have questions or concerns.

This identical response was also sent to Mr. Steven Arndt and Mr. John Papcun who co-signed your letter.

Sincerely,

A handwritten signature in black ink that reads "Thomas Sinks". The signature is written in a cursive style with a long horizontal line extending from the start of the name.

Thomas Sinks, Ph.D.  
Deputy Director  
National Center for Environmental Health/  
Agency for Toxic Substances and Disease Registry

Enclosure



**ATSDR Public Availability Meeting Summary – April 25, 2006**  
Woodmore High School – Elmore Ohio

Approximately 45 people attended the public availability meeting. However, only 37 people signed the ATSDR sign-in sheet. Those attending were from three major groups:

- former Brush Wellman workers and their household contacts,
- current Brush Wellman workers,
- local residents – some inside the 1.25 mile boundary, some not

The topics discussed included:

- accidents and releases at the Elmore Plant
- people they knew who had CBD
- our purpose in offering this community testing service
- differences of opinion they heard about the test
- reasons for not conducting a study
- eligibility criteria for the testing
- the difference between sensitization and chronic beryllium disease
- test characteristics – how well it would work
- the laboratories to be used and confirmation testing
- the relationship between sarcoidosis and CBD
- our reasons for not offering environmental testing in their homes
- what they had heard about a background rate of sensitization
- the potential impact on life and health insurance
- our proposed schedule for accepting volunteers and blood testing

The purpose of the public availability session was to address the questions and concerns of individuals and small groups from the community. Most individuals were asked if they were interested in getting tested or not -- four persons expressed an interest in being tested.

Some of the remaining individuals were reluctant to respond and indicated that they would inform us when contacted. We estimate that one-half of them were undecided and the other one-half (primarily Brush Wellman employees) were not interested.

The summary of expressed community interest from all sources is contained in the following table. The table reflects only the number of people who have volunteered their interest and may underestimate the true interest in the testing.

**Summary of Community Interest April/May 2006**

Number of persons expressing interest in  
Testing for Beryllium Sensitization Plan  
Elmore, Ottawa County Ohio

As of May 5, 2006 5:00 PM

**Testing Plan**

<b>Eligibility Categories</b>	<b>Sources</b>			<b>Eligibility Category Subtotals</b>
	<b>Site Toll Free Number</b>	<b>ATSDR Toll Free Number</b>	<b>4/25/06 Public Availability Meeting</b>	
<b>Household contacts</b>	5	1	-	6
<b>Nearby residents</b>	11	1	1	12 *
<b>Machinist</b>	-	--	-	-
<b>Unknown</b>	4		3	7
<b>Source Subtotals...</b>	20	2	4	25 * (Total)

\* One nearby resident called site the toll free number and also attended the public availability session.



Agency for Toxic Substances  
and Disease Registry  
Atlanta, GA 30333

May 19, 2006

Mr. John G. Papcun  
Ottawa County Commissioners  
315 Madison Street  
Room 103  
Port Clinton, Ohio 43452-1993

Dear Commissioner Papcun:

I am writing in response to your letter dated April 25, 2006, to update you on the status of our proposal to provide community members testing for beryllium sensitization. Since meeting with you in Ottawa County last April 25th, I have maintained contact with Mr. Steve Arndt and the Ottawa County Health Director, Ms. Nancy Osborn. A summary of our mutual understandings is included at the end of this letter. It is important to me personally, and to the Agency for Toxic Substances and Disease Registry (ATSDR), to work collaboratively with the public officials in Ottawa County. I hope we can continue to build a relationship that will benefit your county and the people you represent.

On April 25<sup>th</sup>, Mr. Witt (the Ottawa County Administrator) asked that we share with you a summary of the public comments we have received to date. I have enclosed our summary to this letter. A total of 37 people attended the public availability session; approximately 1/3 expressed interest in testing, 1/3 was undecided and 1/3 was employees of Brush Wellman who are not eligible. In addition, twenty-two people contacted us by phone and expressed interest in being tested. Clearly, there is some interest within the community for testing to occur.

We received written and oral comments about our plan during the 30-day public comment period. The written comments came from you and the other Ottawa County Commissioners, Dr. Johnathan Borak (your consultant), and representatives of Brush-Wellman. Oral comments were delivered in person at the public availability session or by telephone. The concerns expressed fall into three broad categories: 1) the quality and accuracy of the Beryllium Lymphocyte Proliferation Test (BeLPT), 2) the interpretation of the BeLPT in this setting, and 3) setting realistic expectations and addressing community concerns. We will provide a formal response to the written comments in a few days. The comments we received by telephone were all supportive of the ATSDR plan.

The BeLPT is not a research test. It is one of several tools used by companies and the U.S. Department of Energy to help prevent chronic beryllium disease in beryllium exposed workers. As stated by Dr. Deubner at your meeting on April 25<sup>th</sup>, more than 550 of the 600+ current Brush Wellman workers in Elmore, Ohio have been tested. In addition, the expert panel that met the morning of April 25<sup>th</sup> addressed many of the concerns about the interpretation of the test in this setting and provided good advice to us about setting realistic expectations and addressing community concerns. Dr. Borak stated that a single confirmed positive test for a machine shop worker or a household contact of a beryllium exposed worker should be interpreted as an indication that beryllium exposure from a workplace has likely occurred.

There remains some disagreement among the expert panel members about the likelihood that people without a worksite-related exposure to beryllium will have a confirmed abnormal BeLPT test (background rate). This can effect how we interpret a confirmed abnormal among those people who live within 1¼ mile of the Brush Wellman facility. At this time, the highest suggested background rates have been suggested by Brush Wellman as approximately 2% for a single abnormal test and 0.8% for a confirmed abnormal. These unpublished results were based on a sampling of adults who were seeking employment with Brush Wellman.

We are very interested in working with the Ottawa County Board of Health to design and implement a public service to residents of Ottawa County. My discussions with Mr. Arndt and Ms. Osborn have focused on this issue. Mr. Arndt shared with me a summary of comments received from community members. I understand that 67 people attended your meetings and that 9 provided written comments. The comments were wide-ranging and did not suggest a community-based consensus for follow-up. We agreed that the single most important activity for the Board of Health would be to provide health education information to local health providers and to community residents. ATSDR will assist Ms. Osborne in this effort.

At this point, ATSDR plans to proceed with our offer to test people in the community with the BeLPT. We hope to do this with your support. The reasons to move ahead now include:

- We have confirmed that people are interested in the test.
- The recognition by all parties that the BeLPT is a valid test for confirming sensitization to beryllium from past exposure.
- The understanding that individuals with a confirmed abnormal should be referred to a pulmonary specialist.

Many suggestions have been made which will be incorporated into our final plan. We will use two abnormal test results to define a confirmed abnormal. We will not release interim results based on a single BeLPT result. We will educate those seeking testing about the need for confirmative testing should their initial test be borderline or abnormal. We will remind people that our plan is not a scientific study and cannot be used to estimate beryllium sensitivity rates in the community. We will work with the Board of Health to validate the categories of

eligibility for those seeking testing and to develop any follow-up recommendations should they be necessary. We will contact Brush Wellman to determine how the Board of Health and ATSDR might validate eligibility categories without compromising individual identities and to determine if Brush Wellman might offer testing to former workers who may not have previously been tested.

In the next few days we will be releasing our responses to the public comments and a summary of the advice from the expert panel. We will also begin re-contacting the people who have contacted us regarding the test. As we move forward we will maintain close contact with Mr. Arndt and Ms. Osborn. We will also remain open to comments or suggestions.

Thank you again for your willingness to form a collaborative partnership with ATSDR on this project. Feel free to contact me at any time telephonically at (404) 498-0004 or via email at [TSinks@cdc.gov](mailto:TSinks@cdc.gov) should you have questions or concerns.

This identical response was also sent to Mr. Steven Arndt and Mr. Carl Koebel who co-signed your letter.

Sincerely,

A handwritten signature in black ink that reads "Thomas Sinks". The signature is written in a cursive, slightly slanted style.

Thomas Sinks, Ph.D.  
Deputy Director  
National Center for Environmental Health/  
Agency for Toxic Substances and Disease Registry

Enclosure

**ATSDR Public Availability Meeting Summary – April 25, 2006**  
Woodmore High School – Elmore Ohio

Approximately 45 people attended the public availability meeting. However, only 37 people signed the ATSDR sign-in sheet. Those attending were from three major groups:

- former Brush Wellman workers and their household contacts,
- current Brush Wellman workers,
- local residents – some inside the 1.25 mile boundary, some not

The topics discussed included:

- accidents and releases at the Elmore Plant
- people they knew who had CBD
- our purpose in offering this community testing service
- differences of opinion they heard about the test
- reasons for not conducting a study
- eligibility criteria for the testing
- the difference between sensitization and chronic beryllium disease
- test characteristics – how well it would work
- the laboratories to be used and confirmation testing
- the relationship between sarcoidosis and CBD
- our reasons for not offering environmental testing in their homes
- what they had heard about a background rate of sensitization
- the potential impact on life and health insurance
- our proposed schedule for accepting volunteers and blood testing

The purpose of the public availability session was to address the questions and concerns of individuals and small groups from the community. Most individuals were asked if they were interested in getting tested or not -- four persons expressed an interest in being tested.

Some of the remaining individuals were reluctant to respond and indicated that they would inform us when contacted. We estimate that one-half of them were undecided and the other one-half (primarily Brush Wellman employees) were not interested.

The summary of expressed community interest from all sources is contained in the following table. The table reflects only the number of people who have volunteered their interest and may underestimate the true interest in the testing.

**Summary of Community Interest April/May 2006**

Number of persons expressing interest in  
Testing for Beryllium Sensitization Plan  
Elmore, Ottawa County Ohio

As of May 5, 2006 5:00 PM

**Testing Plan**

Eligibility Categories	Sources			Eligibility Category Subtotals
	Site Toll Free Number	ATSDR Toll Free Number	4/25/06 Public Availability Meeting	
Household contacts	5	1	-	6
Nearby residents	11	1	1	12 *
Machinist	-	--	-	-
Unknown	4		3	7
Source Subtotals...	20	2	4	25 * (Total)

\* One nearby resident called site the toll free number and also attended the public availability session.