

Table 1, update.

Weighted emergency department estimates for the coterminous U.S. by year: 1994 to 2000

	Total 1994	Total 1995	Total 1996	Total 1997	Total 1998	Total 1999	Total 2000	<i>p</i> -value 1999, 2000 ¹	<i>p</i> -value 1998, 2000 ¹	<i>p</i> -value 1994, 2000 ¹
GHB/GBL	56	145	638	762	1,282	3,178	4,969	0.138	0.023 +	0.012 +
Ketamine	19	151	81	318	209	396	263	0.291	0.447	0.000 +
LSD	5,158	5,682	4,569	5,219	4,982	5,126	4,016	0.110	0.171	0.202
MDMA	253	421	319	637	1,143	2,850	4,511	0.000 +	0.000 +	0.000 +
Methamphetamine	17,537	15,933	11,002	17,154	11,486	10,447	13,505	0.013 +	0.115	0.119
Rohypnol	13	111	217	293	624	540	469	0.736	0.642	0.108

¹ In this column, "+" and "-" denote statistically significant increases and decreases, respectively, between estimates for periods noted. For the purposes of this report, *p*-values less than 0.05 are considered to be statistically significant.

* DAWN estimates of emergency department visits should be close to but will not necessarily equal totals from previous year's American Hospital Association (AHA) Annual Survey.

NOTE: These weighted estimates are based on a representative sample of non-Federal, short-stay hospitals with 24-hour emergency departments in the coterminous U.S.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network, 2000 (3/2001 update).

Table 4, update.

Estimated rate of club drug emergency department mentions per 100,000 population, by metropolitan area: 2000

	GHB	Ketamine	LSD	MDMA	Meth.	Rohypnol
TOTAL U.S.	2.0	0.1	1.6	1.8	5.5	0.2
Atlanta	4.6	0.3	2.5	2.4	3.9	0.0
Baltimore	0.1	0.2	2.1	2.7	0.3	0.0
Boston	0.7	0.6	1.1	3.3	0.4	0.0
Buffalo	0.6	0.0	0.3	1.8	0.5	0.0
Chicago	2.3	0.3	1.9	3.6	0.3	0.0
Dallas	6.7	0.4	2.6	2.8	5.4	0.2
Denver	2.7	0.8	3.9	3.5	6.8	0.0
Detroit	0.5	0.0	0.8	1.4	0.0	0.0
Los Angeles - Long Beach	1.7	0.2	2.5	2.0	15.9	0.0
Miami - Hialeah	2.3	0.1	2.8	5.4	0.8	0.5
Minneapolis - St. Paul	3.8	0.0	2.4	2.7	6.3	0.1
New Orleans	5.6	0.3	2.8	3.6	2.2	0.0
New York	0.4	0.2	0.8	2.3	0.4	0.0
Newark	0.3	0.5	0.6	1.1	0.3	0.0
Philadelphia	1.6	0.5	2.1	2.9	1.4	0.0
Phoenix	0.8	0.7	6.5	3.6	28.7	0.1
St. Louis	0.3	0.0	3.0	2.1	6.6	0.0
San Diego	2.6	0.5	2.0	1.9	30.6	0.3
San Francisco	9.3	0.9	4.1	6.6	36.1	0.0
Seattle	2.9	0.2	5.4	6.5	27.4	0.0
Washington, DC	0.6	0.2	1.1	2.0	1.6	0.0

Meth. = Methamphetamine.

NOTE: These estimates are based on a representative sample of non-Federal, short-stay hospitals with 24-hour emergency departments in the coterminous U.S.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network, 2001 (03/2001 update).