

**Results from the 2001
National Household Survey on Drug Abuse:
Volume III. Detailed Tables**

**Volume III-ABN
Prevalence Estimates and Sample Sizes
and
Volume III-CDP
Standard Errors and P-Values**

- Section 1: Illicit Drug Use Tables - 1.1 to 1.110**
- Section 2: Tobacco and Alcohol Use Tables - 2.1 to 2.111**
- Section 3: Risk and Protective Factor Tables - 3.1 to 3.67**
- Section 4: Incidence Tables - 4.1 to 4.19**
- Section 5: Dependence, Abuse, and Treatment Tables - 5.1 to 5.67**
- Section 6: Miscellaneous Tables - 6.1 to 6.83**
- Section 7: Sample Size and Population Tables - 7.1 to 7.16**
- Section 8: Mental Health Tables - 8.1 to 8.56**

(Revised Tables: 5.63 and 5.64)

Acknowledgments

This report was prepared by the Division of Population Surveys, Office of Applied Studies, SAMHSA, and RTI, Research Triangle Park, North Carolina. Work by RTI was performed under Contract No. 283-98-9008. Contributors and reviewers at RTI listed alphabetically include Kortnee Barnett, Katherine R. Bowman, Janice M. Brown, James R. Chromy, Andrew Clarke, Teresa R. Davis, Steven L. Emrich, Eric A. Grau, Ralph E. Folsom, Jr., Jennie L. Harris, David C. Heller, Larry A. Kroutil, Amy Licata, Mary Ellen Marsden, Christine Murtha, Dawn Odom, Lisa E. Packer, Michael R. Pemberton, Michael A. Penne, Kristine L. Rae, Avinash C. Singh, Tom Virag (Project Director), Michael Vorburger, Matt Westlake, and Li-Tzy Wu. Contributors at SAMHSA listed alphabetically include Peggy Barker, Dicy Butler, Joan Epstein, Joseph Gfroerer, Arthur Hughes, Joel Kennet, Lucilla Tan, and Doug Wright. Richard S. Straw of RTI prepared the graphics and edited the report. Brenda K. Porter and Keri V. Kennedy, also from RTI, formatted the tables. Final report production was provided by Beatrice Rouse, Coleen Sanderson, and Jane Feldmann at SAMHSA.

Electronic Access to Publication

This publication can be accessed electronically through the Internet connections listed below:

<http://www.samhsa.gov/oas/nhsda.htm>
<http://www.DrugAbuseStatistics.SAMHSA.gov>

Originating Office

SAMHSA, Office of Applied Studies
1 Choke Cherry Road, Room 7-1044
Rockville, MD 20857

June 2005

Table of Contents

Volume III: Detailed Tables

Volume III-ABN: Prevalence Estimates and Sample Sizes - Table Types A, B, and N

Part 1: Illicit Drug Use Tables and Sample Size and Population Tables

Introduction

Table Numbering

Table Organization

Locating a Table

Accessing a Table Electronically

Indexes of Parts 1 through 4

Key to Selected Variables

Indexes of Tables

Section 1 - Illicit Drug Use Tables

Section 7 - Sample Size and Population Tables

List of Tables

Section 1 - Illicit Drug Use Tables

Section 7 - Sample Size and Population Tables

Detailed Tables

Section 1 - Illicit Drug Use Tables

Section 7 - Sample Size and Population Tables

List of Tables - Volume III-CDP

Section 1 - Illicit Drug Use Tables

Section 7 - Sample Size and Population Tables

Part 2: Tobacco and Alcohol Use Tables and Sample Size and Population Tables

Introduction

Table Numbering

Table Organization

Locating a Table

Accessing a Table Electronically

Indexes of Parts 1 through 4

Key to Selected Variables

Indexes of Tables

Section 2 - Tobacco and Alcohol Use Tables

Section 7 - Sample Size and Population Tables

List of Tables

Section 2 - Tobacco and Alcohol Use Tables

Section 7 - Sample Size and Population Tables

Detailed Tables

Section 2 - Tobacco and Alcohol Use Tables

Section 7 - Sample Size and Population Tables

List of Tables - Volume III-CDP

Section 2 - Tobacco and Alcohol Use Tables

Section 7 - Sample Size and Population Tables

Table of Contents (continued)

Part 3: Risk and Protective Factor Tables; Incidence Tables; Dependence, Abuse, and Treatment Tables; and Sample Size and Population Tables

Introduction

Table Revisions

Table Numbering

Table Organization

Locating a Table

Accessing a Table Electronically

Indexes of Parts 1 through 4 Key
to Selected Variables Indexes of
Tables

Section 3 - Risk and Protective Factor Tables

Section 4 - Incidence Tables

Section 5 - Dependence, Abuse, and Treatment Tables

Section 7 - Sample Size and Population Tables

List of Tables

Section 3 - Risk and Protective Factor Tables

Section 4 - Incidence Tables

Section 5 - Dependence, Abuse, and Treatment Tables

Section 7 - Sample Size and Population Tables

Detailed Tables

Section 3 - Risk and Protective Factor Tables

Section 4 - Incidence Tables

Section 5 - Dependence, Abuse, and Treatment Tables

Section 7 - Sample Size and Population Tables

List of Tables - Volume III-CDP

Section 3 - Risk and Protective Factor Tables

Section 4 - Incidence Tables

Section 5 - Dependence, Abuse, and Treatment Tables

Section 7 - Sample Size and Population Tables

Part 4: Miscellaneous Tables, Mental Health Tables, and Sample Size and Population Tables

Introduction

Table Numbering

Table Organization

Locating a Table

Accessing a Table Electronically

Indexes of Parts 1 through 4 Key
to Selected Variables

Indexes of Tables

Section 6 - Miscellaneous Tables

Section 8 - Mental Health Tables

Section 7 - Sample Size and Population Tables

List of Tables

Section 6 - Miscellaneous Tables

Section 8 - Mental Health Tables

Section 7 - Sample Size and Population Tables

Detailed Tables

Section 6 - Miscellaneous Tables

Section 8 - Mental Health Tables

Section 7 - Sample Size and Population Tables

List of Tables - Volume III-CDP

Section 6 - Miscellaneous Tables

Section 8 - Mental Health Tables

Section 7 - Sample Size and Population Tables

Table of Contents (continued)

Volume III-CDP: Standard Errors and P-Values - Table Types C, D, and P

Part 1: Illicit Drug Use Tables and Sample Size and Population Tables

Introduction

Table Numbering

Table Organization

Locating a Table

Accessing a Table Electronically

Indexes of Parts 1 through 4

Key to Selected Variables

Indexes of Tables

Section 1 - Illicit Drug Use Tables

Section 7 - Sample Size and Population Tables

List of Tables

Section 1 - Illicit Drug Use Tables

Section 7 - Sample Size and Population Tables

Detailed Tables

Section 1 - Illicit Drug Use Tables

Section 7 - Sample Size and Population Tables

List of Tables - Volume III-ABN

Section 1 - Illicit Drug Use Tables

Section 7 - Sample Size and Population Tables

Part 2: Tobacco and Alcohol Use Tables and Sample Size and Population Tables

Introduction

Table Numbering

Table Organization

Locating a Table

Accessing a Table Electronically

Indexes of Parts 1 through 4

Key to Selected Variables

Indexes of Tables

Section 2 - Tobacco and Alcohol Use Tables

Section 7 - Sample Size and Population Tables

List of Tables

Section 2 - Tobacco and Alcohol Use Tables

Section 7 - Sample Size and Population Tables

Detailed Tables

Section 2 - Tobacco and Alcohol Use Tables

Section 7 - Sample Size and Population Tables

List of Tables - Volume III-ABN

Section 2 - Tobacco and Alcohol Use Tables

Section 7 - Sample Size and Population Tables

Table of Contents (continued)

Part 3: Risk and Protective Factor Tables; Incidence Tables; Dependence, Abuse, and Treatment Tables; and Sample Size and Population Tables

Introduction

- Table Numbering
- Table Organization
- Locating a Table
- Accessing a Table Electronically
- Indexes of Parts 1 through 4
- Key to Selected Variables
- Indexes of Tables
 - Section 3 - Risk and Protective Factor Tables
 - Section 4 - Incidence Tables
 - Section 5 - Dependence, Abuse, and Treatment Tables
 - Section 7 - Sample Size and Population Tables

List of Tables

- Section 3 - Risk and Protective Factor Tables
- Section 4 - Incidence Tables
- Section 5 - Dependence, Abuse, and Treatment Tables
- Section 7 - Sample Size and Population Tables

Detailed Tables

- Section 3 - Risk and Protective Factor Tables
- Section 4 - Incidence Tables
- Section 5 - Dependence, Abuse, and Treatment Tables
- Section 7 - Sample Size and Population Tables

List of Tables - Volume III-ABN

- Section 3 - Risk and Protective Factor Tables
- Section 4 - Incidence Tables
- Section 5 - Dependence, Abuse, and Treatment Tables
- Section 7 - Sample Size and Population Tables

Part 4: Miscellaneous Tables, Mental Health Tables, and Sample Size and Population Tables

Introduction

- Table Numbering
- Table Organization
- Locating a Table
- Accessing a Table Electronically
- Indexes of Parts 1 through 4
- Key to Selected Variables
- Indexes of Tables
 - Section 6 - Miscellaneous Tables
 - Section 8 - Mental Health Tables
 - Section 7 - Sample Size and Population Tables

List of Tables

- Section 6 - Miscellaneous Tables
- Section 8 - Mental Health Tables
- Section 7 - Sample Size and Population Tables

Detailed Tables

- Section 6 - Miscellaneous Tables
- Section 8 - Mental Health Tables
- Section 7 - Sample Size and Population Tables

List of Tables - Volume III-ABN

- Section 6 - Miscellaneous Tables
- Section 8 - Mental Health Tables
- Section 7 - Sample Size and Population Tables

Table of Contents (continued)

Volume I: Summary of National Findings¹ (under separate cover)

1. Introduction
2. Illicit Drug Use
3. Alcohol Use
4. Tobacco Use
5. Trends in Initiation of Substance Use
6. Prevention-Related Measures
7. Substance Dependence, Abuse, and Treatment
8. Prevalence and Treatment of Mental Health Problems
9. Discussion

Volume II: Technical Appendices and Selected Data Tables² (under separate cover)

- A. Description of the Survey
- B. Statistical Methods and Limitations of the Data
- C. Effects of Changes in Survey Protocol on Trend Measurement
- D. Key Definitions, 1999-2001 Survey Years
- E. Other Sources of Data
- F. References
- G. Sample Size and Population Tables
- H. Selected Prevalence Tables

¹Office of Applied Studies. (2002). *Results from the 2001 National Household Survey on Drug Abuse: Volume I. Summary of national findings* (DHHS Publication No. SMA 02-3758, NHSDA Series H-17). Rockville, MD: Substance Abuse and Mental Health Services Administration.

²Office of Applied Studies. (2002). *Results from the 2001 National Household Survey on Drug Abuse: Volume II. Technical appendices and selected data tables* (DHHS Publication No. SMA 02-3759, NHSDA Series H-18). Rockville, MD: Substance Abuse and Mental Health Services Administration.

Introduction

Results from the 2001 National Household Survey on Drug Abuse: Volume III, Detailed Tables is a collection of tables generated using data collected in the 2000 and 2001 National Household Surveys on Drug Abuse (NHSDAs). The majority of these tables are trend tables presenting estimates from the 2000 and 2001 NHSDAs. Select tables present only estimates from the 2001 NHSDA (if the same or comparable data are not available from the 2000 NHSDA). In addition, a select number of tables contain annual averages, which are generated by combining the 2000 and 2001 data (if there are not sufficient data within a single year to produce reliable estimates).

A subset of the Volume III tables is included in Volume II of this same report. Tables included in Volume II can be mapped back to these Volume III tables by using the table number reference included in parentheses in the upper left-hand corner of each table in Volume II (e.g., Table G.1 in Volume II is the equivalent of Table 7.1N in Volume III). A brief description of the sample design and estimation procedures used in the 2001 NHSDA can also be found in Volume II.

Table Revisions

As of June 2005, Tables 5.63 and 5.64 have been revised. The revised tables have been denoted with the word "(REVISED)," which has been placed between the table number and the table's title. In addition, a note appears at the bottom of each revised table that briefly explains the reason for revision. In general, previously published estimates of past year illicit drug treatment at specific locations (Table 5.63) and past year alcohol treatment at specific locations (Table 5.64) were under-reported by excluding respondents who reported having received only illicit drug treatment or only alcohol treatment in the past year.

More specifically, previously reported estimates were only based on those respondents who reported receiving treatment in the past year for both alcohol and illicit drugs, then explicitly reported treatment for alcohol only or illicit drugs only at a given specific treatment location (e.g., emergency room, private doctor's office, etc.). However, respondents reporting treatment for alcohol only or illicit drugs only in the past year who later reported receiving treatment at a specific treatment location were excluded from the analysis. The revised tables contain estimates based on both these types of respondents.

Table Numbering

The tables within this volume are numbered using a three-part numbering scheme (e.g., 1.15A). The first part of the table number (1.15A) is the subject matter section to which a particular table belongs. The second part (1.15A) is the actual number of a table within a particular section. The third part (1.15A) is a table type indicator, an alphabetic letter appended to the table number. There are multiple table types for each table number.

The eight subject matter sections and the number of tables per section are as follows:

Section 1: Illicit Drug Use Tables - 1.1 to 1.110

Section 2: Tobacco and Alcohol Use Tables - 2.1 to 2.111

Section 3: Risk and Protective Factor Tables - 3.1 to 3.67

Section 4: Incidence Tables - 4.1 to 4.19

Section 5: Dependence, Abuse, and Treatment Tables - 5.1 to 5.67

Section 6: Miscellaneous Tables - 6.1 to 6.83

Section 7: Sample Size and Population Tables - 7.1 to 7.16

Section 8: Mental Health Tables - 8.1 to 8.56

The table type indicators are defined as follows:

<u>Table Type</u>	<u>Purpose of the Table</u>
--------------------------	------------------------------------

- | | |
|----|---|
| A: | Presents estimates of the numbers of persons who have used the drug(s) in the populations described by the column and row headings. |
| B: | Presents estimates of the percentages of persons who have used the drug(s) in the populations described by the column and row headings. |
| C: | Presents the standard error associated with each of the estimates in the "A" tables. |
| D: | Presents the standard error associated with each of the estimates in the "B" tables. |
| N: | Presents the number of cases in the specified NHSDA sample with the characteristics defined by the column and row headings. |
| P: | Presents the p-values from test of the statistical significance of differences between columns in "B" tables. |

The majority of tables within the *Detailed Tables* contain five table types (A, B, C, D, and P) as defined above. Note that table type N is used exclusively within Section 7 to display the sample size counts. Exceptions to this organization are noted below:

- Section 4 (Incidence Tables) contains only table types A and C. Table type A contains numbers of initiates, mean age, and age specific rates. Table type C contains the associated standard errors for each of these estimates.
- Section 7 (Sample Size Tables) contains only table types A, C, and N. Population counts, standard errors, and sample sizes are displayed in table types A, C, and N, respectively. Percentages of the population and associated standard error tables are not provided in this section.

- Selected table sets within Section 1 (Illicit Drug Use Tables), Section 2 (Tobacco and Alcohol Use Tables), Section 3 (Risk and Protective Factor Tables), Section 6 (Miscellaneous Tables), and Section 8 (Mental Health Tables) include only table types A, B, C, and D. Selected tables within these sections either present estimates for the 2001 NHSDA only, or contain annual average estimates for 2000 and 2001 NHSDA data combined. In both cases, these select tables are not trend tables; thus, significance tests between 2000 and 2001 estimates are not relevant, and table type P is not applicable.

Table Organization

The *Volume III Detailed Tables* is organized by table type into two subvolumes as follows:

Volume III-ABN: Prevalence Estimates and Sample Sizes - Table Types A, B, and N
Volume III-CDP: Standard Errors and P-Values - Table Types C, D, and P

Both subvolumes are organized into four parts based on subject matter sections. (Note that for easy reference, the sample size tables are included in each part.) The sections included in each part are provided in the indexes for the part, which are presented on the following pages.

Locating a Table

For each of the four parts of tables within the two subvolumes (Volume III-ABN and Volume III-CDP) of the *Detailed Tables*, the following have been provided to assist users in locating a specific table of interest:

- a list of tables,
- a key to selected variables, and
- a table index for each subject matter section.

The list of tables can be used to identify a specific table for one of the subject matter sections. The key to selected variables defines selected demographic variables used in the table indexes. This may be helpful when used in conjunction with the table indexes in identifying tables that contain information for these selected demographic characteristics. The table indexes summarize the information contained in each table in tabular form and can be used to determine tables categorized by content area, age groupings, racial/ethnic characteristics, demographic characteristics, and geographic characteristics. (Note: Due to space restrictions, neither the section indicator nor the table type indicator component of the table numbers is used in the index.)

The examples below illustrate the various methods available to the user interested in locating a table containing specific information.

Using the List of Tables. A user interested in information about the prevalence of past month illicit drug use among youths aged 12 to 17 would review the list of tables in Section 1: Illicit Drug Use Tables and identify Table 1.2B as the table of interest.

Using the Key to Selected Variables and Table Indexes. Another method for locating this table (which shows the prevalence of past month illicit drug use among youths aged 12 to 17) would be to use the key to selected variables in conjunction with the table indexes. By first becoming familiar with the terms in the key to selected variables, the user can identify that youths aged 12 to 17 is the first age group under the heading "Standard Age Groups." Thus, when the table indexes are referenced, it will be clear to the user that age groups, such as youths 12 to 17, as well as other demographic information defined in this key to selected variables, will not be explicitly listed.

Next, a user can determine, by looking at the titles of the sections, that tables pertaining to illicit drug use can be found in the Section 1: Illicit Drug Use Tables. Once the user has identified the index for the Section 1 tables, he or she can scan the column headings to learn that the first two columns, "Use of Specific Illicit Drugs" and "Any Illicit Drug Use," are the most appropriate.

By referencing the first footnote on the Index of Section 1 Tables, the user can determine that the first column includes tables that represent separate estimates and percentages for each illicit drug, while the latter includes tables that represent use of any illicit drug crossed with some other characteristic (thus, the first column is the column of interest for the example). The user must next find the row for "Standard Age Groups" and identify the tables within the cell at the intersection of this desired row and the first column. Note, there are multiple tables in this cell, including (2-4) and (14-17). As indicated by the note on each table index, the parentheses around these numbers are used to indicate that the specified tables contain estimates for some subset of the information listed in the row heading. Thus, Table 1.2 contains estimates only for youths aged 12 to 17, Table 1.3 contains estimates only for persons aged 18 to 25, and Table 1.4 contains estimates only for persons aged 26 or older.

Finally, using either of the previously described methods for locating a table or by perusing the tables themselves, the user can identify that Table 1.2B contains the desired prevalence information.

Accessing a Table Electronically

Once a desired table is identified (see **Locating a Table**), an electronic version of that table may be accessed on the SAMHSA website.

Using Links Within the Indexes of Parts. Each subvolume (Volume III-ABN and Volume III-CDP) of the Detailed Tables has been divided into four parts (see the following pages). Within each part, the tables have been placed in groups based on content. The indexes of parts can be used to identify the group of tables in which the desired table is likely to be located. Clicking on the appropriate ABN or CDP link will take the user directly to the first table in the specified group where the user can then scroll through the tables to locate the table of interest.

Using Links Within the List of Tables. Once a user has identified a table of interest, the list of tables can be used to directly access each desired table. Simply clicking on the desired title will take the user directly to that table.

Please note that regardless of which link is used to access a table (index of parts or list of tables), only the tables within the same group as the one accessed will appear in the user window. In addition, once a group of ABN tables is accessed, there is no direct link to the corresponding CDP tables (and vice versa). If the user wishes to see a table NOT included in the current group, or to see the corresponding ABN or CDP tables, it will be necessary to (a) click on the new group that contains the new table of interest, or (b) click on the appropriate table in the list of tables.

Index of Part 1 Tables

	Table Number	Table Type	
		Prevalence Estimates and Sample Sizes	Standard Errors and P-Values
PART 1: Illicit Drug Use Tables Sample Size and Population Tables	1.1 to 1.110 7.1 to 7.16		
Illicit Drug Use Tables	1.1 to 1.110		
Lifetime, past year, and past month illicit drug use by selected age groups and gender	1.1 to 1.18	ABN	CDP
Selected illicit drugs by detailed age	1.19 to 1.25	ABN	CDP
Selected illicit drugs by demographic characteristics	1.26 to 1.60		
Any illicit drug	1.26 to 1.30	ABN	CDP
Marijuana	1.31 to 1.35	ABN	CDP
Cocaine	1.36 to 1.40	ABN	CDP
Hallucinogens	1.41 to 1.45	ABN	CDP
Inhalants	1.46 to 1.50	ABN	CDP
Nonmedical use of any psychotherapeutic	1.51 to 1.55	ABN	CDP
Any illicit drug other than marijuana	1.56 to 1.60	ABN	CDP
Selected illicit drugs by racial/ethnic subgroups	1.61 to 1.70	ABN	CDP
Selected illicit drugs by geographic characteristics	1.71 to 1.105		
Any illicit drug	1.71 to 1.75	ABN	CDP
Marijuana	1.76 to 1.80	ABN	CDP
Cocaine	1.81 to 1.85	ABN	CDP
Hallucinogens	1.86 to 1.90	ABN	CDP
Inhalants	1.91 to 1.95	ABN	CDP
Nonmedical use of any psychotherapeutic	1.96 to 1.100	ABN	CDP
Any illicit drug other than marijuana	1.101 to 1.105	ABN	CDP
Specific hallucinogen, inhalant, needle, heroin, pain reliever, tranquilizer, stimulant, and sedative use by age groups	1.106 to 1.110	ABN	CDP
Sample Size and Population Tables	7.1 to 7.16	ABN	CDP

Index of Part 2 Tables

	Table Number	Table Type	
		Prevalence Estimates and Sample Sizes	Standard Errors and P-Values
PART 2: Tobacco and Alcohol Use Tables Sample Size and Population Tables	2.1 to 2.111 7.1 to 7.16		
Tobacco and Alcohol Use Tables	2.1 to 2.111		
Lifetime, past year, and past month tobacco and alcohol use by selected age groups and gender	2.1 to 2.18	ABN	CDP
Selected tobacco and alcohol use by detailed age	2.19 to 2.24	ABN	CDP
Selected tobacco and alcohol use by demographic characteristics	2.25 to 2.54		
Any tobacco	2.25 to 2.29	ABN	CDP
Cigarettes	2.30 to 2.34	ABN	CDP
Smokeless tobacco	2.35 to 2.39	ABN	CDP
Cigars	2.40 to 2.44	ABN	CDP
Alcohol use	2.45 to 2.54	ABN	CDP
Selected tobacco and alcohol use by racial/ethnic subgroups	2.55 to 2.69	ABN	CDP
Selected tobacco and alcohol use by geographic characteristics	2.70 to 2.99		
Any tobacco	2.70 to 2.74	ABN	CDP
Cigarettes	2.75 to 2.79	ABN	CDP
Smokeless tobacco	2.80 to 2.84	ABN	CDP
Cigars	2.85 to 2.89	ABN	CDP
Alcohol use	2.90 to 2.99	ABN	CDP
Alcohol use by underage and legal drinkers	2.100 to 2.111	ABN	CDP
Sample Size and Population Tables	7.1 to 7.16	ABN	CDP

Index of Part 3 Tables

PART 3: Risk and Protective Factor Tables Incidence Tables Dependence, Abuse, and Treatment Tables Sample Size and Population Tables	Table Number	Table Type	
	3.1 to 3.67 4.1 to 4.19 5.1 to 5.67 7.1 to 7.16	Prevalence Estimates and Sample Sizes	Standard Errors and P-Values
Risk and Protective Factor Tables	3.1 to 3.67		
Perceived risk and availability of drugs	3.1 to 3.17		
Perceived risk of drugs	3.1 to 3.12	ABN	CDP
Perceived availability of drugs	3.13 to 3.17	ABN	CDP
Neighborhood characteristics	3.18 to 3.19	ABN	CDP
Parental disapproval	3.20 to 3.22, 3.62	ABN	CDP
Fighting and criminal activity	3.23 to 3.28	ABN	CDP
Peer disapproval	3.29 to 3.31, 3.63	ABN	CDP
Prevention programs/drug messages/youth activities	3.32 to 3.40	ABN	CDP
Religious involvement	3.41 to 3.44	ABN	CDP
Youth's feelings about school	3.45 to 3.49	ABN	CDP
Peer substance use	3.50 to 3.53	ABN	CDP
Parental involvement	3.54 to 3.61	ABN	CDP
Close friend's disapproval	3.64 to 3.67	ABN	CDP
Incidence Tables	4.1 to 4.19	ABN	CDP
Dependence, Abuse, and Treatment Tables	5.1 to 5.67		
Dependence	5.1 to 5.12	ABN	CDP
Abuse	5.13 to 5.24	ABN	CDP
Dependence or abuse	5.25 to 5.36	ABN	CDP
Dependence and abuse	5.66	ABN	CDP
Receipt of substance abuse treatment	5.37 to 5.47	ABN	CDP
Needed and received treatment for illicit drug problem	5.48 to 5.58	ABN	CDP
Needed but did not receive treatment for illicit drug problem	5.67	ABN	CDP
Specific substance for last or current treatment	5.59	ABN	CDP
Source of payment	5.60 to 5.62	ABN	CDP
Location of treatment	5.63 to 5.65	ABN	CDP
Sample Size and Population Tables	7.1 to 7.16	ABN	CDP

Index of Part 4 Tables

PART 4: Miscellaneous Tables Mental Health Tables Sample Size and Population Tables	Table Number	Table Type	
	6.1 to 6.83 8.1 to 8.56 7.1 to 7.16	Prevalence Estimates and Sample Sizes	Standard Errors and P-Values
Miscellaneous Tables	6.1 to 6.83		
Frequency of use	6.1 to 6.6	ABN	CDP
Illicit drugs by cigarette use	6.7 to 6.10	ABN	CDP
Illicit drugs by alcohol use	6.11 to 6.14	ABN	CDP
Tobacco or alcohol by cigarette use	6.15 to 6.18	ABN	CDP
Tobacco by alcohol use	6.19 to 6.22	ABN	CDP
Pregnancy	6.23 to 6.30	ABN	CDP
College enrollment	6.31 to 6.42	ABN	CDP
Substance dependence by age of first use and demographic characteristics	6.43 to 6.48	ABN	CDP
Tobacco brands	6.49 to 6.58	ABN	CDP
Source of cigarettes	6.59	ABN	CDP
Driving under the influence	6.60 to 6.63	ABN	CDP
Probation	6.64 to 6.66	ABN	CDP
Parole/supervised release	6.67 to 6.69	ABN	CDP
Government assistance programs	6.70 to 6.79	ABN	CDP
Specialty cigarettes	6.80 to 6.83	ABN	CDP
Mental Health Tables	8.1 to 8.56		
Serious Mental Illness	8.1 to 8.34	ABN	CDP
Adult Mental Health Treatment/Counseling	8.35 to 8.40	ABN	CDP
Substance Use by Adult Mental Health Treatment/Counseling	8.41 to 8.50	ABN	CDP
Adolescent Mental Health Treatment/Counseling	8.51 to 8.56	ABN	CDP
Sample Size and Population Tables	7.1 to 7.16	ABN	CDP

Key to Selected Variables

Age Categories (in Years):

Standard Age Groups: 12-17, 18-25, 26 or Older.

7 Detailed Age Categories: 12-13, 14-15, 16-17, 18-20, 21-25, 26-34, 35 or Older.

23 Detailed Age Categories: 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26-29, 30-34, 35-39, 40-44, 45-49, 50-54, 55-59, 60-64, 65 or Older.

Racial/Ethnic Characteristics:

Hispanic Origin and Race: Not Hispanic White, Not Hispanic Black, Not Hispanic American Indian or Alaska Native, Not Hispanic Native Hawaiian or Other Pacific Islander, Not Hispanic Asian, Not Hispanic More Than One Race, or Hispanic.

Racial/Ethnic Subgroups: Not Hispanic - White, Black, American Indian or Alaska Native, Native Hawaiian, Other Pacific Islander, Chinese, Filipino, Japanese, Asian Indian, Korean, Vietnamese.

Hispanic - Mexican, Puerto Rican, Central or South American, or Cuban.

Gender/Race/Hispanic Origin: White Male, White Female, Black Male, Black Female, Hispanic Male, Hispanic Female.

Other Demographic Characteristics:

Adult Education: Less Than High School, High School Graduate, Some College, College Graduate.

Current Employment: Full-Time, Part-Time, Unemployed, Other.

Geographic Characteristics:

Region: Northeast, Midwest, South, West.

Division: New England, Middle Atlantic, East North Central, West North Central, South Atlantic, East South Central, West South Central, Mountain, Pacific.

County Type: Large Metro counties; Small Metro counties, including counties with population of 250,000 up to 1 million, and counties with population of less than 250,000; Nonmetro, including urbanized counties, less urbanized counties, or completely rural counties.

Index of Section 1 Tables: Illicit Drug Use

Cell entries in this index refer to the tables in Section 1 numbered 1.1 to 1.110.

Characteristic	Use of Specific Illicit Drugs ¹			Any Illicit Drug Use			Marijuana Use			Cocaine Use		
	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month
All Persons Aged 12 or Older	1	1	1	19, 26, 61, 71	19, 26, 61, 71	19, 26, 61, 71	20, 31, 66, 76	20, 31, 66, 76	20, 31, 66, 76	21, 36, 81	21, 36, 81	21, 36, 81
All Persons Aged 18 or Older	18	18	18	30, 65, 75	30, 65, 75	30, 65, 75	35, 70, 80	35, 70, 80	35, 70, 80	40, 85	40, 85	40, 85
Standard Age Groups (in Years)	(2-4), (14-17)	(2-4), (14-17)	(2-4), (14-17)	26, (27-29), (62-64), (72-74)	26, (27-29), (62-64), (72-74)	26, (27-29), (62-64), (72-74)	31, (32-34), (67-69), (77-79)	31, (32-34), (67-69), (77-79)	31, (32-34), (67-69), (77-79)	36, (37-39), (82-84)	36, (37-39), (82-84)	36, (37-39), (82-84)
7 Detailed Age Categories	(5-11)	(5-11)	(5-11)									
23 Detailed Age Categories				19	19	19	20	20	20	21	21	21
Gender	(12-13), (14-17)	(12-13), (14-17)	(12-13), (14-17)	26-30	26-30	26-30	31-35	31-35	31-35	36-40	36-40	36-40
Hispanic Origin and Race				26-30	26-30	26-30	31-35	31-35	31-35	36-40	36-40	36-40
Gender/Race/Hispanic Origin				27	27	27	32	32	32	37	37	37
Racial/Ethnic Subgroups				61-65	61-65	61-65	66-70	66-70	66-70			
Adult Education				28-30	28-30	28-30	33-35	33-35	33-35	38-40	38-40	38-40
Current Employment				28-30	28-30	28-30	33-35	33-35	33-35	38-40	38-40	38-40
Geographic Characteristics				71-75	71-75	71-75	76-80	76-80	76-80	81-85	81-85	81-85

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

¹Tables indexed in this column present estimates for all NHSDA drugs and drug categories. See Table 1.1 for a complete listing of the specific drugs and classes of drugs.

Index of Section 1 Tables: Illicit Drug Use (continued)

Cell entries in this index refer to the tables in Section 1 numbered 1.1 to 1.110.

Characteristic	Hallucinogen Use			Inhalant Use			Nonmedical Use of Any Prescription-Type Psychotherapeutic			Use of Any Illicit Drug Other Than Marijuana		
	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month
All Persons Aged 12 or Older	22, 41, 86, 106	22, 41, 86	22, 41, 86	23, 46, 91, 106	23, 46, 91	23, 46, 91	24, 51, 96	24, 51, 96	24, 51, 96	25, 56, 101	25, 56, 101	25, 56, 101
All Persons Aged 18 or Older	45, 90	45, 90	45, 90	50, 95	50, 95	50, 95	55, 100	55, 100	55, 100	60, 105	60, 105	60, 105
Standard Age Groups (in Years)	41, (42-44), (87-89), 106	41, (42-44), (87-89)	41, (42-44), (87-89)	46, (47-49), (92-94), 106	46, (47-49), (92-94)	46, (47-49), (92-94)	51, (52-54), (97-99)	51, (52-54), (97-99)	51, (52-54), (97-99)	56, (57-59), (102-104)	56, (57-59), (102-104)	56, (57-59), (102-104)
7 Detailed Age Categories												
23 Detailed Age Categories	22	22	22	23	23	23	24	24	24	25	25	25
Gender	41-45	41-45	41-45	46-50	46-50	46-50	51-55	51-55	51-55	56-60	56-60	56-60
Hispanic Origin and Race	41-45	41-45	41-45	46-50	46-50	46-50	51-55	51-55	51-55	56-60	56-60	56-60
Gender/Race/Hispanic Origin	42	42	42	47	47	47	52	52	52	57	57	57
Racial/Ethnic Subgroups												
Adult Education	43-45	43-45	43-45	48-50	48-50	48-50	53-55	53-55	53-55	58-60	58-60	58-60
Current Employment	43-45	43-45	43-45	48-50	48-50	48-50	53-55	53-55	53-55	58-60	58-60	58-60
Geographic Characteristics	86-90	86-90	86-90	91-95	91-95	91-95	96-100	96-100	96-100	101-105	101-105	101-105

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

Index of Section 1 Tables: Illicit Drug Use (continued)

Cell entries in this index refer to the tables in Section 1 numbered 1.1 to 1.110.

Characteristic	Use of Specific Hallucinogens and Inhalants	Use of Specific Pain Relievers	Use of Specific Tranquilizers	Use of Specific Stimulants	Use of Specific Sedatives	Methods of Administration ²
	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	
All Persons Aged 12 or Older	106	107	108	109	110	106
All Persons Aged 18 or Older						
Standard Age Groups (in Years)	106	107	108	109	110	106
7 Detailed Age Categories						
23 Detailed Age Categories						
Gender						
Hispanic Origin and Race						
Gender/Race/Hispanic Origin						
Racial/Ethnic Subgroups						
Adult Education						
Current Employment						
Geographic Characteristics						

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

² The methods of administration include needle use, and smoking or sniffing heroin.

Index of Section 2 Tables: Tobacco and Alcohol Use

Cell entries in this index refer to the tables in Section 2 numbered 2.1 to 2.111.

Characteristic	Use of Specific Tobacco and Alcohol ¹			Use of Any Tobacco Product			Cigarette Use			Smokeless Tobacco Use		
	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month
All Persons Aged 12 or Older	1	1	1	19, 25, 70	19, 25, 70	19, 25, 70	20, 30, 55, 75	20, 30, 55, 75	20, 30, 55, 75	21, 35, 80	21, 35, 80	21, 35, 80
All Persons Aged 18 or Older	18	18	18	29, 74	29, 74	29, 74	34, 59, 79	34, 59, 79	34, 59, 79	39, 84	39, 84	39, 84
All Persons Aged 12 to 20												
All Persons Aged 21 or Older												
Standard Age Groups (in Years)	(2-4), (14-17)	(2-4), (14-17)	(2-4), (14-17)	25, (26-28), (71-73)	25, (26-28), (71-73)	25, (26-28), (71-73)	30, (31-33), (56-58), (76-78)	30, (31-33), (56-58), (76-78)	30, (31-33), (56-58), (76-78)	35, (36-38), (81-83)	35, (36-38), (81-83)	35, (36-38), (81-83)
7 Detailed Age Categories	(5-11)	(5-11)	(5-11)									
23 Detailed Age Categories				19	19	19	20	20	20	21	21	21
Gender	(12-13), (14-17)	(12-13), (14-17)	(12-13), (14-17)	25-29	25-29	25-29	30-34	30-34	30-34	35-39	35-39	35-39
Hispanic Origin and Race				25-29	25-29	25-29	30-34	30-34	30-34	35-39	35-39	35-39
Gender/Race/Hispanic Origin				26	26	26	31	31	31	36	36	36
Racial/Ethnic Subgroups							55-59	55-59	55-59			
Adult Education				27-29	27-29	27-29	32-34	32-34	32-34	37-39	37-39	37-39
Current Employment				27-29	27-29	27-29	32-34	32-34	32-34	37-39	37-39	37-39
Geographic Characteristics				70-74	70-74	70-74	75-79	75-79	75-79	80-84	80-84	80-84

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

¹Tables indexed in this column present estimates for all NHSDA tobacco and alcohol categories. See Table 2.1 for a complete listing of all the tobacco and alcohol types.

Index of Section 2 Tables: Tobacco and Alcohol Use (continued)

Cell entries in this index refer to the tables in Section 2 numbered 2.1 to 2.111.

Characteristic	Cigar Use			Any Alcohol Use			"Binge" Alcohol Use	Heavy Alcohol Use
	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Past Month Only	
All Persons Aged 12 or Older	22, 40, 85	22, 40, 85	22, 40, 85	23, 45, 60, 90	23, 45, 60, 90	23, 24, 45, 50, 60, 65, 90, 95	24, 50, 65, 95	24, 50, 65, 95
All Persons Aged 18 or Older	44, 89	44, 89	44, 89	49, 64, 94	49, 64, 94	49, 54, 64, 69, 94, 99	54, 69, 99	54, 69, 99
All Persons Aged 12 to 20				100,104, 108	100, 104, 108	100, 102, 104, 106,108,110	102, 106,110	102, 106,110
All Persons Aged 21 or Older				101, 105,109	101, 105,109	101, 103, 105, 107,109,111	103, 107,111	103, 107,111
Standard Age Groups (in Years)	40, (41-43), (86-88)	40, (41-43), (86-88)	40, (41-43), (86-88)	45, (46-48), (61-63), (91-93)	45, (46-48), (61-63), (91-93)	45, (46-48), 50, (51-53), (61-63), (66-68), (91-93), (96-98)	50, (51-53), (66-68), (96-98)	50, (51-53), (66-68), (96-98)
7 Detailed Age Categories								
23 Detailed Age Categories	22	22	22	23	23	23, 24	24	24
Gender	40-44	40-44	40-44	45-49 100-101	45-49 100-101	45-49, 50-54, 100-101, 102-103	50-54, 102-103	50-54 102-103
Hispanic Origin and Race	40-44	40-44	40-44	45-49 100-101	45-49 100-101	45-49, 50-54, 100-101, 102-103	50-54, 102-103	50-54 102-103
Gender/Race/Hispanic Origin	41	41	41	46, 100-101	46, 100-101	46, 51, 100-101, 102-103	51, 102-103	51, 102-103
Racial/Ethnic Subgroups				60-64, 104-105	60-64, 104-105	60-64, 65-69, 104-105, 106-107	65-69, 106-107	65-69, 106-107
Adult Education	42-44	42-44	42-44	47-49	47-49	47-49, 52-54	52-54	52-54
Current Employment	42-44	42-44	42-44	47-49	47-49	47-49, 52-54	52-54	52-54
Geographic Characteristics	85-89	85-89	85-89	90-94, 108-109	90-94, 108-109	90-94, 95-99, 108-109, 110-111	95-99, 110-111	95-99, 110-111

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

Index of Section 3 Tables: Risk and Protective Factors

Cell entries in this index refer to the tables in Section 3 numbered 3.1 to 3.67

Risk and Protective Factors	Persons Aged 12 or Older and Standard Age Groups	Demographic Characteristics and Drug Use for Persons Aged 12 to 17 ¹
Perceptions of Risk		
Smoking One or More Packs of Cigarettes Per Day	1	2
Smoking Marijuana Once a Month	1	3
Smoking Marijuana Once or Twice a Week	1	4
Using Cocaine Once a Month	1	5
Using Cocaine Once or Twice a Week	1	6
Trying Heroin Once or Twice	1	7
Using Heroin Once or Twice a Week	1	8
Trying LSD Once or Twice	1	9
Using LSD Once or Twice a Week	1	10
Having 4 or 5 Drinks of an Alcoholic Beverage Nearly Every Day	1	11
Having 5 or More Drinks of an Alcoholic Beverage Once or Twice a Week	1	12
Ease of Obtaining...		
Marijuana	1	13
Cocaine	1	14
Crack	1	15
Heroin	1	16
LSD	1	17
Approached in Past Month by Someone Selling Drugs	1	18

¹ Tables indexed in this column present estimates for demographic and geographic characteristics, including age, gender, Hispanic origin and race, and county type. Also included in these tables are estimates for lifetime, past year, and past month use of any illicit drug, marijuana, any illicit drug other than marijuana, cigarettes, alcohol, and "binge" alcohol.

Index of Section 3 Tables: Risk and Protective Factors (continued)

Cell entries in this index refer to the tables in Section 3 numbered 3.1 to 3.67.

Risk and Protective Factors	Demographic Characteristics and Drug Use for Persons Aged 12 to 17 ¹
Percentages of Persons Aged 12 to 17 Reporting...	
The Number of Times They Have Moved in the Past 5 Years	19
Percentages of Persons Aged 12 to 17 Reporting How They Think Their Parents Would Feel About...	
Their Smoking One or More Packs of Cigarettes per Day	20
Their Trying Marijuana or Hashish Once or Twice	21
Their Using Marijuana/Hashish Once a Month or More	62
Their Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	22
Percentages of Persons Aged 12 to 17 Reporting How Many Times in the Past Year...	
They Had Gotten into a Serious Fight at School or at Work	23
They Had Taken Part in a Group-Against-Group Fight	24
They Had Carried a Handgun	25
They Had Sold Illegal Drugs	26
They Had Stolen or Tried to Steal Something Worth More Than \$50	27
They Had Attacked Someone with the Intent to Seriously Hurt Them	28
Percentages of Persons Aged 12 to 17 Reporting How They Would Feel About Someone Their Own Age...	
Smoking One Or More Packs of Cigarettes per Day	29
Trying Marijuana or Hashish Once or Twice	30
Using Marijuana/Hashish Once a Month or Month	63
Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	31
Percentages of Persons Aged 12 to 17 Reporting...	
Participation in a Problem Solving, Communication Skills, or Self-Esteem Group in the Past Year	32
Participation in a Violence Protection Program in the Past Year	33
Participation in an Alcohol, Tobacco, or Drug Prevention Program Outside of School in the Past Year	34
Participation in a Program in the Past Year for Dealing with Alcohol or Drug Use	35
Participation in a Pregnancy or Sexually Transmitted Disease Prevention Program in the Past Year	36
Talking with at Least One of Their Parents in the Past Year About the Dangers of Tobacco, Alcohol, or Drug Use	37
Seeing or Hearing Drug or Alcohol Prevention Messages Outside School in the Past Year	38
Seeing or Hearing Drug or Alcohol Prevention Messages at School in the Past Year	39
Participation in Youth Activities in the Past Year	40

¹ Tables indexed in this column present estimates for demographic and geographic characteristics, including age, gender, Hispanic origin and race, and county type. Also included in these tables are estimates for lifetime, past year, and past month use of any illicit drug, marijuana, any illicit drug other than marijuana, cigarettes, alcohol, and "binge" alcohol.

Index of Section 3 Tables: Risk and Protective Factors (continued)

Cell entries in this index refer to the tables in Section 3 numbered 3.1 to 3.67.

Risk and Protective Factors	Demographic Characteristics and Drug Use for Persons Aged 12 to 17¹
Percentages of Persons Aged 12 to 17 Reporting...	
The Number of Times They Attended Religious Services in the Past Year	41
Religious Beliefs Are a Very Important Part of Their Life	42
Religious Beliefs Influence How They Make Decisions in Life	43
How Important it is for Friends to Share Their Religious Beliefs	44
Percentages of Persons Aged 12 to 17 Enrolled in School in the Past Year Reporting...	
Feelings About Going to School in the Past Year	45
Assigned Schoolwork Was Meaningful and Important	46
Level of Importance Later in Life of Things Learned in School	47
How Interesting Courses at School Have Been	48
Teachers Let Them Know They Were Doing a Good Job With Schoolwork	49
How Many Students in Their Grade Smoke Cigarettes	50
How Many Students in Their Grade Use Marijuana or Hashish	51
How Many Students in Their Grade Drink Alcoholic Beverages	52
How Many Students in Their Grade Get Drunk at Least Once a Week	53
Parents Checked Whether Homework was Done in the Past Year	54
Parents Provided Help on Homework in the Past Year	55
Parents Limited Amount of Time They Spent Out With Friends on School Nights	56
Percentages of Persons Aged 12 to 17 Reporting....	
Parents Made Them Do Chores Around the House	57
Parents Limited Amount of Time they Watched TV	58
Parents Let Them Know They Had Done a Good Job	59
Parents Told Them They Were Proud of Something They Had Done	60
The Number of Times They Argued or Had a Fight with at Least One Parent	61
Close Friends' Feelings About Their Smoking Cigarettes	64
Close Friends' Feelings About Their Trying Marijuana/Hashish	65
Close Friends' Feelings About Their Using Marijuana/Hashish	66
Close Friends' Feelings About Their Drinking Alcoholic Beverages	67

¹ Tables indexed in this column present estimates for demographic and geographic characteristics, including age, gender, Hispanic origin and race, and county type. Also included in these tables are estimates for lifetime, past year, and past month use of any illicit drug, marijuana, any illicit drug other than marijuana, cigarettes, alcohol, and "binge" alcohol.

Index of Section 4 Tables: Incidence

Cell entries in this index refer to the tables in Section 4 numbered 4.1 to 4.19.

Drug	Incidence Table
Marijuana	1
Cocaine	2
Crack	3
Heroin	4
Hallucinogens	5
LSD	6
PCP	7
Ecstasy	8
Inhalants	9
Pain Relievers	10
Tranquilizers	11
Stimulants	12
Methamphetamines	13
Sedatives	14
Alcohol	15
Any Cigarette Use	16
Daily Cigarette Use	17
Smokeless Tobacco	18
Cigars	19

NOTE: Incidence tables include estimates for each year from 1965 through 2000 of the number of initiates (in thousands) by age group, mean age of first use, and age-specific rates of first use.

Index of Section 5 Tables: Dependence, Abuse, and Treatment

Cell entries in this index refer to the tables in Section 5 numbered 5.1 to 5.67.

Characteristic	Past Year Dependence		Past Year Abuse	
	Specific Substances ¹	Any Illicit Drug or Alcohol	Specific Substances ¹	Any Illicit Drug or Alcohol
All Persons Aged 12 or Older	1, 25	2, 3, 8, 26, 27, 32, 66	13, 25	14, 15, 20, 26, 27, 32, 66
All Persons Aged 18 or Older		7, 12, 31, 36		19, 24, 31, 36
Standard Age Groups (in Years)	1, 25	3, (4-6), (9-11), 27, (28-30), (33-35)	13, 25	15, (16-18), (21-23), 27, (28-30), (33-35)
23 Detailed Age Categories		2, 26		14, 26
Gender		3-7, 27-31		15-19, 27-31
Hispanic Origin and Race		3-7, 27-31		15-19, 27-31
Gender/Race/Hispanic Origin		4, 28		16, 28
Adult Education		5-7, 29-31		17-19, 29-31
Current Employment		5-7, 29-31		17-19, 29-31
Geographic Characteristics		8-12, 32-36		20-24, 32-36

XXV
ii

Characteristic	Past Year Treatment			
	Received (Alcohol and/or Illicit Drug) ²	Needed and Received (Illicit Drug) ³	Source of Payment	Specific Locations
All Persons Aged 12 or Older	37, 38, 43, 59	48, 49, 54	60-62	63-65
All Persons Aged 18 or Older	42, 47	53, 58		
Standard Age Groups (in Years)	38, (39-41), (44-46), 59	49, (50-52), (55-57), 67	60-62	63-65
23 Detailed Age Categories	37	48		
Gender	38-42	49-53, 67		
Hispanic Origin and Race	38-42	49-53		
Gender/Race/Hispanic Origin	39	50		
Adult Education	40-42	51-53		
Current Employment	40-42	51-53		
Geographic Characteristics	43-47	54-58		

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

¹ Tables indexed in this column present estimates of specific NHSDA drug and alcohol categories. See Table 5.1, 5.13, or 5.25 for a complete listing of all the drugs, alcohol, and drug/alcohol combinations.

² Tables indexed in this column present estimates for receiving treatment for any illicit drug use, alcohol use, both any illicit drug and alcohol use, as well as receiving treatment for any illicit drug or alcohol use.

³ Tables indexed in this column present estimates for needing treatment for an illicit drug problem, receiving treatment at a specialty facility, and treatment gap.

Index of Section 6 Tables: Miscellaneous

Cell entries in this index refer to the tables in Section 6 numbered 6.1 to 6.83.

Characteristic	Use of Specific Illicit Drugs ¹	Use of Specific Tobacco and Alcohol ²	Any Illicit Drug Use					Any Illicit Drug Other Than Marijuana Use
	Past Month	Past Month	Past Year	Past Month	Dependence	Abuse	Drove Under the Influence	Past Year
All Persons Aged 12 or Older	7, 11	15, 19	70, 72, 74, 76, 78				60, 61	70, 72, 74, 76, 78
All Persons Aged 18 or Older	64, 67			66, 69	43, 47	45, 47	62, 63	
Standard Age Groups (in Years)	(8-10), (12-14)	(16-18), (20-22)	70, 72, 74, 76, 78	(66), (69)	(43), (47)	(45), (47)	61	70, 72, 74, 76, 78
23 Detailed Age Categories							60	
Gender	(23), (32-33)	(26), (37-38)		(24), 34, 66, 69	43, 47	45, 47	61-62	
Hispanic Origin and Race				24, 34	(43), (47)	(45), (47)	62-63	
Adult Education & Current Employment					(43), (47)	(45), (47)	62	
Geographic Characteristics							63	
Level of Cigarette Use	7-10	15-18						
Level of Alcohol Use	11-14	19-22						
Age First Used Marijuana					43, 47	45, 47		
Age First Used Alcohol								
Pregnancy	23	26		24				
College Enrollment	31-33	36-38		34				
Probation	64-65			66				
Parole/Supervised Release	67-68			69				
Government Assistance Programs			70					70
Supplemental Security Income (SSI)			72					72
Food Stamps			74					74
Cash Assistance			76					76
Noncash Assistance			78					78

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

¹Tables indexed in this column present estimates for all NHSDA drugs and drug categories. See Table 6.7 for a complete listing of the specific drugs and classes of drugs.

²Tables indexed in this column present estimates for all NHSDA tobacco and alcohol categories. See table 6.15 for a complete listing of all the tobacco and alcohol types.

Index of Section 6 Tables: Miscellaneous (continued)

Cell entries in this index refer to the tables in Section 6 numbered 6.1 to 6.83.

Characteristic	Marijuana Use			Cocaine Use	Hallucinogen Use	Inhalant Use
	Past Year	Past Month	Frequency of Use	Frequency of Use	Frequency of Use	Frequency of Use
All Persons Aged 12 or Older	70, 72, 74, 76, 78					
All Persons Aged 18 or Older						
Standard Age Groups (in Years)	70, 72, 74, 76, 78		1	2	3	4
23 Detailed Age Categories						
Gender		(25), 35				
Hispanic Origin and Race		25, 35				
Adult Education & Current Employment						
Geographic Characteristics						
Level of Cigarette Use						
Level of Alcohol Use						
Age First Used Marijuana						
Age First Used Alcohol						
Pregnancy		25				
College Enrollment		35				
Probation						
Parole/Supervised Release						
Government Assistance Program	70					
Supplemental Security Income (SSI)	72					
Food Stamps	74					
Cash Assistance	76					
Noncash Assistance	78					

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

Index of Section 6 Tables: Miscellaneous (continued)

Cell entries in this index refer to the tables in Section 6 numbered 6.1 to 6.83.

Characteristic	Alcohol Use					"Binge" Alcohol Use	Heavy Alcohol Use
	Past Month	Frequency of Use	Dependence	Abuse	Drove Under the Influence	Past Month Only	
All Persons Aged 12 or Older	11, 19, 71, 73, 75, 77, 79				60, 61	11, 19, 71, 73, 75, 77, 79	11, 19
All Persons Aged 18 or Older			44, 48	46, 48	62, 63		
Standard Age Groups (in Years)	(12-14), (20-22), 71, 73, 75, 77, 79	6	(44), (48)	(46), (48)	61	(12-14), (20-22), 71, 73, 75, 77, 79	(12-14), (20-22)
23 Detailed Age Categories					60		
Gender	(28), 40		44, 48	46, 48	61-62	(29), 41	(30), 42
Hispanic Origin and Race	28, 40		(44), (48)	(46), (48)	61-62	29, 41	30, 42
Adult Education & Current Employment			(44), (48)	(46), (48)	62		
Geographic Characteristics					63		
Level of Cigarette Use							
Level of Alcohol Use	11-14, 19-22					11-14, 19-22	11-14, 19-22
Age First Used Marijuana							
Age First Used Alcohol			44, 48	46, 48			
Pregnancy	28					29	30
College Enrollment	40					41	42
Probation							
Parole/Supervised Release							
Government Assistance Program	71					71	
Supplemental Security Income (SSI)	73					73	
Food Stamps	75					75	
Cash Assistance	77					77	
Noncash Assistance	79					79	

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

Index of Section 6 Tables: Miscellaneous (continued)

Cell entries in this index refer to the tables in Section 6 numbered 6.1 to 6.83.

Characteristic	Cigarette Use					Cigarette Brand Used Most Often	Cigar Brand Used Most Often	Smokeless Tobacco	Source of Cigarettes
	Past Month	Frequency of Use	Speciality Cigarettes	Bidis	Cloves	Past Month	Past Month	Past Month	Past Month
All Persons Aged 12 or Older	7, 15, 71, 73, 75, 77, 79, 83	5	80, 83	81, 83	81, 83				
All Persons Aged 18 or Older									
Standard Age Groups (in Years)	(8-10), (16-18), 71, 73, 75, 77, 79, 83	5	80, 83	81, 83	82, 83	49-54	55-57	58	(59)
23 Detailed Age Categories									
Gender	(27), 39		80	81	82	50, 52-54	56		
Hispanic Origin and Race	27, 39		80	81	82	(51-54)	(57)		
Adult Education & Current Employment									
Geographic Characteristics									
Level of Cigarette Use	7-10, 15-18								
Level of Alcohol Use									
Age First Used Marijuana									
Age First Used Alcohol									
Pregnancy	27								
College Enrollment	39								
Probation									
Parole/Supervised Release									
Government Assistance Program	71								
Supplemental Security Income (SSI)	73								
Food Stamps	75								
Cash Assistance	77								
Noncash Assistance	79								

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

Index of Section 7 Tables: Sample Sizes and Population Estimates

Cell entries in the index refer to tables in Section 7 numbered 7.1 to 7.16.

Characteristic	2000 and 2001 Separately	2000 and 2001 Combined
All Persons Aged 12 or Older	1-4, 8-10, 16	5-7
All Persons Aged 18 or Older	13, 14, 15	
Youth and Adult Age Groups (12 to 17, 18 or Older)	3, 9	6
Underage and Legal Drinking Age Groups (12 to 20, 21 or Older)	4, 10	7
Standard Age Groups (in Years)	2, 8, (13), 16	5
23 Detailed Age Groups	1	
Gender	1-4, 12-13	(11)
Gender/Age	14, 15	
Hispanic Origin and Race	2-4, 12, (13)	11
Gender/Race/Hispanic Origin	2-4	
Racial/Ethnic Subgroups		5-7
Adult Education	2, 3, 13	
Current Employment	2, 3, 13	
Geographic Characteristics	8-10, (13)	
Pregnancy		11
College Enrollment	12	
Mental Health Treatment or Counseling	13	
Probation	14	
Parole/Supervised Release	15	
Participation in Selected Government Assistance Programs	16	

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

Index of Section 8 Tables: Mental Health

Cell entries in the index refer to tables in Section 8 numbered 8.1 to 8.56.

Characteristic	Serious Mental Illness						
	Serious Mental Illness	Use of Specific Illicit Drugs ¹	Any Illicit Drug Use		Use of Specific Tobacco and Alcohol ²		Alcohol Use
		Past Year	Past Year	Dependence or Abuse	Past Year	Past Month	Dependence or Abuse
All Persons Aged 18 or Older	1-3	4-5	8-13	14-17	6-7	6-7	14-15, 18-19
Standard Age Groups (in Years)	(2-3)		(9, 12)	(16-17)			(18-19)
23 Detailed Age Categories	(1)		(8, 11)				
Gender	1-2		9, 12	16-17			18-19
Hispanic Origin and Race	2		9, 12				
Adult Education & Current Employment	2		9, 12				
Geographic Characteristics	3		10, 13				
Serious Mental Illness		4-5	8-13	14-17	6-7	6-7	14-15, 18-19

Characteristic	Serious Mental Illness			
	Mental Health Treatment/Counseling	Unmet Need for Mental Health Treatment/Counseling	Unmet Need for Mental Health Treatment/Counseling	
			Did Not Receive Mental Health Treatment/Counseling	Received Mental Health Treatment/Counseling
All Persons Aged 18 or Older	20-25	26-28	29-31	32-34
Standard Age Groups (in Years)	(21, 24)	(27)	(30)	(33)
23 Detailed Age Categories	(20, 23)	(26)	(29)	(32)
Gender	21, 24	27	30	33
Hispanic Origin and Race	21, 24	27	30	33
Adult Education & Current Employment	21, 24	27	30	33
Geographic Characteristics	22, 25	28	31	34
Serious Mental Illness	20-25	26-28	29-31	32-34

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

¹Tables indexed in this column present estimates for all NHSDA drugs and drug categories. See Table 8.4 for a complete listing of the specific drugs and classes of drugs.

²Tables indexed in this column present estimates for all NHSDA tobacco and alcohol categories. See table 8.6 for a complete listing of all the tobacco and alcohol types.

Index of Section 8 Tables: Mental Health (continued)

Cell entries in the index refer to tables in Section 8 numbered 8.1 to 8.56.

Characteristic	Adult Mental Health						
	Mental Health Treatment/Counseling	Any Illicit Drug Use	Marijuana Use	Nonmedical Use of Prescription-Type Psychotherapeutics	Cigarettes Use	Alcohol Use	Unmet Need for Mental Health Treatment/Counseling
		Past Year	Past Year	Past Year	Past Year	Past Year	
All Persons Aged 18 or Older	35-36	39-42	43-44	45-46	47-48	49-50	37-38
Standard Age Groups (in Years)	(35)	(39, 41)	(43)	(45)	(47)	(49)	(37)
Gender	35	39, 41	43	45	47	49	37
Hispanic Origin and Race	35	(39, 41)	(43)	(45)	(47)	(49)	(37)
Adult Education & Current Employment	35	39, 41	43	45	47	49	37
Geographic Characteristics	(36)	(40, 42)	(44)	(46)	(48)	(50)	(38)
Family Income	36	40, 42	44	46	48	50	38
Government Assistance Programs	36	40, 42	44	46	48	50	38
Unmet Need for Treatment		41-42	43-44	45-46	47-48	49-50	
Mental Health Treatment/Counseling		39-42	43-44	45-46	47-48	49-50	37-38

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

Index of Section 8 Tables: Mental Health (continued)

Cell entries in the index refer to tables in Section 8 numbered 8.1 to 8.56.

Characteristic	Adolescent Mental Health	
	Mental Health Treatment/Counseling	Any Illicit Drug Use
		Past Year
All Persons Aged 12 or Older	51-52	53-54
7 Detailed Age Categories	(51-52, 55-56)	
Gender	51	53
Hispanic Origin and Race	51	53
Geographic Characteristics	(52)	(54)
Family Income	52	54
Government Assistance Programs	52	54
Mental Health Treatment/Counseling		53
Source of Mental Health Treatment/Counseling	55	
Reason for Mental Health Treatment/Counseling	56	

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.