\*ACGIH. 1996. Threshold limit values for chemical substances and physical agents and biological exposure indices for 19951996. American Conference of Governmental Industrial Hygienists, Cincinnati, OH.

\*ACGIH. 1997. 1997 TLVs and BEIs. Threshold limit values for chemical substances and physical agents. Biological exposure indices. American Conference of Governmental Industrial Hygienists. Cincinnati, OH.

\*Adinolfi M. 1985. The development of the human blood-CSF-brain barrier. Developmental Medicine & Child Neurology 27:532-537.

\*Ahman PK, Dittmer DS. 1974. In: Biological handbooks: Biology data book, Volume III, second edition. Bethesda, MD: Federation of American Societies for Experimental Biology, 1987-2008, 2041.

\*Andersen ME, Krishman K. 1994. Relating *in vitro* to *in vivo* exposures with physiologically-based tissue dosimetry and tissue response models. In: H. Salem, ed. Current concepts and approaches on animal test alternatives. U.S. Army Chemical Research Development and Engineering Center, Aberdeen Proving Ground, Maryland.

\*Andersen ME, Krishnan K. 1994. Relating *in vitro* exposures with physiological-based tissue dosimetry and tissue response models. In: H. Salem, ed. Animal test alternatives. U.S. Army Edgewood Research, Development, and Engineering Center, Aberdeen Proving Ground, Maryland.

\*Andersen ME, MacNaughton MG, Clewell HJ, et al. 1987. Adjusting exposure limits for long and short exposure periods using a physiological pharmacokinetic model. Am Ind Hyg Assoc J 48(4):335-343.

\*Appleton HT, Sikka HC. 1980. Accumulation, elimination, and metabolism of dichlorobenzidine in the bluegill sunfish. Environ Sci Technol 14:50-54.

\*Armentrout DN, Cutie SS. 1980. Determination of benzidine and 3,3'-dichlorobenzidine in wastewater by liquid chromatography with UV and electrochemical detection. J Chromatogr Sci 18:370-374.

\*Ashby J, Mohammed R. 1988. UDS activity in the rat liver of the human carcinogens benzidine and 4-aminobiphenyl and the rodent carcinogens 3,3'-dichlorobenzidine and Direct Black 38. Mutagenesis 3(1):69-7 1.

\*Atkinson R. 1987. A structure-activity relationship for the estimation of rate constants for the gas-phase reactions of OH radicals with organic compounds. Int J Chem Kinet 19:799-828.

\*ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles. Agency for Toxic Substances and Disease Registry, Division of Toxicology, Atlanta, GA.

\*ATSDR. 1995. Toxicological profile for benzidine (update). Atlanta GA: U.S. Department of Health and Human Services, Public Health Service, Agency for Toxic Substance and Disease Registry.

<sup>\*</sup>Cited in text

\*ATSDR. 1996. Public health assessment. Bofors-Nobel, Inc., Egelston Township, Muskegon County, Michigan. Michigan Department of Community Health (MDCH), Agency for Toxic Substances and Disease Registry. CERCLIS No. MID006030373. 18 pages. http://atsdrl.atsdr.cdc.gov:8080/HAC/PHA/bofors- nobel/bof toc.html

\*ATSDIUCDC. 1990. Subcommittee report on biological indicators of organ damage. Agency for Toxic Substances and Disease Registry, Centers for Disease Control and Prevention, Atlanta, GA.

\*Badalament RA. 1998. Diagnosis and treatment of bladder cancer. http://www.cancernews.comlbladdercn.htm.

\*Banerjee S, Sikka HC, Gray R, et al. 1978. Photodegradation of 3,3'-dichlorobenzidine. Environ Sci Technol 12(13):1425-1427.

\*Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. U.S. Environmental Protection Agency. Regul Toxicol Pharmacol 8:471-486.

\*Belman S, Troll W, Teebor G, et al. 1968. The carcinogenic and mutagenic properties of N-hydroxy-aminonaphthalenes. Cancer Research 28535542.

\*Berry DF, Boyd SA. 1985. Decontamination of soil through enhanced formation of bound residues Environ Sci Technol 19:1132-1 133.

\*Birner G, Albrecht W, Neumann H-G. 1990. Biomonitoring of aromatic amines: III. Hemoglobin binding of benzidine and some benzidine congeners. Arch Toxicol 64(2):97-102.

\*Bowman MC, Nony CR. 1981. Possible carcinogenic metabolites of azo dye and pigments: tracelevel determination of benzidine, 3,3'-dichlorobenzidine and their acetylated metabolites and conjugated products in human and hamster urine. Method 9. In: Egan H, ed. Environmental carcinogens - selected methods of analysis. Volume 4. Some aromatic amines and azo dyes in the general and industrial environment. Lyon, France: International Agency for Research on Cancer, 193-217.

\*Bowman MC, Rushing CR. 1981. Trace-level determination of benzidine, 3,3'-dichlorobenzidine in animal chow wastewater and human urine. In: Egan H, ed. Environmental carcinogens - selected methods of analysis. Volume 4. Some aromatic amines and azo dyes in the general and industrial environment. Lyon, France: International Agency for Research on Cancer, 159-174.

\*Boyd SA, Kao CW, Suflita JM. 1984. Fate of 3,3'-dichlorobenzidine in soil: persistence and binding. Environ Tox Chem 3:201-208.

\*Bratcher SC, Sikka HC. 1982. Binding of 3,3'-dichlorobenzidine to DNA and polyribonucleotides *in vitro*. Chem Biol Interactions 38:369-375.

\*Brown D, Laboureur P. 1983. The aerobic biodegradability of primary aromatic amines. Chemosphere 12:405-415.

\*Callahan MA, Slimak, Gabel NW, et al. 1979. Water-related environmental fate of 129 priority pollutants. V. II. U.S. Environmental Protection Agency. EPA-440/4-79-029b.

#### 8. REFERENCES

\*Chapman & Hall Chemical Database. 1995. Computer printout for 3,3,-dichlorobenzidine.

\*Chung YD, Boyd SA. 1987. Mobility of sludge-borne 3,3-dichlorobenzidine in soil columns. J Environ Qual 16(2):147-151.

\*Cihak R, Vontorvoka M. 1987. Benzidine and 3,3'-dichlorobenzidine (DCB) induce micronuclei in the bone marrow and the fetal liver of mice after gavage. Mutagenesis 2(4):267-269.

\*Cikryt P, Josephy PD. 1989. Binding of chlorinated benzidines to the rat hepatic aromatic hydrocarbon receptor. Chem Biol Interactions 72(1,2):57-64.

\*Clewell HJ III, Andersen M. 1985. Risk assessment extrapolations and physiological modeling. Toxicol Ind Health 1(4):111-131.

\*CLPSD. 1988. Contract laboratory program statistical database. Viar and Company. Alexanderia, VA. August 10.

\*CLPSD. 1988. Contract laboratory program statistical database. Viar and Company. Alexanderia, VA. August 10. Cole RH, Frederick RE, Healy RP, et al. 1984. Preliminary findings of the priority pollutant monitoring project of the National Urban Runoff Program. J Wat Pol Cont Fed 56:898-908.

\*CPMA. 1998. Color Pigments Manufacturers Association, Inc. Urinalysis for 3,3'-Dichlorobenzidine. Written communication (February 16) to Agency for Toxic Substances and Disease Registry. Public comments on draft toxicological profile for 3,3'-Dichlorobenzidine.

\*DCMA. 1989. Comments (May 12) to Edward J Skowrowski, ATSDR, on ATSDR draft toxicological profile for 3,3,-dichlorobenzidine. Dry Color Manufacturers' Association. Alexandria, Virginia.

\*Decad GM, Snyder CD. 1983. Fate of water insoluble and water soluble dichlorobenzidine based pigments in Fischer 344 rats. J Toxicol Environ Health 11(3):455-465.

\*Demirjian YA, Westman TR, Joshi AM, et al. 1984. Land treatment of contaminated sludge with wastewater irrigation. J Water Pollut Control Fed 56(4):370-377.

\*Diachenko GW. 1979. Determination of several aromatic amines in fish. Environ Sci Technol 13(3):329-333.

\*DOT. 1990. Department of Transportation. Code of Federal Regulations. 49 CFR 172.101, App. A.

\*EPA. 1975. Review of the Environmental Fate of selected chemicals by Stanford Research Institute. NTIS PB-238 908.

\*EPA. 1979a. Survey of the manufacture, import, and uses for benzidine related substances, and related dyes and pigments. Washington DC: U. S. Environmental Protection Agency, Office of Toxic Substances, EPA 56003-79-005.

\*EPA. 1979b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 401.15.

\*EPA. 1980a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.33

\*EPA. 1980b. Ambient water quality criteria for dichlorobenzidine. U.S. Environmental Protection Agency. EPA 440/5-80-040.

EPA. 1980c. U. S. Environmental Protection Agency. Hazardous waste; identification and listing; final and interim rules. Federal Register 45:33084-33133.

EPA. 1980d. U.S. Environmental Protection Agency. Water quality criteria documents; availabilty. Federal Register 45:793 18.

\*EPA. 1981a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 413.02.

\*EPA. 1982a. Benzidines - method 605. Methods for organic chemical analysis of municipal and industrial wastewater. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory, EPA-600/4-82-057.

\*EPA. 1982b. Base/neutrals and acids-method 625. Methods for organic chemical analysis of municipal and industrial wastewater. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory, 625-1-602-19.

\*EPA. 1982~. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 423.17.

\*EPA. 1982d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 423, App.A.

\*EPA. 1983a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 433.11.

\*EPA. 1983b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 122, App.D.

\*EPA. 1983a. Treatability manual. Volume I. Treatability data. U.S. Environmental Protection Agency, Office of Research and Development.

\*EPA. 1984a. Semivolatile organic compounds by isotope dilution GC-MS-method 1625. Revision B. Washington, DC: U.S. Environmental Protection Agency. 49 FR 209, 184-197.

\*EPA. 1984b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 136, App.A.

\*EPA. 1985. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4.

\*EPA. 1986a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.11.

\*EPA. 1986b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 403, App.B.

\*EPA. 1986c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.42.

\*EPA. 1987a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264, App. IX.

\*EPA. 1987b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268, App. III.

\*EPA. 1988a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65.

\*EPA. 1988b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261, App. VIII.

\*EPA. 1990. Standards of performance for volatile organic compounds (VOC) emissions from synthetic organic chemical manufacturing industry (SOCMI) distillation operation. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 60.667.

EPA. 1990a. Interim methods for development of inhalation reference doses. U.S. Environmental Protection Agency. EPA-600/8-90/066A.

\*EPA. 1990b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.35.

\*EPA. 1991a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 258, App. II.

\*EPA. 1991b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268 App IV.

\*EPA. 1994. Toxic chemical release reporting: community right-to-know. Specific toxic chemical listings. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.3.

\*EPA. 1994a. Method 8270B. Semivolatile organic compounds by gas chromatography/mass spectrometry (GC/MS): Capillary column technique. Test methods for evaluating solid waste. Volume 1B: Laboratory manual physical/chemicals methods. Office of Solid Waste and Emergency Response. U. S. Environmental Protection Agency

\*EPA. 1994b. U. S. Environmental Protection Agency. Code of Federation Regulations. 40 CFR 63.106.

\*EPA 1995. Toxic chemical release inventory reporting form R and instructions- Revised 1994 version. Office of Pollution Prevention, US Environmental Protection Agency, EPA 745-K-95-05 1 Washington, DC.

\*EPA. 1997. Land disposal restrictions: Correction of tables ; Treatment standards for hazardous wastes and universal treatment standards. (Technical amendment to final rule). U.S. Environmental Protection Agency. Federal Register. 62 FR 7502. February.

"FEDRIP. 1998. Federal Research in Progress. Dialog Information Service, Inc.

Fishbein L. 1984. Current uses of ambient and biological monitoring: Reference workplace hazards. Organic toxic agents aromatic arnines. II. Assessment of toxic agents at the workplace. Roles of ambient and biological monitoring. Berlin A, Yodaiken RE, of Ambient and Biological Monitoring. Amsterdam: Martinus Nijhoff Publishers, 202-207.

\*Fornan SJ. 1966. Body composition of the infant (Part I: The male reference infant). In: Falkner F, ed. Human development. Philadelphia, PA: WB Saunders, 239-246.

\*Fornan, SJ, Haschke F, Ziegler EE et al. 1982. Body composition of reference children from birth to age 10 years. American Journal of Clinical Nutrition 35: 1169-1175.

\*Freeman AE, Weisburger EK, Weisburger JH, et al. 1973. Transformation of cell cultures as an indication of the carcinogenic potential of chemicals. J Nat1 Cancer Inst 51(3):799-807.

\*Freitag D, Ballhorn I, Geyer H, et al. 1985. Environmental hazard profile of organic chemicals. An experimental method for the assessment of the behaviour of organic chemicals in the ecosphere by means of simple laboratory tests with 14C-labelled chemicals. Chemosphere 14(10):1589-1616.

\*Fricke C, Clarkson C, Lomnitz E, et al. 1985. Comparing priority pollutants in municipal sludges. Biocycle 26:35-37.

\*FSTRAC. 1990. Summary of State and Federal drinking water standards and guidelines. U.S. Environmental Protection Agency. Chemical Communications Subcommittee, Federal State Toxicology and Regulatory Alliance Committee.

\*FSTRAC 1995. Summary of State and Federal drinking water standards and guidelines. U.S. Environmental Protection Agency. Chemical Communications Subcommittee, Federal State Toxicology and Regulatory Alliance Committee.

\*Gadian T. 1975. Carcinogens in industry, with special reference to dichlorobenzidine. Chem Ind 19:821-831.

\*Gamer RC, Walpole AL, Rose FL. 1975. Testing of some benzidine analogues for microsomal activation to bacterial mutagens. Cancer Lett 1(1):39-42.

\*Gerarde HW, Gerarde DF. 1974. Industrial experience with 3,3'-dichlorobenzidine: An epidemiological study of a chemical manufacturing plant. J Occup Med 16(5):322-344.

\*Ghosal A, Iba MM. 1990. In *vivo* binding of 3,3'-dichlorobenzidine to rat and mouse tissue DNA.Cancer Letters 53(2,3): 197-204.

\*Ghosal A, Iba MM. 1992. Enhancement by butylated hydroxytoluene of the *in vitro* activation of 3,3'-dichlorobenzidine. Mutation Research 278(1):3 1-41.

\*Golub NI. 1970. [Transplacental action of 3,3'-dichlorobenzidine and ortho-tolidine on organ cultures of embryonic mouse kidney tissue.] Bull Exp Biol Med 54:1280-1283. [Russian]

Golub NI, Kolesnichenko TS, Shabad LM. 1975. [Oncogenic action of some nitrogen compounds on the progeny of experimental mice.] Bull Exp Biol Med 78:1402-1404. [Russian]

\*Government of Canada. 1993. Canadian Environmental Protection Act. Priority Substances List Assessment report 3,3'-Dichlorobenzidine. Government of Canada, Health and Welfare Canada, Environment Canada.

\*Graveel JG, Sommers LE, Nelson DW. 1986. Decomposition of benzidine, alphanaphthylamine, and p-toluidine in soils. J Environ Qual 1553-59.

\*Greenberg AE, Clesceri LS, Eaton AD. 1992. Method 6410 Extractable base/neutrals and acids:liquid-liquid extraction gas chromatographic/mass spectrometric method. Standard methods for the examination of waste and wastewater, 18th edition, American Public Health Association, Washington, DC.

\*Grifoll M, Solanas AM, Bayona JM. 1992. Bioassay directed chemical characterization of genotoxic agents in the dissolved and particulate water phases of the Besos and Llobregat rivers (Barcelona, Spain). Arch Environ Contam Toxicol 23(1): 19-25.

\*Griswold DP, Casey AE, Weisburger EK, et al. 1968. The carcinogenicity of multiple intragastric doses of aromatic and heterocyclic nitro or amino derivatives in young female Sprague-Dawley rats. Cancer Research 281924-933.

\*Guzelian PS, Henry CJ, Olin SS. 1992. Similarities and differences between children and adults: Implications for risk assessment. International Life Sciences Institute Press, Washington, D.C.

\*Handke JL, Lee SA, Patnode R, et al. 1986. Health hazard evaluation report, Bofors-NobeVLakeway Corp. Muskegon, Michigan. Cincinnati, OH: National Institute for Occupational Safety and Health. HETA 80-035-1635.

\*Hapmeier A. 1989. 3,3'-Dichlorobenzidine. J Anal Toxicol vol. 13 (letter to the editor)

\*Hassett JJ, Banwart WI+ Griffin RA. 1983. Correlation of compound properties with sorption characteristics of nonpolar compounds by soils and sediments: Concepts and limitations. In: Francis CW, Auerback SI, eds. Environment and solid wastes: characterization, treatment, and disposal. Butterworth Pub. Chap 15, 161-178.

\*Hatfield TR, Roberts EC, Bell IF, et al. 1982. Urine monitoring of textile workers exposed to dichlorobenzidine-derived pigments. J Occup Med 24(9):656-658. Hawthorne SB. 1988. 1988 Workshop on supercritical fluid chromatography. American Laboratory, August 1988, 6-8.

\*HazDat. 1998. Database. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA.

\*Hofmann T, Schmidt D. 1993. Investigation of possible metabolism of pigment yellow 17, a 3,3'-dichlorobenzidine-based pigment, after inhalation exposure in rats. Arch Toxicol 67(2): 141-144.

\*Hopmeier A. 1988. Pigment intermediate data. Amer Ink Maker 66:12-15.

\*HSDB. 1997. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.

\*Hsu R, Sikka HC. 1982. Disposition of 3,3'-dichlorobenzidine in the rat. Toxicol Appl Pharmacol 64:306-316.

\*IARC. 1982a. Benzidine and its sulphate, hydrochloride and dihydrochloride. International Agency for Research on Cancer. IARC monographs Lyon, France 29: 15 1-1 83.

\*IARC. 1982b. IARC Monographs on the evaluation of the carcinogenic risk of chemicals to humans. Chemicals, industrial processes and industries associated with cancer in humans. IARC Monographs, Volumes I to 29, Supplement 4. Lyon, France: International Agency for Research on Cancer 29:239-256.

\*IARC. 1987. IARC monographs on the evaluation of carcinogenic risks to humans. Supplement 7, Overall evaluation of carcinogenicity: an updating of IARC monographs (Volumes 1 to 42) Lyon, France.

\*Iba MM. 1987a. Comparative activation of 3,3'-dichlorobenzidine and related benzidines to mutagens in the Salmonella typhimurium assay by hepatic S9 and microsomes from rats pretreated by different inducers of cytochrome P-450. Mutat Res 182:23 l-24 1.

\*Iba MM. 1987b. Effect of acute 3,3'-dichlorobenzidine administration of rat hepatic enzymic and nonenzymic microsomal lipid peroxidation and antioxidant status. Res Commun Chem Pathol Pharmacol 56(2):243-252. Iba MM, Ghosal A, Poyer JL, et al. 1991. *In vivo* spin-trapping of the radical metabolites of 3,3, 'dichlorobenzidine and related compounds in the rat. Progress in Pharmacology and Clinical Pharmacology 8(3):255-266.

\*Iba MM, Lang B. 1988. Stimulation of the conjugation of lipid dienes in hepatic microsomes by 3,3'-dichlorobenzidine. Biochem Pharmacol 37(5):78 1-791.

\*Iba MM, Sikka HC. 1983. Induction of hepatic microsomal cytochrome P-448-mediated oxidases by 3,3'-dichlorobenzidine in the rat. Biochem Pharmacol 32(5):901-909.

\*Iba MM, Thomas PE. 1988. Activation of 3,3'-dichlorobenzidine in rat liver microsomes to mutagens: involvement of cytochrome P-450d. Carcinogenesis 9(5):717-723.

\*Imaoka S, Yoneda Y, Matsuda T et al. 1997. Mutagenic activation of urinary bladder carcinogens by CYP4B 1 and the presence of CYP4Bl in bladder mucosa. Biochemical Pharmacology 54(6):677-683.

\*IRIS. 1997. Integrated Risk Information System (IRIS). Online. U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, OH.

\*IRIS. 1998. 3,3&Dichlorobenzidine. CASRN 9 l-94- 1. Integrated Risk Information System. http://www.epa.gov/ngispgrn3/iris/subst/0504.html.

\*Ito N, Fukushima S, Shirai T, et al. 1983. Modifying factors in urinary bladder carcinogenesis. Environ Health Perspect 49:217-222.

\*Johanson CE. 1980. Permeability and vascularity of the developing brain: Cerebellum vs cerebral cortex. Brain Research 190:3-16.

\*Joppich-Kuhn R, Hanggi R, Sagelsdorff P et al. 1997. Determination of dichlorobenzidinehemoglobin adducts by CG/MS-NCI. Int Arch Occup Environ Health 69(4):240-246.

\*Kawahara FH, Dunn JR, Fiutem RA, et al. 1982. Determination of benzidines by gas chromatographic separation of derivatives with electron capture detection. Anal Chim Acta 138:207-220.

Kellner HM, Christ OE, Lotzsch K. 1973. Animal studies on the kinetics of benzidine and 3.3'-dichlorobenzidine. Arch Toxicol 31:61-79.

\*Komori M, Nishio K, Kitada M et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human liver. Biochemistry 29:4430-4433. Korfmacher WA, Holder CL, Betowski LD, et al. 1987. Identification of two glucuronide metabolites of doxylamine via thermospray/mass spectrometry and thermospray/mass spectrometry/mass spectrometry. J Anal Toxicol 11: 182-184.

\*Krishnan K, Andersen ME. 1994. Physiologically-based pharmacokinetic modeling in toxicology. In: Hayes W, ed. Principles and methods of toxicology, 3rd edition. New York, NY: Raven Press Ltd.

\*Krishnan K, Andersen ME, Clewell HJ III, et al. 1994. Physiologically-based pharmacokinetic modeling of chemical mixtures. In: Yang RSA, ed. Toxicology of chemical mixtures. New York, NY: Academic Press.

\*Lang B, Iba MM. 1987. Peroxidative activation of 3,3'-dichlorobenzidine to mutagenic products in the Salmonella typhimurium test. Mutat Res 191(3/4):139-143.

\*Law R. 1995. 3,3'- Dichlorobenzidine: A candidate for inclusion in marine monitoring programmes? Chemosphere 30(9):1791-1797.

\*Lazear EJ, Shaddock JG, Barren PR, et al. 1979. The mutagenicity of some of the proposed metabolites of direct black 38 and pigment yellow 12 in the Salmonella typhimurium assay system. Toxicol Lett 4(6):519-525.

\*Leeder JS, Kearns GL. 1997. Pharmacogenetics in pediatrics: Implications for practice. Pediatric Clinics of North America 44:55-77.

\*Leung H. 1993. Physiologically-based pharmacokinetic modeling. In: Ballantine B, Marro T, Turner T, eds. General and applied toxicology, Vol. 1. New York, NY: Stockton Press, 153-164.

\*Leuschner F. 1978. Carcinogenicity studies on different diarylide yellow pigments in mice and rats. Toxicol Lett 2:253-260.

\*Lewis R. 1993. Hawley's condensed chemical dictionary. 12th edition. 378.

\*Liteplo RG, Meek ME. 1994. 3,3' -Dichlorobenzidine evaluation of risks to health from environmental exposure in Canada. Environ Carcino & Ecotox Revs 12(2):287-292.

\*London MA, Boiano JM. 1986. Health hazard evaluation report. Hilton-Davis Chemical Company, Cincinnati, Ohio. Cincinnati, OH: National Institute for Occupational Safety and Health. HETA 84-058-1700.

\*Lopez-Avila V, Haile CL, Goddard PR, et al. 198 1. Development of methods for the analysis of extractable organic priority pollutants in municipal and industrial wastewater treatment sludges. In: Keith LH, ed. Advances in the identification and analysis of organic pollutants in water, Vo12. Ann Arbor, MI:Ann Arbor Science Publishers, 793-828.

\*Mabey WR, Smith JH, Pod011 RT, et al. 1982. Aquatic fate process data for organic priority pollutants. Washington, DC: Office of Water Regulations and Standards, U.S. Environmental Protection Agency. EPA 440/4-81-014. PB87-169090.

\*MacIntyre I. 1975. Experience of tumors in a British plant handling 3,3' -dichlorobenzidine. J Occup Med 17(1):23-26.

\*Mackay D, Paterson S. 1991. Evaluating the multimedia fate of organic chemicals: A level III fugacity model. Environ Sci Technol25(3):427-436.

\*Martin CN, McDermid AC, Garner RC. 1978. Testing of known carcinogens and noncarcinogens for their ability to induce unscheduled DNA synthesis in HeLa cells. Cancer Res 38:2621-2627.

McNally ME, Wheeler JR. 1988. Supercritical fluid extraction coupled with supercritical fluid chromatography for the separation of sulfonylurea herbicides and their metabolites from complex matrices. J Chromatogr 435:63-71.

\*Meigs JW, Sciarini LJ, Van Sandt WA. 1954. Skin penetration by diamines of the benzidine group. Arch Ind Hyg Occup Med 9(2): 122-132.

\*Merck. 1989. The Merck index: An encyclopedia of chemicals, drugs, and biologicals. 1 lth ed. Rahway, NJ: Merck and Company, Inc., 482.

\*Michael LC, Pellizzari ED, Wiseman RW. 1988. Development and evaluation of a procedure for determining volatile organics in water. Environ Sci Technol 22:565-570.

\*Morales R, Hermes RE, Rappaport SM. 198 1. Determination of benzidine and 3,3'-dichlorobenzidine and their salts by high-performance liquid chromatography. In: Egan H, ed. Environmental carcinogens selected methods of analysis. Method 2 Volume 4. Some aromatic amines and azo dyes in the general and industrial environment. Lyon, France: International Agency for Research on Cancer, 119-1 3 1.

\*Morselli PL, France-Morselli R, Bossi L. 1980. Clinical Pharmacokinetics in Newborns and Infants. Clinical Pharmacokinetics 5:485-527.

\*Myslak ZW, Bolt HM, Brockmann. 1991. Tumors of the urinary bladder in painters: A case-control study. Am J Ind Med 19(6):705-713.

\*Narang AS, Choudhury DR, Richards A. 1982. Separation of aromatic amines by thin-layer and high-performance liquid chromatography. J Chromatogr Sci 20:235-237.

\*NAS/NRC. 1989. Biological markers in reproductive toxicology. National Research Council. Board of Environmental Studies and Toxicology. Committee on Biological Markers, 15-35.

\*NAS/NRC. 1989. Report of the oversight committee. In: Biologic markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.

\*NATICH. 1992. National Air Toxics Information Clearinghouse. Report of Federal, State, and Local EPA air toxics activities. U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards, Research Triangle Park, NC. December 1992,482

\*NCTR. 1979. Metabolism of azo dyes to potentially carcinogenic amines. National Center for Toxicological Research Technical Report, Experiment No. 196.

\*NIOSH. 1980. Health hazard alert: benzidine-, o-tolidine-, and o-dianisidine-based dyes. U.S. Department of Health and Human Services. National Institute for Occupational Safety and Health. DHH (NIOSH) publication no. 81-106.

\*NIOSH. 1992. NIOSH Recommendations for occupational safety and health--compendium of policy documents and statements. National Institute for Occupational Safety and Health. Department of Health and Human Services. Publication No. 92-100. Cincinnati, Ohio, 7 1.

\*NIOSH. 1994. Method 5509 3,3'-Dichlorobenzidine. NIOSH Manual of Analytical Methods, 4th Edition, U.S. Department of Health and Human Services, Public Health Service, Cincinnati, OH.

\*Nony CR, Bowman MC. 1980. Trace analysis of potentially carcinogenic metabolites of an azo dye and pigment in hamster and human urine as determined by two chromatographic procedures. J Chromatogr Sci 18:64-74.

\*Nony CR, Bowman MC, Cairns T, et al. 1980. Metabolism studies of an azo dye and pigment in the hamster based on analysis of urine for potentially carcinogenic aromatic amine metabolites. Anal Toxicol 4:132-140.

\*NRC. 1993. Pesticides in the diets of infants and children. National Research Council. Washington DC: National Academy Press.

\*NTP. 1991. Sixth annual report on carcinogens. 1991 Summary. U.S. Department of Health and Human Services. Public Health Services. National Toxicology Program.

\*NTP. 1998. Eighth report on carcinogens. 1998 Summary. U.S. Department of Health and Human Services. Public Health Services. National Toxicology Program.

\*Nyman MC, Nyman AK, Lee LS et al. 1997. 3,3'-Dichlorobenzidine transformation processes in natural sediments. Environ Sci Technol31:1068-1073.

\*Oostdyk TS, Grob RL, Snyder JL, et al. 1994. Solid phase extraction of primary aromatic amines from aqueous samples comparison with liquid-liquid extraction techniques. J Environ Sci Health A29(8):1607-1628.

\*Oostdyk TS, Grob RL, Snyder JL, et al. 1995. Supercritical fluid extraction of primary aromatic amines from characterized soil samples; comparison with sonication extraction. J Environ Sci Health A30(4):783-816.

\*Osanai H. 1976. [An experimental study on hepatoma caused by aromatic amines.] Rodo Kagaku 52: 179-201. (Japanese)

\*OSHA. 1974. U.S. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1007.

\*OSHA. 1996. Occupational safety and health standards. Toxic and hazardous substances. 13 Carcinogens (6Nitrobipheny1, etc.). Occupational Safety and Health Administration. U.S. Department of Labor. Code of Federal Regulations. 29 CFR 1910.1003.

\*OSHA. 1998. OSHA fact sheets. Hazard communication standards. Occupational Safety and Health Administration. U.S. Department of Labor. http://www.osha-slc.nov/OshDoc/Fact data/FSN093-26.html

\*OTA. 1990. Neurotoxicology: Identifying and controlling poisons of the nervous system. Office of Technology Assessment, Washington, DC. OTA-BA-438.

\*Ouellet-Hellstrom R, Rench JD. 1996. Bladder cancer incidence in arylamine workers. J Occup Environ Med 38(12):1239-1247.

\*Owen GM, Brozek J. 1966. Influence of age, sex, and nutrition on body composition during childhood and adolescence. In: Falkner F, ed. Human development. Philadelphia, PA: Saunders, 222-238.

\*Parris GE. 1980. Covalent binding of aromatic amines to humates. 1. Reactions with carbonyls and quinones. Environ Sci Technol 14(9):1099-1106

PCGEMS. 1988. Personal Computer Conversion Graphical Exposure Model System. Chemical properties estimation (CHEMEST). U. S. Environmental Protection Agency, Washington DC.

\*Pliss GB. 1959. [Dichlorobenzidine as a blastomogenic agent] Vop Onkol 5(5):524-533. (Russian)

\*Pliss GB. 1963. [On some regular relationship between carcinogenicity of aminodiphenyl derivatives and the structure of substance.] Acta Unio Int Cancrum 19:499-501. (Russian)

\*Radding SB, Liu DH, Johnson HL, et al. 1977. Review of the environment fate of selected chemicals. U. S. Environmental Protection Agency. EPA-560/5-77-003.

### 8. REFERENCES

\*Reid TM, Morton KC, Wang CY, et al. 1984a. Mutagenicity of some benzidine congeners and their N-acetylated and N,N'-diacetylated derivatives in different strains of Salmonella typhimurium. Environ Mutagen 6:145-151.

\*Reid TM, Morton KC, Wang CY, et al. 1984b. Mutagenicity of azo dyes following metabolism by different reductive/oxidative systems. Environ Mutagen 6(5):705-717.

\*Riggin RM, Howard CC. 1979. Determination of benzidine, dichlorobenzidine, and diphenylhydrazine in aqueous media by high performance liquid chromatography. Anal Chem 51(2):210.

\*Riggin RM, Howard CC, Scott DR, et al. 1983. Determination of benzidine related congeners and pigments in atmospheric particulate matter. J Chromatogr 21:321-325.

\*Rinde E, Troll W. 1975. Metabolic reduction of benzidine azo dyes to benzidine in rhesus monkey. J Nat1 Cancer Inst 55(1):181-182.

\*Roberts EC, Rossand AJ Jr. 1982. A sensitive calorimetric determination of 3,3'-dichlorobenzidine in urine. Am Ind Hyg Assoc J 43(2):80-83.

\*Roy WR, Griffin RA. 1985. Mobility of organic solvents in water-saturated soil materials. Environ Geol Water Sci 7(4):241-247.

Roy WR, Griffin RA. 1987. Vapor-phase movement of organic solvents in the unsaturated zone. Environmental Institute for Waste Management Studies. University of Alabama. Open file report no. 16.

\*Saffiotti U, Cefis F, Montesano R, et al. 1967. Induction of bladder cancer in hamsters fed aromatic amines. In: Deichman WB, Lampke KF, eds. Bladder cancer: A symposium. Birmingham, AL: Aesculapius Publishing Co. 129- 135.

\*Sagelsdorff P, Haengii R, Heuberger B, et al. 1996. Lack of bioavailability of dichlorobenzidine from diarylide azo pigments: Molecular dosimetry for hemoglobin and DNA adducts. Carcinogenesis 17(3):507-5 14.

\*Savard S, Josephy PD. 1986. Synthesis and mutagenicity of 3,3'-dihalogenated benzidines. Carcinogenesis 7(7):1239-1241.

\*Sax NI. 1987. 3,3'-Dichlorobenzidine dihydrochloride. Dangerous properties of industrial materials report. July - August:55-61. Sciarini LJ, Meigs JW. 1961. Biotransformation of benzidines. III. Studies on dichlorobenzidine, diorthotolidine and dianiside: 3,3'-disubstituted 5 congeners of benzidine (4,4'-diaminobiphenyl). Arch Environ Health 2:584-588.

\*Searle CE, ed. 1976. Chemical carcinogens. ACS Monograph 173. Washington, DC: American Chemical Society, 392-393.

\*Sellakumar AR, Montesano R, Saffiotti U. 1969. Aromatic amines carcinogenicity in hamsters. Division of Oncology. The Chicago Medical School and Eppley Inst. for Res in Cancer, University of Nebraska, Omaha. [abstract]

\*Setchell BP, Waites GMH. 1975. The blood testis barrier. In: Creep RO, Astwood EB, eds., Geiger SR, executive ed. Handbook of physiology: Endocrinology V (Chapter 6). Washington DC: American Physiological Society.

\*Shabad LM, Sorokina JD, Golub NI, et al. 1972. Transplacental effect of some chemical compounds on organ cultures of embryonic kidney tissues. Cancer Res 32(3):617-627.

\*Shah PV, Guthrie FE. 1983. Dermal absorption of benzidine derivatives in rats. Bull Environ Contam Toxicol 3 1:73-78.

\*Shiraishi Y. 1986. Hypersensitive character of Bloom syndrome B-lymphoblastoid cell lines usable for sensitive carcinogen detection. Mut Res 175(3): 179-187.

\*Shriner CR, Drury JS, Hammons AS, et al. 1978. Reviews of the environmental effects of pollutants. II. Benzidine. U.S. Environmental Protection Agency. EPA-600/l-78-024.

\*Sikka HC, Appleton HT, Banerjee S. 1978. Fate of 3,3'-dichlorobenzidine in aquatic environments. U.S. Environmental Protection Agency. EPA-600/3-78-068.

\*Sittig M. 1994. World wide limits for toxic and hazardous chemicals in air, water and soil. Park Ridge, NJ: Noyes Publications.

\*SRC. 1994. Syracuse Research Center. Henry's Law Constant Program (HENRYWIN, version 250 serial H0142). Chemical Hazard Assessment Divison, Environmental Chemistry Center, Syracuse, NY.

\*SRC. 1995a. Syracuse Research Center. Atmospheric Oxidation Program (AOPWIN, version 1.65, serial 0156). Chemical Hazard Assessment Divison, Environmental Chemistry Center, Syracuse, NY.

\*SRC. 1995b. Syracuse Research Center. Octanol-Water Partition Coefficient Program (KOWWIN, version 137, serial L0148). Chemical Hazard Assessment Divison, Environmental Chemistry Center, Syracuse, NY.

\*SRI. 1997. 1997 Directory of Chemical Producers, United States of America. SRI International.

\*Staples CA, Werner AF, Hoogheem TJ. 1985. Assessment of priority pollutant concentrations in the United States using the STORET database. Environ Tox Chem 4: 13 l- 142.

\*State of New Jersey. 1997. 3,3,' -Dichlorobenzidine. New Jersery Hazardous Substance Fact Sheets.

\*Stula EF, Barnes JR, Sherman H, et al. 1978. Liver and urinary bladder tumors in dogs from 3,3'-dichlorobenzidine. J Environ Pathol Toxicol 1(4):475-490.

\*Stula EF, Sherman H, Zapp JA Jr, et al. 1975. Experimental neoplasia in rats from oral administration of 3,3'-dichlorobenzidine, 4,4'-methylene-bis(2-chloroaniline), and 4,4'methylene-bis(2-methylaniline). Toxicol Appl Pharmacol3 1: 159- 176.

\*Styles JA. 1978. Mammalian cell transformation in vitro. Br J Cancer 37 (Appendix 111):931-936.

## 8. REFERENCES

\*Tanaka K. 1981. [Urinary metabolites of 3,3'-dichlorobenzidine and their mutagenicity.] Sangyo Igaku 23:426-427. (Japanese)

\*Tatematsu M, Miyata Y, Mizutani M, et al. 1977. [Summation effect of N-butyl-n(4hydroxybutyl)nitrosamine,N-(4-(5-nitro-2-~ryl)-2thiazoly) formamide, N-2-fluoroenylacetanide, and 3,3'-dichlorobenzidine on urinary bladder carcinogenesis in rats.] Jann 68: 193-202. (Japanese)

\*Tennakoon DTB, Thomas JM, Tricker MJ, et al. 1974. Surface and intercalate chemistry of layered silicates. Part I. General introduction and uptake of benzidine and related organic molecules by montmorillonite. J Chem Sot Dalton Trans 20:2207-2211.

\*Theng BKG. 197 1. Mechanisms of formation of clay-organic complexes: A review. Clays and Clay Min 19:383-390.

\*TRI96. 1998. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.

\*Trippel-Schulte P, Zeiske J, Kettrup A. 1986. Trace analysis of selected benzidine and diaminodiphenylmethane derivatives in urine by means of liquid chromatography using precolumn sample preconcentration, UV and electrochemical detection. Chromatographia 22(1-6):138-148.

\*Tsuruta Y, Josephy PD, Rahimtula AD, et al. 1985. Peroxidase-catalyzed benzidine binding to DNA and other macromolecules. Chem Biol Interactions 54(2):143-158.

\*Tullis DL, Sikka HC. 1983. Formation and persistence of 3,3'-dichlorobenzidine-DNA adducts in target and nontarget tissues of the rat. Environ Health Perspect 49:241.

\*U.S. Congress. 1986. Superfund amendments and reauthorization act of 1986. Title III— Emergency Planning and Community Right-to-Know. Ninety-ninth Congress of the United States of America, 2<sup>nd</sup> Session Report.

\*U.S. Congress. 1990. Clean Air Act amendments. Title III, Hazardous Air Pollutants, Section 112(b), Hazardous Air Pollutants as Amended, October 26, 1990. One Hundred and First Congress of the United States of America, 2nd Session Report 101-952.

\*USITC. 1984a. United States International Trade Commission. Synthetic Organic Chemicals. United States Production and Sales.

\*USITC. 1984b. United States International Trade Commission. Synthetic Organic Chemicals. Imports of benzenoid chemicals and products.

\*Valls M, Bayona JM, Albaiges J. 1990. Broad spectrum analysis of ionic and non-ionic organic contaminants in urban wastewaters and coastal receiving aquatic systems. Intern J Environ Anal Chem 39(4):329-348.

\*Verschueren. 1983. Handbook of environmental data on organic chemicals. Second edition, New York, NY: Van Nostrand Reinhold Company 316-317,479-480.

## 8. REFERENCES

\*Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of CYP2El in the human liver: hypermethylation control of gene expression during the neonatal period. European Journal of Biochemistry 238:476-483.

\*Vithayathil AJ, McClure C, Myers JW. 1983. Salmonella/microsome multiple indicator mutagenicity test. Mutation Research 12(1):33-37.

\*West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. J Pediat 32a: 10-18.

\*WHO 1984. Guidelines for drinking-water quality. Volume 1: Recommendations. World Health Organization.

\*Widdowson EM, Dickerson JWT. 1964. Chapter 17: Chemical composition of the body. In: Comar CL, Bronner F, eds. Mineral metabolism: An advanced treatise volume II - the elements part A. New York, NY: Academic Press.

\*Ziegler EE, Edwards BB, Jensen RL et al. 1978. Absorption and retention of lead by infants. Pediatr Res 12:29-34. Zierath DL, Hassett JJ, Banwart WL, et al. 1980. Sorption of benzidine by sediments and soils. Soil Sci 129(5):277-281.

\*Zwirner-Baier I, Neumann HG. 1994. Biomonitoring of aromatic amines IV: Use of hemoglobin adducts to demonstrate the bioavailability of cleavage products from diarylide azo pigments *in vivo*. Arch Toxicol 68(1):8-14.