

Current Date : 12/01/04  
 Current Time : 14:03

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/01/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00	.2	M	M	M	.5	0	8.0	259	610.7	-.2
01	.1	M	M	M	.4	6	8.0	265	611.1	-.4
02	.1	M	M	M	.0	3	7.0	253	610.9	-1.1
03	.1	M	M	M	.6	1	6.0	256	611.0	-1.8
04	.1	M	M	M	.6	4	6.0	252	611.4	-2.4
05	.2	M	M	M	.7	5	3.0	244	611.6	-3.1
06	.3	M	M	M	2.2	3	1.0	242	612.2	-4.3
07	.2	M	M	M	3.1	5	1.0	222	612.5	-3.0
08	.1	M	M	M	.3	2	5.0	243	612.6	-.3
09	.2	M	M	M	.5	8	6.0	245	612.5	.9
10	.2	M	M	M	.8	4	6.0	243	612.4	1.9
11	.2	M	M	M	.2	4	8.0	256	612.1	3.1
12	.2	M	M	M	.5	6	8.0	258	611.7	3.9
13	.2	M	M	M	1.0	5	7.0	253	611.2	4.8
14	.1	M	M	M	.5	0	6.0	252	611.0	5.4
15	.2	M	M	M	.0	7	5.0	249	610.9	6.0
16	.3	M	M	M	.0	38	4.0	238	610.8	6.1
17	.5	M	M	M	.5	42	3.0	219	611.0	4.5
18	.6	M	M	M	1.0	45	1.0	119	611.2	.9
19	.7	M	M	M	3.6	57	1.0	122	611.6	-.9
20	.8	M	M	M	4.2	33	1.0	130	611.9	-2.0
21	.8	M	M	M	3.3	24	1.0	114	612.2	-2.6
22	.8	M	M	M	4.3	19	1.0	133	612.2	-1.9
23	.8	M	M	M	2.9	10	1.0	112	612.1	-2.9
Max :	.8	-999	-999	-999	4.3	57	8.0	265	612.6	6.1
Min :	.1	-999	-999	-999	.0	0	1.0	112	610.7	-4.3
Mean :	.3	-999	-999	-999	1.3	13	4.3	228	611.6	.4
Hours :	24	00	00	00	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overage, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/01/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	52		272.9	.7	<	<	407.0	465.0	403.0	0
01	54		272.7	7.3	<	<	407.0	465.0	401.0	0
02	57		271.9	3.8	<	<	407.0	465.0	401.0	0
03	59		271.3	1.3	<	<	407.0	465.0	402.0	0
04	63		270.7	5.1	<	<	407.0	465.0	403.0	0
05	68		270.0	6.0	<	<	407.0	465.0	404.0	0
06	75		268.7	4.0	<	<	407.0	465.0	409.0	0
07	69		270.0	5.6	<	<	407.0	465.0	408.0	0
08	55		272.8	3.1	<	<	407.0	465.0	402.0	0
09	51		274.1	9.3	<	<	407.0	465.0	403.0	0
10	48		275.0	4.8	<	<	407.0	465.0	404.0	0
11	42		276.3	5.0	<	<	407.0	465.0	404.0	0
12	37		277.1	7.9	<	<	407.0	465.0	405.0	0
13	35		277.9	5.9	<	<	407.0	465.0	406.0	0
14	30		278.5	.5	<	<	407.0	465.0	404.0	0
15	26		279.1	8.2	<	<	407.0	465.0	402.0	0
16	25		279.2	44.5	<	<	407.0	465.0	402.0	0
17	32		277.7	49.6	<	<	407.0	465.0	401.0	1
18	49		274.0	52.3	<	<	407.0	465.0	404.0	1
19	58		272.2	64.7	<	<	407.0	465.0	420.0	1
20	65		271.1	37.4	<	<	407.0	465.0	418.0	1
21	70		270.5	27.4	<	<	407.0	465.0	416.0	1
22	68		271.2	21.5	<	<	407.0	465.0	420.0	1
23	74		270.2	11.5	<	<	407.0	465.0	416.0	0
Max :	75	-999	279.2	64.7	-999	-999	407.0	465.0	420.0	1
Min :	25	-999	268.7	.5	-999	-999	407.0	465.0	401.0	0
Mean :	52	-999	273.5	16.1	-999	-999	407.0	465.0	406.5	0
Hours :	24	00	24	24	00	00	24	24	24	24

Data : '<' - Less than ##% Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/01/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY TEST TEST2  
 Units : MILES  
 Hour -----

00	436.0
01	658.0
02	695.0
03	562.0
04	420.0
05	373.0
06	197.0
07	201.0
08	494.0
09	419.0
10	292.0
11	317.0
12	289.0
13	250.0
14	288.0
15	590.0
16	532.0
17	659.0
18	357.0
19	122.0
20	109.0
21	112.0
22	90.0
23	107.0

Max :	695.0	-999	-999
Min :	90.0	-999	-999
Mean :	357.0	-999	-999
Hours :	24	00	00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 12/01/04

Current Time : 14:03

Daily Data Report - Hourly Averages  
Environmental Systems Corporation  
03/02/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00	.8	M	M	M	2.6	8	1.0	127	612.0	-3.9
01	.8	M	M	M	2.7	13	2.0	119	611.9	-4.2
02	.8	M	M	M	2.6	6	1.0	124	611.8	-3.1
03	.8	M	M	M	2.6	8	2.0	111	611.8	-2.7
04	.8	M	M	M	3.3	8	1.0	135	611.9	-2.5
05	.8	M	M	M	3.3	9	1.0	113	612.0	-2.5
06	.9	M	M	M	3.0	8	2.0	118	612.0	-2.1
07	.9	M	M	M	4.2	32	6.0	54	612.5	.3
08	.7	M	M	M	4.1	14	6.0	40	612.9	1.2
09	.6	M	M	M	3.9	0	6.0	47	612.8	1.3
10	.5	M	M	M	2.4	0	6.0	25	613.1	.6
11	.4	M	M	M	3.2	81	6.0	37	612.8	.4
12	.3	M	M	M	2.0	44	5.0	46	612.4	.0
13	.4	.013	.005	.019	1.0	5	5.0	35	611.9	-.3
14	.5	.011	.003	.015	2.1	24	5.0	24	611.7	-.1
15	.6	.012	.003	.015	2.3	21	5.0	30	611.8	.3
16	.7	.015	.004	.019	3.0	16	5.0	44	611.9	.9
17	.7	.016	.002	.019	4.5	15	3.0	49	612.2	.5
18	.8	.021	.005	.026	4.4	18	3.0	51	612.6	.6
19	.8	.018	.004	.022	4.9	8	3.0	59	613.0	.5
20	.8	.018	.002	.020	5.8	11	3.0	87	613.2	.0
21	.9	.025	.007	.032	6.8	11	1.0	59	613.6	-.1
22	.9	.026	.005	.032	5.0	10	1.0	61	613.5	.1
23	.9	.026	.007	.033	5.8	12	1.0	109	613.5	.0
Max :	.9	.026	.007	.033	6.8	81	6.0	135	613.6	1.3
Min :	.3	.011	.002	.015	1.0	0	1.0	24	611.7	-4.2
Mean :	.7	.018	.004	.022	3.5	15	3.3	69	612.4	-.6
Hours :	24	11	11	11	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/02/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	78		269.2	10.0	<	<	407.0	465.0	414.0	0
01	80		268.9	14.8	<	<	407.0	465.0	413.0	0
02	77		269.9	7.7	<	<	407.0	465.0	412.0	0
03	77		270.4	9.2	<	<	407.0	465.0	411.0	0
04	76		270.5	10.1	<	<	407.0	465.0	411.0	0
05	78		270.5	10.2	<	<	407.0	465.0	418.0	0
06	75		271.0	9.9	<	<	407.0	465.0	413.0	0
07	58		273.5	37.0	<	<	407.0	465.0	411.0	0
08	55		274.3	16.2	<	<	407.0	465.0	410.0	1
09	63		274.4	.5	<	<	407.0	465.0	417.0	1
10	77		273.7	.8	<	<	407.0	465.0	438.0	1
11	84		273.5	93.2	D	D	407.0	465.0	446.0	1
12	89		273.1	50.5	410	431	407.0	465.0	447.0	0
13	90		272.8	5.8	356	367	407.0	465.0	468.0	0
14	88		273.0	28.0	257	283	407.0	465.0	453.0	1
15	85		273.5	24.6	292	272	407.0	465.0	440.0	1
16	82		274.0	18.9	320	328	407.0	465.0	430.0	1
17	87		273.7	17.6	426	450	407.0	465.0	444.0	1
18	84		273.8	20.9	534	541	407.0	465.0	438.0	1
19	85		273.6	9.8	574	640	407.0	465.0	445.0	1
20	93		273.1	13.2	680	800	407.0	465.0	484.0	0
21	96		273.0	12.9	1105	1434	407.0	465.0	530.0	0
22	95		273.3	12.0	934	1284	407.0	465.0	497.0	0
23	95		273.2	14.6	1059	1444	407.0	465.0	501.0	0
Max :	96	-999	274.4	93.2	1105	1444	407.0	465.0	530.0	1
Min :	55	-999	268.9	.5	257	272	407.0	465.0	410.0	0
Mean :	81	-999	272.4	18.6	578	689	407.0	465.0	441.2	0
Hours :	24	00	24	24	12	12	24	24	24	24

Data : '<' - Less than ##% Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/02/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY TEST TEST2  
 Units : MILES  
 Hour -----

00 114.0  
 01 130.0  
 02 139.0  
 03 148.0  
 04 141.0  
 05 112.0  
 06 133.0  
 07 153.0  
 08 158.0  
 09 107.0  
 10 52.0  
 11 40.0  
 12 42.0  
 13 27.0  
 14 35.0  
 15 46.0  
 16 59.0  
 17 43.0  
 18 48.0  
 19 40.0  
 20 24.0  
 21 15.0  
 22 19.0  
 23 19.0

Max : 158.0 -999 -999  
 Min : 15.0 -999 -999  
 Mean : 76.8 -999 -999  
 Hours : 24 00 00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 12/01/04

Current Time : 14:03

Daily Data Report - Hourly Averages  
Environmental Systems Corporation  
03/03/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00	.9	.020	.000	.020	5.0	5	.0	140	613.4	.0
01	1.0	.021	.007	.028	4.8	9	1.0	133	613.1	.0
02	.9	.014	.000	.014	3.5	3	2.0	97	612.8	.0
03	1.0	.012	.000	.012	3.8	5	2.0	90	612.6	-.1
04	.9	.013	.000	.011	4.7	6	1.0	108	612.8	-.4
05	1.0	.019	.002	.021	4.4	11	1.0	118	612.9	-1.1
06	1.0	.017	.002	.020	4.0	2	1.0	119	612.9	-1.4
07	1.1	.016	.032	.049	7.4	13	2.0	91	613.1	-.8
08	1.2	.027	.039	.066	7.9	10	2.0	94	613.4	.7
09	1.2	.027	.032	.060	6.1	22	2.0	83	613.3	2.2
10	.8	.015	.015	.030	5.6	1	3.0	75	613.3	4.0
11	.2	.005	.002	.007	2.9	0	3.0	57	612.9	5.1
12	.3	.005	.001	.007	.0	8	5.0	68	612.1	6.7
13	.4	.005	.001	.006	.5	23	6.0	50	611.4	7.7
14	.5	.008	.001	.009	.9	26	5.0	41	611.0	7.8
15	.6	.009	.001	.010	2.5	23	4.0	58	610.9	7.7
16	.6	.011	.001	.012	1.4	18	5.0	65	610.7	7.4
17	.7	.022	.004	.027	4.9	20	5.0	48	610.7	6.2
18	.8	.024	.006	.031	5.6	20	5.0	59	611.0	4.9
19	.8	.024	.005	.029	6.9	15	4.0	63	611.2	4.4
20	.7	.015	.002	.017	3.3	10	5.0	44	611.4	4.8
21	.7	.016	.001	.017	4.0	8	5.0	53	611.3	4.4
22	.7	.014	.001	.016	3.3	4	5.0	45	611.1	4.2
23	.6	.009	.000	.009	2.7	5	4.0	55	610.3	3.8
Max :	1.2	.027	.039	.066	7.9	26	6.0	140	613.4	7.8
Min :	.2	.005	.000	.006	.0	0	.0	41	610.3	-1.4
Mean :	.7	.015	.006	.022	4.0	11	3.2	76	612.0	3.2
Hours :	24	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/03/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	97		273.0	5.8	749	1055	407.0	465.0	545.0	0
01	96		273.0	11.1	1050	1315	407.0	465.0	535.0	0
02	92		273.2	4.1	529	557	407.0	465.0	494.0	0
03	90		273.0	5.9	409	370	407.0	465.0	487.0	0
04	92		272.6	7.6	431	398	407.0	465.0	504.0	0
05	94		271.9	12.9	669	734	407.0	465.0	534.0	0
06	94		271.7	3.1	596	648	407.0	465.0	519.0	0
07	92		272.3	14.9	1157	1353	407.0	465.0	499.0	0
08	89		273.8	11.3	1801	1758	407.0	465.0	462.0	0
09	85		275.3	25.4	1483	1450	407.0	465.0	444.0	0
10	77		277.2	1.7	1392	1236	407.0	465.0	425.0	0
11	67		278.2	.5	408	560	407.0	465.0	416.0	0
12	59		279.9	10.2	166	307	407.0	465.0	412.0	0
13	51		280.9	28.0	187	266	407.0	465.0	413.0	1
14	51		280.9	31.4	242	300	407.0	465.0	415.0	1
15	52		280.9	27.6	375	395	407.0	465.0	414.0	1
16	50		280.5	22.0	365	417	407.0	465.0	413.0	1
17	60		279.4	24.2	713	722	407.0	465.0	423.0	1
18	72		278.1	24.0	836	897	407.0	465.0	434.0	1
19	77		277.6	18.2	1152	1277	407.0	465.0	448.0	1
20	73		277.9	12.3	498	546	407.0	465.0	434.0	1
21	75		277.6	9.8	492	539	407.0	465.0	436.0	1
22	80		277.3	5.4	444	434	407.0	465.0	444.0	1
23	84		276.9	6.1	303	317	407.0	465.0	455.0	1
Max :	97	-999	280.9	31.4	1801	1758	407.0	465.0	545.0	1
Min :	50	-999	271.7	.5	166	266	407.0	465.0	412.0	0
Mean :	77	-999	276.3	13.4	685	743	407.0	465.0	458.5	0
Hours :	24	00	24	24	24	24	24	24	24	24

Data : '<' - Less than ##% Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.



Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/03/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY      TEST      TEST2  
 Units :    MILES  
 Hour -----

00	13.0
01	14.0
02	20.0
03	21.0
04	18.0
05	14.0
06	16.0
07	19.0
08	31.0
09	41.0
10	84.0
11	108.0
12	138.0
13	125.0
14	111.0
15	119.0
16	125.0
17	76.0
18	54.0
19	38.0
20	53.0
21	49.0
22	41.0
23	33.0

Max :	138.0	-999	-999
Min :	13.0	-999	-999
Mean :	56.7	-999	-999
Hours :	24	00	00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 12/01/04

Current Time : 14:03

Daily Data Report - Hourly Averages  
Environmental Systems Corporation  
03/04/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00	.7	.007	.000	.007	3.1	5	5.0	73	609.6	3.7
01	.7	.005	.000	.004	2.1	4	4.0	83	608.7	3.7
02	.7	.006	.000	.005	3.2	11	4.0	84	608.0	3.3
03	.7	.008	.000	.007	1.7	4	4.0	54	607.2	3.8
04	.7	.009	.000	.009	2.0	5	4.0	67	606.7	3.5
05	.7	.012	.000	.013	1.2	2	4.0	65	606.3	3.1
06	.7	.008	.000	.009	1.2	3	4.0	63	606.0	2.7
07	.7	.016	.003	.019	.7	7	2.0	132	606.0	.6
08	.7	.020	.009	.029	1.1	8	1.0	291	606.0	.7
09	.8	.019	.008	.028	.7	2	3.0	283	605.9	.7
10	.7	.011	.004	.015	.6	2	6.0	259	605.6	.9
11	.6	.012	.002	.015	.0	0	5.0	265	605.3	.5
12	.5	.007	.001	.009	.7	0	9.0	256	603.1	1.2
13	.6	.014	.015	.030	5.8	6	5.0	230	603.8	2.3
14	.6	.014	.002	.016	1.4	8	3.0	272	603.7	2.1
15	.6	.011	.000	.011	2.9	5	3.0	291	604.0	3.3
16	.5	.004	.000	.003	2.3	11	5.0	278	603.3	3.3
17	.5	.009	.002	.012	2.9	4	3.0	258	604.7	3.5
18	.5	.005	.000	.004	2.0	4	4.0	235	604.3	3.1
19	.5	.004	.000	.002	1.7	6	7.0	244	602.7	2.4
20	.5	.002	.000	.000	1.8	2	10.0	249	604.2	2.1
21	.5	.004	.000	.002	1.8	4	11.0	256	605.8	1.9
22	.4	.002	.000	.001	1.9	2	9.0	260	605.7	1.5
23	.4	.001	.000	.000	.1	3	9.0	244	606.2	1.4
Max :	.8	.020	.015	.030	5.8	11	11.0	291	609.6	3.8
Min :	.4	.001	.000	.000	.0	0	1.0	54	602.7	.5
Mean :	.6	.008	.001	.010	1.7	4	5.1	264	605.5	2.3
Hours :	24	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/04/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	85		276.8	6.7	360	366	407.0	465.0	464.0	1
01	86		276.9	5.6	268	247	407.0	465.0	446.0	1
02	89		276.5	13.8	274	287	407.0	465.0	470.0	1
03	85		276.9	5.3	260	242	407.0	465.0	433.0	1
04	88		276.7	6.8	344	324	407.0	465.0	431.0	1
05	89		276.2	3.4	319	316	407.0	465.0	420.0	1
06	89		275.8	4.4	211	208	407.0	465.0	411.0	1
07	97		273.7	8.2	438	433	407.0	465.0	424.0	1
08	97		273.9	9.5	379	374	407.0	465.0	418.0	1
09	96		273.9	2.6	401	400	407.0	465.0	420.0	1
10	93		274.0	2.7	476	365	407.0	465.0	401.0	1
11	95		273.7	.8	297	280	407.0	465.0	402.0	1
12	94		274.4	.5	297	219	407.0	465.0	415.0	1
13	92		275.4	7.1	359	375	407.0	465.0	456.0	1
14	94		275.3	9.4	649	694	407.0	465.0	460.0	1
15	92		276.5	5.9	446	445	407.0	465.0	445.0	1
16	89		276.4	13.1	161	175	407.0	465.0	425.0	1
17	90		276.6	5.7	242	284	407.0	465.0	427.0	1
18	90		276.2	5.2	176	207	407.0	465.0	418.0	1
19	92		275.6	8.1	163	174	407.0	465.0	415.0	1
20	90		275.2	3.2	108	123	407.0	465.0	409.0	1
21	92		275.0	5.4	200	207	407.0	465.0	416.0	1
22	93		274.7	3.4	128	164	407.0	465.0	411.0	1
23	90		274.6	4.4	52	50	407.0	465.0	398.0	1
Max :	97	-999	276.9	13.8	649	694	407.0	465.0	470.0	1
Min :	85	-999	273.7	.5	52	50	407.0	465.0	398.0	1
Mean :	91	-999	275.4	5.8	292	289	407.0	465.0	426.4	1
Hours :	24	00	24	24	24	24	24	24	24	24

Data : '<' - Less than ##% Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/04/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY TEST TEST2  
 Units : MILES  
 Hour -----

00 29.0  
 01 40.0  
 02 30.0  
 03 55.0  
 04 58.0  
 05 94.0  
 06 166.0  
 07 106.0  
 08 146.0  
 09 145.0  
 10 257.0  
 11  
 12 260.0  
 13 33.0  
 14 32.0  
 15 42.0  
 16 73.0  
 17 67.0  
 18 106.0  
 19 149.0  
 20 174.0  
 21 109.0  
 22 178.0  
 23 2036.0

Max : 2036.0 -999 -999  
 Min : 29.0 -999 -999  
 Mean : 190.6 -999 -999  
 Hours : 23 00 00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 12/01/04

Current Time : 14:03

Daily Data Report - Hourly Averages  
Environmental Systems Corporation  
03/05/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00	.4	.001	.000	.000	.1	1	8.0	232	606.7	1.7
01	.4	.001	.000	.000	1.9	1	8.0	240	606.9	1.5
02	.4	.001	.000	.000	.7	4	5.0	234	607.0	1.2
03	.4	.001	.000	.000	.7	5	4.0	245	607.2	.9
04	.4	.001	.000	.000	1.5	5	4.0	230	606.9	.2
05	.4	.001	.000	.000	1.1	3	5.0	228	607.0	-.1
06	.4	.001	.000	.000	1.5	4	6.0	250	607.6	-.3
07	.4	.002	.000	.002	2.0	8	5.0	245	609.3	-.5
08	.2	.003	.000	.002	3.0	1	6.0	255	609.6	-.3
09	.2	.004	.001	.005	.2	1	7.0	241	612.6	.1
10	.2	.002	.000	.002	1.1	15	13.0	270	611.1	.5
11	.2	.001	.000	.001	.8	18	12.0	274	612.5	.2
12	.2	.002	.000	.002	1.0	10	14.0	293	611.4	1.9
13	.3	.001	.000	.001	.2	10	8.0	285	611.4	2.5
14	.3	.002	.000	.002	.2	7	11.0	291	611.6	3.1
15	.3	.002	.000	.003	.7	15	12.0	289	612.0	3.5
16	.3	.002	.000	.001	.6	12	14.0	294	612.3	4.3
17	.4	.003	.000	.002	1.5	8	13.0	288	612.8	3.8
18	.4	.005	.000	.004	1.1	9	11.0	291	613.6	3.3
19	.4	.005	.000	.004	1.7	4	9.0	281	614.2	3.0
20	.4	.004	.000	.003	.9	7	5.0	246	614.7	2.8
21	.4	.002	.000	.001	1.2	3	6.0	269	615.4	2.9
22	.4	.002	.000	.001	.3	3	7.0	289	615.6	2.9
23	.4	.006	.000	.006	.2	3	6.0	300	615.5	2.7
Max :	.4	.006	.001	.006	3.0	18	14.0	300	615.6	4.3
Min :	.2	.001	.000	.000	.1	1	4.0	228	606.7	-.5
Mean :	.3	.002	.000	.001	1.0	6	8.2	265	611.0	1.7
Hours :	24	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/05/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	85		274.8	1.2	5	27	407.0	465.0	402.0	1
01	84		274.6	1.3	83	83	407.0	465.0	410.0	1
02	85		274.4	4.6	37	42	407.0	465.0	410.0	1
03	86		274.1	5.7	43	49	407.0	465.0	407.0	1
04	90		273.4	6.7	44	58	407.0	465.0	414.0	1
05	89		273.0	4.2	48	51	407.0	465.0	405.0	1
06	91		272.8	4.6	81	58	407.0	465.0	407.0	1
07	92		272.5	9.4	162	123	407.0	465.0	408.0	1
08	92		272.7	1.5	304	243	407.0	465.0	403.0	1
09	82		273.2	1.6	25	113	407.0	465.0	409.0	0
10	71		273.6	17.6	64	85	407.0	465.0	415.0	0
11	72		273.3	21.0	0	41	407.0	465.0	444.0	0
12	53		275.0	12.5		60	407.0	465.0	405.0	0
13	46		275.6	12.6	17	40	407.0	465.0	405.0	0
14	44		276.2	9.0	56	78	407.0	465.0	404.0	1
15	39		276.6	17.9	64	80	407.0	465.0	404.0	1
16	33		277.4	14.5	45	51	407.0	465.0	403.0	1
17	36		277.0	9.4	103	96	407.0	465.0	403.0	1
18	38		276.4	10.5	121	127	407.0	465.0	403.0	1
19	42		276.2	4.8	144	169	407.0	465.0	404.0	1
20	41		276.0	8.0	66	74	407.0	465.0	403.0	1
21	40		276.1	3.7	19	55	407.0	465.0	403.0	1
22	40		276.1	3.8	74	51	407.0	465.0	402.0	1
23	41		275.8	4.2	91	133	407.0	465.0	404.0	1
Max :	92	-999	277.4	21.0	304	243	407.0	465.0	444.0	1
Min :	33	-999	272.5	1.2	0	27	407.0	465.0	402.0	0
Mean :	63	-999	274.8	7.9	73	82	407.0	465.0	407.3	0
Hours :	24	00	24	24	23	24	24	24	24	24

Data : '<' - Less than ##% Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/05/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY TEST TEST2  
 Units : MILES  
 Hour -----

00 1209.0  
 01 162.0  
 02 175.0  
 03 223.0  
 04 122.0  
 05 267.0  
 06 235.0  
 07 205.0  
 08 381.0  
 09 101.0  
 10 141.0  
 11 127.0  
 12 256.0  
 13 280.0  
 14 314.0  
 15 299.0  
 16 378.0  
 17 369.0  
 18 358.0  
 19 304.0  
 20 397.0  
 21 394.0  
 22 422.0  
 23 345.0

Max : 1209.0 -999 -999  
 Min : 101.0 -999 -999  
 Mean : 311.0 -999 -999  
 Hours : 24 00 00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 12/01/04

Current Time : 14:03

Daily Data Report - Hourly Averages  
Environmental Systems Corporation  
03/06/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00	.4	.001	.000	.000	.1	3	8.0	271	615.5	2.7
01	.4	.002	.000	.001	.3	4	9.0	252	615.5	1.9
02	.4	.008	.000	.007	1.8	7	8.0	257	615.6	1.1
03	.4	.004	.000	.003	.6	0	8.0	258	615.5	1.0
04	.4	.002	.000	.001	1.8	5	8.0	269	615.9	.5
05	.4	.003	.000	.002	1.4	3	9.0	263	616.4	-.3
06	.3	.003	.000	.002	2.3	2	10.0	260	616.8	-.3
07	.3	.003	.000	.003	1.9	7	10.0	257	617.2	.4
08	.3	.002	.000	.002	2.6	4	12.0	258	617.5	1.5
09	.3	.002	.000	.003	3.1	9	12.0	256	617.9	2.5
10	.3	.003	.000	.004	2.6	4	10.0	260	617.9	3.9
11	.3	.003	.000	.004	2.6	3	10.0	257	617.7	5.5
12	.4	.004	.001	.005	1.2	5	9.0	250	617.1	7.2
13	.5	.005	.001	.006	1.5	15	10.0	255	616.6	9.2
14	.5	.003	.000	.004	.9	20	9.0	261	616.4	10.7
15	.5	.002	.000	.002	1.6	15	12.0	283	616.3	11.3
16	.5	.002	.000	.001	1.3	11	9.0	282	616.4	11.1
17	.5	.004	.000	.004	2.0	20	8.0	300	616.8	10.6
18	.6	.010	.000	.011	3.3	21	7.0	325	617.4	9.8
19	.6	.008	.000	.008	2.1	9	7.0	322	617.9	9.4
20	.6	.009	.000	.008	2.7	8	4.0	30	618.5	8.2
21	.7	.029	.002	.031	3.3	8	2.0	183	619.1	5.1
22	.7	.024	.010	.035	3.6	12	4.0	226	619.4	5.5
23	.6	.007	.001	.008	2.4	2	4.0	242	619.9	8.0
Max :	.7	.029	.010	.035	3.6	21	12.0	325	619.9	11.3
Min :	.3	.001	.000	.000	.1	0	2.0	30	615.5	-.3
Mean :	.4	.005	.000	.006	1.9	8	8.2	265	617.1	5.2
Hours :	24	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
'f' - Floor Exceeded, 'c' - Ceiling Exc.



Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/06/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	36		275.8	3.9	37	28	407.0	465.0	403.0	1
01	39		275.1	5.0	117	88	407.0	465.0	403.0	1
02	51		274.2	8.0	279	347	407.0	465.0	406.0	1
03	53		274.1	.5	157	184	407.0	465.0	405.0	1
04	58		273.7	5.9	139	129	407.0	465.0	404.0	1
05	66		272.8	3.4	143	133	407.0	465.0	404.0	1
06	69		272.8	2.3	133	110	407.0	465.0	404.0	1
07	69		273.5	8.1	122	110	407.0	465.0	405.0	1
08	66		274.7	5.5	118	112	407.0	465.0	408.0	1
09	65		275.7	10.7	145	144	407.0	465.0	412.0	1
10	60		277.1	5.4	237	217	407.0	465.0	416.0	1
11	54		278.7	3.8	288	276	407.0	465.0	417.0	1
12	48		280.4	6.9	189	226	407.0	465.0	419.0	1
13	41		282.3	18.1	191	203	407.0	465.0	416.0	1
14	36		283.8	24.2	102	126	407.0	465.0	406.0	1
15	35		284.4	17.6	81	73	407.0	465.0	404.0	1
16	34		284.3	13.5	9	36	407.0	465.0	403.0	1
17	35		283.8	23.6	111	100	407.0	465.0	404.0	1
18	38		283.0	25.4	266	316	407.0	465.0	406.0	1
19	35		282.6	11.0	183	187	407.0	465.0	404.0	1
20	38		281.4	9.3	207	202	407.0	465.0	405.0	1
21	52		278.3	9.6	532	594	407.0	465.0	408.0	1
22	51		278.6	13.8	698	714	407.0	465.0	411.0	1
23	40		281.2	3.1	138	113	407.0	465.0	404.0	1
Max :	69	-999	284.4	25.4	698	714	407.0	465.0	419.0	1
Min :	34	-999	272.8	.5	9	28	407.0	465.0	403.0	1
Mean :	48	-999	278.4	9.9	192	198	407.0	465.0	407.3	1
Hours :	24	00	24	24	24	24	24	24	24	24

Data : '<' - Less than ##% Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/06/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY      TEST      TEST2  
 Units :    MILES  
 Hour -----

00	407.0		
01	339.0		
02	224.0		
03	269.0		
04	292.0		
05	287.0		
06	295.0		
07	270.0		
08	193.0		
09	139.0		
10	105.0		
11	99.0		
12	89.0		
13	111.0		
14	231.0		
15	294.0		
16	366.0		
17	293.0		
18	223.0		
19	294.0		
20	248.0		
21	181.0		
22	179.0		
23	286.0		

Max :	407.0	-999	-999
Min :	89.0	-999	-999
Mean :	238.0	-999	-999
Hours :	24	00	00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 12/01/04  
 Current Time : 14:03

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/07/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00	.6	.010	.000	.009	2.4	7	5.0	224	620.1	7.0
01	.7	.035	.018	.053	5.4	7	3.0	110	620.9	2.7
02	.7	.028	.028	.057	3.0	12	2.0	105	621.2	.0
03	.6	.016	.002	.018	1.8	3	2.0	113	621.2	-1.5
04	.5	.010	.000	.010	2.8	3	1.0	118	621.6	-2.1
05	.5	.008	.000	.008	2.3	2	1.0	142	622.3	-2.8
06	.5	.009	.002	.011	2.5	1	1.0	120	622.8	-3.3
07	.5	.009	.008	.017	3.7	5	1.0	100	623.1	-1.0
08	.5	.010	.010	.021	4.4	8	1.0	313	623.2	4.1
09	.5	.006	.002	.009	2.5	13	2.0	344	623.3	9.2
10	.5	.005	.001	.007	1.8	17	3.0	64	623.4	10.9
11	.6	.012	.007	.019	2.6	16	2.0	71	623.1	12.2
12	.7	.006	.001	.008	1.8	18	3.0	52	622.7	13.4
13	.8	.007	.001	.009	2.7	24	5.0	268	622.1	14.4
14	.8	.006	.000	.007	3.5	15	6.0	268	621.8	14.9
15	.9	.005	.000	.006	3.2	10	6.0	262	621.7	15.1
16	.9	.006	.000	.006	3.5	9	5.0	257	621.7	15.1
17	.9	.006	.000	.005	3.6	17	4.0	240	621.9	13.9
18	1.0	.013	.000	.012	4.6	10	2.0	113	622.3	8.6
19	1.0	.012	.000	.011	4.3	11	2.0	113	622.9	4.8
20	.9	.011	.000	.010	3.6	11	1.0	119	623.2	2.3
21	.9	.014	.000	.015	3.3	7	1.0	120	623.4	.6
22	.8	.012	.000	.012	2.6	11	2.0	126	623.4	-.4
23	.8	.011	.000	.011	2.2	2	1.0	124	623.2	-1.1
Max :	1.0	.035	.028	.057	5.4	24	6.0	344	623.4	15.1
Min :	.5	.005	.000	.005	1.8	1	1.0	52	620.1	-3.3
Mean :	.7	.011	.003	.014	3.0	9	2.5	120	622.3	5.7
Hours :	24	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/07/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	43		280.1	9.1	180	202	407.0	465.0	408.0	1
01	62		275.9	8.7	917	1040	407.0	465.0	419.0	1
02	75		273.1	14.5	1046	1070	407.0	465.0	415.0	1
03	82		271.6	4.2	470	464	407.0	465.0	412.0	1
04	85		271.0	3.4	294	311	407.0	465.0	409.0	1
05	88		270.3	2.7	241	217	407.0	465.0	405.0	1
06	90		269.7	1.8	387	453	407.0	465.0	406.0	1
07	79		272.1	6.3	867	982	407.0	465.0	412.0	1
08	58		277.2	9.3	787	787	407.0	465.0	411.0	1
09	37		282.4	15.5	96	217	407.0	465.0	405.0	1
10	32		284.1	20.7	133	147	407.0	465.0	404.0	1
11	30		285.3	19.1	140	217	407.0	465.0	405.0	1
12	28		286.6	22.2	116	156	407.0	465.0	404.0	0
13	28		287.6	28.9	208	220	407.0	465.0	405.0	0
14	27		288.0	18.2	193	189	407.0	465.0	405.0	0
15	25		288.3	12.3	127	199	407.0	465.0	404.0	0
16	24		288.2	11.0	189	225	407.0	465.0	404.0	0
17	27		287.0	20.4	235	218	407.0	465.0	404.0	0
18	46		281.8	11.5	440	458	407.0	465.0	410.0	0
19	60		277.9	13.1	444	526	407.0	465.0	413.0	0
20	70		275.4	13.1	511	590	407.0	465.0	411.0	0
21	77		273.8	8.8	627	704	407.0	465.0	413.0	0
22	82		272.7	13.0	544	640	407.0	465.0	413.0	0
23	85		272.0	2.2	555	614	407.0	465.0	412.0	0
Max :	90	-999	288.3	28.9	1046	1070	407.0	465.0	419.0	1
Min :	24	-999	269.7	1.8	96	147	407.0	465.0	404.0	0
Mean :	55	-999	278.8	12.0	406	451	407.0	465.0	408.7	0
Hours :	24	00	24	24	24	24	24	24	24	24

Data : '<' - Less than ##% Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/07/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY TEST TEST2  
 Units : MILES  
 Hour -----

00	211.0
01	93.0
02	110.0
03	152.0
04	193.0
05	275.0
06	228.0
07	149.0
08	149.0
09	263.0
10	316.0
11	253.0
12	283.0
13	280.0
14	277.0
15	281.0
16	292.0
17	292.0
18	169.0
19	129.0
20	143.0
21	124.0
22	130.0
23	136.0

Max :	316.0	-999	-999
Min :	93.0	-999	-999
Mean :	205.3	-999	-999
Hours :	24	00	00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 12/01/04

Current Time : 14:03

Daily Data Report - Hourly Averages  
Environmental Systems Corporation  
03/08/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00	.7	.011	.002	.014	2.4	4	1.0	121	623.0	-1.5
01	.6	.010	.000	.011	2.9	3	1.0	115	623.0	-1.9
02	.6	.009	.000	.008	1.2	6	1.0	121	622.7	-2.5
03	.5	.008	.001	.010	1.4	1	1.0	122	622.4	-2.8
04	.5	.007	.001	.008	2.1	1	1.0	117	622.5	-3.4
05	.5	.006	.001	.008	2.5	5	2.0	111	622.6	-3.7
06	.5	.009	.004	.013	2.8	3	1.0	128	622.7	-3.7
07	.6	.010	.016	.027	5.8	29	1.0	119	622.8	-1.6
08	.6	.014	.023	.037	7.0	18	1.0	102	622.6	3.5
09	.5	.011	.007	.018	2.7	21	3.0	285	622.4	9.4
10	.5	.008	.003	.012	2.1	18	7.0	268	622.0	11.6
11	.1	.004	.001	.005	3.3	27	8.0	266	621.7	12.9
12	.2	.006	.001	.008	1.3	314	7.0	252	621.2	13.9
13	.4	.009	.002	.011	1.1	28	7.0	238	620.5	15.5
14	.4	.007	.001	.008	1.9	30	8.0	249	620.0	16.8
15	.5	.008	.001	.009	3.3	30	8.0	247	619.7	17.2
16	.6	.008	.000	.008	3.6	22	7.0	264	619.5	17.4
17	.7	.011	.000	.010	3.7	19	6.0	269	619.5	16.4
18	.8	.022	.000	.023	5.3	22	2.0	166	619.7	11.8
19	.9	.026	.000	.027	6.5	33	2.0	107	620.1	7.8
20	.8	.021	.002	.023	5.4	22	2.0	128	620.8	5.4
21	.7	.012	.000	.012	4.5	7	3.0	113	621.5	3.4
22	.7	.010	.000	.010	3.8	3	4.0	94	621.8	6.1
23	.6	.006	.000	.005	1.8	3	5.0	71	622.1	9.8
Max :	.9	.026	.023	.037	7.0	314	8.0	285	623.0	17.4
Min :	.1	.004	.000	.005	1.1	1	1.0	71	619.5	-3.7
Mean :	.5	.010	.002	.013	3.2	27	3.7	151	621.5	6.5
Hours :	24	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/08/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	88		271.5	5.5	530	588	407.0	465.0	411.0	1
01	89		271.1	3.7	474	545	407.0	465.0	416.0	1
02	91		270.6	7.1	365	414	407.0	465.0	410.0	1
03	92		270.3	2.2	319	364	407.0	465.0	410.0	1
04	93		269.7	1.7	266	348	407.0	465.0	412.0	1
05	94		269.3	6.1	290	337	407.0	465.0	411.0	1
06	94		269.3	3.4	311	339	407.0	465.0	412.0	1
07	85		271.5	33.0	1236	1019	407.0	465.0	417.0	1
08	65		276.7	21.2	2574	2103	407.0	465.0	420.0	1
09	43		282.6	24.7	629	656	407.0	465.0	410.0	1
10	39		284.7	22.0	595	552	407.0	465.0	407.0	1
11	34		286.0	31.8	445	447	407.0	465.0	405.0	0
12	31		287.1	370.8	317	445	407.0	465.0	411.0	0
13	26		288.6	33.4	470	562	407.0	465.0	413.0	1
14	23		289.9	36.2	320	369	407.0	465.0	408.0	1
15	23		290.3	36.0	370	412	407.0	465.0	409.0	1
16	22		290.5	27.3	337	368	407.0	465.0	408.0	1
17	23		289.6	23.4	415	418	407.0	465.0	407.0	0
18	37		284.9	26.0	600	583	407.0	465.0	413.0	0
19	50		281.0	38.4	820	867	407.0	465.0	418.0	0
20	57		278.6	25.3	882	941	407.0	465.0	414.0	0
21	64		276.5	8.8	569	616	407.0	465.0	412.0	0
22	54		279.3	4.1	454	502	407.0	465.0	410.0	0
23	36		282.9	3.7	153	177	407.0	465.0	406.0	0
Max :	94	-999	290.5	370.8	2574	2103	407.0	465.0	420.0	1
Min :	22	-999	269.3	1.7	153	177	407.0	465.0	405.0	0
Mean :	56	-999	279.6	33.1	572	582	407.0	465.0	411.2	0
Hours :	24	00	24	24	24	24	24	24	24	24

Data : '<' - Less than ##% Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/08/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY TEST TEST2  
 Units : MILES  
 Hour -----

00	142.0
01	108.0
02	154.0
03	159.0
04	147.0
05	143.0
06	139.0
07	104.0
08	91.0
09	165.0
10	201.0
11	252.0
12	155.0
13	128.0
14	190.0
15	165.0
16	190.0
17	205.0
18	135.0
19	104.0
20	115.0
21	139.0
22	155.0
23	231.0

Max :	252.0	-999	-999
Min :	91.0	-999	-999
Mean :	154.8	-999	-999
Hours :	24	00	00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.



Current Date : 12/01/04

Current Time : 14:03

Daily Data Report - Hourly Averages  
Environmental Systems Corporation  
03/09/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00	.6	.016	.001	.017	2.3	3	5.0	71	622.4	8.5
01	.6	.006	.000	.006	1.9	4	6.0	56	622.5	8.9
02	.6	.011	.000	.010	.9	5	5.0	83	622.4	6.5
03	.6	.013	.000	.013	2.1	3	6.0	80	622.2	5.5
04	.5	.009	.000	.008	3.2	8	6.0	79	622.4	5.0
05	.5	.017	.000	.017	3.4	3	7.0	81	622.8	4.3
06	.6	.017	.001	.018	3.4	10	6.0	72	622.9	5.2
07	.5	.013	.003	.017	3.8	16	6.0	76	623.0	7.2
08	.5	.008	.002	.010	2.9	19	7.0	54	623.0	9.1
09	.5	.002	.000	.002	2.0	16	6.0	69	622.8	10.4
10	.6	.002	.000	.001	2.7	13	5.0	107	622.4	11.9
11	.5	.001	.000	.000	2.4	17	6.0	102	621.8	12.8
12	.2	.002	.000	.002	1.7	0	5.0	104	620.9	13.8
13	.1	.002	.000	.002	.1	0	5.0	114	619.8	15.4
14	.0	.005	.003	.008	.1	1	5.0	206	619.0	16.4
15	.0	.002	.002	.005	.0	1	5.0	249	618.4	16.7
16	.0	.009	.009	.019	.9	20	4.0	234	617.9	16.8
17	.0	.001	.000	.000	.2	9	4.0	240	617.6	15.7
18	.0	.011	.000	.011	1.6	11	2.0	160	617.4	11.2
19	.1	.018	.000	.019	1.9	6	1.0	109	617.4	6.8
20	.1	.014	.000	.014	1.7	15	2.0	112	617.4	4.1
21	.0	.012	.000	.011	1.6	6	2.0	115	617.3	2.0
22	.0	.013	.003	.016	1.4	12	1.0	123	617.0	1.4
23	.0	.022	.014	.036	1.6	11	2.0	117	616.6	2.1
Max :	.6	.022	.014	.036	3.8	20	7.0	249	623.0	16.8
Min :	.0	.001	.000	.000	.0	0	1.0	54	616.6	1.4
Mean :	.2	.009	.001	.010	1.8	8	4.5	103	620.3	9.0
Hours :	24	24	23	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/09/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	39		281.6	4.5	385	387	407.0	465.0	407.0	0
01	38		282.1	5.0	278	246	407.0	465.0	407.0	0
02	49		279.6	6.5	385	365	407.0	465.0	409.0	0
03	53		278.6	4.2	308	355	407.0	465.0	409.0	0
04	55		278.2	10.0	264	323	407.0	465.0	411.0	0
05	59		277.5	3.6	502	536	407.0	465.0	415.0	1
06	56		278.3	11.6	652	611	407.0	465.0	419.0	1
07	49		280.3	18.6	484	474	407.0	465.0	420.0	1
08	43		282.3	22.9	271	237	407.0	465.0	416.0	1
09	39		283.5	18.6	63	75	407.0	465.0	414.0	1
10	36		285.0	15.1	52	50	407.0	465.0	413.0	0
11	36		286.0	20.1	301	160	407.0	465.0	413.0	0
12	34		287.0	.5	420	349	407.0	465.0	412.0	1
13	30		288.5	.5	294	238	407.0	465.0	409.0	0
14	26		289.5	2.3	160	172	407.0	465.0	408.0	0
15	23		289.8	2.1	247	199	407.0	465.0	408.0	0
16	23		289.9	23.9	246	290	407.0	465.0	411.0	0
17	24		288.9	11.1	179	192	407.0	465.0	405.0	0
18	39		284.4	13.2	458	505	407.0	465.0	409.0	0
19	55		280.0	7.6	494	589	407.0	465.0	412.0	0
20	65		277.3	17.4	548	608	407.0	465.0	412.0	0
21	73		275.1	7.2	471	560	407.0	465.0	413.0	0
22	75		274.5	13.7	582	673	407.0	465.0	413.0	0
23	71		275.3	13.5	952	1051	407.0	465.0	415.0	0
Max :	75	-999	289.9	23.9	952	1051	407.0	465.0	420.0	1
Min :	23	-999	274.5	.5	52	50	407.0	465.0	405.0	0
Mean :	45	-999	282.2	10.5	374	385	407.0	465.0	411.6	0
Hours :	24	00	24	24	24	24	24	24	24	24

Data : '<' - Less than ##% Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/09/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY TEST TEST2  
 Units : MILES  
 Hour -----

00	211.0
01	221.0
02	175.0
03	163.0
04	147.0
05	113.0
06	94.0
07	87.0
08	103.0
09	118.0
10	128.0
11	128.0
12	133.0
13	174.0
14	190.0
15	193.0
16	162.0
17	246.0
18	182.0
19	138.0
20	131.0
21	123.0
22	122.0
23	111.0

Max :	246.0	-999	-999
Min :	87.0	-999	-999
Mean :	149.7	-999	-999
Hours :	24	00	00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 12/01/04

Current Time : 14:03

Daily Data Report - Hourly Averages  
Environmental Systems Corporation  
03/10/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00	.0	.005	.000	.005	.4	2	9.0	275	615.8	10.7
01	.0	.002	.000	.001	.1	7	10.0	274	615.4	10.5
02	.0	.002	.000	.001	.4	9	9.0	267	615.0	10.1
03	.0	.002	.000	.001	1.8	10	10.0	267	614.9	10.0
04	.0	.003	.000	.002	1.8	10	9.0	282	615.0	10.0
05	.0	.003	.000	.002	1.7	5	8.0	279	614.9	9.9
06	.0	.003	.000	.003	1.9	6	10.0	272	614.8	9.8
07	.0	.004	.000	.003	3.2	3	10.0	265	614.9	10.6
08	.0	.003	.000	.003	3.3	13	10.0	261	615.2	11.1
09	.0	.003	.000	.003	3.6	13	10.0	264	615.3	11.9
10	.0	.003	.000	.003	3.2	8	9.0	265	615.2	13.3
11	.0	.002	.000	.002	3.3	15	6.0	234	614.8	15.2
12	.0	.002	.000	.002	3.1	18	7.0	247	614.3	16.3
13	.0	.002	.000	.002	3.0	23	7.0	258	613.8	17.4
14	.0	.002	.000	.002	3.4	17	7.0	254	613.7	18.0
15	.0	.003	.000	.003	3.4	13	6.0	257	613.7	18.3
16	.0	.006	.000	.006	4.5	13	4.0	237	613.8	17.9
17	.0	.009	.000	.009	4.3	17	3.0	249	614.2	16.4
18	.1	.019	.000	.019	5.6	14	2.0	126	614.7	11.9
19	.1	.014	.000	.013	5.0	17	2.0	118	615.2	8.1
20	.1	.015	.000	.014	5.1	10	2.0	111	615.7	6.4
21	.0	.012	.000	.012	7.4	11	6.0	33	616.7	8.9
22	.0	.006	.000	.005	4.1	26	7.0	50	617.5	9.6
23	.0	.007	.000	.007	3.2	17	7.0	52	618.1	7.9
Max :	.1	.019	.000	.019	7.4	26	10.0	282	618.1	18.3
Min :	.0	.002	.000	.001	.1	2	2.0	33	613.7	6.4
Mean :	.0	.005	.000	.005	3.2	12	7.0	261	615.1	12.0
Hours :	24	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/10/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	33		283.9	3.4	154	192	407.0	465.0	409.0	0
01	31		283.7	9.2	119	135	407.0	465.0	407.0	0
02	31		283.2	10.8	124	139	407.0	465.0	408.0	0
03	31		283.1	12.4	123	131	407.0	465.0	408.0	0
04	31		283.1	12.7	138	146	407.0	465.0	408.0	0
05	31		283.1	6.8	161	160	407.0	465.0	408.0	0
06	32		282.9	8.1	174	176	407.0	465.0	408.0	0
07	31		283.7	3.5	178	188	407.0	465.0	409.0	0
08	31		284.2	15.4	235	228	407.0	465.0	409.0	0
09	31		285.1	15.4	242	252	407.0	465.0	410.0	0
10	29		286.4	9.8	238	237	407.0	465.0	410.0	0
11	26		288.3	18.3	355	333	407.0	465.0	412.0	0
12	23		289.4	22.6	286	282	407.0	465.0	411.0	0
13	21		290.5	28.5	195	214	407.0	465.0	411.0	0
14	19		291.2	21.5	221	239	407.0	465.0	409.0	0
15	18		291.5	16.0	314	307	407.0	465.0	409.0	0
16	18		291.1	15.8	413	437	407.0	465.0	412.0	0
17	21		289.6	21.1	579	515	407.0	465.0	412.0	0
18	37		285.1	17.2	874	748	407.0	465.0	413.0	0
19	50		281.2	19.9	588	593	407.0	465.0	414.0	0
20	54		279.5	12.6	658	662	407.0	465.0	415.0	0
21	48		282.0	13.8	513	488	407.0	465.0	423.0	0
22	49		282.8	30.7	222	206	407.0	465.0	416.0	0
23	59		281.0	19.8	227	196	407.0	465.0	415.0	0
Max :	59	-999	291.5	30.7	874	748	407.0	465.0	423.0	0
Min :	18	-999	279.5	3.4	119	131	407.0	465.0	407.0	0
Mean :	32	-999	285.2	15.2	305	300	407.0	465.0	411.0	0
Hours :	24	00	24	24	24	24	24	24	24	24

Data : '<' - Less than ##% Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/10/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY TEST TEST2  
 Units : MILES  
 Hour -----

00	177.0
01	204.0
02	195.0
03	180.0
04	185.0
05	178.0
06	181.0
07	172.0
08	171.0
09	154.0
10	159.0
11	134.0
12	140.0
13	147.0
14	167.0
15	167.0
16	133.0
17	133.0
18	124.0
19	114.0
20	108.0
21	84.0
22	104.0
23	113.0

Max :	204.0	-999	-999
Min :	84.0	-999	-999
Mean :	151.0	-999	-999
Hours :	24	00	00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 12/01/04

Current Time : 14:03

Daily Data Report - Hourly Averages  
Environmental Systems Corporation  
03/11/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00	.0	.005	.000	.005	3.8	8	7.0	64	618.5	6.7
01	.0	.002	.000	.002	3.4	18	8.0	62	619.0	5.8
02	.0	.004	.000	.004	2.4	12	9.0	54	619.2	5.0
03	.0	.005	.000	.005	1.8	21	8.0	50	619.4	4.3
04	.0	.004	.000	.004	1.8	13	8.0	53	619.6	3.7
05	.0	.006	.000	.006	2.5	8	7.0	49	619.8	3.4
06	.0	.005	.000	.006	1.8	13	6.0	63	620.0	3.0
07	.0	.003	.000	.004	.8	7	6.0	65	620.2	2.7
08	.0	.005	.001	.006	.7	17	7.0	67	620.4	2.8
09	.0	.002	.000	.002	.8	15	7.0	67	620.2	3.3
10	.0	.002	.000	.003	2.0	12	7.0	83	620.1	4.3
11	.0	.001	.000	.001	2.9	4	8.0	87	620.2	4.5
12	.0	.002	.000	.002	1.5	30	7.0	80	619.7	4.8
13	.0	.002	.000	.002	2.1	29	7.0	79	619.1	5.6
14	.0	.001	.000	.001	2.6	19	6.0	81	618.6	6.1
15	.0	.001	.000	.001	2.5	17	6.0	95	618.3	6.4
16	.0	.001	.000	.001	2.7	13	6.0	98	618.1	6.4
17	.0	.007	.000	.007	3.0	14	4.0	56	618.1	6.3
18	.0	.018	.002	.020	3.3	13	3.0	62	618.0	5.6
19	.1	.024	.007	.031	4.9	17	3.0	71	618.0	4.0
20	.0	.019	.002	.022	4.4	27	3.0	74	618.0	3.2
21	.0	.017	.000	.018	3.9	14	3.0	98	618.3	1.7
22	.0	.017	.001	.019	3.2	10	3.0	102	618.1	.6
23	.0	.018	.004	.022	3.3	9	3.0	97	618.1	.4
Max :	.1	.024	.007	.031	4.9	30	9.0	102	620.4	6.7
Min :	.0	.001	.000	.001	.7	4	3.0	49	618.0	.4
Mean :	.0	.007	.000	.008	2.5	15	5.9	73	619.0	4.1
Hours :	24	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/11/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	67		279.8	9.6	195	171	407.0	464.0	C	C
01	71		279.0	21.4	112	110	406.0	461.0	421.0	0
02	72		278.1	14.7	137	152	406.0	461.0	424.0	0
03	72		277.4	25.1	144	145	406.0	461.0	421.0	0
04	73		276.9	14.9	125	121	406.0	461.0	421.0	0
05	75		276.5	10.1	206	193	406.0	461.0	424.0	0
06	76		276.1	15.3	185	162	406.0	461.0	426.0	0
07	67		275.9	8.2	96	170	406.0	461.0	418.0	0
08	62		275.9	20.2	247	294	406.0	461.0	414.0	0
09	59		276.5	18.0	121	135	406.0	461.0	416.0	0
10	58		277.5	14.2	204	205	406.0	461.0	420.0	0
11	59	16D	277.6	4.8	134	169	406.0	461.0	423.0	0
12	60	17	278.0	35.2	146	159	406.0	461.0	427.0	0
13	59	17	278.7	33.5	145	158	406.0	461.0	429.0	0
14	57	17	279.2	22.9	135	156	406.0	461.0	427.0	0
15	57	17	279.6	20.7	152	162	406.0	461.0	427.0	0
16	58	14	279.6	16.1	155	150	406.0	461.0	425.0	0
17	58	15	279.5	16.8	221	250	406.0	461.0	424.0	0
18	62	17	278.7	15.2	557	647	406.0	461.0	427.0	0
19	69	14	277.2	20.3	1012	1246	406.0	461.0	440.0	0
20	70	19	276.3	31.6	680	819	406.0	461.0	433.0	0
21	75	16	274.9	16.1	552	753	406.0	461.0	434.0	0
22	80	13	273.7	11.9	605	828	406.0	461.0	437.0	0
23	80	15	273.5	11.1	659	797	406.0	461.0	437.0	0
Max :	80	19	279.8	35.2	1012	1246	407.0	464.0	440.0	0
Min :	57	13	273.5	4.8	96	110	406.0	461.0	414.0	0
Mean :	66	15	277.3	17.8	288	339	406.0	461.1	425.8	0
Hours :	24	13	24	24	24	24	24	24	23	23

Data : '<' - Less than ##% Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.



Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/11/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY TEST TEST2  
 Units : MILES  
 Hour -----

Hour	Value
00	C
01	75.0
02	70.0
03	75.0
04	78.0
05	66.0
06	62.0
07	91.0
08	108.0
09	101.0
10	83.0
11	71.0
12	64.0
13	57.0
14	61.0
15	61.0
16	66.0
17	66.0
18	61.0
19	44.0
20	51.0
21	48.0
22	45.0
23	46.0

Max :	108.0	-999	-999
Min :	44.0	-999	-999
Mean :	67.3	-999	-999
Hours :	23	00	00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 12/01/04

Current Time : 14:03

Daily Data Report - Hourly Averages  
Environmental Systems Corporation  
03/12/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00	.0	.013	.000	.014	1.6	12	4.0	88	617.8	.7
01	.0	.010	.000	.009	1.8	10	4.0	88	617.3	.6
02	.0	.010	.000	.010	3.0	5	4.0	74	616.9	.7
03	.0	.005	.000	.005	5.4	13	5.0	47	616.6	1.6
04	.0	.008	.000	.008	4.6	11	4.0	69	616.6	2.0
05	.0	.009	.000	.009	3.1	10	2.0	115	616.3	1.4
06	.0	.013	.001	.014	4.1	15	3.0	101	616.1	1.6
07	.0	.017	.005	.022	6.6	29	4.0	69	616.1	2.8
08	.0	.011	.001	.013	5.7	21	5.0	76	616.1	3.7
09	.0	.015	.006	.021	5.5	20	5.0	52	616.2	4.2
10	.0	.014	.004	.019	4.7	18	4.0	50	616.0	4.3
11	.0	.012	.004	.016	3.3	17	4.0	51	615.5	5.0
12	.0	M	M	M	11.6	3	3.0	69	614.8	5.8
13	.0	.003	.001	.004	1.2	0	2.0	65	614.1	6.6
14	.0	.003	.000	.004	.1	17	3.0	111	613.7	7.0
15	.0	.002	.000	.002	.0	10	5.0	85	613.4	6.8
16	.0	.002	.000	.002	.3	6	5.0	81	613.3	6.5
17	.0	.005	.002	.007	.9	3	4.0	94	613.4	5.6
18	.0	.003	.000	.003	.9	18	4.0	93	613.5	4.7
19	.0	.003	.000	.003	.7	2	3.0	81	613.5	4.6
20	.0	.003	.000	.002	1.5	5	2.0	76	613.7	4.6
21	.0	.002	.000	.001	.5	5	1.0	108	613.7	4.4
22	.0	.009	.000	.008	1.7	3	1.0	107	613.6	4.3
23	.0	.007	.000	.006	.8	4	1.0	146	613.4	4.3
Max :	.0	.017	.006	.022	11.6	29	5.0	146	617.8	7.0
Min :	.0	.002	.000	.001	.0	0	1.0	47	613.3	.6
Mean :	.0	.007	.001	.008	2.9	10	3.4	82	615.0	3.9
Hours :	24	23	23	23	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/12/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	78	14	273.8	13.7	481	522	406.0	461.0	433.0	0
01	78	15	273.7	11.4	552	532	406.0	461.0	434.0	0
02	82	17	273.8	6.7	417	381	406.0	461.0	450.0	0
03	82	18	274.7	15.7	252	233	406.0	461.0	469.0	0
04	79	18	275.2	12.8	292	261	406.0	461.0	460.0	0
05	81	14	274.5	11.6	362	368	406.0	461.0	450.0	0
06	82	16	274.8	17.6	478	470	406.0	461.0	455.0	0
07	79	16	276.0	33.3	674	649	406.0	461.0	458.0	0
08	77	17	276.9	24.7	550	516	406.0	461.0	456.0	0
09	75	15	277.4	23.4	588	553	406.0	461.0	452.0	0
10	77	17	277.4	20.9	728	632	406.0	461.0	453.0	0
11	77	15	278.1	20.6	482	438	406.0	461.0	444.0	0
12	76	18	279.0	3.4	325	317	406.0	461.0	431.0	0
13	76	25	279.8	.8	159	183	406.0	461.0	424.0	0
14	75	21	280.2	20.0	188	225	406.0	461.0	416.0	0
15	73	15	279.9	12.5	129	182	406.0	461.0	409.0	0
16	74	16	279.7	7.9	166	152	406.0	461.0	409.0	0
17	80	14	278.7	3.9	123	193	406.0	461.0	414.0	0
18	85	16	277.8	21.0	187	221	406.0	461.0	418.0	0
19	85	16	277.7	2.9	142	187	406.0	461.0	418.0	0
20	85	16	277.7	6.4	280	357	406.0	461.0	421.0	0
21	86	12	277.5	6.4	159	242	406.0	461.0	419.0	0
22	86	15	277.5	4.5	369	587	406.0	461.0	424.0	0
23	87	9	277.4	4.9	317	424	406.0	461.0	424.0	0
Max :	87	25	280.2	33.3	728	649	406.0	461.0	469.0	0
Min :	73	9	273.7	.8	123	152	406.0	461.0	409.0	0
Mean :	79	16	277.0	12.7	350	367	406.0	461.0	435.0	0
Hours :	24	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/12/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY TEST TEST2  
 Units : MILES  
 Hour -----

00	49.0
01	49.0
02	37.0
03	25.0
04	28.0
05	34.0
06	31.0
07	29.0
08	30.0
09	33.0
10	32.0
11	38.0
12	54.0
13	68.0
14	103.0
15	158.0
16	163.0
17	112.0
18	88.0
19	86.0
20	77.0
21	85.0
22	67.0
23	67.0

Max :	163.0	-999	-999
Min :	25.0	-999	-999
Mean :	64.2	-999	-999
Hours :	24	00	00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 12/01/04

Current Time : 14:03

Daily Data Report - Hourly Averages  
Environmental Systems Corporation  
03/13/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00	.0	.003	.000	.003	.9	3	1.0	122	613.3	4.2
01	.0	.009	.001	.011	1.5	3	1.0	270	613.0	4.7
02	.0	.007	.000	.006	1.7	3	4.0	228	612.7	6.0
03	.0	.014	.000	.013	2.7	6	5.0	233	612.5	5.4
04	.0	.010	.000	.009	3.2	6	4.0	233	612.6	5.2
05	.0	.006	.000	.006	2.5	6	6.0	258	612.8	5.1
06	.0	.003	.000	.003	1.4	4	4.0	237	613.1	5.2
07	.0	.008	.010	.018	1.5	25	3.0	203	613.4	5.3
08	.0	.007	.010	.018	1.9	7	5.0	227	613.6	5.5
09	.0	.002	.000	.002	2.3	7	7.0	237	613.6	6.9
10	.0	.003	.000	.004	2.1	4	9.0	240	613.5	8.3
11	.0	.003	.000	.004	3.1	8	9.0	247	613.3	9.8
12	.0	.004	.000	.004	2.3	12	10.0	247	613.0	10.8
13	.0	.004	.000	.004	2.4	7	12.0	251	612.5	12.3
14	.0	.003	.000	.003	2.9	9	9.0	256	612.5	12.7
15	.0	.003	.000	.002	2.5	14	6.0	256	612.6	13.1
16	.0	.004	.000	.003	2.6	2	6.0	267	612.7	13.6
17	.0	.005	.000	.005	3.2	10	5.0	256	613.1	13.1
18	.0	.010	.000	.010	3.6	3	4.0	249	613.6	12.3
19	.0	.015	.001	.016	5.8	12	3.0	95	614.2	8.1
20	.0	.014	.000	.014	6.7	12	1.0	99	615.1	6.1
21	.0	.011	.001	.013	6.0	10	2.0	140	616.1	6.2
22	.0	.022	.001	.024	3.2	8	3.0	71	616.7	8.2
23	.0	.007	.000	.007	3.2	2	7.0	39	617.3	8.8
Max :	.0	.022	.010	.024	6.7	25	12.0	270	617.3	13.6
Min :	.0	.002	.000	.002	.9	2	1.0	39	612.5	4.2
Mean :	.0	.007	.000	.008	2.8	7	5.2	233	613.6	8.2
Hours :	24	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/13/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	87	9	277.3	4.3	255	453	406.0	461.0	422.0	0
01	86	28	277.9	3.8	413	496	406.0	461.0	425.0	0
02	82	33	279.2	4.5	279	335	406.0	461.0	431.0	0
03	85	24	278.6	7.1	556	611	406.0	461.0	446.0	0
04	89	23	278.4	7.4	428	437	406.0	461.0	470.0	0
05	94	19	278.2	7.6	302	278	406.0	461.0	512.0	0
06	94	34	278.3	5.4	58	61	406.0	461.0	495.0	0
07	92	35	278.5	29.0	204	171	406.0	461.0	447.0	0
08	91	33	278.7	9.2	214	189	406.0	461.0	446.0	0
09	81	26	280.1	8.7	296	263	406.0	461.0	434.0	0
10	72	24	281.5	5.4	268	237	406.0	461.0	436.0	0
11	64	23	283.0	10.0	280	273	406.0	461.0	437.0	0
12	58	21	283.9	14.2	364	310	406.0	461.0	436.0	0
13	51	20	285.5	9.3	332	294	406.0	461.0	431.0	0
14	48	19	285.8	10.8	333	306	406.0	461.0	426.0	0
15	45	22	286.3	17.2	250	240	406.0	461.0	421.0	0
16	41	17	286.7	3.2	246	231	406.0	461.0	415.0	0
17	42	14	286.3	12.2	256	246	406.0	461.0	414.0	0
18	45	14	285.4	3.5	400	373	406.0	461.0	414.0	0
19	63	20	281.2	14.7	698	773	406.0	461.0	421.0	0
20	71	25	279.2	14.4	661	901	406.0	461.0	435.0	0
21	71	22	279.4	11.9	500	576	406.0	461.0	423.0	0
22	56	19	281.3	9.7	657	743	406.0	461.0	421.0	0
23	54	20	282.0	3.2	273	245	406.0	461.0	414.0	0
Max :	94	35	286.7	29.0	698	901	406.0	461.0	512.0	0
Min :	41	9	277.3	3.2	58	61	406.0	461.0	414.0	0
Mean :	69	22	281.3	9.4	355	376	406.0	461.0	436.3	0
Hours :	24	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/13/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY TEST TEST2  
 Units : MILES  
 Hour -----

00	76.0
01	67.0
02	53.0
03	37.0
04	25.0
05	16.0
06	25.0
07	36.0
08	37.0
09	48.0
10	47.0
11	45.0
12	46.0
13	54.0
14	63.0
15	75.0
16	101.0
17	110.0
18	111.0
19	78.0
20	49.0
21	72.0
22	76.0
23	109.0

Max :	111.0	-999	-999
Min :	16.0	-999	-999
Mean :	60.6	-999	-999
Hours :	24	00	00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 12/01/04

Current Time : 14:03

Daily Data Report - Hourly Averages  
Environmental Systems Corporation  
03/14/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00	.0	.006	.000	.006	2.7	8	7.0	41	617.7	7.7
01	.0	.004	.000	.004	2.5	11	7.0	44	618.2	7.1
02	.0	.005	.000	.005	.8	2	6.0	50	618.6	6.5
03	.0	.006	.000	.006	1.5	5	5.0	61	618.6	5.4
04	.0	.008	.000	.009	2.2	1	4.0	70	618.9	4.5
05	.0	.011	.001	.013	1.5	9	5.0	58	619.4	4.2
06	.0	.015	.001	.017	2.5	6	4.0	74	619.8	3.3
07	.0	.007	.001	.008	2.6	4	5.0	48	620.2	5.1
08	.0	.002	.000	.003	1.1	13	5.0	67	620.4	6.0
09	.0	.004	.003	.007	1.7	5	4.0	74	620.2	6.8
10	.0	.007	.003	.010	1.8	8	5.0	81	619.6	9.1
11	.0	.007	.005	.012	1.6	9	4.0	81	618.9	11.2
12	.0	.003	.001	.004	.9	6	6.0	274	618.2	12.5
13	.0	.001	.000	.000	1.3	12	7.0	263	617.5	13.4
14	.0	.001	.000	.000	.6	9	7.0	259	616.8	14.0
15	.0	.001	.000	.000	.5	4	6.0	251	616.3	14.7
16	.0	.001	.000	.000	.9	7	5.0	239	615.8	14.8
17	.0	.001	.000	.000	1.0	11	4.0	242	615.8	13.8
18	.0	.001	.000	.000	.8	11	3.0	221	615.6	11.4
19	.0	.008	.000	.008	3.4	3	2.0	118	615.5	7.2
20	.0	.008	.000	.008	3.2	6	2.0	106	615.6	5.8
21	.0	.009	.000	.009	2.6	6	4.0	312	615.3	10.7
22	.0	.002	.000	.002	1.3	11	3.0	266	615.3	10.4
23	.0	.002	.000	.001	.7	2	3.0	210	615.1	8.1
Max :	.0	.015	.005	.017	3.4	13	7.0	312	620.4	14.8
Min :	.0	.001	.000	.000	.5	1	2.0	41	615.1	3.3
Mean :	.0	.005	.000	.005	1.6	7	4.7	60	617.6	8.9
Hours :	19	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overage, 'U' - Analog Underrange,  
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
'f' - Floor Exceeded, 'c' - Ceiling Exc.



Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/14/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	65	19	280.8	10.1	269	235	406.0	461.0	414.0	0
01	67	18	280.2	12.9	189	168	406.0	461.0	414.0	0
02	62	17	279.6	3.3	165	160	406.0	461.0	413.0	0
03	67	17	278.5	6.2	201	209	406.0	461.0	413.0	0
04	72	16	277.6	1.9	315	364	406.0	461.0	414.0	0
05	68	16	277.4	10.2	302	333	406.0	461.0	413.0	0
06	70	15	276.5	7.8	459	553	406.0	461.0	414.0	0
07	63	18	278.2	4.6	244	267	406.0	461.0	414.0	0
08	57	16	279.2	15.7	122	152	406.0	461.0	414.0	0
09	56	26	280.0	6.4	130	134	406.0	461.0	417.0	0
10	52	24	282.3	9.8	181	216	406.0	461.0	419.0	0
11	46	34	284.4	10.5	169	178	406.0	461.0	417.0	0
12	41	23	285.7	7.1	94	115	406.0	461.0	415.0	0
13	39	22	286.6	14.5	174	157	406.0	461.0	415.0	0
14	36	22	287.1	11.6	82	153	406.0	461.0	414.0	0
15	31	24	287.8	5.2	88	116	406.0	461.0	412.0	0
16	28	29	288.0	8.4	117	136	406.0	461.0	413.0	0
17	30	23	286.9	14.1	140	176	406.0	461.0	412.0	0
18	37	18	284.6	14.0	168	158	406.0	461.0	411.0	0
19	55	21	280.3	4.5	557	751	406.0	461.0	419.0	0
20	61	27	279.0	7.8	409	606	406.0	461.0	420.0	0
21	46	29	283.8	7.2	286	345	406.0	461.0	416.0	0
22	46	20	283.5	13.3	122	124	406.0	461.0	414.0	0
23	52	17	281.2	3.2	162	158	406.0	461.0	414.0	0
Max :	72	34	288.0	15.7	557	751	406.0	461.0	420.0	0
Min :	28	15	276.5	1.9	82	115	406.0	461.0	411.0	0
Mean :	51	21	282.0	8.7	214	248	406.0	461.0	414.6	0
Hours :	24	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/14/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY TEST TEST2  
 Units : MILES  
 Hour -----

00 108.0  
 01 110.0  
 02 116.0  
 03 118.0  
 04 111.0  
 05 112.0  
 06 106.0  
 07 111.0  
 08 110.0  
 09 96.0  
 10 84.0  
 11 90.0  
 12 104.0  
 13 102.0  
 14 106.0  
 15 127.0  
 16 118.0  
 17 126.0  
 18 129.0  
 19 86.0  
 20 78.0  
 21 98.0  
 22 111.0  
 23 111.0

Max : 129.0 -999 -999  
 Min : 78.0 -999 -999  
 Mean : 107.0 -999 -999  
 Hours : 24 00 00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 12/01/04

Current Time : 14:03

Daily Data Report - Hourly Averages  
Environmental Systems Corporation  
03/15/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00		.004	.000	.004	1.4	9	3.0	106	614.9	3.4
01		.005	.000	.005	2.6	2	3.0	235	615.0	5.4
02		.002	.000	.001	.3	4	5.0	212	614.6	5.4
03		.003	.000	.002	.9	6	4.0	195	614.4	4.1
04		.007	.000	.007	2.2	8	2.0	104	614.8	1.1
05		.010	.004	.015	2.6	3	2.0	108	615.1	.7
06		.014	.002	.017	3.3	10	1.0	142	615.4	.5
07		.015	.011	.027	4.7	13	2.0	247	615.5	6.5
08		.003	.000	.003	1.9	14	9.0	264	615.7	9.8
09		.004	.001	.005	1.1	11	9.0	249	615.8	11.3
10		.003	.001	.005	.8	10	11.0	272	615.8	12.5
11		.003	.000	.004	.5	11	11.0	287	615.5	13.5
12		.002	.000	.003	1.6	3	10.0	287	615.2	14.1
13		.002	.000	.002	.4	17	8.0	280	615.1	14.5
14		.002	.000	.002	.0	31	9.0	264	614.8	15.5
15		.001	.000	.001	.6	12	9.0	276	614.5	16.0
16		.002	.000	.001	.4	18	11.0	264	614.5	16.1
17		.003	.000	.003	1.9	11	11.0	280	614.8	15.1
18		.003	.000	.003	1.9	8	10.0	290	615.2	13.8
19		.003	.000	.002	2.2	11	9.0	293	615.6	12.9
20		.003	.000	.003	2.0	14	9.0	302	615.8	12.2
21		.003	.000	.003	1.5	6	14.0	317	615.9	12.0
22		.002	.000	.002	1.0	12	14.0	303	616.0	11.7
23		.002	.000	.002	1.1	4	5.0	300	616.0	10.5
Max :	-999	.015	.011	.027	4.7	31	14.0	317	616.0	16.1
Min :	-999	.001	.000	.001	.0	2	1.0	104	614.4	.5
Mean :	-999	.004	.000	.005	1.5	10	7.5	266	615.2	9.9
Hours :	00	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/15/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	71	11	276.6	11.2	286	404	406.0	461.0	418.0	0
01	63	24	278.6	2.7	229	247	406.0	461.0	415.0	0
02	61	12	278.6	5.3	82	106	406.0	461.0	414.0	0
03	62	14	277.2	7.7	132	183	406.0	461.0	414.0	0
04	75	16	274.2	9.3	268	406	406.0	461.0	419.0	0
05	76	23	273.8	3.4	419	497	406.0	461.0	420.0	0
06	79	29	273.7	12.0	540	567	406.0	461.0	419.0	0
07	55	28	279.7	15.8	1081	1051	406.0	461.0	420.0	0
08	41	15	282.9	16.6	123	119	406.0	461.0	413.0	0
09	33	26	284.5	13.5	206	193	406.0	461.0	412.0	0
10	31	22	285.7	12.3	137	147	406.0	461.0	411.0	0
11	24	16	286.7	13.6	207	192	406.0	461.0	413.0	0
12	22	16	287.3	4.3	199	184	406.0	461.0	412.0	0
13	19	20	287.7	21.1	241	172	406.0	461.0	411.0	0
14	14	21	288.6	38.1	28	28	406.0	461.0	410.0	0
15	11	25	289.1	15.2	165	122	406.0	461.0	411.0	0
16	10	21	289.3	22.3	29	64	406.0	461.0	411.0	0
17	12	16	288.3	14.2	173	116	406.0	461.0	410.0	0
18	13	14	286.9	10.3	77	91	406.0	461.0	411.0	0
19	13	21	286.1	13.6	68	81	406.0	461.0	414.0	0
20	14	17	285.3	17.6	151	121	406.0	461.0	414.0	0
21	14	14	285.1	7.7	81	89	406.0	461.0	413.0	0
22	14	14	284.9	14.7	97	87	406.0	461.0	411.0	0
23	16	26	283.6	4.7	129	102	406.0	461.0	413.0	0
Max :	79	29	289.3	38.1	1081	1051	406.0	461.0	420.0	0
Min :	10	11	273.7	2.7	29	28	406.0	461.0	410.0	0
Mean :	35	19	283.1	12.8	222	223	406.0	461.0	413.7	0
Hours :	24	24	24	24	23	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/15/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY      TEST      TEST2  
 Units :    MILES  
 Hour -----

00	90.0
01	101.0
02	110.0
03	110.0
04	87.0
05	80.0
06	82.0
07	82.0
08	118.0
09	125.0
10	135.0
11	114.0
12	126.0
13	138.0
14	144.0
15	133.0
16	136.0
17	143.0
18	131.0
19	114.0
20	112.0
21	115.0
22	130.0
23	115.0

Max :	144.0	-999	-999
Min :	80.0	-999	-999
Mean :	115.4	-999	-999
Hours :	24	00	00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 12/01/04

Current Time : 14:03

Daily Data Report - Hourly Averages  
Environmental Systems Corporation  
03/16/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00		.004	.000	.003	2.1	13	2.0	110	616.2	4.6
01		.005	.000	.004	.7	1	1.0	114	616.2	1.4
02		.005	.000	.004	.5	8	1.0	123	615.8	-.5
03		.009	.000	.008	.7	3	1.0	156	615.5	-.2
04		.010	.000	.010	1.5	6	1.0	135	615.3	-.4
05		.026	.014	.040	2.7	5	2.0	118	615.2	-.3
06		.023	.008	.031	3.1	8	1.0	111	615.6	-.2
07		.009	.005	.014	2.1	4	4.0	265	615.7	6.4
08		.002	.000	.002	1.0	14	11.0	269	615.8	9.3
09		.001	.000	.000	.7	6	9.0	274	615.9	10.4
10		.001	.000	.001	.9	8	13.0	272	615.7	11.4
11		.001	.000	.001	1.1	13	9.0	264	615.4	13.0
12		.001	.000	.000	1.9	14	12.0	271	615.1	14.3
13		.001	.000	.000	1.8	20	11.0	272	614.7	14.9
14		.001	.000	.001	1.9	9	10.0	284	614.7	15.8
15		.002	.000	.001	2.2	18	9.0	277	614.6	15.7
16		.001	.000	.001	2.2	31	10.0	276	614.6	15.7
17		.002	.000	.002	1.7	31	6.0	272	614.7	15.1
18		.006	.000	.005	2.8	25	5.0	270	614.7	13.6
19		.008	.000	.007	2.9	15	3.0	142	614.9	9.8
20		.014	.000	.014	3.0	9	2.0	108	615.1	5.8
21		.010	.000	.010	2.3	9	2.0	127	615.2	3.6
22		.017	.003	.020	2.2	7	2.0	122	615.3	2.2
23		.013	.000	.013	2.5	13	1.0	120	615.2	.2
Max :	-999	.026	.014	.040	3.1	31	13.0	284	616.2	15.8
Min :	-999	.001	.000	.000	.5	1	1.0	108	614.6	-.5
Mean :	-999	.007	.001	.008	1.8	12	5.3	200	615.2	7.5
Hours :	00	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/16/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	31	24	277.7	15.8	154	129	406.0	461.0	413.0	0
01	43	24	274.6	1.8	144	123	406.0	461.0	414.0	0
02	53	35	272.5	9.4	134	137	406.0	461.0	414.0	0
03	52	34	272.8	4.0	201	213	406.0	461.0	415.0	0
04	53	30	272.6	7.0	241	240	406.0	461.0	415.0	0
05	53	31	272.7	6.4	787	758	406.0	461.0	421.0	0
06	52	25	272.8	9.1	551	580	406.0	461.0	422.0	0
07	26	31	279.6	4.9	356	465	406.0	461.0	419.0	0
08	20	18	282.4	17.4	153	160	406.0	461.0	413.0	0
09	16	22	283.6	7.8	38	96	406.0	461.0	412.0	0
10	15	21	284.6	10.4	151	153	406.0	461.0	413.0	0
11	14	28	286.1	16.0	92	161	406.0	461.0	414.0	0
12	12	22	287.5	16.8	181	171	406.0	461.0	415.0	0
13	12	24	288.1	24.1	137	143	406.0	461.0	413.0	0
14	12	20	288.9	11.6	131	160	406.0	461.0	413.0	0
15	12	22	288.8	22.3	143	164	406.0	461.0	416.0	0
16	12	17	288.9	38.1	104	127	406.0	461.0	416.0	0
17	12	20	288.2	38.2	115	134	406.0	461.0	414.0	0
18	15	20	286.7	30.6	251	227	406.0	461.0	414.0	0
19	22	21	282.9	17.8	236	257	406.0	461.0	415.0	0
20	33	17	279.0	11.2	385	416	406.0	461.0	417.0	0
21	41	24	276.8	10.8	274	306	406.0	461.0	415.0	0
22	47	27	275.4	8.1	365	403	406.0	461.0	418.0	0
23	56	27	273.4	15.5	301	370	406.0	461.0	420.0	0
Max :	56	35	288.9	38.2	787	758	406.0	461.0	422.0	0
Min :	12	17	272.5	1.8	38	96	406.0	461.0	412.0	0
Mean :	29	24	280.6	14.7	234	253	406.0	461.0	415.4	0
Hours :	24	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/16/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY TEST TEST2  
 Units : MILES  
 Hour -----

00	113.0
01	108.0
02	110.0
03	106.0
04	100.0
05	78.0
06	77.0
07	89.0
08	114.0
09	129.0
10	118.0
11	108.0
12	104.0
13	114.0
14	114.0
15	101.0
16	101.0
17	113.0
18	110.0
19	101.0
20	93.0
21	101.0
22	89.0
23	80.0

Max :	129.0	-999	-999
Min :	77.0	-999	-999
Mean :	102.9	-999	-999
Hours :	24	00	00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.



Current Date : 12/01/04

Current Time : 14:03

Daily Data Report - Hourly Averages  
Environmental Systems Corporation  
03/17/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00		.014	.009	.023	2.4	9	1.0	135	615.2	-.5
01		.020	.017	.038	17.2	17	1.0	121	615.1	-1.2
02		.009	.000	.009	.5	14	1.0	121	614.6	-1.3
03		.013	.003	.016	.5	11	1.0	137	614.5	-1.7
04		.020	.011	.032	1.7	7	1.0	138	614.4	-2.2
05		.020	.008	.028	2.6	7	1.0	115	614.4	-1.8
06		.017	.008	.026	3.3	13	2.0	106	614.7	-.7
07		.012	.010	.023	2.2	27	4.0	175	614.8	5.8
08		.004	.000	.004	.5	18	8.0	250	614.6	11.5
09		.005	.002	.007	.8	7	9.0	251	614.4	12.9
10		.007	.003	.010	1.5	14	9.0	246	614.2	13.9
11		.003	.000	.003	.8	12	10.0	265	613.7	15.1
12		.002	.000	.002	.7	3	14.0	270	613.1	16.4
13		.001	.000	.000	.8	M	14.0	277	612.6	17.3
14		.001	.000	.001	56.9	M	11.0	275	612.2	18.0
15		.002	.000	.002	2.6	36	8.0	272	612.2	18.3
16		.001	.000	.001	1.6	9	9.0	283	612.2	18.1
17		.002	.000	.001	1.1	4	9.0	278	612.2	17.4
18		.004	.000	.004	1.7	5	10.0	301	612.3	16.4
19		.008	.001	.010	2.6	4	5.0	179	612.6	14.4
20		.004	.000	.004	2.4	7	4.0	110	613.1	13.2
21		.004	.000	.003	2.5	10	5.0	72	613.5	12.5
22		.004	.000	.003	1.1	5	9.0	301	613.5	14.2
23		.003	.000	.002	1.3	5	8.0	297	613.6	14.3
Max :	-999	.020	.017	.038	56.9	36	14.0	301	615.2	18.3
Min :	-999	.001	.000	.000	.5	3	1.0	72	612.2	-2.2
Mean :	-999	.007	.003	.010	4.5	11	6.4	223	613.6	10.0
Hours :	00	24	24	24	24	22	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/17/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	60	20	272.6	10.5	482	571	406.0	461.0	421.0	0
01	64	19	271.9	19.8	5393	4764	406.0	461.0	433.0	0
02	64	26	271.7	15.9	1019	882	406.0	461.0	420.0	0
03	66	24	271.3	13.5	782	675	406.0	461.0	419.0	0
04	70	31	270.9	8.6	624	581	406.0	461.0	419.0	0
05	68	39	271.2	8.3	466	461	406.0	461.0	419.0	0
06	61	27	272.4	15.2	539	507	406.0	461.0	420.0	0
07	38	20	278.9	31.7	331	391	406.0	461.0	421.0	0
08	20	17	284.7	21.8	148	142	406.0	461.0	413.0	0
09	18	21	286.1	9.3	285	316	406.0	461.0	414.0	0
10	18	23	287.0	17.5	444	467	406.0	461.0	415.0	0
11	17	21	288.2	14.4	304	302	406.0	461.0	414.0	0
12	15	21	289.5	4.1	185	218	406.0	461.0	414.0	0
13	13	18	290.4		M 118	136	406.0	461.0	416.0	0
14	12	25	291.1		M 291.1	M 194M	406.0	461.0	414.0	0
15	12	26	291.4	44.5	181	183	406.0	461.0	413.0	0
16	12	22	291.2	11.9	118	148	406.0	461.0	412.0	0
17	13	18	290.6	5.9	130	136	406.0	461.0	412.0	0
18	14	18	289.5	7.0	164	175	406.0	461.0	412.0	0
19	16	32	287.5	4.9	226	245	406.0	461.0	416.0	0
20	18	36	286.4	9.3	175	203	406.0	461.0	422.0	0
21	19	40	285.6	12.8	184	213	406.0	461.0	424.0	0
22	15	27	287.3	6.0	97	167	406.0	461.0	421.0	0
23	14	18	287.5	6.4	125	156	406.0	461.0	416.0	0
Max :	70	40	291.4	44.5	5393	4764	406.0	461.0	433.0	0
Min :	12	17	270.9	4.1	97	136	406.0	461.0	412.0	0
Mean :	30	24	283.1	13.6	544	509	406.0	461.0	417.5	0
Hours :	24	24	24	22	23	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/17/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY TEST TEST2  
 Units : MILES  
 Hour -----

00	78.0
01	54.0
02	80.0
03	84.0
04	85.0
05	85.0
06	80.0
07	84.0
08	116.0
09	111.0
10	105.0
11	108.0
12	110.0
13	114.0
14	121.0
15	118.0
16	124.0
17	123.0
18	125.0
19	97.0
20	73.0
21	70.0
22	79.0
23	97.0

Max :	125.0	-999	-999
Min :	54.0	-999	-999
Mean :	96.7	-999	-999
Hours :	24	00	00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 12/01/04

Current Time : 14:03

Daily Data Report - Hourly Averages  
Environmental Systems Corporation  
03/18/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00		.012	.001	.013	2.9	13	5.0	135	613.8	10.5
01		.028	.016	.044	3.6	8	2.0	103	614.1	4.4
02		.020	.001	.022	2.5	3	1.0	131	614.2	1.5
03	.0	.010	.000	.009	2.8	5	1.0	118	614.4	-.3
04	.0	.017	.003	.021	3.4	6	1.0	125	614.7	-.9
05	.0	.022	.011	.033	5.5	11	1.0	127	615.2	-1.4
06	.0	.017	.009	.026	5.1	12	2.0	113	615.6	-1.8
07		.014	.014	.029	5.4	24	1.0	100	615.7	2.4
08		.012	.018	.031	2.9	27	4.0	232	615.7	11.2
09	.0	.004	.001	.006	2.1	13	8.0	246	615.9	13.8
10		.003	.000	.004	2.6	13	8.0	230	615.8	15.6
11	.0	.002	.000	.003	1.5	7	8.0	252	615.7	17.2
12	M	.002	.000	.002	1.2	3	8.0	252	615.5	18.2
13	M		M	M	1.6	7	9.0	273	615.1	18.9
14	.2	M	M	M	2.6	14	9.0	271	615.0	19.1
15	.3	.004	.000	.005	3.3	46	5.0	246	614.9	19.6
16	.2	.003	.000	.003	3.1	56	4.0	242	614.9	19.4
17	.2	.002	.000	.002	3.3	6	2.0	237	615.1	18.1
18	.3	.015	.000	.015	4.2	2	2.0	145	615.5	12.4
19	.3	.019	.000	.019	4.2	1	2.0	110	616.1	7.8
20	.2	.013	.000	.013	4.3	12	1.0	109	616.7	5.0
21	.2	.011	.000	.010	2.8	17	2.0	118	617.1	3.1
22	.2	.012	.000	.011	2.6	3	1.0	108	617.2	1.4
23	.1	.008	.000	.007	2.5	11	2.0	113	617.2	.3
Max :	.3	.028	.018	.044	5.5	56	9.0	273	617.2	19.6
Min :	.0	.002	.000	.002	1.2	1	1.0	100	613.8	-1.8
Mean :	.1	.011	.003	.014	3.1	13	3.7	163	615.4	8.9
Hours :	16	22	22	22	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/18/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	21	24	283.7	15.5	455	403	406.0	461.0	418.0	0
01	38	22	277.6	9.9	828	828	406.0	461.0	424.0	0
02	50	22	274.6	4.5	522	530	406.0	461.0	421.0	0
03	59	19	272.7	6.5	342	352	406.0	461.0	421.0	0
04	63	18	272.1	7.2	487	499	406.0	461.0	421.0	0
05	66	28	271.7	12.4	658	649	406.0	461.0	427.0	0
06	69	12	271.3	14.2	628	611	406.0	461.0	428.0	0
07	53	20	275.5	27.9	562	588	406.0	461.0	427.0	0
08	25	28	284.4	31.9	545	560	406.0	461.0	423.0	0
09	19	23	286.9	16.5	205	196	406.0	461.0	417.0	0
10	17	21	288.7	16.7	202	198	406.0	461.0	417.0	0
11	14	22	290.3	8.5	207	180	406.0	461.0	416.0	0
12	12	23	291.3	3.7	153	149	406.0	461.0	415.0	0
13	12	19	292.0	8.9	149	147	406.0	461.0	415.0	0
14	12	17	292.2	17.4	256	255	406.0	461.0	417.0	0
15	12	29	292.8	56.4	340	336	406.0	461.0	423.0	0
16	12	24	292.6	68.3	248	234	406.0	461.0	426.0	1
17	14	21	291.3	8.0	322	247	406.0	461.0	416.0	0
18	27	15	285.5	2.4	535	443	406.0	461.0	420.0	0
19	40	11	280.9	1.8	540	495	406.0	461.0	421.0	0
20	49	19	278.1	14.2	341	357	406.0	461.0	425.0	0
21	54	13	276.2	20.3	345	350	406.0	461.0	423.0	0
22	60	8	274.6	3.8	289	314	406.0	461.0	425.0	0
23	63	11	273.5	12.4	269	285	406.0	461.0	424.0	0
Max :	69	29	292.8	68.3	828	828	406.0	461.0	428.0	1
Min :	12	8	271.3	1.8	149	147	406.0	461.0	415.0	0
Mean :	35	19	282.1	16.2	392	383	406.0	461.0	421.2	0
Hours :	24	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/18/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY TEST TEST2  
 Units : MILES  
 Hour -----

00	87.0
01	67.0
02	76.0
03	75.0
04	76.0
05	61.0
06	59.0
07	60.0
08	75.0
09	92.0
10	91.0
11	96.0
12	103.0
13	101.0
14	91.0
15	75.0
16	72.0
17	95.0
18	80.0
19	75.0
20	65.0
21	70.0
22	66.0
23	68.0

Max :	103.0	-999	-999
Min :	59.0	-999	-999
Mean :	78.1	-999	-999
Hours :	24	00	00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 12/01/04  
 Current Time : 14:03

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/19/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00	.1	.009	.000	.009	2.1	11	1.0	110	617.2	-.3
01	.1	.012	.000	.012	2.4	7	1.0	114	617.1	-.8
02	.1	.008	.000	.008	1.9	6	1.0	117	617.0	-1.3
03	.1	.008	.000	.008	2.2	10	1.0	116	617.0	-1.9
04	.1	.013	.001	.014	3.7	7	1.0	118	617.1	-2.0
05	.1	.012	.000	.012	3.3	10	.0	125	617.3	-2.3
06	.1	.016	.003	.019	4.6	5	.0	132	617.7	-1.9
07	.3	.017	.021	.039	7.0	32	1.0	109	617.9	3.3
08	.2	.006	.005	.012	3.0	18	6.0	281	617.9	12.8
09	.1	.004	.000	.005	3.2	14	7.0	263	618.0	16.1
10	.1	.014	.000	.014	3.3	16	7.0	257	618.1	18.0
11	.2	M	M	M	2.3	9	7.0	254	617.8	19.7
12	.2	.003	.000	.003	2.7	15	6.0	245	617.5	20.6
13	.2	.003	.000	.004	2.4	17	7.0	251	617.1	21.0
14	.2	.002	.000	.002	2.2	9	7.0	251	616.9	21.3
15	.2	.003	.000	.003	3.3	9	6.0	241	616.7	21.7
16	.2	.003	.000	.003	3.9	9	5.0	254	616.7	21.5
17	.2	.002	.000	.002	4.0	8	3.0	229	616.9	20.1
18	.3	.015	.000	.014	5.6	8	2.0	132	617.3	14.0
19	.2	.017	.000	.017	5.3	14	2.0	102	617.8	9.1
20	.2	.011	.000	.010	5.0	19	1.0	115	618.2	6.6
21	.2	.011	.000	.011	4.9	13	2.0	119	618.7	5.1
22	.2	.013	.000	.013	4.8	12	2.0	120	619.0	3.6
23	.1	.011	.000	.011	4.4	16	1.0	121	619.3	2.7
Max :	.3	.017	.021	.039	7.0	32	7.0	281	619.3	21.7
Min :	.1	.002	.000	.002	1.9	5	.0	102	616.7	-2.3
Mean :	.1	.009	.001	.010	3.6	12	3.2	162	617.5	9.4
Hours :	24	23	23	23	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/19/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	66	10	272.7	13.2	293	283	406.0	461.0	422.0	0
01	68	10	272.3	8.0	439	457	406.0	461.0	424.0	0
02	70	12	271.7	7.5	328	371	406.0	461.0	422.0	0
03	73	10	271.2	12.1	304	332	406.0	461.0	422.0	0
04	73	9	271.0	8.1	443	471	406.0	461.0	426.0	0
05	75	15	270.8	11.7	431	461	406.0	461.0	424.0	0
06	75	14	271.1	5.7	538	579	406.0	461.0	425.0	0
07	54	14	276.5	37.3	898	897	406.0	461.0	432.0	0
08	24	23	285.9	22.3	519	587	406.0	461.0	425.0	0
09	16	17	289.2	17.8	285	295	406.0	461.0	420.0	0
10	15	19	291.1	20.3	199	229	406.0	461.0	421.0	0
11	13	23	292.8	11.4	259	248	406.0	461.0	421.0	0
12	12	23	293.8	18.2	344	347	406.0	461.0	422.0	0
13	11	26	294.2	21.4	357	373	406.0	461.0	420.0	0
14	11	22	294.5	11.6	247	285	406.0	461.0	419.0	0
15	11	29	294.9	11.1	344	329	406.0	461.0	421.0	0
16	11	23	294.6	11.1	335	353	406.0	461.0	421.0	0
17	13	21	293.2	10.0	357	309	406.0	461.0	421.0	0
18	26	17	287.2	10.1	622	549	406.0	461.0	424.0	0
19	39	6	282.3	16.3	586	535	406.0	461.0	428.0	0
20	46	9	279.7	22.3	491	506	406.0	461.0	432.0	0
21	49	11	278.2	15.8	463	529	406.0	461.0	431.0	0
22	55	17	276.8	14.8	533	582	406.0	461.0	431.0	0
23	57	16	275.8	18.7	409	448	406.0	461.0	430.0	0
Max :	75	29	294.9	37.3	898	897	406.0	461.0	432.0	0
Min :	11	6	270.8	5.7	199	229	406.0	461.0	419.0	0
Mean :	40	16	282.5	14.8	417	431	406.0	461.0	424.3	0
Hours :	24	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.



Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/19/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY TEST TEST2  
 Units : MILES  
 Hour -----

00	74.0
01	67.0
02	72.0
03	72.0
04	64.0
05	68.0
06	65.0
07	52.0
08	70.0
09	78.0
10	76.0
11	76.0
12	73.0
13	80.0
14	82.0
15	76.0
16	75.0
17	76.0
18	67.0
19	59.0
20	52.0
21	54.0
22	53.0
23	56.0

Max :	82.0	-999	-999
Min :	52.0	-999	-999
Mean :	68.2	-999	-999
Hours :	24	00	00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 12/01/04

Current Time : 14:03

Daily Data Report - Hourly Averages  
Environmental Systems Corporation  
03/20/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00	.1	.009	.000	.009	3.4	8	1.0	118	619.5	1.4
01	.1	.011	.001	.012	3.1	10	1.0	114	619.5	1.2
02	.1	.009	.000	.009	3.0	5	1.0	116	619.6	.1
03	.1	.012	.002	.014	3.4	7	2.0	111	619.8	-.1
04	.1	.007	.000	.007	2.8	8	1.0	127	620.0	-.3
05	.1	.006	.000	.006	3.4	5	1.0	121	620.5	-.4
06	.1	.006	.000	.007	3.8	4	1.0	110	620.8	.1
07	.2	.009	.004	.014	5.3	12	1.0	104	621.1	3.5
08	.2	.009	.006	.015	4.0	11	3.0	83	621.1	13.9
09	.1	.003	.000	.003	1.9	19	6.0	74	621.2	19.6
10	.1	.003	.000	.003	1.2	16	8.0	73	621.3	21.8
11	.1	.001	.000	.000	.7	19	8.0	98	621.1	23.0
12	.1	.000	.000	.000	.8	25	7.0	94	620.9	23.5
13	.1	.001	.000	.001	.8	6	8.0	82	620.6	23.6
14	.1	.000	.000	.000	1.7	5	8.0	99	620.5	23.7
15	.1	.001	.000	.000	3.9	10	11.0	96	620.6	23.0
16	.1	.001	.000	.000	6.5	29	11.0	96	621.0	21.0
17	.1	.001	.000	.000	5.5	25	9.0	87	621.6	18.5
18	.2	.010	.000	.011	4.8	17	8.0	30	622.1	15.8
19	.1	.008	.000	.008	5.0	20	9.0	26	622.8	14.2
20	.1	.011	.000	.012	4.0	17	7.0	61	623.4	12.8
21	.1	.011	.000	.011	3.3	19	7.0	77	623.7	11.4
22	.1	.011	.000	.011	3.4	12	7.0	69	623.9	10.3
23	.1	.012	.000	.012	3.4	21	6.0	64	624.2	9.0
Max :	.2	.012	.006	.015	6.5	29	11.0	127	624.2	23.7
Min :	.1	.000	.000	.000	.7	4	1.0	26	619.5	-.4
Mean :	.1	.006	.000	.006	3.2	13	5.5	89	621.2	12.1
Hours :	24	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/20/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	62	14	274.6	9.6	358	397	406.0	461.0	428.0	0
01	63	14	274.3	11.5	402	426	406.0	461.0	428.0	0
02	68	9	273.3	6.7	325	341	406.0	461.0	426.0	0
03	69	13	273.0	8.4	390	396	406.0	461.0	427.0	0
04	70	17	272.8	9.2	249	236	406.0	461.0	425.0	0
05	71	14	272.6	6.3	247	242	406.0	461.0	425.0	0
06	68	16	273.3	5.5	355	354	406.0	461.0	426.0	0
07	59	14	276.6	13.8	534	510	406.0	461.0	430.0	0
08	29	19	287.1	14.0	697	767	406.0	461.0	435.0	0
09	15	18	292.7	22.8	146	222	406.0	461.0	426.0	0
10	12	20	295.0	19.7	177	217	406.0	461.0	424.0	0
11	10	21	296.1	23.6	116	135	406.0	461.0	423.0	0
12	10	27	296.6	31.0	86	128	406.0	461.0	419.0	0
13	9	19	296.7	7.6	104	123	406.0	461.0	419.0	0
14	10	23	296.8	6.6	127	127	406.0	461.0	420.0	0
15	11	18	296.1	13.2	212	187	406.0	461.0	425.0	0
16	15	18	294.1	35.2	229	211	406.0	461.0	428.0	0
17	21	20	291.7	30.6	171	224	406.0	461.0	427.0	0
18	25	19	288.9	20.9	390	450	406.0	461.0	430.0	0
19	26	19	287.3	24.1	261	336	406.0	461.0	430.0	0
20	26	16	286.0	20.6	326	366	406.0	461.0	429.0	0
21	28	15	284.5	22.1	394	420	406.0	461.0	429.0	0
22	30	16	283.4	14.9	329	364	406.0	461.0	429.0	0
23	32	16	282.2	25.2	315	327	406.0	461.0	431.0	0
Max :	71	27	296.8	35.2	697	767	406.0	461.0	435.0	0
Min :	9	9	272.6	5.5	86	123	406.0	461.0	419.0	0
Mean :	34	17	285.2	16.7	289	312	406.0	461.0	426.6	0
Hours :	24	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/20/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY TEST TEST2  
 Units : MILES  
 Hour -----

00	59.0
01	59.0
02	62.0
03	60.0
04	65.0
05	65.0
06	62.0
07	55.0
08	50.0
09	64.0
10	69.0
11	74.0
12	83.0
13	83.0
14	80.0
15	66.0
16	59.0
17	61.0
18	55.0
19	55.0
20	56.0
21	56.0
22	56.0
23	53.0

Max :	83.0	-999	-999
Min :	50.0	-999	-999
Mean :	62.7	-999	-999
Hours :	24	00	00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 12/01/04

Current Time : 14:03

Daily Data Report - Hourly Averages  
Environmental Systems Corporation  
03/21/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00	.1	.008	.000	.009	3.6	20	6.0	61	624.4	7.8
01	.1	.008	.000	.008	3.2	16	7.0	46	624.6	6.7
02	.1	.005	.000	.005	2.0	17	6.0	54	624.8	5.5
03	.1	.004	.000	.004	1.2	12	6.0	47	624.6	4.9
04	.1	.005	.000	.005	.5	10	6.0	45	624.2	4.6
05	.1	.010	.000	.010	1.7	10	5.0	78	624.1	3.6
06	.1	.024	.004	.029	2.8	10	5.0	80	624.2	2.6
07	.1	.010	.003	.014	1.9	4	5.0	61	624.1	5.5
08	.1	.002	.000	.002	2.2	13	7.0	64	624.1	7.1
09	.1	.002	.000	.001	1.8	13	6.0	69	623.8	8.9
10	.1	.001	.000	.000	1.8	8	5.0	87	623.2	10.7
11	.1	.001	.000	.000	2.0	12	4.0	79	622.5	12.4
12	.1	.007	.004	.011	1.7	10	4.0	316	621.4	14.8
13	.1	.002	.000	.002	1.9	14	7.0	263	620.6	16.8
14	.1	.001	.000	.001	4.6	18	7.0	263	620.0	17.5
15	.1	.001	.000	.001	4.8	20	6.0	270	619.4	17.8
16	.1	.001	.000	.000	4.0	19	6.0	270	618.9	17.8
17	.1	.001	.000	.001	4.6	18	4.0	257	618.5	17.1
18	.1	.004	.000	.003	6.6	23	3.0	222	618.5	14.2
19	.2	.011	.000	.010	9.3	33	1.0	99	618.7	9.7
20	.1	.013	.002	.015	6.4	21	1.0	111	619.0	7.3
21	.1	.015	.002	.018	12.9	11	1.0	117	619.0	5.3
22	.1	.019	.006	.025	3.1	16	1.0	122	619.0	4.1
23	.1	.020	.006	.027	2.4	14	1.0	119	618.8	2.9
Max :	.2	.024	.006	.029	12.9	33	7.0	316	624.8	17.8
Min :	.1	.001	.000	.000	.5	4	1.0	45	618.5	2.6
Mean :	.1	.007	.001	.008	3.6	15	4.5	73	621.6	9.4
Hours :	24	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/21/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	36	17	281.0	23.2	216	232	406.0	461.0	432.0	0
01	40	15	279.8	18.7	217	240	406.0	461.0	432.0	0
02	43	17	278.6	20.2	156	164	406.0	461.0	431.0	0
03	44	17	278.0	14.6	112	125	406.0	461.0	429.0	0
04	45	17	277.7	12.1	117	123	406.0	461.0	428.0	0
05	48	15	276.7	11.6	224	246	406.0	461.0	428.0	0
06	53	15	275.8	11.6	725	682	406.0	461.0	430.0	0
07	41	16	278.7	5.0	296	280	406.0	461.0	428.0	0
08	38	16	280.2	14.9	114	110	406.0	461.0	427.0	0
09	36	20	282.0	15.3	121	98	406.0	461.0	429.0	0
10	35	26	283.9	9.3	94	98	406.0	461.0	429.0	0
11	32	26	285.5	15.0	101	101	406.0	461.0	429.0	0
12	30	25	288.0	12.9	144	145	406.0	461.0	430.0	0
13	26	22	290.0	17.0	121	131	406.0	461.0	428.0	0
14	27	20	290.7	22.1	207	179	406.0	461.0	432.0	0
15	29	21	290.9	24.3	184	177	406.0	461.0	433.0	0
16	28	18	291.0	23.5	150	169	406.0	461.0	434.0	0
17	29	18	290.2	22.7	213	212	406.0	461.0	433.0	0
18	37	14	287.3	28.1	303	302	406.0	461.0	438.0	0
19	53	11	282.9	39.4	618	685	406.0	461.0	444.0	0
20	61	14	280.4	24.6	613	619	406.0	461.0	438.0	0
21	68	18	278.5	13.6	634	601	406.0	461.0	440.0	0
22	72	20	277.3	18.3	718	685	406.0	461.0	441.0	0
23	77	27	276.1	16.4	783	736	406.0	461.0	444.0	0
Max :	77	27	291.0	39.4	783	736	406.0	461.0	444.0	0
Min :	26	11	275.8	5.0	94	98	406.0	461.0	427.0	0
Mean :	42	18	282.5	18.1	299	297	406.0	461.0	432.7	0
Hours :	24	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ##% Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/21/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY TEST TEST2  
 Units : MILES  
 Hour -----

00	51.0
01	52.0
02	53.0
03	57.0
04	59.0
05	58.0
06	55.0
07	58.0
08	61.0
09	57.0
10	56.0
11	57.0
12	55.0
13	58.0
14	51.0
15	50.0
16	49.0
17	49.0
18	46.0
19	39.0
20	44.0
21	42.0
22	41.0
23	38.0

Max :	61.0	-999	-999
Min :	38.0	-999	-999
Mean :	51.5	-999	-999
Hours :	24	00	00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 12/01/04  
 Current Time : 14:03

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/22/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00	.1	.015	.005	.020	4.7	20	1.0	120	618.6	2.5
01	.1	.016	.006	.022	4.8	8	1.0	116	618.4	2.4
02	.0	.006	.001	.007	3.8	13	3.0	100	618.1	3.4
03	.0	.006	.001	.007	3.1	14	3.0	106	617.7	5.3
04	.1	.007	.002	.009	4.8	7	2.0	154	617.8	6.0
05	.0	.001	.000	.000	3.5	6	5.0	252	617.9	9.8
06	.1	.005	.000	.005	3.8	11	3.0	155	618.0	6.7
07	.0	.002	.000	.002	3.5	8	6.0	267	618.0	10.8
08	.0	.001	.000	.001	3.3	15	7.0	255	618.0	12.2
09	.0	.001	.000	.000	2.7	11	7.0	248	617.9	13.6
10	.1	.002	.000	.002	2.3	2	8.0	272	617.5	14.7
11	.1	.002	.000	.002	2.1	14	8.0	274	616.9	15.9
12	.1	.002	.000	.001	2.0	12	7.0	264	616.1	17.4
13	.1	.001	.000	.001	2.1	12	8.0	264	615.4	18.7
14	.1	.001	.000	.001	2.5	14	8.0	269	614.9	19.2
15	.1	.001	.000	.000	2.7	14	6.0	256	614.5	19.6
16	.1	.001	.000	.000	2.0	14	6.0	257	614.2	19.2
17	.1	.001	.000	.000	2.3	5	5.0	250	614.1	18.2
18	.1	.000	.000	.000	3.2	6	5.0	257	614.2	16.4
19	.1	.003	.000	.003	3.0	6	6.0	272	614.6	14.9
20	.1	.002	.000	.001	2.4	10	6.0	254	615.0	14.2
21	.0	.001	.000	.001	2.0	6	6.0	253	615.2	13.3
22	.0	.001	.000	.000	2.4	1	7.0	255	615.4	12.4
23	.0	.001	.000	.000	2.7	5	6.0	252	615.4	11.9
Max :	.1	.016	.006	.022	4.8	20	8.0	274	618.6	19.6
Min :	.0	.000	.000	.000	2.0	1	1.0	100	614.1	2.4
Mean :	.0	.003	.000	.003	2.9	9	5.4	243	616.4	12.4
Hours :	24	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overage, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.



Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/22/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	80	28	275.7	22.7	704	643	406.0	461.0	446.0	0
01	83	26	275.5	9.5	668	627	406.0	461.0	449.0	0
02	82	27	276.5	14.9	363	363	406.0	461.0	444.0	0
03	77	31	278.5	16.8	338	360	406.0	461.0	438.0	0
04	78	34	279.1	9.0	484	455	406.0	461.0	435.0	0
05	68	19	282.9	7.5	106	115	406.0	461.0	430.0	0
06	76	30	279.9	13.2	396	431	406.0	461.0	435.0	0
07	63	17	284.0	9.9	124	150	406.0	461.0	431.0	0
08	58	20	285.3	17.7	101	123	406.0	461.0	430.0	0
09	52	24	286.8	14.0	21	107	406.0	461.0	431.0	0
10	48		287.9	2.8	168	166	406.0	461.0	430.0	0
11	44		289.1	17.8	224	197	406.0	461.0	431.0	0
12	38		290.6	15.3	165	205	406.0	461.0	430.0	0
13	34		291.8	14.7	186	211	406.0	461.0	430.0	0
14	31		292.4	17.5	216	253	406.0	461.0	431.0	0
15	29		292.8	17.6	129	170	406.0	461.0	429.0	0
16	29		292.3	17.5	225	227	406.0	461.0	427.0	0
17	32		291.4	6.2	221	227	406.0	461.0	427.0	0
18	41		289.6	8.1	156	133	406.0	461.0	425.0	0
19	50		288.0	7.3	162	148	406.0	461.0	425.0	0
20	53		287.4	12.2	96	103	406.0	461.0	426.0	0
21	57		286.4	7.9	111	98	406.0	461.0	425.0	0
22	63		285.5	1.3	104	101	406.0	461.0	426.0	0
23	67		285.1	6.2	141	139	406.0	461.0	428.0	0
Max :	83	34	292.8	22.7	704	643	406.0	461.0	449.0	0
Min :	29	17	275.5	1.3	21	98	406.0	461.0	425.0	0
Mean :	55	25	285.6	11.9	233	239	406.0	461.0	431.6	0
Hours :	24	10	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/22/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY TEST TEST2  
 Units : MILES  
 Hour -----

00	37.0
01	34.0
02	38.0
03	44.0
04	47.0
05	54.0
06	47.0
07	53.0
08	56.0
09	53.0
10	55.0
11	53.0
12	55.0
13	55.0
14	54.0
15	56.0
16	60.0
17	61.0
18	65.0
19	66.0
20	63.0
21	65.0
22	63.0
23	59.0

Max :	66.0	-999	-999
Min :	34.0	-999	-999
Mean :	53.8	-999	-999
Hours :	24	00	00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 12/01/04

Current Time : 14:03

Daily Data Report - Hourly Averages  
Environmental Systems Corporation  
03/23/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00	.0	.001	.000	.000	2.3	6	6.0	249	615.4	11.4
01	.0	.001	.000	.000	1.9	8	6.0	245	615.1	11.0
02	.0	.001	.000	.001	2.4	3	6.0	254	614.8	10.6
03	.0	.002	.000	.001	2.1	5	5.0	260	614.5	10.2
04	.0	.002	.000	.001	2.9	5	5.0	261	614.5	10.1
05	.0	.002	.000	.001	2.9	7	4.0	262	614.5	9.8
06	.0	.003	.000	.003	3.6	5	4.0	267	614.6	9.9
07	.1	.003	.000	.004	4.2	11	8.0	270	614.8	10.7
08	.1	.003	.000	.004	4.0	13	8.0	269	615.0	11.3
09	.1				3.2	10	7.0	256	614.9	13.1
10	.0				3.1	10	7.0	226	614.7	14.9
11	.1				1.4	8	8.0	238	614.2	16.9
12	.1	.001	.000	.001	.3	5	9.0	263	613.6	18.4
13	.1	.001	.000	.001	1.0	7	7.0	252	613.0	19.5
14	.0	.001	.000	.001	1.2	6	6.0	270	612.6	20.0
15	.1	.002	.000	.002	2.6	10	7.0	268	612.6	19.8
16	.0	.005	.001	.007	1.8	13	6.0	250	612.7	17.5
17	.0	.001	.000	.001	3.6	11	2.0	258	612.8	16.3
18	.0	.001	.000	.000	2.4	4	3.0	217	613.1	14.6
19	.0	.009	.000	.009	5.3	3	4.0	215	613.8	14.6
20	.0	.002	.000	.002	7.5	12	9.0	250	615.1	13.1
21	.0	.001	.000	.001	4.5	6	3.0	236	615.8	10.2
22	.0	.002	.000	.002	1.2	5	4.0	243	615.7	10.3
23	.0	.006	.001	.007	1.4	2	1.0	239	615.3	9.6
Max :	.1	.009	.001	.009	7.5	13	9.0	270	615.8	20.0
Min :	.0	.001	.000	.000	.3	2	1.0	215	612.6	9.6
Mean :	.0	.002	.000	.002	2.7	7	5.6	250	614.2	13.4
Hours :	24	21	21	21	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overage, 'U' - Analog Underrange,  
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/23/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	71		284.6	7.2	181	160	406.0	461.0	429.0	0
01	73		284.2	9.9	156	184	406.0	461.0	431.0	0
02	75		283.8	3.9	201	200	406.0	461.0	434.0	0
03	77		283.3	5.9	195	205	406.0	461.0	435.0	0
04	78		283.2	6.5	223	198	406.0	461.0	436.0	0
05	79		283.0	9.0	197	212	406.0	461.0	437.0	0
06	78		283.0	6.5	250	228	406.0	461.0	439.0	0
07	74		283.9	13.6	234	254	406.0	461.0	441.0	0
08	72		284.5	15.5	295	265	406.0	461.0	445.0	0
09	63		286.2	12.5	174	202	406.0	461.0	438.0	0
10	56		288.0	12.7	276	230	406.0	461.0	436.0	0
11	47		290.0	10.6	237	236	406.0	461.0	432.0	0
12	38		291.5	6.2	117	173	406.0	461.0	428.0	0
13	31		292.7	8.7	196	175	406.0	461.0	427.0	0
14	28		293.1	8.5	118	160	406.0	461.0	427.0	0
15	27		293.0	13.0	278	289	406.0	461.0	429.0	0
16	28		290.6	16.2	319	306	406.0	461.0	429.0	0
17	33		289.5	14.1	216	147	406.0	461.0	425.0	0
18	40		287.7	4.8	92	113	406.0	461.0	425.0	0
19	40		287.8	3.7	259	240	406.0	461.0	427.0	0
20	58		286.2	15.3	300	212	406.0	461.0	429.0	0
21	82		283.4	7.6	159	130	406.0	461.0	427.0	0
22	79		283.5	6.7	97	102	406.0	461.0	425.0	0
23	84		282.7	3.2	113	117	406.0	461.0	426.0	0
Max :	84	-999	293.1	16.2	319	306	406.0	461.0	445.0	0
Min :	27	-999	282.7	3.2	92	102	406.0	461.0	425.0	0
Mean :	58	-999	286.6	9.2	203	197	406.0	461.0	431.5	0
Hours :	24	00	24	24	24	24	24	24	24	24

Data : '<' - Less than ##% Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/23/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY TEST TEST2  
 Units : MILES  
 Hour -----

00	56.0
01	54.0
02	49.0
03	47.0
04	46.0
05	45.0
06	43.0
07	41.0
08	37.0
09	44.0
10	46.0
11	52.0
12	58.0
13	60.0
14	61.0
15	57.0
16	56.0
17	64.0
18	65.0
19	60.0
20	57.0
21	60.0
22	64.0
23	62.0

Max :	65.0	-999	-999
Min :	37.0	-999	-999
Mean :	53.5	-999	-999
Hours :	24	00	00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 12/01/04

Current Time : 14:03

Daily Data Report - Hourly Averages  
Environmental Systems Corporation  
03/24/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00	.0	.003	.000	.003	1.7	8	1.0	195	615.2	9.3
01	.0	.003	.000	.003	.8	3	2.0	263	615.2	10.4
02	.0	.012	.003	.015	8.7	3	2.0	154	614.7	9.2
03	.0	.005	.000	.005	.9	4	2.0	114	614.6	7.8
04	.0	.004	.000	.004	.4	5	6.0	263	614.8	10.6
05	.0	.008	.000	.009	1.5	7	3.0	185	615.0	9.1
06	.1	.011	.002	.014	1.8	7	4.0	253	614.8	8.6
07	.0	.002	.000	.002	1.9	12	8.0	263	614.9	12.3
08	.1	.004	.001	.006	2.6	17	8.0	253	615.1	13.4
09	.1	.005	.001	.006	2.3	17	9.0	253	615.2	14.6
10	.1	.005	.001	.006	2.4	11	8.0	255	615.1	15.8
11	.1	.004	.001	.005	2.6	15	8.0	245	614.8	17.2
12	.0	.002	.000	.002	1.6	12	8.0	255	614.3	18.3
13	.0	.002	.000	.002	.8	8	7.0	255	613.6	19.6
14	.0	.002	.000	.002	1.4	10	6.0	276	613.3	20.3
15	.0	.001	.000	.001	1.8	12	6.0	243	612.9	20.8
16	.0	.002	.000	.002	1.9	7	6.0	270	612.9	20.4
17	.0	.003	.000	.003	2.8	6	5.0	267	612.9	19.9
18	.1	.016	.000	.017	4.9	8	1.0	156	613.1	16.9
19	.1	.011	.000	.011	5.5	14	1.0	120	613.6	12.4
20	.1	.011	.001	.013	4.7	8	1.0	119	614.2	10.8
21	.1	.018	.003	.022	3.7	10	2.0	119	614.3	9.6
22	.1	.012	.000	.013	3.9	3	1.0	126	614.2	9.2
23	.1	.016	.005	.022	4.7	7	1.0	123	614.3	8.8
Max :	.1	.018	.005	.022	8.7	17	9.0	276	615.2	20.8
Min :	.0	.001	.000	.001	.4	3	1.0	114	612.9	7.8
Mean :	.0	.006	.000	.007	2.7	8	4.4	219	614.2	13.5
Hours :	24	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/24/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	87		282.4	9.4	91	110	406.0	461.0	427.0	0
01	75		283.5	3.6	111	130	406.0	461.0	425.0	0
02	82		282.3	4.3	597	513	406.0	461.0	428.0	0
03	87		280.9	4.8	295	285	406.0	461.0	428.0	0
04	68		283.7	6.2	155	161	406.0	461.0	426.0	0
05	78		282.3	8.6	305	281	406.0	461.0	428.0	0
06	79		281.7	9.1	392	359	406.0	461.0	428.0	0
07	55		285.5	14.4	137	151	406.0	461.0	426.0	0
08	52		286.5	20.3	285	261	406.0	461.0	428.0	0
09	46		287.8	21.2	412	360	406.0	461.0	428.0	0
10	42		289.0	13.8	398	388	406.0	461.0	430.0	0
11	36		290.3	18.2	509	461	406.0	461.0	430.0	0
12	31		291.4	14.8	400	404	406.0	461.0	429.0	0
13	25		292.8	10.6	252	308	406.0	461.0	427.0	0
14	21		293.5	12.5	320	322	406.0	461.0	426.0	0
15	19		293.9	14.9	386	334	406.0	461.0	426.0	0
16	18		293.6	9.2	135	236	406.0	461.0	425.0	0
17	19		293.1	7.5	234	253	406.0	461.0	425.0	0
18	27		290.0	10.2	685	596	406.0	461.0	427.0	0
19	42		285.5	16.6	611	597	406.0	461.0	430.0	0
20	48		283.9	9.9	451	472	406.0	461.0	428.0	0
21	53		282.8	12.3	762	728	406.0	461.0	430.0	0
22	56		282.3	4.4	508	490	406.0	461.0	429.0	0
23	59		281.9	8.7	675	675	406.0	461.0	431.0	0
Max :	87	-999	293.9	21.2	762	728	406.0	461.0	431.0	0
Min :	18	-999	280.9	3.6	91	110	406.0	461.0	425.0	0
Mean :	50	-999	286.6	11.0	379	369	406.0	461.0	427.7	0
Hours :	24	00	24	24	24	24	24	24	24	24

Data : '<' - Less than ##% Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/24/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY TEST TEST2  
 Units : MILES  
 Hour -----

00	61.0
01	65.0
02	59.0
03	59.0
04	62.0
05	58.0
06	58.0
07	62.0
08	59.0
09	58.0
10	55.0
11	54.0
12	57.0
13	61.0
14	63.0
15	63.0
16	64.0
17	64.0
18	61.0
19	56.0
20	58.0
21	55.0
22	57.0
23	53.0

Max :	65.0	-999	-999
Min :	53.0	-999	-999
Mean :	59.2	-999	-999
Hours :	24	00	00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.



Current Date : 12/01/04

Current Time : 14:03

Daily Data Report - Hourly Averages  
Environmental Systems Corporation  
03/25/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00	.1	.018	.029	.047	5.3	15	.0	115	614.5	8.4
01	.1	.019	.039	.059	5.0	15	.0	120	614.6	8.6
02	.0	.017	.013	.031	4.4	10	1.0	131	614.7	8.2
03	.0	.016	.008	.025	4.1	5	1.0	129	614.8	7.3
04	.0	.012	.002	.015	4.3	14	1.0	121	615.2	5.0
05	.0	.011	.005	.017	4.1	6	1.0	109	615.5	3.7
06	.0	.009	.005	.015	4.9	10	1.0	117	615.8	3.7
07	.0	.008	.006	.014	5.2	20	1.0	104	615.7	7.5
08	.0	.006	.005	.012	4.4	20	4.0	292	615.8	13.9
09	.0	.002	.000	.002	3.0	15	5.0	253	615.9	16.4
10	.0	.001	.000	.001	1.9	8	6.0	252	616.0	17.6
11	.0	.002	.000	.003	1.1	14	8.0	288	615.6	18.3
12	.0	.001	.000	.001	1.1	6	9.0	248	615.2	19.2
13	.0	.000	.000	.000	2.2	8	8.0	243	614.9	19.7
14	.0	.001	.000	.001	1.8	10	8.0	261	614.6	20.1
15	.0	.001	.000	.001	1.9	9	7.0	263	614.4	20.4
16	.0	.001	.000	.000	3.0	7	5.0	238	614.3	20.3
17	.0	.000	.000	.000	2.8	12	3.0	243	614.3	19.6
18	.1	.006	.000	.006	4.1	3	2.0	158	614.5	14.7
19	.1	.012	.000	.012	3.3	10	2.0	117	614.7	10.5
20	.1	.013	.000	.013	10.3	3	2.0	120	615.1	7.6
21	.1	.011	.000	.011	1.0	11	2.0	112	615.1	5.6
22	.0	.010	.000	.010	.4	9	2.0	117	615.1	4.4
23	.0	.014	.004	.019	.8	5	1.0	123	615.0	3.9
Max :	.1	.019	.039	.059	10.3	20	9.0	292	616.0	20.4
Min :	.0	.000	.000	.000	.4	3	.0	104	614.3	3.7
Mean :	.0	.007	.004	.013	3.3	10	3.3	164	615.0	11.8
Hours :	24	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/25/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	61		281.5	18.3	1217	1157	406.0	461.0	433.0	0
01	61		281.8	18.0	1557	1402	406.0	461.0	433.0	0
02	62		281.4	12.7	1025	911	406.0	461.0	431.0	0
03	64		280.5	6.0	860	768	406.0	461.0	431.0	0
04	72		278.1	16.8	562	490	406.0	461.0	432.0	0
05	75		276.9	6.9	492	476	406.0	461.0	434.0	0
06	74		276.8	11.5	575	501	406.0	461.0	436.0	0
07	59		280.7	24.2	568	522	406.0	461.0	433.0	0
08	37		287.0	24.0	288	283	406.0	461.0	430.0	0
09	27		289.6	18.1	158	176	406.0	461.0	428.0	0
10	23		290.7	10.5	147	174	406.0	461.0	426.0	0
11	20		291.5	18.0	239	231	406.0	461.0	426.0	0
12	17		292.4	7.3	149	149	406.0	461.0	425.0	0
13	17		292.8	10.8	337	225	406.0	461.0	426.0	0
14	16		293.3	12.5	197	219	406.0	461.0	426.0	0
15	15		293.5	12.0	200	238	406.0	461.0	426.0	0
16	16		293.5	9.6	224	220	406.0	461.0	427.0	0
17	17		292.7	15.4	184	185	406.0	461.0	426.0	0
18	29		287.8	4.2	323	283	406.0	461.0	427.0	0
19	41		283.6	12.2	470	452	406.0	461.0	427.0	0
20	50		280.7	4.4	377	396	406.0	461.0	429.0	0
21	56		278.8	12.8	358	377	406.0	461.0	430.0	0
22	60		277.5	10.8	341	373	406.0	461.0	430.0	0
23	62		277.0	6.1	394	410	406.0	461.0	430.0	0
Max :	75	-999	293.5	24.2	1557	1402	406.0	461.0	436.0	0
Min :	15	-999	276.8	4.2	147	149	406.0	461.0	425.0	0
Mean :	42	-999	285.0	12.6	468	442	406.0	461.0	429.2	0
Hours :	24	00	24	24	24	24	24	24	24	24

Data : '<' - Less than ##% Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/25/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY TEST TEST2  
 Units : MILES  
 Hour -----

00	51.0
01	50.0
02	53.0
03	53.0
04	51.0
05	49.0
06	46.0
07	50.0
08	54.0
09	59.0
10	62.0
11	64.0
12	64.0
13	64.0
14	63.0
15	62.0
16	61.0
17	62.0
18	61.0
19	59.0
20	56.0
21	55.0
22	54.0
23	54.0

Max :	64.0	-999	-999
Min :	46.0	-999	-999
Mean :	56.5	-999	-999
Hours :	24	00	00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 12/01/04

Current Time : 14:03

Daily Data Report - Hourly Averages  
Environmental Systems Corporation  
03/26/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00	.0	.022	.010	.032	2.5	7	1.0	118	615.1	3.9
01	.0	.014	.001	.016	1.7	4	2.0	193	614.9	8.2
02	.0	.002	.000	.002	1.0	2	4.0	269	614.6	12.2
03	.0	.005	.001	.006	2.2	12	2.0	115	614.7	5.7
04	.0	.003	.000	.003	3.0	5	1.0	105	614.8	3.4
05	.0	.007	.000	.008	2.6	8	1.0	113	614.8	2.4
06	.0	.007	.002	.010	4.2	5	2.0	108	615.0	2.2
07	.1	.014	.021	.036	4.6	14	1.0	96	614.8	6.3
08	.0	.007	.005	.012	3.3	13	6.0	280	614.6	13.5
09	.0	.003	.001	.004	2.6	12	6.0	263	614.4	15.6
10	.0	.001	.000	.001	1.9	10	7.0	263	613.9	17.3
11	.0	.001	.000	.001	1.4	8	9.0	267	613.3	18.4
12	.0	.001	.000	.001	2.6	10	8.0	249	612.8	19.2
13	.0	.004	.004	.008	2.5	8	8.0	244	612.2	20.3
14	.0	.003	.003	.006	2.9	21	6.0	231	611.5	21.0
15	.0	.006	.010	.017	2.3	12	7.0	228	610.9	21.3
16	.0	.011	.019	.030	2.5	17	6.0	227	610.4	21.1
17	.0	.004	.006	.010	1.9	7	5.0	232	610.0	19.6
18	.0	.001	.000	.002	3.0	8	6.0	231	609.8	19.0
19	.0	.001	.000	.001	5.9	10	7.0	243	610.3	18.3
20	.0	.003	.000	.002	7.9	30	10.0	257	611.4	16.4
21	.0	.003	.000	.003	7.3	30	8.0	281	612.0	15.1
22	.0	.002	.000	.001	5.0	17	10.0	271	612.2	13.7
23	.0	.002	.000	.001	4.5	17	8.0	283	612.1	13.0
Max :	.1	.022	.021	.036	7.9	30	10.0	283	615.1	21.3
Min :	.0	.001	.000	.001	1.0	2	1.0	96	609.8	2.2
Mean :	.0	.005	.003	.008	3.3	11	5.4	233	612.9	13.6
Hours :	24	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/26/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	62		277.0	8.9	469	475	406.0	461.0	430.0	0
01	46		281.4	5.5	370	363	406.0	461.0	429.0	0
02	29		285.4	3.1	164	172	406.0	461.0	427.0	0
03	51		278.9	14.9	283	274	406.0	461.0	429.0	0
04	62		276.5	6.8	225	218	406.0	461.0	430.0	0
05	66		275.5	10.2	526	542	406.0	461.0	432.0	0
06	67		275.4	5.8	513	522	406.0	461.0	433.0	0
07	53		279.5	16.4	921	878	406.0	461.0	434.0	0
08	30		286.6	16.1	347	345	406.0	461.0	430.0	0
09	24		288.8	15.2	195	216	406.0	461.0	428.0	0
10	20		290.4	12.3	146	155	406.0	461.0	428.0	0
11	16		291.6	10.5	106	156	406.0	461.0	428.0	0
12	14		292.4	12.8	189	185	406.0	461.0	428.0	0
13	13		293.5	10.4	178	213	406.0	461.0	433.0	0
14	12		294.2	26.3	459	402	406.0	461.0	432.0	0
15	11		294.4	15.6	291	256	406.0	461.0	430.0	0
16	12		294.3	21.7	329	296	406.0	461.0	429.0	0
17	13		292.8	9.4	142	130	406.0	461.0	428.0	0
18	13		292.2	10.0	144	144	406.0	461.0	429.0	0
19	13		291.5	12.8	195	174	406.0	461.0	433.0	0
20	17		289.5	36.9	239	227	406.0	461.0	438.0	0
21	20		288.3	36.3	248	206	406.0	461.0	435.0	0
22	24		286.9	21.3	193	169	406.0	461.0	433.0	0
23	26		286.1	20.7	179	160	406.0	461.0	431.0	0
Max :	67	-999	294.4	36.9	921	878	406.0	461.0	438.0	0
Min :	11	-999	275.4	3.1	106	130	406.0	461.0	427.0	0
Mean :	29	-999	286.7	14.9	293	286	406.0	461.0	430.7	0
Hours :	24	00	24	24	24	24	24	24	24	24

Data : '<' - Less than ##% Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/26/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY TEST TEST2  
 Units : MILES  
 Hour -----

00	54.0
01	56.0
02	60.0
03	57.0
04	55.0
05	52.0
06	50.0
07	49.0
08	55.0
09	58.0
10	59.0
11	59.0
12	58.0
13	52.0
14	53.0
15	56.0
16	57.0
17	59.0
18	57.0
19	51.0
20	44.0
21	47.0
22	51.0
23	53.0

Max :	60.0	-999	-999
Min :	44.0	-999	-999
Mean :	54.2	-999	-999
Hours :	24	00	00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 12/01/04

Current Time : 14:03

Daily Data Report - Hourly Averages  
Environmental Systems Corporation  
03/27/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00	.0	.002	.000	.002	4.5	23	6.0	317	612.5	11.5
01	.0	.001	.000	.001	2.9	13	9.0	285	612.5	10.4
02	.0	.001	.000	.001	3.6	13	9.0	283	612.5	9.6
03	.0	.001	.000	.001	3.0	20	7.0	266	612.4	9.1
04	.0	.001	.000	.001	2.8	22	10.0	259	612.3	8.8
05	.0	.003	.000	.003	11.3	10	6.0	267	612.6	7.5
06	.0	.004	.000	.004	.8	17	6.0	274	612.9	7.3
07	.0	.003	.000	.003	1.1	33	7.0	268	612.9	8.0
08	.0	.003	.000	.004	3.6	19	7.0	265	612.7	9.2
09	.0	.001	.000	.002	2.5	15	8.0	246	612.5	11.1
10	.0	.001	.000	.001	.8	14	8.0	251	612.3	12.2
11	.0	.001	.000	.001	.7	13	11.0	231	611.8	13.6
12	.0	.001	.000	.001	.9	17	9.0	251	611.4	13.6
13	.0	.001	.000	.001	.8	19	10.0	256	610.8	14.9
14	.0	.003	.000	.003	1.9	24	10.0	251	610.3	15.4
15	.0	.001	.000	.001	2.9	34	12.0	257	610.0	15.9
16	.0	.001	.000	.001	4.2	37	12.0	263	610.1	15.9
17	.0	.002	.000	.002	5.9	36	13.0	287	610.6	14.8
18	.0	.004	.000	.004	5.1	31	13.0	324	611.5	12.0
19	.0	.003	.000	.004	3.9	22	14.0	321	612.2	10.6
20	.0	.003	.000	.003	2.6	23	10.0	315	612.9	9.7
21	.0	.003	.000	.004	1.8	11	11.0	322	613.3	8.9
22	.0	.003	.000	.003	1.4	9	11.0	308	613.8	8.3
23	.0	.001	.000	.001	1.3	4	6.0	262	614.3	7.3
Max :	.0	.004	.000	.004	11.3	37	14.0	324	614.3	15.9
Min :	.0	.001	.000	.001	.7	4	6.0	231	610.0	7.3
Mean :	.0	.002	.000	.002	2.9	19	9.3	275	612.1	11.0
Hours :	24	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/27/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	32		284.7	27.8	171	167	406.0	461.0	434.0	0
01	33		283.5	16.0	156	139	406.0	461.0	431.0	0
02	38		282.8	15.5	168	157	406.0	461.0	432.0	0
03	42		282.3	23.9	151	144	406.0	461.0	434.0	0
04	42		282.0	26.1	149	159	406.0	461.0	433.0	0
05	48		280.6	12.6	217	192	406.0	461.0	434.0	0
06	44		280.5	20.6	145	187	406.0	461.0	433.0	0
07	38		281.2	39.0	277	244	406.0	461.0	434.0	0
08	37		282.3	22.6	355	330	406.0	461.0	436.0	0
09	32		284.2	17.7	211	202	406.0	461.0	433.0	0
10	28		285.4	17.5	122	141	406.0	461.0	429.0	0
11	24		286.7	16.0	119	107	406.0	461.0	430.0	0
12	23		286.7	20.9	108	132	406.0	461.0	431.0	0
13	19		288.0	23.1	99	95	406.0	461.0	431.0	0
14	18		288.6	29.5	128	141	406.0	461.0	434.0	0
15	16		289.1	42.0	131	120	406.0	461.0	435.0	0
16	14		289.0	45.7	167	177	406.0	461.0	436.0	0
17	17		287.9	43.9	274	234	406.0	461.0	434.0	0
18	26		285.1	37.9	177	190	406.0	461.0	433.0	0
19	27		283.8	26.9	131	171	406.0	461.0	435.0	0
20	26		282.9	28.1	85	125	406.0	461.0	431.0	0
21	27		282.1	13.8	129	139	406.0	461.0	429.0	0
22	27		281.5	10.5	91	111	406.0	461.0	428.0	0
23	29		280.5	4.6	63	68	406.0	461.0	427.0	0
Max :	48	-999	289.1	45.7	355	330	406.0	461.0	436.0	0
Min :	14	-999	280.5	4.6	63	68	406.0	461.0	427.0	0
Mean :	29	-999	284.2	24.2	159	161	406.0	461.0	432.3	0
Hours :	24	00	24	24	24	24	24	24	24	24

Data : '<' - Less than ##% Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.



Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/27/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY TEST TEST2  
 Units : MILES  
 Hour -----

00	49.0
01	53.0
02	52.0
03	49.0
04	51.0
05	49.0
06	50.0
07	49.0
08	46.0
09	51.0
10	56.0
11	56.0
12	53.0
13	54.0
14	50.0
15	48.0
16	48.0
17	49.0
18	50.0
19	48.0
20	53.0
21	56.0
22	59.0
23	60.0

Max :	60.0	-999	-999
Min :	46.0	-999	-999
Mean :	51.6	-999	-999
Hours :	24	00	00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 12/01/04

Current Time : 14:03

Daily Data Report - Hourly Averages  
Environmental Systems Corporation  
03/28/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00	.0	.002	.000	.002	.6	3	11.0	286	614.7	6.6
01	.0	.001	.000	.001	1.1	6	14.0	286	614.9	6.4
02	.0	.001	.000	.001	.6	6	13.0	273	615.2	5.4
03	.0	.001	.000	.000	1.3	4	10.0	276	615.4	4.7
04	.0	.001	.000	.000	1.2	9	7.0	279	615.8	4.0
05	.0	.004	.000	.003	1.4	3	3.0	74	616.2	2.5
06	.0	.006	.000	.007	2.8	2	2.0	134	616.7	2.1
07	.0	.003	.000	.004	1.2	9	5.0	251	617.2	5.0
08	.0	.001	.000	.001	1.4	8	8.0	266	617.6	5.5
09	.0	.001	.000	.001	.9	5	8.0	258	617.9	6.6
10	.0	.001	.000	.002	.2	3	9.0	273	618.0	7.7
11	.0	.001	.000	.002	.3	11	9.0	273	617.9	8.9
12	.0	.001	.000	.002	.2	7	8.0	277	617.4	10.4
13	.0	.001	.000	.001	.1	5	11.0	273	617.0	11.5
14	.0	.001	.000	.002	1.1	8	13.0	274	616.7	12.0
15	.0	.002	.000	.002	1.2	7	13.0	284	616.6	12.4
16	.0	.001	.000	.002	1.8	9	9.0	267	616.6	12.3
17	.0	.001	.000	.001	2.2	10	9.0	280	617.0	11.8
18	.0	.002	.000	.002	1.9	10	5.0	267	617.7	10.5
19	.0	.008	.000	.008	2.4	3	3.0	149	618.2	8.8
20	.0	.007	.000	.007	3.0	10	6.0	13	618.7	8.6
21	.0	.005	.000	.004	2.7	5	1.0	135	619.4	4.3
22	.0	.004	.000	.004	2.1	6	2.0	123	619.7	2.4
23	.0	.005	.000	.004	1.8	11	1.0	115	620.1	.6
Max :	.0	.008	.000	.008	3.0	11	14.0	286	620.1	12.4
Min :	.0	.001	.000	.000	.1	2	1.0	13	614.7	.6
Mean :	.0	.002	.000	.002	1.3	6	7.5	264	617.1	7.1
Hours :	24	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overage, 'U' - Analog Underrange,  
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/28/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	28		279.7	4.2	21	69	406.0	461.0	427.0	0
01	25		279.5	7.9	48	64	406.0	461.0	427.0	0
02	27		278.6	7.4	68	73	406.0	461.0	427.0	0
03	29		277.9	5.0	40	47	406.0	461.0	427.0	0
04	31		277.1	10.4	67	64	406.0	461.0	427.0	0
05	36		275.7	4.3	110	104	406.0	461.0	428.0	0
06	40		275.3	2.7	164	239	406.0	461.0	430.0	0
07	30		278.2	10.5	26	37	406.0	461.0	427.0	0
08	29		278.6	9.4	71	56	406.0	461.0	427.0	0
09	27		279.8	5.8	31	50	406.0	461.0	427.0	0
10	23		280.8	4.5	20	62	406.0	461.0	426.0	0
11	20		282.0	13.0	63	61	406.0	461.0	427.0	0
12	18		283.5	8.5	68	77	406.0	461.0	426.0	0
13	15		284.6	6.4	34	59	406.0	461.0	426.0	0
14	15		285.2	10.3	106	96	406.0	461.0	428.0	0
15	14		285.5	8.5	93	95	406.0	461.0	427.0	0
16	14		285.5	11.6	76	85	406.0	461.0	426.0	0
17	15		285.0	12.0	63	84	406.0	461.0	427.0	0
18	16		283.7	12.4	111	104	406.0	461.0	427.0	0
19	18		282.0	4.2	146	187	406.0	461.0	429.0	0
20	19		281.7	12.5	227	236	406.0	461.0	429.0	0
21	29		277.5	6.4	180	287	406.0	461.0	432.0	0
22	33		275.6	7.2	148	235	406.0	461.0	432.0	0
23	39		273.7	12.6	164	251	406.0	461.0	431.0	0
Max :	40	-999	285.5	13.0	227	287	406.0	461.0	432.0	0
Min :	14	-999	273.7	2.7	20	37	406.0	461.0	426.0	0
Mean :	24	-999	280.2	8.2	89	113	406.0	461.0	427.7	0
Hours :	24	00	24	24	24	24	24	24	24	24

Data : '<' - Less than ##% Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/28/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY TEST TEST2  
 Units : MILES  
 Hour -----

00	61.0
01	61.0
02	61.0
03	60.0
04	61.0
05	59.0
06	55.0
07	61.0
08	61.0
09	61.0
10	63.0
11	61.0
12	62.0
13	62.0
14	59.0
15	60.0
16	62.0
17	61.0
18	60.0
19	56.0
20	56.0
21	51.0
22	52.0
23	52.0

Max :	63.0	-999	-999
Min :	51.0	-999	-999
Mean :	59.0	-999	-999
Hours :	24	00	00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 12/01/04  
 Current Time : 14:03

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/29/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00	.0	.010	.000	.011	1.9	3	2.0	113	620.3	.0
01	.0	.013	.000	.013	1.5	8	4.0	113	620.5	.4
02	.0	.011	.000	.011	1.3	3	3.0	113	620.8	-1.1
03	.0	.004	.000	.003	.5	7	1.0	132	620.8	-1.3
04	.0	.005	.000	.006	1.3	6	2.0	117	620.9	-2.2
05	.0	.005	.000	.005	1.8	6	1.0	115	621.3	-3.2
06	.0	.010	.001	.012	2.4	5	2.0	104	621.6	-2.1
07	.1	.009	.004	.013	2.7	4	2.0	101	621.7	3.2
08	.0	.006	.002	.008	1.3	15	4.0	69	621.5	7.7
09	.0	.002	.000	.003	.3	8	4.0	58	621.3	9.6
10	.1	.008	.004	.012	1.4	3	5.0	279	621.1	11.7
11	.1	.009	.004	.014	1.4	9	6.0	263	620.9	13.1
12	.1	.008	.003	.012	.7	11	7.0	255	620.5	14.4
13	.1	.008	.002	.011	.2	4	8.0	253	620.0	15.7
14	.1	.005	.001	.007	16.5	16	7.0	243	619.6	16.7
15	.1	.004	.001	.005	.3	25	6.0	243	619.3	16.9
16	.1	.005	.001	.006	.2	18	5.0	248	619.2	16.7
17	.1	.007	.000	.008	2.2	4	3.0	228	619.2	15.6
18	.2	.016	.001	.018	4.4	7	3.0	170	619.3	9.1
19	.2	.020	.000	.021	11.7	16	2.0	110	619.6	4.1
20	.1	.012	.000	.013	.3	12	2.0	109	619.9	1.2
21	.1	.011	.000	.012	.2	11	1.0	115	620.2	-.1
22	.1	.012	.000	.012	.7	7	1.0	124	620.2	-1.2
23	.1	.011	.000	.012	1.5	8	1.0	125	620.2	-2.1
Max :	.2	.020	.004	.021	16.5	25	8.0	279	621.7	16.9
Min :	.0	.002	.000	.003	.2	3	1.0	58	619.2	-3.2
Mean :	.0	.008	.001	.010	2.3	9	3.4	141	620.4	5.9
Hours :	24	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/29/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	41		273.0	4.0	268	330	406.0	461.0	432.0	0
01	38		273.6	9.2	289	326	406.0	461.0	432.0	0
02	43		272.0	4.2	260	290	406.0	461.0	431.0	0
03	43		271.7	8.9	98	103	406.0	461.0	429.0	0
04	46		270.9	6.9	245	245	406.0	461.0	429.0	0
05	50		269.9	6.6	140	153	406.0	461.0	430.0	0
06	46		271.0	5.5	309	364	406.0	461.0	432.0	0
07	33		276.4	5.4	521	495	406.0	461.0	431.0	0
08	25		280.9	18.1	336	337	406.0	461.0	431.0	0
09	19		282.8	9.6	108	109	406.0	461.0	416.0	0
10	16		284.9	4.4	270	256	406.0	461.0	429.0	1
11	15		286.3	10.9	511	496	406.0	461.0	431.0	0
12	13		287.5	13.4	458	431	406.0	461.0	429.0	0
13	10		288.8	5.0	489	451	406.0	461.0	430.0	0
14	8		289.9	19.8	95	223	406.0	461.0	427.0	0
15	6		290.0	30.2	99	164	406.0	461.0	427.0	0
16	5		289.8	21.5	190	217	406.0	461.0	427.0	0
17	6		288.8	5.7	564	418	406.0	461.0	427.0	0
18	16		282.3	9.1	570	438	406.0	461.0	430.0	0
19	24		277.3	19.0	444	433	406.0	461.0	432.0	0
20	28		274.4	13.7	326	361	406.0	461.0	432.0	0
21	30		272.9	13.1	409	425	406.0	461.0	435.0	0
22	31		271.8	7.9	400	440	406.0	461.0	435.0	0
23	33		270.9	9.0	315	351	406.0	461.0	435.0	0
Max :	50	-999	290.0	30.2	570	496	406.0	461.0	435.0	1
Min :	5	-999	269.9	4.0	95	103	406.0	461.0	416.0	0
Mean :	26	-999	279.0	10.8	321	327	406.0	461.0	429.9	0
Hours :	24	00	24	24	24	24	24	24	24	24

Data : '<' - Less than ##% Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/29/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY TEST TEST2  
 Units : MILES  
 Hour -----

00	52.0
01	52.0
02	53.0
03	56.0
04	56.0
05	54.0
06	51.0
07	53.0
08	54.0
09	56.0
10	57.0
11	54.0
12	56.0
13	55.0
14	60.0
15	61.0
16	60.0
17	60.0
18	55.0
19	51.0
20	52.0
21	47.0
22	47.0
23	47.0

Max :	61.0	-999	-999
Min :	47.0	-999	-999
Mean :	54.1	-999	-999
Hours :	24	00	00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 12/01/04

Current Time : 14:03

Daily Data Report - Hourly Averages  
Environmental Systems Corporation  
03/30/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00	.1	.011	.000	.011	1.7	13	1.0	115	620.2	-3.1
01	.1	.014	.001	.015	.7	5	2.0	114	620.0	-4.2
02	.1	.007	.000	.007	.5	8	2.0	116	619.9	-5.2
03	.1	.006	.000	.006	.9	4	2.0	121	619.8	-5.7
04	.1	.013	.001	.014	1.8	7	2.0	115	620.0	-6.4
05	.0	.012	.001	.013	2.5	8	2.0	118	620.3	-6.6
06	.1	.013	.005	.018	4.0	5	2.0	123	620.9	-5.2
07	.3	.018	.022	.040	3.2	15	1.0	101	620.9	.9
08	.2	.020	.022	.042	3.8	20	1.0	55	620.7	9.5
09	.1	.008	.004	.012	3.4	17	3.0	279	620.7	13.2
10	.0	.002	.000	.003	14.6	29	6.0	287	620.4	14.8
11	.0	.003	.000	.003	3.8	55	7.0	278	619.9	15.9
12	.0	.001	.000	.002	1.0	44	8.0	283	619.4	16.7
13	.0	.001	.000	.001	.0	17	9.0	267	618.8	18.0
14	.0	.000	.000	.000	.2	5	8.0	264	618.3	18.6
15	.0	.000	.000	.000	2.0	10	7.0	253	617.8	18.8
16	.0	.001	.000	.000	1.7	2	6.0	247	617.4	18.6
17	.0	.001	.000	.000	.7	6	4.0	257	617.2	17.6
18	.1	.011	.001	.012	2.6	6	3.0	184	617.2	12.5
19	.2	.019	.001	.020	3.2	15	2.0	112	617.5	6.7
20	.1	.012	.000	.012	9.4	16	1.0	107	617.8	3.3
21	.1	.013	.000	.013	.0	13	2.0	109	617.8	.6
22	.1	.012	.000	.012	.1	4	2.0	114	617.7	-.6
23	.1	.008	.000	.008	1.1	6	1.0	128	617.7	-1.2
Max :	.3	.020	.022	.042	14.6	55	9.0	287	620.9	18.8
Min :	.0	.000	.000	.000	.0	2	1.0	55	617.2	-6.6
Mean :	.0	.008	.002	.011	2.6	13	3.4	148	619.0	6.1
Hours :	24	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ##% Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
'f' - Floor Exceeded, 'c' - Ceiling Exc.



Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/30/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	36		270.0	15.3	326	359	406.0	461.0	435.0	0
01	41		268.8	5.5	273	298	406.0	461.0	434.0	0
02	45		267.9	9.7	185	204	406.0	461.0	434.0	0
03	46		267.4	4.5	215	235	406.0	461.0	433.0	0
04	49		266.7	8.5	296	352	406.0	461.0	435.0	0
05	50		266.4	9.7	272	386	406.0	461.0	435.0	0
06	46		267.9	6.1	609	772	406.0	461.0	438.0	0
07	30		274.1	17.2	933	1040	406.0	461.0	438.0	0
08	17		282.7	23.6	992	1007	406.0	461.0	437.0	0
09	12		286.4	20.1	268	287	406.0	461.0	432.0	0
10	13		287.9	35.0	310	451	406.0	461.0	437.0	0
11	13		289.0	65.7	235	184	406.0	461.0	438.0	0
12	13		289.8	52.8	87	94	406.0	461.0	427.0	0
13	9		291.1	20.9		33	406.0	461.0	426.0	0
14	5		291.8	6.7	27	37	406.0	461.0	425.0	0
15	5		291.9	12.2	137	115	406.0	461.0	425.0	0
16	7		291.7	2.9	131	105	406.0	461.0	426.0	0
17	8		290.8	8.3	85	81	406.0	461.0	426.0	0
18	12		285.7	8.0	323	315	406.0	461.0	429.0	0
19	20		279.8	17.8	370	411	406.0	461.0	431.0	0
20	25		276.4	18.8	222	251	406.0	461.0	431.0	0
21	30		273.8	14.9	227	263	406.0	461.0	431.0	0
22	32		272.4	5.3	277	323	406.0	461.0	433.0	0
23	32		271.8	7.3	224	396	406.0	461.0	438.0	0
Max :	50	-999	291.9	65.7	992	1040	406.0	461.0	438.0	0
Min :	5	-999	266.4	2.9	27	33	406.0	461.0	425.0	0
Mean :	24	-999	279.2	16.5	305	333	406.0	461.0	432.2	0
Hours :	24	00	24	24	23	24	24	24	24	24

Data : '<' - Less than ##% Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/30/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY TEST TEST2  
 Units : MILES  
 Hour -----

00	47.0
01	48.0
02	49.0
03	51.0
04	47.0
05	47.0
06	44.0
07	44.0
08	45.0
09	56.0
10	54.0
11	55.0
12	61.0
13	62.0
14	65.0
15	65.0
16	62.0
17	64.0
18	58.0
19	53.0
20	52.0
21	54.0
22	50.0
23	44.0

Max :	65.0	-999	-999
Min :	44.0	-999	-999
Mean :	53.2	-999	-999
Hours :	24	00	00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 12/01/04

Current Time : 14:03

Daily Data Report - Hourly Averages  
Environmental Systems Corporation  
03/31/04

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	CO	NO2	NO	NOX	PM25	PM10	WS	WDIR	PRESS	LTEMPC
Units :	PPM	PPM	PPM	PPM	UG/M3	UG/M3	DEG	DEG	MMHG	DEG
Hour	-----									
00	.0	.006	.000	.005	.7	13	1.0	118	617.7	-1.8
01	.0	.009	.000	.009	.7	9	2.0	127	617.5	-1.9
02	.0	.010	.000	.010	.5	8	1.0	128	617.2	-2.1
03	.0	.018	.001	.019	1.5	7	1.0	129	617.0	-2.3
04	.0	.020	.007	.028	2.5	6	1.0	118	617.0	-1.5
05	.0	.024	.016	.040	3.8	7	1.0	119	617.2	-1.1
06	.1	.026	.026	.052	6.0	10	1.0	113	617.3	.3
07	.4	.027	.059	.087	9.5	24	2.0	98	617.1	8.0
08	.0	.001	.000	.001	2.8	23	5.0	235	617.2	14.7
09	.0	.002	.000	.003	3.8	17	6.0	242	617.1	15.9
10	.0	.002	.000	.003	2.5	10	7.0	253	616.6	17.1
11	.0	.002	.000	.002	1.5	16	8.0	270	616.2	17.8
12	.0	.002	.000	.002	1.5	7	8.0	271	615.7	18.5
13	.0	.001	.000	.001	.6	13	7.0	265	615.1	19.5
14	.0	.002	.001	.003	1.5	5	6.0	255	614.5	19.9
15	.0	.002	.000	.002	2.6	7	6.0	277	614.1	19.9
16	.0	.001	.000	.001	2.8	13	5.0	277	613.8	19.8
17	.0	.001	.000	.001	2.6	9	3.0	258	613.6	19.0
18	.0	.004	.000	.004	3.2	9	3.0	206	613.6	14.7
19	.1	.017	.000	.017	4.4	14	1.0	113	613.8	10.3
20	.1	.014	.000	.014	10.8	15	1.0	120	614.3	7.1
21	.1	.017	.000	.017	.8	8	1.0	114	614.4	4.6
22	.1	.017	.001	.018	.5	16	1.0	118	614.4	2.8
23	.1	.016	.000	.017	2.3	10	1.0	115	614.4	1.9
Max :	.4	.027	.059	.087	10.8	24	8.0	277	617.7	19.9
Min :	.0	.001	.000	.001	.5	5	1.0	98	613.6	-2.3
Mean :	.0	.010	.004	.014	2.8	11	3.2	170	615.7	9.2
Hours :	24	24	24	24	24	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/31/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param :	RH	SIGMA	LTEMPK	STDPM10	BC	UV	K2_VAL	K1_VAL	RAWSCAT	STATVOLT
Units :	%	DEG	DEG	UG/M3	NG/M3	NG/M3	MV	MV		VDC
Hour	-----									
00	32		271.3	15.1	148	198	406.0	461.0	431.0	0
01	33		271.2	10.5	242	242	406.0	461.0	430.0	0
02	35		271.0	9.1	255	259	406.0	461.0	430.0	0
03	39		270.7	8.9	405	374	406.0	461.0	431.0	0
04	43		271.6	7.7	497	480	406.0	461.0	433.0	0
05	48		272.0	8.8	662	614	406.0	461.0	435.0	0
06	48		273.4	11.6	1146	1117	406.0	461.0	444.0	0
07	33		281.1	28.9	2074	1936	406.0	461.0	447.0	0
08	21		287.8	27.5	201	121	406.0	461.0	430.0	0
09	20		289.0	20.6	247	192	406.0	461.0	432.0	0
10	19		290.2	12.0	194	183	406.0	461.0	431.0	0
11	16		291.0	20.3	114	122	406.0	461.0	432.0	0
12	15		291.7	9.2	239	218	406.0	461.0	431.0	0
13	12		292.6	16.6	153	190	406.0	461.0	430.0	0
14	10		293.0	6.3	150	198	406.0	461.0	429.0	0
15	11		293.1	8.9	211	233	406.0	461.0	430.0	0
16	12		292.9	16.1	237	246	406.0	461.0	431.0	0
17	13		292.1	11.7	199	218	406.0	461.0	430.0	0
18	20		287.9	11.4	180	192	406.0	461.0	431.0	0
19	27		283.4	17.1	418	459	406.0	461.0	435.0	0
20	31		280.2	18.3	362	403	406.0	461.0	435.0	0
21	36		277.8	10.3	468	495	406.0	461.0	434.0	0
22	40		276.0	18.5	542	567	406.0	461.0	435.0	0
23	43		275.0	11.7	526	562	406.0	461.0	436.0	0
Max :	48	-999	293.1	28.9	2074	1936	406.0	461.0	447.0	0
Min :	10	-999	270.7	6.3	114	121	406.0	461.0	429.0	0
Mean :	27	-999	282.3	14.0	411	409	406.0	461.0	433.0	0
Hours :	24	00	24	24	24	24	24	24	24	24

Data : '<' - Less than ##% Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Daily Data Report - Hourly Averages  
 Environmental Systems Corporation  
 03/31/04  
 (continued)

Logger Id : EM

Logger Name : East Mountain

Interval : 001H

Param : VISBLTY TEST TEST2  
 Units : MILES  
 Hour -----

00	53.0
01	54.0
02	55.0
03	53.0
04	51.0
05	48.0
06	39.0
07	36.0
08	54.0
09	51.0
10	53.0
11	52.0
12	54.0
13	55.0
14	56.0
15	54.0
16	54.0
17	55.0
18	54.0
19	47.0
20	48.0
21	48.0
22	47.0
23	46.0

Max :	56.0	-999	-999
Min :	36.0	-999	-999
Mean :	50.7	-999	-999
Hours :	24	00	00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,  
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,  
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,  
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,  
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,  
 'f' - Floor Exceeded, 'c' - Ceiling Exc.