



**U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL ENVIRONMENTAL SATELLITE, DATA, AND INFORMATION SERVICE**

HISTORICAL CLIMATOLOGY SERIES 5-2

MONTHLY
STATE, REGIONAL, AND NATIONAL
COOLING DEGREE DAYS
WEIGHTED BY POPULATION
(INCLUDES AERIALY WEIGHTED TEMPERATURE AND PRECIPITATION)

PERIOD: JANUARY 1994 THROUGH DECEMBER 1995

DATE PUBLISHED: JUNE 1996

**NATIONAL CLIMATIC DATA CENTER
151 PATTON AVENUE
ASHEVILLE, NC 28801-5001**

1. STATE POPULATION-WEIGHTED COOLING DEGREE DAYS (BASE 65 DEG F)

THIS TABULATION IS DESIGNED TO PROVIDE UP-TO-DATE COOLING FUEL DEMAND INFORMATION ON A STATE-WIDE BASIS. THE TOTAL MONTHLY SERIES, BY STATE, ARE AVAILABLE FOR THE PERIOD 1931 THROUGH 1991: HISTORICAL CLIMATOLOGY SERIES 5-2, "STATE REGIONAL AND NATIONAL MONTHLY AND ANNUAL COOLING DEGREE DAYS WEIGHTED BY POPULATION (1990 CENSUS), (JANUARY 1931 - DECEMBER 1991)."

THE STATE AVERAGE DEGREE DAY TOTALS FOR EACH MONTH ARE DERIVED FROM THE DIVISIONAL VALUES BY WEIGHTING EACH DIVISION BY ITS PERCENTAGE OF THE TOTAL STATE POPULATION AS ADDUCED FROM THE 1990 CENSUS DATA (BUREAU OF CENSUS, 1992). THE POPULATION WEIGHTING PROCEDURE ASSURES THAT DEGREE-DAY AVERAGES FOR THE STATES AS A WHOLE ARE BIASED TOWARD CONDITIONS EXISTING IN THE MORE POPULOUS SECTIONS OF THE STATES. DEGREE DAY DATA IN THIS TABULATION ARE PRESENTLY AVAILABLE FOR THE 48 CONTERMINOUS STATES WITH THE DISTRICT OF COLUMBIA TREATED AS PART OF MARYLAND.

THE INFORMATION IN THE TABLES IS SELF-EXPLANATORY AND IS DESIGNED TO ALLOW COMPARISON OF THE ENERGY DEMAND FOR THE CURRENT YEAR TO NORMAL AND TO CONDITIONS IN THE PREVIOUS YEAR.

INQUIRIES/COMMENTS CALL (704) 271-4800

FOR INFORMATION ABOUT THIS PUBLICATION WRITE TO THE:

NATIONAL CLIMATIC DATA CENTER
ROOM 120
151 PATTON AVENUE
ASHEVILLE, N.C. 28801-5001

TO CHANGE YOUR ADDRESS, PLEASE RETURN A COPY OF THE MAILING LABEL ALONG WITH YOUR NEW ADDRESS TO: NATIONAL CLIMATIC DATA CENTER, SUBSCRIPTION SERVICES.

**NOTE : MONTHLY COOLING DEGREE DAY VALUES IN THIS PUBLICATION MAY DIFFER FROM THE HISTORICAL CLIMATOLOGY SERIES 5-2 DUE TO INTERNAL COMPUTER ROUNDING DIFFERENCES BETWEEN THE TWO PROGRAMS.

THE DATA PRESENTED IN THIS MONTHLY OPERATIONAL REPORT ARE PROVISIONAL AND SUBJECT TO CHANGE AND/OR CORRECTIONS WHICH ARE BASED ON LATER INFORMATION.

STATE COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION), THRU DEC										1995--BASE TEMP = 65 DEG F		
STATE :	1 ALABAMA											
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1994	6	9	24	65	137	377	387	373	220	84	23	9
1994	6	15	39	104	241	618	1005	1378	1598	1682	1705	1714
1994	45.8	76.5	83.9	106.9	87.2	99.6	94.5	92.7	90.9	91.5	92.2	92.4
1995	16	5	38	44	212	293	487	524	260	76	2	1
1995	16	21	59	103	315	608	1095	1619	1879	1955	1957	1958
1995	122.1	107.1	126.9	105.9	114.0	98.0	103.0	108.9	106.9	106.4	105.8	105.5
STATE :	2 ARIZONA											
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1994	1	4	48	124	253	632	705	724	487	143	4	0
1994	1	5	53	177	430	1062	1767	2491	2978	3121	3125	3125
1994	166.7	66.7	151.0	131.9	113.1	122.6	116.4	118.2	118.4	116.5	116.0	115.9
1995	0	24	36	80	193	442	686	714	520	217	55	0
1995	0	24	60	140	333	775	1461	2175	2695	2912	2967	2967
1995	.0	320.0	170.9	104.3	87.6	89.4	96.3	103.2	107.2	108.7	110.1	110.1
STATE :	3 ARKANSAS											
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1994	0	0	16	53	105	425	410	354	190	64	6	0
1994	0	0	16	69	174	599	1009	1363	1553	1617	1623	1623
1994	.0	.0	74.1	106.8	77.4	104.8	95.8	91.4	89.3	89.9	90.1	90.1
1995	1	0	22	28	143	293	469	572	185	59	0	0
1995	1	1	23	51	194	487	956	1528	1713	1772	1772	1772
1995	111.1	50.0	106.5	78.9	86.3	85.2	90.8	102.5	98.6	98.5	98.4	98.4
STATE :	4 CALIFORNIA											
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1994	5	0	11	19	31	160	223	289	169	32	0	0
1994	5	5	16	35	66	226	449	738	907	939	939	939
1994	312.5	172.4	231.9	156.3	108.9	127.8	112.6	118.6	117.6	114.6	114.0	113.9
1995	0	10	6	12	18	85	224	258	196	68	18	0
1995	0	10	16	28	46	131	355	613	809	877	895	895
1995	.0	344.8	231.9	125.0	75.9	74.1	89.0	98.5	104.9	107.1	108.6	108.6
STATE :	5 COLORADO											
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1994	0	0	0	0	7	102	94	111	20	0	0	0
1994	0	0	0	0	7	109	203	314	334	334	334	334
1994	.0	.0	.0	.0	333.3	193.3	112.0	119.0	119.2	119.1	119.1	119.1
1995	0	0	0	0	0	21	70	143	9	0	0	0
1995	0	0	0	0	0	21	91	234	243	243	243	243
1995	.0	.0	.0	.0	.0	37.2	50.2	88.7	86.7	86.7	86.7	86.7

LINE 1 = COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
 LINE 2 = ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
 LINE 3 = [ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION) / ACCUMULATED NORMAL]*100
 PERCENTAGE OF 9999.9 => 10000

STATE COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION), THRU DEC										1995--BASE TEMP = 65 DEG F			
STATE :	6 CONNECTICUT												
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1994	0	0	0	0	3	144	340	153	31	0	0	0	
1994	0	0	0	0	3	147	487	640	671	671	671	671	
1994	.0	.0	.0	.0	30.0	158.2	158.1	131.5	127.7	127.4	127.4	127.4	
1995	0	0	0	0	3	99	301	201	25	3	0	0	
1995	0	0	0	0	3	102	403	604	629	632	632	632	
1995	.0	.0	.0	.0	30.0	109.8	130.8	124.1	119.7	120.0	120.0	120.0	
STATE :	7 DELAWARE												
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1994	0	0	0	11	18	314	426	237	98	7	0	0	
1994	0	0	0	11	29	343	769	1006	1104	1111	1111	1111	
1994	.0	.0	.0	1571.4	59.9	135.6	129.3	112.5	108.4	107.4	107.4	107.4	
1995	0	0	0	0	41	210	428	366	131	32	0	0	
1995	0	0	0	0	41	251	679	1045	1176	1208	1208	1208	
1995	.0	.0	.0	.0	84.7	99.2	114.2	116.8	115.5	116.8	116.8	116.8	
STATE :	8 FLORIDA												
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1994	98	150	162	276	378	489	508	494	432	337	239	132	
1994	98	248	410	686	1064	1553	2061	2555	2987	3324	3563	3695	
1994	106.8	139.6	130.2	132.8	123.1	117.8	112.3	108.6	106.3	106.7	109.0	109.8	
1995	75	69	164	235	450	440	540	552	485	380	125	69	
1995	75	144	308	543	993	1433	1973	2525	3010	3390	3515	3584	
1995	81.7	81.1	97.8	105.1	114.9	108.7	107.5	107.3	107.1	108.9	107.6	106.5	
STATE :	9 GEORGIA												
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1994	4	9	26	62	118	358	374	346	200	58	22	6	
1994	4	13	39	101	219	577	951	1297	1497	1555	1577	1583	
1994	36.4	79.8	104.0	131.5	91.6	103.1	97.1	94.2	92.4	92.1	92.7	92.8	
1995	12	3	33	42	214	281	481	466	208	77	1	1	
1995	12	15	48	90	304	585	1066	1532	1740	1817	1818	1819	
1995	109.1	92.0	128.0	117.2	127.1	104.5	108.8	111.2	107.4	107.6	106.9	106.6	
STATE :	10 IDAHO												
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1994	0	0	0	0	20	73	226	219	65	0	0	0	
1994	0	0	0	0	20	93	319	538	603	603	603	603	
1994	.0	.0	.0	.0	212.8	119.2	127.0	134.6	138.8	138.7	138.7	138.7	
1995	0	0	0	0	5	35	143	108	51	0	0	0	
1995	0	0	0	0	5	40	183	291	342	342	342	342	
1995	.0	.0	.0	.0	53.2	51.3	72.9	72.8	78.7	78.6	78.6	78.6	

LINE 1 = COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
 LINE 2 = ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
 LINE 3 = [ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION) / ACCUMULATED NORMAL]*100
 PERCENTAGE OF 9999.9 => 10000

COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION), THRU DEC													1995--BASE TEMP = 65 DEG F	
STATE :	11 ILLINOIS													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		
1994	0	0	1	2	42	224	250	168	85	17	0	0		
1994	0	0	1	3	45	269	519	687	772	789	789	789		
1994	.0	.0	71.4	78.9	63.6	103.3	93.9	86.7	87.9	88.2	88.2	88.2		
1995	0	0	2	1	37	224	345	417	43	14	0	0		
1995	0	0	2	3	40	264	609	1026	1069	1083	1083	1083		
1995	.0	.0	142.9	78.9	56.5	101.4	110.2	129.4	121.8	121.1	121.1	121.1		
STATE :	12 INDIANA													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		
1994	0	0	0	2	32	242	263	164	76	15	0	0		
1994	0	0	0	2	34	276	539	703	779	794	794	794		
1994	.0	.0	.0	48.8	45.8	104.4	97.8	90.0	88.8	89.0	89.0	89.0		
1995	0	0	2	1	46	214	321	403	60	15	0	0		
1995	0	0	2	3	49	263	584	987	1047	1062	1062	1062		
1995	.0	.0	100.0	73.2	65.9	99.5	106.0	126.4	119.4	119.1	119.1	119.1		
STATE :	13 IOWA													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		
1994	0	0	0	1	60	211	203	164	81	15	0	0		
1994	0	0	0	1	61	272	475	639	720	735	735	735		
1994	.0	.0	.0	24.4	82.8	103.8	85.0	81.1	84.2	84.7	84.7	84.7		
1995	0	0	0	0	29	195	296	376	33	7	0	0		
1995	0	0	0	0	29	224	520	896	929	936	936	936		
1995	.0	.0	.0	.0	39.3	85.5	93.0	113.7	108.7	107.9	107.9	107.9		
STATE :	14 KANSAS													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		
1994	0	0	12	11	101	378	364	388	156	34	0	0		
1994	0	0	12	23	124	502	866	1254	1410	1444	1444	1444		
1994	.0	.0	171.4	90.9	93.7	118.5	97.9	97.8	96.7	96.9	96.9	96.9		
1995	0	0	6	5	29	220	438	482	131	28	0	0		
1995	0	0	6	11	40	260	698	1180	1311	1339	1339	1339		
1995	.0	.0	85.7	43.5	30.2	61.4	78.9	92.0	90.0	89.8	89.8	89.8		
STATE :	15 KENTUCKY													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		
1994	0	0	5	19	42	303	347	263	105	25	1	0		
1994	0	0	5	24	66	369	716	979	1084	1109	1110	1110		
1994	.0	.0	45.5	112.1	57.4	106.9	104.1	98.5	94.6	94.5	94.6	94.5		
1995	0	0	13	10	86	234	382	461	123	25	0	0		
1995	0	0	13	23	109	343	725	1186	1309	1334	1334	1334		
1995	.0	.0	118.2	107.5	94.9	99.3	105.4	119.4	114.2	113.7	113.7	113.6		

LINE 1 = COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
 LINE 2 = ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
 LINE 3 = [ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION) / ACCUMULATED NORMAL]*100
 PERCENTAGE OF 9999.9 => 10000

STATE COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION), THRU DEC 1995--BASE TEMP = 65 DEG F												
STATE :	16 LOUISIANA											
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1994	18	23	47	124	253	465	485	478	342	164	74	19
1994	18	41	88	212	465	930	1415	1893	2235	2399	2473	2492
1994	66.4	89.5	89.7	99.0	94.3	99.7	97.3	96.3	95.6	96.3	97.6	97.7
1995	28	22	63	107	339	414	557	593	400	155	22	10
1995	28	50	113	220	559	973	1530	2123	2523	2678	2700	2710
1995	103.3	109.2	115.2	102.7	113.4	104.3	105.2	108.0	107.9	107.5	106.6	106.3
STATE :	17 MAINE											
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1994	0	0	0	0	0	49	176	71	0	0	0	0
1994	0	0	0	0	0	49	225	296	296	296	296	296
1994	.0	.0	.0	.0	.0	222.7	177.9	140.2	137.3	137.3	137.3	137.3
1995	0	0	0	0	0	40	142	97	0	0	0	0
1995	0	0	0	0	0	40	182	279	279	279	279	279
1995	.0	.0	.0	.0	.0	181.8	143.9	132.2	129.4	129.4	129.4	129.4
STATE :	18 MARYLAND & D.C.											
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1994	0	0	0	19	21	318	419	241	101	9	0	0
1994	0	0	0	19	40	358	777	1018	1119	1128	1128	1128
1994	.0	.0	.0	1357.1	74.3	140.9	132.7	116.3	112.5	111.8	111.8	111.8
1995	0	0	0	0	48	221	423	387	125	29	0	0
1995	0	0	0	0	48	269	692	1079	1204	1233	1233	1233
1995	.0	.0	.0	.0	89.2	105.9	118.2	123.3	121.1	122.3	122.3	122.3
STATE :	19 MASSACHUSETTS											
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1994	0	0	0	0	0	123	308	133	15	0	0	0
1994	0	0	0	0	0	123	431	564	579	579	579	579
1994	.0	.0	.0	.0	.0	175.5	167.8	137.6	133.4	133.2	133.2	133.2
1995	0	0	0	0	0	78	256	166	13	0	0	0
1995	0	0	0	0	0	78	334	500	513	513	513	513
1995	.0	.0	.0	.0	.0	111.3	130.1	122.0	118.2	118.0	118.0	118.0
STATE :	20 MICHIGAN											
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1994	0	0	0	0	16	138	197	103	52	6	0	0
1994	0	0	0	0	16	154	351	454	506	512	512	512
1994	.0	.0	.0	.0	46.4	103.6	98.5	87.6	90.3	90.5	90.5	90.5
1995	0	0	0	0	22	155	243	306	18	9	0	0
1995	0	0	0	0	22	177	420	726	744	753	753	753
1995	.0	.0	.0	.0	63.8	119.0	117.8	140.1	132.8	133.1	133.1	133.1

LINE 1 = COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
 LINE 2 = ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
 LINE 3 = [ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION) / ACCUMULATED NORMAL]*100
 PERCENTAGE OF 9999.9 => 10000

COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION), THRU DEC												1995--BASE TEMP = 65 DEG F	
STATE :	21 MINNESOTA												
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1994	0	0	0	0	40	132	128	89	43	2	0	0	
1994	0	0	0	0	40	172	300	389	432	434	434	434	
1994	.0	.0	.0	.0	121.6	126.4	90.8	83.5	89.0	89.1	89.1	89.1	
1995	0	0	0	0	16	164	183	220	13	0	0	0	
1995	0	0	0	0	16	180	363	583	596	596	596	596	
1995	.0	.0	.0	.0	48.6	132.3	109.9	125.1	122.8	122.3	122.3	122.3	
STATE :	22 MISSISSIPPI												
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1994	6	10	29	84	169	420	429	414	257	108	28	10	
1994	6	16	45	129	298	718	1147	1561	1818	1926	1954	1964	
1994	42.3	67.8	76.7	99.4	87.4	98.6	94.7	93.4	92.0	92.9	93.6	93.8	
1995	17	8	46	65	255	333	509	551	290	91	2	2	
1995	17	25	71	136	391	724	1233	1784	2074	2165	2167	2169	
1995	119.7	105.9	121.0	104.8	114.7	99.5	101.8	106.7	105.0	104.5	103.8	103.6	
STATE :	23 MISSOURI												
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1994	0	0	6	10	64	311	330	291	110	30	0	0	
1994	0	0	6	16	80	391	721	1012	1122	1152	1152	1152	
1994	.0	.0	90.9	79.6	66.4	104.3	93.3	91.4	89.4	89.8	89.8	89.8	
1995	0	0	9	3	47	226	387	468	88	25	0	0	
1995	0	0	9	12	59	285	672	1140	1228	1253	1253	1253	
1995	.0	.0	136.4	59.7	49.0	76.0	86.9	102.9	97.9	97.7	97.7	97.7	
STATE :	24 MONTANA												
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1994	0	0	0	0	8	40	108	123	37	0	0	0	
1994	0	0	0	0	8	48	156	279	316	316	316	316	
1994	.0	.0	.0	.0	156.9	101.3	102.8	115.5	121.8	121.8	121.8	121.8	
1995	1	0	0	0	1	28	75	79	16	0	0	0	
1995	1	1	1	1	2	30	105	184	200	200	200	200	
1995	83.3	76.9	66.7	58.8	39.2	63.3	69.2	76.2	77.1	77.1	77.1	77.1	
STATE :	25 NEBRASKA												
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1994	0	0	0	0	95	260	235	243	113	13	0	0	
1994	0	0	0	0	95	355	590	833	946	959	959	959	
1994	.0	.0	.0	.0	117.1	117.1	89.1	87.9	90.9	91.2	91.2	91.2	
1995	0	0	0	0	19	177	356	396	67	7	0	0	
1995	0	0	0	0	19	196	552	948	1015	1022	1022	1022	
1995	.0	.0	.0	.0	23.4	64.7	83.3	100.1	97.6	97.1	97.1	97.1	

LINE 1 = COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
 LINE 2 = ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
 LINE 3 = [ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION) / ACCUMULATED NORMAL]*100
 PERCENTAGE OF 9999.9 => 10000

STATE	COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION), THRU DEC												1995--BASE TEMP = 65 DEG F
STATE :													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1994	0	0	24	62	147	405	566	526	276	55	0	0	
1994	0	0	24	86	233	638	1204	1730	2006	2061	2061	2061	
1994	.0	.0	347.8	194.6	145.4	143.8	133.7	132.6	132.8	131.2	131.1	131.1	
1995	0	12	7	34	81	231	459	487	298	82	13	0	
1995	0	12	19	53	134	365	824	1311	1609	1691	1704	1704	
1995	.0	1090.9	275.4	119.9	83.6	82.3	91.5	100.5	106.5	107.6	108.4	108.4	
STATE :	27 NEW HAMPSHIRE												
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1994	0	0	0	0	0	97	223	84	6	0	0	0	
1994	0	0	0	0	0	97	320	404	410	410	410	410	
1994	.0	.0	.0	.0	.0	208.2	179.4	144.2	141.7	141.7	141.7	141.7	
1995	0	0	0	0	0	71	211	116	0	0	0	0	
1995	0	0	0	0	0	71	282	398	398	398	398	398	
1995	.0	.0	.0	.0	.0	152.4	158.1	142.1	137.5	137.5	137.5	137.5	
STATE :	28 NEW JERSEY												
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1994	0	0	0	0	11	227	376	177	61	0	0	0	
1994	0	0	0	0	11	238	614	791	852	852	852	852	
1994	.0	.0	.0	.0	42.6	142.3	137.0	115.2	111.1	110.0	110.0	110.0	
1995	0	0	0	0	14	147	344	290	76	18	0	0	
1995	0	0	0	0	14	161	505	795	871	889	889	889	
1995	.0	.0	.0	.0	54.3	96.2	112.6	115.8	113.6	114.8	114.8	114.8	
STATE :	29 NEW MEXICO												
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1994	0	0	0	7	56	312	353	326	108	5	0	0	
1994	0	0	0	7	63	375	728	1054	1162	1167	1167	1167	
1994	.0	.0	.0	86.4	114.3	148.3	130.5	132.5	131.5	131.1	131.1	131.1	
1995	0	0	0	2	37	166	289	329	106	9	0	0	
1995	0	0	0	2	39	205	494	823	929	938	938	938	
1995	.0	.0	.0	24.7	70.8	81.1	88.5	103.5	105.1	105.4	105.4	105.4	
STATE :	30 NEW YORK												
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1994	0	0	0	0	7	162	317	153	50	0	0	0	
1994	0	0	0	0	7	169	486	639	689	689	689	689	
1994	.0	.0	.0	.0	40.0	134.9	132.9	111.5	108.2	107.4	107.4	107.4	
1995	0	0	0	0	9	127	301	262	49	13	0	0	
1995	0	0	0	0	9	136	437	699	748	761	761	761	
1995	.0	.0	.0	.0	51.4	108.5	119.5	121.9	117.4	118.6	118.6	118.6	

LINE 1 = COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
 LINE 2 = ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
 LINE 3 = [ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION) / ACCUMULATED NORMAL]*100
 PERCENTAGE OF 9999.9 => 10000

COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION), THRU DEC													1995--BASE TEMP = 65 DEG F	
STATE :	31 NORTH CAROLINA													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		
1994	1	0	12	33	60	335	412	299	130	26	5	3		
1994	1	1	13	46	106	441	853	1152	1282	1308	1313	1316		
1994	27.8	23.3	95.6	168.5	77.1	109.3	108.9	101.5	97.1	96.0	96.2	96.3		
1995	3	0	12	20	119	241	427	418	154	58	0	0		
1995	3	3	15	35	154	395	822	1240	1394	1452	1452	1452		
1995	83.3	69.8	110.3	128.2	112.1	97.9	104.9	109.2	105.5	106.6	106.4	106.3		
STATE :	32 NORTH DAKOTA													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		
1994	0	0	0	0	39	96	105	107	42	0	0	0		
1994	0	0	0	0	39	135	240	347	389	389	389	389		
1994	.0	.0	.0	.0	138.8	109.2	79.1	77.1	82.6	82.5	82.5	82.5		
1995	0	0	0	0	13	140	137	183	17	0	0	0		
1995	0	0	0	0	13	153	290	473	490	490	490	490		
1995	.0	.0	.0	.0	46.3	123.8	95.6	105.1	104.0	103.9	103.9	103.9		
STATE :	33 OHIO													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		
1994	0	0	0	2	17	206	259	151	58	7	0	0		
1994	0	0	0	2	19	225	484	635	693	700	700	700		
1994	.0	.0	.0	95.2	35.3	110.5	107.9	97.8	94.9	94.6	94.6	94.6		
1995	0	0	0	0	30	187	284	353	46	12	0	0		
1995	0	0	0	0	30	217	501	854	900	912	912	912		
1995	.0	.0	.0	.0	55.8	106.5	111.7	131.5	123.3	123.2	123.2	123.2		
STATE :	34 OKLAHOMA													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		
1994	0	0	20	41	118	463	463	451	215	71	1	0		
1994	0	0	20	61	179	642	1105	1556	1771	1842	1843	1843		
1994	.0	.0	112.4	90.4	80.4	110.0	99.0	96.6	94.4	94.9	94.9	94.9		
1995	0	3	15	24	91	286	520	550	214	60	0	0		
1995	0	3	18	42	133	419	939	1489	1703	1763	1763	1763		
1995	.0	214.3	101.1	62.2	59.7	71.8	84.2	92.4	90.8	90.9	90.8	90.8		
STATE :	35 OREGON													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		
1994	0	0	0	0	6	14	120	85	55	0	0	0		
1994	0	0	0	0	6	20	140	225	280	280	280	280		
1994	.0	.0	.0	.0	600.0	79.7	140.3	123.6	135.3	135.3	135.3	135.3		
1995	0	0	0	0	5	18	105	53	55	0	0	0		
1995	0	0	0	0	5	23	128	181	236	236	236	236		
1995	.0	.0	.0	.0	500.0	91.6	128.3	99.5	114.1	114.0	114.0	114.0		

LINE 1 = COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
 LINE 2 = ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
 LINE 3 = [ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION) / ACCUMULATED NORMAL]*100
 PERCENTAGE OF 9999.9 => 10000

COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION), THRU DEC													1995--BASE TEMP = 65 DEG F	
STATE :	36 PENNSYLVANIA													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		
1994	0	0	0	0	10	200	295	142	43	0	0	0		
1994	0	0	0	0	10	210	505	647	690	690	690	690		
1994	.0	.0	.0	.0	31.3	133.1	128.9	110.0	105.6	104.7	104.7	104.7		
1995	0	0	0	0	19	147	291	288	53	13	0	0		
1995	0	0	0	0	19	166	457	745	798	811	811	811		
1995	.0	.0	.0	.0	59.4	105.2	116.7	126.7	122.1	123.0	123.0	123.0		
STATE :	37 RHODE ISLAND													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		
1994	0	0	0	0	0	94	297	137	28	0	0	0		
1994	0	0	0	0	0	94	391	528	556	556	556	556		
1994	.0	.0	.0	.0	.0	159.1	157.5	125.6	121.8	121.6	121.6	121.6		
1995	0	0	0	0	0	65	257	204	28	6	0	0		
1995	0	0	0	0	0	65	322	526	554	560	560	560		
1995	.0	.0	.0	.0	.0	110.0	129.7	125.1	121.3	122.5	122.5	122.5		
STATE :	38 SOUTH CAROLINA													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		
1994	4	5	30	62	120	389	438	365	202	54	18	7		
1994	4	9	39	101	221	610	1048	1413	1615	1669	1687	1694		
1994	42.6	69.8	116.4	144.9	91.2	105.0	101.8	97.6	95.0	94.2	94.6	94.8		
1995	9	1	28	54	223	310	499	471	219	101	1	0		
1995	9	10	38	92	315	625	1124	1595	1814	1915	1916	1916		
1995	95.7	77.5	113.4	132.0	130.0	107.6	109.2	110.2	106.7	108.0	107.5	107.2		
STATE :	39 SOUTH DAKOTA													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		
1994	0	0	0	0	70	173	177	177	82	3	0	0		
1994	0	0	0	0	70	243	420	597	679	682	682	682		
1994	.0	.0	.0	.0	148.0	116.5	83.3	80.7	84.7	84.8	84.8	84.8		
1995	0	0	0	0	14	143	257	300	43	0	0	0		
1995	0	0	0	0	14	157	414	714	757	757	757	757		
1995	.0	.0	.0	.0	29.6	75.3	82.1	96.5	94.4	94.1	94.1	94.1		
STATE :	40 TENNESSEE													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		
1994	0	0	8	28	53	326	344	290	121	36	2	0		
1994	0	0	8	36	89	415	759	1049	1170	1206	1208	1208		
1994	.0	.0	53.3	111.5	61.5	102.0	97.4	93.7	90.1	90.3	90.4	90.3		
1995	0	0	18	18	119	231	394	461	147	33	0	0		
1995	0	0	18	36	155	386	780	1241	1388	1421	1421	1421		
1995	.0	.0	120.0	111.5	107.1	94.9	100.1	110.8	106.9	106.4	106.3	106.2		

LINE 1 = COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
 LINE 2 = ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
 LINE 3 = [ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION) / ACCUMULATED NORMAL]*100
 PERCENTAGE OF 9999.9 => 10000

STATE COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION), THRU DEC												1995--BASE TEMP = 65 DEG F		
STATE :														
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		
1994	14	10	55	110	237	513	571	529	329	168	69	17		
1994	14	24	79	189	426	939	1510	2039	2368	2536	2605	2622		
1994	113.8	96.4	99.2	91.3	88.1	100.8	101.2	99.9	98.1	98.6	99.7	100.0		
1995	18	22	44	93	289	405	577	572	383	157	29	12		
1995	18	40	84	177	466	871	1448	2020	2403	2560	2589	2601		
1995	146.3	160.6	105.5	85.5	96.3	93.5	97.1	98.9	99.5	99.5	99.1	99.2		
STATE :	42 UTAH													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		
1994	0	0	0	1	48	193	352	333	114	1	0	0		
1994	0	0	0	1	49	242	594	927	1041	1042	1042	1042		
1994	.0	.0	.0	45.5	222.7	179.7	143.9	146.9	150.7	150.0	150.0	150.0		
1995	0	0	0	0	7	53	215	273	88	2	0	0		
1995	0	0	0	0	7	60	275	548	636	638	638	638		
1995	.0	.0	.0	.0	31.8	44.5	66.6	86.8	92.1	91.8	91.8	91.8		
STATE :	43 VERMONT													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		
1994	0	0	0	0	0	66	174	62	4	0	0	0		
1994	0	0	0	0	0	66	240	302	306	306	306	306		
1994	.0	.0	.0	.0	.0	139.2	138.1	112.5	109.1	109.1	109.1	109.1		
1995	0	0	0	0	0	63	183	104	0	0	0	0		
1995	0	0	0	0	0	63	246	350	350	350	350	350		
1995	.0	.0	.0	.0	.0	132.9	141.5	130.4	124.8	124.8	124.8	124.8		
STATE :	44 VIRGINIA													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		
1994	0	0	0	20	23	291	378	236	97	9	0	0		
1994	0	0	0	20	43	334	712	948	1045	1054	1054	1054		
1994	.0	.0	.0	333.3	62.5	120.7	117.8	105.6	101.4	100.2	100.2	100.2		
1995	0	0	2	3	52	199	381	362	109	30	0	0		
1995	0	0	2	5	57	256	637	999	1108	1138	1138	1138		
1995	.0	.0	80.0	83.3	82.8	92.5	105.4	111.3	107.5	108.2	108.2	108.1		
STATE :	45 WASHINGTON													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		
1994	1	0	0	0	4	16	113	89	36	0	0	0		
1994	1	1	1	1	5	21	134	223	259	259	259	259		
1994	1000.0	1000.0	1000.0	1000.0	217.4	86.1	149.9	139.5	148.1	148.1	148.1	148.1		
1995	0	0	0	0	4	23	93	33	38	0	0	0		
1995	0	0	0	0	4	27	120	153	191	191	191	191		
1995	.0	.0	.0	.0	173.9	110.7	134.2	95.7	109.2	109.2	109.2	109.2		

LINE 1 = COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
 LINE 2 = ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
 LINE 3 = [ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION) / ACCUMULATED NORMAL]*100
 PERCENTAGE OF 9999.9 => 10000

COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION), THRU DEC													1995--BASE TEMP = 65 DEG F	
STATE :	46 WEST VIRGINIA													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		
1994	0	0	0	5	13	220	281	169	59	7	0	0		
1994	0	0	0	5	18	238	519	688	747	754	754	754		
1994	.0	.0	.0	106.4	32.7	117.4	116.1	103.8	99.1	98.4	98.4	98.4		
1995	0	0	2	0	34	173	298	350	65	15	0	0		
1995	0	0	2	2	36	209	507	857	922	937	937	937		
1995	.0	.0	74.1	42.6	65.5	103.1	113.4	129.3	122.4	122.3	122.3	122.2		
STATE :	47 WISCONSIN													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		
1994	0	0	0	0	19	129	148	94	50	6	0	0		
1994	0	0	0	0	19	148	296	390	440	446	446	446		
1994	.0	.0	.0	.0	69.1	115.3	91.7	82.5	88.3	88.8	88.8	88.8		
1995	0	0	0	0	16	166	228	293	10	1	0	0		
1995	0	0	0	0	16	182	410	703	713	714	714	714		
1995	.0	.0	.0	.0	58.2	141.7	127.0	148.8	143.1	142.1	142.1	142.1		
STATE :	48 WYOMING													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		
1994	0	0	0	0	18	84	109	135	32	0	0	0		
1994	0	0	0	0	18	102	211	346	378	378	378	378		
1994	.0	.0	.0	.0	473.7	175.6	109.2	119.5	122.6	122.5	122.5	122.5		
1995	0	0	0	0	0	24	90	148	13	0	0	0		
1995	0	0	0	0	0	24	114	262	275	275	275	275		
1995	.0	.0	.0	.0	.0	41.3	59.0	90.5	89.2	89.1	89.1	89.1		

LINE 1 = COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
 LINE 2 = ACCUMULATED COOLING DEGREE DAYS(DIVISIONS WEIGHTED BY 1990 POPULATION)
 LINE 3 = [ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION) / ACCUMULATED NORMAL]*100
 PERCENTAGE OF 9999.9 => 10000

2. REGIONAL POPULATION-WEIGHTED COOLING DEGREE DAYS

THE NATION WAS DIVIDED INTO NINE CENSUS REGIONS AS DEFINED AND USED BY THE BUREAU OF THE CENSUS. THE REGIONS AND STATES THEY COMPRISE ARE LISTED ON THE NEXT PAGE. THE POPULATION WEIGHTS USED TO PRODUCE MONTHLY AND REGIONAL DEGREE DAY TOTALS ARE ALSO SHOWN. THESE WEIGHTS WERE OBTAINED BY DIVIDING EACH STATE'S POPULATION BY THE TOTAL REGIONAL POPULATION.

A PARTICULAR REGIONAL MONTHLY DEGREE DAY VALUE WAS OBTAINED BY MULTIPLYING THE CORRESPONDING STATE DEGREE DAY TOTALS WITHIN A REGION BY THE APPROPRIATE WEIGHT AND ADDING ALL THE PRODUCTS. SEASONAL VALUES ARE OBTAINED BY SUMMING THE MONTHLY TOTALS.

MONTHLY AND SEASONAL DEGREE DAY TOTALS FOR THE NINE CENSUS REGIONS ARE PRESENTED IN THE TABLES

2.2 STATE POPULATION-WEIGHTS (1990 CENSUS) FOR THE CENSUS REGIONS OF THE UNITED STATES

01	NEW ENGLAND		04	WEST NORTH CENTRAL		07	WEST SOUTH CENTRAL	
01	CONNECTICUT	.24890	01	IOWA	.15720	01	ARKANSAS	.08810
02	MAINE	.09300	02	KANSAS	.14030	02	LOUISIANA	.15800
03	MASSACHUSETTS	.45550	03	MINNESOTA	.24770	03	OKLAHOMA	.11780
04	NEW HAMPSHIRE	.08400	04	MISSOURI	.28980	04	TEXAS	.63610
05	RHODE ISLAND	.07600	05	NEBRASKA	.08940			
06	VERMONT	.04260	06	NORTH DAKOTA	.03620	08	MOUNTAIN	
			07	SOUTH DAKOTA	.03940	01	ARIZONA	.26830
02	MIDDLE ATLANTIC					02	COLORADO	.24120
01	NEW JERSEY	.20560	05	SOUTH ATLANTIC		03	IDAHO	.07370
02	NEW YORK	.47840	01	DELAWARE	.01530	04	MONTANA	.05860
03	PENNSYLVANIA	.31600	02	FLORIDA	.29700	05	NEVADA	.08800
			03	GEORGIA	.14870	06	NEW MEXICO	.11090
03	EAST NORTH CENTRAL		04	MARYLAND AND D.C.	.12370	07	UTAH	.12610
01	ILLINOIS	.27210	05	NORTH CAROLINA	.15210	08	WYOMING	.03320
02	INDIANA	.13200	06	SOUTH CAROLINA	.08000			
03	MICHIGAN	.22130	07	VIRGINIA	.14200	09	PACIFIC (AK,HI OMITTED)	
04	OHIO	.25820	08	WEST VIRGINIA	.04120	01	CALIFORNIA	.79420
05	WISCONSIN	.11640				02	OREGON	.07590
			06	EAST SOUTH CENTRAL		03	WASHINGTON	.12990
			01	ALABAMA	.26620			
			02	KENTUCKY	.24280			
			03	MISSISSIPPI	.16960			
			04	TENNESSEE	.32140			

REGIONAL COOLING DEGREE DAYS (STATES WEIGHTED BY 1990 POPULATION), THRU DEC													1995--BASE TEMP = 65 DEG F
REGION :	1 NEW ENGLAND												
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1994	0	0	0	0	1	115	290	125	17	0	0	0	
1994	0	0	0	0	1	116	406	531	548	548	548	548	
1994	.0	.0	.0	.0	16.9	170.8	164.4	134.5	130.5	130.3	130.3	130.2	
1995	0	0	0	0	1	77	250	164	14	1	0	0	
1995	0	0	0	0	1	78	328	492	506	507	507	507	
1995	.0	.0	.0	.0	16.9	114.9	132.8	124.6	120.5	120.5	120.5	120.5	
REGION :	2 MIDDLE ATLANTIC												
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1994	0	0	0	0	9	187	322	154	50	0	0	0	
1994	0	0	0	0	9	196	518	672	722	722	722	722	
1994	.0	.0	.0	.0	37.0	135.4	132.3	111.6	107.8	106.9	106.9	106.9	
1995	0	0	0	0	13	137	307	276	56	14	0	0	
1995	0	0	0	0	13	150	457	733	789	803	803	803	
1995	.0	.0	.0	.0	53.5	103.6	116.7	121.8	117.8	118.9	118.9	118.9	
REGION :	3 E. N. CENTRAL												
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1994	0	0	0	1	26	192	230	140	65	10	0	0	
1994	0	0	0	1	27	219	449	589	654	664	664	664	
1994	.0	.0	.0	43.5	50.0	106.1	98.6	89.8	90.2	90.2	90.2	90.2	
1995	0	0	1	0	31	191	290	360	37	11	0	0	
1995	0	0	1	1	32	223	513	873	910	921	921	921	
1995	.0	.0	100.0	43.5	59.3	108.0	112.6	133.0	125.5	125.1	125.1	125.1	
REGION :	4 W. N. CENTRAL												
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1994	0	0	3	5	65	243	242	219	92	18	0	0	
1994	0	0	3	8	73	316	558	777	869	887	887	887	
1994	.0	.0	88.2	72.1	87.5	111.7	91.8	89.2	90.1	90.4	90.4	90.4	
1995	0	0	3	2	29	194	312	371	61	13	0	0	
1995	0	0	3	5	34	228	540	911	972	985	985	985	
1995	.0	.0	88.2	45.0	40.8	80.6	88.8	104.6	100.8	100.4	100.4	100.4	
REGION :	5 SOUTH ATLANTIC												
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1994	30	46	56	107	155	375	428	347	224	120	76	41	
1994	30	76	132	239	394	769	1197	1544	1768	1888	1964	2005	
1994	98.7	133.1	126.2	135.6	111.8	115.4	111.0	105.1	102.3	102.2	103.6	104.1	
1995	25	21	58	84	217	300	462	454	252	150	37	21	
1995	25	46	104	188	405	705	1167	1621	1873	2023	2060	2081	
1995	82.2	80.6	99.4	106.7	114.9	105.8	108.2	110.3	108.3	109.5	108.6	108.0	

LINE 1 = COOLING DEGREE DAYS (STATES WEIGHTED BY 1990 POPULATION)
 LINE 2 = ACCUMULATED COOLING DEGREE DAYS (STATES WEIGHTED BY 1990 POPULATION)
 LINE 3 = [ACCUMULATED COOLING DEGREE DAYS (STATES WEIGHTED BY 1990 POPULATION) / ACCUMULATED NORMAL]*100
 PERCENTAGE OF 9999.9 => 10000

REGIONAL COOLING DEGREE DAYS (STATES WEIGHTED BY 1990 POPULATION), THRU DEC													1995--BASE TEMP = 65 DEG F
REGION :	6 E. S. CENTRAL												
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1994	3	4	15	45	92	350	371	327	167	58	12	4	
1994	3	7	22	67	159	509	880	1207	1374	1432	1444	1448	
1994	42.3	64.8	73.3	105.0	77.1	101.1	97.1	94.2	91.7	92.1	92.5	92.5	
1995	7	3	27	31	159	266	435	493	196	52	1	1	
1995	7	10	37	68	227	493	928	1421	1617	1669	1670	1671	
1995	98.6	92.6	123.3	106.6	110.1	97.9	102.4	110.9	107.9	107.3	106.9	106.8	
REGION :	7 W. S. CENTRAL												
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1994	12	10	46	99	214	492	531	496	305	147	56	14	
1994	12	22	68	167	381	873	1404	1900	2205	2352	2408	2422	
1994	97.6	93.6	96.7	93.1	88.2	101.6	100.1	98.4	96.7	97.3	98.3	98.5	
1995	16	18	42	81	261	383	558	573	348	137	22	9	
1995	16	34	76	157	418	801	1359	1932	2280	2417	2439	2448	
1995	130.1	144.7	108.1	87.5	96.8	93.2	96.9	100.1	100.0	100.0	99.6	99.5	
REGION :	8 MOUNTAIN												
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1994	0	1	15	40	97	299	372	373	194	44	1	0	
1994	0	1	16	56	153	452	824	1197	1391	1435	1436	1436	
1994	.0	43.5	155.3	135.3	120.7	132.6	121.5	124.0	124.4	122.7	122.4	122.3	
1995	0	7	10	25	64	174	318	357	196	67	16	0	
1995	0	7	17	42	106	280	598	955	1151	1218	1234	1234	
1995	.0	304.3	165.0	101.4	83.6	82.1	88.2	99.0	102.9	104.2	105.2	105.1	
REGION :	9 PACIFIC												
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1994	4	0	9	15	26	130	201	248	143	25	0	0	
1994	4	4	13	28	54	184	385	633	776	801	801	801	
1994	285.7	160.0	224.1	153.0	110.0	125.8	114.3	119.5	119.0	116.1	115.4	115.4	
1995	0	8	5	10	15	72	198	213	165	54	14	0	
1995	0	8	13	23	38	110	308	521	686	740	754	754	
1995	.0	320.0	224.1	125.7	77.4	75.2	91.5	98.4	105.2	107.2	108.7	108.6	

LINE 1 = COOLING DEGREE DAYS (STATES WEIGHTED BY 1990 POPULATION)
 LINE 2 = ACCUMULATED COOLING DEGREE DAYS (STATES WEIGHTED BY 1990 POPULATION)
 LINE 3 = [ACCUMULATED COOLING DEGREE DAYS (STATES WEIGHTED BY 1990 POPULATION) / ACCUMULATED NORMAL]*100
 PERCENTAGE OF 9999.9 => 10000

3. NATIONAL POPULATION-WEIGHTED COOLING DEGREE DAYS

THE NATIONAL DEGREE DAY TOTALS WERE DERIVED BY POPULATION WEIGHTING THE DEGREE DAY VALUES FOR THE NINE CENSUS REGIONS. THE WEIGHTS USED TO DERIVE THE NATIONAL MONTHLY DEGREE DAY VALUES ARE GIVEN BELOW:

3.2 REGIONAL POPULATION WEIGHTS OF THE CONTERMINOUS UNITED STATES

01	NEW ENGLAND	.05350
02	MIDDLE ATLANTIC	.15220
03	EAST NORTH CENTRAL	.17000
04	WEST NORTH CENTRAL	.07150
05	SOUTH ATLANTIC	.17630
06	EAST SOUTH CENTRAL	.06140
07	WEST SOUTH CENTRAL	.10810
08	MOUNTAIN	.05530
09	PACIFIC	.15170

MONTHLY AND SEASONAL DEGREE TOTALS FOR THE CONTERMINOUS UNITED STATES ARE SHOWN IN THE FOLLOWING TABLE.

NATIONAL COOLING DEGREE DAYS (REGIONS WEIGHTED BY 1990 POPULATION), THRU DEC										1995--BASE TEMP = 65 DEG F			
REGION :	11 NATIONAL												
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1994	7	9	18	37	76	262	328	263	141	50	20	9	
1994	7	16	34	71	147	409	737	1000	1141	1191	1211	1220	
1994	94.6	115.1	114.1	117.0	94.7	112.5	108.4	103.4	101.8	101.6	102.1	102.3	
1995	7	7	18	29	91	202	348	363	150	61	12	5	
1995	7	14	32	61	152	354	702	1065	1215	1276	1288	1293	
1995	94.6	100.7	107.4	100.5	97.9	97.4	103.2	110.1	108.4	108.8	108.6	108.4	

LINE 1 = COOLING DEGREE DAYS (REGIONS WEIGHTED BY 1990 POPULATION)
 LINE 2 = ACCUMULATED COOLING DEGREE DAYS (REGIONS WEIGHTED BY 1990 POPULATION)
 LINE 3 = [ACCUMULATED COOLING DEGREE DAYS (REGIONS WEIGHTED BY 1990 POPULATION) / ACCUMULATED NORMAL]*100
 PERCENTAGE OF 9999.9 => 10000

REFERENCES

- THOM, H.C.S., 1954A: THE RATIONAL RELATIONSHIP BETWEEN HEATING DEGREE DAYS AND TEMPERATURE. "MONTHLY WEATHER REVIEW", VOL 82, NO.1, 1-6.
- THOM, H.C.S., 1954B: NORMAL DEGREE DAYS BELOW ANY BASE. "MONTHLY WEATHER REVIEW", VOL 82, NO.5, 111-115.
- THOM, H.C.S., 1966: NORMAL DEGREE DAYS ABOVE ANY BASE BY THE UNIVERSAL TRUNCATION COEFFICIENT. "MONTHLY WEATHER REVIEW", VOL 94, NO. 7, 461-465.
- U.S. DEPARTMENT OF COMMERCE, BUREAU OF THE CENSUS, 1992: "1990 CENSUS OF POPULATION, GENERAL POPULATION CHARACTERISTICS", SERIES CT-1 (ALABAMA THROUGH WYOMING AND U.S. SUMMAR

AREA	JAN	STATE FEB	AVERAGE MAR	TEMPERATURE APR	(DEG F) MAY	(DIVISIONS JUN	WEIGHTED JUL	BY AREA) AUG	-- 1994 SEP	OCT	NOV	DEC
ALABAMA	40.7	49.9	55.5	64.5	68.4	77.7	77.5	77.2	72.3	66.9	58.0	49.7
ARIZONA	44.1	44.4	45.5	45.5	45.5	80.4	82.2	82.4	74.9	66.0	47.7	44.4
ARKANSAS	36.7	44.2	45.5	45.5	45.5	79.9	78.4	76.6	70.6	66.0	45.4	44.4
CALIFORNIA	47.0	45.5	45.5	45.5	45.5	71.9	76.8	76.6	70.6	66.0	45.4	44.4
COLORADO	26.2	25.6	25.4	44.4	45.5	66.3	67.6	68.0	59.2	44.4	22.7	26.2
CONNECTICUT	18.2	22.2	33.3	44.4	45.5	66.3	67.6	68.0	59.2	44.4	22.7	18.2
DELAWARE	23.6	33.3	44.4	45.5	45.5	66.3	67.6	68.0	59.2	44.4	22.7	23.6
FLORIDA	57.7	64.4	66.6	77.7	77.7	80.0	80.0	80.0	78.8	66.6	57.7	57.7
GEORGIA	42.3	66.6	66.6	66.6	66.6	77.7	78.8	80.0	72.2	66.6	42.3	42.3
IDAHO	29.9	33.3	33.3	44.4	45.5	60.0	69.9	68.8	60.0	44.4	29.9	29.9
ILLINOIS	19.9	27.7	33.3	44.4	45.5	73.3	74.4	70.0	64.4	44.4	19.9	19.9
INDIANA	20.2	27.7	33.3	44.4	45.5	73.3	73.7	69.9	64.4	44.4	20.2	20.2
IOWA	10.9	17.7	28.8	44.4	45.5	71.1	70.8	69.9	64.4	44.4	10.9	10.9
KANSAS	28.8	29.9	33.3	44.4	45.5	77.7	76.6	77.7	66.6	44.4	28.8	28.8
KENTUCKY	27.7	22.2	25.5	44.4	45.5	75.5	76.6	73.3	66.6	44.4	27.7	27.7
LOUISIANA	46.6	55.5	66.6	77.7	77.7	80.0	80.0	80.0	75.5	66.6	46.6	46.6
MAINE	33.9	33.9	33.9	44.4	45.5	63.3	69.9	69.9	63.3	44.4	33.9	33.9
MARYLAND & D.C.	26.6	33.3	33.3	44.4	45.5	74.4	77.7	72.2	66.6	44.4	26.6	26.6
MASSACHUSETTS	17.7	22.2	33.3	44.4	45.5	66.6	67.7	67.7	60.0	44.4	17.7	17.7
MICHIGAN	10.3	14.4	25.5	44.4	45.5	66.6	67.7	67.7	61.1	44.4	10.3	10.3
MINNESOTA	1.1	4.4	10.0	44.4	45.5	66.6	66.6	66.6	64.4	44.4	1.1	1.1
MISSISSIPPI	41.1	44.4	44.4	44.4	44.4	79.9	78.8	78.8	73.3	66.6	41.1	41.1
MISSOURI	26.6	33.3	33.3	44.4	45.5	75.5	75.5	74.4	66.6	44.4	26.6	26.6
MONTANA	22.2	16.6	33.3	44.4	45.5	61.1	67.7	68.8	60.0	44.4	22.2	22.2
NEBRASKA	21.8	22.2	33.3	44.4	45.5	71.1	71.1	72.2	60.0	44.4	21.8	21.8
NEVADA	33.3	33.3	44.4	44.4	44.4	68.8	74.4	73.3	63.3	44.4	33.3	33.3
NEW HAMPSHIRE	9.9	11.1	16.6	44.4	45.5	66.6	71.1	71.1	64.4	44.4	9.9	9.9
NEW JERSEY	24.4	29.9	33.3	44.4	45.5	72.2	77.7	70.0	66.6	44.4	24.4	24.4
NEW MEXICO	35.6	37.7	44.4	44.4	44.4	74.4	75.5	74.4	66.6	44.4	35.6	35.6
NEW YORK	11.4	17.7	25.5	44.4	45.5	66.6	71.1	65.5	61.1	44.4	11.4	11.4
NORTH CAROLINA	36.6	43.3	44.4	44.4	44.4	76.6	78.8	74.4	68.8	44.4	36.6	36.6
NORTH DAKOTA	1.1	3.3	10.0	44.4	45.5	64.4	66.6	66.6	60.0	44.4	1.1	1.1
OHIO	19.9	27.7	33.3	44.4	45.5	71.1	73.3	66.6	63.3	44.4	19.9	19.9
OKLAHOMA	36.6	33.3	33.3	44.4	45.5	66.6	66.6	66.6	60.0	44.4	36.6	36.6
OREGON	37.7	44.4	44.4	44.4	44.4	65.5	66.6	66.6	62.2	44.4	37.7	37.7
PENNSYLVANIA	18.2	22.2	33.3	44.4	45.5	69.9	72.2	67.7	60.0	44.4	18.2	18.2
RHODE ISLAND	23.2	26.6	33.3	44.4	45.5	67.7	74.4	68.8	62.2	44.4	23.2	23.2
SOUTH CAROLINA	41.1	48.8	46.6	46.6	46.6	67.7	78.8	76.6	62.2	44.4	41.1	41.1
SOUTH DAKOTA	10.0	12.2	16.6	44.4	45.5	68.8	69.9	69.9	63.3	44.4	10.0	10.0
TENNESSEE	31.1	41.1	44.4	44.4	44.4	75.5	76.6	74.4	67.7	44.4	31.1	31.1
TEXAS	46.4	48.8	48.8	44.4	44.4	82.2	83.3	81.1	74.4	44.4	46.4	46.4
UTAH	31.1	33.3	44.4	44.4	44.4	70.0	74.4	74.4	64.4	44.4	31.1	31.1
VERMONT	5.5	7.7	11.1	44.4	45.5	65.5	69.9	63.3	56.6	44.4	5.5	5.5
VIRGINIA	29.9	33.3	44.4	44.4	44.4	74.4	76.6	72.2	65.5	44.4	29.9	29.9
WASHINGTON	37.9	33.3	44.4	44.4	44.4	60.0	69.9	66.6	62.2	44.4	37.9	37.9
WEST VIRGINIA	23.7	33.3	44.4	44.4	44.4	71.1	73.3	69.9	62.2	44.4	23.7	23.7
WISCONSIN	4.4	11.1	16.6	44.4	45.5	66.6	67.7	64.4	61.1	44.4	4.4	4.4
WYOMING	24.5	19.8	33.7	44.3	45.1	62.1	66.1	67.2	57.8	43.0	27.7	24.5

NOTE : DASHES INDICATE DATA NOT AVAILABLE OR MISSING.

AREA	REGIONAL & NATIONAL AVERAGE TEMPERATURE (DEG F) (WEIGHTED BY AREA)											
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	-- 1994 OCT	NOV	DEC
NEW ENGLAND	8.1	14.3	29.0	41.8	51.3	65.3	70.8	64.7	56.7	47.5	39.2	27.3
MIDDLE ATLANTIC	15.4	21.5	32.2	48.5	54.0	68.3	72.3	66.6	60.3	49.5	43.9	33.3
E. N. CENTRAL	14.1	20.8	35.7	48.6	56.8	69.7	70.9	67.5	63.2	52.9	42.8	32.8
W. N. CENTRAL	13.5	17.4	38.4	48.1	61.0	70.6	70.8	70.5	64.1	52.7	38.4	27.7
SOUTH ATLANTIC	40.2	47.9	54.2	63.9	66.3	76.8	78.1	75.7	70.8	62.1	57.7	49.7
E. S. CENTRAL	35.7	45.1	51.6	62.4	65.4	77.2	77.2	75.9	69.9	61.6	55.5	46.5
W. S. CENTRAL	43.7	46.8	56.7	64.3	70.3	81.5	81.8	80.6	73.8	66.0	56.9	48.6
MOUNTAIN	30.9	29.1	42.7	48.8	58.5	68.0	72.2	72.1	63.4	49.2	34.2	31.5
PACIFIC	42.2	39.8	49.4	54.1	59.5	65.8	72.9	71.6	66.5	54.3	39.9	38.3
NATIONAL	29.7	32.2	45.1	53.5	61.5	71.6	74.1	72.8	66.2	55.0	43.4	36.7

NOTE : DASHES INDICATE DATA NOT AVAILABLE OR MISSING.

AREA	JAN	STATE FEB	AVERAGE MAR	TEMPERATURE APR	(DEG F) MAY	(DIVISIONS JUN	WEIGHTED JUL	BY AREA) AUG	-- 1995 SEP	OCT	NOV	DEC
ALABAMA	45.3	47.2	57.9	61.9	71.9	75.1	81.0	81.9	73.8	61.5	44.6	44.4
ARIZONA	43.2	51.8	55.5	55.5	55.5	73.2	88.1	88.2	75.5	66.6	44.5	44.5
ARKANSAS	41.1	44.7	55.5	55.5	55.5	74.1	88.1	88.2	70.5	66.6	44.5	44.5
CALIFORNIA	46.8	52.7	55.5	55.5	55.5	67.1	75.5	75.5	75.5	72.4	44.5	44.5
COLORADO	26.2	34.1	33.6	44.7	44.7	59.2	65.8	69.5	55.8	44.5	44.5	44.5
CONNECTICUT	32.2	34.4	33.6	44.7	44.7	67.1	74.1	74.1	60.0	44.5	44.5	44.5
DELAWARE	39.2	44.4	44.4	55.5	55.5	71.1	79.9	79.9	66.6	44.5	44.5	44.5
FLORIDA	57.7	54.9	55.5	60.0	60.0	73.8	79.9	88.2	88.2	77.7	44.5	44.5
GEORGIA	46.6	51.1	55.5	60.0	60.0	75.5	75.5	88.2	88.2	77.7	44.5	44.5
IDAHO	27.7	34.4	44.4	44.4	55.5	57.7	66.6	66.6	55.5	44.5	44.5	44.5
ILLINOIS	29.5	33.3	33.3	44.4	44.4	72.2	76.6	76.6	66.6	44.5	44.5	44.5
INDIANA	28.5	44.4	44.4	55.5	55.5	71.1	75.5	75.5	66.6	44.5	44.5	44.5
IOWA	18.6	29.5	33.3	44.4	44.4	70.0	74.4	74.4	66.6	44.5	44.5	44.5
KANSAS	33.1	44.4	44.4	55.5	55.5	70.0	78.8	78.8	66.6	44.5	44.5	44.5
KENTUCKY	33.1	44.4	44.4	55.5	55.5	72.2	77.7	77.7	66.6	44.5	44.5	44.5
LOUISIANA	59.5	53.3	55.5	60.0	60.0	79.9	88.2	88.2	77.7	44.5	44.5	44.5
MAINE	19.3	33.3	33.3	44.4	44.4	63.3	68.8	68.8	55.5	44.5	44.5	44.5
MARYLAND & D.C.	37.0	44.4	44.4	55.5	55.5	71.1	77.7	77.7	66.6	44.5	44.5	44.5
MASSACHUSETTS	31.1	44.4	44.4	55.5	55.5	66.6	72.2	72.2	66.6	44.5	44.5	44.5
MICHIGAN	23.3	16.7	33.3	44.4	44.4	67.7	69.9	69.9	55.5	44.5	44.5	44.5
MINNESOTA	22.3	33.3	33.3	44.4	44.4	68.8	68.8	70.0	66.6	44.5	44.5	44.5
MISSISSIPPI	44.4	50.0	55.5	60.0	60.0	76.6	88.2	88.2	74.4	44.5	44.5	44.5
MISSOURI	29.6	33.3	33.3	44.4	44.4	71.1	77.7	77.7	66.6	44.5	44.5	44.5
MONTANA	23.3	33.3	33.3	44.4	44.4	59.9	65.5	65.5	55.5	44.5	44.5	44.5
NEBRASKA	24.7	33.3	33.3	44.4	44.4	59.9	65.5	65.5	55.5	44.5	44.5	44.5
NEVADA	34.1	44.4	44.4	55.5	55.5	60.0	70.0	70.0	66.6	44.5	44.5	44.5
NEW HAMPSHIRE	29.5	44.4	44.4	55.5	55.5	66.6	70.0	70.0	66.6	44.5	44.5	44.5
NEW JERSEY	36.6	44.4	44.4	55.5	55.5	66.6	76.6	76.6	66.6	44.5	44.5	44.5
NEW MEXICO	36.6	44.4	44.4	55.5	55.5	66.6	73.3	74.4	66.6	44.5	44.5	44.5
NEW YORK	27.8	33.3	33.3	44.4	44.4	67.7	71.1	71.1	66.6	44.5	44.5	44.5
NORTH CAROLINA	41.7	44.4	44.4	55.5	55.5	72.2	78.8	78.8	66.6	44.5	44.5	44.5
NORTH DAKOTA	9.7	16.4	22.2	33.3	33.3	66.6	70.0	70.0	55.5	44.5	44.5	44.5
OHIO	29.6	33.3	33.3	44.4	44.4	66.6	70.0	70.0	66.6	44.5	44.5	44.5
OKLAHOMA	33.7	44.4	44.4	55.5	55.5	74.4	74.4	74.4	66.6	44.5	44.5	44.5
OREGON	39.9	44.4	44.4	55.5	55.5	74.4	88.2	88.2	71.1	44.5	44.5	44.5
PENNSYLVANIA	30.6	44.4	44.4	55.5	55.5	65.5	76.6	76.6	66.6	44.5	44.5	44.5
RHODE ISLAND	35.5	44.4	44.4	55.5	55.5	65.5	73.3	73.3	66.6	44.5	44.5	44.5
SOUTH CAROLINA	51.1	44.7	55.5	60.0	60.0	75.5	81.1	81.1	72.2	44.5	44.5	44.5
SOUTH DAKOTA	19.2	22.2	33.3	44.4	44.4	66.6	72.2	72.2	66.6	44.5	44.5	44.5
TENNESSEE	38.8	44.4	44.4	55.5	55.5	72.2	77.7	77.7	66.6	44.5	44.5	44.5
TEXAS	47.7	55.5	55.5	60.0	60.0	77.7	83.3	83.3	79.9	44.5	44.5	44.5
UTAH	30.2	44.4	44.4	55.5	55.5	61.1	70.0	70.0	66.6	44.5	44.5	44.5
VERMONT	24.4	33.3	33.3	44.4	44.4	64.4	69.9	69.9	55.5	44.5	44.5	44.5
VIRGINIA	37.7	44.4	44.4	55.5	55.5	70.0	76.6	76.6	66.6	44.5	44.5	44.5
WASHINGTON	33.9	44.4	44.4	55.5	55.5	61.1	67.7	67.7	62.2	44.5	44.5	44.5
WEST VIRGINIA	21.1	33.3	33.3	44.4	44.4	68.8	73.3	73.3	62.2	44.5	44.5	44.5
WISCONSIN	17.3	22.2	33.3	44.4	44.4	55.5	68.8	68.8	44.5	44.5	44.5	44.5
WYOMING	21.9	28.9	33.3	44.4	44.4	55.5	64.4	64.4	55.5	44.5	44.5	44.5

NOTE : DASHES INDICATE DATA NOT AVAILABLE OR MISSING.

AREA	REGIONAL & NATIONAL AVERAGE TEMPERATURE (DEG F) (WEIGHTED BY AREA)											
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	-- 1995 OCT	NOV	DEC
NEW ENGLAND	23.7	16.6	31.8	38.5	52.0	64.4	70.0	66.7	55.1	50.7	32.9	19.7
MIDDLE ATLANTIC	29.5	22.1	38.2	43.4	56.0	67.8	72.4	71.6	59.9	54.0	35.3	24.1
E. N. CENTRAL	24.1	24.0	38.1	44.7	57.1	70.1	73.0	75.3	60.4	52.5	32.1	23.5
W. N. CENTRAL	20.8	27.1	35.4	43.7	55.2	68.7	73.3	75.4	61.1	50.0	32.0	23.5
SOUTH ATLANTIC	44.6	44.2	55.5	61.7	69.8	74.3	79.5	79.3	71.7	64.7	49.8	42.8
E. S. CENTRAL	41.6	42.8	54.5	60.8	69.2	74.1	79.5	81.2	71.2	61.2	46.5	40.9
W. S. CENTRAL	45.9	50.8	55.6	62.8	71.2	76.9	82.4	82.9	74.6	65.4	54.1	46.5
MOUNTAIN	30.4	38.3	39.8	45.1	53.1	62.3	69.7	71.0	62.2	49.8	41.1	32.0
PACIFIC	40.9	46.7	46.4	50.9	57.8	63.6	70.9	69.4	67.1	55.8	50.3	41.6
NATIONAL	33.4	37.7	44.0	50.3	59.5	68.4	74.2	74.9	65.4	55.2	42.6	34.0

NOTE : DASHES INDICATE DATA NOT AVAILABLE OR MISSING.

AREA	JAN	STATE FEB	AVERAGE MAR	PRECIPITATION (IN.) APR	(DIVISIONS MAY	WEIGHTED JUN	BY AREA) JUL	-- 1994 AUG	SEP	OCT	NOV	DEC
ALABAMA	5.31	5.16	7.38	4.46	3.26	7.59	9.87	2.91	3.58	4.93	3.61	3.72
ARIZONA	1.52	1.11	1.32	1.68	3.63	1.27	1.00	1.66	1.42	1.88	1.44	1.58
ARKANSAS	5.57	5.88	5.32	4.14	3.97	3.87	6.50	3.01	2.14	3.99	2.44	2.81
CALIFORNIA	1.90	3.93	1.50	1.33	1.16	1.08	1.03	3.07	2.28	3.71	2.71	2.81
COLORADO	5.50	5.78	6.82	1.99	1.48	1.11	1.01	2.09	1.23	1.63	1.22	1.49
CONNECTICUT	5.88	5.05	6.82	5.54	5.77	1.00	1.41	2.62	1.11	1.63	1.14	1.49
DELAWARE	5.55	5.22	5.55	2.33	3.43	2.22	6.33	4.99	4.88	5.55	5.55	5.74
FLORIDA	5.80	3.33	3.33	3.66	2.79	2.33	3.66	4.44	4.44	5.55	3.33	3.44
GEORGIA	5.55	3.33	3.33	1.33	1.33	7.77	9.99	8.88	1.11	1.11	3.33	3.44
IDAHO	1.44	1.77	1.00	1.11	1.11	1.11	4.44	6.66	4.44	5.55	3.33	2.22
ILLINOIS	1.99	1.78	1.00	1.00	1.66	2.22	3.33	3.33	2.22	1.11	1.11	1.99
INDIANA	2.76	1.44	1.11	1.71	2.67	4.44	2.22	3.33	4.44	5.55	2.22	2.55
IOWA	1.00	1.26	1.22	1.44	1.07	3.66	3.33	3.33	3.33	3.33	1.11	1.11
KANSAS	5.66	7.66	4.44	4.44	5.50	6.66	4.44	4.44	3.33	3.33	2.22	2.55
KENTUCKY	4.99	5.55	7.77	5.55	5.55	3.33	4.44	3.33	3.33	3.33	3.33	3.44
LOUISIANA	5.99	3.73	4.44	2.22	1.11	1.11	3.33	3.33	4.44	4.44	4.44	4.44
MAINE	4.51	1.27	4.44	6.99	6.27	3.33	7.77	3.33	4.44	3.33	2.22	2.75
MARYLAND & D.C.	4.53	4.75	8.88	3.33	3.38	2.41	5.70	5.31	3.31	3.31	2.22	2.20
MASSACHUSETTS	5.53	2.22	6.66	1.11	4.44	1.11	5.55	4.44	4.44	5.55	3.33	5.44
MICHIGAN	2.11	1.44	1.11	2.88	2.44	4.44	4.44	4.44	6.66	6.66	4.44	5.99
MINNESOTA	7.99	5.55	6.66	4.44	1.99	4.44	2.22	3.33	3.33	5.55	4.44	3.99
MISSISSIPPI	7.14	5.33	6.88	4.44	1.00	4.44	7.77	3.33	3.33	2.22	1.11	4.44
MISSOURI	1.66	2.11	2.00	1.99	2.44	2.22	3.33	3.33	2.22	2.22	3.33	1.11
MONTANA	6.66	6.66	1.44	1.11	1.77	3.33	1.11	4.44	3.33	1.11	2.22	1.55
NEBRASKA	6.64	6.33	1.16	1.88	3.99	3.55	4.44	2.22	1.11	2.22	1.11	1.55
NEVADA	4.29	1.97	4.66	1.11	1.33	0.00	1.16	3.33	4.44	5.55	1.11	1.87
NEW HAMPSHIRE	4.41	1.33	4.66	2.22	4.44	3.33	0.00	3.33	4.44	5.55	3.33	4.00
NEW JERSEY	5.48	3.63	7.43	2.22	3.55	3.33	1.11	2.22	3.33	3.33	2.22	2.47
NEW MEXICO	3.26	1.41	1.97	6.99	3.33	6.66	5.55	2.22	2.22	3.33	1.11	1.03
NEW YORK	3.76	1.98	3.92	3.66	1.11	5.55	1.11	4.44	4.44	5.55	4.44	5.00
NORTH CAROLINA	5.11	3.99	6.88	1.11	2.44	2.22	5.55	5.55	3.33	3.33	2.22	2.55
NORTH DAKOTA	3.77	1.55	4.44	1.11	1.11	1.11	2.22	4.44	5.55	1.11	2.22	2.55
OHIO	3.57	1.88	2.22	4.44	2.22	4.44	3.33	4.44	1.11	1.11	1.11	2.22
OKLAHOMA	2.87	1.77	2.22	4.44	1.00	2.22	4.44	2.22	2.22	3.33	1.11	1.42
OREGON	2.56	1.95	2.88	5.99	7.66	1.11	1.07	2.22	2.22	3.33	4.44	1.11
PENNSYLVANIA	4.42	2.66	5.55	1.11	3.33	4.44	7.77	2.22	3.33	1.11	4.44	2.22
RHODE ISLAND	5.53	2.88	2.24	2.22	3.22	1.11	1.77	1.11	3.33	5.55	4.44	4.99
SOUTH CAROLINA	4.71	2.99	5.06	2.50	1.00	8.88	6.66	4.44	3.37	5.55	3.33	5.55
SOUTH DAKOTA	5.72	2.66	3.33	2.59	1.11	3.33	1.11	1.11	2.22	2.22	3.33	4.44
TENNESSEE	5.88	7.00	4.49	6.88	5.55	3.33	5.55	6.66	9.99	5.55	3.33	4.44
TEXAS	1.48	1.53	1.84	1.93	3.54	1.11	2.22	2.22	2.22	5.55	1.11	2.22
UTAH	3.43	1.33	1.74	1.11	1.72	6.99	1.11	2.22	2.22	5.55	1.11	1.44
VERMONT	3.76	1.49	4.06	4.44	1.18	4.44	4.44	4.44	3.33	3.33	2.22	2.55
VIRGINIA	4.09	4.88	7.88	2.22	2.71	2.22	6.66	4.44	2.22	1.11	2.22	1.11
WASHINGTON	3.85	5.55	2.90	2.53	1.80	1.11	1.91	1.11	1.11	4.44	7.77	1.44
WEST VIRGINIA	5.55	5.22	7.39	1.74	4.44	5.55	4.66	5.38	1.11	1.11	1.11	1.44
WISCONSIN	1.35	1.16	1.76	3.33	1.88	3.33	4.90	4.03	1.11	1.11	2.22	1.55
WYOMING	6.66	1.78	1.54	1.07	1.88	1.83	1.04	1.33	1.66	2.42	1.88	1.49

NOTE : DASHES INDICATE DATA NOT AVAILABLE OR MISSING.

AREA	REGIONAL & NATIONAL AVERAGE PRECIPITATION (IN.) (WEIGHTED BY AREA)								-- 1994			
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
NEW ENGLAND	4.61	1.63	4.70	3.59	4.23	3.48	3.90	3.73	4.39	1.17	3.85	3.43
MIDDLE ATLANTIC	4.18	2.42	4.94	3.59	3.34	4.79	3.87	6.29	3.23	1.06	4.33	2.60
E. N. CENTRAL	2.25	1.48	1.49	4.50	2.15	4.09	3.85	3.99	2.96	1.75	3.74	1.57
W. N. CENTRAL	.91	.90	.58	3.73	1.77	4.05	3.97	2.70	2.22	2.82	2.16	.86
SOUTH ATLANTIC	5.13	3.63	6.24	2.74	2.71	6.34	7.42	6.27	4.55	5.06	3.20	3.06
E. S. CENTRAL	5.85	5.59	7.60	5.27	3.61	6.02	7.09	3.11	3.11	4.22	3.65	3.85
W. S. CENTRAL	2.38	2.09	2.69	2.92	4.58	2.55	3.63	2.45	2.49	4.88	3.18	3.02
MOUNTAIN	.54	.95	.74	1.29	1.39	.85	.89	1.12	.93	1.61	1.40	1.03
PACIFIC	2.51	3.77	1.61	1.72	1.47	.77	.18	.14	.63	2.06	4.67	3.89
NATIONAL	2.18	2.04	2.30	2.76	2.37	2.91	3.13	2.54	2.13	2.80	2.79	2.10

NOTE : DASHES INDICATE DATA NOT AVAILABLE OR MISSING.

AREA	-- 1995											
	JAN	STATE FEB	AVERAGE MAR	PRECIPITATION (IN.) APR	(DIVISIONS MAY	WEIGHTED JUN	BY AREA) JUL	SEP	OCT	NOV	DEC	
ALABAMA	5.03	6.08	5.65	5.36	3.56	3.36	3.96	4.84	3.21	9.40	5.90	5.12
ARIZONA	2.44	1.52	1.11	1.66	1.99	1.11	1.11	2.11	1.11	1.00	1.66	1.33
ARKANSAS	4.99	1.11	1.11	1.11	1.11	3.66	3.99	1.11	2.11	2.44	2.88	4.33
CALIFORNIA	12.33	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
COLORADO	3.74	2.89	1.11	2.28	2.28	2.28	1.11	1.11	1.11	1.11	1.11	1.11
CONNECTICUT	3.97	2.86	1.11	2.28	2.28	2.28	1.11	1.11	1.11	1.11	1.11	1.11
DELAWARE	3.33	2.22	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
FLORIDA	4.33	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
GEORGIA	3.44	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
IDAHO	2.44	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
ILLINOIS	2.44	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
INDIANA	2.88	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
IOWA	2.88	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
KANSAS	1.94	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
KENTUCKY	4.70	3.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
LOUISIANA	1.11	3.07	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
MAINE	4.44	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
MARYLAND & D.C.	3.33	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
MASSACHUSETTS	4.44	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
MICHIGAN	2.22	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
MINNESOTA	1.64	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
MISSISSIPPI	5.10	3.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
MISSOURI	3.55	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
MONTANA	1.55	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
NEBRASKA	1.44	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
NEVADA	1.90	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
NEW HAMPSHIRE	1.49	2.50	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
NEW JERSEY	3.11	2.40	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
NEW MEXICO	1.88	2.48	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
NEW YORK	3.15	2.26	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
NORTH CAROLINA	5.61	4.87	3.33	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
NORTH DAKOTA	1.51	1.34	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
OHIO	3.76	1.38	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
OKLAHOMA	2.13	1.48	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
OREGON	3.96	2.21	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
PENNSYLVANIA	3.37	1.91	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
RHODE ISLAND	1.70	3.72	2.30	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
SOUTH CAROLINA	5.69	5.10	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
SOUTH DAKOTA	1.35	1.41	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
TENNESSEE	5.41	2.89	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
TEXAS	1.11	1.03	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
UTAH	1.53	1.75	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
VERMONT	2.99	2.24	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
VIRGINIA	4.95	1.14	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
WASHINGTON	5.75	4.34	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
WEST VIRGINIA	1.91	2.34	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
WISCONSIN	1.81	1.34	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11
WYOMING	1.64	1.59	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.11

NOTE : DASHES INDICATE DATA NOT AVAILABLE OR MISSING.

AREA	REGIONAL & NATIONAL AVERAGE PRECIPITATION (IN.) (WEIGHTED BY AREA)											
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	-- 1995 OCT	NOV	DEC
NEW ENGLAND	3.97	2.57	2.44	2.20	3.28	2.01	3.76	2.46	2.81	7.35	5.78	2.82
MIDDLE ATLANTIC	3.25	2.12	1.63	2.36	3.02	2.69	3.96	2.03	2.80	6.79	4.32	2.31
E. N. CENTRAL	2.49	.96	2.12	3.73	5.57	3.12	3.29	4.79	1.71	3.98	2.75	1.67
W. N. CENTRAL	.98	.53	2.02	3.14	6.13	3.52	3.69	3.03	2.31	2.14	3.92	.76
SOUTH ATLANTIC	4.69	3.85	2.91	2.12	3.83	7.60	4.63	6.36	3.86	6.17	3.72	2.17
E. S. CENTRAL	5.06	4.08	5.25	5.15	5.90	3.76	4.08	4.24	2.76	5.85	5.05	4.29
W. S. CENTRAL	2.60	1.30	3.25	3.87	5.28	3.63	2.97	2.72	3.52	1.53	1.87	2.46
MOUNTAIN	1.34	.78	1.56	1.35	2.45	1.99	1.24	1.22	1.27	1.64	.87	.86
PACIFIC	9.04	2.14	6.60	2.70	1.61	1.54	1.60	1.50	1.68	1.49	3.71	5.83
NATIONAL	3.04	1.54	2.84	2.71	4.03	3.18	2.64	2.67	2.16	2.57	2.22	2.09

NOTE : DASHES INDICATE DATA NOT AVAILABLE OR MISSING.