

Atmospheric Radio Noise: Worldwide Levels and Other Characteristics

Arthur D. Spaulding
James S. Washburn



U.S. DEPARTMENT OF COMMERCE
Malcolm Baldrige, Secretary

David J. Markey, Assistant Secretary
for Communications and Information

April 1985

TABLE OF CONTENTS

	PAGE
LIST OF FIGURES	iv
LIST OF TABLES	ix
LIST OF PROGRAMS	xii
ABSTRACT	1
1. INTRODUCTION AND DEFINITIONS	1
2. THE NEW 1 MHz ATMOSPHERIC RADIO NOISE F_{am} ESTIMATES	16
2.1 Analysis of the Soviet Data	17
2.2 Corrections to CCIR Report 322 1 MHz F_{am} Values	22
2.3 The New 1 MHz F_{am} Values	54
3. FREQUENCY VARIATION AND DATA ON NOISE VARIABILITY	106
4. THE AMPLITUDE PROBABILITY DISTRIBUTION	141
4.1 The CCIR 322 APD Model	142
4.2 Geometry of the Three-Section APD Curve	159
4.3 Bandwidth Conversion of the APD	163
4.4 Computer Software	166
5. SUMMARY, CONCLUSIONS, AND RECOMMENDATIONS	173
6. ACKNOWLEDGMENTS	175
7. REFERENCES	175

LIST OF FIGURES

FIGURE		PAGE
1	The receiving system and its operating noise factor, f .	4
2	Relationships between power, power spectral density, and noise bandwidth (rms detector).	7
3	Radio noise recording stations used to obtain most of the data used for CCIR Report 322.	10
4	Figure 19A from CCIR Report 322.	12
5	Figure 19B and 19C from CCIR Report 322.	13
6	The distribution of F_a values expected at Boulder, Colorado, 500 kHz, 15 for the summer season, ^a 2000-2400 hrs.	15
7	Radio noise recording station locations used in the present analysis.	19
8	Determination of 1 MHz F_{am} value for Moscow, June, July, August, 1600-2000 hours.	23
9	Determination of 1 MHz F_{am} value for Moscow, December, January, February, 1000-1200 hours.	24
10	Corrections (dB) to current CCIR Report 322 1 MHz F_{am} estimates, December, January, February, 0000-0400 hours.	30
11	Corrections (dB) to current CCIR Report 322 1 MHz F_{am} estimates, December, January, February, 0400-0800 hours.	31
12	Corrections (dB) to current CCIR Report 322 1 MHz F_{am} estimates, December, January, February, 0800-1200 hours.	32
13	Corrections (dB) to current CCIR Report 322 1 MHz F_{am} estimates, December, January, February, 1200-1600 hours.	33
14	Corrections (dB) to current CCIR Report 322 1 MHz F_{am} estimates, December, January, February, 1600-2000 hours.	34
15	Corrections (dB) to current CCIR Report 322 1 MHz F_{am} estimates, December, January, February, 2000-2400 hours.	35
16	Corrections (dB) to current CCIR Report 322 1 MHz F_{am} estimates, March, April, May, 0000-0400 hours.	36
17	Corrections (dB) to current CCIR Report 322 1 MHz F_{am} estimates, March, April, May, 0400-0800 hours.	37
18	Corrections (dB) to current CCIR Report 322 1 MHz F_{am} estimates, March, April, May, 0800-1200 hours.	38

FIGURE		PAGE
19	Corrections (dB) to current CCIR Report 322 1 MHz F_{am} estimates, March, April, May, 1200-1600 hours.	39
20	Corrections (dB) to current CCIR Report 322 1 MHz F_{am} estimates, March, April, May, 1600-2000 hours.	40
21	Corrections (dB) to current CCIR Report 322 1 MHz F_{am} estimates, March, April, May, 2000-2400 hours.	41
22	Corrections (dB) to current CCIR Report 322 1 MHz F_{am} estimates, June, July, August, 0000-0400 hours.	42
23	Corrections (dB) to current CCIR Report 322 1 MHz F_{am} estimates, June, July, August, 0400-0800 hours.	43
24	Corrections (dB) to current CCIR Report 322 1 MHz F_{am} estimates, June, July, August, 0800-1200 hours.	44
25	Corrections (dB) to current CCIR Report 322 1 MHz F_{am} estimates, June, July, August, 1200-1600 hours.	45
26	Corrections (dB) to current CCIR Report 322 1 MHz F_{am} estimates, June, July, August, 1600-2000 hours.	46
27	Corrections (dB) to current CCIR Report 322 1 MHz F_{am} estimates, June, July, August, 2000-2400 hours.	47
28	Corrections (dB) to current CCIR Report 322 1 MHz F_{am} estimates, September, October, November, 0000-0400 hours.	48
29	Corrections (dB) to current CCIR Report 322 1 MHz F_{am} estimates, September, October, November, 0400-0800 hours.	49
30	Corrections (dB) to current CCIR Report 322 1 MHz F_{am} estimates, September, October, November, 0800-1200 hours.	50
31	Corrections (dB) to current CCIR Report 322 1 MHz F_{am} estimates, September, October, November, 1200-1600 hours.	51
32	Corrections (dB) to current CCIR Report 322 1 MHz F_{am} estimates, September, October, November, 1600-2000 hours.	52
33	Corrections (dB) to current CCIR Report 322 1 MHz F_{am} estimates, September, October, November, 2000-2400 hours.	53
34	Expected values of atmospheric radio noise at 1 MHz, F_{am} (dB above KT_0), for December, January, February, 0000-0400 hours.	81
35	Expected values of atmospheric radio noise at 1 MHz, F_{am} (dB above KT_0), for December, January, February, 0400-0800 hours.	82
36	Expected values of atmospheric radio noise at 1 MHz, F_{am} (dB above KT_0), for December, January, February, 0800-1200 hours.	83

37	Expected values of atmospheric radio noise at 1 MHz, F_{am} (dB above kT_0b), for December, January, February, 1200-1600 hours.	84
38	Expected values of atmospheric radio noise at 1 MHz, F_{am} (dB above kT_0b), for December, January, February, 1600-2000 hours.	85
39	Expected values of atmospheric radio noise at 1 MHz, F_{am} (dB above kT_0b), for December, January, February, 2000-2400 hours.	86
40	Expected values of atmospheric radio noise at 1 MHz, F_{am} (dB above kT_0b), for March, April, May, 0000-0400 hours.	87
41	Expected values of atmospheric radio noise at 1 MHz, F_{am} (dB above kT_0b), for March, April, May, 0400-0800 hours.	88
42	Expected values of atmospheric radio noise at 1 MHz, F_{am} (dB above kT_0b), for March, April, May, 0800-1200 hours.	89
43	Expected values of atmospheric radio noise at 1 MHz, F_{am} (dB above kT_0b), for March, April, May, 1200-1600 hours.	90
44	Expected values of atmospheric radio noise at 1 MHz, F_{am} (dB above kT_0b), for March, April, May, 1600-2000 hours.	91
45	Expected values of atmospheric radio noise at 1 MHz, F_{am} (dB above kT_0b), for March, April, May, 2000-2400 hours.	92
46	Expected values of atmospheric radio noise at 1 MHz, F_{am} (dB above kT_0b), for June, July, August, 0000-0400 hours.	93
47	Expected values of atmospheric radio noise at 1 MHz, F_{am} (dB above kT_0b), for June, July, August, 0400-0800 hours.	94
48	Expected values of atmospheric radio noise at 1 MHz, F_{am} (dB above kT_0b), for June, July, August, 0800-1200 hours.	95
49	Expected values of atmospheric radio noise at 1 MHz, F_{am} (dB above kT_0b), for June, July, August, 1200-1600 hours.	96
50	Expected values of atmospheric radio noise at 1 MHz, F_{am} (dB above kT_0b), for June, July, August, 1600-2000 hours.	97
51	Expected values of atmospheric radio noise at 1 MHz, F_{am} (dB above kT_0b), for June, July, August, 2000-2400 hours.	98
52	Expected values of atmospheric radio noise at 1 MHz, F_{am} (dB above kT_0b), for September, October, November, 0000-0400 hours.	99
53	Expected values of atmospheric radio noise at 1 MHz, F_{am} (dB above kT_0b), for September, October, November, 0400-0800 hours.	100
54	Expected values of atmospheric radio noise at 1 MHz, F_{am} (dB above kT_0b), for September, October, November, 0800-1200 hours.	101

FIGURE		PAGE
55	Expected values of atmospheric radio noise at 1 MHz, F_{am} (dB above kT_o), for September, October, November, 1200-1600 hours.	102
56	Expected values of atmospheric radio noise at 1 MHz, F_{am} (dB above kT_o), for September, October, November, 1600-2000 hours.	103
57	Expected values of atmospheric radio noise at 1 MHz, F_{am} (dB above kT_o), for September, October, November, 2000-2400 hours.	104
58	Figures 2b and 2c from CCIR Report 322.	107
59	Figures 3b and 3c from CCIR Report 322.	108
60	Figures 4b and 4c from CCIR Report 322.	109
61	Figures 5b and 5c from CCIR Report 322.	110
62	Figures 6b and 6c from CCIR Report 322.	111
63	Figures 7b and 7c from CCIR Report 322.	112
64	Figures 8b and 8c from CCIR Report 322.	113
65	Figures 9b and 9c from CCIR Report 322.	114
66	Figures 10b and 10c from CCIR Report 322.	115
67	Figures 11b and 11c from CCIR Report 322.	116
68	Figures 12b and 12c from CCIR Report 322.	117
69	Figures 13b and 13c from CCIR Report 322.	118
70	Figures 14b and 14c from CCIR Report 322.	119
71	Figures 15b and 15c from CCIR Report 322.	120
72	Figures 16b and 16c from CCIR Report 322.	121
73	Figures 17b and 17c from CCIR Report 322.	122
74	Figures 18b and 18c from CCIR Report 322.	123
75	Figures 19b and 19c from CCIR Report 322.	124
76	Figures 20b and 20c from CCIR Report 322.	125
77	Figures 21b and 21c from CCIR Report 322.	126
78	Figures 22b and 22c from CCIR Report 322.	127
79	Figures 23b and 23c from CCIR Report 322.	128

FIGURE		PAGE
80	Figures 24b and 24c from CCIR Report 322.	129
81	Figures 25b and 25c from CCIR Report 322.	130
82	Definition of parameters for the amplitude probability distribution of atmospheric radio noise.	143
83	Experimental correlation of B and X.	144
84	X versus L_d and V_d .	146
85	C versus L_d and V_d .	147
86	A versus X and C.	148
87	An APD of atmospheric radio noise measured at 4.75 MHz in a 50 kHz bandwidth (15 seconds of data) compared with the CCIR Report 322 APD for a V_d of 8.6 dB.	149
88	CCIR Report 322 set of amplitude probability distributions of atmospheric radio noise for various V_d values.	150
89	Season-four hour time block worldwide average L_d versus V_d , 200 Hz bandwidth, frequency range 13 kHz to 20 MHz.	157
90	Correlation of V_d and L_d for man-made noise in the frequency range 250 kHz-250 MHz.	158
91	Three-section curve for the APD function.	160
92	"New" set of amplitude probability distributions for atmospheric radio noise for various values of V_d .	164
93	The digital filtering process illustrating the bandwidths used in the V_d versus bandwidth atmospheric noise analysis (Herman and DeAngelis, 1983).	165
94	Translation of a 200-Hz bandwidth V_d, V_{de} , to other bandwidths, Bwn.	167

LIST OF TABLES

TABLE		PAGE
1	Atmospheric Noise Measurement Locations	18
2	Corrections (dB) to CCIR Report 322 1 MHz F_{am} Values for December, January, and February	25
3	Corrections (dB) to CCIR Report 322 1 MHz F_{am} Values for March, April, and May	26
4	Corrections (dB) to CCIR Report 322 1 MHz F_{am} Values for June, July, and August	27
5	Corrections (dB) to CCIR Report 322 1 MHz F_{am} Values for September, October, and November	28
6	Arrangement of Fourier Coefficients for Tables 7 through 30.	56
7	Fourier Coefficients Representing the 1 MHz Worldwide Distribution of Atmospheric Radio Noise, December-January-February (0000-0400 Local Mean Time)	57
8	Fourier Coefficients Representing the 1 MHz Worldwide Distribution of Atmospheric Radio Noise, December-January-February (0400-0800 Local Mean Time)	58
9	Fourier Coefficients Representing the 1 MHz Worldwide Distribution of Atmospheric Radio Noise, December-January-February (0800-1200 Local Mean Time)	59
10	Fourier Coefficients Representing the 1 MHz Worldwide Distribution of Atmospheric Radio Noise, December-January-February (1200-1600 Local Mean Time)	60
11	Fourier Coefficients Representing the 1 MHz Worldwide Distribution of Atmospheric Radio Noise, December-January-February (1600-2000 Local Mean Time)	61
12	Fourier Coefficients Representing the 1 MHz Worldwide Distribution of Atmospheric Radio Noise, December-January-February (2000-2400 Local Mean Time)	62
13	Fourier Coefficients Representing the 1 MHz Worldwide Distribution of Atmospheric Radio Noise, March-April-May, (0000-0400 Local Mean Time)	63
14	Fourier Coefficients Representing the 1 MHz Worldwide Distribution of Atmospheric Radio Noise, March-April-May (0400-0800 Local Mean Time)	64
15	Fourier Coefficients Representing the 1 MHz Worldwide Distribution of Atmospheric Radio Noise, March-April-May (0800-1200 Local Mean Time)	65

16	Fourier Coefficients Representing the 1 MHz Worldwide Distribution of Atmospheric Radio Noise, March-April-May (1200-1600 Local Mean Time)	66
17	Fourier Coefficients Representing the 1 MHz Worldwide Distribution of Atmospheric Radio Noise, March-April-May (1600-2000 Local Mean Time)	67
18	Fourier Coefficients Representing the 1 MHz Worldwide Distribution of Atmospheric Radio Noise, March-April-May (2000-2400 Local Mean Time)	68
19	Fourier Coefficients Representing the 1 MHz Worldwide Distribution of Atmospheric Radio Noise, June-July-August (0000-0400 Local Mean Time)	69
20	Fourier Coefficients Representing the 1 MHz Worldwide Distribution of Atmospheric Radio Noise, June-July-August (0400-0800 Local Mean Time)	70
21	Fourier Coefficients Representing the 1 MHz Worldwide Distribution of Atmospheric Radio Noise, June-July-August (0800-1200 Local Mean Time)	71
22	Fourier Coefficients Representing the 1 MHz Worldwide Distribution of Atmospheric Radio Noise, June-July-August (1200-1600 Local Mean Time)	72
23	Fourier Coefficients Representing the 1 MHz Worldwide Distribution of Atmospheric Radio Noise, June-July-August (1600-2000 Local Mean Time)	73
24	Fourier Coefficients Representing the 1 MHz Worldwide Distribution of Atmospheric Radio Noise, June-July-August (2000-2400 Local Mean Time)	74
25	Fourier Coefficients Representing the 1 MHz Worldwide Distribution of Atmospheric Radio Noise, September-October-November (0000-0400 Local Mean Time)	75
26	Fourier Coefficients Representing the 1 MHz Worldwide Distribution of Atmospheric Radio Noise, September-October-November (0400-0800 Local Mean Time)	76
27	Fourier Coefficients Representing the 1 MHz Worldwide Distribution of Atmospheric Radio Noise, September-October-November (0800-1200 Local Mean Time)	77
28	Fourier Coefficients Representing the 1 MHz Worldwide Distribution of Atmospheric Radio Noise, September-October-November (1200-1600 Local Mean Time)	78

TABLE		PAGE
29	Fourier Coefficients Representing the 1 MHz Worldwide Distribution of Atmospheric Radio Noise, September-October-November (1600-2000 Local Mean Time)	79
30	Fourier Coefficients Representing the 1 MHz Worldwide Distribution of Atmospheric Radio Noise, September-October-November (2000-2400 Local Mean Time)	80
31	Coefficients for Frequency Variation of F_{am} for Winter Season	131
32	Coefficients for Frequency Variation of F_{am} for Spring Season	131
33	Coefficients for Frequency Variation of F_{am} for Summer Season	132
34	Coefficients for Frequency Variation of F_{am} for Fall Season	132
35	Output of Program FREQL, F_{am} Values for Winter Season, 0000-0400 hours	134
36	Coefficients for the CCIR Report 322 D_{μ} Estimates, S = Season (1 = Winter, etc.), TB = Time-block (μ (1 = 0000-0400 Hours, etc.)	136
37	Coefficients for the CCIR Report 322 $\sigma_{D_{\mu}}$ Estimates, S = Season (1 = Winter, etc.), TB = Time-block (μ (1 = 0000-0400 Hours, etc.)	137
38	Coefficients for the CCIR Report 322 D_{λ} Estimates, S = Season (1 = Winter, etc.), TB = Time-block (λ (1 = 0000-0400 Hours, etc.)	138
39	Coefficients for the CCIR Report 322 $\sigma_{D_{\lambda}}$ Estimates, S = Season (1 = Winter, etc.), TB = Time-block (λ (1 = 0000-0400 Hours, etc.)	139
40	Coefficients for the CCIR Report 322 $\sigma_{F_{am}}$ Estimates, S = Season (1 = Winter, etc.), TB = Time-block (μ (1 = 0000-0400 Hours, etc.)	140
41	Coefficients for the CCIR Report 322 V_d Estimates, S = Season (1 = Winter, etc.), TB = Time-block (μ (1 = 0000-0400 Hours, etc.)	152
42	Coefficients for σ_{V_d} Estimates, S = Season (1 = Winter, etc.), TB = Time-block (μ (1 = 0000-0400 Hours, etc.)	153
43	Coefficients for L_d Estimates, S = Season (1 = Winter, etc.), TB = Time-block (μ (1 = 0000-0400 Hours, etc.)	154
44	Coefficients for σ_{L_d} Estimates, S = Season (1 = Winter, etc.), TB = Time-block (μ (1 = 0000-0400 Hours, etc.)	155
45	Sample Output of PROGRAM APD for $V_d = 20$ dB. E_0 is Envelope Voltage ($\text{dB} > E_{\text{rms}}$) and P is Probability of Level E_0 Being Exceeded	172

LIST OF PROGRAMS

	PAGE
SUBROUTINE NOISE	105
PROGRAM FREQL	133
PROGRAM APD	168
FUNCTION VDC (VD200,BWR)	168
FUNCTION APDAN (VD,K,DB)	169