OT REPORT 75-76

A VERSATILE THREE-DIMENSIONAL RAY TRACING COMPUTER PROGRAM FOR RADIO WAVES IN THE IONOSPHERE

R. MICHAEL JONES
JUDITH J. STEPHENSON

U.S. DEPARTMENT OF COMMERCE
Rogers C. B. Morton, Secretary

Betsy Ancker-Johnson, Ph. D.
Assistant Secretary for Science and Technology

OFFICE OF TELECOMMUNICATIONS
John M. Richardson, Acting Director

October 1975

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402

UNITED STATES DEPARTMENT OF COMMERCE
OFFICE OF TELECOMMUNICATIONS
STATEMENT OF MISSION

The mission of the Office of Telecommunications in the Department of Commerce is to assist the Department in fostering, serving, and promoting the nation's economic development and technological advancement by improving man's comprehension of telecommunication science and by assuring effective use and growth of the nation's telecommunication resources.

In carrying out this mission, the Office

- Conducts research needed in the evaluation and development of policy as required by the Department of Commerce
- Assists other government agencies in the use of telecommunications
- Conducts research, engineering, and analysis in the general field of telecommunication science to meet government needs
- Acquires, analyzes, synthesizes, and disseminates information for the efficient use of the nation's telecommunication resources.
- Performs analysis, engineering, and related administrative functions responsive to the needs of the Director of the Office of Telecommunications Policy, Executive Office of the President, in the performance of his responsibilities for the management of the radio spectrum
- Conducts research needed in the evaluation and development of telecommunication policy as required by the Office of Telecommunications Policy, pursuant to Executive Order 11556

USCOMM - ERL

PREFACE

This report documents the latest version of the three-dimensional ray tracing program originally described in "A Three-Dimensional Ray Tracing Computer Program," by R. M. Jones, ESSA Technical Report IER 17-ITSA 17, and later modified in "Modifications to the Three-Dimensional Ray Tracing Program Described in IER 17-ITSA 17," by R. M. Jones, ESSA Technical Memorandum ERLTM-ITS 134. This report replaces all of the material contained in the above two reports.

TABLE OF CONTENTS

		Page
PREFACE		iii
LIST OF TABLES		ix
LIST OF FIGURES		x
LIST OF INPUT PARAMETER FORMS		xi
ABSTRACT		1
1.	INTRODUCTION	2
2.	GENERAL DESCRIPTION	2
3.	RAY TRACING EQUATIONS	2
4.	CHOOSING AND CALCULATING THE HAMILTONIAN	8
5.	REFRACTIVE INDEX EQUATIONS	14
	5.1 Appleton-Hartree Formula with Field, with Collisions	16
	5.2 Appleton-Hartree Formula with Field, no Collisions	19
	5.3 Appleton-Hartree Formula no Field, with Collisions	20
	5.4 Appleton-Hartree Formula no Field, no Collisions	21
	5.5 Booker Quartic with Field, with Collisions	21
	5.6 Booker Quartic with Field, no Collisions	25
	5.7 Sen-Wyller Formula with Field	25
	5.8 Sen-Wyller Formula no Field	32
6.	IONOSPHERIC MODELS	34
7.	FINDING THE RAY PATHS THAT CONNECT A TRANSMITTER AND RECEIVER	35
8.	OUTPUT	36
	8.1 Printout	36
	8.2 Punched Cards	37
	8.3 Plots of the Ray Path	37
9.	DECK SET UP	37
10.	INPUT	41
11.	ACCURACY	43
12.	COORDINATE SYSTEMS	45
13.	HOW THE PROGRAM WORKS	46

Page

14. ACKNOWLEDGMENTS 49

15. REFERENCES 64

APPENDIX 1. LISTINGS OF THE MAIN PROGRAM AND SUBROUTINES IN THE MAIN DECK 67

a. Input parameter form for three-dimensional ray paths 68
b. Program NITIAL 69
c. Subroutine READW 72
d. Subroutine TRACE 72
e. Subroutine BACK UP 74
f. Subroutine REACH 76
g. Subroutine POL CAR 77
h. Subroutine PRINTR 78
i. Input parameter forms for plotting 82
j. Subroutine RAYPLT 84
k. Subroutine PLOT 86
l. Subroutine LABPLT 87
m. Subroutine RKAM 88
n. Subroutine HAMLTN 90

APPENDIX 2. VERSIONS OF THE REFRACTIVE INDEX SUBROUTINE (RINDEX) 91

a. Subroutine AHWFWC (Appleton-Hartree formula with field, with collisions) 93
b. Subroutine AHWFNC (Appleton-Hartree formula with field, no collisions) 94
c. Subroutine AHNFWC (Appleton-Hartree formula no field, with collisions) 96
d. Subroutine AHNFNC (Appleton-Hartree formula no field, no collisions) 97
e. Subroutine BQWFWC (Booker Quartic with field, with collisions) 98
f. Subroutine BQWFNC (Booker Quartic with field no collisions) 100
g. Subroutine SWWF (Sen-Wyller formula with field) 102
h. Subroutine SWNF (Sen-Wyller no field) 105
Subroutine FGSW 106
Subroutine FSW 106
Fresnel integral function C 108
Fresnel integral function S 108

Page

APPENDIX 3. ELECTRON DENSITY SUBROUTINES WITH INPUT PARAMETER FORMS 109

a. Subroutine TABLEX (Tabular profiles) 111
b. Subroutine GAUSEL 113
c. Subroutine CHAPX (Chapman layer with tilts, ripples, and gradients) 115
d. Subroutine VCHAPX (Chapman layer with variable scale height) 117
e. Subroutine DCHAPT (double, tilted α-Chapman layer.) 118
f. Subroutine LINEAR (linear layer) 120
g. Subroutine QPARAB (Plain or quasi-parabolic layer) 121
h. Subroutine BULGE (Analytical equatorial model) 122
i. Subroutine EXPX (Exponential profile) 124

APPENDIX 4. PERTURBATIONS TO ELECTRON DENSITY MODELS WITH INPUT PARAMETER FORMS 125

a. Subroutine ELECT1 (Do-nothing perturbation) 126
b. Subroutine TORUS (East-west irregularity with an elliptical cross-section above the equator) 127
c. Subroutine DTORUS (Two east-west irregularities with elliptical cross-sections above the equator) 129
d. Subroutine TROUGH (Increase in electron density at any latitude) 131
e. Subroutine SHOCK (Increase in electron density produced by a shock wave) 132
f. Subroutine WAVE ("Gravity-wave" irregularity) 134
g. Subroutine WAVE2 ("Gravity-wave" irregularity) 136
h. Subroutine DOPPLER (Height profile of time derivative of electron density for calculating Doppler shift) 138

APPENDIX 5. MODELS OF THE EARTH'S MAGNETIC FIELD WITH INPUT PARAMETER FORMS 141

a. Subroutine CONSTY (Constant dip and gyro-frequency) 142
b. Subroutine DIPOLY (Earth-centered dipole) 143

Page

APPENDIX 5 (continued)

c. Subroutine CUBEY (Constant dip. Gyro frequency varies as the inverse cube of the distance from the center of the earth) 144
d. Subroutine HARMONY (Spherical harmonic expansion) 145

APPENDIX 6. COLLISION FREQUENCY MODELS WITH INPUT PARAMETER FORMS 151

a. Subroutine TABLEZ (Tabular profiles) 152
b. Subroutine CONSTZ (Contant collision frequency) 155
c. Subroutine EXPZ (Exponential profile) 156
d. Subroutine EXPZ2 (Combination of two exponential profiles) 157

APPENDIX 7. CDC 250 PLOT PACKAGE 159

APPENDIX 8. SAMPLE CASE 161

a. Input parameter forms for the sample case 161
Three-dimensional ray paths 162
Plotting the projection of the ray path on a vertical plane 163
Plotting the projection of the ray path on the ground 164
Subroutine CHAPX 165
Subroutine WAVE 166
Subroutine DIPOLY 167
Subroutine EXPZ2 168
b. Listing of input cards for sample case 169
c. Sample printout 170
d. Listing of punched card output (ray sets) for sample case 183
e. Ray path plots for sample case 184

LIST OF TABLES

		Page
Table 1.	List of the More Important Symbols	3
Table 2.	Description of the Input Data for the W Array	42
Table 3.	Definitions of the Parameters in Blank Common	51
Table 4.	Definitions of the Parameters in Common Block /CONST/	52
Table 5.	Definitions of the Parameters in Common Block /RK/	53
Table 6.	Definition of the Parameters in Common Block /RIN/	54
Table 7.	Definitions of the Parameters in Common Block /FLG/ (See Subroutine TRACE)	56
Table 8.	Definitions of the Parameters in Common Block /XX/	57
Table 9.	Definitions of the Parameters in Common Block /YY/	58
Table 10.	Definitions of the Parameters in Common Block /ZZ/	60
Table 11.	Definitions of the Parameters in Common Block /TRAC/	61
Table 12.	Definition of the Parameter in Common Block /COORD/	61
Table 13.	Definitions of the Parameters in Common Block /PLT/	62
Table 14.	Definitions of the Parameters in Common Block /DD/	63

LIST OF FIGURES

		Page
Figure 1.	Sample transmitter rayset.	38
Figure 2.	Sample minimum distance rayset.	39
Figure 3.	Program deck set-up.	40
Figure 4.	Data deck set-up.	44
Figure 5.	Flow chart for program NITIAL.	47
Figure 6.	Flow chart for subroutine TRACE.	48
Figure 7.	Block diagram for the ray tracing program.	50

LIST OF INPUT PARAMETER FORMS

	Input parameter forms for:	Page
1	Three-dimensional ray paths (main input parameter form)	68
2	Plotting the projection of the ray path on a vertical plane	82
3	Plotting the projection of the ray path on the ground	83
4	Subroutine TABLEX	111
5	Subroutine CHAPX	115
6	Subroutine VCHAPX	117
7	Subroutine DCHAPT	118
8	Subroutine LINEAR	120
9	Subroutine QPARAB	121
10	Subroutine BULGE	122
11	Subroutine EXPX	124
12	Subroutine TORUS	127
13	Subroutine DTORUS	129
14	Subroutine TROUGH	131
15	Subroutine SHOCK	132
16	Subroutine WAVE	134
17	Subroutine WAVE2	136
18	Subroutine DOPPLER	138
19	Subroutine CONSTY	142
20	Subroutine DIPOLY	143
21	Subroutine CUBEY	144
22	Subroutine HARMONY	145
23	Subroutine TABLEZ	152
24	Subroutine CONSTZ	155
25	Subroutine EXPZ	156
26	Subroutine EXPZ2	157