

Complete only applicable items.

3. System Monitored Geologic Repository	4. Document Identifier 000-PSA-MGR0-00600-000-00B
5. Title GROA Airborne Release Dispersion Factor Calculation	
ENG.20071213.0003	
6. Group Preclosure Safety Analyses	
7. Document Status Designation <input type="checkbox"/> Preliminary <input checked="" type="checkbox"/> Committed <input type="checkbox"/> Confirmed <input type="checkbox"/> Cancelled/Superseded	

8. Notes/Comments

The Preclosure Safety Analyses department should be consulted before any use of information herein for any purpose other than that stated herein or before being used by any individual other than authorized personnel in the department.

Revision B is a complete rewrite and reorganization of sections; thus, no revision bars are used.

Attachments	Total Number of Pages
ATTACHMENT I. VENTILATION DESIGN PARAMETERS OF GROA FACILITIES	2
ATTACHMENT II. ELECTRONIC FILES ON ATTACHED CD	50
ATTACHMENT III. One compact disk (CD) containing the Excel spreadsheet and ARCON96 input and output files.	1 CD-ROM

RECORD OF REVISIONS							
9. No.	10. Reason For Revision	11. Total # of Pgs.	12. Last Pg. #	13. Originator (Print/Sign/Date)	14. Checker (Print/Sign/Date)	15. EGS (Print/Sign/Date)	16. Approved/Accepted (Print/Sign/Date)
00A	Initial Issue	126	IV-46	J. Wang	W. Wu	S. Tsai	M. Wisenburg
00B	Revised for updated GROA configuration	116	II-50	J. Schulz <i>Jose Schulz</i> 12/11/2007	W. Wu <i>W. Wu</i> 12/11/07	S. Tsai <i>S. Tsai</i> 12/12/2007	M. Wisenburg <i>M. Wisenburg</i> 12/13/2007

**DISCLAIMER**

The calculations contained in this document were developed by Bechtel SAIC Company, LLC, and are intended solely for the use of Bechtel SAIC Company, LLC, in its work for the Yucca Mountain Project.

## CONTENTS

	Page
1 PURPOSE.....	8
2 REFERENCES .....	9
2.1 PROCEDURES/DIRECTIVES .....	9
2.2 DESIGN INPUTS .....	9
2.3 DESIGN CONSTRAINTS .....	11
2.4 DESIGN OUTPUTS .....	11
3 ASSUMPTIONS.....	12
3.1 ASSUMPTIONS REQUIRING VERIFICATION.....	12
3.1.1 Locations and Ventilation Parameters of Potential Releases from Surface Facilities.....	12
3.1.2 Locations and Ventilation Parameters of Intakes for Surface Facilities.....	12
3.1.3 Intake Height.....	13
3.2 ASSUMPTIONS NOT REQUIRING VERIFICATION.....	14
3.2.1 Release Type.....	14
3.2.2 Building Design of CRCF 2 and CRCF 3.....	14
3.2.3 Release Height .....	14
3.2.4 Release Exit Velocity for the Waste Handling Facilities.....	15
3.2.5 Release Exit Velocity for the Aging Pads.....	15
3.2.6 Initial Vertical Diffusion Coefficient of Aging Facility Releases .....	15
3.2.7 North Ramp as the Surface Facility Receptor for Subsurface Releases .....	15
4 METHODOLOGY .....	16
4.1 QUALITY ASSURANCE.....	16
4.2 USE OF SOFTWARE .....	16
4.2.1 Qualified Software .....	16
4.2.2 Commercial Off-the-Shelf Software.....	17
4.3 BACKGROUND .....	17
4.3.1 Atmospheric Dispersion Factors.....	17
4.3.2 ARCON96 Model .....	17
4.4 CALCULATION METHODOLOGY .....	18
4.4.1 Building Area.....	18
4.4.2 Area Source Modeling for Aging Pads.....	19
4.4.3 Conversion of Nevada State Plane Coordinates to Plant Coordinates.....	20
4.4.4 Calculation of Median and Average $\chi/Q$ .....	22
5 LIST OF ATTACHMENTS .....	24
6 BODY OF CALCULATION.....	25
6.1 DESIGN INPUTS.....	25
6.1.1 Receptor Locations .....	25
6.1.2 Subsurface Intake and Exhaust Locations .....	26

6.1.3	Subsurface Exhaust Ventilation Parameters .....	26
6.1.4	Meteorological Data.....	27
6.1.5	Default Values .....	27
6.2	PARAMETER CALCULATIONS.....	27
6.2.1	Building Cross-Sectional Area .....	27
6.2.2	Area Source Modeling for Aging Pads.....	28
6.2.3	Release Point Parameters.....	29
6.2.4	Receptor Parameters .....	31
6.2.5	Source to Receptor Parameters .....	31
6.2.6	ARCON96 Input Parameter Values.....	33
6.3	CALCULATION OF RESULTS.....	34
6.3.1	Worksheet <i>95Percentile</i> .....	34
6.3.2	Worksheet <i>Annual</i> .....	34
6.3.3	Worksheet <i>Summary of Results</i> .....	36
6.3.4	Worksheets <i>Annual Matrix</i> and <i>95 Percentile Matrix</i> .....	36
6.3.5	Worksheets <i>Maximum Annual</i> and <i>Maximum 95 Percentile</i> .....	37
6.4	RESULTANT ATMOSPHERIC DISPERSION FACTORS.....	37
6.5	EXCEL MACROS.....	55
6.5.1	Macro <i>InputWrite</i> .....	55
6.5.2	Macro <i>LogFileRead</i> .....	57
6.5.3	Macro <i>CFDFileRead</i> .....	58
7	RESULTS AND CONCLUSION.....	61
I	VENTILATION DESIGN PARAMETERS OF GROA FACILITIES.....	I-1
II	ELECTRONIC FILES ON ATTACHED CD .....	II-1

## FIGURES

	<b>Page</b>
Figure 1. Zone of Influence for Stacks .....	18
Figure 2. Area Calculation Diagram .....	19
Figure 3. Coordinate System Conversion Example.....	21

## TABLES

	<b>Page</b>
Table 1. Ventilation Discharge Parameters of Potential Releases from Surface Facilities .....	12
Table 2. Ventilation Intake Parameters for Surface Facilities .....	13
Table 3. Receptor Locations .....	25
Table 4. Subsurface Facilities Exhaust and Intake Locations.....	26
Table 5. Subsurface Facilities Exhaust Ventilation Parameters .....	27
Table 6. Building Cross-Sectional Areas.....	28
Table 7. Aging Pad Area and Coordinates.....	29
Table 8. Summary of Input Parameter Values to Run ARCON96 .....	34
Table 9. Partial Listing of File <i>060a060b.cfd</i> .....	36
Table 10. $\chi/Q$ Results for CRCF 1 Source "a" .....	38
Table 11. $\chi/Q$ Results for CRCF 1 Source "b" .....	39
Table 12. $\chi/Q$ Results for CRCF 2 Source "a" .....	40
Table 13. $\chi/Q$ Results for CRCF 2 Source "b" .....	41
Table 14. $\chi/Q$ Results for CRCF 3 Source "a" .....	42
Table 15. $\chi/Q$ Results for CRCF 3 Source "b" .....	43
Table 16. $\chi/Q$ Results for RF Source "a" .....	44
Table 17. $\chi/Q$ Results for RF Source "b" .....	45
Table 18. $\chi/Q$ Results for WHF Source "a" .....	46
Table 19. $\chi/Q$ Results for WHF Source "b" .....	47
Table 20. $\chi/Q$ Results for IHF Release .....	48
Table 21. $\chi/Q$ Results for LLWF Release .....	49
Table 22. $\chi/Q$ Results for Aging Pad 17R East.....	50
Table 23. $\chi/Q$ Results for Aging Pad 17R West .....	51
Table 24. $\chi/Q$ Results for Aging Pad 17P North.....	52
Table 25. $\chi/Q$ Results for Aging Pad 17P South.....	53
Table 26. $\chi/Q$ Results for Exhaust Shaft 1 .....	54
Table 27. $\chi/Q$ Results for Exhaust Shaft 2.....	54
Table 28. $\chi/Q$ Results for Exhaust Shaft 3N.....	54
Table 29. $\chi/Q$ Results for Exhaust Shaft 3S.....	54
Table 30. $\chi/Q$ Results for Exhaust Shaft 4.....	55
Table 31. $\chi/Q$ Results for ECRB Exhaust Shaft .....	55
Table 32. Onsite Annual Average Atmospheric Dispersion Factor Values .....	62
Table 33. Onsite 95 <sup>th</sup> Percentile Atmospheric Dispersion Factor Values.....	63
Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc.....	II-1

## ACRONYMS AND ABBREVIATIONS

### ACRONYMS

ARCON96	<u>A</u> tmospheric <u>R</u> elative <u>C</u> ONcentrations in Building Wakes, V.96
CFD	cumulative frequency distribution
CRCF	Canister Receipt and Closure Facility
CRCF 1	Canister Receipt and Closure Facility #1
CRCF 2	Canister Receipt and Closure Facility #2
CRCF 3	Canister Receipt and Closure Facility #3
GROA	geologic repository operations area
HVAC	heating, ventilation, and air conditioning
IHF	Initial Handling Facility
LLWF	Low-Level Waste Facility
NRC	Nuclear Regulatory Commission
QA	Quality Assurance
PC	Personal Computer
RF	Receipt Facility
WHF	Wet Handling Facility

### ABBREVIATIONS

$\chi/Q$	atmospheric dispersion factor or relative atmospheric concentration
ft	feet
hr	hour
m <sup>2</sup>	meter squared

## 1 PURPOSE

The purpose of this document is to calculate airborne release dispersion factors ( $\chi/Q_s$ ) for the surface and subsurface facilities at the geologic repository operations area (GROA). The calculated  $\chi/Q$  values may be used to estimate radiological consequences to workers for potential releases from normal operations and event sequences.

The scope of this document is to provide estimates of  $\chi/Q$  values at potential onsite receptor locations from facility releases, under normal operating conditions and during event sequences.



## 2 REFERENCES

### 2.1 PROCEDURES/DIRECTIVES

- 2.1.1 BSC (Bechtel SAIC Company) 2007. Quality Management Directive. QA-DIR-10, Rev. 1. Las Vegas, Nevada: Bechtel SAIC Company. ACC: DOC.20070330.0001.
- 2.1.2 BSC 2007. *Calculations and Analyses*. EG-PRO-3DP-G04B-00037, Rev. 10. Las Vegas, Nevada. Bechtel SAIC Company. ACC: ENG.20071018.0001.
- 2.1.3 BSC 2007. *Software Management*. IT-PRO-0011, Rev. 7. Las Vegas, Nevada. Bechtel SAIC Company. ACC: DOC.20070905.0007.
- 2.1.4 BSC 2007. *Preclosure Safety Analysis Process*. LS-PRO-0201, Rev. 5. Las Vegas, Nevada. Bechtel SAIC Company. ACC: DOC.20071010.0021.
- 2.1.5 BSC (Bechtel SAIC Company) 2007. *Desktop Information for Using CalcTrac*. EG-DSK-3013, Rev. 2. Las Vegas, Nevada. Bechtel SAIC Company. ACC: ENG.20070516.0024.

### 2.2 DESIGN INPUTS

- 2.2.1 10 CFR 63. 2007. Energy: Disposal of High-Level Radioactive Wastes in a Geologic Repository at Yucca Mountain, Nevada. Internet Accessible. [DIRS 180319]
- 2.2.2 ARCON V96. 2007. Windows XP. STN: 10912-96-01. [DIRS 183876]
- 2.2.3 BSC 2003. *Subsurface Facilities Shaft Locations*. 800-P00-TUN0-00701-000-00A. Las Vegas, Nevada: Bechtel SAIC Company. ACC: ENG.20030903.0008.
- 2.2.4 BSC 2002. *Software Implementation Report for ARCON V.96*. Document Number: 10912-SIR-96-00. Las Vegas, Nevada: Bechtel SAIC Company. ACC: MOL.20030127.0079 [DIRS 168741]
- 2.2.5 BSC 2004. *Software Problem Report SPR026820040902, ARCON V.96*. STN: 10912-96-00. Las Vegas, NV: Bechtel SAIC Company. ACC: MOL.20040902.0466. [DIRS 181003]
- 2.2.6 BSC 2006. *Ventilation Network Model Parameters for LA*. 800-KVC-VUE0-00100-000-00A. Las Vegas, Nevada: Bechtel SAIC Company. ACC: ENG.20061117.0006.
- 2.2.7 BSC 2007. *Software Problem Report SPR011020070607, ARCON V.96*. STN: 10912-96-00. Las Vegas, NV: Bechtel SAIC Company. ACC: MOL.20070611.0309. [DIRS 182311]
- 2.2.8 BSC 2007. *Subsurface Ventilation Network Model for LA*. 800-KVC-VUE0-00200-000-00A. Las Vegas, Nevada: Bechtel SAIC Company. ACC: ENG.20070123.0008, ENG.20070522.0001.

- 2.2.9 BSC 2007. *Geologic Repository Operations Area North Portal Site Plan*. 100-C00-MGR0-00501-000 Rev 00E. Las Vegas, Nevada: Bechtel SAIC Company. ACC: ENG.20071116.0004.
- 2.2.10 BSC 2007. *Canister Receipt and Closure Facility 1 General Arrangement Sections A and B*. 060-P10-CR00-00106-000 Rev 00A. Las Vegas, Nevada: Bechtel SAIC Company. ACC: ENG.20070517.0006.
- 2.2.11 BSC 2007. *Canister Receipt and Closure Facility 1 General Arrangement Sections E and F*. 060-P10-CR00-00108-000 Rev 00A. Las Vegas, Nevada: Bechtel SAIC Company. ACC: ENG.20070517.0008.
- 2.2.12 BSC 2007. *Receipt Facility General Arrangement Sections A and B*. 200-P10-RF00-00106-000 Rev 00A. Las Vegas, Nevada: Bechtel SAIC Company. ACC: ENG.20070608.0016.
- 2.2.13 BSC 2007. *Receipt Facility General Arrangement Sections C and D*. 200-P10-RF00-00107-000 Rev 00A. Las Vegas, Nevada: Bechtel SAIC Company. ACC: ENG.20070608.0017.
- 2.2.14 BSC 2007. *Wet Handling Facility General Arrangement Sections A and B*. 050-P10-WH00-00108-000 Rev 00B. Las Vegas, Nevada: Bechtel SAIC Company. ACC: ENG.20071206.0038.
- 2.2.15 BSC 2007. *Wet Handling Facility General Arrangement Sections F and G*. 050-P10-WH00-00110-000 Rev 00B. Las Vegas, Nevada: Bechtel SAIC Company. ACC: ENG.20071206.0040.
- 2.2.16 BSC 2007. *Initial Handling Facility General Arrangement Sections A and B*. 51A-P10-IH00-00106-000 Rev 00B. Las Vegas, Nevada: Bechtel SAIC Company. ACC: ENG.20071101.0007.
- 2.2.17 BSC 2007. *Initial Handling Facility General Arrangement Sections F, G, H, and J*. 51A-P10-IH00-00108-000 Rev 00B. Las Vegas, Nevada: Bechtel SAIC Company. ACC: ENG.20071101.0009.
- 2.2.18 BSC 2007. *Low Level Waste Facility General Arrangement Sections A, B, and C*. 160-P10-LW00-00105-000 Rev 00A. Las Vegas, Nevada: Bechtel SAIC Company. ACC: ENG.20070924.0029.
- 2.2.19 BSC 2007. *Aging Facility General Arrangement Aging Pad 17P Plan*. 170-P10-AP00-00102-000 Rev 00C. Las Vegas, Nevada: Bechtel SAIC Company. ACC: ENG.20071126.0019.
- 2.2.20 BSC 2007. *Aging Facility General Arrangement Aging Pad 17R Plan*. 170-P10-AP00-00103-000 Rev 00C. Las Vegas, Nevada: Bechtel SAIC Company. ACC: ENG.20071126.0020.

- 2.2.21 BSC 2007. *General Public Atmospheric Dispersion Factors*. 000-00C-MGR0-02800-000-00B. Las Vegas, Nevada: Bechtel SAIC Company. ACC: ENG.20070813.0003.
- 2.2.22 DOE (U. S. Department of Energy) 2007. *Software Validation Report for: ARCON V96*. Document ID: 10912-SVR-96-01-WinXP. Las Vegas, Nevada: U.S. Department of Energy, Office of Repository Development. ACC: MOL.20070703.0325. [DIRS 183879]
- 2.2.23 E-Mail from Greg Gould to Dale Dexheimer, *Fw: HVAC Design Inputs for PCSA*, 11/05/2007 09:24 AM. (see Attachment I)
- 2.2.24 Ramsdell, J.V., Jr. and Simonen, C.A. 1997. *Atmospheric Relative Concentrations in Building Wakes*. NUREG/CR-6331, Rev. 1. Washington, D.C.: U.S. Nuclear Regulatory Commission. TIC: 233690. [DIRS 164547]
- 2.2.25 Regulatory Guide 1.194. 2003. *Atmospheric Relative Concentrations for Control Room Radiological Habitability Assessments at Nuclear Power Plants*. Washington, D.C.: U.S. Nuclear Regulatory Commission. ACC: MOL.20060105.0194. [DIRS 165736]

### 2.3 DESIGN CONSTRAINTS

None.

### 2.4 DESIGN OUTPUTS

This calculation does not support a specific engineering drawing, specification, or design list. The results of this calculation may be used in other preclosure safety analyses.

### 3 ASSUMPTIONS

#### 3.1 ASSUMPTIONS REQUIRING VERIFICATION

The following assumptions are based on the best available information on the heating, ventilation, and air conditioning (HVAC) designs of surface facilities. The information used as assumptions requiring verification is tracked using *CalcTrac* (Reference 2.1.5).

##### 3.1.1 Locations and Ventilation Parameters of Potential Releases from Surface Facilities

The locations of potential HVAC exhausts of GROA surface facilities are obtained from Reference 2.2.23 (see Attachment I) and shown in Table 1. Exhausts from the Canister Receipt and Closure Facility (CRCF), Receipt Facility (RF), Wet Handling Facility (WHF), Initial Handling Facility (IHF), and Low-Level Waste Facility (LLWF) are considered.

Table 1. Ventilation Discharge Parameters of Potential Releases from Surface Facilities

Facility	Release Point Code <sup>a</sup>	Discharge Parameters				Location in Plant Coordinates (ft)		
		Flow Rate (ACFM)	Minimum Velocity (fpm)	Nozzle Diameter (in)	Actual Velocity (fpm)	Highest Exhaust Pt. Elev.	Plant North	Plant East
CRCF-1	060a	33,670	3,000	44	3,190	3,774.00	21,319.00	21,027.00
	060b	33,670	3,000	44	3,190	3,774.00	21,089.00	21,027.00
CRCF-2 <sup>b</sup>	070a	33,670	3,000	44	3,190			
	070b	33,670	3,000	44	3,190			
CRCF-3 <sup>b</sup>	080a	33,670	3,000	44	3,190			
	080b	33,670	3,000	44	3,190			
RF	200a	33,700	3,000	44	3,193	3,771.00	21,915.50	21,076.00
	200b	33,700	3,000	44	3,193	3,771.00	21,801.00	21,076.00
WHF	050a	44,300	3,000	52	3,005	3,792.00	20,432.41	20,937.41
	050b	44,300	3,000	52	3,005	3,727.50	20,269.00	20,841.00
IHF	51A	35,140	3,000	46	3,045	3,789.00	19,242.25	21,430.33
LLWF	160	40,000	3,000	48	3,184	3,755.00	20,966.00	20,063.50

Notes: <sup>a</sup> The release point code is the facility area number and a lower case letter if there are more than one discharges per facility.

<sup>b</sup> Per Assumption 3.2.2, CRCF 2 and CRCF 3 are identical to CRCF 1.

Source: Worksheet *Exhaust* of Spreadsheet *HVAC Input Data to PCSA (intake & Exhaust) 11-05-07 Final.xls* from Reference 2.2.23.

**Rationale:** Reference 2.2.23 provides preliminary HVAC system design parameters. This is the best available information and is suitable for use in this calculation.

##### 3.1.2 Locations and Ventilation Parameters of Intakes for Surface Facilities

The locations of potential HVAC intakes of GROA surface facilities are obtained from Reference 2.2.23 (see Attachment I) and shown in Table 2. Intakes from CRCF, RF, WHF, IHF, and LLWF are considered.

Table 2. Ventilation Intake Parameters for Surface Facilities

Facility	Receptor Code <sup>a</sup>	Intake Parameters		Location in Plant Coordinates (ft)		
		Flow Rate (ACFM)	Max. Intake Velocity (fpm)	Intake Duct Elevation	Plant North	Plant East
CRCF-1	060a	6,090	500	3,717.50	21,515.00	21,123.00
	060b	7,150	500	3,689.00	21,056.00	20,917.00
	060c	7,720	500	3,688.00	21,204.00	20,792.00
	060d	2,910	500	3,679.00	21,410.00	20,963.00
	060e	13,420	500	3,686.50	21,410.00	21,093.00
CRCF-2 <sup>b</sup>	070a	6,090	500			
	070b	7,150	500			
	070c	7,720	500			
	070d	2,910	500			
	070e	13,420	500			
CRCF-3 <sup>b</sup>	080a	6,090	500			
	080b	7,150	500			
	080c	7,720	500			
	080d	2,910	500			
	080e	13,420	500			
RF	200a	10,280	500	3,708.00	21,826.50	21,257.00
	200b	11,400	500	3,711.00	21,978.00	21,131.00
	200c	7,940	500	3,712.00	21,736.00	21,057.00
	200d	28,390	500	3,709.00	21,736.00	21,132.50
WHF	050a	34,200	500	3,699.50	20,418.00	20,823.00
	050b	34,200	500	3,699.50	20,378.00	20,823.00
	050c	15,540	500	3,732.00	20,483.00	20,902.00
	050d	21,350	500	3,731.50	20,315.50	20,823.00
IHF	51Aa	12,900	500	3,678.50	19,169.00	21,656.00
	51Ab	12,900	500	3,678.50	19,169.00	21,672.00
LLWF	160a	40,000	500	3,689.50	20,940.50	20,004.00
	160b	40,000	500	3,689.50	20,932.50	20,004.00
	160c	20,000	500	3,696.00	20,909.00	20,191.00

Notes: <sup>a</sup> The release point code is the facility area number and a lower case letter if there are more than one discharge per facility.

<sup>b</sup> Per Assumption 3.2.2, CRCF 2 and CRCF 3 are identical to CRCF 1.

Source: Worksheet *Intake of Spreadsheet HVAC Input Data to PCSA (intake & Exhaust) 11-05-07 Final.xls* from Reference 2.2.23.

**Rationale:** Reference 2.2.23 provides preliminary HVAC system design parameters. This is the best available information and is suitable for use in this calculation.

### 3.1.3 Intake Height

The intake height is the height difference from grade to the intake duct elevation for the waste handling facilities from Assumption 3.1.2. For all other facilities the intake height is assumed to

be 10 ft above grade. For the subsurface intakes, the intake height is assumed to be zero feet above grade.

**Rationale:** The design of the HVAC systems for facilities other than the waste handling facilities is not available. Therefore, a nominal intake height of 10 ft above grade is assumed. The design of the subsurface intake shafts has not been finalized; therefore, it is conservative to assume a ground level intake height.

## 3.2 ASSUMPTIONS NOT REQUIRING VERIFICATION

### 3.2.1 Release Type

Releases from all surface facilities except for the aging pads (17P and 17R) are modeled as vent releases (type 2). Releases from the aging pads and from the subsurface are modeled as ground level releases (type 1). (See p. 102 of Reference 2.2.24 for the definition of release type)

**Rationale:** Modeling of the releases from the HVAC systems as vent releases takes credit for the flow rates and velocities expected from these sources. The HVAC systems for the surface facilities are expected to be operational during normal operations and Category 1 event sequences. Natural circulation is the only motive force for releases from the surfaces of canisters in aging overpacks located at the aging pads. These releases would be through the ventilation openings of the aging overpacks within the wake boundary; therefore, these releases are modeled as ground level releases. The exhaust shafts from the subsurface facilities are expected to have ventilation fans located at the surface with exhaust vents facing upwards downstream of the fans. These vents, which have not been designed, will be at some height above the surface; therefore, it is conservative to consider the releases as ground level releases.

### 3.2.2 Building Design of CRCF 2 and CRCF 3

The building design of CRCF 2 and CRCF 3 is assumed to be the same as that of CRCF 1. The stack height, building area, flow, exit velocity, and intake height are assumed to be the same for these facilities.

**Rationale:** The CRCF 2 and CRCF 3 are expected to have the same design as CRCF 1. There is no need of verification for this assumption.

### 3.2.3 Release Height

For vent releases, the release heights of waste handling facilities are the difference from grade to the exhaust elevation from Assumption 3.1.1. Zero release height is assumed for all subsurface releases.

**Rationale:** No additional height (e.g., thermal plume release) except the physical height is considered in this calculation; therefore, the release height is conservative for the dispersion calculation. (See Table 1 for release heights)

### 3.2.4 Release Exit Velocity for the Waste Handling Facilities

The minimum discharge velocity from Assumption 3.1.1 is used to represent the exit velocity for effluents from the waste handling facilities.

**Rationale:** The exit velocity is used by ARCON96 to determine if a vent release is to be treated as an elevated release, ground level release, or as a mixed-mode release (Reference 2.2.24 Section 3.2.5). If the exit velocity is more than 5 times the wind speed, the release is treated as an elevated release. If the exit velocity is less than the wind speed, the release is treated as a ground level release. If the exit velocity is less than 5 times the wind speed but greater than the wind speed, the release is treated as a mixed-mode release. Therefore, using the minimum exit velocity instead of the actual exit velocity results in more conservative atmospheric dispersion factors.

### 3.2.5 Release Exit Velocity for the Aging Pads

For the aging pads (17P and 17R), the exit flow velocity is conservatively assumed to be zero.

**Rationale:** Natural circulation is the only motive force for releases from the surfaces of canisters in aging overpacks located at the aging pads; therefore, a small release exit velocity is expected. Therefore, it is bounding to set the exit velocity to zero.

### 3.2.6 Initial Vertical Diffusion Coefficient of Aging Facility Releases

The initial vertical diffusion coefficient of the Aging Facility releases is conservatively assumed to be 2.5 m.

**Rationale:** The potential releases from the aging pads are from the surface contamination of aging casks. The aging cask height could vary from 10 to 15 ft, and there is an additional 3 to 4 ft rise for the bottom concrete slab. The total height is about 13 to 19 ft (4 to 5.8 m). For a vertical area source, the initial vertical diffusion coefficient is half of the height of the exposure area (Reference 2.2.24, p. 39). A value of 2.5 m for the initial vertical diffusion coefficient for the aging casks in the Aging Facility is reasonably assumed.

### 3.2.7 North Ramp as the Surface Facility Receptor for Subsurface Releases

The receptor location of the north ramp is conservatively assumed to represent other receptor locations of surface facilities for subsurface releases.

**Rationale:** For subsurface releases, the north ramp is the nearest receptor location among all surface receptors. Because of the long distance (greater than 2 km), the dispersion results from subsurface releases to surface receptors are expected to be similar to and only slightly less than those at the emplacement ramp.

## 4 METHODOLOGY

### 4.1 QUALITY ASSURANCE

The results of this calculation will be used to determine the radiological hazards for facilities important to safety. Therefore, this document is subject to the requirements of *Quality Management Directive* (Reference 2.1.1). This calculation was performed in accordance with EG-PRO-3DP-G04B-00037, *Calculations and Analyses* (Reference 2.1.2), LS-PRO-0201, *Preclosure Safety Analysis Process* (Reference 2.1.4). Additional preparation information has been derived from EG-DSK-3013, *Desktop Information for Using CalcTrac* (Reference 2.1.5), to track the assumptions requiring verification in Section 3.1. The results of this calculation will be used in calculations and analyses to demonstrate conformance of the repository design to the performance objectives of the requirements of 10 CFR 63.111 (Reference 2.2.1). Therefore, the approved version is designated as QA: QA.

### 4.2 USE OF SOFTWARE

#### 4.2.1 Qualified Software

The ARCON96 code (ARCON, V.96) (Reference 2.2.2) is used to calculate the relative atmospheric concentrations ( $\chi/Q$ ) for receptors of interest. The software specifications are as follows:

- Program Name: ARCON
- Version/Revision Number: V.96
- Platform/Operating System: PC/Windows XP
- Software Tracking Number/Status: 10912-96-01/Qualified
- Computer Type: PC Dell Optiplex GX620
- Central Processing Unit Number: YMP004480.

In this document, ARCON96 is used for the  $\chi/Q$  calculations of vent, ground, and area source releases. The ARCON96 code is used only within the range of validation as documented in Reference 2.2.4, Table 3, Table 4, and Attachment I: Tests 1, 2, and 5 and Reference 2.2.22. The software was obtained from Software Configuration Management in accordance with IT-PRO-0011, *Software Management* (Reference 2.1.3).

The ARCON96 test cases were run, and the output (log and cfd) files were compared to the files provided with the code package. The results of this comparison are available in files *complog.txt* and *compcfd.txt* provided in a compact disc as Attachment III.

The input and output files for ARCON96 calculations are listed in Attachment II and contained on a compact disc as Attachment III of this calculation.

There are two Software Problem Reports (SPR) issued for ARCON96, SPR026820040902 (Reference 2.2.5) and SPR011020070607 (Reference 2.2.7).



SPR026820040902 indicates that in some occasions the cfd file may be scaled incorrectly by a factor of 10 for time intervals greater than 8 hours. A review of the cfd files provided in Attachment III indicates that this condition is present in 75 of the 852 cases run in this calculation. The method used to handle this error is discussed in Section 6.3.2

SPR011020070607 concerns a discrepancy found in test case 6 of the validation tests. As discussed in the SPR this is only a discrepancy in the input file, that, when corrected provides correct results. Therefore, there are no impacts to this calculation.

#### **4.2.2 Commercial Off-the-Shelf Software**

Microsoft® Excel software was used for performing calculations. The use of Microsoft® EXCEL 2000 is classified as Level 2 software usage per procedure IT-PRO-0011, *Software Management* (Reference 2.1.3 Attachment 12) and is not required to be qualified in accordance with procedure IT-PRO-0011. Details of the software are given below:

Title: Excel

Version/Revision Number: Microsoft® Excel 2003, SP-2

This version is installed on a Dell Optiplex GX620 personal computer running Microsoft® Windows XP with CPU number YMP004480.

User-defined formulas, input, and results are documented in sufficient detail in Section 6 to allow an independent checker to reproduce or verify the results without recourse to the originator. This information was verified by checks using hand calculations.

The Excel files used to perform the calculations are included in Attachment III (Attachment II gives the file information for Attachment III).

### **4.3 BACKGROUND**

#### **4.3.1 Atmospheric Dispersion Factors**

The  $\chi/Q$  is the time averaged normalized contaminant concentration in air at the receptor. It represents the dilution of an airborne contaminant from atmospheric mixing and turbulence based on the atmospheric conditions, the relative configuration of the release point and the receptor, and the distance from the release point to the receptor of interest. The  $\chi/Q$  is the ratio of the average contaminant concentration in air at the receptor to the contaminant release rate at the release point. Values of 95<sup>th</sup> percentile  $\chi/Q$  are calculated using ARCON96, sponsored by the U.S. Nuclear Regulatory Commission (NRC) (Reference 2.2.25). This computer code has been baselined in accordance with IT-PRO-0011 (Reference 2.1.3).

#### **4.3.2 ARCON96 Model**

ARCON96 was developed by Pacific Northwest National Laboratory for the U.S. Nuclear Regulatory Commission to calculate  $\chi/Q$  values in plumes for nuclear power plants at control room air intakes in the vicinity of the release point (Reference 2.2.25). ARCON96 implements a straight-line Gaussian dispersion model with dispersion coefficients that are modified to account


for low wind meander and building wake effects. The code calculates normalized concentrations ( $\chi/Q$ ) using hourly meteorological data. These hourly values are averaged to form  $\chi/Q$ s for various time periods ranging from 2 hours to a much longer duration. The calculated values for each period are then used to form cumulative frequency distributions (CFDs).

ARCON96 takes into account the variations in the location of release points and plume dispersion due to building wakes and plume meander under low wind speed conditions. For each receptor of interest, a CFD of  $\chi/Q$  is constructed by the code for various release time periods (e.g., 2-hour, 4-hour, 8-hour, and 12-hour, or longer time periods). The 8,760-hour probabilistic  $\chi/Q$  distribution may be used to determine the annual mean and median (50<sup>th</sup> percentile weather probability)  $\chi/Q$  values for the receptor of interest. The 95<sup>th</sup> percentile  $\chi/Q$  values of 0 to 2 hour may be used to assess conservatively the potential consequences under event sequences.

#### 4.4 CALCULATION METHODOLOGY

##### 4.4.1 Building Area

ARCON96 uses a building vertical cross-sectional area perpendicular to the wind direction to determine building-wake effects (Reference 2.2.25, Table A-2). The building areas of the surface facilities are based on the dimensions of building section drawings (References 2.2.10 through 2.2.18). For considering the building wake, the receptor must be located within the influence zone of the stack as shown in Figure 1. The characteristic length ( $L$ ) is taken as the height or width, whichever is less, of the building cross-section perpendicular to the wind.



Source: Reference 2.2.25, Figure 1.

Figure 1. Zone of Influence for Stacks

The north and east cross-sectional area based on the plant coordinate system is calculated from the building section drawings (References 2.2.10 through 2.2.18). The calculation of the cross-sectional area for the direction from the release to the receptor is illustrated in Figure 2. The areas are calculated using the following expression:

$$A_{Dir} = A_N \cos \theta + A_E \sin \theta \quad \text{Equation 1}$$

Where  $A_N$  is the north cross-sectional area,  $A_E$  is the east cross-sectional area and  $\theta$  is the angle from the north to the receptor.




Figure 2. Area Calculation Diagram

ARCON96 requires a non-zero building cross-sectional area. Therefore, for the cases where no building wake effect is considered, such as releases from the subsurface facilities a nominal value of  $0.01 \text{ m}^2$  is used (Reference 2.2.25, Table A-2).

The calculation of the north and east cross-sectional areas is presented in Section 6.2.1.

#### 4.4.2 Area Source Modeling for Aging Pads

NRC Regulatory Guide 1.194 (Reference 2.2.25), Section 3.2.4.7, states that the application of the diffuse area source model to determine  $\chi/Q$  values for multiple (i.e., 3 or more) roof vents is:

“...appropriate for configurations in which (1) the vents are in close arrangement, (2) no individual vent is significantly closer to the control room intake than the center of the area source, (3) the release rate from each vent is approximately the same, and (4) no credit is taken for plume rise.”

These conditions are met by the canisters in aging overpacks located on aging pads 17P and 17R. As shown on the general arrangement drawings (References 2.2.19 and 2.2.20) the canisters are closely arranged, thus satisfying condition (1). No individual canister is significantly closer to any of the receptor locations; therefore, condition (2) is satisfied. Per assumption 3.2.5, the exit velocity is assumed to be zero; therefore, conditions (3) and (4) are satisfied.

A review of the general arrangement drawings (References 2.2.19 and 2.2.20) shows that the aging pads can be logically divided into four distinct areas. Aging pad 17P can be divided into a north and a south section. The north section (17PN) consists of aging sub pads A through C. The south section (17PS) consists of aging sub pads D through G. Aging pad 17R can be divided into

an east and a west section. The east section (17RE) consists of aging sup pads F through K. The west section (17PW) consists of aging sub pads A through E.

ARCON96 uses two initial diffusion coefficients, lateral  $\sigma_{y0}$  and vertical  $\sigma_{z0}$ , to represent the area source (Reference 2.2.24, pp. 36 and 37). To model area sources for aging pads, area-equivalent circular sources with the same center are used.

The initial lateral diffusion coefficient  $\sigma_{y0}$  is estimated by using Equation 2 of ARCON96 code manual (Reference 2.2.24, p. 37):

$$\sigma_{y0} = r_A/2.15 \qquad \text{Equation 2}$$

Where  $r_A$  is the radius of a circle whose area is equal to the aging pad area.

The calculation of the area source and location of the center of each aging pad area source is presented in Section 6.2.2.

#### 4.4.3 Conversion of Nevada State Plane Coordinates to Plant Coordinates

In this calculation all locations are presented in the plant coordinate system. The plant coordinate system base point is the North Portal, which is designated as 20,000 ft North and 20,000 ft East in the plant coordinate system and 765,352.70 ft North and 569,814.37 ft East in the Nevada State Plane coordinate system (Reference 2.2.9). The location of the subsurface ventilation intake and exhaust shafts are provided in the Nevada State Plane coordinate system.

Figure 3 shows the location of a point ( $X_{nv}$ ,  $Y_{nv}$ ) in the Nevada State Plane coordinate system that will be converted to the plant coordinate system. The following procedure is used to convert these coordinates to the plant coordinate system.




Figure 3. Coordinate System Conversion Example

1. The origin of the plant coordinate system is determined. Plant north is  $45^\circ$  from true north. The north plant origin is the same as the north portal north coordinate in the Nevada State Plane coordinate system (765,352.70 ft North). The east plant origin is calculated as:

$$East_{OP} = E_{NV} - \sqrt{N_{YMP}^2 + E_{YMP}^2} \quad \text{Equation 3}$$

Where:

$E_{NV}$  = North Portal east coordinate in Nevada State Plane coordinate system (569,814.37 ft East)

$N_{YMP}$  = North Portal north coordinate in plant coordinate system (20,000 ft North)

$E_{YMP}$  = North Portal east coordinate in plant coordinate system (20,000 ft East)

The east plant origin is calculated to be 541,530.10 ft East.

2. The distance from the plant origin to the point X<sub>nv</sub>, Y<sub>nv</sub> is calculated using the following expression:

$$Dist = \sqrt{(X_{nv} - East_{0P})^2 + (Y_{nv} - North_{0P})^2} \quad \text{Equation 4}$$

3. The direction with respect to the Nevada State Plane coordinate system east-west axis is calculated using the following expression:

$$\theta = \tan^{-1} \left( \frac{Y_{nv} - North_{0P}}{X_{nv} - East_{0P}} \right) \quad \text{Equation 5}$$

4. The direction with respect to north is calculated as follows:

$$\theta_N = (270 - \theta) - 360 \times \text{int} \left( \frac{270 - \theta}{360} \right) \quad \text{Equation 6}$$

5. The direction with respect to plant north is calculated as follows:

$$\theta_{PN} = \theta_N - 45 \quad \text{Equation 7}$$

6. The east and west plant coordinates for point X<sub>nv</sub>, Y<sub>nv</sub> is calculated as follows:

$$\begin{aligned} X_p &= Dist \times \sin \theta_{PN} \\ Y_p &= Dist \times \cos \theta_{PN} \end{aligned} \quad \text{Equation 8}$$

#### 4.4.4 Calculation of Median and Average $\chi/Q$

ARCON96 is a directionally-dependent code; it computes  $\chi/Q$ s only when the wind direction is within a (default) 90° window centered on the intake-to-source direction. ARCON96 determines 95<sup>th</sup> percentile  $\chi/Q$  values but not 50<sup>th</sup> percentile (median)  $\chi/Q$  values. Thus, 50<sup>th</sup> percentile  $\chi/Q$ s must be determined outside the code. The following discussion describes the development of the methodology that is used to calculate 50<sup>th</sup> percentile  $\chi/Q$ s.

One of the output files generated by the ARCON96 code is a cumulative frequency distribution (CFD). The CFD lists the number of hours that a certain  $\chi/Q$  value has been exceeded for each of the averaging periods. The median  $\chi/Q$  is calculated from the ARCON96 CFD output based on the accumulated number of hours for which valid  $\chi/Q$  data exist. Thus, for example, the median annual  $\chi/Q$  is that  $\chi/Q$  that is not exceeded for 21,587 hours out of an accumulated 43,174 valid hours. The median  $\chi/Q$  value, which is determined by linear interpolation between the two nearest values in the CFD data that bound the number of hours exceeded, i.e. 21,587 hours, as shown below.

$$\frac{\bar{\chi}}{Q} = \frac{\chi}{Q_{lower}} + \frac{\frac{\chi}{Q_{lower}} - \frac{\chi}{Q_{upper}}}{Hours_{lower} - Hours_{upper}} \times (Hours_{median} - Hours_{lower}) \quad \text{Equation 9}$$

where:

$Hours_{median}$  is the hours exceeded corresponding to the 50<sup>th</sup> percentile  $\chi/Q$

$Hours_{lower}$  is the nearest hours exceeded less than  $Hours_{median}$

$Hours_{upper}$  is the nearest hours exceeded greater than  $Hours_{median}$

$\frac{\chi}{Q_{lower}}$  is the  $\chi/Q$  value for  $Hours_{lower}$

$\frac{\chi}{Q_{upper}}$  is the  $\chi/Q$  value for  $Hours_{upper}$

$\frac{\bar{\chi}}{Q}$  is the median  $\chi/Q$  for the averaging period

The mean  $\chi/Q$  is calculated as follows:

$$\frac{\bar{\chi}}{Q} = \frac{\sum_{i=1}^n \frac{\chi}{Q_i} \times \Delta H_i}{Hours_{total}} \quad \text{Equation 10}$$

where:

$\frac{\bar{\chi}}{Q}$  is the mean  $\chi/Q$

$Hours_{total}$  is the number of valid hours

$\Delta H_i$  is the number of hours from the CFD file between  $\chi/Q_{i-1}$  and  $\chi/Q_i$

## 5 LIST OF ATTACHMENTS

	<b>Number of Pages</b>
Attachment I. VENTILATION DESIGN PARAMETERS OF GROA FACILITIES	2
Attachment II. ELECTRONIC FILES ON ATTACHED CD	50
Attachment III. One compact disk (CD) containing the Excel spreadsheet and ARCON96 input and output files.	1 CD-ROM



## 6 BODY OF CALCULATION

In this calculation, there are 852 ARCON96 runs: 16 surface releases with 51 receptors and six subsurface releases with six receptors. Each run is a dispersion calculation for a release-receptor scenario. The design inputs are presented in Section 6.1. Calculated parameters are determined in Section 6.2.

### 6.1 DESIGN INPUTS

This section discusses various design parameters used to prepare inputs to the ARCON96 calculation.

#### 6.1.1 Receptor Locations

A receptor of interest in this calculation is either at a location near an intake of a facility or a location where an onsite worker may be potentially exposed to the contaminated air effluent. In addition to the waste handling facilities (Assumption 3.1.2), other facilities and locations are considered as receptor locations. The plant coordinates and elevations are obtained from the North Portal Site Plan (Reference 2.2.9) and presented in Table 3.

Table 3. Receptor Locations

Facility	Receptor Code <sup>a</sup>	Facility Description	Height Relative to Grade <sup>b</sup> (ft)	Plant North (ft)	Plant East (ft)	Grade Elevation (ft)
HEMF	220	Heavy Equipment Maintenance Facility	10.00	19,449.00	21,016.00	3,680.20
CCCF	240	Central Communication Control Facility	10.00	19,890.00	21,825.00	3,659.00
WNNRF	230	Warehouse and Non-Nuclear Receipt Facility	10.00	19,825.00	22,263.00	3,650.00
UF	25A	Utilities Facility	10.00	21,500.00	22,312.00	3,620.00
AF	620	Administration Facility	10.00	22,178.00	22,277.00	3,625.00
CS	71A	Craft Shops	10.00	22,883.00	22,142.00	3,632.00
	30A	Central Security Station	10.00	21,312.00	21,870.00	3,630.00
	30B	Cask Receipt Security Station	10.00	18,375.00	25,000.00	3,659.00
	30C	North Perimeter Security Station	10.00	20,645.00	23,557.00	3,690.00
	27A	Switchyard	0.00	18,000.00	22,850.00	3,712.00
	780	Lower Muck Yard	0.00	20,000.00	23,625.00	3,624.00
	33A	Rail Buffer Area	0.00	19,062.00	22,875.00	3,660.00
	33B	Truck Buffer Area	0.00	18,600.00	23,812.00	3,660.00

Notes: <sup>a</sup> The receptor code is the facility area number

<sup>b</sup> Intake heights are obtained from Assumption 3.1.3

Source: Reference 2.2.9

### 6.1.2 Subsurface Intake and Exhaust Locations

The location of the subsurface facilities ventilation intake and exhaust shafts are obtained from the Subsurface Facilities Shaft Locations drawing (Reference 2.2.3). The naming convention for the shafts is taken from Reference 2.2.8 Figures 3 and 4. The location of the North Construction Portal and the South Portal are taken from Reference 2.2.3. The location of the North Portal is taken from Reference 2.2.9. All coordinates are provided in the Nevada State Plane coordinate system. The locations are presented in Table 4. The cited references provide the best available information and are suitable for use in this calculation.

Table 4. Subsurface Facilities Exhaust and Intake Locations

Facility	Release or Receptor Code	Description	North Coordinate <sup>a</sup> (ft)	East Coordinate <sup>a</sup> (ft)	Elevation <sup>a</sup> (ft)
ES	ES1	Exhaust Shaft 1 (Formerly Exhaust Raise 1) <sup>c</sup>	767,748	560,005	4,708.00
	ES2	Exhaust Shaft 2 (Formerly Exhaust Shaft 3) <sup>c</sup>	757,357	559,937	4,593.00
	ES3N	Exhaust Shaft 3N (Formerly Exhaust Shaft 2) <sup>c</sup>	775,360	563,658	4,757.00
	ES3S	Exhaust Shaft 3S (Formerly Exhaust Raise 2) <sup>c</sup>	769,618	563,942	4,396.00
	ES4	Exhaust Shaft 4 (Formerly Exhaust Shaft 1) <sup>c</sup>	770,604	559,368	4,823.00
	ECRB	ECRB Exhaust Shaft <sup>c</sup>	764,531	558,983	4,839.00
IS	IS2	Intake Shaft 2 (Formerly Intake Shaft 3) <sup>c</sup>	765,288	562,081	4,347.00
	IS3	Intake Shaft 3 (Formerly Intake Shaft 2) <sup>c</sup>	773,960	563,667	4,626.00
	IS4	Intake Shaft 4 (Formerly Intake Shaft 1) <sup>c</sup>	769,272	559,582	4,757.00
Portals	NC	North Construction Portal	771,743 <sup>b</sup>	568,278 <sup>b</sup>	3,891.00 <sup>b</sup>
	NP	North Portal	765,352.70	569,814.37	3,683.95
	SP	South Portal	756,608	567,259	3,806.00
Sources:	<sup>a</sup> Reference 2.2.3 <sup>b</sup> Reference 2.2.9 <sup>c</sup> Reference 2.2.8 Figures 3 and 4				

### 6.1.3 Subsurface Exhaust Ventilation Parameters

The subsurface ventilation parameters are presented in Table 5. The airflow and velocity are obtained from Reference 2.2.8. The shaft cross sectional area is obtained from Reference 2.2.6. The cited references provide the best available information and are suitable for use in this calculation.

Table 5. Subsurface Facilities Exhaust Ventilation Parameters

Facility	Release Code	Description	Airflow <sup>a</sup> (cfm)	Area <sup>b</sup> (ft <sup>2</sup> )	Velocity <sup>a</sup> (fpm)
ES	ES1	Exhaust Shaft 1 (Formerly Exhaust Raise 1)	347,000	161.51	2,148
	ES2	Exhaust Shaft 2 (Formerly Exhaust Shaft 3)	717,000	452.39	1,585
	ES3N	Exhaust Shaft 3N (Formerly Exhaust Shaft 2)	832,000	452.39	1,839
	ES3S	Exhaust Shaft 3S (Formerly Exhaust Raise 2)	347,000	161.51	2,148
	ES4	Exhaust Shaft 4 (Formerly Exhaust Shaft 1)	842,000	452.39	1,861
	ECRB	ECRB Exhaust Shaft	817,000	452.39	1,806

Sources: <sup>a</sup> Reference 2.2.8, Table 2<sup>b</sup> Reference 2.2.6, Table 1

#### 6.1.4 Meteorological Data

Meteorological input data used to run ARCON96 is based on the onsite meteorological measurements made over the period from January 1, 2001 through December 31, 2005 at Air Quality and Meteorology Monitoring Site 1, a 60-m tower located approximately 1 km south-southwest of the North Portal (Reference 2.2.21, Section 6.1.2). The meteorological input file is named as *ymp0105x.met* in this calculation for the entire meteorological records over the period of 2001 to 2005 (Reference 2.2.21, Attachment I, file *ymp.met*). Two measurement heights, 10 and 60 m, are used in the meteorological input data. The wind speeds are expressed in m/s, which corresponds with wind speed unit type 1 in ARCON96 (Reference 2.2.24, p.102).

#### 6.1.5 Default Values

To evaluate annual average and 95<sup>th</sup> percentile  $\chi/Q$  values, 8,760 hr (annual) and 0 to 2 hour are used for hours in averages (Reference 2.2.24, Figure 13). The hours in averages are: 1, 2, 4, 8, 12, 24, 96, 168, 720, and 8,760. The recommended averaging sector width constant is 4.3 per Regulatory Guide 1.194 (Reference 2.2.25, Table A-2).

All other parameters of default values directly use the system defaults of ARCON96 averages (Reference 2.2.24, Figure 13). They are:

Surface Roughness Length (m)	= 0.1
Minimum Wind Speed (m/s)	= 0.5
Minimum Number of Hours	= 1 2 4 8 11 22 87 152 324 648

## 6.2 PARAMETER CALCULATIONS

The parameters required to run the ARCON96 code that are not direct inputs are calculated using spreadsheet *GROA XQ Calculation.xls*. The calculations performed in the spreadsheet are described in the following subsections.

### 6.2.1 Building Cross-Sectional Area

The building cross-sectional area for the waste handling facilities is determined in worksheet *Building Cross-Sectional Area* of spreadsheet *GROA XQ Calculation.xls*. The dimensions used

in the calculation are obtained from the building section drawings (References 2.2.10 to 2.2.18). Conservatively, only the main structure of each facility is considered. Building extensions and entryways are not considered. The cited references provide the best available information and are suitable for use in this calculation.

Table 6. Building Cross-Sectional Areas

Facility	North Building Area (m <sup>2</sup> )	East Building Area (m <sup>2</sup> )
CRCF-1	2,273.85	2,726.33
CRCF-2	2,273.85	2,726.33
CRCF-3	2,273.85	2,726.33
RF	1,593.29	1,673.65
WHF	2,208.58	1,669.00
IHF	1,428.99	1,827.94
LLWF	1,782.10	973.14

Source: Worksheet *Building Cross-Sectional Area* of spreadsheet *GROA XQ Calculation.xls*

### 6.2.2 Area Source Modeling for Aging Pads

The aging pad areas and center point locations are calculated in worksheet *Aging Pads* of spreadsheet *GROA XQ Calculation.xls*. The dimensions are obtained from the general arrangement drawings (References 2.2.19 and 2.2.20). As discussed in Section 4.4.2, the aging pads are divided into four distinct areas. The calculation for aging pad 17RE, described in the following paragraphs also applies for the other aging pads.

The north-south length in feet, obtained from Reference 2.2.20, is presented in cell D3 and converted to meters in cell D4. The east-west length in feet, obtained from Reference 2.2.20, is presented in cell D5 and converted to meters in cell D6. The area in meters is calculated in cell D7.

The center point coordinates relative to the southeast point of the aging pad are one-half of the length and width. These coordinates are shown in cells D8 (north) and E8 (east). The distance from the south east point to the center point is calculated in cell D9. The angle from true north is calculated using the following equation in cell D10:

$$\theta = 90 - \tan^{-1} \left( \frac{\text{Cell D8}}{\text{Cell E8}} \right)$$

The Excel function ATAN gives the angle in radians. The Excel function DEGREES is used to convert the results to degrees.

The angle from plant north is calculated by subtracting 45° from the angle calculated in cell D10 as shown in cell D11.

The offset in plant coordinates from the south west point is calculated in cells D12 for the north direction and cell E12 for the east direction using the distance calculated in cell D9 as follows:

$$North = Dist \times \cos(Cell\ D11)$$

$$East = Dist \times \sin(Cell\ D11)$$

The Excel functions COS and SIN use angles in radians. The Excel function RADIANS is used to convert the input angle from degrees to radians.

The control point for sub-pad K obtained from Reference 2.2.20 is shown in cells D13 and E13 for the north and east direction, respectively. The north-south dimension of sub-pad K from Reference 2.2.20 is shown in cells D14.

The south-west point coordinates in the plant coordinate system is calculated in cells D15 and E15 using the following expressions:

$$North = -Cell\ D14 \times \cos(45) + Cell\ D13$$

$$East = Cell\ D14 \times \cos(45) + Cell\ E13$$

The center point coordinates are calculated by adding the south-west point coordinates with the offset in plant coordinates for the center point (row 12). The results are shown in cells D16 and E16 for the north and east direction, respectively.

The area and coordinates of the other aging pads are calculated using the same methodology discussed above. The results are summarized in Table 7.

Table 7. Aging Pad Area and Coordinates

Aging Pad	Plant Coordinates (ft)		Area (m <sup>2</sup> )
	North	East	
17RE	23,776.47	19,063.23	50,028.29
17RW	23,217.67	18,501.03	50,028.29
17PN	24,952.88	17,400.83	30,684.02
17PS	24,635.35	17,938.97	60,571.85

Source: Worksheet *Aging Pads* of spreadsheet *GROA XQ Calculation.xls*

### 6.2.3 Release Point Parameters

The exhaust point parameters are presented in worksheet *Exhaust* of spreadsheet *GROA XQ Calculation.xls*.

**Waste Handling Facilities** – Rows 3 through 14 present the parameters for the waste handling facilities from Assumption 3.1.1. These parameters are presented in columns D through K. The height relative to grade in column I is calculated by subtracting the grade elevation from column N from the duct elevation in column H. This is used as the release height (Assumption 3.2.3).

The facility control point coordinates obtained from Reference 2.2.9 are presented in columns L through N. The stack flow rate is converted from cfm to  $\text{m}^3/\text{s}$  in column O. The minimum stack velocity (Assumption 3.2.4) is converted from fpm to m/s in column P. The stack radius is calculated in column Q. The north and east building cross-sectional areas (see Table 6) calculated in worksheet *Building Cross-Sectional Area* are presented in columns R and S. For these facilities the releases are vent releases (Assumption 3.2.1); therefore, the initial dispersion parameters  $\sigma_{y0}$  and  $\sigma_{z0}$  are set to zero in columns T and U. Columns V through Z are not used for these facilities.

Per Assumption 3.2.2 CRCF 2 and CRCF 3 are the same as CRCF 1, with the exception of the location of the facilities. Therefore, the exhaust duct coordinates for CRCF 2 and CRCF 3 are determined from the facility control point locations. The duct elevation in cells H5 through H8 and the north and east coordinates in cells J5 through K8 are adjusted using the parameters in cells L3 through N8.

**Aging Pads** – Rows 15 through 18 present the parameters for the aging pads. Per Assumption 3.2.5, the exit velocity from the aging pads is zero; therefore, no values are entered in cells D15 through G18. The grade elevations of the aging pads presented in cells N15 through N18 are obtained from References 2.2.19 and 2.2.20. Since the elevations vary slightly for each of the sub pads, an average elevation is used. Since the release is ground level (Assumption 3.2.1) the exhaust elevation in cells H15 through H18 is set to the grade elevation. The plant coordinates in cells J15 through K18 are obtained from worksheet *Aging Pads*. Columns O through Q are the same as for the waste handling facilities described above. As discussed in Section 4.4.1 a nominal value of  $0.01 \text{ m}^2$  for building area is used for the no building wake cases as shown in cells R15 through S18. The initial lateral diffusion coefficient  $\sigma_{y0}$  is calculated using Equation 2 in cells T15 through T18. The initial vertical diffusion coefficient  $\sigma_{z0}$  is set to 2.5 m per Assumption 3.2.6. Columns V through Z are not used for the aging pads.

**Subsurface Exhaust Shafts** – Rows 19 through 24 present the parameters for the subsurface exhaust shafts. The flow rate from Table 5 (Design Input 6.1.3) is presented in cells D19 through D24. The air velocity from Table 5 is presented in cells E19 through E24. The exhaust shaft area from Table 5 is presented in cells G19 through G24. The exhaust diameter in cells F19 through F24 is calculated from the exhaust shaft areas. The grade elevations of the exhaust shafts presented in cells N19 through N24 are obtained from Table 4 (Design Input 6.1.2). Since the release is ground level (Assumption 3.2.1) the exhaust elevation in cells H19 through H24 is set to the grade elevation. Columns O through Q are the same as for the waste handling facilities described above. As discussed in Section 4.4.1 a nominal value of  $0.01 \text{ m}^2$  for building area is used for the no building wake cases as shown in cells R19 through S24. For the exhaust shafts the releases are ground level releases (Assumption 3.2.1); therefore, the initial dispersion parameters  $\sigma_{y0}$  and  $\sigma_{z0}$  are set to zero in columns T and U. The coordinates in the Nevada State Plane coordinate system from Table 4 are presented in cells V18 through W24. The direction with respect to north in cells X18 through X24 is calculated using Equation 6. The direction with respect to plant north in cells Y18 through Y24 is calculated using Equation 7. The distance in cells Z18 through Z24 is calculated using Equation 4. The location of the exhaust shafts in the plant coordinate system is calculated in cells J18 through K24 using Equation 8.

#### 6.2.4 Receptor Parameters

The receptor parameters are presented in worksheet *Intake* of spreadsheet *GROA XQ Calculation.xls*.

**Waste Handling Facilities** – Rows 3 through 30 present the parameters for the waste handling facilities from Assumption 3.1.2. These parameters are presented in columns D through I. The height relative to grade in column G is calculated by subtracting the grade elevation from column L from the duct elevation in column F. The facility control point coordinates obtained from Reference 2.2.9 are presented in columns J through L. Columns M through Q are not used for these facilities.

Per Assumption 3.2.2 CRCF 2 and CRCF 3 are the same as CRCF 1, with the exception of the location of the facilities. Therefore, the intake duct coordinates for CRCF 2 and CRCF 3 are determined from the facility control point locations. The duct elevation in column F, the north and east coordinates in columns H and I are adjusted using the parameters in columns J, K, and L.

**Aging Pads** – Rows 31 through 34 present the parameters for the aging pads. The grade elevations of the aging pads presented in cells L31 through L34 are obtained from References 2.2.19 and 2.2.20. Since the elevations vary slightly for each of the sub pads, an average elevation is used. A receptor at the aging pads is not in a facility with HVAC, therefore the intake elevation in cells F31 through F34 is set to the grade elevation. The plant coordinates in cells H31 through H34 are obtained from worksheet *Exhaust*. Columns M through Q are not used for the aging pads.

**Subsurface Intake Shafts and Portals** – Rows 35 through 40 present the parameters for the subsurface exhaust shafts. The grade elevations of the intake shafts and portals presented in cells L35 through L40 are obtained from Table 4 (Design Input 6.1.2). Since the intake location is at ground level elevation in cells F35 through F40 is set to the grade elevation. The coordinates in the Nevada State Plane coordinate system from Table 4 are presented in cells M35 through N40. The direction with respect to north in cells O35 through O40 is calculated using Equation 6. The direction with respect to plant north in cells P35 through P40 is calculated using Equation 7. The distance in cells Q35 through Q40 is calculated using Equation 4. The location of the exhaust shafts in the plant coordinate system is calculated in cells H35 through I40 using Equation 8.

**Other GROA Facilities** – Rows 41 through 53 present the parameters for other GROA facilities that may have workers present. The locations in plant coordinates and the grade elevation presented in columns H, I, and L are scaled from Reference 2.2.9. Per Assumption 3.1.3, the intake elevation for the facilities in column G is set to 10 feet. For receptors in the yards the intake elevation is set to zero.

#### 6.2.5 Source to Receptor Parameters

The 16 surface release points and 6 subsurface release points discussed in Section 6.2.3 and the 51 receptor points discussed in Section 6.2.4 are combined into 852 different source to receptor scenarios (16 surface release points × 51 receptors + 6 subsurface release points × 6 receptors) [5

subsurface receptors and 1 surface receptor per Assumption 3.2.7]). This is performed in worksheet *Source Receptor Distance* of spreadsheet *GROA XQ Calculation.xls*. This worksheet is described in the following paragraphs.

Column A presents the row number of the source in worksheet *Exhaust*. Column B presents the row number of the receptor in worksheet *Intake*. These values are used with the Excel functions ADDRESS and INDIRECT to obtain values for the different parameters from these two worksheets.

The source codes from worksheet *Exhaust* are presented in column C and the receptor codes from worksheet *Intake* are presented in column D. For example, cell D14 presents receptor code "080b" which is obtained from column 2 and row 14 of worksheet *Intake*.

The source locations from worksheet *Exhaust* are presented in columns E through G and the receptor locations from worksheet *Intake* are presented in columns H through J. The distance from the source to the receptor is calculated in column K in feet and converted to meters in column L. For example, the distance from source "060a" to receptor "070b" is calculated. Source "060a" is located at 21,319 ft north and 21,027 ft east. Receptor "070b" is located at 22,360 ft north and 21,081 ft east. The distance is then:

$$Dist = \sqrt{(21,319 - 22,360)^2 + (21,027 - 21,081)^2} = 1,042.40 \text{ ft}$$

This value is shown in cell K9.

The location of the source and the receptor for the aging pads is the same; therefore, using the above equation would result in a distance of zero feet. ARCON96 requires a non-zero distance; therefore, if the receptor is the same as the source for the aging pads, a value of 1 feet is entered. For example, this is shown in cells K643.

The direction from the source to the receptor is calculated in column M with respect to the plant coordinate system, in column N with respect to true north, and column O with respect to the ARCON96 convention (Reference 2.2.24, p. 16). This calculation is performed using the Excel functions MOD, ATAN2 and DEGREES. Function ATAN2 gives results in radians, which are converted to degrees using the function DEGREES. The angle calculated by ATAN2 is with respect the X axis (east-west); therefore, the function MOD is used to determine the remainder of the following expression:

$$\frac{Offset - \theta}{360}$$

Offset is 90° for plant north, 135° for true north, and 315° for the ARCON96 convention;  $\theta$  is the angle calculated using the ATAN2 function. For example, the angle from source "060a" to receptor "070b" is calculated. Source "060a" is located at 21,319 ft north and 21,027 ft east. Receptor "070b" is located at 22,360 ft north and 21,081 ft east. The angle from the east-west axis is calculated as:



$$\theta = \tan^{-1}\left(\frac{21,319 - 22,360}{21,027 - 21,081}\right) = 87.03 \text{ deg.}$$

The angle from plant north is then  $90^\circ - 87.03^\circ = 2.97^\circ$ , the angle from true north is then  $2.97^\circ + 45^\circ = 47.97^\circ$ , and the angle in the ARCON96 convention is  $47.97^\circ + 180^\circ = 227.97^\circ$ . These values are shown in cells M9, N9, and O9, respectively.

The location of the source and the receptor for the aging pads is the same; therefore, using the above methodology would result in an error for calculating the direction. Therefore, if the receptor is the same as the source for the aging pads, a value of 360 is entered in column M, a value of 45 is entered in column N, and a value of 135 is entered in column O. This is shown in cells M643 through O643.

The elevation difference between the source and the receptor is calculated in feet in column P and converted to meters in column Q.

The cross-sectional area is calculated in column R using Equation 1. For example, the cross-sectional area from source "060a" to receptor "070b" is calculated. From Table 6, the cross-sectional area for CRCF 1 (060) is  $2,273.85 \text{ m}^2$  north and  $2,726.33 \text{ m}^2$  east. The angle from plant north was calculated previously as  $2.97^\circ$ . The cross-sectional area is then:

$$\begin{aligned} A_{Dir} &= A_N \cos\theta + A_E \sin\theta \\ &= 2,273.85 \times \cos 2.97 + 2,726.33 \times \sin 2.97 \\ &= 2,270.80 + 141.23 \\ &= 2,412.03 \text{ m}^2 \end{aligned}$$

This value is shown in cell R9.

The stack flow, exit velocity, and radius are extracted from worksheet *Exhaust* and presented in columns S through U. The initial dispersion parameters are extracted from worksheet *Exhaust* and presented in columns V and W.

The release type per Assumption 3.2.1 is vent release for the waste handling facilities (release type = 2) and ground level for the aging pads and subsurface exhausts (release type = 1). This is presented in column X.

### 6.2.6 ARCON96 Input Parameter Values

Table 8 summarizes the input parameters used to execute ARCON96. All the input values are documented in the worksheet *ARCON96 Input* of the attached spreadsheet *GROA XQ Calculation.xls*. Column A contains the name of the case. This name is made by concatenating the source code with the receptor code. This name is then used to determine the input, output, and cfd file names presented in columns B, C, and D, respectively. The parameters required to run ARCON96 are imported from worksheet *Source Receptor Distance* and presented in columns E through O.

Table 8. Summary of Input Parameter Values to Run ARCON96

Input Parameter	Value	Source
Number of Met Data Files	1	Design Input 6.1.4
Name of Met Data File	c:\arcon96\groalypm0105x.met	Design Input 6.1.4
Lower Measurement Height (m)	10.0	Design Input 6.1.4
Upper Measurement Height (m)	60.0	Design Input 6.1.4
Wind Speed Type	1	Design Input 6.1.4
Release Type	Column O	Worksheet ARCON96 Input
Release Height (m)	Column E	Worksheet ARCON96 Input
Building Area (m <sup>2</sup> )	Column F	Worksheet ARCON96 Input
Exit Vertical Velocity (m/s)	Column G	Worksheet ARCON96 Input
Effluent Flow (m <sup>3</sup> /s)	Column H	Worksheet ARCON96 Input
Stack Radius (m)	Column I	Worksheet ARCON96 Input
Distance to Receptor (m)	Column K	Worksheet ARCON96 Input
Intake Height (m)	Column L	Worksheet ARCON96 Input
Terrain Elevation Difference (m)	Column M	Worksheet ARCON96 Input
Direction to Source (degree)	Column J	Worksheet ARCON96 Input
Primary output file name	Column C	Worksheet ARCON96 Input
CFD output file name	Column D	Worksheet ARCON96 Input
Expanded Output file	N	Default of ARCON96
Surface Roughness Length (m)	0.1	Default, Design Input 6.1.5
Minimum Wind Speed (m/s)	0.5	Default, Design Input 6.1.5
Averaging Sector Width Constant	4.3	Default, Design Input 6.1.5
$\sigma_{y0}$ (m)	Column N	Worksheet ARCON96 Input
$\sigma_{z0}$ (m)	Column N	Worksheet ARCON96 Input
Hours in Averages	1 2 4 8 12 24 96 168 720 8760	Section Design Input 6.1.5
Minimum Number of Hours	1 2 4 8 11 22 87 152 324 648	Default, Design Input 6.1.5

### 6.3 CALCULATION OF RESULTS

The results of the 852 ARCON96 runs are imported into the *GROA XQ Calculation.xls* spreadsheet from the .log and .cfd files. The 95<sup>th</sup> percentile  $\chi/Q$ s are imported for summary purposes only, no further processing is performed. The results from the .cfd files are processed to determine the annual average  $\chi/Q$  values. The various worksheets used are discussed in the following subsections.

#### 6.3.1 Worksheet 95Percentile

This worksheet presents the 0 to 2-hour 95<sup>th</sup> percentile  $\chi/Q$  values obtained from the output (.log) files. One  $\chi/Q$  value for each of the 852 source-to-receptor combinations is presented.

#### 6.3.2 Worksheet Annual

This worksheet imports the 8760 averaging period cumulative frequency distributions. Three rows are imported for each combination of source-to-receptor. The first row consists of the  $\chi/Q$

values (6<sup>th</sup> row of the .cfd file). The second row consists of the cumulative hours recorded for each  $\chi/Q$  value (12<sup>th</sup> row of the .cfd file). The third row consists of the hours recorded from the previous  $\chi/Q$  value to the current  $\chi/Q$  value.

The average  $\chi/Q$  value is calculated in column C using Equation 10. For example, for source "60a" to receptor "60a" hours are recorded for  $\chi/Q$  values between  $6.92 \times 10^{-6}$  and  $1.32 \times 10^{-6}$  as shown below.

$\chi/Q$ (s/m <sup>3</sup> )	Cumulative Hours	$\Delta$ Hours	Product $\chi/Q \times \Delta$ Hours
6.92E-06	1,226	1,226	8.48E-03
6.31E-06	9,921	8,695	5.49E-02
5.75E-06	23,285	13,364	7.69E-02
5.25E-06	40,071	16,786	8.81E-02
4.79E-06	40,260	189	9.05E-04
4.37E-06	40,638	378	1.65E-03
3.98E-06	40,806	168	6.69E-04
3.63E-06	40,871	65	2.36E-04
3.31E-06	40,978	107	3.54E-04
3.02E-06	41,555	577	1.74E-03
2.75E-06	41,666	111	3.06E-04
2.51E-06	41,805	139	3.49E-04
2.29E-06	41,868	63	1.44E-04
2.09E-06	41,934	66	1.38E-04
1.91E-06	42,329	395	7.52E-04
1.74E-06	42,971	642	1.12E-03
1.59E-06	43,005	34	5.39E-05
1.45E-06	43,121	116	1.68E-04
1.32E-06	43,174	53	6.99E-05
Total:			2.37E-01

The average is then the total product divided by the maximum number of hours,  $0.237 \div 43,174 = 5.49 \times 10^{-6} \text{ s/m}^3$ . This value is shown in cell C3.

The median  $\chi/Q$  value is calculated in column D using information presented in columns DC through DI. Using the previous example, there are a total of 43,174 hours. The 50<sup>th</sup> percentile number of hours is then 21,587 hours. From above, this value falls between 9,921 and 23,285 hours. The  $\chi/Q$  values associated with these hours are  $6.31 \times 10^{-6}$  and  $5.75 \times 10^{-6}$ . Using a linear interpolation, the resultant median  $\chi/Q$  value is:

$$\begin{aligned} \frac{\chi}{Q_{50}} &= 6.31 \times 10^{-6} + (5.75 \times 10^{-6} - 6.31 \times 10^{-6}) \times \frac{21,587 - 9,921}{23,285 - 9,921} \\ &= 5.82 \times 10^{-6} \text{ s/m}^3 \end{aligned}$$

This value is shown in cell D3.

As discussed in Section 4.2.1, 75 of the 852 runs are scaled incorrectly by a factor of 10 for averaging intervals greater than 8 hr (Reference 2.2.5). The case of source "060a" to receptor "060b" is used to illustrate for the adjustment of CFD output file. Table 9 is a partial listing from file *060a060b.cfd*. Columns 1 and 6 are simply the  $\chi/Q$  values. It is clear that the CFD over longer averaging intervals should be lower than that over shorter intervals, i.e., lower  $\chi/Q$  for longer averaging interval. However, Table 9 shows that the CFDs for greater than 12 hours (columns 7 to 12) are higher than those for shorter periods (columns 2 to 5). Therefore, the  $\chi/Q$  scale (column 6) for the distribution over 12 hours (columns 7 to 12) has to be reduced by a factor of 10. The annual CFD (last column of Table 9) with corrected  $\chi/Q$  values is shown in worksheet Annual (see rows 6 and 7).

Table 9. Partial Listing of File *060a060b.cfd*

3.020E-04	0.	0.	0.	0.	3.020E-04	160.	0.	0.	0.	0.	0.
2.754E-04	0.	0.	0.	0.	2.754E-04	237.	3.	0.	0.	0.	0.
2.512E-04	0.	0.	0.	0.	2.512E-04	331.	12.	0.	0.	0.	0.
2.291E-04	0.	0.	0.	0.	2.291E-04	456.	22.	0.	0.	0.	0.
2.089E-04	0.	0.	0.	0.	2.089E-04	591.	59.	0.	0.	0.	0.
1.905E-04	0.	0.	0.	0.	1.905E-04	752.	118.	0.	0.	0.	0.
1.738E-04	0.	0.	0.	0.	1.738E-04	914.	190.	0.	0.	0.	0.
1.585E-04	0.	0.	0.	0.	1.585E-04	1110.	293.	0.	0.	0.	0.
1.445E-04	0.	0.	0.	0.	1.445E-04	1316.	411.	0.	0.	0.	0.
1.318E-04	0.	0.	0.	0.	1.318E-04	1577.	560.	0.	0.	0.	0.
1.202E-04	0.	0.	0.	0.	1.202E-04	1863.	765.	0.	0.	0.	0.
1.096E-04	2.	0.	0.	0.	1.096E-04	2100.	946.	0.	0.	0.	0.
1.000E-04	24.	1.	0.	0.	1.000E-04	2324.	1193.	16.	0.	0.	0.
9.120E-05	73.	10.	0.	0.	9.120E-05	2568.	1494.	73.	0.	0.	0.
8.318E-05	155.	33.	4.	0.	8.318E-05	2864.	1771.	171.	0.	0.	0.
7.586E-05	243.	64.	11.	0.	7.586E-05	3280.	2075.	234.	5.	0.	0.
6.918E-05	321.	102.	22.	0.	6.918E-05	3739.	2437.	400.	41.	0.	0.
6.310E-05	384.	125.	43.	5.	6.310E-05	4071.	2855.	599.	56.	0.	0.
5.754E-05	440.	162.	71.	7.	5.754E-05	4361.	3302.	853.	165.	0.	0.
5.248E-05	504.	226.	96.	22.	5.248E-05	4672.	3782.	1134.	331.	0.	0.
4.786E-05	818.	390.	181.	54.	4.786E-05	4956.	4160.	1477.	538.	0.	0.
4.365E-05	1015.	651.	282.	104.	4.365E-05	5305.	4595.	1991.	864.	0.	0.
3.981E-05	1198.	831.	420.	160.	3.981E-05	5878.	5170.	2562.	1270.	0.	0.
3.631E-05	1298.	1027.	567.	232.	3.631E-05	6190.	5708.	3280.	1880.	0.	0.
3.311E-05	1370.	1122.	708.	338.	3.311E-05	6489.	6274.	4168.	2630.	0.	0.
3.020E-05	1420.	1228.	811.	450.	3.020E-05	6697.	6768.	4791.	3261.	7.	0.
2.754E-05	1465.	1302.	926.	609.	2.754E-05	6896.	7174.	5694.	4161.	290.	0.

### 6.3.3 Worksheet *Summary of Results*

This worksheet summarizes the 95<sup>th</sup> percentile (0 – 2 hour average) and the average and median (annual average)  $\chi/Q$  values for each combination of sources and receptors considered in this calculation. The average and median  $\chi/Q$  values are extracted from the *Annual* worksheet, shown in columns D and E, using the Excel functions INDEX and MATCH. The match is performed using the concatenation of the source receptor codes. The lookup is performed on column DB or the *Annual* worksheet. The maximum of the median and average  $\chi/Q$  values is presented in column F. The 95<sup>th</sup> percentile  $\chi/Q$  values are extracted from worksheet *95Percentile* and presented in column G.

### 6.3.4 Worksheets *Annual Matrix* and *95 Percentile Matrix*

These two worksheets have the same structure. The *Annual Matrix* worksheet presents the values of column F of the *Summary of Results* worksheet, while the *95 Percentile Matrix* worksheet presents the values of column F of the *Summary of Results* worksheet. The sources are arrayed in columns B through W and the receptors are arrayed in rows 3 through 53. Per Assumption 3.2.7, the North Portal represents the location for all other receptors from subsurface releases.

Therefore, values in cells R3 through W34 and R41 through W53 are set equal to the values in cells R39 through W39.

### 6.3.5 Worksheets *Maximum Annual* and *Maximum 95 Percentile*

These two worksheets have the same structure. They extract the maximum  $\chi/Q$  value for each source facility to the receptor facilities. For example, CRCF 1 has two exhaust sources and five intake receptors. The maximum of these ten values is then reported in these worksheets. The *Maximum Annual* worksheet extracts the maximum annual  $\chi/Q$  values from worksheet *Annual Matrix* and the *Maximum 95 Percentile* worksheet extracts the maximum annual  $\chi/Q$  values from worksheet *Annual 95 Percentile*.

For the aging pads cases where the release and receptor are the same, the  $\chi/Q$  value is set to N/A since ARCON96 should not be used to calculate values for distances less than 10 meters.

## 6.4 RESULTANT ATMOSPHERIC DISPERSION FACTORS

The calculated results of annual mean, annual median, and 95<sup>th</sup> percentile of 0 to 2 hour dispersion factors ( $\chi/Q$ s) are summarized in Table 10 to Table 31 for potential releases from normal operations and event sequences from surface and subsurface facilities.

The uncertainty of the calculated dispersion factor ( $\chi/Q$ ) is assessed in ARCON96 by constructing a cumulative probability distribution of the hourly  $\chi/Q$  values. This cumulative probability distribution is then used to determine the median (50<sup>th</sup> percentile)  $\chi/Q$  and the mean (arithmetic average)  $\chi/Q$  for the locations of interest. For conservatism, the higher value of median and mean  $\chi/Q$  is included in the last column of the tables as recommended values for consequence analyses. For subsurface release calculations, the  $\chi/Q$ s calculated for the emplacement ramp may be used conservatively to represent the dispersion factors for all other surface receptors (Assumption 3.2.7).

Table 10.  $\chi/Q$  Results for CRCF 1 Source "a"

Codes		Annual Average $\chi/Q$ (s/m <sup>3</sup> )			95 <sup>th</sup> Percentile $\chi/Q$ (s/m <sup>3</sup> )
Source	Receptor	Average	Median	Suggested	
060a	060a	5.49E-06	5.82E-06	5.82E-06	1.08E-04
060a	060b	1.11E-06	1.12E-06	1.12E-06	1.55E-05
060a	060c	1.16E-06	1.19E-06	1.19E-06	2.01E-05
060a	060d	2.44E-05	2.58E-05	2.58E-05	2.79E-04
060a	060e	1.16E-05	1.25E-05	1.25E-05	2.13E-04
060a	070a	3.94E-06	4.03E-06	4.03E-06	7.87E-05
060a	070b	1.84E-06	1.94E-06	1.94E-06	1.99E-05
060a	070c	2.22E-06	2.34E-06	2.34E-06	2.49E-05
060a	070d	1.36E-06	1.41E-06	1.41E-06	1.73E-05
060a	070e	1.48E-06	1.53E-06	1.53E-06	2.42E-05
060a	080a	3.33E-06	3.39E-06	3.39E-06	7.88E-05
060a	080b	1.87E-06	1.92E-06	1.92E-06	3.43E-05
060a	080c	1.96E-06	2.02E-06	2.02E-06	3.46E-05
060a	080d	1.38E-06	1.41E-06	1.41E-06	2.64E-05
060a	080e	1.62E-06	1.67E-06	1.67E-06	3.21E-05
060a	200a	1.99E-06	2.08E-06	2.08E-06	3.00E-05
060a	200b	2.95E-06	3.10E-06	3.10E-06	3.83E-05
060a	200c	4.48E-06	4.70E-06	4.70E-06	6.35E-05
060a	200d	2.94E-06	3.13E-06	3.13E-06	4.68E-05
060a	050a	1.85E-06	1.93E-06	1.93E-06	2.66E-05
060a	050b	1.89E-06	1.97E-06	1.97E-06	2.72E-05
060a	050c	7.14E-06	7.22E-06	7.22E-06	1.24E-04
060a	050d	6.27E-06	6.29E-06	6.29E-06	1.16E-04
060a	51Aa	1.43E-06	1.40E-06	1.43E-06	2.23E-05
060a	51Ab	1.44E-06	1.41E-06	1.44E-06	2.23E-05
060a	160a	2.43E-06	2.52E-06	2.52E-06	3.99E-05
060a	160b	2.38E-06	2.46E-06	2.46E-06	3.94E-05
060a	160c	2.59E-06	2.68E-06	2.68E-06	4.25E-05
060a	17RE	3.70E-06	3.52E-06	3.70E-06	5.89E-05
060a	17RW	3.54E-06	3.25E-06	3.54E-06	5.50E-05
060a	17PN	1.59E-06	1.49E-06	1.59E-06	2.64E-05
060a	17PS	1.98E-06	1.85E-06	1.98E-06	3.26E-05
060a	IS2	1.69E-08	1.79E-08	1.79E-08	1.79E-07
060a	IS3	2.56E-08	2.68E-08	2.68E-08	3.49E-07
060a	IS4	8.67E-09	9.07E-09	9.07E-09	1.32E-07
060a	NC	5.72E-07	5.61E-07	5.72E-07	1.01E-05
060a	NP	1.36E-06	1.42E-06	1.42E-06	2.64E-05
060a	SP	7.53E-07	6.83E-07	7.53E-07	1.94E-05
060a	220	1.59E-06	1.61E-06	1.61E-06	2.73E-05
060a	240	1.24E-06	1.23E-06	1.24E-06	1.32E-05
060a	230	1.23E-06	1.22E-06	1.23E-06	1.26E-05
060a	25A	1.16E-06	1.23E-06	1.23E-06	7.70E-06
060a	620	6.02E-07	6.39E-07	6.39E-07	5.65E-06
060a	71A	3.49E-07	3.61E-07	3.61E-07	5.23E-06
060a	30A	2.43E-06	2.57E-06	2.57E-06	1.60E-05
060a	30B	1.58E-06	1.55E-06	1.58E-06	2.50E-05
060a	30C	2.67E-06	2.71E-06	2.71E-06	4.34E-05
060a	27A	2.55E-06	2.43E-06	2.55E-06	5.44E-05
060a	780	7.16E-07	7.20E-07	7.20E-07	7.32E-06
060a	33A	1.26E-06	1.23E-06	1.26E-06	1.73E-05
060a	33B	1.37E-06	1.36E-06	1.37E-06	1.93E-05

Source: Worksheet Summary of Results of spreadsheet GROA XQ Calculation.xls

Table 11.  $\chi/Q$  Results for CRCF 1 Source "b"

Codes		Annual Average $\chi/Q$ (s/m <sup>3</sup> )			95 <sup>th</sup> Percentile $\chi/Q$ (s/m <sup>3</sup> )
Source	Receptor	Average	Median	Suggested	
060b	060a	3.53E-06	3.76E-06	3.76E-06	4.90E-05
060b	060b	3.54E-06	3.45E-06	3.54E-06	4.10E-05
060b	060c	8.46E-06	8.93E-06	8.93E-06	8.07E-05
060b	060d	6.15E-06	6.59E-06	6.59E-06	5.93E-05
060b	060e	2.97E-06	3.18E-06	3.18E-06	5.01E-05
060b	070a	3.70E-06	3.80E-06	3.80E-06	7.89E-05
060b	070b	1.91E-06	1.99E-06	1.99E-06	2.52E-05
060b	070c	2.16E-06	2.23E-06	2.23E-06	2.88E-05
060b	070d	1.37E-06	1.41E-06	1.41E-06	2.16E-05
060b	070e	1.54E-06	1.59E-06	1.59E-06	2.81E-05
060b	080a	3.07E-06	3.11E-06	3.11E-06	7.36E-05
060b	080b	1.83E-06	1.86E-06	1.86E-06	3.50E-05
060b	080c	1.92E-06	1.99E-06	1.99E-06	3.51E-05
060b	080d	1.38E-06	1.41E-06	1.41E-06	2.73E-05
060b	080e	1.60E-06	1.65E-06	1.65E-06	3.20E-05
060b	200a	2.18E-06	2.28E-06	2.28E-06	2.80E-05
060b	200b	3.29E-06	3.44E-06	3.44E-06	4.69E-05
060b	200c	3.82E-06	4.02E-06	4.02E-06	4.55E-05
060b	200d	2.73E-06	2.87E-06	2.87E-06	3.78E-05
060b	050a	1.66E-06	1.73E-06	1.73E-06	2.37E-05
060b	050b	1.69E-06	1.77E-06	1.77E-06	2.54E-05
060b	050c	7.27E-06	7.45E-06	7.45E-06	1.16E-04
060b	050d	6.86E-06	7.12E-06	7.12E-06	1.20E-04
060b	51Aa	1.46E-06	1.43E-06	1.46E-06	2.18E-05
060b	51Ab	1.47E-06	1.43E-06	1.47E-06	2.19E-05
060b	160a	3.24E-06	3.38E-06	3.38E-06	4.34E-05
060b	160b	3.14E-06	3.26E-06	3.26E-06	4.33E-05
060b	160c	3.53E-06	3.68E-06	3.68E-06	4.90E-05
060b	17RE	3.42E-06	3.22E-06	3.42E-06	5.51E-05
060b	17RW	3.39E-06	3.18E-06	3.39E-06	5.23E-05
060b	17PN	1.52E-06	1.41E-06	1.52E-06	2.57E-05
060b	17PS	1.86E-06	1.71E-06	1.86E-06	3.10E-05
060b	IS2	1.74E-08	1.83E-08	1.83E-08	1.73E-07
060b	IS3	2.60E-08	2.72E-08	2.72E-08	3.52E-07
060b	IS4	8.90E-09	9.38E-09	9.38E-09	1.41E-07
060b	NC	5.67E-07	5.58E-07	5.67E-07	1.00E-05
060b	NP	1.46E-06	1.52E-06	1.52E-06	2.57E-05
060b	SP	7.73E-07	7.02E-07	7.73E-07	2.03E-05
060b	220	1.61E-06	1.64E-06	1.64E-06	2.66E-05
060b	240	1.35E-06	1.36E-06	1.36E-06	1.06E-05
060b	230	1.32E-06	1.33E-06	1.33E-06	1.06E-05
060b	25A	9.76E-07	1.03E-06	1.03E-06	7.15E-06
060b	620	4.04E-07	4.22E-07	4.22E-07	4.76E-06
060b	71A	3.71E-07	3.82E-07	3.82E-07	6.48E-06
060b	30A	2.03E-06	2.15E-06	2.15E-06	1.50E-05
060b	30B	1.62E-06	1.60E-06	1.62E-06	2.56E-05
060b	30C	2.45E-06	2.49E-06	2.49E-06	4.27E-05
060b	27A	2.82E-06	2.68E-06	2.82E-06	5.82E-05
060b	780	7.11E-07	7.19E-07	7.19E-07	6.92E-06
060b	33A	1.31E-06	1.30E-06	1.31E-06	1.75E-05
060b	33B	1.38E-06	1.37E-06	1.38E-06	1.92E-05

Source: Worksheet Summary of Results of spreadsheet GROA XQ Calculation.xls

Table 12.  $\chi/Q$  Results for CRCF 2 Source "a"

Codes		Annual Average $\chi/Q$ ( $s/m^3$ )			95 <sup>th</sup> Percentile $\chi/Q$ ( $s/m^3$ )
Source	Receptor	Average	Median	Suggested	
070a	060a	3.81E-06	3.83E-06	3.83E-06	6.39E-05
070a	060b	1.44E-06	1.48E-06	1.48E-06	2.50E-05
070a	060c	1.38E-06	1.43E-06	1.43E-06	2.37E-05
070a	060d	1.04E-06	1.08E-06	1.08E-06	1.48E-05
070a	060e	1.36E-06	1.39E-06	1.39E-06	1.82E-05
070a	070a	5.49E-06	5.82E-06	5.82E-06	1.08E-04
070a	070b	1.11E-06	1.12E-06	1.12E-06	1.55E-05
070a	070c	1.16E-06	1.19E-06	1.19E-06	2.01E-05
070a	070d	2.44E-05	2.58E-05	2.58E-05	2.79E-04
070a	070e	1.16E-05	1.25E-05	1.25E-05	2.13E-04
070a	080a	4.25E-06	4.42E-06	4.42E-06	7.64E-05
070a	080b	3.38E-06	3.57E-06	3.57E-06	4.93E-05
070a	080c	4.76E-06	5.07E-06	5.07E-06	4.40E-05
070a	080d	1.62E-06	1.70E-06	1.70E-06	2.18E-05
070a	080e	1.36E-06	1.42E-06	1.42E-06	1.98E-05
070a	200a	2.62E-06	2.66E-06	2.66E-06	3.25E-05
070a	200b	2.55E-06	2.62E-06	2.62E-06	3.64E-05
070a	200c	2.98E-06	3.10E-06	3.10E-06	4.48E-05
070a	200d	2.67E-06	2.73E-06	2.73E-06	3.65E-05
070a	050a	1.65E-06	1.65E-06	1.65E-06	3.27E-05
070a	050b	1.63E-06	1.63E-06	1.63E-06	3.27E-05
070a	050c	3.25E-06	3.01E-06	3.25E-06	6.49E-05
070a	050d	2.89E-06	2.67E-06	2.89E-06	5.75E-05
070a	51Aa	1.07E-06	1.04E-06	1.07E-06	2.03E-05
070a	51Ab	1.07E-06	1.04E-06	1.07E-06	2.03E-05
070a	160a	1.39E-06	1.43E-06	1.43E-06	2.82E-05
070a	160b	1.38E-06	1.42E-06	1.42E-06	2.80E-05
070a	160c	1.57E-06	1.62E-06	1.62E-06	3.15E-05
070a	17RE	5.30E-06	5.03E-06	5.30E-06	7.93E-05
070a	17RW	3.90E-06	3.56E-06	3.90E-06	5.48E-05
070a	17PN	1.96E-06	1.83E-06	1.96E-06	3.07E-05
070a	17PS	2.52E-06	2.37E-06	2.52E-06	3.95E-05
070a	IS2	1.54E-08	1.62E-08	1.62E-08	2.02E-07
070a	IS3	2.11E-08	2.21E-08	2.21E-08	3.08E-07
070a	IS4	7.78E-09	8.15E-09	8.15E-09	9.05E-08
070a	NC	5.42E-07	5.36E-07	5.42E-07	9.22E-06
070a	NP	9.80E-07	9.86E-07	9.86E-07	2.08E-05
070a	SP	5.88E-07	5.22E-07	5.88E-07	1.44E-05
070a	220	1.16E-06	1.14E-06	1.16E-06	2.41E-05
070a	240	1.05E-06	1.04E-06	1.05E-06	1.75E-05
070a	230	9.59E-07	9.40E-07	9.59E-07	1.48E-05
070a	25A	9.64E-07	9.96E-07	9.96E-07	5.63E-06
070a	620	1.53E-06	1.62E-06	1.62E-06	9.10E-06
070a	71A	1.68E-06	1.78E-06	1.78E-06	1.22E-05
070a	30A	7.16E-07	7.27E-07	7.27E-07	6.26E-06
070a	30B	1.29E-06	1.27E-06	1.29E-06	2.28E-05
070a	30C	4.89E-06	5.08E-06	5.08E-06	4.70E-05
070a	27A	1.52E-06	1.41E-06	1.52E-06	3.66E-05
070a	780	6.95E-07	6.97E-07	6.97E-07	8.54E-06
070a	33A	9.49E-07	9.20E-07	9.49E-07	1.65E-05
070a	33B	1.02E-06	9.80E-07	1.02E-06	1.83E-05

Source: Worksheet Summary of Results of spreadsheet GROA XQ Calculation.xls



Table 13.  $\chi/Q$  Results for CRCF 2 Source "b"

Codes		Annual Average $\chi/Q$ (s/m <sup>3</sup> )			95 <sup>th</sup> Percentile $\chi/Q$ (s/m <sup>3</sup> )
Source	Receptor	Average	Median	Suggested	
070b	060a	3.82E-06	3.87E-06	3.87E-06	5.80E-05
070b	060b	1.42E-06	1.48E-06	1.48E-06	2.28E-05
070b	060c	1.36E-06	1.42E-06	1.42E-06	2.08E-05
070b	060d	9.67E-07	1.01E-06	1.01E-06	1.44E-05
070b	060e	1.25E-06	1.29E-06	1.29E-06	1.79E-05
070b	070a	3.53E-06	3.76E-06	3.76E-06	4.90E-05
070b	070b	3.54E-06	3.45E-06	3.54E-06	4.10E-05
070b	070c	8.46E-06	8.93E-06	8.93E-06	8.07E-05
070b	070d	6.15E-06	6.59E-06	6.59E-06	5.93E-05
070b	070e	2.97E-06	3.18E-06	3.18E-06	5.01E-05
070b	080a	4.50E-06	4.63E-06	4.63E-06	8.45E-05
070b	080b	2.46E-06	2.62E-06	2.62E-06	3.33E-05
070b	080c	3.26E-06	3.46E-06	3.46E-06	3.01E-05
070b	080d	1.48E-06	1.55E-06	1.55E-06	1.80E-05
070b	080e	1.37E-06	1.44E-06	1.44E-06	1.63E-05
070b	200a	2.46E-06	2.51E-06	2.51E-06	3.09E-05
070b	200b	2.23E-06	2.31E-06	2.31E-06	3.56E-05
070b	200c	2.59E-06	2.69E-06	2.69E-06	3.84E-05
070b	200d	2.33E-06	2.40E-06	2.40E-06	3.29E-05
070b	050a	1.71E-06	1.72E-06	1.72E-06	3.30E-05
070b	050b	1.71E-06	1.70E-06	1.71E-06	3.31E-05
070b	050c	3.61E-06	3.44E-06	3.61E-06	7.20E-05
070b	050d	3.22E-06	3.00E-06	3.22E-06	6.44E-05
070b	51Aa	1.11E-06	1.08E-06	1.11E-06	2.07E-05
070b	51Ab	1.11E-06	1.08E-06	1.11E-06	2.07E-05
070b	160a	1.46E-06	1.51E-06	1.51E-06	2.88E-05
070b	160b	1.46E-06	1.51E-06	1.51E-06	2.88E-05
070b	160c	1.69E-06	1.73E-06	1.73E-06	3.29E-05
070b	17RE	4.96E-06	4.66E-06	4.96E-06	7.54E-05
070b	17RW	3.94E-06	3.57E-06	3.94E-06	5.52E-05
070b	17PN	1.86E-06	1.70E-06	1.86E-06	3.03E-05
070b	17PS	2.40E-06	2.22E-06	2.40E-06	3.84E-05
070b	IS2	1.58E-08	1.66E-08	1.66E-08	2.02E-07
070b	IS3	2.18E-08	2.28E-08	2.28E-08	3.14E-07
070b	IS4	7.98E-09	8.40E-09	8.40E-09	9.68E-08
070b	NC	5.48E-07	5.42E-07	5.48E-07	9.22E-06
070b	NP	1.04E-06	1.05E-06	1.05E-06	2.19E-05
070b	SP	6.02E-07	5.41E-07	6.02E-07	1.50E-05
070b	220	1.23E-06	1.22E-06	1.23E-06	2.49E-05
070b	240	1.08E-06	1.06E-06	1.08E-06	1.75E-05
070b	230	9.78E-07	9.67E-07	9.78E-07	1.48E-05
070b	25A	1.13E-06	1.17E-06	1.17E-06	6.57E-06
070b	620	1.65E-06	1.73E-06	1.73E-06	1.00E-05
070b	71A	1.23E-06	1.31E-06	1.31E-06	1.05E-05
070b	30A	9.31E-07	9.59E-07	9.59E-07	7.79E-06
070b	30B	1.32E-06	1.28E-06	1.32E-06	2.31E-05
070b	30C	4.31E-06	4.50E-06	4.50E-06	4.75E-05
070b	27A	1.64E-06	1.54E-06	1.64E-06	3.90E-05
070b	780	7.00E-07	7.02E-07	7.02E-07	8.22E-06
070b	33A	9.96E-07	9.76E-07	9.96E-07	1.63E-05
070b	33B	1.06E-06	1.04E-06	1.06E-06	1.83E-05

Source: Worksheet Summary of Results of spreadsheet GROA XQ Calculation.xls

Table 14.  $\chi/Q$  Results for CRCF 3 Source "a"

Codes		Annual Average $\chi/Q$ (s/m <sup>3</sup> )			95 <sup>th</sup> Percentile $\chi/Q$ (s/m <sup>3</sup> )
Source	Receptor	Average	Median	Suggested	
080a	060a	2.71E-06	2.66E-06	2.71E-06	5.28E-05
080a	060b	1.23E-06	1.24E-06	1.24E-06	2.38E-05
080a	060c	1.19E-06	1.23E-06	1.23E-06	2.33E-05
080a	060d	1.03E-06	1.05E-06	1.05E-06	1.81E-05
080a	060e	1.28E-06	1.29E-06	1.29E-06	2.29E-05
080a	070a	2.68E-06	2.77E-06	2.77E-06	3.85E-05
080a	070b	1.19E-06	1.25E-06	1.25E-06	1.80E-05
080a	070c	1.15E-06	1.19E-06	1.19E-06	1.66E-05
080a	070d	8.43E-07	8.77E-07	8.77E-07	1.31E-05
080a	070e	1.15E-06	1.18E-06	1.18E-06	1.99E-05
080a	080a	5.49E-06	5.82E-06	5.82E-06	1.08E-04
080a	080b	1.11E-06	1.12E-06	1.12E-06	1.55E-05
080a	080c	1.16E-06	1.19E-06	1.19E-06	2.01E-05
080a	080d	2.44E-05	2.58E-05	2.58E-05	2.79E-04
080a	080e	1.16E-05	1.25E-05	1.25E-05	2.13E-04
080a	200a	2.42E-06	2.42E-06	2.42E-06	4.16E-05
080a	200b	2.58E-06	2.62E-06	2.62E-06	4.56E-05
080a	200c	2.47E-06	2.48E-06	2.48E-06	4.66E-05
080a	200d	2.34E-06	2.37E-06	2.37E-06	4.27E-05
080a	050a	1.27E-06	1.25E-06	1.27E-06	2.69E-05
080a	050b	1.26E-06	1.23E-06	1.26E-06	2.67E-05
080a	050c	2.19E-06	2.01E-06	2.19E-06	4.45E-05
080a	050d	1.99E-06	1.82E-06	1.99E-06	4.07E-05
080a	51Aa	8.76E-07	8.46E-07	8.76E-07	1.77E-05
080a	51Ab	8.76E-07	8.45E-07	8.76E-07	1.77E-05
080a	160a	1.09E-06	1.12E-06	1.12E-06	2.28E-05
080a	160b	1.09E-06	1.11E-06	1.11E-06	2.27E-05
080a	160c	1.23E-06	1.25E-06	1.25E-06	2.60E-05
080a	17RE	5.02E-06	4.68E-06	5.02E-06	7.08E-05
080a	17RW	3.20E-06	2.90E-06	3.20E-06	4.39E-05
080a	17PN	2.03E-06	1.84E-06	2.03E-06	3.08E-05
080a	17PS	2.64E-06	2.41E-06	2.64E-06	3.91E-05
080a	IS2	1.49E-08	1.55E-08	1.55E-08	2.23E-07
080a	IS3	1.87E-08	1.96E-08	1.96E-08	2.69E-07
080a	IS4	7.31E-09	7.72E-09	7.72E-09	7.18E-08
080a	NC	5.05E-07	4.97E-07	5.05E-07	8.39E-06
080a	NP	8.03E-07	7.98E-07	8.03E-07	1.79E-05
080a	SP	5.21E-07	4.61E-07	5.21E-07	1.24E-05
080a	220	9.32E-07	8.93E-07	9.32E-07	2.02E-05
080a	240	8.80E-07	8.65E-07	8.80E-07	1.59E-05
080a	230	8.16E-07	7.97E-07	8.16E-07	1.40E-05
080a	25A	5.64E-07	5.64E-07	5.64E-07	4.74E-06
080a	620	1.02E-06	1.05E-06	1.05E-06	6.54E-06
080a	71A	2.27E-06	2.39E-06	2.39E-06	1.42E-05
080a	30A	5.45E-07	5.45E-07	5.45E-07	5.98E-06
080a	30B	1.05E-06	1.03E-06	1.05E-06	2.01E-05
080a	30C	6.21E-06	6.55E-06	6.55E-06	5.25E-05
080a	27A	1.17E-06	1.08E-06	1.17E-06	2.87E-05
080a	780	5.91E-07	5.80E-07	5.91E-07	8.22E-06
080a	33A	7.96E-07	7.74E-07	7.96E-07	1.50E-05
080a	33B	8.26E-07	8.02E-07	8.26E-07	1.64E-05

Source: Worksheet Summary of Results of spreadsheet GROA XQ Calculation.xls

Table 15.  $\chi/Q$  Results for CRCF 3 Source "b"

Codes		Annual Average $\chi/Q$ (s/m <sup>3</sup> )			95 <sup>th</sup> Percentile $\chi/Q$ (s/m <sup>3</sup> )
Source	Receptor	Average	Median	Suggested	
080b	060a	2.91E-06	2.89E-06	2.91E-06	5.46E-05
080b	060b	1.26E-06	1.28E-06	1.28E-06	2.40E-05
080b	060c	1.24E-06	1.27E-06	1.27E-06	2.36E-05
080b	060d	1.02E-06	1.06E-06	1.06E-06	1.71E-05
080b	060e	1.28E-06	1.30E-06	1.30E-06	2.12E-05
080b	070a	3.03E-06	3.13E-06	3.13E-06	5.19E-05
080b	070b	1.09E-06	1.14E-06	1.14E-06	1.51E-05
080b	070c	1.09E-06	1.14E-06	1.14E-06	1.55E-05
080b	070d	7.19E-07	7.43E-07	7.43E-07	1.23E-05
080b	070e	1.25E-06	1.29E-06	1.29E-06	2.18E-05
080b	080a	3.53E-06	3.76E-06	3.76E-06	4.90E-05
080b	080b	3.54E-06	3.45E-06	3.54E-06	4.10E-05
080b	080c	8.46E-06	8.93E-06	8.93E-06	8.07E-05
080b	080d	6.15E-06	6.59E-06	6.59E-06	5.93E-05
080b	080e	2.97E-06	3.18E-06	3.18E-06	5.01E-05
080b	200a	2.47E-06	2.53E-06	2.53E-06	3.98E-05
080b	200b	2.61E-06	2.66E-06	2.66E-06	4.32E-05
080b	200c	2.57E-06	2.62E-06	2.62E-06	4.70E-05
080b	200d	2.43E-06	2.45E-06	2.45E-06	4.25E-05
080b	050a	1.33E-06	1.32E-06	1.33E-06	2.81E-05
080b	050b	1.32E-06	1.30E-06	1.32E-06	2.78E-05
080b	050c	2.43E-06	2.24E-06	2.43E-06	4.97E-05
080b	050d	2.19E-06	2.01E-06	2.19E-06	4.42E-05
080b	51Aa	9.03E-07	8.74E-07	9.03E-07	1.81E-05
080b	51Ab	9.03E-07	8.74E-07	9.03E-07	1.80E-05
080b	160a	1.16E-06	1.16E-06	1.16E-06	2.38E-05
080b	160b	1.16E-06	1.16E-06	1.16E-06	2.37E-05
080b	160c	1.29E-06	1.31E-06	1.31E-06	2.69E-05
080b	17RE	5.06E-06	4.70E-06	5.06E-06	7.26E-05
080b	17RW	3.39E-06	3.10E-06	3.39E-06	4.60E-05
080b	17PN	1.97E-06	1.79E-06	1.97E-06	3.03E-05
080b	17PS	2.56E-06	2.27E-06	2.56E-06	3.93E-05
080b	IS2	1.51E-08	1.58E-08	1.58E-08	2.17E-07
080b	IS3	1.93E-08	2.02E-08	2.02E-08	2.76E-07
080b	IS4	7.34E-09	7.75E-09	7.75E-09	7.20E-08
080b	NC	5.16E-07	5.03E-07	5.16E-07	8.67E-06
080b	NP	8.47E-07	8.58E-07	8.58E-07	1.90E-05
080b	SP	5.33E-07	4.67E-07	5.33E-07	1.27E-05
080b	220	9.82E-07	9.52E-07	9.82E-07	2.09E-05
080b	240	9.14E-07	8.99E-07	9.14E-07	1.61E-05
080b	230	8.34E-07	8.15E-07	8.34E-07	1.39E-05
080b	25A	6.31E-07	6.45E-07	6.45E-07	4.72E-06
080b	620	1.29E-06	1.35E-06	1.35E-06	7.71E-06
080b	71A	2.62E-06	2.75E-06	2.75E-06	1.64E-05
080b	30A	5.51E-07	5.54E-07	5.54E-07	5.84E-06
080b	30B	1.09E-06	1.06E-06	1.09E-06	2.04E-05
080b	30C	5.78E-06	6.04E-06	6.04E-06	4.96E-05
080b	27A	1.26E-06	1.17E-06	1.26E-06	3.04E-05
080b	780	6.08E-07	5.99E-07	6.08E-07	8.10E-06
080b	33A	8.30E-07	8.08E-07	8.30E-07	1.51E-05
080b	33B	8.60E-07	8.25E-07	8.60E-07	1.64E-05

Source: Worksheet Summary of Results of spreadsheet GROA XQ Calculation.xls

Table 16.  $\chi/Q$  Results for RF Source "a"

Codes		Annual Average $\chi/Q$ (s/m <sup>3</sup> )			95 <sup>th</sup> Percentile $\chi/Q$ (s/m <sup>3</sup> )
Source	Receptor	Average	Median	Suggested	
200a	060a	3.97E-06	4.10E-06	4.10E-06	5.33E-05
200a	060b	1.42E-06	1.47E-06	1.47E-06	2.10E-05
200a	060c	1.28E-06	1.34E-06	1.34E-06	1.91E-05
200a	060d	1.03E-06	1.07E-06	1.07E-06	1.58E-05
200a	060e	1.67E-06	1.72E-06	1.72E-06	3.06E-05
200a	070a	4.60E-06	4.73E-06	4.73E-06	8.45E-05
200a	070b	3.66E-06	3.88E-06	3.88E-06	4.64E-05
200a	070c	4.68E-06	5.00E-06	5.00E-06	4.32E-05
200a	070d	1.72E-06	1.83E-06	1.83E-06	2.20E-05
200a	070e	1.43E-06	1.51E-06	1.51E-06	2.10E-05
200a	080a	4.47E-06	4.57E-06	4.57E-06	9.82E-05
200a	080b	1.93E-06	2.01E-06	2.01E-06	2.57E-05
200a	080c	2.29E-06	2.39E-06	2.39E-06	3.14E-05
200a	080d	1.48E-06	1.53E-06	1.53E-06	2.40E-05
200a	080e	1.71E-06	1.77E-06	1.77E-06	3.19E-05
200a	200a	3.20E-05	3.38E-05	3.38E-05	2.07E-04
200a	200b	2.43E-05	2.62E-05	2.62E-05	4.55E-04
200a	200c	4.51E-06	4.60E-06	4.60E-06	7.90E-05
200a	200d	1.06E-05	1.09E-05	1.09E-05	1.68E-04
200a	050a	2.13E-06	2.17E-06	2.17E-06	3.89E-05
200a	050b	2.14E-06	2.17E-06	2.17E-06	3.95E-05
200a	050c	5.54E-06	5.33E-06	5.54E-06	1.07E-04
200a	050d	4.73E-06	4.54E-06	4.73E-06	9.36E-05
200a	51Aa	1.35E-06	1.32E-06	1.35E-06	2.38E-05
200a	51Ab	1.35E-06	1.32E-06	1.35E-06	2.38E-05
200a	160a	1.86E-06	1.94E-06	1.94E-06	3.36E-05
200a	160b	1.84E-06	1.90E-06	1.90E-06	3.29E-05
200a	160c	2.13E-06	2.22E-06	2.22E-06	3.92E-05
200a	17RE	4.65E-06	4.30E-06	4.65E-06	7.16E-05
200a	17RW	4.06E-06	3.67E-06	4.06E-06	6.05E-05
200a	17PN	1.77E-06	1.65E-06	1.77E-06	2.87E-05
200a	17PS	2.20E-06	2.04E-06	2.20E-06	3.58E-05
200a	IS2	1.60E-08	1.68E-08	1.68E-08	1.85E-07
200a	IS3	2.38E-08	2.49E-08	2.49E-08	3.55E-07
200a	IS4	8.26E-09	8.67E-09	8.67E-09	1.13E-07
200a	NC	5.57E-07	5.51E-07	5.57E-07	9.54E-06
200a	NP	1.26E-06	1.28E-06	1.28E-06	2.58E-05
200a	SP	6.45E-07	5.75E-07	6.45E-07	1.61E-05
200a	220	1.53E-06	1.51E-06	1.53E-06	2.92E-05
200a	240	1.28E-06	1.26E-06	1.28E-06	1.85E-05
200a	230	1.17E-06	1.15E-06	1.17E-06	1.61E-05
200a	25A	1.36E-06	1.42E-06	1.42E-06	7.98E-06
200a	620	1.28E-06	1.36E-06	1.36E-06	8.87E-06
200a	71A	4.84E-07	5.06E-07	5.06E-07	6.16E-06
200a	30A	2.04E-06	2.15E-06	2.15E-06	1.24E-05
200a	30B	1.56E-06	1.53E-06	1.56E-06	2.59E-05
200a	30C	3.71E-06	3.83E-06	3.83E-06	5.20E-05
200a	27A	2.07E-06	1.98E-06	2.07E-06	4.82E-05
200a	780	7.81E-07	7.82E-07	7.82E-07	8.96E-06
200a	33A	1.18E-06	1.16E-06	1.18E-06	1.78E-05
200a	33B	1.31E-06	1.28E-06	1.31E-06	2.08E-05

Source: Worksheet Summary of Results of spreadsheet GROA XQ Calculation.xls

Table 17.  $\chi/Q$  Results for RF Source "b"

Codes		Annual Average $\chi/Q$ (s/m <sup>3</sup> )			95 <sup>th</sup> Percentile $\chi/Q$ (s/m <sup>3</sup> )
Source	Receptor	Average	Median	Suggested	
200b	060a	5.24E-06	5.40E-06	5.40E-06	8.73E-05
200b	060b	1.34E-06	1.39E-06	1.39E-06	1.94E-05
200b	060c	1.22E-06	1.27E-06	1.27E-06	1.50E-05
200b	060d	1.02E-06	1.06E-06	1.06E-06	1.81E-05
200b	060e	2.06E-06	2.13E-06	2.13E-06	4.10E-05
200b	070a	4.71E-06	4.86E-06	4.86E-06	8.63E-05
200b	070b	3.06E-06	3.23E-06	3.23E-06	3.97E-05
200b	070c	3.97E-06	4.20E-06	4.20E-06	3.57E-05
200b	070d	1.66E-06	1.73E-06	1.73E-06	2.00E-05
200b	070e	1.46E-06	1.53E-06	1.53E-06	1.79E-05
200b	080a	4.30E-06	4.38E-06	4.38E-06	9.67E-05
200b	080b	1.96E-06	2.03E-06	2.03E-06	3.05E-05
200b	080c	2.29E-06	2.39E-06	2.39E-06	3.39E-05
200b	080d	1.49E-06	1.54E-06	1.54E-06	2.58E-05
200b	080e	1.76E-06	1.82E-06	1.82E-06	3.32E-05
200b	200a	3.43E-05	3.64E-05	3.64E-05	2.49E-04
200b	200b	6.92E-06	7.41E-06	7.41E-06	1.05E-04
200b	200c	9.56E-06	9.57E-06	9.57E-06	9.35E-05
200b	200d	9.42E-05	9.83E-05	9.83E-05	7.37E-04
200b	050a	2.18E-06	2.21E-06	2.21E-06	3.86E-05
200b	050b	2.16E-06	2.19E-06	2.19E-06	3.90E-05
200b	050c	5.87E-06	5.67E-06	5.87E-06	1.15E-04
200b	050d	5.04E-06	4.84E-06	5.04E-06	1.00E-04
200b	51Aa	1.37E-06	1.35E-06	1.37E-06	2.37E-05
200b	51Ab	1.40E-06	1.37E-06	1.40E-06	2.39E-05
200b	160a	1.93E-06	2.01E-06	2.01E-06	3.41E-05
200b	160b	1.93E-06	2.01E-06	2.01E-06	3.40E-05
200b	160c	2.22E-06	2.31E-06	2.31E-06	3.94E-05
200b	17RE	4.50E-06	4.23E-06	4.50E-06	6.88E-05
200b	17RW	3.97E-06	3.59E-06	3.97E-06	5.93E-05
200b	17PN	1.71E-06	1.57E-06	1.71E-06	2.82E-05
200b	17PS	2.16E-06	2.03E-06	2.16E-06	3.50E-05
200b	IS2	1.62E-08	1.69E-08	1.69E-08	1.86E-07
200b	IS3	2.46E-08	2.58E-08	2.58E-08	3.60E-07
200b	IS4	8.47E-09	8.85E-09	8.85E-09	1.23E-07
200b	NC	5.58E-07	5.53E-07	5.58E-07	9.61E-06
200b	NP	1.31E-06	1.35E-06	1.35E-06	2.59E-05
200b	SP	6.71E-07	6.08E-07	6.71E-07	1.71E-05
200b	220	1.57E-06	1.55E-06	1.57E-06	2.96E-05
200b	240	1.28E-06	1.27E-06	1.28E-06	1.82E-05
200b	230	1.17E-06	1.16E-06	1.17E-06	1.59E-05
200b	25A	1.40E-06	1.48E-06	1.48E-06	8.35E-06
200b	620	1.16E-06	1.24E-06	1.24E-06	8.41E-06
200b	71A	4.12E-07	4.29E-07	4.29E-07	5.52E-06
200b	30A	2.27E-06	2.38E-06	2.38E-06	1.39E-05
200b	30B	1.58E-06	1.54E-06	1.58E-06	2.60E-05
200b	30C	3.57E-06	3.64E-06	3.64E-06	5.11E-05
200b	27A	2.17E-06	2.04E-06	2.17E-06	5.04E-05
200b	780	7.82E-07	7.83E-07	7.83E-07	8.77E-06
200b	33A	1.22E-06	1.19E-06	1.22E-06	1.81E-05
200b	33B	1.36E-06	1.32E-06	1.36E-06	2.05E-05

Source: Worksheet Summary of Results of spreadsheet GROA XQ Calculation.xls

Table 18.  $\chi/Q$  Results for WHF Source "a"

Codes		Annual Average $\chi/Q$ (s/m <sup>3</sup> )			95 <sup>th</sup> Percentile $\chi/Q$ (s/m <sup>3</sup> )
Source	Receptor	Average	Median	Suggested	
050a	060a	2.37E-06	2.46E-06	2.46E-06	3.37E-05
050a	060b	2.53E-06	2.72E-06	2.72E-06	3.05E-05
050a	060c	3.08E-06	3.35E-06	3.35E-06	2.91E-05
050a	060d	1.35E-06	1.43E-06	1.43E-06	1.67E-05
050a	060e	9.72E-07	1.03E-06	1.03E-06	1.42E-05
050a	070a	3.40E-06	3.48E-06	3.48E-06	7.47E-05
050a	070b	1.45E-06	1.51E-06	1.51E-06	2.16E-05
050a	070c	1.61E-06	1.67E-06	1.67E-06	2.33E-05
050a	070d	1.15E-06	1.18E-06	1.18E-06	1.77E-05
050a	070e	1.30E-06	1.35E-06	1.35E-06	2.17E-05
050a	080a	3.54E-06	3.59E-06	3.59E-06	8.78E-05
050a	080b	1.66E-06	1.70E-06	1.70E-06	3.18E-05
050a	080c	1.78E-06	1.83E-06	1.83E-06	3.34E-05
050a	080d	1.34E-06	1.38E-06	1.38E-06	2.59E-05
050a	080e	1.52E-06	1.55E-06	1.55E-06	3.26E-05
050a	200a	1.74E-06	1.80E-06	1.80E-06	2.72E-05
050a	200b	2.42E-06	2.47E-06	2.47E-06	3.65E-05
050a	200c	2.50E-06	2.60E-06	2.60E-06	3.48E-05
050a	200d	1.92E-06	1.99E-06	1.99E-06	2.84E-05
050a	050a	6.15E-06	6.26E-06	6.26E-06	7.62E-05
050a	050b	1.15E-06	1.06E-06	1.15E-06	1.00E-07
050a	050c	5.37E-05	5.70E-05	5.70E-05	6.59E-04
050a	050d	1.27E-06	1.26E-06	1.27E-06	1.18E-07
050a	51Aa	1.11E-06	1.11E-06	1.11E-06	1.14E-05
050a	51Ab	1.11E-06	1.11E-06	1.11E-06	1.16E-05
050a	160a	3.83E-06	4.06E-06	4.06E-06	3.40E-05
050a	160b	3.84E-06	4.07E-06	4.07E-06	3.43E-05
050a	160c	4.63E-06	4.92E-06	4.92E-06	3.93E-05
050a	17RE	6.65E-06	6.63E-06	6.65E-06	1.46E-04
050a	17RW	6.86E-06	6.73E-06	6.86E-06	1.42E-04
050a	17PN	4.46E-06	4.28E-06	4.46E-06	9.66E-05
050a	17PS	5.34E-06	5.14E-06	5.34E-06	1.15E-04
050a	IS2	2.28E-08	2.40E-08	2.40E-08	2.25E-07
050a	IS3	3.19E-08	3.33E-08	3.33E-08	3.63E-07
050a	IS4	1.05E-08	1.10E-08	1.10E-08	1.18E-07
050a	NC	1.53E-06	1.51E-06	1.53E-06	2.97E-05
050a	NP	1.41E-06	1.48E-06	1.48E-06	2.10E-05
050a	SP	6.59E-06	6.87E-06	6.87E-06	2.69E-04
050a	220	1.18E-06	1.22E-06	1.22E-06	1.37E-05
050a	240	8.10E-07	8.13E-07	8.13E-07	9.53E-06
050a	230	5.64E-07	5.63E-07	5.64E-07	6.02E-06
050a	25A	1.32E-07	1.37E-07	1.37E-07	1.41E-06
050a	620	1.86E-07	1.92E-07	1.92E-07	2.31E-06
050a	71A	3.03E-07	3.09E-07	3.09E-07	5.03E-06
050a	30A	1.81E-07	1.87E-07	1.87E-07	1.87E-06
050a	30B	1.87E-06	1.92E-06	1.92E-06	4.21E-05
050a	30C	2.59E-06	2.65E-06	2.65E-06	4.98E-05
050a	27A	5.93E-06	6.06E-06	6.06E-06	1.30E-04
050a	780	2.89E-07	2.88E-07	2.89E-07	3.60E-06
050a	33A	8.59E-07	8.59E-07	8.59E-07	1.05E-05
050a	33B	1.23E-06	1.24E-06	1.24E-06	1.65E-05

Source: Worksheet Summary of Results of spreadsheet GROA XQ Calculation.xls

Table 19.  $\chi/Q$  Results for WHF Source "b"

Codes		Annual Average $\chi/Q$ (s/m <sup>3</sup> )			95 <sup>th</sup> Percentile $\chi/Q$ (s/m <sup>3</sup> )
Source	Receptor	Average	Median	Suggested	
050b	060a	2.15E-05	2.08E-05	2.15E-05	4.85E-04
050b	060b	1.21E-05	1.25E-05	1.25E-05	2.07E-04
050b	060c	1.28E-05	1.32E-05	1.32E-05	2.08E-04
050b	060d	6.96E-06	7.20E-06	7.20E-06	1.31E-04
050b	060e	8.70E-06	8.89E-06	8.89E-06	1.90E-04
050b	070a	6.53E-06	6.21E-06	6.53E-06	1.52E-04
050b	070b	5.91E-06	5.99E-06	5.99E-06	1.49E-04
050b	070c	5.50E-06	5.57E-06	5.57E-06	1.31E-04
050b	070d	4.07E-06	4.14E-06	4.14E-06	1.03E-04
050b	070e	4.61E-06	4.64E-06	4.64E-06	1.23E-04
050b	080a	4.42E-06	4.21E-06	4.42E-06	1.04E-04
050b	080b	4.37E-06	4.31E-06	4.37E-06	1.13E-04
050b	080c	4.07E-06	4.07E-06	4.07E-06	1.00E-04
050b	080d	3.22E-06	3.23E-06	3.23E-06	8.47E-05
050b	080e	3.57E-06	3.51E-06	3.57E-06	9.37E-05
050b	200a	1.25E-05	1.24E-05	1.25E-05	3.29E-04
050b	200b	1.17E-05	1.14E-05	1.17E-05	2.75E-04
050b	200c	1.52E-05	1.49E-05	1.52E-05	3.37E-04
050b	200d	1.40E-05	1.38E-05	1.40E-05	3.33E-04
050b	050a	3.98E-05	4.25E-05	4.25E-05	4.16E-04
050b	050b	5.15E-05	5.53E-05	5.53E-05	4.83E-04
050b	050c	3.79E-04	3.84E-04	3.84E-04	7.80E-03
050b	050d	1.75E-03	1.83E-03	1.83E-03	1.41E-02
050b	51Aa	9.84E-06	9.64E-06	9.84E-06	1.51E-04
050b	51Ab	9.83E-06	9.63E-06	9.83E-06	1.53E-04
050b	160a	1.61E-05	1.65E-05	1.65E-05	2.20E-04
050b	160b	1.62E-05	1.65E-05	1.65E-05	2.21E-04
050b	160c	2.29E-05	2.35E-05	2.35E-05	3.10E-04
050b	17RE	3.07E-06	2.93E-06	3.07E-06	5.22E-05
050b	17RW	3.22E-06	3.05E-06	3.22E-06	5.29E-05
050b	17PN	1.19E-06	1.17E-06	1.19E-06	2.27E-05
050b	17PS	1.39E-06	1.39E-06	1.39E-06	2.61E-05
050b	IS2	1.71E-08	1.80E-08	1.80E-08	8.19E-08
050b	IS3	2.69E-08	2.83E-08	2.83E-08	3.58E-07
050b	IS4	9.34E-09	9.76E-09	9.76E-09	1.67E-07
050b	NC	4.81E-07	4.77E-07	4.81E-07	8.35E-06
050b	NP	9.85E-06	1.00E-05	1.00E-05	1.56E-04
050b	SP	8.55E-07	8.14E-07	8.55E-07	2.52E-05
050b	220	1.28E-05	1.27E-05	1.28E-05	2.03E-04
050b	240	6.72E-06	6.59E-06	6.72E-06	9.19E-05
050b	230	5.23E-06	5.12E-06	5.23E-06	7.54E-05
050b	25A	1.09E-06	1.10E-06	1.10E-06	2.07E-05
050b	620	1.24E-06	1.26E-06	1.26E-06	2.51E-05
050b	71A	1.47E-06	1.50E-06	1.50E-06	3.79E-05
050b	30A	1.14E-06	1.16E-06	1.16E-06	2.27E-05
050b	30B	5.39E-06	5.42E-06	5.42E-06	8.74E-05
050b	30C	3.88E-06	3.78E-06	3.88E-06	8.29E-05
050b	27A	1.57E-05	1.57E-05	1.57E-05	3.81E-04
050b	780	1.95E-06	1.93E-06	1.95E-06	2.99E-05
050b	33A	5.73E-06	5.61E-06	5.73E-06	8.68E-05
050b	33B	5.29E-06	5.22E-06	5.29E-06	8.21E-05

Source: Worksheet Summary of Results of spreadsheet GROA XQ Calculation.xls

Table 20.  $\chi/Q$  Results for IHF Release

Codes		Annual Average $\chi/Q$ ( $s/m^3$ )			95 <sup>th</sup> Percentile $\chi/Q$ ( $s/m^3$ )
Source	Receptor	Average	Median	Suggested	
51A	060a	2.74E-06	2.81E-06	2.81E-06	4.67E-05
51A	060b	1.93E-06	2.01E-06	2.01E-06	2.35E-05
51A	060c	1.89E-06	1.95E-06	1.95E-06	2.39E-05
51A	060d	1.44E-06	1.49E-06	1.49E-06	1.87E-05
51A	060e	1.57E-06	1.62E-06	1.62E-06	2.23E-05
51A	070a	1.71E-06	1.72E-06	1.72E-06	3.74E-05
51A	070b	1.32E-06	1.36E-06	1.36E-06	2.34E-05
51A	070c	1.30E-06	1.33E-06	1.33E-06	2.28E-05
51A	070d	1.05E-06	1.07E-06	1.07E-06	1.89E-05
51A	070e	1.14E-06	1.16E-06	1.16E-06	2.16E-05
51A	080a	1.44E-06	1.43E-06	1.44E-06	3.40E-05
51A	080b	1.16E-06	1.17E-06	1.17E-06	2.34E-05
51A	080c	1.15E-06	1.16E-06	1.16E-06	2.27E-05
51A	080d	9.36E-07	9.60E-07	9.60E-07	1.92E-05
51A	080e	1.02E-06	1.04E-06	1.04E-06	2.19E-05
51A	200a	1.98E-06	2.02E-06	2.02E-06	3.59E-05
51A	200b	2.05E-06	2.09E-06	2.09E-06	3.77E-05
51A	200c	2.35E-06	2.41E-06	2.41E-06	3.97E-05
51A	200d	2.15E-06	2.20E-06	2.20E-06	3.72E-05
51A	050a	3.17E-06	3.30E-06	3.30E-06	3.14E-05
51A	050b	3.22E-06	3.38E-06	3.38E-06	3.15E-05
51A	050c	6.44E-06	6.64E-06	6.64E-06	8.56E-05
51A	050d	7.10E-06	7.32E-06	7.32E-06	8.82E-05
51A	51Aa	2.10E-05	2.20E-05	2.20E-05	1.42E-04
51A	51Ab	1.91E-05	2.00E-05	2.00E-05	1.29E-04
51A	160a	2.14E-06	2.19E-06	2.19E-06	2.76E-05
51A	160b	2.14E-06	2.20E-06	2.20E-06	2.76E-05
51A	160c	2.50E-06	2.58E-06	2.58E-06	3.19E-05
51A	17RE	1.59E-06	1.53E-06	1.59E-06	2.82E-05
51A	17RW	1.66E-06	1.55E-06	1.66E-06	2.86E-05
51A	17PN	1.05E-06	9.68E-07	1.05E-06	1.77E-05
51A	17PS	1.20E-06	1.08E-06	1.20E-06	2.05E-05
51A	IS2	2.22E-08	2.34E-08	2.34E-08	2.05E-07
51A	IS3	2.88E-08	3.01E-08	3.01E-08	3.53E-07
51A	IS4	1.14E-08	1.18E-08	1.18E-08	1.96E-07
51A	NC	5.36E-07	5.26E-07	5.36E-07	9.88E-06
51A	NP	2.46E-06	2.57E-06	2.57E-06	2.77E-05
51A	SP	1.20E-06	1.10E-06	1.20E-06	3.16E-05
51A	220	5.36E-06	5.75E-06	5.75E-06	4.02E-05
51A	240	7.63E-07	8.07E-07	8.07E-07	1.45E-05
51A	230	1.06E-06	1.13E-06	1.13E-06	1.15E-05
51A	25A	2.56E-07	2.67E-07	2.67E-07	3.59E-06
51A	620	3.24E-07	3.33E-07	3.33E-07	6.21E-06
51A	71A	4.15E-07	4.24E-07	4.24E-07	8.75E-06
51A	30A	3.52E-07	3.69E-07	3.69E-07	4.14E-06
51A	30B	1.33E-06	1.30E-06	1.33E-06	1.82E-05
51A	30C	1.22E-06	1.22E-06	1.22E-06	2.41E-05
51A	27A	3.46E-06	3.42E-06	3.46E-06	4.50E-05
51A	780	5.03E-07	5.26E-07	5.26E-07	3.33E-06
51A	33A	1.20E-06	1.26E-06	1.26E-06	6.90E-06
51A	33B	1.02E-06	1.02E-06	1.02E-06	1.09E-05

Source: Worksheet Summary of Results of spreadsheet GROA XQ Calculation.xls



Table 21.  $\chi/Q$  Results for LLWF Release

Codes		Annual Average $\chi/Q$ (s/m <sup>3</sup> )			95 <sup>th</sup> Percentile $\chi/Q$ (s/m <sup>3</sup> )
Source	Receptor	Average	Median	Suggested	
160	060a	1.52E-05	1.53E-05	1.53E-05	2.66E-04
160	060b	3.99E-06	4.10E-06	4.10E-06	3.35E-05
160	060c	3.42E-06	3.53E-06	3.53E-06	2.44E-05
160	060d	2.27E-06	2.38E-06	2.38E-06	2.24E-05
160	060e	3.15E-06	3.19E-06	3.19E-06	4.54E-05
160	070a	5.49E-06	5.44E-06	5.49E-06	1.64E-04
160	070b	2.65E-06	2.66E-06	2.66E-06	5.38E-05
160	070c	2.53E-06	2.57E-06	2.57E-06	5.28E-05
160	070d	1.89E-06	1.91E-06	1.91E-06	3.90E-05
160	070e	2.37E-06	2.40E-06	2.40E-06	5.55E-05
160	080a	4.05E-06	3.94E-06	4.05E-06	1.24E-04
160	080b	2.61E-06	2.64E-06	2.64E-06	7.10E-05
160	080c	2.46E-06	2.50E-06	2.50E-06	6.57E-05
160	080d	1.90E-06	1.93E-06	1.93E-06	4.99E-05
160	080e	2.26E-06	2.27E-06	2.27E-06	6.40E-05
160	200a	7.73E-06	7.87E-06	7.87E-06	1.48E-04
160	200b	7.50E-06	7.57E-06	7.57E-06	1.75E-04
160	200c	9.16E-06	9.33E-06	9.33E-06	1.78E-04
160	200d	8.08E-06	8.14E-06	8.14E-06	1.47E-04
160	050a	7.33E-06	7.25E-06	7.33E-06	8.68E-05
160	050b	7.38E-06	7.30E-06	7.38E-06	8.84E-05
160	050c	4.90E-05	4.85E-05	4.90E-05	6.70E-04
160	050d	4.34E-05	4.25E-05	4.34E-05	6.15E-04
160	51Aa	3.48E-06	3.42E-06	3.48E-06	5.09E-05
160	51Ab	3.47E-06	3.42E-06	3.47E-06	5.09E-05
160	160a	5.30E-06	4.95E-06	5.30E-06	4.98E-05
160	160b	4.06E-06	3.80E-06	4.06E-06	1.72E-05
160	160c	5.29E-05	5.53E-05	5.53E-05	3.89E-04
160	17RE	4.82E-06	4.54E-06	4.82E-06	7.94E-05
160	17RW	5.47E-06	5.10E-06	5.47E-06	8.30E-05
160	17PN	1.72E-06	1.69E-06	1.72E-06	3.01E-05
160	17PS	2.08E-06	2.03E-06	2.08E-06	3.67E-05
160	IS2	1.62E-08	1.70E-08	1.70E-08	1.05E-07
160	IS3	2.90E-08	3.03E-08	3.03E-08	4.20E-07
160	IS4	8.99E-09	9.45E-09	9.45E-09	1.45E-07
160	NC	6.29E-07	6.19E-07	6.29E-07	1.07E-05
160	NP	2.35E-06	2.40E-06	2.40E-06	3.26E-05
160	SP	9.03E-07	8.57E-07	9.03E-07	2.71E-05
160	220	4.24E-06	4.15E-06	4.24E-06	6.41E-05
160	240	2.86E-06	2.83E-06	2.86E-06	3.82E-05
160	230	2.33E-06	2.31E-06	2.33E-06	3.13E-05
160	25A	9.06E-07	9.17E-07	9.17E-07	1.12E-05
160	620	8.26E-07	8.46E-07	8.46E-07	1.30E-05
160	71A	7.68E-07	7.78E-07	7.78E-07	1.43E-05
160	30A	1.09E-06	1.12E-06	1.12E-06	1.07E-05
160	30B	2.34E-06	2.32E-06	2.34E-06	3.77E-05
160	30C	2.80E-06	2.84E-06	2.84E-06	7.30E-05
160	27A	5.58E-06	5.53E-06	5.58E-06	1.08E-04
160	780	1.12E-06	1.11E-06	1.12E-06	1.53E-05
160	33A	2.35E-06	2.33E-06	2.35E-06	3.40E-05
160	33B	2.23E-06	2.21E-06	2.23E-06	3.51E-05

Source: Worksheet Summary of Results of spreadsheet GROA XQ Calculation.xls

Table 22.  $\chi/Q$  Results for Aging Pad 17R East

Codes		Annual Average $\chi/Q$ (s/m <sup>3</sup> )			95 <sup>th</sup> Percentile $\chi/Q$ (s/m <sup>3</sup> )
Source	Receptor	Average	Median	Suggested	
17RE	060a	3.35E-06	3.47E-06	3.47E-06	2.03E-05
17RE	060b	2.28E-06	2.33E-06	2.33E-06	1.85E-05
17RE	060c	2.43E-06	2.47E-06	2.47E-06	1.98E-05
17RE	060d	3.13E-06	3.20E-06	3.20E-06	2.03E-05
17RE	060e	3.20E-06	3.29E-06	3.29E-06	2.02E-05
17RE	070a	5.58E-06	5.80E-06	5.80E-06	2.69E-05
17RE	070b	5.25E-06	5.48E-06	5.48E-06	2.67E-05
17RE	070c	5.77E-06	6.02E-06	6.02E-06	2.92E-05
17RE	070d	5.80E-06	6.04E-06	6.04E-06	2.92E-05
17RE	070e	5.51E-06	5.68E-06	5.68E-06	2.68E-05
17RE	080a	5.72E-06	5.99E-06	5.99E-06	2.78E-05
17RE	080b	6.01E-06	6.20E-06	6.20E-06	2.92E-05
17RE	080c	6.58E-06	6.79E-06	6.79E-06	3.20E-05
17RE	080d	6.15E-06	6.45E-06	6.45E-06	2.95E-05
17RE	080e	5.78E-06	6.03E-06	6.03E-06	2.85E-05
17RE	200a	3.99E-06	4.15E-06	4.15E-06	2.21E-05
17RE	200b	4.41E-06	4.58E-06	4.58E-06	2.43E-05
17RE	200c	3.95E-06	4.13E-06	4.13E-06	2.23E-05
17RE	200d	3.95E-06	4.13E-06	4.13E-06	2.22E-05
17RE	050a	1.47E-06	1.49E-06	1.49E-06	1.53E-05
17RE	050b	1.41E-06	1.41E-06	1.41E-06	1.48E-05
17RE	050c	1.55E-06	1.56E-06	1.56E-06	1.57E-05
17RE	050d	1.39E-06	1.40E-06	1.40E-06	1.44E-05
17RE	51Aa	1.09E-06	1.09E-06	1.09E-06	1.12E-05
17RE	51Ab	1.13E-06	1.14E-06	1.14E-06	1.14E-05
17RE	160a	1.38E-06	1.38E-06	1.38E-06	1.77E-05
17RE	160b	1.37E-06	1.38E-06	1.38E-06	1.77E-05
17RE	160c	1.42E-06	1.42E-06	1.42E-06	1.73E-05
17RE	17RE	N/A	N/A	N/A	N/A
17RE	17RW	2.58E-06	2.66E-06	2.66E-06	5.15E-05
17RE	17PN	2.21E-06	2.24E-06	2.24E-06	2.44E-05
17RE	17PS	3.67E-06	3.82E-06	3.82E-06	3.86E-05
17RE	IS2	1.39E-07	1.28E-07	1.39E-07	1.93E-06
17RE	IS3	1.57E-07	1.45E-07	1.57E-07	2.32E-06
17RE	IS4	1.11E-07	9.96E-08	1.11E-07	1.53E-06
17RE	NC	4.34E-07	4.24E-07	4.34E-07	6.99E-06
17RE	NP	8.66E-07	8.66E-07	8.66E-07	1.21E-05
17RE	SP	3.82E-07	3.79E-07	3.82E-07	4.56E-06
17RE	220	9.84E-07	9.81E-07	9.84E-07	1.14E-05
17RE	240	1.60E-06	1.63E-06	1.63E-06	1.30E-05
17RE	230	1.76E-06	1.82E-06	1.82E-06	1.26E-05
17RE	25A	2.98E-06	3.11E-06	3.11E-06	1.58E-05
17RE	620	3.43E-06	3.53E-06	3.53E-06	1.75E-05
17RE	71A	3.94E-06	4.13E-06	4.13E-06	2.03E-05
17RE	30A	3.03E-06	3.15E-06	3.15E-06	1.70E-05
17RE	30B	1.41E-06	1.47E-06	1.47E-06	8.65E-06
17RE	30C	9.19E-06	9.58E-06	9.58E-06	4.49E-05
17RE	27A	1.01E-06	1.03E-06	1.03E-06	9.27E-06
17RE	780	1.91E-06	1.99E-06	1.99E-06	1.10E-05
17RE	33A	1.48E-06	1.52E-06	1.52E-06	1.07E-05
17RE	33B	1.46E-06	1.51E-06	1.51E-06	9.55E-06

Source: Worksheet Summary of Results of spreadsheet GROA XQ Calculation.xls

Table 23.  $\chi/Q$  Results for Aging Pad 17R West

Codes		Annual Average $\chi/Q$ (s/m <sup>3</sup> )			95 <sup>th</sup> Percentile $\chi/Q$ (s/m <sup>3</sup> )
Source	Receptor	Average	Median	Suggested	
17RW	060a	3.88E-06	4.05E-06	4.05E-06	2.03E-05
17RW	060b	3.51E-06	3.64E-06	3.64E-06	2.00E-05
17RW	060c	3.81E-06	3.93E-06	3.93E-06	2.05E-05
17RW	060d	3.94E-06	4.12E-06	4.12E-06	2.05E-05
17RW	060e	3.82E-06	3.94E-06	3.94E-06	2.03E-05
17RW	070a	4.68E-06	4.91E-06	4.91E-06	2.25E-05
17RW	070b	4.89E-06	5.05E-06	5.05E-06	2.43E-05
17RW	070c	5.27E-06	5.50E-06	5.50E-06	2.66E-05
17RW	070d	4.97E-06	5.13E-06	5.13E-06	2.44E-05
17RW	070e	4.74E-06	4.97E-06	4.97E-06	2.26E-05
17RW	080a	4.18E-06	4.34E-06	4.34E-06	2.22E-05
17RW	080b	4.80E-06	5.01E-06	5.01E-06	2.43E-05
17RW	080c	5.05E-06	5.26E-06	5.26E-06	2.50E-05
17RW	080d	4.59E-06	4.77E-06	4.77E-06	2.30E-05
17RW	080e	4.36E-06	4.56E-06	4.56E-06	2.23E-05
17RW	200a	4.04E-06	4.19E-06	4.19E-06	2.04E-05
17RW	200b	4.47E-06	4.62E-06	4.62E-06	2.23E-05
17RW	200c	4.25E-06	4.43E-06	4.43E-06	2.22E-05
17RW	200d	4.18E-06	4.31E-06	4.31E-06	2.07E-05
17RW	050a	2.60E-06	2.67E-06	2.67E-06	1.71E-05
17RW	050b	2.50E-06	2.59E-06	2.59E-06	1.70E-05
17RW	050c	2.70E-06	2.81E-06	2.81E-06	1.71E-05
17RW	050d	2.46E-06	2.53E-06	2.53E-06	1.68E-05
17RW	51Aa	1.70E-06	1.74E-06	1.74E-06	1.24E-05
17RW	51Ab	1.70E-06	1.73E-06	1.73E-06	1.24E-05
17RW	160a	2.78E-06	2.85E-06	2.85E-06	2.34E-05
17RW	160b	2.78E-06	2.84E-06	2.84E-06	2.34E-05
17RW	160c	3.01E-06	3.09E-06	3.09E-06	2.19E-05
17RW	17RE	7.48E-06	7.87E-06	7.87E-06	9.54E-05
17RW	17RW	N/A	N/A	N/A	N/A
17RW	17PN	2.28E-06	2.38E-06	2.38E-06	2.52E-05
17RW	17PS	3.38E-06	3.52E-06	3.52E-06	3.71E-05
17RW	IS2	1.50E-07	1.40E-07	1.50E-07	2.13E-06
17RW	IS3	1.79E-07	1.69E-07	1.79E-07	2.81E-06
17RW	IS4	1.18E-07	1.07E-07	1.18E-07	1.61E-06
17RW	NC	6.09E-07	6.02E-07	6.09E-07	8.62E-06
17RW	NP	1.41E-06	1.41E-06	1.41E-06	1.55E-05
17RW	SP	4.66E-07	4.67E-07	4.67E-07	5.25E-06
17RW	220	1.61E-06	1.65E-06	1.65E-06	1.37E-05
17RW	240	2.28E-06	2.38E-06	2.38E-06	1.36E-05
17RW	230	2.20E-06	2.26E-06	2.26E-06	1.28E-05
17RW	25A	2.93E-06	3.03E-06	3.03E-06	1.54E-05
17RW	620	3.18E-06	3.27E-06	3.27E-06	1.64E-05
17RW	71A	3.37E-06	3.50E-06	3.50E-06	1.72E-05
17RW	30A	3.14E-06	3.23E-06	3.23E-06	1.65E-05
17RW	30B	1.46E-06	1.51E-06	1.51E-06	8.59E-06
17RW	30C	5.96E-06	6.17E-06	6.17E-06	3.15E-05
17RW	27A	1.39E-06	1.42E-06	1.42E-06	9.73E-06
17RW	780	1.97E-06	2.03E-06	2.03E-06	1.09E-05
17RW	33A	1.79E-06	1.84E-06	1.84E-06	1.09E-05
17RW	33B	1.60E-06	1.66E-06	1.66E-06	9.57E-06

Source: Worksheet Summary of Results of spreadsheet GROA XQ Calculation.xls

Table 24.  $\chi/Q$  Results for Aging Pad 17P North

Codes		Annual Average $\chi/Q$ (s/m <sup>3</sup> )			95 <sup>th</sup> Percentile $\chi/Q$ (s/m <sup>3</sup> )
Source	Receptor	Average	Median	Suggested	
17PN	060a	2.20E-06	2.26E-06	2.26E-06	1.28E-05
17PN	060b	1.91E-06	1.99E-06	1.99E-06	1.23E-05
17PN	060c	2.00E-06	2.05E-06	2.05E-06	1.28E-05
17PN	060d	2.13E-06	2.20E-06	2.20E-06	1.29E-05
17PN	060e	2.12E-06	2.20E-06	2.20E-06	1.28E-05
17PN	070a	2.76E-06	2.87E-06	2.87E-06	1.44E-05
17PN	070b	2.66E-06	2.74E-06	2.74E-06	1.43E-05
17PN	070c	2.76E-06	2.87E-06	2.87E-06	1.50E-05
17PN	070d	2.79E-06	2.89E-06	2.89E-06	1.49E-05
17PN	070e	2.74E-06	2.86E-06	2.86E-06	1.44E-05
17PN	080a	2.92E-06	3.02E-06	3.02E-06	1.52E-05
17PN	080b	2.89E-06	2.98E-06	2.98E-06	1.52E-05
17PN	080c	3.02E-06	3.15E-06	3.15E-06	1.56E-05
17PN	080d	3.01E-06	3.14E-06	3.14E-06	1.55E-05
17PN	080e	2.91E-06	3.00E-06	3.00E-06	1.52E-05
17PN	200a	2.32E-06	2.41E-06	2.41E-06	1.31E-05
17PN	200b	2.43E-06	2.51E-06	2.51E-06	1.35E-05
17PN	200c	2.32E-06	2.41E-06	2.41E-06	1.32E-05
17PN	200d	2.30E-06	2.39E-06	2.39E-06	1.31E-05
17PN	050a	1.47E-06	1.51E-06	1.51E-06	1.14E-05
17PN	050b	1.47E-06	1.51E-06	1.51E-06	1.13E-05
17PN	050c	1.55E-06	1.59E-06	1.59E-06	1.15E-05
17PN	050d	1.40E-06	1.42E-06	1.42E-06	1.12E-05
17PN	51Aa	1.12E-06	1.15E-06	1.15E-06	9.13E-06
17PN	51Ab	1.12E-06	1.14E-06	1.14E-06	9.13E-06
17PN	160a	1.47E-06	1.50E-06	1.50E-06	1.29E-05
17PN	160b	1.47E-06	1.50E-06	1.50E-06	1.29E-05
17PN	160c	1.58E-06	1.62E-06	1.62E-06	1.28E-05
17PN	17RE	6.85E-06	7.17E-06	7.17E-06	3.46E-05
17PN	17RW	3.88E-06	3.92E-06	3.92E-06	3.24E-05
17PN	17PN	N/A	N/A	N/A	N/A
17PN	17PS	3.11E-05	3.22E-05	3.22E-05	1.54E-04
17PN	IS2	1.48E-07	1.39E-07	1.48E-07	2.02E-06
17PN	IS3	1.65E-07	1.55E-07	1.65E-07	2.31E-06
17PN	IS4	1.17E-07	1.06E-07	1.17E-07	1.58E-06
17PN	NC	4.40E-07	4.30E-07	4.40E-07	7.04E-06
17PN	NP	9.91E-07	9.88E-07	9.91E-07	1.05E-05
17PN	SP	4.15E-07	4.12E-07	4.15E-07	4.76E-06
17PN	220	1.08E-06	1.09E-06	1.09E-06	9.71E-06
17PN	240	1.46E-06	1.51E-06	1.51E-06	9.87E-06
17PN	230	1.46E-06	1.51E-06	1.51E-06	9.54E-06
17PN	25A	1.98E-06	2.03E-06	2.03E-06	1.11E-05
17PN	620	2.16E-06	2.23E-06	2.23E-06	1.18E-05
17PN	71A	2.39E-06	2.46E-06	2.46E-06	1.27E-05
17PN	30A	2.01E-06	2.06E-06	2.06E-06	1.15E-05
17PN	30B	1.18E-06	1.22E-06	1.22E-06	7.30E-06
17PN	30C	3.59E-06	3.75E-06	3.75E-06	1.85E-05
17PN	27A	1.01E-06	1.04E-06	1.04E-06	7.84E-06
17PN	780	1.47E-06	1.52E-06	1.52E-06	8.76E-06
17PN	33A	1.31E-06	1.36E-06	1.36E-06	8.57E-06
17PN	33B	1.22E-06	1.26E-06	1.26E-06	7.87E-06

Source: Worksheet Summary of Results of spreadsheet GROA XQ Calculation.xls

Table 25.  $\chi/Q$  Results for Aging Pad 17P South

Codes		Annual Average $\chi/Q$ (s/m <sup>3</sup> )			95 <sup>th</sup> Percentile $\chi/Q$ (s/m <sup>3</sup> )
Source	Receptor	Average	Median	Suggested	
17PS	060a	2.43E-06	2.50E-06	2.50E-06	1.42E-05
17PS	060b	2.00E-06	2.05E-06	2.05E-06	1.36E-05
17PS	060c	2.09E-06	2.17E-06	2.17E-06	1.41E-05
17PS	060d	2.30E-06	2.39E-06	2.39E-06	1.43E-05
17PS	060e	2.30E-06	2.39E-06	2.39E-06	1.41E-05
17PS	070a	3.18E-06	3.28E-06	3.28E-06	1.67E-05
17PS	070b	3.01E-06	3.14E-06	3.14E-06	1.63E-05
17PS	070c	3.19E-06	3.30E-06	3.30E-06	1.70E-05
17PS	070d	3.21E-06	3.32E-06	3.32E-06	1.70E-05
17PS	070e	3.13E-06	3.22E-06	3.22E-06	1.66E-05
17PS	080a	3.37E-06	3.49E-06	3.49E-06	1.71E-05
17PS	080b	3.33E-06	3.46E-06	3.46E-06	1.72E-05
17PS	080c	3.51E-06	3.64E-06	3.64E-06	1.84E-05
17PS	080d	3.47E-06	3.58E-06	3.58E-06	1.77E-05
17PS	080e	3.34E-06	3.47E-06	3.47E-06	1.71E-05
17PS	200a	2.60E-06	2.67E-06	2.67E-06	1.45E-05
17PS	200b	2.74E-06	2.86E-06	2.86E-06	1.53E-05
17PS	200c	2.55E-06	2.64E-06	2.64E-06	1.48E-05
17PS	200d	2.55E-06	2.64E-06	2.64E-06	1.47E-05
17PS	050a	1.43E-06	1.46E-06	1.46E-06	1.21E-05
17PS	050b	1.42E-06	1.44E-06	1.44E-06	1.20E-05
17PS	050c	1.56E-06	1.59E-06	1.59E-06	1.23E-05
17PS	050d	1.40E-06	1.42E-06	1.42E-06	1.19E-05
17PS	51Aa	1.10E-06	1.12E-06	1.12E-06	9.70E-06
17PS	51Ab	1.10E-06	1.12E-06	1.12E-06	9.70E-06
17PS	160a	1.35E-06	1.37E-06	1.37E-06	1.38E-05
17PS	160b	1.35E-06	1.37E-06	1.37E-06	1.37E-05
17PS	160c	1.45E-06	1.47E-06	1.47E-06	1.37E-05
17PS	17RE	9.86E-06	1.03E-05	1.03E-05	5.03E-05
17PS	17RW	3.49E-06	3.51E-06	3.51E-06	4.04E-05
17PS	17PN	1.02E-05	1.06E-05	1.06E-05	9.60E-05
17PS	17PS	N/A	N/A	N/A	N/A
17PS	IS2	1.43E-07	1.31E-07	1.43E-07	2.00E-06
17PS	IS3	1.59E-07	1.48E-07	1.59E-07	2.18E-06
17PS	IS4	1.15E-07	1.05E-07	1.15E-07	1.57E-06
17PS	NC	4.11E-07	3.97E-07	4.11E-07	6.26E-06
17PS	NP	9.08E-07	9.02E-07	9.08E-07	1.06E-05
17PS	SP	4.08E-07	4.05E-07	4.08E-07	4.69E-06
17PS	220	1.04E-06	1.05E-06	1.05E-06	1.02E-05
17PS	240	1.46E-06	1.51E-06	1.51E-06	1.06E-05
17PS	230	1.54E-06	1.59E-06	1.59E-06	1.01E-05
17PS	25A	2.15E-06	2.22E-06	2.22E-06	1.20E-05
17PS	620	2.39E-06	2.46E-06	2.46E-06	1.30E-05
17PS	71A	2.67E-06	2.76E-06	2.76E-06	1.41E-05
17PS	30A	2.19E-06	2.25E-06	2.25E-06	1.26E-05
17PS	30B	1.22E-06	1.26E-06	1.26E-06	7.55E-06
17PS	30C	4.36E-06	4.55E-06	4.55E-06	2.22E-05
17PS	27A	1.02E-06	1.04E-06	1.04E-06	8.15E-06
17PS	780	1.57E-06	1.64E-06	1.64E-06	9.20E-06
17PS	33A	1.34E-06	1.39E-06	1.39E-06	9.00E-06
17PS	33B	1.26E-06	1.30E-06	1.30E-06	8.23E-06

Source: Worksheet Summary of Results of spreadsheet GROA XQ Calculation.xls

Table 26.  $\chi/Q$  Results for Exhaust Shaft 1

Codes		Annual Average $\chi/Q$ (s/m <sup>3</sup> )			95 <sup>th</sup> Percentile $\chi/Q$ (s/m <sup>3</sup> )
Source	Receptor	Average	Median	Suggested	
ES1	IS2	4.40E-06	4.58E-06	4.58E-06	2.18E-05
ES1	IS3	4.93E-07	5.07E-07	5.07E-07	5.96E-06
ES1	IS4	4.17E-06	4.25E-06	4.25E-06	4.26E-05
ES1	NC	3.23E-07	3.33E-07	3.33E-07	5.39E-06
ES1	NP	9.48E-07	9.92E-07	9.92E-07	7.12E-06
ES1	SP	1.08E-06	1.12E-06	1.12E-06	6.21E-06

Source: Worksheet Summary of Results of spreadsheet GROA XQ Calculation.xls

Table 27.  $\chi/Q$  Results for Exhaust Shaft 2

Codes		Annual Average $\chi/Q$ (s/m <sup>3</sup> )			95 <sup>th</sup> Percentile $\chi/Q$ (s/m <sup>3</sup> )
Source	Receptor	Average	Median	Suggested	
ES2	IS2	4.18E-07	4.22E-07	4.22E-07	4.91E-06
ES2	IS3	1.95E-07	1.91E-07	1.95E-07	2.23E-06
ES2	IS4	2.65E-07	2.65E-07	2.65E-07	3.10E-06
ES2	NC	2.08E-07	2.05E-07	2.08E-07	2.43E-06
ES2	NP	2.40E-07	2.45E-07	2.45E-07	3.50E-06
ES2	SP	8.88E-07	9.37E-07	9.37E-07	8.81E-06

Source: Worksheet Summary of Results of spreadsheet GROA XQ Calculation.xls

Table 28.  $\chi/Q$  Results for Exhaust Shaft 3N

Codes		Annual Average $\chi/Q$ (s/m <sup>3</sup> )			95 <sup>th</sup> Percentile $\chi/Q$ (s/m <sup>3</sup> )
Source	Receptor	Average	Median	Suggested	
ES3N	IS2	8.51E-07	8.66E-07	8.66E-07	7.10E-06
ES3N	IS3	1.22E-05	1.27E-05	1.27E-05	6.74E-05
ES3N	IS4	4.33E-07	4.26E-07	4.33E-07	6.13E-06
ES3N	NC	2.13E-06	2.21E-06	2.21E-06	1.17E-05
ES3N	NP	1.19E-06	1.23E-06	1.23E-06	6.80E-06
ES3N	SP	7.76E-07	7.97E-07	7.97E-07	4.99E-06

Source: Worksheet Summary of Results of spreadsheet GROA XQ Calculation.xls

Table 29.  $\chi/Q$  Results for Exhaust Shaft 3S

Codes		Annual Average $\chi/Q$ (s/m <sup>3</sup> )			95 <sup>th</sup> Percentile $\chi/Q$ (s/m <sup>3</sup> )
Source	Receptor	Average	Median	Suggested	
ES3S	IS2	1.02E-06	1.03E-06	1.03E-06	1.21E-05
ES3S	IS3	9.03E-07	9.13E-07	9.13E-07	1.05E-05
ES3S	IS4	3.25E-07	3.21E-07	3.25E-07	5.14E-06
ES3S	NC	6.25E-07	6.53E-07	6.53E-07	1.08E-05
ES3S	NP	1.72E-06	1.80E-06	1.80E-06	9.83E-06
ES3S	SP	1.02E-06	1.05E-06	1.05E-06	6.16E-06

Source: Worksheet Summary of Results of spreadsheet GROA XQ Calculation.xls

Table 30.  $\chi/Q$  Results for Exhaust Shaft 4

Codes		Annual Average $\chi/Q$ (s/m <sup>3</sup> )			95 <sup>th</sup> Percentile $\chi/Q$ (s/m <sup>3</sup> )
Source	Receptor	Average	Median	Suggested	
ES4	IS2	2.22E-06	2.29E-06	2.29E-06	1.16E-05
ES4	IS3	5.64E-07	5.90E-07	5.90E-07	8.72E-06
ES4	IS4	1.40E-05	1.47E-05	1.47E-05	7.16E-05
ES4	NC	4.17E-07	4.25E-07	4.25E-07	6.46E-06
ES4	NP	1.06E-06	1.10E-06	1.10E-06	6.72E-06
ES4	SP	9.29E-07	9.57E-07	9.57E-07	5.53E-06

Source: Worksheet Summary of Results of spreadsheet GROA XQ Calculation.xls

Table 31.  $\chi/Q$  Results for ECRB Exhaust Shaft

Codes		Annual Average $\chi/Q$ (s/m <sup>3</sup> )			95 <sup>th</sup> Percentile $\chi/Q$ (s/m <sup>3</sup> )
Source	Receptor	Average	Median	Suggested	
ECRB	IS2	1.08E-06	1.13E-06	1.13E-06	1.80E-05
ECRB	IS3	3.21E-07	3.25E-07	3.25E-07	3.83E-06
ECRB	IS4	8.12E-07	8.27E-07	8.27E-07	9.45E-06
ECRB	NC	2.57E-07	2.63E-07	2.63E-07	3.80E-06
ECRB	NP	3.84E-07	3.92E-07	3.92E-07	5.60E-06
ECRB	SP	1.19E-06	1.24E-06	1.24E-06	6.89E-06

Source: Worksheet Summary of Results of spreadsheet GROA XQ Calculation.xls

## 6.5 EXCEL MACROS

Three Excel macros are used to create the ARCON95 input files and to import the results from the output files to the Excel spreadsheet. These macros are discussed in the following subsections.

### 6.5.1 Macro *InputWrite*

This macro takes the information presented in worksheet *ARCON96 Input* of the Excel spreadsheet *GROA XQ Calculation.xls* discussed in Section 6.2.6 and creates the input files to run ARCON96. It also generates a batch file to run all of the cases considered. This macro is verified by reviewing the input file generated and comparing it to the information presented in worksheet *ARCON96 Input*. For example, the input file *060a080a.rsf*, shown below, is compared with the information in row 13 of worksheet *ARCON96 Input*. This comparison shows that the macro correctly extracts the information and creates the input file.

File *060a080a.rsf* listing:

```

1
c:\arcon96\groa\ymp0105x.met
10
60
1
2
34.1
2729.87
15.24
15.89
0.56
235    90
670.1
16.9
-1.2

```

```

c:\arcon96\groa\060a080a.log
c:\arcon96\groa\060a080a.cfd
0.1
0.5
4.3
  1   2   4   8  12  24  96 168 7208760
  1   2   4   8  11  22  87 152 324 648
    0.00   0.00
n

```

The listing of the macro *InputWrite* is shown below:

```

Sub Inputwrite()
' This routine generates the ARCON96 input files and a batch file to run them
'
' 8 November 2007
'


---


Dim FileName As String, lin(24) As String, Loc As String, ColRef(24) As String
Dim Batch As String, Arcon As String

' Define the location of the input parameters that change for each case

ColRef(6) = "'Arcon96 Input'!O"
ColRef(7) = "'Arcon96 Input'!E"
ColRef(8) = "'Arcon96 Input'!F"
ColRef(9) = "'Arcon96 Input'!G"
ColRef(10) = "'Arcon96 Input'!H"
ColRef(11) = "'Arcon96 Input'!I"
ColRef(12) = "'Arcon96 Input'!J"
ColRef(13) = "'Arcon96 Input'!K"
ColRef(14) = "'Arcon96 Input'!L"
ColRef(15) = "'Arcon96 Input'!M"
ColRef(16) = "'Arcon96 Input'!C"
ColRef(17) = "'Arcon96 Input'!D"
ColRef(23) = "'Arcon96 Input'!N"

' Open the batch file for processing

Loc = "'Parameters'!B6"
FileName = Range(Loc).Value
Open FileName For Output As #2
Print #2, "del *.log"
Print #2, "del *.cfd"

' Obtain the name and path of the ARCON96 executable file

Loc = "'Parameters'!B2"
Arcon = Range(Loc).Value

' Find the number of files to process

numrecs = Range("'Arcon96 Input'!A1").Value + 2

' Copy a template for the input file

For i = 1 To 24
  Loc = "'Template'!A" & Format(i)
  lin(i) = Range(Loc).Value
Next i

' Process the input information for each of the input files

For j = 3 To numrecs

  Open the ARCON96 input file

  Loc = "'Arcon96 Input'!B" & Format(j)
  FileName = Range(Loc).Value
  Open FileName For Output As #1

  Populate the variable lin with the input information

  Loc = ColRef(23) & Format(j)
  lin(23) = Range(Loc).Value

```



```

For k = 6 To 17
  Loc = ColRef(k) & Format(j)
  lin(k) = Range(Loc).Value
Next k

Print the input information to the input file

For i = 1 To 24
  Print #1, lin(i)
Next i

Close #1

Print the line to execute ARCON96 for the current input file
to the batch file

Batch = Arcon + FileName
Print #2, Batch
Next j
Close #2
End Sub

```

### 6.5.2 Macro *LogFileRead*

This macro is used to extract the 0 – 2 hour  $\chi/Q$  values from the .log output files and place them in the worksheet *95Percentile* of the Excel spreadsheet *GROA XQ Calculation.xls* discussed in Section 6.3.1. This macro is verified by comparing the results in the .log file with the values presented in the worksheet *95Percentile*. For example, from file 080a71A.log, the 0 – 2 hour  $\chi/Q$  is  $1.42 \times 10^{-5}$  s/m<sup>3</sup>. This is the value shown in cell C250 of worksheet *95Percentile*.

The listing of macro *LogFileRead* is shown below:

```

Sub LogFileRead()
  ' This routine reads the ARCON96 log file and extracts the 0-2 hr
  ' 95th percentile X/Q
  '
  ' 8 November 2007
  '-----
  Dim lin As String, FileName As String, Loc As String
  ' Find the number of files to process
  numrecs = Range("'Arcon96 Input'!A1").Value + 2
  For j = 3 To numrecs
    ' Open the log file
    Loc = "'Arcon96 Input'!C" & Format(j)
    FileName = Range(Loc).Value
    Open FileName For Input As #1
    ' Read the log file line by line the 0-2 hr X/Q is on line 98
    For i = 1 To 101
      Input #1, lin
      If (i = 98) Then
        Loc = "'95Percentile'!C" & Format(j)
        test = Right(lin, 8)
        Range(Loc).Value = test
      End If
    Next i
    Close #1
  Next j
End Sub

```

### 6.5.3 Macro *CFDFileRead*

This macro is used to extract the 8,760 averaging period cumulative frequency distributions from the .cfd output files and place them in the worksheet *Annual* of the Excel spreadsheet *GROA XQ Calculation.xls* discussed in Section 6.3.2. This macro also adjusts the scaling for the cases that exhibit the ARCON96 error discussed in Sections 4.2.1 and 6.3.2.

This macro is verified by comparing the results in the .cfd file with the values presented in the worksheet *Annual*. For example, from file 060a060a.cfd, the first non-zero cumulative hours is for the  $\chi/Q$  value of  $6.918 \times 10^{-6}$  s/m<sup>3</sup>. For this  $\chi/Q$  value there are 1,226 hours. This value is shown in cell BG4 of worksheet *Annual*. Macro *CFDFileRead* also determines hours from the previous  $\chi/Q$  value to the current  $\chi/Q$  value. Continuing on the example, the next  $\chi/Q$  value is  $6.310 \times 10^{-6}$  s/m<sup>3</sup> and has a cumulative 9,921 hours (as shown in cell BH4). Therefore, the number of hours from  $\chi/Q$  value of  $6.918 \times 10^{-6}$  s/m<sup>3</sup> to  $\chi/Q$  value is  $6.310 \times 10^{-6}$  s/m<sup>3</sup> is  $9,921 - 1,226 = 8,695$ . This value is shown in cell BH5.

As discussed in Section 6.3.2 the file *060a060b.cfd* exhibits the ARCON96 error. The first  $\chi/Q$  value shown for the averaging times greater than 8 hours is  $9.12 \times 10^{-4}$  s/m<sup>3</sup>. This value is correctly adjusted to  $9.12 \times 10^{-5}$  s/m<sup>3</sup> as shown in cell F6. The first non-zero cumulative hours is for the  $\chi/Q$  value of  $1.738 \times 10^{-5}$  s/m<sup>3</sup> as shown in file *060a060b.cfd*. This correctly adjusted to  $1.74 \times 10^{-6}$  s/m<sup>3</sup> as shown in cell AW6. The 9 cumulative hours are shown in cell AW7

The listing of macro *CFDFileRead* is shown below:

```
Sub CFDFileRead()
' This routine reads the ARCON96 CFD file and extracts the annual
' average X/Qs and hours of occurrence
'
' 8 November 2007
'


---


Dim lin As String, FileName As String, Loc As String, Mis As String, Source As String
Dim Receptor As String

Mis = "Mismatch"

' Find the number of files to process
numrecs = Range("'Arcon96 Input'!A1").Value + 2

' Initialize counters
k = 3
For j = 3 To numrecs
' Initialize variables
test = 0
Adjust = 1
imis = 0

Loc = "'CFD Check'!C" & Format(j)
Range(Loc).Value = ""

' Open the cfd file

Loc = "'Arcon96 Input'!D" & Format(j)
FileName = Range(Loc).Value
Open FileName For Input As #1

' Find the case codes for the source and receptor
```

```

Loc = "'95Percentile'!A" & Format(j)
Source = Range(Loc).Value
Loc = "'95Percentile'!B" & Format(j)
Receptor = Range(Loc).Value

Print the case codes in the Annual worksheet

Set curCell = Worksheets("Annual").Cells(k, 1)
curCell.Value = Source
Set curCell = Worksheets("Annual").Cells(k, 2)
curCell.Value = Receptor

Print descriptions

Set curCell = Worksheets("Annual").Cells(k, 5)
curCell.Value = "X/Q Value: "
Set curCell = Worksheets("Annual").Cells(k + 1, 5)
curCell.Value = "Cumulative hours: "
Set curCell = Worksheets("Annual").Cells(k + 2, 5)
curCell.Value = "Difference hours: "

Initialize variables

CumPrev = 0
Hours = 0

Read the cfd file line by line

For i = 1 To 104

Input #1, lin

First three lines contain header information

If (i > 4) Then

    Read the hours of observations for the 1 hour averaging
    and the 12 hour averaging columns to determine if the
    ARCON96 error is present

    test1 = val(Mid(lin, 11, 6))
    test2 = val(Mid(lin, 54, 6))
    If (test = 0) Then

        If the 12 hour averaging column has hours, check to
        see if the number of hours is greater than the number
        of hours for the 1 hour averaging column. If so, a
        message is written in worksheet CFD Check and the X/Q values
        are reduced by one order of magnitude.

        If (test2 > 0) Then
            If (test2 > test1) Then
                Loc = "'CFD Check'!C" & Format(j)
                Range(Loc).Value = Mis
                Adjust = 0.1
                imis = 1
            End If
            test = 1
        End If
    End If

    Extract the X/Q value and the cumulative hours for the
    annual averaging column

    XOQ = val(Mid(lin, 42, 9)) * Adjust
    Cum = val(Right(lin, 7))

    For the case where the ARCON96 error is present, the X/Q values
    written into the spreadsheet prior to the check need to be adjusted

    If (imis = 1 And i > 6) Then
        For l = 6 To i
            Set curCell = Worksheets("Annual").Cells(k, l)
            testXQ = curCell.Value * Adjust
            curCell.Value = testXQ
        Next l
        imis = 0
    End If

Write the values into the worksheet

```

```
Set curCell = worksheets("Annual").Cells(k, i + 1)
curCell.Value = X00
Set curCell = worksheets("Annual").Cells(k + 1, i + 1)
curCell.Value = Cum

:
:
Calculate the difference from the previous cumulative
number of hours and write the results in the worksheet

Hours = Cum - CumPrev
CumPrev = Cum
Set curCell = worksheets("Annual").Cells(k + 2, i + 1)
curCell.Value = Hours

End If

Next i
Close #1

k = k + 3.

Next j

End Sub
```

## 7 RESULTS AND CONCLUSION

While some facilities have more than one release or receptor location, only the highest  $\chi/Q$  value for each facility combination of source to receptor from Table 10 to Table 31 is summarized in Table 32 for annual average  $\chi/Q$ s and Table 33 for the 0 – 2 hour 95<sup>th</sup> percentile  $\chi/Q$ s. The annual average  $\chi/Q$ s can be used to estimate radiological consequences to workers for potential releases from normal operations. The 0 – 2 hour 95<sup>th</sup> percentile  $\chi/Q$ s can be used to estimate radiological consequences to workers from Category 1 event sequences.

The outputs are reasonable compared to the inputs. The dispersion factors calculated in this document are suitable for radiological dose assessment for the operation of repository facilities.

Table 32. Onsite Annual Average Atmospheric Dispersion Factor Values

Receptor Location	Annual Average Atmospheric Dispersion Factor (s/m <sup>3</sup> ) for Release from Facility																
	060	070	080	200	050	51A	160	17RE	17RW	17PN	17PS	ES1	ES2	ES3N	ES3S	ES4	ECRB
060	2.58E-05	3.87E-06	2.91E-06	5.40E-06	2.15E-05	2.81E-06	1.53E-05	3.47E-06	4.12E-06	2.26E-06	2.50E-06	9.92E-07	2.45E-07	1.23E-06	1.80E-06	1.10E-06	3.92E-07
070	4.03E-06	2.58E-05	3.13E-06	5.00E-06	6.53E-06	1.72E-06	5.49E-06	6.04E-06	5.50E-06	2.89E-06	3.32E-06	9.92E-07	2.45E-07	1.23E-06	1.80E-06	1.10E-06	3.92E-07
080	3.39E-06	5.07E-06	2.58E-05	4.57E-06	4.42E-06	1.44E-06	4.05E-06	6.79E-06	5.26E-06	3.15E-06	3.64E-06	9.92E-07	2.45E-07	1.23E-06	1.80E-06	1.10E-06	3.92E-07
200	4.70E-06	3.10E-06	2.66E-06	9.83E-05	1.52E-05	2.41E-06	9.33E-06	4.58E-06	4.62E-06	2.51E-06	2.86E-06	9.92E-07	2.45E-07	1.23E-06	1.80E-06	1.10E-06	3.92E-07
050	7.45E-06	3.61E-06	2.43E-06	5.87E-06	1.83E-03	7.32E-06	4.90E-05	1.56E-06	2.81E-06	1.59E-06	1.59E-06	9.92E-07	2.45E-07	1.23E-06	1.80E-06	1.10E-06	3.92E-07
51A	1.47E-06	1.11E-06	9.03E-07	1.40E-06	9.84E-06	2.20E-05	3.48E-06	1.14E-06	1.74E-06	1.15E-06	1.12E-06	9.92E-07	2.45E-07	1.23E-06	1.80E-06	1.10E-06	3.92E-07
160	3.68E-06	1.73E-06	1.31E-06	2.31E-06	2.35E-05	2.58E-06	5.53E-05	1.42E-06	3.09E-06	1.62E-06	1.47E-06	9.92E-07	2.45E-07	1.23E-06	1.80E-06	1.10E-06	3.92E-07
17RE	3.70E-06	5.30E-06	5.06E-06	4.65E-06	6.65E-06	1.59E-06	4.82E-06	N/A	7.87E-06	7.17E-06	1.03E-05	9.92E-07	2.45E-07	1.23E-06	1.80E-06	1.10E-06	3.92E-07
17RW	3.54E-06	3.94E-06	3.39E-06	4.06E-06	6.86E-06	1.66E-06	5.47E-06	2.66E-06	N/A	3.92E-06	3.51E-06	9.92E-07	2.45E-07	1.23E-06	1.80E-06	1.10E-06	3.92E-07
17PN	1.59E-06	1.96E-06	2.03E-06	1.77E-06	4.46E-06	1.05E-06	1.72E-06	2.24E-06	2.38E-06	N/A	1.06E-05	9.92E-07	2.45E-07	1.23E-06	1.80E-06	1.10E-06	3.92E-07
17PS	1.98E-06	2.52E-06	2.64E-06	2.20E-06	5.34E-06	1.20E-06	2.08E-06	3.82E-06	3.52E-06	3.22E-05	N/A	9.92E-07	2.45E-07	1.23E-06	1.80E-06	1.10E-06	3.92E-07
IS2	1.83E-08	1.66E-08	1.58E-08	1.69E-08	2.40E-08	2.34E-08	1.70E-08	1.39E-07	1.50E-07	1.48E-07	1.43E-07	4.58E-06	4.22E-07	8.66E-07	1.03E-06	2.29E-06	1.13E-06
IS3	2.72E-08	2.28E-08	2.02E-08	2.58E-08	3.33E-08	3.01E-08	3.03E-08	1.57E-07	1.79E-07	1.65E-07	1.59E-07	5.07E-07	1.95E-07	1.27E-05	9.13E-07	5.90E-07	3.25E-07
IS4	9.38E-09	8.40E-09	7.75E-09	8.85E-09	1.10E-08	1.18E-08	9.45E-09	1.11E-07	1.18E-07	1.17E-07	1.15E-07	4.25E-06	2.65E-07	4.33E-07	3.25E-07	1.47E-05	8.27E-07
NC	5.72E-07	5.48E-07	5.16E-07	5.58E-07	1.53E-06	5.36E-07	6.29E-07	4.34E-07	6.09E-07	4.40E-07	4.11E-07	3.33E-07	2.08E-07	2.21E-06	6.53E-07	4.25E-07	2.63E-07
NP	1.52E-06	1.05E-06	8.58E-07	1.35E-06	1.00E-05	2.57E-06	2.40E-06	8.66E-07	1.41E-06	9.91E-07	9.08E-07	9.92E-07	2.45E-07	1.23E-06	1.80E-06	1.10E-06	3.92E-07
SP	7.73E-07	6.02E-07	5.33E-07	6.71E-07	6.87E-06	1.20E-06	9.03E-07	3.82E-07	4.67E-07	4.15E-07	4.08E-07	1.12E-06	9.37E-07	7.97E-07	1.05E-06	9.57E-07	1.24E-06
220	1.64E-06	1.23E-06	9.82E-07	1.57E-06	1.28E-05	5.75E-06	4.24E-06	9.84E-07	1.65E-06	1.09E-06	1.05E-06	9.92E-07	2.45E-07	1.23E-06	1.80E-06	1.10E-06	3.92E-07
240	1.36E-06	1.08E-06	9.14E-07	1.28E-06	6.72E-06	8.07E-07	2.86E-06	1.63E-06	2.38E-06	1.51E-06	1.51E-06	9.92E-07	2.45E-07	1.23E-06	1.80E-06	1.10E-06	3.92E-07
230	1.33E-06	9.78E-07	8.34E-07	1.17E-06	5.23E-06	1.13E-06	2.33E-06	1.82E-06	2.26E-06	1.51E-06	1.59E-06	9.92E-07	2.45E-07	1.23E-06	1.80E-06	1.10E-06	3.92E-07
25A	1.23E-06	1.17E-06	6.45E-07	1.48E-06	1.10E-06	2.67E-07	9.17E-07	3.11E-06	3.03E-06	2.03E-06	2.22E-06	9.92E-07	2.45E-07	1.23E-06	1.80E-06	1.10E-06	3.92E-07
620	6.39E-07	1.73E-06	1.35E-06	1.36E-06	1.26E-06	3.33E-07	8.46E-07	3.53E-06	3.27E-06	2.23E-06	2.46E-06	9.92E-07	2.45E-07	1.23E-06	1.80E-06	1.10E-06	3.92E-07
71A	3.82E-07	1.78E-06	2.75E-06	5.06E-07	1.50E-06	4.24E-07	7.78E-07	4.13E-06	3.50E-06	2.46E-06	2.76E-06	9.92E-07	2.45E-07	1.23E-06	1.80E-06	1.10E-06	3.92E-07
30A	2.57E-06	9.59E-07	5.54E-07	2.38E-06	1.16E-06	3.69E-07	1.12E-06	3.15E-06	3.23E-06	2.06E-06	2.25E-06	9.92E-07	2.45E-07	1.23E-06	1.80E-06	1.10E-06	3.92E-07
30B	1.62E-06	1.32E-06	1.09E-06	1.58E-06	5.42E-06	1.33E-06	2.34E-06	1.47E-06	1.51E-06	1.22E-06	1.26E-06	9.92E-07	2.45E-07	1.23E-06	1.80E-06	1.10E-06	3.92E-07
30C	2.71E-06	5.08E-06	6.55E-06	3.83E-06	3.88E-06	1.22E-06	2.84E-06	9.58E-06	6.17E-06	3.75E-06	4.55E-06	9.92E-07	2.45E-07	1.23E-06	1.80E-06	1.10E-06	3.92E-07
27A	2.82E-06	1.64E-06	1.26E-06	2.17E-06	1.57E-05	3.46E-06	5.58E-06	1.03E-06	1.42E-06	1.04E-06	1.04E-06	9.92E-07	2.45E-07	1.23E-06	1.80E-06	1.10E-06	3.92E-07
780	7.20E-07	7.02E-07	6.08E-07	7.83E-07	1.95E-06	5.26E-07	1.12E-06	1.99E-06	2.03E-06	1.52E-06	1.64E-06	9.92E-07	2.45E-07	1.23E-06	1.80E-06	1.10E-06	3.92E-07
33A	1.31E-06	9.96E-07	8.30E-07	1.22E-06	5.73E-06	1.26E-06	2.35E-06	1.52E-06	1.84E-06	1.36E-06	1.39E-06	9.92E-07	2.45E-07	1.23E-06	1.80E-06	1.10E-06	3.92E-07
33B	1.38E-06	1.06E-06	8.60E-07	1.36E-06	5.29E-06	1.02E-06	2.23E-06	1.51E-06	1.66E-06	1.26E-06	1.30E-06	9.92E-07	2.45E-07	1.23E-06	1.80E-06	1.10E-06	3.92E-07

Source: Worksheet *Maximum Annual* of spreadsheet *GROA XQ Calculation.xls*

Table 33. Onsite 95<sup>th</sup> Percentile Atmospheric Dispersion Factor Values

Receptor Location	95 <sup>th</sup> Percentile Atmospheric Dispersion Factor (s/m <sup>3</sup> ) for Release from Facility																
	060	070	080	200	050	51A	160	17RE	17RW	17PN	17PS	ES1	ES2	ES3N	ES3S	ES4	ECRB
060	2.79E-04	6.39E-05	5.46E-05	8.73E-05	4.85E-04	4.67E-05	2.66E-04	2.03E-05	2.05E-05	1.29E-05	1.43E-05	7.12E-06	3.50E-06	6.80E-06	9.83E-06	6.72E-06	5.60E-06
070	7.89E-05	2.79E-04	5.19E-05	8.63E-05	1.52E-04	3.74E-05	1.64E-04	2.92E-05	2.66E-05	1.50E-05	1.70E-05	7.12E-06	3.50E-06	6.80E-06	9.83E-06	6.72E-06	5.60E-06
080	7.88E-05	8.45E-05	2.79E-04	9.82E-05	1.13E-04	3.40E-05	1.24E-04	3.20E-05	2.50E-05	1.56E-05	1.84E-05	7.12E-06	3.50E-06	6.80E-06	9.83E-06	6.72E-06	5.60E-06
200	6.35E-05	4.48E-05	4.70E-05	7.37E-04	3.37E-04	3.97E-05	1.78E-04	2.43E-05	2.23E-05	1.35E-05	1.53E-05	7.12E-06	3.50E-06	6.80E-06	9.83E-06	6.72E-06	5.60E-06
050	1.24E-04	7.20E-05	4.97E-05	1.15E-04	1.41E-02	8.82E-05	6.70E-04	1.57E-05	1.71E-05	1.15E-05	1.23E-05	7.12E-06	3.50E-06	6.80E-06	9.83E-06	6.72E-06	5.60E-06
51A	2.23E-05	2.07E-05	1.81E-05	2.39E-05	1.53E-04	1.42E-04	5.09E-05	1.14E-05	1.24E-05	9.13E-06	9.70E-06	7.12E-06	3.50E-06	6.80E-06	9.83E-06	6.72E-06	5.60E-06
160	4.90E-05	3.29E-05	2.69E-05	3.94E-05	3.10E-04	3.19E-05	3.89E-04	1.77E-05	2.34E-05	1.29E-05	1.38E-05	7.12E-06	3.50E-06	6.80E-06	9.83E-06	6.72E-06	5.60E-06
17RE	5.89E-05	7.93E-05	7.26E-05	7.16E-05	1.46E-04	2.82E-05	7.94E-05	N/A	9.54E-05	3.46E-05	5.03E-05	7.12E-06	3.50E-06	6.80E-06	9.83E-06	6.72E-06	5.60E-06
17RW	5.50E-05	5.52E-05	4.60E-05	6.05E-05	1.42E-04	2.86E-05	8.30E-05	5.15E-05	N/A	3.24E-05	4.04E-05	7.12E-06	3.50E-06	6.80E-06	9.83E-06	6.72E-06	5.60E-06
17PN	2.64E-05	3.07E-05	3.08E-05	2.87E-05	9.66E-05	1.77E-05	3.01E-05	2.44E-05	2.52E-05	N/A	9.60E-05	7.12E-06	3.50E-06	6.80E-06	9.83E-06	6.72E-06	5.60E-06
17PS	3.26E-05	3.95E-05	3.93E-05	3.58E-05	1.15E-04	2.05E-05	3.67E-05	3.86E-05	3.71E-05	1.54E-04	N/A	7.12E-06	3.50E-06	6.80E-06	9.83E-06	6.72E-06	5.60E-06
IS2	1.79E-07	2.02E-07	2.23E-07	1.86E-07	2.25E-07	2.05E-07	1.05E-07	1.93E-06	2.13E-06	2.02E-06	2.00E-06	2.18E-05	4.91E-06	7.10E-06	1.21E-05	1.16E-05	1.80E-05
IS3	3.52E-07	3.14E-07	2.76E-07	3.60E-07	3.63E-07	3.53E-07	4.20E-07	2.32E-06	2.81E-06	2.31E-06	2.18E-06	5.96E-06	2.23E-06	6.74E-05	1.05E-05	8.72E-06	3.83E-06
IS4	1.41E-07	9.68E-08	7.20E-08	1.23E-07	1.67E-07	1.96E-07	1.45E-07	1.53E-06	1.61E-06	1.58E-06	1.57E-06	4.26E-05	3.10E-06	6.13E-06	5.14E-06	7.16E-05	9.45E-06
NC	1.01E-05	9.22E-06	8.67E-06	9.61E-06	2.97E-05	9.88E-06	1.07E-05	6.99E-06	8.62E-06	7.04E-06	6.26E-06	5.39E-06	2.43E-06	1.17E-05	1.08E-05	6.46E-06	3.80E-06
NP	2.64E-05	2.19E-05	1.90E-05	2.59E-05	1.56E-04	2.77E-05	3.26E-05	1.21E-05	1.55E-05	1.05E-05	1.06E-05	7.12E-06	3.50E-06	6.80E-06	9.83E-06	6.72E-06	5.60E-06
SP	2.03E-05	1.50E-05	1.27E-05	1.71E-05	2.69E-04	3.16E-05	2.71E-05	4.56E-06	5.25E-06	4.76E-06	4.69E-06	6.21E-06	8.81E-06	4.99E-06	6.16E-06	5.53E-06	6.89E-06
220	2.73E-05	2.49E-05	2.09E-05	2.96E-05	2.03E-04	4.02E-05	6.41E-05	1.14E-05	1.37E-05	9.71E-06	1.02E-05	7.12E-06	3.50E-06	6.80E-06	9.83E-06	6.72E-06	5.60E-06
240	1.32E-05	1.75E-05	1.61E-05	1.85E-05	9.19E-05	1.45E-05	3.82E-05	1.30E-05	1.36E-05	9.87E-06	1.06E-05	7.12E-06	3.50E-06	6.80E-06	9.83E-06	6.72E-06	5.60E-06
230	1.26E-05	1.48E-05	1.40E-05	1.61E-05	7.54E-05	1.15E-05	3.13E-05	1.26E-05	1.28E-05	9.54E-06	1.01E-05	7.12E-06	3.50E-06	6.80E-06	9.83E-06	6.72E-06	5.60E-06
25A	7.70E-06	6.57E-06	4.74E-06	8.35E-06	2.07E-05	3.59E-06	1.12E-05	1.58E-05	1.54E-05	1.11E-05	1.20E-05	7.12E-06	3.50E-06	6.80E-06	9.83E-06	6.72E-06	5.60E-06
620	5.65E-06	1.00E-05	7.71E-06	8.87E-06	2.51E-05	6.21E-06	1.30E-05	1.75E-05	1.64E-05	1.18E-05	1.30E-05	7.12E-06	3.50E-06	6.80E-06	9.83E-06	6.72E-06	5.60E-06
71A	6.48E-06	1.22E-05	1.64E-05	6.16E-06	3.79E-05	8.75E-06	1.43E-05	2.03E-05	1.72E-05	1.27E-05	1.41E-05	7.12E-06	3.50E-06	6.80E-06	9.83E-06	6.72E-06	5.60E-06
30A	1.60E-05	7.79E-06	5.98E-06	1.39E-05	2.27E-05	4.14E-06	1.07E-05	1.70E-05	1.65E-05	1.15E-05	1.26E-05	7.12E-06	3.50E-06	6.80E-06	9.83E-06	6.72E-06	5.60E-06
30B	2.56E-05	2.31E-05	2.04E-05	2.60E-05	8.74E-05	1.82E-05	3.77E-05	8.65E-06	8.59E-06	7.30E-06	7.55E-06	7.12E-06	3.50E-06	6.80E-06	9.83E-06	6.72E-06	5.60E-06
30C	4.34E-05	4.75E-05	5.25E-05	5.20E-05	8.29E-05	2.41E-05	7.30E-05	4.49E-05	3.15E-05	1.85E-05	2.22E-05	7.12E-06	3.50E-06	6.80E-06	9.83E-06	6.72E-06	5.60E-06
27A	5.82E-05	3.90E-05	3.04E-05	5.04E-05	3.81E-04	4.50E-05	1.08E-04	9.27E-06	9.73E-06	7.84E-06	8.15E-06	7.12E-06	3.50E-06	6.80E-06	9.83E-06	6.72E-06	5.60E-06
780	7.32E-06	8.54E-06	8.22E-06	8.96E-06	2.99E-05	3.33E-06	1.53E-05	1.10E-05	1.09E-05	8.76E-06	9.20E-06	7.12E-06	3.50E-06	6.80E-06	9.83E-06	6.72E-06	5.60E-06
33A	1.75E-05	1.65E-05	1.51E-05	1.81E-05	8.68E-05	6.90E-06	3.40E-05	1.07E-05	1.09E-05	8.57E-06	9.00E-06	7.12E-06	3.50E-06	6.80E-06	9.83E-06	6.72E-06	5.60E-06
33B	1.93E-05	1.83E-05	1.64E-05	2.08E-05	8.21E-05	1.09E-05	3.51E-05	9.55E-06	9.57E-06	7.87E-06	8.23E-06	7.12E-06	3.50E-06	6.80E-06	9.83E-06	6.72E-06	5.60E-06

Source: Worksheet Maximum 95 Percentile of spreadsheet GROA XQ Calculation.xls

INTENTIONALLY LEFT BLANK



## I VENTILATION DESIGN PARAMETERS OF GROA FACILITIES

The ventilation design parameters are obtained from the attachment to the E-mail from Engineering (Reference 2.2.23) shown below. The attachments are included in the attached CD (Attachment III)



Greg Gould  
11/05/2007 09:24 AM

To: Dale Dexheimer/YM/RWDOE@CRWMS  
cc: Debra Nevergold/YM/RWDOE@CRWMS, David Tooker/YM/RWDOE@CRWMS, Thomas Sauer/YM/RWDOE@CRWMS, Tracy Johnson/YM/RWDOE, Charles Sauer/YM/RWDOE@CRWMS  
Subject: Fw: HVAC Design Inputs for PCSA

LSN: Not Relevant - Not Privileged  
User Filed as: Excl/AdminMgmt-14-4/QA:N/A

Dale,

Please find the attached .pdf file and .xls file with the information that you request for your dispersion model. The information was assembled by Mechanical HVAC and Plant Design from the latest information to date. The information should be suitable to use as an assumption requiring verification in your calculation/analysis. This version corrects the elevation and location for the IHF air handling units' intake louvers and adds some explanatory notes to the Intake table. Note that the intake elevations are taken at the center of the louver. Additionally, the IHF exhaust outlet elevation was corrected.



HVAC Input Data.to PCSA(intake & Exhaust)11-05-07 Final.xls HVAC Input Data.to PCSA(intake & Exhaust)11-05-07 Final.pdf

If you have any questions, please feel free to ask.

Greg Gould

----- Forwarded by Greg Gould/YM/RWDOE on 11/05/2007 08:59 AM -----



Greg Gould  
10/30/2007 12:37 PM

To: Dale Dexheimer/YM/RWDOE@CRWMS  
cc: Debra Nevergold/YM/RWDOE@CRWMS, David Tooker/YM/RWDOE@CRWMS, Thomas Sauer/YM/RWDOE@CRWMS, Tracy Johnson/YM/RWDOE, Charles Sauer/YM/RWDOE@CRWMS  
Subject: RE: HVAC Design Inputs for PCSA

LSN: Not Relevant - Not Privileged  
User Filed as: Excl/AdminMgmt-14-4/QA:N/A

Dale,

Please find the attached .pdf file and .xls file with the information that you request for your dispersion model. The information was assembled by Mechanical HVAC and Plant Design from the latest information to date. The information should be suitable to use as an assumption requiring verification in your calculation/analysis.

[attachment "HVAC Input Data.to PCSA(intake & Exhaust)10-30-07 Final.xls" deleted by Greg Gould/YM/RWDOE]

[attachment "HVAC Input Data.to PCSA(intake & Exhaust)10-30-07 Final.pdf" deleted by Greg Gould/YM/RWDOE]

If you have any questions, please feel free to ask.

Greg Gould

Dale Dexheimer



Dale Dexheimer  
10/16/2007 12:59 PM

To: Debra Nevergold/YM/RWDOE@CRWMS, David Tooker/YM/RWDOE@CRWMS  
cc: Greg Gould/YM/RWDOE@CRWMS, Thomas Sauer/YM/RWDOE@CRWMS, John  
Wang/YM/RWDOE@CRWMS, Sen-Sung Tsai/YM/RWDOE@CRWMS, William  
Duffy/YM/RWDOE@CRWMS, Tracy Johnson/YM/RWDOE@CRWMS, Charles  
Sauer/YM/RWDOE@CRWMS  
Subject: RE: HVAC Design Inputs for PCSA

LSN: Not Relevant - Not Privileged  
User Filed as: Excl/AdminMgmt-14-4/QA:N/A

Debra, Dave,

In March 2007, preliminary HVAC design information was provided to PCSA by the Mechanical HVAC group for the purpose of determining on-site atmospheric dispersion factors. The information included locations, elevations, flow rates, and minimum discharge velocity's of exhausts from the LLWF, WHF, RF, and CRCF1,2,3. For intakes of those facilities only the locations and elevations are needed.

We are finalizing the LA Section 1.8 and supporting calculations that develop or use those atmospheric dispersion factors and need to confirm or update the preliminary HVAC design inputs. Attached is a simple spreadsheet that I have recently discussed with Greg Gould that would provide the minimum amount of input data needed by PCSA. Because the HVAC duct routing is shown only on the 3-D model, Plant Design and Mechanical HVAC would both need to be involved to provide information on that spreadsheet.

Can you please make appropriate arrangements to proceed with an effort to provide the identified input data. This is not expected to be a large effort, because the information is already developed. In order to support our LA section completion schedule, we would need the information by Wednesday October 24.

Thanks,  
Dale

[attachment "HVAC Input Data.to PCSA.xls" deleted by Greg Gould/YM/RWDOE]

## II ELECTRONIC FILES ON ATTACHED CD

Electronic I/O files of ARCON96 calculations and Excel files are provided on a compact disc (Attachment III). The attributes of the electronic files are listed in Table II - 1. Each file is identified by its name, size (in bytes), date, and time. The I/O files can be opened using a text editor (e.g., Notepad).

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
D:\			
===			
GROA	DIR	12/10/2007	14:24:38
HVAC INPUT	DIR	11/16/2007	7:42:38
TEST	DIR	11/16/2007	7:41:41
GROA XQ Calculation.xls	6,158,336	12/4/2007	13:13:46
D:\GROA			
=====			
050a050a.cfd	11,168	12/4/2007	12:09:28
050a050a.log	4,794	12/4/2007	12:09:28
050a050a.rsf	291	12/4/2007	12:06:46
050a050b.cfd	11,168	12/4/2007	12:09:28
050a050b.log	4,794	12/4/2007	12:09:28
050a050b.rsf	291	12/4/2007	12:06:46
050a050c.cfd	11,168	12/4/2007	12:09:28
050a050c.log	4,794	12/4/2007	12:09:28
050a050c.rsf	292	12/4/2007	12:06:46
050a050d.cfd	11,168	12/4/2007	12:09:28
050a050d.log	4,794	12/4/2007	12:09:28
050a050d.rsf	291	12/4/2007	12:06:46
050a060a.cfd	11,168	12/4/2007	12:09:22
050a060a.log	4,794	12/4/2007	12:09:22
050a060a.rsf	293	12/4/2007	12:06:46
050a060b.cfd	11,168	12/4/2007	12:09:22
050a060b.log	4,794	12/4/2007	12:09:22
050a060b.rsf	292	12/4/2007	12:06:46
050a060c.cfd	11,168	12/4/2007	12:09:22
050a060c.log	4,794	12/4/2007	12:09:22
050a060c.rsf	292	12/4/2007	12:06:46
050a060d.cfd	11,168	12/4/2007	12:09:24
050a060d.log	4,794	12/4/2007	12:09:24
050a060d.rsf	292	12/4/2007	12:06:46
050a060e.cfd	11,168	12/4/2007	12:09:24
050a060e.log	4,794	12/4/2007	12:09:24
050a060e.rsf	292	12/4/2007	12:06:46
050a070a.cfd	11,168	12/4/2007	12:09:24
050a070a.log	4,794	12/4/2007	12:09:24
050a070a.rsf	293	12/4/2007	12:06:46
050a070b.cfd	11,168	12/4/2007	12:09:24
050a070b.log	4,794	12/4/2007	12:09:24
050a070b.rsf	292	12/4/2007	12:06:46
050a070c.cfd	11,168	12/4/2007	12:09:24

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
050a070c.log	4,794	12/4/2007	12:09:24
050a070c.rsf	292	12/4/2007	12:06:46
050a070d.cfd	11,168	12/4/2007	12:09:24
050a070d.log	4,794	12/4/2007	12:09:24
050a070d.rsf	292	12/4/2007	12:06:46
050a070e.cfd	11,168	12/4/2007	12:09:26
050a070e.log	4,794	12/4/2007	12:09:26
050a070e.rsf	292	12/4/2007	12:06:46
050a080a.cfd	11,168	12/4/2007	12:09:26
050a080a.log	4,794	12/4/2007	12:09:26
050a080a.rsf	293	12/4/2007	12:06:46
050a080b.cfd	11,168	12/4/2007	12:09:26
050a080b.log	4,794	12/4/2007	12:09:26
050a080b.rsf	292	12/4/2007	12:06:46
050a080c.cfd	11,168	12/4/2007	12:09:26
050a080c.log	4,794	12/4/2007	12:09:26
050a080c.rsf	292	12/4/2007	12:06:46
050a080d.cfd	11,168	12/4/2007	12:09:26
050a080d.log	4,794	12/4/2007	12:09:26
050a080d.rsf	292	12/4/2007	12:06:46
050a080e.cfd	11,168	12/4/2007	12:09:26
050a080e.log	4,794	12/4/2007	12:09:26
050a080e.rsf	292	12/4/2007	12:06:46
050a160a.cfd	11,168	12/4/2007	12:09:30
050a160a.log	4,794	12/4/2007	12:09:30
050a160a.rsf	292	12/4/2007	12:06:46
050a160b.cfd	11,168	12/4/2007	12:09:30
050a160b.log	4,794	12/4/2007	12:09:30
050a160b.rsf	292	12/4/2007	12:06:46
050a160c.cfd	11,168	12/4/2007	12:09:30
050a160c.log	4,794	12/4/2007	12:09:30
050a160c.rsf	292	12/4/2007	12:06:46
050a17PN.cfd	11,168	12/4/2007	12:09:32
050a17PN.log	4,794	12/4/2007	12:09:32
050a17PN.rsf	295	12/4/2007	12:06:46
050a17PS.cfd	11,168	12/4/2007	12:09:32
050a17PS.log	4,794	12/4/2007	12:09:32
050a17PS.rsf	295	12/4/2007	12:06:46
050a17RE.cfd	11,168	12/4/2007	12:09:32
050a17RE.log	4,794	12/4/2007	12:09:32
050a17RE.rsf	295	12/4/2007	12:06:46
050a17RW.cfd	11,168	12/4/2007	12:09:32
050a17RW.log	4,794	12/4/2007	12:09:32
050a17RW.rsf	295	12/4/2007	12:06:46
050a200a.cfd	11,168	12/4/2007	12:09:26
050a200a.log	4,794	12/4/2007	12:09:26
050a200a.rsf	293	12/4/2007	12:06:46
050a200b.cfd	11,168	12/4/2007	12:09:26
050a200b.log	4,794	12/4/2007	12:09:26
050a200b.rsf	293	12/4/2007	12:06:46
050a200c.cfd	11,168	12/4/2007	12:09:28
050a200c.log	4,794	12/4/2007	12:09:28
050a200c.rsf	293	12/4/2007	12:06:46

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
050a200d.cfd	11,168	12/4/2007	12:09:28
050a200d.log	4,794	12/4/2007	12:09:28
050a200d.rsf	293	12/4/2007	12:06:46
050a220.cfd	11,168	12/4/2007	12:09:34
050a220.log	4,794	12/4/2007	12:09:34
050a220.rsf	290	12/4/2007	12:06:46
050a230.cfd	11,168	12/4/2007	12:09:36
050a230.log	4,794	12/4/2007	12:09:36
050a230.rsf	290	12/4/2007	12:06:46
050a240.cfd	11,168	12/4/2007	12:09:36
050a240.log	4,794	12/4/2007	12:09:36
050a240.rsf	290	12/4/2007	12:06:46
050a25A.cfd	11,168	12/4/2007	12:09:36
050a25A.log	4,794	12/4/2007	12:09:36
050a25A.rsf	291	12/4/2007	12:06:46
050a27A.cfd	11,168	12/4/2007	12:09:36
050a27A.log	4,794	12/4/2007	12:09:36
050a27A.rsf	290	12/4/2007	12:06:46
050a30A.cfd	11,168	12/4/2007	12:09:36
050a30A.log	4,794	12/4/2007	12:09:36
050a30A.rsf	291	12/4/2007	12:06:46
050a30B.cfd	11,168	12/4/2007	12:09:36
050a30B.log	4,794	12/4/2007	12:09:36
050a30B.rsf	291	12/4/2007	12:06:46
050a30C.cfd	11,168	12/4/2007	12:09:36
050a30C.log	4,794	12/4/2007	12:09:36
050a30C.rsf	291	12/4/2007	12:06:46
050a33A.cfd	11,168	12/4/2007	12:09:38
050a33A.log	4,794	12/4/2007	12:09:38
050a33A.rsf	290	12/4/2007	12:06:46
050a33B.cfd	11,168	12/4/2007	12:09:38
050a33B.log	4,794	12/4/2007	12:09:38
050a33B.rsf	291	12/4/2007	12:06:46
050a51Aa.cfd	11,168	12/4/2007	12:09:28
050a51Aa.log	4,794	12/4/2007	12:09:28
050a51Aa.rsf	292	12/4/2007	12:06:46
050a51Ab.cfd	11,168	12/4/2007	12:09:30
050a51Ab.log	4,794	12/4/2007	12:09:30
050a51Ab.rsf	292	12/4/2007	12:06:46
050a620.cfd	11,168	12/4/2007	12:09:36
050a620.log	4,794	12/4/2007	12:09:36
050a620.rsf	291	12/4/2007	12:06:46
050a71A.cfd	11,168	12/4/2007	12:09:36
050a71A.log	4,794	12/4/2007	12:09:36
050a71A.rsf	291	12/4/2007	12:06:46
050a780.cfd	11,168	12/4/2007	12:09:38
050a780.log	4,794	12/4/2007	12:09:38
050a780.rsf	291	12/4/2007	12:06:46
050aIS2.cfd	11,168	12/4/2007	12:09:32
050aIS2.log	4,794	12/4/2007	12:09:32
050aIS2.rsf	293	12/4/2007	12:06:46
050aIS3.cfd	11,168	12/4/2007	12:09:32
050aIS3.log	4,794	12/4/2007	12:09:32

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
050aIS3.rsf	294	12/4/2007	12:06:46
050aIS4.cfd	11,168	12/4/2007	12:09:34
050aIS4.log	4,794	12/4/2007	12:09:34
050aIS4.rsf	294	12/4/2007	12:06:46
050aNC.cfd	11,168	12/4/2007	12:09:34
050aNC.log	4,794	12/4/2007	12:09:34
050aNC.rsf	291	12/4/2007	12:06:46
050aNP.cfd	11,168	12/4/2007	12:09:34
050aNP.log	4,794	12/4/2007	12:09:34
050aNP.rsf	289	12/4/2007	12:06:46
050aSP.cfd	11,168	12/4/2007	12:09:34
050aSP.log	4,794	12/4/2007	12:09:34
050aSP.rsf	290	12/4/2007	12:06:46
050b050a.cfd	11,168	12/4/2007	12:09:44
050b050a.log	4,794	12/4/2007	12:09:44
050b050a.rsf	291	12/4/2007	12:06:46
050b050b.cfd	11,168	12/4/2007	12:09:44
050b050b.log	4,794	12/4/2007	12:09:44
050b050b.rsf	291	12/4/2007	12:06:46
050b050c.cfd	11,168	12/4/2007	12:09:44
050b050c.log	4,794	12/4/2007	12:09:44
050b050c.rsf	292	12/4/2007	12:06:46
050b050d.cfd	11,168	12/4/2007	12:09:44
050b050d.log	4,794	12/4/2007	12:09:44
050b050d.rsf	292	12/4/2007	12:06:46
050b060a.cfd	11,168	12/4/2007	12:09:38
050b060a.log	4,794	12/4/2007	12:09:38
050b060a.rsf	293	12/4/2007	12:06:46
050b060b.cfd	11,168	12/4/2007	12:09:38
050b060b.log	4,794	12/4/2007	12:09:38
050b060b.rsf	292	12/4/2007	12:06:46
050b060c.cfd	11,168	12/4/2007	12:09:38
050b060c.log	4,794	12/4/2007	12:09:38
050b060c.rsf	292	12/4/2007	12:06:46
050b060d.cfd	11,168	12/4/2007	12:09:38
050b060d.log	4,794	12/4/2007	12:09:38
050b060d.rsf	292	12/4/2007	12:06:46
050b060e.cfd	11,168	12/4/2007	12:09:40
050b060e.log	4,794	12/4/2007	12:09:40
050b060e.rsf	292	12/4/2007	12:06:46
050b070a.cfd	11,168	12/4/2007	12:09:40
050b070a.log	4,794	12/4/2007	12:09:40
050b070a.rsf	293	12/4/2007	12:06:46
050b070b.cfd	11,168	12/4/2007	12:09:40
050b070b.log	4,794	12/4/2007	12:09:40
050b070b.rsf	292	12/4/2007	12:06:46
050b070c.cfd	11,168	12/4/2007	12:09:40
050b070c.log	4,794	12/4/2007	12:09:40
050b070c.rsf	292	12/4/2007	12:06:46
050b070d.cfd	11,168	12/4/2007	12:09:40
050b070d.log	4,794	12/4/2007	12:09:40
050b070d.rsf	292	12/4/2007	12:06:46
050b070e.cfd	11,168	12/4/2007	12:09:40

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
050b070e.log	4,794	12/4/2007	12:09:40
050b070e.rsf	292	12/4/2007	12:06:46
050b080a.cfd	11,168	12/4/2007	12:09:40
050b080a.log	4,794	12/4/2007	12:09:40
050b080a.rsf	293	12/4/2007	12:06:46
050b080b.cfd	11,168	12/4/2007	12:09:40
050b080b.log	4,794	12/4/2007	12:09:40
050b080b.rsf	292	12/4/2007	12:06:46
050b080c.cfd	11,168	12/4/2007	12:09:40
050b080c.log	4,794	12/4/2007	12:09:40
050b080c.rsf	292	12/4/2007	12:06:46
050b080d.cfd	11,168	12/4/2007	12:09:42
050b080d.log	4,794	12/4/2007	12:09:42
050b080d.rsf	292	12/4/2007	12:06:46
050b080e.cfd	11,168	12/4/2007	12:09:42
050b080e.log	4,794	12/4/2007	12:09:42
050b080e.rsf	292	12/4/2007	12:06:46
050b160a.cfd	11,168	12/4/2007	12:09:44
050b160a.log	4,794	12/4/2007	12:09:44
050b160a.rsf	292	12/4/2007	12:06:46
050b160b.cfd	11,168	12/4/2007	12:09:44
050b160b.log	4,794	12/4/2007	12:09:44
050b160b.rsf	292	12/4/2007	12:06:46
050b160c.cfd	11,168	12/4/2007	12:09:46
050b160c.log	4,794	12/4/2007	12:09:46
050b160c.rsf	292	12/4/2007	12:06:46
050b17PN.cfd	11,168	12/4/2007	12:09:46
050b17PN.log	4,794	12/4/2007	12:09:46
050b17PN.rsf	295	12/4/2007	12:06:46
050b17PS.cfd	11,168	12/4/2007	12:09:46
050b17PS.log	4,794	12/4/2007	12:09:46
050b17PS.rsf	295	12/4/2007	12:06:46
050b17RE.cfd	11,168	12/4/2007	12:09:46
050b17RE.log	4,794	12/4/2007	12:09:46
050b17RE.rsf	295	12/4/2007	12:06:46
050b17RW.cfd	11,168	12/4/2007	12:09:46
050b17RW.log	4,794	12/4/2007	12:09:46
050b17RW.rsf	295	12/4/2007	12:06:46
050b200a.cfd	11,168	12/4/2007	12:09:42
050b200a.log	4,794	12/4/2007	12:09:42
050b200a.rsf	293	12/4/2007	12:06:46
050b200b.cfd	11,168	12/4/2007	12:09:42
050b200b.log	4,794	12/4/2007	12:09:42
050b200b.rsf	293	12/4/2007	12:06:46
050b200c.cfd	11,168	12/4/2007	12:09:42
050b200c.log	4,794	12/4/2007	12:09:42
050b200c.rsf	293	12/4/2007	12:06:46
050b200d.cfd	11,168	12/4/2007	12:09:42
050b200d.log	4,794	12/4/2007	12:09:42
050b200d.rsf	293	12/4/2007	12:06:46
050b220.cfd	11,168	12/4/2007	12:09:50
050b220.log	4,794	12/4/2007	12:09:50
050b220.rsf	290	12/4/2007	12:06:46

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
050b230.cfd	11,168	12/4/2007	12:09:50
050b230.log	4,794	12/4/2007	12:09:50
050b230.rsf	290	12/4/2007	12:06:46
050b240.cfd	11,168	12/4/2007	12:09:50
050b240.log	4,794	12/4/2007	12:09:50
050b240.rsf	290	12/4/2007	12:06:46
050b25A.cfd	11,168	12/4/2007	12:09:50
050b25A.log	4,794	12/4/2007	12:09:50
050b25A.rsf	291	12/4/2007	12:06:46
050b27A.cfd	11,168	12/4/2007	12:09:52
050b27A.log	4,794	12/4/2007	12:09:52
050b27A.rsf	290	12/4/2007	12:06:46
050b30A.cfd	11,168	12/4/2007	12:09:52
050b30A.log	4,794	12/4/2007	12:09:52
050b30A.rsf	291	12/4/2007	12:06:46
050b30B.cfd	11,168	12/4/2007	12:09:52
050b30B.log	4,794	12/4/2007	12:09:52
050b30B.rsf	291	12/4/2007	12:06:46
050b30C.cfd	11,168	12/4/2007	12:09:52
050b30C.log	4,794	12/4/2007	12:09:52
050b30C.rsf	292	12/4/2007	12:06:46
050b33A.cfd	11,168	12/4/2007	12:09:54
050b33A.log	4,794	12/4/2007	12:09:54
050b33A.rsf	290	12/4/2007	12:06:46
050b33B.cfd	11,168	12/4/2007	12:09:54
050b33B.log	4,794	12/4/2007	12:09:54
050b33B.rsf	291	12/4/2007	12:06:46
050b51Aa.cfd	11,168	12/4/2007	12:09:44
050b51Aa.log	4,794	12/4/2007	12:09:44
050b51Aa.rsf	291	12/4/2007	12:06:46
050b51Ab.cfd	11,168	12/4/2007	12:09:44
050b51Ab.log	4,794	12/4/2007	12:09:44
050b51Ab.rsf	291	12/4/2007	12:06:46
050b620.cfd	11,168	12/4/2007	12:09:50
050b620.log	4,794	12/4/2007	12:09:50
050b620.rsf	291	12/4/2007	12:06:46
050b71A.cfd	11,168	12/4/2007	12:09:50
050b71A.log	4,794	12/4/2007	12:09:50
050b71A.rsf	291	12/4/2007	12:06:46
050b780.cfd	11,168	12/4/2007	12:09:52
050b780.log	4,794	12/4/2007	12:09:52
050b780.rsf	291	12/4/2007	12:06:46
050bIS2.cfd	11,168	12/4/2007	12:09:48
050bIS2.log	4,794	12/4/2007	12:09:48
050bIS2.rsf	293	12/4/2007	12:06:46
050bIS3.cfd	11,168	12/4/2007	12:09:48
050bIS3.log	4,794	12/4/2007	12:09:48
050bIS3.rsf	294	12/4/2007	12:06:46
050bIS4.cfd	11,168	12/4/2007	12:09:48
050bIS4.log	4,794	12/4/2007	12:09:48
050bIS4.rsf	294	12/4/2007	12:06:46
050bNC.cfd	11,168	12/4/2007	12:09:48
050bNC.log	4,794	12/4/2007	12:09:48



Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
050bNC.rsf	291	12/4/2007	12:06:46
050bNP.cfd	11,168	12/4/2007	12:09:48
050bNP.log	4,794	12/4/2007	12:09:48
050bNP.rsf	289	12/4/2007	12:06:46
050bSP.cfd	11,168	12/4/2007	12:09:50
050bSP.log	4,794	12/4/2007	12:09:50
050bSP.rsf	290	12/4/2007	12:06:46
060a050a.cfd	11,168	12/4/2007	12:07:18
060a050a.log	4,794	12/4/2007	12:07:18
060a050a.rsf	292	12/4/2007	12:06:44
060a050b.cfd	11,168	12/4/2007	12:07:18
060a050b.log	4,794	12/4/2007	12:07:18
060a050b.rsf	292	12/4/2007	12:06:44
060a050c.cfd	11,168	12/4/2007	12:07:18
060a050c.log	4,794	12/4/2007	12:07:18
060a050c.rsf	293	12/4/2007	12:06:44
060a050d.cfd	11,168	12/4/2007	12:07:20
060a050d.log	4,794	12/4/2007	12:07:20
060a050d.rsf	293	12/4/2007	12:06:44
060a060a.cfd	11,168	12/4/2007	12:07:12
060a060a.log	4,794	12/4/2007	12:07:12
060a060a.rsf	292	12/4/2007	12:06:44
060a060b.cfd	11,168	12/4/2007	12:07:12
060a060b.log	4,794	12/4/2007	12:07:12
060a060b.rsf	290	12/4/2007	12:06:44
060a060c.cfd	11,168	12/4/2007	12:07:12
060a060c.log	4,794	12/4/2007	12:07:12
060a060c.rsf	291	12/4/2007	12:06:44
060a060d.cfd	11,168	12/4/2007	12:07:12
060a060d.log	4,794	12/4/2007	12:07:12
060a060d.rsf	291	12/4/2007	12:06:44
060a060e.cfd	11,168	12/4/2007	12:07:14
060a060e.log	4,794	12/4/2007	12:07:14
060a060e.rsf	291	12/4/2007	12:06:44
060a070a.cfd	11,168	12/4/2007	12:07:14
060a070a.log	4,794	12/4/2007	12:07:14
060a070a.rsf	294	12/4/2007	12:06:44
060a070b.cfd	11,168	12/4/2007	12:07:14
060a070b.log	4,794	12/4/2007	12:07:14
060a070b.rsf	293	12/4/2007	12:06:44
060a070c.cfd	11,168	12/4/2007	12:07:14
060a070c.log	4,794	12/4/2007	12:07:14
060a070c.rsf	293	12/4/2007	12:06:44
060a070d.cfd	11,168	12/4/2007	12:07:14
060a070d.log	4,794	12/4/2007	12:07:14
060a070d.rsf	293	12/4/2007	12:06:44
060a070e.cfd	11,168	12/4/2007	12:07:16
060a070e.log	4,794	12/4/2007	12:07:16
060a070e.rsf	293	12/4/2007	12:06:44
060a080a.cfd	11,168	12/4/2007	12:07:16
060a080a.log	4,794	12/4/2007	12:07:16
060a080a.rsf	294	12/4/2007	12:06:44
060a080b.cfd	11,168	12/4/2007	12:07:16

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
060a080b.log	4,794	12/4/2007	12:07:16
060a080b.rsf	293	12/4/2007	12:06:44
060a080c.cfd	11,168	12/4/2007	12:07:16
060a080c.log	4,794	12/4/2007	12:07:16
060a080c.rsf	293	12/4/2007	12:06:44
060a080d.cfd	11,168	12/4/2007	12:07:16
060a080d.log	4,794	12/4/2007	12:07:16
060a080d.rsf	293	12/4/2007	12:06:44
060a080e.cfd	11,168	12/4/2007	12:07:16
060a080e.log	4,794	12/4/2007	12:07:16
060a080e.rsf	293	12/4/2007	12:06:44
060a160a.cfd	11,168	12/4/2007	12:07:20
060a160a.log	4,794	12/4/2007	12:07:20
060a160a.rsf	293	12/4/2007	12:06:44
060a160b.cfd	11,168	12/4/2007	12:07:20
060a160b.log	4,794	12/4/2007	12:07:20
060a160b.rsf	293	12/4/2007	12:06:44
060a160c.cfd	11,168	12/4/2007	12:07:22
060a160c.log	4,794	12/4/2007	12:07:22
060a160c.rsf	293	12/4/2007	12:06:44
060a17PN.cfd	11,168	12/4/2007	12:07:22
060a17PN.log	4,794	12/4/2007	12:07:22
060a17PN.rsf	295	12/4/2007	12:06:44
060a17PS.cfd	11,168	12/4/2007	12:07:22
060a17PS.log	4,794	12/4/2007	12:07:22
060a17PS.rsf	295	12/4/2007	12:06:44
060a17RE.cfd	11,168	12/4/2007	12:07:22
060a17RE.log	4,794	12/4/2007	12:07:22
060a17RE.rsf	294	12/4/2007	12:06:44
060a17RW.cfd	11,168	12/4/2007	12:07:22
060a17RW.log	4,794	12/4/2007	12:07:22
060a17RW.rsf	294	12/4/2007	12:06:44
060a200a.cfd	11,168	12/4/2007	12:07:18
060a200a.log	4,794	12/4/2007	12:07:18
060a200a.rsf	293	12/4/2007	12:06:44
060a200b.cfd	11,168	12/4/2007	12:07:18
060a200b.log	4,794	12/4/2007	12:07:18
060a200b.rsf	293	12/4/2007	12:06:44
060a200c.cfd	11,168	12/4/2007	12:07:18
060a200c.log	4,794	12/4/2007	12:07:18
060a200c.rsf	293	12/4/2007	12:06:44
060a200d.cfd	11,168	12/4/2007	12:07:18
060a200d.log	4,794	12/4/2007	12:07:18
060a200d.rsf	293	12/4/2007	12:06:44
060a220.cfd	11,168	12/4/2007	12:07:24
060a220.log	4,794	12/4/2007	12:07:24
060a220.rsf	290	12/4/2007	12:06:44
060a230.cfd	11,168	12/4/2007	12:07:24
060a230.log	4,794	12/4/2007	12:07:24
060a230.rsf	288	12/4/2007	12:06:44
060a240.cfd	11,168	12/4/2007	12:07:24
060a240.log	4,794	12/4/2007	12:07:24
060a240.rsf	289	12/4/2007	12:06:44

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
060a25A.cfd	11,168	12/4/2007	12:07:26
060a25A.log	4,794	12/4/2007	12:07:26
060a25A.rsf	291	12/4/2007	12:06:44
060a27A.cfd	11,168	12/4/2007	12:07:26
060a27A.log	4,794	12/4/2007	12:07:26
060a27A.rsf	292	12/4/2007	12:06:44
060a30A.cfd	11,168	12/4/2007	12:07:26
060a30A.log	4,794	12/4/2007	12:07:26
060a30A.rsf	290	12/4/2007	12:06:44
060a30B.cfd	11,168	12/4/2007	12:07:26
060a30B.log	4,794	12/4/2007	12:07:26
060a30B.rsf	291	12/4/2007	12:06:44
060a30C.cfd	11,168	12/4/2007	12:07:26
060a30C.log	4,794	12/4/2007	12:07:26
060a30C.rsf	291	12/4/2007	12:06:44
060a33A.cfd	11,168	12/4/2007	12:07:28
060a33A.log	4,794	12/4/2007	12:07:28
060a33A.rsf	288	12/4/2007	12:06:44
060a33B.cfd	11,168	12/4/2007	12:07:28
060a33B.log	4,794	12/4/2007	12:07:28
060a33B.rsf	291	12/4/2007	12:06:44
060a51Aa.cfd	11,168	12/4/2007	12:07:20
060a51Aa.log	4,794	12/4/2007	12:07:20
060a51Aa.rsf	292	12/4/2007	12:06:44
060a51Ab.cfd	11,168	12/4/2007	12:07:20
060a51Ab.log	4,794	12/4/2007	12:07:20
060a51Ab.rsf	292	12/4/2007	12:06:44
060a620.cfd	11,168	12/4/2007	12:07:26
060a620.log	4,794	12/4/2007	12:07:26
060a620.rsf	291	12/4/2007	12:06:44
060a71A.cfd	11,168	12/4/2007	12:07:26
060a71A.log	4,794	12/4/2007	12:07:26
060a71A.rsf	290	12/4/2007	12:06:44
060a780.cfd	11,168	12/4/2007	12:07:26
060a780.log	4,794	12/4/2007	12:07:26
060a780.rsf	291	12/4/2007	12:06:44
060aIS2.cfd	11,168	12/4/2007	12:07:22
060aIS2.log	4,794	12/4/2007	12:07:22
060aIS2.rsf	293	12/4/2007	12:06:44
060aIS3.cfd	11,168	12/4/2007	12:07:22
060aIS3.log	4,794	12/4/2007	12:07:22
060aIS3.rsf	294	12/4/2007	12:06:44
060aIS4.cfd	11,168	12/4/2007	12:07:22
060aIS4.log	4,794	12/4/2007	12:07:22
060aIS4.rsf	294	12/4/2007	12:06:44
060aNC.cfd	11,168	12/4/2007	12:07:24
060aNC.log	4,794	12/4/2007	12:07:24
060aNC.rsf	291	12/4/2007	12:06:44
060aNP.cfd	11,168	12/4/2007	12:07:24
060aNP.log	4,794	12/4/2007	12:07:24
060aNP.rsf	288	12/4/2007	12:06:44
060aSP.cfd	11,168	12/4/2007	12:07:24
060aSP.log	4,794	12/4/2007	12:07:24

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
060aSP.rsf	290	12/4/2007	12:06:44
060b050a.cfd	11,168	12/4/2007	12:07:34
060b050a.log	4,794	12/4/2007	12:07:34
060b050a.rsf	292	12/4/2007	12:06:44
060b050b.cfd	11,168	12/4/2007	12:07:34
060b050b.log	4,794	12/4/2007	12:07:34
060b050b.rsf	292	12/4/2007	12:06:44
060b050c.cfd	11,168	12/4/2007	12:07:34
060b050c.log	4,794	12/4/2007	12:07:34
060b050c.rsf	293	12/4/2007	12:06:44
060b050d.cfd	11,168	12/4/2007	12:07:34
060b050d.log	4,794	12/4/2007	12:07:34
060b050d.rsf	293	12/4/2007	12:06:44
060b060a.cfd	11,168	12/4/2007	12:07:28
060b060a.log	4,794	12/4/2007	12:07:28
060b060a.rsf	293	12/4/2007	12:06:44
060b060b.cfd	11,168	12/4/2007	12:07:28
060b060b.log	4,794	12/4/2007	12:07:28
060b060b.rsf	291	12/4/2007	12:06:44
060b060c.cfd	11,168	12/4/2007	12:07:30
060b060c.log	4,794	12/4/2007	12:07:30
060b060c.rsf	291	12/4/2007	12:06:44
060b060d.cfd	11,168	12/4/2007	12:07:30
060b060d.log	4,794	12/4/2007	12:07:30
060b060d.rsf	291	12/4/2007	12:06:44
060b060e.cfd	11,168	12/4/2007	12:07:30
060b060e.log	4,794	12/4/2007	12:07:30
060b060e.rsf	291	12/4/2007	12:06:44
060b070a.cfd	11,168	12/4/2007	12:07:30
060b070a.log	4,794	12/4/2007	12:07:30
060b070a.rsf	294	12/4/2007	12:06:44
060b070b.cfd	11,168	12/4/2007	12:07:30
060b070b.log	4,794	12/4/2007	12:07:30
060b070b.rsf	293	12/4/2007	12:06:44
060b070c.cfd	11,168	12/4/2007	12:07:30
060b070c.log	4,794	12/4/2007	12:07:30
060b070c.rsf	293	12/4/2007	12:06:44
060b070d.cfd	11,168	12/4/2007	12:07:30
060b070d.log	4,794	12/4/2007	12:07:30
060b070d.rsf	293	12/4/2007	12:06:44
060b070e.cfd	11,168	12/4/2007	12:07:32
060b070e.log	4,794	12/4/2007	12:07:32
060b070e.rsf	293	12/4/2007	12:06:44
060b080a.cfd	11,168	12/4/2007	12:07:32
060b080a.log	4,794	12/4/2007	12:07:32
060b080a.rsf	294	12/4/2007	12:06:44
060b080b.cfd	11,168	12/4/2007	12:07:32
060b080b.log	4,794	12/4/2007	12:07:32
060b080b.rsf	293	12/4/2007	12:06:44
060b080c.cfd	11,168	12/4/2007	12:07:32
060b080c.log	4,794	12/4/2007	12:07:32
060b080c.rsf	293	12/4/2007	12:06:44
060b080d.cfd	11,168	12/4/2007	12:07:32

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
060b080d.log	4,794	12/4/2007	12:07:32
060b080d.rsf	293	12/4/2007	12:06:44
060b080e.cfd	11,168	12/4/2007	12:07:32
060b080e.log	4,794	12/4/2007	12:07:32
060b080e.rsf	293	12/4/2007	12:06:44
060b160a.cfd	11,168	12/4/2007	12:07:34
060b160a.log	4,794	12/4/2007	12:07:34
060b160a.rsf	293	12/4/2007	12:06:44
060b160b.cfd	11,168	12/4/2007	12:07:36
060b160b.log	4,794	12/4/2007	12:07:36
060b160b.rsf	293	12/4/2007	12:06:44
060b160c.cfd	11,168	12/4/2007	12:07:36
060b160c.log	4,794	12/4/2007	12:07:36
060b160c.rsf	293	12/4/2007	12:06:44
060b17PN.cfd	11,168	12/4/2007	12:07:36
060b17PN.log	4,794	12/4/2007	12:07:36
060b17PN.rsf	295	12/4/2007	12:06:44
060b17PS.cfd	11,168	12/4/2007	12:07:38
060b17PS.log	4,794	12/4/2007	12:07:38
060b17PS.rsf	295	12/4/2007	12:06:44
060b17RE.cfd	11,168	12/4/2007	12:07:36
060b17RE.log	4,794	12/4/2007	12:07:36
060b17RE.rsf	295	12/4/2007	12:06:44
060b17RW.cfd	11,168	12/4/2007	12:07:36
060b17RW.log	4,794	12/4/2007	12:07:36
060b17RW.rsf	295	12/4/2007	12:06:44
060b200a.cfd	11,168	12/4/2007	12:07:32
060b200a.log	4,794	12/4/2007	12:07:32
060b200a.rsf	293	12/4/2007	12:06:44
060b200b.cfd	11,168	12/4/2007	12:07:32
060b200b.log	4,794	12/4/2007	12:07:32
060b200b.rsf	293	12/4/2007	12:06:44
060b200c.cfd	11,168	12/4/2007	12:07:34
060b200c.log	4,794	12/4/2007	12:07:34
060b200c.rsf	293	12/4/2007	12:06:44
060b200d.cfd	11,168	12/4/2007	12:07:34
060b200d.log	4,794	12/4/2007	12:07:34
060b200d.rsf	293	12/4/2007	12:06:44
060b220.cfd	11,168	12/4/2007	12:07:40
060b220.log	4,794	12/4/2007	12:07:40
060b220.rsf	290	12/4/2007	12:06:44
060b230.cfd	11,168	12/4/2007	12:07:40
060b230.log	4,794	12/4/2007	12:07:40
060b230.rsf	288	12/4/2007	12:06:44
060b240.cfd	11,168	12/4/2007	12:07:40
060b240.log	4,794	12/4/2007	12:07:40
060b240.rsf	289	12/4/2007	12:06:44
060b25A.cfd	11,168	12/4/2007	12:07:40
060b25A.log	4,794	12/4/2007	12:07:40
060b25A.rsf	291	12/4/2007	12:06:44
060b27A.cfd	11,168	12/4/2007	12:07:42
060b27A.log	4,794	12/4/2007	12:07:42
060b27A.rsf	292	12/4/2007	12:06:44

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
060b30A.cfd	11,168	12/4/2007	12:07:42
060b30A.log	4,794	12/4/2007	12:07:42
060b30A.rsf	290	12/4/2007	12:06:44
060b30B.cfd	11,168	12/4/2007	12:07:42
060b30B.log	4,794	12/4/2007	12:07:42
060b30B.rsf	291	12/4/2007	12:06:44
060b30C.cfd	11,168	12/4/2007	12:07:42
060b30C.log	4,794	12/4/2007	12:07:42
060b30C.rsf	291	12/4/2007	12:06:44
060b33A.cfd	11,168	12/4/2007	12:07:42
060b33A.log	4,794	12/4/2007	12:07:42
060b33A.rsf	288	12/4/2007	12:06:44
060b33B.cfd	11,168	12/4/2007	12:07:44
060b33B.log	4,794	12/4/2007	12:07:44
060b33B.rsf	291	12/4/2007	12:06:44
060b51Aa.cfd	11,168	12/4/2007	12:07:34
060b51Aa.log	4,794	12/4/2007	12:07:34
060b51Aa.rsf	292	12/4/2007	12:06:44
060b51Ab.cfd	11,168	12/4/2007	12:07:34
060b51Ab.log	4,794	12/4/2007	12:07:34
060b51Ab.rsf	292	12/4/2007	12:06:44
060b620.cfd	11,168	12/4/2007	12:07:40
060b620.log	4,794	12/4/2007	12:07:40
060b620.rsf	291	12/4/2007	12:06:44
060b71A.cfd	11,168	12/4/2007	12:07:40
060b71A.log	4,794	12/4/2007	12:07:40
060b71A.rsf	290	12/4/2007	12:06:44
060b780.cfd	11,168	12/4/2007	12:07:42
060b780.log	4,794	12/4/2007	12:07:42
060b780.rsf	291	12/4/2007	12:06:44
060blS2.cfd	11,168	12/4/2007	12:07:38
060blS2.log	4,794	12/4/2007	12:07:38
060blS2.rsf	293	12/4/2007	12:06:44
060blS3.cfd	11,168	12/4/2007	12:07:38
060blS3.log	4,794	12/4/2007	12:07:38
060blS3.rsf	294	12/4/2007	12:06:44
060blS4.cfd	11,168	12/4/2007	12:07:38
060blS4.log	4,794	12/4/2007	12:07:38
060blS4.rsf	294	12/4/2007	12:06:44
060bNC.cfd	11,168	12/4/2007	12:07:38
060bNC.log	4,794	12/4/2007	12:07:38
060bNC.rsf	291	12/4/2007	12:06:44
060bNP.cfd	11,168	12/4/2007	12:07:40
060bNP.log	4,794	12/4/2007	12:07:40
060bNP.rsf	288	12/4/2007	12:06:44
060bSP.cfd	11,168	12/4/2007	12:07:40
060bSP.log	4,794	12/4/2007	12:07:40
060bSP.rsf	290	12/4/2007	12:06:44
070a050a.cfd	11,168	12/4/2007	12:07:50
070a050a.log	4,794	12/4/2007	12:07:50
070a050a.rsf	292	12/4/2007	12:06:44
070a050b.cfd	11,168	12/4/2007	12:07:52
070a050b.log	4,794	12/4/2007	12:07:52

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
070a050b.rsf	292	12/4/2007	12:06:44
070a050c.cfd	11,168	12/4/2007	12:07:52
070a050c.log	4,794	12/4/2007	12:07:52
070a050c.rsf	293	12/4/2007	12:06:44
070a050d.cfd	11,168	12/4/2007	12:07:52
070a050d.log	4,794	12/4/2007	12:07:52
070a050d.rsf	293	12/4/2007	12:06:44
070a060a.cfd	11,168	12/4/2007	12:07:44
070a060a.log	4,794	12/4/2007	12:07:44
070a060a.rsf	292	12/4/2007	12:06:44
070a060b.cfd	11,168	12/4/2007	12:07:44
070a060b.log	4,794	12/4/2007	12:07:44
070a060b.rsf	291	12/4/2007	12:06:44
070a060c.cfd	11,168	12/4/2007	12:07:44
070a060c.log	4,794	12/4/2007	12:07:44
070a060c.rsf	291	12/4/2007	12:06:44
070a060d.cfd	11,168	12/4/2007	12:07:44
070a060d.log	4,794	12/4/2007	12:07:44
070a060d.rsf	291	12/4/2007	12:06:44
070a060e.cfd	11,168	12/4/2007	12:07:46
070a060e.log	4,794	12/4/2007	12:07:46
070a060e.rsf	291	12/4/2007	12:06:44
070a070a.cfd	11,168	12/4/2007	12:07:46
070a070a.log	4,794	12/4/2007	12:07:46
070a070a.rsf	292	12/4/2007	12:06:44
070a070b.cfd	11,168	12/4/2007	12:07:46
070a070b.log	4,794	12/4/2007	12:07:46
070a070b.rsf	290	12/4/2007	12:06:44
070a070c.cfd	11,168	12/4/2007	12:07:46
070a070c.log	4,794	12/4/2007	12:07:46
070a070c.rsf	291	12/4/2007	12:06:44
070a070d.cfd	11,168	12/4/2007	12:07:46
070a070d.log	4,794	12/4/2007	12:07:46
070a070d.rsf	291	12/4/2007	12:06:44
070a070e.cfd	11,168	12/4/2007	12:07:48
070a070e.log	4,794	12/4/2007	12:07:48
070a070e.rsf	291	12/4/2007	12:06:44
070a080a.cfd	11,168	12/4/2007	12:07:48
070a080a.log	4,794	12/4/2007	12:07:48
070a080a.rsf	294	12/4/2007	12:06:44
070a080b.cfd	11,168	12/4/2007	12:07:48
070a080b.log	4,794	12/4/2007	12:07:48
070a080b.rsf	293	12/4/2007	12:06:44
070a080c.cfd	11,168	12/4/2007	12:07:48
070a080c.log	4,794	12/4/2007	12:07:48
070a080c.rsf	293	12/4/2007	12:06:44
070a080d.cfd	11,168	12/4/2007	12:07:48
070a080d.log	4,794	12/4/2007	12:07:48
070a080d.rsf	293	12/4/2007	12:06:44
070a080e.cfd	11,168	12/4/2007	12:07:50
070a080e.log	4,794	12/4/2007	12:07:50
070a080e.rsf	293	12/4/2007	12:06:44
070a160a.cfd	11,168	12/4/2007	12:07:54

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
070a160a.log	4,794	12/4/2007	12:07:54
070a160a.rsf	292	12/4/2007	12:06:44
070a160b.cfd	11,168	12/4/2007	12:07:54
070a160b.log	4,794	12/4/2007	12:07:54
070a160b.rsf	292	12/4/2007	12:06:44
070a160c.cfd	11,168	12/4/2007	12:07:54
070a160c.log	4,794	12/4/2007	12:07:54
070a160c.rsf	292	12/4/2007	12:06:44
070a17PN.cfd	11,168	12/4/2007	12:07:56
070a17PN.log	4,794	12/4/2007	12:07:56
070a17PN.rsf	295	12/4/2007	12:06:44
070a17PS.cfd	11,168	12/4/2007	12:07:56
070a17PS.log	4,794	12/4/2007	12:07:56
070a17PS.rsf	295	12/4/2007	12:06:44
070a17RE.cfd	11,168	12/4/2007	12:07:54
070a17RE.log	4,794	12/4/2007	12:07:54
070a17RE.rsf	294	12/4/2007	12:06:44
070a17RW.cfd	11,168	12/4/2007	12:07:54
070a17RW.log	4,794	12/4/2007	12:07:54
070a17RW.rsf	294	12/4/2007	12:06:44
070a200a.cfd	11,168	12/4/2007	12:07:50
070a200a.log	4,794	12/4/2007	12:07:50
070a200a.rsf	292	12/4/2007	12:06:44
070a200b.cfd	11,168	12/4/2007	12:07:50
070a200b.log	4,794	12/4/2007	12:07:50
070a200b.rsf	292	12/4/2007	12:06:44
070a200c.cfd	11,168	12/4/2007	12:07:50
070a200c.log	4,794	12/4/2007	12:07:50
070a200c.rsf	292	12/4/2007	12:06:44
070a200d.cfd	11,168	12/4/2007	12:07:50
070a200d.log	4,794	12/4/2007	12:07:50
070a200d.rsf	292	12/4/2007	12:06:44
070a220.cfd	11,168	12/4/2007	12:07:58
070a220.log	4,794	12/4/2007	12:07:58
070a220.rsf	290	12/4/2007	12:06:44
070a230.cfd	11,168	12/4/2007	12:07:58
070a230.log	4,794	12/4/2007	12:07:58
070a230.rsf	289	12/4/2007	12:06:44
070a240.cfd	11,168	12/4/2007	12:07:58
070a240.log	4,794	12/4/2007	12:07:58
070a240.rsf	289	12/4/2007	12:06:44
070a25A.cfd	11,168	12/4/2007	12:07:58
070a25A.log	4,794	12/4/2007	12:07:58
070a25A.rsf	289	12/4/2007	12:06:44
070a27A.cfd	11,168	12/4/2007	12:08:02
070a27A.log	4,794	12/4/2007	12:08:02
070a27A.rsf	292	12/4/2007	12:06:44
070a30A.cfd	11,168	12/4/2007	12:08:00
070a30A.log	4,794	12/4/2007	12:08:00
070a30A.rsf	290	12/4/2007	12:06:44
070a30B.cfd	11,168	12/4/2007	12:08:00
070a30B.log	4,794	12/4/2007	12:08:00
070a30B.rsf	289	12/4/2007	12:06:44



Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
070a30C.cfd	11,168	12/4/2007	12:08:00
070a30C.log	4,794	12/4/2007	12:08:00
070a30C.rsf	291	12/4/2007	12:06:44
070a33A.cfd	11,168	12/4/2007	12:08:02
070a33A.log	4,794	12/4/2007	12:08:02
070a33A.rsf	290	12/4/2007	12:06:44
070a33B.cfd	11,168	12/4/2007	12:08:02
070a33B.log	4,794	12/4/2007	12:08:02
070a33B.rsf	290	12/4/2007	12:06:44
070a51Aa.cfd	11,168	12/4/2007	12:07:52
070a51Aa.log	4,794	12/4/2007	12:07:52
070a51Aa.rsf	293	12/4/2007	12:06:44
070a51Ab.cfd	11,168	12/4/2007	12:07:52
070a51Ab.log	4,794	12/4/2007	12:07:52
070a51Ab.rsf	293	12/4/2007	12:06:44
070a620.cfd	11,168	12/4/2007	12:08:00
070a620.log	4,794	12/4/2007	12:08:00
070a620.rsf	291	12/4/2007	12:06:44
070a71A.cfd	11,168	12/4/2007	12:08:00
070a71A.log	4,794	12/4/2007	12:08:00
070a71A.rsf	290	12/4/2007	12:06:44
070a780.cfd	11,168	12/4/2007	12:08:02
070a780.log	4,794	12/4/2007	12:08:02
070a780.rsf	290	12/4/2007	12:06:44
070aI2.cfd	11,168	12/4/2007	12:07:56
070aI2.log	4,794	12/4/2007	12:07:56
070aI2.rsf	293	12/4/2007	12:06:44
070aI3.cfd	11,168	12/4/2007	12:07:56
070aI3.log	4,794	12/4/2007	12:07:56
070aI3.rsf	294	12/4/2007	12:06:44
070aI4.cfd	11,168	12/4/2007	12:07:56
070aI4.log	4,794	12/4/2007	12:07:56
070aI4.rsf	294	12/4/2007	12:06:44
070aNC.cfd	11,168	12/4/2007	12:07:56
070aNC.log	4,794	12/4/2007	12:07:56
070aNC.rsf	291	12/4/2007	12:06:44
070aNP.cfd	11,168	12/4/2007	12:07:56
070aNP.log	4,794	12/4/2007	12:07:56
070aNP.rsf	288	12/4/2007	12:06:44
070aSP.cfd	11,168	12/4/2007	12:07:58
070aSP.log	4,794	12/4/2007	12:07:58
070aSP.rsf	290	12/4/2007	12:06:44
070b050a.cfd	11,168	12/4/2007	12:08:08
070b050a.log	4,794	12/4/2007	12:08:08
070b050a.rsf	292	12/4/2007	12:06:44
070b050b.cfd	11,168	12/4/2007	12:08:08
070b050b.log	4,794	12/4/2007	12:08:08
070b050b.rsf	292	12/4/2007	12:06:44
070b050c.cfd	11,168	12/4/2007	12:08:08
070b050c.log	4,794	12/4/2007	12:08:08
070b050c.rsf	293	12/4/2007	12:06:44
070b050d.cfd	11,168	12/4/2007	12:08:10
070b050d.log	4,794	12/4/2007	12:08:10

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
070b050d.rsf	293	12/4/2007	12:06:44
070b060a.cfd	11,168	12/4/2007	12:08:02
070b060a.log	4,794	12/4/2007	12:08:02
070b060a.rsf	292	12/4/2007	12:06:44
070b060b.cfd	11,168	12/4/2007	12:08:04
070b060b.log	4,794	12/4/2007	12:08:04
070b060b.rsf	291	12/4/2007	12:06:44
070b060c.cfd	11,168	12/4/2007	12:08:04
070b060c.log	4,794	12/4/2007	12:08:04
070b060c.rsf	291	12/4/2007	12:06:44
070b060d.cfd	11,168	12/4/2007	12:08:04
070b060d.log	4,794	12/4/2007	12:08:04
070b060d.rsf	291	12/4/2007	12:06:44
070b060e.cfd	11,168	12/4/2007	12:08:04
070b060e.log	4,794	12/4/2007	12:08:04
070b060e.rsf	291	12/4/2007	12:06:44
070b070a.cfd	11,168	12/4/2007	12:08:04
070b070a.log	4,794	12/4/2007	12:08:04
070b070a.rsf	293	12/4/2007	12:06:44
070b070b.cfd	11,168	12/4/2007	12:08:04
070b070b.log	4,794	12/4/2007	12:08:04
070b070b.rsf	291	12/4/2007	12:06:44
070b070c.cfd	11,168	12/4/2007	12:08:06
070b070c.log	4,794	12/4/2007	12:08:06
070b070c.rsf	291	12/4/2007	12:06:44
070b070d.cfd	11,168	12/4/2007	12:08:06
070b070d.log	4,794	12/4/2007	12:08:06
070b070d.rsf	291	12/4/2007	12:06:44
070b070e.cfd	11,168	12/4/2007	12:08:06
070b070e.log	4,794	12/4/2007	12:08:06
070b070e.rsf	291	12/4/2007	12:06:44
070b080a.cfd	11,168	12/4/2007	12:08:06
070b080a.log	4,794	12/4/2007	12:08:06
070b080a.rsf	294	12/4/2007	12:06:44
070b080b.cfd	11,168	12/4/2007	12:08:06
070b080b.log	4,794	12/4/2007	12:08:06
070b080b.rsf	293	12/4/2007	12:06:44
070b080c.cfd	11,168	12/4/2007	12:08:06
070b080c.log	4,794	12/4/2007	12:08:06
070b080c.rsf	293	12/4/2007	12:06:44
070b080d.cfd	11,168	12/4/2007	12:08:06
070b080d.log	4,794	12/4/2007	12:08:06
070b080d.rsf	293	12/4/2007	12:06:44
070b080e.cfd	11,168	12/4/2007	12:08:08
070b080e.log	4,794	12/4/2007	12:08:08
070b080e.rsf	293	12/4/2007	12:06:44
070b160a.cfd	11,168	12/4/2007	12:08:10
070b160a.log	4,794	12/4/2007	12:08:10
070b160a.rsf	292	12/4/2007	12:06:44
070b160b.cfd	11,168	12/4/2007	12:08:10
070b160b.log	4,794	12/4/2007	12:08:10
070b160b.rsf	292	12/4/2007	12:06:44
070b160c.cfd	11,168	12/4/2007	12:08:10

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
070b160c.log	4,794	12/4/2007	12:08:10
070b160c.rsf	292	12/4/2007	12:06:44
070b17PN.cfd	11,168	12/4/2007	12:08:12
070b17PN.log	4,794	12/4/2007	12:08:12
070b17PN.rsf	295	12/4/2007	12:06:44
070b17PS.cfd	11,168	12/4/2007	12:08:12
070b17PS.log	4,794	12/4/2007	12:08:12
070b17PS.rsf	295	12/4/2007	12:06:44
070b17RE.cfd	11,168	12/4/2007	12:08:10
070b17RE.log	4,794	12/4/2007	12:08:10
070b17RE.rsf	294	12/4/2007	12:06:44
070b17RW.cfd	11,168	12/4/2007	12:08:10
070b17RW.log	4,794	12/4/2007	12:08:10
070b17RW.rsf	294	12/4/2007	12:06:44
070b200a.cfd	11,168	12/4/2007	12:08:08
070b200a.log	4,794	12/4/2007	12:08:08
070b200a.rsf	292	12/4/2007	12:06:44
070b200b.cfd	11,168	12/4/2007	12:08:08
070b200b.log	4,794	12/4/2007	12:08:08
070b200b.rsf	292	12/4/2007	12:06:44
070b200c.cfd	11,168	12/4/2007	12:08:08
070b200c.log	4,794	12/4/2007	12:08:08
070b200c.rsf	292	12/4/2007	12:06:44
070b200d.cfd	11,168	12/4/2007	12:08:08
070b200d.log	4,794	12/4/2007	12:08:08
070b200d.rsf	292	12/4/2007	12:06:44
070b220.cfd	11,168	12/4/2007	12:08:14
070b220.log	4,794	12/4/2007	12:08:14
070b220.rsf	290	12/4/2007	12:06:44
070b230.cfd	11,168	12/4/2007	12:08:14
070b230.log	4,794	12/4/2007	12:08:14
070b230.rsf	289	12/4/2007	12:06:44
070b240.cfd	11,168	12/4/2007	12:08:14
070b240.log	4,794	12/4/2007	12:08:14
070b240.rsf	289	12/4/2007	12:06:44
070b25A.cfd	11,168	12/4/2007	12:08:16
070b25A.log	4,794	12/4/2007	12:08:16
070b25A.rsf	291	12/4/2007	12:06:44
070b27A.cfd	11,168	12/4/2007	12:08:18
070b27A.log	4,794	12/4/2007	12:08:18
070b27A.rsf	292	12/4/2007	12:06:44
070b30A.cfd	11,168	12/4/2007	12:08:16
070b30A.log	4,794	12/4/2007	12:08:16
070b30A.rsf	290	12/4/2007	12:06:44
070b30B.cfd	11,168	12/4/2007	12:08:18
070b30B.log	4,794	12/4/2007	12:08:18
070b30B.rsf	289	12/4/2007	12:06:44
070b30C.cfd	11,168	12/4/2007	12:08:18
070b30C.log	4,794	12/4/2007	12:08:18
070b30C.rsf	291	12/4/2007	12:06:44
070b33A.cfd	11,168	12/4/2007	12:08:18
070b33A.log	4,794	12/4/2007	12:08:18
070b33A.rsf	290	12/4/2007	12:06:44

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
070b33B.cfd	11,168	12/4/2007	12:08:20
070b33B.log	4,794	12/4/2007	12:08:20
070b33B.rsf	290	12/4/2007	12:06:44
070b51Aa.cfd	11,168	12/4/2007	12:08:10
070b51Aa.log	4,794	12/4/2007	12:08:10
070b51Aa.rsf	292	12/4/2007	12:06:44
070b51Ab.cfd	11,168	12/4/2007	12:08:10
070b51Ab.log	4,794	12/4/2007	12:08:10
070b51Ab.rsf	292	12/4/2007	12:06:44
070b620.cfd	11,168	12/4/2007	12:08:16
070b620.log	4,794	12/4/2007	12:08:16
070b620.rsf	291	12/4/2007	12:06:44
070b71A.cfd	11,168	12/4/2007	12:08:16
070b71A.log	4,794	12/4/2007	12:08:16
070b71A.rsf	290	12/4/2007	12:06:44
070b780.cfd	11,168	12/4/2007	12:08:18
070b780.log	4,794	12/4/2007	12:08:18
070b780.rsf	292	12/4/2007	12:06:44
070blS2.cfd	11,168	12/4/2007	12:08:12
070blS2.log	4,794	12/4/2007	12:08:12
070blS2.rsf	293	12/4/2007	12:06:44
070blS3.cfd	11,168	12/4/2007	12:08:12
070blS3.log	4,794	12/4/2007	12:08:12
070blS3.rsf	294	12/4/2007	12:06:44
070blS4.cfd	11,168	12/4/2007	12:08:12
070blS4.log	4,794	12/4/2007	12:08:12
070blS4.rsf	294	12/4/2007	12:06:44
070bNC.cfd	11,168	12/4/2007	12:08:14
070bNC.log	4,794	12/4/2007	12:08:14
070bNC.rsf	291	12/4/2007	12:06:44
070bNP.cfd	11,168	12/4/2007	12:08:14
070bNP.log	4,794	12/4/2007	12:08:14
070bNP.rsf	288	12/4/2007	12:06:44
070bSP.cfd	11,168	12/4/2007	12:08:14
070bSP.log	4,794	12/4/2007	12:08:14
070bSP.rsf	290	12/4/2007	12:06:44
080a050a.cfd	11,168	12/4/2007	12:08:26
080a050a.log	4,794	12/4/2007	12:08:26
080a050a.rsf	292	12/4/2007	12:06:44
080a050b.cfd	11,168	12/4/2007	12:08:26
080a050b.log	4,794	12/4/2007	12:08:26
080a050b.rsf	292	12/4/2007	12:06:44
080a050c.cfd	11,168	12/4/2007	12:08:26
080a050c.log	4,794	12/4/2007	12:08:26
080a050c.rsf	293	12/4/2007	12:06:44
080a050d.cfd	11,168	12/4/2007	12:08:26
080a050d.log	4,794	12/4/2007	12:08:26
080a050d.rsf	293	12/4/2007	12:06:44
080a060a.cfd	11,168	12/4/2007	12:08:20
080a060a.log	4,794	12/4/2007	12:08:20
080a060a.rsf	292	12/4/2007	12:06:44
080a060b.cfd	11,168	12/4/2007	12:08:20
080a060b.log	4,794	12/4/2007	12:08:20

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
080a060b.rsf	291	12/4/2007	12:06:44
080a060c.cfd	11,168	12/4/2007	12:08:20
080a060c.log	4,794	12/4/2007	12:08:20
080a060c.rsf	291	12/4/2007	12:06:44
080a060d.cfd	11,168	12/4/2007	12:08:20
080a060d.log	4,794	12/4/2007	12:08:20
080a060d.rsf	291	12/4/2007	12:06:44
080a060e.cfd	11,168	12/4/2007	12:08:22
080a060e.log	4,794	12/4/2007	12:08:22
080a060e.rsf	291	12/4/2007	12:06:44
080a070a.cfd	11,168	12/4/2007	12:08:22
080a070a.log	4,794	12/4/2007	12:08:22
080a070a.rsf	292	12/4/2007	12:06:44
080a070b.cfd	11,168	12/4/2007	12:08:22
080a070b.log	4,794	12/4/2007	12:08:22
080a070b.rsf	291	12/4/2007	12:06:44
080a070c.cfd	11,168	12/4/2007	12:08:22
080a070c.log	4,794	12/4/2007	12:08:22
080a070c.rsf	291	12/4/2007	12:06:44
080a070d.cfd	11,168	12/4/2007	12:08:22
080a070d.log	4,794	12/4/2007	12:08:22
080a070d.rsf	291	12/4/2007	12:06:44
080a070e.cfd	11,168	12/4/2007	12:08:22
080a070e.log	4,794	12/4/2007	12:08:22
080a070e.rsf	291	12/4/2007	12:06:44
080a080a.cfd	11,168	12/4/2007	12:08:22
080a080a.log	4,794	12/4/2007	12:08:22
080a080a.rsf	292	12/4/2007	12:06:44
080a080b.cfd	11,168	12/4/2007	12:08:22
080a080b.log	4,794	12/4/2007	12:08:22
080a080b.rsf	290	12/4/2007	12:06:44
080a080c.cfd	11,168	12/4/2007	12:08:22
080a080c.log	4,794	12/4/2007	12:08:22
080a080c.rsf	291	12/4/2007	12:06:44
080a080d.cfd	11,168	12/4/2007	12:08:24
080a080d.log	4,794	12/4/2007	12:08:24
080a080d.rsf	291	12/4/2007	12:06:44
080a080e.cfd	11,168	12/4/2007	12:08:24
080a080e.log	4,794	12/4/2007	12:08:24
080a080e.rsf	291	12/4/2007	12:06:44
080a160a.cfd	11,168	12/4/2007	12:08:26
080a160a.log	4,794	12/4/2007	12:08:26
080a160a.rsf	291	12/4/2007	12:06:44
080a160b.cfd	11,168	12/4/2007	12:08:26
080a160b.log	4,794	12/4/2007	12:08:26
080a160b.rsf	291	12/4/2007	12:06:44
080a160c.cfd	11,168	12/4/2007	12:08:28
080a160c.log	4,794	12/4/2007	12:08:28
080a160c.rsf	291	12/4/2007	12:06:44
080a17PN.cfd	11,168	12/4/2007	12:08:28
080a17PN.log	4,794	12/4/2007	12:08:28
080a17PN.rsf	295	12/4/2007	12:06:44
080a17PS.cfd	11,168	12/4/2007	12:08:28

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
080a17PS.log	4,794	12/4/2007	12:08:28
080a17PS.rsf	295	12/4/2007	12:06:44
080a17RE.cfd	11,168	12/4/2007	12:08:28
080a17RE.log	4,794	12/4/2007	12:08:28
080a17RE.rsf	294	12/4/2007	12:06:44
080a17RW.cfd	11,168	12/4/2007	12:08:28
080a17RW.log	4,794	12/4/2007	12:08:28
080a17RW.rsf	294	12/4/2007	12:06:44
080a200a.cfd	11,168	12/4/2007	12:08:24
080a200a.log	4,794	12/4/2007	12:08:24
080a200a.rsf	292	12/4/2007	12:06:44
080a200b.cfd	11,168	12/4/2007	12:08:24
080a200b.log	4,794	12/4/2007	12:08:24
080a200b.rsf	292	12/4/2007	12:06:44
080a200c.cfd	11,168	12/4/2007	12:08:24
080a200c.log	4,794	12/4/2007	12:08:24
080a200c.rsf	292	12/4/2007	12:06:44
080a200d.cfd	11,168	12/4/2007	12:08:24
080a200d.log	4,794	12/4/2007	12:08:24
080a200d.rsf	292	12/4/2007	12:06:44
080a220.cfd	11,168	12/4/2007	12:08:32
080a220.log	4,794	12/4/2007	12:08:32
080a220.rsf	291	12/4/2007	12:06:44
080a230.cfd	11,168	12/4/2007	12:08:32
080a230.log	4,794	12/4/2007	12:08:32
080a230.rsf	290	12/4/2007	12:06:44
080a240.cfd	11,168	12/4/2007	12:08:32
080a240.log	4,794	12/4/2007	12:08:32
080a240.rsf	290	12/4/2007	12:06:44
080a25A.cfd	11,168	12/4/2007	12:08:32
080a25A.log	4,794	12/4/2007	12:08:32
080a25A.rsf	290	12/4/2007	12:06:44
080a27A.cfd	11,168	12/4/2007	12:08:34
080a27A.log	4,794	12/4/2007	12:08:34
080a27A.rsf	292	12/4/2007	12:06:44
080a30A.cfd	11,168	12/4/2007	12:08:34
080a30A.log	4,794	12/4/2007	12:08:34
080a30A.rsf	290	12/4/2007	12:06:44
080a30B.cfd	11,168	12/4/2007	12:08:34
080a30B.log	4,794	12/4/2007	12:08:34
080a30B.rsf	289	12/4/2007	12:06:44
080a30C.cfd	11,168	12/4/2007	12:08:34
080a30C.log	4,794	12/4/2007	12:08:34
080a30C.rsf	291	12/4/2007	12:06:44
080a33A.cfd	11,168	12/4/2007	12:08:34
080a33A.log	4,794	12/4/2007	12:08:34
080a33A.rsf	290	12/4/2007	12:06:44
080a33B.cfd	11,168	12/4/2007	12:08:36
080a33B.log	4,794	12/4/2007	12:08:36
080a33B.rsf	290	12/4/2007	12:06:44
080a51Aa.cfd	11,168	12/4/2007	12:08:26
080a51Aa.log	4,794	12/4/2007	12:08:26
080a51Aa.rsf	293	12/4/2007	12:06:44

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
080a51Ab.cfd	11,168	12/4/2007	12:08:26
080a51Ab.log	4,794	12/4/2007	12:08:26
080a51Ab.rsf	293	12/4/2007	12:06:44
080a620.cfd	11,168	12/4/2007	12:08:32
080a620.log	4,794	12/4/2007	12:08:32
080a620.rsf	289	12/4/2007	12:06:44
080a71A.cfd	11,168	12/4/2007	12:08:34
080a71A.log	4,794	12/4/2007	12:08:34
080a71A.rsf	291	12/4/2007	12:06:44
080a780.cfd	11,168	12/4/2007	12:08:34
080a780.log	4,794	12/4/2007	12:08:34
080a780.rsf	291	12/4/2007	12:06:44
080aIS2.cfd	11,168	12/4/2007	12:08:28
080aIS2.log	4,794	12/4/2007	12:08:28
080aIS2.rsf	293	12/4/2007	12:06:44
080aIS3.cfd	11,168	12/4/2007	12:08:30
080aIS3.log	4,794	12/4/2007	12:08:30
080aIS3.rsf	294	12/4/2007	12:06:44
080aIS4.cfd	11,168	12/4/2007	12:08:30
080aIS4.log	4,794	12/4/2007	12:08:30
080aIS4.rsf	294	12/4/2007	12:06:44
080aNC.cfd	11,168	12/4/2007	12:08:30
080aNC.log	4,794	12/4/2007	12:08:30
080aNC.rsf	291	12/4/2007	12:06:44
080aNP.cfd	11,168	12/4/2007	12:08:30
080aNP.log	4,794	12/4/2007	12:08:30
080aNP.rsf	289	12/4/2007	12:06:44
080aSP.cfd	11,168	12/4/2007	12:08:30
080aSP.log	4,794	12/4/2007	12:08:30
080aSP.rsf	290	12/4/2007	12:06:44
080b050a.cfd	11,168	12/4/2007	12:08:40
080b050a.log	4,794	12/4/2007	12:08:40
080b050a.rsf	292	12/4/2007	12:06:46
080b050b.cfd	11,168	12/4/2007	12:08:42
080b050b.log	4,794	12/4/2007	12:08:42
080b050b.rsf	292	12/4/2007	12:06:46
080b050c.cfd	11,168	12/4/2007	12:08:42
080b050c.log	4,794	12/4/2007	12:08:42
080b050c.rsf	293	12/4/2007	12:06:46
080b050d.cfd	11,168	12/4/2007	12:08:42
080b050d.log	4,794	12/4/2007	12:08:42
080b050d.rsf	293	12/4/2007	12:06:46
080b060a.cfd	11,168	12/4/2007	12:08:36
080b060a.log	4,794	12/4/2007	12:08:36
080b060a.rsf	292	12/4/2007	12:06:44
080b060b.cfd	11,168	12/4/2007	12:08:36
080b060b.log	4,794	12/4/2007	12:08:36
080b060b.rsf	291	12/4/2007	12:06:44
080b060c.cfd	11,168	12/4/2007	12:08:36
080b060c.log	4,794	12/4/2007	12:08:36
080b060c.rsf	291	12/4/2007	12:06:44
080b060d.cfd	11,168	12/4/2007	12:08:36
080b060d.log	4,794	12/4/2007	12:08:36

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
080b060d.rsf	291	12/4/2007	12:06:44
080b060e.cfd	11,168	12/4/2007	12:08:36
080b060e.log	4,794	12/4/2007	12:08:36
080b060e.rsf	291	12/4/2007	12:06:44
080b070a.cfd	11,168	12/4/2007	12:08:36
080b070a.log	4,794	12/4/2007	12:08:36
080b070a.rsf	291	12/4/2007	12:06:44
080b070b.cfd	11,168	12/4/2007	12:08:38
080b070b.log	4,794	12/4/2007	12:08:38
080b070b.rsf	291	12/4/2007	12:06:44
080b070c.cfd	11,168	12/4/2007	12:08:38
080b070c.log	4,794	12/4/2007	12:08:38
080b070c.rsf	291	12/4/2007	12:06:44
080b070d.cfd	11,168	12/4/2007	12:08:38
080b070d.log	4,794	12/4/2007	12:08:38
080b070d.rsf	291	12/4/2007	12:06:44
080b070e.cfd	11,168	12/4/2007	12:08:38
080b070e.log	4,794	12/4/2007	12:08:38
080b070e.rsf	291	12/4/2007	12:06:44
080b080a.cfd	11,168	12/4/2007	12:08:38
080b080a.log	4,794	12/4/2007	12:08:38
080b080a.rsf	293	12/4/2007	12:06:44
080b080b.cfd	11,168	12/4/2007	12:08:38
080b080b.log	4,794	12/4/2007	12:08:38
080b080b.rsf	291	12/4/2007	12:06:44
080b080c.cfd	11,168	12/4/2007	12:08:38
080b080c.log	4,794	12/4/2007	12:08:38
080b080c.rsf	291	12/4/2007	12:06:44
080b080d.cfd	11,168	12/4/2007	12:08:40
080b080d.log	4,794	12/4/2007	12:08:40
080b080d.rsf	291	12/4/2007	12:06:44
080b080e.cfd	11,168	12/4/2007	12:08:40
080b080e.log	4,794	12/4/2007	12:08:40
080b080e.rsf	291	12/4/2007	12:06:46
080b160a.cfd	11,168	12/4/2007	12:08:42
080b160a.log	4,794	12/4/2007	12:08:42
080b160a.rsf	291	12/4/2007	12:06:46
080b160b.cfd	11,168	12/4/2007	12:08:42
080b160b.log	4,794	12/4/2007	12:08:42
080b160b.rsf	291	12/4/2007	12:06:46
080b160c.cfd	11,168	12/4/2007	12:08:42
080b160c.log	4,794	12/4/2007	12:08:42
080b160c.rsf	291	12/4/2007	12:06:46
080b17PN.cfd	11,168	12/4/2007	12:08:44
080b17PN.log	4,794	12/4/2007	12:08:44
080b17PN.rsf	295	12/4/2007	12:06:46
080b17PS.cfd	11,168	12/4/2007	12:08:44
080b17PS.log	4,794	12/4/2007	12:08:44
080b17PS.rsf	295	12/4/2007	12:06:46
080b17RE.cfd	11,168	12/4/2007	12:08:42
080b17RE.log	4,794	12/4/2007	12:08:42
080b17RE.rsf	294	12/4/2007	12:06:46
080b17RW.cfd	11,168	12/4/2007	12:08:44



Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
080b17RW.log	4,794	12/4/2007	12:08:44
080b17RW.rsf	294	12/4/2007	12:06:46
080b200a.cfd	11,168	12/4/2007	12:08:40
080b200a.log	4,794	12/4/2007	12:08:40
080b200a.rsf	292	12/4/2007	12:06:46
080b200b.cfd	11,168	12/4/2007	12:08:40
080b200b.log	4,794	12/4/2007	12:08:40
080b200b.rsf	292	12/4/2007	12:06:46
080b200c.cfd	11,168	12/4/2007	12:08:40
080b200c.log	4,794	12/4/2007	12:08:40
080b200c.rsf	292	12/4/2007	12:06:46
080b200d.cfd	11,168	12/4/2007	12:08:40
080b200d.log	4,794	12/4/2007	12:08:40
080b200d.rsf	292	12/4/2007	12:06:46
080b220.cfd	11,168	12/4/2007	12:08:46
080b220.log	4,794	12/4/2007	12:08:46
080b220.rsf	291	12/4/2007	12:06:46
080b230.cfd	11,168	12/4/2007	12:08:48
080b230.log	4,794	12/4/2007	12:08:48
080b230.rsf	290	12/4/2007	12:06:46
080b240.cfd	11,168	12/4/2007	12:08:46
080b240.log	4,794	12/4/2007	12:08:46
080b240.rsf	289	12/4/2007	12:06:46
080b25A.cfd	11,168	12/4/2007	12:08:48
080b25A.log	4,794	12/4/2007	12:08:48
080b25A.rsf	290	12/4/2007	12:06:46
080b27A.cfd	11,168	12/4/2007	12:08:50
080b27A.log	4,794	12/4/2007	12:08:50
080b27A.rsf	292	12/4/2007	12:06:46
080b30A.cfd	11,168	12/4/2007	12:08:48
080b30A.log	4,794	12/4/2007	12:08:48
080b30A.rsf	290	12/4/2007	12:06:46
080b30B.cfd	11,168	12/4/2007	12:08:48
080b30B.log	4,794	12/4/2007	12:08:48
080b30B.rsf	289	12/4/2007	12:06:46
080b30C.cfd	11,168	12/4/2007	12:08:50
080b30C.log	4,794	12/4/2007	12:08:50
080b30C.rsf	291	12/4/2007	12:06:46
080b33A.cfd	11,168	12/4/2007	12:08:50
080b33A.log	4,794	12/4/2007	12:08:50
080b33A.rsf	290	12/4/2007	12:06:46
080b33B.cfd	11,168	12/4/2007	12:08:50
080b33B.log	4,794	12/4/2007	12:08:50
080b33B.rsf	290	12/4/2007	12:06:46
080b51Aa.cfd	11,168	12/4/2007	12:08:42
080b51Aa.log	4,794	12/4/2007	12:08:42
080b51Aa.rsf	293	12/4/2007	12:06:46
080b51Ab.cfd	11,168	12/4/2007	12:08:42
080b51Ab.log	4,794	12/4/2007	12:08:42
080b51Ab.rsf	293	12/4/2007	12:06:46
080b620.cfd	11,168	12/4/2007	12:08:48
080b620.log	4,794	12/4/2007	12:08:48
080b620.rsf	291	12/4/2007	12:06:46

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
080b71A.cfd	11,168	12/4/2007	12:08:48
080b71A.log	4,794	12/4/2007	12:08:48
080b71A.rsf	291	12/4/2007	12:06:46
080b780.cfd	11,168	12/4/2007	12:08:50
080b780.log	4,794	12/4/2007	12:08:50
080b780.rsf	290	12/4/2007	12:06:46
080bIS2.cfd	11,168	12/4/2007	12:08:44
080bIS2.log	4,794	12/4/2007	12:08:44
080bIS2.rsf	293	12/4/2007	12:06:46
080bIS3.cfd	11,168	12/4/2007	12:08:44
080bIS3.log	4,794	12/4/2007	12:08:44
080bIS3.rsf	294	12/4/2007	12:06:46
080bIS4.cfd	11,168	12/4/2007	12:08:46
080bIS4.log	4,794	12/4/2007	12:08:46
080bIS4.rsf	294	12/4/2007	12:06:46
080bNC.cfd	11,168	12/4/2007	12:08:46
080bNC.log	4,794	12/4/2007	12:08:46
080bNC.rsf	291	12/4/2007	12:06:46
080bNP.cfd	11,168	12/4/2007	12:08:46
080bNP.log	4,794	12/4/2007	12:08:46
080bNP.rsf	289	12/4/2007	12:06:46
080bSP.cfd	11,168	12/4/2007	12:08:46
080bSP.log	4,794	12/4/2007	12:08:46
080bSP.rsf	290	12/4/2007	12:06:46
160050a.cfd	11,168	12/4/2007	12:10:18
160050a.log	4,794	12/4/2007	12:10:18
160050a.rsf	291	12/4/2007	12:06:46
160050b.cfd	11,168	12/4/2007	12:10:18
160050b.log	4,794	12/4/2007	12:10:18
160050b.rsf	291	12/4/2007	12:06:46
160050c.cfd	11,168	12/4/2007	12:10:20
160050c.log	4,794	12/4/2007	12:10:20
160050c.rsf	292	12/4/2007	12:06:46
160050d.cfd	11,168	12/4/2007	12:10:20
160050d.log	4,794	12/4/2007	12:10:20
160050d.rsf	292	12/4/2007	12:06:46
160060a.cfd	11,168	12/4/2007	12:10:12
160060a.log	4,794	12/4/2007	12:10:12
160060a.rsf	291	12/4/2007	12:06:46
160060b.cfd	11,168	12/4/2007	12:10:12
160060b.log	4,794	12/4/2007	12:10:12
160060b.rsf	290	12/4/2007	12:06:46
160060c.cfd	11,168	12/4/2007	12:10:14
160060c.log	4,794	12/4/2007	12:10:14
160060c.rsf	290	12/4/2007	12:06:46
160060d.cfd	11,168	12/4/2007	12:10:14
160060d.log	4,794	12/4/2007	12:10:14
160060d.rsf	290	12/4/2007	12:06:46
160060e.cfd	11,168	12/4/2007	12:10:14
160060e.log	4,794	12/4/2007	12:10:14
160060e.rsf	290	12/4/2007	12:06:46
160070a.cfd	11,168	12/4/2007	12:10:14
160070a.log	4,794	12/4/2007	12:10:14

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
160070a.rsfs	291	12/4/2007	12:06:46
160070b.cfd	11,168	12/4/2007	12:10:14
160070b.log	4,794	12/4/2007	12:10:14
160070b.rsfs	290	12/4/2007	12:06:46
160070c.cfd	11,168	12/4/2007	12:10:14
160070c.log	4,794	12/4/2007	12:10:14
160070c.rsfs	290	12/4/2007	12:06:46
160070d.cfd	11,168	12/4/2007	12:10:14
160070d.log	4,794	12/4/2007	12:10:14
160070d.rsfs	290	12/4/2007	12:06:46
160070e.cfd	11,168	12/4/2007	12:10:14
160070e.log	4,794	12/4/2007	12:10:14
160070e.rsfs	290	12/4/2007	12:06:46
160080a.cfd	11,168	12/4/2007	12:10:16
160080a.log	4,794	12/4/2007	12:10:16
160080a.rsfs	292	12/4/2007	12:06:46
160080b.cfd	11,168	12/4/2007	12:10:16
160080b.log	4,794	12/4/2007	12:10:16
160080b.rsfs	291	12/4/2007	12:06:46
160080c.cfd	11,168	12/4/2007	12:10:16
160080c.log	4,794	12/4/2007	12:10:16
160080c.rsfs	291	12/4/2007	12:06:46
160080d.cfd	11,168	12/4/2007	12:10:16
160080d.log	4,794	12/4/2007	12:10:16
160080d.rsfs	291	12/4/2007	12:06:46
160080e.cfd	11,168	12/4/2007	12:10:16
160080e.log	4,794	12/4/2007	12:10:16
160080e.rsfs	291	12/4/2007	12:06:46
160160a.cfd	11,168	12/4/2007	12:10:20
160160a.log	4,794	12/4/2007	12:10:20
160160a.rsfs	289	12/4/2007	12:06:46
160160b.cfd	11,168	12/4/2007	12:10:20
160160b.log	4,794	12/4/2007	12:10:20
160160b.rsfs	289	12/4/2007	12:06:46
160160c.cfd	11,168	12/4/2007	12:10:20
160160c.log	4,794	12/4/2007	12:10:20
160160c.rsfs	289	12/4/2007	12:06:46
16017PN.cfd	11,168	12/4/2007	12:10:22
16017PN.log	4,794	12/4/2007	12:10:22
16017PN.rsfs	293	12/4/2007	12:06:46
16017PS.cfd	11,168	12/4/2007	12:10:22
16017PS.log	4,794	12/4/2007	12:10:22
16017PS.rsfs	293	12/4/2007	12:06:46
16017RE.cfd	11,168	12/4/2007	12:10:20
16017RE.log	4,794	12/4/2007	12:10:20
16017RE.rsfs	292	12/4/2007	12:06:46
16017RW.cfd	11,168	12/4/2007	12:10:20
16017RW.log	4,794	12/4/2007	12:10:22
16017RW.rsfs	292	12/4/2007	12:06:46
160200a.cfd	11,168	12/4/2007	12:10:18
160200a.log	4,794	12/4/2007	12:10:18
160200a.rsfs	291	12/4/2007	12:06:46
160200b.cfd	11,168	12/4/2007	12:10:18

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
160200b.log	4,794	12/4/2007	12:10:18
160200b.rsf	291	12/4/2007	12:06:46
160200c.cfd	11,168	12/4/2007	12:10:18
160200c.log	4,794	12/4/2007	12:10:18
160200c.rsf	291	12/4/2007	12:06:46
160200d.cfd	11,168	12/4/2007	12:10:18
160200d.log	4,794	12/4/2007	12:10:18
160200d.rsf	291	12/4/2007	12:06:46
160220.cfd	11,168	12/4/2007	12:10:24
160220.log	4,794	12/4/2007	12:10:24
160220.rsf	288	12/4/2007	12:06:46
160230.cfd	11,168	12/4/2007	12:10:24
160230.log	4,794	12/4/2007	12:10:24
160230.rsf	288	12/4/2007	12:06:46
160240.cfd	11,168	12/4/2007	12:10:24
160240.log	4,794	12/4/2007	12:10:24
160240.rsf	288	12/4/2007	12:06:46
16025A.cfd	11,168	12/4/2007	12:10:24
16025A.log	4,794	12/4/2007	12:10:24
16025A.rsf	289	12/4/2007	12:06:46
16027A.cfd	11,168	12/4/2007	12:10:26
16027A.log	4,794	12/4/2007	12:10:26
16027A.rsf	289	12/4/2007	12:06:46
16030A.cfd	11,168	12/4/2007	12:10:26
16030A.log	4,794	12/4/2007	12:10:26
16030A.rsf	289	12/4/2007	12:06:46
16030B.cfd	11,168	12/4/2007	12:10:26
16030B.log	4,794	12/4/2007	12:10:26
16030B.rsf	289	12/4/2007	12:06:46
16030C.cfd	11,168	12/4/2007	12:10:26
16030C.log	4,794	12/4/2007	12:10:26
16030C.rsf	289	12/4/2007	12:06:46
16033A.cfd	11,168	12/4/2007	12:10:26
16033A.log	4,794	12/4/2007	12:10:26
16033A.rsf	289	12/4/2007	12:06:46
16033B.cfd	11,168	12/4/2007	12:10:28
16033B.log	4,794	12/4/2007	12:10:28
16033B.rsf	289	12/4/2007	12:06:46
16051Aa.cfd	11,168	12/4/2007	12:10:20
16051Aa.log	4,794	12/4/2007	12:10:20
16051Aa.rsf	289	12/4/2007	12:06:46
16051Ab.cfd	11,168	12/4/2007	12:10:20
16051Ab.log	4,794	12/4/2007	12:10:20
16051Ab.rsf	289	12/4/2007	12:06:46
160620.cfd	11,168	12/4/2007	12:10:24
160620.log	4,794	12/4/2007	12:10:24
160620.rsf	289	12/4/2007	12:06:46
16071A.cfd	11,168	12/4/2007	12:10:26
16071A.log	4,794	12/4/2007	12:10:26
16071A.rsf	289	12/4/2007	12:06:46
160780.cfd	11,168	12/4/2007	12:10:26
160780.log	4,794	12/4/2007	12:10:26
160780.rsf	290	12/4/2007	12:06:46

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
160IS2.cfd	11,168	12/4/2007	12:10:22
160IS2.log	4,794	12/4/2007	12:10:22
160IS2.rsf	291	12/4/2007	12:06:46
160IS3.cfd	11,168	12/4/2007	12:10:22
160IS3.log	4,794	12/4/2007	12:10:22
160IS3.rsf	292	12/4/2007	12:06:46
160IS4.cfd	11,168	12/4/2007	12:10:22
160IS4.log	4,794	12/4/2007	12:10:22
160IS4.rsf	292	12/4/2007	12:06:46
160NC.cfd	11,168	12/4/2007	12:10:22
160NC.log	4,794	12/4/2007	12:10:22
160NC.rsf	289	12/4/2007	12:06:46
160NP.cfd	11,168	12/4/2007	12:10:24
160NP.log	4,794	12/4/2007	12:10:24
160NP.rsf	286	12/4/2007	12:06:46
160SP.cfd	11,168	12/4/2007	12:10:24
160SP.log	4,794	12/4/2007	12:10:24
160SP.rsf	288	12/4/2007	12:06:46
17PN050a.cfd	11,168	12/4/2007	12:11:04
17PN050a.log	4,802	12/4/2007	12:11:04
17PN050a.rsf	287	12/4/2007	12:06:46
17PN050b.cfd	11,168	12/4/2007	12:11:06
17PN050b.log	4,802	12/4/2007	12:11:06
17PN050b.rsf	287	12/4/2007	12:06:46
17PN050c.cfd	11,168	12/4/2007	12:11:06
17PN050c.log	4,802	12/4/2007	12:11:06
17PN050c.rsf	288	12/4/2007	12:06:46
17PN050d.cfd	11,168	12/4/2007	12:11:06
17PN050d.log	4,802	12/4/2007	12:11:06
17PN050d.rsf	288	12/4/2007	12:06:46
17PN060a.cfd	11,168	12/4/2007	12:11:00
17PN060a.log	4,802	12/4/2007	12:11:00
17PN060a.rsf	290	12/4/2007	12:06:46
17PN060b.cfd	11,168	12/4/2007	12:11:00
17PN060b.log	4,802	12/4/2007	12:11:00
17PN060b.rsf	287	12/4/2007	12:06:46
17PN060c.cfd	11,168	12/4/2007	12:11:00
17PN060c.log	4,802	12/4/2007	12:11:00
17PN060c.rsf	287	12/4/2007	12:06:46
17PN060d.cfd	11,168	12/4/2007	12:11:00
17PN060d.log	4,802	12/4/2007	12:11:00
17PN060d.rsf	289	12/4/2007	12:06:46
17PN060e.cfd	11,168	12/4/2007	12:11:00
17PN060e.log	4,802	12/4/2007	12:11:00
17PN060e.rsf	289	12/4/2007	12:06:46
17PN070a.cfd	11,168	12/4/2007	12:11:00
17PN070a.log	4,802	12/4/2007	12:11:00
17PN070a.rsf	290	12/4/2007	12:06:46
17PN070b.cfd	11,168	12/4/2007	12:11:00
17PN070b.log	4,802	12/4/2007	12:11:00
17PN070b.rsf	289	12/4/2007	12:06:46
17PN070c.cfd	11,168	12/4/2007	12:11:02
17PN070c.log	4,802	12/4/2007	12:11:02

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
17PN070c.rsf	289	12/4/2007	12:06:46
17PN070d.cfd	11,168	12/4/2007	12:11:02
17PN070d.log	4,802	12/4/2007	12:11:02
17PN070d.rsf	289	12/4/2007	12:06:46
17PN070e.cfd	11,168	12/4/2007	12:11:02
17PN070e.log	4,802	12/4/2007	12:11:02
17PN070e.rsf	289	12/4/2007	12:06:46
17PN080a.cfd	11,168	12/4/2007	12:11:02
17PN080a.log	4,802	12/4/2007	12:11:02
17PN080a.rsf	290	12/4/2007	12:06:46
17PN080b.cfd	11,168	12/4/2007	12:11:02
17PN080b.log	4,802	12/4/2007	12:11:02
17PN080b.rsf	289	12/4/2007	12:06:46
17PN080c.cfd	11,168	12/4/2007	12:11:02
17PN080c.log	4,802	12/4/2007	12:11:02
17PN080c.rsf	289	12/4/2007	12:06:46
17PN080d.cfd	11,168	12/4/2007	12:11:02
17PN080d.log	4,802	12/4/2007	12:11:02
17PN080d.rsf	289	12/4/2007	12:06:46
17PN080e.cfd	11,168	12/4/2007	12:11:04
17PN080e.log	4,802	12/4/2007	12:11:04
17PN080e.rsf	289	12/4/2007	12:06:46
17PN160a.cfd	11,168	12/4/2007	12:11:06
17PN160a.log	4,802	12/4/2007	12:11:06
17PN160a.rsf	288	12/4/2007	12:06:46
17PN160b.cfd	11,168	12/4/2007	12:11:06
17PN160b.log	4,802	12/4/2007	12:11:06
17PN160b.rsf	288	12/4/2007	12:06:46
17PN160c.cfd	11,168	12/4/2007	12:11:06
17PN160c.log	4,802	12/4/2007	12:11:06
17PN160c.rsf	288	12/4/2007	12:06:46
17PN17PN.cfd	11,168	12/4/2007	12:11:08
17PN17PN.log	4,802	12/4/2007	12:11:08
17PN17PN.rsf	284	12/4/2007	12:06:46
17PN17PS.cfd	11,168	12/4/2007	12:11:08
17PN17PS.log	4,802	12/4/2007	12:11:08
17PN17PS.rsf	287	12/4/2007	12:06:46
17PN17RE.cfd	11,168	12/4/2007	12:11:08
17PN17RE.log	4,802	12/4/2007	12:11:08
17PN17RE.rsf	288	12/4/2007	12:06:46
17PN17RW.cfd	11,168	12/4/2007	12:11:08
17PN17RW.log	4,802	12/4/2007	12:11:08
17PN17RW.rsf	287	12/4/2007	12:06:46
17PN200a.cfd	11,168	12/4/2007	12:11:04
17PN200a.log	4,802	12/4/2007	12:11:04
17PN200a.rsf	290	12/4/2007	12:06:46
17PN200b.cfd	11,168	12/4/2007	12:11:04
17PN200b.log	4,802	12/4/2007	12:11:04
17PN200b.rsf	290	12/4/2007	12:06:46
17PN200c.cfd	11,168	12/4/2007	12:11:04
17PN200c.log	4,802	12/4/2007	12:11:04
17PN200c.rsf	290	12/4/2007	12:06:46
17PN200d.cfd	11,168	12/4/2007	12:11:04

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
17PN200d.log	4,802	12/4/2007	12:11:04
17PN200d.rsf	290	12/4/2007	12:06:46
17PN220.cfd	11,168	12/4/2007	12:11:10
17PN220.log	4,802	12/4/2007	12:11:10
17PN220.rsf	286	12/4/2007	12:06:46
17PN230.cfd	11,168	12/4/2007	12:11:10
17PN230.log	4,802	12/4/2007	12:11:10
17PN230.rsf	285	12/4/2007	12:06:46
17PN240.cfd	11,168	12/4/2007	12:11:10
17PN240.log	4,802	12/4/2007	12:11:10
17PN240.rsf	285	12/4/2007	12:06:46
17PN25A.cfd	11,168	12/4/2007	12:11:12
17PN25A.log	4,802	12/4/2007	12:11:12
17PN25A.rsf	287	12/4/2007	12:06:46
17PN27A.cfd	11,168	12/4/2007	12:11:14
17PN27A.log	4,802	12/4/2007	12:11:14
17PN27A.rsf	285	12/4/2007	12:06:46
17PN30A.cfd	11,168	12/4/2007	12:11:12
17PN30A.log	4,802	12/4/2007	12:11:12
17PN30A.rsf	287	12/4/2007	12:06:46
17PN30B.cfd	11,168	12/4/2007	12:11:12
17PN30B.log	4,802	12/4/2007	12:11:12
17PN30B.rsf	287	12/4/2007	12:06:46
17PN30C.cfd	11,168	12/4/2007	12:11:14
17PN30C.log	4,802	12/4/2007	12:11:14
17PN30C.rsf	287	12/4/2007	12:06:46
17PN33A.cfd	11,168	12/4/2007	12:11:14
17PN33A.log	4,802	12/4/2007	12:11:14
17PN33A.rsf	285	12/4/2007	12:06:46
17PN33B.cfd	11,168	12/4/2007	12:11:14
17PN33B.log	4,802	12/4/2007	12:11:14
17PN33B.rsf	287	12/4/2007	12:06:46
17PN51Aa.cfd	11,168	12/4/2007	12:11:06
17PN51Aa.log	4,802	12/4/2007	12:11:06
17PN51Aa.rsf	287	12/4/2007	12:06:46
17PN51Ab.cfd	11,168	12/4/2007	12:11:06
17PN51Ab.log	4,802	12/4/2007	12:11:06
17PN51Ab.rsf	287	12/4/2007	12:06:46
17PN620.cfd	11,168	12/4/2007	12:11:12
17PN620.log	4,802	12/4/2007	12:11:12
17PN620.rsf	287	12/4/2007	12:06:46
17PN71A.cfd	11,168	12/4/2007	12:11:12
17PN71A.log	4,802	12/4/2007	12:11:12
17PN71A.rsf	287	12/4/2007	12:06:46
17PN780.cfd	11,168	12/4/2007	12:11:14
17PN780.log	4,802	12/4/2007	12:11:14
17PN780.rsf	287	12/4/2007	12:06:46
17PNIS2.cfd	11,168	12/4/2007	12:11:08
17PNIS2.log	4,802	12/4/2007	12:11:08
17PNIS2.rsf	288	12/4/2007	12:06:46
17PNIS3.cfd	11,168	12/4/2007	12:11:08
17PNIS3.log	4,802	12/4/2007	12:11:08
17PNIS3.rsf	289	12/4/2007	12:06:46

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
17PNIS4.cfd	11,168	12/4/2007	12:11:08
17PNIS4.log	4,802	12/4/2007	12:11:08
17PNIS4.rsf	288	12/4/2007	12:06:46
17PNNC.cfd	11,168	12/4/2007	12:11:08
17PNNC.log	4,802	12/4/2007	12:11:08
17PNNC.rsf	286	12/4/2007	12:06:46
17PNNP.cfd	11,168	12/4/2007	12:11:10
17PNNP.log	4,802	12/4/2007	12:11:10
17PNNP.rsf	284	12/4/2007	12:06:46
17PNSP.cfd	11,168	12/4/2007	12:11:10
17PNSP.log	4,802	12/4/2007	12:11:10
17PNSP.rsf	284	12/4/2007	12:06:46
17PS050a.cfd	11,168	12/4/2007	12:11:22
17PS050a.log	4,802	12/4/2007	12:11:22
17PS050a.rsf	288	12/4/2007	12:06:46
17PS050b.cfd	11,168	12/4/2007	12:11:22
17PS050b.log	4,802	12/4/2007	12:11:22
17PS050b.rsf	288	12/4/2007	12:06:46
17PS050c.cfd	11,168	12/4/2007	12:11:22
17PS050c.log	4,802	12/4/2007	12:11:22
17PS050c.rsf	288	12/4/2007	12:06:46
17PS050d.cfd	11,168	12/4/2007	12:11:22
17PS050d.log	4,802	12/4/2007	12:11:22
17PS050d.rsf	289	12/4/2007	12:06:46
17PS060a.cfd	11,168	12/4/2007	12:11:16
17PS060a.log	4,802	12/4/2007	12:11:16
17PS060a.rsf	290	12/4/2007	12:06:46
17PS060b.cfd	11,168	12/4/2007	12:11:16
17PS060b.log	4,802	12/4/2007	12:11:16
17PS060b.rsf	287	12/4/2007	12:06:46
17PS060c.cfd	11,168	12/4/2007	12:11:16
17PS060c.log	4,802	12/4/2007	12:11:16
17PS060c.rsf	287	12/4/2007	12:06:46
17PS060d.cfd	11,168	12/4/2007	12:11:16
17PS060d.log	4,802	12/4/2007	12:11:16
17PS060d.rsf	287	12/4/2007	12:06:46
17PS060e.cfd	11,168	12/4/2007	12:11:16
17PS060e.log	4,802	12/4/2007	12:11:16
17PS060e.rsf	287	12/4/2007	12:06:46
17PS070a.cfd	11,168	12/4/2007	12:11:18
17PS070a.log	4,802	12/4/2007	12:11:18
17PS070a.rsf	290	12/4/2007	12:06:46
17PS070b.cfd	11,168	12/4/2007	12:11:18
17PS070b.log	4,802	12/4/2007	12:11:18
17PS070b.rsf	289	12/4/2007	12:06:46
17PS070c.cfd	11,168	12/4/2007	12:11:18
17PS070c.log	4,802	12/4/2007	12:11:18
17PS070c.rsf	289	12/4/2007	12:06:46
17PS070d.cfd	11,168	12/4/2007	12:11:18
17PS070d.log	4,802	12/4/2007	12:11:18
17PS070d.rsf	289	12/4/2007	12:06:46
17PS070e.cfd	11,168	12/4/2007	12:11:18
17PS070e.log	4,802	12/4/2007	12:11:18



Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
17PS070e.rsfl	289	12/4/2007	12:06:46
17PS080a.cfd	11,168	12/4/2007	12:11:18
17PS080a.log	4,802	12/4/2007	12:11:18
17PS080a.rsfl	290	12/4/2007	12:06:46
17PS080b.cfd	11,168	12/4/2007	12:11:20
17PS080b.log	4,802	12/4/2007	12:11:20
17PS080b.rsfl	289	12/4/2007	12:06:46
17PS080c.cfd	11,168	12/4/2007	12:11:20
17PS080c.log	4,802	12/4/2007	12:11:20
17PS080c.rsfl	289	12/4/2007	12:06:46
17PS080d.cfd	11,168	12/4/2007	12:11:20
17PS080d.log	4,802	12/4/2007	12:11:20
17PS080d.rsfl	289	12/4/2007	12:06:46
17PS080e.cfd	11,168	12/4/2007	12:11:20
17PS080e.log	4,802	12/4/2007	12:11:20
17PS080e.rsfl	289	12/4/2007	12:06:46
17PS160a.cfd	11,168	12/4/2007	12:11:24
17PS160a.log	4,802	12/4/2007	12:11:24
17PS160a.rsfl	288	12/4/2007	12:06:46
17PS160b.cfd	11,168	12/4/2007	12:11:24
17PS160b.log	4,802	12/4/2007	12:11:24
17PS160b.rsfl	288	12/4/2007	12:06:46
17PS160c.cfd	11,168	12/4/2007	12:11:24
17PS160c.log	4,802	12/4/2007	12:11:24
17PS160c.rsfl	288	12/4/2007	12:06:46
17PS17PN.cfd	11,168	12/4/2007	12:11:24
17PS17PN.log	4,802	12/4/2007	12:11:24
17PS17PN.rsfl	288	12/4/2007	12:06:46
17PS17PS.cfd	11,168	12/4/2007	12:11:26
17PS17PS.log	4,802	12/4/2007	12:11:26
17PS17PS.rsfl	284	12/4/2007	12:06:46
17PS17RE.cfd	11,168	12/4/2007	12:11:24
17PS17RE.log	4,802	12/4/2007	12:11:24
17PS17RE.rsfl	288	12/4/2007	12:06:46
17PS17RW.cfd	11,168	12/4/2007	12:11:24
17PS17RW.log	4,802	12/4/2007	12:11:24
17PS17RW.rsfl	287	12/4/2007	12:06:46
17PS200a.cfd	11,168	12/4/2007	12:11:20
17PS200a.log	4,802	12/4/2007	12:11:20
17PS200a.rsfl	290	12/4/2007	12:06:46
17PS200b.cfd	11,168	12/4/2007	12:11:20
17PS200b.log	4,802	12/4/2007	12:11:20
17PS200b.rsfl	290	12/4/2007	12:06:46
17PS200c.cfd	11,168	12/4/2007	12:11:22
17PS200c.log	4,802	12/4/2007	12:11:22
17PS200c.rsfl	290	12/4/2007	12:06:46
17PS200d.cfd	11,168	12/4/2007	12:11:22
17PS200d.log	4,802	12/4/2007	12:11:22
17PS200d.rsfl	290	12/4/2007	12:06:46
17PS220.cfd	11,168	12/4/2007	12:11:26
17PS220.log	4,802	12/4/2007	12:11:26
17PS220.rsfl	286	12/4/2007	12:06:46
17PS230.cfd	11,168	12/4/2007	12:11:28

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
17PS230.log	4,802	12/4/2007	12:11:28
17PS230.rsfl	285	12/4/2007	12:06:46
17PS240.cfd	11,168	12/4/2007	12:11:26
17PS240.log	4,802	12/4/2007	12:11:26
17PS240.rsfl	285	12/4/2007	12:06:46
17PS25A.cfd	11,168	12/4/2007	12:11:28
17PS25A.log	4,802	12/4/2007	12:11:28
17PS25A.rsfl	287	12/4/2007	12:06:46
17PS27A.cfd	11,168	12/4/2007	12:11:30
17PS27A.log	4,802	12/4/2007	12:11:30
17PS27A.rsfl	285	12/4/2007	12:06:46
17PS30A.cfd	11,168	12/4/2007	12:11:28
17PS30A.log	4,802	12/4/2007	12:11:28
17PS30A.rsfl	287	12/4/2007	12:06:46
17PS30B.cfd	11,168	12/4/2007	12:11:30
17PS30B.log	4,802	12/4/2007	12:11:30
17PS30B.rsfl	287	12/4/2007	12:06:46
17PS30C.cfd	11,168	12/4/2007	12:11:30
17PS30C.log	4,802	12/4/2007	12:11:30
17PS30C.rsfl	286	12/4/2007	12:06:46
17PS33A.cfd	11,168	12/4/2007	12:11:30
17PS33A.log	4,802	12/4/2007	12:11:30
17PS33A.rsfl	285	12/4/2007	12:06:46
17PS33B.cfd	11,168	12/4/2007	12:11:30
17PS33B.log	4,802	12/4/2007	12:11:30
17PS33B.rsfl	285	12/4/2007	12:06:46
17PS51Aa.cfd	11,168	12/4/2007	12:11:22
17PS51Aa.log	4,802	12/4/2007	12:11:22
17PS51Aa.rsfl	288	12/4/2007	12:06:46
17PS51Ab.cfd	11,168	12/4/2007	12:11:24
17PS51Ab.log	4,802	12/4/2007	12:11:24
17PS51Ab.rsfl	288	12/4/2007	12:06:46
17PS620.cfd	11,168	12/4/2007	12:11:28
17PS620.log	4,802	12/4/2007	12:11:28
17PS620.rsfl	287	12/4/2007	12:06:46
17PS71A.cfd	11,168	12/4/2007	12:11:28
17PS71A.log	4,802	12/4/2007	12:11:28
17PS71A.rsfl	287	12/4/2007	12:06:46
17PS780.cfd	11,168	12/4/2007	12:11:30
17PS780.log	4,802	12/4/2007	12:11:30
17PS780.rsfl	287	12/4/2007	12:06:46
17PSIS2.cfd	11,168	12/4/2007	12:11:26
17PSIS2.log	4,802	12/4/2007	12:11:26
17PSIS2.rsfl	288	12/4/2007	12:06:46
17PSIS3.cfd	11,168	12/4/2007	12:11:26
17PSIS3.log	4,802	12/4/2007	12:11:26
17PSIS3.rsfl	289	12/4/2007	12:06:46
17PSIS4.cfd	11,168	12/4/2007	12:11:26
17PSIS4.log	4,802	12/4/2007	12:11:26
17PSIS4.rsfl	288	12/4/2007	12:06:46
17PSNC.cfd	11,168	12/4/2007	12:11:26
17PSNC.log	4,802	12/4/2007	12:11:26
17PSNC.rsfl	286	12/4/2007	12:06:46

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
17PSNP.cfd	11,168	12/4/2007	12:11:26
17PSNP.log	4,802	12/4/2007	12:11:26
17PSNP.rsf	284	12/4/2007	12:06:46
17PSSP.cfd	11,168	12/4/2007	12:11:26
17PSSP.log	4,802	12/4/2007	12:11:26
17PSSP.rsf	284	12/4/2007	12:06:46
17RE050a.cfd	11,168	12/4/2007	12:10:34
17RE050a.log	4,802	12/4/2007	12:10:34
17RE050a.rsf	288	12/4/2007	12:06:46
17RE050b.cfd	11,168	12/4/2007	12:10:34
17RE050b.log	4,802	12/4/2007	12:10:34
17RE050b.rsf	288	12/4/2007	12:06:46
17RE050c.cfd	11,168	12/4/2007	12:10:34
17RE050c.log	4,802	12/4/2007	12:10:34
17RE050c.rsf	289	12/4/2007	12:06:46
17RE050d.cfd	11,168	12/4/2007	12:10:36
17RE050d.log	4,802	12/4/2007	12:10:36
17RE050d.rsf	289	12/4/2007	12:06:46
17RE060a.cfd	11,168	12/4/2007	12:10:28
17RE060a.log	4,802	12/4/2007	12:10:28
17RE060a.rsf	287	12/4/2007	12:06:46
17RE060b.cfd	11,168	12/4/2007	12:10:28
17RE060b.log	4,802	12/4/2007	12:10:28
17RE060b.rsf	288	12/4/2007	12:06:46
17RE060c.cfd	11,168	12/4/2007	12:10:28
17RE060c.log	4,802	12/4/2007	12:10:28
17RE060c.rsf	287	12/4/2007	12:06:46
17RE060d.cfd	11,168	12/4/2007	12:10:28
17RE060d.log	4,802	12/4/2007	12:10:28
17RE060d.rsf	286	12/4/2007	12:06:46
17RE060e.cfd	11,168	12/4/2007	12:10:30
17RE060e.log	4,802	12/4/2007	12:10:30
17RE060e.rsf	286	12/4/2007	12:06:46
17RE070a.cfd	11,168	12/4/2007	12:10:30
17RE070a.log	4,802	12/4/2007	12:10:30
17RE070a.rsf	289	12/4/2007	12:06:46
17RE070b.cfd	11,168	12/4/2007	12:10:30
17RE070b.log	4,802	12/4/2007	12:10:30
17RE070b.rsf	288	12/4/2007	12:06:46
17RE070c.cfd	11,168	12/4/2007	12:10:30
17RE070c.log	4,802	12/4/2007	12:10:30
17RE070c.rsf	288	12/4/2007	12:06:46
17RE070d.cfd	11,168	12/4/2007	12:10:32
17RE070d.log	4,802	12/4/2007	12:10:32
17RE070d.rsf	288	12/4/2007	12:06:46
17RE070e.cfd	11,168	12/4/2007	12:10:32
17RE070e.log	4,802	12/4/2007	12:10:32
17RE070e.rsf	288	12/4/2007	12:06:46
17RE080a.cfd	11,168	12/4/2007	12:10:32
17RE080a.log	4,802	12/4/2007	12:10:32
17RE080a.rsf	289	12/4/2007	12:06:46
17RE080b.cfd	11,168	12/4/2007	12:10:32
17RE080b.log	4,802	12/4/2007	12:10:32

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
17RE080b.rsf	288	12/4/2007	12:06:46
17RE080c.cfd	11,168	12/4/2007	12:10:32
17RE080c.log	4,802	12/4/2007	12:10:32
17RE080c.rsf	288	12/4/2007	12:06:46
17RE080d.cfd	11,168	12/4/2007	12:10:32
17RE080d.log	4,802	12/4/2007	12:10:32
17RE080d.rsf	288	12/4/2007	12:06:46
17RE080e.cfd	11,168	12/4/2007	12:10:32
17RE080e.log	4,802	12/4/2007	12:10:32
17RE080e.rsf	288	12/4/2007	12:06:46
17RE160a.cfd	11,168	12/4/2007	12:10:36
17RE160a.log	4,802	12/4/2007	12:10:36
17RE160a.rsf	287	12/4/2007	12:06:46
17RE160b.cfd	11,168	12/4/2007	12:10:36
17RE160b.log	4,802	12/4/2007	12:10:36
17RE160b.rsf	287	12/4/2007	12:06:46
17RE160c.cfd	11,168	12/4/2007	12:10:36
17RE160c.log	4,802	12/4/2007	12:10:36
17RE160c.rsf	287	12/4/2007	12:06:46
17RE17PN.cfd	11,168	12/4/2007	12:10:38
17RE17PN.log	4,802	12/4/2007	12:10:38
17RE17PN.rsf	289	12/4/2007	12:06:46
17RE17PS.cfd	11,168	12/4/2007	12:10:38
17RE17PS.log	4,802	12/4/2007	12:10:38
17RE17PS.rsf	289	12/4/2007	12:06:46
17RE17RE.cfd	11,168	12/4/2007	12:10:38
17RE17RE.log	4,802	12/4/2007	12:10:38
17RE17RE.rsf	285	12/4/2007	12:06:46
17RE17RW.cfd	11,168	12/4/2007	12:10:38
17RE17RW.log	4,802	12/4/2007	12:10:38
17RE17RW.rsf	286	12/4/2007	12:06:46
17RE200a.cfd	11,168	12/4/2007	12:10:34
17RE200a.log	4,802	12/4/2007	12:10:34
17RE200a.rsf	289	12/4/2007	12:06:46
17RE200b.cfd	11,168	12/4/2007	12:10:34
17RE200b.log	4,802	12/4/2007	12:10:34
17RE200b.rsf	289	12/4/2007	12:06:46
17RE200c.cfd	11,168	12/4/2007	12:10:34
17RE200c.log	4,802	12/4/2007	12:10:34
17RE200c.rsf	287	12/4/2007	12:06:46
17RE200d.cfd	11,168	12/4/2007	12:10:34
17RE200d.log	4,802	12/4/2007	12:10:34
17RE200d.rsf	289	12/4/2007	12:06:46
17RE220.cfd	11,168	12/4/2007	12:10:40
17RE220.log	4,802	12/4/2007	12:10:40
17RE220.rsf	286	12/4/2007	12:06:46
17RE230.cfd	11,168	12/4/2007	12:10:40
17RE230.log	4,802	12/4/2007	12:10:40
17RE230.rsf	285	12/4/2007	12:06:46
17RE240.cfd	11,168	12/4/2007	12:10:40
17RE240.log	4,802	12/4/2007	12:10:40
17RE240.rsf	286	12/4/2007	12:06:46
17RE25A.cfd	11,168	12/4/2007	12:10:40

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
17RE25A.log	4,802	12/4/2007	12:10:40
17RE25A.rsf	287	12/4/2007	12:06:46
17RE27A.cfd	11,168	12/4/2007	12:10:42
17RE27A.log	4,802	12/4/2007	12:10:42
17RE27A.rsf	286	12/4/2007	12:06:46
17RE30A.cfd	11,168	12/4/2007	12:10:42
17RE30A.log	4,802	12/4/2007	12:10:42
17RE30A.rsf	287	12/4/2007	12:06:46
17RE30B.cfd	11,168	12/4/2007	12:10:42
17RE30B.log	4,802	12/4/2007	12:10:42
17RE30B.rsf	287	12/4/2007	12:06:46
17RE30C.cfd	11,168	12/4/2007	12:10:42
17RE30C.log	4,802	12/4/2007	12:10:42
17RE30C.rsf	286	12/4/2007	12:06:46
17RE33A.cfd	11,168	12/4/2007	12:10:42
17RE33A.log	4,802	12/4/2007	12:10:42
17RE33A.rsf	285	12/4/2007	12:06:46
17RE33B.cfd	11,168	12/4/2007	12:10:44
17RE33B.log	4,802	12/4/2007	12:10:44
17RE33B.rsf	285	12/4/2007	12:06:46
17RE51Aa.cfd	11,168	12/4/2007	12:10:36
17RE51Aa.log	4,802	12/4/2007	12:10:36
17RE51Aa.rsf	288	12/4/2007	12:06:46
17RE51Ab.cfd	11,168	12/4/2007	12:10:36
17RE51Ab.log	4,802	12/4/2007	12:10:36
17RE51Ab.rsf	288	12/4/2007	12:06:46
17RE620.cfd	11,168	12/4/2007	12:10:42
17RE620.log	4,802	12/4/2007	12:10:42
17RE620.rsf	287	12/4/2007	12:06:46
17RE71A.cfd	11,168	12/4/2007	12:10:42
17RE71A.log	4,802	12/4/2007	12:10:42
17RE71A.rsf	286	12/4/2007	12:06:46
17RE780.cfd	11,168	12/4/2007	12:10:42
17RE780.log	4,802	12/4/2007	12:10:42
17RE780.rsf	287	12/4/2007	12:06:46
17REIS2.cfd	11,168	12/4/2007	12:10:38
17REIS2.log	4,802	12/4/2007	12:10:38
17REIS2.rsf	288	12/4/2007	12:06:46
17REIS3.cfd	11,168	12/4/2007	12:10:38
17REIS3.log	4,802	12/4/2007	12:10:38
17REIS3.rsf	289	12/4/2007	12:06:46
17REIS4.cfd	11,168	12/4/2007	12:10:38
17REIS4.log	4,802	12/4/2007	12:10:38
17REIS4.rsf	288	12/4/2007	12:06:46
17RENC.cfd	11,168	12/4/2007	12:10:38
17RENC.log	4,802	12/4/2007	12:10:38
17RENC.rsf	286	12/4/2007	12:06:46
17RENP.cfd	11,168	12/4/2007	12:10:38
17RENP.log	4,802	12/4/2007	12:10:38
17RENP.rsf	284	12/4/2007	12:06:46
17RESP.cfd	11,168	12/4/2007	12:10:40
17RESP.log	4,802	12/4/2007	12:10:40
17RESP.rsf	285	12/4/2007	12:06:46

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
17RW050a.cfd	11,168	12/4/2007	12:10:50
17RW050a.log	4,802	12/4/2007	12:10:50
17RW050a.rsf	287	12/4/2007	12:06:46
17RW050b.cfd	11,168	12/4/2007	12:10:50
17RW050b.log	4,802	12/4/2007	12:10:50
17RW050b.rsf	287	12/4/2007	12:06:46
17RW050c.cfd	11,168	12/4/2007	12:10:50
17RW050c.log	4,802	12/4/2007	12:10:50
17RW050c.rsf	288	12/4/2007	12:06:46
17RW050d.cfd	11,168	12/4/2007	12:10:50
17RW050d.log	4,802	12/4/2007	12:10:50
17RW050d.rsf	288	12/4/2007	12:06:46
17RW060a.cfd	11,168	12/4/2007	12:10:44
17RW060a.log	4,802	12/4/2007	12:10:44
17RW060a.rsf	289	12/4/2007	12:06:46
17RW060b.cfd	11,168	12/4/2007	12:10:44
17RW060b.log	4,802	12/4/2007	12:10:44
17RW060b.rsf	288	12/4/2007	12:06:46
17RW060c.cfd	11,168	12/4/2007	12:10:44
17RW060c.log	4,802	12/4/2007	12:10:44
17RW060c.rsf	288	12/4/2007	12:06:46
17RW060d.cfd	11,168	12/4/2007	12:10:44
17RW060d.log	4,802	12/4/2007	12:10:44
17RW060d.rsf	288	12/4/2007	12:06:46
17RW060e.cfd	11,168	12/4/2007	12:10:44
17RW060e.log	4,802	12/4/2007	12:10:44
17RW060e.rsf	288	12/4/2007	12:06:46
17RW070a.cfd	11,168	12/4/2007	12:10:44
17RW070a.log	4,802	12/4/2007	12:10:44
17RW070a.rsf	289	12/4/2007	12:06:46
17RW070b.cfd	11,168	12/4/2007	12:10:46
17RW070b.log	4,802	12/4/2007	12:10:46
17RW070b.rsf	288	12/4/2007	12:06:46
17RW070c.cfd	11,168	12/4/2007	12:10:46
17RW070c.log	4,802	12/4/2007	12:10:46
17RW070c.rsf	288	12/4/2007	12:06:46
17RW070d.cfd	11,168	12/4/2007	12:10:46
17RW070d.log	4,802	12/4/2007	12:10:46
17RW070d.rsf	288	12/4/2007	12:06:46
17RW070e.cfd	11,168	12/4/2007	12:10:46
17RW070e.log	4,802	12/4/2007	12:10:46
17RW070e.rsf	288	12/4/2007	12:06:46
17RW080a.cfd	11,168	12/4/2007	12:10:48
17RW080a.log	4,802	12/4/2007	12:10:48
17RW080a.rsf	289	12/4/2007	12:06:46
17RW080b.cfd	11,168	12/4/2007	12:10:48
17RW080b.log	4,802	12/4/2007	12:10:48
17RW080b.rsf	288	12/4/2007	12:06:46
17RW080c.cfd	11,168	12/4/2007	12:10:48
17RW080c.log	4,802	12/4/2007	12:10:48
17RW080c.rsf	288	12/4/2007	12:06:46
17RW080d.cfd	11,168	12/4/2007	12:10:48
17RW080d.log	4,802	12/4/2007	12:10:48

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
17RW080d.rsf	288	12/4/2007	12:06:46
17RW080e.cfd	11,168	12/4/2007	12:10:48
17RW080e.log	4,802	12/4/2007	12:10:48
17RW080e.rsf	288	12/4/2007	12:06:46
17RW160a.cfd	11,168	12/4/2007	12:10:52
17RW160a.log	4,802	12/4/2007	12:10:52
17RW160a.rsf	287	12/4/2007	12:06:46
17RW160b.cfd	11,168	12/4/2007	12:10:52
17RW160b.log	4,802	12/4/2007	12:10:52
17RW160b.rsf	287	12/4/2007	12:06:46
17RW160c.cfd	11,168	12/4/2007	12:10:52
17RW160c.log	4,802	12/4/2007	12:10:52
17RW160c.rsf	286	12/4/2007	12:06:46
17RW17PN.cfd	11,168	12/4/2007	12:10:52
17RW17PN.log	4,802	12/4/2007	12:10:52
17RW17PN.rsf	289	12/4/2007	12:06:46
17RW17PS.cfd	11,168	12/4/2007	12:10:52
17RW17PS.log	4,802	12/4/2007	12:10:52
17RW17PS.rsf	289	12/4/2007	12:06:46
17RW17RE.cfd	11,168	12/4/2007	12:10:52
17RW17RE.log	4,802	12/4/2007	12:10:52
17RW17RE.rsf	287	12/4/2007	12:06:46
17RW17RW.cfd	11,168	12/4/2007	12:10:52
17RW17RW.log	4,802	12/4/2007	12:10:52
17RW17RW.rsf	284	12/4/2007	12:06:46
17RW200a.cfd	11,168	12/4/2007	12:10:50
17RW200a.log	4,802	12/4/2007	12:10:50
17RW200a.rsf	289	12/4/2007	12:06:46
17RW200b.cfd	11,168	12/4/2007	12:10:50
17RW200b.log	4,802	12/4/2007	12:10:50
17RW200b.rsf	289	12/4/2007	12:06:46
17RW200c.cfd	11,168	12/4/2007	12:10:50
17RW200c.log	4,802	12/4/2007	12:10:50
17RW200c.rsf	289	12/4/2007	12:06:46
17RW200d.cfd	11,168	12/4/2007	12:10:50
17RW200d.log	4,802	12/4/2007	12:10:50
17RW200d.rsf	289	12/4/2007	12:06:46
17RW220.cfd	11,168	12/4/2007	12:10:54
17RW220.log	4,802	12/4/2007	12:10:54
17RW220.rsf	286	12/4/2007	12:06:46
17RW230.cfd	11,168	12/4/2007	12:10:56
17RW230.log	4,802	12/4/2007	12:10:56
17RW230.rsf	287	12/4/2007	12:06:46
17RW240.cfd	11,168	12/4/2007	12:10:56
17RW240.log	4,802	12/4/2007	12:10:56
17RW240.rsf	285	12/4/2007	12:06:46
17RW25A.cfd	11,168	12/4/2007	12:10:56
17RW25A.log	4,802	12/4/2007	12:10:56
17RW25A.rsf	287	12/4/2007	12:06:46
17RW27A.cfd	11,168	12/4/2007	12:10:58
17RW27A.log	4,802	12/4/2007	12:10:58
17RW27A.rsf	285	12/4/2007	12:06:46
17RW30A.cfd	11,168	12/4/2007	12:10:58

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
17RW30A.log	4,802	12/4/2007	12:10:58
17RW30A.rsf	287	12/4/2007	12:06:46
17RW30B.cfd	11,168	12/4/2007	12:10:58
17RW30B.log	4,802	12/4/2007	12:10:58
17RW30B.rsf	287	12/4/2007	12:06:46
17RW30C.cfd	11,168	12/4/2007	12:10:58
17RW30C.log	4,802	12/4/2007	12:10:58
17RW30C.rsf	286	12/4/2007	12:06:46
17RW33A.cfd	11,168	12/4/2007	12:10:58
17RW33A.log	4,802	12/4/2007	12:10:58
17RW33A.rsf	287	12/4/2007	12:06:46
17RW33B.cfd	11,168	12/4/2007	12:10:58
17RW33B.log	4,802	12/4/2007	12:10:58
17RW33B.rsf	287	12/4/2007	12:06:46
17RW51Aa.cfd	11,168	12/4/2007	12:10:52
17RW51Aa.log	4,802	12/4/2007	12:10:52
17RW51Aa.rsf	287	12/4/2007	12:06:46
17RW51Ab.cfd	11,168	12/4/2007	12:10:52
17RW51Ab.log	4,802	12/4/2007	12:10:52
17RW51Ab.rsf	287	12/4/2007	12:06:46
17RW620.cfd	11,168	12/4/2007	12:10:56
17RW620.log	4,802	12/4/2007	12:10:56
17RW620.rsf	287	12/4/2007	12:06:46
17RW71A.cfd	11,168	12/4/2007	12:10:56
17RW71A.log	4,802	12/4/2007	12:10:56
17RW71A.rsf	287	12/4/2007	12:06:46
17RW780.cfd	11,168	12/4/2007	12:10:58
17RW780.log	4,802	12/4/2007	12:10:58
17RW780.rsf	287	12/4/2007	12:06:46
17RWIS2.cfd	11,168	12/4/2007	12:10:54
17RWIS2.log	4,802	12/4/2007	12:10:54
17RWIS2.rsf	288	12/4/2007	12:06:46
17RWIS3.cfd	11,168	12/4/2007	12:10:54
17RWIS3.log	4,802	12/4/2007	12:10:54
17RWIS3.rsf	289	12/4/2007	12:06:46
17RWIS4.cfd	11,168	12/4/2007	12:10:54
17RWIS4.log	4,802	12/4/2007	12:10:54
17RWIS4.rsf	288	12/4/2007	12:06:46
17RWNC.cfd	11,168	12/4/2007	12:10:54
17RWNC.log	4,802	12/4/2007	12:10:54
17RWNC.rsf	286	12/4/2007	12:06:46
17RWNP.cfd	11,168	12/4/2007	12:10:54
17RWNP.log	4,802	12/4/2007	12:10:54
17RWNP.rsf	284	12/4/2007	12:06:46
17RWSP.cfd	11,168	12/4/2007	12:10:54
17RWSP.log	4,802	12/4/2007	12:10:54
17RWSP.rsf	285	12/4/2007	12:06:46
200a050a.cfd	11,168	12/4/2007	12:08:56
200a050a.log	4,794	12/4/2007	12:08:56
200a050a.rsf	292	12/4/2007	12:06:46
200a050b.cfd	11,168	12/4/2007	12:08:56
200a050b.log	4,794	12/4/2007	12:08:56
200a050b.rsf	292	12/4/2007	12:06:46



Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
200a050c.cfd	11,168	12/4/2007	12:08:56
200a050c.log	4,794	12/4/2007	12:08:56
200a050c.rsf	293	12/4/2007	12:06:46
200a050d.cfd	11,168	12/4/2007	12:08:56
200a050d.log	4,794	12/4/2007	12:08:56
200a050d.rsf	293	12/4/2007	12:06:46
200a060a.cfd	11,168	12/4/2007	12:08:50
200a060a.log	4,794	12/4/2007	12:08:50
200a060a.rsf	293	12/4/2007	12:06:46
200a060b.cfd	11,168	12/4/2007	12:08:50
200a060b.log	4,794	12/4/2007	12:08:50
200a060b.rsf	292	12/4/2007	12:06:46
200a060c.cfd	11,168	12/4/2007	12:08:50
200a060c.log	4,794	12/4/2007	12:08:50
200a060c.rsf	292	12/4/2007	12:06:46
200a060d.cfd	11,168	12/4/2007	12:08:52
200a060d.log	4,794	12/4/2007	12:08:52
200a060d.rsf	292	12/4/2007	12:06:46
200a060e.cfd	11,168	12/4/2007	12:08:52
200a060e.log	4,794	12/4/2007	12:08:52
200a060e.rsf	292	12/4/2007	12:06:46
200a070a.cfd	11,168	12/4/2007	12:08:52
200a070a.log	4,794	12/4/2007	12:08:52
200a070a.rsf	294	12/4/2007	12:06:46
200a070b.cfd	11,168	12/4/2007	12:08:52
200a070b.log	4,794	12/4/2007	12:08:52
200a070b.rsf	293	12/4/2007	12:06:46
200a070c.cfd	11,168	12/4/2007	12:08:52
200a070c.log	4,794	12/4/2007	12:08:52
200a070c.rsf	293	12/4/2007	12:06:46
200a070d.cfd	11,168	12/4/2007	12:08:52
200a070d.log	4,794	12/4/2007	12:08:52
200a070d.rsf	293	12/4/2007	12:06:46
200a070e.cfd	11,168	12/4/2007	12:08:54
200a070e.log	4,794	12/4/2007	12:08:54
200a070e.rsf	293	12/4/2007	12:06:46
200a080a.cfd	11,168	12/4/2007	12:08:54
200a080a.log	4,794	12/4/2007	12:08:54
200a080a.rsf	294	12/4/2007	12:06:46
200a080b.cfd	11,168	12/4/2007	12:08:54
200a080b.log	4,794	12/4/2007	12:08:54
200a080b.rsf	293	12/4/2007	12:06:46
200a080c.cfd	11,168	12/4/2007	12:08:54
200a080c.log	4,794	12/4/2007	12:08:54
200a080c.rsf	293	12/4/2007	12:06:46
200a080d.cfd	11,168	12/4/2007	12:08:54
200a080d.log	4,794	12/4/2007	12:08:54
200a080d.rsf	293	12/4/2007	12:06:46
200a080e.cfd	11,168	12/4/2007	12:08:54
200a080e.log	4,794	12/4/2007	12:08:54
200a080e.rsf	293	12/4/2007	12:06:46
200a160a.cfd	11,168	12/4/2007	12:08:58
200a160a.log	4,794	12/4/2007	12:08:58

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
200a160a.rsf	292	12/4/2007	12:06:46
200a160b.cfd	11,168	12/4/2007	12:08:58
200a160b.log	4,794	12/4/2007	12:08:58
200a160b.rsf	292	12/4/2007	12:06:46
200a160c.cfd	11,168	12/4/2007	12:08:58
200a160c.log	4,794	12/4/2007	12:08:58
200a160c.rsf	292	12/4/2007	12:06:46
200a17PN.cfd	11,168	12/4/2007	12:09:00
200a17PN.log	4,794	12/4/2007	12:09:00
200a17PN.rsf	295	12/4/2007	12:06:46
200a17PS.cfd	11,168	12/4/2007	12:09:00
200a17PS.log	4,794	12/4/2007	12:09:00
200a17PS.rsf	295	12/4/2007	12:06:46
200a17RE.cfd	11,168	12/4/2007	12:08:58
200a17RE.log	4,794	12/4/2007	12:08:58
200a17RE.rsf	294	12/4/2007	12:06:46
200a17RW.cfd	11,168	12/4/2007	12:09:00
200a17RW.log	4,794	12/4/2007	12:09:00
200a17RW.rsf	294	12/4/2007	12:06:46
200a200a.cfd	11,168	12/4/2007	12:08:54
200a200a.log	4,794	12/4/2007	12:08:54
200a200a.rsf	292	12/4/2007	12:06:46
200a200b.cfd	11,168	12/4/2007	12:08:56
200a200b.log	4,794	12/4/2007	12:08:56
200a200b.rsf	292	12/4/2007	12:06:46
200a200c.cfd	11,168	12/4/2007	12:08:56
200a200c.log	4,794	12/4/2007	12:08:56
200a200c.rsf	291	12/4/2007	12:06:46
200a200d.cfd	11,168	12/4/2007	12:08:56
200a200d.log	4,794	12/4/2007	12:08:56
200a200d.rsf	291	12/4/2007	12:06:46
200a220.cfd	11,168	12/4/2007	12:09:02
200a220.log	4,794	12/4/2007	12:09:02
200a220.rsf	290	12/4/2007	12:06:46
200a230.cfd	11,168	12/4/2007	12:09:02
200a230.log	4,794	12/4/2007	12:09:02
200a230.rsf	289	12/4/2007	12:06:46
200a240.cfd	11,168	12/4/2007	12:09:02
200a240.log	4,794	12/4/2007	12:09:02
200a240.rsf	290	12/4/2007	12:06:46
200a25A.cfd	11,168	12/4/2007	12:09:04
200a25A.log	4,794	12/4/2007	12:09:04
200a25A.rsf	291	12/4/2007	12:06:46
200a27A.cfd	11,168	12/4/2007	12:09:06
200a27A.log	4,794	12/4/2007	12:09:06
200a27A.rsf	292	12/4/2007	12:06:46
200a30A.cfd	11,168	12/4/2007	12:09:04
200a30A.log	4,794	12/4/2007	12:09:04
200a30A.rsf	290	12/4/2007	12:06:46
200a30B.cfd	11,168	12/4/2007	12:09:04
200a30B.log	4,794	12/4/2007	12:09:04
200a30B.rsf	292	12/4/2007	12:06:46
200a30C.cfd	11,168	12/4/2007	12:09:04

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
200a30C.log	4,794	12/4/2007	12:09:04
200a30C.rsf	291	12/4/2007	12:06:46
200a33A.cfd	11,168	12/4/2007	12:09:06
200a33A.log	4,794	12/4/2007	12:09:06
200a33A.rsf	291	12/4/2007	12:06:46
200a33B.cfd	11,168	12/4/2007	12:09:06
200a33B.log	4,794	12/4/2007	12:09:06
200a33B.rsf	290	12/4/2007	12:06:46
200a51Aa.cfd	11,168	12/4/2007	12:08:58
200a51Aa.log	4,794	12/4/2007	12:08:58
200a51Aa.rsf	292	12/4/2007	12:06:46
200a51Ab.cfd	11,168	12/4/2007	12:08:58
200a51Ab.log	4,794	12/4/2007	12:08:58
200a51Ab.rsf	292	12/4/2007	12:06:46
200a620.cfd	11,168	12/4/2007	12:09:04
200a620.log	4,794	12/4/2007	12:09:04
200a620.rsf	291	12/4/2007	12:06:46
200a71A.cfd	11,168	12/4/2007	12:09:04
200a71A.log	4,794	12/4/2007	12:09:04
200a71A.rsf	290	12/4/2007	12:06:46
200a780.cfd	11,168	12/4/2007	12:09:06
200a780.log	4,794	12/4/2007	12:09:06
200a780.rsf	291	12/4/2007	12:06:46
200aI2.cfd	11,168	12/4/2007	12:09:00
200aI2.log	4,794	12/4/2007	12:09:00
200aI2.rsf	293	12/4/2007	12:06:46
200aI3.cfd	11,168	12/4/2007	12:09:00
200aI3.log	4,794	12/4/2007	12:09:00
200aI3.rsf	294	12/4/2007	12:06:46
200aI4.cfd	11,168	12/4/2007	12:09:02
200aI4.log	4,794	12/4/2007	12:09:02
200aI4.rsf	294	12/4/2007	12:06:46
200aNC.cfd	11,168	12/4/2007	12:09:02
200aNC.log	4,794	12/4/2007	12:09:02
200aNC.rsf	291	12/4/2007	12:06:46
200aNP.cfd	11,168	12/4/2007	12:09:02
200aNP.log	4,794	12/4/2007	12:09:02
200aNP.rsf	288	12/4/2007	12:06:46
200aSP.cfd	11,168	12/4/2007	12:09:02
200aSP.log	4,794	12/4/2007	12:09:02
200aSP.rsf	290	12/4/2007	12:06:46
200b050a.cfd	11,168	12/4/2007	12:09:12
200b050a.log	4,794	12/4/2007	12:09:12
200b050a.rsf	292	12/4/2007	12:06:46
200b050b.cfd	11,168	12/4/2007	12:09:12
200b050b.log	4,794	12/4/2007	12:09:12
200b050b.rsf	292	12/4/2007	12:06:46
200b050c.cfd	11,168	12/4/2007	12:09:12
200b050c.log	4,794	12/4/2007	12:09:12
200b050c.rsf	293	12/4/2007	12:06:46
200b050d.cfd	11,168	12/4/2007	12:09:12
200b050d.log	4,794	12/4/2007	12:09:12
200b050d.rsf	293	12/4/2007	12:06:46

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
200b060a.cfd	11,168	12/4/2007	12:09:06
200b060a.log	4,794	12/4/2007	12:09:06
200b060a.rsf	292	12/4/2007	12:06:46
200b060b.cfd	11,168	12/4/2007	12:09:06
200b060b.log	4,794	12/4/2007	12:09:06
200b060b.rsf	292	12/4/2007	12:06:46
200b060c.cfd	11,168	12/4/2007	12:09:06
200b060c.log	4,794	12/4/2007	12:09:06
200b060c.rsf	292	12/4/2007	12:06:46
200b060d.cfd	11,168	12/4/2007	12:09:06
200b060d.log	4,794	12/4/2007	12:09:06
200b060d.rsf	292	12/4/2007	12:06:46
200b060e.cfd	11,168	12/4/2007	12:09:08
200b060e.log	4,794	12/4/2007	12:09:08
200b060e.rsf	292	12/4/2007	12:06:46
200b070a.cfd	11,168	12/4/2007	12:09:08
200b070a.log	4,794	12/4/2007	12:09:08
200b070a.rsf	294	12/4/2007	12:06:46
200b070b.cfd	11,168	12/4/2007	12:09:08
200b070b.log	4,794	12/4/2007	12:09:08
200b070b.rsf	293	12/4/2007	12:06:46
200b070c.cfd	11,168	12/4/2007	12:09:08
200b070c.log	4,794	12/4/2007	12:09:08
200b070c.rsf	293	12/4/2007	12:06:46
200b070d.cfd	11,168	12/4/2007	12:09:08
200b070d.log	4,794	12/4/2007	12:09:08
200b070d.rsf	293	12/4/2007	12:06:46
200b070e.cfd	11,168	12/4/2007	12:09:08
200b070e.log	4,794	12/4/2007	12:09:08
200b070e.rsf	293	12/4/2007	12:06:46
200b080a.cfd	11,168	12/4/2007	12:09:08
200b080a.log	4,794	12/4/2007	12:09:08
200b080a.rsf	294	12/4/2007	12:06:46
200b080b.cfd	11,168	12/4/2007	12:09:10
200b080b.log	4,794	12/4/2007	12:09:10
200b080b.rsf	293	12/4/2007	12:06:46
200b080c.cfd	11,168	12/4/2007	12:09:10
200b080c.log	4,794	12/4/2007	12:09:10
200b080c.rsf	293	12/4/2007	12:06:46
200b080d.cfd	11,168	12/4/2007	12:09:10
200b080d.log	4,794	12/4/2007	12:09:10
200b080d.rsf	293	12/4/2007	12:06:46
200b080e.cfd	11,168	12/4/2007	12:09:10
200b080e.log	4,794	12/4/2007	12:09:10
200b080e.rsf	293	12/4/2007	12:06:46
200b160a.cfd	11,168	12/4/2007	12:09:14
200b160a.log	4,794	12/4/2007	12:09:14
200b160a.rsf	292	12/4/2007	12:06:46
200b160b.cfd	11,168	12/4/2007	12:09:14
200b160b.log	4,794	12/4/2007	12:09:14
200b160b.rsf	292	12/4/2007	12:06:46
200b160c.cfd	11,168	12/4/2007	12:09:14
200b160c.log	4,794	12/4/2007	12:09:14

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
200b160c.rsf	292	12/4/2007	12:06:46
200b17PN.cfd	11,168	12/4/2007	12:09:16
200b17PN.log	4,794	12/4/2007	12:09:16
200b17PN.rsf	295	12/4/2007	12:06:46
200b17PS.cfd	11,168	12/4/2007	12:09:16
200b17PS.log	4,794	12/4/2007	12:09:16
200b17PS.rsf	295	12/4/2007	12:06:46
200b17RE.cfd	11,168	12/4/2007	12:09:14
200b17RE.log	4,794	12/4/2007	12:09:14
200b17RE.rsf	294	12/4/2007	12:06:46
200b17RW.cfd	11,168	12/4/2007	12:09:14
200b17RW.log	4,794	12/4/2007	12:09:14
200b17RW.rsf	294	12/4/2007	12:06:46
200b200a.cfd	11,168	12/4/2007	12:09:10
200b200a.log	4,794	12/4/2007	12:09:10
200b200a.rsf	292	12/4/2007	12:06:46
200b200b.cfd	11,168	12/4/2007	12:09:10
200b200b.log	4,794	12/4/2007	12:09:10
200b200b.rsf	292	12/4/2007	12:06:46
200b200c.cfd	11,168	12/4/2007	12:09:12
200b200c.log	4,794	12/4/2007	12:09:12
200b200c.rsf	291	12/4/2007	12:06:46
200b200d.cfd	11,168	12/4/2007	12:09:12
200b200d.log	4,794	12/4/2007	12:09:12
200b200d.rsf	290	12/4/2007	12:06:46
200b220.cfd	11,168	12/4/2007	12:09:18
200b220.log	4,794	12/4/2007	12:09:18
200b220.rsf	290	12/4/2007	12:06:46
200b230.cfd	11,168	12/4/2007	12:09:18
200b230.log	4,794	12/4/2007	12:09:18
200b230.rsf	289	12/4/2007	12:06:46
200b240.cfd	11,168	12/4/2007	12:09:18
200b240.log	4,794	12/4/2007	12:09:18
200b240.rsf	290	12/4/2007	12:06:46
200b25A.cfd	11,168	12/4/2007	12:09:18
200b25A.log	4,794	12/4/2007	12:09:18
200b25A.rsf	291	12/4/2007	12:06:46
200b27A.cfd	11,168	12/4/2007	12:09:22
200b27A.log	4,794	12/4/2007	12:09:22
200b27A.rsf	292	12/4/2007	12:06:46
200b30A.cfd	11,168	12/4/2007	12:09:20
200b30A.log	4,794	12/4/2007	12:09:20
200b30A.rsf	290	12/4/2007	12:06:46
200b30B.cfd	11,168	12/4/2007	12:09:20
200b30B.log	4,794	12/4/2007	12:09:20
200b30B.rsf	292	12/4/2007	12:06:46
200b30C.cfd	11,168	12/4/2007	12:09:20
200b30C.log	4,794	12/4/2007	12:09:20
200b30C.rsf	291	12/4/2007	12:06:46
200b33A.cfd	11,168	12/4/2007	12:09:22
200b33A.log	4,794	12/4/2007	12:09:22
200b33A.rsf	290	12/4/2007	12:06:46
200b33B.cfd	11,168	12/4/2007	12:09:22

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
200b33B.log	4,794	12/4/2007	12:09:22
200b33B.rsf	290	12/4/2007	12:06:46
200b51Aa.cfd	11,168	12/4/2007	12:09:12
200b51Aa.log	4,794	12/4/2007	12:09:12
200b51Aa.rsf	292	12/4/2007	12:06:46
200b51Ab.cfd	11,168	12/4/2007	12:09:14
200b51Ab.log	4,794	12/4/2007	12:09:14
200b51Ab.rsf	292	12/4/2007	12:06:46
200b620.cfd	11,168	12/4/2007	12:09:20
200b620.log	4,794	12/4/2007	12:09:20
200b620.rsf	291	12/4/2007	12:06:46
200b71A.cfd	11,168	12/4/2007	12:09:20
200b71A.log	4,794	12/4/2007	12:09:20
200b71A.rsf	290	12/4/2007	12:06:46
200b780.cfd	11,168	12/4/2007	12:09:22
200b780.log	4,794	12/4/2007	12:09:22
200b780.rsf	291	12/4/2007	12:06:46
200bIS2.cfd	11,168	12/4/2007	12:09:16
200bIS2.log	4,794	12/4/2007	12:09:16
200bIS2.rsf	293	12/4/2007	12:06:46
200bIS3.cfd	11,168	12/4/2007	12:09:16
200bIS3.log	4,794	12/4/2007	12:09:16
200bIS3.rsf	294	12/4/2007	12:06:46
200bIS4.cfd	11,168	12/4/2007	12:09:16
200bIS4.log	4,794	12/4/2007	12:09:16
200bIS4.rsf	294	12/4/2007	12:06:46
200bNC.cfd	11,168	12/4/2007	12:09:16
200bNC.log	4,794	12/4/2007	12:09:16
200bNC.rsf	291	12/4/2007	12:06:46
200bNP.cfd	11,168	12/4/2007	12:09:16
200bNP.log	4,794	12/4/2007	12:09:16
200bNP.rsf	288	12/4/2007	12:06:46
200bSP.cfd	11,168	12/4/2007	12:09:18
200bSP.log	4,794	12/4/2007	12:09:18
200bSP.rsf	290	12/4/2007	12:06:46
51A050a.cfd	11,168	12/4/2007	12:10:00
51A050a.log	4,794	12/4/2007	12:10:00
51A050a.rsf	290	12/4/2007	12:06:46
51A050b.cfd	11,168	12/4/2007	12:10:02
51A050b.log	4,794	12/4/2007	12:10:02
51A050b.rsf	290	12/4/2007	12:06:46
51A050c.cfd	11,168	12/4/2007	12:10:02
51A050c.log	4,794	12/4/2007	12:10:02
51A050c.rsf	291	12/4/2007	12:06:46
51A050d.cfd	11,168	12/4/2007	12:10:02
51A050d.log	4,794	12/4/2007	12:10:02
51A050d.rsf	291	12/4/2007	12:06:46
51A060a.cfd	11,168	12/4/2007	12:09:54
51A060a.log	4,794	12/4/2007	12:09:54
51A060a.rsf	291	12/4/2007	12:06:46
51A060b.cfd	11,168	12/4/2007	12:09:54
51A060b.log	4,794	12/4/2007	12:09:54
51A060b.rsf	290	12/4/2007	12:06:46

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
51A060c.cfd	11,168	12/4/2007	12:09:54
51A060c.log	4,794	12/4/2007	12:09:54
51A060c.rsf	290	12/4/2007	12:06:46
51A060d.cfd	11,168	12/4/2007	12:09:56
51A060d.log	4,794	12/4/2007	12:09:56
51A060d.rsf	290	12/4/2007	12:06:46
51A060e.cfd	11,168	12/4/2007	12:09:56
51A060e.log	4,794	12/4/2007	12:09:56
51A060e.rsf	290	12/4/2007	12:06:46
51A070a.cfd	11,168	12/4/2007	12:09:56
51A070a.log	4,794	12/4/2007	12:09:56
51A070a.rsf	292	12/4/2007	12:06:46
51A070b.cfd	11,168	12/4/2007	12:09:56
51A070b.log	4,794	12/4/2007	12:09:56
51A070b.rsf	290	12/4/2007	12:06:46
51A070c.cfd	11,168	12/4/2007	12:09:56
51A070c.log	4,794	12/4/2007	12:09:56
51A070c.rsf	291	12/4/2007	12:06:46
51A070d.cfd	11,168	12/4/2007	12:09:58
51A070d.log	4,794	12/4/2007	12:09:58
51A070d.rsf	291	12/4/2007	12:06:46
51A070e.cfd	11,168	12/4/2007	12:09:58
51A070e.log	4,794	12/4/2007	12:09:58
51A070e.rsf	291	12/4/2007	12:06:46
51A080a.cfd	11,168	12/4/2007	12:09:58
51A080a.log	4,794	12/4/2007	12:09:58
51A080a.rsf	292	12/4/2007	12:06:46
51A080b.cfd	11,168	12/4/2007	12:09:58
51A080b.log	4,794	12/4/2007	12:09:58
51A080b.rsf	291	12/4/2007	12:06:46
51A080c.cfd	11,168	12/4/2007	12:09:58
51A080c.log	4,794	12/4/2007	12:09:58
51A080c.rsf	291	12/4/2007	12:06:46
51A080d.cfd	11,168	12/4/2007	12:09:58
51A080d.log	4,794	12/4/2007	12:09:58
51A080d.rsf	291	12/4/2007	12:06:46
51A080e.cfd	11,168	12/4/2007	12:10:00
51A080e.log	4,794	12/4/2007	12:10:00
51A080e.rsf	291	12/4/2007	12:06:46
51A160a.cfd	11,168	12/4/2007	12:10:02
51A160a.log	4,794	12/4/2007	12:10:02
51A160a.rsf	290	12/4/2007	12:06:46
51A160b.cfd	11,168	12/4/2007	12:10:04
51A160b.log	4,794	12/4/2007	12:10:04
51A160b.rsf	290	12/4/2007	12:06:46
51A160c.cfd	11,168	12/4/2007	12:10:04
51A160c.log	4,794	12/4/2007	12:10:04
51A160c.rsf	290	12/4/2007	12:06:46
51A17PN.cfd	11,168	12/4/2007	12:10:04
51A17PN.log	4,794	12/4/2007	12:10:04
51A17PN.rsf	293	12/4/2007	12:06:46
51A17PS.cfd	11,168	12/4/2007	12:10:04
51A17PS.log	4,794	12/4/2007	12:10:04

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
51A17PS.rsf	293	12/4/2007	12:06:46
51A17RE.cfd	11,168	12/4/2007	12:10:04
51A17RE.log	4,794	12/4/2007	12:10:04
51A17RE.rsf	293	12/4/2007	12:06:46
51A17RW.cfd	11,168	12/4/2007	12:10:04
51A17RW.log	4,794	12/4/2007	12:10:04
51A17RW.rsf	293	12/4/2007	12:06:46
51A200a.cfd	11,168	12/4/2007	12:10:00
51A200a.log	4,794	12/4/2007	12:10:00
51A200a.rsf	291	12/4/2007	12:06:46
51A200b.cfd	11,168	12/4/2007	12:10:00
51A200b.log	4,794	12/4/2007	12:10:00
51A200b.rsf	291	12/4/2007	12:06:46
51A200c.cfd	11,168	12/4/2007	12:10:00
51A200c.log	4,794	12/4/2007	12:10:00
51A200c.rsf	291	12/4/2007	12:06:46
51A200d.cfd	11,168	12/4/2007	12:10:00
51A200d.log	4,794	12/4/2007	12:10:00
51A200d.rsf	291	12/4/2007	12:06:46
51A220.cfd	11,168	12/4/2007	12:10:08
51A220.log	4,794	12/4/2007	12:10:08
51A220.rsf	289	12/4/2007	12:06:46
51A230.cfd	11,168	12/4/2007	12:10:08
51A230.log	4,794	12/4/2007	12:10:08
51A230.rsf	288	12/4/2007	12:06:46
51A240.cfd	11,168	12/4/2007	12:10:08
51A240.log	4,794	12/4/2007	12:10:08
51A240.rsf	288	12/4/2007	12:06:46
51A25A.cfd	11,168	12/4/2007	12:10:08
51A25A.log	4,794	12/4/2007	12:10:08
51A25A.rsf	289	12/4/2007	12:06:46
51A27A.cfd	11,168	12/4/2007	12:10:10
51A27A.log	4,794	12/4/2007	12:10:10
51A27A.rsf	290	12/4/2007	12:06:46
51A30A.cfd	11,168	12/4/2007	12:10:10
51A30A.log	4,794	12/4/2007	12:10:10
51A30A.rsf	289	12/4/2007	12:06:46
51A30B.cfd	11,168	12/4/2007	12:10:10
51A30B.log	4,794	12/4/2007	12:10:10
51A30B.rsf	289	12/4/2007	12:06:46
51A30C.cfd	11,168	12/4/2007	12:10:10
51A30C.log	4,794	12/4/2007	12:10:10
51A30C.rsf	290	12/4/2007	12:06:46
51A33A.cfd	11,168	12/4/2007	12:10:12
51A33A.log	4,794	12/4/2007	12:10:12
51A33A.rsf	288	12/4/2007	12:06:46
51A33B.cfd	11,168	12/4/2007	12:10:12
51A33B.log	4,794	12/4/2007	12:10:12
51A33B.rsf	288	12/4/2007	12:06:46
51A51Aa.cfd	11,168	12/4/2007	12:10:02
51A51Aa.log	4,794	12/4/2007	12:10:02
51A51Aa.rsf	289	12/4/2007	12:06:46
51A51Ab.cfd	11,168	12/4/2007	12:10:02



Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
51A51Ab.log	4,794	12/4/2007	12:10:02
51A51Ab.rsf	289	12/4/2007	12:06:46
51A620.cfd	11,168	12/4/2007	12:10:08
51A620.log	4,794	12/4/2007	12:10:08
51A620.rsf	289	12/4/2007	12:06:46
51A71A.cfd	11,168	12/4/2007	12:10:10
51A71A.log	4,794	12/4/2007	12:10:10
51A71A.rsf	290	12/4/2007	12:06:46
51A780.cfd	11,168	12/4/2007	12:10:12
51A780.log	4,794	12/4/2007	12:10:12
51A780.rsf	289	12/4/2007	12:06:46
51AIS2.cfd	11,168	12/4/2007	12:10:06
51AIS2.log	4,794	12/4/2007	12:10:06
51AIS2.rsf	292	12/4/2007	12:06:46
51AIS3.cfd	11,168	12/4/2007	12:10:06
51AIS3.log	4,794	12/4/2007	12:10:06
51AIS3.rsf	292	12/4/2007	12:06:46
51AIS4.cfd	11,168	12/4/2007	12:10:06
51AIS4.log	4,794	12/4/2007	12:10:06
51AIS4.rsf	292	12/4/2007	12:06:46
51ANC.cfd	11,168	12/4/2007	12:10:06
51ANC.log	4,794	12/4/2007	12:10:06
51ANC.rsf	289	12/4/2007	12:06:46
51ANP.cfd	11,168	12/4/2007	12:10:06
51ANP.log	4,794	12/4/2007	12:10:06
51ANP.rsf	287	12/4/2007	12:06:46
51ASP.cfd	11,168	12/4/2007	12:10:06
51ASP.log	4,794	12/4/2007	12:10:06
51ASP.rsf	288	12/4/2007	12:06:46
_all.bat	42,096	12/4/2007	12:06:46
ECRBIS2.cfd	11,168	12/4/2007	12:11:40
ECRBIS2.log	4,802	12/4/2007	12:11:40
ECRBIS2.rsf	288	12/4/2007	12:06:46
ECRBIS3.cfd	11,168	12/4/2007	12:11:42
ECRBIS3.log	4,802	12/4/2007	12:11:42
ECRBIS3.rsf	288	12/4/2007	12:06:46
ECRBIS4.cfd	11,168	12/4/2007	12:11:42
ECRBIS4.log	4,802	12/4/2007	12:11:42
ECRBIS4.rsf	288	12/4/2007	12:06:46
ECRBNC.cfd	11,168	12/4/2007	12:11:42
ECRBNC.log	4,802	12/4/2007	12:11:42
ECRBNC.rsf	287	12/4/2007	12:06:46
ECRBNP.cfd	11,168	12/4/2007	12:11:42
ECRBNP.log	4,802	12/4/2007	12:11:42
ECRBNP.rsf	287	12/4/2007	12:06:46
ECRBSP.cfd	11,168	12/4/2007	12:11:42
ECRBSP.log	4,802	12/4/2007	12:11:42
ECRBSP.rsf	287	12/4/2007	12:06:46
ES1IS2.cfd	11,168	12/4/2007	12:11:30
ES1IS2.log	4,802	12/4/2007	12:11:30
ES1IS2.rsf	287	12/4/2007	12:06:46
ES1IS3.cfd	11,168	12/4/2007	12:11:32
ES1IS3.log	4,802	12/4/2007	12:11:32

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
ES1IS3.rsf	287	12/4/2007	12:06:46
ES1IS4.cfd	11,168	12/4/2007	12:11:32
ES1IS4.log	4,802	12/4/2007	12:11:32
ES1IS4.rsf	287	12/4/2007	12:06:46
ES1NC.cfd	11,168	12/4/2007	12:11:32
ES1NC.log	4,802	12/4/2007	12:11:32
ES1NC.rsf	286	12/4/2007	12:06:46
ES1NP.cfd	11,168	12/4/2007	12:11:32
ES1NP.log	4,802	12/4/2007	12:11:32
ES1NP.rsf	286	12/4/2007	12:06:46
ES1SP.cfd	11,168	12/4/2007	12:11:32
ES1SP.log	4,802	12/4/2007	12:11:32
ES1SP.rsf	286	12/4/2007	12:06:46
ES2IS2.cfd	11,168	12/4/2007	12:11:34
ES2IS2.log	4,802	12/4/2007	12:11:34
ES2IS2.rsf	286	12/4/2007	12:06:46
ES2IS3.cfd	11,168	12/4/2007	12:11:34
ES2IS3.log	4,802	12/4/2007	12:11:34
ES2IS3.rsf	287	12/4/2007	12:06:46
ES2IS4.cfd	11,168	12/4/2007	12:11:34
ES2IS4.log	4,802	12/4/2007	12:11:34
ES2IS4.rsf	287	12/4/2007	12:06:46
ES2NC.cfd	11,168	12/4/2007	12:11:34
ES2NC.log	4,802	12/4/2007	12:11:34
ES2NC.rsf	285	12/4/2007	12:06:46
ES2NP.cfd	11,168	12/4/2007	12:11:34
ES2NP.log	4,802	12/4/2007	12:11:34
ES2NP.rsf	285	12/4/2007	12:06:46
ES2SP.cfd	11,168	12/4/2007	12:11:34
ES2SP.log	4,802	12/4/2007	12:11:34
ES2SP.rsf	285	12/4/2007	12:06:46
ES3NIS2.cfd	11,168	12/4/2007	12:11:34
ES3NIS2.log	4,802	12/4/2007	12:11:36
ES3NIS2.rsf	287	12/4/2007	12:06:46
ES3NIS3.cfd	11,168	12/4/2007	12:11:36
ES3NIS3.log	4,802	12/4/2007	12:11:36
ES3NIS3.rsf	287	12/4/2007	12:06:46
ES3NIS4.cfd	11,168	12/4/2007	12:11:36
ES3NIS4.log	4,802	12/4/2007	12:11:36
ES3NIS4.rsf	286	12/4/2007	12:06:46
ES3NNC.cfd	11,168	12/4/2007	12:11:36
ES3NNC.log	4,802	12/4/2007	12:11:36
ES3NNC.rsf	287	12/4/2007	12:06:46
ES3NNP.cfd	11,168	12/4/2007	12:11:36
ES3NNP.log	4,802	12/4/2007	12:11:36
ES3NNP.rsf	287	12/4/2007	12:06:46
ES3NSP.cfd	11,168	12/4/2007	12:11:36
ES3NSP.log	4,802	12/4/2007	12:11:36
ES3NSP.rsf	287	12/4/2007	12:06:46
ES3SIS2.cfd	11,168	12/4/2007	12:11:38
ES3SIS2.log	4,802	12/4/2007	12:11:38
ES3SIS2.rsf	288	12/4/2007	12:06:46
ES3SIS3.cfd	11,168	12/4/2007	12:11:38

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
ES3SIS3.log	4,802	12/4/2007	12:11:38
ES3SIS3.rsf	290	12/4/2007	12:06:46
ES3SIS4.cfd	11,168	12/4/2007	12:11:38
ES3SIS4.log	4,802	12/4/2007	12:11:38
ES3SIS4.rsf	290	12/4/2007	12:06:46
ES3SNC.cfd	11,168	12/4/2007	12:11:38
ES3SNC.log	4,802	12/4/2007	12:11:38
ES3SNC.rsf	288	12/4/2007	12:06:46
ES3SNP.cfd	11,168	12/4/2007	12:11:38
ES3SNP.log	4,802	12/4/2007	12:11:38
ES3SNP.rsf	288	12/4/2007	12:06:46
ES3SSP.cfd	11,168	12/4/2007	12:11:38
ES3SSP.log	4,802	12/4/2007	12:11:38
ES3SSP.rsf	288	12/4/2007	12:06:46
ES4IS2.cfd	11,168	12/4/2007	12:11:38
ES4IS2.log	4,802	12/4/2007	12:11:38
ES4IS2.rsf	287	12/4/2007	12:06:46
ES4IS3.cfd	11,168	12/4/2007	12:11:40
ES4IS3.log	4,802	12/4/2007	12:11:40
ES4IS3.rsf	286	12/4/2007	12:06:46
ES4IS4.cfd	11,168	12/4/2007	12:11:40
ES4IS4.log	4,802	12/4/2007	12:11:40
ES4IS4.rsf	285	12/4/2007	12:06:46
ES4NC.cfd	11,168	12/4/2007	12:11:40
ES4NC.log	4,802	12/4/2007	12:11:40
ES4NC.rsf	285	12/4/2007	12:06:46
ES4NP.cfd	11,168	12/4/2007	12:11:40
ES4NP.log	4,802	12/4/2007	12:11:40
ES4NP.rsf	285	12/4/2007	12:06:46
ES4SP.cfd	11,168	12/4/2007	12:11:40
ES4SP.log	4,802	12/4/2007	12:11:40
ES4SP.rsf	285	12/4/2007	12:06:46
ymp0105X.met	1,621,488	4/17/2007	14:34:52
D:\HVAC INPUT			
=====			
HVAC Input Data.to PCSA(intake & Exhaust)11-05-07 Final.pdf	11380	11/5/2007	9:39:08 AM
HVAC Input Data.to PCSA(intake & Exhaust)11-05-07 Final.xls	28160	11/5/2007	9:39:08 AM
D:\TEST			
=====			
compare.bat	2,426	1/26/2006	9:05:53
comp CFD.txt	1,254	7/19/2007	6:45:21
complog.txt	4,977	7/19/2007	6:45:21
ex1_96.cfd	11,168	7/19/2007	6:44:55
ex1_96.log	4,829	7/19/2007	6:44:55
EX1_96.RSF	398	4/26/1996	14:16:48
ex2_96.cfd	11,168	7/19/2007	6:44:55
ex2_96.log	4,829	7/19/2007	6:44:55
EX2_96.RSF	398	4/26/1996	14:21:16
ex3_96.cfd	11,168	7/19/2007	6:44:55

Table II - 1. Electronic Files Used for Dispersion Calculation on the Compact Disc

File Name	Size/Type	Date	Time
ex3_96.log	4,829	7/19/2007	6:44:55
EX3_96.RSF	398	4/26/1996	14:24:46
ex4_96.cfd	11,168	7/19/2007	6:44:55
ex4_96.log	4,834	7/19/2007	6:44:55
EX4_96.RSF	398	4/26/1996	14:29:00
ex5a_96.cfd	11,168	7/19/2007	6:44:55
ex5a_96.log	4,829	7/19/2007	6:44:56
EX5A_96.RSF	387	5/2/1997	8:50:56
ex5b_96.cfd	11,168	7/19/2007	6:44:56
ex5b_96.log	4,829	7/19/2007	6:44:56
EX5B_96.RSF	387	5/2/1997	8:51:42
ex5c_96.cfd	11,168	7/19/2007	6:44:56
ex5c_96.log	4,829	7/19/2007	6:44:56
EX5C_96.RSF	387	5/2/1997	8:52:00
ex5d_96.cfd	11,168	7/19/2007	6:44:56
ex5d_96.log	4,829	7/19/2007	6:44:56
EX5D_96.RSF	387	5/2/1997	8:52:14
ex5e_96.cfd	11,168	7/19/2007	6:44:56
ex5e_96.log	4,829	7/19/2007	6:44:56
EX5E_96.RSF	387	5/2/1997	8:52:36
ex5f_96.cfd	11,168	7/19/2007	6:44:56
ex5f_96.log	4,829	7/19/2007	6:44:56
EX5F_96.RSF	387	5/2/1997	8:52:52
ex6_96.cfd	11,168	7/19/2007	6:44:56
ex6_96.log	4,829	7/19/2007	6:44:56
Ex6_96.rsf	390	7/19/2007	6:44:50
example.bat	772	1/26/2006	8:58:14
EXAMPLE.MET	324,120	4/1/1995	7:00:00
test.txt	112	7/19/2007	6:45:21

OFFICE OF CIVILIAN RADIOACTIVE WASTE MANAGEMENT  
SPECIAL INSTRUCTION SHEET

1. QA: QA  
Page 1 of 1

This is a placeholder page for records that cannot be scanned.

2. Record Date  
12/10/2007

3. Accession Number  
ATTN to: ENG.20071213.0003

4. Author Name(s)  
J. Schulz

5. Authorization Organization  
Preclosure Safety Analyses

6. Title/Description  
GROA Airborne Release Dispersion Factors Calculation

7. Document Number(s)  
000-PSA-MGR0-00600-000

8. Version Designator  
00B

9. Document Type  
Media

10. Medium  
2 CD's

11. Access Control Code  
PUB

12. Traceability Designator  
000-PSA-MGR0-00600-000-00B

13. Comments  
CD'S: 1 Original & 1 Copy  
Validation of complete file transferred. All files copied. Software used: ARCON96

XREF

MOL.20071218.0022

DEC 19 2007

*inf*

MD5 Validation

THIS IS AN ELECTRONIC  
ATTACHMENT

14. RPC Electronic Media Verification

dir.txt

Volume in drive D is 071210\_1449  
Volume Serial Number is 3966-56FE

Directory of D:\

12/10/2007	02:47 PM	<DIR>	GROA
12/04/2007	01:13 PM		6,158,336 GROA XQ Calculation.xls
11/16/2007	07:42 AM	<DIR>	HVAC Input
11/16/2007	07:41 AM	<DIR>	Test
		1 File(s)	6,158,336 bytes

Directory of D:\GROA

12/10/2007	02:47 PM	<DIR>	.
12/10/2007	02:47 PM	<DIR>	..
12/04/2007	12:09 PM		11,168 050a050a.cfd
12/04/2007	12:09 PM		4,794 050a050a.log
12/04/2007	12:06 PM		291 050a050a.rsrf
12/04/2007	12:09 PM		11,168 050a050b.cfd
12/04/2007	12:09 PM		4,794 050a050b.log
12/04/2007	12:06 PM		291 050a050b.rsrf
12/04/2007	12:09 PM		11,168 050a050c.cfd
12/04/2007	12:09 PM		4,794 050a050c.log
12/04/2007	12:06 PM		292 050a050c.rsrf
12/04/2007	12:09 PM		11,168 050a050d.cfd
12/04/2007	12:09 PM		4,794 050a050d.log
12/04/2007	12:06 PM		291 050a050d.rsrf
12/04/2007	12:09 PM		11,168 050a060a.cfd
12/04/2007	12:09 PM		4,794 050a060a.log
12/04/2007	12:06 PM		293 050a060a.rsrf
12/04/2007	12:09 PM		11,168 050a060b.cfd
12/04/2007	12:09 PM		4,794 050a060b.log
12/04/2007	12:06 PM		292 050a060b.rsrf
12/04/2007	12:09 PM		11,168 050a060c.cfd
12/04/2007	12:09 PM		4,794 050a060c.log
12/04/2007	12:06 PM		292 050a060c.rsrf
12/04/2007	12:09 PM		11,168 050a060d.cfd
12/04/2007	12:09 PM		4,794 050a060d.log
12/04/2007	12:06 PM		292 050a060d.rsrf
12/04/2007	12:09 PM		11,168 050a060e.cfd
12/04/2007	12:09 PM		4,794 050a060e.log
12/04/2007	12:06 PM		292 050a060e.rsrf
12/04/2007	12:09 PM		11,168 050a070a.cfd
12/04/2007	12:09 PM		4,794 050a070a.log
12/04/2007	12:06 PM		293 050a070a.rsrf
12/04/2007	12:09 PM		11,168 050a070b.cfd
12/04/2007	12:09 PM		4,794 050a070b.log
12/04/2007	12:06 PM		292 050a070b.rsrf
12/04/2007	12:09 PM		11,168 050a070c.cfd
12/04/2007	12:09 PM		4,794 050a070c.log
12/04/2007	12:06 PM		292 050a070c.rsrf
12/04/2007	12:09 PM		11,168 050a070d.cfd
12/04/2007	12:09 PM		4,794 050a070d.log
12/04/2007	12:06 PM		292 050a070d.rsrf
12/04/2007	12:09 PM		11,168 050a070e.cfd
12/04/2007	12:09 PM		4,794 050a070e.log
12/04/2007	12:06 PM		292 050a070e.rsrf
12/04/2007	12:09 PM		11,168 050a080a.cfd
12/04/2007	12:09 PM		4,794 050a080a.log
12/04/2007	12:06 PM		293 050a080a.rsrf
12/04/2007	12:09 PM		11,168 050a080b.cfd
12/04/2007	12:09 PM		4,794 050a080b.log
12/04/2007	12:06 PM		292 050a080b.rsrf

			dir.txt
12/04/2007	12:09	PM	11,168 050a080c.cfd
12/04/2007	12:09	PM	4,794 050a080c.log
12/04/2007	12:06	PM	292 050a080c.rsfsf
12/04/2007	12:09	PM	11,168 050a080d.cfd
12/04/2007	12:09	PM	4,794 050a080d.log
12/04/2007	12:06	PM	292 050a080d.rsfsf
12/04/2007	12:09	PM	11,168 050a080e.cfd
12/04/2007	12:09	PM	4,794 050a080e.log
12/04/2007	12:06	PM	292 050a080e.rsfsf
12/04/2007	12:09	PM	11,168 050a160a.cfd
12/04/2007	12:09	PM	4,794 050a160a.log
12/04/2007	12:06	PM	292 050a160a.rsfsf
12/04/2007	12:09	PM	11,168 050a160b.cfd
12/04/2007	12:09	PM	4,794 050a160b.log
12/04/2007	12:06	PM	292 050a160b.rsfsf
12/04/2007	12:09	PM	11,168 050a160c.cfd
12/04/2007	12:09	PM	4,794 050a160c.log
12/04/2007	12:06	PM	292 050a160c.rsfsf
12/04/2007	12:09	PM	11,168 050a17PN.cfd
12/04/2007	12:09	PM	4,794 050a17PN.log
12/04/2007	12:06	PM	295 050a17PN.rsfsf
12/04/2007	12:09	PM	11,168 050a17PS.cfd
12/04/2007	12:09	PM	4,794 050a17PS.log
12/04/2007	12:06	PM	295 050a17PS.rsfsf
12/04/2007	12:09	PM	11,168 050a17RE.cfd
12/04/2007	12:09	PM	4,794 050a17RE.log
12/04/2007	12:06	PM	295 050a17RE.rsfsf
12/04/2007	12:09	PM	11,168 050a17RW.cfd
12/04/2007	12:09	PM	4,794 050a17RW.log
12/04/2007	12:06	PM	295 050a17RW.rsfsf
12/04/2007	12:09	PM	11,168 050a200a.cfd
12/04/2007	12:09	PM	4,794 050a200a.log
12/04/2007	12:06	PM	293 050a200a.rsfsf
12/04/2007	12:09	PM	11,168 050a200b.cfd
12/04/2007	12:09	PM	4,794 050a200b.log
12/04/2007	12:06	PM	293 050a200b.rsfsf
12/04/2007	12:09	PM	11,168 050a200c.cfd
12/04/2007	12:09	PM	4,794 050a200c.log
12/04/2007	12:06	PM	293 050a200c.rsfsf
12/04/2007	12:09	PM	11,168 050a200d.cfd
12/04/2007	12:09	PM	4,794 050a200d.log
12/04/2007	12:06	PM	293 050a200d.rsfsf
12/04/2007	12:09	PM	11,168 050a220.cfd
12/04/2007	12:09	PM	4,794 050a220.log
12/04/2007	12:06	PM	290 050a220.rsfsf
12/04/2007	12:09	PM	11,168 050a230.cfd
12/04/2007	12:09	PM	4,794 050a230.log
12/04/2007	12:06	PM	290 050a230.rsfsf
12/04/2007	12:09	PM	11,168 050a240.cfd
12/04/2007	12:09	PM	4,794 050a240.log
12/04/2007	12:06	PM	290 050a240.rsfsf
12/04/2007	12:09	PM	11,168 050a25A.cfd
12/04/2007	12:09	PM	4,794 050a25A.log
12/04/2007	12:06	PM	291 050a25A.rsfsf
12/04/2007	12:09	PM	11,168 050a27A.cfd
12/04/2007	12:09	PM	4,794 050a27A.log
12/04/2007	12:06	PM	290 050a27A.rsfsf
12/04/2007	12:09	PM	11,168 050a30A.cfd
12/04/2007	12:09	PM	4,794 050a30A.log
12/04/2007	12:06	PM	291 050a30A.rsfsf
12/04/2007	12:09	PM	11,168 050a30B.cfd
12/04/2007	12:09	PM	4,794 050a30B.log
12/04/2007	12:06	PM	291 050a30B.rsfsf

			dir.txt	
12/04/2007	12:09	PM	11,168	050a30C.cfd
12/04/2007	12:09	PM	4,794	050a30C.log
12/04/2007	12:06	PM	291	050a30C.rsF
12/04/2007	12:09	PM	11,168	050a33A.cfd
12/04/2007	12:09	PM	4,794	050a33A.log
12/04/2007	12:06	PM	290	050a33A.rsF
12/04/2007	12:09	PM	11,168	050a33B.cfd
12/04/2007	12:09	PM	4,794	050a33B.log
12/04/2007	12:06	PM	291	050a33B.rsF
12/04/2007	12:09	PM	11,168	050a51Aa.cfd
12/04/2007	12:09	PM	4,794	050a51Aa.log
12/04/2007	12:06	PM	292	050a51Aa.rsF
12/04/2007	12:09	PM	11,168	050a51Ab.cfd
12/04/2007	12:09	PM	4,794	050a51Ab.log
12/04/2007	12:06	PM	292	050a51Ab.rsF
12/04/2007	12:09	PM	11,168	050a620.cfd
12/04/2007	12:09	PM	4,794	050a620.log
12/04/2007	12:06	PM	291	050a620.rsF
12/04/2007	12:09	PM	11,168	050a71A.cfd
12/04/2007	12:09	PM	4,794	050a71A.log
12/04/2007	12:06	PM	291	050a71A.rsF
12/04/2007	12:09	PM	11,168	050a780.cfd
12/04/2007	12:09	PM	4,794	050a780.log
12/04/2007	12:06	PM	291	050a780.rsF
12/04/2007	12:09	PM	11,168	050aIS2.cfd
12/04/2007	12:09	PM	4,794	050aIS2.log
12/04/2007	12:06	PM	293	050aIS2.rsF
12/04/2007	12:09	PM	11,168	050aIS3.cfd
12/04/2007	12:09	PM	4,794	050aIS3.log
12/04/2007	12:06	PM	294	050aIS3.rsF
12/04/2007	12:09	PM	11,168	050aIS4.cfd
12/04/2007	12:09	PM	4,794	050aIS4.log
12/04/2007	12:06	PM	294	050aIS4.rsF
12/04/2007	12:09	PM	11,168	050aNC.cfd
12/04/2007	12:09	PM	4,794	050aNC.log
12/04/2007	12:06	PM	291	050aNC.rsF
12/04/2007	12:09	PM	11,168	050aNP.cfd
12/04/2007	12:09	PM	4,794	050aNP.log
12/04/2007	12:06	PM	289	050aNP.rsF
12/04/2007	12:09	PM	11,168	050aSP.cfd
12/04/2007	12:09	PM	4,794	050aSP.log
12/04/2007	12:06	PM	290	050aSP.rsF
12/04/2007	12:09	PM	11,168	050b050a.cfd
12/04/2007	12:09	PM	4,794	050b050a.log
12/04/2007	12:06	PM	291	050b050a.rsF
12/04/2007	12:09	PM	11,168	050b050b.cfd
12/04/2007	12:09	PM	4,794	050b050b.log
12/04/2007	12:06	PM	291	050b050b.rsF
12/04/2007	12:09	PM	11,168	050b050c.cfd
12/04/2007	12:09	PM	4,794	050b050c.log
12/04/2007	12:06	PM	292	050b050c.rsF
12/04/2007	12:09	PM	11,168	050b050d.cfd
12/04/2007	12:09	PM	4,794	050b050d.log
12/04/2007	12:06	PM	292	050b050d.rsF
12/04/2007	12:09	PM	11,168	050b060a.cfd
12/04/2007	12:09	PM	4,794	050b060a.log
12/04/2007	12:06	PM	293	050b060a.rsF
12/04/2007	12:09	PM	11,168	050b060b.cfd
12/04/2007	12:09	PM	4,794	050b060b.log
12/04/2007	12:06	PM	292	050b060b.rsF
12/04/2007	12:09	PM	11,168	050b060c.cfd
12/04/2007	12:09	PM	4,794	050b060c.log
12/04/2007	12:06	PM	292	050b060c.rsF



			dir.txt
12/04/2007	12:09	PM	11,168 050b060d.cfd
12/04/2007	12:09	PM	4,794 050b060d.log
12/04/2007	12:06	PM	292 050b060d.rsrf
12/04/2007	12:09	PM	11,168 050b060e.cfd
12/04/2007	12:09	PM	4,794 050b060e.log
12/04/2007	12:06	PM	292 050b060e.rsrf
12/04/2007	12:09	PM	11,168 050b070a.cfd
12/04/2007	12:09	PM	4,794 050b070a.log
12/04/2007	12:06	PM	293 050b070a.rsrf
12/04/2007	12:09	PM	11,168 050b070b.cfd
12/04/2007	12:09	PM	4,794 050b070b.log
12/04/2007	12:06	PM	292 050b070b.rsrf
12/04/2007	12:09	PM	11,168 050b070c.cfd
12/04/2007	12:09	PM	4,794 050b070c.log
12/04/2007	12:06	PM	292 050b070c.rsrf
12/04/2007	12:09	PM	11,168 050b070d.cfd
12/04/2007	12:09	PM	4,794 050b070d.log
12/04/2007	12:06	PM	292 050b070d.rsrf
12/04/2007	12:09	PM	11,168 050b070e.cfd
12/04/2007	12:09	PM	4,794 050b070e.log
12/04/2007	12:06	PM	292 050b070e.rsrf
12/04/2007	12:09	PM	11,168 050b080a.cfd
12/04/2007	12:09	PM	4,794 050b080a.log
12/04/2007	12:06	PM	293 050b080a.rsrf
12/04/2007	12:09	PM	11,168 050b080b.cfd
12/04/2007	12:09	PM	4,794 050b080b.log
12/04/2007	12:06	PM	292 050b080b.rsrf
12/04/2007	12:09	PM	11,168 050b080c.cfd
12/04/2007	12:09	PM	4,794 050b080c.log
12/04/2007	12:06	PM	292 050b080c.rsrf
12/04/2007	12:09	PM	11,168 050b080d.cfd
12/04/2007	12:09	PM	4,794 050b080d.log
12/04/2007	12:06	PM	292 050b080d.rsrf
12/04/2007	12:09	PM	11,168 050b080e.cfd
12/04/2007	12:09	PM	4,794 050b080e.log
12/04/2007	12:06	PM	292 050b080e.rsrf
12/04/2007	12:09	PM	11,168 050b160a.cfd
12/04/2007	12:09	PM	4,794 050b160a.log
12/04/2007	12:06	PM	292 050b160a.rsrf
12/04/2007	12:09	PM	11,168 050b160b.cfd
12/04/2007	12:09	PM	4,794 050b160b.log
12/04/2007	12:06	PM	292 050b160b.rsrf
12/04/2007	12:09	PM	11,168 050b160c.cfd
12/04/2007	12:09	PM	4,794 050b160c.log
12/04/2007	12:06	PM	292 050b160c.rsrf
12/04/2007	12:09	PM	11,168 050b17PN.cfd
12/04/2007	12:09	PM	4,794 050b17PN.log
12/04/2007	12:06	PM	295 050b17PN.rsrf
12/04/2007	12:09	PM	11,168 050b17PS.cfd
12/04/2007	12:09	PM	4,794 050b17PS.log
12/04/2007	12:06	PM	295 050b17PS.rsrf
12/04/2007	12:09	PM	11,168 050b17RE.cfd
12/04/2007	12:09	PM	4,794 050b17RE.log
12/04/2007	12:06	PM	295 050b17RE.rsrf
12/04/2007	12:09	PM	11,168 050b17RW.cfd
12/04/2007	12:09	PM	4,794 050b17RW.log
12/04/2007	12:06	PM	295 050b17RW.rsrf
12/04/2007	12:09	PM	11,168 050b200a.cfd
12/04/2007	12:09	PM	4,794 050b200a.log
12/04/2007	12:06	PM	293 050b200a.rsrf
12/04/2007	12:09	PM	11,168 050b200b.cfd
12/04/2007	12:09	PM	4,794 050b200b.log
12/04/2007	12:06	PM	293 050b200b.rsrf

			dir.txt
12/04/2007	12:09	PM	11,168 050b200c.cfd
12/04/2007	12:09	PM	4,794 050b200c.log
12/04/2007	12:06	PM	293 050b200c.rsF
12/04/2007	12:09	PM	11,168 050b200d.cfd
12/04/2007	12:09	PM	4,794 050b200d.log
12/04/2007	12:06	PM	293 050b200d.rsF
12/04/2007	12:09	PM	11,168 050b220.cfd
12/04/2007	12:09	PM	4,794 050b220.log
12/04/2007	12:06	PM	290 050b220.rsF
12/04/2007	12:09	PM	11,168 050b230.cfd
12/04/2007	12:09	PM	4,794 050b230.log
12/04/2007	12:06	PM	290 050b230.rsF
12/04/2007	12:09	PM	11,168 050b240.cfd
12/04/2007	12:09	PM	4,794 050b240.log
12/04/2007	12:06	PM	290 050b240.rsF
12/04/2007	12:09	PM	11,168 050b25A.cfd
12/04/2007	12:09	PM	4,794 050b25A.log
12/04/2007	12:06	PM	291 050b25A.rsF
12/04/2007	12:09	PM	11,168 050b27A.cfd
12/04/2007	12:09	PM	4,794 050b27A.log
12/04/2007	12:06	PM	290 050b27A.rsF
12/04/2007	12:09	PM	11,168 050b30A.cfd
12/04/2007	12:09	PM	4,794 050b30A.log
12/04/2007	12:06	PM	291 050b30A.rsF
12/04/2007	12:09	PM	11,168 050b30B.cfd
12/04/2007	12:09	PM	4,794 050b30B.log
12/04/2007	12:06	PM	291 050b30B.rsF
12/04/2007	12:09	PM	11,168 050b30C.cfd
12/04/2007	12:09	PM	4,794 050b30C.log
12/04/2007	12:06	PM	292 050b30C.rsF
12/04/2007	12:09	PM	11,168 050b33A.cfd
12/04/2007	12:09	PM	4,794 050b33A.log
12/04/2007	12:06	PM	290 050b33A.rsF
12/04/2007	12:09	PM	11,168 050b33B.cfd
12/04/2007	12:09	PM	4,794 050b33B.log
12/04/2007	12:06	PM	291 050b33B.rsF
12/04/2007	12:09	PM	11,168 050b51Aa.cfd
12/04/2007	12:09	PM	4,794 050b51Aa.log
12/04/2007	12:06	PM	291 050b51Aa.rsF
12/04/2007	12:09	PM	11,168 050b51Ab.cfd
12/04/2007	12:09	PM	4,794 050b51Ab.log
12/04/2007	12:06	PM	291 050b51Ab.rsF
12/04/2007	12:09	PM	11,168 050b620.cfd
12/04/2007	12:09	PM	4,794 050b620.log
12/04/2007	12:06	PM	291 050b620.rsF
12/04/2007	12:09	PM	11,168 050b71A.cfd
12/04/2007	12:09	PM	4,794 050b71A.log
12/04/2007	12:06	PM	291 050b71A.rsF
12/04/2007	12:09	PM	11,168 050b780.cfd
12/04/2007	12:09	PM	4,794 050b780.log
12/04/2007	12:06	PM	291 050b780.rsF
12/04/2007	12:09	PM	11,168 050bIS2.cfd
12/04/2007	12:09	PM	4,794 050bIS2.log
12/04/2007	12:06	PM	293 050bIS2.rsF
12/04/2007	12:09	PM	11,168 050bIS3.cfd
12/04/2007	12:09	PM	4,794 050bIS3.log
12/04/2007	12:06	PM	294 050bIS3.rsF
12/04/2007	12:09	PM	11,168 050bIS4.cfd
12/04/2007	12:09	PM	4,794 050bIS4.log
12/04/2007	12:06	PM	294 050bIS4.rsF
12/04/2007	12:09	PM	11,168 050bNC.cfd
12/04/2007	12:09	PM	4,794 050bNC.log
12/04/2007	12:06	PM	291 050bNC.rsF

			dir.txt
12/04/2007	12:09	PM	11,168 050bNP.cfd
12/04/2007	12:09	PM	4,794 050bNP.log
12/04/2007	12:06	PM	289 050bNP.rsfsf
12/04/2007	12:09	PM	11,168 050bSP.cfd
12/04/2007	12:09	PM	4,794 050bSP.log
12/04/2007	12:06	PM	290 050bSP.rsfsf
12/04/2007	12:07	PM	11,168 060a050a.cfd
12/04/2007	12:07	PM	4,794 060a050a.log
12/04/2007	12:06	PM	292 060a050a.rsfsf
12/04/2007	12:07	PM	11,168 060a050b.cfd
12/04/2007	12:07	PM	4,794 060a050b.log
12/04/2007	12:06	PM	292 060a050b.rsfsf
12/04/2007	12:07	PM	11,168 060a050c.cfd
12/04/2007	12:07	PM	4,794 060a050c.log
12/04/2007	12:06	PM	293 060a050c.rsfsf
12/04/2007	12:07	PM	11,168 060a050d.cfd
12/04/2007	12:07	PM	4,794 060a050d.log
12/04/2007	12:06	PM	293 060a050d.rsfsf
12/04/2007	12:07	PM	11,168 060a060a.cfd
12/04/2007	12:07	PM	4,794 060a060a.log
12/04/2007	12:06	PM	292 060a060a.rsfsf
12/04/2007	12:07	PM	11,168 060a060b.cfd
12/04/2007	12:07	PM	4,794 060a060b.log
12/04/2007	12:06	PM	290 060a060b.rsfsf
12/04/2007	12:07	PM	11,168 060a060c.cfd
12/04/2007	12:07	PM	4,794 060a060c.log
12/04/2007	12:06	PM	291 060a060c.rsfsf
12/04/2007	12:07	PM	11,168 060a060d.cfd
12/04/2007	12:07	PM	4,794 060a060d.log
12/04/2007	12:06	PM	291 060a060d.rsfsf
12/04/2007	12:07	PM	11,168 060a060e.cfd
12/04/2007	12:07	PM	4,794 060a060e.log
12/04/2007	12:06	PM	291 060a060e.rsfsf
12/04/2007	12:07	PM	11,168 060a070a.cfd
12/04/2007	12:07	PM	4,794 060a070a.log
12/04/2007	12:06	PM	294 060a070a.rsfsf
12/04/2007	12:07	PM	11,168 060a070b.cfd
12/04/2007	12:07	PM	4,794 060a070b.log
12/04/2007	12:06	PM	293 060a070b.rsfsf
12/04/2007	12:07	PM	11,168 060a070c.cfd
12/04/2007	12:07	PM	4,794 060a070c.log
12/04/2007	12:06	PM	293 060a070c.rsfsf
12/04/2007	12:07	PM	11,168 060a070d.cfd
12/04/2007	12:07	PM	4,794 060a070d.log
12/04/2007	12:06	PM	293 060a070d.rsfsf
12/04/2007	12:07	PM	11,168 060a070e.cfd
12/04/2007	12:07	PM	4,794 060a070e.log
12/04/2007	12:06	PM	293 060a070e.rsfsf
12/04/2007	12:07	PM	11,168 060a080a.cfd
12/04/2007	12:07	PM	4,794 060a080a.log
12/04/2007	12:06	PM	294 060a080a.rsfsf
12/04/2007	12:07	PM	11,168 060a080b.cfd
12/04/2007	12:07	PM	4,794 060a080b.log
12/04/2007	12:06	PM	293 060a080b.rsfsf
12/04/2007	12:07	PM	11,168 060a080c.cfd
12/04/2007	12:07	PM	4,794 060a080c.log
12/04/2007	12:06	PM	293 060a080c.rsfsf
12/04/2007	12:07	PM	11,168 060a080d.cfd
12/04/2007	12:07	PM	4,794 060a080d.log
12/04/2007	12:06	PM	293 060a080d.rsfsf
12/04/2007	12:07	PM	11,168 060a080e.cfd
12/04/2007	12:07	PM	4,794 060a080e.log
12/04/2007	12:06	PM	293 060a080e.rsfsf

			dir.txt
12/04/2007	12:07	PM	11,168 060a160a.cfd
12/04/2007	12:07	PM	4,794 060a160a.log
12/04/2007	12:06	PM	293 060a160a.rsF
12/04/2007	12:07	PM	11,168 060a160b.cfd
12/04/2007	12:07	PM	4,794 060a160b.log
12/04/2007	12:06	PM	293 060a160b.rsF
12/04/2007	12:07	PM	11,168 060a160c.cfd
12/04/2007	12:07	PM	4,794 060a160c.log
12/04/2007	12:06	PM	293 060a160c.rsF
12/04/2007	12:07	PM	11,168 060a17PN.cfd
12/04/2007	12:07	PM	4,794 060a17PN.log
12/04/2007	12:06	PM	295 060a17PN.rsF
12/04/2007	12:07	PM	11,168 060a17PS.cfd
12/04/2007	12:07	PM	4,794 060a17PS.log
12/04/2007	12:06	PM	295 060a17PS.rsF
12/04/2007	12:07	PM	11,168 060a17RE.cfd
12/04/2007	12:07	PM	4,794 060a17RE.log
12/04/2007	12:06	PM	294 060a17RE.rsF
12/04/2007	12:07	PM	11,168 060a17RW.cfd
12/04/2007	12:07	PM	4,794 060a17RW.log
12/04/2007	12:06	PM	294 060a17RW.rsF
12/04/2007	12:07	PM	11,168 060a200a.cfd
12/04/2007	12:07	PM	4,794 060a200a.log
12/04/2007	12:06	PM	293 060a200a.rsF
12/04/2007	12:07	PM	11,168 060a200b.cfd
12/04/2007	12:07	PM	4,794 060a200b.log
12/04/2007	12:06	PM	293 060a200b.rsF
12/04/2007	12:07	PM	11,168 060a200c.cfd
12/04/2007	12:07	PM	4,794 060a200c.log
12/04/2007	12:06	PM	293 060a200c.rsF
12/04/2007	12:07	PM	11,168 060a200d.cfd
12/04/2007	12:07	PM	4,794 060a200d.log
12/04/2007	12:06	PM	293 060a200d.rsF
12/04/2007	12:07	PM	11,168 060a220.cfd
12/04/2007	12:07	PM	4,794 060a220.log
12/04/2007	12:06	PM	290 060a220.rsF
12/04/2007	12:07	PM	11,168 060a230.cfd
12/04/2007	12:07	PM	4,794 060a230.log
12/04/2007	12:06	PM	288 060a230.rsF
12/04/2007	12:07	PM	11,168 060a240.cfd
12/04/2007	12:07	PM	4,794 060a240.log
12/04/2007	12:06	PM	289 060a240.rsF
12/04/2007	12:07	PM	11,168 060a25A.cfd
12/04/2007	12:07	PM	4,794 060a25A.log
12/04/2007	12:06	PM	291 060a25A.rsF
12/04/2007	12:07	PM	11,168 060a27A.cfd
12/04/2007	12:07	PM	4,794 060a27A.log
12/04/2007	12:06	PM	292 060a27A.rsF
12/04/2007	12:07	PM	11,168 060a30A.cfd
12/04/2007	12:07	PM	4,794 060a30A.log
12/04/2007	12:06	PM	290 060a30A.rsF
12/04/2007	12:07	PM	11,168 060a30B.cfd
12/04/2007	12:07	PM	4,794 060a30B.log
12/04/2007	12:06	PM	291 060a30B.rsF
12/04/2007	12:07	PM	11,168 060a30C.cfd
12/04/2007	12:07	PM	4,794 060a30C.log
12/04/2007	12:06	PM	291 060a30C.rsF
12/04/2007	12:07	PM	11,168 060a33A.cfd
12/04/2007	12:07	PM	4,794 060a33A.log
12/04/2007	12:06	PM	288 060a33A.rsF
12/04/2007	12:07	PM	11,168 060a33B.cfd
12/04/2007	12:07	PM	4,794 060a33B.log
12/04/2007	12:06	PM	291 060a33B.rsF

			dir.txt
12/04/2007	12:07	PM	11,168 060a51Aa.cfd
12/04/2007	12:07	PM	4,794 060a51Aa.log
12/04/2007	12:06	PM	292 060a51Aa.rsfs
12/04/2007	12:07	PM	11,168 060a51Ab.cfd
12/04/2007	12:07	PM	4,794 060a51Ab.log
12/04/2007	12:06	PM	292 060a51Ab.rsfs
12/04/2007	12:07	PM	11,168 060a620.cfd
12/04/2007	12:07	PM	4,794 060a620.log
12/04/2007	12:06	PM	291 060a620.rsfs
12/04/2007	12:07	PM	11,168 060a71A.cfd
12/04/2007	12:07	PM	4,794 060a71A.log
12/04/2007	12:06	PM	290 060a71A.rsfs
12/04/2007	12:07	PM	11,168 060a780.cfd
12/04/2007	12:07	PM	4,794 060a780.log
12/04/2007	12:06	PM	291 060a780.rsfs
12/04/2007	12:07	PM	11,168 060aIS2.cfd
12/04/2007	12:07	PM	4,794 060aIS2.log
12/04/2007	12:06	PM	293 060aIS2.rsfs
12/04/2007	12:07	PM	11,168 060aIS3.cfd
12/04/2007	12:07	PM	4,794 060aIS3.log
12/04/2007	12:06	PM	294 060aIS3.rsfs
12/04/2007	12:07	PM	11,168 060aIS4.cfd
12/04/2007	12:07	PM	4,794 060aIS4.log
12/04/2007	12:06	PM	294 060aIS4.rsfs
12/04/2007	12:07	PM	11,168 060aNC.cfd
12/04/2007	12:07	PM	4,794 060aNC.log
12/04/2007	12:06	PM	291 060aNC.rsfs
12/04/2007	12:07	PM	11,168 060aNP.cfd
12/04/2007	12:07	PM	4,794 060aNP.log
12/04/2007	12:06	PM	288 060aNP.rsfs
12/04/2007	12:07	PM	11,168 060aSP.cfd
12/04/2007	12:07	PM	4,794 060aSP.log
12/04/2007	12:06	PM	290 060aSP.rsfs
12/04/2007	12:07	PM	11,168 060b050a.cfd
12/04/2007	12:07	PM	4,794 060b050a.log
12/04/2007	12:06	PM	292 060b050a.rsfs
12/04/2007	12:07	PM	11,168 060b050b.cfd
12/04/2007	12:07	PM	4,794 060b050b.log
12/04/2007	12:06	PM	292 060b050b.rsfs
12/04/2007	12:07	PM	11,168 060b050c.cfd
12/04/2007	12:07	PM	4,794 060b050c.log
12/04/2007	12:06	PM	293 060b050c.rsfs
12/04/2007	12:07	PM	11,168 060b050d.cfd
12/04/2007	12:07	PM	4,794 060b050d.log
12/04/2007	12:06	PM	293 060b050d.rsfs
12/04/2007	12:07	PM	11,168 060b060a.cfd
12/04/2007	12:07	PM	4,794 060b060a.log
12/04/2007	12:06	PM	293 060b060a.rsfs
12/04/2007	12:07	PM	11,168 060b060b.cfd
12/04/2007	12:07	PM	4,794 060b060b.log
12/04/2007	12:06	PM	291 060b060b.rsfs
12/04/2007	12:07	PM	11,168 060b060c.cfd
12/04/2007	12:07	PM	4,794 060b060c.log
12/04/2007	12:06	PM	291 060b060c.rsfs
12/04/2007	12:07	PM	11,168 060b060d.cfd
12/04/2007	12:07	PM	4,794 060b060d.log
12/04/2007	12:06	PM	291 060b060d.rsfs
12/04/2007	12:07	PM	11,168 060b060e.cfd
12/04/2007	12:07	PM	4,794 060b060e.log
12/04/2007	12:06	PM	291 060b060e.rsfs
12/04/2007	12:07	PM	11,168 060b070a.cfd
12/04/2007	12:07	PM	4,794 060b070a.log
12/04/2007	12:06	PM	294 060b070a.rsfs

```

dir.txt
12/04/2007 12:07 PM 11,168 060b070b.cfd
12/04/2007 12:07 PM 4,794 060b070b.log
12/04/2007 12:06 PM 293 060b070b.rsfs
12/04/2007 12:07 PM 11,168 060b070c.cfd
12/04/2007 12:07 PM 4,794 060b070c.log
12/04/2007 12:06 PM 293 060b070c.rsfs
12/04/2007 12:07 PM 11,168 060b070d.cfd
12/04/2007 12:07 PM 4,794 060b070d.log
12/04/2007 12:06 PM 293 060b070d.rsfs
12/04/2007 12:07 PM 11,168 060b070e.cfd
12/04/2007 12:07 PM 4,794 060b070e.log
12/04/2007 12:06 PM 293 060b070e.rsfs
12/04/2007 12:07 PM 11,168 060b080a.cfd
12/04/2007 12:07 PM 4,794 060b080a.log
12/04/2007 12:06 PM 294 060b080a.rsfs
12/04/2007 12:07 PM 11,168 060b080b.cfd
12/04/2007 12:07 PM 4,794 060b080b.log
12/04/2007 12:06 PM 293 060b080b.rsfs
12/04/2007 12:07 PM 11,168 060b080c.cfd
12/04/2007 12:07 PM 4,794 060b080c.log
12/04/2007 12:06 PM 293 060b080c.rsfs
12/04/2007 12:07 PM 11,168 060b080d.cfd
12/04/2007 12:07 PM 4,794 060b080d.log
12/04/2007 12:06 PM 293 060b080d.rsfs
12/04/2007 12:07 PM 11,168 060b080e.cfd
12/04/2007 12:07 PM 4,794 060b080e.log
12/04/2007 12:06 PM 293 060b080e.rsfs
12/04/2007 12:07 PM 11,168 060b160a.cfd
12/04/2007 12:07 PM 4,794 060b160a.log
12/04/2007 12:06 PM 293 060b160a.rsfs
12/04/2007 12:07 PM 11,168 060b160b.cfd
12/04/2007 12:07 PM 4,794 060b160b.log
12/04/2007 12:06 PM 293 060b160b.rsfs
12/04/2007 12:07 PM 11,168 060b160c.cfd
12/04/2007 12:07 PM 4,794 060b160c.log
12/04/2007 12:06 PM 293 060b160c.rsfs
12/04/2007 12:07 PM 11,168 060b17PN.cfd
12/04/2007 12:07 PM 4,794 060b17PN.log
12/04/2007 12:06 PM 295 060b17PN.rsfs
12/04/2007 12:07 PM 11,168 060b17PS.cfd
12/04/2007 12:07 PM 4,794 060b17PS.log
12/04/2007 12:06 PM 295 060b17PS.rsfs
12/04/2007 12:07 PM 11,168 060b17RE.cfd
12/04/2007 12:07 PM 4,794 060b17RE.log
12/04/2007 12:06 PM 295 060b17RE.rsfs
12/04/2007 12:07 PM 11,168 060b17RW.cfd
12/04/2007 12:07 PM 4,794 060b17RW.log
12/04/2007 12:06 PM 295 060b17RW.rsfs
12/04/2007 12:07 PM 11,168 060b200a.cfd
12/04/2007 12:07 PM 4,794 060b200a.log
12/04/2007 12:06 PM 293 060b200a.rsfs
12/04/2007 12:07 PM 11,168 060b200b.cfd
12/04/2007 12:07 PM 4,794 060b200b.log
12/04/2007 12:06 PM 293 060b200b.rsfs
12/04/2007 12:07 PM 11,168 060b200c.cfd
12/04/2007 12:07 PM 4,794 060b200c.log
12/04/2007 12:06 PM 293 060b200c.rsfs
12/04/2007 12:07 PM 11,168 060b200d.cfd
12/04/2007 12:07 PM 4,794 060b200d.log
12/04/2007 12:06 PM 293 060b200d.rsfs
12/04/2007 12:07 PM 11,168 060b220.cfd
12/04/2007 12:07 PM 4,794 060b220.log
12/04/2007 12:06 PM 290 060b220.rsfs

```

			dir.txt
12/04/2007	12:07	PM	11,168 060b230.cfd
12/04/2007	12:07	PM	4,794 060b230.log
12/04/2007	12:06	PM	288 060b230.rsrf
12/04/2007	12:07	PM	11,168 060b240.cfd
12/04/2007	12:07	PM	4,794 060b240.log
12/04/2007	12:06	PM	289 060b240.rsrf
12/04/2007	12:07	PM	11,168 060b25A.cfd
12/04/2007	12:07	PM	4,794 060b25A.log
12/04/2007	12:06	PM	291 060b25A.rsrf
12/04/2007	12:07	PM	11,168 060b27A.cfd
12/04/2007	12:07	PM	4,794 060b27A.log
12/04/2007	12:06	PM	292 060b27A.rsrf
12/04/2007	12:07	PM	11,168 060b30A.cfd
12/04/2007	12:07	PM	4,794 060b30A.log
12/04/2007	12:06	PM	290 060b30A.rsrf
12/04/2007	12:07	PM	11,168 060b30B.cfd
12/04/2007	12:07	PM	4,794 060b30B.log
12/04/2007	12:06	PM	291 060b30B.rsrf
12/04/2007	12:07	PM	11,168 060b30C.cfd
12/04/2007	12:07	PM	4,794 060b30C.log
12/04/2007	12:06	PM	291 060b30C.rsrf
12/04/2007	12:07	PM	11,168 060b33A.cfd
12/04/2007	12:07	PM	4,794 060b33A.log
12/04/2007	12:06	PM	288 060b33A.rsrf
12/04/2007	12:07	PM	11,168 060b33B.cfd
12/04/2007	12:07	PM	4,794 060b33B.log
12/04/2007	12:06	PM	291 060b33B.rsrf
12/04/2007	12:07	PM	11,168 060b51Aa.cfd
12/04/2007	12:07	PM	4,794 060b51Aa.log
12/04/2007	12:06	PM	292 060b51Aa.rsrf
12/04/2007	12:07	PM	11,168 060b51Ab.cfd
12/04/2007	12:07	PM	4,794 060b51Ab.log
12/04/2007	12:06	PM	292 060b51Ab.rsrf
12/04/2007	12:07	PM	11,168 060b620.cfd
12/04/2007	12:07	PM	4,794 060b620.log
12/04/2007	12:06	PM	291 060b620.rsrf
12/04/2007	12:07	PM	11,168 060b71A.cfd
12/04/2007	12:07	PM	4,794 060b71A.log
12/04/2007	12:06	PM	290 060b71A.rsrf
12/04/2007	12:07	PM	11,168 060b780.cfd
12/04/2007	12:07	PM	4,794 060b780.log
12/04/2007	12:06	PM	291 060b780.rsrf
12/04/2007	12:07	PM	11,168 060bIS2.cfd
12/04/2007	12:07	PM	4,794 060bIS2.log
12/04/2007	12:06	PM	293 060bIS2.rsrf
12/04/2007	12:07	PM	11,168 060bIS3.cfd
12/04/2007	12:07	PM	4,794 060bIS3.log
12/04/2007	12:06	PM	294 060bIS3.rsrf
12/04/2007	12:07	PM	11,168 060bIS4.cfd
12/04/2007	12:07	PM	4,794 060bIS4.log
12/04/2007	12:06	PM	294 060bIS4.rsrf
12/04/2007	12:07	PM	11,168 060bNC.cfd
12/04/2007	12:07	PM	4,794 060bNC.log
12/04/2007	12:06	PM	291 060bNC.rsrf
12/04/2007	12:07	PM	11,168 060bNP.cfd
12/04/2007	12:07	PM	4,794 060bNP.log
12/04/2007	12:06	PM	288 060bNP.rsrf
12/04/2007	12:07	PM	11,168 060bSP.cfd
12/04/2007	12:07	PM	4,794 060bSP.log
12/04/2007	12:06	PM	290 060bSP.rsrf
12/04/2007	12:07	PM	11,168 070a050a.cfd
12/04/2007	12:07	PM	4,794 070a050a.log
12/04/2007	12:06	PM	292 070a050a.rsrf

			dir.txt
12/04/2007	12:07	PM	11,168 070a050b.cfd
12/04/2007	12:07	PM	4,794 070a050b.log
12/04/2007	12:06	PM	292 070a050b.rsrf
12/04/2007	12:07	PM	11,168 070a050c.cfd
12/04/2007	12:07	PM	4,794 070a050c.log
12/04/2007	12:06	PM	293 070a050c.rsrf
12/04/2007	12:07	PM	11,168 070a050d.cfd
12/04/2007	12:07	PM	4,794 070a050d.log
12/04/2007	12:06	PM	293 070a050d.rsrf
12/04/2007	12:07	PM	11,168 070a060a.cfd
12/04/2007	12:07	PM	4,794 070a060a.log
12/04/2007	12:06	PM	292 070a060a.rsrf
12/04/2007	12:07	PM	11,168 070a060b.cfd
12/04/2007	12:07	PM	4,794 070a060b.log
12/04/2007	12:06	PM	291 070a060b.rsrf
12/04/2007	12:07	PM	11,168 070a060c.cfd
12/04/2007	12:07	PM	4,794 070a060c.log
12/04/2007	12:06	PM	291 070a060c.rsrf
12/04/2007	12:07	PM	11,168 070a060d.cfd
12/04/2007	12:07	PM	4,794 070a060d.log
12/04/2007	12:06	PM	291 070a060d.rsrf
12/04/2007	12:07	PM	11,168 070a060e.cfd
12/04/2007	12:07	PM	4,794 070a060e.log
12/04/2007	12:06	PM	291 070a060e.rsrf
12/04/2007	12:07	PM	11,168 070a070a.cfd
12/04/2007	12:07	PM	4,794 070a070a.log
12/04/2007	12:06	PM	292 070a070a.rsrf
12/04/2007	12:07	PM	11,168 070a070b.cfd
12/04/2007	12:07	PM	4,794 070a070b.log
12/04/2007	12:06	PM	290 070a070b.rsrf
12/04/2007	12:07	PM	11,168 070a070c.cfd
12/04/2007	12:07	PM	4,794 070a070c.log
12/04/2007	12:06	PM	291 070a070c.rsrf
12/04/2007	12:07	PM	11,168 070a070d.cfd
12/04/2007	12:07	PM	4,794 070a070d.log
12/04/2007	12:06	PM	291 070a070d.rsrf
12/04/2007	12:07	PM	11,168 070a070e.cfd
12/04/2007	12:07	PM	4,794 070a070e.log
12/04/2007	12:06	PM	291 070a070e.rsrf
12/04/2007	12:07	PM	11,168 070a080a.cfd
12/04/2007	12:07	PM	4,794 070a080a.log
12/04/2007	12:06	PM	294 070a080a.rsrf
12/04/2007	12:07	PM	11,168 070a080b.cfd
12/04/2007	12:07	PM	4,794 070a080b.log
12/04/2007	12:06	PM	293 070a080b.rsrf
12/04/2007	12:07	PM	11,168 070a080c.cfd
12/04/2007	12:07	PM	4,794 070a080c.log
12/04/2007	12:06	PM	293 070a080c.rsrf
12/04/2007	12:07	PM	11,168 070a080d.cfd
12/04/2007	12:07	PM	4,794 070a080d.log
12/04/2007	12:06	PM	293 070a080d.rsrf
12/04/2007	12:07	PM	11,168 070a080e.cfd
12/04/2007	12:07	PM	4,794 070a080e.log
12/04/2007	12:06	PM	293 070a080e.rsrf
12/04/2007	12:07	PM	11,168 070a160a.cfd
12/04/2007	12:07	PM	4,794 070a160a.log
12/04/2007	12:06	PM	292 070a160a.rsrf
12/04/2007	12:07	PM	11,168 070a160b.cfd
12/04/2007	12:07	PM	4,794 070a160b.log
12/04/2007	12:06	PM	292 070a160b.rsrf
12/04/2007	12:07	PM	11,168 070a160c.cfd
12/04/2007	12:07	PM	4,794 070a160c.log
12/04/2007	12:06	PM	292 070a160c.rsrf



			dir.txt
12/04/2007	12:07	PM	11,168 070a17PN.cfd
12/04/2007	12:07	PM	4,794 070a17PN.log
12/04/2007	12:06	PM	295 070a17PN.rsrf
12/04/2007	12:07	PM	11,168 070a17PS.cfd
12/04/2007	12:07	PM	4,794 070a17PS.log
12/04/2007	12:06	PM	295 070a17PS.rsrf
12/04/2007	12:07	PM	11,168 070a17RE.cfd
12/04/2007	12:07	PM	4,794 070a17RE.log
12/04/2007	12:06	PM	294 070a17RE.rsrf
12/04/2007	12:07	PM	11,168 070a17Rw.cfd
12/04/2007	12:07	PM	4,794 070a17Rw.log
12/04/2007	12:06	PM	294 070a17Rw.rsrf
12/04/2007	12:07	PM	11,168 070a200a.cfd
12/04/2007	12:07	PM	4,794 070a200a.log
12/04/2007	12:06	PM	292 070a200a.rsrf
12/04/2007	12:07	PM	11,168 070a200b.cfd
12/04/2007	12:07	PM	4,794 070a200b.log
12/04/2007	12:06	PM	292 070a200b.rsrf
12/04/2007	12:07	PM	11,168 070a200c.cfd
12/04/2007	12:07	PM	4,794 070a200c.log
12/04/2007	12:06	PM	292 070a200c.rsrf
12/04/2007	12:07	PM	11,168 070a200d.cfd
12/04/2007	12:07	PM	4,794 070a200d.log
12/04/2007	12:06	PM	292 070a200d.rsrf
12/04/2007	12:07	PM	11,168 070a220.cfd
12/04/2007	12:07	PM	4,794 070a220.log
12/04/2007	12:06	PM	290 070a220.rsrf
12/04/2007	12:07	PM	11,168 070a230.cfd
12/04/2007	12:07	PM	4,794 070a230.log
12/04/2007	12:06	PM	289 070a230.rsrf
12/04/2007	12:07	PM	11,168 070a240.cfd
12/04/2007	12:07	PM	4,794 070a240.log
12/04/2007	12:06	PM	289 070a240.rsrf
12/04/2007	12:07	PM	11,168 070a25A.cfd
12/04/2007	12:07	PM	4,794 070a25A.log
12/04/2007	12:06	PM	289 070a25A.rsrf
12/04/2007	12:08	PM	11,168 070a27A.cfd
12/04/2007	12:08	PM	4,794 070a27A.log
12/04/2007	12:06	PM	292 070a27A.rsrf
12/04/2007	12:08	PM	11,168 070a30A.cfd
12/04/2007	12:08	PM	4,794 070a30A.log
12/04/2007	12:06	PM	290 070a30A.rsrf
12/04/2007	12:08	PM	11,168 070a30B.cfd
12/04/2007	12:08	PM	4,794 070a30B.log
12/04/2007	12:06	PM	289 070a30B.rsrf
12/04/2007	12:08	PM	11,168 070a30C.cfd
12/04/2007	12:08	PM	4,794 070a30C.log
12/04/2007	12:06	PM	291 070a30C.rsrf
12/04/2007	12:08	PM	11,168 070a33A.cfd
12/04/2007	12:08	PM	4,794 070a33A.log
12/04/2007	12:06	PM	290 070a33A.rsrf
12/04/2007	12:08	PM	11,168 070a33B.cfd
12/04/2007	12:08	PM	4,794 070a33B.log
12/04/2007	12:06	PM	290 070a33B.rsrf
12/04/2007	12:07	PM	11,168 070a51Aa.cfd
12/04/2007	12:07	PM	4,794 070a51Aa.log
12/04/2007	12:06	PM	293 070a51Aa.rsrf
12/04/2007	12:07	PM	11,168 070a51Ab.cfd
12/04/2007	12:07	PM	4,794 070a51Ab.log
12/04/2007	12:06	PM	293 070a51Ab.rsrf
12/04/2007	12:08	PM	11,168 070a620.cfd
12/04/2007	12:08	PM	4,794 070a620.log
12/04/2007	12:06	PM	291 070a620.rsrf

			dir.txt
12/04/2007	12:08	PM	11,168 070a71A.cfd
12/04/2007	12:08	PM	4,794 070a71A.log
12/04/2007	12:06	PM	290 070a71A.rsfsf
12/04/2007	12:08	PM	11,168 070a780.cfd
12/04/2007	12:08	PM	4,794 070a780.log
12/04/2007	12:06	PM	290 070a780.rsfsf
12/04/2007	12:07	PM	11,168 070aIS2.cfd
12/04/2007	12:07	PM	4,794 070aIS2.log
12/04/2007	12:06	PM	293 070aIS2.rsfsf
12/04/2007	12:07	PM	11,168 070aIS3.cfd
12/04/2007	12:07	PM	4,794 070aIS3.log
12/04/2007	12:06	PM	294 070aIS3.rsfsf
12/04/2007	12:07	PM	11,168 070aIS4.cfd
12/04/2007	12:07	PM	4,794 070aIS4.log
12/04/2007	12:06	PM	294 070aIS4.rsfsf
12/04/2007	12:07	PM	11,168 070aNC.cfd
12/04/2007	12:07	PM	4,794 070aNC.log
12/04/2007	12:06	PM	291 070aNC.rsfsf
12/04/2007	12:07	PM	11,168 070aNP.cfd
12/04/2007	12:07	PM	4,794 070aNP.log
12/04/2007	12:06	PM	288 070aNP.rsfsf
12/04/2007	12:07	PM	11,168 070aSP.cfd
12/04/2007	12:07	PM	4,794 070aSP.log
12/04/2007	12:06	PM	290 070aSP.rsfsf
12/04/2007	12:08	PM	11,168 070b050a.cfd
12/04/2007	12:08	PM	4,794 070b050a.log
12/04/2007	12:06	PM	292 070b050a.rsfsf
12/04/2007	12:08	PM	11,168 070b050b.cfd
12/04/2007	12:08	PM	4,794 070b050b.log
12/04/2007	12:06	PM	292 070b050b.rsfsf
12/04/2007	12:08	PM	11,168 070b050c.cfd
12/04/2007	12:08	PM	4,794 070b050c.log
12/04/2007	12:06	PM	293 070b050c.rsfsf
12/04/2007	12:08	PM	11,168 070b050d.cfd
12/04/2007	12:08	PM	4,794 070b050d.log
12/04/2007	12:06	PM	293 070b050d.rsfsf
12/04/2007	12:08	PM	11,168 070b060a.cfd
12/04/2007	12:08	PM	4,794 070b060a.log
12/04/2007	12:06	PM	292 070b060a.rsfsf
12/04/2007	12:08	PM	11,168 070b060b.cfd
12/04/2007	12:08	PM	4,794 070b060b.log
12/04/2007	12:06	PM	291 070b060b.rsfsf
12/04/2007	12:08	PM	11,168 070b060c.cfd
12/04/2007	12:08	PM	4,794 070b060c.log
12/04/2007	12:06	PM	291 070b060c.rsfsf
12/04/2007	12:08	PM	11,168 070b060d.cfd
12/04/2007	12:08	PM	4,794 070b060d.log
12/04/2007	12:06	PM	291 070b060d.rsfsf
12/04/2007	12:08	PM	11,168 070b060e.cfd
12/04/2007	12:08	PM	4,794 070b060e.log
12/04/2007	12:06	PM	291 070b060e.rsfsf
12/04/2007	12:08	PM	11,168 070b070a.cfd
12/04/2007	12:08	PM	4,794 070b070a.log
12/04/2007	12:06	PM	293 070b070a.rsfsf
12/04/2007	12:08	PM	11,168 070b070b.cfd
12/04/2007	12:08	PM	4,794 070b070b.log
12/04/2007	12:06	PM	291 070b070b.rsfsf
12/04/2007	12:08	PM	11,168 070b070c.cfd
12/04/2007	12:08	PM	4,794 070b070c.log
12/04/2007	12:06	PM	291 070b070c.rsfsf
12/04/2007	12:08	PM	11,168 070b070d.cfd
12/04/2007	12:08	PM	4,794 070b070d.log
12/04/2007	12:06	PM	291 070b070d.rsfsf

			dir.txt
12/04/2007	12:08	PM	11,168 070b070e.cfd
12/04/2007	12:08	PM	4,794 070b070e.log
12/04/2007	12:06	PM	291 070b070e.rsrf
12/04/2007	12:08	PM	11,168 070b080a.cfd
12/04/2007	12:08	PM	4,794 070b080a.log
12/04/2007	12:06	PM	294 070b080a.rsrf
12/04/2007	12:08	PM	11,168 070b080b.cfd
12/04/2007	12:08	PM	4,794 070b080b.log
12/04/2007	12:06	PM	293 070b080b.rsrf
12/04/2007	12:08	PM	11,168 070b080c.cfd
12/04/2007	12:08	PM	4,794 070b080c.log
12/04/2007	12:06	PM	293 070b080c.rsrf
12/04/2007	12:08	PM	11,168 070b080d.cfd
12/04/2007	12:08	PM	4,794 070b080d.log
12/04/2007	12:06	PM	293 070b080d.rsrf
12/04/2007	12:08	PM	11,168 070b080e.cfd
12/04/2007	12:08	PM	4,794 070b080e.log
12/04/2007	12:06	PM	293 070b080e.rsrf
12/04/2007	12:08	PM	11,168 070b160a.cfd
12/04/2007	12:08	PM	4,794 070b160a.log
12/04/2007	12:06	PM	292 070b160a.rsrf
12/04/2007	12:08	PM	11,168 070b160b.cfd
12/04/2007	12:08	PM	4,794 070b160b.log
12/04/2007	12:06	PM	292 070b160b.rsrf
12/04/2007	12:08	PM	11,168 070b160c.cfd
12/04/2007	12:08	PM	4,794 070b160c.log
12/04/2007	12:06	PM	292 070b160c.rsrf
12/04/2007	12:08	PM	11,168 070b17PN.cfd
12/04/2007	12:08	PM	4,794 070b17PN.log
12/04/2007	12:06	PM	295 070b17PN.rsrf
12/04/2007	12:08	PM	11,168 070b17PS.cfd
12/04/2007	12:08	PM	4,794 070b17PS.log
12/04/2007	12:06	PM	295 070b17PS.rsrf
12/04/2007	12:08	PM	11,168 070b17RE.cfd
12/04/2007	12:08	PM	4,794 070b17RE.log
12/04/2007	12:06	PM	294 070b17RE.rsrf
12/04/2007	12:08	PM	11,168 070b17RW.cfd
12/04/2007	12:08	PM	4,794 070b17RW.log
12/04/2007	12:06	PM	294 070b17RW.rsrf
12/04/2007	12:08	PM	11,168 070b200a.cfd
12/04/2007	12:08	PM	4,794 070b200a.log
12/04/2007	12:06	PM	292 070b200a.rsrf
12/04/2007	12:08	PM	11,168 070b200b.cfd
12/04/2007	12:08	PM	4,794 070b200b.log
12/04/2007	12:06	PM	292 070b200b.rsrf
12/04/2007	12:08	PM	11,168 070b200c.cfd
12/04/2007	12:08	PM	4,794 070b200c.log
12/04/2007	12:06	PM	292 070b200c.rsrf
12/04/2007	12:08	PM	11,168 070b200d.cfd
12/04/2007	12:08	PM	4,794 070b200d.log
12/04/2007	12:06	PM	292 070b200d.rsrf
12/04/2007	12:08	PM	11,168 070b220.cfd
12/04/2007	12:08	PM	4,794 070b220.log
12/04/2007	12:06	PM	290 070b220.rsrf
12/04/2007	12:08	PM	11,168 070b230.cfd
12/04/2007	12:08	PM	4,794 070b230.log
12/04/2007	12:06	PM	289 070b230.rsrf
12/04/2007	12:08	PM	11,168 070b240.cfd
12/04/2007	12:08	PM	4,794 070b240.log
12/04/2007	12:06	PM	289 070b240.rsrf
12/04/2007	12:08	PM	11,168 070b25A.cfd
12/04/2007	12:08	PM	4,794 070b25A.log
12/04/2007	12:06	PM	291 070b25A.rsrf

dir.txt

12/04/2007	12:08	PM	11,168	070b27A.cfd
12/04/2007	12:08	PM	4,794	070b27A.log
12/04/2007	12:06	PM	292	070b27A.rsf
12/04/2007	12:08	PM	11,168	070b30A.cfd
12/04/2007	12:08	PM	4,794	070b30A.log
12/04/2007	12:06	PM	290	070b30A.rsf
12/04/2007	12:08	PM	11,168	070b30B.cfd
12/04/2007	12:08	PM	4,794	070b30B.log
12/04/2007	12:06	PM	289	070b30B.rsf
12/04/2007	12:08	PM	11,168	070b30C.cfd
12/04/2007	12:08	PM	4,794	070b30C.log
12/04/2007	12:06	PM	291	070b30C.rsf
12/04/2007	12:08	PM	11,168	070b33A.cfd
12/04/2007	12:08	PM	4,794	070b33A.log
12/04/2007	12:06	PM	290	070b33A.rsf
12/04/2007	12:08	PM	11,168	070b33B.cfd
12/04/2007	12:08	PM	4,794	070b33B.log
12/04/2007	12:06	PM	290	070b33B.rsf
12/04/2007	12:08	PM	11,168	070b51Aa.cfd
12/04/2007	12:08	PM	4,794	070b51Aa.log
12/04/2007	12:06	PM	292	070b51Aa.rsf
12/04/2007	12:08	PM	11,168	070b51Ab.cfd
12/04/2007	12:08	PM	4,794	070b51Ab.log
12/04/2007	12:06	PM	292	070b51Ab.rsf
12/04/2007	12:08	PM	11,168	070b620.cfd
12/04/2007	12:08	PM	4,794	070b620.log
12/04/2007	12:06	PM	291	070b620.rsf
12/04/2007	12:08	PM	11,168	070b71A.cfd
12/04/2007	12:08	PM	4,794	070b71A.log
12/04/2007	12:06	PM	290	070b71A.rsf
12/04/2007	12:08	PM	11,168	070b780.cfd
12/04/2007	12:08	PM	4,794	070b780.log
12/04/2007	12:06	PM	292	070b780.rsf
12/04/2007	12:08	PM	11,168	070bIS2.cfd
12/04/2007	12:08	PM	4,794	070bIS2.log
12/04/2007	12:06	PM	293	070bIS2.rsf
12/04/2007	12:08	PM	11,168	070bIS3.cfd
12/04/2007	12:08	PM	4,794	070bIS3.log
12/04/2007	12:06	PM	294	070bIS3.rsf
12/04/2007	12:08	PM	11,168	070bIS4.cfd
12/04/2007	12:08	PM	4,794	070bIS4.log
12/04/2007	12:06	PM	294	070bIS4.rsf
12/04/2007	12:08	PM	11,168	070bNC.cfd
12/04/2007	12:08	PM	4,794	070bNC.log
12/04/2007	12:06	PM	291	070bNC.rsf
12/04/2007	12:08	PM	11,168	070bNP.cfd
12/04/2007	12:08	PM	4,794	070bNP.log
12/04/2007	12:06	PM	288	070bNP.rsf
12/04/2007	12:08	PM	11,168	070bSP.cfd
12/04/2007	12:08	PM	4,794	070bSP.log
12/04/2007	12:06	PM	290	070bSP.rsf
12/04/2007	12:08	PM	11,168	080a050a.cfd
12/04/2007	12:08	PM	4,794	080a050a.log
12/04/2007	12:06	PM	292	080a050a.rsf
12/04/2007	12:08	PM	11,168	080a050b.cfd
12/04/2007	12:08	PM	4,794	080a050b.log
12/04/2007	12:06	PM	292	080a050b.rsf
12/04/2007	12:08	PM	11,168	080a050c.cfd
12/04/2007	12:08	PM	4,794	080a050c.log
12/04/2007	12:06	PM	293	080a050c.rsf
12/04/2007	12:08	PM	11,168	080a050d.cfd
12/04/2007	12:08	PM	4,794	080a050d.log
12/04/2007	12:06	PM	293	080a050d.rsf

			dir.txt
12/04/2007	12:08	PM	11,168 080a060a.cfd
12/04/2007	12:08	PM	4,794 080a060a.log
12/04/2007	12:06	PM	292 080a060a.rsrf
12/04/2007	12:08	PM	11,168 080a060b.cfd
12/04/2007	12:08	PM	4,794 080a060b.log
12/04/2007	12:06	PM	291 080a060b.rsrf
12/04/2007	12:08	PM	11,168 080a060c.cfd
12/04/2007	12:08	PM	4,794 080a060c.log
12/04/2007	12:06	PM	291 080a060c.rsrf
12/04/2007	12:08	PM	11,168 080a060d.cfd
12/04/2007	12:08	PM	4,794 080a060d.log
12/04/2007	12:06	PM	291 080a060d.rsrf
12/04/2007	12:08	PM	11,168 080a060e.cfd
12/04/2007	12:08	PM	4,794 080a060e.log
12/04/2007	12:06	PM	291 080a060e.rsrf
12/04/2007	12:08	PM	11,168 080a070a.cfd
12/04/2007	12:08	PM	4,794 080a070a.log
12/04/2007	12:06	PM	292 080a070a.rsrf
12/04/2007	12:08	PM	11,168 080a070b.cfd
12/04/2007	12:08	PM	4,794 080a070b.log
12/04/2007	12:06	PM	291 080a070b.rsrf
12/04/2007	12:08	PM	11,168 080a070c.cfd
12/04/2007	12:08	PM	4,794 080a070c.log
12/04/2007	12:06	PM	291 080a070c.rsrf
12/04/2007	12:08	PM	11,168 080a070d.cfd
12/04/2007	12:08	PM	4,794 080a070d.log
12/04/2007	12:06	PM	291 080a070d.rsrf
12/04/2007	12:08	PM	11,168 080a070e.cfd
12/04/2007	12:08	PM	4,794 080a070e.log
12/04/2007	12:06	PM	291 080a070e.rsrf
12/04/2007	12:08	PM	11,168 080a080a.cfd
12/04/2007	12:08	PM	4,794 080a080a.log
12/04/2007	12:06	PM	292 080a080a.rsrf
12/04/2007	12:08	PM	11,168 080a080b.cfd
12/04/2007	12:08	PM	4,794 080a080b.log
12/04/2007	12:06	PM	290 080a080b.rsrf
12/04/2007	12:08	PM	11,168 080a080c.cfd
12/04/2007	12:08	PM	4,794 080a080c.log
12/04/2007	12:06	PM	291 080a080c.rsrf
12/04/2007	12:08	PM	11,168 080a080d.cfd
12/04/2007	12:08	PM	4,794 080a080d.log
12/04/2007	12:06	PM	291 080a080d.rsrf
12/04/2007	12:08	PM	11,168 080a080e.cfd
12/04/2007	12:08	PM	4,794 080a080e.log
12/04/2007	12:06	PM	291 080a080e.rsrf
12/04/2007	12:08	PM	11,168 080a160a.cfd
12/04/2007	12:08	PM	4,794 080a160a.log
12/04/2007	12:06	PM	291 080a160a.rsrf
12/04/2007	12:08	PM	11,168 080a160b.cfd
12/04/2007	12:08	PM	4,794 080a160b.log
12/04/2007	12:06	PM	291 080a160b.rsrf
12/04/2007	12:08	PM	11,168 080a160c.cfd
12/04/2007	12:08	PM	4,794 080a160c.log
12/04/2007	12:06	PM	291 080a160c.rsrf
12/04/2007	12:08	PM	11,168 080a17PN.cfd
12/04/2007	12:08	PM	4,794 080a17PN.log
12/04/2007	12:06	PM	295 080a17PN.rsrf
12/04/2007	12:08	PM	11,168 080a17PS.cfd
12/04/2007	12:08	PM	4,794 080a17PS.log
12/04/2007	12:06	PM	295 080a17PS.rsrf
12/04/2007	12:08	PM	11,168 080a17RE.cfd
12/04/2007	12:08	PM	4,794 080a17RE.log
12/04/2007	12:06	PM	294 080a17RE.rsrf

## dir.txt

12/04/2007	12:08	PM	11,168	080a17Rw.cfd
12/04/2007	12:08	PM	4,794	080a17Rw.log
12/04/2007	12:06	PM	294	080a17Rw.rsfsf
12/04/2007	12:08	PM	11,168	080a200a.cfd
12/04/2007	12:08	PM	4,794	080a200a.log
12/04/2007	12:06	PM	292	080a200a.rsfsf
12/04/2007	12:08	PM	11,168	080a200b.cfd
12/04/2007	12:08	PM	4,794	080a200b.log
12/04/2007	12:06	PM	292	080a200b.rsfsf
12/04/2007	12:08	PM	11,168	080a200c.cfd
12/04/2007	12:08	PM	4,794	080a200c.log
12/04/2007	12:06	PM	292	080a200c.rsfsf
12/04/2007	12:08	PM	11,168	080a200d.cfd
12/04/2007	12:08	PM	4,794	080a200d.log
12/04/2007	12:06	PM	292	080a200d.rsfsf
12/04/2007	12:08	PM	11,168	080a220.cfd
12/04/2007	12:08	PM	4,794	080a220.log
12/04/2007	12:06	PM	291	080a220.rsfsf
12/04/2007	12:08	PM	11,168	080a230.cfd
12/04/2007	12:08	PM	4,794	080a230.log
12/04/2007	12:06	PM	290	080a230.rsfsf
12/04/2007	12:08	PM	11,168	080a240.cfd
12/04/2007	12:08	PM	4,794	080a240.log
12/04/2007	12:06	PM	290	080a240.rsfsf
12/04/2007	12:08	PM	11,168	080a25A.cfd
12/04/2007	12:08	PM	4,794	080a25A.log
12/04/2007	12:06	PM	290	080a25A.rsfsf
12/04/2007	12:08	PM	11,168	080a27A.cfd
12/04/2007	12:08	PM	4,794	080a27A.log
12/04/2007	12:06	PM	292	080a27A.rsfsf
12/04/2007	12:08	PM	11,168	080a30A.cfd
12/04/2007	12:08	PM	4,794	080a30A.log
12/04/2007	12:06	PM	290	080a30A.rsfsf
12/04/2007	12:08	PM	11,168	080a30B.cfd
12/04/2007	12:08	PM	4,794	080a30B.log
12/04/2007	12:06	PM	289	080a30B.rsfsf
12/04/2007	12:08	PM	11,168	080a30C.cfd
12/04/2007	12:08	PM	4,794	080a30C.log
12/04/2007	12:06	PM	291	080a30C.rsfsf
12/04/2007	12:08	PM	11,168	080a33A.cfd
12/04/2007	12:08	PM	4,794	080a33A.log
12/04/2007	12:06	PM	290	080a33A.rsfsf
12/04/2007	12:08	PM	11,168	080a33B.cfd
12/04/2007	12:08	PM	4,794	080a33B.log
12/04/2007	12:06	PM	290	080a33B.rsfsf
12/04/2007	12:08	PM	11,168	080a51Aa.cfd
12/04/2007	12:08	PM	4,794	080a51Aa.log
12/04/2007	12:06	PM	293	080a51Aa.rsfsf
12/04/2007	12:08	PM	11,168	080a51Ab.cfd
12/04/2007	12:08	PM	4,794	080a51Ab.log
12/04/2007	12:06	PM	293	080a51Ab.rsfsf
12/04/2007	12:08	PM	11,168	080a620.cfd
12/04/2007	12:08	PM	4,794	080a620.log
12/04/2007	12:06	PM	289	080a620.rsfsf
12/04/2007	12:08	PM	11,168	080a71A.cfd
12/04/2007	12:08	PM	4,794	080a71A.log
12/04/2007	12:06	PM	291	080a71A.rsfsf
12/04/2007	12:08	PM	11,168	080a780.cfd
12/04/2007	12:08	PM	4,794	080a780.log
12/04/2007	12:06	PM	291	080a780.rsfsf
12/04/2007	12:08	PM	11,168	080aIS2.cfd
12/04/2007	12:08	PM	4,794	080aIS2.log
12/04/2007	12:06	PM	293	080aIS2.rsfsf

```

dir.txt
12/04/2007 12:08 PM 11,168 080aIS3.cfd
12/04/2007 12:08 PM 4,794 080aIS3.log
12/04/2007 12:06 PM 294 080aIS3.rsF
12/04/2007 12:08 PM 11,168 080aIS4.cfd
12/04/2007 12:08 PM 4,794 080aIS4.log
12/04/2007 12:06 PM 294 080aIS4.rsF
12/04/2007 12:08 PM 11,168 080aNC.cfd
12/04/2007 12:08 PM 4,794 080aNC.log
12/04/2007 12:06 PM 291 080aNC.rsF
12/04/2007 12:08 PM 11,168 080aNP.cfd
12/04/2007 12:08 PM 4,794 080aNP.log
12/04/2007 12:06 PM 289 080aNP.rsF
12/04/2007 12:08 PM 11,168 080aSP.cfd
12/04/2007 12:08 PM 4,794 080aSP.log
12/04/2007 12:06 PM 290 080aSP.rsF
12/04/2007 12:08 PM 11,168 080b050a.cfd
12/04/2007 12:08 PM 4,794 080b050a.log
12/04/2007 12:06 PM 292 080b050a.rsF
12/04/2007 12:08 PM 11,168 080b050b.cfd
12/04/2007 12:08 PM 4,794 080b050b.log
12/04/2007 12:06 PM 292 080b050b.rsF
12/04/2007 12:08 PM 11,168 080b050c.cfd
12/04/2007 12:08 PM 4,794 080b050c.log
12/04/2007 12:06 PM 293 080b050c.rsF
12/04/2007 12:08 PM 11,168 080b050d.cfd
12/04/2007 12:08 PM 4,794 080b050d.log
12/04/2007 12:06 PM 293 080b050d.rsF
12/04/2007 12:08 PM 11,168 080b060a.cfd
12/04/2007 12:08 PM 4,794 080b060a.log
12/04/2007 12:06 PM 292 080b060a.rsF
12/04/2007 12:08 PM 11,168 080b060b.cfd
12/04/2007 12:08 PM 4,794 080b060b.log
12/04/2007 12:06 PM 291 080b060b.rsF
12/04/2007 12:08 PM 11,168 080b060c.cfd
12/04/2007 12:08 PM 4,794 080b060c.log
12/04/2007 12:06 PM 291 080b060c.rsF
12/04/2007 12:08 PM 11,168 080b060d.cfd
12/04/2007 12:08 PM 4,794 080b060d.log
12/04/2007 12:06 PM 291 080b060d.rsF
12/04/2007 12:08 PM 11,168 080b060e.cfd
12/04/2007 12:08 PM 4,794 080b060e.log
12/04/2007 12:06 PM 291 080b060e.rsF
12/04/2007 12:08 PM 11,168 080b070a.cfd
12/04/2007 12:08 PM 4,794 080b070a.log
12/04/2007 12:06 PM 291 080b070a.rsF
12/04/2007 12:08 PM 11,168 080b070b.cfd
12/04/2007 12:08 PM 4,794 080b070b.log
12/04/2007 12:06 PM 291 080b070b.rsF
12/04/2007 12:08 PM 11,168 080b070c.cfd
12/04/2007 12:08 PM 4,794 080b070c.log
12/04/2007 12:06 PM 291 080b070c.rsF
12/04/2007 12:08 PM 11,168 080b070d.cfd
12/04/2007 12:08 PM 4,794 080b070d.log
12/04/2007 12:06 PM 291 080b070d.rsF
12/04/2007 12:08 PM 11,168 080b070e.cfd
12/04/2007 12:08 PM 4,794 080b070e.log
12/04/2007 12:06 PM 291 080b070e.rsF
12/04/2007 12:08 PM 11,168 080b080a.cfd
12/04/2007 12:08 PM 4,794 080b080a.log
12/04/2007 12:06 PM 293 080b080a.rsF
12/04/2007 12:08 PM 11,168 080b080b.cfd
12/04/2007 12:08 PM 4,794 080b080b.log
12/04/2007 12:06 PM 291 080b080b.rsF

```

dir.txt

12/04/2007	12:08	PM	11,168	080b080c.cfd
12/04/2007	12:08	PM	4,794	080b080c.log
12/04/2007	12:06	PM	291	080b080c.rsf
12/04/2007	12:08	PM	11,168	080b080d.cfd
12/04/2007	12:08	PM	4,794	080b080d.log
12/04/2007	12:06	PM	291	080b080d.rsf
12/04/2007	12:08	PM	11,168	080b080e.cfd
12/04/2007	12:08	PM	4,794	080b080e.log
12/04/2007	12:06	PM	291	080b080e.rsf
12/04/2007	12:08	PM	11,168	080b160a.cfd
12/04/2007	12:08	PM	4,794	080b160a.log
12/04/2007	12:06	PM	291	080b160a.rsf
12/04/2007	12:08	PM	11,168	080b160b.cfd
12/04/2007	12:08	PM	4,794	080b160b.log
12/04/2007	12:06	PM	291	080b160b.rsf
12/04/2007	12:08	PM	11,168	080b160c.cfd
12/04/2007	12:08	PM	4,794	080b160c.log
12/04/2007	12:06	PM	291	080b160c.rsf
12/04/2007	12:08	PM	11,168	080b17PN.cfd
12/04/2007	12:08	PM	4,794	080b17PN.log
12/04/2007	12:06	PM	295	080b17PN.rsf
12/04/2007	12:08	PM	11,168	080b17PS.cfd
12/04/2007	12:08	PM	4,794	080b17PS.log
12/04/2007	12:06	PM	295	080b17PS.rsf
12/04/2007	12:08	PM	11,168	080b17RE.cfd
12/04/2007	12:08	PM	4,794	080b17RE.log
12/04/2007	12:06	PM	294	080b17RE.rsf
12/04/2007	12:08	PM	11,168	080b17RW.cfd
12/04/2007	12:08	PM	4,794	080b17RW.log
12/04/2007	12:06	PM	294	080b17RW.rsf
12/04/2007	12:08	PM	11,168	080b200a.cfd
12/04/2007	12:08	PM	4,794	080b200a.log
12/04/2007	12:06	PM	292	080b200a.rsf
12/04/2007	12:08	PM	11,168	080b200b.cfd
12/04/2007	12:08	PM	4,794	080b200b.log
12/04/2007	12:06	PM	292	080b200b.rsf
12/04/2007	12:08	PM	11,168	080b200c.cfd
12/04/2007	12:08	PM	4,794	080b200c.log
12/04/2007	12:06	PM	292	080b200c.rsf
12/04/2007	12:08	PM	11,168	080b200d.cfd
12/04/2007	12:08	PM	4,794	080b200d.log
12/04/2007	12:06	PM	292	080b200d.rsf
12/04/2007	12:08	PM	11,168	080b220.cfd
12/04/2007	12:08	PM	4,794	080b220.log
12/04/2007	12:06	PM	291	080b220.rsf
12/04/2007	12:08	PM	11,168	080b230.cfd
12/04/2007	12:08	PM	4,794	080b230.log
12/04/2007	12:06	PM	290	080b230.rsf
12/04/2007	12:08	PM	11,168	080b240.cfd
12/04/2007	12:08	PM	4,794	080b240.log
12/04/2007	12:06	PM	289	080b240.rsf
12/04/2007	12:08	PM	11,168	080b25A.cfd
12/04/2007	12:08	PM	4,794	080b25A.log
12/04/2007	12:06	PM	290	080b25A.rsf
12/04/2007	12:08	PM	11,168	080b27A.cfd
12/04/2007	12:08	PM	4,794	080b27A.log
12/04/2007	12:06	PM	292	080b27A.rsf
12/04/2007	12:08	PM	11,168	080b30A.cfd
12/04/2007	12:08	PM	4,794	080b30A.log
12/04/2007	12:06	PM	290	080b30A.rsf
12/04/2007	12:08	PM	11,168	080b30B.cfd
12/04/2007	12:08	PM	4,794	080b30B.log
12/04/2007	12:06	PM	289	080b30B.rsf



```

dir.txt
12/04/2007 12:08 PM 11,168 080b30C.cfd
12/04/2007 12:08 PM 4,794 080b30C.log
12/04/2007 12:06 PM 291 080b30C.rsfs
12/04/2007 12:08 PM 11,168 080b33A.cfd
12/04/2007 12:08 PM 4,794 080b33A.log
12/04/2007 12:06 PM 290 080b33A.rsfs
12/04/2007 12:08 PM 11,168 080b33B.cfd
12/04/2007 12:08 PM 4,794 080b33B.log
12/04/2007 12:06 PM 290 080b33B.rsfs
12/04/2007 12:08 PM 11,168 080b51Aa.cfd
12/04/2007 12:08 PM 4,794 080b51Aa.log
12/04/2007 12:06 PM 293 080b51Aa.rsfs
12/04/2007 12:08 PM 11,168 080b51Ab.cfd
12/04/2007 12:08 PM 4,794 080b51Ab.log
12/04/2007 12:06 PM 293 080b51Ab.rsfs
12/04/2007 12:08 PM 11,168 080b620.cfd
12/04/2007 12:08 PM 4,794 080b620.log
12/04/2007 12:06 PM 291 080b620.rsfs
12/04/2007 12:08 PM 11,168 080b71A.cfd
12/04/2007 12:08 PM 4,794 080b71A.log
12/04/2007 12:06 PM 291 080b71A.rsfs
12/04/2007 12:08 PM 11,168 080b780.cfd
12/04/2007 12:08 PM 4,794 080b780.log
12/04/2007 12:06 PM 290 080b780.rsfs
12/04/2007 12:08 PM 11,168 080bIS2.cfd
12/04/2007 12:08 PM 4,794 080bIS2.log
12/04/2007 12:06 PM 293 080bIS2.rsfs
12/04/2007 12:08 PM 11,168 080bIS3.cfd
12/04/2007 12:08 PM 4,794 080bIS3.log
12/04/2007 12:06 PM 294 080bIS3.rsfs
12/04/2007 12:08 PM 11,168 080bIS4.cfd
12/04/2007 12:08 PM 4,794 080bIS4.log
12/04/2007 12:06 PM 294 080bIS4.rsfs
12/04/2007 12:08 PM 11,168 080bNC.cfd
12/04/2007 12:08 PM 4,794 080bNC.log
12/04/2007 12:06 PM 291 080bNC.rsfs
12/04/2007 12:08 PM 11,168 080bNP.cfd
12/04/2007 12:08 PM 4,794 080bNP.log
12/04/2007 12:06 PM 289 080bNP.rsfs
12/04/2007 12:08 PM 11,168 080bSP.cfd
12/04/2007 12:08 PM 4,794 080bSP.log
12/04/2007 12:06 PM 290 080bSP.rsfs
12/04/2007 12:10 PM 11,168 160050a.cfd
12/04/2007 12:10 PM 4,794 160050a.log
12/04/2007 12:06 PM 291 160050a.rsfs
12/04/2007 12:10 PM 11,168 160050b.cfd
12/04/2007 12:10 PM 4,794 160050b.log
12/04/2007 12:06 PM 291 160050b.rsfs
12/04/2007 12:10 PM 11,168 160050c.cfd
12/04/2007 12:10 PM 4,794 160050c.log
12/04/2007 12:06 PM 292 160050c.rsfs
12/04/2007 12:10 PM 11,168 160050d.cfd
12/04/2007 12:10 PM 4,794 160050d.log
12/04/2007 12:06 PM 292 160050d.rsfs
12/04/2007 12:10 PM 11,168 160060a.cfd
12/04/2007 12:10 PM 4,794 160060a.log
12/04/2007 12:06 PM 291 160060a.rsfs
12/04/2007 12:10 PM 11,168 160060b.cfd
12/04/2007 12:10 PM 4,794 160060b.log
12/04/2007 12:06 PM 290 160060b.rsfs
12/04/2007 12:10 PM 11,168 160060c.cfd
12/04/2007 12:10 PM 4,794 160060c.log
12/04/2007 12:06 PM 290 160060c.rsfs

```

dir.txt

12/04/2007	12:10	PM	11,168	160060d.cfd
12/04/2007	12:10	PM	4,794	160060d.log
12/04/2007	12:06	PM	290	160060d.rsrf
12/04/2007	12:10	PM	11,168	160060e.cfd
12/04/2007	12:10	PM	4,794	160060e.log
12/04/2007	12:06	PM	290	160060e.rsrf
12/04/2007	12:10	PM	11,168	160070a.cfd
12/04/2007	12:10	PM	4,794	160070a.log
12/04/2007	12:06	PM	291	160070a.rsrf
12/04/2007	12:10	PM	11,168	160070b.cfd
12/04/2007	12:10	PM	4,794	160070b.log
12/04/2007	12:06	PM	290	160070b.rsrf
12/04/2007	12:10	PM	11,168	160070c.cfd
12/04/2007	12:10	PM	4,794	160070c.log
12/04/2007	12:06	PM	290	160070c.rsrf
12/04/2007	12:10	PM	11,168	160070d.cfd
12/04/2007	12:10	PM	4,794	160070d.log
12/04/2007	12:06	PM	290	160070d.rsrf
12/04/2007	12:10	PM	11,168	160070e.cfd
12/04/2007	12:10	PM	4,794	160070e.log
12/04/2007	12:06	PM	290	160070e.rsrf
12/04/2007	12:10	PM	11,168	160080a.cfd
12/04/2007	12:10	PM	4,794	160080a.log
12/04/2007	12:06	PM	292	160080a.rsrf
12/04/2007	12:10	PM	11,168	160080b.cfd
12/04/2007	12:10	PM	4,794	160080b.log
12/04/2007	12:06	PM	291	160080b.rsrf
12/04/2007	12:10	PM	11,168	160080c.cfd
12/04/2007	12:10	PM	4,794	160080c.log
12/04/2007	12:06	PM	291	160080c.rsrf
12/04/2007	12:10	PM	11,168	160080d.cfd
12/04/2007	12:10	PM	4,794	160080d.log
12/04/2007	12:06	PM	291	160080d.rsrf
12/04/2007	12:10	PM	11,168	160080e.cfd
12/04/2007	12:10	PM	4,794	160080e.log
12/04/2007	12:06	PM	291	160080e.rsrf
12/04/2007	12:10	PM	11,168	160160a.cfd
12/04/2007	12:10	PM	4,794	160160a.log
12/04/2007	12:06	PM	289	160160a.rsrf
12/04/2007	12:10	PM	11,168	160160b.cfd
12/04/2007	12:10	PM	4,794	160160b.log
12/04/2007	12:06	PM	289	160160b.rsrf
12/04/2007	12:10	PM	11,168	160160c.cfd
12/04/2007	12:10	PM	4,794	160160c.log
12/04/2007	12:06	PM	289	160160c.rsrf
12/04/2007	12:10	PM	11,168	16017PN.cfd
12/04/2007	12:10	PM	4,794	16017PN.log
12/04/2007	12:06	PM	293	16017PN.rsrf
12/04/2007	12:10	PM	11,168	16017PS.cfd
12/04/2007	12:10	PM	4,794	16017PS.log
12/04/2007	12:06	PM	293	16017PS.rsrf
12/04/2007	12:10	PM	11,168	16017RE.cfd
12/04/2007	12:10	PM	4,794	16017RE.log
12/04/2007	12:06	PM	292	16017RE.rsrf
12/04/2007	12:10	PM	11,168	16017RW.cfd
12/04/2007	12:10	PM	4,794	16017RW.log
12/04/2007	12:06	PM	292	16017RW.rsrf
12/04/2007	12:10	PM	11,168	160200a.cfd
12/04/2007	12:10	PM	4,794	160200a.log
12/04/2007	12:06	PM	291	160200a.rsrf
12/04/2007	12:10	PM	11,168	160200b.cfd
12/04/2007	12:10	PM	4,794	160200b.log
12/04/2007	12:06	PM	291	160200b.rsrf

			dir.txt
12/04/2007	12:10	PM	11,168 160200c.cfd
12/04/2007	12:10	PM	4,794 160200c.log
12/04/2007	12:06	PM	291 160200c.rsrf
12/04/2007	12:10	PM	11,168 160200d.cfd
12/04/2007	12:10	PM	4,794 160200d.log
12/04/2007	12:06	PM	291 160200d.rsrf
12/04/2007	12:10	PM	11,168 160220.cfd
12/04/2007	12:10	PM	4,794 160220.log
12/04/2007	12:06	PM	288 160220.rsrf
12/04/2007	12:10	PM	11,168 160230.cfd
12/04/2007	12:10	PM	4,794 160230.log
12/04/2007	12:06	PM	288 160230.rsrf
12/04/2007	12:10	PM	11,168 160240.cfd
12/04/2007	12:10	PM	4,794 160240.log
12/04/2007	12:06	PM	288 160240.rsrf
12/04/2007	12:10	PM	11,168 16025A.cfd
12/04/2007	12:10	PM	4,794 16025A.log
12/04/2007	12:06	PM	289 16025A.rsrf
12/04/2007	12:10	PM	11,168 16027A.cfd
12/04/2007	12:10	PM	4,794 16027A.log
12/04/2007	12:06	PM	289 16027A.rsrf
12/04/2007	12:10	PM	11,168 16030A.cfd
12/04/2007	12:10	PM	4,794 16030A.log
12/04/2007	12:06	PM	289 16030A.rsrf
12/04/2007	12:10	PM	11,168 16030B.cfd
12/04/2007	12:10	PM	4,794 16030B.log
12/04/2007	12:06	PM	289 16030B.rsrf
12/04/2007	12:10	PM	11,168 16030C.cfd
12/04/2007	12:10	PM	4,794 16030C.log
12/04/2007	12:06	PM	289 16030C.rsrf
12/04/2007	12:10	PM	11,168 16033A.cfd
12/04/2007	12:10	PM	4,794 16033A.log
12/04/2007	12:06	PM	289 16033A.rsrf
12/04/2007	12:10	PM	11,168 16033B.cfd
12/04/2007	12:10	PM	4,794 16033B.log
12/04/2007	12:06	PM	289 16033B.rsrf
12/04/2007	12:10	PM	11,168 16051Aa.cfd
12/04/2007	12:10	PM	4,794 16051Aa.log
12/04/2007	12:06	PM	289 16051Aa.rsrf
12/04/2007	12:10	PM	11,168 16051Ab.cfd
12/04/2007	12:10	PM	4,794 16051Ab.log
12/04/2007	12:06	PM	289 16051Ab.rsrf
12/04/2007	12:10	PM	11,168 160620.cfd
12/04/2007	12:10	PM	4,794 160620.log
12/04/2007	12:06	PM	289 160620.rsrf
12/04/2007	12:10	PM	11,168 16071A.cfd
12/04/2007	12:10	PM	4,794 16071A.log
12/04/2007	12:06	PM	289 16071A.rsrf
12/04/2007	12:10	PM	11,168 160780.cfd
12/04/2007	12:10	PM	4,794 160780.log
12/04/2007	12:06	PM	290 160780.rsrf
12/04/2007	12:10	PM	11,168 160IS2.cfd
12/04/2007	12:10	PM	4,794 160IS2.log
12/04/2007	12:06	PM	291 160IS2.rsrf
12/04/2007	12:10	PM	11,168 160IS3.cfd
12/04/2007	12:10	PM	4,794 160IS3.log
12/04/2007	12:06	PM	292 160IS3.rsrf
12/04/2007	12:10	PM	11,168 160IS4.cfd
12/04/2007	12:10	PM	4,794 160IS4.log
12/04/2007	12:06	PM	292 160IS4.rsrf
12/04/2007	12:10	PM	11,168 160NC.cfd
12/04/2007	12:10	PM	4,794 160NC.log
12/04/2007	12:06	PM	289 160NC.rsrf

dir.txt

12/04/2007	12:10	PM	11,168	160NP.cfd
12/04/2007	12:10	PM	4,794	160NP.log
12/04/2007	12:06	PM	286	160NP.rsrf
12/04/2007	12:10	PM	11,168	160SP.cfd
12/04/2007	12:10	PM	4,794	160SP.log
12/04/2007	12:06	PM	288	160SP.rsrf
12/04/2007	12:11	PM	11,168	17PN050a.cfd
12/04/2007	12:11	PM	4,802	17PN050a.log
12/04/2007	12:06	PM	287	17PN050a.rsrf
12/04/2007	12:11	PM	11,168	17PN050b.cfd
12/04/2007	12:11	PM	4,802	17PN050b.log
12/04/2007	12:06	PM	287	17PN050b.rsrf
12/04/2007	12:11	PM	11,168	17PN050c.cfd
12/04/2007	12:11	PM	4,802	17PN050c.log
12/04/2007	12:06	PM	288	17PN050c.rsrf
12/04/2007	12:11	PM	11,168	17PN050d.cfd
12/04/2007	12:11	PM	4,802	17PN050d.log
12/04/2007	12:06	PM	288	17PN050d.rsrf
12/04/2007	12:11	PM	11,168	17PN060a.cfd
12/04/2007	12:11	PM	4,802	17PN060a.log
12/04/2007	12:06	PM	290	17PN060a.rsrf
12/04/2007	12:11	PM	11,168	17PN060b.cfd
12/04/2007	12:11	PM	4,802	17PN060b.log
12/04/2007	12:06	PM	287	17PN060b.rsrf
12/04/2007	12:11	PM	11,168	17PN060c.cfd
12/04/2007	12:11	PM	4,802	17PN060c.log
12/04/2007	12:06	PM	287	17PN060c.rsrf
12/04/2007	12:11	PM	11,168	17PN060d.cfd
12/04/2007	12:11	PM	4,802	17PN060d.log
12/04/2007	12:06	PM	289	17PN060d.rsrf
12/04/2007	12:11	PM	11,168	17PN060e.cfd
12/04/2007	12:11	PM	4,802	17PN060e.log
12/04/2007	12:06	PM	289	17PN060e.rsrf
12/04/2007	12:11	PM	11,168	17PN070a.cfd
12/04/2007	12:11	PM	4,802	17PN070a.log
12/04/2007	12:06	PM	290	17PN070a.rsrf
12/04/2007	12:11	PM	11,168	17PN070b.cfd
12/04/2007	12:11	PM	4,802	17PN070b.log
12/04/2007	12:06	PM	289	17PN070b.rsrf
12/04/2007	12:11	PM	11,168	17PN070c.cfd
12/04/2007	12:11	PM	4,802	17PN070c.log
12/04/2007	12:06	PM	289	17PN070c.rsrf
12/04/2007	12:11	PM	11,168	17PN070d.cfd
12/04/2007	12:11	PM	4,802	17PN070d.log
12/04/2007	12:06	PM	289	17PN070d.rsrf
12/04/2007	12:11	PM	11,168	17PN070e.cfd
12/04/2007	12:11	PM	4,802	17PN070e.log
12/04/2007	12:06	PM	289	17PN070e.rsrf
12/04/2007	12:11	PM	11,168	17PN080a.cfd
12/04/2007	12:11	PM	4,802	17PN080a.log
12/04/2007	12:06	PM	290	17PN080a.rsrf
12/04/2007	12:11	PM	11,168	17PN080b.cfd
12/04/2007	12:11	PM	4,802	17PN080b.log
12/04/2007	12:06	PM	289	17PN080b.rsrf
12/04/2007	12:11	PM	11,168	17PN080c.cfd
12/04/2007	12:11	PM	4,802	17PN080c.log
12/04/2007	12:06	PM	289	17PN080c.rsrf
12/04/2007	12:11	PM	11,168	17PN080d.cfd
12/04/2007	12:11	PM	4,802	17PN080d.log
12/04/2007	12:06	PM	289	17PN080d.rsrf
12/04/2007	12:11	PM	11,168	17PN080e.cfd
12/04/2007	12:11	PM	4,802	17PN080e.log
12/04/2007	12:06	PM	289	17PN080e.rsrf

			dir.txt
12/04/2007	12:11	PM	11,168 17PN160a.cfd
12/04/2007	12:11	PM	4,802 17PN160a.log
12/04/2007	12:06	PM	288 17PN160a.rsrf
12/04/2007	12:11	PM	11,168 17PN160b.cfd
12/04/2007	12:11	PM	4,802 17PN160b.log
12/04/2007	12:06	PM	288 17PN160b.rsrf
12/04/2007	12:11	PM	11,168 17PN160c.cfd
12/04/2007	12:11	PM	4,802 17PN160c.log
12/04/2007	12:06	PM	288 17PN160c.rsrf
12/04/2007	12:11	PM	11,168 17PN17PN.cfd
12/04/2007	12:11	PM	4,802 17PN17PN.log
12/04/2007	12:06	PM	284 17PN17PN.rsrf
12/04/2007	12:11	PM	11,168 17PN17PS.cfd
12/04/2007	12:11	PM	4,802 17PN17PS.log
12/04/2007	12:06	PM	287 17PN17PS.rsrf
12/04/2007	12:11	PM	11,168 17PN17RE.cfd
12/04/2007	12:11	PM	4,802 17PN17RE.log
12/04/2007	12:06	PM	288 17PN17RE.rsrf
12/04/2007	12:11	PM	11,168 17PN17RW.cfd
12/04/2007	12:11	PM	4,802 17PN17RW.log
12/04/2007	12:06	PM	287 17PN17RW.rsrf
12/04/2007	12:11	PM	11,168 17PN200a.cfd
12/04/2007	12:11	PM	4,802 17PN200a.log
12/04/2007	12:06	PM	290 17PN200a.rsrf
12/04/2007	12:11	PM	11,168 17PN200b.cfd
12/04/2007	12:11	PM	4,802 17PN200b.log
12/04/2007	12:06	PM	290 17PN200b.rsrf
12/04/2007	12:11	PM	11,168 17PN200c.cfd
12/04/2007	12:11	PM	4,802 17PN200c.log
12/04/2007	12:06	PM	290 17PN200c.rsrf
12/04/2007	12:11	PM	11,168 17PN200d.cfd
12/04/2007	12:11	PM	4,802 17PN200d.log
12/04/2007	12:06	PM	290 17PN200d.rsrf
12/04/2007	12:11	PM	11,168 17PN220.cfd
12/04/2007	12:11	PM	4,802 17PN220.log
12/04/2007	12:06	PM	286 17PN220.rsrf
12/04/2007	12:11	PM	11,168 17PN230.cfd
12/04/2007	12:11	PM	4,802 17PN230.log
12/04/2007	12:06	PM	285 17PN230.rsrf
12/04/2007	12:11	PM	11,168 17PN240.cfd
12/04/2007	12:11	PM	4,802 17PN240.log
12/04/2007	12:06	PM	285 17PN240.rsrf
12/04/2007	12:11	PM	11,168 17PN25A.cfd
12/04/2007	12:11	PM	4,802 17PN25A.log
12/04/2007	12:06	PM	287 17PN25A.rsrf
12/04/2007	12:11	PM	11,168 17PN27A.cfd
12/04/2007	12:11	PM	4,802 17PN27A.log
12/04/2007	12:06	PM	285 17PN27A.rsrf
12/04/2007	12:11	PM	11,168 17PN30A.cfd
12/04/2007	12:11	PM	4,802 17PN30A.log
12/04/2007	12:06	PM	287 17PN30A.rsrf
12/04/2007	12:11	PM	11,168 17PN30B.cfd
12/04/2007	12:11	PM	4,802 17PN30B.log
12/04/2007	12:06	PM	287 17PN30B.rsrf
12/04/2007	12:11	PM	11,168 17PN30C.cfd
12/04/2007	12:11	PM	4,802 17PN30C.log
12/04/2007	12:06	PM	287 17PN30C.rsrf
12/04/2007	12:11	PM	11,168 17PN33A.cfd
12/04/2007	12:11	PM	4,802 17PN33A.log
12/04/2007	12:06	PM	285 17PN33A.rsrf
12/04/2007	12:11	PM	11,168 17PN33B.cfd
12/04/2007	12:11	PM	4,802 17PN33B.log
12/04/2007	12:06	PM	287 17PN33B.rsrf

			dir.txt
12/04/2007	12:11	PM	11,168 17PN51Aa.cfd
12/04/2007	12:11	PM	4,802 17PN51Aa.log
12/04/2007	12:06	PM	287 17PN51Aa.rsrf
12/04/2007	12:11	PM	11,168 17PN51Ab.cfd
12/04/2007	12:11	PM	4,802 17PN51Ab.log
12/04/2007	12:06	PM	287 17PN51Ab.rsrf
12/04/2007	12:11	PM	11,168 17PN620.cfd
12/04/2007	12:11	PM	4,802 17PN620.log
12/04/2007	12:06	PM	287 17PN620.rsrf
12/04/2007	12:11	PM	11,168 17PN71A.cfd
12/04/2007	12:11	PM	4,802 17PN71A.log
12/04/2007	12:06	PM	287 17PN71A.rsrf
12/04/2007	12:11	PM	11,168 17PN780.cfd
12/04/2007	12:11	PM	4,802 17PN780.log
12/04/2007	12:06	PM	287 17PN780.rsrf
12/04/2007	12:11	PM	11,168 17PNIS2.cfd
12/04/2007	12:11	PM	4,802 17PNIS2.log
12/04/2007	12:06	PM	288 17PNIS2.rsrf
12/04/2007	12:11	PM	11,168 17PNIS3.cfd
12/04/2007	12:11	PM	4,802 17PNIS3.log
12/04/2007	12:06	PM	289 17PNIS3.rsrf
12/04/2007	12:11	PM	11,168 17PNIS4.cfd
12/04/2007	12:11	PM	4,802 17PNIS4.log
12/04/2007	12:06	PM	288 17PNIS4.rsrf
12/04/2007	12:11	PM	11,168 17PNNC.cfd
12/04/2007	12:11	PM	4,802 17PNNC.log
12/04/2007	12:06	PM	286 17PNNC.rsrf
12/04/2007	12:11	PM	11,168 17PNNP.cfd
12/04/2007	12:11	PM	4,802 17PNNP.log
12/04/2007	12:06	PM	284 17PNNP.rsrf
12/04/2007	12:11	PM	11,168 17PNSP.cfd
12/04/2007	12:11	PM	4,802 17PNSP.log
12/04/2007	12:06	PM	284 17PNSP.rsrf
12/04/2007	12:11	PM	11,168 17PS050a.cfd
12/04/2007	12:11	PM	4,802 17PS050a.log
12/04/2007	12:06	PM	288 17PS050a.rsrf
12/04/2007	12:11	PM	11,168 17PS050b.cfd
12/04/2007	12:11	PM	4,802 17PS050b.log
12/04/2007	12:06	PM	288 17PS050b.rsrf
12/04/2007	12:11	PM	11,168 17PS050c.cfd
12/04/2007	12:11	PM	4,802 17PS050c.log
12/04/2007	12:06	PM	288 17PS050c.rsrf
12/04/2007	12:11	PM	11,168 17PS050d.cfd
12/04/2007	12:11	PM	4,802 17PS050d.log
12/04/2007	12:06	PM	289 17PS050d.rsrf
12/04/2007	12:11	PM	11,168 17PS060a.cfd
12/04/2007	12:11	PM	4,802 17PS060a.log
12/04/2007	12:06	PM	290 17PS060a.rsrf
12/04/2007	12:11	PM	11,168 17PS060b.cfd
12/04/2007	12:11	PM	4,802 17PS060b.log
12/04/2007	12:06	PM	287 17PS060b.rsrf
12/04/2007	12:11	PM	11,168 17PS060c.cfd
12/04/2007	12:11	PM	4,802 17PS060c.log
12/04/2007	12:06	PM	287 17PS060c.rsrf
12/04/2007	12:11	PM	11,168 17PS060d.cfd
12/04/2007	12:11	PM	4,802 17PS060d.log
12/04/2007	12:06	PM	287 17PS060d.rsrf
12/04/2007	12:11	PM	11,168 17PS060e.cfd
12/04/2007	12:11	PM	4,802 17PS060e.log
12/04/2007	12:06	PM	287 17PS060e.rsrf
12/04/2007	12:11	PM	11,168 17PS070a.cfd
12/04/2007	12:11	PM	4,802 17PS070a.log
12/04/2007	12:06	PM	290 17PS070a.rsrf

			dir.txt
12/04/2007	12:11	PM	11,168 17PS070b.cfd
12/04/2007	12:11	PM	4,802 17PS070b.log
12/04/2007	12:06	PM	289 17PS070b.rsfsf
12/04/2007	12:11	PM	11,168 17PS070c.cfd
12/04/2007	12:11	PM	4,802 17PS070c.log
12/04/2007	12:06	PM	289 17PS070c.rsfsf
12/04/2007	12:11	PM	11,168 17PS070d.cfd
12/04/2007	12:11	PM	4,802 17PS070d.log
12/04/2007	12:06	PM	289 17PS070d.rsfsf
12/04/2007	12:11	PM	11,168 17PS070e.cfd
12/04/2007	12:11	PM	4,802 17PS070e.log
12/04/2007	12:06	PM	289 17PS070e.rsfsf
12/04/2007	12:11	PM	11,168 17PS080a.cfd
12/04/2007	12:11	PM	4,802 17PS080a.log
12/04/2007	12:06	PM	290 17PS080a.rsfsf
12/04/2007	12:11	PM	11,168 17PS080b.cfd
12/04/2007	12:11	PM	4,802 17PS080b.log
12/04/2007	12:06	PM	289 17PS080b.rsfsf
12/04/2007	12:11	PM	11,168 17PS080c.cfd
12/04/2007	12:11	PM	4,802 17PS080c.log
12/04/2007	12:06	PM	289 17PS080c.rsfsf
12/04/2007	12:11	PM	11,168 17PS080d.cfd
12/04/2007	12:11	PM	4,802 17PS080d.log
12/04/2007	12:06	PM	289 17PS080d.rsfsf
12/04/2007	12:11	PM	11,168 17PS080e.cfd
12/04/2007	12:11	PM	4,802 17PS080e.log
12/04/2007	12:06	PM	289 17PS080e.rsfsf
12/04/2007	12:11	PM	11,168 17PS160a.cfd
12/04/2007	12:11	PM	4,802 17PS160a.log
12/04/2007	12:06	PM	288 17PS160a.rsfsf
12/04/2007	12:11	PM	11,168 17PS160b.cfd
12/04/2007	12:11	PM	4,802 17PS160b.log
12/04/2007	12:06	PM	288 17PS160b.rsfsf
12/04/2007	12:11	PM	11,168 17PS160c.cfd
12/04/2007	12:11	PM	4,802 17PS160c.log
12/04/2007	12:06	PM	288 17PS160c.rsfsf
12/04/2007	12:11	PM	11,168 17PS17PN.cfd
12/04/2007	12:11	PM	4,802 17PS17PN.log
12/04/2007	12:06	PM	288 17PS17PN.rsfsf
12/04/2007	12:11	PM	11,168 17PS17PS.cfd
12/04/2007	12:11	PM	4,802 17PS17PS.log
12/04/2007	12:06	PM	284 17PS17PS.rsfsf
12/04/2007	12:11	PM	11,168 17PS17RE.cfd
12/04/2007	12:11	PM	4,802 17PS17RE.log
12/04/2007	12:06	PM	288 17PS17RE.rsfsf
12/04/2007	12:11	PM	11,168 17PS17RW.cfd
12/04/2007	12:11	PM	4,802 17PS17RW.log
12/04/2007	12:06	PM	287 17PS17RW.rsfsf
12/04/2007	12:11	PM	11,168 17PS200a.cfd
12/04/2007	12:11	PM	4,802 17PS200a.log
12/04/2007	12:06	PM	290 17PS200a.rsfsf
12/04/2007	12:11	PM	11,168 17PS200b.cfd
12/04/2007	12:11	PM	4,802 17PS200b.log
12/04/2007	12:06	PM	290 17PS200b.rsfsf
12/04/2007	12:11	PM	11,168 17PS200c.cfd
12/04/2007	12:11	PM	4,802 17PS200c.log
12/04/2007	12:06	PM	290 17PS200c.rsfsf
12/04/2007	12:11	PM	11,168 17PS200d.cfd
12/04/2007	12:11	PM	4,802 17PS200d.log
12/04/2007	12:06	PM	290 17PS200d.rsfsf
12/04/2007	12:11	PM	11,168 17PS220.cfd
12/04/2007	12:11	PM	4,802 17PS220.log
12/04/2007	12:06	PM	286 17PS220.rsfsf

			dir.txt
12/04/2007	12:11	PM	11,168 17PS230.cfd
12/04/2007	12:11	PM	4,802 17PS230.log
12/04/2007	12:06	PM	285 17PS230.rsrf
12/04/2007	12:11	PM	11,168 17PS240.cfd
12/04/2007	12:11	PM	4,802 17PS240.log
12/04/2007	12:06	PM	285 17PS240.rsrf
12/04/2007	12:11	PM	11,168 17PS25A.cfd
12/04/2007	12:11	PM	4,802 17PS25A.log
12/04/2007	12:06	PM	287 17PS25A.rsrf
12/04/2007	12:11	PM	11,168 17PS27A.cfd
12/04/2007	12:11	PM	4,802 17PS27A.log
12/04/2007	12:06	PM	285 17PS27A.rsrf
12/04/2007	12:11	PM	11,168 17PS30A.cfd
12/04/2007	12:11	PM	4,802 17PS30A.log
12/04/2007	12:06	PM	287 17PS30A.rsrf
12/04/2007	12:11	PM	11,168 17PS30B.cfd
12/04/2007	12:11	PM	4,802 17PS30B.log
12/04/2007	12:06	PM	287 17PS30B.rsrf
12/04/2007	12:11	PM	11,168 17PS30C.cfd
12/04/2007	12:11	PM	4,802 17PS30C.log
12/04/2007	12:06	PM	286 17PS30C.rsrf
12/04/2007	12:11	PM	11,168 17PS33A.cfd
12/04/2007	12:11	PM	4,802 17PS33A.log
12/04/2007	12:06	PM	285 17PS33A.rsrf
12/04/2007	12:11	PM	11,168 17PS33B.cfd
12/04/2007	12:11	PM	4,802 17PS33B.log
12/04/2007	12:06	PM	285 17PS33B.rsrf
12/04/2007	12:11	PM	11,168 17PS51Aa.cfd
12/04/2007	12:11	PM	4,802 17PS51Aa.log
12/04/2007	12:06	PM	288 17PS51Aa.rsrf
12/04/2007	12:11	PM	11,168 17PS51Ab.cfd
12/04/2007	12:11	PM	4,802 17PS51Ab.log
12/04/2007	12:06	PM	288 17PS51Ab.rsrf
12/04/2007	12:11	PM	11,168 17PS620.cfd
12/04/2007	12:11	PM	4,802 17PS620.log
12/04/2007	12:06	PM	287 17PS620.rsrf
12/04/2007	12:11	PM	11,168 17PS71A.cfd
12/04/2007	12:11	PM	4,802 17PS71A.log
12/04/2007	12:06	PM	287 17PS71A.rsrf
12/04/2007	12:11	PM	11,168 17PS780.cfd
12/04/2007	12:11	PM	4,802 17PS780.log
12/04/2007	12:06	PM	287 17PS780.rsrf
12/04/2007	12:11	PM	11,168 17PSIS2.cfd
12/04/2007	12:11	PM	4,802 17PSIS2.log
12/04/2007	12:06	PM	288 17PSIS2.rsrf
12/04/2007	12:11	PM	11,168 17PSIS3.cfd
12/04/2007	12:11	PM	4,802 17PSIS3.log
12/04/2007	12:06	PM	289 17PSIS3.rsrf
12/04/2007	12:11	PM	11,168 17PSIS4.cfd
12/04/2007	12:11	PM	4,802 17PSIS4.log
12/04/2007	12:06	PM	288 17PSIS4.rsrf
12/04/2007	12:11	PM	11,168 17PSNC.cfd
12/04/2007	12:11	PM	4,802 17PSNC.log
12/04/2007	12:06	PM	286 17PSNC.rsrf
12/04/2007	12:11	PM	11,168 17PSNP.cfd
12/04/2007	12:11	PM	4,802 17PSNP.log
12/04/2007	12:06	PM	284 17PSNP.rsrf
12/04/2007	12:11	PM	11,168 17PSSP.cfd
12/04/2007	12:11	PM	4,802 17PSSP.log
12/04/2007	12:06	PM	284 17PSSP.rsrf
12/04/2007	12:10	PM	11,168 17RE050a.cfd
12/04/2007	12:10	PM	4,802 17RE050a.log
12/04/2007	12:06	PM	288 17RE050a.rsrf



			dir.txt
12/04/2007	12:10	PM	11,168 17RE050b.cfd
12/04/2007	12:10	PM	4,802 17RE050b.log
12/04/2007	12:06	PM	288 17RE050b.rsf
12/04/2007	12:10	PM	11,168 17RE050c.cfd
12/04/2007	12:10	PM	4,802 17RE050c.log
12/04/2007	12:06	PM	289 17RE050c.rsf
12/04/2007	12:10	PM	11,168 17RE050d.cfd
12/04/2007	12:10	PM	4,802 17RE050d.log
12/04/2007	12:06	PM	289 17RE050d.rsf
12/04/2007	12:10	PM	11,168 17RE060a.cfd
12/04/2007	12:10	PM	4,802 17RE060a.log
12/04/2007	12:06	PM	287 17RE060a.rsf
12/04/2007	12:10	PM	11,168 17RE060b.cfd
12/04/2007	12:10	PM	4,802 17RE060b.log
12/04/2007	12:06	PM	288 17RE060b.rsf
12/04/2007	12:10	PM	11,168 17RE060c.cfd
12/04/2007	12:10	PM	4,802 17RE060c.log
12/04/2007	12:06	PM	287 17RE060c.rsf
12/04/2007	12:10	PM	11,168 17RE060d.cfd
12/04/2007	12:10	PM	4,802 17RE060d.log
12/04/2007	12:06	PM	286 17RE060d.rsf
12/04/2007	12:10	PM	11,168 17RE060e.cfd
12/04/2007	12:10	PM	4,802 17RE060e.log
12/04/2007	12:06	PM	286 17RE060e.rsf
12/04/2007	12:10	PM	11,168 17RE070a.cfd
12/04/2007	12:10	PM	4,802 17RE070a.log
12/04/2007	12:06	PM	289 17RE070a.rsf
12/04/2007	12:10	PM	11,168 17RE070b.cfd
12/04/2007	12:10	PM	4,802 17RE070b.log
12/04/2007	12:06	PM	288 17RE070b.rsf
12/04/2007	12:10	PM	11,168 17RE070c.cfd
12/04/2007	12:10	PM	4,802 17RE070c.log
12/04/2007	12:06	PM	288 17RE070c.rsf
12/04/2007	12:10	PM	11,168 17RE070d.cfd
12/04/2007	12:10	PM	4,802 17RE070d.log
12/04/2007	12:06	PM	288 17RE070d.rsf
12/04/2007	12:10	PM	11,168 17RE070e.cfd
12/04/2007	12:10	PM	4,802 17RE070e.log
12/04/2007	12:06	PM	288 17RE070e.rsf
12/04/2007	12:10	PM	11,168 17RE080a.cfd
12/04/2007	12:10	PM	4,802 17RE080a.log
12/04/2007	12:06	PM	289 17RE080a.rsf
12/04/2007	12:10	PM	11,168 17RE080b.cfd
12/04/2007	12:10	PM	4,802 17RE080b.log
12/04/2007	12:06	PM	288 17RE080b.rsf
12/04/2007	12:10	PM	11,168 17RE080c.cfd
12/04/2007	12:10	PM	4,802 17RE080c.log
12/04/2007	12:06	PM	288 17RE080c.rsf
12/04/2007	12:10	PM	11,168 17RE080d.cfd
12/04/2007	12:10	PM	4,802 17RE080d.log
12/04/2007	12:06	PM	288 17RE080d.rsf
12/04/2007	12:10	PM	11,168 17RE080e.cfd
12/04/2007	12:10	PM	4,802 17RE080e.log
12/04/2007	12:06	PM	288 17RE080e.rsf
12/04/2007	12:10	PM	11,168 17RE160a.cfd
12/04/2007	12:10	PM	4,802 17RE160a.log
12/04/2007	12:06	PM	287 17RE160a.rsf
12/04/2007	12:10	PM	11,168 17RE160b.cfd
12/04/2007	12:10	PM	4,802 17RE160b.log
12/04/2007	12:06	PM	287 17RE160b.rsf
12/04/2007	12:10	PM	11,168 17RE160c.cfd
12/04/2007	12:10	PM	4,802 17RE160c.log
12/04/2007	12:06	PM	287 17RE160c.rsf

			dir.txt
12/04/2007	12:10	PM	11,168 17RE17PN.cfd
12/04/2007	12:10	PM	4,802 17RE17PN.log
12/04/2007	12:06	PM	289 17RE17PN.rsrf
12/04/2007	12:10	PM	11,168 17RE17PS.cfd
12/04/2007	12:10	PM	4,802 17RE17PS.log
12/04/2007	12:06	PM	289 17RE17PS.rsrf
12/04/2007	12:10	PM	11,168 17RE17RE.cfd
12/04/2007	12:10	PM	4,802 17RE17RE.log
12/04/2007	12:06	PM	285 17RE17RE.rsrf
12/04/2007	12:10	PM	11,168 17RE17RW.cfd
12/04/2007	12:10	PM	4,802 17RE17RW.log
12/04/2007	12:06	PM	286 17RE17RW.rsrf
12/04/2007	12:10	PM	11,168 17RE200a.cfd
12/04/2007	12:10	PM	4,802 17RE200a.log
12/04/2007	12:06	PM	289 17RE200a.rsrf
12/04/2007	12:10	PM	11,168 17RE200b.cfd
12/04/2007	12:10	PM	4,802 17RE200b.log
12/04/2007	12:06	PM	289 17RE200b.rsrf
12/04/2007	12:10	PM	11,168 17RE200c.cfd
12/04/2007	12:10	PM	4,802 17RE200c.log
12/04/2007	12:06	PM	287 17RE200c.rsrf
12/04/2007	12:10	PM	11,168 17RE200d.cfd
12/04/2007	12:10	PM	4,802 17RE200d.log
12/04/2007	12:06	PM	289 17RE200d.rsrf
12/04/2007	12:10	PM	11,168 17RE220.cfd
12/04/2007	12:10	PM	4,802 17RE220.log
12/04/2007	12:06	PM	286 17RE220.rsrf
12/04/2007	12:10	PM	11,168 17RE230.cfd
12/04/2007	12:10	PM	4,802 17RE230.log
12/04/2007	12:06	PM	285 17RE230.rsrf
12/04/2007	12:10	PM	11,168 17RE240.cfd
12/04/2007	12:10	PM	4,802 17RE240.log
12/04/2007	12:06	PM	286 17RE240.rsrf
12/04/2007	12:10	PM	11,168 17RE25A.cfd
12/04/2007	12:10	PM	4,802 17RE25A.log
12/04/2007	12:06	PM	287 17RE25A.rsrf
12/04/2007	12:10	PM	11,168 17RE27A.cfd
12/04/2007	12:10	PM	4,802 17RE27A.log
12/04/2007	12:06	PM	286 17RE27A.rsrf
12/04/2007	12:10	PM	11,168 17RE30A.cfd
12/04/2007	12:10	PM	4,802 17RE30A.log
12/04/2007	12:06	PM	287 17RE30A.rsrf
12/04/2007	12:10	PM	11,168 17RE30B.cfd
12/04/2007	12:10	PM	4,802 17RE30B.log
12/04/2007	12:06	PM	287 17RE30B.rsrf
12/04/2007	12:10	PM	11,168 17RE30C.cfd
12/04/2007	12:10	PM	4,802 17RE30C.log
12/04/2007	12:06	PM	286 17RE30C.rsrf
12/04/2007	12:10	PM	11,168 17RE33A.cfd
12/04/2007	12:10	PM	4,802 17RE33A.log
12/04/2007	12:06	PM	285 17RE33A.rsrf
12/04/2007	12:10	PM	11,168 17RE33B.cfd
12/04/2007	12:10	PM	4,802 17RE33B.log
12/04/2007	12:06	PM	285 17RE33B.rsrf
12/04/2007	12:10	PM	11,168 17RE51Aa.cfd
12/04/2007	12:10	PM	4,802 17RE51Aa.log
12/04/2007	12:06	PM	288 17RE51Aa.rsrf
12/04/2007	12:10	PM	11,168 17RE51Ab.cfd
12/04/2007	12:10	PM	4,802 17RE51Ab.log
12/04/2007	12:06	PM	288 17RE51Ab.rsrf
12/04/2007	12:10	PM	11,168 17RE620.cfd
12/04/2007	12:10	PM	4,802 17RE620.log
12/04/2007	12:06	PM	287 17RE620.rsrf

			dir.txt
12/04/2007	12:10	PM	11,168 17RE71A.cfd
12/04/2007	12:10	PM	4,802 17RE71A.log
12/04/2007	12:06	PM	286 17RE71A.rsrf
12/04/2007	12:10	PM	11,168 17RE780.cfd
12/04/2007	12:10	PM	4,802 17RE780.log
12/04/2007	12:06	PM	287 17RE780.rsrf
12/04/2007	12:10	PM	11,168 17REIS2.cfd
12/04/2007	12:10	PM	4,802 17REIS2.log
12/04/2007	12:06	PM	288 17REIS2.rsrf
12/04/2007	12:10	PM	11,168 17REIS3.cfd
12/04/2007	12:10	PM	4,802 17REIS3.log
12/04/2007	12:06	PM	289 17REIS3.rsrf
12/04/2007	12:10	PM	11,168 17REIS4.cfd
12/04/2007	12:10	PM	4,802 17REIS4.log
12/04/2007	12:06	PM	288 17REIS4.rsrf
12/04/2007	12:10	PM	11,168 17RENC.cfd
12/04/2007	12:10	PM	4,802 17RENC.log
12/04/2007	12:06	PM	286 17RENC.rsrf
12/04/2007	12:10	PM	11,168 17RENP.cfd
12/04/2007	12:10	PM	4,802 17RENP.log
12/04/2007	12:06	PM	284 17RENP.rsrf
12/04/2007	12:10	PM	11,168 17RESP.cfd
12/04/2007	12:10	PM	4,802 17RESP.log
12/04/2007	12:06	PM	285 17RESP.rsrf
12/04/2007	12:10	PM	11,168 17RW050a.cfd
12/04/2007	12:10	PM	4,802 17RW050a.log
12/04/2007	12:06	PM	287 17RW050a.rsrf
12/04/2007	12:10	PM	11,168 17RW050b.cfd
12/04/2007	12:10	PM	4,802 17RW050b.log
12/04/2007	12:06	PM	287 17RW050b.rsrf
12/04/2007	12:10	PM	11,168 17RW050c.cfd
12/04/2007	12:10	PM	4,802 17RW050c.log
12/04/2007	12:06	PM	288 17RW050c.rsrf
12/04/2007	12:10	PM	11,168 17RW050d.cfd
12/04/2007	12:10	PM	4,802 17RW050d.log
12/04/2007	12:06	PM	288 17RW050d.rsrf
12/04/2007	12:10	PM	11,168 17RW060a.cfd
12/04/2007	12:10	PM	4,802 17RW060a.log
12/04/2007	12:06	PM	289 17RW060a.rsrf
12/04/2007	12:10	PM	11,168 17RW060b.cfd
12/04/2007	12:10	PM	4,802 17RW060b.log
12/04/2007	12:06	PM	288 17RW060b.rsrf
12/04/2007	12:10	PM	11,168 17RW060c.cfd
12/04/2007	12:10	PM	4,802 17RW060c.log
12/04/2007	12:06	PM	288 17RW060c.rsrf
12/04/2007	12:10	PM	11,168 17RW060d.cfd
12/04/2007	12:10	PM	4,802 17RW060d.log
12/04/2007	12:06	PM	288 17RW060d.rsrf
12/04/2007	12:10	PM	11,168 17RW060e.cfd
12/04/2007	12:10	PM	4,802 17RW060e.log
12/04/2007	12:06	PM	288 17RW060e.rsrf
12/04/2007	12:10	PM	11,168 17RW070a.cfd
12/04/2007	12:10	PM	4,802 17RW070a.log
12/04/2007	12:06	PM	289 17RW070a.rsrf
12/04/2007	12:10	PM	11,168 17RW070b.cfd
12/04/2007	12:10	PM	4,802 17RW070b.log
12/04/2007	12:06	PM	288 17RW070b.rsrf
12/04/2007	12:10	PM	11,168 17RW070c.cfd
12/04/2007	12:10	PM	4,802 17RW070c.log
12/04/2007	12:06	PM	288 17RW070c.rsrf
12/04/2007	12:10	PM	11,168 17RW070d.cfd
12/04/2007	12:10	PM	4,802 17RW070d.log
12/04/2007	12:06	PM	288 17RW070d.rsrf

			dir.txt
12/04/2007	12:10	PM	11,168 17RW070e.cfd
12/04/2007	12:10	PM	4,802 17RW070e.log
12/04/2007	12:06	PM	288 17RW070e.rsf
12/04/2007	12:10	PM	11,168 17RW080a.cfd
12/04/2007	12:10	PM	4,802 17RW080a.log
12/04/2007	12:06	PM	289 17RW080a.rsf
12/04/2007	12:10	PM	11,168 17RW080b.cfd
12/04/2007	12:10	PM	4,802 17RW080b.log
12/04/2007	12:06	PM	288 17RW080b.rsf
12/04/2007	12:10	PM	11,168 17RW080c.cfd
12/04/2007	12:10	PM	4,802 17RW080c.log
12/04/2007	12:06	PM	288 17RW080c.rsf
12/04/2007	12:10	PM	11,168 17RW080d.cfd
12/04/2007	12:10	PM	4,802 17RW080d.log
12/04/2007	12:06	PM	288 17RW080d.rsf
12/04/2007	12:10	PM	11,168 17RW080e.cfd
12/04/2007	12:10	PM	4,802 17RW080e.log
12/04/2007	12:06	PM	288 17RW080e.rsf
12/04/2007	12:10	PM	11,168 17RW160a.cfd
12/04/2007	12:10	PM	4,802 17RW160a.log
12/04/2007	12:06	PM	287 17RW160a.rsf
12/04/2007	12:10	PM	11,168 17RW160b.cfd
12/04/2007	12:10	PM	4,802 17RW160b.log
12/04/2007	12:06	PM	287 17RW160b.rsf
12/04/2007	12:10	PM	11,168 17RW160c.cfd
12/04/2007	12:10	PM	4,802 17RW160c.log
12/04/2007	12:06	PM	286 17RW160c.rsf
12/04/2007	12:10	PM	11,168 17RW17PN.cfd
12/04/2007	12:10	PM	4,802 17RW17PN.log
12/04/2007	12:06	PM	289 17RW17PN.rsf
12/04/2007	12:10	PM	11,168 17RW17PS.cfd
12/04/2007	12:10	PM	4,802 17RW17PS.log
12/04/2007	12:06	PM	289 17RW17PS.rsf
12/04/2007	12:10	PM	11,168 17RW17RE.cfd
12/04/2007	12:10	PM	4,802 17RW17RE.log
12/04/2007	12:06	PM	287 17RW17RE.rsf
12/04/2007	12:10	PM	11,168 17RW17RW.cfd
12/04/2007	12:10	PM	4,802 17RW17RW.log
12/04/2007	12:06	PM	284 17RW17RW.rsf
12/04/2007	12:10	PM	11,168 17RW200a.cfd
12/04/2007	12:10	PM	4,802 17RW200a.log
12/04/2007	12:06	PM	289 17RW200a.rsf
12/04/2007	12:10	PM	11,168 17RW200b.cfd
12/04/2007	12:10	PM	4,802 17RW200b.log
12/04/2007	12:06	PM	289 17RW200b.rsf
12/04/2007	12:10	PM	11,168 17RW200c.cfd
12/04/2007	12:10	PM	4,802 17RW200c.log
12/04/2007	12:06	PM	289 17RW200c.rsf
12/04/2007	12:10	PM	11,168 17RW200d.cfd
12/04/2007	12:10	PM	4,802 17RW200d.log
12/04/2007	12:06	PM	289 17RW200d.rsf
12/04/2007	12:10	PM	11,168 17RW220.cfd
12/04/2007	12:10	PM	4,802 17RW220.log
12/04/2007	12:06	PM	286 17RW220.rsf
12/04/2007	12:10	PM	11,168 17RW230.cfd
12/04/2007	12:10	PM	4,802 17RW230.log
12/04/2007	12:06	PM	287 17RW230.rsf
12/04/2007	12:10	PM	11,168 17RW240.cfd
12/04/2007	12:10	PM	4,802 17RW240.log
12/04/2007	12:06	PM	285 17RW240.rsf
12/04/2007	12:10	PM	11,168 17RW25A.cfd
12/04/2007	12:10	PM	4,802 17RW25A.log
12/04/2007	12:06	PM	287 17RW25A.rsf

12/04/2007	12:10	PM	dir.txt
12/04/2007	12:10	PM	11,168 17RW27A.cfd
12/04/2007	12:06	PM	4,802 17RW27A.log
12/04/2007	12:10	PM	285 17RW27A.rsrf
12/04/2007	12:10	PM	11,168 17RW30A.cfd
12/04/2007	12:10	PM	4,802 17RW30A.log
12/04/2007	12:06	PM	287 17RW30A.rsrf
12/04/2007	12:10	PM	11,168 17RW30B.cfd
12/04/2007	12:10	PM	4,802 17RW30B.log
12/04/2007	12:06	PM	287 17RW30B.rsrf
12/04/2007	12:10	PM	11,168 17RW30C.cfd
12/04/2007	12:10	PM	4,802 17RW30C.log
12/04/2007	12:06	PM	286 17RW30C.rsrf
12/04/2007	12:10	PM	11,168 17RW33A.cfd
12/04/2007	12:10	PM	4,802 17RW33A.log
12/04/2007	12:06	PM	287 17RW33A.rsrf
12/04/2007	12:10	PM	11,168 17RW33B.cfd
12/04/2007	12:10	PM	4,802 17RW33B.log
12/04/2007	12:06	PM	287 17RW33B.rsrf
12/04/2007	12:10	PM	11,168 17RW51Aa.cfd
12/04/2007	12:10	PM	4,802 17RW51Aa.log
12/04/2007	12:06	PM	287 17RW51Aa.rsrf
12/04/2007	12:10	PM	11,168 17RW51Ab.cfd
12/04/2007	12:10	PM	4,802 17RW51Ab.log
12/04/2007	12:06	PM	287 17RW51Ab.rsrf
12/04/2007	12:10	PM	11,168 17RW620.cfd
12/04/2007	12:10	PM	4,802 17RW620.log
12/04/2007	12:06	PM	287 17RW620.rsrf
12/04/2007	12:10	PM	11,168 17RW71A.cfd
12/04/2007	12:10	PM	4,802 17RW71A.log
12/04/2007	12:06	PM	287 17RW71A.rsrf
12/04/2007	12:10	PM	11,168 17RW780.cfd
12/04/2007	12:10	PM	4,802 17RW780.log
12/04/2007	12:06	PM	287 17RW780.rsrf
12/04/2007	12:10	PM	11,168 17RWIS2.cfd
12/04/2007	12:10	PM	4,802 17RWIS2.log
12/04/2007	12:06	PM	288 17RWIS2.rsrf
12/04/2007	12:10	PM	11,168 17RWIS3.cfd
12/04/2007	12:10	PM	4,802 17RWIS3.log
12/04/2007	12:06	PM	289 17RWIS3.rsrf
12/04/2007	12:10	PM	11,168 17RWIS4.cfd
12/04/2007	12:10	PM	4,802 17RWIS4.log
12/04/2007	12:06	PM	288 17RWIS4.rsrf
12/04/2007	12:10	PM	11,168 17RWNC.cfd
12/04/2007	12:10	PM	4,802 17RWNC.log
12/04/2007	12:06	PM	286 17RWNC.rsrf
12/04/2007	12:10	PM	11,168 17RWNP.cfd
12/04/2007	12:10	PM	4,802 17RWNP.log
12/04/2007	12:06	PM	284 17RWNP.rsrf
12/04/2007	12:10	PM	11,168 17RWSP.cfd
12/04/2007	12:10	PM	4,802 17RWSP.log
12/04/2007	12:06	PM	285 17RWSP.rsrf
12/04/2007	12:08	PM	11,168 200a050a.cfd
12/04/2007	12:08	PM	4,794 200a050a.log
12/04/2007	12:06	PM	292 200a050a.rsrf
12/04/2007	12:08	PM	11,168 200a050b.cfd
12/04/2007	12:08	PM	4,794 200a050b.log
12/04/2007	12:06	PM	292 200a050b.rsrf
12/04/2007	12:08	PM	11,168 200a050c.cfd
12/04/2007	12:08	PM	4,794 200a050c.log
12/04/2007	12:06	PM	293 200a050c.rsrf
12/04/2007	12:08	PM	11,168 200a050d.cfd
12/04/2007	12:08	PM	4,794 200a050d.log
12/04/2007	12:06	PM	293 200a050d.rsrf

			dir.txt
12/04/2007	12:08	PM	11,168 200a060a.cfd
12/04/2007	12:08	PM	4,794 200a060a.log
12/04/2007	12:06	PM	293 200a060a.rsrf
12/04/2007	12:08	PM	11,168 200a060b.cfd
12/04/2007	12:08	PM	4,794 200a060b.log
12/04/2007	12:06	PM	292 200a060b.rsrf
12/04/2007	12:08	PM	11,168 200a060c.cfd
12/04/2007	12:08	PM	4,794 200a060c.log
12/04/2007	12:06	PM	292 200a060c.rsrf
12/04/2007	12:08	PM	11,168 200a060d.cfd
12/04/2007	12:08	PM	4,794 200a060d.log
12/04/2007	12:06	PM	292 200a060d.rsrf
12/04/2007	12:08	PM	11,168 200a060e.cfd
12/04/2007	12:08	PM	4,794 200a060e.log
12/04/2007	12:06	PM	292 200a060e.rsrf
12/04/2007	12:08	PM	11,168 200a070a.cfd
12/04/2007	12:08	PM	4,794 200a070a.log
12/04/2007	12:06	PM	294 200a070a.rsrf
12/04/2007	12:08	PM	11,168 200a070b.cfd
12/04/2007	12:08	PM	4,794 200a070b.log
12/04/2007	12:06	PM	293 200a070b.rsrf
12/04/2007	12:08	PM	11,168 200a070c.cfd
12/04/2007	12:08	PM	4,794 200a070c.log
12/04/2007	12:06	PM	293 200a070c.rsrf
12/04/2007	12:08	PM	11,168 200a070d.cfd
12/04/2007	12:08	PM	4,794 200a070d.log
12/04/2007	12:06	PM	293 200a070d.rsrf
12/04/2007	12:08	PM	11,168 200a070e.cfd
12/04/2007	12:08	PM	4,794 200a070e.log
12/04/2007	12:06	PM	293 200a070e.rsrf
12/04/2007	12:08	PM	11,168 200a080a.cfd
12/04/2007	12:08	PM	4,794 200a080a.log
12/04/2007	12:06	PM	294 200a080a.rsrf
12/04/2007	12:08	PM	11,168 200a080b.cfd
12/04/2007	12:08	PM	4,794 200a080b.log
12/04/2007	12:06	PM	293 200a080b.rsrf
12/04/2007	12:08	PM	11,168 200a080c.cfd
12/04/2007	12:08	PM	4,794 200a080c.log
12/04/2007	12:06	PM	293 200a080c.rsrf
12/04/2007	12:08	PM	11,168 200a080d.cfd
12/04/2007	12:08	PM	4,794 200a080d.log
12/04/2007	12:06	PM	293 200a080d.rsrf
12/04/2007	12:08	PM	11,168 200a080e.cfd
12/04/2007	12:08	PM	4,794 200a080e.log
12/04/2007	12:06	PM	293 200a080e.rsrf
12/04/2007	12:08	PM	11,168 200a160a.cfd
12/04/2007	12:08	PM	4,794 200a160a.log
12/04/2007	12:06	PM	292 200a160a.rsrf
12/04/2007	12:08	PM	11,168 200a160b.cfd
12/04/2007	12:08	PM	4,794 200a160b.log
12/04/2007	12:06	PM	292 200a160b.rsrf
12/04/2007	12:08	PM	11,168 200a160c.cfd
12/04/2007	12:08	PM	4,794 200a160c.log
12/04/2007	12:06	PM	292 200a160c.rsrf
12/04/2007	12:09	PM	11,168 200a17PN.cfd
12/04/2007	12:09	PM	4,794 200a17PN.log
12/04/2007	12:06	PM	295 200a17PN.rsrf
12/04/2007	12:09	PM	11,168 200a17PS.cfd
12/04/2007	12:09	PM	4,794 200a17PS.log
12/04/2007	12:06	PM	295 200a17PS.rsrf
12/04/2007	12:08	PM	11,168 200a17RE.cfd
12/04/2007	12:08	PM	4,794 200a17RE.log
12/04/2007	12:06	PM	294 200a17RE.rsrf

			dir.txt
12/04/2007	12:09	PM	11,168 200a17RW.cfd
12/04/2007	12:09	PM	4,794 200a17RW.log
12/04/2007	12:06	PM	294 200a17RW.rsrf
12/04/2007	12:08	PM	11,168 200a200a.cfd
12/04/2007	12:08	PM	4,794 200a200a.log
12/04/2007	12:06	PM	292 200a200a.rsrf
12/04/2007	12:08	PM	11,168 200a200b.cfd
12/04/2007	12:08	PM	4,794 200a200b.log
12/04/2007	12:06	PM	292 200a200b.rsrf
12/04/2007	12:08	PM	11,168 200a200c.cfd
12/04/2007	12:08	PM	4,794 200a200c.log
12/04/2007	12:06	PM	291 200a200c.rsrf
12/04/2007	12:08	PM	11,168 200a200d.cfd
12/04/2007	12:08	PM	4,794 200a200d.log
12/04/2007	12:06	PM	291 200a200d.rsrf
12/04/2007	12:09	PM	11,168 200a220.cfd
12/04/2007	12:09	PM	4,794 200a220.log
12/04/2007	12:06	PM	290 200a220.rsrf
12/04/2007	12:09	PM	11,168 200a230.cfd
12/04/2007	12:09	PM	4,794 200a230.log
12/04/2007	12:06	PM	289 200a230.rsrf
12/04/2007	12:09	PM	11,168 200a240.cfd
12/04/2007	12:09	PM	4,794 200a240.log
12/04/2007	12:06	PM	290 200a240.rsrf
12/04/2007	12:09	PM	11,168 200a25A.cfd
12/04/2007	12:09	PM	4,794 200a25A.log
12/04/2007	12:06	PM	291 200a25A.rsrf
12/04/2007	12:09	PM	11,168 200a27A.cfd
12/04/2007	12:09	PM	4,794 200a27A.log
12/04/2007	12:06	PM	292 200a27A.rsrf
12/04/2007	12:09	PM	11,168 200a30A.cfd
12/04/2007	12:09	PM	4,794 200a30A.log
12/04/2007	12:06	PM	290 200a30A.rsrf
12/04/2007	12:09	PM	11,168 200a30B.cfd
12/04/2007	12:09	PM	4,794 200a30B.log
12/04/2007	12:06	PM	292 200a30B.rsrf
12/04/2007	12:09	PM	11,168 200a30C.cfd
12/04/2007	12:09	PM	4,794 200a30C.log
12/04/2007	12:06	PM	291 200a30C.rsrf
12/04/2007	12:09	PM	11,168 200a33A.cfd
12/04/2007	12:09	PM	4,794 200a33A.log
12/04/2007	12:06	PM	291 200a33A.rsrf
12/04/2007	12:09	PM	11,168 200a33B.cfd
12/04/2007	12:09	PM	4,794 200a33B.log
12/04/2007	12:06	PM	290 200a33B.rsrf
12/04/2007	12:08	PM	11,168 200a51Aa.cfd
12/04/2007	12:08	PM	4,794 200a51Aa.log
12/04/2007	12:06	PM	292 200a51Aa.rsrf
12/04/2007	12:08	PM	11,168 200a51Ab.cfd
12/04/2007	12:08	PM	4,794 200a51Ab.log
12/04/2007	12:06	PM	292 200a51Ab.rsrf
12/04/2007	12:09	PM	11,168 200a620.cfd
12/04/2007	12:09	PM	4,794 200a620.log
12/04/2007	12:06	PM	291 200a620.rsrf
12/04/2007	12:09	PM	11,168 200a71A.cfd
12/04/2007	12:09	PM	4,794 200a71A.log
12/04/2007	12:06	PM	290 200a71A.rsrf
12/04/2007	12:09	PM	11,168 200a780.cfd
12/04/2007	12:09	PM	4,794 200a780.log
12/04/2007	12:06	PM	291 200a780.rsrf
12/04/2007	12:09	PM	11,168 200aIS2.cfd
12/04/2007	12:09	PM	4,794 200aIS2.log
12/04/2007	12:06	PM	293 200aIS2.rsrf

			dir.txt
12/04/2007	12:09	PM	11,168 200aIS3.cfd
12/04/2007	12:09	PM	4,794 200aIS3.log
12/04/2007	12:06	PM	294 200aIS3.rsfsf
12/04/2007	12:09	PM	11,168 200aIS4.cfd
12/04/2007	12:09	PM	4,794 200aIS4.log
12/04/2007	12:06	PM	294 200aIS4.rsfsf
12/04/2007	12:09	PM	11,168 200aNC.cfd
12/04/2007	12:09	PM	4,794 200aNC.log
12/04/2007	12:06	PM	291 200aNC.rsfsf
12/04/2007	12:09	PM	11,168 200aNP.cfd
12/04/2007	12:09	PM	4,794 200aNP.log
12/04/2007	12:06	PM	288 200aNP.rsfsf
12/04/2007	12:09	PM	11,168 200aSP.cfd
12/04/2007	12:09	PM	4,794 200aSP.log
12/04/2007	12:06	PM	290 200aSP.rsfsf
12/04/2007	12:09	PM	11,168 200b050a.cfd
12/04/2007	12:09	PM	4,794 200b050a.log
12/04/2007	12:06	PM	292 200b050a.rsfsf
12/04/2007	12:09	PM	11,168 200b050b.cfd
12/04/2007	12:09	PM	4,794 200b050b.log
12/04/2007	12:06	PM	292 200b050b.rsfsf
12/04/2007	12:09	PM	11,168 200b050c.cfd
12/04/2007	12:09	PM	4,794 200b050c.log
12/04/2007	12:06	PM	293 200b050c.rsfsf
12/04/2007	12:09	PM	11,168 200b050d.cfd
12/04/2007	12:09	PM	4,794 200b050d.log
12/04/2007	12:06	PM	293 200b050d.rsfsf
12/04/2007	12:09	PM	11,168 200b060a.cfd
12/04/2007	12:09	PM	4,794 200b060a.log
12/04/2007	12:06	PM	292 200b060a.rsfsf
12/04/2007	12:09	PM	11,168 200b060b.cfd
12/04/2007	12:09	PM	4,794 200b060b.log
12/04/2007	12:06	PM	292 200b060b.rsfsf
12/04/2007	12:09	PM	11,168 200b060c.cfd
12/04/2007	12:09	PM	4,794 200b060c.log
12/04/2007	12:06	PM	292 200b060c.rsfsf
12/04/2007	12:09	PM	11,168 200b060d.cfd
12/04/2007	12:09	PM	4,794 200b060d.log
12/04/2007	12:06	PM	292 200b060d.rsfsf
12/04/2007	12:09	PM	11,168 200b060e.cfd
12/04/2007	12:09	PM	4,794 200b060e.log
12/04/2007	12:06	PM	292 200b060e.rsfsf
12/04/2007	12:09	PM	11,168 200b070a.cfd
12/04/2007	12:09	PM	4,794 200b070a.log
12/04/2007	12:06	PM	294 200b070a.rsfsf
12/04/2007	12:09	PM	11,168 200b070b.cfd
12/04/2007	12:09	PM	4,794 200b070b.log
12/04/2007	12:06	PM	293 200b070b.rsfsf
12/04/2007	12:09	PM	11,168 200b070c.cfd
12/04/2007	12:09	PM	4,794 200b070c.log
12/04/2007	12:06	PM	293 200b070c.rsfsf
12/04/2007	12:09	PM	11,168 200b070d.cfd
12/04/2007	12:09	PM	4,794 200b070d.log
12/04/2007	12:06	PM	293 200b070d.rsfsf
12/04/2007	12:09	PM	11,168 200b070e.cfd
12/04/2007	12:09	PM	4,794 200b070e.log
12/04/2007	12:06	PM	293 200b070e.rsfsf
12/04/2007	12:09	PM	11,168 200b080a.cfd
12/04/2007	12:09	PM	4,794 200b080a.log
12/04/2007	12:06	PM	294 200b080a.rsfsf
12/04/2007	12:09	PM	11,168 200b080b.cfd
12/04/2007	12:09	PM	4,794 200b080b.log
12/04/2007	12:06	PM	293 200b080b.rsfsf



			dir.txt
12/04/2007	12:09	PM	11,168 200b080c.cfd
12/04/2007	12:09	PM	4,794 200b080c.log
12/04/2007	12:06	PM	293 200b080c.rsrf
12/04/2007	12:09	PM	11,168 200b080d.cfd
12/04/2007	12:09	PM	4,794 200b080d.log
12/04/2007	12:06	PM	293 200b080d.rsrf
12/04/2007	12:09	PM	11,168 200b080e.cfd
12/04/2007	12:09	PM	4,794 200b080e.log
12/04/2007	12:06	PM	293 200b080e.rsrf
12/04/2007	12:09	PM	11,168 200b160a.cfd
12/04/2007	12:09	PM	4,794 200b160a.log
12/04/2007	12:06	PM	292 200b160a.rsrf
12/04/2007	12:09	PM	11,168 200b160b.cfd
12/04/2007	12:09	PM	4,794 200b160b.log
12/04/2007	12:06	PM	292 200b160b.rsrf
12/04/2007	12:09	PM	11,168 200b160c.cfd
12/04/2007	12:09	PM	4,794 200b160c.log
12/04/2007	12:06	PM	292 200b160c.rsrf
12/04/2007	12:09	PM	11,168 200b17PN.cfd
12/04/2007	12:09	PM	4,794 200b17PN.log
12/04/2007	12:06	PM	295 200b17PN.rsrf
12/04/2007	12:09	PM	11,168 200b17PS.cfd
12/04/2007	12:09	PM	4,794 200b17PS.log
12/04/2007	12:06	PM	295 200b17PS.rsrf
12/04/2007	12:09	PM	11,168 200b17RE.cfd
12/04/2007	12:09	PM	4,794 200b17RE.log
12/04/2007	12:06	PM	294 200b17RE.rsrf
12/04/2007	12:09	PM	11,168 200b17RW.cfd
12/04/2007	12:09	PM	4,794 200b17RW.log
12/04/2007	12:06	PM	294 200b17RW.rsrf
12/04/2007	12:09	PM	11,168 200b200a.cfd
12/04/2007	12:09	PM	4,794 200b200a.log
12/04/2007	12:06	PM	292 200b200a.rsrf
12/04/2007	12:09	PM	11,168 200b200b.cfd
12/04/2007	12:09	PM	4,794 200b200b.log
12/04/2007	12:06	PM	292 200b200b.rsrf
12/04/2007	12:09	PM	11,168 200b200c.cfd
12/04/2007	12:09	PM	4,794 200b200c.log
12/04/2007	12:06	PM	291 200b200c.rsrf
12/04/2007	12:09	PM	11,168 200b200d.cfd
12/04/2007	12:09	PM	4,794 200b200d.log
12/04/2007	12:06	PM	290 200b200d.rsrf
12/04/2007	12:09	PM	11,168 200b220.cfd
12/04/2007	12:09	PM	4,794 200b220.log
12/04/2007	12:06	PM	290 200b220.rsrf
12/04/2007	12:09	PM	11,168 200b230.cfd
12/04/2007	12:09	PM	4,794 200b230.log
12/04/2007	12:06	PM	289 200b230.rsrf
12/04/2007	12:09	PM	11,168 200b240.cfd
12/04/2007	12:09	PM	4,794 200b240.log
12/04/2007	12:06	PM	290 200b240.rsrf
12/04/2007	12:09	PM	11,168 200b25A.cfd
12/04/2007	12:09	PM	4,794 200b25A.log
12/04/2007	12:06	PM	291 200b25A.rsrf
12/04/2007	12:09	PM	11,168 200b27A.cfd
12/04/2007	12:09	PM	4,794 200b27A.log
12/04/2007	12:06	PM	292 200b27A.rsrf
12/04/2007	12:09	PM	11,168 200b30A.cfd
12/04/2007	12:09	PM	4,794 200b30A.log
12/04/2007	12:06	PM	290 200b30A.rsrf
12/04/2007	12:09	PM	11,168 200b30B.cfd
12/04/2007	12:09	PM	4,794 200b30B.log
12/04/2007	12:06	PM	292 200b30B.rsrf

Timestamp	File Name	Size
	dir.txt	
12/04/2007 12:09 PM	200b30C.cfd	11,168
12/04/2007 12:09 PM	200b30C.log	4,794
12/04/2007 12:06 PM	200b30C.rsfsf	291
12/04/2007 12:09 PM	200b33A.cfd	11,168
12/04/2007 12:09 PM	200b33A.log	4,794
12/04/2007 12:06 PM	200b33A.rsfsf	290
12/04/2007 12:09 PM	200b33B.cfd	11,168
12/04/2007 12:09 PM	200b33B.log	4,794
12/04/2007 12:06 PM	200b33B.rsfsf	290
12/04/2007 12:09 PM	200b51Aa.cfd	11,168
12/04/2007 12:09 PM	200b51Aa.log	4,794
12/04/2007 12:06 PM	200b51Aa.rsfsf	292
12/04/2007 12:09 PM	200b51Ab.cfd	11,168
12/04/2007 12:09 PM	200b51Ab.log	4,794
12/04/2007 12:06 PM	200b51Ab.rsfsf	292
12/04/2007 12:09 PM	200b620.cfd	11,168
12/04/2007 12:09 PM	200b620.log	4,794
12/04/2007 12:06 PM	200b620.rsfsf	291
12/04/2007 12:09 PM	200b71A.cfd	11,168
12/04/2007 12:09 PM	200b71A.log	4,794
12/04/2007 12:06 PM	200b71A.rsfsf	290
12/04/2007 12:09 PM	200b780.cfd	11,168
12/04/2007 12:09 PM	200b780.log	4,794
12/04/2007 12:06 PM	200b780.rsfsf	291
12/04/2007 12:09 PM	200bIS2.cfd	11,168
12/04/2007 12:09 PM	200bIS2.log	4,794
12/04/2007 12:06 PM	200bIS2.rsfsf	293
12/04/2007 12:09 PM	200bIS3.cfd	11,168
12/04/2007 12:09 PM	200bIS3.log	4,794
12/04/2007 12:06 PM	200bIS3.rsfsf	294
12/04/2007 12:09 PM	200bIS4.cfd	11,168
12/04/2007 12:09 PM	200bIS4.log	4,794
12/04/2007 12:06 PM	200bIS4.rsfsf	294
12/04/2007 12:09 PM	200bNC.cfd	11,168
12/04/2007 12:09 PM	200bNC.log	4,794
12/04/2007 12:06 PM	200bNC.rsfsf	291
12/04/2007 12:09 PM	200bNP.cfd	11,168
12/04/2007 12:09 PM	200bNP.log	4,794
12/04/2007 12:06 PM	200bNP.rsfsf	288
12/04/2007 12:09 PM	200bSP.cfd	11,168
12/04/2007 12:09 PM	200bSP.log	4,794
12/04/2007 12:06 PM	200bSP.rsfsf	290
12/04/2007 12:10 PM	51A050a.cfd	11,168
12/04/2007 12:10 PM	51A050a.log	4,794
12/04/2007 12:06 PM	51A050a.rsfsf	290
12/04/2007 12:10 PM	51A050b.cfd	11,168
12/04/2007 12:10 PM	51A050b.log	4,794
12/04/2007 12:06 PM	51A050b.rsfsf	290
12/04/2007 12:10 PM	51A050c.cfd	11,168
12/04/2007 12:10 PM	51A050c.log	4,794
12/04/2007 12:06 PM	51A050c.rsfsf	291
12/04/2007 12:10 PM	51A050d.cfd	11,168
12/04/2007 12:10 PM	51A050d.log	4,794
12/04/2007 12:06 PM	51A050d.rsfsf	291
12/04/2007 12:09 PM	51A060a.cfd	11,168
12/04/2007 12:09 PM	51A060a.log	4,794
12/04/2007 12:06 PM	51A060a.rsfsf	291
12/04/2007 12:09 PM	51A060b.cfd	11,168
12/04/2007 12:09 PM	51A060b.log	4,794
12/04/2007 12:06 PM	51A060b.rsfsf	290
12/04/2007 12:09 PM	51A060c.cfd	11,168
12/04/2007 12:09 PM	51A060c.log	4,794
12/04/2007 12:06 PM	51A060c.rsfsf	290

12/04/2007	12:09	PM		dir.txt
12/04/2007	12:09	PM	11,168	51A060d.cfd
12/04/2007	12:06	PM	4,794	51A060d.log
12/04/2007	12:09	PM	290	51A060d.rsfsf
12/04/2007	12:09	PM	11,168	51A060e.cfd
12/04/2007	12:09	PM	4,794	51A060e.log
12/04/2007	12:06	PM	290	51A060e.rsfsf
12/04/2007	12:09	PM	11,168	51A070a.cfd
12/04/2007	12:09	PM	4,794	51A070a.log
12/04/2007	12:06	PM	292	51A070a.rsfsf
12/04/2007	12:09	PM	11,168	51A070b.cfd
12/04/2007	12:09	PM	4,794	51A070b.log
12/04/2007	12:06	PM	290	51A070b.rsfsf
12/04/2007	12:09	PM	11,168	51A070c.cfd
12/04/2007	12:09	PM	4,794	51A070c.log
12/04/2007	12:06	PM	291	51A070c.rsfsf
12/04/2007	12:09	PM	11,168	51A070d.cfd
12/04/2007	12:09	PM	4,794	51A070d.log
12/04/2007	12:06	PM	291	51A070d.rsfsf
12/04/2007	12:09	PM	11,168	51A070e.cfd
12/04/2007	12:09	PM	4,794	51A070e.log
12/04/2007	12:06	PM	291	51A070e.rsfsf
12/04/2007	12:09	PM	11,168	51A080a.cfd
12/04/2007	12:09	PM	4,794	51A080a.log
12/04/2007	12:06	PM	292	51A080a.rsfsf
12/04/2007	12:09	PM	11,168	51A080b.cfd
12/04/2007	12:09	PM	4,794	51A080b.log
12/04/2007	12:06	PM	291	51A080b.rsfsf
12/04/2007	12:09	PM	11,168	51A080c.cfd
12/04/2007	12:09	PM	4,794	51A080c.log
12/04/2007	12:06	PM	291	51A080c.rsfsf
12/04/2007	12:09	PM	11,168	51A080d.cfd
12/04/2007	12:09	PM	4,794	51A080d.log
12/04/2007	12:06	PM	291	51A080d.rsfsf
12/04/2007	12:10	PM	11,168	51A080e.cfd
12/04/2007	12:10	PM	4,794	51A080e.log
12/04/2007	12:06	PM	291	51A080e.rsfsf
12/04/2007	12:10	PM	11,168	51A160a.cfd
12/04/2007	12:10	PM	4,794	51A160a.log
12/04/2007	12:06	PM	290	51A160a.rsfsf
12/04/2007	12:10	PM	11,168	51A160b.cfd
12/04/2007	12:10	PM	4,794	51A160b.log
12/04/2007	12:06	PM	290	51A160b.rsfsf
12/04/2007	12:10	PM	11,168	51A160c.cfd
12/04/2007	12:10	PM	4,794	51A160c.log
12/04/2007	12:06	PM	290	51A160c.rsfsf
12/04/2007	12:10	PM	11,168	51A17PN.cfd
12/04/2007	12:10	PM	4,794	51A17PN.log
12/04/2007	12:06	PM	293	51A17PN.rsfsf
12/04/2007	12:10	PM	11,168	51A17PS.cfd
12/04/2007	12:10	PM	4,794	51A17PS.log
12/04/2007	12:06	PM	293	51A17PS.rsfsf
12/04/2007	12:10	PM	11,168	51A17RE.cfd
12/04/2007	12:10	PM	4,794	51A17RE.log
12/04/2007	12:06	PM	293	51A17RE.rsfsf
12/04/2007	12:10	PM	11,168	51A17RW.cfd
12/04/2007	12:10	PM	4,794	51A17RW.log
12/04/2007	12:06	PM	293	51A17RW.rsfsf
12/04/2007	12:10	PM	11,168	51A200a.cfd
12/04/2007	12:10	PM	4,794	51A200a.log
12/04/2007	12:06	PM	291	51A200a.rsfsf
12/04/2007	12:10	PM	11,168	51A200b.cfd
12/04/2007	12:10	PM	4,794	51A200b.log
12/04/2007	12:06	PM	291	51A200b.rsfsf

			dir.txt
12/04/2007	12:10	PM	11,168 51A200c.cfd
12/04/2007	12:10	PM	4,794 51A200c.log
12/04/2007	12:06	PM	291 51A200c.rsrf
12/04/2007	12:10	PM	11,168 51A200d.cfd
12/04/2007	12:10	PM	4,794 51A200d.log
12/04/2007	12:06	PM	291 51A200d.rsrf
12/04/2007	12:10	PM	11,168 51A220.cfd
12/04/2007	12:10	PM	4,794 51A220.log
12/04/2007	12:06	PM	289 51A220.rsrf
12/04/2007	12:10	PM	11,168 51A230.cfd
12/04/2007	12:10	PM	4,794 51A230.log
12/04/2007	12:06	PM	288 51A230.rsrf
12/04/2007	12:10	PM	11,168 51A240.cfd
12/04/2007	12:10	PM	4,794 51A240.log
12/04/2007	12:06	PM	288 51A240.rsrf
12/04/2007	12:10	PM	11,168 51A25A.cfd
12/04/2007	12:10	PM	4,794 51A25A.log
12/04/2007	12:06	PM	289 51A25A.rsrf
12/04/2007	12:10	PM	11,168 51A27A.cfd
12/04/2007	12:10	PM	4,794 51A27A.log
12/04/2007	12:06	PM	290 51A27A.rsrf
12/04/2007	12:10	PM	11,168 51A30A.cfd
12/04/2007	12:10	PM	4,794 51A30A.log
12/04/2007	12:06	PM	289 51A30A.rsrf
12/04/2007	12:10	PM	11,168 51A30B.cfd
12/04/2007	12:10	PM	4,794 51A30B.log
12/04/2007	12:06	PM	289 51A30B.rsrf
12/04/2007	12:10	PM	11,168 51A30C.cfd
12/04/2007	12:10	PM	4,794 51A30C.log
12/04/2007	12:06	PM	290 51A30C.rsrf
12/04/2007	12:10	PM	11,168 51A33A.cfd
12/04/2007	12:10	PM	4,794 51A33A.log
12/04/2007	12:06	PM	288 51A33A.rsrf
12/04/2007	12:10	PM	11,168 51A33B.cfd
12/04/2007	12:10	PM	4,794 51A33B.log
12/04/2007	12:06	PM	288 51A33B.rsrf
12/04/2007	12:10	PM	11,168 51A51Aa.cfd
12/04/2007	12:10	PM	4,794 51A51Aa.log
12/04/2007	12:06	PM	289 51A51Aa.rsrf
12/04/2007	12:10	PM	11,168 51A51Ab.cfd
12/04/2007	12:10	PM	4,794 51A51Ab.log
12/04/2007	12:06	PM	289 51A51Ab.rsrf
12/04/2007	12:10	PM	11,168 51A620.cfd
12/04/2007	12:10	PM	4,794 51A620.log
12/04/2007	12:06	PM	289 51A620.rsrf
12/04/2007	12:10	PM	11,168 51A71A.cfd
12/04/2007	12:10	PM	4,794 51A71A.log
12/04/2007	12:06	PM	290 51A71A.rsrf
12/04/2007	12:10	PM	11,168 51A780.cfd
12/04/2007	12:10	PM	4,794 51A780.log
12/04/2007	12:06	PM	289 51A780.rsrf
12/04/2007	12:10	PM	11,168 51AIS2.cfd
12/04/2007	12:10	PM	4,794 51AIS2.log
12/04/2007	12:06	PM	292 51AIS2.rsrf
12/04/2007	12:10	PM	11,168 51AIS3.cfd
12/04/2007	12:10	PM	4,794 51AIS3.log
12/04/2007	12:06	PM	292 51AIS3.rsrf
12/04/2007	12:10	PM	11,168 51AIS4.cfd
12/04/2007	12:10	PM	4,794 51AIS4.log
12/04/2007	12:06	PM	292 51AIS4.rsrf
12/04/2007	12:10	PM	11,168 51ANC.cfd
12/04/2007	12:10	PM	4,794 51ANC.log
12/04/2007	12:06	PM	289 51ANC.rsrf

			dir.txt
12/04/2007	12:10	PM	11,168 51ANP.cfd
12/04/2007	12:10	PM	4,794 51ANP.log
12/04/2007	12:06	PM	287 51ANP.rsrf
12/04/2007	12:10	PM	11,168 51ASP.cfd
12/04/2007	12:10	PM	4,794 51ASP.log
12/04/2007	12:06	PM	288 51ASP.rsrf
12/04/2007	12:11	PM	11,168 ECRBIS2.cfd
12/04/2007	12:11	PM	4,802 ECRBIS2.log
12/04/2007	12:06	PM	288 ECRBIS2.rsrf
12/04/2007	12:11	PM	11,168 ECRBIS3.cfd
12/04/2007	12:11	PM	4,802 ECRBIS3.log
12/04/2007	12:06	PM	288 ECRBIS3.rsrf
12/04/2007	12:11	PM	11,168 ECRBIS4.cfd
12/04/2007	12:11	PM	4,802 ECRBIS4.log
12/04/2007	12:06	PM	288 ECRBIS4.rsrf
12/04/2007	12:11	PM	11,168 ECRBNC.cfd
12/04/2007	12:11	PM	4,802 ECRBNC.log
12/04/2007	12:06	PM	287 ECRBNC.rsrf
12/04/2007	12:11	PM	11,168 ECRBNP.cfd
12/04/2007	12:11	PM	4,802 ECRBNP.log
12/04/2007	12:06	PM	287 ECRBNP.rsrf
12/04/2007	12:11	PM	11,168 ECRBSP.cfd
12/04/2007	12:11	PM	4,802 ECRBSP.log
12/04/2007	12:06	PM	287 ECRBSP.rsrf
12/04/2007	12:11	PM	11,168 ES1IS2.cfd
12/04/2007	12:11	PM	4,802 ES1IS2.log
12/04/2007	12:06	PM	287 ES1IS2.rsrf
12/04/2007	12:11	PM	11,168 ES1IS3.cfd
12/04/2007	12:11	PM	4,802 ES1IS3.log
12/04/2007	12:06	PM	287 ES1IS3.rsrf
12/04/2007	12:11	PM	11,168 ES1IS4.cfd
12/04/2007	12:11	PM	4,802 ES1IS4.log
12/04/2007	12:06	PM	287 ES1IS4.rsrf
12/04/2007	12:11	PM	11,168 ES1NC.cfd
12/04/2007	12:11	PM	4,802 ES1NC.log
12/04/2007	12:06	PM	286 ES1NC.rsrf
12/04/2007	12:11	PM	11,168 ES1NP.cfd
12/04/2007	12:11	PM	4,802 ES1NP.log
12/04/2007	12:06	PM	286 ES1NP.rsrf
12/04/2007	12:11	PM	11,168 ES1SP.cfd
12/04/2007	12:11	PM	4,802 ES1SP.log
12/04/2007	12:06	PM	286 ES1SP.rsrf
12/04/2007	12:11	PM	11,168 ES2IS2.cfd
12/04/2007	12:11	PM	4,802 ES2IS2.log
12/04/2007	12:06	PM	286 ES2IS2.rsrf
12/04/2007	12:11	PM	11,168 ES2IS3.cfd
12/04/2007	12:11	PM	4,802 ES2IS3.log
12/04/2007	12:06	PM	287 ES2IS3.rsrf
12/04/2007	12:11	PM	11,168 ES2IS4.cfd
12/04/2007	12:11	PM	4,802 ES2IS4.log
12/04/2007	12:06	PM	287 ES2IS4.rsrf
12/04/2007	12:11	PM	11,168 ES2NC.cfd
12/04/2007	12:11	PM	4,802 ES2NC.log
12/04/2007	12:06	PM	285 ES2NC.rsrf
12/04/2007	12:11	PM	11,168 ES2NP.cfd
12/04/2007	12:11	PM	4,802 ES2NP.log
12/04/2007	12:06	PM	285 ES2NP.rsrf
12/04/2007	12:11	PM	11,168 ES2SP.cfd
12/04/2007	12:11	PM	4,802 ES2SP.log
12/04/2007	12:06	PM	285 ES2SP.rsrf
12/04/2007	12:11	PM	11,168 ES3NIS2.cfd
12/04/2007	12:11	PM	4,802 ES3NIS2.log
12/04/2007	12:06	PM	287 ES3NIS2.rsrf

```

dir.txt
12/04/2007 12:11 PM 11,168 ES3NIS3.cfd
12/04/2007 12:11 PM 4,802 ES3NIS3.log
12/04/2007 12:06 PM 287 ES3NIS3.rsfc
12/04/2007 12:11 PM 11,168 ES3NIS4.cfd
12/04/2007 12:11 PM 4,802 ES3NIS4.log
12/04/2007 12:06 PM 286 ES3NIS4.rsfc
12/04/2007 12:11 PM 11,168 ES3NNC.cfd
12/04/2007 12:11 PM 4,802 ES3NNC.log
12/04/2007 12:06 PM 287 ES3NNC.rsfc
12/04/2007 12:11 PM 11,168 ES3NNP.cfd
12/04/2007 12:11 PM 4,802 ES3NNP.log
12/04/2007 12:06 PM 287 ES3NNP.rsfc
12/04/2007 12:11 PM 11,168 ES3NSP.cfd
12/04/2007 12:11 PM 4,802 ES3NSP.log
12/04/2007 12:06 PM 287 ES3NSP.rsfc
12/04/2007 12:11 PM 11,168 ES3SIS2.cfd
12/04/2007 12:11 PM 4,802 ES3SIS2.log
12/04/2007 12:06 PM 288 ES3SIS2.rsfc
12/04/2007 12:11 PM 11,168 ES3SIS3.cfd
12/04/2007 12:11 PM 4,802 ES3SIS3.log
12/04/2007 12:06 PM 290 ES3SIS3.rsfc
12/04/2007 12:11 PM 11,168 ES3SIS4.cfd
12/04/2007 12:11 PM 4,802 ES3SIS4.log
12/04/2007 12:06 PM 290 ES3SIS4.rsfc
12/04/2007 12:11 PM 11,168 ES3SNC.cfd
12/04/2007 12:11 PM 4,802 ES3SNC.log
12/04/2007 12:06 PM 288 ES3SNC.rsfc
12/04/2007 12:11 PM 11,168 ES3SNP.cfd
12/04/2007 12:11 PM 4,802 ES3SNP.log
12/04/2007 12:06 PM 288 ES3SNP.rsfc
12/04/2007 12:11 PM 11,168 ES3SSP.cfd
12/04/2007 12:11 PM 4,802 ES3SSP.log
12/04/2007 12:06 PM 288 ES3SSP.rsfc
12/04/2007 12:11 PM 11,168 ES4IS2.cfd
12/04/2007 12:11 PM 4,802 ES4IS2.log
12/04/2007 12:06 PM 287 ES4IS2.rsfc
12/04/2007 12:11 PM 11,168 ES4IS3.cfd
12/04/2007 12:11 PM 4,802 ES4IS3.log
12/04/2007 12:06 PM 286 ES4IS3.rsfc
12/04/2007 12:11 PM 11,168 ES4IS4.cfd
12/04/2007 12:11 PM 4,802 ES4IS4.log
12/04/2007 12:06 PM 285 ES4IS4.rsfc
12/04/2007 12:11 PM 11,168 ES4NC.cfd
12/04/2007 12:11 PM 4,802 ES4NC.log
12/04/2007 12:06 PM 285 ES4NC.rsfc
12/04/2007 12:11 PM 11,168 ES4NP.cfd
12/04/2007 12:11 PM 4,802 ES4NP.log
12/04/2007 12:06 PM 285 ES4NP.rsfc
12/04/2007 12:11 PM 11,168 ES4SP.cfd
12/04/2007 12:11 PM 4,802 ES4SP.log
12/04/2007 12:06 PM 285 ES4SP.rsfc
04/17/2007 02:34 PM 1,621,488 ymp0105X.met
12/04/2007 12:06 PM 42,096 _all.bat
2558 File(s) 15,512,541 bytes

```

Directory of D:\HVAC Input

```

11/16/2007 07:42 AM <DIR> .
11/16/2007 07:42 AM <DIR> ..
11/05/2007 09:39 AM 11,380 HVAC Input Data.to PCSA(intake &
Exhaust)11-05-07 Final.pdf
11/05/2007 09:39 AM 28,160 HVAC Input Data.to PCSA(intake &
Exhaust)11-05-07 Final.xls

```

2 File(s) dir.txt  
39,540 bytes

Directory of D:\Test

11/16/2007	07:41 AM	<DIR>		
11/16/2007	07:41 AM	<DIR>		
01/26/2006	09:05 AM		2,426	compare.bat
07/19/2007	06:45 AM		1,254	compcfd.txt
07/19/2007	06:45 AM		4,977	complog.txt
07/19/2007	06:44 AM		11,168	ex1_96.cfd
07/19/2007	06:44 AM		4,829	ex1_96.log
04/26/1996	02:16 PM		398	EX1_96.RSF
07/19/2007	06:44 AM		11,168	ex2_96.cfd
07/19/2007	06:44 AM		4,829	ex2_96.log
04/26/1996	02:21 PM		398	EX2_96.RSF
07/19/2007	06:44 AM		11,168	ex3_96.cfd
07/19/2007	06:44 AM		4,829	ex3_96.log
04/26/1996	02:24 PM		398	EX3_96.RSF
07/19/2007	06:44 AM		11,168	ex4_96.cfd
07/19/2007	06:44 AM		4,834	ex4_96.log
04/26/1996	02:29 PM		398	EX4_96.RSF
07/19/2007	06:44 AM		11,168	ex5a_96.cfd
07/19/2007	06:44 AM		4,829	ex5a_96.log
05/02/1997	08:50 AM		387	EX5A_96.RSF
07/19/2007	06:44 AM		11,168	ex5b_96.cfd
07/19/2007	06:44 AM		4,829	ex5b_96.log
05/02/1997	08:51 AM		387	EX5B_96.RSF
07/19/2007	06:44 AM		11,168	ex5c_96.cfd
07/19/2007	06:44 AM		4,829	ex5c_96.log
05/02/1997	08:52 AM		387	EX5C_96.RSF
07/19/2007	06:44 AM		11,168	ex5d_96.cfd
07/19/2007	06:44 AM		4,829	ex5d_96.log
05/02/1997	08:52 AM		387	EX5D_96.RSF
07/19/2007	06:44 AM		11,168	ex5e_96.cfd
07/19/2007	06:44 AM		4,829	ex5e_96.log
05/02/1997	08:52 AM		387	EX5E_96.RSF
07/19/2007	06:44 AM		11,168	ex5f_96.cfd
07/19/2007	06:44 AM		4,829	ex5f_96.log
05/02/1997	08:52 AM		387	EX5F_96.RSF
07/19/2007	06:44 AM		11,168	ex6_96.cfd
07/19/2007	06:44 AM		4,829	ex6_96.log
07/19/2007	06:44 AM		390	Ex6_96.rsfc
01/26/2006	08:58 AM		772	example.bat
04/01/1995	07:00 AM		324,120	EXAMPLE.MET
07/19/2007	06:45 AM		112	test.txt
		39 File(s)	513,937	bytes

Total Files Listed:  
2600 File(s) 22,224,354 bytes  
9 Dir(s) 0 bytes free